Meta Firma

Skyward
Earthbound
Analog Field

POWERBOND® + MODULAR + LVT

The space where consciousness is displayed.

SUZANNE TICK

Tarkett

Rooted, we flourish.

The Meta Firma Collection explores textures and colors derived from nature that help us feel rooted in the simplicity of being. The Earth gives form to our physical world, connecting and shaping how we relate to one another in a space. Evoking feelings of stability and calm, the Meta Firma Collection offers soft surface patterns and a coordinating LVT that stimulate the senses through visual tactility.

Our Story.

For nearly 140 years, Tarkett has been a leader in transformative flooring solutions. While our methods have evolved, our process still begins with careful consideration of the goals held by those who live, work, and play on our surfaces. Taken together, we call our mixture of craft, science, and purpose Tarkett Human-Conscious Design℠.

And it drives everything we do.

SKYWARD G0058 (Sea Gem 52606)
18" x 36" Modular
Vertical Ashlar installation

EARTHBOUND 11573 (Sea Gem 52606)
Powerbond® installation


Earthen neutrals and
shimmering jewel tones

mirror the planet's balance of perpetual
strength and raw beauty.

MODULAR

Skyward

Gazing at a blanket of stars in the black of night brings a sense of wonder and discovery. While these celestial objects are not actually fixed in the sky, their movement is imperceptible, giving us comfort in their consistency and awe in their splendor. This translation of the obscured night sky focuses upward and forward, seeking to inspire us.

24" x 24"

9" x 36"

18" x 36"
Sample Size

SKYWARD G0058 (Sea Gem 52606)
18" x 36" Modular

SKYWARD G0058 (Inky Midnight 52610)
18" x 36" Modular
Vertical Ashlar installations

EARTHBOUND 11573 (Inky Midnight 52610)
Powerbond installation on stairs and landing area

MODULAR POWERBOND

Earthbound

Through the millennia, Earth's landscapes have been layered and weathered before regenerating once again. From anywhere on the planet, we are rooted in this resilience and Earth's certain foundation beneath our feet. No matter how far we wander, every path grounds us with renewed strength and leads us to community.

24" x 24" 9" x 36" 18" x 36" Sample Size

EARTHBOUND 11573 (Gypsite 52603)
Powerbond® installation

LVT

TECHTONIC® PROTECTION

Analog Field

In a technical, yet whimsical approach, this digitally printed LVT explores the continuity of the atmosphere, alongside its irregularities. Light with dark. Earth with sky. Permanence with evolution.

18" x 18"
Sample Size

12" x 36"

ANALOG FIELD LVT
Silver Arc (PCAO 10812)
18" x 18" Tile
Quarter Turn installation

SUZANNE TICK

Design collaboration.

Suzanne Tick is the founder of Suzanne Tick Inc., specializing in materials brand strategy, product design, development, and direction for commercial interiors. A distinguished textile designer and studio principal, Suzanne has been a Design Consultant for Tarkett since 2005. Her designs across product platforms have won numerous accolades, and she continues to break new ground in the industry—recently receiving a Best of NeoCon Gold, and Interior Design magazine's HiP Award for Tarkett's Collections Infinies®.

Known for her intelligent and enthusiastic approach to design, Suzanne has the conviction to provide innovative solutions. As well as her work in commercial interiors, she maintains a handweaving practice, and creates woven sculptures from repurposed materials. Collected and exhibited worldwide, her work has been exhibited at MoMA, Cooper Hewitt, Art Basel, and multiple other venues.





Skyward

Soft Surface

Modular

Skyward G0058
Nightside 52601



Skyward G0058
Drift 52602

Skyward G0058
Gypsite 52603



Skyward G0058
Silver Arc 52604



Skyward G0058
Amaranth Glow 52605

Skyward G0058
Sea Gem 52606

Skyward G0058
Ice Sky 52607



Skyward G0058
Sun Flare 52608

Skyward G0058
Deep Jade 52609



Skyward G0058
Inky Midnight 52610

Earthbound

Soft Surface

Powerbond® + Modular



Earthbound 11573
Nightside 52601

Earthbound 11573
Drift 52602

Earthbound 11573
Gypsite 52603

Earthbound 11573
Silver Arc 52604

Earthbound 11573
Amaranth Glow 52605



Earthbound 11573
Sea Gem 52606



Earthbound 11573
Ice Sky 52607



Earthbound 11573
Sun Flare 52608

Earthbound 11573
Deep Jade 52609

Earthbound 11573
Inky Midnight 52610

Analog Field

Luxury Vinyl Tile

(Running Line Colors)

Analog Field
Silver Arc PCAO 10812

Analog Field
Sun Flare PCAO 10813



Analog Field
Deep Jade PCAO 10814

Skyward Modular with custom colored LVT

Tarkett SOLUTION SPECtrum™

Great spaces. One surface at a time.

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more productive workspaces that maximize return on investment.

The Tarkett Solution SPECtrum™ provides flooring solutions for the specific needs of every space and budget. Our full palette of colors, patterns, and textures is coordinated to work together visually across platforms—creating a balance of function, safety, and longevity that's always on budget, in style, and sustainable. Without compromise.

Meta Firma Solution Spectrum:

1. Soft Surface Modular Tile
   Skyward G0058 (Sea Gem 52606)
2. Soft Surface Powerbond® | Modular Tile
   Earthbound 11573 (Sea Gem 52606)
3. Wall Base
   Millwork Delineate (Sterling Silver MW-69-T)
4. Wall Base
   Millwork Delineate (Sterling Silver MW-69-T)
5. Soft Surface Powerbond | Modular Tile
   Earthbound 11573 (Drift 52602)
6. Luxury Vinyl Tile
   Analog Field (Silver Arc PCAO 10812)
7. Luxury Vinyl Tile
   Analog Field (Deep Jade PCAO 10814)
8. Soft Surface Modular Tile
   Skyward G0058 (Deep Jade 52609)
9. Soft Surface Powerbond | Modular Tile
   Earthbound 11573 (Deep Jade 52609)
10. Heterogeneous Vinyl Sheet|Tile
    iQ® Granit (Creaton 464)
11. Heterogeneous Vinyl Sheet|Tile
    iQ Granit (Turquoise Swirl 780)
12. Wall Base
    Millwork Reveal (Black Pearl MW-82-F)

Color may vary from actual swatch. To order a sample and to learn more about Tarkett Solution SPECtrum, please visit tarkettna.com.

Dynex SD® with Eco-Ensure.™

Dynex SD is sulfonated during extrusion, making the fiber cationic. This process reduces the locations that stains can attack, producing a permanent resistance to acid-based stains. For even greater protection, Dynex SD is treated with Eco-Ensure: a *Cradle to Cradle™ Certified* chemistry that resists soiling from oils and organic materials.

This fluorine-free soil protection technology lowers cost of maintenance, and creates healthier spaces by promoting better indoor air quality with low-VOC emissions. The fiber within the product has been optimized to produce maximized appearance retention, cleanability, and coverage.



REGULAR NYLON

DYNEX SD NYLON

Our technologies.

Omnicoat Technology® is a patented barrier applied to the back of all ethos® Modular flooring. By creating an inert layer on the bottom of ethos, Omnicoat prevents moisture, pH, or previous adhesives from affecting the floor installation.

When combined with TarkettTAPE,® ethos can be installed without moisture testing saving one to three days of time. This creates an industry-leading combination second only to Powerbond.® Installation can begin as long as there is no visible moisture, and the previous adhesive is scraped flat and doesn't telegraph visually through the ethos installation.

TarkettTAPE, a patented polyester film with a chemically inert, silicone-based adhesive, pairs versatility with a future-ready chemical resistance. Tested in extreme moisture and pH levels, the product is capable of withstanding the most adverse concrete conditions, and can be used with either Flex-Aire Modular® Cushion, or ethos with Omnicoat Technology (which eliminates the need for moisture testing). TarkettTAPE is a fast, easy way to float an installation, and makes it simple to uninstall, reinstall, replace tiles, or even take flooring with you when you move.



Techtonic® protection is designed to offer top-of-class scratch, scuff, and stain resistance. A unique, polyurethane floor coating, it includes no unnecessary composite materials. Understanding the beauty, depth, and dimension that our customers expect from luxury vinyl tile products, we gave Techtonic a matte, low gloss finish that makes our LVT designs appear even more natural.

Techtonic protection gives LVT floors greater defense against:



SCRATCHES ABRASIONS SCUFFS STAINS

TECHTONIC® PROTECTION

Our backings



ethos® Modular with Omnicoat Technology® is a non-PVC backing made with post-consumer recycled PVB from car windshields and architectural glass from buildings. The filler used in the backing is post-industrial waste from the paper industry. ethos Modular carpet tile backing is **Cradle to Cradle Certified®** Silver.

When installed with TarkettTAPE,® ethos with Omnicoat Technology requires no moisture testing.



Flex-Aire Modular® Cushion provides superior acoustic performance, appearance retention, and moisture management. Offering a 0.22 Noise Reduction Coefficient and a 68 Impact Insulation Class, the product reduces noise and impacts, producing a calmer environment.

With 22-28% overall recycled content (including a minimum of 5-6% post-consumer content), Flex-Aire may be installed with TarkettTAPE for a floating installation (which can be just as easily uninstalled). The product may also be installed with Tarkett's C-12E pressure-sensitive adhesive—which is **Cradle to Cradle Certified®** Silver, and ships with your carpet.



Powerbond® is a hybrid resilient carpet with a closed-cell impermeable cushion. Installing with chemically-welded seams creates a wall-to-wall impermeable installation. The product also creates a calmer environment with a 0.22 Noise Reduction Coefficient, and a 68 Impact Insulation Class. Powerbond is available with or without peel-and-stick—and no moisture testing is required before installation, if surface water is not visible.

Launched over 50 years ago, Powerbond still has no equal in the industry, and regularly maintained products have performed for over 40 years. When combined with Tarkett's Imaginations® program, Powerbond (as well as ethos Modular and Flex-Aire Modular® Cushion) can display customized visuals such as brand names, logos, mascots, wayfinding, communications, and any other visual imaginable.

Adhesives, primers and seam weld.

A brief comparison of adhesive products recommended for use with different Tarkett backing systems, in multiple installation scenarios.

	Backing	Floating	Adhesive for Dry Back	RS—Peel & Stick	Seam Weld
MODULAR	ethos Modular with Omnicoat Technology	TarkettTAPE	C-EX	N/A	N/A
MODULAR	ER3 Modular		C-EX	RS	N/A
MODULAR	Flex-Aire Modular Cushion	TarkettTAPE	C-12E	RS	N/A
POWERBOND	Powerbond Cushion		C-16E	RS	Power-Weld / C-XL / Seam Weld #54
POWERBOND	Powerbond Medfloor®		C-16E	N/A	Power-Weld / C-XL / Seam Weld #54
LUXURY VINYL TILE	**Adhesive**	**Moisture RH**			
LUXURY VINYL TILE	RollSmart™	95%	Allows immediate occupancy		
LUXURY VINYL TILE	959 Vinyl Tile and Plank Adhesive	90%			
LUXURY VINYL TILE	975 Two-Part Urethane Adhesive	90%	For install with heavy point loads, topical moisture, and extreme temperature variation		

New Power-Weld Seam Sealer meets all Air Quality Management Districts in the U.S., including California.
Power-Weld is similar to #54 Seam Weld in strength over time.
Tarkett manufactures: C-EX*, C-36, All RS adhesives.
*C-14 and C-TR have been discontinued and replaced by C-EX.

Doing good. Together.

At Tarkett North America, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance. Where sustainable flooring solutions don't just perform. They inspire.

Cradle to Cradle Certified® product standards guide our eco-design approach on the basis of five criteria: material health, product circularity, renewable energy and climate requirements, water stewardship, and social fairness.

One example of Tarkett's commitment to eco-design is our Eco-Ensure™ technology: a fluorine-free, PFAS-free soil protection that comes standard on every soft-surface product we make. Cradle to Cradle Certified® Platinum, Eco-Ensure is helping to safeguard the health of both our planet and its people.

Creating phthalate-free, low-TVOC resilient and soft-surface products helps us stay aligned with the Cradle to Cradle Certified design principles of health and wellness.

Finally, the Cradle to Cradle Certified design principles we follow (along with circular economy principles) has helped us assess our positive and negative impacts upon the environment and people's health.

Through this process, we have: reduced our energy use; converted factories in Ohio, Sweden, and Italy to renewable energy; utilized recycled materials in our products to reduce their carbon footprint; and offset the remainder of our footprint by partnering with global projects—including support of international renewable energy initiatives, and reforestation of the Peruvian Amazon. Through our support of the Tambopata National Reserve and the Bahuaja-Sorene National Park, we've helped to protect nearly 1.5 million acres and restore 10,000 acres—an action expected to avoid over 4 million tons of carbon emissions.

We are often asked to simplify our sustainability story. The truth is that making a positive impact on our world and its citizens is not so simple. Reducing the use of fossil fuels and incorporating recycled materials into our products can pose challenges, but Tarkett is working hard to make these improvements—because we value your health, and that of our environment. In our ongoing efforts to promote sustainability, achieving carbon neutrality is just one more step toward creating a better world.

Our commitment is founded on three central pillars:

CIRCULAR ECONOMY
Closing the loop on waste, preserving our planet's natural resources and reducing the impact on climate change.

GOOD MATERIALS
Subjecting ourselves to relentless scientific scrutiny and offering radical transparency about our products.

INDOOR AIR QUALITY
A commitment to your health and well-being. Creating healthy indoor spaces with the highest standards of Indoor Air Quality.

Cradle to Cradle Certified® is a certification mark licensed by the Cradle to Cradle Products Innovation Institute.



Before designing any product, we weigh the impact of its manufacture, life, and reclamation on the health of both people and planet.

Sustainability attributes.

ETHOS® MODULAR WITH OMNICOAT TECHNOLOGY®

Carbon Footprint:
Carbon Neutral

Healthy Materials:
98% raw materials third-party certified; phthalate-free; recycled content; PFAS-free

Material Health Assessment by Third-Party:
Cradle to Cradle Certified® Silver; ILFI; Declare

Indoor Air Quality:
CRI Green Label Plus; CDPH 01350 v1.2; NSF 140 Platinum

Transparency Certifications by Third-Party:
C2C; Declare; product-specific EPD

Sustainable Building Programs:
Meets LEED® v4.0, LEED v4.1; WELL

Responsible Business Practice:
UN Sustainability Goals; CE100; World Economic Forum; UN Global Compact; Cradle to Cradle principles

Responsible Product Management:
Part of Tarkett ReStart® program: based on circular economy principles

Sustainable Manufacturing:
ISO 19001, ISO 14001; closed-loop water system; renewable energy

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, ecomedes.com and mindful MATERIALS

POWERBOND®

Carbon Footprint:
Carbon Neutral

Healthy Materials:
98% raw materials third-party certified; phthalate-free; recycled content; PFAS-free

Material Health Assessment by Third-Party:
Cradle to Cradle principles

Indoor Air Quality:
CRI Green Label Plus; CDPH 01350 v1.2; NSF 140 Gold

Transparency Certifications by Third-Party:
Product-specific EPD

Sustainable Building Programs:
Meets LEED v4.0, LEED v4.1; WELL

Responsible Business Practice:
UN Sustainability Goals; CE100; World Economic Forum; UN Global Compact; Cradle to Cradle principles

Responsible Product Management:
Part of Tarkett ReStart program: based on circular economy principles

Sustainable Manufacturing:
ISO 19001, ISO 14001; closed-loop water system; renewable energy

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, ecomedes.com and mindful MATERIALS

LUXURY VINYL TILE

Carbon Footprint:
Carbon Neutral

Healthy Materials:
Phthalate-free; no heavy metals; non-toulene ink system

Material Health Assessment by Third-Party:
Cradle to Cradle principles: 100% of ingredients used have been assessed by a third-party, EPEA, for environmental and human health impacts

Indoor Air Quality:
FloorScore® certified; meets CDPH standard method v1.2-2017

Transparency Certifications by Third-Party:
FloorScore

Sustainable Building Programs:
Contributes to LEED v4.0, LEED v4.1; WELL

Responsible Business Practice:
UN Sustainability Goals; CE100; World Economic Forum; UN Global Compact; Cradle to Cradle principles

Responsible Product Management:
Part of Tarkett ReStart program

Sustainable Manufacturing:
ISO 19001, ISO 14001; closed-loop water system

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, ecomedes.com and mindful MATERIALS

Construction Options

Through our ReStart® program, we ensure 100% of the flooring and samples returned are recycled or reused, guaranteed.

	Backing Systems	Lifetime Limited Warranty	Rollability	100% Closed-Loop Recyclable	Seams	Moisture Management	Installation
POWERBOND	Powerbond® Cushion	•	Good	•	Impermeable	Impact 0 @ 10,000	Peel & Stick Direct Glue
POWERBOND	Powerbond Medfloor®	•	Excellent	•	Impermeable	Impact 0 @ 10,000	Direct Glue
MODULAR	ER3® Modular	•	Excellent	•			Peel & Stick Direct Glue
MODULAR	ethos® Modular with Omnicoat Technology®	•	Excellent	•			TarkettTAPE® Direct Glue
MODULAR	Flex-Aire Modular® Cushion	•	Good	•			TarkettTAPE Peel & Stick Direct Glue

Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring. Moisture penetration by impact at seams @10psi. No penetration after 10,000 impacts. Impermeable seams.

	Product	Recycled Content* Overall	Recycled Content* Post-Consumer	NSF 140 SCS Rating	Cradle to Cradle Certified® v3.1**	ILFI-Compliant	Declare	Green Label Plus Certified
CERTIFIED	Powerbond Cushion	8-11%	8-11%	Gold				GLP9744
CERTIFIED	Powerbond Medfloor	9-11%	9-11%					GLP9744
CERTIFIED	ER3 Modular	47-59%	20-25%	Gold				GLP1366
CERTIFIED	ethos Modular with Omnicoat Technology	48-64%	28-38%	Platinum	Silver	•	•	GLP8320
CERTIFIED	Flex-Aire Modular Cushion	22-28%	5-6%	Gold				GLP6558

*Minimum recycled content certified by Scientific Certification Systems (SCS) and varies by product style.
**Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute.

	LVT Product	Recycled Content* Overall	Recycled Content* Post-Consumer	CERTIFIED asthma & allergy friendly®	Carbon Neutral	Phthalate-free	FloorScore® Certified
CERTIFIED	Contour	30%			Yes	Yes	Yes

Visit us on Ecomedes (tarkett.ecomedes.com) to find product documentations such as LEED, LBC, WELL, Green Globes Rating Systems and Federal Standards.

ReStart® includes Tarkett's third-party certified reclamation and recycling program that reclaims and recycles post-consumer flooring, installation waste, samples, and portfolios. To initiate ReStart, contact customer service at 800.248.2878.

Tarkett offers Environmental Product Declarations (EPD) for the following: Powerbond Cushion and ethos Modular with Omnicoat Technology.

Specifications

Soft Surface

Style Name/Number:	Skyward G0058	Earthbound 11573
Coordinate Group:	12	12
Platforms:	Modular: 24" x 24" (60.9 cm x 60.9 cm), 18" x 36" (45.72 cm x 91.4 cm), 9" x 36" (22.9 cm x 91.4 cm)	Powerbond®: 6' Roll Modular: 24" x 24" (60.9 cm x 60.9 cm), 18" x 36" (45.72 cm x 91.4 cm), 9" x 36" (22.9 cm x 91.4 cm)
Sample Size:	18" x 36" (45.72 cm x 91.4 cm)	18" x 36" (45.72 cm x 91.4 cm)
Construction:	Tufted Patterned Symtex®	Stratatec® Patterned Loop
Yarn Content:	Dynex SD® Nylon	Dynex SD Nylon
Dye Method:	100% Solution Dyed	100% Solution Dyed
Pattern Match:	n/a	6' x 111.1"
Pile Height Average:	0.234" (5.9mm)	0.140" (3.6mm)
Powerbond Construction:	n/a	Powerbond Cushion, Powerbond Medfloor®
Modular Construction:	ethos® Modular with Omnicoat Technology®	ethos® Modular with Omnicoat Technology®, ER3® Modular, Flex-Aire Modular® Cushion
Colors Available:	10	10
Modular Installation Options:	24" x 24" Vertical Ashlar; 18" x 36" and 9" x 36" Vertical Ashlar, Herringbone	24" x 24" Vertical Ashlar; 18" x 36" and 9" x 36" Vertical Ashlar, Herringbone



Luxury Vinyl Tile

Style Name/Number:	Analog Field PCAO
Collection:	Collections Infinies®
Classification:	ASTM 1700
Warranty:	25 years
Tile Sizes:	12" x 36", 18" x 18"
Sample Size:	6" x 6", 18" x 18"
Total Thickness:	0.120" (3 mm)
Wear Layer Thickness:	32 mil
Finish:	Techtonic®
Edge Treatment:	Square (SE)
Emboss:	Quarry (QU)
Colors Available:	3
Installation Method:	Glue-down
Installation Options:	12" x 36": Vertical Ashlar 18" x 18": Quarter Turn, Vertical Ashlar, Horizontal Ashlar

On the cover:
EARTHBOUND 11573 (Deep Jade 52609)
Powerbond installation (stairs)

SKYWARD G0058 (Gypsite 52603)
18" X 36" Modular
Vertical Ashlar installation (foreground)

Tarkett North America
30000 Aurora Road
Solon, Ohio 44139
800.248.2878
tarkettna.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample.
All third-party trademarks are the property of their respective owners.

©Tarkett North America 6299030161 07/2021