# Jazz Age

Porcelain Stone®



# Jazz Age

# Porcelain Stone®

# Timeworn Style and All That Jazz

From the height of the Jazz Age to modern day, nightclubs set the stage for great talent. In these soulful venues, traditional hardwood flooring bears the nuances of each evening's show with timeworn grace. The highlow sheen of endless waxing, scuffs from chair legs, and subtle undulations from nightly foot traffic mark these floors with character and style. Nowin your newest designs, you can incorporate this authentic, aged hardwood patina with Jazz Age porcelain tile collection.

Jazz Age delivers just the right amount of visual distressing interpreted in durable, enduring porcelain. 8"x48" planks provide realistic sizing. Herringbone and 2" square mosaics modernize the offering. Bullnose trim hits the low notes, and cove base finishes the beat. And unlike its true wood predecessor, Jazz Age is easy to clean and maintain in high traffic areas and offers powerful performance that's worthy of a standing ovation every time. Style, character, strength-get all that with Jazz Age by Crossville.

- The look of aged hardwood with authentic, timeworn patina
- 8x48 rectified planks with a minimum 3mm grout joint
- Coordinating trim and mosaic for fully-finished style





Floor: **JAZ04** ▶ Billie 8 x 48

Wall: **JAZ04** ▶ Billie 1 x 6 Herringbone Mosaic

# Color Palette

# **Available Colors**



**JAZ01** ▶ Louis



JAZ02 ▶ Duke



**JAZ03** ▶ Count



**JAZ04** ▶ Billie

## **Herringbone Mosaic**







**JAZ02.1BONEMOS** ▶ Duke



**JAZ03.1BONEMOS** ▶ Count



**JAZ04.1BONEMOS** ▶ Bille

## 2 x2 Mosiacs



JAZ01.10202MOS ▶ Louis



**JAZ02.10202MOS** ▶ Duke



**JAZ03.10202MOS** ▶ Count



JAZ04.10202MOS ▶ Billie



# Specifications

#### Sizes (Shown in JAZ02 Duke)



# Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfill-

See website for more details and sizes.



### Sizes & Finishes

| Fleid Tile - Rectified |             | Available in all colors |        |
|------------------------|-------------|-------------------------|--------|
| Nominal (in)           | Actual (mm) | Thickness (mm)          | Finish |
| 8 x 48                 | 197 x 1196  | 10                      | UP     |

Crossville recommends a grout joint of 3mm.

Actual measurements stated in inches indicate tile is calibrated (non-rectified).

Actual measurements stated in mm indicate tile is rectified.

| Mosaics Available in all colors              |        |
|--|--------|
| Nominal (in) Actual Size (mm) Thickness (mm) | Finish |
| 2 x 2* 299 x 299 10                          | UP     |
| Herringbone** 295 x 341 10                   | UP     |

<sup>\*</sup>Mounted on 12 x 12 sheet with 4.3mm grout joints \*\*Mounted on 12 x 15 sheet with 2.5mm grout joints

#### Coordinating Trim Nominal (in) Thickness (mm) Finish Actual (mm) 6 x 12 Cove Base UPS† 147 x 297 10 4 x 24 Single Bullnose 97 x 597 10 UP

† Manufactured in the USA



6 x 12 Cove Base

4 x 24 Bullnose

**Product Performance** 

| Breaking Strength   | >500 lbf   | ASTM C648  |
|---------------------|------------|------------|
| Bond Strength       | >200 psi   | ASTM C482  |
| Chemical Resistance | Unaffected | ASTM C650  |
| Frost Resistance    | Resistant  | ASTM C1026 |
| Water Absorption    | <0.20%     | ASTM C373  |

## **Wet Dynamic Coefficient of Friction Range**

| UP 0.4 | 42 - 0.52 | AcuTestsm |
|--------|-----------|-----------|
|--------|-----------|-----------|

## **Shade & Texture Index**

Jazz Age has a shade variation of V2.



**V2 Slight Variation** 

This porcelain tile product is produced with a V2 variation. Expect that the amount of color and texture on each piece may vary slightly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

# Jazz Age

Crossville, Inc.

PO Box 1168 Crossville, TN 38557 **Phone** 931.484.2110 **Fax** 931.456.2956

E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

#### **Recommended Use**

Jazz Age is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Jazz Age is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

### Wet Area Use for Jazz Age Mosaics

Jazz Age  $2 \times 2$  and herringbone mosaics are made in an unpolished finish and the AcuTest<sup>sm</sup> wet Dynamic COF is  $\geq 0.42$ . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Jazz Age to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

#### **Care and Maintenance**

Regular cleaning is the best way to keep Jazz Age tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

### **Hydrotect**

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. Please request a sample before ordering. For complete details check our website at CrossvilleInc.com.





Photo right:

Floor: JAZ02 Duke 8 x 48

On the cover:

**JAZ03** ▶ Count 8 x 48

















