


Metal

Collection	Hot and Heavy
Style Name	Metal
Style Number	C0059
Product Type	LVT
Size	18" X 36"


Feature	Description
Overall Thickness	5 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force Ultra
Squareness	ASTM F2055 - Passes - 0.010 in. max
Flexibility	ASTM F137 - Passes - \leq 1.0 in., no cracks c
Square Foot per Carton	18
Pounds per Carton	33.36
Classification	ASTM F1700 - Class III, Type B - Embosse




Recommended Installation Methods



Monolithic




Monolithic Stepping



Half Lap



Random



Brick Ashlar



Herringbone

Colorways



Golden Yellow

Color code: 132
Style number: C0059



Viva Gold

Color code: 258
Style number: C0059



My Precious

Color code: 268
Style number: C0059



Rave Red

Color code: 353
Style number: C0059



Vogue Violet

Color code: 464
Style number: C0059



Freshwater Blue

Color code: 525
Style number: C0059



Tempo Teal

Color code: 556
Style number: C0059



Blue Steel

Color code: 585
Style number: C0059



Lemon Lime

Color code: 631
Style number: C0059



On The Line

Color code: 859
Style number: C0059



Proper Gray

Color code: 929
Style number: C0059



So Fetch

Color code: 959
Style number: C0059

Performance

Feature	Description
Dimensional Stability	ASTM F2199 - Passes - ≤ 0.024 in. per linear foot
Residual Indentation	ASTM F1914 - Passes - Average less than 8%
Resistance to Chemicals	ASTM F925 - Passes - No Change or Slight Change
Resistance to Heat	ASTM F1514 - Passes - ≤ 8
Resistance to Light	ASTM F1515 - Passes - ≤ 8
Critical Radiant Flux	ASTM E648 - Passes - ≤ 0.45 watts/cm ² , Class 1

Sustainability

Feature	Description
Floor Score	Floor Score Certified
Certification Detail	Minimum 8% bio-based renewable resource content by total product weight
Country of Origin	China
Mindful Materials	Participates in Mindful Materials Library
Environmental Product Declaration	EPD Vinyl Tile
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.055 kg CO ₂ e/ft ²
Embodied Carbon	1.11 kg CO ₂ e/ft ²

Warranties

Limited 20 Year M-Force Ultra Commercial Warranty