



norament **pado**

nora[®]
by Interface[®]

A distinctive blend for engaging spaces

Terrazzo flooring has infused depth of color and texture into interiors for centuries. Its small pieces of marble and colorful stones set in cement bring a vivid, artistic element that inspire a subtle feeling of splendor and elegance.

norament pado offers a modern take on this masterful design for contemporary and high function interiors. norament pado features a mosaic-like structure with a mix of color chips embedded in a modern, high performance material – rubber. Create a relaxed and engaging atmosphere with this contemporary application of a traditional technique.







PRODUCT NORAMENT PADO COLOR 5507 SHADOW INSTALLED DIRECTIONAL

Specifications

A rich variety of chip structures

norament pado tiles feature a variegated granular design inspired by ancient terrazzo with a slightly structured two-tone surface for maximum demands. Choose from an array of neutral and elegant or colorful and striking options to create a unique aesthetic.

norament pado

Art. 3167



16

□ ~39.53" x 39.53" (1004 mm x 1004 mm)



~3.5 mm

Product Construction	Homogeneous Rubber Tile
Class / ASTM F 1344	Type IB and Grade 2
Surface Type	Two-Tone
Indoor Air Quality	GREENGUARD Gold
	CDPH 01350 Compliant
Full Life Cycle Carbon Emissions	Carbon Neutral Floors™
LEED v4	Contributes to multiple IEQ and MR credits

Multiple installation options, including high moisture solutions.




Available as *noramant pado™nTx™*. Contact your sales representative for details and lead times.

Installation Method




DIRECTIONAL

norament pado™ Colorline




5501 NATURAL



5502 CORAL



5503 EMERALD




5504 CORONET




5505 CONCRETE



5506 MINERAL




5507 SHADOW




5508 WINDSOR




5509 ROSE QUARTZ




5510 BLUFF




5511 MOON MIST




5512 SPEARMINT



5513 NIGHTSHADE



5514 LAUREL



5515 FOREST




5516 GALAXY


Unique design in every detail

norament pado is characterized by its distinctive design, featuring variegated granulate embedded in rubber flooring. Find new perspectives with this mix of three chip types:

- Marbled chips
- Single-color chips
- norament grano™ chips

Coupled with norament's world-renowned resilience and durability, norament pado is perfect for entrance halls, exhibitions and other public spaces.





The varied tones of the **marbled chips** create a unique level of visual depth that plays off the complexity of original terrazzo.



norament grano™ chips nod to classical terrazzo's use of scrap to create dynamic new visuals. These multi-toned norament grano fragments, ground from high-quality offcuts, add the classic scale and variation of terrazzo chips.



Single-color chips are the purist version of granular design and create visual harmony.



Why nora® rubber flooring?



Reduced Maintenance

Little more than water needed - no finishes, coatings or harsh chemicals necessary.



Quiet Acoustical Performance

Attenuate noise pollution.



Durable Surface

Withstand extreme stress from heavy rolling loads and wheeled traffic.



Ergonomic Design

Add comfort underfoot, reducing foot and leg pain.



High Quality Slip Resistance

Help to create safer spaces.



Supports Infection Control

Disinfect completely due to a dense, non-porous surface.



Cradle to Cradle Silver

Certification of whether a product is safe, circular and responsibly made.



Carbon Neutral Floors™

Third party certified carbon neutral throughout its entire life cycle as part of Interface's Carbon Neutral Floors program. Learn more at interface.com/carbonneutral



GREENGUARD Gold

Certified low VOC emissions.

Integrated system

nora and Interface cover every area of your building – all from a single source. Create harmonious, space-specific design with our system of soft and resilient floor coverings, including special floorings, stairtreads and accessories.

Outstanding service

From design to post-installation, we have the experts to support your project at every step and even be a valued resource for your organization's sustainability mission.

For additional information regarding usage in recommended applications, contact us or visit nora.com.

ORDER SAMPLES

Online at www.nora.com
Call 1.800.332.NORA
Email your sales rep or customer support specialist

BROWSE NORA.COM

- Design your floor with Interior Design Studio
- Find technical and environmental documents
- Access BIM/Revit Files

Product warranty

We will be happy to supply specific test results on all nora systems, Inc. products.

nora® by Interface®

Product Warranty – Americas (Excerpt)

nora systems, Inc. (nora) warrants the following nora® brand products (collectively, the "Warranted nora Brand Flooring Products") as set forth below: norament® and noraplan® rubber flooring, norament rubber stairtread (excluding visually impaired strips), accessories (excluding visually impaired strips), nora® nTx™ 020 bond enhancer and adhesives, and the conductivity of its Electrostatic Dissipative ("ESD") flooring system (norament ed and noraplan ed flooring and adhesive).

This limited warranty and the applicable Installation Instructions and Maintenance Guidelines are subject to change at nora's discretion and without notice. Please contact nora or visit the nora.com website for the latest versions. For additional information regarding usage in recommended applications, please refer to www.nora.com or call 1-800-332-NORA. Warranty periods commence on the date of invoice of the product to the original end-use customer.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW)
fiber manufactured using wind power.

Errors as well as misprints and changes reserved. No guarantee is given for the accuracy and completeness of the information. The product images in this document may differ from the original. This document is not a contractual offer and only serves to provide non-binding information.

The nora brand and all other registered trademarks used in this document are registered to nora systems GmbH or its affiliates or subsidiaries. Other labels used here are trademarks of their respective owners.

nora systems, Inc.

9 Northeastern Blvd.
Salem, NH 03079
T: 800.332.NORA
T: 603.894.1021
info-us@nora.com
www.nora.com