

HAWORTH

Prices in this book increased on July 1 and December 1, 2021; and May 1 and October 1, 2022 by various amounts. Please contact your Haworth dealer for updated pricing.

Accessories

North America Price List – February 2021



Electronic Update Page – Accessories Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Page	Description
Click Here	March 2021	243	Update – Reference about wood casegoods replacement locks and keys was removed.
Click Here	June 2021	Price List Power Pages	Update – Cord locations updated in all power module illustrations.
Click Here	July 2021	All Price List Pages	Update – Effective July 1, 2021, prices in the Accessories Price Book will increase by: 4%-Adaptable and Ergotron 0%-Haworth Collection Lighting 3%-All other products.
Click Here	September 2021	1A-4A	New – Price List pages added for new Belong Wire Management Tray and Cord Management Cuff.
Click Here	October 2021	149, 150, 161	Update – Various Ergotron products will be obsoleted effective 10/29/21.
Click Here	October 2021	25	Update – Boogie Board products have been obsoleted.
Click Here	October 2021	199	Update – Color Code for black was corrected.
Click Here	October 2021	8A	New – Belong Cushion Top price list page added.
Click Here	October 2021	Warranty Page	Update – Warranty Page Updated.
Click Here	December 2021	All Price List Pages	Update – Prices in this book increased on July 1, 2021 and will increase again December 1, 2021. See front cover for percentages.
Click Here	December 2021	157, 158	Update – Ergotron WorkFit-T and ErgotronWorkFit-TL—Desktop Sit-Stand Workstations are no longer available in white effective 12/31/2021.
Click Here	December 2021	179	Update – Wattage and starter kit illustration updated.
Click Here	January 2022	1A	Update – Wire Management Tray pricing was updated.
Click Here	May 2022	All Price List Pages	Update – Prices in this book increased on July 1, 2021, and December 1, 2021 and will increase again May 1, 2022. See front cover for percentages.
Click Here	May 2022	173	Update – updated writable surface board dimension.
Click Here	May 2022	1A-7A	New – Price List pages added for new Belong Wire Management and Electrical Components.
Click Here	May 2022	9A	New – Price List pages added for new Belong Horizontal Wire Management.
Click Here	August 2022	Warranty Page	Update – Warranty Page Updated.
Click Here	September 2022	31-33, 70, 91-93, 95-97, 99-101, 103-105	Update – USB C 18W ports changed to Smart USB A+C ports.
Click Here	October 2022	All Price List Pages	Update – Prices in this book increased on July 1, 2021, December 1, 2021, May 1, 2022 and October 1, 2022 by various amounts. Please contact your Haworth dealer for updated pricing.
Click Here	October 2022	69	Update – The Beside Storage Top was removed from the Power Tap Bracket Grommet.
Click Here	November 2022	89, 90	Update – Enhance Power Module Brackets for Suite have been obsoleted.
Click Here	February 2023	19, 233-236	Update – An assortment of Jump Stuff Work Tools have been obsoleted.
Click Here	March 2023	267	Update – A web page link to the updated Terms of Sale document has been added to the warranty page. The outdated Terms of Sale pages have been deleted and pages renumbered.



This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Price Book Overview

The following overview explains how information is organized within the Accessories price book (includes Ergotron®, Planes®, Reed Premier™, Brazo®, LIM®, Pip™, Planes®, PREMISE®, UniGroup®, Compose®, Belong™ and PLACES®).

1 Front Cover

- Includes the price book title and pricing effectivity date.

2 Canadian Conversion / Update Page

- Pricing conversion information for converting US pricing into the equivalent Canadian pricing is located on the footer of this page.
- All Price Book updates will be listed on this page including the date, page number and description of the update.

3 Price List Table of Contents

- Price List table of contents with page numbers.

4 Statement of Line

- Provides a pictorial outline of the entire product offering.

5 Price List

Each price list page contains the following:

- Product Illustration
- Catalog Number
- To Order Specify – sequencing for ordering product options and finishes
- List Prices
- Product Specification Dimensions
- Features
- Specification Tips
- Class, Discount Group Number (used for discounting) and GSA information

6 Finishes, Fabrics and COM

- Lists information for material finishes and availability.
- Provides COM information and requirements (if applicable).

7 North American Terms of Sale

- Haworth terms for ordering, pricing, shipping and delivery, general terms, and services.

8 Index

- Products are listed alphabetically by alpha-numeric catalog numbers with price list page number.

9 Product Non-Obsolescence and Warranty Policy

- Provides information about the Haworth policy for non-obsolescence and warranty.

Additional Information and Resources

Prices are subject to change without notice or approval. Haworth dealers should always submit proposals through Lynx before presenting to customers. See North American Terms of Sale for more information.

Online Resources

haworth.com

- Haworth's corporate website provides access to price books and a variety of other resources and publications.

surfaces.haworth.com

- Website provides access to the most current fabrics and finishes offered across Haworth's various product lines.




Table of Contents

Statement of Line 7-20

Adjustable Keyboard Pads

Locking Tilt AKP	21
Dial Tilt AKP	21
Dial Tilt AKP - Extended Arm	22
Sit-to-Stand AKP	22
Keyboard Trays – included with Number KU AKP Arm	23
Thin Profile AKP	24
Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	25
Boogie Board Keyboard Tray with Palm Rest	25
Boogie Board Mouse Pad	25

CPU Holders

Fixed Mount CPU Holder	26
Adjustable CPU Holder	26

Electrical Components

Collaborative Power Station	27
Classic Power Module	28
Classic Power Module Bracket - Angled	29
Classic Power Module Bracket - Vertical Bracket	29
Classic Power Module Bracket - Under Surface	29
Seamless Enhanced Power Module	31
Flush Mounted Power — Corded	35
Flush Mounted Power — Hardwire	39
Flush Mounted Power — Spiral Cord for Height Adjustable	43
Flush Mounted Power — Cord for Height Adjustable	46
Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded	52
Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	56
Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	58
Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire	60
Power Tap — Horizontal	65
Power Tap — Vertical	66
Power Tap — Hardwire	67
Power Tap — Corded Horizontal and Vertical	67
Hatch	68
Power Tap Bracket — Fixed	68
Power Tap Bracket — Adjustable	68
Power Tap Bracket — Under Surface	69
Power Tap Bracket with Grommet — Beside Storage Only	69
Flush Mounted — Round	70
Bezel Utility Module	71
Data Bezel	71
Enhanced Power Module — Corded	72
Enhanced Power Module — Hardwire	78
Enhanced Power Module — Spiral Corded — Height Adjustable	83
Enhanced Power Module — Cord for Height Adjustable	84
Above Worksurface – Adjustable	85
Above Worksurface – Adjustable with Tackboard Offset	86
Above Worksurface – Fixed	86
Under Worksurface – Fixed	86
For Use with Side Car — Basic	87
For Use with Side Car — Deluxe	87
For Use with X Series	88
For use with Suite Lower Storage – Mounts to the Inner Back of the Cabinet	89
For use with Suite Lower Storage – Mounts to Storage Top	89
For use with Suite Technology Access Blotter and Utility Cabinet	90
Flip Top Unit with Smooth Bezel – Corded – Single Sided — Power, Data and USB	91
Flip Top Unit with Smooth Bezel – Corded – Double Sided — Power, Data and USB	95

Flip Top Unit with Smooth Bezel – Hardwire – Single-Sided — Power, Data and USB	99
Flip Top Unit with Smooth Bezel – Hardwire – Double-Sided — Power, Data and USB	103
Flip Top Unit — Power and Data	107
Flip Top Unit — Non-Powered	108
Flip Top Unit – Corded – Single-Sided — Power, Data and USB	110
Flip Top Unit – Corded – Double-Sided — Power, Data and USB	116
Flip Top Unit – Hardwire – Single-Sided — Power, Data and USB	122
Flip Top Unit – Hardwire – Double-Sided — Power, Data and USB	128
Mounting Clip for Flip Top Unit	133
Wireless Charging Module	134
Cables	135
Retrofit USB Charging Cable	135

Ergotron Keyboard Tray

Keyboard Tray with Mouse Pad	136
Neo-Flex Keyboard Tray	136

Ergotron CPU Holder

Small CPU Holder	137
Universal CPU Holder	137
Cable CPU Holder	137

Ergotron Monitor Arms and Accessories

HX Single Arm	138
HX Dual Arm	138
HX Triple Monitor Bow Kit	139
LX Desk Mount Single Arm	140
LX Desk Mount Dual Arm	140
LX Dual Stacking Arm - Tall Pole Monitor Arm	141
LX Sit-to-Stand Mount Single Arm	142
LX Desk Dual Direct Arm	143
LX Desk Dual Direct Handle Kit	143
LX One-Stop Rotational Control Kit	144
LX Two-Stop Rotational Control Kit	144
LX Extension	145
LX Sit-to-Stand Extension	145
LX Pole Collar	145
LX Arm, Extension and Collar Kit	145
MXV Desk Mount Single Arm	146
MXV Desk Mount Dual Arm	146
MX Desk Mount Single Arm	147
Dual Monitor and Handle Kit	148
Monitor Quick Release LCD Bracket	148
Neo-Flex	149
Neo-Flex Extend	149
Neo-Flex Tablet	149
Under Mount C-Clamp for LX Dual Side-by-Side, LX Dual Stacking, LX Desk Mount Tall Pole	150
Under Mount C-Clamp for LX Desk Mount Single, LX Dual Direct, and MXV Monitor Arms	150
Under Mount C-Clamp for use with HX Arms	150
Grommet Mount for LX Single and Dual Direct Arms	151
Grommet Mount for LX Dual Arm	151
Grommet Mount for LX Arm on WorkFit-T/TL	151
Grommet Mount for MXV Single Monitor Arm	151
Grommet Mount for MXV Dual Monitor Arm	151

Ergotron

Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	152
Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation	153
Ergotron WorkFit-S — Single Attached Sit-Stand Workstation	154
Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	155
Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation	156
Ergotron WorkFit-T — Desktop Sit-Stand Workstation	157

Table of Contents

Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	158	Pixo Table Light	194
Ergotron WorkFit LX - Sit-Stand Desk Mount System	159	Superlight Table Light	195
Grommet Mount	160	Superlight Floor Light	195
Conversion Kit Single HD to Dual	160	Superlight Base Pads	195
Worksurface	161	Tube Top Table Light	196
Large Keyboard Tray	161	Tube Top Floor Light	196
Tablet/Document Holder	161	UMA Audio Lantern	197
Grommet Mount	161		
Conversion Kit: Dual to LCD & Laptop	162	Mobile Screens	
Conversion Kit: LCD & Laptop to Dual	162	Translucent Insert	198
Tall-User Kit for WorkFit Dual	162		
Deep Keyboard Tray	163	Monitor Arms — Haworth	
Corner Keyboard Tray	163	Adjustable Post Arm	199
WorkFit Single LCD Monitor Kit	164	Extend Arm	199
WorkFit Dual Monitor Kit	164	Adjustable Post Arm – for Use with Intuity Benching	200
WorkFit LCD & Laptop Kit	164	Extend Arm – For Use with Intuity Benching	200
Dual Monitor Double- Hinged Bow	165	Adjustable Post Arm – for Use with Reside Desking	201
Tall-User Kit for Single Display	165	Extend Arm — For Use with Reside Desking	201
Ergotron WorkFit — Anti-Fatigue Floor Mat	166	iPad Attachment	202
Ergotron Neo-Flex Laptop Cart	167		
Ergotron Teachwell® Mobile Digital Workspace	168	Pip	
LearnFit Desk	169	Pip	203
Storage Bin	169		
Ergotron Zip 12 Charging	170	Recycling Solutions	
		Recycling Solutions	204
Grommets		Recycling/Trash Bin	204
Grommets	171	Recycle Bin Carriage	204
Flip Top Unit — Hatch	172		
		Storage Accessories	
Planes Information Display and Accessories		Drawer Insert	205
Standard Easel	173	PDA Tray	206
Large Easel	174	Dividers	206
Information Boards	175	Personal Tray	206
Horizontal Wall Rail for Information Boards	175	Pencil Tray	206
Wall Cleat for Information Boards	175		
Horizontal Wall Rail End Caps	176	Wire Management	
Y-Leg Bumper	176	Cord Manager — Mesh	207
Markerboard Insert	177	Cable Chain	207
Markerboard Accessories	178	Compose Connections Cable Chain	207
		Vertical Cable Chain	207
Lighting		J-Channel	208
Adaptable LED Task Light - Stand-Alone	179	Conduit Clamp	208
Adaptable LED Task Light - Starter Kit	179	Wire Management Loop	208
Adaptable LED Task Light - Add-On Kit	180	Wire Manager Clips	208
Reed Premier™ Stand-Alone LED Task Light	181	Wire Manager — Horizontal	209
Reed Premier™ Starter LED Task Light	181	Horizontal Wire Management	209
Reed Premier™ Add-On LED Task Light — For Use with Reed		Vertical Cable Guide	209
Premier Starter LED Task Lights	182	Wire Management Trough	209
Reed Premier™ Add-On Occupancy Sensor	182	Wire Management Basket	210
Voyage without Occupancy Sensor	183	Basket Cover	210
Voyage with Occupancy Sensor	183	Vertical Wire Channel - Leg Attached	210
Freestanding Lighting	184	Planes C-Leg Training Table Vertical Wire Manager	211
Mounted Lighting	184	Compose Task Light Cord Manager	211
Grommet — For Use with Brazo Grommet Mounted Light Only	184	PREMISE Vertical Wire Manager	211
Circa Table Light	185	PREMISE Task Light Cord Manager	212
Circa Floor Light	185	UniGroup Too, UniGroup and PLACES Task Light Wire Manager	212
Contour Table Light	186	UniGroup Too, UniGroup and PLACES Wire Manager	212
Contour Floor Light	186	Cable Base	213
Corner Office Table Light	187	Cable Column	213
Corner Office Table Light with Small Panel	187		
Corner Office Table Light with Large Panel	187	Work Tools — Mounting	
Giraffa Table Light	188	Wall Accessory Slat Pad – For Use with PREMISE	214
LIM Freestanding Lighting	189	Slat, Wall Mount	214
LIM Worksurface Mounted Lighting	190	Belong Single Side	215
LIM Mounted Lighting	191	Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount	216
LIM Hardware	192	Tool Rail — Single Post — C-Clamp or Thru-mount	217
LIM360 Table Light	193	Tool Rail — Under Horizontal Surface Mount — L-Bracket	218
LIM360 Grommet Mounted Light	193	Tool Rail — Single Post — L-Bracket Mount	219

Table of Contents

Tool Rail — Single Sided Continuous Benching End	220
Tool Rail — Double-Sided Continuous Benching End Application Only	221
Tool Rail — Internal Single Sided Continuous Benching Application	222
Tool Rail — Internal Continuous Benching Application Only	223
Tool Rail — Single Post Internal/Benching	223

Work Tools

Territory Screen — End-of Run	224
Territory Screen — Shared	224
Territory L-Screen	225
Territory Screen — Multi-material	226
Structural Screen Tile	227
Belong Systems Tile — External Mount for use with Compose Panels	227
Screen Rail	228
Open C Cubby	228
Base Tray	229
Desk Top L-Screen	229
Desk Top Reference Shelf	229
Paper Tray — Landscape	230
Tool Cup	230
Hanging Sorter	230
Mini Shelf	230
Blotter	231
Reference Shelves	231
Accessory Kit	231
Tool Cup	232
Paper Sorter	232
Binder Bin	232
Tack Strip	232
Gooseneck Kit	233
Mini Shelf	233
Tote	233
Tote Strap	233
Phone Shelf	234
Phone Shelf Bracket	234
Personal Shelf	234
Personal Shelf Bracket	234
Letter Tray	235
Letter Tray Stacking Kit	235
Letter Tray Stacking Bracket	235
Waste Bin	235
Pile Master Kit	235
File Master Kit	236

Task Master Kit	236
Mini Master Kit	236
Magnet Board	237
Magnet Hooks	237
Magnet Hook	237
Round Peg Magnets	237
Mirror	237

Workstation Accessories

Shallow Drawer	238
Steel Center Drawer	238
Pencil + Drawer	238
Pencil Drawer	238
Adjustable Document Holder	239
Adjustable Footrest	239
Make-A-Corner	239
Compose All-Purpose Hook	240
PLACES All-Purpose Hook	240
PLACES All-Purpose Hook — For Low Profile Wood Top Cap Panels	240
UniGroup All-Purpose Hook	240
UniGroup Too All Purpose Hook	240
PREMISE All Purpose Hooks	240
Bag Hook	241

Lock Programs

HW Lock Plugs and Keys	246
HW Plugs and Keys	247
HW Replacement Keys	247
HW Master Key	247
HW Control Key	247
HW Key Blank	247
Digital Lock	248
Digital Lock Control Key Fob	248

Finishes

Finish/Color Legend	256
---------------------------	-----


Index	257-265
--------------------	---------

Ergotron Warranty	270
--------------------------------	-----


Lifetime Product Warranty	Inside Back Cover
--	-------------------

Statement of Line


Adjustable Keyboard Pads — pages 21-25




KU1A-0017
Locking Tilt AKP




KU2A-0017
Dial Tilt AKP




KU3A-0023
**Dial Tilt AKP -
Extended Arm**




KU4A-0023
Sit-to-Stand AKP



21" Keyboard Tray
with swivel mouse pad (1)
**Keyboard Trays – included
with Number KU AKP Arm**




21" Keyboard Tray
without mouse pad (2)
**Keyboard Trays – included
with Number KU AKP Arm**




26" Keyboard Tray
with space for mousing (3)
**Keyboard Trays – included
with Number KU AKP Arm**



KUSA
Thin Profile AKP



HKTC-M
HKTE-M
**Boogie Board Keyboard
Tray with Palm Rest and
Integrated Mouse Pad**




HKTC-N
HKTE-N
**Boogie Board Keyboard
Tray with Palm Rest**




HKMP-1
Boogie Board Mouse Pad

CPU Holders — page 26


Electrical Components — pages 27-33




KU1C
**Vertical –
Fixed Mount**




KU1C
**Horizontal –
Fixed Mount**




KU2C-L
Adjustable




EUCN-PJ
**Collaborative
Power Station**




EUF1
**Classic Power
Module**




EUFB-0000-AB
**Classic Power
Module Bracket -
Angled**



EUFB-0000-SB
**Classic Power
Module Bracket -
Vertical Bracket**




EUFB-0000-UB
**Classic Power
Module Bracket -
Under Surface**



EUS1-PF0B
EUS1-PF0W
EUS1-HL0B
EUS1-HL0W
**Seamless
Enhanced
Power Module**


Electrical Components – Flush Mounted — pages 35-48




EUB1-PL0B-2100
3-Port Power Cord




EUB1-PL0B-2110
4-Port Power Cord



EUB1-PL0B-2112
6-Port Power Cord




EUB1-PL0B-4000
**4-Port Power Cord
Circuit Breaker Plug**




EUB1-HL0B-2100
3-Port Hard Wired




EUB1-HL0B-2110
4-Port Hard Wired




EUB1-HL0B-2112
6-Port Hard Wired




EUB1-SF0B-2100
**3-Port IEC-Cord
and Spiral Cord**




EUB1-SF0B-2110
**4-Port IEC-Cord
and Spiral Cord**



EUB1-SF0B-2112
**6-Port IEC-Cord
and Spiral Cord**



EUB1-SF0B-4000
**6-Port IEC-Cord
and Spiral Cord
Circuit Breaker
Plug**




EUB1-SL0B-2100
**3-Port IEC-Cord
and Power Cord**

Statement of Line


Electrical Components – Flush Mounted (cont'd) — pages 35-48



EUB1-SLOB-2110
4-Port IEC-Cord
and Power Cord




EUB1-SLOB-2112
6-Port IEC-Cord
and Power Cord




EUB1-SLOB-4000
6-Port IEC-Cord and
Power Cord Circuit Breaker
Plug


Electrical Components – Flush Mount Power Module with Sliding Door — pages 52-63




EWCA
Corded
4-Port and 6-Port
Wide




EWCB
Corded
4-Port and 6-Port
Narrow




EWCG-3A1D-NPSCBNSF
Spiral Corded – Height Adjustable
4-Port




EWCG-3A3E-NPSCBNSF
Spiral Corded – Height Adjustable
6-Port




EWCG-4RNN-NPSCBNSF
Spiral Corded – Height Adjustable
4-Port




EWCG-3A1D-NPSCBNSL
Corded – Height Adjustable
4-Port




EWCG-3A3E-NPSCBNSL
Corded – Height Adjustable
6-Port



EWCG-4RNN-NPSCBNSL
Corded – Height Adjustable
4-Port



EWCG-3A1D-NPSCBNCW
Narrow – Hardwire
4-Port



EWCG-3A3E-NPSCBNCW
Narrow – Hardwire
6-Port

Electrical Components – Belong Power Tap — pages 65-67




EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N
Horizontal



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N
Vertical



EUET-0030-CM3N
Horizontal Hard Wired



EUET-0030-CM3N
Vertical Hard Wired




EUET-0000-1M3N
Horizontal Corded




EUET-0000-1M3N
Vertical Corded


Electrical Components – Belong Power Tap Brackets — pages 68-69




EUA1-0610-PFN
Hatch




EUA1-0610-PFC
Hatch




EUA1-0610-PFT
Hatch




ZUAP-0000-PFD
Fixed



ZUAP-0000-PAN
Adjustable




ZUAP-0000-PUR
Under Surface




ZUAP-0000-PGH
with Grommet Beside
Storage Only

Statement of Line


Electrical Components — pages 70-71




EUP1-PF0P
EUP1-PJ0P
EUP1-HF0P
EUP1-HJ0P
Flush Mounted Round




EURT-0072-1100
EURT-0072-1010
Bezel Utility Model
USB Charging: Round or Square



EURT-00E4-1100
EURT-00E4-1010
Bezel Utility Model
Power Outlet: Round or Square



EURT-0000-N001CB
EURT-0000-N001CW
Bezel Utility Model
Round Data Bezel




EURT-0000-N001SB
EURT-0000-N001SW
Bezel Utility Model
Square Data Bezel


Electrical Components – Enhanced Power Module — pages 72-84




EUD1-PF0B-2010
3-Port Power Cord



EUD1-PF0B-2110
4-Port Power Cord




EUD1-PF0B-2112
6-Port Power Cord




EUD1-PF0B-4000
6-Port Power Cord
Circuit Breaker Plug




EUD1-HF0B-2010
3-Port Hard Wired




EUD1-HF0B-2110
4-Port Hard Wired



EUD1-HF0B-2112
6-Port Hard Wired




EUD1-SF0B-2110
4-Port IEC-Cord and
Spiral Cord



EUD1-SF0B-4000
4-Port IEC-Cord and
Spiral Cord Circuit
Breaker Plug




EUD1-SL0B-2110
4-Port IEC-Cord and
Power Cord




EUD1-SL0B-4000
4-Port IEC-Cord and
Power Cord Fused Plug


Electrical Components – Enhanced Power Module Brackets — pages 85-90




EUDB-0000-H
Adjustable




EUDB-0000-N
Adjustable




EUDB-0000-T
Adjustable with Offset



EUDB-0000-W
Above Worksurface Fixed




EUDB-0000-U
Below Worksurface Fixed




EUDB-0000-SB
Side Bar Basic

Statement of Line


Electrical Components – Enhanced Power Module Brackets (cont'd) — pages 85-90



Electrical Components – Flip Top Units with Smooth Bezel — pages 91-105




Electrical Components – Flip Top Units — pages 107-133



Statement of Line


Electrical Components – Flip Top Units (cont'd) — pages 107-133




EUE1-HF0B-1212
6-Port Flip Top Unit –
Hardwire – Single-Sided



EUE2-HF0B-2110
4-Port Flip Top Unit –
Hardwire – Double-Sided




EUE2-HF0B-1212
6-Port Flip Top Unit –
Hardwire – Double-Sided




EUMC-0201
Mounting Clip for
Flip Top Unit

Electrical Components – Wireless Charging Module — page 134




EUWC-PFOB-11001
Wireless Charging Module




EUWC-PFOB-12002
Wireless Charging Module

Electrical Components – Cables — page 135




EUDX-H000-B
Cable



EUDX-V000-B
Cable



EUDX-3000-B
Cable



EUDX-U000-B
Retrofit USB Charging
Cable


Ergotron Keyboard Tray — page 136



169BK
Keyboard Tray with
Mouse Pad



UKMCBK
Keyboard Tray with
Mouse Pad




97-582-009
Neo-Flex Keyboard
Tray

Ergotron CPU Holders — page 137



80-063
Small CPU Holder




97-468
Universal CPU Holder




80-105-064
Cable CPU Holder


Ergotron Monitor Arms – HX and LX Arms — pages 138-143




45-475
45-478
HX Single Arm




45-476
45-479
HX Dual Arm




98-009-026
98-009-216
HX Triple Monitor
Bow Kit



45-241-026
45-490-216
45-241-224
45-295-026
45-537-216
LX Desk Mount
Single Arm




45-245-026
45-491-216
45-245-224
LX Desk Mount
Dual Arm




45-248-026
45-492-216
45-492-224
LX Desk Mount
Dual Arm

Statement of Line

Ergotron Monitor Arms – HX and LX Arms (cont'd) — pages 138-143




45-549-026
45-509-216
LX Dual Stacking Arm - Tall Pole Monitor Arm



45-360-026
45-384-026
LX Sit-to-Stand Mount Single Arm




45-489
LX Desk Dual Direct Arm




98-037-062
LX Desk Dual Direct Handle Kit


Ergotron Monitor Arms – LX Arms Accessories — pages 144-145




97-774-003
LX One-Stop Rotational Control Kit



98-060-003
LX Two-Stop Rotational Control Kit




45-289-026
LX Extension



45-362-026
LX Sit-to-Stand Extension




97-844
LX Pole Collar




97-940-026
98-130-216
LX Arm, Extension and Collar Kit

Ergotron Monitor Arms – MXV Desk Mount — page 146




45-486
MXV Desk Mount Single Arm



45-496
MXV Desk Mount Dual Arm

Ergotron Monitor Arms – Accessories — page 148



97-783
Dual Monitor and Handle Kit



60-589-060
Monitor Quick Release LCD Bracket

Ergotron Monitor Arms – MX Desk Mount — page 147



45-214-026
MX Desk Mount Single Arm


Ergotron Monitor Arms – Neo-Flex — page 149



45-174-300
Neo-Flex




45-235-194
Neo-Flex Extend




45-306-101
Neo-Flex Tablet


Ergotron Monitor Arms – Mounting Options — pages 150-151




98-236-009
98-082
Under Mount C-Clamp




45-306-101
98-083
Under Mount C-Clamp




98-081
Under Mount C-Clamp



98-034
Grommet Mount



98-035
Grommet Mount



98-017
Grommet Mount




98-110
Grommet Mount




98-111
Grommet Mount

Statement of Line


Ergotron WorkFit — pages 152-159




24-317-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-390-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-391-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-316-026
**WorkFit-A Dual
Attached Sit-Stand
Workstation**




24-392-026
**WorkFit-A Dual
Attached Sit-Stand
Workstation**




33-350-200
**WorkFit-S Single
Attached Sit-Stand
Workstation**




33-351-200
**WorkFit-S Single
Attached Sit-Stand
Workstation**




33-341-200
**WorkFit-S Dual
Attached Sit-Stand
Workstation**




33-349-200
33-349-211
**WorkFit-S Dual
Attached Sit-Stand
Workstation**




33-407-085
33-407-062
**WorkFit-SR Dual
Attached Sit-Stand
Workstation**



33-397-085
33-397-062
**WorkFit-T Desktop
Sit-Stand Workstation**




33-406-085
33-406-062
33-418-085
**WorkFit-TL Desktop
Sit-Stand Workstation**




45-405-026
**WorkFit-LX Sit-Stand
Desk Mount System**

Ergotron WorkFit – Accessories — pages 160-166




97-692
**WorkFit-A Grommet
Mount**



97-606
**WorkFit-A Conversion
Kit Single HD to Dual**




97-581-019
WorkFit-S Worksurface




97-653
**WorkFit-S Large
Keyboard Tray**




97-558-200
**WorkFit-S Tablet/
Document Holder**




97-617
**WorkFit-A/ WorkFit-S
Conversion Kit: Dual to
LCD & Laptop**




97-616
**WorkFit-A/ WorkFit-S
Conversion Kit: LCD
& Laptop to Dual**




97-615
**WorkFit-A/ WorkFit-S
Tall-User Kit for
WorkFit Dual**



97-897
**WorkFit-A/ WorkFit-S
Deep Keyboard Tray**




97-898
**WorkFit-A/ WorkFit-S
Corner Keyboard Tray**




97-935-085
97-935-062
**WorkFit-T/ WorkFit-TL
Single LCD Monitor Kit**

Statement of Line


Ergotron WorkFit – Accessories (cont'd) — pages 160-166



97-934-085
97-934-062
**WorkFit-T/ WorkFit-TL
Dual LCD Monitor Kit**



97-933-085
97-933-062
**WorkFit-T/ WorkFit-TL
LCD & Laptop Kit**



98-101-009
**Dual Monitor Double-
Hinged Bow**



97-845
**Tall-User Kit for
Single Display**



97-620-060
**Anti-Fatigue
Floor Mat**

Ergotron Neo-Flex Laptop Cart — page 167




24-205-214

Ergotron Teachwell® Mobile Digital Workspace — page 168




24-220-055

Ergotron LearnFit — page 169




24-547-003
24-481-003
LearnFit Desk



97-926-064
Storage Bin

Ergotron Zip 12 Charging — page 170



DM12-1006-1

Grommets — pages 171-172



WUAC-WSG



WQAG




JAG-1



JAG-2




TA01-0220




EUG1
Flip Top Unit — Hatch


Planes Information Displays and Accessories — pages 173-177




KAIE-0029
Standard Easel




KAIE-0072
Large Easel



KAIB-0040
**Information
Boards**



KAIW-0096
**Horizontal Wall Rail
for Information
Boards**




KAIH-0000
**Wall Cleat for
Information
Boards**



KAIC-0000
**Horizontal Wall
Rail End Caps**



TA01-0214
Y-Leg Bumper



NBFS-M
**Markerboard
Insert**

Statement of Line

Markerboard Accessories — page 178



7062-8001




7031-7002




7031-7001


Lighting — pages 179-197



LUTN
Adaptable LED Task Light -
Stand-Alone




LUTT
Adaptable LED Task Light -
Starter Kit



LUTA
Adaptable LED Task Light -
Add-On Kit




LUTS-0017-19ULD5
Reed Premier™
Stand-Alone LED
Task Light



LUTS-0017-12ULD6
Reed Premier™
Starter LED Task
Light



LUTD-0017-1NULDN
Reed Premier™
Add-On LED Task
Lights



LUTS-0000
Reed Premier™
Add-On Occupancy
Sensor



LUV1
Voyage without
Occupancy Sensor



LUV2
Voyage with
Occupancy Sensor



LBJ1
Brazo Freestanding
Light



LBJ2
Brazo Freestanding
Light




LBJ3
Brazo Mounted
Light




LBJ4
Brazo Mounted
Light



WQAG
Grommet



LRT1-1408
Circa Table Light




LRF0-5208
Circa Floor Light



LRF1-5208
Circa Floor Light



LCT1-1708
Contour Table Light



LCF1-6009
Contour Floor
Light



HCPL-COT1-07
Corner Office Table
Light



HCPL-COT2-15
Corner Office Table
Light with Small
Panel



HCPL-COT3-30
Corner Office Table
Light with Large
Panel



HCPL-GFT1-13
Giraffa Table Light



LLL1
LIM Table Light
with Block




LLL2
LIM Table Light
with Pivot




LLL3
LIM Floor Light




LLC1
LIM Worksurface
Mounted Light



LLM1
LIM Mounted Light
- Slat




LLM1
LIM Mounted Light
- Belong Rail




LLM2
LIM Mounted Light
- Panel

Statement of Line


Lighting (cont'd) — pages 179-197




LLU2
LIM Mounted Light
- Under Shelf



LL31-2210-NFLC
LIM 360 Table Light




LL32-2210-NGLC
LIM 360 Grommet
Mounted Light




LUPT
Pixo Table Light




HCPL-SLT1-17
Superlight Table
Light




HCPL-SLF1-47
Superlight Floor
Light




HCPL-SLSV-4BP
Superlight Base
Pads




HCPL-TTT1-14
Tube Top Table
Light



HCPL-TTT2-21
Tube Top Table
Light



HCPL-TTT3-27
Tube Top Table
Light




HCPL-TTF1-60
Tube Top Floor
Light




HCPL-UMT2-11
UMA Audio Lantern

Mobile Screens — page 198




NBFS-X
Translucent Insert


Monitor Arms – Haworth — pages 199-202




KU5M-1NNN
Adjustable Post Arm -
Single




KU5M-2NNN
Adjustable Post Arm -
Double




KU6M-1NNN
Extend Arm - Single




KU6M-2NNN
Extend Arm - Double




KU5M-1NNB
Adjustable Post Arm -
Single - for Use with
Intuity Benching




KU5M-2NNB
Adjustable Post Arm -
Double - for Use with
Intuity Benching




KU6M-1NNB
Extend Arm - Single -
for Use with Intuity
Benching




KU6M-2NNB
Extend Arm - Double -
for Use with Intuity
Benching




KU5M-1NNK
Adjustable Post Arm -
Single - for Use with
Reside Benching




KU5M-2NNK
Adjustable Post Arm -
Double - for Use with
Reside Benching



KU6M-1NNK
Extend Arm - Single -
for Use with Reside
Benching



KU6M-2NNK
Extend Arm - Double -
for Use with Reside
Benching




KU6T
iPad Attachment

























Statement of Line

Pip Personal Laptop Table —
page 203

STP-P26-TH


Recycling Solutions — page 204

JRPY-3948


KURB
Recycling/Trash BinKURD
Recycling Bin Carriage**Storage Accessories – Drawer Inserts —** page 205KJFI-00XX-D
Lateral File Drawer
InsertKFI-00XX-B
Lateral File Drawer
Insert**Lateral File Drawer Insert —** page 206KJTY-12
PDA TrayKDV
DividersKJTY-10
Personal TrayKJTY-9
Pencil Tray**Wire Management —** pages 207-213EUAW-0000-NHS
Cord Manager — MeshEAAW-0000-H
Cable ChainEUAW-4000-V
Compose Connections
Cable ChainEUAW-3100-NV
Vertical Cable Chain4TJC-72
J-ChannelEUAM-0000
Conduit ClampNEH-8
Wire Management LoopTA01-0225
Wire Manager ClipsEUAW-NH
Wire Manager —
HorizontalWUAW-PNH
Horizontal Wire
ManagementNECG-V
Vertical Cable GuideKWT
Wire Management TroughTAWB
Wire Management BasketTABC
Basket CoverTYVW
Vertical Wire Channel —
Leg AttachedTA01-0228-F
Planes C-Leg Training
Table Vertical Wire
ManagerVZAW-0000-V
Compose Task Light
Cord ManagerNEV-1
PREMISE Vertical
Wire ManagerNEV-2
PREMISE Task Light
Cord ManagerWC-17
UniGroup Too, UniGroup
and PLACES Task Light
Wire ManagerWC-6
UniGroup Too, UniGroup
and PLACES Wire ManagerTA01-0814
Cable BaseTA01-1414
Cable BaseTA01-0217
Cable Column

Statement of Line


Work Tools – Mounting — pages 214-237




NAPY
Wall Accessory Slat
Pad - for Use with
PREMISE




KUPY
Slat, Wall Mount




KUR1-0424-PZN
Belong Single Side




KUR1-1224-CSN
Belong Tool Rail —
Horizontal Surface
Mount C-Clamp or
Thru-Mount




KUR1-CSN
KUR1-TSN
Belong Tool Rail —
Horizontal Surface
Mount C-Clamp or
Thru-Mount




KUP1-0000-CSN
Belong Tool Rail —
Single Post — C-Clamp
or Thru-mount




KUP1-CSN
KUP1-TSN
Belong Tool Rail —
Single Post — C-Clamp
or Thru-mount




KUR1-1224-USN
Belong Tool Rail — Under
Horizontal Surface
Mount — L-Bracket




KUP1-0000-USN
Belong Tool Rail — Single
Post — L-Bracket Mount




KUR1-1224-USE
Belong Tool Rail — Single
Sided Continuous
Benching End




KUR2-1224-UBE
Belong Tool Rail —
Double-Sided Continuous
Benching End Application
Only




KUR1-1224-USI
Belong Tool Rail — Internal
Single Sided Continuous
Benching Application




KUR2-1224-UBI
Belong Tool Rail — Internal
Continuous Benching
Application Only




KUP2-0000-UBI
Belong Tool Rail — Single
Post Internal/Benching




KUTS-E
Belong Territory
Screen — End-of Run



KUTS-S
Belong Territory
Screen — Shared




KUTS-L
Belong Territory L-Screen




SUTM
Territory Screen —
Multi-material




KUTB
Belong Structural
Screen Tile



KZTB
Belong Systems Tile —
External Mount for use
with Compose Panels



KUSR
Screen Rail - Double Sided




KUSR
Belong Screen Rail -
Single Sided




KUCU-0915-BNN
Belong Open C Cubby
No Slots




KUCU-1215-BNS
Belong Open C Cubby
With Slots




KUBT
Belong Base Tray



KULS
Belong Desk Top L-Screen



KURS
Belong Desk Top
Reference Shelf



KUPT-0913-H
Belong Paper Tray



KUPT-0913-F
Belong Paper Tray





























KUTC-0000-H
Belong Tool Cup



KUHS-0000-H
Belong Hanging Sorter

Statement of Line


Work Tools (cont'd) — pages 214-237

					
KUSH-0408-H Belong Mini Shelf	KUBL-2030-FJ Belong Blotter	KURS-0010-H Belong Reference Shelf	KURS-0019-H Belong Reference Shelf	KURS-0012-B Belong Reference Shelf	KUAK Belong Accessory Kit
					
DTWC-2 Jump Stuff Tool Cup	DTPR-3 Jump Stuff Paper Sorter	DTSB-3 Jump Stuff Binder Bin	DTTS-12 DTTS-24 Jump Stuff Tack Strip		DMSP Jump Stuff Mini Shelf
					
			DTPT-3 Jump Stuff Phone Shelf		DTES-3 Jump Stuff Personal Shelf
					
	DTLT-2 Jump Stuff Letter Tray		DTSB-1 Jump Stuff Letter Tray Stacking Kit Bracket	DTRB Jump Stuff Waste Bin	
					
			KUAM-0411 Magnetic Board	KUAM-0518 Magnetic Board	KUAH-0002 Magnetic Hooks
					
KUAH-0003 Magnetic Hook	KUAP-0000 Magnetic Round Peg Magnets	KUAR-0403 Magnetic Mirror			


! OBSOLETE | March 2023

Statement of Line


Workstation Accessories — pages 238-241




DS-3
Shallow Drawer




SCD-19
Steel Center Drawer



KUDP-2420
Pencil + Drawer




JAC-18
Pencil Drawer



KU1D-0000
Adjustable Document Holder




KU1F-0000
Adjustable Footrest



MAC-0001
Make-A-Corner




VZAC-0000-P
Compose All-Purpose Hook



VZAC-0000-H
Compose All-Purpose Hook



HCH-0008
PLACES All-Purpose Hook



HCH-0008-W
PLACES All-Purpose Hook — For Low Profile Wood Top Cap Panels




CH-8
UniGroup All-Purpose Hook



E2CH-8
UniGroup Too All-Purpose Hook




NAH-12-S
PREMISE All-Purpose Hook




KUWH-0202
Bag Hook


Lock Programs — pages 246-248




LSET
HW Lock Plugs and Keys



HW-SVC
HW Plugs and Keys




HWSK
HW Replacement Keys




HWMK-1
HW Master Key




CK-3
HW Control Key



HWKB-1
HW Key Blank



HUDR-R
HUDR-L
Digital Lock




HUDR-B
HUDR-T
Digital Lock



HUDF-F
Digital Lock Control Key Fob

Adjustable Keyboard Pads

Locking Tilt AKP



KU1A-0017

Description	Height Adjustment	Number ①	Price
17"(432mm) Long Track/Locking Tilt	2.5" Above/5.9" Below	KU1A-0017- ☐ N	\$392.34
21"(533mm) Long Track/Locking Tilt	2.5" Above/5.9" Below	KU1A-0021- ☐ N	392.34

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5" above/5.9" below worksurface.
- Soft-touch knob for locking tilt adjustment -15°/+15°.
- 360° rotation.
- In/Out travel:
 - 17" track length - 12"
 - 21" track length - 16.8"
- Track allows Keyboard Tray to be fully retracted under worksurface.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
 - (1) 21" wide Keyboard Tray with swivel Mouse Pad
 - (2) 21" wide Keyboard Tray without Mouse Pad
 - (3) 26" wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

To Order, Specify:

1) Product number, including:


① Keyboard Tray Option

- 1** 21" Keyboard with Mouse Pad, add **\$41.79** list
- 2** 21" Keyboard without Mouse Pad, no upcharge
- 3** 26" Keyboard with built-in Mouse Pad, add **\$83.60** list
(No finish specification required.)

Specification Tips

- 17" long (432mm) track fits under worksurfaces 18"(457mm) or deeper.
- 21" long (533mm) track fits under worksurfaces 22"(559mm) or deeper.
- Recommended for most corner applications.

Dial Tilt AKP



KU2A-0017

Description	Height Adjustment	Number ① ②	Price
17"(432mm) Long Track/Dial Tilt	2.5" Above/6.1" Below	KU2A-0017- ☐ ☐	\$420.65
21"(533mm) Long Track/Dial Tilt	2.5" Above/6.1" Below	KU2A-0021- ☐ ☐	420.65

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5" above/6.1" below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 5.5"(140mm) standard arm length.
- In/Out travel:
 - 17" track length - 12"
 - 21" track length - 16.8"
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
 - (1) 21" wide Keyboard Tray with swivel Mouse Pad
 - (2) 21" wide Keyboard Tray without Mouse Pad
 - (3) 26" wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

To Order, Specify:

1) Product number, including:

① Keyboard Tray Option

- 1** 21" Keyboard with Mouse Pad, add **\$41.79** list
- 2** 21" Keyboard without Mouse Pad, no upcharge
- 3** 26" Keyboard with space for mousing, add **\$83.60** list

② Positive Tilt Lock Option


- P** Positive Tilt Lock
N None
 (No finish specification required.)

Specification Tips

- 17"(432mm) track fits under worksurfaces 18"(457mm) or deeper.
- 21"(533mm) track fits under worksurfaces 22"(559mm) or deeper.
- Recommended for most corner applications.

Adjustable Keyboard Pads

	Description	Height Adjustment	Number ① ②	Price
Dial Tilt AKP - Extended Arm	23"(584mm) Long Extended Track/Dial Tilt	2.75" Above/8" Below	KU3A-0023- ☐ ☐	\$455.72



KU3A-0023

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.75" above/8" below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5"(191mm) standard arm length.
- In/Out travel: 18.1"
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
 - (1) 21" wide Keyboard Tray with swivel Mouse Pad
 - (2) 21" wide Keyboard Tray without Mouse Pad
 - (3) 26" wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 23"(584mm) track fits under worksurfaces 23"(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:


① Tray Option

- 1** 21" Keyboard with Mouse Pad, add **\$41.79** list
- 2** 21" Keyboard without Mouse Pad, no upcharge
- 3** 26" Keyboard with space for mousing, add **\$83.60** list

② Positive Tilt Lock Option

- P** Positive Tilt Lock
 - N** None
- (No finish specification required.)

Sit-to-Stand AKP



KU4A-0023

	Description	Height Adjustment	Number ① ②	Price
Sit-to-Stand AKP	23"(584mm) Long Track/Sit-to-Stand	8.25" Above/5.9" Below	KU4A-0023- ☐ ☐	\$484.03

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 8.25" above/5.9" below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5"(191mm) standard arm length.
- In/Out travel: 18.1"
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
 - (1) 21" wide Keyboard Tray with swivel Mouse Pad
 - (2) 21" wide Keyboard Tray without Mouse Pad
 - (3) 26" wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 23"(584mm) track fits under worksurfaces 23"(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

① Keyboard Tray Option


- 1** 21" Keyboard with Mouse Pad, add **\$41.79** list
- 2** 21" Keyboard without Mouse Pad, no upcharge
- 3** 26" Keyboard with space for mousing, add **\$83.60** list

② Positive Tilt Lock Option


- P** Positive Tilt Lock
 - N** None
- (No finish specification required.)

Adjustable Keyboard Pads


Keyboard Trays – included with Number KU AKP Arm



21" Keyboard Tray with swivel mouse pad (1)



21" Keyboard Tray without mouse pad (2)



26" Keyboard Tray with space for mousing (3)


Features

- Includes one Keyboard Tray in different configurations.
- Sizes: 20"(508mm) wide x 11"(279mm) deep;
Mouse Pad adds 8.4"(213mm) to width
26"(660mm) wide x 11"(279mm) deep
- Keyboard Tray Options:
 - (1) 21" wide Keyboard Tray with 360° swivel Mouse Pad with mouse edge guard and cable manager
 - (2) 21" wide Keyboard tray without Mouse Pad
 - (3) 26" wide Keyboard Tray with space for mousing
- Keyboards are made from 0.5" thick HDPE (High Density Polyethylene) in textured supplier black.
- Keyboard Trays include anti-skid strips to hold keyboard in place.
- Standard with removable palm rest.
- Keyboard with mouse pad; Mouse Pad can be attached on either right or left side of Keyboard Tray; rotates 360° independent of keyboard tray.
- Field installed.

Specification Tips


- Keyboard Tray has mounting holes for attachment to AKP numbers: KU1A, KU2A, KU3A and KU4A.
- 21" Keyboard Tray recommended for use with most corner worksurfaces.
- 26" Keyboard Tray recommended for rectangular worksurfaces with flat edges; not recommended for corner worksurfaces.

Adjustable Keyboard Pads

	Description	Number ^{1 2}	Price
Thin Profile AKP  KU5A	17"(432mm) Thin Profile	KU5A-0017- ☐ ☐	\$392.34
	21"(533mm) Thin Profile	KU5A-0021- ☐ ☐	392.34
	Features • Includes one Dial Tilt arm with track and Keyboard Tray. • Gauges show tilt and height adjustments. • Patented Dial Tilt adjustment of keyboard tray . • Patented spring-assisted Lift-n-Lock™ counter balancing system. • Height adjustment range: 1.19"(30mm) above/6.5"(165mm) below worksurface. • Tilt allows adjustment -20°/+10°. • Positive Tilt Lock Option allows tilt adjustment -20°/+0°. • 7.5"(191mm) standard arm length. • In/Out travel: 12"(305mm) for 17"(432mm) and 16.75"(419mm) for 21"(533mm) track. • Track allows Keyboard Tray to be fully retracted under worksurface. • 360° rotation. • Keyboard Tray Option: (Refer to Keyboard Tray for features) –(1) 21"(533mm) wide Keyboard Tray with swivel Mouse Pad –(2) 21"(533mm) wide Keyboard Tray without Mouse Pad –(3) 26"(660mm) wide Keyboard Tray with space for mousing • Standard in supplier black textured paint. • Field installed.		
To Order, Specify: 1) Product number, including: 1 Tray Option: 1 Keyboard with Mouse Pad, add \$41.79 list 2 Keyboard without Mouse Pad, no upcharge 3 Keyboard with space for mousing, add \$83.60 list 2 Positive Tilt Lock Option: P Positive Tilt Lock N None (No finish specification required.)			

Adjustable Keyboard Pads

Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad



HKTC-M
HKTE-M

Height	Depth	Width	Description	Number	Price
5.3"(135mm)	12"(305mm)	28"(711mm)	17"(432mm) track, Comfort Palm Rest	HKTC-17-M	\$696.52
			17"(432mm) track, Ergonomic Palm Rest	HKTE-17-M	696.52
			21"(533mm) track, Comfort Palm Rest	HKTC-21-M	696.52
			21"(533mm) track, Ergonomic Palm Rest	HKTE-21-M	696.52

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurface or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Spring assisted adjustment (with automatic lock) of 6.5"(165mm) above worksurface and 4"(102mm) below.
- Integrated mouse pad tilts independently of keyboard tray.
- Includes mouse pad insert (not shown) for optional use.
- Mouse pad is interchangeable between right- and left-hand applications.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17"(432mm) track fits under worksurfaces 18"(457mm) or deeper.
- 21"(533mm) track fits under worksurfaces 22"(559mm) or deeper.

To Order, Specify:

- 1) Product number.
- 2) Translucent finish color.

Boogie Board is available in the following finish colors:


- TR-OLX Ice (translucent blue)
Keyboard tray in smoke with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).
- TR-OLU Shadow (translucent charcoal)
Keyboard tray in charcoal with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.

Example: HKTC-17-MP

Boogie Board Keyboard Tray with Palm Rest



HKTC-N
HKTE-N

5.3"(135mm)	12"(305mm)	21"(533mm)	17"(432mm) track, Comfort Palm Rest	HKTC-17-N	\$659.15
			17"(432mm) track, Ergonomic Palm Rest	HKTE-17-N	659.15
			21"(533mm) track, Comfort Palm Rest	HKTC-21-N	659.15
			21"(533mm) track, Ergonomic Palm Rest	HKTE-21-N	659.15

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurface or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Spring assisted adjustment (with automatic lock) of 6.5"(165mm) above worksurface and 4"(102mm) below.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17"(432mm) track fits under worksurfaces 18"(457mm) or deeper.
- 21"(533mm) track fits under worksurfaces 22"(559mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

- 1) Product number.
- 2) Translucent finish color.

Boogie Board is available in the following finish colors:


- TR-OLX Ice (translucent blue)
Keyboard tray in smoke with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).
- TR-OLU Shadow (translucent charcoal)
Keyboard tray in charcoal with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:

For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.

Example: HKTC-17-MP

Boogie Board Mouse Pad



HKMP-1

1"(25mm)	11"(279mm)	8"(203mm)		HKMP-1	\$70.83
----------	------------	-----------	--	--------	---------

Features

- For use with Boogie Board AKP or on top of worksurface.
- Integrated teeth allow right- or left-handed keyboard applications.
- Easily attaches to keyboard tray.
- Includes mouse pad insert (not shown) for optional use.



To Order, Specify:


- 1) Product number.
- 2) Translucent finish color.

Boogie Board mouse pad is available in the following finish colors:

- TR-OLX Ice (translucent blue)
Mouse pad insert standard in graphite.
- TR-OLU Shadow (translucent charcoal)
Mouse pad insert standard in graphite.

CPU Holders


	Description	Number	Price
 KU1C - Vertical  KU1C - Horizontal Class YA – GSA: Open Market	Fixed Mount CPU Holder	KU1C-0000-N	\$126.74
	Features - Includes one fixed mount CPU holder. - Mounts under tops in either vertical or horizontal position. - Vertical Mount adjustment ranges: - Height adjustment for CPU: 15.5" to 20" - Width adjustment for CPU: 5.5" to 9.8" - Overall height adjustment: 17.5" to 22" - Overall width adjustment: 9.25" to 13.5" - Horizontal Mount adjustment ranges: - Height adjustment for CPU: 7.3" to 11.3" - Width adjustment for CPU: 13.8" to 18.8" - Overall height adjustment: 9.25" to 13.5" - Overall width adjustment: 17.5" to 22.5" - Control knobs allow adjustments as needed. - Standard in supplier black. - Field installed. Specification Tips 85 lbs. maximum weight load. - Fits under tops 18"(457mm) or deeper. - Mounting Plate Size: 5.35"(136mm) deep x 3.94"(100mm) wide Note: Recommended for use with: - UniGroup® Too applications. - PREMISE® and Compose® applications directly adjacent to floor support. - X Series Caseloads. - Contact Sales Engineering for all other applications.	To Order, Specify: 1) Product number. (No finish specification required.)	

Adjustable CPU Holder  KU2C-L Class YA – SIN 33721; Discount Group XIII	<table> <tr> <th>Description</th><th>Track Length</th><th>Number</th><th>Price</th></tr> <tr> <td>Adjustable Mount CPU Holder</td><td>17”(432mm)</td><td>KU2C-0000-N</td><td>\$182.01</td></tr> <tr> <td>Adjustable Mount CPU Holder - Locking</td><td>17”(432mm)</td><td>KU2C-0000-L</td><td>\$308.75</td></tr> </table> Features - Includes one adjustable mount CPU Holder with or without lock. - Mounts under tops. - CPU holder mechanism 360° rotation dependent upon track location. - Plastic side clamp with bumpers; control knob adjusts clamp. - Adjustment Ranges: –Height: 13.5” to 22.5” –Width: 3.5” to 9.3” –Depth: 14.75” to 22.3” 17”(432mm) adjustable track with plastic glides. - Locks cannot be retrofitted nor keyed-alike to match Haworth lock plugs or keys. - Standard in supplier black textured paint. - Field installed. Specification Tips 85 lbs. maximum weight load. 17”(432mm) track fits under tops 18”(457mm) or deeper. Note: Recommended for use with: –UniGroup® Too applications. –PREMISE® and Compose® applications directly adjacent to floor support. –X Series Caseloads. –Contact Sales Engineering for all other applications. To Order, Specify: 1) Product number. (No finish specification required.)	Description	Track Length	Number	Price	Adjustable Mount CPU Holder	17”(432mm)	KU2C-0000-N	\$182.01	Adjustable Mount CPU Holder - Locking	17”(432mm)	KU2C-0000-L	\$308.75
Description	Track Length	Number	Price										
Adjustable Mount CPU Holder	17”(432mm)	KU2C-0000-N	\$182.01										
Adjustable Mount CPU Holder - Locking	17”(432mm)	KU2C-0000-L	\$308.75										

Electrical Components

Collaborative Power Station

	Color	Number	Price
Collaborative Power Station	Fog/Matte Fog	EUCN-PJ0F-311	\$ 998.78
	Storm/Matte Storm	EUCN-PJ0S-311	998.78
	Black/Matte Black	EUCN-PJ0B-311	998.78
	Fog/Weathered Aspen Veneer	EUCN-PJ0V-311	1378.63



EUCN-PJ



Features

- Includes power module with 5 ports (3 on the top and 2 on the bottom) configured with simplex outlets (NEMA-5-15R) and USB charging port.
- Corded power module with 15 amp - 9'(2743mm) long cord with plug (NEMA 5-15P).
- USB-A provides two 10W charging ports.
- USB-C 18W provides a single 18w USB-C port that can provide a fast charge for mobile phones and tablets.
- Color options:
 - Fog/Matte Fog
 - Storm/Matte Storm
 - Black/Matte Black
 - Fog/Weathered Aspen Veneer

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips


- Configuration and quantity of power and data ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Classic Power Module

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price
Corded								
		6'(1829mm)	Black	Black	3	2 Power Receptacles, 1 USB Charging	EUF1-PF0B-21000	\$206.59
					4	3 Power Receptacles, 1 USB Charging	EUF1-PF0B-31000	217.26
		6'(1829mm)	White	White	3	2 Power Receptacles, 1 USB Charging	EUF1-PF0W-21000	\$206.59
					4	3 Power Receptacles, 1 USB Charging	EUF1-PF0W-31000	217.26
		10'(3048mm)	Black	Black	3	2Power Receptacles, 1 USB Charging	EUF1-PJ0B-21000	\$222.36
					4	3 Power Receptacles, 1 USB Charging	EUF1-PJ0B-31000	233.03
		10'(3048mm)	White	White	3	2 Power Receptacles, 1 USB Charging	EUF1-PJ0W-21000	\$222.36
					4	3 Power Receptacles, 1 USB Charging	EUF1-PJ0W-31000	233.03

Classic Power Module



EUF1

Features

- Includes power module with 3 or 4 ports configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets).
- Corded power module with 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two 5V USB 2.0 style A outlets, each with 10.5W (2.1Amp) charging capacity.
- Attaches to surface with separately specified mounting brackets.
- Color option of black or white front.

Specification Tips

- Configuration and quantity of power and USB ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Mounting Bracket


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Classic Power Module Brackets

	Description	Number	Price
Classic Power Module Bracket - Angled	Black	EUFB-0000-AB	\$49.56
	White	EUFB-0000-AW	49.56



EUFB-0000-AB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Fixed Bracket mounts Classic Power Module to edge of worksurface with thumb screws for ease of relocation.


Specification Tips

- **Accommodates 2"(51mm) thick tops.**
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- Recommended for use on panel mounted worksurface or freestanding table top.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Classic Power Module Bracket - Vertical Bracket	Black	EUFB-0000-SB	\$49.56
	White	EUFB-0000-SW	49.56



EUFB-0000-SB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Adjustable bracket mounts Classic Power Module to edge of worksurface with thumb screws for ease of relocation.


Specification Tips

- **Accommodates 2"(51mm) thick tops.**
- Adjustable Classic Power Module Bracket may interfere with Screen application.
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- Recommended for use on freestanding table top.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Classic Power Module Bracket - Under Surface	Black	EUFB-0000-UB	\$49.56
	White	EUFB-0000-UW	49.56



EUFB-0000-UB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Under Surface bracket mounts Classic Power Module under worksurface with mounting screws.

Specification Tips

- Under surface Classic Power Module bracket may be used on top of worksurface in restricted reach (ADA) applications. Mounting screws will deface top of worksurface.
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

This page intentionally blank

Electrical Components

Seamless Enhanced Power Module

Seamless Enhanced Power Module



EUS1-PF0B
EUS1-PF0W
EUS1-HL0B
EUS1-HL0W

Features

- Includes power module with 2, 3, 4, 5 or 6 ports configured with simplex outlets (NEMA-5-15R), USB charging port or data ports and mounting hardware.
- Power Modules specified with a data port includes a variety of data port adapters and blank covers, which accommodate most varieties of field supplied data/AV Jacks.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Corded power module with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- Hardwire power module with 12'(3658mm) flexible galvanized metal conduit with fitting for 0.5"(13mm) knockout and wires for hardwire connection.
- USB-A provides two 10W charging ports.
- USB-C 60W charging ports not available for hardwire.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge a computer. Occupies two charging ports.
- Attaches to surface with separately specified mounting brackets.
- Enhanced Power Module Bracket EUDB-0000-B_ for perimeter edge power.
- Color option of black or white plastic front.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Mounting Bracket
 - Horizontal and Vertical Wire Management

To Order, Specify:

- Product number.
(No finish specification required.)

Electrical Components

Seamless Enhanced Power Module

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price
Corded								
4"(102mm)	1.875"(48mm)	6'(1829mm)	Black	Black	2	1 Power Receptacles, 1 Data Port	EUS1-PF0B-1010	\$363.27
						1 Power Receptacles, 1 USB-A Charging	EUS1-PF0B-1100	434.50
						2 Power Receptacles	EUS1-PF0B-2000	363.27
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0B-100001	\$621.98
						2 Power Receptacles, 1 Data Port	EUS1-PF0B-2010	425.00
						2 Power Receptacles, 1 USB-A Charging	EUS1-PF0B-2100	496.23
						3 Power Receptacles	EUS1-PF0B-3000	425.00
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PF0B-2200	\$567.46
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PF0B-210010	616.13
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0B-200001	621.98
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0B-2110	496.23
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PF0B-201010	544.90
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PF0B-210001	\$754.95
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0B-3110	557.97
						3 Power Receptacles, 2 USB-A Charging	EUS1-PF0B-3200	629.20
						4 Power Receptacles, 1 Data Port	EUS1-PF0B-4010	486.74
						5 Power Receptacles	EUS1-PF0B-5000	486.74
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PF0B-211001	\$816.67
4"(102mm)	1.875"(48mm)	6'(1829mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-PF0W-1010	\$239.80
						1 Power Receptacles, 1 USB-A Charging	EUS1-PF0W-1100	311.03
						2 Power Receptacles	EUS1-PF0W-2000	239.80
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0W-100001	\$498.51
						2 Power Receptacles, 1 Data Port	EUS1-PF0W-2010	301.53
						2 Power Receptacles, 1 USB-A Charging	EUS1-PF0W-2100	372.76
						3 Power Receptacles	EUS1-PF0W-3000	301.53
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PF0W-2200	\$443.99
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PF0W-210010	492.66
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0W-200001	498.51
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0W-2110	372.76
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PF0W-201010	421.43
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PF0W-210001	\$631.48
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0W-3110	434.50
						3 Power Receptacles, 2 USB-A Charging	EUS1-PF0W-3200	505.73
						4 Power Receptacles, 1 Data Port	EUS1-PF0W-4010	363.27
						5 Power Receptacles	EUS1-PF0W-5000	363.27
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PF0W-211001	\$693.20
4"(102mm)	1.875"(48mm)	12'(3658mm)	Black	Black	2	1 Power Receptacles, 1 Data Port	EUS1-PL0B-1010	\$421.30
						1 Power Receptacles, 1 USB-A Charging	EUS1-PL0B-1100	492.53
						2 Power Receptacles	EUS1-PL0B-2000	421.30
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0B-100001	\$680.01
						2 Power Receptacles, 1 Data Port	EUS1-PL0B-2010	483.03
						2 Power Receptacles, 1 USB-A Charging	EUS1-PL0B-2100	554.26
						3 Power Receptacles	EUS1-PL0B-3000	483.03
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PL0B-2200	\$625.49
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PL0B-210010	674.16
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0B-200001	680.01
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0B-2110	554.26
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PL0B-201010	602.93
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PL0B-210001	\$812.98
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0B-3110	616.00
						3 Power Receptacles, 2 USB-A Charging	EUS1-PL0B-3200	687.23
						4 Power Receptacles, 1 Data Port	EUS1-PL0B-4010	544.77
						5 Power Receptacles	EUS1-PL0B-5000	544.77
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PL0B-211001	\$874.70

Electrical Components

Seamless Enhanced Power Module

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price
Corded								
4"(102mm)	1.875"(48mm)	12'(3658mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-PL0W-1010	\$297.83
						1 Power Receptacles, 1 USB-A Charging	EUS1-PL0W-1100	369.06
						2 Power Receptacles	EUS1-PL0W-2000	297.83
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0W-100001	\$556.54
						2 Power Receptacles, 1 Data Port	EUS1-PL0W-2010	359.56
						2 Power Receptacles, 1 USB-A Charging	EUS1-PL0W-2100	430.79
						3 Power Receptacles	EUS1-PL0W-3000	359.56
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PL0W-2200	\$502.02
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PL0W-210010	550.69
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0W-200001	556.54
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0W-2110	430.79
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PL0W-201010	479.46
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PL0W-210001	\$689.51
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0W-3110	492.53
						3 Power Receptacles, 2 USB-A Charging	EUS1-PL0W-3200	563.76
						4 Power Receptacles, 1 Data Port	EUS1-PL0W-4010	421.30
						5 Power Receptacles	EUS1-PL0W-5000	421.30
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PL0W-211001	751.23
Hardwire								
4"(102mm)	1.875"(48mm)	12'(3658mm)	Black	Black	2	1 Power Receptacles, 1 Data Port	EUS1-HL0B-1010	\$494.05
						1 Power Receptacles, 1 USB-A Charging	EUS1-HL0B-1100	565.28
						2 Power Receptacles	EUS1-HL0B-2000	494.05
5.5"(140mm)					3	2 Power Receptacles, 1 Data Port	EUS1-HL0B-2010	\$555.78
						2 Power Receptacles, 1 USB-A Charging	EUS1-HL0B-2100	627.01
						3 Power Receptacles	EUS1-HL0B-3000	555.78
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-HL0B-2200	\$698.24
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0B-2110	627.01
9.5"(241mm)					5	3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0B-3110	\$688.75
						3 Power Receptacles, 2 USB-A Charging	EUS1-HL0B-3200	759.98
						4 Power Receptacles, 1 Data Port	EUS1-HL0B-4010	617.52
						5 Power Receptacles	EUS1-HL0B-5000	617.52
4"(102mm)	1.875"(48mm)	12'(3658mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-HL0W-1010	\$370.58
						1 Power Receptacles, 1 USB-A Charging	EUS1-HL0W-1100	441.81
						2 Power Receptacles	EUS1-HL0W-2000	370.58
5.5"(140mm)					3	2 Power Receptacles, 1 Data Port	EUS1-HL0W-2010	\$432.31
						2 Power Receptacles, 1 USB-A Charging	EUS1-HL0W-2100	503.54
						3 Power Receptacles	EUS1-HL0W-3000	432.31
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-HL0W-2200	\$574.77
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0W-2110	503.54
9.5"(241mm)					5	3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0W-3110	\$565.28
						3 Power Receptacles, 2 USB-A Charging	EUS1-HL0W-3200	636.51
						4 Power Receptacles, 1 Data Port	EUS1-HL0W-4010	494.05
						5 Power Receptacles	EUS1-HL0W-5000	494.05


This page intentionally blank

Electrical Components

Flush Mounted Power — Corded

3-Port:


(2) Power
(1) USB



EUB1-PL0B-2100

4-Port:


(2) Power
(1) USB-A
(1) Data



EUB1-PL0B-2110

6-Port:


(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



EUB1-PL0B-2112

4-Port:

(4) Power



NOTE:

Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUB1-PL0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	12'(3658mm)	Black	Black	3	1 Power Receptacle, 1 Cable Bay	EUB1-PL0B-1002	\$ 921.72
						1 Power Receptacle, 2 Data Ports	EUB1-PL0B-1020	921.72
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-PL0B-1110	996.51
						1 Power Receptacle, 2 USB Charging	EUB1-PL0B-1200	1071.30
						2 Power Receptacles, 1 Data Port	EUB1-PL0B-2010	921.72
						2 Power Receptacles, 1 USB Charging	EUB1-PL0B-2100	996.51
						3 Power Receptacles	EUB1-PL0B-3000	921.72
8.25"(210mm)	3"(76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-PL0B-1012	\$ 986.53
						1 Power Receptacle, 3 Data Ports	EUB1-PL0B-1030	986.53
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-PL0B-1102	1061.32
						1 Power Receptacle, 3 USB Charging	EUB1-PL0B-1300	1210.90
						2 Power Receptacles, 1 Cable Bay	EUB1-PL0B-2002	986.53
						2 Power Receptacles, 2 Data Ports	EUB1-PL0B-2020	986.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0B-2110	1061.32
						2 Power Receptacles, 2 USB Charging	EUB1-PL0B-2200	1136.11
						3 Power Receptacles, 1 Data Port	EUB1-PL0B-3010	986.53
						3 Power Receptacles, 1 USB Charging	EUB1-PL0B-3100	1061.32
						4 Power Receptacles	EUB1-PL0B-4000	986.53
9.75"(248mm)	3"(76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-PL0B-1104	\$1126.14
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-PL0B-1122	1126.14
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-PL0B-1140	1126.14
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0B-1212	1200.93
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-PL0B-1230	1200.93
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-PL0B-1302	1275.72
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-PL0B-1320	1275.72
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-PL0B-1410	1350.51
						2 Power Receptacles, 2 Cable Bays	EUB1-PL0B-2004	1051.35
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-PL0B-2022	1051.35
						2 Power Receptacles, 4 Data Ports	EUB1-PL0B-2040	1051.35
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0B-2112	1126.14
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-PL0B-2130	1126.14
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-PL0B-2202	1200.93
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-PL0B-2220	1200.93
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-PL0B-2310	1275.72
						2 Power Receptacles, 4 USB Charging	EUB1-PL0B-2400	1350.51
						3 Power Receptacles, 3 Data Ports	EUB1-PL0B-3030	1051.35
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-PL0B-3102	1126.14
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-PL0B-3120	1126.14
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-PL0B-3210	1200.93
						3 Power Receptacles, 3 USB Charging	EUB1-PL0B-3300	1275.72
						4 Power Receptacles, 1 Cable Bay	EUB1-PL0B-4002	1051.35
						4 Power Receptacles, 2 Data Ports	EUB1-PL0B-4020	1051.35
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0B-4110	1126.14
						4 Power Receptacles, 2 USB Charging	EUB1-PL0B-4200	1200.93
						5 Power Receptacles, 1 Data Port	EUB1-PL0B-5010	1051.35
						5 Power Receptacles, 1 USB Charging	EUB1-PL0B-5100	1126.14
						6 Power Receptacles	EUB1-PL0B-6000	1051.35

Electrical Components

Flush Mounted Power — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	12'(3658mm)	White	White	3	1 Power Receptacle, 1 Cable Bay	EUB1-PL0W-1002	\$ 792.09
						1 Power Receptacle, 2 Data Ports	EUB1-PL0W-1020	792.09
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-PL0W-1110	866.88
						1 Power Receptacle, 2 USB Charging	EUB1-PL0W-1200	941.67
						2 Power Receptacles, 1 Data Port	EUB1-PL0W-2010	792.09
						2 Power Receptacles, 1 USB Charging	EUB1-PL0W-2100	866.88
						3 Power Receptacles	EUB1-PL0W-3000	792.09
8.25"(210mm)	3"(76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-PL0W-1012	\$ 856.90
						1 Power Receptacle, 3 Data Ports	EUB1-PL0W-1030	856.90
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-PL0W-1102	931.69
						1 Power Receptacle, 3 USB Charging	EUB1-PL0W-1300	1081.27
						2 Power Receptacles, 1 Cable Bay	EUB1-PL0W-2002	856.90
						2 Power Receptacles, 2 Data Ports	EUB1-PL0W-2020	856.90
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0W-2110	931.69
						2 Power Receptacles, 2 USB Charging	EUB1-PL0W-2200	1006.48
						3 Power Receptacles, 1 Data Port	EUB1-PL0W-3010	856.90
						3 Power Receptacles, 1 USB Charging	EUB1-PL0W-3100	931.69
						4 Power Receptacles	EUB1-PL0W-4000	856.90
9.75"(248mm)	3"(76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-PL0W-1104	\$ 996.51
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-PL0W-1122	996.51
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-PL0W-1140	996.51
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0W-1212	1071.30
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-PL0W-1230	1071.30
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-PL0W-1302	1146.09
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-PL0W-1320	1146.09
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-PL0W-1410	1220.88
						2 Power Receptacles, 2 Cable Bays	EUB1-PL0W-2004	921.72
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-PL0W-2022	921.72
						2 Power Receptacles, 4 Data Ports	EUB1-PL0W-2040	921.72
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0W-2112	996.51
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-PL0W-2130	996.51
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-PL0W-2202	1071.30
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-PL0W-2220	1071.30
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-PL0W-2310	1146.09
						2 Power Receptacles, 4 USB Charging	EUB1-PL0W-2400	1220.88
						3 Power Receptacles, 3 Data Ports	EUB1-PL0W-3030	921.72
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-PL0W-3102	996.51
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-PL0W-3120	996.51
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-PL0W-3210	1071.30
						3 Power Receptacles, 3 USB Charging	EUB1-PL0W-3300	1146.09
						4 Power Receptacles, 1 Cable Bay	EUB1-PL0W-4002	921.72
						4 Power Receptacles, 2 Data Ports	EUB1-PL0W-4020	921.72
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0W-4110	996.51
						4 Power Receptacles, 2 USB Charging	EUB1-PL0W-4200	1071.30
						5 Power Receptacles, 1 Data Port	EUB1-PL0W-5010	921.72
						5 Power Receptacles, 1 USB Charging	EUB1-PL0W-5100	996.51
						6 Power Receptacles	EUB1-PL0W-6000	921.72


This page intentionally blank

Electrical Components

Flush Mounted Power — Hardwire

3-Port:


(2) Power
(1) USB-A



Hard Wired
EUB1-HL0B-2100

4-Port:


(2) Power
(1) USB-A
(1) Data



Hard Wired
EUB1-HL0B-2110

6-Port:

(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



Hard Wired
EUB1-HL0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Hardwired power module with 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Hardwire

Top Width	Top Depth	Conduit Length	Trim Color	Port Color	Port	Power	USB Charging	Data Port	Cable Bay	Description	Number	Price
Corded												
6.75" (171mm)	3" (76mm)	12' (3658mm)	Black	Black	3	1	0	0	2	1 Power Receptacle, 1 Cable Bay	EUB1-HLOB-1002	\$1008.29
						1	0	2	0	1 Power Receptacle, 2 Data Ports	EUB1-HLOB-1020	1008.29
						1	1	1	0	1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-HLOB-1110	1083.08
						1	2	0	0	1 Power Receptacle, 2 USB Charging	EUB1-HLOB-1200	1157.87
						2	0	1	0	2 Power Receptacles, 1 Data Port	EUB1-HLOB-2010	1008.29
						2	1	0	0	2 Power Receptacles, 1 USB Charging	EUB1-HLOB-2100	1083.08
						3	0	0	0	3 Power Receptacles	EUB1-HLOB-3000	1008.29
8.25" (210mm)	3" (76mm)				4	1	0	1	2	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-HLOB-1012	\$1073.10
						1	0	3	0	1 Power Receptacle, 3 Data Ports	EUB1-HLOB-1030	1073.10
						1	1	0	2	1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-HLOB-1102	1147.89
						1	3	0	0	1 Power Receptacle, 3 USB Charging	EUB1-HLOB-1300	1297.47
						2	0	0	2	2 Power Receptacles, 1 Cable Bay	EUB1-HLOB-2002	1073.10
						2	0	2	0	2 Power Receptacles, 2 Data Ports	EUB1-HLOB-2020	1073.10
						2	1	1	0	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOB-2110	1147.89
						2	2	0	0	2 Power Receptacles, 2 USB Charging	EUB1-HLOB-2200	1222.68
						3	0	1	0	3 Power Receptacles, 1 Data Port	EUB1-HLOB-3010	1073.10
						3	1	0	0	3 Power Receptacles, 1 USB Charging	EUB1-HLOB-3100	1147.89
						4	0	0	0	4 Power Receptacles	EUB1-HLOB-4000	1073.10
9.75" (248mm)	3" (76mm)				6	1	1	0	4	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-HLOB-1104	\$1212.71
						1	1	2	2	1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-HLOB-1122	1212.71
						1	1	4	0	1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-HLOB-1140	1212.71
						1	2	1	2	1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOB-1212	1287.50
						1	2	3	0	1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-HLOB-1230	1287.50
						1	3	0	2	1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-HLOB-1302	1362.29
						1	3	2	0	1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-HLOB-1320	1362.29
						1	4	1	0	1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-HLOB-1410	1437.08
						2	0	0	4	2 Power Receptacles, 2 Cable Bays	EUB1-HLOB-2004	1137.92
						2	0	2	2	2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-HLOB-2022	1137.92
						2	0	4	0	2 Power Receptacles, 4 Data Ports	EUB1-HLOB-2040	1137.92
						2	1	1	2	2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOB-2112	1212.71
						2	1	3	0	2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-HLOB-2130	1212.71
						2	2	0	2	2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-HLOB-2202	1287.50
						2	2	2	0	2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-HLOB-2220	1287.50
						2	3	1	0	2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-HLOB-2310	1362.29
						2	4	0	0	2 Power Receptacles, 4 USB Charging	EUB1-HLOB-2400	1437.08
						3	0	3	0	3 Power Receptacles, 3 Data Ports	EUB1-HLOB-3030	1137.92
						3	1	0	2	3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-HLOB-3102	1212.71
						3	1	2	0	3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-HLOB-3120	1212.71
						3	2	1	0	3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-HLOB-3210	1287.50
						3	3	0	0	3 Power Receptacles, 3 USB Charging	EUB1-HLOB-3300	1362.29
						4	0	0	2	4 Power Receptacles, 1 Cable Bay	EUB1-HLOB-4002	1137.92
						4	0	2	0	4 Power Receptacles, 2 Data Ports	EUB1-HLOB-4020	1137.92
						4	1	1	0	4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOB-4110	1212.71
						4	2	0	0	4 Power Receptacles, 2 USB Charging	EUB1-HLOB-4200	1287.50
						5	0	1	0	5 Power Receptacles, 1 Data Port	EUB1-HLOB-5010	1137.92
						5	1	0	0	5 Power Receptacles, 1 USB Charging	EUB1-HLOB-5100	1212.71
						6	0	0	0	6 Power Receptacles	EUB1-HLOB-6000	1137.92

Electrical Components

Flush Mounted Power — Hardwire

Top Width	Top Depth	Conduit Length	Trim Color	Port Color	Port	Power	USB Charging	Data Port	Cable Bay	Description	Number	Price
6.75" (171mm)	3" (76mm)	12' (3658mm)	White	White	3	1	0	0	2	1 Power Receptacle, 1 Cable Bay	EUB1-HLOW-1002	\$ 878.66
						1	0	2	0	1 Power Receptacle, 2 Data Ports	EUB1-HLOW-1020	878.66
						1	1	1	0	1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-HLOW-1110	953.45
						1	2	0	0	1 Power Receptacle, 2 USB Charging	EUB1-HLOW-1200	1028.24
						2	0	1	0	2 Power Receptacles, 1 Data Port	EUB1-HLOW-2010	878.66
						2	1	0	0	2 Power Receptacles, 1 USB Charging	EUB1-HLOW-2100	953.45
						3	0	0	0	3 Power Receptacles	EUB1-HLOW-3000	878.66
8.25" (210mm)	3" (76mm)				4	1	0	1	2	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-HLOW-1012	\$ 943.47
						1	0	3	0	1 Power Receptacle, 3 Data Ports	EUB1-HLOW-1030	943.47
						1	1	0	2	1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-HLOW-1102	1018.26
						1	3	0	0	1 Power Receptacle, 3 USB Charging	EUB1-HLOW-1300	1167.84
						2	0	0	2	2 Power Receptacles, 1 Cable Bay	EUB1-HLOW-2002	943.47
						2	0	2	0	2 Power Receptacles, 2 Data Ports	EUB1-HLOW-2020	943.47
						2	1	1	0	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOW-2110	1018.26
						2	2	0	0	2 Power Receptacles, 2 USB Charging	EUB1-HLOW-2200	1093.05
						3	0	1	0	3 Power Receptacles, 1 Data Port	EUB1-HLOW-3010	943.47
						3	1	0	0	3 Power Receptacles, 1 USB Charging	EUB1-HLOW-3100	1018.26
						4	0	0	0	4 Power Receptacles	EUB1-HLOW-4000	943.47
9.75" (248mm)	3" (76mm)				6	1	1	0	4	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-HLOW-1104	\$1083.08
						1	1	2	2	1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-HLOW-1122	1083.08
						1	1	4	0	1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-HLOW-1140	1083.08
						1	2	1	2	1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOW-1212	1157.87
						1	2	3	0	1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-HLOW-1230	1157.87
						1	3	0	2	1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-HLOW-1302	1232.66
						1	3	2	0	1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-HLOW-1320	1232.66
						1	4	1	0	1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-HLOW-1410	1307.45
						2	0	0	4	2 Power Receptacles, 2 Cable Bays	EUB1-HLOW-2004	1008.29
						2	0	2	2	2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-HLOW-2022	1008.29
						2	0	4	0	2 Power Receptacles, 4 Data Ports	EUB1-HLOW-2040	1008.29
						2	1	1	2	2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOW-2112	1083.08
						2	1	3	0	2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-HLOW-2130	1083.08
						2	2	0	2	2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-HLOW-2202	1157.87
						2	2	2	0	2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-HLOW-2220	1157.87
						2	3	1	0	2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-HLOW-2310	1232.66
						2	4	0	0	2 Power Receptacles, 4 USB Charging	EUB1-HLOW-2400	1307.45
						3	0	3	0	3 Power Receptacles, 3 Data Ports	EUB1-HLOW-3030	1008.29
						3	1	0	2	3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-HLOW-3102	1083.08
						3	1	2	0	3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-HLOW-3120	1083.08
						3	2	1	0	3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-HLOW-3210	1157.87
						3	3	0	0	3 Power Receptacles, 3 USB Charging	EUB1-HLOW-3300	1232.66
						4	0	0	2	4 Power Receptacles, 1 Cable Bay	EUB1-HLOW-4002	1008.29
						4	0	2	0	4 Power Receptacles, 2 Data Ports	EUB1-HLOW-4020	1008.29
						4	1	1	0	4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOW-4110	1083.08
						4	2	0	0	4 Power Receptacles, 2 USB Charging	EUB1-HLOW-4200	1157.87
						5	0	1	0	5 Power Receptacles, 1 Data Port	EUB1-HLOW-5010	1008.29
						5	1	0	0	5 Power Receptacles, 1 USB Charging	EUB1-HLOW-5100	1083.08
						6	0	0	0	6 Power Receptacles	EUB1-HLOW-6000	1008.29


This page intentionally blank

Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

3-Port:


- (2) Power
(1) USB-A



EUB1-SF0B-2100

4-Port:


- (2) Power
(1) USB-A
(1) Data



EUB1-SF0B-2110

6-Port:

- (2) Power
(1) USB-A
(1) Data
(1) Cable Bay



EUB1-SF0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands to 12'(3658mm) when stretched.
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

To Order, Specify:



- Product number.
(No finish specification required.)

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- For use with Suite, Planes Height Adjustable Tables or Planes Height Adjustable Bench.**
- Not for use with cable chain.
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

4-Port:

- (4) Power



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUB1-SF0B-4000

Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	10'(3048mm)	Black	Black	3	2 Power Receptacles, 1 Data Port	EUB1-SF0B-2010	\$1139.51
						2 Power Receptacles, 1 USB Charging	EUB1-SF0B-2100	1214.30
						3 Power Receptacles	EUB1-SF0B-3000	1139.51
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SF0B-2002	1204.32
						2 Power Receptacles, 2 Data Ports	EUB1-SF0B-2020	1204.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0B-2110	1279.11
						2 Power Receptacles, 2 USB Charging	EUB1-SF0B-2200	1353.90
						3 Power Receptacles, 1 Data Port	EUB1-SF0B-3010	1204.32
						3 Power Receptacles, 1 USB Charging	EUB1-SF0B-3100	1279.11
						4 Power Receptacles	EUB1-SF0B-4000	1204.32
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SF0B-2004	\$1269.14
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SF0B-2022	1269.14
						2 Power Receptacles, 4 Data Ports	EUB1-SF0B-2040	1269.14
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SF0B-2112	1343.93
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SF0B-2130	1343.93
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SF0B-2202	1418.72
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SF0B-2220	1418.72
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SF0B-2310	1493.51
						2 Power Receptacles, 4 USB Charging	EUB1-SF0B-2400	1568.30
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0B-3012	1269.14
						3 Power Receptacles, 3 Data Ports	EUB1-SF0B-3030	1269.14
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0B-3102	1343.93
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SF0B-3120	1343.93
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SF0B-3210	1418.72
						3 Power Receptacles, 3 USB Charging	EUB1-SF0B-3300	1493.51
						4 Power Receptacles, 1 Cable Bay	EUB1-SF0B-4002	1269.14
						4 Power Receptacles, 2 Data Ports	EUB1-SF0B-4020	1269.14
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0B-4110	1343.93
						4 Power Receptacles, 2 USB Charging	EUB1-SF0B-4200	1418.72
						5 Power Receptacles, 1 Data Port	EUB1-SF0B-5010	1269.14
						5 Power Receptacles, 1 USB Charging	EUB1-SF0B-5100	1343.93
						6 Power Receptacles	EUB1-SF0B-6000	1269.14





Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	10'(3048mm)	White	White	3	2 Power Receptacles, 1 Data Port	EUB1-SF0W-2010	\$1009.88
						2 Power Receptacles, 1 USB Charging	EUB1-SF0W-2100	1084.67
						3 Power Receptacles	EUB1-SF0W-3000	1009.88
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SF0W-2002	\$1074.69
						2 Power Receptacles, 2 Data Ports	EUB1-SF0W-2020	1074.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0W-2110	1149.48
						2 Power Receptacles, 2 USB Charging	EUB1-SF0W-2200	1224.27
						3 Power Receptacles, 1 Data Port	EUB1-SF0W-3010	1074.69
						3 Power Receptacles, 1 USB Charging	EUB1-SF0W-3100	1149.48
						4 Power Receptacles	EUB1-SF0W-4000	1074.69
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SF0W-2004	\$1139.51
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SF0W-2022	1139.51
						2 Power Receptacles, 4 Data Ports	EUB1-SF0W-2040	1139.51
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SF0W-2112	1214.30
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SF0W-2130	1214.30
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SF0W-2202	1289.09
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SF0W-2220	1289.09
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SF0W-2310	1363.88
						2 Power Receptacles, 4 USB Charging	EUB1-SF0W-2400	1438.67
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0W-3012	1139.51
						3 Power Receptacles, 3 Data Ports	EUB1-SF0W-3030	1139.51
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0W-3102	1214.30
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SF0W-3120	1214.30
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SF0W-3210	1289.09
						3 Power Receptacles, 3 USB Charging	EUB1-SF0W-3300	1363.88
						4 Power Receptacles, 1 Cable Bay	EUB1-SF0W-4002	1139.51
						4 Power Receptacles, 2 Data Ports	EUB1-SF0W-4020	1139.51
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0W-4110	1214.30
						4 Power Receptacles, 2 USB Charging	EUB1-SF0W-4200	1289.09
						5 Power Receptacles, 1 Data Port	EUB1-SF0W-5010	1139.51
						5 Power Receptacles, 1 USB Charging	EUB1-SF0W-5100	1214.30
						6 Power Receptacles	EUB1-SF0W-6000	1139.51

Electrical Components

Flush Mounted Power — Cord for Height Adjustable



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- **For use with Suite, Planes Height Adjustable Tables or Planes Height Adjustable Bench.**
- Designed to be used with cable chain.
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	12'(3658mm)	Black	Black	3	2 Power Receptacles, 1 Data Port	EUB1-SLOB-2010	\$1200.44
						2 Power Receptacles, 1 USB Charging	EUB1-SLOB-2100	1275.23
						3 Power Receptacles	EUB1-SLOB-3000	1200.44
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SLOB-2002	\$1265.25
						2 Power Receptacles, 2 Data Ports	EUB1-SLOB-2020	1265.25
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOB-2110	1340.04
						2 Power Receptacles, 2 USB Charging	EUB1-SLOB-2200	1414.83
						3 Power Receptacles, 1 Data Port	EUB1-SLOB-3010	1265.25
						3 Power Receptacles, 1 USB Charging	EUB1-SLOB-3100	1340.04
						4 Power Receptacles	EUB1-SLOB-4000	1265.25
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SLOB-2004	\$1330.07
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SLOB-2022	1330.07
						2 Power Receptacles, 4 Data Ports	EUB1-SLOB-2040	1330.07
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SLOB-2112	1404.86
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SLOB-2130	1404.86
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SLOB-2202	1479.65
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SLOB-2220	1479.65
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SLOB-2310	1554.44
						2 Power Receptacles, 4 USB Charging	EUB1-SLOB-2400	1629.23
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOB-3012	1330.07
						3 Power Receptacles, 3 Data Ports	EUB1-SLOB-3030	1330.07
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOB-3102	1404.86
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SLOB-3120	1404.86
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SLOB-3210	1479.65
						3 Power Receptacles, 3 USB Charging	EUB1-SLOB-3300	1554.44
						4 Power Receptacles, 1 Cable Bay	EUB1-SLOB-4002	1330.07
						4 Power Receptacles, 2 Data Ports	EUB1-SLOB-4020	1330.07
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOB-4110	1404.86
						4 Power Receptacles, 2 USB Charging	EUB1-SLOB-4200	1479.65
						5 Power Receptacles, 1 Data Port	EUB1-SLOB-5010	1330.07
						5 Power Receptacles, 1 USB Charging	EUB1-SLOB-5100	1404.86
						6 Power Receptacles	EUB1-SLOB-6000	1330.07



Electrical Components

Flush Mounted Power — Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	12'(3658mm)	White	White	3	2 Power Receptacles, 1 Data Port	EUB1-SLOW-2010	\$1070.81
						2 Power Receptacles, 1 USB Charging	EUB1-SLOW-2100	1145.60
						3 Power Receptacles	EUB1-SLOW-3000	1070.81
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SLOW-2002	\$1135.62
						2 Power Receptacles, 2 Data Ports	EUB1-SLOW-2020	1135.62
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOW-2110	1210.41
						2 Power Receptacles, 2 USB Charging	EUB1-SLOW-2200	1285.20
						3 Power Receptacles, 1 Data Port	EUB1-SLOW-3010	1135.62
						3 Power Receptacles, 1 USB Charging	EUB1-SLOW-3100	1210.41
						4 Power Receptacles	EUB1-SLOW-4000	1135.62
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SLOW-2004	\$1200.44
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SLOW-2022	1200.44
						2 Power Receptacles, 4 Data Ports	EUB1-SLOW-2040	1200.44
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SLOW-2112	1275.23
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SLOW-2130	1275.23
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SLOW-2202	1350.02
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SLOW-2220	1350.02
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SLOW-2310	1424.81
						2 Power Receptacles, 4 USB Charging	EUB1-SLOW-2400	1499.60
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOW-3012	1200.44
						3 Power Receptacles, 3 Data Ports	EUB1-SLOW-3030	1200.44
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOW-3102	1275.23
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SLOW-3120	1275.23
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SLOW-3210	1350.02
						3 Power Receptacles, 3 USB Charging	EUB1-SLOW-3300	1424.81
						4 Power Receptacles, 1 Cable Bay	EUB1-SLOW-4002	1200.44
						4 Power Receptacles, 2 Data Ports	EUB1-SLOW-4020	1200.44
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOW-4110	1275.23
						4 Power Receptacles, 2 USB Charging	EUB1-SLOW-4200	1350.02
						5 Power Receptacles, 1 Data Port	EUB1-SLOW-5010	1200.44
						5 Power Receptacles, 1 USB Charging	EUB1-SLOW-5100	1275.23
						6 Power Receptacles	EUB1-SLOW-6000	1200.44

Electrical Components — Catalog Logic

Flush Mount Power Module with Sliding Door



Electrical Components




Flush Mount Power Module with Sliding Door





Port Options

4 Port – Port Options

1 Power Port Options







2 Data / Cable Port Options






6 Port – Port Options

1 Power Port Options



2 Data / Cable Port Options




Note

- Configuration and quantity of power and data ports can not be modified in the field.
- Audio/Video Cables are separately specified for Non-Switching Interface Units. Cables must be specified at the proper length required to reach from the users device to the Monitor.

1 Power Port Options:


Power Receptacles

- Conventional 3 prong Power Receptacle (black)




USB Charging Receptacles


- Includes 2 USB receptacles per port. (black)
- USB charging only – No data.



R Power Receptacles Only



A Both Power Receptacles and USB Charging Receptacles (even numbers or majority power receptacles)




B Both Power Receptacles and USB Charging Receptacles (majority USB charging receptacles)



2 Data/Cable Port Options:


Cable Bay

- A reservoir that holds audio/video cables (black).
- A single Cable Bay accommodates a maximum of two video cables and occupies two ports in the Interface Module.



Data Access Ports

- The Data Access Port option includes a tree of multiple data jack adapters used to accommodate most types of field supplied RJ45 data jacks.
- The VGA and microphone data jack adapters, included with the Data Jack Adapter Tree, may not be used because of clearance issues.
- Blank data covers are also included if data access is not required.
- Additional data jack adapters are available through eParts.



B Cable Bay (No Cables)



D Data Access Port



NN No Data/No Cables


This page intentionally blank

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded


4-Port and 6-Port

Wide



EWCA

Narrow



EWCB



Features

- Includes power module with sliding door, ports for power receptacle(s), optional data jack adapters, phone cord access and attachment hardware.
- Power cord, cable bay, receptacles and data jack adapter plates are black.
- Data jack adapters accommodate most varieties of field supplied data jacks and includes blank data covers.
- Excludes VGA and microphone adapters.
- Power module bezel is clear anodized aluminum; sliding door and end trim are available in trim colors indicated.
- Corded power module includes 12 foot black, 15 Amp cord with plug.
- Power Module overall height is 2.75"; will extend below the horizontal surface and extend above surface 0.35".
- Power module ships for field installation; field modification required to horizontal top for phone access which will deface top.

Specification Tips

- Formerly known as workware.
- Provides power, data, communication and audio/video access for users; may be specified with a variety of port configurations to fit user requirements.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Audio/Video Cables are separately specified. Cables must be specified at the proper length required to reach from the user's device to the Monitor.
- Requires a cable base be located directly below power module to house user cables, power and data cables and optional cable retractor; refer to Application Guide for cable base guidelines.
- 4-Port/Wide – Power Modules may be installed on tables specified with the standard Flip Top Unit cutout options (-F) or (-V); 6-Port/Wide/ – Power Modules may be installed on tables specified with the standard Flip Top Unit cutout options (-J) or (-K). These standard cutout options do not provide access for the communication opening to run a phone cable.
- Selected user AV cables extend 48" from Cable Bay without use of a Cable Retractor and 34" with a Cable Retractor.
- For use with 120 volt 60 hertz power source only.
- Electrical application requires prior approval by authority having jurisdiction.

To Order, Specify:

- 1) Product number:
- 2) Trim Color for Sliding Door/End Trim.
 - ZA-MT – Anodized Aluminum
 - Painted
 - TR-K – Charcoal
 - TR-J – Graphite
 - TR-PLS – Smooth Plaster

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded

Top Width	Top Depth	Configuration	Trim Color	Flip Top Unit Cut Out Codes*	Number	①	Price
Wide Module							
4 Port							
5"(127mm)	9.6"(244mm)	2 Power Receptacles, 1 Cable Bay	Anodized	F, V	EWCA-2R2B-NPSCBN		\$1023.98
		1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay			EWCA-2A2B-NPSCBN		1346.94
		2 Power Receptacles, 2 Data Ports			EWCA-2R2D-NPSCBN		1023.98
		1 Power Receptacle, 1 USB-A Charging, 2 Data Ports			EWCA-2A2D-NPSCBN		1346.94
		4 Power Receptacles			EWCA-4RNN-NPSCBN		1023.98
		2 Power Receptacles, 2 USB-A Charging			EWCA-4ANN-NPSCBN		1669.90
5"(127mm)	9.6"(244mm)	2 Power Receptacles, 1 Cable Bay	Painted	F, V	EWCA-2R2B-NPSPBN		\$1073.02
		1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay			EWCA-2A2B-NPSPBN		1395.98
		2 Power Receptacles, 2 Data Ports			EWCA-2R2D-NPSPBN		1073.02
		1 Power Receptacle, 1 USB-A Charging, 2 Data Ports			EWCA-2A2D-NPSPBN		1395.98
		4 Power Receptacles			EWCA-4RNN-NPSPBN		1073.02
		2 Power Receptacles, 2 USB-A Charging			EWCA-4ANN-NPSPBN		1718.94
6 Port							
5"(127mm)	12.6"(321mm)	4 Power Receptacles, 1 Cable Bay	Anodized	J, K	EWCA-4R2B-NPSCBN		\$1120.08
		2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay			EWCA-4A2B-NPSCBN		1766.00
		2 Power Receptacles, 2 Cable Bays			EWCA-2R4B-NPSCBN		1120.08
		1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays			EWCA-2A4B-NPSCBN		1443.04
		3 Power Receptacles, 3 Data Ports			EWCA-3R3D-NPSCBN		1120.08
		2 Power Receptacles, 1 USB-A Charging, 3 Data Ports			EWCA-3A3D-NPSCBN		1443.04
		1 Power Receptacle, 2 USB-A Charging, 3 Data Ports			EWCA-3B3D-NPSCBN		1766.00
		6 Power Receptacles			EWCA-6RNN-NPSCBN		1120.08
3 Power Receptacles, 3 USB-A Charging	EWCA-6ANN-NPSCBN		2088.96				
5"(127mm)	12.6"(321mm)	4 Power Receptacles, 1 Cable Bay	Painted	J, K	EWCA-4R2B-NPSPBN		\$1169.12
		2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay			EWCA-4A2B-NPSPBN		1815.04
		2 Power Receptacles, 2 Cable Bays			EWCA-2R4B-NPSPBN		1169.12
		1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays			EWCA-2A4B-NPSPBN		1492.08
		3 Power Receptacles, 3 Data Ports			EWCA-3R3D-NPSPBN		1169.12
		2 Power Receptacles, 1 USB-A Charging, 3 Data Ports			EWCA-3A3D-NPSPBN		1492.08
		1 Power Receptacle, 2 USB-A Charging, 3 Data Ports			EWCA-3B3D-NPSPBN		1815.04
		6 Power Receptacles			EWCA-6RNN-NPSPBN		1169.12
3 Power Receptacles, 3 USB-A Charging	EWCA-6ANN-NPSPBN		2138.00				

*Reference Specification Guide for dimensions.

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Narrow Module								
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Clear Anodized	Black	4	1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSCBNPW	\$1257.88
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports	EWCB-2A2D-NPSCBNPW	1257.88
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSCBNPW	1903.80
						1 Power Receptacles, 3 Data Ports	EWCG-1R3D-NPSCBNPW	934.92
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNPW	934.92
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNPW	1257.88
						2 Power Receptacles, 2 Data Ports	EWCB-2R2D-NPSCBNPW	934.92
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNPW	1580.84
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNPW	934.92
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNPW	1257.88
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Painted	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EWCG-1R3E-NPSPBNPW	\$ 983.96
						1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSPBNPW	1306.92
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports	EWCB-2A2D-NPSPBNPW	1306.92
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSPBNPW	983.96
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSPBNPW	1952.84
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNPW	983.96
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNPW	1306.92
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNPW	983.96
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNPW	1629.88
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNPW	983.96
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNPW	1306.92
						4 Power Receptacles	EWCG-4RNN-NPSPBNPW	983.96
						1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSCBNPW	\$1353.98
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSCBNPW	1353.98
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSCBNPW	1353.98
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSCBNPW	1676.94
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSCBNPW	1676.94
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSCBNPW	1999.90
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSCBNPW	1999.90
						1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSCBNPW	2322.86
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNPW	1353.98
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNPW	1353.98
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNPW	1031.02
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNPW	1031.02
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNPW	1676.94
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNPW	1676.94
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNPW	1999.90
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNPW	1031.02
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNPW	2322.86
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNPW	1031.02
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNPW	1353.98
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNPW	1353.98
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNPW	1676.94
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNPW	1031.02
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNPW	1999.90
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNPW	1031.02
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNPW	1353.98
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNPW	1031.02
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNPW	1676.94
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNPW	1031.02
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNPW	1353.98
						6 Power Receptacles	EWCG-6RNN-NPSCBNPW	1031.02





Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Painted	Black	6	1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSPBNPW	\$1403.02
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSPBNPW	1403.02
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSPBNPW	1403.02
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSPBNPW	1725.98
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSPBNPW	1725.98
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSPBNPW	2048.94
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSPBNPW	2048.94
						1 Power Receptacles, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSPBNPW	2371.90
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNPW	1403.02
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNPW	1403.02
						2 Power Receptacles, 2 Cable Bay	EWCG-2R4B-NPSPBNPW	1080.06
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNPW	1080.06
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNPW	1725.98
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2D-NPSPBNPW	1725.98
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNPW	1725.98
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNPW	2048.94
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNPW	1080.06
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNPW	2371.90
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNPW	1080.06
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNPW	1403.02
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNPW	1403.02
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNPW	1725.98
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNPW	1080.06
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNPW	2048.94
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNPW	1080.06
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNPW	1403.02
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNPW	1080.06
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNPW	1725.98
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNPW	1080.06
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNPW	1403.02
						6 Power Receptacles	EWCG-6RNN-NPSPBNPW	1080.06

Electrical Components

Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable



- Features**
- Includes power module with sliding door, 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables and mounting hardware.
 - Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
 - Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10'(3048mm) to 12'(3658mm) when stretched.
 - Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
 - USB Charging simplex consist of 2 USB outlets. 1,000mA of charging power per USB outlet.
 - Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

- Specification Tips**
- Formerly known as workware.
 - Not for use with cable chain.
 - For use with 120 volt 60 hertz power source only.
 - Requires field installation.
 - **Configuration and quantity of power and data ports cannot be modified in the field.**
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim Color for Sliding Door/End Trim:
Anodized Aluminum ZA-MT
Painted:
Charcoal TR-K
Graphite TR-J
Smooth Plaster TR-PLS


Electrical Components

Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable


Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
Corded								
6.5" (165mm)	3" (76mm)	6' (1829mm)	Clear Anodized	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNSF	\$1086.05
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSCBNSF	1086.05
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNSF	1731.97
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNSF	1409.01
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNSF	1086.05
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNSF	1409.01
						4 Power Receptacles	EWCG-4RNN-NPSCBNSF	1086.05
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNSF	1182.15
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNSF	1182.15
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNSF	1505.11
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNSF	1828.07
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNSF	1182.15
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNSF	2473.99
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNSF	2151.03
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNSF	1505.11
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNSF	1828.07
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNSF	1505.11
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNSF	1828.07
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNSF	1182.15
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNSF	1505.11
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNSF	1182.15
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNSF	2151.03
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNSF	1505.11
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNSF	1182.15
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNSF	1182.15
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNSF	1828.07
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNSF	1182.15
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNSF	1505.11
						6 Power Receptacles	EWCG-6RNN-NPSCBNSF	1182.15
6.5" (165mm)	3" (76mm)	6' (1829mm)	Painted	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNSF	\$1135.09
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNSF	1135.09
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNSF	1781.01
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNSF	1458.05
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNSF	1135.09
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNSF	1458.05
						4 Power Receptacles	EWCG-4RNN-NPSPBNSF	1135.09
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNSF	1231.19
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNSF	1231.19
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNSF	1554.15
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNSF	1877.11
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNSF	1231.19
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNSF	2523.03
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNSF	2200.07
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNSF	1554.15
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNSF	1877.11
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNSF	1554.15
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNSF	1877.11
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNSF	1231.19
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNSF	1554.15
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNSF	1231.19
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNSF	2200.07
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNSF	1554.15
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNSF	1231.19
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNSF	1231.19
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNSF	1877.11
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNSF	1231.19
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNSF	1554.15
						6 Power Receptacles	EWCG-6RNN-NPSPBNSF	1231.19

Electrical Components


Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable



EWCG-3A1D-NPSCBNSL



EWCG-3A3E-NPSCBNSL



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EWCG-4RNN-NPSCBNSL



Features

- Includes power module with sliding door, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB-A Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

Specification Tips

- Formerly known as workware.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim Color for Sliding Door/End Trim:
Anodized Aluminum ZA-MT
Painted:
Charcoal TR-K
Graphite TR-J
Smooth Plaster TR-PLS

Electrical Components

Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable


Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
Corded								
6.5" (165mm)	3" (76mm)	12' (3658mm)	Clear Anodized	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNSL	\$1201.75
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSCBNSL	1201.75
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNSL	1847.67
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNSL	1524.71
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNSL	1201.75
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNSL	1524.71
						4 Power Receptacles	EWCG-4RNN-NPSCBNSL	1201.75
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNSL	\$1297.85
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNSL	1297.85
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNSL	1620.81
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNSL	1943.77
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNSL	1297.85
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNSL	2589.69
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNSL	2266.73
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNSL	1620.81
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNSL	1943.77
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNSL	1620.81
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNSL	1943.77
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNSL	1297.85
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNSL	1620.81
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNSL	1297.85
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNSL	2266.73
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNSL	1620.81
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNSL	1297.85
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNSL	1297.85
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNSL	1943.77
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNSL	1297.85
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNSL	1620.81
						6 Power Receptacles	EWCG-6RNN-NPSCBNSL	1297.85
6.5" (165mm)	3" (76mm)	12' (3658mm)	Painted	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNSL	\$1250.79
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNSL	1250.79
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNSL	1896.71
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNSL	1573.75
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNSL	1250.79
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNSL	1573.75
						4 Power Receptacles	EWCG-4RNN-NPSPBNSL	1250.79
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNSL	\$1346.89
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNSL	1346.89
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNSL	1669.85
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNSL	1992.81
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNSL	1346.89
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNSL	2638.73
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNSL	2315.77
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNSL	1669.85
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNSL	1992.81
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNSL	1669.85
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNSL	1992.81
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNSL	1346.89
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNSL	1669.85
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNSL	1346.89
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNSL	2315.77
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNSL	1669.85
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNSL	1346.89
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNSL	1346.89
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNSL	1992.81
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNSL	1346.89
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNSL	1669.85
						6 Power Receptacles	EWCG-6RNN-NPSPBNSL	1346.89

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

4-Port:


- (2) Power
- (1) USB
- (1) Data



EWCG-3A1D-NPSCBNCW

6-Port:

- (2) Power
- (1) USB
- (1) Data
- (1) Cable Bay



EWCG-3A3E-NPSCBNCW



Features

- Includes power module with sliding door, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Hardwired power module with 6’(1829mm) or 12’(3658mm) long flexible metal conduit feed, .05”(13mm) conduit fitting and wires for hardwire connection.
- USB-A Charging simplex consists of 2 USB outlets.
- 1,000mA of charging power per USB outlet.
- Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

Specification Tips

- Formerly known as workware.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Housing finish code (applicable to painted housing color only).

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

Top Width	Top Depth	Conduit Length	Configuration	Trim Color	Number	Price
Narrow Module						
4 Port						
3.25" (83mm)	9.6" (244mm)	6' (1829mm)	2 Power Receptacles, 1 Cable Bay	Anodized	EWCB-2R2B-NPSCBNCC	\$ 896.68
			1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay		EWCB-2A2B-NPSCBNCC	1219.64
			2 Power Receptacles, 2 Data Ports		EWCB-2R2D-NPSCBNCC	896.68
			1 Power Receptacle, 1 USB-A Charging, 2 Data Ports		EWCB-2A2D-NPSCBNCC	1219.64
			4 Power Receptacles		EWCB-4RNN-NPSCBNCC	896.68
			2 Power Receptacles, 2 USB-A Charging		EWCB-4ANN-NPSCBNCC	1542.60
3.25" (83mm)	9.6" (244mm)	6' (1829mm)	2 Power Receptacles, 1 Cable Bay	Painted	EWCB-2R2B-NPSPBNCC	945.72
			1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay		EWCB-2A2B-NPSPBNCC	1268.68
			2 Power Receptacles, 2 Data Ports		EWCB-2R2D-NPSPBNCC	945.72
			1 Power Receptacle, 1 USB-A Charging, 2 Data Ports		EWCB-2A2D-NPSPBNCC	1268.68
			4 Power Receptacles		EWCB-4RNN-NPSPBNCC	945.72
			2 Power Receptacles, 2 USB-A Charging		EWCB-4ANN-NPSPBNCC	1591.64
6 Port						
3.25" (83mm)	12.6" (321mm)	6' (1829m)	4 Power Receptacles, 1 Cable Bay	Anodized	EWCB-4R2B-NPSCBNCC	992.78
			2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay		EWCB-4A2B-NPSCBNCC	1638.70
			2 Power Receptacles, 2 Cable Bays		EWCB-2R4B-NPSCBNCC	992.78
			1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays		EWCB-2A4B-NPSCBNCC	1315.74
			3 Power Receptacles, 3 Data Ports		EWCB-3R3D-NPSCBNCC	992.78
			2 Power Receptacles, 1 USB-A Charging, 3 Data Ports		EWCB-3A3D-NPSCBNCC	1315.74
			1 Power Receptacle, 2 USB-A Charging, 3 Data Ports		EWCB-3B3D-NPSCBNCC	1638.70
			6 Power Receptacles		EWCB-6RNN-NPSCBNCC	992.78
			3 Power Receptacles, 3 USB-A Charging		EWCB-6ANN-NPSCBNCC	1961.66
3.25" (83mm)	12.6" (321mm)	6' (1829m)	4 Power Receptacles, 1 Cable Bay	Painted	EWCB-4R2B-NPSPBNCC	\$1041.82
			2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay		EWCB-4A2B-NPSPBNCC	1687.74
			2 Power Receptacles, 2 Cable Bays		EWCB-2R4B-NPSPBNCC	1041.82
			1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays		EWCB-2A4B-NPSPBNCC	1364.78
			3 Power Receptacles, 3 Data Ports		EWCB-3R3D-NPSPBNCC	1041.82
			2 Power Receptacles, 1 USB-A Charging, 3 Data Ports		EWCB-3A3D-NPSPBNCC	1364.78
			1 Power Receptacle, 2 USB-A Charging, 3 Data Ports		EWCB-3B3D-NPSPBNCC	1687.74
			6 Power Receptacles		EWCB-6RNN-NPSPBNCC	1041.82
			3 Power Receptacles, 3 USB-A Charging		EWCB-6ANN-NPSPBNCC	2010.70

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Clear Anodized	Black	4	1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSCBNCW	\$1335.34
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSCBNCW	1981.26
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSCBNCW	1012.38
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNCW	1012.38
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNCW	1658.30
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNCW	1335.34
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNCW	1012.38
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNCW	1335.34
						4 Power Receptacles	EWCG-4RNN-NPSCBNCW	1012.38
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSCBNCW	\$1431.44
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSCBNCW	1431.44
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSCBNCW	1431.44
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSCBNCW	1754.40
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSCBNCW	1754.40
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSCBNCW	2077.36
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSCBNCW	2077.36
						1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSCBNCW	2400.32
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNCW	1108.48
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNCW	1108.48
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNCW	1431.44
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNCW	1754.40
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNCW	1108.48
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNCW	2400.32
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNCW	2077.36
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNCW	1431.44
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNCW	1754.40
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNCW	1431.44
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNCW	1754.40
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNCW	1108.48
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNCW	1431.44
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNCW	1108.48
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNCW	2077.36
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNCW	1431.44
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNCW	1108.48
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNCW	1108.48
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNCW	1754.40
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNCW	1108.48
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNCW	1431.44
						6 Power Receptacles	EWCG-6RNN-NPSCBNCW	1108.48
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Painted	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EWCG-1R3E-NPSPBNCW	\$1061.42
						1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSPBNCW	1384.38
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSPBNCW	2030.30
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSPBNCW	1061.42
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNCW	1061.42
						2 Power Receptacles, 2 Data Port	EWCG-2R2D-NPSPBNCW	1061.42
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNCW	1707.34
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNCW	1384.38
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNCW	1061.42
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNCW	1384.38
						4 Power Receptacles	EWCG-4RNN-NPSPBNCW	1061.42

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire


Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Painted	Black	6	1 Power Receptacle, 2 Cable Bays	EWCG-2A4B-NPSPBNCW	\$1480.48
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSPBNCW	1480.48
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSPBNCW	1480.48
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSPBNCW	1803.44
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSPBNCW	1803.44
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSPBNCW	2126.40
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSPBNCW	2126.40
						1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSPBNCW	2449.36
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNCW	1157.52
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNCW	1157.52
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNCW	1480.48
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNCW	1803.44
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNCW	1157.52
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNCW	2449.36
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNCW	2126.40
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNCW	1480.48
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNCW	1803.44
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNCW	1480.48
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNCW	1803.44
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNCW	1157.52
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNCW	1480.48
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNCW	1157.52
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNCW	2126.40
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNCW	1480.48
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNCW	1157.52
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNCW	1157.52
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNCW	1803.44
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNCW	1157.52
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNCW	1480.48
						6 Power Receptacles	EWCG-6RNN-NPSPBNCW	1157.52

This page intentionally blank

Electrical Components

Belong Power Tap — Horizontal

Power Tap — Horizontal



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N



Description	Circuit Access	Number	Price
3-Circuit Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-3M3N1NL	\$161.81
	2	EUET-0030-3M3N2NL	161.81
	3	EUET-0030-3M3N3NL	161.81
6'(1829mm)	1	EUET-0072-3M3N1NL	\$188.27
	2	EUET-0072-3M3N2NL	188.27
	3	EUET-0072-3M3N3NL	188.27
9'(2743mm)	1	EUET-00A8-3M3N1NL	\$210.95
	2	EUET-00A8-3M3N2NL	210.95
	3	EUET-00A8-3M3N3NL	210.95
4-Circuit, (2+2) Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-2M3N1NL	\$161.81
	2	EUET-0030-2M3N2NL	161.81
	3	EUET-0030-2M3N3NL	161.81
	4	EUET-0030-2M3N4NL	161.81
6'(1829mm)	1	EUET-0072-2M3N1NL	\$188.27
	2	EUET-0072-2M3N2NL	188.27
	3	EUET-0072-2M3N3NL	188.27
	4	EUET-0072-2M3N4NL	188.27
9'(2743mm)	1	EUET-00A8-2M3N1NL	\$210.95
	2	EUET-00A8-2M3N2NL	210.95
	3	EUET-00A8-2M3N3NL	210.95
	4	EUET-00A8-2M3N4NL	210.95
4-Circuit, (3+1) Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-4M3N1NL	\$161.81
	2	EUET-0030-4M3N2NL	161.81
	3	EUET-0030-4M3N3NL	161.81
	4	EUET-0030-4M3N4NL	161.81
6'(1829mm)	1	EUET-0072-4M3N1NL	\$188.27
	2	EUET-0072-4M3N2NL	188.27
	3	EUET-0072-4M3N3NL	188.27
	4	EUET-0072-4M3N4NL	188.27
9'(2743mm)	1	EUET-00A8-4M3N1NL	\$210.95
	2	EUET-00A8-4M3N2NL	210.95
	3	EUET-00A8-4M3N3NL	210.95
	4	EUET-00A8-4M3N4NL	210.95

Features

- Includes Power Tap housing with three 15A receptacle outlets (NEMA 5-15R) with 0.375"(10mm) conduit and Power Base connector.
- Power Base connector is used to connect to PDA.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.

Specification Tips:

- Specify conduit length, circuit configuration and circuit access with Power Base connector.
- Specify mounting bracket separately.
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).


To Order, Specify:

- 1) Product number.
- 2) Trim color.
 - TR-K Charcoal
 - TR-J Graphite

Electrical Components

Belong Power Tap — Vertical

Power Tap — Vertical



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N



Description	Circuit Access	Number	Price
3-Circuit Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-3M3N1NS	\$161.81
	2	EUET-0030-3M3N2NS	161.81
	3	EUET-0030-3M3N3NS	161.81
6'(1829mm)	1	EUET-0072-3M3N1NS	\$188.27
	2	EUET-0072-3M3N2NS	188.27
	3	EUET-0072-3M3N3NS	188.27
9'(2743mm)	1	EUET-00A8-3M3N1NS	\$210.95
	2	EUET-00A8-3M3N2NS	210.95
	3	EUET-00A8-3M3N3NS	210.95
4-Circuit (2+2) Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-2M3N1NS	\$161.81
	2	EUET-0030-2M3N2NS	161.81
	3	EUET-0030-2M3N3NS	161.81
	4	EUET-0030-2M3N4NS	161.81
6'(1829mm)	1	EUET-0072-2M3N1NS	\$188.27
	2	EUET-0072-2M3N2NS	188.27
	3	EUET-0072-2M3N3NS	188.27
	4	EUET-0072-2M3N4NS	188.27
9'(2743mm)	1	EUET-00A8-2M3N1NS	\$210.95
	2	EUET-00A8-2M3N2NS	210.95
	3	EUET-00A8-2M3N3NS	210.95
	4	EUET-00A8-2M3N4NS	210.95
4-Circuit (3+1) Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-4M3N1NS	\$161.81
	2	EUET-0030-4M3N2NS	161.81
	3	EUET-0030-4M3N3NS	161.81
	4	EUET-0030-4M3N4NS	161.81
6'(1829mm)	1	EUET-0072-4M3N1NS	\$188.27
	2	EUET-0072-4M3N2NS	188.27
	3	EUET-0072-4M3N3NS	188.27
	4	EUET-0072-4M3N4NS	188.27
9'(2743mm)	1	EUET-00A8-4M3N1NS	\$210.95
	2	EUET-00A8-4M3N2NS	210.95
	3	EUET-00A8-4M3N3NS	210.95
	4	EUET-00A8-4M3N4NS	210.95

Features

- Includes Power Tap housing with three 15A receptacle outlets (NEMA 5-15R) with 0.375"(10mm) conduit and Power Base connector.
- Power Base connector is used to connect to PDA.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.

Specification Tips:

- Specify conduit length, circuit configuration and circuit access with Power Base connector.
- Specify mounting bracket separately.
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).


To Order, Specify:

- Product number.
- Trim color.
 - TR-K Charcoal
 - TR-J Graphite

Electrical Components

Belong Power Tap — Hardwire and Corded

Power Tap — Hardwire



Description	Circuit	Number	Price
Hardwire Length — Horizontal			
30"(762mm)	1	EUET-0030-CM3N1NL	\$161.81
6'(1829mm)	1	EUET-0072-CM3N1NL	188.27
9'(2743mm)	1	EUET-00A8-CM3N1NL	210.95
15'(4572mm)	1	EUET-00J0-CM3N1NL	256.31
Hardwire Length — Vertical			
30"(762mm)	1	EUET-0030-CM3N1NS	\$161.81
6'(1829mm)	1	EUET-0072-CM3N1NS	188.27
9'(2743mm)	1	EUET-00A8-CM3N1NS	210.95
15'(4572mm)	1	EUET-00J0-CM3N1NS	256.31

Features

- Includes Power Tap with three 15A receptacle outlets (MEMA 5-15) with conduit and conduit fitting.
- Hardwire option for connection to field wired junction box with 0.5"(13mm) knockout.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.


To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-K Charcoal
TR-J Graphite

Specification Tips

- **For use with 120 volt 60 hertz power source only.**
- **Specify mounting bracket separately.**
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
 - Under Surface bracket mounts Power Tap under worksurface. **Vertical Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Power Tap — Corded Horizontal and Vertical



Cord Length — Horizontal			
6'(1829mm)	1	EUET-0000-1M3N16L	\$114.62
9'(2743mm)	1	EUET-0000-1M3N19L	122.72
15'(4572mm)	1	EUET-0000-1M3N1EL	138.92
25'(7620mm)	1	EUET-0000-1M3N1YL	165.92
Cord Length — Vertical			
6'(1829mm)	1	EUET-0000-1M3N16S	\$114.62
9'(2743mm)	1	EUET-0000-1M3N19S	122.72
15'(4572mm)	1	EUET-0000-1M3N1ES	138.92
25'(7620mm)	1	EUET-0000-1M3N1YS	165.92

Features

- Includes Power Tap with three 15A receptacle outlets (MEMA 5-15R) with cord and plug (15A NEMA 5-15-P).
- Power Tap housing with receptacles available in charcoal or graphite finish; cord standard in black only.
- Field installed.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-K Charcoal
TR-J Graphite

Specification Tips

- **For use with 120 volt 60 hertz power source only.**
- **Specify mounting bracket separately.**
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
 - Under Surface bracket mounts Power Tap under worksurface. **Vertical Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components


Belong Power Tap Brackets

	Description	Number	Trim A	B
Hatch EUA1-0610-PFN EUA1-0610-PFC EUA1-0610-PFT	Hatch only	EUA1-0610-PFN	\$122.71	\$129.47
	Hatch with Wire Chute	EUA1-0610-PFC	155.07	161.83
	Hatch with Wire Tray	EUA1-0610-PFT	155.07	161.83
	Features - Includes painted flip-up hatch with attachment hardware. - Hatch options include Wire Chute or Wire Tray. - Hatch is flush mounted with removable brush edge; brush conceals 0.5”(13mm) gap for cord routing. - Hatch is 6”(152mm) x 10.5”(267mm) and fits into a 5.5”(140mm) x 10”(254mm) cutout. - Hatch with Wire Chute manages cords to Utility Tray. - Hatch with Wire Tray allows attachment of Hardwire or Modular Vertical Power Tap and mounting of data faceplate. - Provides two openings for information plate attachment 1.38”(35mm) x 2.71”(69mm). - Power Tap under worksurface bracket is required for use with Corded Vertical Power Tap. - Field installed into Reside desking specified with hatch cutout option or field cut opening. Designed for use with Reside desking, Adaptable Worksurfaces and Tables (Rectangular and Hex).			
Specification Tip Refer to Specification Guide for planning guidelines.				
Power Tap Bracket — Fixed ZUAP-0000-PFD	Fixed	ZUAP-0000-PFD	\$47.19	53.95
Features - Includes one Power Tap mounting bracket and mounting hardware. - Fixed Bracket mounts Power Tap to edge of worksurface with mounting screws. - Fixed bracket accommodates three patch cords. Horizontal Power Tap required.				
Specification Tips Accommodates 1.19”(30mm) thick tops. - Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes. Not compatible with the Power Tap-Corded shipped prior to July 2013.				
Power Tap Bracket — Adjustable ZUAP-0000-PAN	Adjustable	ZUAP-0000-PAN	\$59.32	66.08
Features - Includes one Power Tap mounting bracket and mounting hardware. - Adjustable bracket mounts Power Tap to back edge of worksurface with thumb screws for ease of relocation. Horizontal Power Tap required.				
Specification Tips Accommodates 1.19”(30mm) thick tops. - Adjustable Power Tap Bracket may interfere with Screen application. - Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes. Not compatible with the Power Tap-Corded shipped prior to July 2013.				

Electrical Components

Belong Power Tap Brackets

	Description	Number	Trim A	B
Power Tap Bracket — Under Surface	Under Surface — Right-hand	ZUAP-0000-PUR	\$47.19	\$53.95
	Under Surface — Left-hand	ZUAP-0000-PUL	47.19	53.95



ZUAP-0000-PUR

Features

- Includes one Power Tap mounting bracket and mounting hardware.
- Under Surface bracket mounts Power Tap under worksurface.
- **Vertical Power Tap required.**


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- Under surface bracket may be used on top of worksurface in restricted reach (ADA) applications. Mounting screws will deface top of worksurface.
- Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- **Not compatible with the Power Tap-Corded shipped prior to July 2013.**

Power Tap Bracket with Grommet	Fixed Grommet — Horizontal	ZUAP-0000-PGH	\$106.51	\$113.27
	Fixed Grommet — Vertical	ZUAP-0000-PGV	106.51	113.27



ZUAP-0000-PGH

Features

- Includes one Power Tap bracket, grommet with cover and mounting hardware.
- Horizontal bracket mounts to top through field installed grommet. Horizontal Power Tap required.
- Vertical bracket mounts to top through field installed grommet. Vertical Power Tap required.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tips

- **Designed for use with 1.19"(30mm) thick tops.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Power Tab Bracket with grommet can only be used with 3-Circuit, 4-Circuit and Hardwired power taps.

Electrical Components

Flush Mounted — Round

Flush Mounted — Round



Cord Length	Port	Configuration	Number	Price
Corded				
6'(1829mm)	2	1 Power Receptacle, 1 Data Port	EUP1-PF0P-100010	\$226.67
		1 Power Receptacle, 1 USB-A Charging	EUP1-PF0P-110000	345.70
		1 Power Receptacle, 1 Smart USB-A+C Charging	EUP1-PF0P-101000	465.60
		2 Power Receptacles	EUP1-PF0P-200000	231.85
10'(3048mm)	2	1 Power Receptacle, 1 Data Port	EUP1-PJ0P-100010	\$244.27
		1 Power Receptacle, 1 USB-A Charging	EUP1-PJ0P-110000	363.30
		1 Power Receptacle, 1 Smart USB-A+C Charging	EUP1-PJ0P-101000	483.20
		2 Power Receptacles	EUP1-PJ0P-200000	249.45
Hardwire				
6'(1829mm)	2	1 Power Receptacle, 1 Data Port	EUP1-HF0P-100010	\$299.42
		1 Power Receptacle, 1 USB-A Charging	EUP1-HF0P-110000	418.45
		1 Power Receptacle, 1 Smart USB-A+C Charging	EUP1-HF0P-101000	538.35
		2 Power Receptacles	EUP1-HF0P-200000	304.60
10'(3048mm)	2	1 Power Receptacle, 1 Data Port	EUP1-HJ0P-100010	\$317.02
		1 Power Receptacle, 1 USB-A Charging	EUP1-HJ0P-110000	436.05
		1 Power Receptacle, 1 Smart USB-A+C Charging	EUP1-HJ0P-101000	555.95
		2 Power Receptacles	EUP1-HJ0P-200000	322.20


- Features**
- Includes power module with 2 ports configured with simplex outlets (NEMA-5-15R), USB charging port or data ports and mounting hardware.
 - Power Modules specified with a data port includes a variety of data port adapters and blank covers, which accommodate most varieties of field supplied data/AV jacks.
 - The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
 - Corded power module with 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
 - Hardwire power module with 6'(1829mm) or 10'(3048mm) long flexible galvanized metal conduit.
 - USB-A provides two 10W charging ports.
 - Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.

- To Order, Specify:**
- Product number.
 - Trim color.
TR-PM1 Silver
TR-PM2 Midnight Black
TR-PM3 Parchment

- Specification Tips**
- Installs into a 3" diameter hole into surfaces with a maximum thickness of 1.5".
 - Configuration and quantity of power and data ports cannot be modified in the field.
 - For use with 120 volt 60 hertz power source only.
 - Requires field installation.
 - Specify AV cables separately.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Bezel Utility Module



Features

- Includes: Either a round or square faced Power Module and mounting hardware.
- For use on surfaces 0.75" (19mm) - 1.44" (37mm) thick.
- Available with either:
 - One power outlet (NEMA 5-15R)
 - One two port USB charger. Consists of two USB outlets with 1000mA of charging power (5 volts) per USB outlet.
 - One data/video jack
- Available in black or supplier white only.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Power configuration has one cord with plug (NEMA 5-15P).
- USB configuration has one cord with 2" (51mm) x 1" (25mm) x 3" (76mm) voltage transformer plug. Transformer may block adjacent outlets (see illustration).
- Data jacks and AV cables field supplied.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Requires field cut 1.75" (44mm) hole and field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

To Order, Specify:

1) Product number, including:

1 Shape:

S Square

C Round


2 Color Options:

B Black


W White

Description	Depth	Number	1 2	Price
6' Cord				
Power	1.75" (44mm)	EURT-0072-1100		\$ 87.67
USB		EURT-0072-1010		263.03
12' Cord				
Power	1.75" (44mm)	EURT-00E4-1100		\$150.30
USB		EURT-00E4-1010		325.66

Data Bezel



EURT-0000-N001CB
EURT-0000-N001CW



EURT-0000-N001SB
EURT-0000-N001SW

Description

Round

Black EURT-0000-N001CB \$87.67

White EURT-0000-N001CW 87.67

Square

Black EURT-0000-N001SB \$87.67

White EURT-0000-N001SW 87.67

Feature

- Includes one round or square bezel for the Bezel Utility Module.
- Available in black or supplier white only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical Components


Enhanced Power Module — Corded

3-Port:
(2) Power
(1) USB-A




EUD1-PF0B-2010

4-Port:
(2) Power
(1) USB-A
(1) Data




EUD1-PF0B-2110

6-Port:
(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



EUD1-PF0B-2112

4-Port:
(4) Power



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUD1-PF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets.
- 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Separately specify attachment hardware for desired application.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	\$417.76
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	417.76
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	488.99
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	560.22
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	417.76
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	488.99
						3 Power Receptacles	EUD1-PF0B-3000	417.76
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	\$417.76
						1 Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	417.76
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	488.99
						1 Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	631.45
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	417.76
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	417.76
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	488.99
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	560.22
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	417.76
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	488.99
						4 Power Receptacles	EUD1-PF0B-4000	417.76
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	\$550.73
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	550.73
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	550.73
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	621.96
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	621.96
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	693.19
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	693.19
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	764.42
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	479.50
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	479.50
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	479.50
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	550.73
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	550.73
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	621.96
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	621.96
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	693.19
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	764.42
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	479.50
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	550.73
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	550.73
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	621.96
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	693.19
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	479.50
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	479.50
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	550.73
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	621.96
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	479.50
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	550.73
						6 Power Receptacles	EUD1-PF0B-6000	479.50

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	\$294.29
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	294.29
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	365.52
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	436.75
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	294.29
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	365.52
					4	3 Power Receptacles	EUD1-PF0W-3000	294.29
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	\$294.29
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	294.29
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	365.52
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	507.98
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	294.29
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	294.29
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	365.52
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	436.75
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	294.29
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	365.52
						4 Power Receptacles	EUD1-PF0W-4000	294.29
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	\$427.26
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	427.26
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	427.26
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	498.49
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	498.49
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	569.72
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	569.72
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	640.95
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	356.03
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	356.03
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	356.03
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	427.26
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	427.26
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	498.49
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	498.49
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	569.72
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	640.95
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	356.03
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	427.26
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	427.26
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	498.49
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	569.72
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	356.03
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	356.03
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	427.26
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	498.49
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	356.03
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	427.26
						6 Power Receptacles	EUD1-PF0W-6000	356.03

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	\$475.79
						1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	475.79
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	547.02
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	618.25
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	475.79
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	547.02
						3 Power Receptacles	EUD1-PL0B-3000	475.79
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	\$475.79
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	475.79
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	547.02
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	689.48
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	475.79
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	475.79
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	547.02
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	618.25
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	475.79
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	547.02
						4 Power Receptacles	EUD1-PL0B-4000	475.79
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	\$608.76
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	608.76
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	608.76
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	679.99
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	679.99
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	751.22
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	751.22
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	822.45
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	537.53
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	537.53
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	537.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	608.76
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	608.76
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	679.99
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	679.99
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	751.22
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	822.45
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	537.53
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	608.76
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	608.76
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	679.99
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	751.22
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	537.53
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	537.53
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	608.76
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	679.99
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	537.53
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	608.76
						6 Power Receptacles	EUD1-PL0B-6000	537.53

Electrical Components




Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	\$352.32
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	352.32
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	423.55
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	494.78
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	352.32
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	423.55
					4	3 Power Receptacles	EUD1-PL0W-3000	352.32
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	\$352.32
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	352.32
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	423.55
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	566.01
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	352.32
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	352.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	423.55
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	494.78
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	352.32
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	423.55
						4 Power Receptacles	EUD1-PL0W-4000	352.32
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	\$485.29
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	485.29
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	485.29
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	556.52
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	556.52
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	627.75
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	627.75
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	698.98
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	414.06
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	414.06
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	414.06
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	485.29
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	485.29
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	556.52
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	556.52
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	627.75
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	698.98
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	414.06
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	485.29
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	485.29
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	556.52
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	627.75
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	414.06
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	414.06
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	485.29
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	556.52
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	414.06
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	485.29
						6 Power Receptacles	EUD1-PL0W-6000	414.06

This page intentionally blank

Electrical Components

Enhanced Power Module — Hardwire



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Attaches to surface with use of separately specified mounting brackets.
- Hardwired power module with 6’(1829mm) or 12’(3658mm) long flexible metal conduit feed, 0.5”(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Separately specify attachment hardware for desired application.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	\$490.51
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	490.51
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	561.74
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	632.97
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	490.51
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	561.74
						3 Power Receptacles	EUD1-HF0B-3000	490.51
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	\$490.51
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	490.51
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	561.74
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	704.20
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	490.51
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	490.51
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	561.74
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	632.97
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	490.51
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	561.74
						4 Power Receptacles	EUD1-HF0B-4000	490.51
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	\$623.48
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	623.48
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	623.48
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	694.71
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	694.71
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	765.94
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	765.94
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	837.17
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	552.25
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	552.25
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	552.25
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	623.48
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	623.48
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	694.71
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	694.71
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	765.94
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	837.17
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	552.25
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	623.48
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	623.48
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	694.71
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	765.94
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	552.25
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	552.25
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	623.48
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	694.71
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	552.25
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	623.48
						6 Power Receptacles	EUD1-HF0B-6000	552.25

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	\$367.04
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	367.04
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	438.27
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	509.50
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	367.04
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	438.27
						3 Power Receptacles	EUD1-HF0W-3000	367.04
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	\$367.04
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	367.04
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	438.27
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	580.73
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	367.04
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	367.04
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	438.27
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	509.50
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	367.04
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	438.27
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	\$500.01
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	500.01
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	500.01
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	571.24
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	571.24
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	642.47
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	642.47
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	713.70
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	428.78
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	428.78
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	428.78
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	500.01
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	500.01
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	571.24
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	571.24
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	642.47
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	713.70
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	428.78
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	500.01
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	500.01
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	571.24
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	642.47
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	428.78
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	428.78
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	500.01
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	571.24
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	428.78
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	500.01
						6 Power Receptacles	EUD1-HF0W-6000	428.78

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HLOB-1002	\$548.54
						1 Power Receptacle, 2 Data Ports	EUD1-HLOB-1020	548.54
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HLOB-1110	619.77
						1 Power Receptacle, 2 USB Charging	EUD1-HLOB-1200	691.00
						2 Power Receptacles, 1 Data Port	EUD1-HLOB-2010	548.54
						2 Power Receptacles, 1 USB Charging	EUD1-HLOB-2100	619.77
						3 Power Receptacles	EUD1-HLOB-3000	548.54
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HLOB-1012	\$548.54
						1 Power Receptacle, 3 Data Ports	EUD1-HLOB-1030	548.54
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HLOB-1102	619.77
						1 Power Receptacle, 3 USB Charging	EUD1-HLOB-1300	762.23
						2 Power Receptacles, 1 Cable Bay	EUD1-HLOB-2002	548.54
						2 Power Receptacles, 2 Data Ports	EUD1-HLOB-2020	548.54
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOB-2110	619.77
						2 Power Receptacles, 2 USB Charging	EUD1-HLOB-2200	691.00
						3 Power Receptacles, 1 Data Port	EUD1-HLOB-3010	548.54
						3 Power Receptacles, 1 USB Charging	EUD1-HLOB-3100	619.77
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HLOB-1104	\$681.51
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HLOB-1122	681.51
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HLOB-1140	681.51
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOB-1212	752.74
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HLOB-1230	752.74
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HLOB-1302	823.97
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HLOB-1320	823.97
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HLOB-1410	895.20
						2 Power Receptacles, 2 Cable Bays	EUD1-HLOB-2004	610.28
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HLOB-2022	610.28
						2 Power Receptacles, 4 Data Ports	EUD1-HLOB-2040	610.28
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOB-2112	681.51
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HLOB-2130	681.51
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HLOB-2202	752.74
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HLOB-2220	752.74
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HLOB-2310	823.97
						2 Power Receptacles, 4 USB Charging	EUD1-HLOB-2400	895.20
						3 Power Receptacles, 3 Data Ports	EUD1-HLOB-3030	610.28
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HLOB-3102	681.51
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HLOB-3120	681.51
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HLOB-3210	752.74
						3 Power Receptacles, 3 USB Charging	EUD1-HLOB-3300	823.97
						4 Power Receptacles, 1 Cable Bay	EUD1-HLOB-4002	610.28
						4 Power Receptacles, 2 Data Ports	EUD1-HLOB-4020	610.28
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOB-4110	681.51
						4 Power Receptacles, 2 USB Charging	EUD1-HLOB-4200	752.74
						5 Power Receptacles, 1 Data Port	EUD1-HLOB-5010	610.28
						5 Power Receptacles, 1 USB Charging	EUD1-HLOB-5100	681.51
						6 Power Receptacles	EUD1-HLOB-6000	610.28

Electrical Components


Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HLOW-1002	\$425.07
						1 Power Receptacle, 2 Data Ports	EUD1-HLOW-1020	425.07
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HLOW-1110	496.30
						1 Power Receptacle, 2 USB Charging	EUD1-HLOW-1200	567.53
						2 Power Receptacles, 1 Data Port	EUD1-HLOW-2010	425.07
						2 Power Receptacles, 1 USB Charging	EUD1-HLOW-2100	496.30
						3 Power Receptacles	EUD1-HLOW-3000	425.07
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1012	\$425.07
						1 Power Receptacle, 3 Data Ports	EUD1-HLOW-1030	425.07
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-1102	496.30
						1 Power Receptacle, 3 USB Charging	EUD1-HLOW-1300	638.76
						2 Power Receptacles, 1 Cable Bay	EUD1-HLOW-2002	425.07
						2 Power Receptacles, 2 Data Ports	EUD1-HLOW-2020	425.07
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-2110	496.30
						2 Power Receptacles, 2 USB Charging	EUD1-HLOW-2200	567.53
						3 Power Receptacles, 1 Data Port	EUD1-HLOW-3010	425.07
						3 Power Receptacles, 1 USB Charging	EUD1-HLOW-3100	496.30
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HLOW-1104	\$558.04
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-1122	558.04
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HLOW-1140	558.04
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1212	629.27
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HLOW-1230	629.27
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HLOW-1302	700.50
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HLOW-1320	700.50
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HLOW-1410	771.73
						2 Power Receptacles, 2 Cable Bays	EUD1-HLOW-2004	486.81
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-2022	486.81
						2 Power Receptacles, 4 Data Ports	EUD1-HLOW-2040	486.81
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-2112	558.04
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HLOW-2130	558.04
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HLOW-2202	629.27
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HLOW-2220	629.27
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HLOW-2310	700.50
						2 Power Receptacles, 4 USB Charging	EUD1-HLOW-2400	771.73
						3 Power Receptacles, 3 Data Ports	EUD1-HLOW-3030	486.81
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-3102	558.04
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HLOW-3120	558.04
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HLOW-3210	629.27
						3 Power Receptacles, 3 USB Charging	EUD1-HLOW-3300	700.50
						4 Power Receptacles, 1 Cable Bay	EUD1-HLOW-4002	486.81
						4 Power Receptacles, 2 Data Ports	EUD1-HLOW-4020	486.81
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-4110	558.04
						4 Power Receptacles, 2 USB Charging	EUD1-HLOW-4200	629.27
						5 Power Receptacles, 1 Data Port	EUD1-HLOW-5010	486.81
						5 Power Receptacles, 1 USB Charging	EUD1-HLOW-5100	558.04
						6 Power Receptacles	EUD1-HLOW-6000	486.81

Electrical Components

Enhanced Power Module — Spiral Corded — Height Adjustable



Top Depth	Top Width	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
3"	6.5"	10'(3048mm)- 12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	\$754.44
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	825.67
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	683.21
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	754.44
					4	4 Power Receptacles	EUD1-SF0B-4000	683.21
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	\$630.97
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	702.20
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	559.74
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	630.97
					4	4 Power Receptacles	EUD1-SF0W-4000	559.74

4-Port:(2) Power
(1) USB-A
(1) Data

EUD1-SF0B-2110

4-Port:

(4) Power



EUD1-SF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands to 12'(3658mm) when stretched.
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- For use with:**
 - Planes or Planes Value Model Height Adjustable Tables
 - Planes or Planes Value Model Height Adjustable Bench
 - Upside or Upside Value Model Height Adjustable Tables
 - Hop Height Adjustable Tables
- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)


Electrical Components

Enhanced Power Module — Cord for Height Adjustable

Top Depth	Top Width	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
3" (76mm)	6.5" (165mm)	10'(3048mm)-12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SLOB-2110	\$812.47
					4	2 Power Receptacles, 2 USB Charging	EUD1-SLOB-2200	883.70
					4	3 Power Receptacles, 1 Data Port	EUD1-SLOB-3010	741.24
					4	3 Power Receptacles, 1 USB Charging	EUD1-SLOB-3100	812.47
					4	4 Power Receptacles	EUD1-SLOB-4000	741.24
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SLOW-2110	\$689.00
					4	2 Power Receptacles, 2 USB Charging	EUD1-SLOW-2200	760.23
					4	3 Power Receptacles, 1 Data Port	EUD1-SLOW-3010	617.77
					4	3 Power Receptacles, 1 USB Charging	EUD1-SLOW-3100	689.00
					4	4 Power Receptacles	EUD1-SLOW-4000	617.77


4-Port:

(2) Power
(1) USB-A
(1) Data



4-Port:

(4) Power



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUD1-SLOB-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- For use with:**
 - Planes or Planes Value Model Height Adjustable Tables
 - Planes or Planes Value Model Height Adjustable Bench
 - Upside or Upside Value Model Height Adjustable Tables
 - Hop Height Adjustable Tables
- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number.
(No finish specification required.)


Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-HB	\$64.81
				White Bracket	EUDB-0000-HW	64.81



EUDB-0000-H



Side View Detail

EUDB-0000-H
Class YA - SIN 33721
Discount Group XIII

Features


- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to back edge of 1.125"(29mm) to 2"(51mm) worktop.
- Not for use with a tack board.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Specification Tips


- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.




EUDB-0000-NB



Pillow Knife Edge



Knife Edge



Pillow/Knife Edge

EUDB-0000-N
Class YA – GSA: Open Market



	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-NB	\$93.49
				White Bracket	EUDB-0000-NW	93.49

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to worksurface edge.

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Designed to be used with knife edge or pillowed knife edge worksurfaces.


Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable with Tackboard Offset	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-TB	\$64.81
				White Bracket	EUDB-0000-TW	64.81



EUDB-0000-T

Side View Detail
EUDB-0000-T

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to back edge of 1.125"(29mm) to 2"(51mm) worktop when a tackboard is present.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Above Worksurface – Fixed	4.25"(107mm)	3"(76mm)	2"(51mm)	Black Bracket	EUDB-0000-WB	\$64.81
				White Bracket	EUDB-0000-WW	64.81



EUDB-0000-W



EUDB-0000-W

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts under worksurface with Enhanced Power Module above worksurface.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Under Worksurface – Fixed	2"(51mm)	3"(76mm)	2.5"(64mm)	Black Bracket	EUDB-0000-UB	\$64.81
				White Bracket	EUDB-0000-UW	64.81



EUDB-0000-U



EUDB-0000-U

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts under worksurface with offset to accommodate most transformer plugs.

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
For Use with Side Car — Basic	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-SBB	\$93.49
				White Bracket	EUDB-0000-SBW	93.49



EUDB-0000-SB

Features

- Includes bracket and mounting hardware.
- For use with 3 port Enhanced Power Module.
- Available in black or white.
- Mounts to bottom shelf of Side Car - Basic.


Specification Tips

- Designed to be used with Side Car - Basic only.
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

For Use with Side Car — Deluxe	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-SDB	\$64.81
				White Bracket	EUDB-0000-SDW	64.81



EUDB-0000-SD

Features

- Includes bracket and mounting hardware.
- For use with 3 port Enhanced Power Module.
- Available in black or white.
- Mounts to drop in Accessory Box with power cutout.

Specification Tips

- Designed to be used with Side Car - Deluxe only.
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.



To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module Bracket

	Height	Width	Depth	Trim Color	Number	Price
For Use with X Series	5"(127mm)	2.375"(60mm)	1.125"(29mm)	Black	EUDB-0000-JB	\$64.81
				White	EUDB-0000-JW	\$64.81



EUDB-J

- Features**

 - Includes bracket, grommet and mounting hardware.
 - Field installed.
- To Order, Specify:**




1) Product number.

- Specification Tips**
- Bracket designed to be used with X Series Enhanced Power Module only.
 - Designed to be used in open storage cavities of lockers, group lockers, cubby lockers and combination units.
 - Cannot be used in drawers or personal storage towers.
 - A 1.25"(32mm) diameter Greenlee punch is recommended to punch the power hole through the back of our products (lockers).
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
For use with Suite Lower Storage – Mounts to the Inner Back of the Cabinet	1.75"(44mm)	2"(51mm)	3.375"(85mm)	Black Bracket	EADB-0000-BB	\$64.81
				White Bracket	EADB-0000-BW	64.81



EADB-0000-B

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module on Suite cabinets and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to inner back of cabinet to position Enhanced Power Module at back edge of worktop.



Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Requires field cut of brush at back edge of cabinet.
- Power Module face must be mounted above worktop to accommodate transformer plugs.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)

For use with Suite Lower Storage – Mounts to Storage Top	2"(51mm)	2"(51mm)	3"(76mm)	Black Bracket	EADB-0000-CB	\$64.81
				White Bracket	EADB-0000-CW	64.81



Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module on Suite cabinets and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to bottom of worktop for 2H or inner back for 1.5h.
- Mounts to bottom of worktop to position Enhanced Power Module at 45° angle to back edge of worktop.

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Requires field cut of brush at back edge of cabinet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
For use with Suite Technology Access Blotter and Utility Cabinet	1.375"(35mm)	2"(51mm)	2"(51mm)	Black Bracket	EUDB-0000-AB	\$64.81
				White Bracket	EUDB-0000-AW	64.81



- Features**
 - Includes bracket and mounting hardware.
 - For use with 4 port Enhanced Power Module under Suite blotter.
 - Mounts to bottom of work top adjacent to blotter opening.
 - For use with 3, 4 or 6 port Enhanced Power Module in Suite utility cabinet and 2-6 port Seamless Enhanced Power Modules.
 - Mounts to inner back of Suite utility cabinet.
 - Available in black or white.
- Specification Tips**
 - Specify Enhanced Power Module separately.
 - Requires field installation.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

OBSOLETE / November 2022


Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided


Power, Data and USB





EUC1-PF0P-311010



EUC1-PF0P-200000



EUC1-PF0P-210010



NOTE:
Always Circuit Breaker Plug
when more than three
power outlets specified.

EUC1-PF0P-400000


Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table top.
- Corded power module available with 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- Ships assembled.

Specification Tips

- Configuration and quantity of ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Corded flip top units with four or more receptacles utilize a circuit breaker plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

2, 4, and 6 Port Examples



To Order, Specify:

- Product number.
- Finish color for Bezel/Port.
TR-PM1 Silver/White
TR-PM2 Midnight Black/Black
TR-PM8 Matte White/White
TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-PF0P-100010	\$509.44
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-PF0P-101000	629.34
				1 Receptacle, 1 USB-A Charging	A, B	EUC1-PF0P-110000	584.01
				2 Receptacles	A, B	EUC1-PF0P-200000	509.44
			4	1 Receptacle, 1 USB-A Charging, 1 Cable Bay	F, V	EUC1-PF0P-110001	\$604.71
				1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PF0P-111010	724.61
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-PF0P-101001	650.04
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-PF0P-100110	788.90
				2 Receptacles, 1 Cable Bay	F, V	EUC1-PF0P-200001	530.14
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-PF0P-200100	788.90
				2 Receptacles, 1 USB-A Charging, 1 Data Port	F, V	EUC1-PF0P-210010	604.71
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PF0P-201010	650.04
				2 Receptacles, 2 Data Ports	F, V	EUC1-PF0P-200020	530.14
				2 Receptacles, 2 USB-A Charging	F, V	EUC1-PF0P-220000	679.28
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-PF0P-202000	769.94
				3 Receptacles, 1 Data Port	F, V	EUC1-PF0P-300010	530.14
				3 Receptacles, 1 USB-A Charging	F, V	EUC1-PF0P-310000	604.71
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-PF0P-301000	650.04
				4 Receptacles	F, V	EUC1-PF0P-400000	530.14
			6	1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-111011	\$734.96
				1 Receptacle, 1 USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PF0P-110120	873.82
				1 Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-110021	615.06
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-101021	660.39
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-100111	799.25
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PF0P-211001	734.96
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PF0P-211020	734.96
				2 Receptacles, 1 USB-A Charging, 3 Data Ports	J, K	EUC1-PF0P-210030	615.06
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-PF0P-201030	660.39
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-PF0P-200101	799.25
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PF0P-200120	799.25
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-200021	540.49
				2 Receptacles, 4 Data Ports	J, K	EUC1-PF0P-200040	540.49
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-300011	540.49
				3 Receptacles, 1 USB-A Charging, 1 Cable Bay	J, K	EUC1-PF0P-310001	615.06
				3 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PF0P-311010	734.96
				3 Receptacles, 1 USB-A Charging, 2 Data Ports	J, K	EUC1-PF0P-310020	615.06
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PF0P-301001	660.39
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PF0P-301020	660.39
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-PF0P-300110	799.25
				3 Receptacles, 3 Data Ports	J, K	EUC1-PF0P-300030	540.49
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-PF0P-402000	780.29
				4 Receptacles, 1 Cable Bay	J, K	EUC1-PF0P-400001	540.49
				4 Receptacles, 1 USB-A Charging, 1 Data Port	J, K	EUC1-PF0P-410010	615.06
				4 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-PF0P-411000	734.96
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PF0P-401010	660.39
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-PF0P-400100	799.25
				4 Receptacles, 2 Data Ports	J, K	EUC1-PF0P-400020	540.49
				4 Receptacles, 2 USB-A Charging	J, K	EUC1-PF0P-420000	689.63
				5 Receptacles, 1 Data Port	J, K	EUC1-PF0P-500010	540.49
				5 Receptacles, 1 USB-A Charging	J, K	EUC1-PF0P-510000	615.06
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-PF0P-501000	660.39
				6 Receptacles	J, K	EUC1-PF0P-600000	540.49

Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided



Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-PJ0P-100010	\$560.22
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-PJ0P-101000	680.12
				1 Receptacle, 1 Dual USB-A Charging	A, B	EUC1-PJ0P-110000	634.79
				2 Receptacles	A, B	EUC1-PJ0P-200000	560.22
			4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	F, V	EUC1-PJ0P-110001	\$655.49
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PJ0P-111010	775.39
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-PJ0P-101001	700.82
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-PJ0P-100110	839.68
				2 Receptacles, 1 Cable Bay	F, V	EUC1-PJ0P-200001	580.92
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	F, V	EUC1-PJ0P-210010	655.49
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PJ0P-201010	700.82
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-PJ0P-200100	839.68
				2 Receptacles, 2 Data Ports	F, V	EUC1-PJ0P-200020	580.92
				2 Receptacles, 2 Dual USB-A Charging	F, V	EUC1-PJ0P-220000	730.06
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-PJ0P-202000	820.72
				3 Receptacles, 1 Data Port	F, V	EUC1-PJ0P-300010	580.92
				3 Receptacles, 1 Dual USB-A Charging	F, V	EUC1-PJ0P-310000	655.49
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-PJ0P-301000	700.82
				4 Receptacles	F, V	EUC1-PJ0P-400000	580.92
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-111011	\$785.74
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PJ0P-110120	924.60
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-110021	665.84
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-101021	711.17
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-100111	850.03
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PJ0P-211001	785.74
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PJ0P-211020	785.74
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	J, K	EUC1-PJ0P-210030	665.84
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-PJ0P-201030	711.17
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-PJ0P-200101	850.03
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PJ0P-200120	850.03
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-200021	591.27
				2 Receptacles, 4 Data Ports	J, K	EUC1-PJ0P-200040	591.27
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-300011	591.27
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	J, K	EUC1-PJ0P-310001	665.84
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PJ0P-311010	785.74
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	J, K	EUC1-PJ0P-310020	665.84
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PJ0P-301001	711.17
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PJ0P-301020	711.17
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-PJ0P-300110	850.03
				3 Receptacles, 3 Data Ports	J, K	EUC1-PJ0P-300030	591.27
				4 Receptacles, 1 Cable Bay	J, K	EUC1-PJ0P-400001	591.27
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	J, K	EUC1-PJ0P-410010	665.84
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-PJ0P-411000	785.74
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PJ0P-401010	711.17
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-PJ0P-400100	850.03
				4 Receptacles, 2 Data Ports	J, K	EUC1-PJ0P-400020	591.27
				4 Receptacles, 2 Dual USB-A Charging	J, K	EUC1-PJ0P-420000	740.41
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-PJ0P-402000	831.07
				5 Receptacles, 1 Data Port	J, K	EUC1-PJ0P-500010	591.27
				5 Receptacles, 1 Dual USB-A Charging	J, K	EUC1-PJ0P-510000	665.84
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-PJ0P-501000	711.17
				6 Receptacles	J, K	EUC1-PJ0P-600000	591.27

This page intentionally blank


Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided


Power, Data and USB



EUC2-PF0P-311010



EUC2-PF0P-210010



NOTE: Always Circuit Breaker Plug when more than three power outlets specified.
EUC2-PF0P-400000

Features

- Includes double flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table top.
- Corded power module available with two 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- Ships assembled.

Specification Tips

- Configuration and quantity of ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Corded flip top units with four receptacles utilize a circuit breaker plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

- Product number.
- Finish color for Bezel/Port.
TR-PM1 Silver/White
TR-PM2 Midnight Black/Black
TR-PM8 Matte White/White
TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/T).

Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-PF0P-110001	\$1151.82
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PF0P-111010	1271.72
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-PF0P-101001	1197.15
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-PF0P-100110	1336.01
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-PF0P-200100	1336.01
				2 Receptacles, 1 Cable Bay	M, P	EUC2-PF0P-200001	1077.25
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-PF0P-210010	1151.82
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PF0P-201010	1197.15
				2 Receptacles, 2 Data Ports	M, P	EUC2-PF0P-200020	1077.25
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-PF0P-220000	1226.39
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-PF0P-202000	1317.05
				3 Receptacles, 1 Data Port	M, P	EUC2-PF0P-300010	1077.25
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-PF0P-310000	1151.82
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-PF0P-301000	1197.15
				4 Receptacles	M, P	EUC2-PF0P-400000	1077.25
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-111011	\$1313.12
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PF0P-110120	1451.98
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-110021	1193.22
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-101021	1238.55
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-100111	1377.41
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PF0P-211001	1313.12
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PF0P-211020	1313.12
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, T	EUC2-PF0P-210030	1193.22
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, T	EUC2-PF0P-201030	1238.55
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, T	EUC2-PF0P-200101	1377.41
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PF0P-200120	1377.41
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-200021	1118.65
				2 Receptacles, 4 Data Ports	Q, T	EUC2-PF0P-200040	1118.65
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-300011	1118.65
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, T	EUC2-PF0P-310001	1193.22
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PF0P-311010	1313.12
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, T	EUC2-PF0P-310020	1193.22
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PF0P-301001	1238.55
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PF0P-301020	1238.55
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, T	EUC2-PF0P-300110	1377.41
				3 Receptacles, 3 Data Ports	Q, T	EUC2-PF0P-300030	1118.65
				4 Receptacles, 2 Dual USB-A Charging	Q, T	EUC2-PF0P-420000	1267.79
				4 Receptacles, 1 Cable Bay	Q, T	EUC2-PF0P-400001	1118.65
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, T	EUC2-PF0P-410010	1193.22
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, T	EUC2-PF0P-411000	1313.12
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PF0P-401010	1238.55
				4 Receptacles, 1 USB-C 60W Charging	Q, T	EUC2-PF0P-400100	1377.41
				4 Receptacles, 2 Data Ports	Q, T	EUC2-PF0P-400020	1118.65
				4 Receptacles, 2 Smart USB-A+C Charging	Q, T	EUC2-PF0P-402000	1358.45
				5 Receptacles, 1 Data Port	Q, T	EUC2-PF0P-500010	1118.65
				5 Receptacles, 1 Dual USB-A Charging	Q, T	EUC2-PF0P-510000	1193.22
				5 Receptacles, 1 Smart USB-A+C Charging	Q, T	EUC2-PF0P-501000	1238.55
				6 Receptacles	Q, T	EUC2-PF0P-600000	1118.65

Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided


Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-PJ0P-110001	\$1202.60
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PJ0P-111010	1322.50
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-PJ0P-101001	1247.93
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-PJ0P-100110	1386.79
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-PJ0P-200100	1386.79
				2 Receptacles, 1 Cable Bay	M, P	EUC2-PJ0P-200001	1128.03
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-PJ0P-210010	1202.60
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PJ0P-201010	1247.93
				2 Receptacles, 2 Data Ports	M, P	EUC2-PJ0P-200020	1128.03
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-PJ0P-220000	1277.17
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-PJ0P-202000	1367.83
				3 Receptacles, 1 Data Port	M, P	EUC2-PJ0P-300010	1128.03
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-PJ0P-310000	1202.60
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-PJ0P-301000	1247.93
				4 Receptacles	M, P	EUC2-PJ0P-400000	1128.03
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-111011	\$1363.90
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PJ0P-110120	1502.76
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-110021	1244.00
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-101021	1289.33
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-100111	1428.19
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-211001	1363.90
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PJ0P-211020	1363.90
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, T	EUC2-PJ0P-210030	1244.00
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, T	EUC2-PJ0P-201030	1289.33
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-200101	1428.19
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PJ0P-200120	1428.19
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-200021	1169.43
				2 Receptacles, 4 Data Ports	Q, T	EUC2-PJ0P-200040	1169.43
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-300011	1169.43
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-310001	1244.00
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PJ0P-311010	1363.90
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, T	EUC2-PJ0P-310020	1244.00
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-301001	1289.33
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PJ0P-301020	1289.33
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, T	EUC2-PJ0P-300110	1428.19
				3 Receptacles, 3 Data Ports	Q, T	EUC2-PJ0P-300030	1169.43
				4 Receptacles, 2 Dual USB-A Charging	Q, T	EUC2-PJ0P-420000	1318.57
				4 Receptacles, 1 Cable Bay	Q, T	EUC2-PJ0P-400001	1169.43
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, T	EUC2-PJ0P-410010	1244.00
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-411000	1363.90
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PJ0P-401010	1289.33
				4 Receptacles, 1 USB-C 60W Charging	Q, T	EUC2-PJ0P-400100	1428.19
				4 Receptacles, 2 Data Ports	Q, T	EUC2-PJ0P-400020	1169.43
				4 Receptacles, 2 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-402000	1409.23
				5 Receptacles, 1 Data Port	Q, T	EUC2-PJ0P-500010	1169.43
				5 Receptacles, 1 Dual USB-A Charging	Q, T	EUC2-PJ0P-510000	1244.00
				5 Receptacles, 1 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-501000	1289.33
				6 Receptacles	Q, T	EUC2-PJ0P-600000	1169.43

This page intentionally blank


Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided


Power, Data and USB



EUC1-HF0P-311010



EUC1-HF0P-200000



EUC1-HF0P-210010

Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table top.
- Hardwired power module with 6'(1829mm) or 10'(3048mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- Ships assembled.

Specification Tips

- **Configuration and quantity of ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.
TR-PM1 Silver/White
TR-PM2 Midnight Black/Black
TR-PM8 Matte White/White
TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-HF0P-100010	\$592.52
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-HF0P-101000	712.42
				1 Receptacle, 1 USB-A Charging	A, B	EUC1-HF0P-110000	667.09
				2 Receptacles	A, B	EUC1-HF0P-200000	592.52
			4	1 Receptacle, 1 USB-A Charging, 1 Cable Bay	F, V	EUC1-HF0P-110001	\$687.79
				1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HF0P-111010	807.69
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-HF0P-101001	733.12
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-HF0P-100110	871.98
				2 Receptacles, 1 Cable Bay	F, V	EUC1-HF0P-200001	613.22
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-HF0P-200100	871.98
				2 Receptacles, 1 USB-A Charging, 1 Data Port	F, V	EUC1-HF0P-210010	687.79
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HF0P-201010	733.12
				2 Receptacles, 2 Data Ports	F, V	EUC1-HF0P-200020	613.22
				2 Receptacles, 2 USB-A Charging	F, V	EUC1-HF0P-220000	762.36
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-HF0P-202000	853.02
				3 Receptacles, 1 Data Port	F, V	EUC1-HF0P-300010	613.22
				3 Receptacles, 1 USB-A Charging	F, V	EUC1-HF0P-310000	687.79
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-HF0P-301000	733.12
				4 Receptacles	F, V	EUC1-HF0P-400000	613.22
			6	1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-111011	\$818.04
				1 Receptacle, 1 USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HF0P-110120	956.90
				1 Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-110021	698.14
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-101021	743.47
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-100111	882.33
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HF0P-211001	818.04
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HF0P-211020	818.04
				2 Receptacles, 1 USB-A Charging, 3 Data Ports	J, K	EUC1-HF0P-210030	698.14
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-HF0P-201030	743.47
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-HF0P-200101	882.33
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HF0P-200120	882.33
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-200021	623.57
				2 Receptacles, 4 Data Ports	J, K	EUC1-HF0P-200040	623.57
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-300011	623.57
				3 Receptacles, 1 USB-A Charging, 1 Cable Bay	J, K	EUC1-HF0P-310001	698.14
				3 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HF0P-311010	818.04
				3 Receptacles, 1 USB-A Charging, 2 Data Ports	J, K	EUC1-HF0P-310020	698.14
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HF0P-301001	743.47
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HF0P-301020	743.47
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-HF0P-300110	882.33
				3 Receptacles, 3 Data Ports	J, K	EUC1-HF0P-300030	623.57
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-HF0P-402000	863.37
				4 Receptacles, 1 Cable Bay	J, K	EUC1-HF0P-400001	623.57
				4 Receptacles, 1 USB-A Charging, 1 Data Port	J, K	EUC1-HF0P-410010	698.14
				4 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-HF0P-411000	818.04
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HF0P-401010	743.47
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-HF0P-400100	882.33
				4 Receptacles, 2 Data Ports	J, K	EUC1-HF0P-400020	623.57
				4 Receptacles, 2 USB-A Charging	J, K	EUC1-HF0P-420000	772.71
				5 Receptacles, 1 Data Port	J, K	EUC1-HF0P-500010	623.57
				5 Receptacles, 1 USB-A Charging	J, K	EUC1-HF0P-510000	698.14
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-HF0P-501000	743.47
				6 Receptacles	J, K	EUC1-HF0P-600000	623.57

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided



Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-HJ0P-100010	\$ 643.30
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-HJ0P-101000	763.20
				1 Receptacle, 1 Dual USB-A Charging	A, B	EUC1-HJ0P-110000	717.87
				2 Receptacles	A, B	EUC1-HJ0P-200000	643.30
			4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	F, V	EUC1-HJ0P-110001	\$ 738.57
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HJ0P-111010	858.47
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-HJ0P-101001	783.90
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-HJ0P-100110	922.76
				2 Receptacles, 1 Cable Bay	F, V	EUC1-HJ0P-200001	664.00
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	F, V	EUC1-HJ0P-210010	738.57
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HJ0P-201010	783.90
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-HJ0P-200100	922.76
				2 Receptacles, 2 Data Ports	F, V	EUC1-HJ0P-200020	664.00
				2 Receptacles, 2 Dual USB-A Charging	F, V	EUC1-HJ0P-220000	813.14
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-HJ0P-202000	903.80
				3 Receptacles, 1 Data Port	F, V	EUC1-HJ0P-300010	664.00
				3 Receptacles, 1 Dual USB-A Charging	F, V	EUC1-HJ0P-310000	738.57
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-HJ0P-301000	783.90
				4 Receptacles	F, V	EUC1-HJ0P-400000	664.00
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-111011	\$ 868.82
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HJ0P-110120	1007.68
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-110021	748.92
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-101021	794.25
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-100111	933.11
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HJ0P-211001	868.82
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HJ0P-211020	868.82
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	J, K	EUC1-HJ0P-210030	748.92
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-HJ0P-201030	794.25
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-HJ0P-200101	933.11
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HJ0P-200120	933.11
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-200021	674.35
				2 Receptacles, 4 Data Ports	J, K	EUC1-HJ0P-200040	674.35
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-300011	674.35
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	J, K	EUC1-HJ0P-310001	748.92
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HJ0P-311010	868.82
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	J, K	EUC1-HJ0P-310020	748.92
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HJ0P-301001	794.25
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HJ0P-301020	794.25
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-HJ0P-300110	933.11
				3 Receptacles, 3 Data Ports	J, K	EUC1-HJ0P-300030	674.35
				4 Receptacles, 1 Cable Bay	J, K	EUC1-HJ0P-400001	674.35
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	J, K	EUC1-HJ0P-410010	748.92
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-HJ0P-411000	868.82
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HJ0P-401010	794.25
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-HJ0P-400100	933.11
				4 Receptacles, 2 Data Ports	J, K	EUC1-HJ0P-400020	674.35
				4 Receptacles, 2 Dual USB-A Charging	J, K	EUC1-HJ0P-420000	823.49
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-HJ0P-402000	914.15
				5 Receptacles, 1 Data Port	J, K	EUC1-HJ0P-500010	674.35
				5 Receptacles, 1 Dual USB-A Charging	J, K	EUC1-HJ0P-510000	748.92
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-HJ0P-501000	794.25
				6 Receptacles	J, K	EUC1-HJ0P-600000	674.35

This page intentionally blank


Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided

Power, Data and USB



EUC2-HF0P-311010



EUC2-HF0P-210010

Features

- Includes double flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table top.
- Each flip top module within the bezel provided with two 6'(1829mm) or 10'(3048mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- Ships assembled.

Specification Tips

- **Configuration and quantity of ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Note two conduit feeds are provided from the double-sided flip top unit.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.

TR-PM1	Silver/White
TR-PM2	Midnight Black/Black
TR-PM8	Matte White/White
TR-PM9	Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-HF0P-110001	\$1317.98
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HF0P-111010	1437.88
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-HF0P-101001	1363.31
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-HF0P-100110	1502.17
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-HF0P-200100	1502.17
				2 Receptacles, 1 Cable Bay	M, P	EUC2-HF0P-200001	1243.41
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-HF0P-210010	1317.98
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HF0P-201010	1363.31
				2 Receptacles, 2 Data Ports	M, P	EUC2-HF0P-200020	1243.41
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-HF0P-220000	1392.55
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-HF0P-202000	1483.21
				3 Receptacles, 1 Data Port	M, P	EUC2-HF0P-300010	1243.41
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-HF0P-310000	1317.98
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-HF0P-301000	1363.31
				4 Receptacles	M, P	EUC2-HF0P-400000	1243.41
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-111011	\$1479.28
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HF0P-110120	1618.14
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-110021	1359.38
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-101021	1404.71
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-100111	1543.57
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HF0P-211001	1479.28
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HF0P-211020	1479.28
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, V	EUC2-HF0P-210030	1359.38
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, V	EUC2-HF0P-201030	1404.71
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, V	EUC2-HF0P-200101	1543.57
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HF0P-200120	1543.57
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-200021	1284.81
				2 Receptacles, 4 Data Ports	Q, V	EUC2-HF0P-200040	1284.81
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-300011	1284.81
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, V	EUC2-HF0P-310001	1359.38
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HF0P-311010	1479.28
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, V	EUC2-HF0P-310020	1359.38
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HF0P-301001	1404.71
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HF0P-301020	1404.71
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, V	EUC2-HF0P-300110	1543.57
				3 Receptacles, 3 Data Ports	Q, V	EUC2-HF0P-300030	1284.81
				4 Receptacles, 2 Dual USB-A Charging	Q, V	EUC2-HF0P-420000	1433.95
				4 Receptacles, 1 Cable Bay	Q, V	EUC2-HF0P-400001	1284.81
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, V	EUC2-HF0P-410010	1359.38
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, V	EUC2-HF0P-411000	1479.28
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HF0P-401010	1404.71
				4 Receptacles, 1 USB-C 60W Charging	Q, V	EUC2-HF0P-400100	1543.57
				4 Receptacles, 2 Data Ports	Q, V	EUC2-HF0P-400020	1284.81
				4 Receptacles, 2 Smart USB-A+C Charging	Q, V	EUC2-HF0P-402000	1524.61
				5 Receptacles, 1 Data Port	Q, V	EUC2-HF0P-500010	1284.81
				5 Receptacles, 1 Dual USB-A Charging	Q, V	EUC2-HF0P-510000	1359.38
				5 Receptacles, 1 Smart USB-A+C Charging	Q, V	EUC2-HF0P-501000	1404.71
				6 Receptacles	Q, V	EUC2-HF0P-600000	1284.81

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided







Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-HJ0P-110001	\$1368.76
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HJ0P-111010	1488.66
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-HJ0P-101001	1414.09
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-HJ0P-100110	1552.95
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-HJ0P-200100	1552.95
				2 Receptacles, 1 Cable Bay	M, P	EUC2-HJ0P-200001	1294.19
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-HJ0P-210010	1368.76
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HJ0P-201010	1414.09
				2 Receptacles, 2 Data Ports	M, P	EUC2-HJ0P-200020	1294.19
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-HJ0P-220000	1443.33
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-HJ0P-202000	1533.99
				3 Receptacles, 1 Data Port	M, P	EUC2-HJ0P-300010	1294.19
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-HJ0P-310000	1368.76
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-HJ0P-301000	1414.09
				4 Receptacles	M, P	EUC2-HJ0P-400000	1294.19
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-111011	\$1530.06
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HJ0P-110120	1668.92
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-110021	1410.16
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-101021	1455.49
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-100111	1594.35
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-211001	1530.06
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HJ0P-211020	1530.06
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, V	EUC2-HJ0P-210030	1410.16
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, V	EUC2-HJ0P-201030	1455.49
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-200101	1594.35
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HJ0P-200120	1594.35
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-200021	1335.59
				2 Receptacles, 4 Data Ports	Q, V	EUC2-HJ0P-200040	1335.59
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-300011	1335.59
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-310001	1410.16
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HJ0P-311010	1530.06
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, V	EUC2-HJ0P-310020	1410.16
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-301001	1455.49
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HJ0P-301020	1455.49
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, V	EUC2-HJ0P-300110	1594.35
				3 Receptacles, 3 Data Ports	Q, V	EUC2-HJ0P-300030	1335.59
				4 Receptacles, 2 Dual USB-A Charging	Q, V	EUC2-HJ0P-420000	1484.73
				4 Receptacles, 1 Cable Bay	Q, V	EUC2-HJ0P-400001	1335.59
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, V	EUC2-HJ0P-410010	1410.16
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-411000	1530.06
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HJ0P-401010	1455.49
				4 Receptacles, 1 USB-C 60W Charging	Q, V	EUC2-HJ0P-400100	1594.35
				4 Receptacles, 2 Data Ports	Q, V	EUC2-HJ0P-400020	1335.59
				4 Receptacles, 2 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-402000	1575.39
				5 Receptacles, 1 Data Port	Q, V	EUC2-HJ0P-500010	1335.59
				5 Receptacles, 1 Dual USB-A Charging	Q, V	EUC2-HJ0P-510000	1410.16
				5 Receptacles, 1 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-501000	1455.49
				6 Receptacles	Q, V	EUC2-HJ0P-600000	1335.59

This page intentionally blank

Electrical Components

Flip Top Units

Power and Data



Circuit Breaker Plug Detail

Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets				
5.24"(133mm)	4.37"(111mm)	1 Power, 1 Data	EUE1-0000-1111W	\$ 453.00
		2 Power, 0 Data	EUE1-0000-1B01W	453.00
8.31"(211mm)	4.37"(111mm)	2 Power, 2 Data	EUE1-0000-1221W	588.54
		3 Power, 1 Data	EUE1-0000-1311W	588.54
11.25"(286mm)		3 Power, 3 Data	EUE1-0000-1331W	588.54
		4 Power, 2 Data	EUE1-0000-1421W	588.54
Corded Double-Sided Outlets				
8.31"(211mm)	8"(203mm)	2 Power, 2 Data	EUE2-0000-1221W	\$1177.05
		3 Power, 1 Data	EUE2-0000-1311W	1177.05
11.25"(286mm)		3 Power, 3 Data	EUE2-0000-1331W	1177.05
		4 Power, 2 Data	EUE2-0000-1421W	1177.05
Hardwire Single-Sided Outlets				
8.31"(211mm)	4.37"(111mm)	2 Power, 2 Data	EUE1-0000-C221W	\$ 610.69
11.25"(286mm)		3 Power, 3 Data	EUE1-0000-C331W	610.69
Hardwire Double-Sided Outlets				
8.31"(211mm)	8"(203mm)	2 Power, 2 Data	EUE2-0000-C221W	\$1282.28
11.25"(286mm)		3 Power, 3 Data	EUE2-0000-C331W	1282.28

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- **For use with 120 volt 60 hertz power source only.**
- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


Electrical Components

Flip Top Unit — Non-Powered

Width	Bezel Depth	Trim Color	Port Color	Port	Configuration	Number	Price
Single-Sided Outlets							
5.32"(135mm)	4.37"(111mm)	Black Anodized	Black	2	1 Cable Bay	EUE1-000B-0002	\$ 793.91
					2 Data Ports	EUE1-000B-0020	793.91
8.31"(211mm)	4.37"(111mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000B-0022	\$ 793.91
					4 Data Ports	EUE1-000B-0040	793.91
11.3"(287mm)	4.37"(111mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000B-0042	\$ 793.91
					6 Data Ports	EUE1-000B-0060	793.91
5.32"(135mm)	4.37"(111mm)	Clear Anodized	White	2	1 Cable Bay	EUE1-000W-0002	\$ 592.24
					2 Data Ports	EUE1-000W-0020	592.24
8.31"(211mm)	4.37"(111mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000W-0022	\$ 592.24
					4 Data Ports	EUE1-000W-0040	592.24
11.3"(287mm)	4.37"(111mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000W-0042	\$ 592.24
					6 Data Ports	EUE1-000W-0060	592.24
Double-Sided Outlets							
8.31"(211mm)	8.07"(205mm)	Black Anodized	Black	4	2 Data Ports, 1 Cable Bay	EUE2-000B-0022	\$1382.42
					4 Data Ports	EUE2-000B-0040	1382.42
11.3"(287mm)	8.07"(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000B-0042	\$1382.42
					6 Data Ports	EUE2-000B-0060	1382.42
8.31"(211mm)	8.07"(205mm)	Clear Anodized	White	4	2 Data Ports, 1 Cable Bay	EUE2-000W-0022	\$1180.75
					4 Data Ports	EUE2-000W-0040	1180.75
11.3"(287mm)	8.07"(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000W-0042	\$1180.75
					6 Data Ports	EUE2-000W-0060	1180.75



EUE1-000B



EUE2-000B



Features

- Includes bezel and nonpowered flip top module with 2, 4 or 6 ports that can be configured with data ports or cable bays and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each Cable Bay can accept up to 2 pull out data/AV cables
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

This page intentionally blank


Electrical Components

Flip Top Unit – Corded – Single-Sided

Power, Data and USB

4-Port:



- (2) Power
- (1) USB-A
- (1) Data



EUE1-PF0B-2110

6-Port:



- (4) Power
- (1) USB-A
- (1) Data



EUE1-PF0B-1212

4-Port:

- (4) Power



EUE1-PF0B-4000

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0B-1010	\$ 793.91
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0B-1100	868.48
						2 Power Receptacles	A, B	EUE1-PF0B-2000	793.91
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0B-1012	\$ 793.91
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0B-1030	793.91
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0B-1102	868.48
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0B-1120	868.48
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0B-1300	1017.62
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0B-2002	793.91
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0B-2020	793.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0B-2110	868.48
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0B-2200	943.05
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0B-3010	793.91
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0B-3100	868.48
						4 Power Receptacles	F, V	EUE1-PF0B-4000	793.91
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1032	\$ 793.91
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0B-1050	793.91
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1122	868.48
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0B-1140	868.48
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-1212	943.05
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-1230	943.05
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-1302	1017.62
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-1320	1017.62
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-2022	793.91
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0B-2040	793.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-2112	868.48
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-2130	868.48
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-2202	943.05
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-2220	943.05
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0B-2310	1017.62
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0B-2400	1092.19
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-3012	793.91
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0B-3030	793.91
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-3102	868.48
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-3120	868.48
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0B-3210	943.05
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0B-3300	1017.62
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0B-4002	793.91
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0B-4020	793.91
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0B-4110	868.48
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0B-4200	943.05
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0B-5010	793.91
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0B-5100	868.48
						6 Power Receptacles	J, K	EUE1-PF0B-6000	793.91

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0W-1010	\$592.24
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0W-1100	666.81
						2 Power Receptacles	A, B	EUE1-PF0W-2000	592.24
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0W-1012	\$592.24
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0W-1030	592.24
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0W-1102	666.81
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0W-1120	666.81
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0W-1300	815.95
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0W-2002	592.24
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0W-2020	592.24
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0W-2110	666.81
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0W-2200	741.38
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0W-3010	592.24
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0W-3100	666.81
						4 Power Receptacles	F, V	EUE1-PF0W-4000	592.24
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1032	\$592.24
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0W-1050	592.24
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1122	666.81
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0W-1140	666.81
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-1212	741.38
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-1230	741.38
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-1302	815.95
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-1320	815.95
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-2022	592.24
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0W-2040	592.24
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-2112	666.81
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-2130	666.81
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-2202	741.38
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-2220	741.38
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0W-2310	815.95
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0W-2400	890.52
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-3012	592.24
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0W-3030	592.24
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-3102	666.81
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-3120	666.81
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0W-3210	741.38
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0W-3300	815.95
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0W-4002	592.24
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0W-4020	592.24
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0W-4110	666.81
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0W-4200	741.38
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0W-5010	592.24
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0W-5100	666.81
						6 Power Receptacles	J, K	EUE1-PF0W-6000	592.24

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0B-1010	\$ 854.84
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0B-1100	929.41
						2 Power Receptacles	A, B	EUE1-PL0B-2000	854.84
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0B-1012	\$ 854.84
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0B-1030	854.84
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0B-1102	929.41
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0B-1120	929.41
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0B-1300	1078.55
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0B-2002	854.84
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0B-2020	854.84
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0B-2110	929.41
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0B-2200	1003.98
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0B-3010	854.84
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0B-3100	929.41
						4 Power Receptacles	F, V	EUE1-PL0B-4000	854.84
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1032	\$ 854.84
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0B-1050	854.84
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1122	929.41
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0B-1140	929.41
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-1212	1003.98
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-1230	1003.98
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-1302	1078.55
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-1320	1078.55
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-2022	854.84
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0B-2040	854.84
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-2112	929.41
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-2130	929.41
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-2202	1003.98
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-2220	1003.98
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0B-2310	1078.55
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0B-2400	1153.12
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-3012	854.84
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0B-3030	854.84
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-3102	929.41
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-3120	929.41
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0B-3210	1003.98
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0B-3300	1078.55
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0B-4002	854.84
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0B-4020	854.84
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0B-4110	929.41
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0B-4200	1003.98
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0B-5010	854.84
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0B-5100	929.41
						6 Power Receptacles	J, K	EUE1-PL0B-6000	854.84

Electrical Components

Flip Top Unit – Corded – Single-Sided


Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0W-1010	\$653.17
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0W-1100	727.74
						2 Power Receptacles	A, B	EUE1-PL0W-2000	653.17
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0W-1012	\$653.17
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0W-1030	653.17
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0W-1102	727.74
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0W-1120	727.74
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0W-1300	876.88
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0W-2002	653.17
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0W-2020	653.17
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0W-2110	727.74
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0W-2200	802.31
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0W-3010	653.17
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0W-3100	727.74
						4 Power Receptacles	F, V	EUE1-PL0W-4000	653.17
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1032	\$653.17
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0W-1050	653.17
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1122	727.74
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0W-1140	727.74
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-1212	802.31
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-1230	802.31
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-1302	876.88
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-1320	876.88
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-2022	653.17
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0W-2040	653.17
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-2112	727.74
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-2130	727.74
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-2202	802.31
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-2220	802.31
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0W-2310	876.88
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0W-2400	951.45
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-3012	653.17
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0W-3030	653.17
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-3102	727.74
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-3120	727.74
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0W-3210	802.31
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0W-3300	876.88
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0W-4002	653.17
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0W-4020	653.17
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0W-4110	727.74
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0W-4200	802.31
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0W-5010	653.17
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0W-5100	727.74
						6 Power Receptacles	J, K	EUE1-PL0W-6000	653.17

This page intentionally blank


Electrical Components

Flip Top Unit — Corded — Double-Sided


Power, Data and USB



EUE2-PF0B-2110



EUE2-PF0B-1212



EUE2-PF0B-4000

Features

- Includes bezel and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each flip top module within the bezel provided with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/T).

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0B-1012	\$1382.42
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0B-1030	1382.42
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0B-1102	1456.99
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0B-1120	1456.99
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0B-1300	1606.13
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0B-2002	1382.42
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0B-2020	1382.42
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0B-2110	1456.99
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0B-2200	1531.56
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0B-3010	1382.42
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0B-3100	1456.99
						4 Power Receptacles	M, P	EUE2-PF0B-4000	1382.42
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0B-1032	\$1382.42
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PF0B-1050	1382.42
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0B-1122	1456.99
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PF0B-1140	1456.99
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0B-1212	1531.56
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PF0B-1230	1531.56
						1 Power Receptacle, 3 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-1302	1606.13
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-1320	1606.13
						2 Power Receptacles, 2 Data Ports, 2 Cable Bays	Q, T	EUE2-PF0B-2022	1382.42
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PF0B-2040	1382.42
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 2 Cable Bays	Q, T	EUE2-PF0B-2112	1456.99
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PF0B-2130	1456.99
						2 Power Receptacles, 2 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-2202	1531.56
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-2220	1531.56
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-2310	1606.13
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PF0B-2400	1680.70
						3 Power Receptacles, 1 Data Port, 2 Cable Bays	Q, T	EUE2-PF0B-3012	1382.42
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PF0B-3030	1382.42
						3 Power Receptacles, 1 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-3102	1456.99
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-3120	1456.99
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-3210	1531.56
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PF0B-3300	1606.13
						4 Power Receptacles, 2 Cable Bays	Q, T	EUE2-PF0B-4002	1382.42
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PF0B-4020	1382.42
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-4110	1456.99
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PF0B-4200	1531.56
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PF0B-5010	1382.42
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PF0B-5100	1456.99
						6 Power Receptacles	Q, T	EUE2-PF0B-6000	1382.42

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0W-1012	\$1180.75
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0W-1030	1180.75
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0W-1102	1255.32
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0W-1120	1255.32
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0W-1300	1404.46
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0W-2002	1180.75
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0W-2020	1180.75
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0W-2110	1255.32
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0W-2200	1329.89
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0W-3010	1180.75
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0W-3100	1255.32
						4 Power Receptacles	M, P	EUE2-PF0W-4000	1180.75
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-1032	\$1180.75
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PF0W-1050	1180.75
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-1122	1255.32
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PF0W-1140	1255.32
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-1212	1329.89
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PF0W-1230	1329.89
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-1302	1404.46
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-1320	1404.46
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-2022	1180.75
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PF0W-2040	1180.75
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-2112	1255.32
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PF0W-2130	1255.32
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-2202	1329.89
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-2220	1329.89
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-2310	1404.46
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PF0W-2400	1479.03
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-3012	1180.75
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PF0W-3030	1180.75
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-3102	1255.32
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-3120	1255.32
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-3210	1329.89
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PF0W-3300	1404.46
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PF0W-4002	1180.75
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PF0W-4020	1180.75
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-4110	1255.32
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PF0W-4200	1329.89
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PF0W-5010	1180.75
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PF0W-5100	1255.32
						6 Power Receptacles	Q, T	EUE2-PF0W-6000	1180.75

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0B-1012	\$1443.35
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0B-1030	1443.35
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0B-1102	1517.92
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0B-1120	1517.92
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0B-1300	1667.06
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0B-2002	1443.35
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0B-2020	1443.35
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0B-2110	1517.92
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0B-2200	1592.49
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0B-3010	1443.35
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0B-3100	1517.92
						4 Power Receptacles	M, P	EUE2-PL0B-4000	1443.35
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-1032	\$1443.35
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PL0B-1050	1443.35
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-1122	1517.92
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PL0B-1140	1517.92
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-1212	1592.49
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PL0B-1230	1592.49
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-1302	1667.06
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-1320	1667.06
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-2022	1443.35
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PL0B-2040	1443.35
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-2112	1517.92
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PL0B-2130	1517.92
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-2202	1592.49
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-2220	1592.49
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-2310	1667.06
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PL0B-2400	1741.63
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-3012	1443.35
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PL0B-3030	1443.35
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-3102	1517.92
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-3120	1517.92
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-3210	1592.49
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PL0B-3300	1667.06
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PL0B-4002	1443.35
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PL0B-4020	1443.35
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-4110	1517.92
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PL0B-4200	1592.49
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PL0B-5010	1443.35
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PL0B-5100	1517.92
						6 Power Receptacles	Q, T	EUE2-PL0B-6000	1443.35

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0W-1012	\$1241.68
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0W-1030	1241.68
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0W-1102	1316.25
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0W-1120	1316.25
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0W-1300	1465.39
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0W-2002	1241.68
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0W-2020	1241.68
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0W-2110	1316.25
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0W-2200	1390.82
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0W-3010	1241.68
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0W-3100	1316.25
						4 Power Receptacles	M, P	EUE2-PL0W-4000	1241.68
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-1032	\$1241.68
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PL0W-1050	1241.68
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-1122	1316.25
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PL0W-1140	1316.25
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-1212	1390.82
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PL0W-1230	1390.82
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-1302	1465.39
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-1320	1465.39
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-2022	1241.68
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PL0W-2040	1241.68
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-2112	1316.25
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PL0W-2130	1316.25
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-2202	1390.82
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-2220	1390.82
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-2310	1465.39
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PL0W-2400	1539.96
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-3012	1241.68
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PL0W-3030	1241.68
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-3102	1316.25
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-3120	1316.25
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-3210	1390.82
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PL0W-3300	1465.39
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PL0W-4002	1241.68
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PL0W-4020	1241.68
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-4110	1316.25
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PL0W-4200	1390.82
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PL0W-5010	1241.68
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PL0W-5100	1316.25
						6 Power Receptacles	Q, T	EUE2-PL0W-6000	1241.68

This page intentionally blank


Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Power, Data and USB

4-Port:


- (2) Power
- (1) USB-A
- (1) Data



EUE1-HF0B-2110

6-Port:

- (3) Power
- (1) USB-A
- (2) Data



EUE1-HF0B-1212

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Hardwired power module with 6’(1829mm) or 12’(3658mm) long flexible metal conduit feed, 0.5”(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2.75”(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0B-1010	\$ 876.99
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0B-1100	951.56
						2 Power Receptacles	A, B	EUE1-HF0B-2000	876.99
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0B-1012	\$ 876.99
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0B-1030	876.99
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0B-1102	951.56
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0B-1120	951.56
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0B-1300	1100.70
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0B-2002	876.99
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0B-2020	876.99
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0B-2110	951.56
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0B-2200	1026.13
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0B-3010	876.99
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0B-3100	951.56
						4 Power Receptacles	F, V	EUE1-HF0B-4000	876.99
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1032	\$ 876.99
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0B-1050	876.99
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1122	951.56
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0B-1140	951.56
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-1212	1026.13
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-1230	1026.13
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-1302	1100.70
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-1320	1100.70
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-2022	876.99
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0B-2040	876.99
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-2112	951.56
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-2130	951.56
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-2202	1026.13
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-2220	1026.13
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0B-2310	1100.70
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0B-2400	1175.27
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-3012	876.99
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0B-3030	876.99
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-3102	951.56
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-3120	951.56
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0B-3210	1026.13
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0B-3300	1100.70
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0B-4002	876.99
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0B-4020	876.99
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0B-4110	951.56
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0B-4200	1026.13
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0B-5010	876.99
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0B-5100	951.56
						6 Power Receptacles	J, K	EUE1-HF0B-6000	876.99

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HFOW-1010	\$675.32
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HFOW-1100	749.89
						2 Power Receptacles	A, B	EUE1-HFOW-2000	675.32
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HFOW-1012	\$675.32
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 3 Data Ports	F, V	EUE1-HFOW-1030	675.32
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HFOW-1102	749.89
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HFOW-1120	749.89
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HFOW-1300	899.03
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HFOW-2002	675.32
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HFOW-2020	675.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HFOW-2110	749.89
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HFOW-2200	824.46
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HFOW-3010	675.32
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HFOW-3100	749.89
						4 Power Receptacles	F, V	EUE1-HFOW-4000	675.32
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-1032	\$675.32
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HFOW-1050	675.32
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-1122	749.89
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HFOW-1140	749.89
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-1212	824.46
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HFOW-1230	824.46
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-1302	899.03
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-1320	899.03
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-2022	675.32
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HFOW-2040	675.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-2112	749.89
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HFOW-2130	749.89
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-2202	824.46
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-2220	824.46
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HFOW-2310	899.03
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HFOW-2400	973.60
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-3012	675.32
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HFOW-3030	675.32
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-3102	749.89
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-3120	749.89
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HFOW-3210	824.46
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HFOW-3300	899.03
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HFOW-4002	675.32
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HFOW-4020	675.32
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HFOW-4110	749.89
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HFOW-4200	824.46
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HFOW-5010	675.32
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HFOW-5100	749.89
						6 Power Receptacles	J, K	EUE1-HFOW-6000	675.32

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HLOB-1010	\$ 937.92
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HLOB-1100	1012.49
						2 Power Receptacles	A, B	EUE1-HLOB-2000	937.92
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HLOB-1012	\$ 937.92
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HLOB-1030	937.92
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HLOB-1102	1012.49
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HLOB-1120	1012.49
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HLOB-1300	1161.63
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HLOB-2002	937.92
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HLOB-2020	937.92
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HLOB-2110	1012.49
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HLOB-2200	1087.06
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HLOB-3010	937.92
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HLOB-3100	1012.49
						4 Power Receptacles	F, V	EUE1-HLOB-4000	937.92
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-1032	\$ 937.92
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HLOB-1050	937.92
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-1122	1012.49
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HLOB-1140	1012.49
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-1212	1087.06
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HLOB-1230	1087.06
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-1302	1161.63
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-1320	1161.63
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-2022	937.92
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HLOB-2040	937.92
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-2112	1012.49
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HLOB-2130	1012.49
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-2202	1087.06
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-2220	1087.06
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HLOB-2310	1161.63
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HLOB-2400	1236.20
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-3012	937.92
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HLOB-3030	937.92
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-3102	1012.49
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-3120	1012.49
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HLOB-3210	1087.06
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HLOB-3300	1161.63
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HLOB-4002	937.92
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HLOB-4020	937.92
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HLOB-4110	1012.49
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HLOB-4200	1087.06
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HLOB-5010	937.92
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HLOB-5100	1012.49
						6 Power Receptacles	J, K	EUE1-HLOB-6000	937.92

Electrical Components

Flip Top Unit — Hardwire — Single-Sided


Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HLOW-1010	\$ 736.25
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HLOW-1100	810.82
						2 Power Receptacles	A, B	EUE1-HLOW-2000	736.25
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HLOW-1012	\$ 736.25
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HLOW-1030	736.25
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HLOW-1102	810.82
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HLOW-1120	810.82
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HLOW-1300	959.96
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HLOW-2002	736.25
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HLOW-2020	736.25
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HLOW-2110	810.82
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HLOW-2200	885.39
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HLOW-3010	736.25
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HLOW-3100	810.82
						4 Power Receptacles	F, V	EUE1-HLOW-4000	736.25
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-1032	\$ 736.25
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HLOW-1050	736.25
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-1122	810.82
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HLOW-1140	810.82
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-1212	885.39
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HLOW-1230	885.39
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-1302	959.96
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-1320	959.96
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-2022	736.25
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HLOW-2040	736.25
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-2112	810.82
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HLOW-2130	810.82
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-2202	885.39
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-2220	885.39
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HLOW-2310	959.96
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HLOW-2400	1034.53
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-3012	736.25
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HLOW-3030	736.25
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-3102	810.82
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-3120	810.82
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HLOW-3210	885.39
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HLOW-3300	959.96
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HLOW-4002	736.25
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HLOW-4020	736.25
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HLOW-4110	810.82
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HLOW-4200	885.39
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HLOW-5010	736.25
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HLOW-5100	810.82
						6 Power Receptacles	J, K	EUE1-HLOW-6000	736.25

This page intentionally blank


Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Power, Data and USB



EUE2-HF0B-2110



EUE2-HF0B-1212

Features

- Includes bezel and two flip top modules, each with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each flip top module within the bezel provided with 6'(1829mm) or 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top frame is flush mounted with two spring release flip module(s).
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Note two conduit feeds are provided from the double-sided flip top unit.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0B-1012	\$1548.58
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0B-1030	1548.58
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0B-1102	1623.15
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0B-1120	1623.15
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0B-1300	1772.29
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0B-2002	1548.58
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0B-2020	1548.58
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0B-2110	1623.15
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0B-2200	1697.72
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0B-3010	1548.58
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0B-3100	1623.15
						4 Power Receptacles	M, P	EUE2-HF0B-4000	1548.58
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1032	\$1548.58
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0B-1050	1548.58
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1122	1623.15
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0B-1140	1623.15
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-1212	1697.72
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-1230	1697.72
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-1302	1772.29
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-1320	1772.29
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-2022	1548.58
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0B-2040	1548.58
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-2112	1623.15
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-2130	1623.15
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-2202	1697.72
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-2220	1697.72
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-2310	1772.29
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0B-2400	1846.86
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-3012	1548.58
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0B-3030	1548.58
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-3102	1623.15
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-3120	1623.15
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-3210	1697.72
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0B-3300	1772.29
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0B-4002	1548.58
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0B-4020	1548.58
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-4110	1623.15
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0B-4200	1697.72
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0B-5010	1548.58
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0B-5100	1623.15
						6 Power Receptacles	Q, V	EUE2-HF0B-6000	1548.58

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0W-1012	\$1346.91
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0W-1030	1346.91
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0W-1102	1421.48
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0W-1120	1421.48
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0W-1300	1570.62
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0W-2002	1346.91
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0W-2020	1346.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0W-2110	1421.48
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0W-2200	1496.05
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0W-3010	1346.91
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0W-3100	1421.48
						4 Power Receptacles	M, P	EUE2-HF0W-4000	1346.91
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1032	\$1346.91
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0W-1050	1346.91
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1122	1421.48
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0W-1140	1421.48
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-1212	1496.05
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-1230	1496.05
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-1302	1570.62
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-1320	1570.62
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-2022	1346.91
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0W-2040	1346.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-2112	1421.48
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-2130	1421.48
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-2202	1496.05
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-2220	1496.05
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-2310	1570.62
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0W-2400	1645.19
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-3012	1346.91
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0W-3030	1346.91
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-3102	1421.48
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-3120	1421.48
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-3210	1496.05
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0W-3300	1570.62
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0W-4002	1346.91
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0W-4020	1346.91
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-4110	1421.48
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0W-4200	1496.05
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0W-5010	1346.91
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0W-5100	1421.48
						6 Power Receptacles	Q, V	EUE2-HF0W-6000	1346.91

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HLOB-1012	\$1609.51
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HLOB-1030	1609.51
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HLOB-1102	1684.08
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HLOB-1120	1684.08
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HLOB-1300	1833.22
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HLOB-2002	1609.51
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HLOB-2020	1609.51
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HLOB-2110	1684.08
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HLOB-2200	1758.65
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HLOB-3010	1609.51
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HLOB-3100	1684.08
						4 Power Receptacles	M, P	EUE2-HLOB-4000	1609.51
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-1032	\$1609.51
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HLOB-1050	1609.51
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-1122	1684.08
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HLOB-1140	1684.08
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-1212	1758.65
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HLOB-1230	1758.65
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-1302	1833.22
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-1320	1833.22
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-2022	1609.51
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HLOB-2040	1609.51
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-2112	1684.08
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HLOB-2130	1684.08
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-2202	1758.65
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-2220	1758.65
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-2310	1833.22
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HLOB-2400	1907.79
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-3012	1609.51
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HLOB-3030	1609.51
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-3102	1684.08
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-3120	1684.08
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-3210	1758.65
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HLOB-3300	1833.22
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HLOB-4002	1609.51
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HLOB-4020	1609.51
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-4110	1684.08
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HLOB-4200	1758.65
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HLOB-5010	1609.51
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HLOB-5100	1684.08
						6 Power Receptacles	Q, V	EUE2-HLOB-6000	1609.51

Electrical Components

Flip Top Unit — Hardwire — Double-Sided


Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HLOW-1012	\$1407.84
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HLOW-1030	1407.84
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HLOW-1102	1482.41
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HLOW-1120	1482.41
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HLOW-1300	1631.55
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HLOW-2002	1407.84
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HLOW-2020	1407.84
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HLOW-2110	1482.41
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HLOW-2200	1556.98
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HLOW-3010	1407.84
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HLOW-3100	1482.41
						4 Power Receptacles	M, P	EUE2-HLOW-4000	1407.84
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-1032	\$1407.84
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HLOW-1050	1407.84
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-1122	1482.41
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HLOW-1140	1482.41
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-1212	1556.98
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HLOW-1230	1556.98
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-1302	1631.55
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-1320	1631.55
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-2022	1407.84
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HLOW-2040	1407.84
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-2112	1482.41
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HLOW-2130	1482.41
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-2202	1556.98
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-2220	1556.98
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-2310	1631.55
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HLOW-2400	1706.12
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-3012	1407.84
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HLOW-3030	1407.84
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-3102	1482.41
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-3120	1482.41
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-3210	1556.98
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HLOW-3300	1631.55
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HLOW-4002	1407.84
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HLOW-4020	1407.84
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-4110	1482.41
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HLOW-4200	1556.98
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HLOW-5010	1407.84
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HLOW-5100	1482.41
						6 Power Receptacles	Q, V	EUE2-HLOW-6000	1407.84

Electrical Components


Wireless Charging Module

Wireless Charging Module

EUWC-PFOB-11001



EUWC-PFOB-12002



EUWC-PFOB
EUWC-PFOW
EUWC-HLOB
EUWC-HLOW



Features

- Includes power module with simplex outlet (NEMA-15R), one or two USB charging simplex or one or two charging Qi pads with soft touch plastic inserts and mounting hardware.
- 5 Watt Qi charging coil.
- Corded power module with 15 amp - 6’(1829mm) or 12’(3658mm) long cord with plug (NEMA 5-15P).
- Hardwired power module with 12’(3658mm) long flexible metal conduit feed, 0.5”(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of one 5V USB 2.0 style A outlet. 2 Amp (shared) charging capacity.
- Attaches to 1”(25mm) to 1.5”(38mm) thick surface with use of included mounting brackets.
- Color option of black or white plastic face.

Specification Tips

- **Not for use with 2”(51mm) thick tops.**
- Configuration and quantity of power and USB ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Requires field cut 3”(76mm) diameter access hole for power cord/conduit routing.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Horizontal and Vertical Wire Management



To Order, Specify:

- 1) Product number.
(No finish specification required.)

Width	Depth	Cord Length	Housing Color	Port	Configuration	Number	Price
Corded							
5.56”(141mm)	5.56”(141mm)	6’(1829mm)	Black		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-PFOB-11001	\$416.49
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PFOB-12002	743.98
5.56”(141mm)	5.56”(141mm)		White		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-PFOW-11001	416.49
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PFOW-12002	743.98
5.56”(141mm)	5.56”(141mm)	12’(3658mm)	Black		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-PL0B-11001	\$475.09
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PL0B-12002	802.58
5.56”(141mm)	5.56”(141mm)		White		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-PL0W-11001	475.09
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PL0W-12002	802.58
Hardwire							
5.56”(141mm)	5.56”(141mm)	12’(3658mm)	Black		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-HLOB-11001	\$548.54
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-HLOB-12002	876.03
5.56”(141mm)	5.56”(141mm)		White		1 Power Receptacle, 1 USB Charging, 1 Charging Pad	EUWC-HLOW-11001	548.54
7.38”(187mm)	7”(178mm)				1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-HLOW-12002	876.03

Electrical Components

Cables

	Length	Description	Color	Number	Price
Cables  EUDX-H000-B  EUDX-V000-B  EUDX-3000-B	HDMI Coupler				
	N/A	HDMI	Black	EUDX-H000-B	\$154.33
	N/A	HDMI	White	EUDX-H000-W	154.33
	VGA Cable				
	120"(3048mm)	VGA	Black	EUDX-V000-B	\$185.19
		VGA	White	EUDX-V000-W	185.19
	Audio Cable — 3.5mm				
	120"(3048mm)	VGA	Black	EUDX-3000-B	\$ 43.22
		VGA	White	EUDX-3000-W	43.22
	Features - Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable. - Installs in an open data port in one of the following products: –Flip Top Unit –Double Sided Flip Top Unit –Quick Connect Power –Workware Interface Module –Flush Mount Module –Enhanced Power Module				


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Provides communication between components: i.e. laptop, processor, monitor, etc.
- HDMI transmits digital video signals.
- VGA transmits analog video signals without audio.

Retrofit USB Charging Cable	72"(1829mm)	Black	EUDX-U000-B	\$142.17
		White	EUDX-U000-W	142.17



EUDX-U000-B


Features

- Includes one USB charging simplex (with two USB outlets) with 72"(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
 - Flip Top Unit
 - Double Sided Flip Top Unit
 - Quick Connect Power
 - Workware Interface Module
 - Flush Mount Module
 - Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Ergotron Keyboard Tray

	Description	Height Adjustment	Number	Price
Keyboard Tray with Mouse Pad	11"(279mm) Track	0" Above/6" Below	169BK	\$458.97
	18.5"(457mm) Track	0" Above/6" Below	UKMCBK	491.39



169BK



UKMCBK

Features

- Includes: Keyboard tray with mouse pad and attachment hardware.
- Keyboard tray includes integrated foam wrist rest.
- Oval mouse extension pivots out from the right side.
- Height adjustment range: Level with to 6"(152mm) below worksurface.
- Tilt adjustment -20°/ +10°
- Pans 360°.
- Available with 11"(279mm) track or 18.5"(470mm) track.
- Weight capacity: 10 lbs.
- Black only.
- TAA Compliant.


To Order, Specify:

- 1) Product number.

Specification Tips

- Keyboard tray extends 4"(102mm) from front of worksurface when retracted.
- 11"(279mm) or 18.5"(470mm) under surface depth required for track installation.

Neo-Flex Keyboard Tray



97-582-009

Keyboard Tray	0" Above/6" Below	97-582-009	\$261.90
---------------	-------------------	------------	-----------------

Features

- Includes: Keyboard tray, arm, desk clamp, slide mechanism and mounting hardware.
- Height adjustment range: Level with to 6"(152mm) below worksurface.
- Tilt adjustment +15°
- Fully retracts under worksurface when not in use.
- 26.9"(683mm)W x 8.9"(226mm)D keyboard trays allows room for keyboard and mouse.
- Weight capacity: 3 lbs.
- Keyboard tray extends approximately 9.25"(235mm) from front of surface.
- 15"(381mm) track.
- Black only.


To Order, Specify:

- 1) Product number.

Specification Tips

- Clamps to front edge of worksurface with clamp and one screw or remove clamp and attach under worksurface with four screws.
- Compatible with surfaces .75"(19mm) - 1.5"(25mm) thick.
- For use on surfaces with minimum depth of 17".


Ergotron CPU Holder

	Description	Number	Price
Small CPU Holder  80-063	Black	80-063-200	\$107.69
	White	80-063-216	107.69
	Features - Includes: One vertical steel CPU holder, mounting hardware and fasteners. - Mounts to any sturdy vertical surface. - CPU Holder is 6"(152mm)H x 10"(254mm)D. - Accommodates CPUs 1.4"(25mm) to 3.75"(76mm) wide. - Weight capacity: 50 lbs.		
	To Order, Specify: 1) Product number.		
Universal CPU Holder  97-468	Silver	97-468-202	\$142.19
	White	97-468-216	142.19
	Features - Includes: One vertical steel CPU holder, mounting hardware and fasteners. - Mounts to any sturdy vertical surface. - CPU Holder is 6.6"(152mm)H x 10"(254mm)D. - Accommodates CPUs 2"(51mm) - 8"(203mm) wide. - Weight capacity: 40 lbs.		
	To Order, Specify: 1) Product number.		
Cable CPU Holder  80-105-064	Grey/Silver	80-105-064	\$78.29
	Features - Includes: One size-adjustable CPU holder and hardware. - Mounts directly to wall or under worksurface. - Size adjusts from 9.4"(229mm) x 2.6"(51mm) to 18"(457mm) x 8.5"(203mm). - Unique security fasteners deter theft. - Weight capacity: 50 lbs.		
	To Order, Specify: 1) Product number.		

Ergotron Monitor Arms

HX Arm

Single Arm



45-475
45-478

Description	Number	Price
Desk Mount		
Polished Aluminum	45-475-026	\$649.26
White	45-475-216	649.26
Wall Mount		
Polished Aluminum	45-478-026	\$649.26
White	45-478-216	649.26

Features

- Includes: Adjustable height monitor arm, extension, monitor pivot, mounting hardware.
 - Desk mount includes desk clamp and grommet mount.
 - Wall mount includes mounting hardware.
- For use with screen 42"(1067mm) or smaller.
- Weight capacity 20-42 pounds.
- Height adjustment range is 11.5"(292mm).
- Tilts 70° up and 5° down from center.
- 180° rotation base stop.
- Pans 180°.
- Rotates 360°.
- Extends out up to 25"(635mm).
- Integrated cable management.
- One touch adjustment.


To Order, Specify:

- Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.4"(10mm)-2.5"(64mm) thick.
- Grommet mount attaches through surface holes 0.4"(10mm)-2"(51mm) wide and up to 2.25"(57mm) thick.
- For additional mounting options refer to pages 150-0.

Dual Arm



45-476
45-479

Desk Mount		
Polished Aluminum	45-476-026	\$1057.00
White	45-476-216	1057.00
Wall Mount		
Polished Aluminum	45-479-026	\$1057.00
White	45-479-216	1057.00

Features

- Includes: Adjustable height monitor arm, extension, two monitor pivots, hinged bow, handle, mounting hardware.
 - Desk mount includes desk clamp and grommet mount.
 - Wall mount includes mounting hardware.
- For use with screen 32"(813mm) or smaller.
- Weight capacity is 5-17.5 pounds per screen. Maximum combined weight is 35 pounds.
- Height adjustment range is 11.5"(292mm).
- Tilts 70° up and 5° down from center.
- 180° rotation base stop.
- Pans 180° - Hinged bow allows monitors to pan from left to right independently.
- Rotates 360°.
- Extends out up to 24"(610mm).
- Quick release monitor.
- Integrated cable management.
- One touch adjustment.
- Handle allows for easy positioning of multiple monitors simultaneously.

To Order, Specify:

- Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.6"(15mm)-2.5"(64mm) thick.
- Grommet mount attaches through surface holes 0.4"(10mm)-2"(51mm) wide and up to 2.25"(57mm) thick.
- For additional mounting options refer to pages 150-0.

Ergotron Monitor Arms

HX Triple Monitor Bow Kit

Description	Number	Price
Polished Aluminum	98-009-026	\$623.94
White	98-009-216	623.94



98-009-026
98-009-216

Features

- Includes: Triple monitor hinge bow, three monitor pivots, handle, monitor mounting hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity is 10.2 pounds per arm. Maximum combined weight is 30.6 pounds.
- Tilts 70° up and 5° down from center.
- Pans 180°.
- Rotates 360°.
- Extends out up to 24"(610mm).
- Quick release monitor.
- One touch adjustment.
- Handle allows for easy positioning of multiple monitors simultaneously.

To Order, Specify:

- 1) Product number.


Specification Tip

- Attaches to HX single or dual monitor arm.

Ergotron Monitor Arms

LX Desk Mount

Single Arm



45-241-026
45-490-216
45-241-224
45-295-026
45-537-216

Description	Number	Price
Single Arm		
Polished Aluminum	45-241-026	\$303.70
White	45-490-216	303.70
Matte Black	45-241-224	303.70
Single Arm — Tall Pole		
Polished Aluminum	45-295-026	\$399.38
White	45-537-216	399.38

Features

- Includes: Adjustable height monitor arm, pole, extension, desk clamp and grommet mount base (polished aluminum only).
- Grommet mount base available on Polished Aluminum model only.
- Standard pole length is 7"(178mm). Tall pole length is 13.25"(337mm).
- Standard pole height for use with screen 32"(813mm) or smaller. Tall pole for use with screens 34"(864mm) or smaller.
- Accommodates monitors from 7-25 pounds.
- Height adjustment range is 13"(330mm) from installed height.
- Tilts 70° up and 5° down from center.
- Rotates 360°.
- Extends LCD's out up to 25"(635mm).
- Integrated cable management.
- One touch adjustment.


To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.4"(10mm)-2.4"(61mm) thick.
- Grommet mount attaches through surface holes 0.31"(8mm)-2"(51mm) wide and up to 3"(76mm) thick.
- For additional mounting options refer to pages 150-0.

Dual Arm



45-245-026
45-491-216
45-245-224



45-248-026
45-492-216
45-492-224

Side-by-Side		
Polished Aluminum	45-245-026	\$611.97
White	45-491-216	611.97
Matte Black	45-245-224	611.97
Stacking		
Polished Aluminum	45-248-026	\$611.97
White	45-492-216	611.97
Matte Black	45-492-224	611.97

Features

- Includes: Two adjustable height monitor arms, extensions, pole, grommet mount (polished aluminum only) and desk clamp.
- Grommet mount base available on Polished Aluminum model only.
- Screen size:
 - Side by Side application; screens 27"(686mm) or smaller.
 - Stacking application; screens 24"(610mm) or smaller. Screen height cannot exceed 14"(356mm) when stacking.
- Accommodates monitors from 7-20 pounds per arm. Maximum combined weight is 40 pounds.
- Height adjustment range is 13"(330mm).
- Tilts 70° up and 5° down from center.
- Pans 360°.
- Rotates 360°.
- Extends LCD's out up to 25"(635mm).
- Integrated cable management.
- One touch adjustment.

To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.4"(10mm)-2.4"(61mm) thick.
- Grommet mounts attached through surface holes 0.31"(8mm)-2"(51mm) wide and up to 3"(76mm) thick.
- For additional mounting options refer to pages 150-0.

Ergotron Monitor Arm

LX Monitor Arm — Tall Pole

	Description	Number	Price
LX Dual Stacking Arm - Tall Pole Monitor Arm	Polished Aluminum	45-549-026	\$614.13
	White	45-509-216	614.13



45-549-026
45-509-216

Features

- Includes: Two adjustable height monitor arms, extensions, 22"(559mm) pole, grommet mount, desk clamp and mounting hardware.
- Screen size:
 - Side by Side application; screens 40"(1016mm) wide or smaller.
 - Stacking application; screens 21"(533mm) high or shorter.
- Accommodates monitors from 7-20 pounds per arm. maximum combined weight is 40 pounds.
- Height adjustment range is 13"(330mm).
- Tilts 70° up and 5° down from center.
- Pans 360°.
- Rotates 360°.
- Extends LCDs out up to 25"(635mm).
- Integrated cable management.
- One touch adjustment.

To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.4"(10mm) - 2.4"(61mm) thick.
- Grommet mount attaches through surface holes .31"(8mm) - 2"(51mm) wide and up to 3"(76mm) thick.
- A third or fourth display can be added by ordering the LX Arm, Extension and Collar Kit. When adding a third or fourth monitor the maximum weight capacity per arm is 11 pounds.
- When using LX Arm Extension and Collar Kit with 3 monitors side by side, maximum screen width is 20.7" (526mm). When using LX Arm Extension and Collar kit with 4 monitors side by side, maximum screen width is 13.7" (348mm).
- For additional mounting options refer to pages 150-0.

Ergotron Monitor Arm

LX Sit-to-Stand Mount

Single Arm



45-360-026
45-384-026

Description	Number	Price
LD — Light Duty		
Polished Aluminum	45-360-026	\$566.66
HD — Heavy Duty		
Polished Aluminum	45-384-026	\$697.35

Features

- Includes: Adjustable height monitor arm, extension, desk clamp and grommet base.
- Screen size:
 - LD - Light Duty for use with screen 42”(1067mm) or smaller.
 - HD - Heavy Duty for use with screen 46”(1168mm) or smaller.
- Monitor weight:
 - LD - Light Duty 7-25 pounds.
 - HD - Heavy Duty 14-30 pounds.
- Height adjustment range is 20”(508mm).
- Tilts 70° up and 5° down from center.
- Pans 360°.
- Rotates 90°.
- Extends LCD's out up to 33”(838mm).
- Integrated cable management.
- One touch adjustment.
- Locking connections between arm, extension and base provides theft deterrence and prevent potential disconnections caused by jarring or impacts.

To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.8”(20mm)-2.6”(66mm) thick.
- Grommet mounts attached through surface holes 0.5”(13mm)-2.5”(64mm) wide and up to 2.25”(57mm) thick.
- For additional mounting options refer to pages 150-0.

Ergotron Monitor Arm

LX Desk Dual Direct

	Description	Number	Price
Dual Direct Arm	Polished Aluminum	45-489-026	\$465.13
	White	45-489-216	465.13
	Matte Black	45-489-224	465.13



45-489

Features

- Includes: LX arm, extension, desk clamp, dual bow, two monitor pivots, pole and mounting hardware.
- For use with screens 25"(635mm) or smaller.
- Accommodates monitors from 2-11 pounds per monitor. Maximum combined weight is 22 pounds.
- Height adjustment range is 13"(330mm).
- Each monitor has individual tilt of 15° up and 15° down from center.
- Pans 360°.
- Rotates 360°.
- Extends LCD's out up to 24"(610mm).
- Integrated cable management.
- One touch adjustment.
- Move two monitors simultaneously.

To Order, Specify:

- 1) Product number.

Specification Tip

- Desk clamp mounts on worksurface 0.4"(10mm)-2.4"(61mm) thick.
- For additional mounting options refer to pages 150-0.

Dual Direct Handle Kit

98-037-062

Polished Aluminum	98-037-062	\$101.72
-------------------	------------	-----------------

Features



- Includes: One handle and mounting hardware.
- For use with LX Dual Direct monitor arm.
- Allows repositioning of screens without touching the screen.

To Order, Specify:

- 1) Product number.




Ergotron Monitor Arm Accessories

For use with LX Monitor Arms

	Description	Number	Price
LX One-Stop Rotational Control Kit  97-774-003	Silver	97-774-003	\$29.28
	Features - Includes: Single rotation stop collar, stop post, and hardware. - Controls LX arm motion range to prevent extension arm from hitting the wall.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with LX Single Arm, LX Tall Pole Arm, LX Dual Stacking Arm, LX Dual Direct Arm and LX Dual Stacking Tall Pole arm. - Not compatible with LX Dual Side by Side Arms or LX Sit-Stand arms. - When used on LX Dual Stacking arm a quantity of two is needed.		
LX Two-Stop Rotational Control Kit  98-060-003	Silver	98-060-003	\$37.24
	Features - Includes: Dual rotation stop collar, two stop posts, and hardware. - Provides a fixed 180° stop to prevent LX arm extension from hitting the wall.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with LX Single Arm, LX Tall Pole Arm, LX Dual Stacking Arm, LX Dual Direct Arm and LX Dual Stacking Tall Pole arm. - Not compatible with LX Dual Side by Side Arms or LX Sit-Stand arms.		

Ergotron Monitor Arm Accessories


For use with LX Monitor Arms

	Description	Number	Price
LX Extension  45-289-026	Polished Aluminum	45-289-026	\$76.20
	Features - Includes: One extension. - Add additional pivot-point for additional flexibility. - Increases the reach of an LX arm by 9"(229mm). Specification Tip - Only one extension to be used per monitor arm.	To Order, Specify: 1) Product number.	
LX Sit-to-Stand Extension  45-362-026	Polished Aluminum	45-362-026	\$129.49
	Features - Includes: One sit-to-stand extension. - Add additional pivot-point for additional flexibility. - Increases the reach of an LX Sit-to-Stand arm by 11.7"(297mm). Specification Tip - Only one extension to be used per monitor arm.	To Order, Specify: 1) Product number.	
LX Pole Collar  97-844	Polished Aluminum	97-844	\$11.84
	Features - Includes: One collar and hardware. - Used to attach a second LX Sit-to-Stand Arm at any point of an installed base. - Reposition height on pole by loosening/tightening the collar's set screws.	To Order, Specify: 1) Product number.	
LX Arm, Extension and Collar Kit  97-940-026 98-130-216	Polished Aluminum	97-940-026	\$338.21
	White	98-130-216	338.21
	Features - Includes: LX arm, extension, collar and hardware. - Converts existing LX Tall Pole Arm to hold two monitors creating an LX Dual Stacking Arm configuration. - Attaches to pole of the desk mount base. - For use with screen 32"(813mm) or smaller. - Weight capacity is 7-20 pounds. - Height adjustment range is 13"(330mm). - Tilts 70° up and 5° down from center. - Pans 360°. - Rotates 360°. - Extends LCD's out up to 25"(635mm). - Integrated cable management. - One touch adjustment. Specification Tip - Recommended for use with LX Desk Mount LCD Arm, Tall Pole.	To Order, Specify: 1) Product number.	

Ergotron Monitor Arm

MXV Desk Mount

Single Arm



45-486

Description	Number	Price
Polished Aluminum	45-486-026	\$342.20
White	45-486-216	342.19
Matte Black	45-486-224	342.19

Features

- Includes: Fully assembled slim profile arm, two-piece desk clamp, and mounting hardware.
- For use with screen 34"(864mm) or smaller.
- Accommodates monitors from 7-20 pounds per arm.
- Height adjustment range is 13"(330mm).
- Tilts 90° backward and 90° forward.
- Rotates 360°.
- Pans 180° at base; 360° between extension and arm. Rotation stop on base can be disengaged at time of installation to increase range to a full 360°.
- Extends LCD monitor out 22.2"(559mm).
- Arm folds back over base into a compact retracted position; perfect for tucking under systems furniture storage shelves or cabinets in space constrained areas.
- Integrated cord management.
- One touch adjustment.


To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.47"(0mm) - 1.25"(25mm) thick.
- Desk clamp has anti-rotation screws to prevent base from slipping.
- Grommet mount available; separately specified part 98-110.
- For additional mounting options refer to pages 150-0.

Dual Arm



45-496

Polished Aluminum	45-496-026	\$665.01
White	45-496-216	665.02
Matte Black	45-496-224	665.02

Features

- Includes: Fully assembled slim profile dual arm, two-piece desk clamp, and mounting hardware.
- For use with screen 24"(610mm) or smaller. Screen size may affect adjustment capability.
- Accommodates monitors from 7-20 pounds.
- Height adjustment range is 13"(330mm).
- Tilts 90° backward and 90° forward.
- Rotates 360°.
- Pans 180° at base; 360° between extension and arm. Rotation stop on base can be disengaged at time of installation to increase range to a full 360°.
- Extends LCD monitor out 22.2"(559mm).
- Arm folds back over base into a compact retracted position; perfect for tucking under systems furniture storage shelves or cabinets in space constrained areas.
- Integrated cord management.
- One touch adjustment.

To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface .047"(0mm) - 1.25"(25mm) thick.
- Desk clamp has anti-rotation screws to prevent base from slipping.
- Grommet mount available; separately specified part 98-111.
- For additional mounting options refer to pages 150-0.


Ergotron Monitor Arms

MX Desk Mount

	Description	Number	Price
Single Arm  45-214-026	Polished Aluminum	45-214-026	\$394.48
	Features • Includes: Adjustable height monitor arm, desk clamp and grommet mount. • For use with screen 30"(762mm) or smaller. • Accommodates monitors from 14-30 pounds. • Height adjustment range is 5"(127mm). • Tilts 75° up and 5° down from center. • Rotates 90°. • Pans 360°. • Extends LCD's out up to 17"(432mm). • Integrated cable management. • One touch adjustment. Specification Tips • Desk clamp mounts on worksurface 0.4"(10mm)-2.5"(64mm) thick. • Grommet mounts attach through surface holes 0.31"(8mm)-2"(51mm) wide and up to 3"(76mm) thick.		To Order, Specify: 1) Product number.

Ergotron Monitor Arm

Accessories

	Description	Number	Price
Dual Monitor and Handle Kit  97-783	Polished Aluminum/Black	97-783	\$208.05
Features - Includes: Monitor bow, two monitor pivots, handle and mounting hardware. - For use with screens 26”(660mm) or smaller. - Maximum weight capacity is 18 pounds per arm. - Maximum combined weight is 36 pounds. - Rotates 360°. - Arm in polished aluminum, bow and handle in black.		To Order, Specify: 1) Product number.	
Specification Tips - This product adds an additional 6 pounds to your mounting solution. Monitor arm's maximum weight capacity must be reduced by 6 pounds. - Attaches to mounts with four-hole interface of 50 x 50 mm or 100 x 100 mm.			
Monitor Quick Release LCD Bracket  60-589-060	Black	60-589-060	\$35.85
Features - Includes: Bracket, screws and stand-offs. - For use with monitors less than 3”(76mm) thick. - Bracket weighs 1.2 pounds and is 0.5”(0mm) thick. Weight of the bracket needs to be considered when determining weight capacity of the monitor arm.		To Order, Specify: 1) Product number.	

Ergotron Monitor Arms

Neo-Flex

	Description	Number	Price
Neo-Flex	Silver	45-174-300	\$195.90



45-174-300

Features

- Includes: Arm, extension, LCD pivot, desk clamp and grommet mount.
- For use with screen 22"(559mm) or smaller.
- Maximum weight capacity 18 pounds.
- Height adjustment range is 8"(203mm).
- Tilts 180° up and down.
- Rotates 360°.
- Pans 360°.
- Extends LCD's out up to 19.3"(490mm).
- Integrated cord management.

To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts to surfaces up to 2"(51mm) thick.
- Grommet mounts attach through surface holes up to 2"(51mm) wide and up to 1.75"(44mm) thick.

Neo-Flex Extend



45-235-194

Description	Number	Price
Polished Aluminum	45-235-194	\$286.47

Features

- Includes: Two extensions, LCD pivot, desk clamp and grommet mount.
- For use with screen 24"(610mm) or smaller.
- Weight capacity 7-20 pounds.
- Pole height adjustment range is 9.5"(241mm).
- Tilts 75° up and 5° down from center.
- Rotates 360°.
- Pans 360°.
- Extends LCD's out up to 22"(559mm).
- Integrated cable management.


To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.5"(13mm)-2"(51mm) thick.
- Grommet mounts attach through surface holes 0.3"(8mm)-2"(51mm) wide and up to 1.75"(44mm) thick.

Neo-Flex Tablet



45-306-101

Description	Number	Price
Black	45-306-101	\$262.67

Features

- Includes: Arm, optional extension, tablet cradle, desk clamp and grommet mount.
- Accommodates tablets with a minimum size of 5.5"(140mm) x 7.5"(190mm) and a maximum size of 8"(203mm) x 9.75"(248mm). Depth of tablet cannot exceed 0.75"(19mm).
- Maximum weight capacity is 2.5 pounds.
- Height adjustment range is 8"(203mm).
- Tilts 180°.
- Pans 360°.
- Rotates 360°.
- Extends tablets out up to 19.3"(490mm).

To Order, Specify:




- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.5"(13mm)-1.8"(46mm) thick.
- Grommet mounts attached through surface holes 0.3"(8mm)-2"(51mm) wide and up to 1.75"(44mm) thick.


Ergotron Monitor Arm Accessories

Under Mount C-Clamp

	Description	Number	Price
Under Mount C-Clamp for LX Dual Side-by-Side, LX Dual Stacking, LX Desk Mount Tall Pole  98-236-009 98-082	Black	98-236-009	\$55.92
	White	98-082	\$55.92
	Feature - Includes: Under mount C-clamp and mounting hardware and two extension screws. Specification Tips - Compatible with LX Dual Side-by-Side Arm and LX Dual Stacking Arm as well as Single Monitor LX Desk Mount Arm (tall pole). - Clamp can slide on from side of worksurface. Installation from the rear requires 1.2"(25mm) from edge of desktop to wall to slide clamp on. - Attaches to surface edge 0.5"(0mm) - 1.26"(25mm) thick. - For use when mounting monitor arm to Intuity with Access Hatches to avoid understructure interference with the standard two-piece clamp included with the arm. To Order, Specify: 1) Product number.		
Under Mount C-Clamp for LX Desk Mount Single, LX Dual Direct, and MXV Monitor Arms  45-306-101 98-083	Black	98-235-009	\$55.92
	White	98-083	\$55.92
	Feature - Includes: Under mount C-clamp and mounting hardware and two extension screws. Specification Tips - Compatible with LX Desk Mount Arm, LX Dual Direct Arm and MXV Arms. - Clamp can slide on from side of worksurface. Installation from the rear requires 1.2"(25mm) from edge of desktop to wall to slide clamp on. - Attaches to surface edge 0.5"(0mm) - 1.26"(25mm) thick. - For use when mounting monitor arm to Intuity with Access Hatches to avoid understructure interference with the standard two-piece clamp included with the arm. To Order, Specify: 1) Product number.		
Under Mount C-Clamp for use with HX Arms  98-081	White	98-081	\$55.92
	Feature - Includes: Under mount C-clamp, mounting hardware. Specification Tips - Compatible with HX Desk Single and Dual Monitor Arms. - Clamp can slide on from side of worksurface. Installation from the rear requires 1.2"(25mm) from edge of desktop to wall to slide clamp on. - Attaches to surface edge 0.5"(0mm) - 1.26"(25mm) thick. - For use when mounting monitor arm to Intuity with Access Hatches to avoid understructure interference with the standard two-piece clamp included with the arm. To Order, Specify: 1) Product number.		


Ergotron Monitor Arm Accessories

Grommet Mount


	Description	Number	Price
 98-034	Grommet Mount for LX Single and Dual Direct Arms	98-034	\$19.44
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Direct Arm and the single monitor LX Desk Mount Arm (standard pole). - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick.	To Order, Specify: Product number.	
 98-035	Grommet Mount for LX Dual Arm	98-035	\$29.17
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Side-by-Side Arm and LX Dual Stacking Arm as well as Single Monitor LX Desk Mount Arm (tall pole). - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick.	To Order, Specify: Product number.	
 98-017	Grommet Mount for LX Arm on WorkFit-T/TL	Zinc Plated Steel 98-017	\$30.25
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Side-by-Side Arm and LX Dual Direct and LX Desk Mount Arm. - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick. - Weight capacity: - LX Desk Mount Arm - 14 pounds - LX Dual Direct Arm - 4.8 pounds per monitor - LX Dual Side-by-Side Arm - 6 pounds per monitor - Weight capacity is limited when mounting LX arms on WorkFit T/TL.	To Order, Specify: Product number.	
 98-110	Grommet Mount for MXV Single Monitor Arm	98-110	\$20.52
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with MXV Single Monitor Arm. - Mounts through surface .31"(8mm) - 1.25"(32mm) wide and less than or equal to 1.3"(33mm) thick.	To Order, Specify: Product number.	
 98-111	Grommet Mount for MXV Dual Monitor Arm	98-111	\$31.33
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with MXV Dual Monitor Arm. - Mounts through surface .31"(8mm) - 1.25"(32mm) wide and less than or equal to 1.3"(33mm) thick.	To Order, Specify: Product number.	

Ergotron WorkFit-A — Single Attached Sit-Stand Workstation


Description	Height	Depth	Width	Number	Price
LD — Light Duty with WorkSurface					
Polished Aluminum/Black	42.7"(1085mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-317-026	\$1008.17
LD — Light Duty with WorkSurface and Suspended Keyboard					
Polished Aluminum/Black	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-390-026	\$1056.33
HD — Heavy Duty with Worksurface and Suspended Keyboard					
Polished Aluminum/Black	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-391-026	\$1129.10



24-317-026
LD with Worksurface



24-390-026
LD with Suspended Keyboard



24-391-026
HD with Suspended Keyboard

Features

- Includes: Height-adjustment column, desk clamp, LCD pivot, keyboard tray, worksurface (when applicable) and hardware.
- Grommet mount included on models with suspended keyboard tray.
- Keyboard tray dimensions: 9.75"(248mm) D x 27"(686mm)W.
- Worksurface dimensions: 9.75"(248mm) D x 23"(584mm)W.
- Height adjustment range is 20"(508mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently from worksurface. Maximum LCD height adjustment is 25"(635mm).
- Tilts 30°.
- Pans 180°.
- Rotates 90°.
- In seated position, suspended keyboard tray can drop down approximately 4"(102mm) below desktop surface.
- Integrated cable management.
- Black with polished aluminum arm extension and base.

To Order, Specify:

- Product number.


Specification Tips

- Desk clamp mounts on worksurface up to 31.5"(800mm) deep and 0.78"(29mm)-2.6"(66mm) thick.
- Keyboard tray can be installed in three different positions: centered, offset right or offset left.


Description	Maximum Screen Size	Weight Capacity			
		Total	LCD	Keyboard Tray	Worksurface
LD with Worksurface	24"(610mm)	20 lbs.	5-15 lbs.	5 lbs.	5 lbs.
LD with Suspended Keyboard	24"(610mm)	20 lbs.	5-15 lbs.	5 lbs.	5 lbs.
HD with Suspended Keyboard	27"(686mm)	25 lbs.	10-20 lbs.	5 lbs.	5 lbs.

Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation

Description	Height	Depth	Width	Number	Price
With Worksurface	42.7"(1085mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-316-026	\$1108.93
With Worksurface and Suspended Keyboard	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-392-026	1153.78



24-316-026



24-392-026

Features

- Includes: Arm, two LCD pivots, worksurface, crossbow, keyboard tray, desk clamp and hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 25 pounds
 - LCD - 4.5-10 pounds each.
 - Keyboard tray - 2 pounds
 - Worksurface - 5 pounds
- Keyboard tray dimension: 9.75"(248mm) D x 27"(686mm) W.
- In seated position, keyboard tray can drop down approximately 4"(102mm) below desktop surface.
- Worksurface dimension: 9.75"(248mm) D x 22.63"(575mm) W.
- Height adjustment range is 20"(508mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently from worksurface. Maximum LCD height adjustment is 25"(635mm).
- Pans 180°.
- Rotates 360°.
- Integrated cable management.
- Black with polished aluminum extension and base.


To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface up to 31.5"(800mm) deep and 0.5"(13mm) - 2.5(64mm) thick.
- Minimum weight capacity of 12 pounds to ensure proper operation.
- Keyboard tray can be installed in three different positions: centered, offset right or offset left.

Ergotron WorkFit-S — Single Attached Sit-Stand Workstation



33-350-200



33-351-200

Description	Height	Depth	Width	Number	Price
LD — Light Duty with WorkSurface					
Black	29.4(747mm)-35”(889mm)	16.3”(414mm)	27”(686mm)	33-350-200	\$1123.89
HD — Heavy Duty with Worksurface					
Black	29.4(747mm)-35”(889mm)	16.3”(414mm)	27”(686mm)	33-351-200	\$1272.23

Features

- Includes: Height-adjustment column, desk clamp, LCD pivot, keyboard tray, and worksurface when applicable.
- Keyboard tray dimensions:
 - With Worksurface - 9”(229mm) D x 27”(686mm) W.
- Worksurface dimensions: 15”(381mm) D x 23”(584mm) W.
- Height adjustment range is 18”(457mm) with LCD and keyboard tray in tandem. LCD's adjust 5”(127mm) independently. Maximum LCD height adjustment is 23”(584mm).
- Tilts 30°.
- Rotation: LD rotates 360°. HD rotates 90°.
- Keyboard tray tilts back 5°.

To Order, Specify:


- Product number.

Specification Tips


- Desk clamp mounts on front of worksurface 0.5”(13mm)-2.4”(61mm) thick.
- Height measured from desktop to lowest and highest positions.

Description	Maximum Screen Size	Weight Capacity			
		Total	LCD	Keyboard Tray	Worksurface
LD with Worksurface	24”(610mm)	24 lbs.	6-16 lbs.	5 lbs.	5 lbs.
HD with Worksurface	30”(762mm)	29 lbs.	16-28 lbs.	5 lbs.	5 lbs.

Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation



33-341-200

33-349-200
33-349-211

Description	Height	Depth	Width	Number	Price
Without Worksurface					
Black	29.4(747mm)-35"(889mm)	16.3"(414mm)	24"(610mm)	33-341-200	\$ 918.99
With Worksurface					
Black	29.4(747mm)-35"(889mm)	16.3"(414mm)	27"(686mm)	33-349-200	\$1188.73
White	29.4(747mm)-35"(889mm)	16.3"(414mm)	27"(686mm)	33-349-211	1199.19

Features

- Includes: Height-adjustment column, desk clamp, crossbar, two LCD pivots, keyboard tray, and left/right mouse tray or worksurface when applicable.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 31 pounds.
 - LCD - 6-14 pounds without worksurface. With worksurface LCD weight capacity 6-12 pounds..
 - Keyboard tray - 5 pounds.
 - Worksurface (when specified) - 5 pounds
- Keyboard tray dimensions:
 - Without Worksurface - 9.3"(236mm) D x 16.5"(419mm) W.
 - With Worksurface - 9"(229mm) D x 27"(686mm) W.
- Mouse tray available on without worksurface model only. May be installed on left or right side of keyboard tray. Dimensions: 7.9"(201mm) D x 7.5"(191mm) W.
- Worksurface dimensions: 15"(381mm) D x 23"(584mm) W.
- Height adjustment range is 18"(457mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently. Maximum LCD height adjustment is 23"(584mm).
- Rotates 90°.
- Keyboard tray tilts back 5°.


To Order, Specify:

- Product number.

Specification Tips

- Desk clamp mounts on front of worksurface 0.5"(13mm)-2.4"(61mm) thick.
- Height measured from desktop to lowest and highest positions.

Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation



33-407-085
33-407-062

Description	Height	Depth	Width	Number	Price
Black	28.9(734mm)- 37"(940mm)	25.2"(640mm)	29.5"(749mm)	33-407-085	\$1504.13
White	28.9(734mm)- 37"(940mm)	25.2"(640mm)	29.5"(749mm)	33-407-062	1504.13

Features

- Includes: Height-adjustment column, crossbar, two LCD pivots, work surface, one USB extension cable, two cable wraps and desk clamp.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 25 pounds.
 - Monitor arm 3-11 pounds each.
 - Work surface 5 pounds.
- Work surface dimensions: 22"(559mm) D x 30"(762mm) W.
- Height adjustment range is 18"(457mm) with monitor and keyboard in tandem. Monitors lift independently 5"(127mm) additional.
- Tilts 35°.
- Rotates 360°.

To Order, Specify:



- 1) Product number.

Specification Tips

- Desk clamp attaches to rear of surfaces up to 2.5"(64mm) thick.
- Recommended for use on 30"(762mm)-36"(914mm) work surfaces. Desks shorter than 30"(762mm) work surface will extend beyond desktop edge. Desks deeper than 36"(914mm), work surface will not extend to desktop edge.
- Height measured from desktop to lowest and highest positions.

Ergotron WorkFit-T — Desktop Sit-Stand Workstation

Description	Depth	Width	Number	Price
Black	25"(635mm)	35"(889mm)	33-397-085	\$858.81



33-397-085

Features

- Includes: One height adjustable workstation with keyboard tray.
- For use with screen 30"(762mm) or smaller.
- Maximum weight capacity: 10-35 pounds.
- Keyboard tray dimensions are 25"(635mm) W x 9"(229mm) D.
- Total height adjustment range is 15"(381mm). Monitor and keyboard move in tandem.
- Keyboard tray sits 4.5"(114mm) below WorkFit worksurface.
- Ships fully assembled.



Specification Tips

- Fits on surfaces 24"(610mm) deep or larger including corner surfaces.
- Monitor can be placed directly on the worksurface or monitor mount can be used; sold separately.

To Order, Specify:


- 1) Product number.

Ergotron WorkFit-TL — Desktop Sit-Stand Workstation

	Description	Depth	Width	Number	Price
	Black	27"(686mm)	37.5"(953mm)	33-406-085	\$ 884.94
 	Black - TAA Compliant	27"(686mm)	37.5"(953mm)	33-418-085	1296.42
Features - Includes: One height adjustable workstation with keyboard tray. - TAA compliant version assembled in the USA in black only. - For use with screen 30"(762mm) or smaller. - Maximum weight capacity: 10-40 pounds. - Keyboard tray dimensions are 27.5"(699mm) W x 11"(279mm) D. - Total height adjustment range is 15"(381mm). Monitor and keyboard move in tandem. - Keyboard tray sits 4.5"(114mm) below WorkFit worksurface. - Ships fully assembled. To Order, Specify: - Product number.					
Specification Tips - Fits on desks 24"(610mm) deep or larger. - Monitor can be placed directly on the worksurface or monitor mount can be used; sold separately.					

33-406-085
33-418-085

Ergotron WorkFit LX - Sit-Stand Desk Mount System



	Description	Number	Price
 45-405-026	Polished Aluminum	45-405-026	\$1328.83
	Features - Includes: Monitor arm, two extensions, keyboard arm and tray, slide-out mouse tray, pole, two pole collars, desk clamp, grommet mount, VESA brackets, wrist rest and hardware. - For use with screen 42"(1067mm) or smaller. - Maximum weight capacity: - Monitor arm 7-25 pounds. - Keyboard arm 5 pounds. - Keyboard tray dimensions: 8.9"(226mm) D x 18.3"(465mm) W. - Keyboard tray tilts back 5°. - Mouse tray dimensions: 8"(203mm) D x 8"(203mm) W. - Height adjustment range is 20"(508mm). - Side-to-Side movement range of 62"(1575mm). - Arm extension is 33"(838mm). - Tilts 75°. - Pans 360°. - Rotates 360°. - Mouse Tray may be installed on the left or right side. Specification Tips - Desk clamp attaches to rear edge up to 2.5"(64mm) thick. - Grommet mount attaches through hole 0.5"(13mm) to 2.5"(64mm) wide and up to 2.25"(57mm) thick.		

To Order, Specify:

- 1) Product number.



Ergotron WorkFit — Accessories

WorkFit-A

	Description	Number	Price
 97-692	Grommet Mount Polished Aluminum/Black	97-692	\$54.61
	Features • Includes one grommet mount. • For use with WorkFit-A. • Black pole and hardware with polished aluminum base.	To Order, Specify: 1) Product number.	
	Specification Tips • Attaches through surface hole 0.5”(13mm) to 2.5”(64mm) wide and up to 2.6”(66mm) thick. • For maximum support, screw should be centered through hole.		
 97-606	Conversion Kit Single HD to Dual Black	97-606	\$118.86
	Features • Includes: Crossbar, two monitor pivots and mounting hardware. • Converts WorkFit-A single HD workstation into a WorkFit Dual workstation. • For use with screens 24”(610mm) or smaller. • Pivots 360°. • LCD weight capacity is 6-14 pounds. • Total weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tips • Compatible with WorkFit-A products. • Not for use with WorkFit-S.		

Ergotron WorkFit — Accessories




WorkFit-S

	Description	Height	Depth	Width	Number	Price
 97-581-019	Black	.25"(6mm)	15"(381mm)	23"(584mm)	97-581-019	\$189.91
	Features - Includes: Worksurface, mounting brackets and mounting hardware. - For use on WorkFit-S workstation. - Weight capacity is 5 pounds. Specification Tips - Does not affect normal range of WorkFit S. - When added to WorkFit-S reduce total weight capacity by 6 pounds. - May not be used in conjunction with Tablet/Document Holder.					To Order, Specify: Product number.
 97-653	Black	.25"(6mm)	9"(229mm)	27"(686mm)	97-653	\$104.22
	Features - Includes: Keyboard tray and mounting hardware. - For use on WorkFit-S workstation. - Weight capacity is 5 pounds. Specification Tips - Can be attached centered on the workstation or offset to the right or left using alternate mounting holes. - May be installed using only back mounting holes to increase distance between keyboard and monitor.					To Order, Specify: Product number.
 97-558-200	Black	10.7"(272mm)	1.5"(38mm)	7.25"(184mm)	97-558-200	\$59.59
	Features - Includes: document holder, handle and mounting hardware. - For use with WorkFit-S. - Maximum weight capacity: 2.2 pounds Specification Tips - Installs in three different positions under laptop or displays. - Tablet/Document Holder may reduce WorkFit's 5"(127mm) independent height adjustment range for displays. - When added to the WorkFit-S, total weight capacity of workstation is reduced by 1 pound. - Not for use with WorkFit-S worksurface.					To Order, Specify: Product number.
 97-649-085	Black				97-649-085	\$9.73
	Features - Includes one grommet mount. - For use with WorkFit-S. Specification Tips - Attaches through grommet hole (5"(127mm) or 5.5"(140mm) wide and up to 2.5"(64mm) thick). - For maximum support, screw should be centered through hole.					To Order, Specify: Product number.

! OBSOLETE / October 29, 2021



Ergotron WorkFit — Accessories

WorkFit-A / WorkFit-S

	Description	Number	Price
 97-617	Conversion Kit: Dual to LCD & Laptop Black	97-617	\$129.34
	Features - Includes: Laptop tray, riser bracket, monitor pivot and mounting hardware. - Converts WorkFit-S or WorkFit-A Dual workstation into a WorkFit LCD and laptop workstation. - For use with screens 24"(610mm) or smaller. - Monitor tilts 30°. - Pans 180°. - Monitor rotates 360°. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tip Compatible with WorkFit-A or WorkFit-S workstation.		
 97-616	Conversion Kit: LCD & Laptop to Dual Black	97-616	\$75.47
	Features - Includes: Two monitor pivots and mounting hardware. - Converts WorkFit-S or WorkFit-A LCD & Laptop workstation into a Dual Workstation. - For use with screens 22"(559mm) or smaller. - Rotates 360°. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
 97-615	Tall-User Kit for WorkFit Dual Black	97-615	\$105.09
	Features - Includes: Two monitor pivots, two riser brackets and mounting hardware. - Converts WorkFit-S or WorkFit-A Dual display workstation to improve ergonomic height requirements of taller users. - For use with screens 24"(610mm) or smaller. - Maximum weight capacity: - Total capacity 28 pounds. - LCD – 6-14 pounds. - Rotates 360°. - Adds 30° of up/down tilt to displays. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tip Compatible with WorkFit-S and WorkFit-A. Also works with Dual Monitor Kit for WorkFit-T.		

Ergotron WorkFit — Accessories

WorkFit-A/WorkFit-S

	Description	Height	Depth	Width	Number	Price	
 97-897	Deep Keyboard Tray	Black	.25"(6mm)	11"(279mm)	27"(686mm)	97-897	\$127.35
	Features - Includes: Large single piece keyboard tray and mounting hardware. - Maximum weight capacity is 5 pounds.					To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S and WorkFit-A. - Installs centered or offset to the right or left side.						
 97-898	Corner Keyboard Tray	Black	.25"(6mm)	11"(279mm)	27"(686mm)	97-898	\$127.33
	Features - Includes: Corner single piece keyboard tray and mounting hardware. - Maximum weight capacity is 5 pounds.					To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S and WorkFit-A. - Installs centered or offset to the right or left side.						

To Order, Specify:

- 1) Product number.


To Order, Specify:

- 1) Product number.

Ergotron WorkFit — Accessories

WorkFit-T/WorkFit-TL

	Description	Number	Price
WorkFit Single LCD Monitor Kit	Black	97-935-085	\$212.53
	White	97-935-062	206.97

97-935-085
97-935-062**Features**

- Includes: 5"(127mm) lift engine, one monitor pivot, dual bow, and hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity: 6-16 pounds.
- Tilts 30°.
- Rotates 360°.


To Order, Specify:

- 1) Product number.

Specification Tips

- Compatible with WorkFit-T and WorkFit-TL.
- When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 28.4 pounds.
- When added to the WorkFit-TL, overall capacity of the WorkFit-TL is decreased from 40 pounds to 33.4 pounds.

WorkFit Dual Monitor Kit

97-934-085
97-934-062**Features**

- Includes: 5"(127mm) lift engine, two monitor pivots, dual bow, and hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total weight 12-28 pounds.
 - LCD weight 6-14 pounds each.
- Rotates 360°.


To Order, Specify:

- 1) Product number.

Specification Tips

- Compatible with WorkFit-T and WorkFit-TL.
- When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 25.3 pounds.
- When added to WorkFit-TL, overall capacity of the WorkFit TL is decreased from 40 pounds to 30.3 pounds.

WorkFit LCD & Laptop Kit

97-933-085
97-933-062**Features**

- Includes: 5"(127mm) lift engine, one monitor pivot, one laptop tray, dual bow, and hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity: 12-26 pounds.
 - LCD 6-16 pounds.
 - Laptop Tray 10 pounds.
- Monitor tilts 30°.
- Monitor rotates 360°.


To Order, Specify:

- 1) Product number.


Specification Tips

- Compatible with WorkFit-T and WorkFit-TL.
- When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 25 pounds.
- When added to the WorkFit-TL, overall capacity of the WorkFit-TL decreases from 40 pounds to 30 pounds.


Ergotron Monitor Arm Accessories

	Description	Number	Price
Dual Monitor Double-Hinged Bow  98-101-009	Black	98-101-009	\$121.23
	Features - Includes: Double-hinged bow and mounting hardware. - For use with screens 25"(635mm) or smaller. - Weight capacity is 6-14 pounds each. Capacity may vary depending on WorkFit capacity. - Pans 168° from front to back using monitors 18"(457mm) or smaller. Panning motion may be restricted when using screens 19"(483mm) - 25"(635mm) in size.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-A, WorkFit-S, WorkFit-SR dual workstations. - Pivots are not included. Use pivots from current workstation.		
Tall-User Kit for Single Display  97-845	Black	97-845	\$32.99
	Features - Includes: Bracket, recess spacer, and screws. - Raises monitor 4"(102mm) - 6"(152mm). - Screen size dependent on product to which it is attached.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S, WorkFit-A and WorkFit-T as well as any VESA mount where portrait/landscape adjustment is locked or not present. - Kit adds one pound to the mount weight. De-rate weight capacity of accompanying mount by one pound. - Monitor weight should never exceed 29 pounds.		

Ergotron WorkFit — Anti-Fatigue Floor Mat

 97-620-060	Height	Depth	Width	Number	Price
	6.25"(159mm)	24"(610mm)	36"(914mm)	97-620-060	\$428.00
Features - Includes: One floor mat. 0.625"(16mm) thick. - Custom blended medium density polyurethane foam. - High tear strength polyurethane outer membrane. - Black only. - TAA (Trade Agreements Act) compliant.			To Order, Specify: 1) Product number.		

Ergotron Neo-Flex Laptop Cart



24-205-214
(power strip shown not included)

Height	Depth	Width	Number	Price
26.6"(676mm)-46.6"(1184mm)	22.8"(579mm)	17.5"(445mm)	24-205-214	\$1524.09


Features

- Includes: Integrated worksurface/keyboard tray with left/right mouse tray, scanner holder bracket, mouse holder, cable storage area, four dual casters (two locking), laptop security system, bracket for power strip and cable wrap.
- Compatible with most 12"(305mm)-17"(432mm) laptops. Maximum outside width of laptop is 18"(457mm).
- Maximum weight capacity is 15 pounds.
- Front handle on worksurface allows for easy mobility.
- 20"(508mm) height range adjustment allows for use from a seated or standing position.
- Worksurface dimensions 16.5"(419mm) W x 20.5"(521mm) D.
- Laptop cart standard in gray with 2 piece gray plastic worksurface.

To Order, Specify:


- 1) Product number.

Ergotron Teachwell® Mobile Digital Workspace

	Height	Depth	Width	Number	Price
	32"(813mm)-52"(1321mm)	24"(610mm)	31"(787mm)	24-220-055	\$1292.86
Features - Includes: Cart, integrated phenolic worksurface, seamless keyboard/mousing tray, cable management box, cable winding brackets, four dual casters (two locking). - Maximum weight capacity 38.5 pounds. - Worksurface height adjustment range: 32"(813mm)-52"(1321mm). Note: worksurface and keyboard tray adjust in tandem. - Worksurface dimensions: 31"(787mm) W x 21"(533mm) D. - Keyboard Tray: 26"(660mm) W x 9.4"(239mm) D stows under worksurface. Includes 5° back-tilt. - Cable management box interior: 13.4"(340mm) W x 5"(127mm) D x 3.4"(86mm) H. Provides storage for one standard six-outlet power strip, two power bricks and the associated cables. - Available in supplier graphite grey only. - Includes mechanical mounting holes to mount many major document camera models. Ordered separately. - Ships assembled.			To Order, Specify: 1) Product number.		

Ergotron LearnFit

	Description	Height	Depth	Width	Number	Price
LearnFit Desk	Sit-Stand	29"(737mm)-44"(1118mm)	22"(559mm)	24"(610mm)	24-547-003	\$781.89
	Standing	33"(838mm)-49"(1245mm)	22"(559mm)	24"(610mm)	24-481-003	781.84



24-547-003
24-481-003


Features

- Includes: One adjustable height desk with two locking and 2 non-locking casters and backpack hook.
- PrecisionHeight™ Technology allows for one-touch height adjustment.
- Worksurface includes built in cup holder, tablet stand pocket and pencil tray.
- Maximum weight capacity for desk surface is 15 pounds.
- Sit-Stand desk height range is 29"(737mm)-45"(1143mm). Adjustable Standing desk height range is 33"(838mm)-49"(1245mm).
- Standard with polished aluminum column and base with feathered gray laminate surface. Edgeband and cup holder/pencil tray standard in dark gray.

To Order, Specify:

- 1) Product number.

Storage Bin	Dark Gray	8"(203mm)	8"(203mm)	14.5"(368mm)	97-926-064	\$78.41
--------------------	-----------	-----------	-----------	--------------	------------	----------------



97-926-064

Features

- Includes: Molded plastic bins and mounting hardware.
- Sized to hold notebooks, folders and books.
- Smooth plastic surface.
- Maximum weight capacity is 8 pounds.
- Three separate compartments:
 - Enclosed, top-loaded on left side.
 - 3-sided, front-loaded on right side.
 - Smaller, 3-sided, front-loaded in center.


To Order, Specify:

- 1) Product number.


Specification Tips

- Compatible with LearnFit Adjustable Standing Desk
- Attaches at any height along the desk column.

Ergotron Zip 12 Charging


	Height	Depth	Width	Number	Price
	35.6"(904mm)	5.9"(150mm)	40.9"(1039mm)	DM12-1006-1	\$1907.04
DM12-1006-1  Features • Includes: Cabinet, 6' power cord, key and wall mounting hardware. • Charges and secures up to 12 tablets or notebooks with screens up to 12"(305mm). • Show & Stow™ technology tilting tablet trays pull out to load/unload and automatically retract. • Sliding front access door. • 12 receptacle outlet strip designed to work with oversized adapters. AC adapter maximum dimensions 4.1(104mm) H x 2"(51mm) W x 4"(102mm) D. • Individual device maximum weight 3 pounds. Total weight capacity 44.4 pounds. • Contains one 12V DC continuous operation cooling fan. • Uses AC adapters that come with each device. AC adapters not included. • Black with polished aluminum sliding door and laptop tray fronts. To Order, Specify: 1) Product number.					

Grommets

 WUAC-WSG Class CA – SIN 33721; Discount Group I	Outside Diameter	Height	Hole Size	Number	Price	
	3”(76mm)	1”(25mm)	2.75”(70mm)	WUAC-WSG	\$26.34	
	Features • Includes one grommet with removable cover. • Must be field-installed. • Available in black color only.			To Order, Specify: 1) Product number. (No finish specification required.)		
	Specification Tip • Works with top thickness 1” or greater.					
 WQAG Class PT – SIN 33721; Discount Group IX	Outside Diameter	Height	Hole Size	Number	Trim A	B
	3”(76mm)	1.125”(29mm)	2.75”(70mm)	WQAG-0303-PS	\$47.46	\$57.21
	3”(76mm)	2.0”(51mm)	2.75”(70mm)	WQAG-0303-PM	47.46	57.21
	Features • Includes one painted grommet with removable cover. • Must be field-installed.			To Order, Specify: 1) Product number. 2) Trim color.		
Specification Tip • Works with top thickness: –WQAG-0303-PS - 1.19” or greater –WQAG-0303-PM - 2.0” or greater						
 JAG-1 Class TA – GSA: Open Market	Outside Diameter	Height	Hole Size	Number	Price	
	2.0”(51mm)	.75”(19mm)	1.75”(44mm)	JAG-1	\$21.04	
	3.5”(89mm)	.75”(19mm)	3”(76mm)	JAG-2	\$24.27	
	Features • Includes one grommet with removable cover. • Must be field-installed. • Available in black color only.			To Order, Specify: 1) Product number. (No finish specification required.)		
Specification Tip • Works with top thickness 0.75” or greater.						
 JAG-2 Class TA – SIN 33721; Discount Group X	Outside Diameter	Height	Hole Size	Number	Trim A	B
	3”(76mm)	.72”(18mm)	2.75”(70mm)	TA01-0220	\$32.90	\$37.97
	Features • Includes one painted grommet. • Must be field-installed.			To Order, Specify: 1) Product number. 2) Trim color.		
	Specification Tip • Works with 0.75” top or greater.					

Grommets

Flip Top Unit — Hatch



EUG1

Finishes	Bezel Width	Bezel Depth	Flip Top Unit Cutout Code	Configuration	Number	Price
Anodized						
	5.24"(133mm)	4.375"(111mm)	A, B	2	EUG1-0000-G2NNNW	\$201.48
	8.31"(211mm)		F, V	4	EUG1-0000-G4NNNW	214.07
	11.25"(286mm)		J, K	6	EUG1-0000-G6NNNW	226.67
Black						
	5.24"(133mm)	4.375"(111mm)	A, B	2	EUG1-0000-G2NNNB	\$264.44
	8.31"(211mm)		F, V	4	EUG1-0000-G4NNNB	277.03
	11.25"(286mm)		J, K	6	EUG1-0000-G6NNNB	289.63

- Features**
- Includes one flip top unit hatch.
 - Hatch is flush mounted with spring release cover; 0.5"(13mm) gap between cover and bezel for cords.
 - Available in anodized or black finish.
 - Field installed.


- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

- Specification Tips**
- Specify for cord management as needed.
 - Order hatch to match cutouts specified for each table.

Information Display

Planes Easels

	Height	Depth	Width	Number	①	Trim A	B
Standard Easel	75"(1905mm)	28"(711mm)	45"(1143mm)	KAIE-0029-LJS	■ B	\$1650.02	\$1697.17



KAIE-0029

Features

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **One information board can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface/center board is 0.54"(13.7mm) thick with 1mm bright white edgeband and has a 31"(787mm) wide x 43"(1092mm) high writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 30"(762mm) wide x 1.375"(35mm) high x 3"(76mm) deep. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or
 - black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

To Order, Specify:

- 1) Product number, including:

① Base Option:

- C** Caster
- G** Glide, add **\$80.43** list

- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
 - Black – TR-F
 - Fog – TR-7
 - Light Platinum – TR-LPL


Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

Information Display

Planes Easels

	Height	Depth	Width	Number	1	Trim A	B
Large Easel	75"(1905mm)	28"(711mm)	88"(2235mm)	KAIE-0072-LJS	B	\$2346.30	\$2393.45



KAIE-0072

Features

- Includes frame, and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **Two information boards can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pads.
- Writable surface/center board is 0.64"(16mm) thick with 1mm bright white edgeband and has a 74"(1880mm) wide x 43"(1092mm) high writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 73"(1854mm) wide x 1.375"(35mm) high x 3"(76mm) deep. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

- 1) Product number, including:


1 Base Option:

- C** Caster
 - G** Glide, add **\$80.43** list
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

Information Display

Planes Boards and Accessories

	Height	Width	Number	Price
Information Boards	42"(1067mm)	40"(1016mm)	KAIB-0040-LJSNA	\$537.39



KAIB-0040

Features

- Includes one information board and attachment cleats.
- Markers and erasers separately specified.
- Laminate writable surface/information boards are 0.64"(16mm) thick with one usable side and 1mm bright white edgeband.
- Safety interlock prevents dislodgement from easels and horizontal wall rail.
- Lightweight construction – each board is approximately 19 pounds.
- Information board cleats and bumpers are light platinum.
- Ships assembled.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- **Planes information boards add 3"(76mm) to overall easel height.**
- Information board back cleats (2) fit over top rail of easel and lower bumpers (2) allow vertical alignment.
- The following Planes products are separately specified:
 - Standard Easel
 - Large Easel
 - Horizontal Wall Rail for Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

Horizontal Wall Rail for Information Boards



KAIW-0096

	Width	Number	Trim A	B
	96"(2438mm)	KAIW-0096	\$1231.76	\$1278.91

Features

- Includes upper and lower rails, four wall cleats, two end caps and hardware.
- Lower rail also functions as a 2.25"(57mm) x 96"(2438mm) marker tray.
- 96"(2438mm) horizontal wall rail accommodates two information boards side-by-side.
- Rails can be cut down to accommodate desired width.
- Rail end caps and cleats are light platinum.
- Wall rails are mounted horizontally.
- Ships unassembled.


To Order, Specify:

- 1) Product number.
- 2) Trim color for rail.

Specification Tips

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**
- The following Planes products are separately specified:
 - Information Boards

Wall Cleat for Information Boards



KAIH-0000

Height	Depth	Width	Number	Price
3.5"(89mm)	1.5"(38mm)	1.75"(44mm)	KAIH-0000	\$88.12

Features

- Includes two cleats in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tip

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**


Information Display

Planes Boards and Accessories

		Number	Price
Horizontal Wall Rail End Caps		KAIC-0000	\$15.61
 KAIC-0000	Features - Includes two end caps in light platinum. - For use with the Planes information board horizontal wall rail in field modified application.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tip Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.		
		Number	Price
Y-Leg Bumper		TA01-0214	\$8.87
 TA01-0214	Description For use on 30”(762mm) deep top		
	Feature Includes 4 bumpers in light platinum, for easel Y-leg.	To Order, Specify: 1) Product number (No color specification required.)	
	Specification Tip Protects Y-leg tables when nested.		

Information Display – Planes Markerboard

Markerboard Insert



NBFS-M

Height	Width	Number	Trim A	B
53"(1346mm)	36"(914mm)	NBFS-5336-M	\$1412.27	\$1440.61
	48"(1219mm)	NBFS-5348-M	1704.05	1738.05
64"(1626mm)	36"(914mm)	NBFS-6436-M	\$1590.58	\$1621.75
	48"(1219mm)	NBFS-6448-M	1947.20	1984.03

Features

- Includes frame, markerboard insert, and attachment hardware.
- Markers and erasers not included.
- Attachment hardware is clear.
- 4"(102mm) wheels are non-locking. Standard in black finish color only.
- Screens are non-load bearing.
- Two-sided acrylic markerboard.
- Screens are shipped unassembled.

To Order, Specify:


- 1) Product number.
- 2) Trim color for frame.

Specification Tips

- 53"(1346mm) high freestanding screens have 20"(508mm) wheel span centered on 1.25"(32mm) thick frame.
- 64"(1626mm) high freestanding screens have 24"(610mm) wheel span centered on 1.25"(32mm) thick frame.
- Clearance height is 17.375"(441mm).
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

Information Display – Planes Markerboard Accessories

	Description	Number	Price
Markerboard Accessories	Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	\$144.26
	Cleaner and Conditioner	7031-7001	172.23
	Spray Cleaner	7031-7002	52.58



7062-8001



7031-7002



7031-7001

Feature


- Recommended dry erase marker products to maintain, clean & condition markerboards.

To Order, Specify:

- 1) Product number
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Total Length with Switch	Watts	Number	Price
Adaptable LED Task Light - Stand-Alone	17"(432mm)	18.6"(472mm)	5.6	LUTN-0017-19ULDN	\$176.13
	31"(787mm)	32.6"(828mm)	10.3	LUTN-0031-19ULDN	\$199.93
	44"(1118mm)	45.6"(1158mm)	14.3	LUTN-0044-19ULDN	\$222.03



LUTN



Features

- Includes 17"(mm), 31"(787mm) or 44"(1118mm) LED fixture, one on/off/dimmer pack, 18 watt power supply with black nine foot power cord, two adhesive cord managers and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).


Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- **Not intended for daisy chaining.**
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- Intended for use under shelf or cabinet.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Adaptable LED Task Light - Starter Kit	17"(432mm)	18.6"(472mm)	5.6	LUTT-0017-11ULDN	\$199.82
	31"(787mm)	32.6"(828mm)	10.3	LUTT-0031-11ULDN	\$223.62
	44"(1118mm)	45.6"(1158mm)	14.3	LUTT-0044-11ULDN	\$245.72



LUTT



Features

- Includes LED fixture, one on/off/dimmer pack, 40 watt power supply with eleven foot power cord, two adhesive cord managers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).

Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- Refer to the Specification Guide or under the Adaptable LED Task Light - Add-on Kit for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Adaptable LED Task Light - Add-On Kit	17"(432mm)	5.6	LUTA-0017-1NULDN	\$148.32
	31"(787mm)	10.3	LUTA-0031-1NULDN	172.12
	44"(1118mm)	14.3	LUTA-0044-1NULDN	194.22



- Features**
- Includes LED fixture, 18"(457mm) daisy chain cord, two adhesive cord mangers, and screw/magnetic attachment hardware.
 - Standard in anodized (silver) color with black caps.
 - Height: 0.5"(12.7mm); Width: 1.18"(30mm).



To Order, Specify:

1) Product number.
(No finish specification required.)

- Specification Tips**
- For use with 120 volt, 60 hertz electrical system.
 - Color Temp: 3500K.
 - Color Rendition Index: 85 CRI.
 - Rated Lifespan: 52,000 hour.
 - Refer to the chart below for the total number of light fixtures that can be daisy chained together.
 - The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
 - Intended for use under shelf or cabinet.


Acceptable Daisy Chain Light Combinations			
Daisy Chair Combinations	# of 17" Lights	# of 31" Lights	# of 44" Lights
Combination 1	1	1	1
Combination 2	1	1	0
Combination 3	1	2	0
Combination 4	1	0	1
Combination 5	1	0	0
Combination 6	2	1	0
Combination 7	2	0	1
Combination 8	2	0	0
Combination 9	3	1	0
Combination 10	3	0	0
Combination 11	4	0	0
Combination 12	0	1	1
Combination 14	0	2	0
Combination 15	0	3	0
Combination 17	0	0	2

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5 	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$264.22
Features - Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm).				
Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Not intended for daisy chaining. - Single touch on/off with continuous dimming from 15-100%. - Automatic shutoff after 10 hours. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications.				
To Order, Specify: Product number. (No finish specification required.)				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6 	16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$363.32
	30.1"(765mm)	17.6	LUTS-0031-12ULD6	\$288.80
	43.7"(1110mm)	25.9	LUTS-0044-12ULD6	\$682.46
	57.4"(1458mm)	33.6	LUTS-0058-12ULD6	\$847.94
Features - Includes LED fixture, 60 watt power supply with twelve foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).				
Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. - Single touch on/off with continuous dimming from 15-100%. - Automatic shutoff after 10 hours. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications.				
To Order, Specify: Product number. (No finish specification required.)				

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Reed Premier™	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$264.22
Add-On LED Task Light —	30.1"(765mm)	17.6	LUTD-0031-1NULDN	429.70
For Use with Reed Premier Starter	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	583.36
LED Task Lights	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	748.84



LUTD-0017-1NULDN



Features

- Includes LED fixture, 8”(203mm) and 30”(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5”(12.7mm); Width: 2.0”(51mm); Lengths: 16.4”(417mm), 30.1”(765mm), 43.7”(1110mm) or 57.4”(1458mm).

To Order, Specify:


1) Product number.
(No finish specification required.)

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Automatic shutoff after 10 hours.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

Reed Premier™	LUTS-0000	\$297.29
---------------	-----------	----------

Add-On Occupancy Sensor



LUTS-0000



Features

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7”(17.8mm); Width: 2.0”(51mm); Length: 2.3”(58mm).



To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

Lighting — Haworth

	Number	Price
Voyage without Occupancy Sensor	LUV1-0012-07 LC	\$573.01
 LUV1 		
Features - Includes base, adjustable arm fixture with LED light and 6'(182cm) removable cord. - Available in supplier silver, white or black. - Touch controls for On/Off switching and continuous 100-15% dimming. - Arm rotates 300°. - Base footprint: 6"(152mm) diameter. - Clamp mount can be used on horizontal surfaces from 0.90"(23mm) to 1.87"(47mm) thick. - Auto turn off after 10 hours of use. - Power consumption: 7W. - Color temperature 3500k. - Luminosity: 250 Lumens. - Color Rendition Index: 84 CRI. 50K hour lifespan. - Cord length: 6'(182cm).		
Specification Tips - Minor assembly required. For use with 120 volt 60 hertz electrical system.		
Voyage with Occupancy Sensor	LUV2-0012-07 LO	\$842.67
 LUV2 		
Features - Includes base, adjustable arm fixture with LED light and 6'(182cm) removable cord. - Available in supplier silver, white or black. - Touch controls for On/Off switching and continuous 100-15% dimming. - Arm rotates 300°. - Base footprint: 6"(152mm) diameter. - Clamp mount can be used on horizontal surfaces from 0.90"(23mm) to 1.87"(47mm) thick. - Power consumption: 7W. - Color temperature 3500k. - Luminosity: 250 Lumens. - Color Rendition Index: 84 CRI. 50K hour lifespan. - Cord length: 6'(182cm).		
Specification Tips - Minor assembly required. For use with 120 volt 60 hertz electrical system.		
To Order, Specify: - Product number, including: 1 Attachment: F Freestanding G Clamp - Trim color. TR-11 Black TR-12 Silver TR-13 White		

Lighting — Haworth Collection

Brazo



LBJ1
Class PD

LBJ2



Base Diameter	Model	Number	1	Price
8.5"(216mm)	Table Light	LBJ1-0026-19FLC		\$500.00
	Floor Light	LBJ2-0026-19FLC		560.00

Features

- Includes base, adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White or Anodized Black finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Table light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- Table light overall height range with arm extended at 180° is 41"(1041mm).
- Floor light overall height range with arm extended at 180° is 74.75"(1899mm).

Specification Tips

- Minor assembly required.
- For use with 120 volt 60 hertz electrical system.

To Order, Specify:

1) Product number, including:

1 Finish Color

N


 Brushed Aluminum

W

 Gloss White

B

 Anodized Black



LBJ3
Class PD

LBJ4



Grommet/Hole Diameter	Model	Number	1	2	Price
3"(76mm)	Grommet Mounted Light	LBJ3-0026-19GLC			\$465.00
1"(25mm)	Worksurface Mounted Light	LBJ4-0026-19GLC			465.00

Features

- Grommet Mount includes adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Worksurface Mount includes adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White or Anodized Black finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- Overall height range with arm extended at 180° is 40"(1016mm).

Specification Tips

- Grommet Mount Brazo requires a separately specified grommet.
- Field drilling of surface required.
- Minor assembly required.
- For use with 120 volt 60 hertz electrical system.

To Order, Specify:

1) Product number, including:

1 Finish Color

N

 Brushed Aluminum

W

 Gloss White

B

 Anodized Black

2 Worksurface Thickness

S

 1.19"(30mm)

M

 2"(51mm)

Q

 3"(76mm)



WQAG
Class PT

Top Thickness	Number	Price
1.19"(30mm)	WQAG-0303-PSN	\$30.00
2"(51mm)	WQAG-0303-PMN	30.00
3"(76mm)	WQAG-0303-PQN	30.00

Feature

- Includes one 3"(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2.75"(70mm) diameter field drilled hole.
- For use with Brazo Grommet Mounted Light only.

To Order, Specify:

1) Product number.

2) Trim color.

TR-TW

 Plaster

TR-LE

 Metallic Silver


TR-MC

 Metallic Champagne

Lighting — Haworth Collection

Circa

	Description	Number	Price
Table Light	Table Light	LRT1-1408	\$500.00
	Grommet Mounted Light	LRT1-1408-G	450.00



LRT1-1408

**Features**


- Includes base, aluminum stem, lamp shade with LED flat panel light, polycarbonate lens assembly and 8' fabric wrapped cord.
- Grommet mounted base includes attachment hardware with grommet.
- Base: 10"(254mm) diameter plastic with a steel insert and built-in USB charging port.
- 12"(305mm) diameter flat panel lamp shade is plastic with a polycarbonate lens assembly.
- Lamp shade rotates 360° and tilts 45° in two directions.
- Stem 14"(356mm) high.
- Features a LED light source with full range dim control.
- 9 watts.

To Order, Specify:


- 1) Product number.
- 2) Trim color.
TR-R01 Graphite
TR-R02 White

Specification Tips

- For use with 120 volt 60 hertz electrical system.
- Minor assembly required.

Floor Light

LRF0-5208



LRF1-5208



Without Pedestal	LRF0-5208	\$795.00
With Pedestal	LRF1-5208	865.00

Features

- Includes base, aluminum stem, lamp shade with LED flat panel light, polycarbonate lens assembly and 8' fabric wrapped cord.
- Base: 14"(356mm) diameter base is plastic with a steel insert.
- 16"(406mm) diameter flat panel lamp shade is plastic with a polycarbonate lens assembly.
- Lamp shade rotates 360° and tilts 45° in two directions.
- Stem 52"(1321mm) high with built-in USB port.
- Features a LED light source with full range dim control.
- 11 watts.
- Available with optional steel pedestal that can be used to dock tablets, phones and books.
- Optional pedestal is 22.5"(572mm) from floor and 5.5"(140mm) wide.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-R01 Graphite
TR-R02 White

Specification Tips

- For use with 120 volt 60 hertz electrical system.
- Minor assembly required.

Lighting — Haworth Collection

Contour

	Description	Height	Depth	Width	Number	Price
Table Light 	Small Table Light					
	Fabric Interior	17.5"(445mm)	6"(152mm)	12"(305mm)	LCT1-1708	\$400.00
	Wood Interior	17.5"(445mm)	6"(152mm)	12"(305mm)	LCT1-1708	425.00
	Large Table Light					
	Fabric Interior	25"(635mm)	6"(152mm)	13"(330mm)	LCT2-2508	\$470.00
	Wood Interior	25"(635mm)	6"(152mm)	13"(330mm)	LCT2-2508	495.00

LCT1-1708



Features

- Includes one aluminum body construction light with polycarbonate lens assembly, USB charging port and 8' fabric wrapped cord.
- Full range dim control for glare free, high output LED light.
- Base: Plastic with built-in USB charging port.
- Interior of light is lined with wood veneer or fabric.
- 8 watts.
- Available in the following colors:
 - Fabric Interior
 - Graphite Exterior, Coal Interior (TR-C04)
 - White Exterior, Pearl Interior (TR-C07)
 - Wood Interior
 - Graphite Exterior, Walnut Interior (TR-C05)
 - Graphite Exterior, White Oak Interior (TR-C06)
 - White Exterior, Walnut Interior (TR-C08)
 - White Exterior, White Oak Interior (TR-C09)

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- For use with 120 volt 60 hertz electrical system.

Floor Light 	Fabric Interior	60"(1524mm)	8"(203mm)	13"(330mm)	LCF1-6009	\$720.00
	Wood Interior	60"(1524mm)	8"(203mm)	13"(330mm)	LCF1-6009	750.00

LCF1-6009



Features

- Includes one aluminum body construction light with polycarbonate lens assembly, USB charging port and 9' fabric wrapped cord.
- Full range dim control for glare free, high output LED light.
- Base: Plastic with built-in USB charging port.
- Interior of light is lined with wood veneer or fabric.
- 21.5 watts.
- Available in the following colors:
 - Fabric Interior
 - Graphite Exterior, Coal Interior (TR-C04)
 - White Exterior, Pearl Interior (TR-C07)
 - Wood Interior
 - Graphite Exterior, Walnut Interior (TR-C05)
 - Graphite Exterior, White Oak Interior (TR-C06)
 - White Exterior, Walnut Interior (TR-C08)
 - White Exterior, White Oak Interior (TR-C09)

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tip

- For use with 120 volt 60 hertz electrical system.

Lighting — Haworth Collection

Corner Office

	Height	Depth	Width	Number	Price
Table Light	18"(457mm)	7.5"(191mm)	7.5"(191mm)	HCPL-COT1-07	\$530.00



HCPL-COT1-07



Features

- Includes one white metal base and arm, light and 10' cord.
- LED light with full range dim control.
- Optical touch switch.
- Two USB 2.0 ports (10W) and one USB-C 3.1 C port (35W) built into arm.
- Light: 8 watts.
- System power: 63 watts.


To Order, Specify:

- 1) Product number.

Specification Tips

- **For use with 120 volt 60 hertz electrical systems.**
- Minor assembly required.

Table Light with Small Panel	18"(457mm)	15.5"(390mm)	15.5"(390mm)	HCPL-COT2-15	\$750.00
-------------------------------------	------------	--------------	--------------	--------------	-----------------



HCPL-COT2-15



Features

- Includes one white metal base and arm, fabric panel, light, and 10' cord.
- LED light with full range dim control.
- Optical touch switch.
- Two USB 2.0 ports (10W) and one USB-C 3.1 C port (35W) built into arm.
- Fabric panel provides visual and acoustic privacy.
- Light 8 watts.
- System power: 63 watts

To Order, Specify:


- 1) Product number.
- 2) Fabric color.

6P-1	Anthracite
6P-2	Chestnut
6P-3	Stone Grey
6P-4	Turquoise

Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

Table Light with Large Panel	18"(457mm)	15.5"(390mm)	30"(762mm)	HCPL-COT3-30	\$850.00
-------------------------------------	------------	--------------	------------	--------------	-----------------



HCPL-COT3-30



Features

- Includes one white metal base and arm, fabric panel, light, 10' cord, and removable pocket accessory.
- LED light with full range dim control.
- Optical touch switch.
- Two USB 2.0 ports (10W) and one USB-C 3.1 C port (35W) built into arm.
- Reversible fabric panel provides visual and acoustic privacy.
- Light 8 watts.
- System power: 63 watts

To Order, Specify:

- 1) Product number.
- 2) Fabric color.

6P-1	Anthracite
6P-2	Chestnut
6P-3	Stone Grey
6P-4	Turquoise


Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

Lighting — Haworth Collection

Giraffa

	Description	Height	Depth	Width	Number	Price
Table Light	Standard Trim	13"(330mm)	2.25"(57mm)	7"(178mm)	HCPL-GFT1-13	\$290.00
	Premium Trim				HCPL-GFT1-13	310.00



HCPL-GFT1-13



Features

- Includes one high output LED light with aluminum body and polycarbonate lens assembly, and 6’ fabric cord.
- Integrated touch switch control.
- Full range dimming built into the base.
- Light source rotates 360°.
- 4.6 watts.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-G01 Black
TR-G03 White

Specification Tip

- For use with 120 volt 60 hertz electrical system.

Lighting — Haworth Collection

LIM

	Base/Mount	Number	Price
Freestanding Lighting	Table Light with Block	LLL1-0022-19FLC	\$375.00
	Table Light with Pivot	LLL2-0022-19FLC	350.00
	Floor Light	LLL3-0022-19FLC	425.00




Table Light with Block
LLL1




Table Light with Pivot
LLL2



Floor Light
LLL3



Features

- Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- All lights use magnets to attach to base or brackets.
- Table Light with Block:**
 - Available in Textured White, Textured Black and Brushed Aluminum.
 - Arm rotates around magnetic connection between base and light arm.
 - Adjustable height fixture range is 12"-15.75"(305mm-400mm) from desktop.
 - Base includes scratch-resistant bottom with cord management.
 - Base size: 6.63"(168mm) height, 3"(76mm) width, 3.5"(89mm) depth.
- Table Light with Pivot:**
 - Available in Textured White and Textured Black.
 - Pivot rotates 360° around the base.
 - Arm rotates around magnetic connection between base and light arm.
 - Pivot light does not have adjustable height.
 - Base includes scratch-resistant bottom.
 - Base size: 5"(127mm) height, 4.5"(114mm) width, 5.5"(140mm) depth.
- Floor Light:**
 - Available in Textured White and Textured Black.
 - Arm rotates around magnetic connection between base and light arm.
 - Adjustable height fixture range is 13"-50.75"(330mm-1289mm) from floor.
 - Base includes scratch-resistant bottom.
 - Base size: 38"(965mm) height, 9"(229mm) width, 9"(229mm) depth.

To Order, Specify:


- Product number.
- Trim color:
 - Pivot/Floor available in:
 - TR-L2 Textured White
 - TR-L3 Textured Black
 - Block available in:
 - TR-L2 Textured White
 - TR-L3 Textured Black
 - TR-L1 Brushed Aluminum

Specification Tips

- For use with 120 volt 60 hertz electrical system.
- Minor assembly required.

Lighting — Haworth Collection





LIM

	Base/Mount	Average Height	Number	Price
Worksurface Mounted Lighting	Worksurface Mounted Light	18.5"(470mm)	LLC1-0022-19WLC	\$295.00
 Worksurface Mount LLC1 	Features - Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. - Under Shelf attachment bracket painted to compliment the LED light. - Features two-stage light control with 3.0 watt and 7.3 watt selection. - All lights use magnets to attach to base or brackets. Worksurface Mount: –Available in Brushed Aluminum, Textured White, Textured Black. –Arm rotates at Under Worksurface attachment bracket. –Light does not have adjustable height. –Flat Bracket is scratch-resistant. –Mount includes a 11"(279mm) flat bracket with adhesive.		To Order, Specify: - Product number. - Trim color: - TR-L2 Textured White - TR-L3 Textured Black - TR-L1 Brushed Aluminum	
	Specification Tips For use with 120 volt 60 hertz electrical system. - Minor assembly required.			

Lighting — Haworth Collection

LIM

Mounted Lighting

Slat
LLM1Belong Rail
LLM1Panel
LLM2Under Shelf
LLU2

Base/Mount	Panel System	Number	Price
Slat/Rail		LLM1-0023-19MLC	\$285.00
Panel	for PREMISE	LLM2-0023-19MLCN	\$285.00
	for Compose	LLM2-0023-19MLCZ	285.00
	for UniGroup Too	LLM2-0023-19MLCE	285.00
Under Shelf Proud		LLU2-0023-19ULC	\$285.00

Features

- Includes base/mount, 23.25"(591mm) arm with LED light with a clear lens, nine foot removable silver tone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- Overall height ranges dependent on the mount.
- All lights use magnets to attach to base or brackets.
- Slat:**
 - Available in Textured White and Textured Black.
 - Rotates 180 degrees horizontally around the mount.
 - Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth slat tile.
 - Slat Tile Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth.
- Panel:**
 - Available in Textured White and Textured Black.
 - Rotates 180 degrees horizontally around the mount.
 - Panel Mount can be adjusted within the panel slot profiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth Panel System.
 - Panel Mount Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth.
- Under Shelf Proud:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Can be used on: Adaptable Upper Storage.
- Under Shelf attachment bracket painted to complement the LED light.

Specification Tips

- For use with 120 volt 60 hertz electrical system.
- Minor assembly required.

To Order, Specify:

- Product number.
- Trim color:
 - Slat/Panel mount available in:
 - TR-L2 Textured White
 - TR-L3 Textured Black
 - Under Shelf mount available in:
 - TR-L2 Textured White
 - TR-L3 Textured Black
 - TR-L1 Brushed Aluminum

Lighting — Haworth Collection

LIM

	Base/Mount	Panel System	Units	Number	Price
LIM Hardware	Slat Mount Bracket		1	LLH1-0000	\$ 40.00
	Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	\$ 40.00
		for Compose	1	LLH2-0000-Z	40.00
		for UniGroup Too	1	LLH2-0000-E	40.00
	Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$100.00
	Wire Management Clips		10	LLH6-0000	\$ 50.00

- Features**
- Hardware for use with LIM lights to provide additional attachment.
 - Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
 - For use if greater user adjustment is required.
 - Wire management clips are standard in White.


***Same brackets are used for Under Shelf Proud and Worksurface Mount LIM light applications.**

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color for brackets:
TR-L2 Textured White
TR-L3 Textured Black

Lighting — Haworth Collection

Pixo

Table Light	Number	1	Trim A	B
	LUPT-0016-05FL		\$250.00	\$260.00



360°

360°

180°

LUPT



Features

- Includes base/mount with USB charging port, 16.5”(419mm) arm with LED light and 6’(182cm) attached cord.
- Available with optional integrated occupancy sensor.
- Available in supplier silver, white or black.
- Hi-low dim control.
- 360° arm rotation.
- 180° arm tilt.
- 360° shade rotation.
- USB port for charging cell phones.
- Advanced LED array eliminates multiple shadows.
- Power consumption: 6W.
- Color temperature: 3000K.
- Luminosity: 285 Lumens.
- Color Rendition Index: 90 CRI.
- 50K hour lifespan.
- Cord length: 6’(182cm).

Specification Tips

- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**

To Order, Specify:

1) Product number.

1 Occupancy Sensor:

☐ C No Occupancy Sensor

☐ O Occupancy Sensor, add **\$40.00** list

2) Trim color.

Table Light

TR-11	Black
TR-12	Silver
TR-13	White


Table Light with Occupancy Sensor Standard Trim

TR-11	Black
TR-12	Silver
TR-13	White

Lighting — Haworth Collection

Superlight

	Height	Depth	Width	Number	Price
Table Light	25.75"(645mm)	8"(203mm)	23.5"(597mm)	HCPL-SLT1-17	\$330.00



HCPL-SLT1-17

**Features**

- Includes one aluminum body with polycarbonate lens, steel base 9' cord and magnetic base pad.
- Ultra light, minimal frame.
- LED array with full range dim control.
- Lens rotates 90°.
- Joints have three axis rotation.
- Six hour energy saving auto-off timer.
- 8.6 watts.


Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-S10 Black
TR-S11 White
- 3) Base Pad
TR-S15 Charcoal
TR-S16 Chestnut
TR-S18 Mustard
TR-S17 Turquoise

Floor Light	57.5"(1460mm)	8"(203mm)	23.5"(597mm)	HCPL-SLF1-47	\$390.00
--------------------	---------------	-----------	--------------	--------------	-----------------



HCPL-SLF1-47

**Features**

- Includes one aluminum body with polycarbonate lens, steel base 9' cord and magnetic base pad.
- Slim ultra light, minimal frame.
- LED light with full range dim control.
- Lens rotates 90°.
- Joints have three axis rotation.
- Six hour energy saving auto-off timer.
- 8.6 watts.


Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-S10 Black
TR-S11 White
- 3) Base Pad
TR-S15 Charcoal
TR-S16 Chestnut
TR-S18 Mustard
TR-S17 Turquoise

Base Pads	Diameter	Number	Price
	8"(203mm)	HCPL-SLSV-4BP	\$50.00



HCPL-SLSV-4BP

Feature




- Includes set of four felt base pads, one each of four colors.


To Order, Specify:

- 1) Product number.

Lighting — Haworth Collection


Tube Top

Table Light	Description	Height	Depth	Width	Number	Price
	Small	14"(356mm)	4.5"(114mm)	9.5"(241mm)	HCPL-TTT1-14	\$160.00
	Medium	21"(533mm)	6.5"(165mm)	15"(381mm)	HCPL-TTT2-21	295.00
	Large	27"(686mm)	9"(229mm)	18"(457mm)	HCPL-TTT3-27	450.00
 HCPL-TTT1-14  HCPL-TTT2-21  HCPL-TTT3-27  Features - Includes one polyester mesh shade, acrylic body and 6' fabric cord. - Fully dimmable LED light controlled by in-line rotary dimmer. 6 watts (small table light) 13 watts (medium and large table lights) Specification Tip - For use with 120 volt 60 hertz electrical system. To Order, Specify: 1) Product number. 2) Trim color. TR-T40 Charcoal Shade, Charcoal Body TR-T41 Silver Shade, Clear Body TR-T42 White Shade, Charcoal Body TR-T43 White Shade, Clear Body Additional colors for Small Table Light only: TR-T44 White Shade, Green Body TR-T45 White Shade, Cobalt Body TR-T46 White Shade, Hot Pink Body TR-T47 White Shade, Ruby Red Body TR-T48 White Shade, Sky Blue Body TR-T49 White Shade, Yellow Body						

Floor Light	60"(1524mm)	9"(229mm)	18"(457mm)	HCPL-TTF1-60	\$880.00
	 HCPL-TTF1-60  Features - Includes one polyester mesh shade, acrylic body and 6' fabric cord. - Fully dimmable LED light controlled by in-line rotary dimmer. 13 watts. Specification Tip - For use with 120 volt 60 hertz electrical system. To Order, Specify: 1) Product number. 2) Trim color. TR-T40 Charcoal Shade, Charcoal Body TR-T41 Silver Shade, Clear Body TR-T42 White Shade, Charcoal Body TR-T43 White Shade, Clear Body				


Lighting — Haworth Collection

UMA

	Number	Price
Audio Lantern	HCPL-UMT2-11	\$479.00
 HCPL-UMT2-11 	Features - Includes one battery powered light with polycarbonate lens, steel grille and silicone feet, two interchangeable leather handles (one grey and one tan) and storage bag. - Portable and rechargeable. - Battery Life - 8 hours - Charging time - up to 3.5 hours - Bluetooth connectivity provides 360° sound with touch sensitive volume control. - Intuitive full range light control dial adjusts warm dim LED technology. - Storage bag is cotton with a leather drawstring. - Light is 6"(152mm) in diameter at the base and 11"(279mm) high (leather handle adds 2.25"(57mm) to height.) 4.2 watts (light), 12 watts (speakers).	To Order, Specify: Product number.
	Specification Tip For use with 120 volt 60 hertz electrical system.	

Mobile Screens

Translucent Insert



NBFS-X

Height	Width	Number	White	
			A	B
53"(1346mm)	36"(914mm)	NBFS-5336-X	\$1562.67	\$1591.01
	48"(1219mm)	NBFS-5348-X	1814.49	1848.49
64"(1626mm)	36"(914mm)	NBFS-6436-X	\$1716.56	\$1747.73
	48"(1219mm)	NBFS-6448-X	2024.34	2061.17


- Features**
- Includes frame, translucent insert, and attachment hardware.
 - Attachment hardware is clear.
 - 4"(102mm) wheels are non-locking. Standard in black finish color only.
 - Screens are non-load bearing.
 - Screens have no acoustical or writable properties.
 - Screens are shipped unassembled.

- To Order, Specify:**
- 1) Product number.
 - 2) Translucent color/pattern.
 - 3) Trim color for frame.


- Specification Tips**
- 53"(1346mm) high freestanding screens have 20"(508mm) wheel span centered on 1.25"(32mm) thick frame.
 - 64"(1626mm) high freestanding screens have 24"(610mm) wheel span centered on 1.25"(32mm) thick frame.
 - Clearance height is 17.375"(441mm).

Monitor Arms — Haworth

	Description	Number	Price
Adjustable Post Arm	Single Arm	KU5M-0000-1NNN	\$ 606.72
	Double Arm	KU5M-0000-2NNN	1011.19



KU5M-1NNN



KU5M-2NNN

GSA: Open Market

Features

- Includes one single or double Monitor Arm with quick connect bracket, desk clamp and grommet mount.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
 - Extension 24”(610mm)
 - Height Adjustment range: 13”(330mm) counter balance adjustable arm and 9”(229mm) post adjustment.
 - Joint rotation 360° at three joints
 - Pivots from landscape to portrait positions
 - 180° of tilt
 - 180° of side to side movement
- Double arm will displays screens up to 35”(889mm).
- Displays screens 5-20 lbs per Monitor Arm.
- Double Monitor Arms attach to central post.
- Monitor Arms available in supplier silver, black, white, or polished.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

TR-SR	Silver
TR-BA	Black
TR-OW	White
TR-PD	Polished


Specification Tips

- Certified VESA plate includes 75mm and 100mm hole patterns.
- For additional monitor arms options see Ergotron Monitor Arms.

Extend Arm	Single Arm	KU6M-0000-1NNN	\$337.06
	Double Arm	KU6M-0000-2NNN	606.70



KU6M-1NNN



KU6M-2NNN

SIN 33721;
Discount Group XIII

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
 - Extension 26”(660mm)
 - Height Adjustment range: 13”(330mm)
 - Joint rotation 360° at three joints
 - Pivots from landscape to portrait positions
 - 180° degrees of tilt
 - 180° of side to side movement
- Double arm will displays screens up to 35”(889mm).
- Displays screens up to 2 lbs – 14 lbs per arm.
- Double Monitors Arms attach to central post.
- Monitor Arms available in supplier silver, black, or white.

To Order, Specify:



- 1) Product number.
- 2) Trim color.

TR-SR	Silver
TR-BA	Black
TR-OW	White

Specification Tips

- Certified VESA plate includes 75mm x 75mm and 100mm x 100mm hole patterns.
- For additional monitor arms options see Ergotron Monitor Arms.

Monitor Arms — Haworth

	Description	Number	Price
Adjustable Post Arm – for Use with Intuity Benching  KU5M-1NNB  KU5M-2NNB GSA: Open Market	Single Arm	KU5M-0000-1NNB	\$ 606.72
	Double Arm	KU5M-0000-2NNB	1011.19
Features - Includes one single or double Monitor Arm with desk clamp and grommet mount. - Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position. - Allows for installation of one or two flat-screen monitors above worksurface. - Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench. - Integrated cord management. - Monitor Arms: –Extension 24”(610mm) –Height Adjustment range: 13”(330mm) counter balance adjustable arm and 9”(229mm) post adjustment for a maximum height adjustment of 15.5”(394mm) –Joint rotation 360° at three joints –Pivots from landscape to portrait positions –180° of tilt –180° of side to side movement - Double arm will displays screens up to 35”(889mm). - Displays screens 5-20 lbs per Monitor Arm. - Double Monitor Arms attach to central post. - Monitor Arms available in supplier silver, black, white, or polished.			
Specification Tips - Intuity desk clamp can mount to 1.19”(30mm) thick worksurfaces. - Certified VESA plate includes 75mm and 100mm hole patterns.			

To Order, Specify:



- 1) Product number.
- 2) Trim color.

TR-SR Silver

TR-0BA Black

TR-0WH White

TR-PD Polished

Extend Arm – For Use with Intuity Benching  KU6M-1NNB  KU6M-2NNB SIN 33721; Discount Group XIII	Single Arm	KU6M-0000-1NNB	\$337.06
	Double Arm	KU6M-0000-2NNB	606.70
Features - Includes one single or double Monitor Arm with desk clamp and grommet mount. - Allows for installation of one or two flat-screen monitors above worksurface. - Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench. - Integrated cord management. - Monitor Arms: –Extension 26”(660mm) –Height Adjustment range: 13”(330mm) –Joint rotation 360° at three joints –Pivots from landscape to portrait positions –180° of tilt –180° of side to side movement - Double arm will displays screens up to 35”(889mm). - Displays screens up to 2 lbs. – 14 lbs. - Double Monitors Arms attach to central post. - Monitor Arms available in supplier silver, black, or white.			
Specification Tips - Intuity desk clamp can mount to 1.19”(30mm) thick worksurfaces. - Certified VESA plate includes 75mm and 100mm hole patterns.			

To Order, Specify:

- 1) Product number.
- 2) Trim color.


TR-SR Silver

TR-0BA Black


TR-0WH White

Monitor Arms — Haworth

	Description	Number	Price
Adjustable Post Arm – for Use with Reside Desking	Single Arm	KU5M-0000-1NNK	\$ 606.72
	Double Arm	KU5M-0000-2NNK	1011.19



KU5M-1NNK

KU5M-2NNK
GSA: Open Market

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
 - Extension 24”(610mm)
 - Height Adjustment range: 13”(330mm) counter balance adjustable arm and 9”(229mm) post adjustment for a maximum height adjustment of 15.5”(394mm)
 - Joint rotation 360° at three joints
 - Pivots from landscape to portrait positions
 - 180° of tilt
 - 180° of side to side movement
- Double arm will displays screens up to 35”(889mm).
- Displays screens 5-20 lbs per Monitor Arm.
- Double Monitor Arms attach to central post.
- Monitor Arms available in supplier silver, black, white, or polished.

To Order, Specify:


- Product number.
- Trim color.

TR-SR	Silver
TR-0BA	Black
TR-0WH	White
TR-PD	Polished


Specification Tips

- Reside desk clamp can mount to 1.19”(30mm) thick worksurfaces.
- Certified VESA plate includes 75mm and 100mm hole patterns.

Extend Arm — For Use with Reside Desking	Single Arm	KU6M-0000-1NNK	\$337.06
	Double Arm	KU6M-0000-2NNK	606.70



KU6M-1NNK

KU6M-2NNK
SIN 33721;
Discount Group XIII

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
 - Extension 26”(660mm)
 - Height Adjustment range: 13”(330mm)
 - Joint rotation 360° at three joints
 - Pivots from landscape to portrait positions
 - 180° of tilt
 - 180° of side to side movement
- Double arm will displays screens up to 35”(889mm).
- Displays screens up to 2 lbs. – 14 lbs.
- Double Monitors Arms attach to central post.
- Monitor Arms available in supplier silver, black, or white.

To Order, Specify:


- Product number.
- Trim color.

TR-SR	Silver
TR-0BA	Black
TR-0WH	White

Specification Tips

- Reside desk clamp can mount to 1.19”(30mm) thick worksurfaces.
- Certified VESA plate includes 75mm and 100mm hole patterns.

Monitor Arms — Haworth

	Height	Width	Number	Price
iPad Attachment	7.88"(200mm)	8"(203mm)	KU6T-0000	\$337.06
	Features - Includes one steel tablet holder with cutouts and mounting hardware. - Works with tablets size 6.75"-7.5"(171-191mm) wide and at least 7"(178mm) high with a 0.5"(13mm) maximum thickness. - Mounts directly onto the Extend Arm with standard VESA 100mm connection. - Rotates from landscape orientation to portrait orientation. - Cutouts allow for use of cables.		To Order, Specify: - Product number. - Trim color. - TR-SR Silver - TR-OF Black - TR-OW White	
	Specification Tips - Designed to be used with Extend Arm. - iPad not included.			

KU6T

Pip

Personal Laptop Table



STP-P26-TH

Height	Depth	Width	Number		Painted MDF	White Oak	Walnut
			①	②			
26" (660mm)	13" (330mm)	21.25" (540mm)	STP-	26-T	\$591.56	\$1075.06	\$1208.74

Features

- Includes table top, base and hardware.
- Top available in painted MDF or planked wood in White Oak or Walnut.
- Wood tops are designed to be unique using solid wood planks with a clear, low-gloss finish showing natural variation.
- Base: Painted aluminum support plate and column with painted steel base plate.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

① Surface Material:

- P** Painted MDF
W Planked Wood


② Glide Type:

- H** Hard Plastic
F Felt

2) Top surface and color.

3) Base trim color.

Recycling Solutions



JRPY-3948
Class FM – SIN 33721,
Discount Group XII

Height	Depth	Width	Number	Painted A	B
39.5"(1003mm)	18.75"(476mm)	48"(1219mm)	JRPY-3948-SJAN	\$4234.40	\$4466.89


Features

- Includes:
 - Painted steel cabinet and top with three 11"(279mm) x 6"(152mm) openings.
 - Non-locking hinged doors
 - Clear acrylic overlay for top
 - 3 removable Rubbermaid recycle bins
- Acrylic top has specific cleaning requirements. Please follow cleaning guidelines found in Haworth's Care and Maintenance Standards.

To Order, Specify:

- Product number.
- Trim color.

Recycling/Trash Bin



KURB
Class YA – SIN 33721,
Discount Group XIII

Nominal Height	Nominal Depth	Nominal Width	Number	Price
9"(229mm)	12.5"(318mm)	6.5"(165mm)	KURB-0912	\$221.63

Features

- Includes one plastic bin with removable plastic divider.
- Can be used with Recycle Bin Carriage for Reside or suspended from hanging rails in X Series, V Series, A Series, Beside, Compose and Masters Series pedestals and lateral filing drawers.
- Recycling/Trash Bin can be easily removed from carriage or drawer body to dispose of waste contents.
- Not designed to be freestanding.
- Available in Snow only.
- The removable divider subdivides the space into nominal 4.25"(108mm) and 1.5"(38mm) sections.


To Order, Specify:

- Product number.
(No finish specification required.)

Specification Tip

- Cannot accommodate hanging files.

Recycle Bin Carriage



KURD
Class YA – GSA: Open Market

Description	Depth	Width	Number	Trim A	B
For use with Reside	15.34"(390mm)	8.35"(212mm)	KURD-0000	\$249.98	\$265.93

Features

- Includes one painted metal carriage with steel ball bearing slides and attachment bracket.
- Full extension carriage.
- To be used with separately specified Recycling/Trash Bin.
- Attaches to underside of Reside worksurface between support beams.
- Carriage plus Recycling/Trash Bin suspends 12.5"(318mm) underneath worksurface.
- To accommodate the support beams, there will be a 2"(51mm) gap from the underside of the worksurface to the top of the carriage.

To Order, Specify:

- Product number.
- Trim color.


Specification Tips

- For use with Reside Rectangular worksurfaces only; mechanism is not designed for use with any other worksurface platform.
- Carriage requires separately specified Recycling/Trash Bin; not intended to house any other inserts/bins.


Storage Accessories

Lateral File Drawer Insert

Drawer Insert



KJFI-00XX-D



KFI-00XX-B

Description	Height	Depth	Width	Number	Price
Deluxe Drawer Insert					
	5"(127mm)	14"(356mm)	30"(762mm)	KJFI-0030-D	\$292.90
	5"(127mm)	14"(356mm)	36"(914mm)	KJFI-0036-D	313.62
	5"(127mm)	14"(356mm)	42"(1067mm)	KJFI-0042-D	334.34
Base Option Insert					
	5"(127mm)	14"(356mm)	30"(762mm)	KJFI-0030-B	\$225.19
	5"(127mm)	14"(356mm)	36"(914mm)	KJFI-0036-B	245.91
	5"(127mm)	14"(356mm)	42"(1067mm)	KJFI-0042-B	266.63

Features

- Includes drawer insert that subdivides a 12"(305mm) high lateral file drawer into two 6"(152mm) deep compartments.
- For use in X Series and V Series 12"(305mm) high lateral file drawers.**
- Drawer Insert is 5"(127mm) shallower than file drawer allowing the Drawer Insert to slide from front-to-back to access contents in the lower compartment.
- Deluxe Drawer Insert:
 - Includes: Drawer Insert, Drawer Liner, three dividers and one PDA Tray with ring subdivision.
 - Drawer Insert available in Accent Red (TR-1F) or Smoke (TR-E).
- Base Option Insert:
 - Includes: Drawer insert only.
 - Available in black only.
- Drawer Insert and PDA Tray have cut outs/grommets to allow for low voltage cable routing. Lateral files can be modified in the field to accommodate routing of cables to access building power.
- PDA Tray, rings and dividers are plastic in Snow trim color.

To Order, Specify:

- Product number.
- Trim color (Deluxe Drawer Insert only)

TR-1F	Accent Red
TR-E	Smoke


Specification Tips


- Drawer Insert cannot be used in lateral files that have full backs on the drawer body. (ex. Beside, Compose Storage, Master Series)
- Drawer Insert cannot be used in lateral files with individually locking drawers.
- Top lateral file drawer, or only file drawer, of an X Series combination unit will not accommodate a Drawer Insert; the remaining positions are able to accommodate the Drawer Insert.
- Top lateral file drawer in an X Series Lateral File with sliding or hinge doors cannot accommodate a Drawer Insert; the remaining positions are able to accommodate the Drawer Insert.
- Drawer Insert cannot be used in a drawer with a receding door.
- PDA Tray is designed to slide side-to-side along the Drawer Insert front and back panels allowing access to drawer contents below the PDA Tray.


Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.


Storage Accessories

Lateral File Drawer Insert

		Number	Price
PDA Tray  KJTY-12 GSA: SIN 33721; Discount Group XIII			
	Features - Includes one rectangular PDA tray, one small ring, and one large ring. - PDA Tray: - Outside dimensions - 1.38"(35mm)H x 11.75"(298mm)W x 16.12"(409mm)L - Inside dimensions - 1.25"(32mm)H x 11.5(292mm)"W x 12.87"(327mm)L - Small ring: - Outside dimensions - 1"(25mm)H x 5.55"(141mm)W x 5.55"(141mm)L - Large ring: - Outside dimensions - 1"(25mm)H x 5.98"(152mm)W x 11.43"(290mm)L - PDA Tray has cutouts to allow for low voltage cable management. - PDA Tray and rings are plastic. - Standard in Snow trim.	To Order, Specify: 1) Product number. (No finish specification required.)	
Specification Tips - PDA Tray designed to be used with the Drawer Insert or as a stand alone accessory in X Series, V Series, Masters Series and Compose Storage file drawers. - Designed to slide side-to-side along the Drawer Insert front and back panels, or hanging bars in file drawers, allowing access to drawer contents below the PDA Tray. - Files cannot be hung in lateral file drawers when using the PDA Tray. Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.			


		Height	Depth	Number	Price	
Dividers  KDV GSA: Open Market			3.4"(86mm)	14.97"(390mm)	KDV-0000	\$36.26
	Features - Includes set of three plastic dividers. - Designed to be used with the Drawer Insert. - Standard in Snow trim. Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.		To Order, Specify: 1) Product number. (No finish specification required.)			

		Height	Depth	Width	Number	Price	
Personal Tray  KJTY-10 GSA: Open Market			1.38"(35mm)	5.88"(149mm)	12.87"(327mm)	KJTY-10	\$33.61
	Features - Includes one rectangle plastic tray. - Outside dimensions: 1.38"(35mm)H x 5.88"(149mm)W x 12.87"(327mm)L - Inside dimensions: 1.25"(32mm)H x 5.63"(143mm)W x 11.5"(292mm)L - Can be hung between the separately specified dividers of the Drawer Insert. - Can be used as a freestanding accessory in X Series and V Series lateral files, X Series Pedestal, Beside 12"(305mm) drawers, Masters Series Pedestal and Compose Storage Pedestal. - Standard in Snow trim. Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.		To Order, Specify: 1) Product number. (No finish specification required.)				

		Height	Depth	Width	Number	Price	
Pencil Tray  KJTY-9 GSA: SIN 33721; Discount Group XIII			1.25"(32mm)	5.5"(140mm)	16.3"(414mm)	KJTY-9	\$44.76
	Features - Includes one plastic tray. - Suspends from sides of the Drawer Insert; X Series, V Series hanging bars; Masters Series 6"(152mm) drawer. - Standard in Snow trim.		To Order, Specify: 1) Product number. (No finish specification required.)				
Specification Tip Files cannot be hung in X Series and V Series lateral file drawers when using the Pencil tray.							

Wire Management

Cord Manager — Mesh



EUAW-0000-NHS
Class YA – SIN 33721,
Discount Group XIII

Diameter	Length	Mesh Color	Number	Price
1"(25mm)	100'(30480mm)	Black	EUAW-0000-NHS	\$775.26
		Grey	EUAW-0000-NHSG	775.26
		Orange	EUAW-0000-NHSO	775.26
		White	EUAW-0000-NHSW	775.26
2"(51mm)	50'(15240mm)	Black	EUAW-0000-NHL	\$775.26
		Grey	EUAW-0000-NHLG	775.26
		Orange	EUAW-0000-NHLO	775.26
		White	EUAW-0000-NHLW	775.26

Features

- Includes flexible mesh cord manager.
- Available in black, grey, orange and white.
- Field cut to length.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Wraps around and manages power cords and data cables.

Cable Chain



EAAW-0000-H
Class YA – SIN 33721,
Discount Group XIII

Height	Width	Actual Length	Installed Length	Number	Price
0.75"(19mm)	2.25"(58mm)	40"(1016mm)	36"(914mm)	EAAW-0000-H	\$236.29

Features

- Includes 36"(914mm) active length cable chain and mounting hardware.
- Color black only.
- Mounts to cable trough and underside of worksurface to contain power cords/data cables that are routed from the cable tray to the worksurface.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Holds up to three power cords and two data cables.

Compose Connections Cable Chain



EUAW-4000-V
Class YA – SIN 33721,
Discount Group XIII

0.75"(19mm)	2.25"(58mm)	40"(1016mm)	36"(914mm)	EUAW-4000-V	\$307.96
-------------	-------------	-------------	------------	-------------	-----------------

Features

- Includes grommet, grommet backer plate, cable chain, bracket to mount to adjacent table and mounting hardware.
- Color black only.
- Mounts to tile and underside of adjacent worksurface to contain power cords and data cables that are routed from inside Compose Connections panel to an adjacent worksurface.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Holds up to three power cords and two data cables.

Vertical Cable Chain



EUAW-3100-NV
Class YA – SIN 33721,
Discount Group XIII

Description	Number	Trim A	Trim B
31"(787mm) cable chain	EUAW-3100-NV	\$215.73	\$222.49

Features

- Includes cable chain and attachment hardware (2 screws).
- Bottom cable chain link is weighted.
- Available in translucent material only.
- Chain is clear translucent. Weight is painted as specified.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tip

- Not designed to be used with 36"(914mm) and 42"(1067mm) high tables.

Wire Management

	Length	Height	Width	Description	Number	Price
--	--------	--------	-------	-------------	--------	-------

J-Channel



4TJC-72

Class TA – SIN 33721;
Discount Group X


Features

- Includes J-Channel and mounting hardware.
- Field-installed.
- Provides wire management below table tops.
- Attaches to the underside of the table top with screws.
- J-channel to be field cut to length.
- Available in black finish color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Conduit Clamp



EUAM-0000

Class YA – SIN 33721
Discount Group XIII


Features

- Includes 25 clamps and 25 screws.
- For managing Power Tap cord or conduit under horizontal surfaces.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Wire Management Loop



NEH-8

Class CA – SIN 33721;
Discount Group I

Width

2.75"(70mm)

Installed Height

3.25"(83mm)

Number

NEH-8

Price

\$47.52


Features

- Includes box of eight wire management loops.
- Manages and stores wires or cables through loops attached to horizontal surface.
- Threaded top allows installation anywhere under horizontal surfaces in recommended 18"(457mm) intervals.
- Wire management loop is 2"(51mm) in diameter with 3.1 sq. in.(2000mm²) of cross section area.
- Standard in charcoal trim color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Wire Manager Clips



TA01-0225

Class TA – SIN 33721;
Discount Group X

Features

- Includes ten wire manager clips and screws.
- Standard in black plastic.
- Field installed.

Specification Tip

- Specify for cord management as needed.

Number


TA01-0225

Price

\$24.83

Wire Management

	Length	Clips	Number	Price
Wire Manager — Horizontal	48"(1219mm)	2	EUAW-0048-NH	\$160.22
	72"(1829mm)	3	EUAW-0072-NH	240.33
	96"(2438mm)	3	EUAW-0096-NH	320.45
	120"(3048mm)	4	EUAW-00C0-NH	400.43



EUAW-NH

Class PT – SIN 33721;
Discount Group IX**Features**

- Includes one wire manager and attachment clips.
- Standard in light platinum.
- Field installed.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tip

- Manages and stores wire and cables under horizontal surfaces.

	Length	Depth	Number	Price
Horizontal Wire Management	15"(381mm)	2"(51mm)	WUAW-1500-PNH	\$187.09



WUAW-PNH


Class CA – SIN 33721;
Discount Group I**Features**

- Includes ten plastic wire managers and attachment hardware.
- Manages and stores wires or cables under horizontal surface.
- Standard in charcoal trim color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Height	Depth	Width	Number	Price
Vertical Cable Guide	0.75"(19mm)	0.5"(13mm)	3"(76mm)	NECG-V	\$65.94



NECG-V


Class FA – SIN 33721
Discount Group XI**Features**

- Includes package of twelve cable guides.
- Manages communication cables.
- Self-adhesive back attaches to the top or bottom of horizontal surface.
- Standard in gray trim color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Length	Application	Number	Price
Wire Management Trough	24"(610mm)	Stationary/Flip-Top Tables Only	KWT-24	\$ 52.81
	30"(762mm)		KWT-30	64.37
	36"(914mm)		KWT-36	75.93
	42"(1067mm)		KWT-42	87.49
	48"(1219mm)		KWT-48	99.05
	54"(1372mm)		KWT-54	110.61
	60"(1524mm)		KWT-60	122.17
	66"(1676mm)		KWT-66	133.73
	72"(1829mm)		KWT-72	145.29



KWT

Class TA – SIN 33721;
Discount Group X**Features**

- Wire management trough for use with stationary and flip-top tables only, with or without modesty panels.
- Wire management trough attaches to underside of rectangle tables for storage of electronic equipment wiring and cabling.
- Field-attached.
- Wire management trough must be specified 6"(152mm) shorter than the table width.
- Standard in Charcoal finish only.


To Order, Specify:

- 1) Product number.
(No finish specification required.)



Wire Management

	Width	Number	Price
Wire Management Basket	18"(457mm)	TAWB-0918	\$133.84
	24"(610mm)	TAWB-0924	140.59
	36"(914mm)	TAWB-0936	154.04




TAWB
Class TA – GSA: Open Market

- Features**
- Includes one basket, four brackets and attachment hardware.
 - Standard in black.
 - Basket is 8.5"(203mm) deep x 3.5"(76mm) high. With mounting hardware overall height is 4.94"(102mm) and depth is 10.82"(254mm).
 - Accessible from both sides.
 - Basket detaches without tools.

- Specification Tips**
- Verify mounting clearance with table understructure.
 - Separately specify covers.

- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

	Width	Number	Price
Basket Cover	18"(457mm)	TABC-0918	\$39.48
	24"(610mm)	TABC-0924	53.03
	36"(914mm)	TABC-0936	\$80.05




TABC
(Two covers shown)
Class TA – GSA: Open Market

- Feature**
- Includes one painted cover.

- Specification Tips**
- Designed to be used with wire management basket. Up to two can be installed.
 - Order to match wire management basket width.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color.
- Note:** \$12.40 upcharge list for Metallic and Accent trim colors.

	For Use With	Height	Width	Number	Trim A	B
Vertical Wire Channel - Leg Attached	28" Frame	25.7"(635mm)	1.17"(25mm)	TYVW-2601-P	\$81.82	\$86.64
	40" Frame	37.7"(940mm)	1.17"(25mm)	TYVW-3801-P	\$86.07	\$93.09



TYVW
Class CL – GSA: Open Market


- Feature**
- Includes wire manager and attachment screws.

- Specification Tips**
- Order correct model for table height.
 - Add additional Vertical Wire Channels if cord number exceeds three cords.
 - Accommodates 2-3 cords/cables (depending on cable diameter) or one 0.5" Flexible Conduit.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color.

Wire Management

	Length	Number	Price
Planes C-Leg Training Table Vertical Wire Manager	16"(406mm)	TA01-0228-F	\$45.92



TA01-0228-F

Class TA – SIN 33721;
Discount Group X**Features**

- Includes one plastic wire manager.
- Standard in black.
- Field installed.

Specification Tips

- For use on Planes C-Leg Training Tables for wire management.
- Snaps into top portion of C-leg base.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Description	Length	Number	Price
Compose Task Light Cord Manager	Wire Manager, Vertical	17"(432mm)	VZAW-0000-V	\$195.50



VZAW-0000-V


Class BC – SIN 33721;
Discount Group XI**Features**

- Includes package of 10.
- Vertical wire manager conceals task light cord.
- Attaches into Compose panel frame slots.
- Black finish only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Height	Depth	Width	Number	Price
PREMISE Vertical Wire Manager	60"(1524mm)	0.625"(16mm)	1"(25mm)	NEV-1	\$61.35



NEV-1

Class FA – SIN 33721;
Discount Group XI**Features**

- Includes one vertical wire manager and six attachment clips.
- Guides wires or cables vertically from base raceway to worksurface or from worksurface to overhead storage unit or shelf.
- Two wire managers will fit in a single set of panel slots.

Specification Tips


- May be field cut to appropriate length. Requires two attachment clips per field cut section.
- Wire manager may be installed in same connector slots with shared or handed cantilever support.
- Attached into PREMISE panel frame slots.

To Order, Specify:

- 1) Product number.
- 2) Trim color (standard trim only).

Wire Management

	Height	Inside Diameter	Number	Price
PREMISE Task Light Cord Manager	17.5"(444mm)	0.43"(11mm)	NEV-2	\$148.75



NEV-2

Class FA – SIN 33721;
Discount Group XI

Features

- Includes ten vertical wire managers.
- Vertically routes and conceals cords along panel surface above or below the worksurface.
- Wire manager, NEV-2, extends 0.5"(13mm) from panel surface.
- Standard in black trim only.


Specification Tips

- Suggested application: use to conceal single task light cord between overhead storage and worksurface.
- May be field cut to appropriate size.
- For NEV-2, panel connectors slots will accommodate a wire manager and one adjacent panel mounted component.
- Attached into PREMISE panel frame slots.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Height	Inside Diameter	Number	Price
UniGroup Too, UniGroup and PLACES Task Light Wire Manager	17.5"(444mm)	0.43"(11mm)	WC-17	\$130.64



WC-17

Class AA – SIN 33721;
Discount Group I

Features

- Includes ten vertical wire managers.
- Vertically routes and conceals cords along panel surface above or below the worksurface.
- Wire manager extends 0.5"(13mm) from panel surface.
- Standard in black finish only.


Specification Tips

- Suggested application: use to conceal single task light cord between overhead storage and worksurface.
- May be field cut to appropriate size.
- Insert into panel side rail reveals.
- Panel side rails will not accommodate multiple components in the same location.
- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Height	Depth	Width	Number	Price
UniGroup Too, UniGroup and PLACES Wire Manager	72"(1829mm)	0.75"(19mm)	0.75"(19mm)	WC-6	\$34.22



WC-6

Class AA – SIN 33721;
Discount Group I

Features

- Includes field-cuttable channel.
- Guides wires or cables vertically.
- Inserts into the panel side rail reveals.
- Not available for use in the city of Los Angeles.



Specification Tip

- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Wire Management

	Height	Depth	Width	Number	Laminate A	B	Wood Group A	Group B
Cable Base  TA01-0814  TA01-1414	Laminate							
	28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-L	\$678.53	\$732.96		
		14"(356mm)	14"(356mm)	TA01-1414-L	722.77	780.98		
	Wood							
	28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-W			\$1146.93	\$1181.12
		14"(356mm)	14"(356mm)	TA01-1414-W			1224.91	1276.74

Features

- Includes 28"(711mm) high cable base and mounting hardware.
- Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband.
- Provides internal cable management with removable panels for access.
- Standard in green core.
- Bracket is standard in charcoal.
- Includes 1"(25mm) adjustable glides.
- Ships assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.

Specification Tips

- Refer to Specification Guide for use guidelines.
- **Cable base not recommended for use with 30"(762mm) deep tables, half round tables, polygon tables or Y-leg tables or 36"(914mm) deep tables with (M) or (Q) flip top unit cutout options.**
- Specify 8"(203mm) x 14"(356mm) cable base for 36"(914mm) deep tables.
- Specify 14"(356mm) x 14"(356mm) cable base for 42"(1067mm) deep and deeper tables.
- One and two-piece table tops – one cable base.
- Three-piece table tops – two cable bases.
- Cable base cord access:
 - 1.5"(38mm) at top
 - adjustable side panels allow 1"(25mm) gap at bottom edges
 - 8"(203mm) depth base has a 3"(76mm) deep cutout in bottom;
 - 14"(356mm) depth base has an 8"(203mm) deep cutout in bottom.

The following Planes products are separately specified:

- Horizontal wire management

	Height	Depth	Width	Number	Price
Cable Column  TA01-0217	28"(711mm)	2"(51mm)	4.5"(114mm)	TA01-0217	\$246.31

Features

- Cable Column offers a wire management option for conference tables when the Cable Base Option cannot be used.
- Includes one Cable Column with mounting hardware for attaching to underside of table.
- Hardware for attaching Cable Column to floor is field supplied.
- Ships unassembled.


To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tips

- Cable Column attaches to underside of table, extends to the floor where it is also attached.
- Cable Column is not load bearing and does not replace table leg(s).
- Cable Column can be installed anywhere under a conference table unless it would interfere with table legs, Horizontal Wire Manager or Flip Top Power/Data Units.
- The Cable Column can be used with the Horizontal Wire Manager for cable management.

Work Tools — Mounting


	Height	Width	Number	Trim A	B
Wall Accessory Slat Pad – For Use with PREMISE	16"(406mm)	24"(610mm)	NAPY-1624	\$331.09	\$370.57
		30"(762mm)	NAPY-1630	372.09	411.57
		36"(914mm)	NAPY-1636	413.09	452.57
		42"(1067mm)	NAPY-1642	454.09	493.57
		48"(1219mm)	NAPY-1648	495.09	534.57
		60"(1524mm)	NAPY-1660	577.09	616.57
					
NAPY Class FA – SIN 33721; Discount Group XI					
Features			To Order, Specify:		
- Includes one pad and attachment brackets. - Assembled stack pad thickness is 0.375"(10mm).			1) Product number. 2) Trim color.		
Specification Tips					
- To be installed in connector slots on same size panel or on a combination of panels that equal the pad width. - Designed to work with Jump Stuff and Belong slat pad tools. - For use with PREMISE wall track only.					

Slat, Wall Mount



KUPY


Class CA – SIN 33721;
Discount Group I

	Nominal Height	Width	Number	Trim A	B
	16"(406mm)	18"(457mm)	KUPY-1618	\$296.21	\$301.71
		24"(610mm)	KUPY-1624	320.66	327.53
		30"(762mm)	KUPY-1630	345.11	353.35
		36"(914mm)	KUPY-1636	369.56	379.17
		42"(1067mm)	KUPY-1642	394.01	404.99
		48"(1219mm)	KUPY-1648	418.46	430.81
		54"(1372mm)	KUPY-1654	442.91	456.63
		60"(1524mm)	KUPY-1660	467.36	482.45
					
Features			To Order, Specify:		
- Includes slat tile & attachment brackets for structural wall. - Belong and Jump Stuff work tools may be used; separately specified.			1) Product number. 2) Trim color.		
Specification Tips					
- Designed to be used under wall mounted overhead storage units. - Allows space for task light cord routing. Not for use with wall track.					

Work Tools — Mounting

Belong

Single Side



KUR1-0424-PZN

Height	Depth	Width	Number	Trim A	B
Compose					
4"(102mm)	1"(25mm)	24"(610mm)	KUR1-0424-PZN	\$176.17	\$191.14
		30"(762mm)	KUR1-0430-PZN	188.89	205.22
		36"(914mm)	KUR1-0436-PZN	201.61	219.30
		42"(1067mm)	KUR1-0442-PZN	214.33	233.38
		48"(1219mm)	KUR1-0448-PZN	227.05	247.46
		54"(1372mm)	KUR1-0454-PZN	239.77	261.54
		60"(1524mm)	KUR1-0460-PZN	343.70	366.83
PREMISE					
4"(102mm)	1"(25mm)	24"(610mm)	KUR1-0424-PNN	\$176.17	\$191.14
		30"(762mm)	KUR1-0430-PNN	188.89	205.22
		36"(914mm)	KUR1-0436-PNN	201.61	219.30
		42"(1067mm)	KUR1-0442-PNN	214.33	233.38
		48"(1219mm)	KUR1-0448-PNN	227.05	247.46
		60"(1524mm)	KUR1-0460-PNN	343.70	366.83
UniGroup					
4"(102mm)	1"(25mm)	24"(610mm)	KUR1-0424-PEN	\$176.17	\$191.14
		30"(762mm)	KUR1-0430-PEN	188.89	205.22
		36"(914mm)	KUR1-0436-PEN	201.61	219.30
		42"(1067mm)	KUR1-0442-PEN	214.33	233.38
		48"(1219mm)	KUR1-0448-PEN	227.05	247.46
		60"(1524mm)	KUR1-0460-PEN	343.70	366.83

Features

- Includes one rail with panel attachment brackets.
- Mounts to panel side trim rails/connectors/slotted frame/wall track to support rail tools.
- Tool Rail is 0.625"(16mm) thick; brackets provide 0.375"(10mm) gap for cord management.
- Belong and Jump Stuff work tools may be used; separately specified.

Specification Tips

- **Supports maximum load of 40 pounds of Paper Management evenly distributed.**
- Panel mounted rail may span one or more panels equivalent to rail width.
- Recommended mounting position is approximately 9"(229mm) above worksurface.
- Rail is for use with specific product lines: Compose®, PREMISE® and UniGroup Too®.


To Order, Specify:

- 1) Product number.
- 2) Trim Color for rail/brackets (product line specific; refer to appropriate price list).

Work Tools — Mounting

Belong

Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount



Rail Height	Width	Description	Number	Trim A	B
1.19" (30mm) Thick Top					
4" (102mm)	24" (610mm)	C-Clamp	KUR1-1224-CSN	\$333.51	\$348.48
	30" (762mm)		KUR1-1230-CSN	351.21	367.54
	36" (914mm)		KUR1-1236-CSN	368.91	386.60
	42" (1067mm)		KUR1-1242-CSN	386.61	405.66
	48" (1219mm)		KUR1-1248-CSN	404.31	424.72
	54" (1372mm)		KUR1-1254-CSN	422.01	443.78
	60" (1524mm)		KUR1-1260-CSN	530.92	554.05
2" (51mm) Thick Top					
4" (102mm)	24" (610mm)	C-Clamp	KUR1-1224-CMN	\$333.51	\$348.48
	30" (762mm)		KUR1-1230-CMN	351.21	367.54
	36" (914mm)		KUR1-1236-CMN	368.91	386.60
	42" (1067mm)		KUR1-1242-CMN	386.61	405.66
	48" (1219mm)		KUR1-1248-CMN	404.31	424.72
	54" (1372mm)		KUR1-1254-CMN	422.01	443.78
	60" (1524mm)		KUR1-1260-CMN	530.92	554.05
1.19" (30mm) Thick Top					
4" (102mm)	24" (610mm)	Thru-mount	KUR1-1224-TSN	\$333.51	\$348.48
	30" (762mm)		KUR1-1230-TSN	351.21	367.54
	36" (914mm)		KUR1-1236-TSN	368.91	386.60
	42" (1067mm)		KUR1-1242-TSN	386.61	405.66
	48" (1219mm)		KUR1-1248-TSN	404.31	424.72
	54" (1372mm)		KUR1-1254-TSN	422.01	443.78
	60" (1524mm)		KUR1-1260-TSN	530.92	554.05
2" (51mm) Thick Top					
4" (102mm)	24" (610mm)	Thru-mount	KUR1-1224-TMN	\$333.51	\$348.48
	30" (762mm)		KUR1-1230-TMN	351.21	367.54
	36" (914mm)		KUR1-1236-TMN	368.91	386.60
	42" (1067mm)		KUR1-1242-TMN	386.61	405.66
	48" (1219mm)		KUR1-1248-TMN	404.31	424.72
	54" (1372mm)		KUR1-1254-TMN	422.01	443.78
	60" (1524mm)		KUR1-1260-TMN	530.92	554.05

Features

- Includes one double sided rail with two posts, two rail end caps and attachment hardware.
- Mounts to horizontal surface to support rail tools.
- 1.19" (30mm) C-clamp Rail mounts on horizontal surfaces from 0.75" (19mm) to 1.75" (44mm) thick.
- Thru-mount Rail mounts on 1.19" (30mm) thick horizontal surfaces.
- Posts are 1.25" (32mm) thick.
- Belong and Jump work tools may be used; separately specified.
- Rail overall height above horizontal surface: 11.81" (300mm).
- Distance between rail bottom and top of horizontal surface: 7.44" (189mm).
- Ships unassembled.

Specification Tips

- Designed for single sided Reside desking and single sided benching applications or Beside base units.
- Not designed to be used in front of panel mounted accessories (tackboard, markerboard).**
- For ease of installation, it is required that tool rail posts are attached to Beside storage top prior to attaching storage top to base unit.
- Tool Rail supports a maximum load of 40 pounds evenly distributed on user side.
- If supporting two monitor arms (up to 13 pounds each); an additional C-clamp or thru-mount post is recommended.
- Rail may be installed off modular.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Thru-mount post can be attached flush to back edge of horizontal surface.
- C-clamp rail can be attached to panel mounted horizontal surface with notch or radius wireways without removing the horizontal surface.
- Under horizontal surface: 4" (102mm) of clearance is necessary between back of horizontal surface and adjacent component for clamp attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.

Note: No more than 6" (152mm) of rail can be extended beyond outside of support.


To Order, Specify:

- Product number.
- Trim color for rail/post.
- Trim color for rail end caps:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Work Tools — Mounting

Belong

Tool Rail — Single Post — C-Clamp or Thru-mount



KUP1-0000-CSN

Post Height	Description	Number	Trim A	B
1.19"(30mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CSN	\$103.44	\$111.60
2"(51mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CMN	\$103.44	\$111.60
1.19"(30mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TSN	\$103.44	\$111.60
2"(51mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TMN	\$103.44	\$111.60

Features

- Includes one C-clamp or one Thru-mount Post and attachment hardware.
- Posts mount on horizontal surfaces 1.19"-2" (30mm-51mm) thick.
- Posts are 1.25" (32mm) thick.

To Order, Specify:

- 1) Product number.
- 2) Trim color.




Specification Tips

- For ease of installation, it is required that tool rail post is attached to Beside storage top prior to attaching storage top to base unit.
- Posts supports slide along rail bottom groove.
- For use with C-clamp or Thru-mount tool rail only.
- Monitor arm cannot be mounted in post position.
- Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.

Work Tools — Mounting

Belong

	Rail Height	Width	Number	Trim A	B
Tool Rail — Under Horizontal Surface Mount — L-Bracket	4"(102mm)	24"(610mm)	KUR1-1224-USN	\$333.51	\$348.48
		30"(762mm)	KUR1-1230-USN	351.21	367.54
		36"(914mm)	KUR1-1236-USN	368.91	386.60
		42"(1067mm)	KUR1-1242-USN	386.61	405.66
		48"(1219mm)	KUR1-1248-USN	404.31	424.72
		54"(1372mm)	KUR1-1254-USN	422.01	443.78
		60"(1524mm)	KUR1-1260-USN	530.92	554.05
		66"(1676mm)	KUR1-1266-USN	560.86	586.71
		72"(1829mm)	KUR1-1272-USN	590.80	616.65
		78"(1981mm)	KUR1-1278-USN	620.74	647.95
		84"(2134mm)	KUR1-1284-USN	650.68	679.25
		90"(2286mm)	KUR1-1290-USN	680.62	710.55
		96"(2438mm)	KUR1-1296-USN	710.56	741.85



KUR1-1224-USN

Features

- One double sided rail with two or three posts, two rail end caps and attachment brackets.
- Rails 66"-96" (1676mm-2438mm) include three posts.
- L-bracket mounts under 1.19" (30mm) thick horizontal surface to support rail tools on both sides.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Rail overall height above horizontal surface: 11.18" (284mm).
- Distance between rail bottom and top of horizontal surface: 7.44" (189mm).
- Post is 1.25" (32mm) thick.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Trim color for rail/post.
- 3) Trim color for rail end caps:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow


Specification Tips

- **Rail with L-bracket or shared bracket mount can only be used in non-panel applications.**
- **Designed for single sided Beside desking and single sided benching applications or Beside base unit.**
- **Tool Rail supports a maximum load of 40 pounds (18.14kg) evenly distributed on user side or supports two monitor arms up to 13 pounds each; additional L-bracket mount post recommended.**
- For use with one Beside base unit or back-to-back base units; L-Bracket Tool Rail is double sided to accommodate Belong work tool accessories on both sides.
- For back-to-back Beside base unit applications, one or two L-Bracket tool rail(s) may be used:
 - One L-Bracket tool rail may be used between base units which results in an aesthetically unbalanced tool rail condition. Both users share a single tool rail. L-Brackets are attached to only one of the two back-to-back Beside storage tops. (Note: KUR2-USN Under Worksurface Mount T-Bracket is not recommended for use with back-to-back base units due to installation issues.)
 - Two back-to-back L-Bracket tool rails may be used between base units for an aesthetically balanced tool rail condition.
 - For a single tool rail application, a 2.8" (71mm) deep filler panel may be used to fill gap between back-to-back units.
 - For two back-to-back tool rails, a 5.1" (130mm) deep filler panel may be used to fill gap between back-to-back base units.
- Tool Rail should be specified 6" (152mm) shorter than screen if both are specified.
- Can be installed off modular.
- Under horizontal surface: 4" (102mm) of clearance is necessary between back of horizontal surface and adjacent component for flat bracket attachment.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Posts mount flush to back edge of horizontal surface.

Note: No more than 6" (152mm) of rail can be extended beyond outside of support.

Work Tools — Mounting

Belong


	Post Height	Number	Trim A	B
Tool Rail — Single Post — L-Bracket Mount 	8.85"(225mm)	KUP1-0000-USN	\$103.44	\$111.60
Features - Includes one under horizontal surface L-Bracket mount post and attachment hardware. - Post is 1.25"(32mm) thick.				
Specification Tips - For use with under horizontal surface mount tool rail. - Single Support Post may interfere with central casting. - Monitor arm cannot be mounted in post position. - Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.				
To Order, Specify: - Product number. - Trim color.				

KUP1-0000-USN

Work Tools — Mounting

Belong

Tool Rail — Single Sided
Continuous Benching End



KUR1-1224-USE

Rail Height	Width	Description	Number	Trim A	B
4"(102mm)	24"(610mm)	End	KUR1-1224-USE	\$333.51	\$348.48
	30"(762mm)		KUR1-1230-USE	351.21	367.54
	36"(914mm)		KUR1-1236-USE	368.91	386.60
	42"(1067mm)		KUR1-1242-USE	386.61	405.66
	48"(1219mm)		KUR1-1248-USE	404.31	424.72
	54"(1372mm)		KUR1-1254-USE	422.01	443.78
	60"(1524mm)		KUR1-1260-USE	530.92	554.05
	66"(1676mm)		KUR1-1266-USE	560.86	586.71
	72"(1829mm)		KUR1-1272-USE	590.80	616.65
	78"(1981mm)		KUR1-1278-USE	620.74	647.95
	84"(2134mm)		KUR1-1284-USE	650.68	679.25
	90"(2286mm)		KUR1-1290-USE	680.62	710.55
	96"(2438mm)		KUR1-1296-USE	710.56	741.85

Features

- One single sided tool rail with one or two posts, one rail end cap and attachment brackets.
- Tool Rails 66"-96" includes two posts.
- Mounts under 1.19"(30mm) thick horizontal surface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above horizontal surface: 11.18"(284mm).
- Distance between tool rail bottom and top of horizontal surface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

Specification Tips

- **Designed for Reside Single Sided Continuous Benching or Beside continuous storage applications only.**
- **For use with another tool rail end or internal tool rail; internal benching single post must be specified.**
- **Tool Rail supports maximum of 40 pounds(18.14kg) evenly distributed on one side.**
- **For continuous benching application, two monitor arms up to 13 pounds each side, requires additional post.**
- **Tool Rail should be specified 6" shorter than screen if both are specified.**
- Can be installed off modular.
- Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.


To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.
- 3) Trim color for tool rail end cap:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Work Tools — Mounting

Belong

Tool Rail — Double-Sided Continuous Benching End Application Only



KUR2-1224-UBE

Rail Height	Width	Number	Price A	B
4"(102mm)	24"(610mm)	KUR2-1224-UBE	\$333.51	\$348.48
	30"(762mm)	KUR2-1230-UBE	351.21	367.54
	36"(914mm)	KUR2-1236-UBE	368.91	386.60
	42"(1067mm)	KUR2-1242-UBE	386.61	405.66
	48"(1219mm)	KUR2-1248-UBE	404.31	424.72
	54"(1372mm)	KUR2-1254-UBE	422.01	443.78
	60"(1524mm)	KUR2-1260-UBE	530.92	554.05
	66"(1676mm)	KUR2-1266-UBE	560.86	586.71
	72"(1829mm)	KUR2-1272-UBE	590.80	616.65
	78"(1981mm)	KUR2-1278-UBE	620.74	647.95
	84"(2134mm)	KUR2-1284-UBE	650.68	679.25
	90"(2286mm)	KUR2-1290-UBE	680.62	710.55
	96"(2438mm)	KUR2-1296-UBE	710.56	741.85

Features

- One double sided tool rail with one or two posts, one rail end cap and attachment brackets.
- Tool Rails 66"(1676mm)-96"(2438mm) include two posts.
- Mounts under 1.19"(30mm) thick worksurface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above worksurface: 11.18"(284mm).
- Distance between tool rail bottom and top of worksurface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.
- 3) Trim color for tool rail end cap:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Specification Tips


- **Designed for Reside Continuous Benching applications only.**
- **For use with another tool rail end or internal tool rail; internal benching single post must be specified.**
- **Tool Rail supports maximum of 40 pounds(18.14kg) evenly distributed on each side.**
- **For continuous benching application, two monitor arms up to 13 pounds each side, requires additional post.**
- **Tool Rail should be specified 6"(152mm) shorter than screen if both are specified.**
- **For back-to-back application, 1 or 2 monitors up to 13 grounds each side, requires additional post.**
- Can be installed off modular.
- Under worksurface: 4"(102mm) of clearance is necessary between back of worksurface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Posts mount centered within 3.65"(93mm) gap.
- Refer to Specification Guide for planning rules.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

Work Tools — Mounting

Belong

	Rail Height	Width	Description	Number	Trim A	B
Tool Rail — Internal Single Sided Continuous Benching Application	4"(102mm)	24"(610mm)	Internal	KUR1-1224-USI	\$333.51	\$348.48
		30"(762mm)		KUR1-1230-USI	351.21	367.54
		36"(914mm)		KUR1-1236-USI	368.91	386.60
		42"(1067mm)		KUR1-1242-USI	386.61	405.66
		48"(1219mm)		KUR1-1248-USI	404.31	424.72
		54"(1372mm)		KUR1-1254-USI	422.01	443.78
		60"(1524mm)		KUR1-1260-USI	530.92	554.05
		66"(1676mm)		KUR1-1266-USI	560.86	586.71
		72"(1829mm)		KUR1-1272-USI	590.80	616.65
		78"(1981mm)		KUR1-1278-USI	620.74	647.95
		84"(2134mm)		KUR1-1284-USI	650.68	679.25
		90"(2286mm)		KUR1-1290-USI	680.62	710.55
		96"(2438mm)		KUR1-1296-USI	710.56	741.85



KUR1-1224-USI

Features

- One single sided tool rail with one or two post and attachment brackets.
- Tool Rails 66"(1676mm)-96"(2438mm) includes two posts.
- Mounts on 1.19"(30mm) thick horizontal surface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above horizontal surface: 11.18"(284mm).
- Distance between tool rail bottom and top of horizontal surface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

Specification Tips


- **Designed for Reside Single Sided Continuous Benching or Beside continuous storage applications only.**
- **For use with two rail ends; Internal Benching single post must be specified.**
- **Tool Rail supports a maximum of 40 pounds(18.14kg) evenly distributed on one side.**
- **For use with benching application, 1 or 2 monitors up to 13 pounds each side, requires additional post.**
- Mounts into 0.25"(6mm) gap between shared block connectors or center attachment location on shared column.
- Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.

To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.

Work Tools — Mounting

Belong

	Rail Height	Width	Description	Number	Trim A	B
Tool Rail — Internal Continuous Benching Application Only  KUR2-1224-UBI	4"(102mm)	24"(610mm)	Internal	KUR2-1224-UBI	\$333.51	\$348.48
		30"(762mm)		KUR2-1230-UBI	351.21	367.54
		36"(914mm)		KUR2-1236-UBI	368.91	386.60
		42"(1067mm)		KUR2-1242-UBI	386.61	405.66
		48"(1219mm)		KUR2-1248-UBI	404.31	424.72
		54"(1372mm)		KUR2-1254-UBI	422.01	443.78
		60"(1524mm)		KUR2-1260-UBI	530.92	554.05
		66"(1676mm)		KUR2-1266-UBI	560.86	586.71
		72"(1829mm)		KUR2-1272-UBI	590.80	616.65
		78"(1981mm)		KUR2-1278-UBI	620.74	647.95
		84"(2134mm)		KUR2-1284-UBI	650.68	679.25
		90"(2286mm)		KUR2-1290-UBI	680.62	710.55
		96"(2438mm)		KUR2-1296-UBI	710.56	741.85

Features

- One double sided tool rail with one or two post and attachment brackets.
- Tool Rails 66"(1676mm)-96"(2438mm) includes two posts.
- Mounts on 1.19"(30mm) thick horizontal surface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above horizontal surface: 11.18"(284mm).
- Distance between tool rail bottom and top of horizontal surface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

Specification Tips

- **Designed for Reside Continuous Benching and Beside continuous storage applications only.**
- **For use with two rail ends; Internal Benching single post must be specified.**
- **Tool Rail supports a maximum of 40 pounds(18.14kg) evenly distributed.**
- **Tool Rail should be specified 6" shorter than screen if both are specified.**
- **For use with benching application, 1 or 2 monitors up to 13 pounds each side, requires additional post.**
- Mounts into 0.25"(6mm) gap between shared block connectors or center attachment location on shared column.
- Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Posts mount centered within 3.65"(93mm) gap.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.

Tool Rail — Single Post Internal/Benching

KUP2-0000-UBI

Post Height	Description	Number	Trim A	B
8.9"(226mm)	Internal	KUP2-0000-UBI	\$103.44	\$111.60

Features

- Includes one Internal position post and attachment hardware.
- Post is 1.25"(32mm) thick.

Specification Tips

- For use with benching mount tool rail.
- Mounts into 0.25"(6mm) gap between shared block connectors or center attachment location on shared column.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
Territory Screen — End-of Run	11.78"(299mm)	3"(76mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-ESN		\$176.25	\$184.25
				8.7 (3.9kg)	Without Slots	KUTS-1224-ENN		133.53	141.53
	11.78"(299mm)	3"(76mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-ESN		\$195.27	\$217.49
				8.7 (3.9kg)	Without Slots	KUTS-1230-ENN		152.55	174.77




- Features**
- Includes one freestanding steel End-of-Run Territory Screen with double sided attachment material.
 - End-of-Run Territory Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
 - Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
 - Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm).
 - Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
 - Supports maximum weight of 5 pounds (2.3kg) on side with ledge.
 - Non-writable, magnetic surface.

- Specification Tips**
- End-of-Run Territory Screen is not designed for use with Base Tray.
 - For use with separately specified Belong or Jump Stuff work tools.
 - Accessory Kit is designed to sit on ledge of End-of-Run Territory Screen.
 - Hanging accessories should be mounted in ledge side of End-of-Run Territory Screen with slots.

- To Order, Specify:**
- 1) Product number including:
- 1 Accessory Kit Option:**
- A** Accessory Kit, add \$46.73 list
- N** No Accessory Kit
- 2) Trim color.

Territory Screen — Shared	11.78"(299mm)	6"(152mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-SSN		\$189.59	\$197.59
				8.7 (3.9kg)	Without Slots	KUTS-1224-SNN		146.87	154.87
	11.78"(299mm)	6"(152mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-SSN		\$208.61	\$230.83
				8.7 (3.9kg)	Without Slots	KUTS-1230-SNN		165.89	188.11







- Features**
- Includes one freestanding steel Shared Territory Screen with double sided attachment material.
 - Shared Territory Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
 - Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
 - Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm).
 - Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
 - Supports maximum weight of 5 pounds (2.3kg).
 - Non-writable, magnetic surface.

- Specification Tips**
- Shared Territory Screen is not designed for use with Base Tray.
 - For use with separately specified Belong or Jump Stuff work tools.
 - Accessory Kit is designed to sit on 11.8"(300mm) wide ledges of Shared Territory Screen.
 - Hanging accessories may be mounted from either side of Shared Territory Screen with slots.

- To Order, Specify:**
- 1) Product number including:
- 1 Accessory Kit Option:**
- A** Accessory Kit, add \$46.73 list
- N** No Accessory Kit
- 2) Trim color.

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	①	Trim A	B
Territory L-Screen  Right-hand  Left-hand  Right-hand  KUTS-L	Right-hand								
	11.78"(299mm)	10"(254mm)	23.75"(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSR		\$216.32	\$224.32
				11.9 (5.0kg)	Without Slots	KUTS-1224-LNR		173.60	181.60
	11.78"(299mm)	10"(254mm)	29.75"(756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSR		\$235.34	\$257.56
				11.9 (5.0kg)	Without Slots	KUTS-1230-LNR		192.62	214.84
	Left-hand								
	11.78"(299mm)	10"(254mm)	23.75"(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSL		\$216.32	\$224.32
				11.9 (5.0kg)	Without Slots	KUTS-1224-LNL		173.60	181.60
	11.78"(299mm)	10"(254mm)	29.75"(756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSL		\$235.34	\$257.56
				11.9 (5.0kg)	Without Slots	KUTS-1230-LNL		192.62	214.84

Features

- Includes one freestanding steel Territory L- Screen with double sided attachment material.
- Territory L-Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
- Optional Slotted Territory L-Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths on 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(388mm).
 - Slot widths on 10"(254mm) portion: three rows of 8.25"(210mm).
- Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
- Supports maximum weight of 5 pounds (2.3kg) on inside of Territory L-Screen.
- Non-writable, magnetic surface.

To Order, Specify:

- Product number, including:

① Accessory Kit Option:

- A** Accessory Kit, add \$46.73 list
- N** No Accessory Kit

- Trim color.


Specification Tips

- Territory L-Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on ledge of Territory L-Screen.
- Hanging accessories should be mounted on inside of Territory L-Screen with slots.

Work Tools

Belong

Territory Screen —
Multi-material



SUTM

Height	Depth	Number	Fabric Grade		C	D	E	F	G
			A	B					
Fabric									
12"(305mm)	24"(610mm)	SUTM-1224-FU	\$431.68	\$439.71	\$448.54	\$458.17	\$467.81	\$480.66	\$488.67
	30"(762mm)	SUTM-1230-FU	453.54	464.89	477.38	491.01	504.64	522.79	534.15
Height	Depth	Number	Laminate						
			A	B					
Laminate									
12"(305mm)	24"(610mm)	SUTM-1224-DU	\$347.58	\$351.39					
	30"(762mm)	SUTM-1230-DU	355.33	\$359.77					
Height	Depth	Number	Price						
Markerboard									
12"(305mm)	24"(610mm)	SUTM-1224-MU	\$406.67						
	30"(762mm)	SUTM-1230-MU	414.42						
Height	Depth	Number	Wood Group						
			A	B					
Wood									
12"(305mm)	24"(610mm)	SUTM-1224-WU	\$754.40	\$793.81					
	30"(762mm)	SUTM-1230-WU	772.03	814.58					
Height	Width	Number	Glass						
			A	C					
Glass									
12"(305mm)	24"(610mm)	SUTM-1224-GU	\$461.99	\$481.69					
	30"(762mm)	SUTM-1230-GU	479.62	514.13					

- Features
- Includes screen with drop-in base and double sided attachment material.
 - Base dimensions: 2.25"(57mm) wide x 0.71"(18mm) high x 14"(356mm) long.
 - The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.
 - Field assembled.

- Specification Tips
- Screen Thickness:
 - Fabric, laminate, markerboard and wood – 0.56"(14mm)
 - Laminate and wood – 0.56"(14mm)
 - Glass – 0.24"(6mm)
 - Screen is 12.25"(311mm) above horizontal top.

- To Order, Specify:
- 1) Product number.

2) Surface Colors Options:

Fabric:
 - Fabric Surface ColorLaminate:
 - Laminate Surface Color
 - Edgeband trim colorMarkerboard:
 - Product numberWood:
 - Wood Finish ColorGlass:
 - Glass Finish
 - 9T-1C Clear (Grade A)
 - 9T-E21 Satin Etched (Grade C)



3) Trim color for base.

Notes: \$2.54 upcharge list for Metallic and accent trim colors.

Premium laminate wood grain direction is vertical.
- 226 April 2021 / N.A.
- Class YA – SIN 33721; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada
- HAWORTH

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Number	Trim A	B
  KUTB	With Slots						
	12"(305mm)	0.67"(17mm)	18"(457mm)	7.1 (3.2kg)	KUTB-1218-S	\$174.13	\$178.27
			22.5"(572mm)	8.9 (4.0kg)	KUTB-1222-S	183.77	193.43
			27"(686mm)	10.6 (4.8kg)	KUTB-1227-S	195.82	212.38
			31.5"(800mm)	12.5 (5.7kg)	KUTB-1232-S	207.87	231.33
			36"(914mm)	14.2 (6.4kg)	KUTB-1236-S	217.51	246.49
	Without Slots						
	12"(305mm)	0.67"(17mm)	18"(457mm)	7.5 (3.4kg)	KUTB-1218-N	\$116.10	\$120.24
			22.5"(572mm)	9.4 (4.3kg)	KUTB-1222-N	125.74	135.40
			27"(686mm)	11.2 (5.1kg)	KUTB-1227-N	137.79	154.35
			31.5"(800mm)	13.1 (5.9kg)	KUTB-1232-N	149.84	173.30
			36"(914mm)	15.0 (6.8kg)	KUTB-1236-N	159.48	188.46

Features


- Includes one steel Structural Screen Tile with or without slats and attachment hardware.
- Supports maximum weights of:
 - 18"(457mm) - 10 pounds (4.5kg).
 - 22.5"(572mm) - 10 pounds (4.5kg).
 - 27"(686mm) - 15 pounds (6.8kg).
 - 31.5"(800mm) - 17 pounds (7.7kg).
 - 36"(914mm) - 20 pounds (9.0kg).
- Non-writable, magnetic surface.

To Order, Specify:

- Product number.
- Trim color.

Specification Tips

- Designed for use on Belong Structural Screen (defaces screen) or structural building wall.
- May be wall mounted to structural building wall if properly mounted;
 - Anchors are not provided, must be field supplied.
- Cords cannot be passed behind the Structural Screen Tile.
- Not for use with Wall Track.
- For use with separately specified Belong or Jump Stuff work tools.

Belong Systems Tile — External Mount for use with Compose Panels   KZTB	With Slots						
	7.87"(200mm)	1.36"(35mm)	24"(610mm)	4.8 (2.2kg)	KZTB-0824-S	\$155.41	\$167.83
			30"(762mm)	6.0 (2.7kg)	KZTB-0830-S	169.87	190.57
			36"(914mm)	7.1 (3.2kg)	KZTB-0836-S	184.33	213.31
			42"(1067mm)	8.2 (3.7kg)	KZTB-0842-S	198.79	236.05
			48"(1219mm)	9.3 (4.2kg)	KZTB-0848-S	213.25	258.79
	Without Slots						
	7.87"(200mm)	1.36"(35mm)	24"(610mm)	5.4 (2.4kg)	KZTB-0824-N	\$ 97.38	\$109.80
			30"(762mm)	6.6 (3.0kg)	KZTB-0830-N	111.84	132.54
			36"(914mm)	7.8 (3.5kg)	KZTB-0836-N	126.30	155.28
			42"(1067mm)	9.1 (4.1kg)	KZTB-0842-N	140.76	178.02
			48"(1219mm)	10.3 (4.7kg)	KZTB-0848-N	155.22	200.76

Features

- Includes one steel external mount Systems Tile with or without slots with integrated attachment brackets for use with Compose Panel Frames with Tiles.
- Supports maximum weights of:
 - 24"(610mm) - 15 pounds (6.8kg).
 - 30"(762mm) - 17 pounds (7.7kg).
 - 36"(914mm) - 17 pounds (7.7kg).
 - 42"(1067mm) - 20 pounds (9.0kg).
 - 48"(1219mm) - 20 pounds (9.0kg).
- Non-writable, magnetic surface.

To Order, Specify:

- Product number.
- Trim color.



Specification Tips

- Designed for use with Compose Panel Frames with Tiles only.
- Nominal height is 8"(203mm).
- To be installed in panel frame slots on same width panel, a combination of panels equal to tile width.
- Vertical panel frame face dimensions:
 - Panel frame/non-raceway cover = frame height minus 2"(51mm).
 - Panel frame with raceway cover = frame height minus 10"(254mm).
- For use with separately specified Belong or Jump Stuff work tools.

Work Tools

Belong

	Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
Screen Rail	2.19"(56mm)	23.75"(603mm)	2.8 (1.3kg)	Single Sided	KUSR-0224-S	\$74.17	\$ 87.65
			2.8 (1.3kg)	Double Sided	KUSR-0224-D	87.65	101.13



KUSR


- Features**

 - Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
 - Slot Widths: 8.19"(208mm) and 12.94"(329mm).
 - Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg).
 - Double Sided: 5 pounds (2.3kg) each side.
 - Non-writable, magnetic surface.
- To Order, Specify:**


 - 1) Product number.
 - 2) Trim color.

- Specification Tips**
- For use with separately specified Belong or Jump Stuff work tools.
 - For use on top of fabric, laminate or wood Belong Screens.
 - Not for use on Glass Screens, Structural L-screens or Territory Screens.

Open C Cubby



KUCU-0915-BNN



KUCU-1215-BNS

Height	Depth	Width	Description	Number	Trim A	B
9"(229mm)	10"(254mm)	15"(381mm)	No Slots	KUCU-0915-BNN	\$116.04	\$129.85
12"(305mm)	10"(254mm)	15"(381mm)	No Slots	KUCU-1215-BNN	121.57	135.38
12"(305mm)	10"(254mm)	15"(381mm)	With Slots	KUCU-1215-BNS	135.38	149.19

- Features**


 - Includes one freestanding Open C Cubby.
 - Freestanding Open C Cubby's are designed for supporting binders and books.
 - Open C Cubby with slots allows use of Belong Work Tools or Jump Stuff Slat Pad work tools; separately specified.
 - Open C Cubby's can be used in Beside Overhead Storage.
- To Order, Specify:**

 - 1) Product number.
 - 2) Trim color.

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Trim A	B
Base Tray	2.09"(53mm)	3.55"(90mm)	23.75"(603mm)	5.0 (2.3kg)	With Accessory Kit	KUBT-0224-A	\$360.98	\$374.26
					Without Accessory Kit	KUBT-0224-N	314.49	327.77



KUBT
GSA: Open Market

Features

- Includes one freestanding steel Base Tray with aluminum insert rail.
- Base Tray is available with or without Accessory Kit.

Specification Tips


- Designed for use with L-Screen, Reference Shelf and Accessory Kit.
- L-Screen and Reference Shelf slide into space between steel back and aluminum insert.
- Base Tray accommodates one Reference Shelf and one L-Screen.
- Accessory Kit is designed to sit on 2.84"(72mm) deep base tray ledge.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Desk Top L-Screen	11.87"(301mm)	10"(254mm)	23.75"(603mm)	9.7 (4.4kg)	Right-hand	KULS-0000-TR	\$130.80	\$144.28
					Left-hand	KULS-0000-TL	130.80	144.28

Left-hand



KULS

Right-hand

Features

- Includes one steel Desk Top L-screen with semi-transparent plastic feet.
- Non-writable, magnetic surface.
- Desk Top L-Screen is handed.
- Supports maximum weight of 5 pounds (2.3kg).


Specification Tips

- Designed for use with Base Tray or as freestanding.
- Desk Top L-Screen may be used alone in Base Tray or with Reference Shelf.
- Depth portion of L-Screen, when used adjacent to Reference Shelf, is the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge.
- Width portion of Desk Top L-Screen may be positioned to fill Base Tray or a portion may overhang past end of Base Tray to accommodate Reference Shelf.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Desk Top Reference Shelf	12.03"(306mm)	4.25"(108mm)	14.5"(368mm)	8.1 (3.7kg)		KURS-0014-T	\$103.61	\$110.53
---------------------------------	---------------	--------------	--------------	-------------	--	-------------	-----------------	-----------------



KURS

Features

- Includes one steel desk Top Reference Shelf.
- Desk Top Reference Shelf lip is 1"(25mm) deep with a 15 degree angle.
- Includes a cutout for cord drop if used for charging of electronic devices.
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

Specification Tips






- Desk Top Reference Shelf may not be used alone in Base Tray; must be used together with Desk Top L-Screen for support purposes.
- Desk Top Reference Shelf is not freestanding.
- Desk Top Reference Shelf adjacent to depth portion of L-Screen are the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge.
- Desk Top Reference Shelf adjacent to width portion of L-Screen will overhang past end of Base Tray.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Work Tools


Belong

	Height	Depth	Width	Description	Number	Price								
Paper Tray — Landscape  KUPT-0913-H  KUPT-0913-F	1.5”(38mm)	8.875”(225mm)	12.75”(324mm)	Slat — Document Tray	KUPT-0913-H	\$29.01								
	2.5”(38mm)	8.875”(225mm)	12.75”(324mm)	Freestanding — Stacking Tray	KUPT-0913-F	\$34.54								
Features - Includes one plastic tray. - Slat document tray mounts on Belong rail, Belong slat tile and Beside stanchion and Compose slat tile. - Slat document tray supports maximum of one ream (5 pounds/2.3kg) of paper. - Freestanding stacking tray is freestanding and stacks 4 high. To Order, Specify: - Product number. - Trim color.<table><tr><td>TR-R</td><td>Beige</td></tr><tr><td>TR-1R</td><td>Brownstone</td></tr><tr><td>TR-RR</td><td>Rusty Red</td></tr><tr><td>TR-FM</td><td>Snow</td></tr></table> Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.							TR-R	Beige	TR-1R	Brownstone	TR-RR	Rusty Red	TR-FM	Snow
TR-R	Beige													
TR-1R	Brownstone													
TR-RR	Rusty Red													
TR-FM	Snow													
Tool Cup  KUTC-0000-H	3.5”(90mm)	2.5”(38mm)	2.5”(38mm)		KUTC-0000-H	\$24.87								
	Features - Includes one plastic tool cup. - Tool cup mounts on: –Belong rail –Belong slat tile –Beside stanchion –Open C Cubby with slots –Compose slat tile - Can also be used in freestanding applications. To Order, Specify: - Product number. - Trim color.<table><tr><td>TR-R</td><td>Beige</td></tr><tr><td>TR-1R</td><td>Brownstone</td></tr><tr><td>TR-RR</td><td>Rusty Red</td></tr><tr><td>TR-FM</td><td>Snow</td></tr></table> Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.							TR-R	Beige	TR-1R	Brownstone	TR-RR	Rusty Red	TR-FM
TR-R	Beige													
TR-1R	Brownstone													
TR-RR	Rusty Red													
TR-FM	Snow													
Hanging Sorter  KUHS-0000-H	8.5”(216mm)	2.5”(64mm)	12.75”(324mm)		KUHS-0000-H	\$67.71								
	Features - Includes one hanging sorter with two paper sorters. - Interior depth of each sorter is 1”(25mm). - Hanging sorter mounts on: –Belong rail –Belong slat tile –Beside stanchion –Open C Cubby with slots –Compose slat tile To Order, Specify: - Product number. - Trim color.<table><tr><td>TR-R</td><td>Beige</td></tr><tr><td>TR-1R</td><td>Brownstone</td></tr><tr><td>TR-RR</td><td>Rusty Red</td></tr><tr><td>TR-FM</td><td>Snow</td></tr></table> Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.							TR-R	Beige	TR-1R	Brownstone	TR-RR	Rusty Red	TR-FM
TR-R	Beige													
TR-1R	Brownstone													
TR-RR	Rusty Red													
TR-FM	Snow													
Mini Shelf  KUSH-0408-H	1”(25mm)	4”(102mm)	8”(203mm)		KUSH-0408-H	\$24.87								
	Features - Includes one plastic shelf. - Mini shelf mounts on: –Belong rail –Belong slat tile –Beside stanchion –Open C Cubby with slots –Compose slat tile To Order, Specify: - Product number. - Trim color.<table><tr><td>TR-R</td><td>Beige</td></tr><tr><td>TR-1R</td><td>Brownstone</td></tr><tr><td>TR-RR</td><td>Rusty Red</td></tr><tr><td>TR-FM</td><td>Snow</td></tr></table> Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.							TR-R	Beige	TR-1R	Brownstone	TR-RR	Rusty Red	TR-FM
TR-R	Beige													
TR-1R	Brownstone													
TR-RR	Rusty Red													
TR-FM	Snow													

Work Tools

Belong

	Depth	Width	Edge	Number	Fabric Grade	
					D	E
Blotter	19.7"(500mm)	29.5"(749mm)	3mm	KUBL-2030-FJ	\$558.24	\$589.88
	19.7"(500mm)	35.4"(899mm)		KUBL-2036-FJ	571.98	606.36
	23.6"(599mm)	35.4"(899mm)		KUBL-2436-FJ	585.72	622.84
	19.7"(500mm)	29.5"(749mm)	Knife	KUBL-2030-FF	\$558.24	\$589.88
	19.7"(500mm)	35.4"(899mm)		KUBL-2036-FF	571.98	606.36
	23.6"(599mm)	35.4"(899mm)		KUBL-2436-FF	585.72	622.84



KUBL-2030-FJ

Features

- Includes one blotter with protective back.
- Specify blotter profile to match desking edge:
 - 3mm Edgeband
 - Knife edge
- Belong Blotter radius is 0.5"(13mm).

To Order, Specify:


- 1) Product number.
- 2) Fabric

Specification Tips


- 20"(508mm) deep blotter can be used on 24"(610mm) deep desking without hatch.
- 20"(508mm) deep blotter can be used on 30"(762mm) deep desking with hatch.
- 24"(610mm) deep blotter can be used on 36"(914mm) deep desking with hatch.

Reference Shelves

KURS-0010-H



KURS-0019-H



KURS-0012-B

Height	Width	Description	Number	Trim	
				A	B
11.25"(286mm)	9.875"(251mm)	Reference — Small	KURS-0010-H	\$ 69.07	\$ 75.99
		Reference — Large	KURS-0019-H	103.61	110.53
9.875"(251mm)	11.625"(295mm)	Blotter Reference Shelf	KURS-0012-B	\$ 69.07	\$ 75.99

Features


- Includes one metal reference shelf
- Large and Small Reference shelves mount on:
 - Belong rail
 - Belong slat tile
 - Beside stanchion
 - Open C Cubby with slots
- Blotter Reference Shelf slides under blotter for support.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- In installed position large and small referencing shelves are 0.88"(22mm) high and 4.3"(109mm) deep.
- Reference shelf lip is 1.375"(35mm) deep.

Accessory Kit

KUAK

GSA: Open Market

Number	Price
KUAK-0000-BSR	\$139.47

Features

- Includes one square tray, one rectangular tray and bud vase with square base. All items are plastic.
- Sizes:
 - Square tray: 2.75"(70mm).
 - Rectangular tray: 2.75" x 5.5"(70mm x 140mm).
 - Bud Vase: 4"(102mm) tall, 0.75"(19mm) inside diameter, 2.75"(70mm) square base.
- Designed for use with the Base Tray, Territory Screen or as freestanding pieces.
- Standard in snow trim color.

To Order, Specify:


- 1) Product number.
(No finish specification required)

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Work Tools

Jump Stuff


	Height	Depth	Width	Number	Price
Tool Cup	5.5"(140mm)	3.5"(89mm)	4"(102mm)	DTWC-2	\$26.70



DTWC-2

Feature	To Order, Specify:
• Mounts on rail and slat pad. Can also be used in freestanding applications.	1) Product number. 2) Translucent trim color.


	Height	Depth	Width	Number	Trim A	B
Paper Sorter	9.25"(235mm)	11"(279mm)	9"-12"(229mm-305mm)	DTPR-3	\$84.57	\$87.54



DTPR-3

Features	To Order, Specify:
• Includes three dividers, one shelf, and mounting bracket. • Mounts on slat pad. • Can also be used as a horizontal freestanding tray. • Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.	1) Product number. 2) Translucent trim color. 3) Trim color for bracket.


	Height	Depth	Width	Number	Price
Binder Bin	12.5"(318mm)	10.5"(267mm)	6.5"(165mm)	DTSB-3	\$63.79



DTSB-3

Features	To Order, Specify:
• Mounts on slat pad. Can also be used in freestanding applications. • Bin accommodates two 3"(76mm) thick binders.	1) Product number. 2) Translucent trim color.

	Height	Depth	Width	Number	Price
Tack Strip	2.5"(64mm)	0.5"(13mm)	12"(305mm)	DTTS-12	\$37.10
			24"(610mm)	DTTS-24	44.52




DTTS-12
DTTS-24

Features	To Order, Specify:
• Mounts on slat pad. • Brown and black cork and rubber composite material.	1) Product number. 2) Trim color for bracket.

Work Tools

Jump Stuff

	Number	Price
Gooseneck Kit	DTGK-3	\$77.80



DTGK-3


Features

- Includes two flex arms, two base clips, assortment of three tops (one grip clip, one round top, and one flow to allow for stick-on clips).
- Mounts on slat pad to display various notes/items or anywhere with stick-on clip.
- Includes double-sided tape.

To Order, Specify:

- Product number.
- Translucent trim color.

Mini Shelf



DMSP

Height	Depth	Width	Number	Laminate A	Laminate B
1.75"(44mm)	6.25"(159mm)	18"(457mm)	DMSP-18	\$129.94	\$140.32
		24"(610mm)	DMSP-24	135.87	146.25
		30"(762mm)	DMSP-30	141.77	152.15
		36"(914mm)	DMSP-36	147.70	158.08
		42"(1067mm)	DMSP-42	153.60	163.98
		48"(1219mm)	DMSP-48	159.49	169.87


Features

- Includes shelf and brackets.
- Mounts on slat pad.
- Shelf thickness 0.75"(19mm)
- Designed for lightweight accessories.

To Order, Specify:

- Product number.
- Shelf trim color.
- Edgeband color.
- Trim color for brackets.

Tote



DTTE-3

Height	Depth	Width	Description	Number	Price
10"(254mm)	4"(102mm)	13"(330mm)	Tote, clips, and strap	DTTE-3	\$ 74.18
				DTTH-3	105.35

Features

- Mounts on slat pad.
- Clips and strap standard in black.
- Fits in lateral files.
- Accommodates hanging files.

To Order, Specify:

- Product number.
- Translucent trim color.

Tote Strap



DTHT-1

				DTHT-1	\$34.14
--	--	--	--	--------	---------

Features

- Includes strap and two clips.
- Strap is 27"(686mm) long and non-adjustable.
- Converts DTTE-3 to DTTH-3.
- Standard in black.


To Order, Specify:

- Product number.
(No finish specification required.)

Work Tools

Jump Stuff

	Height	Depth	Width	Number	Trim A	B
Phone Shelf	2.5"(64mm)	11.25"(286mm)	9"(229mm)	DTPT-3	\$100.89	\$103.86



DTPT-3


Features

- Includes phone shelf and bracket.
- Mounts on slat pad at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.

Phone Shelf Bracket	1.5"(38mm)	11"(279mm)	7.5"(191mm)	DTBS-3	\$62.31	\$65.28
----------------------------	------------	------------	-------------	--------	---------	---------



DTBS-3


Feature

- Used to convert DTPT-1 for mounting rail phone shelf to slat pad.

To Order, Specify:

- 1) Product number.
- 2) Trim color for bracket.

Personal Shelf	1.75"(44mm)	11"(279mm)	8"(203mm)	DTES-3	\$69.74	\$72.71
-----------------------	-------------	------------	-----------	--------	---------	---------



DTES-3


Features

- Includes mounting bracket and personal shelf.
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.

Personal Shelf Bracket				DTAR-3	\$46.00	\$48.97
-------------------------------	--	--	--	--------	---------	---------



DTAR-3

Feature

- Used in combination with DTPT-3 or DTES-3 for mounting rail phone shelf or personal shelf or paper sorter to slat pad.


To Order, Specify:

- 1) Product number.
- 2) Trim color for bracket.

Work Tools

Jump Stuff

	Height	Depth	Width	Number	Price
Letter Tray	2.5"(64mm)	12"(305mm)	10.5"(267mm)	DTLT-2	\$31.17



DTLT-2


Features

- Mounts on rail at 60° angle or horizontally.
- Mounts on slat pad horizontally.
- Can also be used in freestanding applications.
- Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays.
- Supports maximum of one ream (five pounds/2.3 kilograms) of paper.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Letter Tray Stacking Kit	8"(203mm)	12"(305mm)	10.5"(267mm)	DTLS-2	\$80.12
---------------------------------	-----------	------------	--------------	--------	---------



DTLS-2


Features

- Includes three letter trays and two stacking brackets.
- Used in freestanding applications.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Letter Tray Stacking Bracket	2.25"(57mm)	5"(127mm)	9.5"(241mm)	DTSB-1	\$22.26
-------------------------------------	-------------	-----------	-------------	--------	---------



DTSB-1

Features


- Includes two stacking brackets.
- Used in freestanding applications.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

! OBSOLETE | March 2023

	Height	Depth	Width	Description	Number	Price
Waste Bin	15.5"(394mm)	12"(305mm)	13"(330mm)	Black	DTRB-1B	\$62.75
				Translucent	DTRB-1	81.30



DTRB
GSA: Open Market


Features

- Used in freestanding applications.
- Five gallon capacity.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

	Description	Number	Price
Pile Master Kit	Pre-Packaged	DPKY-1	\$357.56



DPKY-1

Features

- Kit includes ten pile clippers.
- Requires no mounting rail.




To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

! OBSOLETE | March 2023






Work Tools

Jump Stuff






	Mounting System	Slat Pad Width	Packaging	Number	Trim A B	
File Master Kit 	Slat Pad	69"(1753mm)	Pre-Packaged	DPKP-S	\$583.08	\$595.45
	Slat Pad		Bulk-Packaged	DBKP-S	510.37	522.74
Features • Kit includes gooseneck kit, two paper sorters, two letter trays, phone shelf, tote, tool cup, and binder bin. • Mounts on separately specified slat pad. • Ships either pre-packaged or bulk-packaged. • Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.						
Note: Minimum 10 kits required to order as bulk-packaged.						
To Order, Specify: 1) Product number. 2) Translucent trim color. 3) Trim color for brackets.						
Task Master Kit 	Slat Pad	51"(1295mm)	Pre-Packaged	DPKT-S	\$558.66	\$571.03
	Slat Pad		Bulk-Packaged	DBKT-S	488.82	501.19
Features • Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, tote, two grip clips, two pile dividers, and tool cup. • Mounts on separately specified slat pad. • Ships either pre-packaged or bulk-packaged. • Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.						
Note: Minimum 10 kits required to order as bulk-packaged.						
To Order, Specify: 1) Product number. 2) Translucent trim color. 3) Trim color for brackets.						
Mini Master Kit 	Slat Pad	49"(1244mm)	Pre-Packaged	DPKS-S	\$370.91	\$379.82
	Slat Pad		Bulk-Packaged	DBKS-S	314.53	323.44
Features • Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, and tool cup. • Mounts on separately specified slat pad. • Ships either pre-packaged or bulk-packaged. • Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.						
Note: Minimum 10 kits required to order as bulk-packaged.						
To Order, Specify: 1) Product number. 2) Translucent trim color. 3) Trim color for brackets.						

Work Tools




Magnetic Accessories

	Actual Height	Actual Width	Number	Price
Magnet Board	11"(279mm)	4"(102mm)	KUAM-0411	\$31.93
	18"(457mm)	5"(127mm)	KUAM-0518	63.86
 KUAM-0411	Features - Includes: - Magnetic dry-erase board - Three round magnets on 11"(279mm) high magnet board, two round magnets on 18"(457mm) high magnet board - One magnetic dry erase pen - Magnetic attachment strip for attachment to magnetic surfaces - Adhesive strip for attachment to non-magnetic surfaces - Available in white (not matched to Haworth's color palette).			To Order, Specify: 1) Product number.
	Specification Tip Use on non-textured surfaces for best performance.			
 KUAH-0002	Diameter		Number	Price
	1.5"(38mm)		KUAH-0002	\$30.66
 KUAH-0003	Features - Includes four 1.5"(38mm)-diameter magnetic hooks for holding personal items. - Available in white (not matched to Haworth's color palette).			To Order, Specify: 1) Product number.
	Specification Tip Use on non-textured surfaces for best performance.			
Magnet Hook	Diameter		Number	Price
	3"(76mm)		KUAH-0003	\$20.27
 KUAP-0000	Features - Includes one 3"(76mm)-diameter magnetic hook for holding personal items. - Available in white (not matched to Haworth's color palette).			To Order, Specify: 1) Product number.
	Specification Tip Use on non-textured surfaces for best performance.			
Round Peg Magnets	Depth	Diameter	Number	Price
	0.375"(10mm)	0.16"(4mm)	KUAP-0000	\$30.66
 KUAR-0403	Features - Includes eight round magnets and acrylic storage box. - Available in chrome.			To Order, Specify: 1) Product number.
	Specification Tips - Use on non-textured surfaces for best performance. - Each magnet can hold up to eight sheets of letter-size paper.			
Mirror	Actual Width	Actual Length	Number	Price
	3.125"(80mm)	4.375"(111mm)	KUAR-0403	\$21.70
 KUAR-0403	Features - Includes one acrylic mirror. - Can be hung from a Belong magnetic hook, or placed in a Belong pouch (specified separately).			To Order, Specify: 1) Product number. (No color specification required.)






Workstation Accessories

	Height	Depth	Width	Number	Price
Shallow Drawer  DS-3 Class AA – GSA: Open Market	3"(76mm)	15.375"(391mm)	18.25"(464mm)	DS-3	\$116.11
Features - Shallow drawer has four compartments. - Drawer does not stack. - Available in charcoal or gray tone finish colors only.					
To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-G Gray Tone					
Steel Center Drawer  SCD-19 Class MA – SIN 33721; Discount Group II	2"(51mm)	17.5"(445mm)	19.125"(486mm)	SCD-19	\$334.41
Features - Includes mounting hardware. - Standard with lock. - Standard in charcoal finish color only.					
To Order, Specify: Product number. (No finish specification required.)					
Pencil + Drawer   KUDP-2420 Class YA – SIN 33721; Discount Group XIII	11"(279mm)	24"(610mm)	19.5"(495mm)	KUDP-2420	\$412.94
Features - Multi-purpose drawer provides organization, hanging filing along with laptop storage. - Knock-outs at rear of drawer provide electronic charging access while contents are locked. - Removable organizing tray. - Thin profile maximizes knee clearance under front of drawer. - Standard in black trim color with black locks. - Standard with lock (shipped separately); keyed-alike and master keying options available.					
Specification Tips - To be mounted below worksurfaces 24"(610mm) or deeper. Not for use with 24"(610mm) deep knife edge worksurface. - Pencil + drawer must be used adjacent to worksurface floor support when specified for use with panel system.					
To Order, Specify: Product number. (No finish specification required.)					
Pencil Drawer  JAC-18 Class FP – SIN 33721; Discount Group XII	1.625"(41mm)	19"(483mm)	18"(457mm)	JAC-18	\$82.18
Features - Includes black plastic drawer, slides, and mounting hardware. - Attaches under freestanding desks, returns, bridges, system convergent or rectangular worksurfaces.					
Specification Tip Do not install in area where cantilever bracket is installed.					
To Order, Specify: Product number. (No finish specification required.)					

Workstation Accessories


	Description	Number	Price
Adjustable Document Holder	Document Holder	KU1D-0000	\$140.22
 KU1D-0000	Features • Includes painted steel Adjustable Document Holder with magnetic attached line guide. • Infinite angle adjustment up to 80° with tension adjustment lever. • Accommodates papers or books. • Size: 16.7″(425mm) wide x 7.5″(191mm) deep x 9.75″(215mm) high. • Standard in supplier black. • Protection pads on bottom.	To Order, Specify: 1) Product number. (No finish specification required.)	
Adjustable Footrest	Footrest	KU1F-0000	\$140.22
 KU1F-0000	Features • Includes Adjustable Foot Rest with anti-slip rubber mat on top. • Angle adjustment by hand: 6°, 12°, 16° and 25° • Size: 15.75″(400mm) wide x 14.75″(375mm) deep x 3.25″-5″(83mm-127mm) high. • Folds flat for easy storage. • Standard in supplier black with silver accent. • Protective pads on bottom.	To Order, Specify: 1) Product number. (No finish specification required.)	
Make-A-Corner	Depth 21.125″(537mm)	Width 26.125″(664mm)	Number MAC-0001
 MAC-0001 Class AA	Features • Creates an angled edge between two (2) perpendicular regular worksurfaces. • Slides over the top of 1.19″(30mm) thick worksurfaces. • Accommodates an adjustable keyboard or mouse pad track (screws included).	To Order, Specify: 1) Product number. 2) Non-metallic trim color.	Price \$208.21

Workstation Accessories

	Height	Width	Depth	Number	Trim A	B
Compose All-Purpose Hook  VZAC-0000-P  VZAC-0000-H Class BC – SIN 33721, Discount Group XI	1.375”(35mm)	0.5”(13mm)	0.75”(19mm)	VZAC-0000-P	\$427.38	\$444.91
	1.375”(35mm)	0.625”(16mm)	3.375”(86mm)	VZAC-0000-H	405.82	423.35
	Features - Includes eight coat hooks. (P) For use with full profile aluminum trim. (H) For use with thin profile steel trim.			To Order, Specify: - Product number. - Trim color.		
Specification Tip Attaches to Compose panel frame or stack frame top with trim.						
Note: Not available for use on Glass panels or glass stacks.						
PLACES All-Purpose Hook  HCH-0008 Class BA – SIN 33721, Discount Group I	1”(25mm)	3”(76mm)	0.5”(13mm)	HCH-0008	\$162.86	
	Features - Includes eight hooks. - Attaches to PLACES steel top cap panels only.			To Order, Specify: - Product number. - Trim color.		
PLACES All-Purpose Hook — For Low Profile Wood Top Cap Panels  HCH-0008-W Class BA – SIN 33721, Discount Group I	1”(25mm)	3”(76mm)	0.625”(16mm)	HCH-0008-W	\$162.86	
	Features - Includes eight hooks. - Attaches to PLACES wood top cap panels only.			To Order, Specify: - Product number. - Trim color.		
UniGroup All-Purpose Hook  CH-8 Class AA – SIN 33721, Discount Group I	1”(25mm)	3”(76mm)	0.625”(16mm)	CH-8	\$139.97	
	Features - Includes eight hooks. - Attaches to panel steel top cap. - For use with UniGroup panels only.			To Order, Specify: - Product number. - Trim color.		
UniGroup Too All Purpose Hook  E2CH-8 Class AC – SIN 33721, Discount Group I				Number	Trim A	B
				E2CH-8	\$130.88	\$153.96
	Features - Includes eight hooks. - For use with UniGroup Too square painted top cap panels.			To Order, Specify: - Product number. - Trim color.		
PREMISE All Purpose Hooks  NAH-12-S Class FA – SIN 33721, Discount Group XI	Application			Number	Trim A	B
	PREMISE Stack Kits			NAH-12-S	\$107.37	\$124.24
	Features - Includes package of eight hooks. - Attaches to the cross bar on a stack kit. - Fifty pound capacity. - Can not be used with grooved top caps.			To Order, Specify: - Product number. - Trim color.		

Workstation Accessories

	Number	Trim A	B
Bag Hook	KUWH-0202	\$43.16	\$48.83



KUWH-0202

Features

- Includes one hook and attachment hardware.
- Hook will swivel if plastic washers are installed.

Specification Tips

- Attaches to the bottom of the 1.19”(30mm) and 2”(51mm) thick top.
- Weight Limit 50 lbs max.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Workstation Accessories

2/90 Sign Systems

2/90 Sign Systems is a recommended signage program for use with Haworth Systems. Signage options include ADA-compliant panel-mounted name signs, department signs, building directories, in/out boards, restroom and no smoking signs.

For inquiries, catalogs or orders, contact System 2/90 directly at 1-800-777-4310, fax (616) 656-4300, 5350 Corporate Grove Blvd SE, Grand Rapids, MI 49512.

Lock Programs

Specification Guidelines

Locking Components Shipping Format

Locking components in all Haworth systems, caseloads, files and storage furniture are shipped with the lock housings factory-installed in each unit ready to receive separate lock plug cores. Lock plugs are field installed by means of a control key. Lock plugs and keys will be shipped with random numbering unless they are specified "keyed-alike". Quantity of locks will match quantity required for locking components on the order.


HW Lock Program

All HW lock plugs and keys will be standard in a Master Lock Program. A Master Lock program allows for better management of the facility where one "Master Key" can be used by Facility Management to service all locking components within a facility. Individual offices can be keyed-alike and will receive single-key access specific to the locking components within that workstation. Multiple locks in credenza components should be keyed-alike for the convenience of single-key access. General storage or file areas may also be keyed-alike so that individuals may have access to shared department documents or supplies.

To order new products within a workstation keyed-alike, the specifier should select the number of locks within the workstation and specify LSET quantities through Orderline. CSET lock plug and keys are to key-alike existing product for reconfigurations.

On Site Lock Installation

One Control Key for installing the lock plug will be included with each incremental order unit of up to 200 locks. The control key is used to insert and remove the lock plug into the housing at the installation site. The control key cannot be used to remove a lock plug in the locked position from its housing. Additional control keys are available and should be considered for the convenience of installing locks in widely separated areas of a facility (see Keys Only, page 247).




Replacement Lock Plugs and Keys

To order replacement lock plugs and keys, use the appropriate service parts catalog number or CSETS.

Coding the Office Plan

Each lock location should be identified graphically on the plan by a dash mark. Encode your office floor plan by using your own coding system to identify each workstation or area that requires keyed-alike locks. Remember that some furniture will have more than one lock — a double pedestal desk, for instance. The coded floor plan with office identification numbers and lock quantities and color code will be required at the time of installation. The installer will be responsible for assignment of lock quantities based on this plan.



Lock Programs

HW Lock Program

HW Lock Program

The Haworth HW Lock Program is a Master Lock Program and offers the option to have workstations keyed-alike with 300 lock numbers. LSET keyed-alike lock plugs/keys are for new locking product orders only and are available at no charge.

For reconfiguration projects, there are CSET lock plugs and keys available at a nominal charge.

Work Sheet Preparation

Photocopy the HW Lock Work Sheet to assist in specifying locks. This work sheet is for your convenience and is not to be submitted with your purchase order.

Using the Coded Office Plan

Enter the workstation or area identification codes from the plan into the columns headed OFFICE NUMBER on the HW Lock work sheet. The work sheet can accommodate 100 location entries.

Specifying Keyed-Alike Lock Quantities and Colors

Using the plan, count the number of locking components in each workstation. Enter the number of locks under "QUANTITY" columns, taking into account the chrome or black finish, depending on lock finishes offered. When completed, each workstation should be assigned a quantity of LSETs. For file banks or storage areas requiring a larger quantity of the same lock numbers, specify LSET-999.

NO KEYED-ALIKE NOTE:
When no LSETS are specified, plugs and keys for the total number of locking components will be shipped automatically.

A Master Key will need to be separately specified.
Example:

Office Number	Quantity		LSET Number	Totals	
	Chrome	Black		Chrome	Black
A1	3		LSET-3	1	
A2	3		LSET-3	1	
A3	3		LSET-3	1	
A4		3	LSET-3		1
A5	4	3	LSET-3		1
			LSET-4	1	
A6	3		LSET-3	1	

Total the number of LSET quantities at the bottom of the work sheet. Transfer each total quantity to your Orderline or written purchase order.

When specifying Keyed-Alike (LSETS): LSETS must be ordered for the total number of locking components. Only the quantity of LSETS ordered will be shipped. We do not ship based upon number of locking components on order.

LSETS ordered in excess of quantities required for new locking product on the order may result in the order being place on hold.

As a final verification of quantity, review the plan carefully to be sure that all products with locks have been identified. Remember that desks, credenzas and storage units may have multiple locking components.

Line Item Entry

Transfer the data from the work sheet to your Orderline or written purchase order. Enter the appropriate LSET catalog numbers on your order, followed by finish option code -BP or -BL.

Example:

Quantity	Description
4	LSET-3, LR-BP
1	LSET-4, LR-BL
2	LSET-3, LR-BL

Order Processing and Packing Method




Figure 3.

Haworth will assign the lock numbers for all keyed-alike orders. Note: Specific key numbers cannot be requested.

Upon receipt of your keyed-alike order, Haworth will draw from our standard inventory of 300 lock numbers. Lock plugs will be shipped according to finish in sets per the quantity specified. HW locks and keys (Figure 3) will carry a stamped "HW" on one side with 1 through 300 on the other side as an indication of the "HW lock" program.

Order Changes

For Order Changes/Cancellations; refer to North American Terms of Sale.

HW LOCK WORK SHEET

PROJECT #: _____

[illegible]


CSET NUMBERS/TOTALS		
	Chrome	Black
CSET-1		
CSET-2		
CSET-3		
CSET-4		
CSET-5		
CSET-6		
CSET-7		
CSET-8		
CSET-9		
CSET-12		
CSET-30		
CSET-999		

RETAIN FOR YOUR RECORDS
DO NOT SUBMIT WITH ORDER

Lock Programs

HW Lock Plugs and Keys

HW Lock Plugs and Keys



Description	Number	Price
Order with new product orders only*		
1 Lock Plug and Key	LSET-1	N/C
2 Lock Plugs and Keys	LSET-2	N/C
3 Lock Plugs and Keys	LSET-3	N/C
4 Lock Plugs and Keys	LSET-4	N/C
5 Lock Plugs and Keys	LSET-5	N/C
6 Lock Plugs and Keys	LSET-6	N/C
7 Lock Plugs and Keys	LSET-7	N/C
8 Lock Plugs and Keys	LSET-8	N/C
9 Lock Plugs and Keys	LSET-9	N/C
10 Lock Plugs and Keys	LSET-10	N/C
11 Lock Plugs and Keys	LSET-11	N/C
12 Lock Plugs and Keys	LSET-12	N/C
30 Lock Plugs and Keys	LSET-30	N/C
Key all locks alike (quantities greater than 30)	LSET-999	N/C
Order for reconfiguration of existing product		
1 Lock Plug and Key	CSET-1	\$ 9.91
2 Lock Plugs and Keys	CSET-2	19.82
3 Lock Plugs and Keys	CSET-3	29.73
4 Lock Plugs and Keys	CSET-4	39.64
5 Lock Plugs and Keys	CSET-5	49.55
6 Lock Plugs and Keys	CSET-6	59.46
7 Lock Plugs and Keys	CSET-7	69.37
8 Lock Plugs and Keys	CSET-8	79.28
9 Lock Plugs and Keys	CSET-9	89.19
12 Lock Plugs and Keys	CSET-12	118.92
30 Lock Plugs and Keys	CSET-30	297.30
Key all locks alike (quantities greater than 30)	CSET-999	9.91

Features

- The Haworth HW Lock Program offers 300 lock numbers. LSET keyed-alike lock plugs/keys are for new locking product orders only and are available at no charge. LSET's ordered in excess of quantities required for new locking product on the order may result in order being placed on hold.
- For reconfiguration projects there are CSET lock plugs and keys available at a nominal charge.
- All lock plugs and keys with one LSET/CSET will ship with the same key number which is chosen at random.
- LSET-999 and CSET-999 are for quantities greater than 30 lock plugs and keys. Specify quantity of locks; locks are priced "per piece". Numbers will be the same for all locks and chosen at random.
- Haworth will assign key numbers from the inventory of 1 through 300.
- To order specific key numbers for replacement; refer to page 247.
- Master key available; separately specified.
- Keys are standard in nickel with black overmolded head; Locks plugs are available in chrome and black finishes.

To Order LSET, Specify:

- Product number.
- Lock plug finish color.
LX-BP Chrome
LX-BL Black


To Order CSET, Specify:

- Product number.
- Lock plug finish color.
LR-BP Chrome
LR-BL Black

Lock Programs

Keys

	Key Number Selection	Number	Price
HW Plugs and Keys	KY-001 through KY-300	HW-SVC	\$18.96




HW-SVC

Features

- Includes one lock plug and one key.
- Keys are standard in nickel with black overmolded head.
- Lock plugs are available in chrome or black finishes.
- One control key (CK-3) for installing lock plugs into lock housings is provided.
- The key number will print on one side of key and HW on other side.
- Lock plug will also show HW and key number (refer to illustrations).

To Order, Specify:

- 1) Product number.
- 2) Lock plug finish color.
LR-BP Chrome
LR-BL Black
- 3) Key number.

HW Replacement Keys

HWSK


Description	Quantity Included	Key Numbers Included	Number	Price
Includes one HW key; specify key number/quantity	1		HWSK-1	\$ 15.02
	50	1-50	HWSK-2	\$ 253.23
	50	51-100	HWSK-3	253.23
	50	101-150	HWSK-4	253.23
	50	151-200	HWSK-5	253.23
	50	201-250	HWSK-6	253.23
	50	251-300	HWSK-7	253.23
	300	1-300	HWSK-300	1344.38

Features

- Includes HW keys only.
- HWSK-1; order for specific HW key number replacement; Specify HW key number.
- HWSK-2 through HWSK-300; specific HW key number series included.

To Order, Specify:

- 1) Product number.
- 2) Key number (HWSK-1 only).
(No finish specification required.)

HW Master Key

HWMK-1

Description	Number	Price
Master key	HWMK-1	\$16.38

Features

- Includes one key.
- HWMK keys are silver with a red overmolded head.

Note: Master keys can only be used for HW Lock Program.**To Order, Specify:**

- 1) Product number.
(No finish specification required.)

HW Control Key

CK-3


Control key (no key number selection required)	CK-3	\$16.38
--	------	----------------

Features

- A single control key is provided with each lock shipment.
- CK-3 control key can be used to remove HW lock plug in unlocked position only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

HW Key Blank

HWKB-1

Key Blank	HWKB-1	\$371.61
-----------	--------	-----------------

Features




- Includes 100 key blanks for use with HW Lock Program only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Lock Programs

Digital Locks

	Length	Width	Height	Number			Price
				1	2	3	
Digital Lock	3.88"(98mm)	1"(25mm)	0.75"(19mm)	HUDR-	-	- Y	\$662.57
 HUDR-R  HUDR-L  HUDR-B  HUDR-T Features - Includes: - Digital lock with 5-digit horizontal or vertical keypad and rotating lock knob - CR2032 3-volt lithium battery - Factory-assigned access code - Attachment hardware and spacer for metal and wood surfaces - Fits standard lock housings in all Haworth systems, caseworks, files and storage furniture. - Two software versions allow the lock to be programmed by individual users each time it's used, or by a facility manager for workstations where re-programming is infrequent. - Master codes can be created by facilities management to override factory-assigned access codes. - Factory or master codes provide manager access and enable re-programming. - Available in black or brushed chrome. Specification Tips - Digital lock installs on Haworth products and fits over existing lock bezel using the included spacer. - Optional control key fob can be specified separately to manage factory and/or master codes. - Not applicable on X Series Tug Pedestal. - User-Programmable (Locker Mode) user programs and codes into lock with each use. - Facility- Programmed (Station Mode) code programmed for user, same code each use. To Order, Specify: 1) Product number, including: 1 Keypad Orientation L Horizontal, knob left R Horizontal, knob right T Vertical, knob top B Vertical, knob bottom 2 Knob Rotation 090 90 degree 180 180 degree 3 Software Option U User-programmable (Locker Mode) F Facility-programmed (Station Mode) 2) Trim color for lock							

	Number	Price
Digital Lock Control Key Fob	HUDF-F	\$602.30
 HUDF-F Features - Includes one control key fob and CR2032 3-volt lithium battery. - Provides facility management of factory, master, and user codes, allowing management access and re-programming of digital locks (HUDR). - Stores an unlimited number of factory and master codes. Specification Tip - Each lock must be programmed to accept key fob before use. To Order, Specify: 1) Product number.		

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
A Series									
Credenza w/Drawers & Doors	Drawer Front	•		•	•				
Active Components									
Security Drawer	Drawer Front				•				•
Suspended Pedestal - Open w/Box Drawer	Drawer Front				•				•
Suspended Pedestal - Box/File Drawers	Drawer Front	•			•	•			•
Suspended Ender - Open w/Box Drawer	Drawer Front				•				•
Suspended Ender - Box/File Drawer	Drawer Front	•			•	•			•
Adaptable Overhead Storage Unit									
Flipper & Single Slider			•	•	•				
Hinge			•	•					
Be_Hold Accessory Drawer									
Steel Drawer Front	Lower Right of Drawer Front				•				
Be_Hold Stationary Pedestals									
12 Wide w/Steel Drawer	Lower Right of Top Drawer				•				
12 Wide w/Hinged Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
12 Wide w/Hinged Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Box/File & Box/Box/File	Upper Right of Top Drawer	•			Q, W				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Suspended Pedestal									
w/Steel Drawer	Lower Right of Top Drawer				•				
Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Be_Hold Mobile Pedestal									
12 Wide w/Steel Drawer	Lower Right of Top Drawer				•				
12 Wide w/Hinged Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
12 Wide w/Hinged Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Box/File & Box/Box/File	Upper Right of Top Drawer	•			Q, W				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Stationary Lateral Files									
Box/File & Box/Box/File, & Cubby/Box/File	Upper Right of Top Drawer	•			•				
Cubby/File, File/File, & File/File/File	Upper Right of Top Drawer	•			•				
Be_Hold Storage Cabinet									
1.5H Double Door	Upper Left of RH Door Front	N, W		•					
2H, & 3H Double Door	Upper Left of RH Door Front	•		•					
1.5H Door on LH Side (LH Unit)	Upper Right of Door Front	N, W			•				
2H, & 3H Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Be_Hold Storage Cabinet (cont')									
1.5H Door on RH Side (RH Unit)	Upper Left of Door Front	N, W		•					
2H, & 3H Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Double Door 48.5	Middle Left of RH Door Front	N, W	•	•					
Double Door 57.5/65.5/73.5	Middle Left of RH Door Front	•	N, W	•					
Double Door 81.5	Middle Left of RH Door Front	•	•	•					
Door on RH Side (RH Unit) 48.5	Middle Left of Door Front	N, W	•	•					
Door on LH Side (LH Unit) 48.5	Middle Right of Door Front	N, W	•		•				
Door on RH Side (RH Unit) 57.5/65.5/73.5	Middle Left of Door Front	•	N, W	•					
Door on LH Side (LH Unit) 57.5/65.5/73.5	Middle Right of Door Front	•	N, W		•				
Door on RH Side (RH Unit) 81.5	Middle Left of Door Front	•	•	•					
Door on LH Side (LH Unit) 81.5	Middle Right of Door Front	•	•		•				
Be_Hold Credenza Units									
Box/File & Box/Box/File	Upper Right of Top Drawer	•			•				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Sliding Credenza Units									
1.5H, 2H, & 3H, Sliding Door Units	not available								
Be_Hold Overhead Storage Units									
Hinged Doors	Lower Left of RH Door Front		•	•					
Sliding Doors	not available								
Be_Hold Stack Storage Cabinet									
Double Door	Bottom Left of RH Door Front		•	•					
Door on LH Side (LH Unit)	Bottom Right of Door Front		•		•				
Door on RH Side (RH Unit)	Bottom Left of Door Front		•	•					
Be_Hold Personal Storage Tower									
3H Storage Door on RH Unit	Upper LH of Storage Door Front	N, W			•				
4H, 5H, & 6H Storage Door on RH Unit	Upper LH of Storage Door Front	•			•				
3H Storage Door on LH Unit	Upper RH of Storage Door Front	N, W		•					
4H, 5H, & 6H Storage Door on LH Unit	Upper RH of Storage Door Front	•		•					
Ped Drawer Box/Box/File	Upper Right of Top Drawer	•			Q, W				
Ped Drawer File/File	Upper Right of Top Drawer	•			•				
Be_Hold Personal Storage Tower w/Valet Door									
3H Valet Door on LH Side	Upper RH of Valet Door Front	N, W			•				
4H, 5H, & 6H Valet Door on LH Side	Upper RH of Valet Door Front	•			•				
3H Valet Door on RH Side	Upper LH of Valet Door Front	N, W		•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Be_Hold Personal Storage Tower w/Valet Door (cont')									
4H, 5H, & 6H Valet Door on RH Side	Upper LH of Valet Door Front	•		•					
Ped Drawer Box/Box/File	Upper Right of Top Drawer	•			Q, W				
Ped Drawer File/File	Upper Right of Top Drawer	•			•				
Be_Hold Wardrobe									
Door on RH Unit 41.5	Upper LH of Door Front	N, W		•					
Door on LH Unit 41.5	Upper RH of Door Front	N, W			•				
Door on RH Unit 48.5	Mid LH of Door Front	N, W	•	•					
Door on LH Unit 48.5	Mid RH of Door Front	N, W	•		•				
Door on RH Unit 57.5/65.5	Mid LH of Door Front	•	N, W	•					
Door on LH Unit 57.5/65.5	Mid RH of Door Front	•	N, W		•				
Shared Storage Wardrobe RH Door 41.5	Upper LH of Door Front	N, W		•					
Shared Storage Wardrobe LH Door 41.5	Upper RH of Door Front	N, W			•				
Shared Storage Wardrobe RH Door 48.5	Mid LH of Door Front	N, W	•	•					
Shared Storage Wardrobe LH Door 48.5	Mid RH of Door Front	N, W	•		•				
Shared Storage Wardrobe RH Door 57.5/65.5	Mid LH of Door Front	•	N, W	•					
Shared Storage Wardrobe LH Door 57.5/65.5	Mid RH of Door Front	•	N, W		•				
Beside									
Credenza w/Drawers & Doors	Drawer Front	•		•	•				
Beside Overhead Storage Unit									
Hinged Door, Left-Hand	Top Right						•		•
Hinged Door, Right-Hand	Top Left						•	•	
Sliding Door, Left-Hand	Top Left						•		•
Sliding Door, Right-Hand	Top Right						•	•	
Beside Pantry									
Pantry Door, Left Side	Top Right	•						•	
Pantry Door, Right Side	Top Left	•							•
Compose Storage Lower Storage-Mobile Pedestals									
1.5H (Box/File)	Top Right	•			6, 7, 8, F				
2H (Box/Box/File & File/File)	Top Right	•			6, 7, 8, F				
Compose Pedestal									
1H (Box/Box)	Top Right	•			6, 7, 8, F				
1.5H (Box/File)	Top Right	•			6, 7, 8, F				
2H (Box/Box/File & File/File)	Top Right	•			6, 7, 8, F				
Compose Lateral Files									
1H	Top Right					•			•
1.5H	Top Right	•			•				
2H	Top Right	•			•				
3H	Top Right	•			•				
Compose Open Shelf Lateral Files									
1.5H	Top Right					•			•
2H	Top Right					•			•

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Compose Combination Units									
2H Left-Hand	Top Right	•			6, 7, 8, F				
2H Right-Hand	Top Right	•			6, 7, 8, F				
Compose Storage Units w/Doors									
1H	Top Left Corner of Right Door	•		•					
2H	Top Left Corner of Right Door	•		•					
3H	Top Left Corner of Right Door	•		•					
Compose Personal Storage Tower w/Side Bookcase									
Right-Hand	Top Right of BBF	•			6, 7, 8, F				
Left-Hand	Top Right of BBF	•			6, 7, 8, F				
Compose Personal Storage Tower w/Wardrobe — One Unit									
RH Wardrobe - Wardrobe Door	Left Edge of Door	•	•	•					
RH Wardrobe - Storage Door	Bottom Right Corner of Door		•		•				
RH Wardrobe - BBF	Top Right of BBF	•			6, 7, 8, F				
LH Wardrobe - Wardrobe Door	Right Edge of Door	•	•		•				
LH Wardrobe - Storage Door	Bottom Left Corner of Door		•	•					
LH Wardrobe - BBF	Top Right of BBF	•			6, 7, 8, F				
Compose Wardrobes									
Wardrobe - Right		•	•	•					
Wardrobe - Left		•	•		•				
Compose Full Height Doors Stack-on Storage									
1H Base Unit	Lower Left Corner of Right Door		•	•					
2H Base Unit	Lower Left Corner of Right Door		•	•					
Compose Partial Height Doors Stack-On Storage									
1H Base Unit	Lower Left Corner of Right Door		•	•					
2H Base Unit	Lower Left Corner of Right Door		•	•					
Masters Lower Storage Pedestals & Attached Lateral Files									
Attached Pedestal (Box/Box/File & File/File)	Upper Right Drawer Front	•			•				
Mobile Pedestal (Box/File)	Upper Right Drawer Front	•			•				
Attached Lateral File (1H, 1.5H & 2H)	Upper Right Drawer Front	•			•				
Masters Freestanding Lateral Files (3H, 4H, 5H & 6H)									
Freestanding Lateral File (Drawer 3H, 4H, 5H & 6H)	Upper Right Drawer Front (2nd Drawer from Bottom)	•			•				
Freestanding Lateral File (Upper Doors 5H & 6H only)	Lower Left of RH Door Front		•	•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Masters Lower 2-door Storage									
2H Lower Storage	Upper Left of RH Door Front	•		•					
3H Lower Storage	Middle Left of RH Door Front	•	•	•					
Masters Combination Units									
Doors	Lower Left of RH Door Front		•	•					
Drawers	Upper Right of Top Drawer Front	•			•				
Masters Wardrobe with Open Storage									
Door on LH Side (LH Unit)	Lower Mid RH of Door Front	•	•		•				
Door on RH Side (RH Unit)	Lower Mid LH of Door Front	•	•	•					
Masters Wardrobe with Closed Storage									
2-Door Unit	Lower Mid of RH Door Front	•	•	•					
Masters Personal Storage Tower with F/F & V									
Valet Door on LH Side	Lower Mid RH of Door Front	•	•		•				
Storage Door on RH Side	Lower LH of Door Front		•	•					
Valet Door on RH Side	Middle Left of Door Front	•	•	•					
Storage Door on LH Side	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Middle Drawer	•			•				
Masters Personal Storage Tower with F/F & Valet									
Valet Door on LH Side	Middle Right of Door Front	•	•		•				
Storage Door on RH Side	Lower LH of Door Front		•	•					
Valet Door on RH Side	Middle Left of Door Front	•	•	•					
Storage Door on LH Side	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Top Drawer	•			•				
Masters Storage Tower									
Storage Door on RH Unit	Lower LH of Door Front		•	•					
Storage Door on LH Unit	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Top Drawer	•			•				
Masters Freestanding Wardrobe Tower									
Door on RH Unit	Lower Mid LH of Door Front	•	•	•					
Door on LH Unit	Lower Mid RH of Door Front	•	•		•				
Masters Credenza Units									
Pedestals or Lateral Files	Upper Right of Top Drawer	•			•				
Closed Storage Units	Upper Left of RH Door Front	•		•					
Masters Upper Storage									
Vertical Storage Units	Lower Left of RH Door Front		•	•					
Overhead Storage Units	Lower Left of RH Door Front		•	•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
X Series and V Series									
Attached, Suspended, Mobile Pedestals	Lockbar, Right-Hand				•				
	Lockbar, Left-Hand (individually locking only)			•					
Personal Storage Tower (2H and 3H only)	Top of Tower			•	•				
Personal Storage Tower Pedestal Section	Lockbar, Right-Hand				•				
	Lockbar, Left-Hand (individually locking only)			•					
Personal Storage Tower Valet Section	Valet Door, Right-Hand	•	•	•					
	Valet Door, Left-Hand	•	•		•				
Personal Storage Tower Storage Unit Section	Storage Door, Left-Hand	•	•		•				
	Storage Door, Right-Hand	•	•	•					
Locker, Group Locker, Cubby Locker	Left-Hand Door	•	•		•				
	Right-Hand Door	•	•	•					
Lateral File	Top of File			•	•				
	Drawer Front	•		•	•				
Combination Unit Drawer Section	Top of Unit			•	•				
Combination Unit Storage Unit Section	Storage Door, Left-Hand	•	•		•				
	Storage Door, Right-Hand	•	•	•					
Combination Unit Valet Section	Valet Door, Left-Hand	•	•		•				
	Valet Door, Right-Hand	•	•	•					
Storage Cabinet and Wardrobe	Top of Cabinet			•	•				
	Right-Hand Door	•	•	•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Service Parts

Service Parts

Service parts for the SL, ML and MLP are available through www.EasyKeys.com; Haworth will not be supplying these products directly.

To order products, dealers must set up an account with Easy Keys.

Easy Key is offering discounts to Haworth dealers. To set-up an account, use the link provided on The Voice - search Easy Keys.

After the account is set up, dealers can order product at the negotiated rate. For future orders, dealers can go directly to www.EasyKeys.com and log in. In order to receive the discounted pricing, dealers must log in with the username and password that was created while setting up the account.

Finish/Color Legend

Trim	Laminate	Edgeband
Grade A	Grade A	Solid Color
<u>Smooth</u>	<u>Solid Color</u>	HP-34 Beige
TR-R Beige	H-34 Beige	HP-AK Chalk
TR-AK Chalk	H-AK Chalk	HP-8J Charcoal
TR-K Charcoal	H-8J Charcoal	HP-3J Graphite
TR-C1 Cocoa	H-3J Graphite	HP-62 Gray Tone
TR-J Graphite	H-62 Gray Tone	HP-WL Linen
TR-G Gray Tone	H-WL Linen	HP-3P Platinum
TR-AA Putty	H-3P Platinum	HP-AA Putty
TR-E Smoke	H-AA Putty	HP-3E Smoke
TR-PLS Smooth Plaster	H-3E Smoke	
TR-FM Snow		
	<u>Patterned</u>	<u>Patterned Edgeband</u>
<u>Textured</u>	H-P1 Linen Casual	HP-P1 Linen Casual
TR-TG Grout	H-P2 Linen Classic	HP-P2 Linen Classic
TR-TF Pitch	H-P3 Linen Crisp	HP-P3 Linen Crisp
TR-TW Plaster	H-P4 Linen Flax	HP-P4 Linen Flax
	<u>Wood Grain</u>	<u>Wood Grain</u>
<u>Translucents</u>	H-AM Amber Cherry	HP-AM Amber Cherry
TR-LQ Frost	H-AE Maple	HP-KA Brazilwood
TR-LX Ice	H-AD Medium Cherry	HP-KG Columbian Walnut
TR-LY Moon		HP-KP Field Elm
TR-LU Shadow		HP-KN Grey Elm
	Grade B	HP-KM Landmark Wood
Grade B	<u>Premium Wood Grain</u>	HP-AE Maple
<u>Smooth</u>	H-KA Brazilwood	HP-AD Medium Cherry
TR-1C Accent Blue	H-KG Columbian Walnut	HP-KL Neo Walnut
TR-1E Accent Orange	H-KP Field Elm	HP-KC New Age Oak
TR-1G Blue Jay	H-KN Grey Elm	HP-KR Phantom Ecru
TR-1R Brownstone	H-KM Landmark Wood	HP-KS Phantom Pearl
TR-CTS Chartreuse	H-KL Neo Walnut	HP-KD River Cherry
TR-1N Night	H-KC New Age Oak	HP-KE Sanara
TR-1Q Park	H-KR Phantom Ecru	HP-KF Williamsburg Cherry
TR-RR Rusty Red	H-KS Phantom Pearl	
TR-1M Sable	H-KD River Cherry	
TR-1J Sky Blue	H-KE Sanara	
TR-1H Terra	H-KF Williamsburg Cherry	
TR-1K Wren		
		Planked Wood
<u>Smooth Metallic</u>		VH-W35 Walnut
TR-DM Dark Bronze		VB-W35 White Oak
Metallic		
TR-MC Metallic Champagne		Painted MDF
TR-LE Metallic Silver		PW-R Beige
		PW-F Black
<u>Textured Metallic</u>		PW-AK Chalk
TR-HE Hellenic		PW-G Gray Tone
		PW-PL Polar
		PW-RR Rusty Red
		PW-1J Sky Blue
		PW-SP Sparrow
		PW-SY Stormy
		PW-ST Straw
		PW-1H Terra
		PW-VA Vapor

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Laminate:	
H-EK Owl Nest	
H-EA Robin Nest	

Trims:	
TR-1F Accent Red	
TR-AL Alloy	
TR-AR Argent	
TR-TY Cement	

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.
Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
169BK	Ergotron Keyboard Tray – Keyboard Tray with Mouse Pad	136
24-205-214	Ergotron Neo-Flex Laptop Cart – Ergotron Neo-Flex Laptop Cart	167
24-220-055	Ergotron Teachwell® Mobile Digital Workspace – Ergotron Teachwell® Mobile Digital Workspace	168
24-316-026	Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation	153
24-317-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	152
24-390-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	152
24-391-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	152
24-392-026	Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation	153
24-481-003	Ergotron LearnFit – LearnFit Desk	169
24-547-003	Ergotron LearnFit – LearnFit Desk	169
33-341-200	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	155
33-349-200	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	155
33-349-211	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	155
33-350-200	Ergotron WorkFit-S — Single Attached Sit-Stand Workstation – Ergotron WorkFit-S — Single Attached Sit-Stand Workstation	154
33-351-200	Ergotron WorkFit-S — Single Attached Sit-Stand Workstation – Ergotron WorkFit-S — Single Attached Sit-Stand Workstation	154
33-397-062	Ergotron WorkFit-T — Desktop Sit-Stand Workstation – Ergotron WorkFit-T — Desktop Sit-Stand Workstation	157
33-397-085	Ergotron WorkFit-T — Desktop Sit-Stand Workstation – Ergotron WorkFit-T — Desktop Sit-Stand Workstation	157
33-406-062	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	158
33-406-085	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	158
33-407-062	Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation	156
33-407-085	Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation	156
33-418-085	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	158
45-174-300	Ergotron Monitor Arms – Neo-Flex	149
45-214-026	Ergotron Monitor Arms – Single Arm	147
45-235-194	Ergotron Monitor Arms – Neo-Flex Extend	149
45-241-026	Ergotron Monitor Arms – Single Arm	140
45-241-224	Ergotron Monitor Arms – Single Arm	140
45-245-026	Ergotron Monitor Arms – Dual Arm	140
45-245-224	Ergotron Monitor Arms – Dual Arm	140
45-248-026	Ergotron Monitor Arms – Dual Arm	140
45-289-026	Ergotron Monitor Arm Accessories – LX Extension	145
45-295-026	Ergotron Monitor Arms – Single Arm	140
45-306-101	Ergotron Monitor Arm Accessories – Under Mount C-Clamp for LX Desk Mount Single, LX Dual Direct, and MXV Monitor Arms	150
45-306-101	Ergotron Monitor Arms – Neo-Flex Tablet	149
45-360-026	Ergotron Monitor Arm – Single Arm	142
45-362-026	Ergotron Monitor Arm Accessories – LX Sit-to-Stand Extension	145
45-384-026	Ergotron Monitor Arm – Single Arm	142
45-405-026	Ergotron WorkFit LX - Sit-Stand Desk Mount System – Ergotron WorkFit LX - Sit-Stand Desk Mount System	159
45-475	Ergotron Monitor Arms – Single Arm	138
45-476	Ergotron Monitor Arms – Dual Arm	138
45-478	Ergotron Monitor Arms – Single Arm	138
45-479	Ergotron Monitor Arms – Dual Arm	138
45-486	Ergotron Monitor Arm – Single Arm	146
45-489	Ergotron Monitor Arm – Dual Direct Arm	143
45-490-216	Ergotron Monitor Arms – Single Arm	140
45-491-216	Ergotron Monitor Arms – Dual Arm	140
45-492-216	Ergotron Monitor Arms – Dual Arm	140
45-492-224	Ergotron Monitor Arms – Dual Arm	140
45-496	Ergotron Monitor Arm – Dual Arm	146
45-509-216	Ergotron Monitor Arm – LX Dual Stacking Arm - Tall Pole Monitor Arm	141
45-537-216	Ergotron Monitor Arms – Single Arm	140

Index

Product Code	Product Description	Page
45-549-026	Ergotron Monitor Arm – LX Dual Stacking Arm - Tall Pole Monitor Arm	141
4TJC-72	Wire Management – J-Channel	208
60-589-060	Ergotron Monitor Arm Accessories – Monitor Quick Release LCD Bracket	148
7031-7001	Information Display – Planes Markerboard Accessories – Markerboard Accessories	178
7031-7002	Information Display – Planes Markerboard Accessories – Markerboard Accessories	178
7062-8001	Information Display – Planes Markerboard Accessories – Markerboard Accessories	178
80-063	Ergotron CPU Holder – Small CPU Holder	137
80-105-064	Ergotron CPU Holder – Cable CPU Holder	137
97-468	Ergotron CPU Holder – Universal CPU Holder	137
97-558-200	Ergotron WorkFit — Accessories – Tablet/Document Holder	161
97-581-019	Ergotron WorkFit — Accessories – Worksurface	161
97-582-009	Ergotron Keyboard Tray – Neo-Flex Keyboard Tray	136
97-606	Ergotron WorkFit — Accessories – Conversion Kit Single HD to Dual	160
97-615	Ergotron WorkFit — Accessories – Tall-User Kit for WorkFit Dual	162
97-616	Ergotron WorkFit — Accessories – Conversion Kit: LCD & Laptop to Dual	162
97-617	Ergotron WorkFit — Accessories – Conversion Kit: Dual to LCD & Laptop	162
97-620-060	Ergotron WorkFit — Anti-Fatigue Floor Mat – Ergotron WorkFit — Anti-Fatigue Floor Mat	166
97-649-085	Ergotron WorkFit — Accessories – Grommet Mount	161
97-653	Ergotron WorkFit — Accessories – Large Keyboard Tray	161
97-692	Ergotron WorkFit — Accessories – Grommet Mount	160
97-774-003	Ergotron Monitor Arm Accessories – LX One-Stop Rotational Control Kit	144
97-783	Ergotron Monitor Arm – Dual Monitor and Handle Kit	148
97-844	Ergotron Monitor Arm Accessories – LX Pole Collar	145
97-845	Ergotron Monitor Arm Accessories – Tall-User Kit for Single Display	165
97-897	Ergotron WorkFit — Accessories – Deep Keyboard Tray	163
97-898	Ergotron WorkFit — Accessories – Corner Keyboard Tray	163
97-926-064	Ergotron LearnFit – Storage Bin	169
97-933-062	Ergotron WorkFit — Accessories – WorkFit LCD & Laptop Kit	164
97-933-085	Ergotron WorkFit — Accessories – WorkFit LCD & Laptop Kit	164
97-934-062	Ergotron WorkFit — Accessories – WorkFit Dual Monitor Kit	164
97-934-085	Ergotron WorkFit — Accessories – WorkFit Dual Monitor Kit	164
97-935-062	Ergotron WorkFit — Accessories – WorkFit Single LCD Monitor Kit	164
97-935-085	Ergotron WorkFit — Accessories – WorkFit Single LCD Monitor Kit	164
97-940-026	Ergotron Monitor Arm Accessories – LX Arm, Extension and Collar Kit	145
98-009-026	Ergotron Monitor Arms – HX Triple Monitor Bow Kit	139
98-009-216	Ergotron Monitor Arms – HX Triple Monitor Bow Kit	139
98-017	Ergotron Monitor Arm Accessories – Grommet Mount for LX Arm on WorkFit-T/TL	151
98-034	Ergotron Monitor Arm Accessories – Grommet Mount for LX Single and Dual Direct Arms	151
98-035	Ergotron Monitor Arm Accessories – Grommet Mount for LX Dual Arm	151
98-037-062	Ergotron Monitor Arm – Dual Direct Handle Kit	143
98-060-003	Ergotron Monitor Arm Accessories – LX Two-Stop Rotational Control Kit	144
98-081	Ergotron Monitor Arm Accessories – Under Mount C-Clamp for use with HX Arms	150
98-082	Ergotron Monitor Arm Accessories – Under Mount C-Clamp for LX Dual Side-by-Side, LX Dual Stacking, LX Desk Mount Tall Pole	150
98-083	Ergotron Monitor Arm Accessories – Under Mount C-Clamp for LX Desk Mount Single, LX Dual Direct, and MXV Monitor Arms	150
98-101-009	Ergotron Monitor Arm Accessories – Dual Monitor Double- Hinged Bow	165
98-110	Ergotron Monitor Arm Accessories – Grommet Mount for MXV Single Monitor Arm	151
98-111	Ergotron Monitor Arm Accessories – Grommet Mount for MXV Dual Monitor Arm	151
98-130-216	Ergotron Monitor Arm Accessories – LX Arm, Extension and Collar Kit	145
98-236-009	Ergotron Monitor Arm Accessories – Under Mount C-Clamp for LX Dual Side-by-Side, LX Dual Stacking, LX Desk Mount Tall Pole	150
KU5M-2NNK	Monitor Arms — Haworth – Adjustable Post Arm – for Use with Reside Desking	201
CH-8	Workstation Accessories – UniGroup All-Purpose Hook	240
CK-3	Lock Programs – HW Control Key	247
DBKP-S	Work Tools – File Master Kit	236

Index

Product Code	Product Description	Page
DBKS-S	Work Tools – Mini Master Kit	236
DBKT-S	Work Tools – Task Master Kit	236
DM12-1006-1	Ergotron Zip 12 Charging – Ergotron Zip 12 Charging	170
DMSP	Work Tools – Mini Shelf	233
DPKP-S	Work Tools – File Master Kit	236
DPKS-S	Work Tools – Mini Master Kit	236
DPKT-S	Work Tools – Task Master Kit	236
DPKY-1	Work Tools – Pile Master Kit	235
DS-3	Workstation Accessories – Shallow Drawer	238
DTAR-3	Work Tools – Personal Shelf Bracket	234
DTBS-3	Work Tools – Phone Shelf Bracket	234
DTES-3	Work Tools – Personal Shelf	234
DTGK-3	Work Tools – Gooseneck Kit	233
DTHT-1	Work Tools – Tote Strap	233
DTLS-2	Work Tools – Letter Tray Stacking Kit	235
DTLT-2	Work Tools – Letter Tray	235
DTPR-3	Work Tools – Paper Sorter	232
DTPT-3	Work Tools – Phone Shelf	234
DTRB	Work Tools – Waste Bin	235
DTSB-1	Work Tools – Letter Tray Stacking Bracket	235
DTSB-3	Work Tools – Binder Bin	232
DTTE-3	Work Tools – Tote	233
DTTH-3	Work Tools – Tote	233
DTTS-12	Work Tools – Tack Strip	232
DTTS-24	Work Tools – Tack Strip	232
DTWC-2	Work Tools – Tool Cup	232
E2CH-8	Workstation Accessories – UniGroup Too All Purpose Hook	240
EAAW-0000-H	Wire Management – Cable Chain	207
EUA1-0610-PFC	Electrical Components – Hatch	68
EUA1-0610-PFN	Electrical Components – Hatch	68
EUA1-0610-PFT	Electrical Components – Hatch	68
EUAM-0000	Wire Management – Conduit Clamp	208
EUAW-0000-NHS	Wire Management – Cord Manager — Mesh	207
EUAW-3100-NV	Wire Management – Vertical Cable Chain	207
EUAW-4000-V	Wire Management – Compose Connections Cable Chain	207
EUAW-NH	Wire Management – Wire Manager — Horizontal	209
EUB1-HLOB-2100	Electrical Components – Flush Mounted Power — Hardwire	39
EUB1-HLOB-2110	Electrical Components – Flush Mounted Power — Hardwire	39
EUB1-HLOB-2112	Electrical Components – Flush Mounted Power — Hardwire	39
EUB1-PL0B-2100	Electrical Components – Flush Mounted Power — Corded	35
EUB1-PL0B-2110	Electrical Components – Flush Mounted Power — Corded	35
EUB1-PL0B-2112	Electrical Components – Flush Mounted Power — Corded	35
EUB1-PL0B-4000	Electrical Components – Flush Mounted Power — Corded	35
EUB1-SF0B-2100	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	43
EUB1-SF0B-2110	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	43
EUB1-SF0B-2112	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	43
EUB1-SF0B-4000	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	43
EUB1-SL0B-2100	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	46
EUB1-SL0B-2110	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	46
EUB1-SL0B-2112	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	46
EUB1-SL0B-4000	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	46
EUC1-HF0P-200000	Electrical Components – Power, Data and USB	99
EUC1-HF0P-210010	Electrical Components – Power, Data and USB	99

Index

Product Code	Product Description	Page
EUC1-HF0P-311010	Electrical Components – Power, Data and USB	.99
EUC1-PF0P-200000	Electrical Components – Power, Data and USB	.91
EUC1-PF0P-210010	Electrical Components – Power, Data and USB	.91
EUC1-PF0P-311010	Electrical Components – Power, Data and USB	.91
EUC1-PF0P-400000	Electrical Components – Power, Data and USB	.91
EUC2-HF0P-210010	Electrical Components – Power, Data and USB	.103
EUC2-HF0P-311010	Electrical Components – Power, Data and USB	.103
EUC2-PF0P-210010	Electrical Components – Power, Data and USB	.95
EUC2-PF0P-311010	Electrical Components – Power, Data and USB	.95
EUC2-PF0P-400000	Electrical Components – Power, Data and USB	.95
EUCN-PJ	Electrical Components – Collaborative Power Station	.27
EUD1-HF0B-2010	Electrical Components – Enhanced Power Module — Hardwire	.78
EUD1-HF0B-2110	Electrical Components – Enhanced Power Module — Hardwire	.78
EUD1-HF0B-2112	Electrical Components – Enhanced Power Module — Hardwire	.78
EUD1-PF0B-2010	Electrical Components – Enhanced Power Module — Corded	.72
EUD1-PF0B-2110	Electrical Components – Enhanced Power Module — Corded	.72
EUD1-PF0B-2112	Electrical Components – Enhanced Power Module — Corded	.72
EUD1-PF0B-4000	Electrical Components – Enhanced Power Module — Corded	.72
EUD1-SF0B-2110	Electrical Components – Enhanced Power Module — Spiral Corded — Height Adjustable	.83
EUD1-SF0B-4000	Electrical Components – Enhanced Power Module — Spiral Corded — Height Adjustable	.83
EUD1-SL0B-2110	Electrical Components – Enhanced Power Module — Cord for Height Adjustable	.84
EUD1-SL0B-4000	Electrical Components – Enhanced Power Module — Cord for Height Adjustable	.84
EADB-0000-A	Electrical Components – For use with Suite Technology Access Blotter and Utility Cabinet	.90
EADB-0000-B	Electrical Components – For use with Suite Lower Storage – Mounts to the Inner Back of the Cabinet	.89
EADB-0000-C	Electrical Components – For use with Suite Lower Storage – Mounts to Storage Top	.89
EADB-0000-H	Electrical Components – Above Worksurface – Adjustable	.85
EADB-0000-N	Electrical Components – Above Worksurface – Adjustable	.85
EADB-0000-SB	Electrical Components – For Use with Side Car — Basic	.87
EADB-0000-SD	Electrical Components – For Use with Side Car — Deluxe	.87
EADB-0000-T	Electrical Components – Above Worksurface – Adjustable with Tackboard Offset	.86
EADB-0000-U	Electrical Components – Under Worksurface – Fixed	.86
EADB-0000-W	Electrical Components – Above Worksurface – Fixed	.86
EADB-J	Electrical Components – For Use with X Series	.88
EUDX-3000-B	Electrical Components – Cables	.135
EUDX-H000-B	Electrical Components – Cables	.135
EUDX-U000-B	Electrical Components – Retrofit USB Charging Cable	.135
EUDX-V000-B	Electrical Components – Cables	.135
EUE1-000B	Electrical Components – Flip Top Unit — Non-Powered	.108
EUE1-1111W	Electrical Components – Power and Data	.107
EUE1-1331W	Electrical Components – Power and Data	.107
EUE1-1B01W	Electrical Components – Power and Data	.107
EUE1-C331W	Electrical Components – Power and Data	.107
EUE1-HF0B-1212	Electrical Components – Power, Data and USB	.122
EUE1-HF0B-2110	Electrical Components – Power, Data and USB	.122
EUE1-PF0B-1212	Electrical Components – Power, Data and USB	.110
EUE1-PF0B-2110	Electrical Components – Power, Data and USB	.110
EUE1-PF0B-4000	Electrical Components – Power, Data and USB	.110
EUE2-000B	Electrical Components – Flip Top Unit — Non-Powered	.108
EUE2-1331W	Electrical Components – Power and Data	.107
EUE2-C331W	Electrical Components – Power and Data	.107
EUE2-HF0B-1212	Electrical Components – Power, Data and USB	.128
EUE2-HF0B-2110	Electrical Components – Power, Data and USB	.128
EUE2-PF0B-1212	Electrical Components – Power, Data and USB	.116

Index

Product Code	Product Description	Page
EUE2-PF0B-2110	Electrical Components – Power, Data and USB	.116
EUE2-PF0B-4000	Electrical Components – Power, Data and USB	.116
EUET-0000-1M3N	Electrical Components – Power Tap — Corded Horizontal and Vertical	.67
EUET-0030-2M3N	Electrical Components – Power Tap — Horizontal	.65
EUET-0030-2M3N	Electrical Components – Power Tap — Vertical	.66
EUET-0030-3M3N	Electrical Components – Power Tap — Horizontal	.65
EUET-0030-3M3N	Electrical Components – Power Tap — Vertical	.66
EUET-0030-4M3N	Electrical Components – Power Tap — Horizontal	.65
EUET-0030-4M3N	Electrical Components – Power Tap — Vertical	.66
EUET-0030-CM3N	Electrical Components – Power Tap — Hardwire	.67
EUF1	Electrical Components – Classic Power Module	.28
EUFB-0000-AB	Electrical Components – Classic Power Module Bracket - Angled	.29
EUFB-0000-SB	Electrical Components – Classic Power Module Bracket - Vertical Bracket	.29
EUFB-0000-UB	Electrical Components – Classic Power Module Bracket - Under Surface	.29
EUG1	Grommets – Flip Top Unit — Hatch	.172
EUMC-0201	Electrical Components – Mounting Clip for Flip Top Unit	.133
EUP1-HF	Electrical Components – Flush Mounted — Round	.70
EUP1-PF	Electrical Components – Flush Mounted — Round	.70
EURT-0000-N001CB	Electrical Components – Data Bezel	.71
EURT-0000-N001CW	Electrical Components – Data Bezel	.71
EURT-0000-N001SB	Electrical Components – Data Bezel	.71
EURT-0000-N001SW	Electrical Components – Data Bezel	.71
EURT-0072-1010	Electrical Components – Bezel Utility Module	.71
EURT-0072-1100	Electrical Components – Bezel Utility Module	.71
EUS1-HLOB	Electrical Components – Seamless Enhanced Power Module	.31
EUS1-HLOW	Electrical Components – Seamless Enhanced Power Module	.31
EUS1-PF0B	Electrical Components – Seamless Enhanced Power Module	.31
EUS1-PF0W	Electrical Components – Seamless Enhanced Power Module	.31
EUWC-HLOB	Electrical Components – Wireless Charging Module	.134
EUWC-HLOW	Electrical Components – Wireless Charging Module	.134
EUWC-PF0B	Electrical Components – Wireless Charging Module	.134
EUWC-PF0W	Electrical Components – Wireless Charging Module	.134
EWCA	Electrical Components – 4-Port and 6-Port	.52
EWCB	Electrical Components – 4-Port and 6-Port	.52
EWCG-3A1D-NPSCBNCW	Electrical Components – Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire	.60
EWCG-3A1D-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	.56
EWCG-3A1D-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	.58
EWCG-3A3E-NPSCBNCW	Electrical Components – Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire	.60
EWCG-3A3E-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	.56
EWCG-3A3E-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	.58
EWCG-4RNN-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	.56
EWCG-4RNN-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	.58
HCH-0008	Workstation Accessories – PLACES All-Purpose Hook	.240
HCH-0008-W	Workstation Accessories – PLACES All-Purpose Hook — For Low Profile Wood Top Cap Panels	.240
HCPL-COT1-07	Lighting — Haworth Collection – Table Light	.187
HCPL-COT2-15	Lighting — Haworth Collection – Table Light with Small Panel	.187
HCPL-COT3-30	Lighting — Haworth Collection – Table Light with Large Panel	.187
HCPL-GFT1-13	Lighting — Haworth Collection – Table Light	.188
HCPL-SLF1-47	Lighting — Haworth Collection – Floor Light	.195
HCPL-SLSV-4BP	Lighting — Haworth Collection – Base Pads	.195
HCPL-SLT1-17	Lighting — Haworth Collection – Table Light	.195
HCPL-TTF1-60	Lighting — Haworth Collection – Floor Light	.196
HCPL-TTT1-14	Lighting — Haworth Collection – Table Light	.196

Index

Product Code	Product Description	Page
HCPL-TTT2-21	Lighting — Haworth Collection – Table Light	196
HCPL-TTT3-27	Lighting — Haworth Collection – Table Light	196
HCPL-UMT2-11	Lighting — Haworth Collection – Audio Lantern	197
HKMP-1	Adjustable Keyboard Pads – Boogie Board Mouse Pad	25
HKTC-M	Adjustable Keyboard Pads – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	25
HKTC-N	Adjustable Keyboard Pads – Boogie Board Keyboard Tray with Palm Rest	25
HKTE-M	Adjustable Keyboard Pads – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	25
HKTE-N	Adjustable Keyboard Pads – Boogie Board Keyboard Tray with Palm Rest	25
HUDF-F	Lock Programs – Digital Lock Control Key Fob	248
HUDR-B	Lock Programs – Digital Lock	248
HUDR-L	Lock Programs – Digital Lock	248
HUDR-R	Lock Programs – Digital Lock	248
HUDR-T	Lock Programs – Digital Lock	248
HWKB-1	Lock Programs – HW Key Blank	247
HWMK-1	Lock Programs – HW Master Key	247
HWSK	Lock Programs – HW Replacement Keys	247
HW-SVC	Lock Programs – HW Plugs and Keys	247
JAC-18	Workstation Accessories – Pencil Drawer	238
JAG-1	Planes Accessories – Grommets	171
JAG-2	Planes Accessories – Grommets	171
JRPY-3948	Recycling Solutions	204
KAIB-0040	Information Display – Information Boards	175
KAIC-0000	Information Display – Horizontal Wall Rail End Caps	176
KAIE-0029	Information Display – Standard Easel	173
KAIE-0072	Information Display – Large Easel	174
KAIH-0000	Planes Information Display – Boards and Accessories – Wall Cleat for Information Boards	175
KAIW-0096	Planes Information Display – Boards and Accessories – Horizontal Wall Rail for Information Boards	175
KDV	Storage Accessories – Dividers	206
KFI-00XX-B	Storage Accessories – Drawer Insert	205
KJFI-00XX-D	Storage Accessories – Drawer Insert	205
KJTY-10	Storage Accessories – Personal Tray	206
KJTY-12	Storage Accessories – PDA Tray	206
KJTY-9	Storage Accessories – Pencil Tray	206
KU1A-0017	Adjustable Keyboard Pads – Locking Tilt AKP	21
KU1C	CPU Holders – Fixed Mount CPU Holder – Vertical	26
KU1C	CPU Holders – Fixed Mount CPU Holder – Horizontal	26
KU1D-0000	Workstation Accessories – Adjustable Document Holder	239
KU1F-0000	Workstation Accessories – Adjustable Footrest	239
KU2A-0017	Adjustable Keyboard Pads – Dial Tilt AKP	21
KU2C-L	CPU Holders – Adjustable CPU Holder	26
KU3A-0023	Adjustable Keyboard Pads – Dial Tilt AKP - Extended Arm	22
KU4A-0023	Adjustable Keyboard Pads – Sit-to-Stand AKP	22
KU5A	Adjustable Keyboard Pads – Thin Profile AKP	24
KU5M-1NNB	Monitor Arms — Haworth – Adjustable Post Arm – for Use with Intuity Benching	200
KU5M-1NNK	Monitor Arms — Haworth – Adjustable Post Arm – for Use with Reside Deskling	201
KU5M-1NNN	Monitor Arms — Haworth – Adjustable Post Arm	199
KU5M-2NNB	Monitor Arms — Haworth – Adjustable Post Arm – for Use with Intuity Benching	200
KU5M-2NNK	Monitor Arms — Haworth – Adjustable Post Arm – for Use with Reside Deskling	201
KU5M-2NNN	Monitor Arms — Haworth – Adjustable Post Arm	199
KU6M-1NNB	Monitor Arms — Haworth – Extend Arm – For Use with Intuity Benching	200
KU6M-1NNK	Monitor Arms — Haworth – Extend Arm — For Use with Reside Deskling	201
KU6M-1NNN	Monitor Arms — Haworth – Extend Arm	199
KU6M-2NNB	Monitor Arms — Haworth – Extend Arm – For Use with Intuity Benching	200

Index

Product Code	Product Description	Page
KU6M-2NNK	Monitor Arms — Haworth — Extend Arm — For Use with Reside Desking	201
KU6M-2NNN	Monitor Arms — Haworth — Extend Arm	199
KU6T	Monitor Arms — Haworth — iPad Attachment	202
KUAH-0002	Work Tools — Magnet Hooks	237
KUAH-0003	Work Tools — Magnet Hook	237
KUAK	Work Tools — Accessory Kit	231
KUAM-0411	Work Tools — Magnet Board	237
KUAM-0518	Work Tools — Magnet Board	237
KUAP-0000	Work Tools — Round Peg Magnets	237
KUAR-0403	Work Tools — Mirror	237
KUBL-2030-FJ	Work Tools — Blotter	231
KUBT	Work Tools — Base Tray	229
KUCU-0915-BNN	Work Tools — Open C Cubby	228
KUCU-1215-BNS	Work Tools — Open C Cubby	228
KUDP-2420	Workstation Accessories — Pencil + Drawer	238
KUHS-0000-H	Work Tools — Hanging Sorter	230
KULS	Work Tools — Desk Top L-Screen	229
KUP1-0000-CSN	Work Tools — Mounting — Tool Rail — Single Post — C-Clamp or Thru-mount	217
KUP1-0000-USN	Work Tools — Mounting — Tool Rail — Single Post — L-Bracket Mount	219
KUP2-0000-UBI	Work Tools — Mounting — Tool Rail — Single Post Internal/Benching	223
KUPT-0913-F	Work Tools — Paper Tray — Landscape	230
KUPT-0913-H	Work Tools — Paper Tray — Landscape	230
KUPY	Work Tools — Mounting — Slat, Wall Mount	214
KUR1-0424-PZN	Work Tools — Mounting — Single Side	215
KUR1-1224-CSN	Work Tools — Mounting — Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount	216
KUR1-1224-USE	Work Tools — Mounting — Tool Rail — Single Sided Continuous Benching End	220
KUR1-1224-USI	Work Tools — Mounting — Tool Rail — Internal Single Sided Continuous Benching Application	222
KUR1-1224-USN	Work Tools — Mounting — Tool Rail — Under Horizontal Surface Mount — L-Bracket	218
KUR2-1224-UBE	Work Tools — Mounting — Tool Rail — Double-Sided Continuous Benching End Application Only	221
KUR2-1224-UBI	Work Tools — Mounting — Tool Rail — Internal Continuous Benching Application Only	223
KURB	Recycling Solutions — Recycling/Trash Bin	204
KURD	Recycling Solutions — Recycle Bin Carriage	204
KURS	Work Tools — Desk Top Reference Shelf	229
KURS-0010-H	Work Tools — Reference Shelves	231
KURS-0012-B	Work Tools — Reference Shelves	231
KURS-0019-H	Work Tools — Reference Shelves	231
KUSH-0408-H	Work Tools — Mini Shelf	230
KUSR	Work Tools — Screen Rail	228
KUTB	Work Tools — Structural Screen Tile	227
KUTC-0000-H	Work Tools — Tool Cup	230
KUTS-E	Work Tools — Territory Screen — End-of Run	224
KUTS-L	Work Tools — Territory L-Screen	225
KUTS-S	Work Tools — Territory Screen — Shared	224
KUWH-0202	Workstation Accessories — Bag Hook	241
KWT	Wire Management — Wire Management Trough	209
KZTB	Work Tools — Belong Systems Tile — External Mount for use with Compose Panels	227
LBJ1	Lighting — Haworth Collection — Freestanding Lighting	184
LBJ2	Lighting — Haworth Collection — Freestanding Lighting	184
LBJ3	Lighting — Haworth Collection — Mounted Lighting	184
LBJ4	Lighting — Haworth Collection — Mounted Lighting	184
LCF1-6009	Lighting — Haworth Collection — Floor Light	186
LCT1-1708	Lighting — Haworth Collection — Table Light	186

Index

Product Code	Product Description	Page
LL31-2210-NFLC	Lighting — Haworth Collection – Table Light	193
LL32-2210-NGLC	Lighting — Haworth Collection – Grommet Mounted Light	193
LLC1	Lighting — Haworth Collection – Worksurface Mounted Lighting	190
LLL1	Lighting — Haworth Collection – Freestanding Lighting	189
LLL2	Lighting — Haworth Collection – Freestanding Lighting	189
LLL3	Lighting — Haworth Collection – Freestanding Lighting	189
LLM1	Lighting — Haworth Collection – Mounted Lighting	191
LLM1	Lighting — Haworth Collection – Mounted Lighting	191
LLM2	Lighting — Haworth Collection – Mounted Lighting	191
LLU2	Lighting — Haworth Collection – Mounted Lighting	191
LRF0-5208	Lighting — Haworth Collection – Floor Light	185
LRF1-5208	Lighting — Haworth Collection – Floor Light	185
LRT1-1408	Lighting — Haworth Collection – Table Light	185
LSET	Lock Programs – HW Lock Plugs and Keys	246
LUPT	Lighting — Haworth Collection – Table Light	194
LUTA	Lighting — Haworth – Adaptable LED Task Light - Add-On Kit	180
LUTD-0017-1NULDN	Lighting — Haworth – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	182
LUTN	Lighting — Haworth – Adaptable LED Task Light - Stand-Alone	179
LUTS-0000	Lighting — Haworth – Reed Premier™ Add-On Occupancy Sensor	182
LUTS-0017-12ULD6	Lighting — Haworth – Reed Premier™ Starter LED Task Light	181
LUTS-0017-19ULD5	Lighting — Haworth – Reed Premier™ Stand-Alone LED Task Light	181
LUTT	Lighting — Haworth – Adaptable LED Task Light - Starter Kit	179
LUV1	Lighting — Haworth – Voyage without Occupancy Sensor	183
LUV2	Lighting — Haworth – Voyage with Occupancy Sensor	183
MAC-0001	Workstation Accessories – Make-A-Corner	239
NAH-12-S	Workstation Accessories – PREMISE All Purpose Hooks	240
NAPY	Work Tools — Mounting – Wall Accessory Slat Pad – For Use with PREMISE	214
NBFS-M	Information Display – Planes Markerboard – Markerboard Insert	177
NBFS-X	Mobile Screens – Translucent Insert	198
NECG-V	Wire Management – Vertical Cable Guide	209
NEH-8	Wire Management – Wire Management Loop	208
NEV-1	Wire Management – PREMISE Vertical Wire Manager	211
NEV-2	Wire Management – PREMISE Task Light Cord Manager	212
SCD-19	Workstation Accessories – Steel Center Drawer	238
STP-P26-TH	Pip – Personal Laptop Table	203
SUTM	Work Tools – Territory Screen — Multi-material	226
TA01-0214	Planes Information Display – Boards and Accessories – Y-Leg Bumper	176
TA01-0217	Wire Management – Cable Column	213
TA01-0220	Planes Accessories – Grommets	171
TA01-0225	Wire Management – Wire Manager Clips	208
TA01-0228-F	Wire Management – Planes C-Leg Training Table Vertical Wire Manager	211
TA01-0814	Wire Management – Cable Base	213
TA01-1414	Wire Management – Cable Base	213
TABC	Wire Management – Basket Cover	210
TAWB	Wire Management – Wire Management Basket	210
TYVW	Wire Management – Vertical Wire Channel - Leg Attached	210
UKMCBK	Ergotron Keyboard Tray – Keyboard Tray with Mouse Pad	136
VZAC-0000-H	Workstation Accessories – Compose All-Purpose Hook	240
VZAC-0000-P	Workstation Accessories – Compose All-Purpose Hook	240
VZAW-0000-V	Wire Management – Compose Task Light Cord Manager	211
WC-17	Wire Management – UniGroup Too, UniGroup and PLACES Task Light Wire Manager	212
WC-6	Wire Management – UniGroup Too, UniGroup and PLACES Wire Manager	212
WQAG	Lighting — Haworth Collection – Grommet — For Use with Brazo Grommet Mounted Light Only	184

Index

<u>Product Code</u>	<u>Product Description</u>	<u>Page</u>
WQAG	Planes Accessories – Grommets	.171
WUAC-WSG	Planes Accessories – Grommets	.171
WUAW-PNH	Wire Management – Horizontal Wire Management	.209
ZUAP-0000-PAN	Electrical Components – Power Tap Bracket — Adjustable	.68
ZUAP-0000-PFD	Electrical Components – Power Tap Bracket — Fixed	.68
ZUAP-0000-PGH	Electrical Components – Power Tap Bracket with Grommet — Beside Storage Only	.69
ZUAP-0000-PUR	Electrical Components – Power Tap Bracket — Under Surface	.69

Warranty

Ergotron branded products in this price list are covered exclusively by the warranty statement below.

All Ergotron® products will remain free of defects in material and workmanship for a period of five years from the date of receipt of the product, subject to any exclusions and limitations as set forth below.

Ten-year warranty on all LX and MX Ergotron Products, purchased on or after August 1, 2014

Zip Charging Systems: Lifetime material/workmanship; three years electrical components; one year cables (power/Ethernet)

Ten-year warranty on LearnFit Adjustable Standing Desk (24-481-003)

Three-year warranty on all Neo-Flex® Ergotron Products

Original Equipment Manufacturer (OEM) Products resold by Ergotron are warranted by the respective manufacturer

FURTHER EXCLUSIONS AND LIMITATIONS

These warranties do not cover product abuse, modification and failure to adhere to product instructions, improper operations and/or misuse. Ergotron is not responsible for damage arising from failure to follow instructions relating to the product's intended use. Ergotron is not responsible for injury or loss caused by or associated with the installation and/or use of equipment in any manner other than in strict conformance with the instructions set forth in its installation manuals, supplemental assembly and installation instruction sheets, technical bulletins and/or product literature. You will provide Ergotron immediate written notice of any personal injury resulting from the use of Ergotron products.

Ergotron does not warrant damages or defects to the Ergotron product under the following conditions: an Act of God, unauthorized service or repair of the Ergotron products, damage from electrical power problems, usage of parts or components not supplied by Ergotron, failure to follow product instructions and guidelines, unauthorized changes to the Ergotron product, shipping damage (other than original shipment from Ergotron), failure to perform preventative maintenance, or damage caused by peripherals or software or from other external sources.

EXCLUSIVE REMEDY

Warranty Repair: In the event that any Ergotron equipment becomes defective in material or workmanship during the warranty period, Ergotron will determine with you if the product defect is covered under warranty. Ergotron, at its sole discretion, may replace or repair the unit determined to be under warranty at a designated Ergotron location or at your location. The labor costs associated with the repair of the product may be the responsibility of Ergotron if determined to be under warranty. You must receive pre-approval by Ergotron for the labor costs prior to repair or replacement of warranty products. You must contact Ergotron to obtain a Return Material Authorization (RMA) number. An RMA number may be obtained by contacting Ergotron Customer Care online or by telephone within your specific region. Contact information is available to you on the Ergotron web site at www.ergotron.com. Performance of any repair or replacement on product under warranty does not renew or extend the warranty period.

Non-Warranty Repair: You may return a product for repair that is not covered by warranty only if you have received a preapproved RMA number from Ergotron Customer Care. Labor costs and freight charges associated with non-warranty repair will be the sole responsibility of the customer, reseller or installer/integrator. A standard repair fee, specific to the product, is charged for any product that is repaired outside of the warranty period. Repairs on products out of warranty also carry a 90-day warranty, effective the day that you receive the item after repair.

For products that are not covered under warranty, Ergotron offers you the following options:

You may upgrade to a newer, functionally equivalent product at a normal list price

Ergotron will return the product to you

You can request in writing that Ergotron appropriately dispose of the product for you. A fee may apply for this service as designated by local law

Non-Defective Products: You are notified if, after examining and testing a returned product, Ergotron concludes that the product is not defective. The product is returned to you and you would be responsible for the freight charges associated with the return.

WARRANTY DISCLAIMER

Except as expressly set forth in this Limited Warranty and to the greatest extent allowed by law, Ergotron makes no other representations, warranties or conditions, express or implied, including any implied representations, warranties or conditions of merchantability, fitness for a particular purpose, non-infringement, and noninterference. Ergotron does not warrant that your use of the Ergotron product will be uninterrupted or error free. Any implied warranties that may be imposed by law are limited in duration to the Limited Warranty period, to the greatest extent allowed by law. Some states or countries do not allow a limitation on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages for consumer products. In such states or countries, some exclusions or limitations of this Limited Warranty may not apply to you. This Limited Warranty is subject to change without notification.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

WARRANTY TRANSFERABILITY

This Limited Warranty is available only to the original end consumer and is non-transferable. For this warranty to be valid, the Ergotron product must have been purchased directly from an authorized distributor, reseller and/or authorized representative of Ergotron.

For additional information reference Ergotron.com or warranty inquiries contact Ergotron at 844-429-9678 or email haworth@Ergotron.com.

Ergotron Limited Warranty Terms and Conditions

©Ergotron Inc.

Effective Date: 1 June 2017

Content is subject to change without notification

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Effective: September 1, 2021

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact **OneTouch@Haworth.com** or **1 877 429 6784**.


Effective: September 2, 2022

HAWORTH

HAWORTH® is a registered trademark of Haworth, Inc.
© Haworth, Inc. All rights reserved. 2021 2.21 | Item #1222
haworth.com | 800 344 2600


Wire Management Tray General Specifications

Wire Management Tray





Product Name	Approved Table Depths	Approved Table Widths	Reduce Tray Width Leg Clearance	Example Calculation To Determine Tray Width
Upside – Height Adjustable Table C-Leg and T-Leg/ Rectangle Top	29”(737mm)	58”(1473mm), 64”(1626mm), 70”(1778mm), 76”(1930mm), 82”(2083mm)	22”(559mm)	64”(1626mm) Table Width - 22”(559mm) Reduce Tray Width 42”(1067mm) Tray Width
Hop – Height Adjustable Table T-Leg/Rectangle Top	29”(737mm)	58”(1473mm), 64”(1626mm), 70”(1778mm)	22”(559mm)	64”(1626mm) Table Width - 22”(559mm) Reduce Tray Width 42”(1067mm) Tray Width
Planes – Height Adjustable Table C-Leg/Rectangle Top	29”(737mm)	58”(1473mm), 64”(1626mm), 70”(1778mm)	22”(559mm)	64”(1626mm) Table Width - 22”(559mm) Reduce Tray Width 42”(1067mm) Tray Width
Planes Value Model Height Adjustable Table C-Leg and T-Leg/ Rectangle Top	29”(737mm)	58”(1473mm), 64”(1626mm), 70”(1778mm)	22”(559mm)	64”(1626mm) Table Width - 22”(559mm) Reduce Tray Width 42”(1067mm) Tray Width
Masters Series Height Adjustable Table Rectangle Top	30”(762mm), 36”(914mm), 42”(1067mm)	60”(1524mm), 66”(1676mm), 72”(1829mm)	22”(559mm)	64”(1626mm) Table Width - 22”(559mm) Reduce Tray Width 42”(1067mm) Tray Width
Masters Series Height Adjustable Table with Storage Integration Rectangle Top	30”(762mm), 36”(914mm), 42”(1067mm)	66”(1676mm), 72”(1829mm), 78”(1981mm), 84”(2134mm)	30”(762mm)	66”(1676mm) Table Width - 30”(762mm) Reduce Tray Width 36”(914mm) Tray Width
Active Components Height Adjustable Table Rectangle Top	23”(584mm), 29”(737mm)	58”(1473mm), 64”(1626mm), 70”(1778mm)	22”(559mm)	58”(1473mm) Table Width - 22”(559mm) Reduce Tray Width 36”(914mm) Tray Width
Jive Table – Dual Disc Base Rectangle Top	30”(762mm), 36”(914mm), 42”(1067mm)	72”(1829mm), 84”(2134mm), 96”(2438mm)	36”(914mm)	72”(1829mm) Table Width - 36”(914mm) Reduce Tray Width 36”(914mm) Tray Width
Jive Table – T-Leg – Round Column Rectangle Top	36”(914mm)	66”(1676mm), 72”(1829mm), 84”(2134mm)	12”(305mm)	66”(1676mm) Table Width - 12”(305mm) Reduce Tray Width 54”(1372mm) Tray Width
Jive Table – T-Leg – Extruded Column Rectangle Top	30”(762mm), 36”(914mm)	54”(1372mm), 60”(1524mm), 66”(1676mm), 72”(1829mm)	18”(457mm)	60”(1524mm) Table Width - 18”(457mm) Reduce Tray Width 42”(1067mm) Tray Width
Jive Table – C-Leg Extruded and Round Column Rectangle Top	30”(762mm)	54”(1372mm), 60”(1524mm), 66”(1676mm), 72”(1829mm)	18”(457mm)	72”(1829mm) Table Width - 18”(457mm) Reduce Tray Width 54”(1372mm) Tray Width
Jive Table Post Round Base and Post Extruded Base Rectangle Top	30”(762mm), 36”(914mm)	42”(1067mm), 48”(1219mm), 54”(1372mm), 60”(1524mm), 66”(1676mm), 72”(1829mm), 84”(2134mm)	6”(152mm)	42”(1067mm) Table Width - 6”(152mm) Reduce Tray Width 36”(914mm) Tray Width
Adaptable Worksurface Rectangle Worksurface	30”(762mm)	42”(1067mm), 48”(1219mm), 54”(1372mm), 60”(1524mm), 72”(1829mm)	6”(152mm)	48”(1219mm) Table Width - 6”(152mm) Reduce Tray Width 42”(1067mm) Tray Width
Cultivate Table Frames	36”(914mm), 42”(1067mm)	60”(1524mm), 72”(1829mm) Wide Frames	12”(305mm)	60”(1524mm) Table Width - 12”(305mm) Reduce Tray Width 48”(1219mm) Tray Width
		84”(2134mm), 96”(2438mm) Wide Frames	12”(305mm)	84”(2134mm) Table Width - 12”(305mm) Reduce Tray Width 72”(1829mm) Tray Width (use two 36”(914mm) wide trays)

Wire Management Tray General Specifications




Do KU6M-0000-2NNN and JU5M-0000-2NNN are the recommended Haworth Monitor Arms to be used with Trays.


Don't Hop C Leg Table Single Stage Height Adjustable Tables cannot be used with Tray and Haworth Monitor Arms.




Do Hop C Leg Dual Stage Height Adjustable Tables only 64"(1626mm) wide or greater may be used with Trays and Monitor Arms due to the 8"(203mm) crossbars.



Don't Trays are not for use on 23"(584mm) deep tables due to interference with knee clearance.




Don't Hop T Leg Height Adjustable Table cannot be used with Tray and Haworth Monitor Arms.



Don't Trays are not for use on Flip Top Tables (Planes or Jive).


Electrical Components


Belong

	Number	Price
Power Cube	EUC4-BIN1-31100YN	\$305.00
 EUC4		
Features • Includes one power module with three 120V receptacles (NEMA 5-15R), one dual USB-A charging port, one USB-C charging port, one wireless charger, and 9'(2743mm) hinged braided power cord with low profile plug (NEMA 5-15P). • Can be freestanding on worksurface or be used with appropriate mounting bracket. • 10W Qi (wireless) charging coil on top of cube. • USB-A and USB-C share 15W charging capability. • USB-A provides two ports. • USB-C provides one port for fast charge for a mobile phone. • Power Cube has non-slip pad on bottom.		
To Order, Specify: 1) Product number. 2) Trim color. TR-K Charcoal TR-FM Snow		
Specification Tips • Available in charcoal TR-K or snow TR-FM. • Brackets (EUCB) are optional and can be separately specified. • Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

Electrical Components


Belong

	Number	Price
Plug Strip	EUR1-BIN1-50000	\$75.00
 EUR1 Features - Includes one plug strip with five 120V receptacles (NEMA 5-15R), circuit breaker, and 9'(2743mm) braided power cord with low profile plug (NEMA 5-15P). - Plug Strip can mount in wire management tray or mount directly to the underside of the worksurface without additional bracket. - Plug Strip has keyhole slots for mounting below worksurface. - UL 962A listed Furniture Power Distribution Unit. To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-FM Snow		
Specification Tips - Available in charcoal TR-K or snow TR-FM. - Recommended for 23"(584mm) deep surfaces which cannot accommodate a wire management tray. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		


	Number	Price
Power Suite	EUB5-BIN1-81100YN	\$355.00
 EUB5 Features - Includes one power module with three 120V receptacles (NEMA 5-15R), one dual USB-A charging port, one USB-C charging port, one wireless charger, one connected plug strip with five 120V receptacles (NEMA 5-15R), circuit breaker, and 9'(2743mm) hinged braided power cord with low profile plug (NEMA 5-15P). - Cord connecting plug strip to power cube is 4'(1219mm). - Power Cube can be freestanding on worksurface or be used with appropriate mounting bracket. Plug strip can mount in wire management tray or mount directly to the underside of the worksurface without additional bracket. 10W Qi (wireless) charging coil on top of cube. - USB-A and USB-C share 15W charging capability. - USB-A provides two ports. - USB-C provides one port for fast charge for a mobile phone. - Power Cube has non-slip pad on bottom. - Plug Strip has keyhole slots for mounting below worksurface. - Circuit breaker has a reset indicator light. To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-FM Snow		
Specification Tips - Available in charcoal TR-K or snow TR-FM. - Plug Strip designed to be mounted below worksurface for long term connection. Power Cube is mounted above the surface for a convenient power option. - Recommended for 23"(584mm) deep surfaces which cannot accommodate a wire management tray. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

Electrical Components

Belong

	Widths	Number	Price
Power Suite and Wire Management Tray Kit 	36"(914mm)	EUBT-BI36-81100YN	\$521.60
	42"(1067mm)	EUBT-BI42-81100YN	527.60
	48"(1219mm)	EUBT-BI48-81100YN	536.00
	54"(1372mm)	EUBT-BI54-81100YN	543.20
	60"(1524mm)	EUBT-BI60-81100YN	550.40
Features - Includes one Power Suite and one Wire Management Tray. - Cord connecting plug strip to power cube is 4'(1219mm). - Power Cube can be freestanding on worksurface or be used with appropriate mounting bracket. Plug strip can mount in wire management tray or mount directly to the underside of the worksurface. - Tray flips down to provide access to power and data cords. It can be accessed by the back or the user side. - Tray can accept both the 1"(25mm) and 2"(51mm) Cuffs.			
To Order, Specify: - Product number. - Trim color for Wire Management Tray. - Trim color for Power Suite. TR-K Charcoal TR-FM Snow			
Specification Tips - Tray width must be undersized due to the understructure of the table. See Wire Management Tray General Specifications application details. - Power Suite is available in charcoal TR-K or snow TR-FM. - Wire management tray is available in standard finishes. - Separately specified mounting brackets for Power Cube.			

EUBT


	Widths	Number	Price
Wire Management Tray 	36"(914mm)	EUWT-0836-P	\$211.60
	42"(1067mm)	EUWT-0842-P	218.80
	48"(1219mm)	EUWT-0848-P	226.00
	54"(1372mm)	EUWT-0854-P	233.20
	60"(1524mm)	EUWT-0860-P	240.40
Features - Includes one metal tray and four attachment brackets with thumb tabs to assist with opening tray. - Tray flips down to provide access to power and data cords. It can be accessed by the back or the user side. - Belong Plug Strip can be mounted into the tray. - Tray can accept both the 1"(25mm) and 2"(51mm) Cuffs. Reverse tray for correct opening.			
To Order, Specify: - Product number. - Trim color.			
Specification Tips - Tray width must be undersized due to the understructure of the table. See Wire Management Tray General Specifications application details. - Not designed to be used on 23"(584mm) deep tables or worksurfaces due to knee clearance. - Not designed for use on Flip Top Tables (Planes or Jive). - Product is available in all standard trim colors.			

EUWT



Electrical Components

Belong


	Description	Number	Price
Brackets	Edgeband	EUCB-0000-WJP	\$ 50.00
	Knife Edge	EUCB-0000-WFP	115.00
	VSU/Tackboard	EUCB-0000-TJP	50.00
	Undersurface	EUUB-0503-UP	25.00




Standard Edge Worksurface Mount




Knife Edge Worksurface Mount



EUCB



Under Worksurface Mount



Above Worksurface Application
(Bracket NOT Fastened or Needed)

Features

- Includes mounting bracket and mounting hardware.
- For use with Belong Power Solutions (with the exception of the Power Strip).

Specification Tips


- Available in standard finishes.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-K Charcoal
TR-FM Snow

Belong Cushion Top

Cushion



QBFC_F

Depth	Nominal Width	Actual Width	Number	Fabric Grade				
				A	B	C	D	E
16.8"(427mm)	24"(610mm)	22.65"(575mm)	QBFC-1824-F	\$483.57	\$556.10	\$638.31	\$ 725.35	\$ 812.40
	30"(762mm)	28.65"(728mm)	QBFC-1830-F	558.93	642.80	737.79	838.39	939.00
	36"(914mm)	34.65"(880mm)	QBFC-1836-F	634.29	729.50	837.27	951.43	1065.60
	42"(1067mm)	40.65"(1033mm)	QBFC-1842-F	709.65	816.20	936.75	1064.47	1192.20

Features

- Includes one cushion and non-slip material.
- 0.75"(19mm) thick cushion is cover stitched around perimeter edges.
- Cushion has a two-sided reversible surface; same fabric on both sides.

To Order, Specify:


- 1) Product number.
- 2) Fabric and color.

Specification Tips

- Cushion is not structural; to be used with a storage top.
- Cushion may be the same width or smaller than the base unit.
- Patterned fabrics may not align on both sides of the cushion.

Height Adjustable Table Accessories

Belong Horizontal Wire Management



AKWN
Class TR01 – Open Market

Features

- Includes one PET (Polyethylene Terephthalate) cable manager, tray and attachment hardware.
- Available in two colors: Dusk and Mink.
- Ships unassembled.

Specification Tips

- Not for use with Compose Echo table.
- Not designed for use on Flip Top Tables (Planes or Jive).
- Use a low profile monitor arm bracket with the tray.
- Refer to Wire Management Tray General Specifications
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) PET color.
 PET-C1 Dusk
 PET-C4 Mink

Depth	Width	Number	Price
12"(305mm)	30"(762mm)	AKWN-1230-EUN	\$330.00