

ALUMI COMBI SCREEN COLORS

STANDARD OPTIONS

Alumi Felt



11 Plain White




12 Plain Light Grey



13 Plain Dark Grey



01 Dot White



02 Dot Light Grey



03 Dot Dark Grey



18 Block White



15 Block Light Grey



16 Block Dark Grey

Salsa



(30) light grey



(31) blue



(32) dark middle grey



(33) yellow



(34) dark yellow



(35) dark green



(36) middle grey



(39) pink



(40) dark blue



(54) light pink



(55) green



(56) brown



(57) beige



ALUMI COMBI SCREEN COLORS

STANDARD OPTIONS

Event





ALUMI COMBI SCREEN BASE OPTIONS

Basic legs

Available in grey lacquer finish. Adjustable feet or lockable castors. Leg height 1.2" from floor, except from legs with castors; 3.9".










Molded legs

Available in silver anodized or white lacquer, RAL 9010. Adjustable feet or lockable castors. Leg height 2.2" from floor, except from legs with castors; 5".













ALUMI COMBI SCREEN





DESIGNER Nina Jobs

CONTENT Core: 100% Mineral Wool

Frame: 100% White Anodized Aluminum

Base: 100% Steel

Cover: Felt- 100% Polyester

Event- 100% Polyester Salsa- 100% Polyester

DIMENSIONS

Alumi Combi Widths: 31.3", 47.5", or 57.6"

Height: 75" Depth: 2.5"

Alumi Combi Light Widths: 78.3", or 31.7"

Heights: 71.7", or 79"

Depth: 2.5"

FLAMMABILITY Inquire

ACOUSTIC NRC: 0.65 (see graph on following page)

APPLICATION Screen

DESCRIPTION Alumi Screen is a flexible freestanding screen

for the office as well as for public areas. The acoustic filling is made from mineral wool. The framework and the edge for the Alumi Screens are made from aluminum, which means that it is light in weight and very solid.

BENEFITS

Versatile: Alumi Combi & Alumi Combi Light Screens are the ultimate combinations of mobile writing surfaces and acoustic screens. The screens consist of sound-absorbing acoustic filling mounted on an aluminum frame. Both sides of the screen are upholstered in either compressed polyester felt, polyester upholstery, or wool upholstery. The Alumi Combi Light screens are a smaller, undivided version. One side is compised entirely of E3 enamel finish for writing, the other side is completely upholstered. Both Alumi Combi screens share the same aluminum legs with lockable wheels.

Designed for the Environment: Alumi is manufactured on the basis of technical, environmental and production ethical requirements. There are no emissions to air, water or land during the production of Alumi. The sound-absorbent core of Alumi contains recycled materials. Alumi Wall is recyclable.

Improved Sound Absorption: Alumi Screen is ideal for high frequency absorption and achieves an NRC 0.65 rating.

Recyclable: The materials in Alumi Screens are recyclable, either as material recycling or energy recovery.

Care: To preserve the fabric color and appearance of the fabric, Alumi floor screen should be vacuumed regularly with a soft nozzle. To remove stains dab or wipe gently with a moist cloth.



ALUMI COMBI SCREEN

