
ECOUSTIC® GRAVURA INFINITY



ECOUSTIC® GRAVURA COLORS



ECOUSTIC® GRAVURA INFINITY





CONTENT 100% PET

THICKNESS 0.47" (12mm)

DIMENSIONS 47.9" x 95.8" (1216mm x 2433mm)


WEIGHT $7.9 \text{ oz/ft}^2 (2400 \text{ gsm +/- } 10\%)$

FLAMMABILITY

ASTM E84 Class A AS/ISO 9705 Group 1

AS/NZS 1530.3

ACOUSTIC



Installation: ecoustic[®] Gravura Panels are lightweight and ready to install out of the box. The panels may be adhered to multiple types of wall substrates and both of the designs are interchangable.

Designed for the Environment: Easy to disassemble and separate into the appropriate recycling systems, ecoustic® Gravura is made of 100% PET and can be recycled.

- California 01350 Emissions Compliant
- Low VOC
- Oeko-Tex Certified
- Rapidly Renewable Content
- Prop 65 Compliant
- Declare CDHP Emissions Compliant

APPLICATION Walls

DESCRIPTION ecoustic® Gravura Panels are produced

with 100% PET Solid Color Core material.

Available in two interchangeable patterns and 11 color-ways, Gravura provides a quick and versatile sound-absorbing solution for today's changing interior needs.



