# **ECOUSTIC® PANEL PRINT OPUS**



## **ECOUSTIC® PATTERN PRINT OPUS**



**BLACK ON TAUPE** 



IVORY ON OPAL



PUTTY ON CHARCOAL



**PUTTY ON LIGHT GREY** 




SHADOW ON FRESCO



WHITE ON NATURAL

### **DISC FULL PANEL PATTERN**













### **ECOUSTIC® PANEL PRINT OPUS**



CONTENT

100% PET (up to 65% recycled PET)

#### **DIMENSIONS**

Panel Dimensions  $8'11\frac{1}{16}" \times 3'11\frac{5}{8}" (2720 \text{mm x } 1210 \text{mm})$ Print Dimensions  $8'10\frac{5}{16}" \times 3'11\frac{1}{4}" (2700 \text{mm x } 1200 \text{mm})$ Screen Panel Dimensions  $3'11\frac{5}{8}" \times 7'11\frac{1}{4}" (1210 \text{mm x } 2420 \text{mm})$ Screen Print Dimensions  $3'11\frac{1}{4}" \times 7'10\frac{1}{2}" (1200 \text{mm x } 2400 \text{mm})$ 

THICKNESS 0.31" (8mm)

0.53" (13.5mm) (3 box minimum) 0.98" (25mm) (3 box minimum) 1.97" (50mm) (5 box minimum) 0.47" (12mm) \*Custom Screen

**PATTERN REPEAT** 

(h) 3'11 1/4" x (w) 8'10 5/16" (1200mm x 2700mm)


Opus is railroaded for ecoustic® screen

#### **FLAMMABILITY**

ASTM E84 AS/NZS 1530.3 AS/ISO 9705 GB 8624 CLASS A

**APPLICATION** Screen, Wall & Ceiling Panel

ACOUSTIC NRC: 0.30 - 1.00 Depending on panel thickness



#### **BENEFITS**

**Improved Pinability:** ecoustic® Panel + Screen features an improved pinability compared to similar panel products.

**Lightweight, Easy to Handle + Install:** ecoustic® is an intelligent alternative to traditional panels composed of multiple materials such as particle board, fabric, foam and adhesive.

#### **Designed for the Environment:**

- Based on low energy manufacturing
- 100% polyester (up to 65% recycled content)
- Designed for disassembly + recyclable
- Low-VOC, EPD + Greentag Level A Certified
- HPD

**Building Rating Systems:** ecoustic® Opus will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	√	<b>√</b>	N/A
Low-VOC	√	<b>√</b>	√
EPD	√	<b>√</b>	N/A
3rd Party Greentag Level A Certification	<b>√</b>	J	√
Toxic Material Reduction	N/A	N/A	√
Sound Reducing Surfaces (.98" & 1.97")	N/A	N/A	J

**Please Note:** Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix and color as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable. Variation from batch to batch may occur.