

unika vaev

INSTYLE



ecoustic® V Panel Collection



Hear yourself think®

ecooustic® V Panel + Tile Collection

ecooustic® V is a collection of acoustic panels and tiles with an elegant aesthetic and acoustic performance. The V collection is available in eight timeless designs, three solid color core thicknesses, six sizes, and a variety of colors for ultimate design flexibility. The panels and tiles can be installed both vertically and horizontally. NRC ratings, depending on the thickness used, are between 0.30 – 0.65 when directly fixed to the wall or 0.85 - 0.95 when using a 7 7/8” airgap. Designed for the environment, the ecooustic® SC panels are low-VOC, Oeko-Tex certified, and recyclable.



ecooustic® V Line Mix Panel 0.47" in color Almond installed horizontally + vertically




ecoustic® V Line 110 in color Tungsten




ecoustic® V Check 138 Tile 0.35" in color Zinc


ecoustic® V Collection Patterns




V Line 14*




V Line 25*




V Line 55*




V Line 110*




V Line Mix*




V Diagonal 55**




V Check 50***




V Line Mix*




V Diagonal 55**




V Check 50***



V Check 138***



V Check 138***



V Check 138***

Patterns shown are not to scale
*Panels have beveled edges on sides, the top and bottom are non-beveled
**Panels do not have beveled edges
***Panels have beveled edges on all sides

Patterns shown are not to scale
*Panels have beveled edges on sides, the top and bottom are non-beveled
**Panels do not have beveled edges
***Panels have beveled edges on all sides

ecoustic® V Panel + Tile Collection

How to specify

DESIGN

- V Line 14
- V Line 25
- V Line 55
- V Line 110
- V Line Mix
- V Check 50
- V Check 138
- V Diagonal 55
- V Chevron 55
- V Wave
- V Pivot
- V Twist
- V Swift
- V Rain
- Custom Design

PANEL

Solid Color Panel 0.47" (43 5/16" x 106 5/16" nominal)

Please confirm the dimensions on product specification
The V 'grooves' on both the panels and tiles are approximately 3/8" wide by 3/16" deep

COLOR

Solid Color 0.47" (20 color options)



ecoustic® V Collection Thickness + Color



Product may vary in color due to the nature of the media
Please refer to unikavaev.com for current color range

ecoustic® V Panel + Tile Collection

CONTENT	100% PET
DIMENSIONS	
Panels	0.47": 43 5⁄16" x 106 5⁄16" nominal
APPLICATION	Wall
FIRE RATINGS	
ASTM E84	Class A
AS/ISO 9705	
AS/NZS 1530.3	
VOC	
Cal 01350	Complies
ACOUSTIC	NRC: 0.40 (direct fix) or 0.85 (with 7 7⁄8" air gap)
ENVIRONMENT	
ecoustic® V panels + tiles are California 01350 Emissions Compliant, Declare CDHP Emissions Compliant, Low VOC, Oeko-Tex Certified, Global Greentag, HPD, and Rapidly Renewable Content.	
LIGHTWEIGHT, EASY TO HANDLE + INSTALL	
Compared to traditional panels, ecoustic® V panels are lower in weight, easier to handle, and results in reduced transportation costs. ecoustic® V can be trimmed and installed without the need for additional finishes, which reduces labor and material costs. V panels and tiles supplied are precision cut.	
MOISTURE ABSORPTION	
After four days at 251° F, 95% RH the moisture absorbency of the 0.47" and 0.94" panel + tile was less than 0.3% and 2.9% by weight, respectively. As ecoustic® V panels + tiles are made from 100% polyester, they will not degrade over time due to moisture, mildew, or rot in office environments.	
TOXICITY	
Polyester is non-toxic and is classed the same as wood under the State of New York Article 15 Part 1120. ecoustic® V does not contain any Red List Chemicals (USA EPA).	



Unika Vaev
114 New Park Avenue, Suite 1
North Franklin, CT 06254
800-237-1625
customerservice@unikavaev.com
unikavaev.com