ADA Compliant PoppinPod Kolo 2









ADA COMPLIANT POPPINPOD KOLO 2

Designed to offer the choice for peace and quiet in the open office, the ADA Compliant PoppinPod Kolo 2 features a T-shaped turnaround, ramped threshold, anti-slip floor.

The included outlets on the floor power your work table, conferencing equipment, screen, or devices for remote meetings or extra-long brainstorms. The air recirculates in the pod every 5 minutes, allowing for a safe and controlled environment.

Bells + Whistles

- NIC rating is 33 dB
- ADA compliant T-shaped turnaround, ramped threshold, anti-slip floor and fold-down benches and work surface
- Automatic door opens with a light touch and closes automatically
- Motion-activated light and fans
- Tempered safety glass on front and back
- Designed to dampen the sound of conversations for a quiet, more productive environment
- Lights are dimmable from 1900 lumens
- Features Dark Gray sound-absorbing PET lining
- The PoppinPod Collection has achieved Indoor Advantage Gold Certification

Power

- The PoppinPod Kolo is fully UL962 listed
- 10 ft power cord
- 4 AC outlets, 2 USB, 2 data ports
- Input: 120VAC, 9.4A Max, 60Hz
- Output: DC 5V, 2.1A

Delivery

• White Glove assembly and installation is required

Warranty

• The PoppinPod has a Limited Lifetime Warranty





48" without handle Add 2.5" for handle depth 45.5" 86.75" 87.75" 84.75" KEEP CLEAR

ADA COMPLIANT POPPINPOD KOLO 2

Your Poppin Account Executive and Project Manager can answer any questions you have about the placement of your PoppinPod.

Dimensions

EXTERIOR (IN)

TOTAL FOOTPRINT

86.75w x 50.5d x 87.75h

101w x 90d

INTERIOR (IN)

81.75w x 43.7d x 84.75h

BENCHES (IN)

36.75w x 20d x 16.75h

TABLE (IN)

28.5w x 22.5d x 31.5h

Allow for 9" above the PoppinPod for sufficient air circulation.

KEY Exterior Dimensions Interior Dimensions