

Hyper Earth

Style Name	Hyper Earth
Style Number	BT405
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Installation	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone

Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	8.00
Pounds per Carton	28.56
Backing Material	EcoFlex Matrix
Fiber Type	ColorStrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone
Stitches per Inch	10 (39.37 per 10cm)
Density	6620
Tufted Pile Weight	16.20 oz/yd2 (549 g/m2)
Surface Texture	Textured Patterned loop



Recommended Installation Methods



Basket Weave




Brick Ashlar



Brick Ashlar




Brick Ashlar




Half Lap



Herringbone




Monolithic



Monolithic Stepping




Plank Half Lap




Random

Colorways




Yellow Pyrite

Color code: 981
Style number: BT405



Orange Citrine

Color code: 982
Style number: BT405




Red Garnet

Color code: 983
Style number: BT405




Purple Amethyst

Color code: 984
Style number: BT405



Blue Sapphire

Color code: 985
Style number: BT405



Green Peridot

Color code: 986
Style number: BT405



Ice Topaz

Color code: 987
Style number: BT405



Pink Quartz

Color code: 988
Style number: BT405

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.058 kg CO2e/ft2
Embodied Carbon	1.16 kg CO2e/ft2
Total Recycled Content	48%
Pre-Consumer Recycled Content	48%
NSF 140	EcoFlex Matrix - NSF 140 Gold
Indoor Air Quality	GLP 1098
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Recycling Program
Environmental Product Declaration	EPD EcoFlex Matrix
Health Product Declaration	HPD 2.1 EcoFlex Matrix - 1000 ppm
Environmental Claims Validation	EPD EcoFlex Matrix
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge Petal Certified

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static