


Enthralled II

Collection	State of Mind III
Style Name	Enthralled II
Style Number	GT314
Product Type	Carpet Tile
Size	24" X 24"
Construction	Tufted
Installation	Quarter Turn, Multi-Directional, Horizontal Ashlar, Vertical Ashlar, Monolithic




Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	8.00
Pounds per Carton	47.52
Backing Material	EcoFlex NXT
Fiber Type	Duracolor® Premium Nylon
Dye Method	Yarn Dyed
Installation Methods	Quarter Turn, Multi-Directional, Horizontal Ashlar, Vertical Ashlar, Monolithic
Stitches per Inch	11 (43.31 per 10cm)
Density	8470
Tufted Pile Weight	24.00 oz/yd2 (814 g/m2)
Pile Thickness	.102" (2.59 mm)
Surface Texture	Textured Patterned Loop


Recommended Installation Methods



Monolithic



Multi-Directional



Quarter Turn



Vertical Ashlar

Colorways



Enchanted

Color code: 139
Style number: GT314



Engaged

Color code: 321
Style number: GT314



Intrigued

Color code: 405
Style number: GT314



Mesmerized

Color code: 408
Style number: GT314



Hypnotized

Color code: 474
Style number: GT314



Spellbind

Color code: 478
Style number: GT314

Colorways



Indulged

Color code: 481
Style number: GT314



Attracted

Color code: 661
Style number: GT314



Fascinated

Color code: 768
Style number: GT314



Gratified

Color code: 802
Style number: GT314



Ravished

Color code: 820
Style number: GT314



Allured

Color code: 853
Style number: GT314



Dazzled

Color code: 954
Style number: GT314



Fulfilled

Color code: 974
Style number: GT314

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Severe
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.075 kg CO2e/ft2
Embodied Carbon	1.49 kg CO2e/ft2
Total Recycled Content	46%
Pre-Consumer Recycled Content	46%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Recycling Program
Environmental Product Declaration	EPD EcoFlex NXT
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge Petal Certified

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static