



Hem 12 x 36

Collection	Denim
Style Name	Hem 12 x 36
Style Number	GT295
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Installation	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone




Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	6.00
Pounds per Carton	32.94
Backing Material	EcoFlex NXT
Fiber Type	Duracolor® Premium Nylon
Dye Method	Solution Dyed / Yarn Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone
Stitches per Inch	11 (43.31 per 10cm)
Density	8383
Tufted Pile Weight	17.00 oz/yd2 (576 g/m2)
Surface Texture	Textured Patterned Loop


Recommended Installation Methods




Basket Weave




Brick Ashlar



Brick Ashlar




Brick Ashlar




Half Lap




Herringbone




Monolithic



Monolithic Stepping



Plank Half Lap



Random

Colorways



Flare

Color code: 138
Style number: GT295



Bootcut

Color code: 585
Style number: GT295



Straight

Color code: 649
Style number: GT295



Slim

Color code: 729
Style number: GT295



Curvy

Color code: 851
Style number: GT295



Loose

Color code: 878
Style number: GT295



Hipster

Color code: 937
Style number: GT295



Skinny

Color code: 955
Style number: GT295



Low Rise

Color code: 966
Style number: GT295



Easy

Color code: 989
Style number: GT295

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Severe
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.06 kg CO2e/ft2
Embodied Carbon	1.2 kg CO2e/ft2
Total Recycled Content	54%
Pre-Consumer Recycled Content	54%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Recycling Program
Environmental Product Declaration	EPD EcoFlex NXT
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge Petal Certified

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static