


Reawakened

Collection	New Vintage
Style Name	Reawakened
Style Number	GT302
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Installation	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone



Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	6.00
Pounds per Carton	33.3
Backing Material	Ecoflex Nxt
Fiber Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone
Stitches per Inch	11 (43.31 per 10cm)
Density	5944
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Patterned Tip Shear

Recommended Installation Methods



Basket Weave




Brick Ashlar



Brick Ashlar




Brick Ashlar



Half Lap




Herringbone



Monolithic



Monolithic Stepping



Plank Half Lap



Random

Colorways



Classic

Color code: 148
Style number: GT302



Rare

Color code: 263
Style number: GT302



Unique

Color code: 473
Style number: GT302



Distinguished

Color code: 566
Style number: GT302



Superior

Color code: 589
Style number: GT302



Ripe

Color code: 661
Style number: GT302



Finest

Color code: 728
Style number: GT302



Prime

Color code: 837
Style number: GT302



Flawless

Color code: 849
Style number: GT302



Tradition

Color code: 861
Style number: GT302



Simple

Color code: 937
Style number: GT302



Ideal

Color code: 949
Style number: GT302



Top Notch

Color code: 957
Style number: GT302



Mature

Color code: 969
Style number: GT302



Masterly

Color code: 989
Style number: GT302

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	57%
Pre-Consumer Recycled Content	57%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Recycling Program
Environmental Product Declaration	EPD EcoFlex NXT
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge Petal Certified

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static