



Prices effective July 5, 2023

Published July 2023

Overlay™

Introduction	page 2
Overlay™	3
Structure	5
Cladding/Infills	17
Accessories	38
Power	47
Indices	67
By Name	67
By Number	69
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
Maharam Application Chart-Workspaces	
Maharam Colors-Workspaces	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Structure

Cladding/Infills

Accessories

Power





Product Information

Description

This structural steel frame holds cladding on both sides. It includes feet with self-leveling glides and has no base option. Structure includes necessary hardware, stiffeners, frame-to-frame connector kits, and wall start hardware when specified.

Notes

Performance wall structure must be clad the entire length with performance wall cladding (MN210.).

Structure frames must be supported with a performance column (MN300.) at each end, or at a single end when using a wall start.

Structure feet are not typically visible on level floors; cladding runs $\frac{1}{2}$ " above finished floor. Optional light seal (MN930.) is available.

When specifying wall start (YWS) option, order wall fasteners (X1192.) and toggle wall strip anchors (X1191.) separately.




Order the following products separately:

- Performance wall cladding (MN210.)
- Performance wall column (MN300.)

Order the following optional products separately:

- Performance wall cap (MN220.)
- Seismic Anchor (MN230.)
- Light seal (MN930.)

Dimensions



Performance Wall Structure

continued

Overlay™ Structure

Specification Information

Step 1.

MN200.

Step 2. Performance Wall Length

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 09** 9' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 13** 13' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

Step 3. Wall Start

NWS no wall start


YWS wall start

Prices for Steps 1-3.


	NWS	YWS
MN200.06	\$1109	1188
07	\$1194	1273
08	\$1279	1356
09	\$1863	1942
10	\$1961	2039
11	\$2041	2121
12	\$2124	2199
13	\$2245	2324
14	\$2364	2445
15	\$2488	2566
16	\$2607	2686

Performance Wall Cap

MN220.



Product Information
Description
This optional component rests between the cladding at the top of the performance wall.
Notes
Cap is not visible unless viewing the configuration from above.
Cap length is 8' and can be field cut. For walls longer than 8', specify 2 or more caps.
Dimensions




Specification Information
Step 1.
MN220. A
Step 2. 8' Performance Wall Top Cap Section
08 8' long A
Prices for Steps 1-2.
MN220.08 \$75

Overlay™ Structure

Performance Wall Seismic Anchor Bracket

MN230.




Overlay™ Structure

Product Information

Description
These performance wall seismic anchor brackets attach the performance wall structure to the floor. Brackets are required for walls longer than 12' and are to be installed at the center of the wall. Anchor bolts not included.

Notes
Required seismic anchor bolts must be field supplied.
Anchor can be installed during standard installation.
Anchor is an optional component for most geographic locations. Refer to local codes and regulations.
Additional column anchors (MN240.) are required. Order separately.


Dimensions




Specification Information

Step 1.	
MN230.	
Step 2. Anchor Bracket	
01	performance wall anchor
Prices for Steps 1-2.	
MN230.01	\$531

Column Seismic Anchor Bracket MN240.




Product Information
Description
This column seismic anchor bracket attaches a performance wall column to the floor. Anchor bolts not included.
Notes
Required seismic anchor bolts must be field supplied.
All freestanding configurations require at least 8 column anchor brackets.
The number of column seismic anchor brackets is determined by the type of column per the setting configuration.
Column Type—Anchors
• 2-way, 90° connection (MN300.2L or .2R)—2
• 3-way, shared performance wall (MN300.3P)—1
• 3-way, shared spanner zone (MN300.3S)—1
• Return spanner (MN400.R)—2
The return spanner (MN400.R) has 3 surfaces on which anchors can be mounted; however, only 2 anchors are needed. Install the 2 anchors on surfaces on the outside of the full unit configuration.
Dimensions



Specification Information
Step 1.
MN240.
Step 2. Column Type
2 2-way column (2 column brackets)
3 3-way column (1 column bracket)
R return spanner column (2 column brackets)
Prices for Steps 1-2.
MN240.2 \$406
3 \$204
R \$406
Step 3. Finish
8Q folkstone grey +\$0
91 white +\$0
98 studio white +\$0
BK black +\$0
G1 graphite +\$0
MS metallic silver +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10

Overlay™ Structure



Overlay™ Structure

Product Information

Description

This steel column supports the performance wall structure and attaches it to spanner zone structure in several configurations. Attachment hardware included for connection to performance wall structure and spanner zone structure.


Notes

Column configurations:

- 2-way column (2L, 2R) connects performance wall structure (MN200.) with spanner zone structure (MN500.).
- 3-way column (3S) connects performance wall structure with 2 spanner zone structures.
- 3-way, shared performance wall column (3P) connects 2 performance wall structures with 1 spanner zone structure.
- 4-way column (4W) connects 2 performance wall structures with 2 spanner zone structures.

Column engagement refers to the connection of performance wall column to spanner zone structure or infill. When specifying column with engagement (Y, L, R, B, E), the column comes predrilled with necessary attachment holes. When specifying column with no engagement (N), the column does not have predrilled attachment holes.

Dimensions



Specification Information

Step 1.

MN300.

Step 2. Column Configuration

2L	2-way, column left
2R	2-way, column right
3S	3-way column
3P	3-way, shared performance wall column
4W	4-way column

Step 3. Column Engagement

For 2-way, column left (2L), 2-way, column right (2R), or 3-way, shared performance wall column (3P)

N	no engagement
Y	engagement

For 3-way column (3S)

B	both left and right engagement
L	left engagement
N	no engagement
R	right engagement

For 4-way column (4W)


B	both left and right engagement
E	one side engagement
N	no engagement

Prices for Steps 1-3.

	B	E	L	N	R	Y
MN300.2L	—	—	—	\$1129	—	1129
2R	—	—	—	\$1129	—	1129
3S	\$1224	—	1224	1224	1224	—
3P	—	—	—	\$1224	—	1224
4W	\$1307	1307	—	1307	—	—

Step 4. Column and Spanner Finish

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30



Overlay™ Structure

Product Information

Description

These extruded steel horizontal components connect to performance wall structure at a 90° angle to support the performance wall with return spanner or to connect 2 performance walls.

Notes

When specified as a return spanner (R), a vertical support column and all hardware and bracketry to connect to the performance wall column (MN300.) are included.

Return spanner (R) requires spanner zone structure (MN500.) and cladding (MN510.) or wood slat (MN520.) or perforated metal (MN560.).


When specified as a column spanner (P), all hardware and bracketry to connect the 2 performance wall columns (MN300.) is included.

When column spanner is specified with an intermediate open door column (OD), glass door column (GG), or middle column (HO), the vertical support column is included.


When specified as an intermediate spanner (W), all hardware and bracketry to connect to the performance wall structure (MN200.) is included.

Order wall fasteners (X1192.) and toggle wall strip anchors (X1191.) separately.


Dimensions



Intermediate Spanner




Column Spanner, No Column



Column Spanner, Open Door & Glass Door

Column Spanner, Middle



Return Spanner

Specification Information

Step 1.

MN400.

Step 2. Type

P column spanner

R return spanner

W intermediate spanner

Step 3. Wall Start

For return spanner (R) or intermediate spanner (W)

NWS no wall start

For column spanner (P)

NWS no wall start

YWS wall start

Step 4. Length

For return spanner (R) with no wall start (NWS)

04 4' long

06 6' long

For column spanner (P) with no wall start (NWS) or wall start (YWS)

06 6' long

07 7' long

08 8' long

10 10' long

11 11' long

12 12' long

14 14' long

15 15' long

16 16' long

For intermediate spanner (W) with no wall start (NWS)

08 8' long

10 10' long

11 11' long

12 12' long

14 14' long

15 15' long

16 16' long

Step 5. Intermediate Support Column

For return spanner (R) with no wall start (NWS) with 4' long (04) or 6' long (06)

RP return

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 6' long (06)

NP no column

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

GG glass door column

NP no column

OD open door column

For column spanner (P) with no wall start (NWS) or wall start (YWS) with 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

GG glass door column

HO middle column

NP no column

OD open door column

For intermediate spanner (W) with no wall start (NWS) with 8' long (08), 10' long (10), 11' long (11), 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

NP no column

Step 6. Spanner Engagement with Infill

For column spanner (P) or return spanner (R) with no wall start (NWS) or wall start (YWS)

NBE no spanner engagement

Step 7. Column Engagement with Infill

For return spanner (R) with no wall start (NWS) with return (RP)

NPE no column engagement

YPE column engagement

For column spanner (P) with no wall start (NWS) with glass door column (GG), middle column (HO), or open door column (OD)

NPE no column engagement

YPE column engagement

For column spanner (P) with wall start (YWS) with glass door column (GG), middle column (HO), or open door column (OD)

YPE column engagement

Prices for Steps 1-7.

		04RPNBENPE	04RPNBEYPE	06NPNBE	06RPNBENPE	06RPNBEYPE	07GGNBENPE
MN400.P	NWS	—	—	\$792	—	—	1964
	YWS	—	—	\$1872	—	—	—
R	NWS	\$1390	1390	—	1482	1482	—

		07GGNBENPE	07NPNBE	07ODNBENPE	07ODNBENPE	08GGNBENPE	08GGNBENPE
MN400.P	NWS	\$1964	830	1964	1964	1981	1981
	YWS	\$3042	1913	—	3042	—	3063

		08NP	08NPNBE	08ODNBENPE	08ODNBENPE	10GGNBENPE	10GGNBENPE
MN400.P	NWS	—	\$848	1981	1981	2991	2991
	YWS	—	\$1929	—	3063	—	4072
W	NWS	\$1816	—	—	—	—	—

		10NP	10NPNBE	10ODNBENPE	10ODNBENPE	11GGNBENPE	11GGNBENPE
MN400.P	NWS	—	\$1859	2991	2991	3029	3029
	YWS	—	\$2938	—	4072	—	4111
W	NWS	\$2251	—	—	—	—	—

		11NP	11NPNBE	11ODNBENPE	11ODNBENPE	12GGNBENPE	12GGNBENPE
MN400.P	NWS	—	\$1896	3029	3029	3069	3069
	YWS	—	\$2977	—	4111	—	4148
W	NWS	\$2338	—	—	—	—	—

		12HONBENPE	12HONBEYPE	12NP	12NPNBE	12ODNBENPE	12ODNBENPE
MN400.P	NWS	\$2489	2489	—	1936	3069	3069
	YWS	—	\$3570	—	3016	—	4148
W	NWS	—	—	\$2429	—	—	—

		14GGNBENPE	14GGNBENPE	14HONBENPE	14HONBEYPE	14NP	14NPNBE
MN400.P	NWS	\$3107	3107	2569	2569	—	1975
	YWS	—	\$4189	—	2869	—	3058
W	NWS	—	—	—	—	\$2518	—

		14ODNBENPE	14ODNBENPE	15GGNBENPE	15GGNBENPE	15HONBENPE	15HONBEYPE
MN400.P	NWS	\$2330	2330	3149	3149	2609	2609
	YWS	—	\$4189	—	4228	—	3649

		15NP	15NPNBE	15ODNBENPE	15ODNBENPE	16GGNBENPE	16GGNBENPE
MN400.P	NWS	—	\$2016	3149	3149	3187	3187
	YWS	—	\$3096	—	4228	—	4266
W	NWS	\$2610	—	—	—	—	—


		16HONBENPE	16HONBEYPE	16NP	16NPNBE	16ODNBENPE	16ODNBENPE
MN400.P	NWS	\$1867	1867	—	2054	3187	3187
	YWS	—	\$2948	—	3133	—	4266
W	NWS	—	—	\$2697	—	—	—

Step 8. Column and Spanner Finish


8Q	folkstone grey						+\$0
91	white						+\$0
98	studio white						+\$0
BK	black						+\$0
G1	graphite						+\$0
MS	metallic silver						+\$0
SNA	satin aluminum						+\$30
SNB	satin bronze						+\$30
SNC	satin carbon						+\$30

Toggle Wall Strip Anchor

X1191.



Product Information
Description This anchor provides extra support for a wall hanger strip. Package contains 100.
Notes Recommended for use in all drywall installations. Use with wall fastener (X1192.3).
Dimensions




Specification Information
Step 1. X1191.
\$558

Overlay™ Structure

Wall Fastener

X1192.



Overlay™ Structure

Product Information

Description

This black pan head fastener attaches a wall strip to a wall. Package contains 100.

Notes

Specify fastener based on wall construction:

- 1½"-long #10 pan head sheet metal screw (X1192.1) fastens into anchors in cement blocks, poured walls, and brick
- 3"-long #10 pan head sheet metal screw (X1192.2) fastens into studs or TC toggles in drywall
- 3"-long #10 pan head machine screw (X1192.3) fastens into toggle wall strip anchor (X1191.) or wing toggle in drywall.

For drywall applications using X1192.3 wall fasteners, toggle wall strip anchors (X1191.) or equivalent fasteners are recommended; order separately.

Specification Information

Step 1.


X1192.

Step 2. Size

- | | |
|---|-------------------------------|
| 1 | no. 10, 1½" sheet metal screw |
| 2 | no. 10, 3" sheet metal screw |
| 3 | no. 10, 3" machine screw |

Prices for Steps 1-2.

X1192. 1	\$50
2	\$50
3	\$85



Product Information

Description

This cladding attaches to one side of the performance wall structure and extends to the floor, concealing the structure. Surface options are tackable fabric, laminate, or markerboard. Cladding is UL Listed and NFPA classified. Hardware and backer rails included.

Notes

Specify length of cladding to match length of performance wall structure.

When specifying cladding with light switch (RL, LL), cladding comes with cutouts for light switch. Requires use of light switch that comes with linear light (MN100.) or a field supplied light switch. Order linear light separately.

When specifying cladding with lite rail mounting (YR), cladding comes with cutouts for mounting lite rail. Order lite rail (MN920.) separately.

When specifying cladding with monitor mount (YM), cladding comes with cutouts for mounting media components (MN910.) and media structure (MN915.), ordered separately.

When specifying cladding with power cutouts (22, 32, 33, 42, 44), cladding comes with cutouts for power access. Order power components separately.

For tackable fabric (F), fabric direction is vertical.

Fabric cladding accepts Customer's Own Material (COM). Yardage is estimated for vertical direction, 54"- and 66"-wide fabrics. All cladding panels are 86" high.

COM yardage requirements:


- 2 cladding panel sections (performance walls 6'-8' long)—5.7 yards
- 3 cladding panel sections (performance walls 9'-12' long)—8.55 yards
- 4 cladding panel sections (performance walls 13'-16' long)—11.4 yards

Order optional products separately:

- Lite rail (MN920.)
- Media structure (MN915.)
- Media components (MN910.)
- Cutout cover (MN151.)
- Electrical components

Service part required for 8' performance walls that accommodate a monitor mount and a light switch within the same wall, whether the switch and monitor are on the same side or opposite sides of the wall. Order service part U1BN5C0, Media Kit 8 ft w Light Switch, through Service Parts.

Dimensions



Overlay™ Cladding/Infills

Performance Wall Cladding

continued

Overlay™ Cladding/Infills

Specification Information	
Step 1.	
MN210.	
Step 2. Performance Wall Length	
06	6' long
07	7' long
08	8' long
09	9' long
10	10' long
11	11' long
12	12' long
13	13' long
14	14' long
15	15' long
16	16' long
Step 3. Cladding Material	
F	fabric
L	high-pressure laminate/thermoplastic edge
M	marker board
Step 4. Light Switch	
LL	light switch on left side of wall
NL	no light switch
RL	light switch on right side of wall
Step 5. Lite Rail Mounting	
NR	no lite rail
YR	lite rail
Step 6. Monitor Mount	
NM	no monitor mount
YM	monitor mount
Step 7. Power Access (Cutout)	
NP	no power access
YP	power access
Step 8. Number of Power Cutouts	
For no power access (NP)	
NP	no power cutout
For 6' long (06), 7' long (07), or 8' long (08) with power access (YP)	
22	2 duplex cutout

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12) with power access (YP)						
32	2 duplex cutout					
33	3 duplex cutout					
For 13' long (13), 14' long (14), 15' long (15), or 16' long (16) with power access (YP)						
42	2 duplex cutout					
44	4 duplex cutout					
Prices for Steps 1-8.						
	LLNRNMPNP	LLNRNMP22	LLNRNMP32	LLNRNMP33	LLNRNMP42	LLNRNMP44
MN210.06 F	\$1231	1315	—	—	—	—
L	\$1884	1924	—	—	—	—
M	\$2417	2461	—	—	—	—
07 F	\$1353	1438	—	—	—	—
L	\$2074	2117	—	—	—	—
M	\$2497	2539	—	—	—	—
08 F	\$1400	1484	—	—	—	—
L	\$2345	2389	—	—	—	—
M	\$2576	2617	—	—	—	—
09 F	\$1825	—	1865	1865	—	—
L	\$3273	—	3312	3312	—	—
M	\$3594	—	3637	3637	—	—
10 F	\$1905	—	1949	1949	—	—
L	\$3210	—	3252	3252	—	—
M	\$3525	—	3568	3568	—	—
11 F	\$1947	—	1987	1987	—	—
L	\$3277	—	3318	3318	—	—
M	\$3599	—	3642	3642	—	—
12 F	\$1973	—	2016	2016	—	—
L	\$3493	—	3535	3535	—	—
M	\$3838	—	3880	3880	—	—
13 F	\$2101	—	—	—	2146	2146
L	\$3850	—	—	—	3893	3893
M	\$4230	—	—	—	4272	4272
14 F	\$2230	—	—	—	2275	2275
L	\$4088	—	—	—	4132	4132
M	\$4491	—	—	—	4533	4533
15 F	\$2360	—	—	—	2401	2401
L	\$4325	—	—	—	4366	4366
M	\$4752	—	—	—	4795	4795
16 F	\$2493	—	—	—	2535	2535
L	\$4958	—	—	—	5001	5001
M	\$5375	—	—	—	5418	5418

Performance Wall Cladding

continued

	LLNRYMNP	LLNRYMYP22	LLNRYMYP32	LLNRYMYP33	LLNRYMYP42	LLNRYMYP44
MN210.06 F	\$1274	1315	—	—	—	—
L	\$1924	1968	—	—	—	—
M	\$2461	2501	—	—	—	—
07 F	\$1399	1438	—	—	—	—
L	\$2117	2160	—	—	—	—
M	\$2539	2582	—	—	—	—
08 F	\$1439	1484	—	—	—	—
L	\$2389	2428	—	—	—	—
M	\$2617	2658	—	—	—	—
09 F	\$1865	—	1906	1906	—	—
L	\$3312	—	3358	3358	—	—
M	\$3637	—	3680	3680	—	—
10 F	\$1949	—	1991	1991	—	—
L	\$3252	—	3295	3295	—	—
M	\$3568	—	3610	3610	—	—
11 F	\$1987	—	2033	2033	—	—
L	\$3318	—	3362	3362	—	—
M	\$3642	—	3685	3685	—	—
12 F	\$2016	—	2059	2059	—	—
L	\$3535	—	3578	3578	—	—
M	\$3880	—	3921	3921	—	—
13 F	\$2146	—	—	—	2187	2187
L	\$3893	—	—	—	3934	3934
M	\$4272	—	—	—	4315	4315
14 F	\$2275	—	—	—	2316	2316
L	\$4132	—	—	—	4172	4172
M	\$4533	—	—	—	4578	4578
15 F	\$2401	—	—	—	2445	2445
L	\$4366	—	—	—	4409	4409
M	\$4795	—	—	—	4837	4837
16 F	\$2535	—	—	—	2578	2578
L	\$5001	—	—	—	5043	5043
M	\$5418	—	—	—	5459	5459

	LLRYMNP	LLRYMYP22	LLRYMYP32	LLRYMYP33	LLRYMYP42	LLRYMYP44
MN210.06 F	\$1274	1315	—	—	—	—
L	\$1924	1968	—	—	—	—
M	\$2461	2501	—	—	—	—
07 F	\$1399	1438	—	—	—	—
L	\$2117	2160	—	—	—	—
M	\$2539	2582	—	—	—	—
08 F	\$1439	1484	—	—	—	—
L	\$2389	2428	—	—	—	—
M	\$2617	2658	—	—	—	—

09 F	\$1865	—	1906	1906	—	—
L	\$3312	—	3358	3358	—	—
M	\$3637	—	3680	3680	—	—
10 F	\$1949	—	1991	1991	—	—
L	\$3252	—	3295	3295	—	—
M	\$3568	—	3610	3610	—	—
11 F	\$1987	—	2033	2033	—	—
L	\$3318	—	3362	3362	—	—
M	\$3642	—	3685	3685	—	—
12 F	\$2016	—	2059	2059	—	—
L	\$3535	—	3578	3578	—	—
M	\$3880	—	3921	3921	—	—
13 F	\$2146	—	—	—	2187	2187
L	\$3893	—	—	—	3934	3934
M	\$4272	—	—	—	4315	4315
14 F	\$2275	—	—	—	2316	2316
L	\$4132	—	—	—	4172	4172
M	\$4533	—	—	—	4578	4578
15 F	\$2401	—	—	—	2445	2445
L	\$4366	—	—	—	4409	4409
M	\$4795	—	—	—	4837	4837
16 F	\$2535	—	—	—	2578	2578
L	\$5001	—	—	—	5043	5043
M	\$5418	—	—	—	5459	5459

	LLRYMNP	LLRYMYP22	LLRYMYP32	LLRYMYP33	LLRYMYP42	LLRYMYP44
MN210.06 F	\$1315	1357	—	—	—	—
L	\$1968	2008	—	—	—	—
M	\$2501	2543	—	—	—	—
07 F	\$1438	1481	—	—	—	—
L	\$2160	2201	—	—	—	—
M	\$2582	2623	—	—	—	—
08 F	\$1484	1527	—	—	—	—
L	\$2428	2473	—	—	—	—
M	\$2658	2702	—	—	—	—
09 F	\$1906	—	1953	1953	—	—
L	\$3358	—	3400	3400	—	—
M	\$3680	—	3723	3723	—	—
10 F	\$1991	—	2035	2035	—	—
L	\$3295	—	3337	3337	—	—
M	\$3610	—	3651	3651	—	—
11 F	\$2033	—	2073	2073	—	—
L	\$3362	—	3404	3404	—	—
M	\$3685	—	3726	3726	—	—
12 F	\$2059	—	2100	2100	—	—
L	\$3578	—	3618	3618	—	—
M	\$3921	—	3964	3964	—	—

Overlay™ Cladding/Infills

Performance Wall Cladding

continued

Overlay™ Cladding/Infills

13 F	\$2187	—	—	—	2228	2228
L	\$3934	—	—	—	3977	3977
M	\$4315	—	—	—	4357	4357
14 F	\$2316	—	—	—	2359	2359
L	\$4172	—	—	—	4217	4217
M	\$4578	—	—	—	4619	4619
15 F	\$2445	—	—	—	2486	2486
L	\$4409	—	—	—	4454	4454
M	\$4837	—	—	—	4881	4881
16 F	\$2578	—	—	—	2619	2619
L	\$5043	—	—	—	5085	5085
M	\$5459	—	—	—	5501	5501
	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$1188	1231	—	—	—	—
L	\$1840	1884	—	—	—	—
M	\$2375	2417	—	—	—	—
07 F	\$1312	1353	—	—	—	—
L	\$2034	2074	—	—	—	—
M	\$2453	2497	—	—	—	—
08 F	\$1355	1400	—	—	—	—
L	\$2301	2345	—	—	—	—
M	\$2531	2576	—	—	—	—
09 F	\$1781	—	1825	1825	—	—
L	\$3230	—	3273	3273	—	—
M	\$3553	—	3594	3594	—	—
10 F	\$1864	—	1905	1905	—	—
L	\$3168	—	3210	3210	—	—
M	\$3483	—	3525	3525	—	—
11 F	\$1903	—	1947	1947	—	—
L	\$3233	—	3277	3277	—	—
M	\$3558	—	3599	3599	—	—
12 F	\$1931	—	1973	1973	—	—
L	\$3450	—	3493	3493	—	—
M	\$3795	—	3838	3838	—	—
13 F	\$2060	—	—	—	2101	2101
L	\$3807	—	—	—	3850	3850
M	\$4187	—	—	—	4230	4230
14 F	\$2188	—	—	—	2230	2230
L	\$4045	—	—	—	4088	4088
M	\$4449	—	—	—	4491	4491
15 F	\$2319	—	—	—	2360	2360
L	\$4283	—	—	—	4325	4325
M	\$4712	—	—	—	4752	4752
16 F	\$2449	—	—	—	2493	2493
L	\$4917	—	—	—	4958	4958
M	\$5333	—	—	—	5375	5375

	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$1231	1274	—	—	—	—
L	\$1884	1924	—	—	—	—
M	\$2417	2461	—	—	—	—
07 F	\$1353	1399	—	—	—	—
L	\$2074	2117	—	—	—	—
M	\$2497	2539	—	—	—	—
08 F	\$1400	1439	—	—	—	—
L	\$2345	2389	—	—	—	—
M	\$2576	2617	—	—	—	—
09 F	\$1825	—	1865	1865	—	—
L	\$3273	—	3312	3312	—	—
M	\$3594	—	3637	3637	—	—
10 F	\$1905	—	1949	1949	—	—
L	\$3210	—	3252	3252	—	—
M	\$3525	—	3568	3568	—	—
11 F	\$1947	—	1987	1987	—	—
L	\$3277	—	3318	3318	—	—
M	\$3599	—	3642	3642	—	—
12 F	\$1973	—	2016	2016	—	—
L	\$3493	—	3535	3535	—	—
M	\$3838	—	3880	3880	—	—
13 F	\$2101	—	—	—	2146	2146
L	\$3850	—	—	—	3893	3893
M	\$4230	—	—	—	4272	4272
14 F	\$2230	—	—	—	2275	2275
L	\$4088	—	—	—	4132	4132
M	\$4491	—	—	—	4533	4533
15 F	\$2360	—	—	—	2401	2401
L	\$4325	—	—	—	4366	4366
M	\$4752	—	—	—	4795	4795
16 F	\$2493	—	—	—	2535	2535
L	\$4958	—	—	—	5001	5001
M	\$5375	—	—	—	5418	5418
	NLNRNMPNP	NLNRNMP22	NLNRNMP32	NLNRNMP33	NLNRNMP42	NLNRNMP44
MN210.06 F	\$1188	1231	—	—	—	—
L	\$1884	1924	—	—	—	—
M	\$2417	2461	—	—	—	—
07 F	\$1312	1353	—	—	—	—
L	\$2074	2117	—	—	—	—
M	\$2497	2539	—	—	—	—
08 F	\$1355	1400	—	—	—	—
L	\$2345	2389	—	—	—	—
M	\$2576	2617	—	—	—	—

Performance Wall Cladding

continued

09 F	\$1825	—	1865	1865	—	—
L	\$3273	—	3312	3312	—	—
M	\$3594	—	3637	3637	—	—
10 F	\$1905	—	1949	1949	—	—
L	\$3210	—	3252	3252	—	—
M	\$3525	—	3568	3568	—	—
11 F	\$1947	—	1987	1987	—	—
L	\$3277	—	3318	3318	—	—
M	\$3599	—	3642	3642	—	—
12 F	\$1973	—	2016	2016	—	—
L	\$3493	—	3535	3535	—	—
M	\$3838	—	3880	3880	—	—
13 F	\$2101	—	—	—	2146	2146
L	\$3850	—	—	—	3893	3893
M	\$4230	—	—	—	4272	4272
14 F	\$2230	—	—	—	2275	2275
L	\$4088	—	—	—	4132	4132
M	\$4491	—	—	—	4533	4533
15 F	\$2360	—	—	—	2401	2401
L	\$4325	—	—	—	4366	4366
M	\$4752	—	—	—	4795	4795
16 F	\$2493	—	—	—	2535	2535
L	\$4958	—	—	—	5001	5001
M	\$5375	—	—	—	5418	5418
		NLYRYMNP	NLYRYMYP22	NLYRYMYP32	NLYRYMYP33	NLYRYMYP42
MN210.06 F	\$1274	1315	—	—	—	—
L	\$1924	1968	—	—	—	—
M	\$2461	2501	—	—	—	—
07 F	\$1399	1438	—	—	—	—
L	\$2117	2160	—	—	—	—
M	\$2539	2582	—	—	—	—
08 F	\$1439	1484	—	—	—	—
L	\$2389	2428	—	—	—	—
M	\$2617	2658	—	—	—	—
09 F	\$1865	—	1906	1906	—	—
L	\$3312	—	3358	3358	—	—
M	\$3637	—	3680	3680	—	—
10 F	\$1949	—	1991	1991	—	—
L	\$3252	—	3295	3295	—	—
M	\$3568	—	3610	3610	—	—
11 F	\$1987	—	2033	2033	—	—
L	\$3318	—	3362	3362	—	—
M	\$3642	—	3685	3685	—	—
12 F	\$2016	—	2059	2059	—	—
L	\$3535	—	3578	3578	—	—
M	\$3880	—	3921	3921	—	—

13 F	\$2146	—	—	—	2187	2187
L	\$3893	—	—	—	3934	3934
M	\$4272	—	—	—	4315	4315
14 F	\$2275	—	—	—	2316	2316
L	\$4132	—	—	—	4172	4172
M	\$4533	—	—	—	4578	4578
15 F	\$2401	—	—	—	2445	2445
L	\$4366	—	—	—	4409	4409
M	\$4795	—	—	—	4837	4837
16 F	\$2535	—	—	—	2578	2578
L	\$5001	—	—	—	5043	5043
M	\$5418	—	—	—	5459	5459
		RLNRNMNP	RLNRNMYP22	RLNRNMYP32	RLNRNMYP33	RLNRNMYP42
MN210.06 F	\$1231	1274	—	—	—	—
L	\$1884	1924	—	—	—	—
M	\$2417	2461	—	—	—	—
07 F	\$1353	1399	—	—	—	—
L	\$2074	2117	—	—	—	—
M	\$2497	2539	—	—	—	—
08 F	\$1400	1439	—	—	—	—
L	\$2345	2389	—	—	—	—
M	\$2576	2617	—	—	—	—
09 F	\$1825	—	1865	1865	—	—
L	\$3273	—	3312	3312	—	—
M	\$3594	—	3637	3637	—	—
10 F	\$1905	—	1949	1949	—	—
L	\$3210	—	3252	3252	—	—
M	\$3525	—	3568	3568	—	—
11 F	\$1947	—	1987	1987	—	—
L	\$3277	—	3318	3318	—	—
M	\$3599	—	3642	3642	—	—
12 F	\$1973	—	2016	2016	—	—
L	\$3493	—	3535	3535	—	—
M	\$3838	—	3880	3880	—	—
13 F	\$2101	—	—	—	2146	2146
L	\$3850	—	—	—	3893	3893
M	\$4230	—	—	—	4272	4272
14 F	\$2230	—	—	—	2275	2275
L	\$4088	—	—	—	4132	4132
M	\$4491	—	—	—	4533	4533
15 F	\$2360	—	—	—	2401	2401
L	\$4325	—	—	—	4366	4366
M	\$4752	—	—	—	4795	4795
16 F	\$2493	—	—	—	2535	2535
L	\$4958	—	—	—	5001	5001
M	\$5375	—	—	—	5418	5418

Overlay™ Cladding/Infills

Performance Wall Cladding

continued

Overlay™ Cladding/Infills

		RLNRYMNP	RLNRYMYP22	RLNRYMYP32	RLNRYMYP33	RLNRYMYP42	RLNRYMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$1274	1315	—	—	—	—
	L	\$1884	1924	—	—	—	—
	M	\$2461	2501	—	—	—	—
	07 F	\$1399	1438	—	—	—	—
	L	\$2074	2117	—	—	—	—
	M	\$2539	2582	—	—	—	—
	08 F	\$1439	1484	—	—	—	—
	L	\$2345	2389	—	—	—	—
	M	\$2617	2658	—	—	—	—
	09 F	\$1865	—	1906	1906	—	—
	L	\$3312	—	3358	3358	—	—
	M	\$3637	—	3680	3680	—	—
	10 F	\$1949	—	1991	1991	—	—
	L	\$3252	—	3295	3295	—	—
	M	\$3568	—	3610	3610	—	—
	11 F	\$1987	—	2033	2033	—	—
	L	\$3318	—	3362	3362	—	—
	M	\$3642	—	3685	3685	—	—
	12 F	\$2016	—	2059	2059	—	—
	L	\$3535	—	3578	3578	—	—
	M	\$3880	—	3921	3921	—	—
	13 F	\$2146	—	—	—	2187	2187
	L	\$3893	—	—	—	3934	3934
	M	\$4272	—	—	—	4315	4315
	14 F	\$2275	—	—	—	2316	2316
	L	\$4132	—	—	—	4172	4172
	M	\$4533	—	—	—	4578	4578
	15 F	\$2401	—	—	—	2445	2445
	L	\$4366	—	—	—	4409	4409
	M	\$4795	—	—	—	4837	4837
	16 F	\$2535	—	—	—	2578	2578
	L	\$5001	—	—	—	5043	5043
	M	\$5418	—	—	—	5459	5459

		RLYRMNP	RLYRMYP22	RLYRMYP32	RLYRMYP33	RLYRMYP42	RLYRMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$1274	1315	—	—	—	—
	L	\$1924	1968	—	—	—	—
	M	\$2461	2417	—	—	—	—
	07 F	\$1399	1438	—	—	—	—
	L	\$2117	2160	—	—	—	—
	M	\$2539	2497	—	—	—	—
	08 F	\$1439	1484	—	—	—	—
	L	\$2389	2428	—	—	—	—
	M	\$2617	2576	—	—	—	—

09 F	\$1865	—	1906	1906	—	—
L	\$3312	—	3358	3358	—	—
M	\$3637	—	3680	3680	—	—
10 F	\$1949	—	1991	1991	—	—
L	\$3252	—	3295	3295	—	—
M	\$3568	—	3610	3610	—	—
11 F	\$1987	—	2033	2033	—	—
L	\$3318	—	3362	3362	—	—
M	\$3642	—	3685	3685	—	—
12 F	\$2016	—	2059	2059	—	—
L	\$3535	—	3578	3578	—	—
M	\$3880	—	3921	3921	—	—
13 F	\$2146	—	—	—	2187	2187
L	\$3893	—	—	—	3934	3934
M	\$4272	—	—	—	4315	4315
14 F	\$2275	—	—	—	2316	2316
L	\$4132	—	—	—	4172	4172
M	\$4533	—	—	—	4578	4578
15 F	\$2401	—	—	—	2445	2445
L	\$4366	—	—	—	4409	4409
M	\$4795	—	—	—	4837	4837
16 F	\$2535	—	—	—	2578	2578
L	\$5001	—	—	—	5043	5043
M	\$5418	—	—	—	5459	5459

		RLYRMNP	RLYRMYP22	RLYRMYP32	RLYRMYP33	RLYRMYP42	RLYRMYP44
Overlay™ Cladding/Infills	MN210.06 F	\$1315	1357	—	—	—	—
	L	\$1968	2008	—	—	—	—
	M	\$2461	2543	—	—	—	—
	07 F	\$1438	1481	—	—	—	—
	L	\$2160	2201	—	—	—	—
	M	\$2539	2623	—	—	—	—
	08 F	\$1484	1527	—	—	—	—
	L	\$2428	2473	—	—	—	—
	M	\$2617	2702	—	—	—	—
	09 F	\$1906	—	1953	1953	—	—
	L	\$3358	—	3400	3400	—	—
	M	\$3680	—	3723	3723	—	—
	10 F	\$1991	—	2035	2035	—	—
	L	\$3295	—	3337	3337	—	—
	M	\$3610	—	3651	3651	—	—
	11 F	\$2033	—	2073	2073	—	—
	L	\$3362	—	3404	3404	—	—
	M	\$3685	—	3726	3726	—	—
	12 F	\$2059	—	2100	2100	—	—
	L	\$3578	—	3618	3618	—	—
	M	\$3921	—	3964	3964	—	—

Performance Wall Cladding

continued

13 F	\$2187	—	—	—	2228	2228
L	\$3934	—	—	—	3977	3977
M	\$4315	—	—	—	4357	4357
14 F	\$2316	—	—	—	2359	2359
L	\$4172	—	—	—	4217	4217
M	\$4578	—	—	—	4619	4619
15 F	\$2445	—	—	—	2486	2486
L	\$4409	—	—	—	4454	4454
M	\$4837	—	—	—	4881	4881
16 F	\$2578	—	—	—	2619	2619
L	\$5043	—	—	—	5085	5085
M	\$5459	—	—	—	5501	5501

Step 9. Cladding Finish

For 6' long (06), 7' long (07), or 8' long (08) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$65
Price Category 3	+\$146
Price Category 4	+\$250
Price Category 5	+\$413
Price Category B	+\$257
Price Category C	+\$350
Price Category D	+\$442
Price Category E	+\$533
Price Category F	+\$686

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$97
Price Category 3	+\$220
Price Category 4	+\$374
Price Category 5	+\$619
Price Category B	+\$385
Price Category C	+\$526
Price Category D	+\$662
Price Category E	+\$799
Price Category F	+\$1030

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$130
Price Category 3	+\$293
Price Category 4	+\$499
Price Category 5	+\$826
Price Category B	+\$514
Price Category C	+\$701
Price Category D	+\$883
Price Category E	+\$1066
Price Category F	+\$1373

For high-pressure laminate/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBN	classic linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Overlay™ Cladding/Infills

Performance Wall Cladding

continued

Overlay™ Cladding/Infills

Step 10. Edge

For high-pressure laminate/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBN	classic linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0


Step 11. Bezel Finish

For monitor mount (YM) with power access (YP)

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Spanner Zone Structure

MN500.



Product Information

Description

This steel frame holds cladding on both sides. Configuration options are full-length structure, structure with door column, and structure with middle column. Includes hardware and frame-to-frame connector kits.

Notes


Spanner zone structure is required when specifying spanner zone cladding (MN510.). Order cladding separately.

Spanner zone structure is required to be cladded for its entire length.

Spanner zone cannot support media components (MN910.), media structure (MN915.), or electrical components.

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN500.

Step 2. Spanner Length

04	4' long
06	6' long
07	7' long
08	8' long
10	10' long
11	11' long
12	12' long
14	14' long
15	15' long
16	16' long

Step 3. Configuration

For 4' long (04) or 6' long (06)

FL full length structure

For 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

DP structure with door column

FL full length structure

For 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

DP structure with door column

FL full length structure


HO structure with middle column

Prices for Steps 1-3.

	DP	FL	HO
MN500.04	—	\$712	—
06	—	\$1458	—
07	\$712	1488	—
08	\$893	1599	—
10	\$1458	2241	—
11	\$1684	2402	—
12	\$1599	2565	1458
14	\$2241	2724	1488
15	\$2402	2887	1546
16	\$2565	3047	1599

Spanner Zone Cladding

MN510.



Product Information

Description

This cladding attaches to one side of the spanner zone structure and extends to the floor, concealing the structure. Surface options are tackable fabric, laminate, or markerboard. Cladding is UL Listed and NFPA classified. Hardware and backer rails included.

Notes

Specify length of cladding to match length of spanner zone structure.
When specifying cladding with lite rail mounting (YR), cladding comes with cutouts for mounting. Order lite rail (MN920.) separately.
When spanner zone structure and cladding are used with sliding glass door, lite rail cannot be used on the spanner zone cladding.
Spanner zone cannot support media components (MN910.), media structure (MN915.), or electrical components.
For tackable fabric (F), fabric direction is vertical.
Fabric cladding accepts Customer's Own Material (COM). Yardage is estimated for vertical direction, 54"- and 66"-wide fabrics. All cladding panels are 86" high.


COM yardage requirements:

- 1 cladding panel section (spanner return 4' wide)—2.85 yards
- 2 cladding panel sections (spanner zone 6'-8' long)—5.7 yards
- 3 cladding panel sections (spanner zone 10'-12' long)—8.55 yards
- 4 cladding panel sections (spanner zone 14'-16' long)—11.4 yards

Order optional products separately:

- Lite rail (MN920.)
- Light seal (MN930.)

Dimensions



Spanner Zone Cladding *continued*

Specification Information

Step 1.

MN510.

Step 2. Spanner Length

04	4' long
06	6' long
07	7' long
08	8' long
10	10' long
11	11' long
12	12' long
14	14' long
15	15' long
16	16' long

Step 3. Cladding Material

F	fabric
L	high-pressure laminate/thermoplastic edge
M	marker board

Step 4. Configuration

For 4' long (04) or 6' long (06)

FL full length cladding

For 7' long (07), 8' long (08), 10' long (10), or 11' long (11)

DP cladding with door column

FL full length cladding

For 12' long (12), 14' long (14), 15' long (15), or 16' long (16)

DP cladding with door column

FL full length cladding

HO cladding with middle column

Step 5. Lite Rail Mounting

For 4' long (04) with full length cladding (FL)

NR no lite rail

For 6' long (06) with full length cladding (FL)

NR no lite rail

YR lite rail

For 7' long (07) or 8' long (08) with cladding with door column (DP)

NR no lite rail

For 7' long (07) or 8' long (08) with full length cladding (FL)

NR no lite rail

YR lite rail

For 10' long (10), 11' long (11), 12' long (12), 14' long (14), 15' long (15), or 16' long (16) with cladding with door column (DP), full length cladding (FL), or cladding with middle column (HO)

NR no lite rail

YR lite rail

Prices for Steps 1-5.

	DPNR	DPYR	FLNR	FLYR	HONR	HOYR
MN510.04 F	—	—	\$651	—	—	—
L	—	—	\$1122	—	—	—
M	—	—	\$1233	—	—	—
06 F	—	—	\$1126	1171	—	—
L	—	—	\$2093	2136	—	—
M	—	—	\$2301	2345	—	—
07 F	\$563	—	1210	1251	—	—
L	\$1048	—	2168	2210	—	—
M	\$1156	—	2385	2425	—	—
08 F	\$646	—	1294	1336	—	—
L	\$1120	—	2240	2283	—	—
M	\$1235	—	2465	2506	—	—
10 F	\$1181	1224	1830	1869	—	—
L	\$1680	1724	2800	2841	—	—
M	\$1850	1893	3079	3120	—	—
11 F	\$1281	1323	1928	1970	—	—
L	\$2016	2059	3136	3176	—	—
M	\$1850	1893	3079	3120	—	—
12 F	\$1380	1423	2028	2069	1126	1171
L	\$2353	2395	3472	3513	2093	2136
M	\$2589	2631	3814	3859	2301	2345
14 F	\$1479	1523	2124	2169	1210	1251
L	\$2689	2729	3806	3849	2168	2210
M	\$2957	2999	4186	4229	2385	2425
15 F	\$1577	1620	2224	2268	1245	1289
L	\$3024	3066	4143	4185	2202	2248
M	\$3328	3369	4555	4598	2424	2467
16 F	\$1676	1721	2325	2365	1294	1336
L	\$3360	3401	4477	4519	2240	2283
M	\$3698	3738	4924	4966	2465	2506

Step 6. Cladding Finish

For 4' long (04) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$73
Price Category 4	+\$125
Price Category 5	+\$206
Price Category B	+\$128
Price Category C	+\$175
Price Category D	+\$221
Price Category E	+\$266
Price Category F	+\$343

For 6' long (06), 7' long (07), or 8' long (08) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$65
Price Category 3	+\$146
Price Category 4	+\$250
Price Category 5	+\$413
Price Category B	+\$257
Price Category C	+\$350
Price Category D	+\$442
Price Category E	+\$533
Price Category F	+\$686

For 10' long (10), 11' long (11), or 12' long (12) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$97
Price Category 3	+\$220
Price Category 4	+\$374
Price Category 5	+\$619
Price Category B	+\$385
Price Category C	+\$526
Price Category D	+\$662
Price Category E	+\$799
Price Category F	+\$1030

For 14' long (14), 15' long (15), or 16' long (16) with fabric (F)

Price Category 1	+\$0
Price Category 2	+\$130
Price Category 3	+\$293
Price Category 4	+\$499
Price Category 5	+\$826
Price Category B	+\$514
Price Category C	+\$701
Price Category D	+\$883
Price Category E	+\$1066
Price Category F	+\$1373

For high-pressure laminate/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBN	classic linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Step 7. Edge

For high-pressure laminate/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBN	classic linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

Wood Slat

MN520.



Overlay™ Cladding/Infills

Product Information


Description

This wood slat connects to a column and a return spanner or column spanner. Hardwood slats vary in both grain character and color due to natural characteristics of wood. Mounting hardware included.

Notes

Wood slat is used in the spanner zone and can be specified for use with return spanner (MN400.R) or column spanner (MN400.P), ordered separately.
Specify wood slat by spanner length and spanner zone configuration.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN520.

Step 2. Spanner Length

- 04 4' long
- 06 6' long
- 07 7' long
- 08 8' long
- 10 10' long
- 12 12' long
- 16 16' long

Step 3. Configuration

For 4' long (04) or 6' long (06)

- FL full length wood slat

For 7' long (07)

- DP wood slat with door column

For 8' long (08)

- DP wood slat with door column
- FL full length wood slat

For 10' long (10)

- DP wood slat with door column

For 12' long (12)

- DP wood slat with door column
- HO wood slat with middle column

For 16' long (16)

- HO wood slat with middle column

Prices for Steps 1-3.

	DP	FL	HO
MN520.04	— \$9769	—	—
06	— \$16753	—	—
07	\$8282	—	—
08	\$9769	20508	—
10	\$16753	—	—
12	\$20508	—	16753
16	—	—	20508

Wood Slat *continued*

Step 4. Finish

For 4' long (04) with full length wood slat (FL)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$1302

For 6' long (06) with full length wood slat (FL)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2242

For 7' long (07) with wood slat with door column (DP)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$1110

For 8' long (08) with wood slat with door column (DP)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$1302

For 8' long (08) with full length wood slat (FL)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2717

For 10' long (10) with wood slat with door column (DP)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2242

For 12' long (12) with wood slat with door column (DP)


BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2717

For 12' long (12) with wood slat with middle column (HO)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2242

For 16' long (16) with wood slat with middle column (HO)

BHD	birch hardwood	+\$0
WHD	walnut hardwood	+\$2717



Overlay™ Cladding/Infills

Product Information

Description

This mount attaches to the underside of a column spanner and is for use only with the column spanner. It includes a top channel, bottom channel, and all hardware and gaskets. Glass not included.

Notes

Glass mount is offered in 2 lengths. For spanner up to 8' long, specify 8' long glass mount (01). For spanner longer than 8', specify 16' long glass mount (02).


Glass mount is for use with a column spanner (MN400.P) only.

Glass must be supplied locally. This mount comes with extrusions and hardware only.

Glass installer necessary for installation.

For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN530.

Step 2. Glass Mount Length

- 01 8' long glass mount
- 02 16' long glass mount

Prices for Steps 1-2.


MN530.01	\$2448
02	\$4281

Step 3. Finish

AN	anodized	+\$0
----	----------	------

Sliding Glass Door Hardware

MN540.



Product Information

Description

This hardware provides for the addition of a sliding glass door to a spanner with a glass door column. Package includes hardware, track, and shroud to conceal track. Door handle optional. Glass not included.


Notes

When sliding glass door is used with spanner zone structure and cladding, lite rail (MN920.) cannot be used on the spanner zone cladding.

Glass must be supplied locally. This mount comes with extrusions and mounting hardware only.

Glass installer necessary for installation.

For appropriate planning applications, see Overlay™ planning guide.



Overlay™ Cladding/Infills

Sliding Glass Door Hardware


continued

Overlay™ Cladding/Infills


Specification Information		
Step 1.		
MN540.		
Step 2. Door Handle		
NDH	no door handle	
YDH	door handle	
Prices for Steps 1-2.		
MN540.NDH		\$5050
YDH		\$6838
Step 3. Column and Spanner Finish		
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
Step 4. Handle Finish		
<i>For door handle (YDH)</i>		
BRS	brushed stainless	+\$0

Curtain Track


MN550.



Product Information
Description
This track attaches to the underside of a column spanner to allow use of a fabric curtain. It includes track and hardware. Fabric and clips not included.
Notes
Curtain track to be used with column spanner with no intermediate support column specified.
Curtain track may come in 1 or 2 tracks. Number and length of tracks is predetermined based on overall spanner length.
For appropriate planning applications, see Overlay™ planning guide.
Dimensions



Specification Information
Step 1.
MN550.
Step 2. Spanner Length
06 6' long
07 7' long
08 8' long
10 10' long
11 11' long
12 12' long
14 14' long
15 15' long
16 16' long
Prices for Steps 1-2.
MN550.06 \$531
07 \$534
08 \$541
10 \$776
11 \$776
12 \$776
14 \$776
15 \$776
16 \$851
Step 3. Curtain Track Finish
8Q folkstone grey +\$0
91 white +\$0
98 studio white +\$0
BK black +\$0
G1 graphite +\$0
MS metallic silver +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10



Overlay™ Cladding/Infills

Product Information


Description

This perforated aluminum infill connects to a column and a return spanner or column spanner. Mounting hardware included.

Notes

Perforated metal is used in the spanner zone and can be specified for use with return spanner (MN400.R) or column spanner (MN400.P), ordered separately.
Specify perforated metal by spanner length and spanner zone configuration.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN560.

Step 2. Spanner Length

- 04** 4' long
- 06** 6' long
- 07** 7' long
- 08** 8' long
- 10** 10' long
- 12** 12' long
- 16** 16' long

Step 3. Configuration

For 4' long (04) or 6' long (06)

FL full length perforated metal

For 7' long (07)

DP perforated metal with door column

For 8' long (08)

DP perforated metal with door column

FL full length perforated metal

For 10' long (10)

DP perforated metal with door column

For 12' long (12)

DP perforated metal with door column

HO perforated metal with middle column

For 16' long (16)

HO perforated metal with middle column

Prices for Steps 1-3.


	DP	FL	HO
MN560.04	— \$5241	—	—
06	— \$8313	—	—
07	\$4550	—	—
08	\$5241	9537	—
10	\$8313	—	—
12	\$9537	—	8313
16	—	—	\$9537

Perforated Metal *continued*

Step 4. Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$80
SNB	satin bronze	+\$80
SNC	satin carbon	+\$80

Trellis

MN900.



Product Information


Description

This set of components sit atop 2 adjacent column spanners parallel to the performance walls. Trellis is made of PET material. Color is cool heathered grey.

Notes

Trellis is for use only in an Overlay™ configuration that has 2 performance wall structures (MN200.) and 2 spanners (MN400.) that connect the 2 performance walls.
For a performance wall longer than 8', an intermediate spanner (MN400.W) is needed to accept the Trellis. Order separately.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN900.

Step 2. Performance Wall Length

- 06** performance wall length 6' long
- 07** performance wall length 7' long
- 08** performance wall length 8' long
- 09** performance wall length 9' long
- 10** performance wall length 10' long
- 11** performance wall length 11' long
- 12** performance wall length 12' long
- 13** performance wall length 13' long
- 14** performance wall length 14' long
- 15** performance wall length 15' long
- 16** performance wall length 16' long

Step 3. Spanner Zone Length

- 06** spanner zone length 6' long
- 07** spanner zone length 7' long
- 08** spanner zone length 8' long
- 10** spanner zone length 10' long
- 11** spanner zone length 11' long
- 12** spanner zone length 12' long
- 14** spanner zone length 14' long
- 15** spanner zone length 15' long
- 16** spanner zone length 16' long

Step 4. Intermediate Spanner

For performance wall length 6' long (06) or performance wall length 7' long (07)

NIS no intermediate spanner

For performance wall length 8' long (08)

NIS no intermediate spanner

YIS intermediate spanner

For performance wall length 9' long (09), performance wall length 10' long (10), performance wall length 11' long (11), performance wall length 12' long (12), performance wall length 13' long (13), performance wall length 14' long (14), performance wall length 15' long (15), or performance wall length 16' long (16)

YIS intermediate spanner

Step 5. Sliding Glass Door

For spanner zone length 6' long (06)

NSG no sliding glass door

For spanner zone length 7' long (07), spanner zone length 8' long (08), spanner zone length 10' long (10), spanner zone length 11' long (11), spanner zone length 12' long (12), spanner zone length 14' long (14), spanner zone length 15' long (15), or spanner zone length 16' long (16)

NSG no sliding glass door**YSG** sliding glass door

Step 6. Room Configuration

01 single room configuration**02** dual room configuration

Prices for Steps 1-6.

	NISNSG01	NISNSG02	NISYSG01	NISYSG02	YISNSG01	YISNSG02
MN900.06 06	\$3230	3230	—	—	—	—
07	\$3802	3802	3802	3802	—	—
08	\$4516	4516	4516	4516	—	—
10	\$5646	5646	5646	5646	—	—
11	\$6209	6209	6209	6209	—	—
12	\$6776	6776	6776	6776	—	—
14	\$7902	7902	7902	7902	—	—
15	\$8466	8466	8466	8466	—	—
16	\$9031	9031	9031	9031	—	—
07 06	\$3230	3230	—	—	—	—
07	\$3802	3802	3802	3802	—	—
08	\$4516	4516	4516	4516	—	—
10	\$5646	5646	5646	5646	—	—
11	\$6209	6209	6209	6209	—	—
12	\$6776	6776	6776	6776	—	—
14	\$7902	7902	7902	7902	—	—
15	\$8466	8466	8466	8466	—	—
16	\$9031	9031	9031	9031	—	—
08 06	\$5165	5165	—	—	3259	3259
07	\$6022	6022	6022	6022	3802	3802
08	\$6884	6884	6884	6884	4516	4516
10	\$8605	8605	8605	8605	5646	5646
11	\$9461	9461	9461	9461	6209	6209
12	\$10321	10321	10321	10321	6776	6776
14	\$12040	12040	12040	12040	7902	7902
15	\$12902	12902	12902	12902	8466	8466
16	\$13762	13762	13762	13762	9031	9031

09 06	—	—	—	—	\$3259	3259
07	—	—	—	—	\$3802	3802
08	—	—	—	—	\$4516	4516
10	—	—	—	—	\$5646	5646
11	—	—	—	—	\$6209	6209
12	—	—	—	—	\$6776	6776
14	—	—	—	—	\$7902	7902
15	—	—	—	—	\$8466	8466
16	—	—	—	—	\$9031	9031
10 06	—	—	—	—	\$6776	6776
07	—	—	—	—	\$7902	7902
08	—	—	—	—	\$9031	9031
10	—	—	—	—	—\$11286	11286
11	—	—	—	—	—\$12415	12415
12	—	—	—	—	—\$13546	13546
14	—	—	—	—	—\$15800	15800
15	—	—	—	—	—\$17094	17094
16	—	—	—	—	—\$18232	18232
11 06	—	—	—	—	\$6776	6776
07	—	—	—	—	\$7902	7902
08	—	—	—	—	\$9031	9031
10	—	—	—	—	—\$11286	11286
11	—	—	—	—	—\$12415	12415
12	—	—	—	—	—\$13546	13546
14	—	—	—	—	—\$15800	15800
15	—	—	—	—	—\$17094	17094
16	—	—	—	—	—\$18232	18232
12 06	—	—	—	—	\$6776	6776
07	—	—	—	—	\$7902	7902
08	—	—	—	—	\$9031	9031
10	—	—	—	—	—\$11286	11286
11	—	—	—	—	—\$12415	12415
12	—	—	—	—	—\$13546	13546
14	—	—	—	—	—\$15800	15800
15	—	—	—	—	—\$17094	17094
16	—	—	—	—	—\$18232	18232
13 06	—	—	—	—	\$6776	6776
07	—	—	—	—	\$7902	7902
08	—	—	—	—	\$9031	9031
10	—	—	—	—	—\$11286	11286
11	—	—	—	—	—\$12415	12415
12	—	—	—	—	—\$13546	13546
14	—	—	—	—	—\$15800	15800
15	—	—	—	—	—\$17094	17094
16	—	—	—	—	—\$18232	18232

14 06	—	—	—	—	\$6776	6776
07	—	—	—	—	\$7902	7902
08	—	—	—	—	\$9031	9031
10	—	—	—	—	—\$11286	11286
11	—	—	—	—	—\$12415	12415
12	—	—	—	—	—\$13546	13546
14	—	—	—	—	—\$15800	15800
15	—	—	—	—	—\$17094	17094
16	—	—	—	—	—\$18232	18232
15 06	—	—	—	—	—\$10321	10321
07	—	—	—	—	—\$12040	12040
08	—	—	—	—	—\$13762	13762
10	—	—	—	—	—\$17199	17199
11	—	—	—	—	—\$18920	18920
12	—	—	—	—	—\$20639	20639
14	—	—	—	—	—\$24079	24079
15	—	—	—	—	—\$25802	25802
16	—	—	—	—	—\$27518	27518
16 06	—	—	—	—	—\$10321	10321
07	—	—	—	—	—\$12040	12040
08	—	—	—	—	—\$13762	13762
10	—	—	—	—	—\$17199	17199
11	—	—	—	—	—\$18920	18920
12	—	—	—	—	—\$20639	20639
14	—	—	—	—	—\$24079	24079
15	—	—	—	—	—\$25802	25802
16	—	—	—	—	—\$27518	27518
					YISYSG01	YISYSG02
MN900.08 07					\$3802	3802
08					\$4516	4516
10					\$5646	5646
11					\$6209	6209
12					\$6776	6776
14					\$7902	7902
15					\$8466	8466
16					\$9031	9031
09 07					\$3802	3802
08					\$4516	4516
10					\$5646	5646
11					\$6209	6209
12					\$6776	6776
14					\$7902	7902
15					\$8466	8466
16					\$9031	9031


10 07	\$7902	7902
08	\$9031	9031
10	\$11286	11286
11	\$12415	12415
12	\$13546	13546
14	\$15800	15800
15	\$17094	17094
16	\$18232	18232
11 07	\$7902	7902
08	\$9031	9031
10	\$11286	11286
11	\$12415	12415
12	\$13546	13546
14	\$15800	15800
15	\$17094	17094
16	\$18232	18232
12 07	\$7902	7902
08	\$9031	9031
10	\$11286	11286
11	\$12415	12415
12	\$13546	13546
14	\$15800	15800
15	\$17094	17094
16	\$18232	18232
13 07	\$7902	7902
08	\$9031	9031
10	\$11286	11286
11	\$12415	12415
12	\$13546	13546
14	\$15800	15800
15	\$17094	17094
16	\$18232	18232
14 07	\$7902	7902
08	\$9031	9031
10	\$11286	11286
11	\$12415	12415
12	\$13546	13546
14	\$15800	15800
15	\$17094	17094
16	\$18232	18232

Trellis *continued*

15	07	\$12040	12040
08		\$13762	13762
10		\$17199	17199
11		\$18920	18920
12		\$20639	20639
14		\$24079	24079
15		\$25802	25802
16		\$27518	27518
16	07	\$12040	12040
08		\$13762	13762
10		\$17199	17199
11		\$18920	18920
12		\$20639	20639
14		\$24079	24079
15		\$25802	25802
16		\$27518	27518

Step 7. Finish			
PLG	cool heathered grey		+\$0

Media Mounting Components MN910.



Product Information

Description

Notes

Dimensions

Media mounting components include mounting board(s) and electrical housing to accommodate the mounting of 1 screen or monitor. Electrical housing includes 1 duplex to be used for system power, and wire management for data infeed.

For use with performance wall structure (MN200.) only. Order structure separately.
 Order performance wall cladding with monitor mount (MN210. xxxxxxYM) separately.
 Order media structure (MN915.) separately.
 For appropriate planning applications, see Overlay™ planning guide.
 Service part required for 8' performance walls that accommodate a monitor mount and a light switch within the same wall, whether the switch and monitor are on the same side or opposite sides of the wall. Order service part U1BN5C0, Media Kit 8 ft w Light Switch, through Service Parts.

Specification Information

Step 1.

Step 2. Configuration

Step 3. Performance Wall Length

Prices for Steps 1-3.


MN910.

8-wire, 4-circuit, shared neutral
 10-wire, 4-circuit, separate neutrals


6' long
 7' long
 8' long
 9' long
 10' long
 11' long
 12' long
 13' long
 14' long
 15' long
 16' long

	06	07	08	09	10	11
MN910.08	\$1447	1447	1447	1150	1150	1150
10	\$1447	1447	1447	1150	1150	1150

	12	13	14	15	16
MN910.08	\$1150	1447	1447	1447	1447
10	\$1150	1447	1447	1447	1447




Product Information
Description
This structure mounts to the performance wall structure to create a substrate for a monitor mounting bracket. Media structure includes rails, substrate, and all hardware.
Notes
Monitor mounting bracket must be field supplied.
For use with performance wall structure (MN200.) only. Order structure separately.
Order performance wall cladding with monitor mount (MN210. xxxxxxYM) separately.
Order media components (MN910.) separately.
For appropriate planning applications, see Overlay™ planning guide.
Dimensions



Specification Information
Step 1.
MN915.
Step 2. Performance Wall Length
06 6' long
07 7' long
08 8' long
09 9' long
10 10' long
11 11' long
12 12' long
13 13' long
14 14' long
15 15' long
16 16' long

Prices for Steps 1-2.	
MN915.06	\$3691
07	\$3691
08	\$3691
09	\$2166
10	\$2166
11	\$2166
12	\$2166
13	\$3691
14	\$3691
15	\$3691
16	\$3691



Product Information


Description

This rail mounts to performance wall cladding and spanner zone cladding to support Exclave™ small boards and large boards. Rail comes with cleats and end caps.

Notes

Order Exclave small and large boards separately.
Specify performance wall cladding (MN210.) and spanner zone cladding (MN510.) for use with lite rail.
Lite rail attaches to cladding in predetermined locations and spans full length of cladding configuration specified.
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN920.

Step 2. Wall Type

- PW** performance wall
- SZ** spanner zone

Step 3. Overall Length

For performance wall (PW)

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 09** 9' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 13** 13' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

For spanner zone (SZ)

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

Step 4. Configuration Options

For spanner zone (SZ) with 6' long (06), 7' long (07), or 8' long (08)

- FL** full length spanner zone

For spanner zone (SZ) with 10' long (10) or 11' long (11)

- FL** full length spanner zone
- DD** spanner zone with door column

For spanner zone (SZ) with 12' long (12), 14' long (14), 15' long (15),
or 16' long (16)

FL full length spanner zone
DD spanner zone with door column
HO spanner zone with middle column

For performance wall (PW)

FP full length performance wall A

Prices for Steps 1-4.


	FP	FL	DD	HO
MN920.PW 06	\$586	—	—	—
07	\$586	—	—	—
08	\$586	—	—	—
09	\$759	—	—	—
10	\$759	—	—	—
11	\$759	—	—	—
12	\$759	—	—	—
13	\$954	—	—	—
14	\$954	—	—	—
15	\$954	—	—	—
16	\$954	—	—	—
SZ 06	—	\$586	—	—
07	—	\$586	—	—
08	—	\$586	—	—
10	—	\$759	586	—
11	—	\$759	586	—
12	—	\$759	586	586
14	—	\$954	759	586
15	—	\$954	759	586
16	—	\$954	759	586

Step 5. Finish

SNC satin carbon +\$37
AN anodized +\$0

Light Seal

MN930.



Product Information


Description

This light seal is optional and can be specified for the performance wall or the spanner zone. Seals are installed horizontally below the cladding. Color is black.

Notes

Lengths are 8' and can be field cut to fit. For wall longer than 8', specify 2 or more light seals.

Dimensions



Specification Information

Step 1.

MN930.

Step 2. Wall Type

PW performance wall

SZ spanner zone

Step 3. Overall Length

08 8' long


Prices for Steps 1-3.

	08
MN930.PW	\$51
SZ	\$45

Overlay™ Accessories

Linear Light

MN100.



Product Information

Description

This light suspends from an intermediate spanner. Light comes with power jumper from light to switch, hardware pack, mounting kit, light switch, and switch bracket. Linear light is UL Listed and Canadian UL Listed.


Notes

Licensed electrician must wire linear light.

Linear light must route to powered performance wall.

Order performance wall cladding with light switch option (MN210.xxxRL, MN210.xxxLL) separately.

Dimensions



Overlay™ Power

Overlay™ Power

Specification Information

Step 1.

MN100.

Step 2. Configuration

- 08 8-wire, 4-circuit, shared neutral
- 10 10-wire, 4-circuit, separate neutrals

Step 3. Performance Wall Length

- 08 8' long
- 09 9' long
- 10 10' long
- 11 11' long
- 12 12' long
- 13 13' long
- 14 14' long
- 15 15' long
- 16 16' long

Prices for Steps 1-3.


	08	09	10	11	12	13
MN100.08	\$6299	6299	6299	6299	6299	6299
10	\$6423	6423	6423	6423	6423	6423
				14	15	16
MN100.08				\$6299	6299	6299
10				\$6423	6423	6423

Step 4. Light Finish

- 0H black +\$114
- 0J white +\$0

Step 5. Light Switch Faceplate Finish

- 0H black +\$0
- 0J white +\$0



Product Information

Description

This power entry connects a building’s electrical supply from the floor to any powered performance wall structure. Power entry takes the place of a receptacle location in the performance wall. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is available in 4 lengths and can be field cut to appropriate length. Power entry is UL Listed and Canadian UL Listed.


Notes

Receptacle cutout locations to be specified within performance wall cladding (MN210.).

Licensed electrician must wire power entry.

Power entry uses 1 modular connection location on adjacent power harness (MN150.).

Dimensions



Specification Information

Step 1.

MN140.

Step 2. Configuration


08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

Step 3. Power Entry Whip Length

06	6' long
12	12' long
18	18' long
24	24' long

Prices for Steps 1-3.

	06	12	18	24
MN140.08	\$344	570	798	1023
10	\$374	619	867	1111



Product Information


Description

This power entry connects a floor infeed from a building’s electrical supply to the base of the performance wall structure. It connects to the modular connection location on the end of a power harness and includes a junction box. Power entry is designed to be compliant with New York infeed requirements. Power entry is UL Listed and Canadian UL Listed.

Notes

Licensed electrician must wire power entry.
The performance wall cladding (MN210.) panel that has power entry cannot have cutouts for receptacles.
Power entry uses 1 modular connection location on 1 end of adjacent power harness (MN150.).

Dimensions



Specification Information

Step 1.

MN141.

Step 2. Configuration

- 08** 8-wire, 4-circuit, shared neutral
- 10** 10-wire, 4-circuit, separate neutrals

Step 3. Performance Wall Length

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 09** 9' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 13** 13' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

Step 4. Power Entry Whip Length

- 06** 6' long
- 12** 12' long
- 18** 18' long
- 24** 24' long


Prices for Steps 1-4.

	06	12	18	24
MN141.08 06	\$779	894	1007	1121
07	\$862	975	1087	1203
08	\$943	1058	1173	1285
09	\$779	894	1007	1121
10	\$862	975	1087	1203
11	\$862	975	1087	1203
12	\$943	1058	1173	1285
13	\$779	894	1007	1782
14	\$862	975	1087	1203
15	\$862	975	1087	1203
16	\$943	1058	1173	1285

Power Entry, New York - Floor

continued

10 06	\$846	960	1072	1187
07	\$935	1049	1164	1279
08	\$1028	1140	1254	1368
09	\$846	960	1072	1187
10	\$935	1049	1164	1279
11	\$935	1049	1164	1279
12	\$1028	1140	1254	1368
13	\$846	960	1072	1187
14	\$935	1049	1164	1279
15	\$935	1049	1164	1279
16	\$1028	1140	1254	1368



Product Information

Description

Notes

Dimensions

This power entry connects a building’s electrical supply from the ceiling to a performance wall column. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Includes black or white nylon sleeve to bundle wires and conduit. Power entry is UL Listed and Canadian UL Listed.

Performance wall column must be connected to a powered performance wall.
Licensed electrician must wire power entry.
Order appropriate performance wall jumper (MN155.) separately.

Specification Information

Step 1.

Step 2. Configuration

Step 3. Power Entry Whip Length

Prices for Steps 1-3.

Step 4. Wire Management Sleeve


MN143.

08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

06	6' long
12	12' long
18	18' long
24	24' long


	06	12	18	24
MN143.08	\$521	779	1062	1319
10	\$533	797	1086	1339

0H	black	+\$0
0J	white	+\$0



Overlay™ Power

Power Entry, New York - Ceiling MN144.



Product Information

Description

This power entry connects a building's electrical supply from ceiling to a performance wall column. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Power entry is designed to be compliant with New York infeed requirements. Power entry is UL Listed and Canadian UL Listed.


Notes

Licensed electrician must wire power entry.

Performance wall column must be connected to a powered performance wall.

Power entry uses 1 modular connection location on 1 end of adjacent power harness (MN150.).

Dimensions



Overlay™ Power

Power Entry, New York - Ceiling

continued

Overlay™ Power

Specification Information

Step 1.

MN144.

Step 2. Configuration

- 08 8-wire, 4-circuit, shared neutral
- 10 10-wire, 4-circuit, separate neutrals

Step 3. Power Entry Whip Length

- 06 6' long
- 12 12' long
- 18 18' long
- 24 24' long

Prices for Steps 1-3.


	06	12	18	24
MN144.08	\$626	829	1032	1233
10	\$666	868	1071	1272

Step 4. Wire Management Sleeve

- 0H black +\$0
- 0J white +\$0

Cutout Cover (Package of 6)

MN151.




Product Information

Description

This cover is used in performance walls where cladding cutout is present and no power access is needed. Package contains 6 covers.

Dimensions



Specification Information


Step 1.

MN151. \$33

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Overlay™ Power



Product Information

Description


This power harness distributes power within performance wall structure. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It provides 2 receptacle locations, 1 on each side of the performance wall. Harness is suspended from the bottom of the performance wall structure within the interior of the frame. Performance wall length determines how many harnesses can be used. Harness is UL Listed and Canadian UL Listed.

Notes

Order these products separately:

- Power jumper (MN155.)
- Receptacles (MN152., MN152M., MN153., MN153M.)

Dimensions



Specification Information

Step 1.

MN150.

Step 2. Configuration

- 08** 8-wire, 4-circuit, shared neutral
10 10-wire, 4-circuit, separate neutrals

Step 3. Performance Wall Length

- 06** 6' long
07 7' long
08 8' long
09 9' long
10 10' long
11 11' long
12 12' long
13 13' long
14 14' long
15 15' long
16 16' long

Step 4. Power Cutout

For 6' long (06), 7' long (07), or 8' long (08)

- 22** 2 duplex cutout

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12)

- 32** 2 duplex cutout
33 3 duplex cutout

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16)

- 42** 2 duplex cutout
44 4 duplex cutout


Prices for Steps 1-4.

	22	32	33	42	44
MN150.08 06	\$369	—	—	—	—
07	\$387	—	—	—	—
08	\$404	—	—	—	—
09	—	\$369	552	—	—
10	—	\$387	570	—	—
11	—	\$387	588	—	—
12	—	\$406	607	—	—
13	—	—	—	\$387	753
14	—	—	—	\$387	770
15	—	—	—	\$406	789
16	—	—	—	\$406	805

10 06	\$406	—	—	—	—
07	\$423	—	—	—	—
08	\$444	—	—	—	—
09	—	\$406	603	—	—
10	—	\$423	624	—	—
11	—	\$423	642	—	—
12	—	\$444	663	—	—
13	—	—	—	\$423	825
14	—	—	—	\$423	844
15	—	—	—	\$444	862
16	—	—	—	\$444	884

Receptacle, 4-Circuit, 15 amp

MN152.



Product Information


Description

This receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Package contains 6 receptacles.

Notes

Receptacles can be placed on each side of the performance wall structure in standard locations.

Dimensions



Specification Information

Step 1.

MN152.

- Step 2. Type
- AN

BN

CN

DN

1G

2G

3G

4G

1N

2N

3N

4N

AG

BG

CG

DG
- 8-wire duplex, shared neutral, circuit a

8-wire duplex, shared neutral, circuit b

8-wire duplex, shared neutral, circuit c

8-wire duplex, shared neutral, circuit d

10-wire duplex, separate neutrals, circuit a, isolated ground

10-wire duplex, separate neutrals, circuit b, isolated ground

10-wire duplex, separate neutrals, circuit c, isolated ground

10-wire duplex, separate neutrals, circuit d, isolated ground

10-wire duplex, separate neutrals, circuit a

10-wire duplex, separate neutrals, circuit b

10-wire duplex, separate neutrals, circuit c

10-wire duplex, separate neutrals, circuit d

8-wire duplex, shared neutral, circuit a, isolated ground

8-wire duplex, shared neutral, circuit b, isolated ground

8-wire duplex, shared neutral, circuit c, isolated ground

8-wire duplex, shared neutral, circuit d, isolated ground

Prices for Steps 1-2.


MN152.AN	\$226
BN	\$226
CN	\$226
DN	\$226
1G	\$226
2G	\$226
3G	\$226
4G	\$226
1N	\$226
2N	\$226
3N	\$226
4N	\$226
AG	\$226
BG	\$226
CG	\$226
DG	\$226

Receptacle, 4-Circuit, 15 amp

continued

Step 3. Finish		
3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Controlled Receptacle, 4-Circuit, MN152M
15 amp



Product Information


Description

This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacle that is automatically controlled by the energy management system. Receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Package contains 6 receptacles.

Notes

Receptacles can be placed on each side of the performance wall structure in standard locations.

Dimensions



Specification Information

Step 1.

MN152M.

Step 2. Type

- AN 8-wire duplex, shared neutral, circuit a
- BN 8-wire duplex, shared neutral, circuit b
- CN 8-wire duplex, shared neutral, circuit c
- DN 8-wire duplex, shared neutral, circuit d
- 1G 10-wire duplex, separate neutrals, circuit a, isolated ground
- 2G 10-wire duplex, separate neutrals, circuit b, isolated ground
- 3G 10-wire duplex, separate neutrals, circuit c, isolated ground
- 4G 10-wire duplex, separate neutrals, circuit d, isolated ground
- 1N 10-wire duplex, separate neutrals, circuit a
- 2N 10-wire duplex, separate neutrals, circuit b
- 3N 10-wire duplex, separate neutrals, circuit c
- 4N 10-wire duplex, separate neutrals, circuit d
- AG 8-wire duplex, shared neutral, circuit a, isolated ground
- BG 8-wire duplex, shared neutral, circuit b, isolated ground
- CG 8-wire duplex, shared neutral, circuit c, isolated ground
- DG 8-wire duplex, shared neutral, circuit d, isolated ground

Prices for Steps 1-2.


MN152M. AN	\$229
BN	\$229
CN	\$229
DN	\$229
1G	\$229
2G	\$229
3G	\$229
4G	\$229
1N	\$229
2N	\$229
3N	\$229
4N	\$229
AG	\$229
BG	\$229
CG	\$229
DG	\$229

Controlled Receptacle, 4-Circuit,
15 amp *continued*

Step 3. Finish		
3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Receptacle, 4-Circuit, 20 amp

MN153.



Product Information


Description

This receptacle locks into the power harness of a frame. It is UL Listed and Canadian UL Listed. Single-pack unit includes 1 receptacle.

Notes

Receptacles can be placed on each side of the performance wall structure in standard locations.

Dimensions



Specification Information

Step 1.

MN153.

Step 2. Type

AN

BN

1G

2G

1N

2N

AG

BG

8-wire duplex, shared neutral, circuit a

8-wire duplex, shared neutral, circuit b

10-wire duplex, separate neutrals, circuit a, isolated ground

10-wire duplex, separate neutrals, circuit b, isolated ground

10-wire duplex, separate neutrals, circuit a

10-wire duplex, separate neutrals, circuit b

8-wire duplex, shared neutral, circuit a, isolated ground

8-wire duplex, shared neutral, circuit b, isolated ground

Prices for Steps 1-2.

MN153.AN

BN

1G

2G

1N

2N

AG

BG

\$62

\$62

\$62

\$62

\$62

\$62

\$62

\$62

Step 3. Finish

3G

8Q

91

98

BK

CL

G1

WL

WN

brownstone

folkstone grey

white

studio white

black

cool grey neutral

graphite

sandstone

warm grey neutral

+\$0

+\$0

+\$0

+\$0

+\$0


+\$0

+\$0

+\$0

+\$0

Controlled Receptacle, 4-Circuit, MN153M 20 amp



Product Information


Description

This receptacle snaps into an 8-wire, 4-circuit, shared neutral power harness or a 10-wire, 4-circuit, separate neutral power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. Receptacle is UL Listed. Single-pack unit includes 1 receptacle.

Notes

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

Dimensions



Specification Information

Step 1.

MN153M.

Step 2. Type

AN	8-wire duplex, shared neutral, circuit a
BN	8-wire duplex, shared neutral, circuit b
1G	10-wire duplex, separate neutrals, circuit a, isolated ground
2G	10-wire duplex, separate neutrals, circuit b, isolated ground
1N	10-wire duplex, separate neutrals, circuit a
2N	10-wire duplex, separate neutrals, circuit b
AG	8-wire duplex, shared neutral, circuit a, isolated ground
BG	8-wire duplex, shared neutral, circuit b, isolated ground


Prices for Steps 1-2.

MN153M. AN	\$63
BN	\$63
1G	\$63
2G	\$63
1N	\$63
2N	\$63
AG	\$63
BG	\$63

Step 3. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Performance Wall Power Jumper MN155.



Product Information


Description

This power jumper connects power horizontally from one power harness to another. It connects power between adjacent frames. Power jumper connects into the end of a harness; it does not connect into a receptacle location. Power jumper is UL Listed and Canadian UL Listed.

Notes

For ceiling, floor or no infeed locations (CL, FL, NO), appropriate jumper will be supplied to reach from base power to infeed. When using linear light (MN100.), specify yes light switch (YL) option for a jumper that connects power harness to light switch. Linear light comes with jumper from switch to light. Jumper uses 1 of 4 modular connections on each end of adjacent power harness (MN150.). For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN155.

Step 2. Configuration

- 08** 8-wire, 4-circuit, shared neutral
- 10** 10-wire, 4-circuit, separate neutrals

Step 3. Performance Wall Length

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 09** 9' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 13** 13' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

Step 4. Power Cutout

For 6' long (06), 7' long (07), or 8' long (08)

- 22** 2 duplex cutout

For 9' long (09), 10' long (10), 11' long (11), or 12' long (12)

- 32** 2 duplex cutout
- 33** 3 duplex cutout

For 13' long (13), 14' long (14), 15' long (15), or 16' long (16)

- 42** 2 duplex cutout
- 44** 4 duplex cutout

Step 5. Infeed Location

- CL** ceiling infeed location
- FL** floor infeed location
- NO** no infeed (for when infeed comes from a different performance wall)

Step 6. Light Switch Infeed

- NL** no light switch
- YL** light switch

Performance Wall Power Jumper

continued

Prices for Steps 1-6.

	22CLNL	22CLYL	22FLNL	22FLYL	22NONL	22NOYL
MN155.08 06	\$457	457	194	194	194	194
07	\$457	457	194	194	194	194
08	\$457	457	194	194	194	194
10 06	\$588	588	194	194	194	194
07	\$588	588	194	194	194	194
08	\$588	588	194	194	194	194

	32CLNL	32CLYL	32FLNL	32FLYL	32NONL	32NOYL
MN155.08 09	\$513	513	248	248	248	248
10	\$513	513	248	248	248	248
11	\$513	513	248	248	248	248
12	\$513	513	248	248	248	248
10 09	\$564	564	276	276	276	276
10	\$564	564	276	276	276	276
11	\$564	564	276	276	276	276
12	\$564	564	276	276	276	276

	33CLNL	33CLYL	33FLNL	33FLYL	33NONL	33NOYL
MN155.08 09	\$648	648	387	387	387	387
10	\$648	648	387	387	387	387
11	\$648	648	387	387	387	387
12	\$648	648	387	387	387	387
10 09	\$719	719	431	431	431	431
10	\$719	719	431	431	431	431
11	\$719	719	431	431	431	431
12	\$719	719	431	431	431	431

	42CLNL	42CLYL	42FLNL	42FLYL	42NONL	42NOYL
MN155.08 13	\$457	457	194	194	194	194
14	\$457	457	194	194	194	194
15	\$457	457	194	194	194	194
16	\$457	457	194	194	194	194
10 13	\$588	588	194	194	194	194
14	\$588	588	194	194	194	194
15	\$588	588	194	194	194	194
16	\$588	588	194	194	194	194


	44CLNL	44CLYL	44FLNL	44FLYL	44NONL	44NOYL
MN155.08 13	\$884	884	579	579	579	579
14	\$884	884	579	579	579	579
15	\$884	884	579	579	579	579
16	\$884	884	579	579	579	579

10 13	\$934	934	642	642	642	642
14	\$934	934	642	642	642	642
15	\$934	934	642	642	642	642
16	\$934	934	642	642	642	642

Overlay™ Power

Spanner Zone Jumper

MN156.




Product Information

Description
This power jumper connects power horizontally from one performance wall power harness to another performance wall power harness through the column spanner. Spanner power jumper connects into the end of a harness; it does not connect into a receptacle location. Power jumper is UL Listed and Canadian UL Listed.

Notes
For appropriate planning applications, see Overlay™ planning guide.

Dimensions



Specification Information

Step 1.

MN156.

Step 2. Configuration

- 08** 8-wire, 4-circuit, shared neutral
- 10** 10-wire, 4-circuit, separate neutrals

Step 3. Spanner Zone Length

- 06** 6' long
- 07** 7' long
- 08** 8' long
- 10** 10' long
- 11** 11' long
- 12** 12' long
- 14** 14' long
- 15** 15' long
- 16** 16' long

Prices for Steps 1-3.

	06	07	08	10	11	12
MN156.08	\$959	959	959	959	1090	1090
10	\$1073	1073	1073	1073	1227	1227

	14	15	16
MN156.08	\$1090	1090	1090
10	\$1227	1227	1227

Index by Product Name

Overlay™	
Column Seismic Anchor Bracket	page(s) 9
Controlled Receptacle, 4-Circuit, 15 amp	60
Controlled Receptacle, 4-Circuit, 20 amp	63
Curtain Track	35
Cutout Cover (Package of 6)	55
Glass Mount	32
Light Seal	46
Linear Light	47
Lite Rail	44
Media Mounting Components	42
Media Structure	43
Perforated Metal	36
Performance Wall Cap	7
Performance Wall Cladding	17
Performance Wall Column	10
Performance Wall Power Jumper	64
Performance Wall Seismic Anchor Bracket	8
Performance Wall Structure	5
Power Entry, Ceiling	52
Power Entry, Floor	49
Power Entry, New York - Ceiling	53
Power Entry, New York - Floor	50
Power Harness	56
Receptacle, 4-Circuit, 15 amp	58
Receptacle, 4-Circuit, 20 amp	62
Sliding Glass Door Hardware	33
Spanner	12
Spanner Zone Cladding	26
Spanner Zone Jumper	66
Spanner Zone Structure	25
Toggle Wall Strip Anchor	15
Trellis	38
Wall Fastener	16
Wood Slat	30



Index by Product Number

MN100. Linear Light	page(s) 47
MN140. Power Entry, Floor	49
MN141. Power Entry, New York - Floor	50
MN143. Power Entry, Ceiling	52
MN144. Power Entry, New York - Ceiling	53
MN150. Power Harness	56
MN151. Cutout Cover (Package of 6)	55
MN152. Receptacle, 4-Circuit, 15 amp	58
MN152M Controlled Receptacle, 4-Circuit, 15 amp	60
MN153. Receptacle, 4-Circuit, 20 amp	62
MN153M Controlled Receptacle, 4-Circuit, 20 amp	63
MN155. Performance Wall Power Jumper	64
MN156. Spanner Zone Jumper	66
MN200. Performance Wall Structure	5
MN210. Performance Wall Cladding	17
MN220. Performance Wall Cap	7
MN230. Performance Wall Seismic Anchor Bracket	8
MN240. Column Seismic Anchor Bracket	9
MN300. Performance Wall Column	10
MN400. Spanner	12
MN500. Spanner Zone Structure	25
MN510. Spanner Zone Cladding	26
MN520. Wood Slat	30
MN530. Glass Mount	32
MN540. Sliding Glass Door Hardware	33
MN550. Curtain Track	35
MN560. Perforated Metal	36
MN900. Trellis	38
MN910. Media Mounting Components	42
MN915. Media Structure	43
MN920. Lite Rail	44
MN930. Light Seal	46
X1191. Toggle Wall Strip Anchor	15
X1192. Wall Fastener	16



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Proprietary Textiles Application Chart — Workspaces

- Available

A Assigned lead-time textile.

See page 2 for exception notes.

Proprietary Textiles Application Chart — Workspaces

- Available

A

Assigned lead-time textile.

See page 2 for exception notes.

	Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Part™ Screens/Flat Edge Screens/Channel Screens	Passport Work Table Screen	Renew™ Link Screens	Ambit™ Workspace Solutions Screen	Ambit Workspace Solutions Metal Screen Liner	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards & Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category 1																								
COM Customer's Own Material A	1	1	1	1	1	1	1	1	1	1	1	1		1	1		1	1		1		1	1	1
2V__ Chain	•	•	•	•	•	22	•	•	•	•		•		•	•		•	•				•	•	
8T__ Crossing (85__)	2	2	•	•	•	•	2	•	•		•	•		•	•		•	•		•	8		•	18
3DE__ Dex	6	2	•	•	•	•	2	•	•		•	•		•	•		•	•		•		•	•	•
95__ Gem	2	2	•	•	•	•	2	•	•					•	•			•				•	•	•
2I__ Grasscloth	•	•	•	•	•	•	•	•	•	•		•		•	•		•	•				•	•	
1MN__ Monologue	2	2	•	•	•	•	2	•	•	•		•		•	•		•	•				•	•	•
5T__ Resonance	•	•	•	•	•	•	•	•	•	•				•								•	•	
4SC__ Scatter	2	2				•		•	•	•	•	•		•	•		•	•		•		•	•	•
3DN__ Scribe	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•		•		•	•	•
2M__ Silkworm	•	•	•	•	•	•	•	•	•	•				•	•			•				•	•	
22F__ Slant	6	•		•	•	•		•	•	•				•									•	
235__ Tailored	•		•	•	•	8		•	•	•				•									•	•
1WS__ Whisper	2	2	•	•	•	•	2	•	•	•	•	•		•	•		•	•		•		•	•	•
Price Category 2																								
3AR__ Aristo	2	2	•	•	•	•	2	•	•	•	•	•			•	•		•	•		•		•	•
1CD__ Code	•	•	•	•	•	•	•	•	•	•	•	•		•						•				
51__ Cord	•	•	•	•	•	•	•	•	•	•				•								•		
92__ Crepe	2	•	•	•	•	•	•	•	•	•	•			•	•			•		•	8	•		•
3EP__ Epic	2	2	•	•	•	•	2	•	•		•	•		•	•		•	•		•		•	•	•
84__ Grosgrain	4	•	•	•	•	8	•		•	•				•				•				19	•	
4N__ Horizon	2	2	•	•	•	•	•	•	•	•				•	•			•				•	•	
1LM__ Loom	2	2	•		•	•	•	•	•		•	•		•	•		•	•		•				•
1HA__ Medley	2	2	•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	8	•		•
4ME__ Mellow	2	2	•	•	•	•	2	•	•	•	•	•		•	•		•	•		•		•	•	•
3RA__ Rain	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•		•		•	•	
3SL__ Sequel			2				2										•	•		•		•	•	
4TE__ Terra	2	2	•	•	•	•	2	•	•	•	•	•		•	•		•	•		•		•	•	•
3TW__ Twine	•	•	•	21	•	•	•	•	•	•	•	•		•	•		•	•		•		•	•	
8R__ Twist (5S__)	5	2	•	•	•	•	2	•	•	•		•		•	•		•	•				•	•	18

continued on next page

Proprietary Textiles Application Chart — Workspaces

continued

Proprietary Textiles
Application Chart —
Workspaces

continued

	Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Pari™ Screens/Flat Edge Screens/Channel Screens	Passport Work Table Screen	Renew™ Link Screens	Ambit™ Workspace Solutions Screen	Ambit Workspace Solutions Metal Screen Liner	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards & Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storge Cubby Tackboard	Seating
Price Category 3																								
47__ Ground Cloth®	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	∞	•	•	
8L__ Savannah	•	•	•	•	•	•	•	•	•	•				•							•		•	
8W__ Strands	•	•	•	•	•	•	•	•	•			•		•	•		•	•				•	•	
Price Category 4																								
3DM__ Daydream	2	2	•			•	2	•	•	•	•	•		•	•		•	•		•		•	•	•
2X__ Glisten	•	•	•	•	•	•	•	•	•	•				•	•		•					•	•	
1HS__ Hush	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	•		•	•	
Price Category 5																								
14A__ Hopsak	2	2	•	•		•	2	•	•	•	•			•						•		•	•	
Price Category 6																								
No fabrics available at this time.																								

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54" and 60" wide.
- 4 Not available on Action Office (AO®) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO®) connectors, cable management, and spacers.
- 8 Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.
- 19 Not available in Grosgrain (84__) fabric color 8405.
- 21 Not available on Ethospace connectors and cable management tiles.
- 22 Not available as railroaded application option for Chain (2V00) on Canvas Extended Width Tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Proprietary Textile Colors — Workspaces

Price Category 1

Customer's Own Material
See Order Information in
Appendices.
Assigned lead-time textile. A

Chain	
66" wide	
100% recycled polyester	
2V01	Pearl
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood
2V09	Iceberg

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker *
8T04	Porcelain *
8T05	Warm Grey *
8T10	Tomato
8T13	Green Apple
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale *
8T22	Tin *
8T23	Graphite
8T24	Black

Crossing	
For workspaces products only.	
54" wide	
86% antimony-free polyester	
14% polyester	
8501	Ivory *
8502	Oyster *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Dex	
54" wide	
100% recycled polyester	
3DE01	Frost
3DE02	Silver Pine
3DE03	Stone
3DE04	Shale
3DE05	Charcoal
3DE06	Gossamer
3DE07	Pine

Gem	
54" wide	
100% antimony-free polyester	
9502	Tangerine
9503	Red
9507	Twilight
9508	Bayou
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grasscloth	
66" wide	
100% recycled polyester	
2I01	Silver Birch
2I02	Pampas
2I03	Sedge
2I07	Lea
2I08	Taro
2I09	Steam Grey
2I13	Gravel

Monologue	
54" wide	
56% recycled polyester	
44% polyester	
1MN01	Linen
1MN02	Alabaster
1MN03	Truffle
1MN04	Folkstone
1MN05	Silver Pine
1MN06	Slate
1MN07	Seed
1MN08	Yellow Oxide
1MN09	Persimmon
1MN10	Tundra
1MN11	Meadow
1MN12	Blue Sky
1MN13	Blue Spruce
1MN14	Deep Sea

Resonance	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T60	Iceberg
5T65	Red
5T67	Boysenberry
5T68	Pistachio
5T69	Green Apple
5T71	Jade
5T72	Blue Green
5T74	Twilight

Scatter	
54" wide	
100% recycled polyester, with 26% ocean bound plastic	
4SC01	Alpine
4SC02	Fog
4SC03	Shale
4SC04	Persimmon
4SC05	Red Violet
4SC06	Lime Zest
4SC07	Olive
4SC08	Glacier
4SC09	Blue Sky
4SC10	Lagoon
4SC11	Slate Grey
4SC12	Blue Black

Price category 1 continued on
next page

Proprietary Textile Colors — Workspaces

continued

Price Category 1

continued

Appendix: Proprietary Textile Colors — Workspaces

Scribe
54" wide
100% recycled polyester
with 53% ocean bound plastic

3DN01	Spring Wood
3DN02	Poplar
3DN03	Pewter
3DN04	Deep Sea
3DN05	Fir
3DN06	Nutmeg

Silkworm
66" wide
58% recycled polyester
42% polyester

2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
2M05	Ceylon
2M06	Jasmine
2M07	Shale
2M08	Monsoon

Slant
66" wide
51% polyester
49% recycled polyester

22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Bluestone
22F15	Shale

Tailored
54" wide
56% polyester
44% recycled polyester

23501	Studio White *
23502	Sugar
23503	Tomato
23504	Orchid
23505	Boysenberry
23506	Chive
23507	Bluegrass
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

* Color not available on Canvas Tiles.

Whisper
54" wide
73% recycled polyester
27% polyester,
with 11.3% ocean bound plastic

1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS08	Adobe
1WS09	Strawberry
1WS10	Blush
1WS11	Eggplant
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry
1WS16	Glacier
1WS17	Grey
1WS18	Canyon

Price Category 2

Aristo
54" wide
88% recycled polyester
12% polyester
Acrylic backing

3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	Surf
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Code
66" wide
100% Repreve recycled polyester

1CD01	Linen
1CD02	Khaki
1CD03	Iceberg
1CD04	Zinc
1CD05	Blue Black

Cord
66" wide
51% antimony-free polyester
49% polyester

5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5107	Sesame
5109	Bayou
5111	Spring Wood
5112	Summer White

Crepe
54" wide
100% recycled polyester,
with 43.6% ocean bound plastic

9201	Licorice
9203	Smoke
9207	Cherry
9223	Cadet
9241	Beachglass
9249	Stone *
9251	Fog *
9252	Slate Grey
9261	Shale
9262	Graphite
9265	Mineral
9266	Persimmon
9267	Juniper
9268	Glacier
9269	Cascade
9270	Navy

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop.

Price category 2 continued on
next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Epic	
54" wide	
56% recycled polyester	
44% polyester	
Acrylic backing	
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP04	Citrus Spring
3EP05	Copper
3EP06	Urban Orange
3EP07	Poppy
3EP08	Wild Plum
3EP09	Sugar Plum
3EP10	Clover
3EP11	Loden
3EP12	Everglade
3EP13	Mist
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark
Grosgrain	
66" wide	
100% recycled polyester	
8402	White Ash
8404	Khaki
8405	Oyster *
8408	Spa Blue
8409	Bud
8411	Bayou
8412	Tin

* Color not available on Canvas Dock Mounted Screens and Thrive® Personal Side Screen.

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N06	Tamarack
4N07	Mushroom
4N08	Haystack
4N09	Oat Grass
4N10	Forest Moss
4N11	Hickory
4N12	Beech Nut
4N13	Pine Cone
4N14	Poplar
4N15	Elderberry
Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey *
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Mellow	
54" wide	
100% recycled polyester, with 16% ocean bound plastic	
4ME01	Mineral
4ME02	Pewter
4ME03	Wisteria
4ME04	Olive
4ME05	Glacier
4ME06	Oceanside
4ME07	Charcoal

Rain	
66" wide	
100% recycled polyester	
3RA01	Iceberg
3RA02	Frost
3RA03	Pewter
3RA04	Graphite
3RA05	Warm White
3RA06	Linen
3RA07	Rye
3RA08	Light Brindle
Sequel	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL05	Chestnut
3SL06	Rattan
3SL07	Black Cherry
3SL08	Tundra
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark

Price category 2 continued on
next page

Proprietary Textile Colors — Workspaces

continued

Price Category 2

continued

Terra	
54" wide	
100% post-consumer recycled biodegradable polyester *	
4TE01	Spring Wood
4TE02	Zinc
4TE03	Pine Cone
4TE04	Charcoal

* 1% biodegradation in 1,278 days under ASTM D5511 conditions. No evidence of further degradation.

Twine	
66" wide	
100% recycled polyester	
3TW01	Silver Birch
3TW02	Ivory
3TW03	Alabaster
3TW04	Bamboo
3TW05	Iceberg
3TW06	Charcoal
3TW07	Feather Grey
3TW08	Shale

Twist	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R28	Citrus
8R29	Pekoe
8R30	Tangerine
8R31	Red Plum
8R32	Wisteria
8R33	Forest
8R34	Jade Dark
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist	
For workspaces products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S01	Pearl
5S02	Ivory
5S03	Oyster

Price Category 3

Ground Cloth®	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave®
Video-friendly Tackable
Boards and Stowage Tackable
Backdrop

Savannah	
66" wide	
76% recycled polyester	
24% polypropylene	
8L02	Oyster
8L04	Jute
8L05	Bamboo
8L06	Metal
8L07	Linen
8L10	Frost
8L11	Shale

Strands	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

Price Category 4

Daydream	
54" wide	
48% wool	
41% recycled polyester	
9% nylon	
2% polyester	
3DM01	Rye Grass
3DM02	Silver Birch
3DM03	Pewter
3DM04	Graphite
3DM05	Black
3DM06	Lemongrass
3DM07	Permission
3DM08	Juniper
3DM09	Sea Grass
3DM10	Nightfall

Glisten	
66" wide	
84% polyester	
16% recycled polyester	
2X02	Rye
2X05	Iceberg
2X09	Pewter
2X10	Ash

Hush	
66" wide	
80% polyester	
20% viscose	
1HS01	Canyon
1HS02	Pesto
1HS03	Bayou
1HS04	Greystone
1HS05	Charcoal
1HS06	Rye Grass
1HS07	Cool Grey
1HS08	Dark Grey
1HS09	Aqua Green
1HS10	Nightfall

Proprietary Textile Colors — Workspaces

continued

Price Category 5

Hopsak	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark



Maharam® Application Chart — Workspaces

• Available

See below for exception notes.

Maharam textiles are on assigned lead times. A

	Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	Overlay™ Performance Wall Cladding	Parti™ Screens/Flat Edge Screens/Channel Screens	Renew™ Link Screens	Ambit™ Workspace Solutions Screen	Exclave® Tackable Boards and Stowage Tackable Backdrop	Personal Side Screen	Seating
Price Category 1	No fabrics available at this time.																		
Price Category 2																			
ZMA__Metaphor - Maharam	2	2	2	2	•	•	2	•		•	•		•				•		•
8I1__ Muse - Maharam	2	2	2	•		•	2	•		•	•	•	•	•	•	•	•	•	•
Price Category 3																			
ZM2__Meld - Maharam *	2	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Price Category 4	No fabrics available at this time.																		
Price Category 5																			
4OG__Method - Maharam	2	2	2	2	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•
ZNC__Nico - Maharam	2	2	2	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•
Price Category 6	No fabrics available at this time.																		
Price Category 7																			
6VQ__Cumulus	2	2	2	2	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•
Price Category 8-9																			
Price Category A	No fabrics available at this time.																		
Price Category B																			
VQ__Crisp - Maharam	5	•	•	12		•	•	•	•	•			•						
VM__Medium - Maharam		2				•	20	•	•	•			•						•
TI__Messenger - Maharam *		2	•	12	•	•	2	•	•	•			•	•		•			•
Price Category C																			
Z27__Manner - Maharam	2	2	2	•		•	2	•	•	•			•	•		•			•
Z3__Metric - Maharam	2	2			•	•		•	•	•			•	•		•			•
ZML__Milestone - Maharam	2	2	2	•	•	•	2	•	•		•	•		•		•	•	•	•
Price Category D																			
ZMD__Mode - Maharam	2																•		•
ZS3__Spiral - Maharam	•	•	•	•		•	•	•	•	•			•						
Price Category E																			
ZF3__Flock - Maharam												•	•			•			
TT__Parallel - Maharam	7	•		•	•	•	18	•	•	•			•						
Price Category F																			
ZA1__Adjourn - Maharam	•	•	•	•			•	•											
8EX__Emit - Maharam	2	2	2	•	•	•	2	•	•										
ZS2__Sharkskin 2 - Maharam	2	2	2	2									•						
Price Category G-Z	No fabrics available at this time.																		

* Available in select colors on 20-day lead-time. Refer to “Maharam Colors - Workspaces” for 20-day colors.

2 Available on all products except 54” and 60” wide.

5 Not available on AO partial-glazed panels.

7 Not available on AO acoustical panels; not available on AO2 cable management panel face.

12 Not available on Ethospace tackable tiles.

18 Not available on Canvas E-style storage.

20 Not available on Canvas E-style storage or 60”-wide B-style storage.

Application Note: Herman Miller cannot guarantee material/ pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one screen to the next, or from one panel to the next.



Maharam® Colors — Workspaces

Price Category 1

No fabrics available at this time.

Price Category 2

Metaphor – Maharam

54" wide
100% polyester
Acrylic backing
ZMA01/466553-001 Afterfeather
ZMA02/466553-002 Moonflower
ZMA03/466553-003 Handcraft
ZMA04/466553-004 Crossroad
ZMA05/466553-005 Chondrite
ZMA06/466553-006 Detective
ZMA07/466553-007 Steamship
ZMA08/466553-008 Electricity
ZMA09/466553-009 Takeoff
ZMA10/466553-010 Parachute
ZMA11/466553-011 Blueshift
ZMA12/466553-012 Dockyard
ZMA13/466553-013 Bathe
ZMA14/466553-014 Icebound
ZMA15/466553-015 Thermosphere
ZMA16/466553-016 Aboard
ZMA17/466553-017 Agateware
ZMA18/466553-018 Homeland
ZMA19/466553-019 Rockfall
ZMA20/466553-020 Undergrowth
ZMA21/466553-021 Gremolata
ZMA22/466553-022 Patina
ZMA23/466553-023 Sylvan
ZMA24/466553-024 Outfield
ZMA25/466553-025 Windbreak
ZMA26/466553-026 Saguaro
ZMA27/466553-027 Barnwood
ZMA28/466553-028 Cookshop
ZMA29/466553-029 Amandine
ZMA30/466553-030 Bodhran
ZMA31/466553-031 Centerstage
ZMA32/466553-032 Focaccia
ZMA33/466553-033 Bumblebee
ZMA34/466553-034 Microbrew
ZMA35/466553-035 Sauna
ZMA36/466553-036 Gazebo
ZMA37/466553-037 Pirouette
ZMA38/466553-038 Heartbeat
ZMA39/466553-039 Shino
ZMA40/466553-040 Sunrise
ZMA41/466553-041 Florist

Metaphor continued

ZMA42/466553-042 Beadwork
ZMA43/466553-043 Framboise
ZMA44/466553-044 Wisteria
ZMA45/466553-045 Warrior

Muse – Maharam

54" wide
100% post-consumer recycled polyester
8I101/466487-001 Crescendo
8I102/466487-002 Resonate
8I103/466487-003 Runway
8I104/466487-004 Ascend
8I105/466487-005 Veil
8I106/466487-006 Refresh
8I107/466487-007 Clear
8I108/466487-008 Fantasy
8I109/466487-009 Miso
8I110/466487-010 Compass
8I111/466487-011 Bergamot
8I112/466487-012 Grasshopper
8I113/466487-013 Goal
8I114/466487-014 Mistletoe
8I115/466487-015 Seaglass
8I116/466487-016 Frigid
8I117/466487-017 Riverbend
8I118/466487-018 Noble
8I119/466487-019 Pulsar
8I120/466487-020 Velella
8I121/466487-021 Sailboat
8I122/466487-022 Sparse
8I123/466487-023 Vase
8I124/466487-024 Haven
8I125/466487-025 Mead
8I126/466487-026 Neat
8I127/466487-027 Jovial
8I128/466487-028 Theater
8I129/466487-029 Poinsettia
8I130/466487-030 Celebrate
8I131/466487-031 Spectacle

Price Category 3

Meld – Maharam

54" wide
68% post-consumer recycled polyester
32% polyester
PFOA-Free stain resistant
ZM201/466387-201 Vast
ZM202/466387-202 Panda **
ZM203/466387-203 Skyline *
ZM204/466387-204 Knight **
ZM205/466387-205 Quill **
ZM206/466387-206 Pipe
ZM207/466387-207 Grate *
ZM208/466387-208 Gloss
ZM209/466387-209 Bulb
ZM210/466387-210 Bride
ZM211/466387-211 Stark
ZM212/466387-212 Seashell
ZM213/466387-213 Antler
ZM214/466387-214 Crater *
ZM215/466387-215 Perennial
ZM216/466387-216 Mulberry
ZM217/466387-217 Fuchsia *
ZM218/466387-218 Amethyst *
ZM219/466387-219 Merlot
ZM220/466387-220 Magma *
ZM221/466387-221 Rooster
ZM222/466387-222 Heat *
ZM223/466387-223 Clementine
ZM224/466387-224 Fox
ZM225/466387-225 Kiss *
ZM226/466387-226 Bare
ZM227/466387-227 Blonde
ZM228/466387-228 Mimosa
ZM229/466387-229 Comet *
ZM230/466387-230 Honeydew
ZM231/466387-231 Wild *
ZM232/466387-232 Vine
ZM233/466387-233 Seed
ZM234/466387-234 Kale *

* Colors available on 20-day lead time.

** Colors available on 10-day lead time.

Price Category 3 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category 3

continued

Meld continued	
ZM235/466387-235	Waterfall *
ZM236/466387-236	Nordic *
ZM237/466387-237	Reef *
ZM238/466387-238	Wave
ZM239/466387-239	Isle **
ZM240/466387-240	Creek
ZM241/466387-241	Mariner *
ZM242/466387-242	Globe
ZM243/466387-243	Spa

Price Category 4

No fabrics available at this time.

Price Category 5

Method - Maharam	
54" wide	
100% recycled polyester	
with 9% ocean-bound plastic	
40G01/466579-001	Inspire
40G02/466579-002	Rhea
40G03/466579-003	Noise
40G04/466579-004	Speedway
40G05/466579-005	Villanelle
40G06/466579-006	Maestro
40G07/466579-007	Destiny
40G08/466579-008	Possess
40G09/466579-009	Waterside
40G10/466579-010	Relax
40G11/466579-011	Delightful
40G12/466579-012	Parrotlet
40G13/466579-013	Verdurous
40G14/466579-014	Bosky
40G15/466579-015	Acreage
40G16/466579-016	Allude
40G17/466579-017	Tweed
40G18/466579-018	Korma
40G19/466579-019	Fossilize
40G20/466579-020	Cattail
40G21/466579-021	Shortcake
40G22/466579-022	Racecar
40G23/466579-023	Courtship
40G24/466579-024	Jam
40G25/466579-025	Sparrow

Nico - Maharam	
54" wide	
63% wool	
21% polyester	
16% solution-dyed nylon	
ZNC01/466564-001	Alcazar
ZNC02/466564-002	Ironclad
ZNC03/466564-003	Tune
ZNC04/466564-004	Bridegroom
ZNC05/466564-005	Diode
ZNC06/466564-006	Jest
ZNC07/466564-007	Sanctuary
ZNC08/466564-008	Aquarius
ZNC09/466564-009	Houseboat
ZNC10/466564-010	Olympian
ZNC11/466564-011	Tennis
ZNC12/466564-012	Dressage
ZNC13/466564-013	Zing
ZNC14/466564-014	Bitterroot
ZNC15/466564-015	Gemini
ZNC16/466564-016	Posh
ZNC17/466564-017	Sizzle
ZNC18/466564-018	Cheerful
ZNC19/466564-019	Watermelon
ZNC20/466564-020	Toucan
ZNC21/466564-021	Rosin
ZNC22/466564-022	Jousting
ZNC23/466564-023	Jojoba
ZNC24/466564-024	Dromedary
ZNC25/466564-025	Toasty
ZNC26/466564-026	Casaba
ZNC27/466564-027	Greenhouse
ZNC28/466564-028	Sibyl
ZNC29/466564-029	Spearmint
ZNC30/466564-030	Pothos
ZNC31/466564-031	Calathea
ZNC32/466564-032	Landscape
ZNC33/466564-033	Espalier
ZNC34/466564-034	Gecko
ZNC35/466564-035	Meditation

• Maharam textiles are on assigned lead times [A](#).

• Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category 6	Price Category 7	Price Category 8-9	Price Category A
No fabrics available at this time.	Cumulus - Maharam 54" wide 100% biodegradable post-consumer recycled polyester 6VQ01/466609-001 Lenticular 6VQ02/466609-002 Provoke 6VQ03/466609-003 Matrix 6VQ04/466609-004 Saturate 6VQ05/466609-005 Anabranh 6VQ06/466609-006 Outward 6VQ07/466609-007 Backwoods 6VQ08/466609-008 Dreamer 6VQ09/466609-009 Incandescent 6VQ10/466609-010 Minute 6VQ11/466609-011 Bungalow 6VQ12/466609-012 Temperature 6VQ13/466609-013 Stiletto 6VQ14/466609-014 Precise 6VQ15/466609-015 Floccus	No fabrics available at this time.	No fabrics available at this time.

• Maharam textiles are on assigned lead times [A](#).

• Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category B

Crisp – Maharam	
66" wide	
100% polyester	
VQ02/901420-002	Oyster
VQ13/901420-013	Admiral
VQ14/901420-014	Thunder
VQ21/901420-021	Graphite
VQ22/901420-022	Lychee
VQ23/901420-023	Persimmon
VQ24/901420-024	Kimchi
VQ25/901420-025	Marigold
VQ26/901420-026	Brut
VQ29/901420-029	Surf
VQ30/901420-030	Marble
VQ31/901420-031	Boulder
VQ32/901420-032	Bell
VQ33/901420-033	Ferry
VQ34/901420-034	Sapphire
VQ35/901420-035	Carbon
VQ36/901420-036	Owl
VQ37/901420-037	Agate

Medium – Maharam	
54" wide	
100% polyester	
VM01/463490-001	Raven
VM02/463490-002	Smoke
VM03/463490-003	Alloy
VM04/463490-004	Flax
VM07/463490-007	Espresso
VM08/463490-008	Pecan
VM14/463490-014	Laser
VM16/463490-016	Port
VM22/463490-022	Marina
VM29/463490-029	Pistachio
VM32/463490-032	Prospect
VM36/463490-036	Delight
VM39/463490-039	Nautical
VM40/463490-040	Pool

Medium continued	
VM44/463490-044	Washed
VM45/463490-045	Sculpture
VM46/463490-046	Thatched
VM47/463490-047	Hike
VM48/463490-048	Tangle
VM49/463490-049	Pacific
VM50/463490-050	Cosmic
VM51/463490-051	Cascade
VM52/463490-052	Blackberry
VM53/463490-053	Nasturtium

Messenger – Maharam	
54" wide	
78% recycled polyester	
15% polyester, 7% nylon	
TI07/458640-007	Shadow
TI08/458640-008	Bayou *
TI24/458640-024	Poppy
TI25/458640-025	Mao
TI29/458640-029	Onyx *
TI31/458640-031	Cloud *
TI38/458640-038	Depth *
TI40/458640-040	Nile *
TI41/458640-041	Azure *
TI45/458640-045	Cactus *
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil

Messenger continued	
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst

* Colors available on 20-day lead time.

Price Category C

Manner - Maharam	
54" wide	
100% recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2728/466177-028	Slope
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate

Price Category C continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Price Category C

continued

Manner continued

Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness

Metric – Maharam

54" wide	
51% recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Midday
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth

Milestone – Maharam

54" wide

78% post-industrial recycled polyester

15% polyester

7% nylon

ZML22/403901-022	Pewter
ZML25/403901-025	Charcoal
ZML26/403901-026	Ebony
ZML47/403901-047	Rush
ZML54/403901-054	Linger
ZML55/403901-055	Embrace
ZML57/403901-057	Coffee
ZML58/403901-058	Bison
ZML61/403901-061	Tiger Lily
ZML71/403901-071	Daffodil
ZML78/403901-078	Spruce
ZML79/403901-079	Fountain

Price Category D

Mode – Maharam

54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermillion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise
ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim

Mode continued

ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus
ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

Spiral - Maharam

66" wide
100% polyester
ZS301/901882-001 Chalk
ZS303/901882-003 Wheat
ZS304/901882-004 Mica
ZS305/901882-005 Pavement
ZS306/901882-006 Graphite

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Maharam® Colors — Workspaces

continued

Appendix: Maharam Colors — Workspaces

Price Category E

Flock - Maharam	
63" wide	
100% polyester	
ZF301/901892-001	Calm
ZF302/901892-002	Course
ZF303/901892-003	Highlight
ZF304/901892-004	Roe
ZF305/901892-005	Poppy
ZF306/901892-006	Briefcase
ZF307/901892-007	Monkstrap
ZF308/901892-008	Quag
ZF309/901892-009	Pistachio
ZF310/901892-010	Froth
ZF311/901892-011	Celadon
ZF312/901892-012	Highsea
ZF313/901892-013	China
ZF314/901892-014	Victorian
ZF315/901892-015	Commander
ZF316/901892-016	Raven
ZF317/901892-017	Aluminum

Parallel — Maharam	
66" wide	
100% recycled polyester	
TT01/901180-001	Chalk
TT02/901180-002	Argent
TT03/901180-003	Fog
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT30/901180-030	Wafer
TT31/901180-031	Plank
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

Price Category F

Adjourn - Maharam	
72" wide	
57% polyester	
43% Trevira CS polyester	
ZA102/511350-002	Guava
ZA103/511350-003	Bran
ZA104/511350-004	Flax
ZA105/511350-005	Oatmeal
ZA109/511350-009	Terrain

Emit — Maharam	
54" wide	
55% post-industrial recycled polyester	
45% post-consumer recycled polyester	
PFOA-free stain resistant	
8EX01/466378-001	Wed
8EX02/466378-002	Zebra
8EX03/466378-003	Chiffon
8EX04/466378-004	Scallop
8EX05/466378-005	Nectar
8EX06/466378-006	Elk
8EX07/466378-007	Carat
8EX08/466378-008	Goldenrod
8EX09/466378-009	Beached
8EX10/466378-010	Samba
8EX11/466378-011	Nest
8EX12/466378-012	Ravishing
8EX13/466378-013	Tassel
8EX14/466378-014	Groove
8EX15/466378-015	Tailor
8EX16/466378-016	Duo
8EX17/466378-017	Haiku
8EX18/466378-018	Bluefin
8EX19/466378-019	Flow
8EX20/466378-020	Xenon
8EX21/466378-021	Artem
8EX22/466378-022	Zen
8EX23/466378-023	Sprinkle
8EX24/466378-024	Camp
8EX25/466378-025	Limeade

Price Category G-Z

Sharkskin 2 - Maharam	
54" wide	
89% polyester	
11% solution-dyed polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
ZS201/901650-033	Harmony
ZS202/901650-034	Suggestion
ZS203/901650-039	Lyric
ZS204/901650-040	Clarify
ZS205/901650-041	Remain
ZS206/901650-046	Sphere
ZS207/901650-051	Restore
ZS208/901650-054	Night
ZS209/901650-056	Frosted
ZS211/901650-058	Wash
ZS212/901650-059	Navy

No fabrics available at this time.

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2023 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist, Wireframe, and Zeph are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.