



CARVE + TEXTURAL MARK in uplift

InTouch | **M**
MODULAR

CARVE / IRREGULAR / MACRO SCORE / TEXTURAL MARK



CARVE in uplift / installation in stagger




INTOUCH



IRREGULAR in bliss / installation in stagger



MACRO-SCORE in uplift and yin / installation in stagger



INTOUCH



TEXTURAL MARK in uplift and yang / installation in stagger



MACRO-SCORE custom area rug in yang / with LOCAL RESERVE in derby



COLORWAYS 10566 | CARVE



00110 yang




00140 serenity



00340 zen



00450 bliss



00490 aura



00520 uplift



00540 comfort



00560 unity



00585 yin



00730 fate



00750 matra



00780 harmony

COLORWAYS I0567 | IRREGULAR



00110 yang



00140 serenity



00340 zen



00450 bliss



00490 aura



00520 uplift



00540 comfort



00560 unity




00585 yin



00730 fate



00750 matra



00780 harmony

COLORWAYS 10568 | MACRO-Score



00110 yang



00140 serenity



00340 zen



00450 bliss



00490 aura



00520 uplift



00540 comfort



00560 unity




00585 yin



00730 fate



00750 matra



00780 harmony

COLORWAYS 10569 | TEXTURAL MARK



00110 yang




00140 serenity



00340 zen



00450 bliss



00490 aura



00520 uplift



00540 comfort



00560 unity




00585 yin




00730 fate



00750 matra



00780 harmony



IRREGULAR in bliss, yang and uplift /
installation in stagger

For full specifications and color, please [visit this collection on the website.](#)

PRODUCT SPECIFICATIONS

INTOUCH | modular

CARVE

style / 10566

product size	12" x 48" 30.48 cm x 121.92 cm
gauge	1/12 47.24 per 10 cm
tufted yarn weight	24 oz./yd ² 813.76 g/m ²
stitches per inch	10.3 40.68 per 10 cm
fiber type	Eco Solution Q [®] Nylon
backing type	EcoWorx [®] Tile

IRREGULAR

style / 10567

product size	12" x 48" 30.48 cm x 121.92 cm
gauge	1/12 47.24 per 10 cm
tufted yarn weight	24 oz./yd ² 813.76 g/m ²
stitches per inch	11.3 44.62 per 10 cm
fiber type	Eco Solution Q [®] Nylon
backing type	EcoWorx [®] Tile

MACRO SCORE

style / 10568

product size	12" x 48" 30.48 cm x 121.92 cm
gauge	1/12 47.24 per 10 cm
tufted yarn weight	24 oz./yd ² 813.76 g/m ²
stitches per inch	11.3 44.62 per 10 cm
fiber type	Eco Solution Q [®] Nylon
backing type	EcoWorx [®] Tile


TEXTURAL MARK

style / 10569


product size	12" x 48" 30.48 cm x 121.92 cm
gauge	1/12 47.24 per 10 cm
tufted yarn weight	24 oz./yd ² 813.76 g/m ²
stitches per inch	11.3 44.62 per 10 cm
fiber type	Eco Solution Q [®] Nylon
backing type	EcoWorx [®] Tile

INSTALLATION METHODS


MONOLITHIC




STAGGER




OFFSET



HERRINGBONE



ASHLAR



BRICK

