

# Take a seat (with confidence)










Whether lobby, lounge, welcoming or waiting, you can rest easy with supremely comfortable do-it-all seating for your public spaces. Aviera makes it easy to configure endlessly and effortlessly – across an entire collection – with worry-free design and lasting durability, including metal or wood frames that feature an integrated steel structure. Discover an industry-leading seating solution and get peace-of-mind for any project.












## Safe and sound design


It's easy to get into (and out of) this healthcare hero when you have Healthier Hospital compliant options, non-skid footrests on all hip chairs, non-corrosive aluminum frames, silver ion anti-microbial wood frames, ample clean-out spaces, wall-saving frames and arched arm rests.

AVIERA TEXTILE: SitOnIt Seating Sili-Tex Sterling (seat), SitOnIt Seating Huntington Splash (back) NANO TEXTILE: SitOnIt Seating Newport Aqua (chassis); SitOnIt Seating Monterey Glow (chassis)

PASÉA BENCHES TEXTILE: SitOnIt Seating Monterey Glow PASÉA LOUNGE TEXTILES: SitOnIt Seating Newport Aqua (seat), SitOnIt Seating Cue Electric Blue (back) PASÉA OTTOMANS TEXTILE: SitOnIt Seating Newport Lemon (chassis), SitOnIt Seating Monterey Glow (top)







RIO PLASTIC: Fire & Tangerine
PASÉA TEXTILE: SitOnIt Seating Cue Fog (seat),
SitOnIt Seating Strive Smoky (back)
PASÉA OTTOMAN TEXTILES: SitOnIt Seating Cue Fog (seat),
SitOnIt Seating Cue Tangerine (chassis)



Power ports (optional)



Wall-saving frame


#### Feature comforts

From corporate receptions to hospitality lounges, good things can come to those who wait when they relax and recharge on supremely comfortable dual-density foam cushions – with waterfall curve – and convenient power ports (optional).

MOVI TEXTILE: SitOnIt Seating Motion Graphite (seat), Electric Blue Mesh (back)
VECTRA TEXTILE: SitOnIt Seating Huntington Tropical (seat), Onyx Mesh (back)
AVIERA TEXTILE: SitOnIt Seating Monterey Flurry (seat), SitOnIt Seating Monterey Citrus (back)

# Let's talk textiles Settle into custom comfort and not on choice with the biggest textile program in the industry. Choose from over 15,000 options graded-in (and 1,000+ ready to ship within 10 days), including moisture barrier, dual upholstery and PatternMatch® options.

# A closer look




## Finishes

#### METAL FRAME



Silver Metallic Taupe

**WOOD FRAME** 





Graphite





Clear Maple

POLYURETHANE ARM CAP







Black

WOOD ARM CAP (Aviera Metal Only)











SOLID SURFACE ARM CAP (Aviera Metal Only)



Designer White

#### **OPTIONAL USB POWER**



## Tables

#### LINKING TABLES

Specify in wood veneer, solid surface or laminate tops with wood or metal legs.




#### **WOOD FINISHES**









#### LAMINATE FINISHES & POLYMER EDGE COLORS



#### **SOLID SURFACE FINISHES**



Mocha (Polymer Edge)

Designer White

# Specifications



COM\* (back & seat)

COL\* (back & seat)

(with upholstered arm insert)

(with upholstered arm insert)









Guest 21"	Guest 24"	Guest	30"	Guest 44"	
SPECIFICATIONS Dimensions are in inches	21"	24"	30"	44"	
Overall Height	34.5	34.5	34.5	34.5	
Overall Width	24.5	27.5	33.5	47.5	
Overall Depth	26.5	26.5	26.5	26.5	
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	
Width Between Arms	20.75	23.75	29.75	43.75	
Seat Width	21.75	24.75	30.75	44.75	
Seat Depth	19	19	19	19	
Seat Height	18.5	18.5	18.5	18.5	
Back Height	18.5	18.5	18.5	18.5	
Weight (wood)	33 lb	35 lb	45 lb	72 lb	
Weight (metal)	38 lb	40 lb	50 lb	77 lb	
Weight Capacity	350 lb (wood) 500 lb (metal)	350 lb (wood) 500 lb (metal)	750 lb	750 lb	

1.9 yd

2.8 yd

43.4 sq ft

57.4 sq ft

1.9 yd

2.5 yd

29.4 sq ft

37.8 sq ft



OPEOIFICATIONIC	1
SPECIFICATIONS Dimensions are in inches	
Overall Height	40.25
Overall Width	24.5
Overall Depth	28.25
Arm Height (height of arms from floor)	31.75
Arm Height (arm height from seat to top of arm)	7.25
Width Between Arms	20.75
Seat Width	21.75
Seat Depth	19
Seat Height	24.5
Back Height	18.5
Foot Rest Height (from floor)	7.0
Weight (wood)	33 lb
Weight (metal)	38 lb
Weight Capacity	350 lb (wood) 500 lb (metal)
COM* (back & seat)	1.9 yd
(with upholstered arm insert)	2.5 yd
COL* (back & seat)	29.4 sq ft
(with upholstered arm insert)	37.8 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Support Experience.



GUEST	21"	24" Two-Seat	21" Three-Seat	24" Three-Seat
	Two-Seat			
Overall Height	34.5	34.5	34.5	34.5
Overall Width	47.19	53.19	69.85	78.85
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	20.75	23.75	20.75	23.75
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	61 lb	64 lb	89 lb	94 lb
Weight (metal)	68 lb	71 lb	99 lb	104 lb
Weight Capacity (per seat)	350 lb (wood) 500 lb (metal)			
COM* (back & seat)	3.8 yd	3.8 yd	5.7 yd	5.7 yd
(with upholstered arm insert)	4.75 yd	5.3 yd	7 yd	7.8 yd
COL* (back & seat)	58.8 sq ft	86.8 sq ft	88.2 sq ft	130.2 sq ft
(with upholstered arm insert)	77.8 sq ft	112.4 sq ft	117.8 sq ft	168.4 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.



	21"	24"	21"	24"
GUEST BACK	Two-Seat	Two-Seat	Three-Seat	Three-Seat
Overall Height	34.5	34.5	34.5	34.5
Overall Width	46.39	52.39	68.27	77.27
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	42.64	48.64	64.52	73.52
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	76 lb	79 lb	99 lb	104 lb
Weight (metal)	81 lb	84 lb	104 lb	109 lb
Weight Capacity	525 lb	525 lb	750 lb	750 lb
COM* (back & seat)	3.8 yd	4.3 yd	5.6 yd	5.9 yd
(with upholstered arm insert)	4.25 yd	4.5 yd	6 yd	6.5 yd
COL* (back & seat)	58 sq ft	73 sq ft	88.2 sq ft	93 sq ft
(with upholstered arm insert)	68 sq ft	86 sq ft	93 sq ft	102 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.



3.1 yd

3.1 yd

47.6 sq ft

47.6 sq ft



3.4 yd

4.1 yd

50.4 sq ft

63 sq ft





SPECIFICATIONS Dimensions are in inches	21"	24"	30"
Overall Height	44	44	44
Overall Width	24.5	27.5	33.5
Overall Depth	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25
Width Between Arms	20.75	23.75	29.75
Seat Width	21.75	24.75	30.75
Seat Depth	19	19	19
Seat Height	18.5	18.5	18.5
Back Height	28.5	28.5	28.5
Weight (wood)	37 lb	39 lb	52 lb
Weight (metal)	42 lb	44 lb	57 lb
Weight Capacity	350 lb (wood) 500 lb (metal)	350 lb (wood) 500 lb (metal)	750 lb
COM* (back & seat)	2.8 yd	2.8 yd	3.8 yd
(with upholstered arm insert)	3.1 yd	3.1 yd	3.8 yd
COL* (back & seat)	35 sq ft	43.4 sq ft	50 sq ft
(with upholstered arm insert)	49 sq ft	49 sq ft	57 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.



Eroospan

SPECIFICATIONS Dimensions are in inches				
GUEST BACK	21" Two-Seat	24" Two-Seat	21" Three-Seat	24" Three-Seat
Overall Height	34.5	34.5	34.5	34.5
Overall Width	47.28	53.28	70.03	79.03
Overall Depth	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25
Width Between Arms	20.75	23.75	20.75	23.75
Seat Width	21.75	24.75	21.75	24.75
Seat Depth	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5
Back Height	18.5	18.5	18.5	18.5
Weight (wood)	79 lb	82 lb	105 lb	110 lb
Weight (metal)	85 lb	88 lb	112 lb	117 lb
Weight Capacity	525 lb	525 lb	750 lb	750 lb
COM* (back & seat)	3.8 yd	4.3 yd	5.6 yd	5.9 yd
(with upholstered arm insert)	5 yd	5.25 yd	7.5 yd	8 yd
COL* (back & seat)	58 sq ft	86 sq ft	88.2 sq ft	93 sq ft
(with upholstered arm insert)	83 sq ft	88 sq ft	122 sq ft	130 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.



Start/Center/Fnd

START	21" Guest	21" Patient	24" Guest	24" Patient	30" Guest	30" Patient	44" Guest
Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	24.5	24.5	27.5	27.5	33.5	33.5	47.5
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lb	37 lb	35 lb	39 lb	45 lb	52 lb	72 lb
Weight (metal)	38 lb	42 lb	40 lb	44 lb	50 lb	57 lb	77 lb
Weight Capacity (per seat)	350 lb (wood) 500 lb (metal)	750 lb	750 lb	750 lb			
COM* (back & seat)	1.9 yd	2.8 yd	1.9 yd	2.8 yd	3.1 yd	3.8 yd	3.4 yd
(with upholstered arm insert)	2.5 yd	3.1 yd	2.8 yd	3.1 yd	3.1 yd	3.8 yd	4.1 yd
COL* (back & seat)	29.4 sq ft	35 sq ft	43.4 sq ft	43.4 sq ft	47.6 sq ft	50 sq ft	50.4 sq ft
(with upholstered arm insert)	37.8 sq ft	49 sq ft	57.4 sq ft	49 sq ft	47.6 sq ft	57 sq ft	63 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.

#### CENTER

Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	22.66	22.66	25.66	25.66	31.66	31.66	45.66
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lb	37 lb	35 lb	39 lb	45 lb	52 lb	72 lb
Weight (metal)	38 lb	42 lb	40 lb	44 lb	50 lb	57 lb	77 lb
Weight Capacity (per seat)	350 lb (wood) 500 lb (metal)	750 lb	750 lb	750 lb			
COM* (back & seat)	1.9 yd	2.8 yd	1.9 yd	2.8 yd	3.1 yd	3.8 yd	3.4 yd
(with upholstered arm insert)	2.25 yd	2.8 yd	2.5 yd	3.1 yd	3.1 yd	3.8 yd	3.5 yd
COL* (back & seat)	29.4 sq ft	35 sq ft	43.4 sq ft	43.4 sq ft	47.6 sq ft	50 sq ft	50.4 sq ft
(with upholstered arm insert)	40 sq ft	49 sq ft	55 sq ft	49 sq ft	47.6 sq ft	57 sq ft	60 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.

#### END

2.15							
Overall Height	34.5	44	34.5	44	34.5	44	34.5
Overall Width	22.66	22.66	25.66	25.66	31.66	31.66	45.66
Overall Depth	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Arm Height (height of arms from floor)	25.75	25.75	25.75	25.75	25.75	25.75	25.75
Arm Height (arm height from seat to top of arm)	7.25	7.25	7.25	7.25	7.25	7.25	7.25
Width Between Arms	20.75	20.75	23.75	23.75	29.75	29.75	43.75
Seat Width	21.75	21.75	24.75	24.75	30.75	30.75	44.75
Seat Depth	19	19	19	19	19	19	19
Seat Height	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Back Height	18.5	28.5	18.5	28.5	18.5	28.5	18.5
Weight (wood)	33 lb	37 lb	35 lb	39 lb	45 lb	52 lb	72 lb
Weight (metal)	38 lb	42 lb	40 lb	44 lb	50 lb	57 lb	77 lb
Neight Capacity (per seat)	350 lb (wood) 500 lb (metal)	750 lb	750 lb	750 lb			
COM* (back & seat)	1.9 yd	2.8 yd	1.9 yd	2.8 yd	3.1 yd	3.8 yd	3.4 yd
with upholstered arm insert)	2.25 yd	2.8 yd	2.5 yd	3.1 yd	3.1 yd	3.8 yd	3.5 yd
COL* (back & seat)	29.4 sq ft	35 sq ft	43.4 sq ft	43.4 sq ft	47.6 sq ft	50 sq ft	50.4 sq ft
(with upholstered arm insert)	40 sq ft	49 sq ft	55 sq ft	49 sq ft	47.6 sq ft	57 sq ft	60 sq ft

<sup>\*</sup> Yardage requirements for COM and COL are for solid and non-directional fabrics. Additional material may be required for larger repeating patterns. Contact Customer Experience.

P / 15

# Point, click and customize with ChairBuilder+.

Create your very own seating solutions with the industry-leading specification and visualization tool. See your designs come to life in real-time with 360-degree, high-resolution images and access to our extensive collection of carded textiles. Plus, ChairBuilder+ also includes access to our modular lounge configurator with intuitive snap-logic and 2D and 3D viewing options.

Ready to give it a try? Visit www.ChairBuilder.com to get started.









### SitOnIt • Seating®

FRONT COVER TEXTILES:

Aviera: SitOnIt Seating Collection Sili-Tex Original Mist (seat), Designtex Leap Tide Pool (back) Nano: SitOnIt Seating Collection Newport Seafoam (chassis), Uptown Walnut Laminate (top)