

USG LEVELROCK® AND DUROCK™ BRAND DECORATIVE WEAR SURFACE PRODUCTS

Provides durable concrete looks when stained or polished for industrial, commercial or loft styles.

USG Levelrock® 4500 Floor Underlayment

USG Levelrock® CSD® Early Exposure™ Floor Underlayment

USG Durock™ ProFlow™ Self-Leveling Underlayment

USG Durock™ PWT™ Pro Self-Leveling Topping

USG Durock™ Quik-Top™ Gray Self-Leveling Underlayment

USG Durock™ Quik-Top™ White Series Self-Leveling Underlayment

USG Durock™ UltraCap™ Self-Leveling UltraCap™ Ultra



- Fiber-Reinforced (FR) Underlayments Cost-effective reinforcement solutions provide a smooth surface with improved impact resistance, enhanced crack reduction and further propagation reduction, and improved load distribution.
- Fast Track Products designed to provide quick return to service.
- UL Classified For use in 130+ fire-rated assemblies. All USG 1- and 2-hour rated floor assemblies are designed to meet the International Building Code (IBC) and feature USG Levelrock* and USG Durock™ gypsum-based underlayments and floor patches.
- Pro For large scale projects, these products add approved sand onsite, creating less waste and yielding significant savings.

CONTACT

Additional systems are available to address mission critical projects. Contact your USG or Seal-Krete High Performance Representative for more information.

USG SEAL-KRETE HIGH PERFORMANCE
Randy Mullet Paul Kiminski
rmullet@usg.com pkiminski@rustoleum.com
504-343-6501 651-491-8835

USG LEVERLROCK® AND DUROCK™ DECORATIVE WEAR SYSTEMS FEATURING SEAL-KRETE® HIGH PERFORMANCE COATINGS BY RUST-OLEUM®

GOOD

NON UV-CLEAR & TINTED SYSTEM


- · Good wear coat
- Residential applications
- · Garage floors



BETTER

UV-CLEAR & TINTED SYSTEM


- · Easy to use
- · No odor
- Commercial applications office spaces, restaurants, lobbies, store fronts



BEST

UV-CLEAR & TINTED SYSTEM


- · Quick return to service
- · Durable wear surface
- Commercial and industrial applications – warehouses, airplane hangars, industrial kitchens, manufacturing



ULTIMATE

UV-CLEAR SYSTEM

- Single coat system for all applications
- Extreme scratch/scuff resistance



Concrete substrates should be tested for moisture prior to the application of a USG Levelrock* or Durock™ Brand Wear Surface Product to determine if a moisture management system is required.



CONTACT INFORMATION

United States Gypsum Company 550 West Adams Street Chicago, IL 60661

PRODUCT INFORMATION

See usg.com for the most up-to-date product information.

CUSTOMER SERVICE

800 621-9523

TECHNICAL SERVICE

800 USG.4YOU (874-4968)

WEBSITES

usg.com hp.seal-krete.com

NOTE

The information in this document is subject to change without notice. USG Corp and/or its affiliates assume no responsibility for any error that may inadvertently appear in this document Consult your USG sales office or representative for information.

NOTICE

We shall not be liable for consequential, incidental or special damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited, to the replacement of defective goods or a refund of the purchase price, at USG's option, and does not include costs of labor, floor-covering materials, or any other costs associated with material replacement. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered. For all applicable terms and conditions, please refer to USG Durock" Brand Floor Preparation Products Wwo-Year Limited Warranty (CB747) located at usg.com.

SAFETY FIRST!

Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read applicable SDSs and literature before specification and installation.

CB5140-USA-ENG/rev.10-21

© 2021 USG Corporation and/or its affiliates. All rights reserved.
The trademarks USG, CSD, DUROCK, LEVELROCK, PROFLOW, PWT, QUIK-TOP, ULTRACAP, IT'S YOUR WORLD. BUILD IT, the USG logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

 ${\tt CLEAR-SHELL, DIAMOND-SHELL, DURA-SHELL\, WB, EPOXY-SHELL\, and\, SEAL-KRETE} are\, trademarks\, or\, registered\, marks\, of\, Rust-oleum.$

