



Euro Style Restroom Partitions

Glass — LUCENT Series

LUCENT Series Features

- Elegant option in enameled tempered glass
- Modern minimalist design
- Optimal for high end application
- Creates light, airy space
- Scratch resistant and easy to clean
- Strong, long-lasting, and safe
- Soft-closing hydraulic hinges
- Available in a range of standard colors
- 100% recyclable

Construction

Scratch-proof, tempered glass with ceramic screen printing is 0.4 inches (10 mm) thick and fitted to stainless steel connecting brackets and fittings. A stainless steel headrail runs along the top and is recessed by 4.6 inches (118 mm). Each dividing wall uses 6 brackets to connect to the front panel and are secured using flush-fitting, stainless steel rosettes. Three stainless steel brackets connect the panel to the wall.

Materials are resistant to stains and corrosion.

Panels, Doors & Pilasters

Panels are 0.4 inches (10 mm) thick and constructed from tempered glass that is resistant to stains and corrosion. All corners are polished smooth for aesthetic and safety purposes. Doors include an individual coat hook and door bumper.



Grab bars and all other accessories require pre-drilled holes during the manufacturing process. Accessory locations must be communicated prior to ordering.

Door Hardware

Self-closing (hydraulic) hinges are standard featuring a soft-close function, ensuring a silent close. Using stainless steel brackets that act as a pivot point connected to the floor and headrail. Stainless steel door knob has an easy-to-manuever paddle built into the locking wheel on the inside. A white/red indication latch and emergency unlocking feature is integrated on the outside of the door knob. ADA door pull is not included as a default. It is available at an additional cost.

Brackets

Stirrup-type brackets and aluminum door strips provided.

Feet

Feet are constructed of stainless steel and are recessed back 4.7 inches (120 mm) on dividing panels.

Height

Standard height of 85.1 inches (2162 mm) including 1.97-inch (50 mm) clearance. Glass panels end at 84.6 inches (2150 mm). Existing base tile must be less than 2.2 inches (50 mm) high.

Headrail

An stainless steel headrail runs 4.7 inches (120 mm) recessed along the top of the front wall to lend stability to the system.

Verify all rough-in dimensions prior to installation.

Consult local and national codes. Conformity and compliance to local and national codes is the responsibility of the installer.

Page 1 of 5

5/1/2023

[View Latest Version](#)

This information is subject to change without notice.

Bradley_Partitions_LUCENT_Series



Product Compliance

Complies with

- ADA*
- ASTM D6578



* To include LUCENT partitions in your design, the ADA stall must be at least 62 inches (1575 mm) deep for a wall-mounted toilet and 65 inches (1650 mm) deep for a floor-mounted toilet, and at least 66 inches (1675 mm) wide.



Serves the American Disabilities Act and ICC/ANSI 117.1 guidelines, citations 306, 308, 309.4, 609.4 when installed according to these requirements. Consult local codes and standards.

© 2023 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com



Euro Style Restroom Partitions


Glass — LUCENT Series

Example of Stall Width Dimensions – Top View

(mm)



A wide range of stall widths are available.



Verify all rough-in dimensions prior to installation.

Consult local and national codes. Conformity and compliance to local and national codes is the responsibility of the installer.

Page 2 of 5

5/1/2023

[View Latest Version](#)

This information is subject to change without notice.

Bradley_Partitions_LUCENT_Series

© 2023 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539)

+1 262 251 6000
bradleycorp.com



Euro Style Restroom Partitions


Glass — LUCENT Series

Set Stall Height Dimensions – Front View

(mm)



There is no 9" (228.6 mm) AFF option available for this series. In order to comply with ADA, the stall must exceed a depth of 62" (1575 mm) for a wall-mounted toilet and 65" (1650 mm) for a floor-mounted toilet, and the width must exceed 66" (1675 mm).



Verify all rough-in dimensions prior to installation.

Consult local and national codes. Conformity and compliance to local and national codes is the responsibility of the installer.

Page 3 of 5

5/1/2023

[View Latest Version](#)

This information is subject to change without notice.

Bradley_Partitions_LUCENT_Series

© 2023 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539)

+1 262 251 6000
bradleycorp.com



Euro Style Restroom Partitions


Glass — LUCENT Series

Examples of Stall Depth Dimensions – Side View

(mm)



A wide range of stall depths are available.



Verify all rough-in dimensions prior to installation.

Consult local and national codes. Conformity and compliance to local and national codes is the responsibility of the installer.

Page 4 of 5

5/1/2023

[View Latest Version](#)

This information is subject to change without notice.

Bradley_Partitions_LUCENT_Series

© 2023 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539)

+1 262 251 6000
bradleycorp.com



Euro Style Restroom Partitions

Glass — LUCENT Series

Standard Selections (select one)

Colors

NOTE: Click on any swatch to view as a larger image.

7038 - Agate Gray	 Agate Gray
9003 - Alabaster	 Alabaster
7012 - Basalt Gray	 Basalt Gray
5014 - Coastal Blue	 Coastal Blue
7035 - Morning Fog	 Morning Fog
9017 - Obsidian	 Obsidian
1013 - Oyster White	 Oyster White
6019 - Seagrass	 Seagrass
6034 - Tide Pool	 Tide Pool
Custom	Custom color: _____

Hinges (select one)

STD	Hydraulic, Self-Closing, Stainless Steel
-----	--

Optional Selections

Miscellaneous

CUTOUTS*

* All attachment points for accessories and hardware on the glass panels must be finalized before production. No modifications are possible during installation.

Verify all rough-in dimensions prior to installation.

Consult local and national codes. Conformity and compliance to local and national codes is the responsibility of the installer.

Page 5 of 5

5/1/2023

[View Latest Version](#)

This information is subject to change without notice.

Bradley_Partitions_LUCENT_Series

© 2023 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com