

blueprint systems
price list

august 2023

index	2
-------	---

laminates	3
-----------	---

veneer selections	4
-------------------	---

design selections + powder coat selections	5
--	---

collection overview	6-11
---------------------	------

power overview	12-14
----------------	-------

frame base

freestanding tables	15-23
---------------------	-------

starter tables	24-30
----------------	-------

stepped tables	31-34
----------------	-------

endrun tables	35-43
---------------	-------

block base

freestanding tables	44-49
---------------------	-------

starter tables	50-55
----------------	-------

stepped tables	56-59
----------------	-------

endrun tables	60-67
---------------	-------

wall mount

frame base with wall connection	68-70
---------------------------------	-------

block base with wall connection	71-73
---------------------------------	-------

mediawall

single-sided mediawall	74-76
------------------------	-------

double-sided mediawall	77-79
------------------------	-------

frame base with run-off tables	80-82
--------------------------------	-------

block base with run-off tables	83-85
--------------------------------	-------

power

under mount	86-89
-------------	-------

surface mount power module	90-92
----------------------------	-------

round surface power module	93
----------------------------	----

mediatrac 1™

power overview	94
----------------	----

4-trac power system	95
---------------------	----

grommet placement kits	96
------------------------	----

veneer, laminate and solid surface grommet kits	97-103
---	--------

management	104
------------	-----

exyton® APP modules	105-106
---------------------	---------

terms and conditions	107-109
----------------------	---------

guaranteed freight	110
--------------------	-----

guaranteed freight - canada	111
-----------------------------	-----

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Broadwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that

felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.


When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

OAK Oak
Rift Cut



- Standard Finish
- | | | |
|-----|-----|-----|
| 871 | 870 | 839 |
| 837 | 860 | 861 |
| 865 | 836 | 866 |
| 872 | 805 | 845 |

WLT Walnut
Flat Cut



- Standard Finish
- | | |
|-----|-----|
| 872 | 861 |
| 870 | 823 |
| 860 | 866 |
| 839 | |

- OAK Select Finishes
- | | | |
|-----|-----|-----|
| M73 | M72 | M75 |
| M74 | M76 | M77 |
| M71 | | |

OAK Oak



OAK Select Finishes



WLT Walnut



Design Selections


Edge Style Selection

FL Flat Edge




Top Corner Selection


SQ Square Corner



RR Round Corner
3½" Radius - \$150 upcharge




Powder Coat Finishes - Upcharges apply.



WH Satin White




GR Graphite



BZ Bronze



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Custom Powder Coat Colors

- Lead Time - Eight weeks additional lead-time after color approval
- Net Upcharge - \$3000 for solid custom colors
- Net Upcharge - To be quoted upon request for metallic custom colors
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Note: Metal finish colors may vary between separately ordered skus

Blueprint Table Collection




Designed for open environments, the Blueprint table collection meets a multitude of meeting table needs and expands Bernhardt Design's table offering. The collection features a large number of skus and multiple configurations that include standalone tables, media walls, and stepped tables. Blueprint offers two base options: Frame, and Block. SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.



Conference Height Round Table - Ranging from 42" - 72" diameter




Conference Height Table - Ranging from 24" - 48" wide by 48" - 120" long



Conference Height Table - Ranging from 36" - 48" wide by 72" - 120" long



Block and Frame Stepped Table - Ranging from 36" - 48" wide up to 240" long



2 Piece Frame Table Run - Ranging from 36" - 48" wide up to 240" long




Block Stepped Table - Ranging from 24" - 48" wide up to 240" long

Blueprint Base Offerings

Frame Base

The frame base is constructed of solid oak with subtle bevel details. Configuration options include standalone tables, stepped runs and multiple configurations offered in 30", 36" and 42" base height.


Top Overhang Summary for End Conditions



10" top overhang is standard for tops 54" to 90" lengths.
20" top overhang is standard for freestanding tops and those longer than 90".
20" top overhang is standard for all 30"h tables.


Frame Base Size

The following illustrations show the overall frame leg dimensions.



Wire Management

The following illustration shows the wire management for the Frame table. A gray & white braided cotton cord (shown below in red) will be exposed and managed by clear polycarbonate clips down the leg. Cords will be routed by the wire management clips mounted on the bottom and



The above illustration shows a section view.


Blueprint Base Offerings

Block Base


The Block base provides a traditional panel look with concealed wire management and features a unique beveled edge detail on the inside. Configuration options include standalone tables, stepped runs and multiple configurations offered in 30", 36" and 42" base height.



Top Overhang Summary for Block Base




Endrun base to be flush with top edges.
Removable panel to route wires



Endrun block showing
bevel detail


Block Base Size

The following illustrations show the overall block leg dimensions.



Wire Management

The following illustration shows the wire management for the Block table. A gray & white braided cotton cord (shown below in red) will be routed behind the concealed, removable panel.



In-Line Conditions



Frame Table

Blueprint is designed for open environments and offers various in-line configurations. Blueprint structural rails are designed to accommodate long table runs.

Frame runs are unique with the ability to adapt to both block and frame legs in long runs.




Frame with Block Run



Block Run


Specifying In-Line Configurations

Blueprint tables are unique in how they are skued. Please see below illustration on how to specify in-line tables.



Block Starter Table

Block Endrun Table



Frame Endrun Table

Frame Starter Table

Blueprint Stepped Conditions



Frame Stepped Configuration



Frame Block Stepped Configuration

Stepped Overview

Blueprint is designed for open environments and offers various stepped configurations. The Frame legs provide a lighter look, yet with the mass and disposition to hold their own in any space. The Block leg presents a classic aesthetic with a modern case.


The multi-level design provides the opportunity for interesting landscaping layouts that can accommodate both high and low seating.



Block Stepped Configuration

Specifying Stepped Configurations

Blueprint tables are unique in how they are skewed. Please see below illustration on how to specify stepped tables.



Blueprint Mediawall

Mediawalls are designed for installation against a wall or as freestanding units with single or double-sided tables. The bold design elements compliment the open frame and loop legs, while also helping ground the table collection.

Blueprint mediawalls help build a functional meeting space in open environments and offer a location for customer's to mount various monitors and/or marker boards. Blueprint tables utilize structural rails, incorporating new wire management and multiple power options that work together to create a collaborative workspace for open environments. The mediawall wire management incorporates a removable panel to route cords from the rails down the inside of the panel.




Double-Sided Mediawall



Single-Sided Mediawall Configuration with Lounge

Mediawall Features

Mediawalls offer (2) Sku's; door/trash and open door with general storage.



(2) Adjustable Shelves
Pass through grommet located
inside for access to TV.

Slideout trash
(1) trash
(1) recycle
Showing (2) 50 quart bins

Under Mount Power


Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (7) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See [installation instructions](#) for installing.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.


Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on pages 87-89. Installation instructions are included with each power unit. Power is specified separately and installed in the field.

Power Modules


Matte Black Finish



power + power
(2) 120 v 60 Hz. 15 amp receptacles
braided cotton 10' cord
grounded plug
UL 962 listed



power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed




Replacement Housing

with Location for Mini AAP Plate


Sequential Connector

Matte Black Finish



Power Infeed


10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp

Blueprint Wire Management

Blueprint power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Blueprint table with under mount power.



The multi-wire clip presents a wire management solution that offers space for (2) thicker power cords and an area for ethernet cords and smaller cords in the center. This system for wire management provides a cleaner and more simplified look by containing wires up against the extrusion.

Surface Mount Power Module




Blueprint offers a proprietary surface mount power solution allowing quick and easy daisy chaining of tables. A maximum of (3) surface mount power modules can be connected on a single power infeed.

The surface mount power module is available in one configuration with (2) grounded receptacles and (1) 2 amp USB-A port and (1) 2 amp USB-C port.

Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. If specified as a single module, the unit will have a 10' infeed with a grounded plug rather than a sequential connector.


Surface mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: End user installation will be required per individual SKU.

Power specified separately. See pages 91-93 for grommet codes.


Power Module
Black, Silver or White Finish



Sequential Connector
Matte Black Finish




Power Infeed
10' Grounded Plug
Required per individual SKU



15 amp

Updated Information Shown in RED
(2) 120 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
6 1/2" w x 3" d x 2 3/4" h



Round Surface Power Module



Blueprint Power Module is ideal for charging tablets or other USB friendly devices.


Note: Power Module will come pre-installed.
Power is specified separately.

Power Module
Brushed Nickel / Matte Black / Matte White



3 3/8"

Power Infeed
10' Grounded Plug
Required per individual SKU



15 amp

Updated Information Shown in RED
(1) 20 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
10' braided cotton cord
3 3/8" w x 3 3/8" d x 2 5/8" h


Mediatrac 1™

Mediatrac 1 grommet system is a simplified for bringing power and data to the meeting table 1 worksurface in a clean simple way.


Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.


Power Infeed
72" long,
15 amp cord.




**Note: End user installation will be required per individual SKU.
Power specified separately. See pages 98-103 for grommet kits.**

Mediatrac 1 Options**8" Single Door Mediatrac™ Grommet**


2 grounded outlets, 1 exit plug,
accepts 2 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

8" Double Door Mediatrac™ Grommet

4 grounded outlets, 1 exit plug,
accepts 4 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

24" Double Door Mediatrac™ Grommet

8 grounded outlets, 2 exit plugs,
accepts 8 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the following)**Power Module**

Number and configuration
of grommet modules determined
by the grommet code

Jumper (if required)

Jumper are determined by the
length of the top specified

Connector + H-Block


Will be included in kit when the
4-trac option is specified

Power Infeed Options

72" 4-Trac Power Infeed with 20 amp plug




72" 4-Trac Power Infeed with Hardwired Conduit




72" Power Infeed with 15 amp plug



72" 3/8" Hardwire Whip





15 amp receptacle



20 amp receptacle, 4-Trac Only

Wire Management Snake

brushed nickel finish
flexible cable management
weighted metal base

Mediatrac 1 Dimensional Specifications

Detail of Mediatrac 1 Rail



The narrow frame leg has a smaller span, pulling an 11" width from the outside of each extrusion.

Mediatrac 1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

30''h frame freestanding table

frame base

- 20''w overhang on short ends for all 30''h tables



36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
AGA	72	36	30	4871	6169
AHA	78	36	30	5007	6264
AIA	84	36	30	5477	6816
AJA	90	36	30	5855	7326
AKA	96	36	30	6029	7455
ALA	102	36	30	6628	8023
AMA	108	36	30	6806	8160
ANA	114	36	30	6981	8299
AOA	120	36	30	7157	8438

42''d tables



AGB	72	42	30	4945	6243
AHB	78	42	30	5084	6338
AIB	84	42	30	5554	6890
AJB	90	42	30	6157	7628
AKB	96	42	30	6331	7755
ALB	102	42	30	6930	8324
AMB	108	42	30	7107	8460
ANB	114	42	30	7280	8598
AOB	120	42	30	7457	8738

48''d tables



AGC	72	48	30	5021	6317
AHC	78	48	30	5157	6413
AIC	84	48	30	5631	6966
AJC	90	48	30	6231	7702
AKC	96	48	30	6405	7830
ALC	102	48	30	7005	8397
AMC	108	48	30	7181	8535
ANC	114	48	30	7356	8672
AOC	120	48	30	7533	8812


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½'' radius	mediatrac 1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A A		

material/finish code example: PLL 805 OAK 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

36" h frame freestanding table




frame base

- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang



Frame table with 10" overhang




Frame table with 20" overhang

36" d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
BEA	60	36	36	4899	6252
BFA	66	36	36	5038	6355
BGA	72	36	36	5171	6469
BHA	78	36	36	5308	6565
BIA	84	36	36	5780	7116
BJA	90	36	36	6157	7628
BKA	96	36	36	6331	7756
BLA	102	36	36	6930	8323
BMA	108	36	36	7107	8460
BNA	114	36	36	7280	8598
BOA	120	36	36	7457	8736

42" d tables



BEB	60	42	36	4974	6325
BFB	66	42	36	5111	6430
BGB	72	42	36	5246	6543
BHB	78	42	36	5381	6641
BIB	84	42	36	5854	7192
BJB	90	42	36	6456	7926
BKB	96	42	36	6629	8054
BLB	102	42	36	7228	8622
BMB	108	42	36	7407	8760
BNB	114	42	36	7581	8899
BOB	120	42	36	7759	9038

48" d tables



BFC	66	48	36	5186	6507
BGC	72	48	36	5320	6618
BHC	78	48	36	5459	6714
BIC	84	48	36	5930	7267
BJC	90	48	36	6531	8003
BKC	96	48	36	6706	8131
BLC	102	48	36	7304	8698
BMC	108	48	36	7481	8835
BNC	114	48	36	7654	8975
BOC	120	48	36	7832	9112

specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½" radius	mediatrac 1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A A		



material/finish code example: PLL 805 OAK 805

base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	


42''h frame freestanding table

frame base

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang




Frame table with 10'' overhang



Frame table with 20'' overhang

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
CEA	60	36	42	5051	6401
CFA	66	36	42	5187	6507
CGA	72	36	42	5320	6618
CHA	78	36	42	5459	6714
CIA	84	36	42	5930	7267
CJA	90	36	42	6306	7778
CKA	96	36	42	6481	7904
CLA	102	36	42	7079	8473
CMA	108	36	42	7257	8610
CNA	114	36	42	7431	8749
COA	120	36	42	7608	8886

42''d tables



CEB	60	42	42	5124	6478
CFB	66	42	42	5261	6581
CGB	72	42	42	5396	6693
CHB	78	42	42	5534	6790
CIB	84	42	42	6004	7342
CJB	90	42	42	6607	8077
CKB	96	42	42	6780	8205
CLB	102	42	42	7379	8773
CMB	108	42	42	7556	8909
CNB	114	42	42	7731	9050
COB	120	42	42	7909	9189

specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½" radius	mediatrac 1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A A		



material/finish code example: PLL 805 OAK 805

base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	


42''h narrow frame freestanding table

narrow frame base

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang




Frame table with 10'' overhang




Frame table with 20'' overhang

24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
CEV	60	24	42	4748	6098
CFV	66	24	42	4888	6206
CGV	72	24	42	5021	6317
CHV	78	24	42	5157	6564
CIV	84	24	42	5631	6966
CJV	90	24	42	5855	7326
CKV	96	24	42	6029	7455
CLV	102	24	42	6628	8023
CMV	108	24	42	6806	8160
CNV	114	24	42	6981	8299
COV	120	24	42	7157	8438

30''d tables



CE0	60	30	42	4824	6175
CF0	66	30	42	4962	6280
CG0	72	30	42	5098	6394
CH0	78	30	42	5233	6487
CI0	84	30	42	5705	7043
CJ0	90	30	42	6005	7477
CK0	96	30	42	6180	7604
CL0	102	30	42	6779	8173
CM0	108	30	42	6956	8309
CN0	114	30	42	7131	8448
CO0	120	30	42	7309	8587

specification codes example: BPS-SKU-AASQ000


series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½" radius	000 none or undermount - pgs 86 - 89
			upcharge \$150	
B P S -	-	A A		

material/finish code example: PLL 805 OAK 805

base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

30''h freestanding round table

round table



	sku	w	d	h	PLL solid	OAK oak
					WGL woodgrain	WLT walnut
round table - sm	XBB	42	42	30	3632	4990
	XCC	48	48	30	4373	5392
	XDD	54	54	30	4709	5660
round table - lg	XEE	60	60	30	5535	6320
	XFF	66	66	30	6226	7052
	XGG	72	72	30	6526	7427

specification codes example: BPS-SKU-AA000




series	sku	base	power
blueprint		AA frame	surface mount - pgs 90-92 round surface mount - pg 93 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	A A	

material/finish code example: PLL 805 OAK 805

base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4

30''h freestanding arched table

arched table



	sku	w	d	h	PLL solid	OAK oak
					WGL woodgrain	WLT walnut
arched table - sm	YAA	36	36	30	3042	4644
	YBB	42	42	30	3783	5085
	YCC	48	48	30	4522	5523
arched table - lg	YDD	54	54	30	4859	5707
	YEE	60	60	30	5280	6093
	YFF	66	66	30	5668	6412


specification codes example: BPS-SKU-AA000

series	sku	base	power
blueprint		AA frame	surface mount - pgs 90-92 round surface mount - pg 93 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	A A	

material/finish code example: PLL 805 OAK 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4

30" h frame/block freestanding table




frame/block base

- 20" overhang on frame base end of table
- block base is mounted flush to end of top




36" d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
AGA	72	36	30	6673	7969
AHA	78	36	30	6809	8066
AIH	84	36	30	7280	8619
AJA	90	36	30	7658	9128
AKA	96	36	30	7831	9255
ALA	102	36	30	8430	9823
AMA	108	36	30	8609	9961
ANA	114	36	30	8782	10100
AOA	120	36	30	8960	10238

42" d tables



AGB	72	42	30	6823	8119
AHB	78	42	30	6960	8214
AIB	84	42	30	7431	8768
AJB	90	42	30	8034	9504
AKB	96	42	30	8207	9631
ALB	102	42	30	8805	10199
AMB	108	42	30	8983	10336
ANB	114	42	30	9158	10475
AOB	120	42	30	9334	10614

48" d tables



AGC	72	48	30	6973	8270
AHC	78	48	30	7109	8366
AIC	84	48	30	7581	8918
AJC	90	48	30	8183	9654
AKC	96	48	30	8357	9784
ALC	102	48	30	8957	10350
AMC	108	48	30	9134	10486
ANC	114	48	30	9306	10626
AOC	120	48	30	9483	10762


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AC frame	SQ. square	surface mount - pgs 90-92
				mediatrac 1 - pgs 94-106
			RR 3 1/2" radius	000 none or undermount - pgs 86 - 89
			upcharge \$150	
B P S -	-	A C		

material/finish code example: PLL 805 OAK 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

36''h frame/block freestanding table




frame/block base

- 60''w-90''w has a 10'' overhang, 96''w-120''w has a 20'' overhang on frame end of table
- block base is mounted flush to end of top




36''d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
BEA	60	36	36	6551	7902
BFA	66	36	36	6690	8006
BGA	72	36	36	6823	8120
BHA	78	36	36	6960	8216
BIA	84	36	36	7431	8768
BJA	90	36	36	7808	9280
BKA	96	36	36	7982	9407
BLA	102	36	36	8583	9973
BMA	108	36	36	8757	10110
BNA	114	36	36	8932	10250
BOA	120	36	36	9110	10388

42''d tables



BEB	60	42	36	6701	8052
BFB	66	42	36	6837	8156
BGB	72	42	36	6973	8270
BHB	78	42	36	7109	8366
BIB	84	42	36	7581	8918
BJB	90	42	36	8183	9654
BKB	96	42	36	8357	9782
BLB	102	42	36	8957	10351
BMB	108	42	36	9134	10487
BNB	114	42	36	9306	10626
BOB	120	42	36	9483	10763

48''d tables



BFC	66	48	36	6986	8308
BGC	72	48	36	7123	8419
BHC	78	48	36	7260	8517
BIC	84	48	36	7731	9069
BJC	90	48	36	8333	9805
BKC	96	48	36	8508	9932
BLC	102	48	36	9106	10499
BMC	108	48	36	9284	10636
BNC	114	48	36	9458	10775
BOC	120	48	36	9633	10913


specification codes example: BPS-SKU-ACSQ000

series	sku	base	corner	power
blueprint		AC frame	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106
			RR 3½'' radius	000 none or undermount - pgs 86 - 89
			upcharge \$150	
B P S -	-	A C		

material/finish code example: PLL 805 OAK 805



base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

42" h frame/block freestanding table




frame/block base

- 60"w-90"w has a 10" overhang, 96"w-120"w has a 20" overhang on frame end of table
- block base is mounted flush to end of top
- 48" tops are not available for 42" h frame/block table




36" d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
CEA	60	36	42	6626	7977
CFA	66	36	42	6764	8083
CGA	72	36	42	6898	8196
CHA	78	36	42	7033	8292
CIA	84	36	42	7505	8844
CJA	90	36	42	7881	9353
CKA	96	36	42	8056	9481
CLA	102	36	42	8656	10050
CMA	108	36	42	8832	10185
CNA	114	36	42	9008	10325
COA	120	36	42	9185	10464

42" d tables



CEB	60	42	42	6776	8129
CFB	66	42	42	6913	8232
CGB	72	42	42	7048	8345
CHB	78	42	42	7184	8441
CIB	84	42	42	7654	8994
CJB	90	42	42	8258	9729
CKB	96	42	42	8431	9857
CLB	102	42	42	9031	10424
CMB	108	42	42	9208	10563
CNB	114	42	42	9383	10702
COB	120	42	42	9559	10840


specification codes example: BPS-SKU-ACSQ000

series	sku	base	corner	power
blueprint		AC frame	SQ square	surface mount - pgs 90-92
			RR 3½" radius	mediatrac 1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A C		

material/finish code example: PLL 805 OAK 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

30''h frame starter table



frame base

- 20'' overhang on free ends of all 30''h tables
- frame base starter tables must be specified with additional endrun tables



36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
DEA	60	36	30	4899	6252
DFA	66	36	30	5038	6355
DGA	72	36	30	5021	6317
DHA	78	36	30	5157	6413
DIA	84	36	30	5631	6966
DJA	90	36	30	6005	7477
DKA	96	36	30	6180	7604
DLA	102	36	30	6779	8173
DMA	108	36	30	6956	8309
DNA	114	36	30	7131	8448
DOA	120	36	30	7309	8587

42''d tables



DEB	60	42	30	4974	6325
DFB	66	42	30	5111	6430
DGB	72	42	30	5098	6393
DHB	78	42	30	5233	6487
DIB	84	42	30	5705	7043
DJB	90	42	30	6306	7777
DKB	96	42	30	6481	7903
DLB	102	42	30	7079	8473
DMB	108	42	30	7257	8610
DNB	114	42	30	7431	8750
DOB	120	42	30	7608	8886

48''d tables



DFC	66	48	30	5186	6507
DGC	72	48	30	5171	6469
DHC	78	48	30	5308	6565
DIC	84	48	30	5780	7116
DJC	90	48	30	6382	7854
DKC	96	48	30	6556	7980
DLC	102	48	30	7155	8546
DMC	108	48	30	7331	8683
DNC	114	48	30	7505	8826
DOC	120	48	30	7683	8962


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½'' radius	mediatrac1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -		A A		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

36''h frame starter table



frame base

- 72''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame base starter tables must be specified with additional endrun tables



Frame starter connects to endrun tables

36''d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
EGA	72	36	36	5320	6618
EHA	78	36	36	5459	6714
EIA	84	36	36	5930	7267
EJA	90	36	36	6306	7778
EKA	96	36	36	6481	7904
ELA	102	36	36	7079	8473
EMA	108	36	36	7257	8610
ENA	114	36	36	7431	8749
EOA	120	36	36	7608	8886

42''d tables



EGB	72	42	36	5396	6693
EHB	78	42	36	5534	6790
EIB	84	42	36	6004	7342
EJB	90	42	36	6607	8077
EKB	96	42	36	6780	8205
ELB	102	42	36	7379	8773
EMB	108	42	36	7556	8909
ENB	114	42	36	7731	9050
EOB	120	42	36	7909	9189

48''d tables



EGC	72	48	36	5472	6768
EHC	78	48	36	5608	6864
EIC	84	48	36	6079	7418
EJC	90	48	36	6679	8152
EKC	96	48	36	6856	8280
ELC	102	48	36	7455	8849
EMC	108	48	36	7633	8984
ENC	114	48	36	7807	9123
EOC	120	48	36	7984	9263


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½'' radius	mediatrac1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A A		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

42''h frame starter table




frame base

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame base starter tables must be specified with additional endrun tables



Frame starter connects to endrun tables

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
FEA	60	36	42	5314	6664
FFA	66	36	42	5450	6768
FGA	72	36	42	5585	6882
FHA	78	36	42	5720	6978
FIA	84	36	42	6192	7530
FJA	90	36	42	6569	8040
FKA	96	36	42	6743	8168
FLA	102	36	42	7342	8735
FMA	108	36	42	7519	8874
FNA	114	36	42	7694	9012
FOA	120	36	42	7870	9149

42''d tables



FEB	60	42	42	5388	6739
FFB	66	42	42	5523	6842
FGB	72	42	42	5658	6955
FHB	78	42	42	5796	7053
FIB	84	42	42	6266	7604
FJB	90	42	42	6870	8342
FKB	96	42	42	7044	8469
FLB	102	42	42	7642	9036
FMB	108	42	42	7820	9172
FNB	114	42	42	7993	9313
FOB	120	42	42	8172	9452


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½'' radius	mediatrac1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -		A A		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

42''h narrow frame starter table




narrow frame base

- 54''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- narrow frame base starter tables must be specified with additional narrow endrun tables




Narrow frame starter connects to narrow endrun tables

24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
FDV	54	24	42	4690	5440
FEV	60	24	42	4824	6175
FFV	66	24	42	4962	6280
FGV	72	24	42	5098	6394
FHV	78	24	42	5233	6641
FIV	84	24	42	5705	7043
FJV	90	24	42	5931	7404
FKV	96	24	42	6106	7530
FLV	102	24	42	6703	8097
FMV	108	24	42	6882	8233
FNV	114	24	42	7055	8374
FOV	120	24	42	7233	8512

30''d tables



FD0	54	30	42	4732	6084
FE0	60	30	42	4899	6252
FF0	66	30	42	5038	6355
FG0	72	30	42	5171	6469
FH0	78	30	42	5308	6565
FI0	84	30	42	5780	7116
FJ0	90	30	42	6081	7553
FK0	96	30	42	6255	7680
FL0	102	30	42	6853	8248
FM0	108	30	42	7031	8383
FN0	114	30	42	7205	8523
FO0	120	30	42	7383	8661


specification codes example: BPS-SKU-AASQ000

series	sku	base	corner	power
blueprint		AA frame	SQ square	surface mount - pgs 90-92
			RR 3½'' radius	000 none or undermount - pgs 86 - 89
			upcharge \$150	
B P S -		A A		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

30" h frame starter table



frame/block base

- 20" overhang on free ends of all 30" h tables
- frame/block base starter tables must be specified with additional frame or block endrun tables with block connections



	sku	w	d	h	PLL	solid	OAK	oak
					WGL	woodgrain	WLT	walnut
36" d tables	DGA	72	36	30		6673		7969
	DHA	78	36	30		6809		8066
	DIA	84	36	30		7280		8619
	DJA	90	36	30		7658		9128
	DKA	96	36	30		7831		9255
	DLA	102	36	30		8430		9823
	DMA	108	36	30		8609		9961
	DNA	114	36	30		8782		10100
	DOA	120	36	30		8960		10238
42" d tables	DGB	72	42	30		6823		8119
	DHB	78	42	30		6960		8214
	DIB	84	42	30		7431		8768
	DJB	90	42	30		8034		9504
	DKB	96	42	30		8207		9631
	DLB	102	42	30		8805		10199
	DMB	108	42	30		8983		10336
	DNB	114	42	30		9158		10475
	DOB	120	42	30		9334		10614
48" d tables	DGC	72	48	30		6973		8270
	DHC	78	48	30		7109		8366
	DIC	84	48	30		7581		8918
	DJC	90	48	30		8183		9654
	DKC	96	48	30		8357		9784
	DLC	102	48	30		8957		10350
	DMC	108	48	30		9134		10486
	DNC	114	48	30		9306		10626
	DOC	120	48	30		9483		10762


specification codes example: BPS-SKU-ACSQ000

series	sku	base	corner	power
blueprint		AC frame/block	SQ square	surface mount - pgs 90-92
			RR 3½" radius	mediatrac1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A C		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

36" h frame starter table



frame/block base

- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang
- frame/block base starter tables must be specified with additional frame or block endrun tables with block connections




36" d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
EEA	60	36	36	6551	7902
EFA	66	36	36	6690	8006
EGA	72	36	36	6823	8120
EHA	78	36	36	6960	8216
EIA	84	36	36	7431	8768
EJA	90	36	36	7808	9280
EKA	96	36	36	7982	9407
ELA	102	36	36	8583	9973
EMA	108	36	36	8757	10110
ENA	114	36	36	8932	10250
EOA	120	36	36	9110	10388

42" d tables



EEB	60	42	36	6701	8052
EFB	66	42	36	6837	8156
EGB	72	42	36	6973	8270
EHB	78	42	36	7109	8366
EIB	84	42	36	7581	8918
EJB	90	42	36	8183	9654
EKB	96	42	36	8357	9782
ELB	102	42	36	8957	10351
EMB	108	42	36	9134	10487
ENB	114	42	36	9306	10626
EOB	120	42	36	9483	10763

48" d tables



EFC	66	48	36	6986	8308
EGC	72	48	36	7123	8419
EHC	78	48	36	7260	8517
EIC	84	48	36	7731	9069
EJC	90	48	36	8333	9805
EKC	96	48	36	8508	9932
ELC	102	48	36	9106	10499
EMC	108	48	36	9284	10636
ENC	114	48	36	9458	10775
EOC	120	48	36	9633	10913


specification codes example: BPS-SKU-ACSQ000

series	sku	base	corner	power
blueprint		AC frame/block	SQ square	surface mount - pgs 90-92
			RR 3 1/2" radius	mediatrac1 - pgs 94-106
			upcharge \$150	000 none or undermount - pgs 86 - 89
B P S -	-	A C		

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak	see page 4	PLL solid laminate	see pages 3-4
WLT walnut		WGL woodgrain laminate	
		OAK oak	
		WLT walnut	

42''h frame starter table




frame/block base

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame/block base starter tables must be specified with additional frame or block endrun tables with block connections




Frame/Block starter connects to frame
or block endrun tables

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
FEA	60	36	42	6626	7977
FFA	66	36	42	6764	8083
FGA	72	36	42	6898	8196
FHA	78	36	42	7033	8292
FIA	84	36	42	7505	8844
FJA	90	36	42	7881	9353
FKA	96	36	42	8056	9481
FLA	102	36	42	8656	10050
FMA	108	36	42	8832	10185
FNA	114	36	42	9008	10325
FOA	120	36	42	9185	10464

42''d tables




FEB	60	42	42	6776	8129
FFB	66	42	42	6913	8232
FGB	72	42	42	7048	8345
FHB	78	42	42	7184	8441
FIB	84	42	42	7654	8994
FJB	90	42	42	8258	9729
FKB	96	42	42	8431	9857
FLB	102	42	42	9031	10424
FMB	108	42	42	9208	10563
FNB	114	42	42	9383	10702
FOB	120	42	42	9559	10840

specification codes example: BPS-SKU-ACSQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		AC frame/block	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
			RR 3½" radius upcharge \$150	000 none or undermount - pgs 86 - 89				
B P S -	-	A C						

36" h frame stepped table



frame 36" h to 30" h stepped table

- 36" h step tables only connect to 30" h tables
- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang on free end
- all tables have a 10" w overhang on connecting end
- frame stepped tables must be specified with additional 30" h frame endrun tables with frame stepped connection



Frame stepped starter tables only connect to 30" h frame endrun tables

36" d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
MEA	60	36	36	5425	6776
MFA	66	36	36	5562	6882
MGA	72	36	36	5697	6994
MHA	78	36	36	5832	7091
MIA	84	36	36	6304	7642
MJA	90	36	36	6679	8152
MKA	96	36	36	6856	8280
MLA	102	36	36	7455	8849
MMA	108	36	36	7633	8984
MNA	114	36	36	7807	9123
MOA	120	36	36	7984	9263

42" d tables



MEB	60	42	36	5500	6851
MFB	66	42	36	5636	6956
MGB	72	42	36	5771	7068
MHB	78	42	36	5909	7165
MIB	84	42	36	6380	7717
MBJ	90	42	36	6982	8453
MKB	96	42	36	7156	8579
MLB	102	42	36	7756	9149
MMB	108	42	36	7934	9286
MNB	114	42	36	8106	9425
MOB	120	42	36	8282	9562

48" d tables




MFC	66	48	36	5712	7031
MGC	72	48	36	5848	7144
MHC	78	48	36	5983	7240
MIC	84	48	36	6455	7793
MJC	90	48	36	7057	8527
MKC	96	48	36	7231	8656
MLC	102	48	36	7830	9224
MMC	108	48	36	8006	9362
MNC	114	48	36	8182	9500
MOC	120	48	36	8358	9639

specification codes example: BPS-SKU-AASQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		AA frame	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	A A	RR radius upcharge \$150	000 none or undermount - pgs 86 - 89				

42''h frame stepped table



frame 42''h to 30''h stepped table

- 42''h step tables only connect to 30''h tables
- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang on free end
- all tables have a 10''w overhang on connecting end
- 48''d tops not available on 42''h tables
- frame stepped tables must be specified with additional 30''h frame endrun tables with frame stepped connection



Frame stepped starter tables only connect to 30''h frame endrun tables

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
NEA	60	36	42	5425	6776
NFA	66	36	42	5562	6882
NGA	72	36	42	5697	6994
NHA	78	36	42	5832	7091
NIA	84	36	42	6304	7642
NJA	90	36	42	6679	8152
NKA	96	36	42	6856	8280
NLA	102	36	42	7455	8849
NMA	108	36	42	7633	8984
NNA	114	36	42	7807	9123
NOA	120	36	42	7984	9263

42''d tables




NEB	60	42	42	5500	6851
NFB	66	42	42	5636	6956
NGB	72	42	42	5771	7068
NHB	78	42	42	5909	7165
NIB	84	42	42	6380	7717
NJB	90	42	42	6982	8453
NKB	96	42	42	7156	8579
NLB	102	42	42	7756	9149
NMB	108	42	42	7934	9286
NNB	114	42	42	8106	9425
NOB	120	42	42	8282	9562

specification codes example: BPS-SKU-AASQ000


series	sku	base	corner	power	base material	base finish	top material	top finish
blueprint		AA frame	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	A A						

36''h frame stepped table




frame/block 36''h to 30''h stepped table

- 36''h step tables only connect to 30''h tables
- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang on free end
- frame/block stepped tables must be specified with additional 30''h frame or block endrun tables with block stepped connection




Frame stepped block table only connect to
30''h frame or block endrun tables

36''d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
MEA	60	36	36	6701	8052
MFA	66	36	36	6838	8157
MGA	72	36	36	6973	8270
MHA	78	36	36	7109	8366
MIA	84	36	36	7581	8918
MJA	90	36	36	7958	9429
MKA	96	36	36	8132	9557
MLA	102	36	36	8731	10125
MMA	108	36	36	8908	10261
MNA	114	36	36	9081	10399
MOA	120	36	36	9259	10539

42''d tables



MEB	60	42	36	6851	8203
MFB	66	42	36	6986	8308
MGB	72	42	36	7123	8419
MHB	78	42	36	7260	8517
MIB	84	42	36	7731	9069
MJB	90	42	36	8333	9805
MKB	96	42	36	8508	9930
MLB	102	42	36	9106	10499
MMB	108	42	36	9284	10636
MNB	114	42	36	9458	10776
MOB	120	42	36	9633	10913

48''d tables




MFC	66	48	36	7139	8457
MGC	72	48	36	7273	8571
MHC	78	48	36	7409	8667
MIC	84	48	36	7880	9218
MJC	90	48	36	8485	9955
MKC	96	48	36	8657	10082
MLC	102	48	36	9255	10650
MMC	108	48	36	9433	10786
MNC	114	48	36	9607	10926
MOC	120	48	36	9786	11065

specification codes example: BPS-SKU-AASQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		AC frame/block	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
			RR radius upcharge \$150	000 none or undermount - pgs 86 - 89				
B P S -	-	A C						

42''h frame stepped table




frame/block 42''h to 30''h stepped table

- 42''h step tables only connect to 30''h tables
- 48''d tops not available with 42''h tables
- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame/block stepped tables must be specified with additional 30''h frame or block endrun tables with block stepped connection




Frame stepped block table only connect to 30''h frame or block endrun tables

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
NEA	60	36	42	6926	8278
NFA	66	36	42	7064	8382
NGA	72	36	42	7198	8495
NHA	78	36	42	7336	8590
NIA	84	36	42	7807	9144
NJA	90	36	42	8183	9654
NKA	96	36	42	8357	9784
NLA	102	36	42	8957	10350
NMA	108	36	42	9134	10486
NNA	114	36	42	9306	10626
NOA	120	36	42	9483	10762

42''d tables




NEB	60	42	42	7077	8428
NFB	66	42	42	7213	8532
NGB	72	42	42	7347	8646
NHB	78	42	42	7484	8741
NIB	84	42	42	7956	9293
NJB	90	42	42	8560	10030
NKB	96	42	42	8732	10156
NLB	102	42	42	9332	10725
NMB	108	42	42	9509	10862
NNB	114	42	42	9682	11001
NOB	120	42	42	9860	11140

specification codes example: BPS-SKU-ACSQ000


series	sku	base	corner	power	base material	base finish	top material	top finish
blueprint		AC frame/block	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	A C						

30''h frame endrun table



frame base with frame connection

- 20'' overhang on free ends of all 30''h tables
- frame base endrun tables with frame connection must be specified with additional frame base starter tables



Endrun frame connection connects to frame starter tables

36''d tables



sku	w	d	h	PA frame connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
JGA	72	36	30	3595	4892
JHA	78	36	30	3730	4987
JIA	84	36	30	4203	5541
JJA	90	36	30	4580	6049
JKA	96	36	30	4754	6178
JLA	102	36	30	5352	6746
JMA	108	36	30	5530	6883
JNA	114	36	30	5705	7022
JOA	120	36	30	5880	7160

42''d tables



JGB	72	42	30	3670	4968
JHB	78	42	30	3807	5063
JIB	84	42	30	4276	5614
JJB	90	42	30	4880	6352
JKB	96	42	30	5054	6479
JLB	102	42	30	5654	7048
JMB	108	42	30	5830	7183
JNB	114	42	30	6004	7322
JOB	120	42	30	6182	7461

48''d tables




JGC	72	48	30	3746	5041
JHC	78	48	30	3883	5137
JIC	84	48	30	4354	5690
JJC	90	48	30	4956	6427
JKC	96	48	30	5130	6555
JLC	102	48	30	5729	7120
JMC	108	48	30	5904	7259
JNC	114	48	30	6079	7398
JOC	120	48	30	6256	7536

specification codes example: BPS-SKU-PASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		PA frame connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	P A						

36" h frame endrun table



frame base with frame connection

- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang
- frame base endrun tables with frame connection must be specified with additional frame base starter tables




Endrun frame connection connects to frame starter tables

36" d tables




				PA frame connection	
sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
KEA	60	36	36	3472	4824
KFA	66	36	36	3612	4929
KGA	72	36	36	3746	5041
KHA	78	36	36	3883	5137
KIA	84	36	36	4354	5690
KJA	90	36	36	4730	6203
KKA	96	36	36	4905	6330
KLA	102	36	36	5502	6896
KMA	108	36	36	5681	7032
KNA	114	36	36	5854	7172
KOA	120	36	36	6031	7311

42" d tables



KEB	60	42	36	3547	4899
KFB	66	42	36	3686	5005
KGB	72	42	36	3819	5116
KHB	78	42	36	3956	5212
KIB	84	42	36	4428	5765
KJB	90	42	36	5029	6500
KKB	96	42	36	5204	6627
KLB	102	42	36	5804	7196
KMB	108	42	36	5980	7334
KNB	114	42	36	6155	7473
KOB	120	42	36	6332	7611

48" d tables




KFC	66	48	36	3760	5079
KGC	72	48	36	3896	5193
KHC	78	48	36	4032	5289
KIC	84	48	36	4504	5842
KJC	90	48	36	5105	6576
KKC	96	48	36	5280	6703
KLC	102	48	36	5878	7272
KMC	108	48	36	6055	7408
KNC	114	48	36	6229	7549
KOC	120	48	36	6406	7685

specification codes example: BPS-SKU-PASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		PA frame connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	P A						

42''h frame endrun table




frame base with frame connection

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame base endrun tables with frame connection must be specified with additional frame base starter tables



Endrun frame connection connects to frame starter tables

36''d tables



sku	w	d	h	PA frame connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LEA	60	36	42	3655	5049
LFA	66	36	42	3799	5155
LGA	72	36	42	3935	5270
LHA	78	36	42	4076	5369
LIA	84	36	42	4562	5941
LJA	90	36	42	4950	6466
LKA	96	36	42	5130	6596
LLA	102	36	42	5746	7181
LMA	108	36	42	5930	7321
LNA	114	36	42	6108	7466
LOA	120	36	42	6290	7606
LEB	60	42	42	3732	5124
LFB	66	42	42	3873	5232
LGB	72	42	42	4013	5347
LHB	78	42	42	4152	5446
LIB	84	42	42	4640	6017
LJB	90	42	42	5258	6775
LKB	96	42	42	5440	6905
LLB	102	42	42	6054	7491
LMB	108	42	42	6237	7631
LNB	114	42	42	6415	7776
LOB	120	42	42	6599	7917


42''d tables



specification codes example: BPS-SKU-PASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		PA frame connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	P A						

42''h narrow frame endrun table



narrow frame base for frame connection

- 24''d and 30''d tops only available at 42''h
- 54''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- narrow frame base endrun tables with frame connection must be specified with additional narrow frame base starter tables




Endrun narrow frame connection connects to narrow frame starter table

24''d tables



sku	w	d	h	AS frame connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LDV	54	24	42	3188	3936
LEV	60	24	42	3323	4674
LFV	66	24	42	3461	4779
LGV	72	24	42	3595	4892
LHV	78	24	42	3730	4991
LIV	84	24	42	4203	5541
LJV	90	24	42	4431	5900
LKV	96	24	42	4604	6028
LLV	102	24	42	5203	6596
LMV	108	24	42	5379	6733
LVN	114	24	42	5554	6872
LOV	120	24	42	5731	7010

30''d tables




LD0	54	30	42	3260	4645
LE0	60	30	42	3398	4748
LF0	66	30	42	3535	4854
LG0	72	30	42	3670	4968
LH0	78	30	42	3807	5063
LI0	84	30	42	4276	5616
LJ0	90	30	42	4580	6049
LK0	96	30	42	4754	6178
LL0	102	30	42	5352	6746
LM0	108	30	42	5530	6883
LN0	114	30	42	5705	7022
LO0	120	30	42	5880	7160

specification codes example: BPS-SKU-PASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		PA frame connection	SQ square	surface mount - pgs 90-92	OAK oak	see page 4	PLL solid laminate	see pages 3-4
			RR radius	000 none or undermount - pgs 86 - 89	WLT walnut		WGL woodgrain laminate	
			upcharge \$150				OAK oak	
							WLT walnut	
B P S -	-	P A						

30''h frame endrun table



frame base with block connection

- 20'' overhang on free ends of all 30''h tables
- frame base endrun tables with block connection must be specified with additional frame/block base starter tables




Endrun block connection connects to frame/block starter table

	sku	w	d	h	TA block connection	
					PLL solid WGL woodgrain	OAK oak WLT walnut
36''d tables	JGA	72	36	30	3595	4892
	JHA	78	36	30	3730	4987
	JIA	84	36	30	4203	5541
	JJA	90	36	30	4580	6049
	JKA	96	36	30	4754	6178
	JLA	102	36	30	5352	6746
	JMA	108	36	30	5530	6883
	JNA	114	36	30	5705	7022
	JOA	120	36	30	5880	7160
42''d tables	JGB	72	42	30	3670	4968
	JHB	78	42	30	3807	5063
	JIB	84	42	30	4276	5614
	JJB	90	42	30	4880	6352
	JKB	96	42	30	5054	6479
	JLB	102	42	30	5654	7048
	JMB	108	42	30	5830	7183
	JNB	114	42	30	6004	7322
	JOB	120	42	30	6182	7461
48''d tables	JGC	72	48	30	3746	5041
	JHC	78	48	30	3883	5137
	JIC	84	48	30	4354	5690
	JJC	90	48	30	4956	6427
	JKC	96	48	30	5130	6555
	JLC	102	48	30	5729	7120
	JMC	108	48	30	5904	7259
	JNC	114	48	30	6079	7398
	JOC	120	48	30	6256	7536

specification codes example: BPS-SKU-TASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805		top material	top finish
blueprint		TA block connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -		T A						

36" h endrun table




frame base with block connection

- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang
- frame base endrun tables with block connection must be specified with additional frame/block base starter tables




Endrun block connection connects to frame/block starter table

36" d tables




sku	w	d	h	TA block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KEA	60	36	36	3472	4824
KFA	66	36	36	3612	4929
KGA	72	36	36	3746	5041
KHA	78	36	36	3883	5137
KIA	84	36	36	4354	5690
KJA	90	36	36	4730	6203
KKA	96	36	36	4905	6330
KLA	102	36	36	5502	6896
KMA	108	36	36	5681	7032
KNA	114	36	36	5854	7172
KOA	120	36	36	6031	7311

42" d tables



KEB	60	42	36	3547	4899
KFB	66	42	36	3686	5005
KGB	72	42	36	3819	5116
KHB	78	42	36	3956	5212
KIB	84	42	36	4428	5765
KJB	90	42	36	5029	6500
KKB	96	42	36	5204	6627
KLB	102	42	36	5804	7196
KMB	108	42	36	5980	7334
KNB	114	42	36	6155	7473
KOB	120	42	36	6332	7611

48" d tables




KFC	66	48	36	3760	5079
KGC	72	48	36	3896	5193
KHC	78	48	36	4032	5289
KIC	84	48	36	4504	5842
KJC	90	48	36	5105	6576
KKC	96	48	36	5280	6703
KLC	102	48	36	5878	7272
KMC	108	48	36	6055	7408
KNC	114	48	36	6229	7549
KOC	120	48	36	6406	7685

specification codes example: BPS-SKU-TASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TA block connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	T A						

42''h frame endrun table




frame base with block connection

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame base endrun tables with block connection must be specified with additional frame/block base starter tables




Endrun block connection connects to a frame/block starter table

36''d tables



sku	w	d	h	TA block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LEA	60	36	42	3655	5049
LFA	66	36	42	3799	5155
LGA	72	36	42	3935	5270
LHA	78	36	42	4076	5369
LIA	84	36	42	4562	5941
LJA	90	36	42	4950	6466
LKA	96	36	42	5130	6596
LLA	102	36	42	5746	7181
LMA	108	36	42	5930	7321
LNA	114	36	42	6108	7466
LOA	120	36	42	6290	7606

42''d tables




LEB	60	42	42	3732	5124
LFB	66	42	42	3873	5232
LGB	72	42	42	4013	5347
LHB	78	42	42	4152	5446
LIB	84	42	42	4640	6017
LJB	90	42	42	5258	6775
LKB	96	42	42	5440	6905
LLB	102	42	42	6054	7491
LMB	108	42	42	6237	7631
LNB	114	42	42	6415	7776
LOB	120	42	42	6599	7917

specification codes example: BPS-SKU-TASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TA block connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	T A						

30''h frame endrun table



frame base for frame stepped connection

- 20'' overhang on free ends of all 30''h tables
- frame base endrun tables for frame stepped connection must be specified with additional 36''h or 42''h frame stepped table




Endrun frame stepped connection only connects to 36'' or 42''h frame stepped table.

	sku	w	d	h	specifications	QA frame stepped connection	
						PLL solid WGL woodgrain	OAK oak WLT walnut
36''d tables	JGA	72	36	30		3595	4892
	JHA	78	36	30		3730	4987
	JIA	84	36	30		4203	5541
	JJA	90	36	30		4580	6049
	JKA	96	36	30		4754	6178
	JLA	102	36	30		5352	6746
	JMA	108	36	30		5530	6883
	JNA	114	36	30		5705	7022
	JOA	120	36	30		5880	7160
42''d tables	JGB	72	42	30		3670	4968
	JHB	78	42	30		3807	5063
	JIB	84	42	30		4276	5614
	JJB	90	42	30		4880	6352
	JKB	96	42	30		5054	6479
	JLB	102	42	30		5654	7048
	JMB	108	42	30		5830	7183
	JNB	114	42	30		6004	7322
	JOB	120	42	30		6182	7461
48''d tables	JGC	72	48	30		3746	5041
	JHC	78	48	30		3883	5137
	JIC	84	48	30		4354	5690
	JJC	90	48	30		4956	6427
	JKC	96	48	30		5130	6555
	JLC	102	48	30		5729	7120
	JMC	108	48	30		5904	7259
	JNC	114	48	30		6079	7398
	JOC	120	48	30		6256	7536

specification codes example: BPS-SKU-QASQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		QA step connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	Q A						

30"h frame endrun table



frame base for block stepped connection

- 20" overhang on free ends of all 30"h tables
- frame base endrun tables for block stepped connection must be specified with additional 36"h or 42"h frame/block stepped table



Endrun block stepped connection only connects to 36" or 42"h frame/block stepped table.

	sku	w	d	h	specifications	UA block stepped connection	
						PLL solid WGL woodgrain	OAK oak WLT walnut
36"d tables 	JGA	72	36	30		3595	4892
	JHA	78	36	30		3730	4987
	JIA	84	36	30		4203	5541
	JJA	90	36	30		4580	6049
	JKA	96	36	30		4754	6178
	JLA	102	36	30		5352	6746
	JMA	108	36	30		5530	6883
	JNA	114	36	30		5705	7022
	JOA	120	36	30		5880	7160
42"d tables 	JGB	72	42	30		3670	4968
	JHB	78	42	30		3807	5063
	JIB	84	42	30		4276	5614
	JJB	90	42	30		4880	6352
	JKB	96	42	30		5054	6479
	JLB	102	42	30		5654	7048
	JMB	108	42	30		5830	7183
	JNB	114	42	30		6004	7322
	JOB	120	42	30		6182	7461
48"d tables 	JGC	72	48	30		3746	5041
	JHC	78	48	30		3883	5137
	JIC	84	48	30		4354	5690
	JJC	90	48	30		4956	6427
	JKC	96	48	30		5130	6555
	JLC	102	48	30		5729	7120
	JMC	108	48	30		5904	7259
	JNC	114	48	30		6079	7398
	JOC	120	48	30		6256	7536



specification codes example: BPS-SKU-UASQ000

series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		UA block stepped connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-4
B P S -	-	U A						

30"h block freestanding table

block base

- all block bases are mounted flush to the ends of the top



36"d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
ACA	48	36	30	7477	8895
ADA	54	36	30	7614	8999
AEA	60	36	30	7751	9104
AFA	66	36	30	7891	9208
AGA	72	36	30	8024	9321
AHA	78	36	30	8161	9416
AIA	84	36	30	8632	9969
AJA	90	36	30	9009	10482
AKA	96	36	30	9184	10607
ALA	102	36	30	9784	11174
AMA	108	36	30	9958	11310
ANA	114	36	30	10132	11452
AOA	120	36	30	10311	11589

42"d tables



ADB	54	42	30	7843	9224
AEB	60	42	30	7977	9329
AFB	66	42	30	8115	9433
AGB	72	42	30	8249	9547
AHB	78	42	30	8388	9642
AIB	84	42	30	8855	10194
AJB	90	42	30	9459	10930
AKB	96	42	30	9632	11058
ALB	102	42	30	10232	11626
AMB	108	42	30	10409	11764
ANB	114	42	30	10585	11902
AOB	120	42	30	10760	12042

48"d tables



AEC	60	48	30	8202	9559
AFC	66	48	30	8340	9583
AGC	72	48	30	8474	9695
AHC	78	48	30	8611	9791
AIC	84	48	30	9081	10345
AJC	90	48	30	9685	11081
AKC	96	48	30	9859	11206
ALC	102	48	30	10457	11777
AMC	108	48	30	10634	11913
ANC	114	48	30	10808	12053
AOC	120	48	30	10987	12190

specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	



material/finish code example: OAK 805 PLL 805

base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

30''h narrow block freestanding table

narrow block base

- all block bases are mounted flush to the ends of the top



24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
ACV	48	24	30	7028	8443
ADV	54	24	30	7165	8546
AEV	60	24	30	7301	8654
AFV	66	24	30	7440	8757
AGV	72	24	30	7573	8871
AHV	78	24	30	7710	9117
AIV	84	24	30	8182	9519
AJV	90	24	30	8407	9880
AKV	96	24	30	8584	10006
ALV	102	24	30	9183	10575
AMV	108	24	30	9360	10711
ANV	114	24	30	9532	10852
AOV	120	24	30	9710	10989

30''d tables



AC0	48	30	30	7252	8669
AD0	54	30	30	7389	8773
AE0	60	30	30	7526	8878
AF0	66	30	30	7664	8983
AG0	72	30	30	7798	9095
AH0	78	30	30	7936	9192
AI0	84	30	30	8406	9743
AJ0	90	30	30	8708	10179
AK0	96	30	30	8882	10307
AL0	102	30	30	9481	10875
AM0	108	30	30	9658	11012
AN0	114	30	30	9834	11151
AO0	120	30	30	10009	11290

specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	



material/finish code example: OAK 805 PLL 805

base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4


36''h block freestanding table

block base

- all block bases are mounted flush to the ends of the top



36''d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
BCA	48	36	36	7628	9043
BDA	54	36	36	7765	9149
BEA	60	36	36	7902	9253
BFA	66	36	36	8040	9360
BGA	72	36	36	8174	9471
BHA	78	36	36	8310	9567
BIA	84	36	36	8782	10120
BJA	90	36	36	9159	10630
BKA	96	36	36	9333	10758
BLA	102	36	36	9932	11326
BMA	108	36	36	10108	11462
BNA	114	36	36	10282	11601
BOA	120	36	36	10460	11740

42''d tables



BDB	54	42	36	8023	9374
BEB	60	42	36	8128	9479
BFB	66	42	36	8264	9583
BGB	72	42	36	8400	9695
BHB	78	42	36	8537	9791
BIB	84	42	36	9008	10345
BJB	90	42	36	9608	11081
BKB	96	42	36	9785	11206
BLB	102	42	36	10384	11777
BMB	108	42	36	10562	11913
BNB	114	42	36	10733	12053
BOB	120	42	36	10910	12190

48''d tables



BEC	60	48	36	8352	9709
BFC	66	48	36	8489	9734
BGC	72	48	36	8623	9844
BHC	78	48	36	8760	9944
BIC	84	48	36	9233	10495
BJC	90	48	36	9835	11231
BKC	96	48	36	10008	11357
BLC	102	48	36	10607	11926
BMC	108	48	36	10784	12063
BNC	114	48	36	10958	12202
BOC	120	48	36	11136	12341


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

36" h narrow block freestanding table



narrow block base

- all block bases are mounted flush to the ends of the top




24" d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
BCV	48	24	36	7178	8592
BDV	54	24	36	7315	8700
BEV	60	24	36	7453	8803
BFV	66	24	36	7589	8908
BGV	72	24	36	7725	9021
BHV	78	24	36	7860	9266
BIV	84	24	36	8331	9670
BJV	90	24	36	8560	10030
BKV	96	24	36	8732	10156
BLV	102	24	36	9331	10725
BMV	108	24	36	9509	10860
BNV	114	24	36	9682	11001
BOV	120	24	36	9860	11139

30" d tables



BC0	48	30	36	7628	9043
BD0	54	30	36	7765	9149
BE0	60	30	36	7902	9253
BF0	66	30	36	8040	9360
BG0	72	30	36	8174	9471
BH0	78	30	36	8310	9567
BI0	84	30	36	8782	10120
BJ0	90	30	36	9159	10630
BK0	96	30	36	9333	10758
BL0	102	30	36	9932	11326
BM0	108	30	36	10108	11462
BN0	114	30	36	10282	11601
BO0	120	30	36	10460	11740


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h block freestanding table



block base

- all block bases are mounted flush to the ends of the top
- 48''d tops are not available for 42''h block table



36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
CCA	48	36	42	7778	9194
CDA	54	36	42	7915	9298
CEA	60	36	42	8052	9403
CFA	66	36	42	8188	9509
CGA	72	36	42	8324	9620
CHA	78	36	42	8461	9718
CIA	84	36	42	8932	10270
CJA	90	36	42	9308	10780
CKA	96	36	42	9482	10907
CLA	102	36	42	10082	11475
CMA	108	36	42	10259	11611
CNA	114	36	42	10434	11752
COA	120	36	42	10612	11890

42''d tables



CDB	54	42	42	8140	9525
CEB	60	42	42	8278	9629
CFB	66	42	42	8414	9734
CGB	72	42	42	8549	9844
CHB	78	42	42	8686	9944
CIB	84	42	42	9158	10495
CJB	90	42	42	9761	11231
CKB	96	42	42	9934	11357
CLB	102	42	42	10533	11926
CMB	108	42	42	10710	12063
CNB	114	42	42	10884	12202
COB	120	42	42	11061	12341

specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	



material/finish code example: OAK 805 PLL 805

base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h narrow block freestanding table

narrow block base

- all block bases are mounted flush to the ends of the top
- 48''d tops are not available for 42''h block table



24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
CCV	48	24	42	7327	8745
CDV	54	24	42	7466	8849
CEV	60	24	42	7602	8952
CFV	66	24	42	7740	9058
CGV	72	24	42	7873	9170
CHV	78	24	42	8011	9416
CIV	84	24	42	8481	9820
CJV	90	24	42	8708	10179
CKV	96	24	42	8882	10307
CLV	102	24	42	9481	10875
CMV	108	24	42	9658	11012
CNV	114	24	42	9834	11151
COV	120	24	42	10009	11290

30''d tables



CD0	54	30	42	7691	9074
CE0	60	30	42	7828	9178
CF0	66	30	42	7966	9284
CG0	72	30	42	8099	9397
CH0	78	30	42	8234	9494
CI0	84	30	42	8706	10045
CJ0	90	30	42	9009	10482
CK0	96	30	42	9184	10607
CL0	102	30	42	9784	11174
CM0	108	30	42	9958	11310
CN0	114	30	42	10132	11452
CO0	120	30	42	10311	11589


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

30''h block starter table






block base

- all block starter bases are mounted flush to the free end of the block table
- block base starter tables must be specified with additional block endrun tables



Block starter connects to
block endrun tables

	sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
36''d tables 	DCA	48	36	30	7778	9194
	DDA	54	36	30	7915	9298
	DEA	60	36	30	8052	9403
	DFA	66	36	30	8188	9509
	DGA	72	36	30	8324	9620
	DHA	78	36	30	8461	9718
	DIA	84	36	30	8932	10270
	DJA	90	36	30	9308	10780
	DKA	96	36	30	9482	10907
	DLA	102	36	30	10082	11475
	DMA	108	36	30	10259	11611
	DNA	114	36	30	10434	11752
	DOA	120	36	30	10612	11890
42''d tables 	DDB	54	42	30	8140	9525
	DEB	60	42	30	8278	9629
	DFB	66	42	30	8414	9734
	DGB	72	42	30	8549	9844
	DHB	78	42	30	8686	9944
	DIB	84	42	30	9158	10495
	DJB	90	42	30	9761	11231
	DKB	96	42	30	9934	11357
	DLB	102	42	30	10533	11926
	DMB	108	42	30	10710	12063
	DNB	114	42	30	10884	12202
	DOB	120	42	30	11061	12341
48''d tables 	DEC	60	48	30	8502	9860
	DFC	66	48	30	8638	9958
	DGC	72	48	30	8774	10072
	DHC	78	48	30	8911	10168
	DIC	84	48	30	9383	10720
	DJC	90	48	30	9984	11456
	DKC	96	48	30	10159	11585
	DLC	102	48	30	10758	12152
	DMC	108	48	30	10935	12287
	DNC	114	48	30	11109	12427
	DOC	120	48	30	11286	12566


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

30''h narrow block starter table



narrow block base

- all block starter bases are mounted flush to the free end of the block table
- narrow block base starter tables must be specified with additional narrow block endrun tables



Narrow block starter connects to narrow block endrun tables

	sku	w	d	h	PLL solid	OAK oak
					WGL woodgrain	WLT walnut
24''d tables	DCV	48	24	30	7327	8745
	DDV	54	24	30	7465	8849
	DEV	60	24	30	7602	8952
	DFV	66	24	30	7740	9058
	DGV	72	24	30	7873	9170
	DHV	78	24	30	8011	9416
	DIV	84	24	30	8481	9820
	DJV	90	24	30	8708	10179
	DKV	96	24	30	8882	10307
	DLV	102	24	30	9481	10875
	DMV	108	24	30	9658	11012
	DNV	114	24	30	9834	11151
	DOV	120	24	30	10009	11290
30''d tables	DC0	48	30	30	7553	8968
	DD0	54	30	30	7691	9074
	DE0	60	30	30	7828	9178
	DF0	66	30	30	7966	9284
	DG0	72	30	30	8099	9397
	DH0	78	30	30	8234	9494
	DI0	84	30	30	8706	10045
	DJ0	90	30	30	9009	10482
	DK0	96	30	30	9184	10607
	DL0	102	30	30	9784	11174
	DM0	108	30	30	9958	11310
	DN0	114	30	30	10132	11452
	DO0	120	30	30	10311	11589


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

36''h block starter table




block base

- all block starter bases are mounted flush to the free end of the block table
- block base starter tables must be specified with additional block endrun tables




Block starter connects to
block endrun tables

36''d tables




sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
ECA	48	36	36	7854	9270
EDA	54	36	36	7991	9374
EEA	60	36	36	8128	9479
EFA	66	36	36	8265	9583
EGA	72	36	36	8400	9695
EHA	78	36	36	8537	9791
EIA	84	36	36	9008	10345
EJA	90	36	36	9384	10855
EKA	96	36	36	9558	10983
ELA	102	36	36	10156	11551
EMA	108	36	36	10335	11687
ENA	114	36	36	10508	11827
EOA	120	36	36	10684	11964

42''d tables



EDB	54	42	36	8214	9599
EEB	60	42	36	8352	9704
EFB	66	42	36	8489	9809
EGB	72	42	36	8623	9921
EHB	78	42	36	8760	10017
EIB	84	42	36	9233	10569
EJB	90	42	36	9835	11306
EKB	96	42	36	10008	11432
ELB	102	42	36	10607	12001
EMB	108	42	36	10784	12138
ENB	114	42	36	10958	12276
EOB	120	42	36	11136	12416

48''d tables



EEC	60	48	36	8576	9935
EFC	66	48	36	8715	10033
EGC	72	48	36	8850	10147
EHC	78	48	36	8985	10242
EIC	84	48	36	9458	10796
EJC	90	48	36	10059	11530
EKC	96	48	36	10233	11658
ELC	102	48	36	10832	12226
EMC	108	48	36	11011	12363
ENC	114	48	36	11185	12501
EOC	120	48	36	11362	12641


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

36''h narrow block starter table




narrow block base

- all block starter bases are mounted flush to the free end of the block table
- narrow block base starter tables must be specified with additional narrow block endrun tables




Narrow block starter connects to narrow block endrun tables

24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
ECV	48	24	36	7477	8895
EDV	54	24	36	7614	8999
EEV	60	24	36	7751	9104
EFV	66	24	36	7891	9208
EGV	72	24	36	8024	9321
EHV	78	24	36	8161	9567
EIV	84	24	36	8632	9969
EJV	90	24	36	8858	10329
EKV	96	24	36	9032	10457
ELV	102	24	36	9631	11024
EMV	108	24	36	9810	11162
ENV	114	24	36	9983	11301
EOV	120	24	36	10161	11439

30''d tables



EC0	48	30	36	7703	9120
ED0	54	30	36	7840	9224
EE0	60	30	36	7977	9329
EF0	66	30	36	8116	9433
EG0	72	30	36	8249	9547
EH0	78	30	36	8388	9642
EI0	84	30	36	8855	10194
EJ0	90	30	36	9159	10630
EK0	96	30	36	9333	10758
EL0	102	30	36	9932	11326
EM0	108	30	36	10108	11462
EN0	114	30	36	10282	11601
EO0	120	30	36	10460	11740


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h block starter table




block base

- all block starter bases are mounted flush to the free end of the block table
- block base starter tables must be specified with additional block endrun tables




Block starter connects to
block endrun tables

36''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
FCA	48	36	42	8153	9570
FDA	54	36	42	8292	9675
FEA	60	36	42	8428	9778
FFA	66	36	42	8566	9884
FGA	72	36	42	8700	9997
FHA	78	36	42	8836	10094
FIA	84	36	42	9306	10646
FJA	90	36	42	9685	11157
FKA	96	36	42	9859	11283
FLA	102	36	42	10457	11851
FMA	108	36	42	10634	11988
FNA	114	36	42	10808	12127
FOA	120	36	42	10987	12266

42''d tables



FDB	54	42	42	8517	9901
FEB	60	42	42	8654	10004
FFB	66	42	42	8790	10108
FGB	72	42	42	8926	10222
FHB	78	42	42	9061	10317
FIB	84	42	42	9532	10871
FJB	90	42	42	10134	11607
FKB	96	42	42	10310	11734
FLB	102	42	42	10907	12302
FMB	108	42	42	11085	12438
FNB	114	42	42	11260	12578
FOB	120	42	42	11436	12716


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h narrow block starter table



narrow block base

- all block starter bases are mounted flush to the free end of the block table
- narrow block base starter tables must be specified with additional narrow block endrun tables



Narrow block starter connects to narrow block endrun tables

	sku	w	d	h	PLL solid	OAK oak
					WGL woodgrain	WLT walnut
24''d tables	FCV	48	24	42	7703	9120
	FDV	54	24	42	7840	9224
	FEV	60	24	42	7977	9329
	FFV	66	24	42	8116	9433
	FGV	72	24	42	8249	9547
	FHV	78	24	42	8388	9791
	FIV	84	24	42	8855	10194
	FJV	90	24	42	9082	10554
	FKV	96	24	42	9258	10682
	FLV	102	24	42	9858	11250
	FMV	108	24	42	10033	11387
	FNV	114	24	42	10209	11526
30''d tables	FOV	120	24	42	10386	11665
	FC0	48	30	42	7926	9344
	FD0	54	30	42	8066	9450
	FE0	60	30	42	8202	9555
	FF0	66	30	42	8342	9658
	FG0	72	30	42	8474	9772
	FH0	78	30	42	8611	9868
	FI0	84	30	42	9081	10419
	FJ0	90	30	42	9384	10855
	FK0	96	30	42	9558	10983
	FL0	102	30	42	10156	11551
	FM0	108	30	42	10335	11687
	FN0	114	30	42	10508	11827
	FO0	120	30	42	10684	11964


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

36" h block stepped table






block 36" h to 30" h stepped table

- 36" h step tables only connect to 30" h tables
- block bases are mounted flush with both short ends of the top
- block stepped tables must be specified with additional 30" h block endrun tables with block stepped connection



Block stepped tables only connect
to 30" h block endrun tables

	sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
36" d tables 	MCA	48	36	36	7778	9194
	MDA	54	36	36	7915	9298
	MEA	60	36	36	8052	9403
	MFA	66	36	36	8188	9509
	MGA	72	36	36	8324	9620
	MHA	78	36	36	8461	9718
	MIA	84	36	36	8932	10270
	MJA	90	36	36	9308	10780
	MKA	96	36	36	9482	10907
	MLA	102	36	36	10082	11475
	MMA	108	36	36	10259	11611
	MNA	114	36	36	10434	11752
	MOA	120	36	36	10612	11890
42" d tables 	MDB	54	42	36	8140	9525
	MEB	60	42	36	8278	9629
	MFB	66	42	36	8414	9734
	MGB	72	42	36	8549	9844
	MHB	78	42	36	8686	9944
	MIB	84	42	36	9158	10495
	MJB	90	42	36	9761	11231
	MKB	96	42	36	9934	11357
	MLB	102	42	36	10533	11926
	MMB	108	42	36	10710	12063
	MNB	114	42	36	10884	12202
	MOB	120	42	36	11061	12341
48" d tables 	MEC	60	48	36	8502	9860
	MFC	66	48	36	8638	9958
	MGC	72	48	36	8774	10072
	MHC	78	48	36	8911	10168
	MIC	84	48	36	9383	10720
	MJC	90	48	36	9984	11456
	MKC	96	48	36	10159	11585
	MLC	102	48	36	10758	12152
	MMC	108	48	36	10935	12287
	MNC	114	48	36	11109	12427
	MOC	120	48	36	11286	12566


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

36''h narrow block stepped table



narrow block 36''h to 30''h stepped table

- 36''h step tables only connect to 30''h tables
- block bases are mounted flush with both short ends of the top
- narrow block stepped tables must be specified with additional 30''h narrow block endrun tables with narrow block stepped connection




Narrow block stepped tables only connect to 30''h narrow block endrun tables

24''d tables



sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
MCV	48	24	36	7327	8745
MDV	54	24	36	7466	8849
MEV	60	24	36	7602	8952
MFV	66	24	36	7740	9058
MGV	72	24	36	7873	9170
MHV	78	24	36	8011	9416
MIV	84	24	36	8481	9820
MJV	90	24	36	8708	10179
MKV	96	24	36	8882	10307
MLV	102	24	36	9481	10875
MMV	108	24	36	9658	11012
MNV	114	24	36	9834	11151
MOV	120	24	36	10009	11290

30''d tables



MC0	48	30	36	7703	9120
MD0	54	30	36	7840	9224
ME0	60	30	36	7977	9329
MF0	66	30	36	8116	9433
MG0	72	30	36	8249	9547
MH0	78	30	36	8388	9642
MI0	84	30	36	8855	10194
MJ0	90	30	36	9159	10630
MK0	96	30	36	9333	10758
ML0	102	30	36	9932	11326
MM0	108	30	36	10108	11462
MNO	114	30	36	10282	11601
MO0	120	30	36	10460	11740


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h block stepped table



block 42''h to 30''h stepped table

- 42''h step tables only connect to 30''h tables
- 48''h deep tops are not available at 42'' high
- block bases are mounted flush with both short ends of the top
- block stepped tables must be specified with additional 30''h block endrun tables with block stepped connection



Block stepped tables only connect
to 30''h block endrun tables

	sku	w	d	h	PLL solid	OAK oak
					WGL woodgrain	WLT walnut
36''d tables	NCA	48	36	42	7926	9344
	NDA	54	36	42	8066	9450
	NEA	60	36	42	8202	9555
	NFA	66	36	42	8342	9658
	NGA	72	36	42	8474	9772
	NHA	78	36	42	8611	9868
	NIA	84	36	42	9081	10419
	NJA	90	36	42	9459	10930
	NKA	96	36	42	9632	11059
	NLA	102	36	42	10232	11624
	NMA	108	36	42	10409	11764
	NNA	114	36	42	10585	11902
	NOA	120	36	42	10760	12041
42''d tables	NDB	54	42	42	8277	9675
	NEB	60	42	42	8428	9778
	NFB	66	42	42	8564	9884
	NGB	72	42	42	8700	9997
	NHB	78	42	42	8836	10094
	NIB	84	42	42	9306	10644
	NJB	90	42	42	9910	11380
	NKB	96	42	42	10083	11507
	NLB	102	42	42	10682	12077
	NMB	108	42	42	10859	12214
	NNB	114	42	42	11035	12353
	NOB	120	42	42	11211	12491


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 mediatrac 1 - pgs 94-106 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

42''h narrow block stepped table



narrow block 42''h to 30''h stepped table

- 42''h step tables only connect to 30''h tables
- 48''h deep tops are not available at 42'' high
- narrow block bases are mounted flush with both short ends of the top
- narrow block stepped tables must be specified with additional 30''h narrow block endrun tables with narrow block stepped connection



Narrow block stepped tables only connect to 30''h narrow block endrun tables

	sku	w	d	h	PLL solid WGL woodgrain	OAK oak WLT walnut
24''d tables	NCV	48	24	42	7479	8260
	NDV	54	24	42	7615	8366
	NEV	60	24	42	7751	9104
	NFV	66	24	42	7891	9208
	NGV	72	24	42	8024	9321
	NHV	78	24	42	8161	9567
	NIV	84	24	42	8632	9969
	NJV	90	24	42	8858	10329
	NKV	96	24	42	9032	10457
	NLV	102	24	42	9631	11024
	NMV	108	24	42	9810	11162
	NNV	114	24	42	9983	11301
	NOV	120	24	42	10161	11439
30''d tables	NC0	48	30	42	7630	8412
	ND0	54	30	42	7767	8517
	NE0	60	30	42	7977	9329
	NF0	66	30	42	8116	9433
	NG0	72	30	42	8249	9547
	NH0	78	30	42	8388	9642
	NI0	84	30	42	8855	10194
	NJ0	90	30	42	9159	10630
	NK0	96	30	42	9333	10758
	NL0	102	30	42	9932	11326
	NM0	108	30	42	10108	11462
	NN0	114	30	42	10282	11601
	NO0	120	30	42	10460	11740


specification codes example: BPS-SKU-CCSQ000

series	sku	base	corner	power
blueprint		CC block	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89
B P S -	-	C C	S Q	

material/finish code example: OAK 805 PLL 805


base material	base finish	top material	top finish
OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3 - 4

30''h block endrun table





block base with block connection

- block base endrun tables with block connection must be specified with additional block base starter tables




Endrun block connection connects to block starter tables

	sku	w	d	h	TC block connection	
					PLL solid WGL woodgrain	OAK oak WLT walnut
36''d tables 	JCA	48	36	30	4625	6041
	JDA	54	36	30	4763	6146
	JEA	60	36	30	4899	6252
	JFA	66	36	30	5038	6355
	JGA	72	36	30	5171	6469
	JHA	78	36	30	5308	6565
	JIA	84	36	30	5780	7116
	JJA	90	36	30	6157	7628
	JKA	96	36	30	6331	7756
	JLA	102	36	30	6930	8323
	JMA	108	36	30	7107	8460
	JNA	114	36	30	7280	8598
42''d tables 	JDB	54	42	30	4912	6298
	JEB	60	42	30	5051	6401
	JFB	66	42	30	5186	6507
	JGB	72	42	30	5320	6618
	JHB	78	42	30	5459	6714
	JIB	84	42	30	5930	7267
	JJB	90	42	30	6531	8003
	JKB	96	42	30	6706	8130
	JLB	102	42	30	7304	8700
	JMB	108	42	30	7481	8835
	JNB	114	42	30	7654	8975
48''d tables 	JEC	60	48	30	5199	6558
	JFC	66	48	30	5337	6655
	JGC	72	48	30	5472	6768
	JHC	78	48	30	5608	6864
	JIC	84	48	30	6079	7418
	JJC	90	48	30	6679	8152
	JKC	96	48	30	6856	8280
	JLC	102	48	30	7455	8849
	JMC	108	48	30	7633	8984
	JNC	114	48	30	7807	9123

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 mediatrack1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

30''h narrow block endrun table



narrow block base with block connection

- block base endrun tables with block connection must be specified with additional block base starter tables



Endrun narrow block connection connects to narrow block starter tables

24''d tables



sku	w	d	h	TC block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
JCV	48	24	30	4325	5740
JDV	54	24	30	4462	5846
JEV	60	24	30	4599	5949
JFV	66	24	30	4737	6055
JGV	72	24	30	4871	6169
JHV	78	24	30	5007	6413
JIV	84	24	30	5477	6816
JJV	90	24	30	5706	7178
JKV	96	24	30	5879	7304
JLV	102	24	30	6480	7871
JMV	108	24	30	6655	8008
JNV	114	24	30	6832	8149

30''d tables




JC0	48	30	30	4476	5892
JD0	54	30	30	4613	5995
JE0	60	30	30	4748	6098
JF0	66	30	30	4888	6206
JG0	72	30	30	5021	6317
JH0	78	30	30	5157	6413
JI0	84	30	30	5631	6966
JJ0	90	30	30	5931	7404
JK0	96	30	30	6106	7530
JL0	102	30	30	6703	8097
JM0	108	30	30	6882	8233
JN0	114	30	30	7055	8374

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

36''h block endrun table




block base with block connection

- block base endrun tables with block connection must be specified with additional block base starter tables




Endrun block connection connects to block starter tables

36''d tables




sku	w	d	h	TC block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KCA	48	36	36	4699	6117
KDA	54	36	36	4838	6221
KEA	60	36	36	4974	6325
KFA	66	36	36	5112	6432
KGA	72	36	36	5246	6543
KHA	78	36	36	5381	6641
KIA	84	36	36	5854	7192
KJA	90	36	36	6231	7702
KKA	96	36	36	6405	7830
KLA	102	36	36	7005	8397
KMA	108	36	36	7181	8535
KNA	114	36	36	7356	8672

42''d tables



KDB	54	42	36	4987	6370
KEB	60	42	36	5124	6478
KFB	66	42	36	5261	6581
KGB	72	42	36	5396	6693
KHB	78	42	36	5534	6790
KIB	84	42	36	6004	7342
KJB	90	42	36	6607	8077
KKB	96	42	36	6780	8205
KLB	102	42	36	7379	8773
KMB	108	42	36	7556	8909
KNB	114	42	36	7731	9050

48''d tables




KEC	60	48	36	5274	6630
KFC	66	48	36	5412	6731
KGC	72	48	36	5546	6844
KHC	78	48	36	5683	6939
KIC	84	48	36	6155	7492
KJC	90	48	36	6756	8229
KKC	96	48	36	6931	8356
KLC	102	48	36	7530	8924
KMC	108	48	36	7707	9060
KNC	114	48	36	7880	9200

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 mediatrack1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

36''h narrow block endrun table




narrow block base with block connection

- narrow block base endrun tables with block connection must be specified with additional narrow block base starter tables




Endrun narrow block connection connects to narrow block starter tables

24''d tables



sku	w	d	h	TC block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KCV	48	24	36	4401	5817
KDV	54	24	36	4537	5920
KEV	60	24	36	4674	6026
KFV	66	24	36	4812	6130
KGV	72	24	36	4946	6243
KHV	78	24	36	5084	6487
KIV	84	24	36	5555	6890
KJV	90	24	36	5781	7252
KKV	96	24	36	5956	7379
KLK	102	24	36	6555	7946
KMV	108	24	36	6731	8084
KNV	114	24	36	6905	8225

30''d tables




KC0	48	30	36	4550	5966
KD0	54	30	36	4688	6072
KE0	60	30	36	5124	6478
KF0	66	30	36	5261	6581
KG0	72	30	36	5396	6693
KH0	78	30	36	5534	6790
KI0	84	30	36	6004	7342
KJ0	90	30	36	6607	8077
KK0	96	30	36	6780	8205
KL0	102	30	36	7379	8773
KM0	108	30	36	7556	8909
KN0	114	30	36	7731	9050

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

42''h block endrun table




block base with block connection

- block base endrun tables with block connection must be specified with additional block base starter tables




Endrun block connection connects to block starter tables

36''d tables



sku	w	d	h	specifications	TC block connection	
					PLL solid WGL woodgrain	OAK oak WLT walnut
LCA	48	36	42		4776	6192
LDA	54	36	42		4912	6298
LEA	60	36	42		5051	6401
LFA	66	36	42		5187	6507
LGA	72	36	42		5320	6618
LHA	78	36	42		5459	6714
LIA	84	36	42		5930	7267
LJA	90	36	42		6306	7778
LKA	96	36	42		6481	7904
LLA	102	36	42		7079	8473
LMA	108	36	42		7257	8610
LNA	114	36	42		7431	8749

42''d tables




LDB	54	42	42		5063	6446
LEB	60	42	42		5199	6551
LFB	66	42	42		5337	6655
LGB	72	42	42		5472	6768
LHB	78	42	42		5608	6864
LIB	84	42	42		6079	7418
LJB	90	42	42		6679	8152
LKB	96	42	42		6856	8279
LLB	102	42	42		7455	8849
LMB	108	42	42		7633	8984
LNB	114	42	42		7807	9124

specification codes example: BPS-SKU-UCSQ000

series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

42''h narrow block endrun table




narrow block base with block connection

- narrow block base endrun tables with block connection must be specified with additional narrow block base starter tables




Endrun narrow block connection connects to narrow block starter tables

	sku	w	d	h	specifications	TC block connection	
						PLL solid WGL woodgrain	OAK oak WLT walnut
24''d tables 	LCV	48	24	42		4477	5892
	LDV	54	24	42		4614	5962
	LEV	60	24	42		4748	6098
	LFV	66	24	42		4888	6206
	LGV	72	24	42		5021	6317
	LHV	78	24	42		5157	6564
	LIV	84	24	42		5631	6966
	LJV	90	24	42		5855	7326
	LKV	96	24	42		6029	7455
	LLV	102	24	42		6628	8023
	LMV	108	24	42		6806	8160
	LVN	114	24	42		6981	8299
30''d tables 	LC0	48	30	42		4688	6103
	LD0	54	30	42		4824	6175
	LE0	60	30	42		4899	6252
	LF0	66	30	42		5038	6355
	LG0	72	30	42		5171	6469
	LH0	78	30	42		5308	6565
	LI0	84	30	42		5780	7116
	LJ0	90	30	42		6081	7553
	LK0	96	30	42		6255	7680
	LL0	102	30	42		6853	8248
	LM0	108	30	42		7031	8383
	LN0	114	30	42		7205	8523

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		TC block connection	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	T C	S Q					

30''h block endrun table



block base for block stepped connection

- block base endrun tables for block stepped connection must be specified with additional 36''h or 42''h block stepped table




Endrun block stepped connection only connects to 36''h or 42''h block stepped table

	sku	w	d	h	specifications	UC stepped connection			
						PLL	solid	OAK	oak
						WGL	woodgrain	WLT	walnut
36''d tables	JCA	48	36	30			4625		6041
	JDA	54	36	30			4763		6146
	JEA	60	36	30			4899		6252
	JFA	66	36	30			5038		6355
	JGA	72	36	30			5171		6469
	JHA	78	36	30			5308		6565
	JIA	84	36	30			5780		7116
	JJA	90	36	30			6157		7628
	JKA	96	36	30			6331		7756
	JLA	102	36	30			6930		8323
42''d tables	JMA	108	36	30			7107		8460
	JNA	114	36	30			7280		8598
	JDB	54	42	30			4912		6298
	JEB	60	42	30			5051		6401
	JFB	66	42	30			5186		6507
	JGB	72	42	30			5320		6618
	JHB	78	42	30			5459		6714
	JIB	84	42	30			5930		7267
	JJB	90	42	30			6531		8003
	JKB	96	42	30			6706		8130
48''d tables	JLB	102	42	30			7304		8700
	JMB	108	42	30			7481		8835
	JNB	114	42	30			7654		8975
	JEC	60	48	30	only connects to block 36''h stepped table		5199		6558
	JFC	66	48	30	only connects to block 36''h stepped table		5337		6655
	JGC	72	48	30	only connects to block 36''h stepped table		5472		6768
	JHC	78	48	30	only connects to block 36''h stepped table		5608		6864
	JIC	84	48	30	only connects to block 36''h stepped table		6079		7418
	JJC	90	48	30	only connects to block 36''h stepped table		6679		8152
	JKC	96	48	30	only connects to block 36''h stepped table		6856		8280
	JLC	102	48	30	only connects to block 36''h stepped table		7455		8849
	JMC	108	48	30	only connects to block 36''h stepped table		7633		8984
	JNC	114	48	30	only connects to block 36''h stepped table		7807		9123

specification codes example: BPS-SKU-UCSQ000


series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805				top finish
					base material	base finish	top material		
blueprint		UC block connection	SQ square	surface mount - pgs 90-92 mediatrack1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut		see page 3 - 4
B P S -	-	U C	S Q						

30" h narrow block endrun table



narrow block base for block stepped connection

- narrow block base endrun tables for block stepped connection must be specified with additional 36" h or 42" h narrow block stepped table



Endrun narrow block stepped connection only connects to 36" h and 42" h narrow block stepped table

24" d tables



sku	w	d	h	TU stepped connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
JCV	48	24	30	4325	5740
JDV	54	24	30	4462	5846
JEV	60	24	30	4599	5949
JFV	66	24	30	4737	6055
JGV	72	24	30	4871	6169
JHV	78	24	30	5007	6413
JIV	84	24	30	5477	6816
JJV	90	24	30	5706	7178
JKV	96	24	30	5879	7304
JLV	102	24	30	6480	7871
JMV	108	24	30	6655	8008
JNV	114	24	30	6832	8149

30" d tables



JC0	48	30	30	4476	5892
JD0	54	30	30	4613	5995
JE0	60	30	30	4748	6098
JF0	66	30	30	4888	6206
JG0	72	30	30	5021	6317
JH0	78	30	30	5157	6413
JI0	84	30	30	5631	6966
JJ0	90	30	30	5931	7404
JK0	96	30	30	6106	7530
JL0	102	30	30	6703	8097
JM0	108	30	30	6882	8233
JN0	114	30	30	7055	8374



specification codes example: BPS-SKU-UCSQ000

series	sku	connecting base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		UC block stepped connection	SQ square	surface mount - pgs 90-92 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	U C	S Q					

30" h frame runoff table

frame base with wall mount connection

- 20" overhang on free ends of all 30" h tables
- only connects to wall using a rail system.



Runoff wall mount connection only connects to wall using a rail system

36" d tables



				WA wall mount connection	
sku	w	d	h	PLL solid	OAK oak
				WGL woodgrain	WLT walnut
JEA	60	36	30	3972	5323
JFA	66	36	30	4110	5428
JGA	72	36	30	4243	5541
JHA	78	36	30	4379	5636
JIA	84	36	30	4851	6188
JJA	90	36	30	5228	6698
JKA	96	36	30	5403	6827
JLA	102	36	30	6001	7395
JMA	108	36	30	6178	7532
JNA	114	36	30	6354	7670
JOA	120	36	30	6529	7809

42" d tables



JEB	60	42	30	4047	5397
JFB	66	42	30	4183	5502
JGB	72	42	30	4319	5615
JHB	78	42	30	4456	5712
JIB	84	42	30	4925	6263
JJB	90	42	30	5529	7000
JKB	96	42	30	5703	7127
JLB	102	42	30	6302	7696
JMB	108	42	30	6479	7832
JNB	114	42	30	6653	7971
JOB	120	42	30	6830	8109

48" d tables




JFC	66	48	30	4258	5578
JGC	72	48	30	4393	5690
JHC	78	48	30	4531	5786
JIC	84	48	30	5003	6338
JJC	90	48	30	5604	7076
JKC	96	48	30	5778	7204
JLC	102	48	30	6378	7768
JMC	108	48	30	6552	7908
JNC	114	48	30	6727	8047
JOC	120	48	30	6905	8185

specification codes example: BPS-SKU-WASQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		WA wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -		W A	S Q					

36" h frame runoff table




frame base with wall mount connection

- 60"w - 90"w has a 10" overhang, 96"w - 120"w has a 20" overhang
- only connects to wall using a rail system.



Runoff wall mount connection only connects to wall using a rail system

36"d tables




sku	w	d	h	WA wall mount connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KEA	60	36	36	4121	5473
KFA	66	36	36	4261	5578
KGA	72	36	36	4393	5690
KHA	78	36	36	4531	5786
KIA	84	36	36	5003	6338
KJA	90	36	36	5379	6851
KKA	96	36	36	5554	6978
KLA	102	36	36	6151	7545
KMA	108	36	36	6330	7681
KNA	114	36	36	6503	7821
KOA	120	36	36	6679	7960

42"d tables



KEB	60	42	36	4196	5547
KFB	66	42	36	4334	5654
KGB	72	42	36	4468	5764
KHB	78	42	36	4605	5861
KIB	84	42	36	5077	6414
KJB	90	42	36	5678	7148
KKB	96	42	36	5853	7275
KLB	102	42	36	6452	7845
KMB	108	42	36	6629	7982
KNB	114	42	36	6804	8121
KOB	120	42	36	6981	8259


48"d tables



KFC	66	48	36	4409	5728
KGC	72	48	36	4545	5842
KHC	78	48	36	4679	5937
KIC	84	48	36	5153	6491
KJC	90	48	36	5753	7225
KKC	96	48	36	5928	7352
KLC	102	48	36	6526	7921
KMC	108	48	36	6703	8057
KNC	114	48	36	6878	8198
KOC	120	48	36	7055	8334


specification codes example: BPS-SKU-WASQ000

series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		WA wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -		W A	S Q					




frame base with wall mount connection

- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- only connects to wall using a rail system.




Runoff wall mount connection only connects to wall using a rail system

36''d tables



sku	w	d	h	WA wall mount connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LEA	60	36	42	4196	5547
LFA	66	36	42	4335	5654
LGA	72	36	42	4468	5764
LHA	78	36	42	4605	5861
LIA	84	36	42	5077	6414
LJA	90	36	42	5453	6925
LKA	96	36	42	5627	7052
LLA	102	36	42	6227	7620
LMA	108	36	42	6404	7756
LNA	114	36	42	6577	7896
LOA	120	36	42	6756	8034


42''d tables



LEB	60	42	42	4272	5623
LFB	66	42	42	4409	5728
LGB	72	42	42	4545	5839
LHB	78	42	42	4679	5935
LIB	84	42	42	5153	6491
LJB	90	42	42	5753	7225
LKB	96	42	42	5928	7352
LLB	102	42	42	6526	7921
LMB	108	42	42	6703	8057
LNB	114	42	42	6878	8198
LOB	120	42	42	7055	8334


specification codes example: BPS-SKU-WASQ000

series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		WA wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	- - - -	W A	S Q	- - -	- - -	- - -	- - -	- - -



block base with wall mount connection

- only connects to wall using a rail system.




Runoff wall mount connection only
connects to wall using a rail system

					WC wall mount connection	
					PLL solid WGL woodgrain	OAK oak WLT walnut
36''d tables	sku	w	d	h		
	JCA	48	36	30	5273	6690
	JDA	54	36	30	5411	6794
	JEA	60	36	30	5547	6901
	JFA	66	36	30	5686	7004
	JGA	72	36	30	5820	7118
	JHA	78	36	30	5957	7214
	JIA	84	36	30	6428	7765
	JJA	90	36	30	6805	8277
	JKA	96	36	30	6979	8405
42''d tables	JLA	102	36	30	7579	8972
	JMA	108	36	30	7755	9109
	JNA	114	36	30	7928	9247
	JDB	54	42	30	5560	6947
	JEB	60	42	30	5700	7050
	JFB	66	42	30	5834	7156
	JGB	72	42	30	5969	7267
	JHB	78	42	30	6107	7363
	JIB	84	42	30	6577	7915
	JJB	90	42	30	7180	8652
48''d tables	JKB	96	42	30	7354	8779
	JLB	102	42	30	7953	9349
	JMB	108	42	30	8130	9483
	JNB	114	42	30	8303	9624
	JEC	60	48	30	5848	7206
	JFC	66	48	30	5986	7304
	JGC	72	48	30	6120	7417
	JHC	78	48	30	6256	7513
	JIC	84	48	30	6727	8066
	JJC	90	48	30	7328	8801
	JKC	96	48	30	7504	8929
	JLC	102	48	30	8104	9498
	JMC	108	48	30	8281	9632
	JNC	114	48	30	8455	9772

specification codes example: BPS-SKU-WCSQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805				top finish
blueprint		WC wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut		see page 3 - 4
B P S -	-	W C	S Q						

36" h block runoff table




block base with wall mount connection

- only connects to wall using a rail system




Runoff wall mount connection only
connects to wall using a rail system

36" d tables




					WC mediawall mount connection	
					PLL solid WGL woodgrain	OAK oak WLT walnut
sku	w	d	h			
KCA	48	36	36		5348	6766
KDA	54	36	36		5486	6870
KEA	60	36	36		5623	6974
KFA	66	36	36		5761	7080
KGA	72	36	36		5895	7192
KHA	78	36	36		6029	7290
KIA	84	36	36		6503	7841
KJA	90	36	36		6880	8350
KKA	96	36	36		7054	8478
KLA	102	36	36		7653	9046
KMA	108	36	36		7830	9184
KNA	114	36	36		8005	9321

42" d tables



KDB	54	42	36		5636	7019
KEB	60	42	36		5772	7126
KFB	66	42	36		5910	7228
KGB	72	42	36		6045	7342
KHB	78	42	36		6183	7439
KIB	84	42	36		6653	7991
KJB	90	42	36		7256	8726
KKB	96	42	36		7429	8853
KLB	102	42	36		8028	9422
KMB	108	42	36		8205	9558
KNB	114	42	36		8380	9698

48" d tables




KEC	60	48	36		5923	7279
KFC	66	48	36		6061	7379
KGC	72	48	36		6195	7492
KHC	78	48	36		6332	7588
KIC	84	48	36		6804	8141
KJC	90	48	36		7405	8877
KKC	96	48	36		7580	9004
KLC	102	48	36		8178	9573
KMC	108	48	36		8356	9709
KNC	114	48	36		8528	9848

specification codes example: BPS-SKU-WCSQ000


series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805				top finish
blueprint		WC wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	base material	base finish	top material		
					OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut		see page 3 - 4
B P S -	-	W C	S Q						

42''h block runoff table




block base with wall mount connection

- only connects to wall using a rail system.




Runoff wall mount connection only connects to wall using a rail system

36''d tables



sku	w	d	h	WC block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LCA	48	36	42	5425	6840
LDA	54	36	42	5560	6947
LEA	60	36	42	5700	7050
LFA	66	36	42	5835	7156
LGA	72	36	42	5969	7267
LHA	78	36	42	6107	7363
LIA	84	36	42	6577	7915
LJA	90	36	42	6954	8427
LKA	96	36	42	7130	8553
LLA	102	36	42	7728	9122
LMA	108	36	42	7904	9259
LNA	114	36	42	8080	9398


42''d tables



LDB	54	42	42	5712	7095
LEB	60	42	42	5848	7200
LFB	66	42	42	5986	7304
LGB	72	42	42	6120	7417
LHB	78	42	42	6256	7513
LIB	84	42	42	6727	8066
LJB	90	42	42	7328	8801
LKB	96	42	42	7504	8928
LLB	102	42	42	8104	9498
LMB	108	42	42	8281	9632
LNB	114	42	42	8455	9773

specification codes example: BPS-SKU-WCSQ000

series	sku	base	corner	power	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		WC wall mount connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	W C	S Q					



single-sided mediawall use with 30" h

- mediawalls must be specified with additional runoff tables with mediawall connection
- tables connect to only one side of the mediawall
- 30" h runoff tables connect to 73 3/4" h mediawalls



Single-sided mediawall connects to runoff tables on one side.

sku	w	d	h	specifications	OAK oak WLT walnut
SSG	18	60	73 3/4	door/trash pedestal combination, use with 30" h runoff tables	10626

door/trash mediawall



SSI	18	60	73 3/4	long door, use with 30" h runoff tables	10272
-----	----	----	--------	---	-------

long door mediawall




specification codes example: BPS-SKU-BN

series	sku	pulls
blueprint		BN brushed nickel BK matte black
B P S -	-	


material/finish code example: OAK 805

material	finish
OAK oak WLT walnut	see page 4



single-sided mediawall use with 36" h

- mediawalls must be specified with additional runoff tables with mediawall connection
- tables connect to only one side of the mediawall
- 36" h and 42" h runoff tables connect to 86½" h mediawalls



Single-sided mediawall connects to runoff tables on one side.

	sku	w	d	h	specifications	OAK oak	
						WLT	walnut
door/trash mediawall	WSA	18	60	86½	door/trash pedestal combination, use with 36" h runoff tables	11333	
long door mediawall	WSC	18	60	86½	long door, use with 36" h runoff tables	10979	



specification codes example: BPS-SKU-BN


series	sku	pulls
blueprint		BN brushed nickel BK matte black
B P S -		

material/finish code example: OAK 805


material	finish
OAK oak WLT walnut	see page 4



- mediawalls must be specified with additional runoff tables with media wall connection
- tables connect to only one side of the mediawall
- 36" h and 42" h runoff tables connect to 86½" h mediawalls




specification codes example: BPS-SKU-BN				material/finish code example: OAK 805			
series	sku	pulls		material	finish		
blueprint		BN brushed nickel BK matte black		OAK oak WLT walnut	see page 4		
B P S -	-						



Single-sided mediawall connects to runoff tables on one side.

double-sided mediawall use with 30" h

- mediawalls must be specified with additional runoff tables with media wall connection
- tables connect to both sides of the mediawall
- 30" h runoff tables connect to 73 3/8" h mediawall



Double-sided mediawall connects to runoff tables on both sides.

sku	w	d	h	specifications	OAK oak WLT walnut
SDG	18	60	73 3/8	door/trash pedestal combination, use with 30" h runoff tables	10626

door/trash mediawall



SDI	18	60	73 3/8	long door, use with 30" h runoff tables	10272
-----	----	----	--------	---	-------

long door mediawall




specification codes example: BPS-SKU-BN

series	sku	pulls
blueprint		BN brushed nickel BK matte black
B P S -	-	


material/finish code example: OAK 805

material	finish
OAK oak WLT walnut	see page 4



double-sided mediawall use with 36" h

- mediawalls must be specified with additional runoff tables with media wall connection
- tables connect to both sides of the mediawall
- 36" h and 42" h runoff tables connect to 86½" h mediawalls




Double-sided mediawall connects to runoff tables on both sides.

	sku	w	d	h	specifications	OAK oak WLT walnut
door/trash mediawall	WDA	18	60	86½	door/trash pedestal combination, use with 36" h runoff tables	11333
long door mediawall	WDC	18	60	86½	long door, use with 36" h runoff tables	10979


specification codes example: BPS-SKU-BN		
series	sku	pulls
blueprint		BN brushed nickel BK matte black
B P S -	- - - -	- -

material/finish code example: OAK 805	
material	finish
OAK oak WLT walnut	see page 4
- - - -	- - - -



double-sided mediawall use with 42" h

- mediawalls must be specified with additional runoff tables with media wall connection
- tables connect to both sides of the mediawall
- 36" h and 42" h runoff tables connect to 86½" h mediawalls



Double-sided mediawall connects to runoff tables on both sides.

	sku	w	d	h	specifications	OAK	oak
						WLT	walnut
door/trash mediawall	WDD	18	60	86½	door/trash pedestal combination, use with 42" h runoff tables	11333	
long door mediawall	WDF	18	60	86½	long door, use with 42" h runoff tables	10979	




specification codes example: BPS-SKU-BN

series	sku	pulls
blueprint		BN brushed nickel BK matte black
B P S -	- - - -	- -

material/finish code example: OAK 805


material	finish
OAK oak WLT walnut	see page 4
- - - -	- - - -

30" h frame runoff table



frame base with mediawall connection

- connects to single and double sided 73 $\frac{5}{8}$ " h mediawalls
- 20" overhang on free ends of all 30" h tables
- frame base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall



Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36" d tables



sku	w	d	h	RA mediawall connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
JGA	72	36	30	3595	4892
JHA	78	36	30	3730	4987
JIA	84	36	30	4203	5541
JJA	90	36	30	4580	6049
JKA	96	36	30	4754	6178
JLA	102	36	30	5352	6746
JMA	108	36	30	5530	6883
JNA	114	36	30	5705	7022
JOA	120	36	30	5880	7160

42" d tables



JGB	72	42	30	3670	4968
JHB	78	42	30	3807	5063
JIB	84	42	30	4276	5614
JJB	90	42	30	4880	6352
JKB	96	42	30	5054	6479
JLB	102	42	30	5654	7048
JMB	108	42	30	5830	7183
JNB	114	42	30	6004	7322
JOB	120	42	30	6182	7461

48" d tables




JGC	72	48	30	3746	5041
JHC	78	48	30	3883	5137
JIC	84	48	30	4354	5690
JJC	90	48	30	4956	6427
JKC	96	48	30	5130	6555
JLC	102	48	30	5729	7120
JMC	108	48	30	5904	7259
JNC	114	48	30	6079	7398
JOC	120	48	30	6256	7536

specification codes example: BPS-SKU-RASQ000


series	sku	base	corner	grommet location	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		RA mediawall connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	R A	S Q					

36" h frame runoff table



frame base with mediawall connection

- only connects to single and double sided 86½" h mediawalls
- 60" w - 90" w has a 10" overhang, 96" w - 120" w has a 20" overhang
- frame base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall




Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36" d tables




sku	w	d	h	RA mediawall connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KEA	60	36	36	3472	4824
KFA	66	36	36	3612	4929
KGA	72	36	36	3746	5041
KHA	78	36	36	3883	5137
KIA	84	36	36	4354	5690
KJA	90	36	36	4730	6203
KKA	96	36	36	4905	6330
KLA	102	36	36	5502	6896
KMA	108	36	36	5681	7032
KNA	114	36	36	5854	7172
KOA	120	36	36	6031	7311

42" d tables



KEB	60	42	36	3547	4899
KFB	66	42	36	3686	5005
KGB	72	42	36	3819	5116
KHB	78	42	36	3956	5212
KIB	84	42	36	4428	5765
KJB	90	42	36	5029	6500
KKB	96	42	36	5204	6627
KLB	102	42	36	5804	7196
KMB	108	42	36	5980	7334
KNB	114	42	36	6155	7473
KOB	120	42	36	6332	7611

48" d tables




KFC	66	48	36	3760	5079
KGC	72	48	36	3896	5193
KHC	78	48	36	4032	5289
KIC	84	48	36	4504	5842
KJC	90	48	36	5105	6576
KKC	96	48	36	5280	6703
KLC	102	48	36	5878	7272
KMC	108	48	36	6055	7408
KNC	114	48	36	6229	7549
KOC	120	48	36	6406	7685

specification codes example: BPS-SKU-RASQ000


series	sku	base	corner	grommet location	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		RA mediawall connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	R A	S Q					

42''h frame runoff table




frame base with mediawall connection

- only connects to single and double sided 86½''h mediawalls
- 60''w - 90''w has a 10'' overhang, 96''w - 120''w has a 20'' overhang
- frame base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall




Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36''d tables



sku	w	d	h	RA mediawall connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LEA	60	36	42	3655	5049
LFA	66	36	42	3799	5155
LGA	72	36	42	3935	5270
LHA	78	36	42	4076	5369
LIA	84	36	42	4562	5941
LJA	90	36	42	4950	6466
LKA	96	36	42	5130	6596
LLA	102	36	42	5746	7181
LMA	108	36	42	5930	7321
LNA	114	36	42	6108	7466
LOA	120	36	42	6290	7606
LEB	60	42	42	3732	5124
LFB	66	42	42	3873	5232
LGB	72	42	42	4013	5347
LHB	78	42	42	4152	5446
LIB	84	42	42	4640	6017
LJB	90	42	42	5258	6775
LKB	96	42	42	5440	6905
LLB	102	42	42	6054	7491
LMB	108	42	42	6237	7631
LNB	114	42	42	6415	7776
LOB	120	42	42	6599	7917


42''d tables



specification codes example: BPS-SKU-RASQ000

series	sku	base	corner	grommet location	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		RA mediawall connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	R A	S Q					

30" h block runoff table




block base with mediawall connection

- only connects to single and double sided 73 $\frac{5}{8}$ " h mediawalls
- block base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall




Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36" d tables




sku	w	d	h	RC mediawall connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
JCA	48	36	30	4625	6041
JDA	54	36	30	4763	6146
JEA	60	36	30	4899	6252
JFA	66	36	30	5038	6355
JGA	72	36	30	5171	6469
JHA	78	36	30	5308	6565
JIA	84	36	30	5780	7116
JJA	90	36	30	6157	7628
JKA	96	36	30	6331	7756
JLA	102	36	30	6930	8323
JMA	108	36	30	7107	8460
JNA	114	36	30	7280	8598

42" d tables



JDB	54	42	30	4912	6298
JEB	60	42	30	5051	6401
JFB	66	42	30	5186	6507
JGB	72	42	30	5320	6618
JHB	78	42	30	5459	6714
JIB	84	42	30	5930	7267
JJB	90	42	30	6531	8003
JKB	96	42	30	6706	8130
JLB	102	42	30	7304	8700
JMB	108	42	30	7481	8835
JNB	114	42	30	7654	8975

48" d tables




JEC	60	48	30	5199	6558
JFC	66	48	30	5337	6655
JGC	72	48	30	5472	6768
JHC	78	48	30	5608	6864
JIC	84	48	30	6079	7418
JJC	90	48	30	6679	8152
JKC	96	48	30	6856	8280
JLC	102	48	30	7455	8849
JMC	108	48	30	7633	8984
JNC	114	48	30	7807	9123

specification codes example: BPS-SKU-RCSQ000


series	sku	base	corner	grommet location		material/finish code example: OAK 805 PLL 805		top finish	
blueprint		RC mediawall connection	SQ square	surface mount - pgs 90-92	mediatrac1 - pgs 94-106	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	R C	S Q						

36" h block runoff table




block base with mediawall connection

- only connects to single and double sided 86½" h mediawalls
- block base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall




Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36" d tables




sku	w	d	h	RC mediawall connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
KCA	48	36	36	4699	6117
KDA	54	36	36	4838	6221
KEA	60	36	36	4974	6325
KFA	66	36	36	5112	6432
KGA	72	36	36	5246	6543
KHA	78	36	36	5381	6641
KIA	84	36	36	5854	7192
KJA	90	36	36	6231	7702
KKA	96	36	36	6405	7830
KLA	102	36	36	7005	8397
KMA	108	36	36	7181	8535
KNA	114	36	36	7356	8672

42" d tables



KDB	54	42	36	4987	6370
KEB	60	42	36	5124	6478
KFB	66	42	36	5261	6581
KGB	72	42	36	5396	6693
KHB	78	42	36	5534	6790
KIB	84	42	36	6004	7342
KJB	90	42	36	6607	8077
KKB	96	42	36	6780	8205
KLB	102	42	36	7379	8773
KMB	108	42	36	7556	8909
KNB	114	42	36	7731	9050

48" d tables




KEC	60	48	36	5274	6630
KFC	66	48	36	5412	6731
KGC	72	48	36	5546	6844
KHC	78	48	36	5683	6939
KIC	84	48	36	6155	7492
KJC	90	48	36	6756	8229
KKC	96	48	36	6931	8356
KLC	102	48	36	7530	8924
KMC	108	48	36	7707	9060
KNC	114	48	36	7880	9200

specification codes example: BPS-SKU-RCSQ000


series	sku	base	corner	grommet location		material/finish code example: OAK 805 PLL 805		top finish	
blueprint		RC mediawall connection	SQ square	surface mount - pgs 90-92	mediatrac1 - pgs 94-106	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -		R C	S Q						

42''h block runoff table




block base with mediawall connection

- only connects to single and double sided 86½''h mediawalls
- block base runoff tables with mediawall connection must be specified with single-sided or double-sided mediawall




Runoff mediawall connection only connects to single-sided or double-sided mediawalls.

36''d tables



sku	w	d	h	RC block connection	
				PLL solid WGL woodgrain	OAK oak WLT walnut
LCA	48	36	42	4776	6192
LDA	54	36	42	4912	6298
LEA	60	36	42	5051	6401
LFA	66	36	42	5187	6507
LGA	72	36	42	5320	6618
LHA	78	36	42	5459	6714
LIA	84	36	42	5930	7267
LJA	90	36	42	6306	7778
LKA	96	36	42	6481	7904
LLA	102	36	42	7079	8473
LMA	108	36	42	7257	8610
LNA	114	36	42	7431	8749

42''d tables



LDB	54	42	42	5063	6446
LEB	60	42	42	5199	6551
LFB	66	42	42	5337	6655
LGB	72	42	42	5472	6768
LHB	78	42	42	5608	6864
LIB	84	42	42	6079	7418
LJB	90	42	42	6679	8152
LKB	96	42	42	6856	8279
LLB	102	42	42	7455	8849
LMB	108	42	42	7633	8984
LNB	114	42	42	7807	9124

specification codes example: BPS-SKU-RCSQ000

series	sku	base	corner	grommet location	material/finish code example: OAK 805 PLL 805			
					base material	base finish	top material	top finish
blueprint		RC mediawall connection	SQ square	surface mount - pgs 90-92 mediatrac1 - pgs 94-106 000 none or undermount - pgs 86 - 89	OAK oak WLT walnut	see page 4	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see page 3 - 4
B P S -	-	R C	S Q					

Under Mount Power


Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (7) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on pages 87-89. Installation instructions are included with each power unit. Power is specified separately and installed in the field.

Power Modules
Matte Black Finish




power + power
(2) 120 v 60 Hz.
15 amp receptacles
120 v 60 Hz.
braided cotton 10' cord
grounded plug
UL 962 listed




power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing
with Location for Mini AAP Plate



Sequential Connector
Matte Black Finish




Power Infeed
10' Grounded Plug
Required per individual SKU
Braided Cord



Blueprint Wire Management





Blueprint power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Blueprint table with under mount power.



The multi-wire clip presents a wire management solution that offers space for (2) thicker power cords and an area for ethernet cords and smaller cords in the center. This system for wire management provides a cleaner and more simplified look by containing wires up against the extrusion.

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.








# of Kits	sku	specifications	PP power + power	PU power + usb + usb-c
1 Module Kit				
	U01S	48" - 120" Table	\$ 358	\$ 506
				
2 Module Kits				
	U28S	48" - 72" Table 24" - 30" Narrow Depth Tops	1196	1656
	U28L	78" - 120" Table 24" - 30" Narrow Depth Tops	1300	1760
single sided option for 24"d and 30" d narrow tops				
				
	U02S	48" - 120" Table	1068	1527
				
3 Module Kits				
	U29S	48" - 72" Table 24" - 30" Narrow Depth Tops	1436	2126
	U29L	78" - 120" Table 24" - 30" Narrow Depth Tops	1644	2334
single sided option for 24"d and 30" d narrow tops				
				
	U03S	48" - 120" Table	1436	2126
				

specification codes example: ACS-SKU-PP

series	sku	power style
		PP power + power PU power + usb + usb-c
A C S -	-	


Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PP power + power	PU power + usb + usb-c
				
4 Module Kits				
	U27S	42" - 72" Round Table 36" - 66" Arched Table	\$ 1775	\$ 2694
		 		
	U04S	48" - 120" Table	1775	2444
				
5 Module Kits				
	U05S	48" - 120" Table	2236	3249
				
6 Module Kits				
	U06S	48" - 120" Table	2342	3654
				
7 Module Kits				
	U07S	48" - 120" Table	2839	4556
				

specification codes example: ACS-SKU-PP

series	sku	power style
		PP power + power PU power + usb + usb-c
A C S -	-	

	description	sku	w	d	h	specifications	price
	under mount replacement housing for use with Extron® MAAP installed in the field by end user switch existing housing onsite to this housing to accommodate Extron® MAAP	UPH	7⅞	3¾	1½		\$ 193
	blank plate Extron® MAAP blank plate black powder coat finish single space insert	MP6	2⅞	-	⅝		144
	computer/audio/video mini module Extron® MAAP HDMI female to HDMI female on 10" pigtail single space insert	MP1	2⅞	-	⅝		370
	computer/audio/video mini module Extron® MAAP display port female to display port female on 10" pigtail single space insert	MP3	2⅞	-	⅝		370
	phone/data mini module Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert	MP4	2⅞	-	⅝		256
	phone/data mini module Extron® MAAP one RJ45 female to female barrel single space insert	MP5	2⅞	-	⅝		221

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

Surface Mount Power Module




Blueprint offers a proprietary surface mount power solution allowing quick and easy daisy chaining of tables. A maximum of (3) surface mount power modules can be connected on a single power infeed.

The surface mount power module is available in one configuration with (2) 15 amp grounded receptacles, (1) 2 amp USB-A port and (1) 2 amp USB-C port.

Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. If specified as a single module, the unit will have a 10' infeed with a grounded plug rather than a sequential connector.


Surface mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: End user installation will be required per individual SKU.
Power specified separately. See the following pages for grommet codes.


Power Module

Black, Silver or White Finish




Sequential Connector

Matte Black Finish



Power Infeed

10' Grounded Plug



Updated Information Shown in RED

(2) 120 v 60 Hz. 15 amp receptacles



(1) 2 amp USB-A port, 10 watt

(1) 2 amp USB-C port, 20 watt

6½" w x 3" d x 2¾" h

Surface Mount power grommet kits and locations codes for veneer and laminates tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	price
Z01	42" - 72" Round and Arched Tables (1) surface mount module 	\$ 831
	48" - 120" Table 36" - 48" Depth Tops (1) surface mount module 	831
Z11	48" - 120" Table 24" - 30" Narrow Depth Tops (1) surface mount module 	831
Z06	48" - 120" Mediawall/Wall Mount Option (1) surface mount module 	831

specification codes example: ACS-SKU-120






series	sku	table length
top		042 084 048 090 054 096 060 102 066 108 072 114 078 120
A C S -	-	

material + finish code example: BK

finish
BK black SV silver WH white

Surface Mount power grommet kits and locations codes for veneer and laminates tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length and finish below.

sku	specifications	price
Z02	84" - 90" Table 36" - 48" Depth Tops (2) surface mount modules 	\$ 1796
	96" - 120" Table 36" - 48" Depth Tops (2) surface mount module 	1796
Z12	96" - 120" Table 24" - 30" Narrow Depth Tops (2) surface mount modules 	1796
Z03	114" - 120" Table 36" - 48" Depth Tops (3) surface mount modules 	2463
Z13	114" - 120" Table 24" - 30" Narrow Depth Tops (3) surface mount modules 	2463

specification codes example: ACS-SKU-120

series	sku	table length
top		084 090 096 102 108 114 120
A C S -	-	

material + finish code example: BK

finish
BK black SV silver WH white


Round Surface Power Module



Available only for the round and arched square tables, the Round Surface Power Module offers a simple and clean way of bringing power and USB to the worksurface.

The Power Module installs flush to the worksurface and is offered in one configuration: (1) receptacle and (1) 2 amp USB-A port and (1) 2 amp USB-C port.


The power module is UL approved with spill-proof technology and a 15 amp 10' power infeed. Power module power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Blueprint Power Module is ideal for charging tablets or other USB friendly devices.


Note: End user installation will be required per individual SKU.
Power specified separately. See below for grommet code.

Power Module
Brushed Nickel / Matte Black / Matte White



Updated Information Shown in RED
(1) 20 v 60 Hz. 15 amp receptacles
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
10' braided cotton cord
3 3/8w" x 3 3/8d" x 2 5/8h"

Power Infeed
10' Grounded Plug



Specify table length and finish below.

sku	specifications	price
004	42" - 72" Tables	\$ 656

specification codes example: ACS-004-048

series	sku	table length
accessories		042 048 054 060 066 072
A C S -	0 0 4 -	

finish code example: WH

finish
BK black BN brushed nickel WH white


Mediatrac 1™

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.


Power Infeed
72" long,
15 amp cord.



**Note: End user installation will be required per individual SKU.
Power specified separately. See pages 98-104 for grommet codes.**


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug,
accepts 2 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug,
accepts 4 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs,
accepts 8 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the following)

Power Module



Number and configuration
of grommet modules determined
by the grommet code

Jumper (if required)



Jumper are determined by the
length of the top specified

Connector + H-Block



Will be included in kit when the
4-trac option is specified


Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug




72" 4-Trac Power Infeed with Hardwired Conduit




72" Power Infeed with 15 amp plug



72" 3/8" Hardwire Whip



15 amp receptacle





20 amp receptacle, 4-Trac Only

Wire Management Snake



brushed nickel finish
flexible cable management
weighted metal base

Mediatrac 1 Dimensional Specifications




Detail of Mediatrac 1 Rail

The narrow frame leg has a smaller span, pulling an 11" width from the outside of each extrusion.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


- Power Infeed
- Power Module Whip
- Modular Connector
- Jumper
- Power Drop
- Power Module
- H-Block



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.

Mediatrac1™ Grommet Placement Kits


Mediatrac1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your table)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish

The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:
120" x 54" Table Top
Walnut Vvener, 870 Finish
M08 Grommet Code with 4-trac Corded Power
Walnut Door/Brushed Aluminum Trim





specification codes example: MGS-M08-4TC120

series	sku	power option	table length
top		CRD corded	096 150 204
		HWD hardwired	102 156 210
		4TC four trac corded	108 162 216
		4TH four trac hardwired	114 168 222
			120 174 228
			126 180 234
			132 186 224
			138 192
			144 198
M G S -	M 0 8 -	4 T C	1 2 0

material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
WH satin white powder coat	PLL solid laminate	
GR graphite powder coat	WGL woodgrain laminate	
BZ bronze powder coat	MPL maple	
IG iron grey powder coat	OAK oak	
RD black red powder coat		
BK matte black powder coat		
B A	W L T	8 7 0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

		frame material
sku	specifications	ALM aluminum
B01	42" - 240" Round and Square Tables	\$ 148
	(1) 3" single round pass through grommet kit 	
	48" - 120" Table	148
	(1) 3" single round pass through grommet kit 	

specification codes example: ACS-SKU






series	sku
top	
A C S -	-

material + finish code example: BA

frame finish	
BA	brushed aluminum
WH	satin white powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
RD	black red powder coat
BK	matte black powder coat

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
Mediatrac 1 kits are not available for Narrow 42" Frame Base tables.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
B03	42" - 72" Round and Arched Square Tables	\$ 1922	\$ 2163	\$ 3004
	(1) 8" double door mediatrac grommet			
				
	48" - 120" Table	1922	2163	3004
	(1) 8" double door mediatrac grommet			
				
B04	60" - 90" Table	2643	2883	4867
	(2) 8" single door mediatrac grommets			
				
	96" - 120" Table	2643	2883	4867
	(2) 8" single door mediatrac grommets			
				
B06	78" - 120" Table	2704	2945	4025
	(1) 24" double door mediatrac grommet			
				

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length	
top		CRD corded	042	084
		HWD hardwired	048	090
		4TC four trac corded	054	096
		4TH four trac hardwired	060	102
			066	108
			072	114
			078	120
M G S -				




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$75	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat		
RD black red powder coat		
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid materi, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
Mediatrac 1 kits are not available for Narrow 42" Frame Base tables.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
B05	78" - 90" Table (2) 8" double door mediatrac grommets 	\$ 3484	\$ 3725	\$ 5766
	96" - 120" Table (2) 8" double door mediatrac grommets 	3484	3725	5766
B07	84" - 90" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4205	4686	7569
	96" - 120" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4205	4686	7569

specification codes example: MGS-SKU-CRD120



series	sku	power option	table length
top		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	078 084 090 096 102 108 114 120
M G S -	-		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum powder coat upcharge 150 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see pages 3-5

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
Mediatrac 1 kits are not available for Narrow 42" Frame Base tables.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
B08	114" - 120" Table (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	\$ 4926	\$ 5406	\$ 8350
B12	108" - 240" Table (2) 24" double door mediatrac grommets 	5419	5899	7509

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length		
top		CRD corded	108	168	228
		HWD hardwired	114	174	234
		4TC four trac corded	120	180	240
		4TH four trac hardwired	126	186	
			132	192	
			138	198	
			144	204	
			150	210	
			156	216	
			162	222	
M G S -	-				


material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat		
RD black red powder coat		
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid materi, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
Mediatrac 1 kits are not available for Narrow 42" Frame Base tables.

sku specifications		lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
B10	114" - 120" Table	\$ 5226	\$ 5707	\$ 8649
(3) 8" double door mediatrac grommets				
				

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	114
		HWD hardwired	120
		4TC four trac corded	
		4TH four trac hardwired	
M G S -	-		





material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$225	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat		
RD black red powder coat		
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid materi, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
Mediatrac 1 kits are not available for Narrow 42" Frame Base tables.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
BW1	48" - 120" Table	\$ 1322	\$ 1442	\$ 2433
	(1) 8" single door mediatrac grommet			
				
BW2	48" - 90" Table	1322	1442	2433
	(1) 8" single door mediatrac grommet			
				
	96" - 120" Table	1322	1442	2433
	(1) 8" single door mediatrac grommet			
				
BW6	78" - 120" Table	2704	2945	4025
	(1) 24" double door mediatrac grommet			
				

specification codes example: MGS-SKU-CRD120





series	sku	power option	table length
top		CRD corded	048 090
		HWD hardwired	054 096
		4TC four trac corded	060 102
		4TH four trac hardwired	066 108
			072 114
			078 120
			084
M G S -			

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$75	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat		
RD black red powder coat		
BK matte black powder coat		

Mediatrak 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.
 Mediatrak 1 kits are not available for Narrow 42" Frame Base tables.



sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
BW5	66" - 90" Table	\$ 3484	\$ 3725	\$ 5766
	(2) 8" double door mediatrak grommets			
				
	96" - 120" Table	3484	3725	5766
	(2) 8" double door mediatrak grommets			
				
BW8	90" Table	4565	5046	7928
	(1) 8" single door mediatrak grommet			
	(1) 24" double door mediatrak grommet			
				
	96" - 120" Table	4565	5046	7928
	(1) 8" single door mediatrak grommet			
	(1) 24" double door mediatrak grommet			
				

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length	
top		CRD corded	066	096
		HWD hardwired	072	102
		4TC four trac corded	078	108
		4TH four trac hardwired	084	114
			090	120
M G S -				

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat		
RD black red powder coat		
BK matte black powder coat		





description		sku	w	d	h	price
	wire management snake	VGW	2½	2½	30	\$ 190
	brushed aluminum or brushed nickel finish flexible cable management system weighted metal base specify finish code BA or BN conference height ONLY					
	equipment tray	VMN	18	12	3	298
	flaps					
	wire clip	VNZ	6	2¼	1¾	72
	hooks onto mediatrac rail smoke polycarbonate finish 4 included with each table at no charge					
	wire management kit	WMK	1 5⁄8	7⁄8	1½	193
	12 multi wire clips 8 wire clips black					

specification codes example: ACS-SKU

material + finish code example: BA

series	sku
accessories	
A C S -	

BA	brushed aluminum
BN	brushed nickel

	description	sku	w	d	h	price
	power strip 6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed	VNY	12¼	2	1¾	\$ 525
	blank plate Extron® AAP blank plate with black powder coat finish single space insert	VGG	3½	-	5⁄8	154
	cable pass-through module Extron® AAP cable pass-through with black powder coat finish sold and ordered as 1 set with left and right single space insert	VGY	3½	-	1¾	441
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert	VGD	3½	-	5⁄8	332
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert	VGK	3½	-	5⁄8	266
	phone/data module Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert	VGP	3½	-	5⁄8	369
	phone/data module Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert	VGL	3½	-	5⁄8	369

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

	description	sku	w	d	h		price
	phone/data module Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1⅜		\$ 502
	computer/audio/video module Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	⅝		369
	control/computer module Extron® AAP two USB A female to female barrels single space insert	VGR	3½	-	⅝		369
	power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert	VG9	3½	-	⅝	Available in 2024	1265
	usb charging module Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	⅝		717
	computer/audio/video module Extron® SuperPlate 110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert	VG6	3½	-	1⅝		586

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchant ability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.

A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum**.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	6%	\$150
Zone 5	7%	\$150

Percent bases on List Price.


Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53’ trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

