Cleaning Guidelines:
Ceilings, Walls, Suspension Systems, and Trim

Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ Mineral fiber or fiberglass products should always use Cleaning Option 1.

Cleaning Option 1:

A commercial vacuum system with 100-inches/H2O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize airborne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

Cleaning Option 2:

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth. Note: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
AcoustiBuilt®	•	•
Armatuff®	•	•
Backstage Noir®	•	
Calla® Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DesignFlex® Calla® Vector®	•	•
Calla® Calla® Health Zone™ AirAssure®	•	•
Canyon® Canyon® for Prelude® XL Max®	•	•
Ceramaguard® Ceramaguard® Fine Fissured™	•	•

Armstrong®
World Industries

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
Cirrus®		
Cirrus® High NRC		
Cirrus® Profiles	•	•
Cirrus® Second Look®		
Cirrus® Themes™		
Clean Room™		
Clean Room™ FL		
Clean Room™ FL for Prelude® XL Max®	•	•
Clean Room™ VL		
Cortega®		
Cortega® Second Look®	•	•
Designer™	•	•
DesignFlex® for Formations™	•	•
Dune™		
Dune™ Second Look®	•	•
FeltWorks®		
FeltWorks® Acoustical Panels		
FeltWorks® Blades – HookOn	•	
FeltWorks® Blades – VarAffix™		
FeltWorks® Open Cell		
Fine Fissured™		
Fine Fissured™ for Prelude® XL Max®		
Fine Fissured™ High NRC	•	•
Fine Fissured™ Second Look®		
Fissured	•	•
Formations™		
Formations™ Curves Cloud Kits		
Formations™ for Drywall Cloud Kits		
Formations™ Planks Cloud Kits	•	•
Formations™ Squares & Rectangles Cloud Kits		
Formations™ Staggered Cloud Kits		
Georgian™ High Washability	•	•
Graphis®		
Graphis® Finetex™	•	•
Graphis® Rustex™		
Infill Panels	•	•
Infusions®		
Infusions® Accent Canopies		
Infusions® Blades – Concepts	•	
Infusions® Lay-in		
Infusions® Shapes		

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
InvisAcoustics™	•	•
Kitchen Zone™	•	•
Ledges®	•	•
Lyra® 　Lyra® Concealed 　Lyra® Capz™ 　Lyra® Plant Based (PB) 　Lyra® PB Direct Apply 　Lyra® PB Shapes for DesignFlex® 　Lyra® PB High CAC 　Lyra® Vector®	•	•
Mesa™ 　Mesa™ Second Look	•	•
MetalWorks™ 　MetalWorks™ 3D 　MetalWorks™ Blades – Classics 　MetalWorks™ Canopies 　MetalWorks™ Capz™ 　MetalWorks™ Clip-On 　MetalWorks™ Concealed 　MetalWorks™ Immix™ 　　Blades 　　Linear 　MetalWorks™ Open Cell 　MetalWorks™ Plank 　MetalWorks™ SecureLock 　MetalWorks™ Shapes for DesignFlex® 　MetalWorks™ Tegular 　MetalWorks™ Tegular for DesignFlex® 　MetalWorks™ Tin 　MetalWorks™ Torsion Spring 　MetalWorks™ Torsion Spring Shapes 　MetalWorks™ Vector® & Vector® Exterior 　MetalWorks™ Linear 　　MetalWorks™ Linear – Classics 　　MetalWorks™ Linear – Diverge™ 　　MetalWorks™ Linear – Synchro® 　MetalWorks™ Mesh 　　Expanded Metal 　　Welded Wire 　　Woven Wire	•	•
Metaphors® Coffers	•	•
Optima® Create!™	•	

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
Optima®		
Optima® Concealed		
Optima® Health Zone™		
Optima® Lay-in & Tegular	•	•
Optima® PB Shapes for DesignFlex®		
Optima® Plant Based		
Optima® Vector®		
Optima® Capz™		
Painted Nubby™	•	•
Pebble™	•	•
Pueblo™	•	•
Random Fissured™	•	•
School Zone® Fine Fissured™		
School Zone® Fine Fissured™	•	•
School Zone®		
School Zone® Fine Fissured™ AirAssure®	•	•
Serpentina®		
Serpentina® Classic		
Serpentina® Components	•	•
Serpentina® Vault		
Serpentina® Waves™		
Shasta®	•	•
SoundScapes®		
SoundScapes® Acoustical Canopies		
SoundScapes® Basics	•	•
SoundScapes® Blades		
SoundScapes® Shapes		
SuperCoat™ Touch-Up Paint (Ceiling)	•	•
TechZone® Panels		
TechZone® with Calla® Field Panels		
TechZone® with Lyra® PB Field Panels		
TechZone® with Lyra® PB Technical Panels		
TechZone® with MetalWorks™ Field Panels		
TechZone® with MetalWorks™ Technical Panels		
TechZone® with Optima® Field Panels	•	•
TechZone® with Optima® Technical Panels		
TechZone® with Ultima® Field Panels		
TechZone® with Ultima® Technical Panels		
TechZone® with WoodWorks® Field Panels		
TechZone® with WoodWorks® Technical Panels		

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
Tectum®	•	•
Tectum® Blades & Baffles		
Tectum® Clouds & Shapes		
Tectum® Create!™		
Tectum® Direct-Attach Ceilings		
Tectum® DesignArt™		
Tectum® DesignArt™ – Lines		
Tectum® DesignArt™ – Shapes		
Tectum® DesignArt™ – Lines High NRC		
Tectum® Finale™ Ceiling Panels		
Tectum® Finale™ PB		
Tectum® High NRC		
Tectum® Lay-in		
Tectum® Tegular		
Tincraft™	•	•
Tundra®	•	•
Ultima®	•	
Ultima® Create!™		
Ultima®	•	
Ultima® Health Zone™ Create!™		
Ultima®	•	•
Ultima® Health Zone™ AirAssure®		
Ultima®	•	•
Ultima® for Prelude® XL Max®		
Ultima® Health Zone™		
Ultima® Health Zone™ High NRC		
Ultima® High NRC		
Ultima® Lay-in & Tegular		
Ultima® Shapes for DesignFlex®		
Ultima® Vector®		
Ultima® AirGuard™ Coating		

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
VL	•	•
WoodWorks®		
WoodWorks® Channeled Plank		
WoodWorks® Channeled Tegular		
WoodWorks® Channeled Vector®		
WoodWorks® Concealed		
WoodWorks® Grille – Classics		
WoodWorks® Grille – Forté		
WoodWorks® Grille Tegular		
WoodWorks® Linear Solid Wood Panels	•	•
WoodWorks® Linear Tegular		
WoodWorks® Linear Veneered Closed		
WoodWorks® Linear Veneered Panels		
WoodWorks® Linear Veneered Open		
WoodWorks® Open Cell		
WoodWorks® Shapes for DesignFlex®		
WoodWorks® Tegular		
WoodWorks® Torsion Spring		
WoodWorks® Vector®		

Product	STANDARD CLEANING RECOMMENDATIONS – WALLS	
	Cleaning Option 1	Cleaning Option 2
FeltWorks®		
FeltWorks® Acoustical Panels	•	
Infusions™		
Infusions™ Resilient Partitions		
Infusions™ Sheets	•	•
Infusions™ Walls		
MetalWorks™ Linear – Synchro® Wall Panels	•	•
Optima™ Wall Panels	•	•
Painted Nubby™ Wall Panels	•	•
SoundScapes™ Blades Walls	•	•
Soundsoak®		
Soundsoak® 60 Mineral Fiber	•	•
Soundsoak® 85 Fiberglass		
Tectum®		
Tectum® Create!™		
Tectum® Direct-Attach Walls		
Tectum® DesignArt™		
Tectum® DesignArt™ – Lines		
Tectum® DesignArt™ – Shapes	•	•
Tectum® DesignArt™ – Lines High NRC		
Tectum® Finale™ PB		
Tectum® Finale™ Wall Panels		
Tectum® High NRC		
WoodWorks®		
WoodWorks® Channeled		
WoodWorks® Walls	•	•
WoodWorks® Grille – Classics		
WoodWorks® Grille – Forté		

Product	STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS	
	Cleaning Option 1	Cleaning Option 2
Suspension Systems		
Suprafine® XL® Suprafine® XL® 9/16" Exposed Tee Suprafine® XL® Fire Guard™ 9/16" Exposed Tee Suprafine® XL® High Recycled Content **Suprafine® XM** Suprafine® XM® 9/16" Exposed Tee System for Shapes	•	•
1-1/2" Co-Extruded Clean Room™ **15/16" Co-Extruded Clean Room™**	•	•
360 Painted Grid	•	•

Axiom®
    Axiom® Building Perimeter Pockets for Lutron Shades
    Axiom® Building Perimeter Shade Pockets
    Axiom® Classic
    Axiom® Direct Light Coves
    Axiom® Drywall Trim
    Axiom® Glazing Channel
    Axiom® Indirect Field Light Coves
    Axiom® Indirect Light Coves
    Axiom® Indirect Light Ledge
    Axiom® Knife Edge®
    Axiom® Moldings & Column Rings
    Axiom® Paired
    Axiom® Transitions
    Axiom® Vector
    Axiom® Interlude®
	•	•

Accessories & Moldings	•	•
Accessories & Moldings – Seismic	•	•
Acoustical & Drywall Transition Molding	•	•
Continuous Load Path (CLP) for Prelude® XL®	•	•
DynaMax®	•	•
DynaMax® Plus	•	•
Drywall Grid Accessories	•	•
FrameAll™ Drywall Grid	•	•
Interlude® XL® HRC Dimensional Tee	•	•

Product	STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS	
	Cleaning Option 1	Cleaning Option 2
Prelude®		
Prelude® Concealed		
Prelude® ML		
Prelude® ML 15/16" Exposed Tee		
Prelude® XL®		
Prelude® XL® 15/16" Exposed Tee		
Prelude® XL® 15/16" for Exterior Applications		
Prelude® XL® Fire Guard™ 15/16" Exposed Tee		
Prelude® XL® High Recycled Content		
Prelude® Plus XL®	•	•
Prelude® Plus XL® Aluminum 15/16" Exposed Tee		
Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee		
Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee		
Prelude® Plus XL® 15/16" Exposed Tee		
Prelude® Plus XL® 15/16" for Exterior Applications		
Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee		
Prelude® Plus XL® High Recycled Content		
Prelude® XL Max®		
Prelude® XM		
Prelude® XM 15/16" Exposed Tee System for Shapes		
QuikStix™		
QuikStix™ Drywall Grid System Locking Pocket Mains	•	•
QuikStix™ Drywall Grid System for Soffits		
ShortSpan® Drywall Framing System	•	•
Silhouette® XL®		
Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal	•	•
Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal		
SimpleSoffit® Drywall Framing System	•	•
SingleSpan™ Acoustical Corridor System	•	
Suprafine® ML 9/16" Exposed Tee	•	•
Lighting Solutions		
Linear Lighting		
Linear Lighting for Drywall	•	•
Linear Lighting for AcoustiBuilt®		

armstrongceilings.com/commercial

BPCS-5420-923

Armstrong®
World Industries