



CONNECTION ZONE[®] COLLECTION

PRICE LIST

EFFECTIVE NOVEMBER 1, 2023
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery	
Information	3
Connection Zone® Benching	
Technical Specifications	4
Product Color Options	7
Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29” Height	
24” Deep	8
Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height	
30” Deep	9
Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height	
24” Deep	10
30” Deep	11
Extended Corner Worksurfaces for Steel Leg Frames - 29” Height	
24” and 30” Deep	12
Adjoining Worksurfaces for Steel Leg Frames - 29” Height	
24” and 30” Deep	13
Return Worksurfaces for Steel Leg Frames - 29” Height	
24” and 30” Deep	14
Peninsula Worksurfaces for Steel Leg Frames - 29” Height	
24” and 30” Deep	15
Conference End Worksurfaces for Steel Leg Frames - 29” Height	
24” and 30” Deep	16
Single-Sided Steel Leg Frames - 24” Fixed, 29” Height	
Supports Single-Sided 24” Deep Fixed Worksurfaces	17
Single-Sided Steel Leg Frames - 24” Fixed /Conference Ends, 29” Height	
Supports Single-Sided 24” Deep Fixed Worksurfaces	18
Single-Sided Steel Leg Frames - 30” Fixed, 29” Height	
Supports Single-Sided 30” Deep Fixed Worksurfaces	19
Perpendicular Steel Leg Support Frames - 29” Height	
	20
Dual-Sided Steel Leg Frames - 48” Fixed, 29” Height	
Supports Two 24” Deep Back-to-Back Fixed Worksurfaces	21
Dual-Sided Steel Leg Frames - 48” Sliding, 29” Height	
Supports Two 24” Deep Back-to-Back Sliding Worksurfaces	22
Dual-Sided Steel Leg Frames - 60” Fixed, 29” Height	
Supports Two 30” Deep Back-to-Back Fixed Worksurfaces	23
Dual-Sided Steel Leg Frames - 60” Sliding, 29” Height	
Supports Two 30” Deep Back-to-Back Sliding Worksurfaces	24
Dual-Sided Steel Leg Frame - 48” Fixed w/Conference Ends, 29” Height	
Supports Two 24” Deep Back-to-Back Fixed Worksurfaces	25
Dual-Sided Steel Leg Frame - 60” Fixed w/Conference Ends, 29” Height	
Supports Two 30” Deep Back-To-Back Fixed Worksurfaces	26
Dual-Sided Steel Leg Frame - 48” Sliding w/Conference Ends, 29” Height	
Supports Two 24” Deep Back-to-Back Sliding Worksurfaces	27
Dual-Sided Steel Leg Frame - 60” Sliding w/Conference Ends, 29” Height	
Supports Two 30” Deep Back-To-Back Sliding Worksurfaces	28
Dual-Sided Steel Leg Support Frames - 29” Height	
	29
Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height	
24” Deep	30
30” Deep	31

Return Worksurfaces for Wood Leg Frames - 29” Height	
24”, 27” and 30” Deep	32
Dual-Sided Wood Leg Frames - 48” Fixed, 29” Height	
Supports Two 24” Deep Back-to-Back Fixed Worksurfaces	34
Dual-Sided Wood Leg Frames - 48” Sliding, 29” Height	
Supports Two 24” Deep Back-to-Back Sliding Worksurfaces	35
Dual-Sided Wood Leg Frames - 60” Fixed, 29” Height	
Supports Two 30” Deep Back-to-Back Fixed Worksurfaces	36
Dual-Sided Wood Leg Frames - 60” Sliding, 29” Height	
Supports Two 30” Deep Back-to-Back Sliding Worksurfaces	37
Wood Leg Return Support Frames - 29” Height	
	38
Wood Leg Rectilinear Desk with Modesty Panel - 29” Height	
30” and 36” Deep	39
Wood Leg Elliptical Desk with Modesty Panel - 29” Height	
36 and 42” Deep	40
Wood Leg Rectilinear Conference Tables - 29” Height	
36” and 42” Deep	41
48” and 60” Deep	42
Wood Leg Elliptical Conference Tables - 29” Height	
60” Deep	43
Electrical 10-Wire System 6-2-2 - 29” Height	
Wireway Assemblies for Single-Sided Applications	44
Electrical 10-Wire System 6-2-2 - 42” Height	
Wireway Assemblies for Single-Sided & Teaming Applications	45
Electrical 10-Wire System 6-2-2 - 29” Height	
Wireway Assemblies for Dual-Sided Applications	46
Base Infeed and Base Wire Enclosure	47
Electrical 10-Wire System 6-2-2	
Top Infeeds - 29” Steel Leg Assembly	48
Jumpers & Receptacles	49
Workrail Electrical 6-2-2	
For Attachment Below Center Work Rail Only	50
Electrical 10-Wire System 4-4-2 - 29” Height	
Wireway Assemblies for Single-Sided Applications	51
Wireway Assemblies for Dual-Sided Applications	52
Base Infeed	53
Electrical 10-Wire System 4-4-2	
Top Infeeds - 29” Steel Leg Assembly	54
Jumpers & Receptacles	55
Electrical - Hardwired Applications	
Single-Sided Hardwire Enclosure Assemblies	56
Dual-Sided Hardwire Enclosure Assemblies	57
Electrical 10-Wire System 6-2-2	
Top Infeed & Top Wire Enclosure - 29” Wood Leg Assembly	58
Accessories	
Top Wire Enclosure - 29” Steel Leg Assembly	59
Data Mount Bracket & Splice Kit	
	60
Electrical Components	
Power Modules - Corded	61
Pattern Single Circuit Electrical	62
Pattern Single Circuit Electrical System	63
Grommets	64

Privacy Screen	
13” High with Framed Fabric Insert	65
19” High with Framed Fabric Insert	66
31” High with Framed Fabric Insert	67
Divider Screen	
13, 19” or 31” High with Framed Fabric Insert	68
13 or 19” High with Framed Fabric Insert for Use on Perpendicular Worksurfaces	69
Privacy Screen	
13” High with Tool Rail and Framed Fabric Insert	70
19” High with Tool Rail and Framed Fabric Insert	71
Divider Screen	
13 or 19” High with Tool Rail and Framed Fabric Insert	72
13 or 19” High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces	73
Privacy Screen	
13” High with Framed Acrylic Insert	74
19” High with Framed Acrylic Insert	75
Divider Screen	
13 or 19” High with Framed Acrylic Insert	76
13 or 19” High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces	77
Privacy Screen	
13” High with Tool Rail and Framed Acrylic Insert	78
19” High with Tool Rail and Framed Acrylic Insert	79
Divider Screen	
13 or 19” High with Tool Rail and Framed Acrylic Insert	80
13 or 19” High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces	81
Accessories	
Steel Modesty Panel and Wire Access Cover For Use on 29” Single-Sided Steel Leg Assemblies	82
Wire Management for 29” Dual-Sided Assemblies	83
Double Arm Task Lights	84
Double Arm Task Lights with Occupancy Sensors	85
Double Arm Light Bases	86
Asymmetrical Task Lights	87
Asymmetrical Light Bases	89
Tool Rail Accessories	90
Single-Sided Rectilinear Worksurfaces - 42” Height	
24” Deep for use with Cafe Height Frames	91
30” Deep for use with Cafe Height Frames	92
Teaming Rectilinear Worksurfaces - 42” Height	
42” Deep for use with Cafe Height Frames	93
48” Deep for use with Cafe Height Frames	95
24” Fixed - 42” Height Steel Leg Frame	
Supports Single-Sided 24” Deep or Teaming Worksurfaces	97
30” Fixed - 42” Height Steel Leg Frame	
Supports Single-Sided 30” Deep Worksurfaces	98
Infeeds for Cafe Height Applications - 6-2-2	
For use with Cafe Height Frames Only	99
Top Wire Enclosure for Cafe Height Applications	
For use with Cafe Height Frames Only	100
Base Wire Enclosure for Cafe Height Applications	
For use with Cafe Height Frames Only	101
Connection Zone® Workrail Planning	
General Information	102
Product Color Options	103


Frameless Center Privacy Screen	
	104
Supporting Privacy Screen	
19” High with Framed Fabric Insert	105
19” High with Framed Acrylic Insert	106
19” High with Framed Dry Erase Steel Markerboard Insert	107
Laminate Counter Shelf	
For Attachment to Supporting Privacy Screen	108
Storage Cubby - Upmount	
For Attachment to Supporting Privacy Screen	109
Connection Zone® Storage	
Technical Specifications	110
Connection Zone® Storage	
Product Color Options	112
Credenzas	
Steel Shell and Drawers 18” High	113
Steel Shell and Drawers 21” High	114
Steel Shell and Drawers 24” High	115
Steel Shell, Laminate Front 18” High	116
Steel Shell, Laminate Front 21” High	117
Steel Shell, Laminate Front 24” High	118
Credenza Tops	
	119
Credenza Pads	
	120
Lockers	
Standard Size - All Doors	121
Standard Size with Lower Drawer	122
Large Size - All Doors	124
Locker Accessories	
	126
Pedestals	
Mobile	127
Pads	128
Accessories	129
Mobile Screens	
General Information	130
Product Color Options	131
Acrylic	132
Magnetic Dry Erase Steel	133
Fabric Tile	134
Magnetic Dry Erase Steel and Tackable Fabric	135
Accessories	136



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	System 3000..... MN	Maestro Stack Chairs GB
Evoke..... MN	Universal Overheads..... MN	Medical & Laboratory Stools..... OM
Genius Walls..... MN	Wireworks MN	MyPlace Lounge Seating..... HN
	Unite..... MN	MyWay Seating..... HN
Casegoods		Oath Task Chairs and Stools..... GB
Aristotle Tackboards.....MN	Residence Hall Furniture	Opt4 GB
Likha Tackboards.....MN	RoomScape Furniture MN	Pilot Task Chairs OM
		Promenade Seating SystemBW
Classroom Furniture		Ruckus..... GB
Intellect Wave Chairs..... GB	Screens	Sela Lounge Seating HN
Learn2 GB	All Terrain..... KP	Sift Task Chairs GB
Ruckus.....GB	Connection Zone.....BW	Signia Task Chairs and StoolsOM
	True/Volition KP	Soltice Metal Collection..... HN
Desking	Genesis KP	Soltice Multiple, Healthcare & Guest .HN
700 Series DeskingKP	Tattoo MN	Soltice II Healthcare Seating..... HN
Balance Overheads MN	Universal..... BW	Strive Multiple, Stack & Task GB
Genesis Desking..... MN		SwayBW
True Desking KP	Seating	Tattoo..... HN
Universal Overheads..... MN	400 Series Folding Chairs.....BW	Torsion-on-the-Go! Nesting Chairs GB
WorkZone Desking MN	600 Series Folding Chairs.....BW	Torsion Air Stack and Task Seating GB
	600 Series Stools.....BW	Zoetry HN
Files & Storage	Affina Collection..... HN	
700 Series Pedestal Cushion GB	Altus Task Chairs..... GB	
Connection Zone PadsBW	Apply Stack Chairs..... GB	
U-Series Pedestal Cushion..... GB	Calida Lounge Seating HN	
TattooBW	Diem Task Chairs OM	
	Doni Collection..... GB	
Fixed Seating	Gladly Lounge Seating VQ	
Concerto Auditorium Seating.....BW	Grazie Seating..... GB	
Single Pedestal Seating GB	Hub Modular Lounge Seating HN	
Jury Base Seating..... GB	Impress Task Chairs..... OM	
Lancaster Auditorium SeatingBW	Impress Ultra Task Chairs OM	
Sequence Seating..... GB	Jessa Lounge Seating HN	
University Seating..... GB	Jubilee Lounge Seating.....VQ	
	Katera Guest Chair..... GB	
Panel Systems	Kurv Benches..... HN	
All Terrain..... KP	LaResta Day Beds HN	
Balance Overheads MN	LimeLite GB	
	Lyra Lounge Seating..... HN	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



TECHNICAL SPECIFICATIONS

Worksurfaces

Worksurfaces are constructed of 1 1⁄8" thick, 45-pound density particleboard core. Adhered on the top is a .030" face sheet of high-pressure laminate and on the bottom with a .030" phenolic backer. Total worksurface thickness is 1 1⁄4" thick. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support brackets and support legs.

Worksurfaces are offered in rectangular and extended corner shapes to support multiple configurations. Worksurface overhang will vary by configuration and screen use. 74P and Knife edge styles are available and optional rectilinear shaped grommets may be specified for most worksurfaces. Knife edge use is restricted to the edge facing the occupant.

Frames

Steel Leg Frames

Frames are constructed of steel with a modular understructure consisting of end legs connected by a transverse telescoping center support beam. Longer runs can be achieved by adding intermediate legs and additional support beams as needed. Frame leg is a fixed height "goalpost" style with a cross section of 1 9⁄16" x 2 3⁄8". Glides offer 7⁄8" of height adjustment. Frames are offered in a variety of colors with a powder-coat finish.

29" Steel Leg - Standard Table Height

Frames are offered for single-sided and dual-sided applications. Single-sided frames are offered in 24" or 30" depths and support fixed worksurfaces of like depth. Dual-sided frames are offered in 48" or 60" depths and support either fixed or sliding worksurfaces in 24" and 30" depths.

42" Steel Leg - Cafe Height

Frames are offered for single-sided applications in 24" and 30" depths. Fixed worksurfaces on 24" frames are also available with 42" or 48" depth teaming tops.

Wood Leg Frames

Two hardwood end legs bolt to a steel apron which connects to a modular understructure, consisting of a modular transverse telescoping center support beam that connects to the next end wood leg frame apron. Longer dual-sided runs can be achieved by adding intermediate legs and additional support beams as needed. Frame leg is a fixed height 1 3⁄16" thick solid tapered hardwood upright. Glides offer 7⁄8" of height adjustment. Frames are offered in a variety of powder-coat finishes for the understructure, and various stains for the wood component.

29" Wood Leg

Frames are offered for dual-sided benching applications, desks, and conference tables. Dual-sided benching frames support pairs of either fixed or sliding worksurfaces in 24" and 30" depths. Desks feature single-beam frames that support a single top. Desks are offered in depths of 30", 36" and 42." Conference tables in 36" or 42" depths are supported by a single beam frame, and support a single top. Conference tables in 48" and 60" depths are supported by a dual-sided frame, and support a single top.

Modesty Panels

Modesty panels are offered on single-sided benching, wood leg desks and 42" teaming table configurations. Location and placement of modesty panels vary by model. Panels are constructed of 14-gauge (.075") x 10" tall perforated steel.

TECHNICAL SPECIFICATIONS

Privacy and Divider Screens

Privacy screens and divider screens are constructed with an aluminum frame that provides superior strength and can be powdercoated in frame matching colors or accent colors. The standard top rail provides a single slot that allows users to mount a paper management tool or an optional tool rail version containing three slots that allow mounting of additional accessories. Core material options include acrylic, acrylic markerboard and tackable upholstered fabric.

Height options include 13" and 19" in all cores and an additional 31" tackable fabric version in limited widths. Single privacy screens matching the widths of the worksurfaces are available up to 78". Privacy screens in 60", 72" and 84" widths are also available in two equal segments to equally divide worksurfaces. Privacy screens in 90" and 96" widths are available in two or three equal segments. The intersections of privacy screens are designed to attach divider screens. Divider screens (13", 19" and 31" high) can be appropriately matched to the privacy screen height.

Privacy Screens (Non-Supporting)

Privacy screens are located flush with the bottom of the worksurfaces and run parallel with the support beam. For single-sided steel leg applications, mounting brackets for the privacy screens are attached directly to the bottom of the worksurfaces. For steel and wood leg dual-sided applications, mounting brackets are attached to the support frame legs. Privacy screens are not offered on wood leg desks or wood leg conference tables. Divider screens can be attached to the ends and intersections of privacy screens.

Supporting Privacy Screens

The second type of privacy screens are supporting privacy screens, which are designed to support elevated storage units and are only available on steel and wood leg dual-sided applications. Material insert options include acrylic, acrylic markerboard and upholstered tackable fabric. Only 19" high supporting privacy screens are available which also accept 19" high divider screens. Divider screens are attached to the vertical posts of the supporting privacy screen frame. Single frame supporting privacy screens are available from 36" through 72" widths in 6" increments. Double-frame supporting privacy screens are available in 60", 72", 84" and 96" widths. The bottom aluminum rail accepts attachment of the 810/6-2-2 or 810/4-4-2 rigid wireway.

Frameless Privacy Screens

The third type of privacy screens are frameless privacy screens, which are designed to span the frame spacing and are only available on steel and wood leg dual-sided applications. Material insert options include translucent or colored acrylic, and clear or satin etched temper safety glass. Frameless privacy screens are available from 36" through 96" widths in 6" increments by 13" or 19" heights. Divider screens are not offered as a standard option for frameless privacy screen applications.

Divider Screens

Divider screens rest on top of the worksurface and run perpendicular to privacy screens. Divider screens attach to the privacy screens on one end and are supported by worksurface attachment brackets on the other end. When specified without privacy screens, divider screens attach to the worksurfaces on both ends. Divider screens are offered in heights of 13", 19" and 31". Material insert options include acrylic, acrylic markerboard and upholstered tackable fabric. The 31" high divider screen is only offered with tackable fabric insert only. All divider screens can be specified for attachment to worksurfaces with 74P and Knife edge styles.

Center Steel Cubbies

Center steel cubbies are used on steel leg dual-sided supporting privacy screens. The center steel cubbies are available with or without sliding doors in 36", 42", 48", 54", 60" and 72" widths by 13 1⁄2" depth. Cubbies are divided in the center with each half open to the opposite direction. Center steel cubbies with sliding doors include double bit locks with the keyed alike option available. The color of the powder-coated shell and door are separate options.

Laminate Cubbies

Laminate cubbies are used on steel leg dual-sided supporting privacy screens. Laminate cubbies are constructed of 5⁄8" particleboard core with low pressure laminate and self edges. The laminate cubbies are available in 36", 42", 48", 54", 60" and 72" widths by 15 3⁄4" depth. Laminate cubbies have a metal divider in the center with each half open to the opposite direction. The color of the shell, edge and metal partition are separate options.



TECHNICAL SPECIFICATIONS

Laminate Shelves

Laminate shelves are used on steel leg dual-sided supporting privacy screens. The laminate shelves are constructed of 3/4" particleboard core with 73P edges. They are available in 36", 42", 48", 54", 60", 72", 84" and 96" widths by 15 3/4" depth. Surface and edge color are separate options.

Electrical

810 10-Wire Electrical System

The US standard electrical system available on Connection Zone Benching is an 810 10-wire electrical system (20 amps per circuit). 10-wire rigid wireway harnesses are mounted to the underside of worksurfaces on steel leg single-sided applications. On steel and wood leg dual-sided applications, the wireway is located between worksurfaces and supported by a formed 14-gauge steel channel supported on each end by the frame supports. Power is supplied through a 6-2-2 configuration with six hot wires, two shared oversized neutral wires and two ground wires (one isolated ground and one building ground) or through a 4-4-2 configuration with four hot wires, four neutral and two ground wires (one isolated ground and one building ground). Rigid wireways pass power to 15-amp receptacles. The 810 10-wire electrical system is UL Listed per the UL 183 standard.

Base Power Infeed

The UL 183 electrical system permits power infeed in either of two locations. Power may be brought in at any intermediate leg location, or it may enter at the end of any run, directly into the end of the cable trough. Optional metal panels are available to shroud the infeed in the intermediate leg location (dual-sided applications only).

Top Power Infeed

Power and data may be brought into Connection Zone Benching through the use of a top power infeed. Top infeed assembly consists of a 10' extruded aluminum data and/or power pole, top cap and ceiling trim. The interior of the power pole features a septum for power and data cable separation.

Center Work Rail

The center rail-supported electrical is necessary for dual-sided applications when supporting privacy screens or frameless privacy screens are specified. The rigid wireways (which are identical to the 810/6-2-2 or 810/4-4-2 components) are attached to the bottom aluminum rail on site. Infeeds, jumpers and receptacles are specified the same as with the standard electrical.

10-Wire Table-to-Table Power Jumpers

18" power jumpers feature flexible metal conduit.

10-Wire Receptacles

15-amp receptacles for the modular electrical system feature injection molded components which snap fit into the rigid wireways.

Hardwired Electrical System

Receptacle enclosures are constructed of 18-gauge galvanized metal in accordance with the National Electrical Code. Widths are determined by table side height; height equals 2 1/2", width equals 2 1/2". Openings are for décor style receptacles and are located on one side for single-sided steel leg applications and on both sides for dual-sided applications. Grounding screw provided with each box.

Base power infeeds are 3/4" diameter liquid-tight enclosed conduit. Top power infeeds are provided by field electrician and are run down the 10' aluminum power/data pole.

Hardwired electrical components are intended for use in installations where hardwiring is required by local code (Chicago).

Hardwired Receptacles

15-amp receptacles for the modular electrical system feature injection molded components which snap fit into the rigid wireways.

TECHNICAL SPECIFICATIONS

Electrical (cont.)

Pattern Electrical System

The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). It allows for a maximum up to ten distribution blocks and up to 50' of power jumpers from the power infeed (in either direction), whichever comes first. Pattern allows up to eighteen power modules depending on table width, and connects to one 15-amp power supply cord (power infeed). Pattern is a non-sequential system and the infeed is compatible with ground fault interrupter (GFI/GFCI) outlets. Power modules for Connection Zone are specified separately.

Pattern Power Distribution Blocks

Pattern power distributions blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table power jumper kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run.

Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A connection quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Cable Management

Dual-sided applications: The cable tray is secured with a variable support bracket onto the understructure of the beam rails. The cable tray is evenly shared between the worksurfaces and is accessible from the top when specified with sliding worksurfaces. The cable tray is accessible from the underside of the structure when specified with fixed worksurfaces.

Power Modules

Dean® In-Surface Power Module

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 8.03" x 1.94" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern™ connector. Dean power module is rated at 15 amps/120 volts and is UL listed.

Dean Undersurface Power Module

Dean undersurface mounted power module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. The Dean undersurface power module is 5.50" long by 3.06" wide by 1.75" tall by 5.25" deep. The module has a smooth molded plastic faceplate with an anodized aluminum housing and secures under the worksurface with two 5/16 x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dean undersurface power module is rated at 15 amps/120 volts and is UL listed.



TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Nacre® Pop-Up In-Surface Power Module

Nacre Pop-Up In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic and is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Nacre power module is rated at 15 amps/120 volts and is UL listed.

Snap-In RPT Power Module with RPT Bracket

Snap-In RPT module is only available for use with Pattern™ electrical system. Snap-in module consists of two simplex receptacle ports (rated at 15 amps/125 volts). Snap-in RPT fits securely in user facing cutouts in corresponding RPT bracket, mounted under the worksurface. Modules come standard with a 40" cord with pattern connector, rated at 15 amps/120 volts and is UL listed.

Grommets

Flip-Top Grommets for Dean & Nacre Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean in-surface power modules on the pervious page, which allows retrofitting corresponding power modules at a later date. Grommets are finished with powder-coat paint available in all KI paint colors. The flip-up door is designed to allow cords to remian routed through the opening while it is closed and allows for more cord routing space when the flip-up door is open. Field installed.

Compliance

Connection Zone Benching is a UL Listed Office Furnishing per standard UL 1286 and Powered Furniture per standard UL 962.



Worksurfaces		Canyon Zephyr	LCA	Glitz Metallic	GZ	Plastic Grommet Color		Warm Grey	WG
Edge Color for 74P and Knife Edge Style		Castle Oak	LCO	Hazy Jade	HJ	Black	BL	Zesty Lime	ZL
		Casual Linen	LCU	Honey Bee	HY	Blue Grey	GR	Task Light	
		Cherry Storm	LCX	Light Tone	LG	Cool Grey	CG		
		Classic Linen	LGI	Mardi Gras	MG	Flannel	FN		BL
		Cloud Zephyr	LCL	Misty Brown	MY	Misty Brown	MY		SV
		Cocobala	LCC	Nemo	NE	Sand	SA		WH
		Crisp Linen	LRI	Nordic	ND	Warm Grey	WG		
		Desert Zephyr	LDZ	Purple Haze	PH	Metal Grommet Color			
		Designer White	LDR	Rainforest	RQ	Black	BL		
		Dove Grey	LDG	Raw Jasper	RJ	Blue Grey	GR		
		Flax Linen	LXF	Rubber Ducky	RK	Bronze Metallic	ZM		
		Florence Walnut	LFC	Sand	SA	Champagne Metallic	CM		
		Forged Steel	LOL	Starlight Silver Metallic	SX	Cool Grey	CG		
		Friston Ash	LFH	Surf's Up	SP	Cottonwood	CO		
		Frosty White	LFW	Tarragon	TQ	Flannel	FN		
		Graphite Nebula	LGN	Twilight Shadow	TI	Misty Brown	MY		
		Grey	LGE	Ultra Blue	UB	Starlight Silver Metallic	SX		
		High Rise	LHE	Warm Grey	WG	Warm Grey	WG		
		Hollyberry	LHY	Zesty Lime	ZL	Electrical Base Infeeds			
		Island	LID	Wood Finish Color		Black	BL		
		Italian Silver Ash	LIT	Cherry Storm on Beech	BCX	Blue Grey	GR		
		Kensington Maple	LKM	Cinnamon on Beech	BCN	Cottonwood	CO		
		Lapis Blue	LLB	Cocoa on Beech	BCA	Sand	SA		
		Markerboard White	LMK	Eclipse Black on Beech	BEB	Warm Grey	WG		
		Misted Zephyr	LMR	Florence Walnut on Beech	BFC	Electrical Top Infeeds			
		Monticello Maple	LMT	Natural on Beech	BNA	Black	BL		
		North Sea	LNA	River Cherry on Beech	BRY	Blue Grey	GR		
		Ocean	LON	Nacre, Dean Power Module Color		Bronze Metallic	ZM		
		Pearl Bisque	LPB	Black	BL	Cayenne	CY		
		Pinnacle Walnut	LPW	Cool Grey	CG	Champagne Metallic	CM		
		Pressed Linen	LPR	Cottonwood	CO	Cool Grey	CG		
		River Cherry	LRY	Warm Grey	WG	Cottonwood	CO		
		Satin Stainless	LSS	Power-Up Power Module Color		Earthen Clay	EY		
		Shadow Zephyr	LSR	Black	BL	Espresso Metallic	EX		
		Silicon evolv	LSV	Blue Grey	GR	Everglade Shade	EV		
		Sterling Ash	LAZ	Cool Grey	CG	Flannel	FN		
		Tailored Linen	LTL	Flannel	FN	Glitz Metallic	GZ		
		Titanium evolv	LTV	Misty Brown	MY	Hazy Jade	HJ		
		White Nebula	LWL	Sand	SA	Honey Bee	HY		
		White Sand	LWN	Warm Grey	WG	Light Tone	LG		
		Windsor Mahogany	LWY	Villa Power Module Color		Mardi Gras	MG		
Steel Frames, Modesty Panels, Cable Tray Assemblies, Top Infeeds and Accessories Finish		Paint Color		Black	BL	Misty Brown	MY		
		Blue Grey	GR	Blue Grey	GR	Nemo	NE		
		Bronze Metallic	ZM	Bronze Metallic	ZM	Nordic	ND		
		Cayenne	CY	Champagne Metallic	CM	Purple Haze	PH		
		Champagne Metallic	CM	Cool Grey	CG	Rainforest	RQ		
		Cool Grey	CG	Cottonwood	CO	Raw Jasper	RJ		
		Cottonwood	CO	Flannel	FN	Rubber Ducky	RK		
		Earthen Clay	CO	Misty Brown	MY	Sand	SA		
		Espresso Metallic	EY	Starlight Silver Metallic	SX	Starlight Silver Metallic	SX		
		Everglade Shade	EV	Warm Grey	WG	Surf's Up	SP		
		Flannel	FN	Snap-in RPT color is always Black		Tarragon	TQ		
						Twilight Shadow	TI		
						Ultra Blue	UB		

*Multiplex available on 74P edge ONLY.

Finish Cards

View color swatches for items listed within this document.

- Paints
Plastics/Poly
- Wood/Veneer
Laminates
- Molded Edges
Edge Styles
- Hard Plastics
Glass

Certain options referenced may not be available on GSA Schedule.






Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29” Height

24” Deep

KL

Single-Sided Rectilinear Worksurfaces for Steel Leg Frames- 29” Height

24” Deep

			MODEL NUMBER									
MODEL			D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Approx. Packaged Weight		
											74P Edge (74P)	Knife Edge (KN)
 CZRS	Single-Sided Applications with One Cutout Option - Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall - Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below	24 x 36	CZBWR24361NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	32.0#	\$ 271	\$ 299	
		24 x 42	CZBWR24421NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	38.0#	282	309	
		24 x 48	CZBWR24481NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	44.0#	354	382	
		24 x 54	CZBWR24541NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	50.0#	428	466	
 CZRS	Single-Sided Applications with One or Two Cutout Options - Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall - Power modules, grommets, and electrical components specified separately - L and R cutout locations are centered for two users - See cutout locations below	24 x 60	CZBWR24601NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	\$ 434	\$ 473	
		24 x 64	CZBWR24641NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	436	483	
		24 x 66	CZBWR24661NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	481	525	
		24 x 72	CZBWR24721NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	65.0#	484	534	
		24 x 78	CZBWR24781NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	70.0#	524	568	
		24 x 84	CZBWR24841NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	76.0#	535	577	
 CZRS	Single-Sided Applications with One, Two or Three Cutout Options - Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall - Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users - L, R and LR cutout locations are centered for two users - See cutout locations below	24 x 90	CZBWR24901NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	81.0#	\$ 561	\$ 609	
		24 x 96	CZBWR24961NM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	568	618	
				A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C**Select cutout style.
- NCS** - No cutout
- CSD** - Cutout for Dean
- CSA** - Cutout for Nacre
- CSV** - Cutout for Villa
- D**Select cutout location.
- N** - None
- L** - Cutout : Left
- R** - Cutout : Right
- C** - Cutout : Center
- LR** - Cutout : Left/right
- LCR** - Cutout : Left/center/right

N - Pick for all models

C - Pick for all models

L - Pick only for models 60” and longer

R - Pick only for models 60” and longer

LR - Pick only for models 60” and longer

LCR - Pick only for models 90” and longer

- E**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- F**Select edge color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bondue1, WI 54107, freight prepaid.** Freight class 125.






Specifications and prices are subject to change without prior notice.

Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

30” Deep

Single-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

30” Deep

			MODEL NUMBER								
			Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Approx. Packaged Weight		
MODEL	D x W									74P Edge (74P)	Knife Edge (KN)
 CZRS	Single-Sided Applications with One Cutout Option	30 x 36	CZBWR30361NM	☐	☐	☐	☐	☐	41.0#	\$ 284	\$ 311
		30 x 42	CZBWR30421NM	☐	☐	☐	☐	☐	48.0#	355	389
	- Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall	30 x 48	CZBWR30481NM	☐	☐	☐	☐	☐	55.0#	397	431
		30 x 54	CZBWR30541NM	☐	☐	☐	☐	☐	62.0#	465	506
	- Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below										
 CZRS	Single-Sided Applications with One or Two Cutout Options	30 x 60	CZBWR30601NM	☐	☐	☐	☐	☐	68.0#	\$ 472	\$ 514
		30 x 64	CZBWR30641NM	☐	☐	☐	☐	☐	73.0#	526	582
	- Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall	30 x 66	CZBWR30661NM	☐	☐	☐	☐	☐	75.0#	575	629
		30 x 72	CZBWR30721NM	☐	☐	☐	☐	☐	81.0#	579	637
		30 x 78	CZBWR30781NM	☐	☐	☐	☐	☐	88.0#	630	689
	- Power modules, grommets, and electrical components specified separately - L and R cutout locations are centered for two users - See cutout locations below	30 x 84	CZBWR30841NM	☐	☐	☐	☐	☐	94.0#	637	697
 CZRS	Single-Sided Applications with One, Two or Three Cutout Options	30 x 90	CZBWR30901NM	☐	☐	☐	☐	☐	101.0#	\$ 653	\$ 709
		30 x 96	CZBWR30961NM	☐	☐	☐	☐	☐	107.0#	662	717
	- Support frames specified separately - Modesty panel specified separately for installation where non-user side does not abut a wall										
	- Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users										
	- L, R and LR cutout locations are centered for two users - See cutout locations below										
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select cutout style.

NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa
- D**Select cutout location.

N

- None

L

- Cutout : Left

R

- Cutout : Right

C

- Cutout : Center

LR

- Cutout : Left/right

LCR

- Cutout : Left/center/right
- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60” and longer
- R - Pick only for models 60” and longer

LR - Pick only for models 60” and longer
LCR - Pick only for models 90” and longer

- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.






Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

24” Deep



Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

24” Deep

		MODEL NUMBER							 74P Edge (74P)  Knife Edge (KN)		
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color			
 CZRD	Dual-Sided Applications with One Cutout Option	24 x 36	CZBWR24362	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	72.0#	\$ 696	\$ 754
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below	24 x 42	CZBWR24422	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	85.0#	736	791
		24 x 48	CZBWR24482	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	98.0#	908	966
		24 x 54	CZBWR24542	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	111.0#	1059	1134
 CZRD	Dual-Sided Applications with One or Two Cutout Options	24 x 60	CZBWR24602	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	122.0#	\$ 1117	\$ 1193
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - LR cutout locations are centered for two users - See cutout locations below	24 x 64	CZBWR24642	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	130.0#	1174	1394
		24 x 66	CZBWR24662	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	134.0#	1221	1312
		24 x 72	CZBWR24722	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	1228	1318
		24 x 78	CZBWR24782	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	157.0#	1413	1502
		24 x 84	CZBWR24842	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	170.0#	1433	1521
 CZRD	Dual-Sided Applications with One, Two or Three Cutout Options	24 x 90	CZBWR24902	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	181.0#	\$ 1520	\$ 1623
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users - LR cutout locations are centered for two users - See cutout locations below	24 x 96	CZBWR24962	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	192.0#	1541	1639

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P

- 74P edge

KN

- Knife edge
- C**Select cutout style.
- NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa
- D**Select cutout location.
- N

- None

C

- Cutout : Center

LR

- Cutout : Left/right

LCR

- Cutout : Left/center/right

N

- Pick for all models

C

- Pick for all models

LR

- Pick only for models 60” and longer

LCR

- Pick only for models 90” and longer
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.

- F**Select edge color.
- Refer to the **Product Color Options** page in this price list.

- G**Select cable tray powder coat color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

30” Deep

KI

Dual-Sided Rectilinear Worksurfaces for Steel Leg Frames - 29” Height

30” Deep

		MODEL NUMBER							Approx. Packaged Weight		
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color			
 CZRD	Dual-Sided Applications with One Cutout Option	30 x 36	CZBWR30362	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	90.0#	\$ 725	\$ 779
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below	30 x 42	CZBWR30422	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	105.0#	878	945
		30 x 48	CZBWR30482	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	120.0#	995	1062
		30 x 54	CZBWR30542	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	135.0#	1128	1212
 CZRD	Dual-Sided Applications with One or Two Cutout Options	30 x 60	CZBWR30602	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	148.0#	\$ 1185	\$ 1268
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - LR cutout locations are centered for two users - See cutout locations below	30 x 64	CZBWR30642	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	159.0#	1302	1412
		30 x 66	CZBWR30662	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	164.0#	1404	1514
		30 x 72	CZBWR30722	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	177.0#	1413	1521
		30 x 78	CZBWR30782	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	193.0#	1626	1743
		30 x 84	CZBWR30842	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	206.0#	1644	1757
 CZRD	Dual-Sided Applications with One, Two or Three Cutout Options	30 x 90	CZBWR30902	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	221.0#	\$ 1699	\$ 1818
	- Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users - LR cutout locations are centered for two users - See cutout locations below	30 x 96	CZBWR30962	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	234.0#	1721	1834

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select cutout style.

NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa
- D**Select cutout location.

N

- None

C

- Cutout : Center

LR

- Cutout : Left/right

LCR

- Cutout : Left/center/right

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60” and longer

LCR - Pick only for models 90” and longer

Refer to the **Product Color Options** page in this price list.

- F**Select edge color.

Refer to the **Product Color Options** page in this price list.
- G**Select cable tray powder coat color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking





With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Extended Corner Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep

			MODEL NUMBER								
	MODEL	A x B x C x D	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Approx. Packaged Weight		
 CZEC	Extended Corner Worksurfaces - 24” and 30” Deep 48” side always runs inline with center beam - Adjacent work surface width always runs inline with 48” side - Cutouts along extended edge will be centered on extended portion only - L cutout is on B dimension - R cutout is on C dimension - Grain direction runs along long dimension and is perpendicular to beam - Requires perpendicular frame support for non-attached end, specified separately	24 x 60 x 48 x 24”	CZBWEC24604824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	\$ 624	\$ 678
		24 x 72 x 48 x 24”	CZBWEC24724824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	653	707
		30 x 72 x 48 x 30”	CZBWEC30724830	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	103.0#	660	717
 CZEC	Extended Corner Worksurfaces - 24” and 30” Deep 48” side always runs inline with center beam - Adjacent work surface width always runs inline with 48” side - Cutouts along extended edge will be centered on extended portion only - L cutout is on B dimension - R cutout is on C dimension - Grain direction runs along long dimension and is perpendicular to beam - Requires perpendicular frame support for non-attached end, specified separately	24 x 48 x 60 x 24”	CZBWEC24486024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	78.0#	\$ 624	\$ 678
		24 x 48 x 72 x 24”	CZBWEC24487224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	653	707
		30 x 48 x 72 x 30”	CZBWEC30487230	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	103.0#	660	717

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.

74P

- 74P edge

KN

- Knife edge
- C

Select cutout style.

NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa
- D

Select cutout location.

N

- None

L

- Cutout : To user's left on B dimension

R

- Cutout : To user's right on C dimension

LR

- Cutout : Left/right

E

Select surface finish.

Refer to the **Product Color Options** page in this price list.

F

Select edge color.

Refer to the **Product Color Options** page in this price list.

Extended Corner Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Adjoining Worksurfaces for Steel Leg Frames - 29" Height 24" and 30" Deep



Adjoining Worksurfaces for Steel Leg Frames - 29" Height 24" and 30" Deep

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select cutout style.
- | | |
|------------|--------------------|
| NCS | - No cutout |
| CSD | - Cutout for Dean |
| CSA | - Cutout for Nacre |
| CSV | - Cutout for Villa |
- D** Select cutout location.
- | | |
|-----------|-----------------------|
| N | - None |
| L | - Cutout : Left |
| R | - Cutout : Right |
| C | - Cutout : Center |
| LR | - Cutout : Left/right |

N - Pick for all models
C - Pick only for models 54" and shorter
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer

- E** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships assembled, FOB Bonduel, WI 54107,
freight prepaid. Freight class 125.**

Specifications and prices are subject to change without prior notice.



Return Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep



Return Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep

		MODEL NUMBER							
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color		
MODEL		D x W						Approx. Packaged Weight	
 CZRT	Return Worksurfaces - 24” and 30” Deep	24 x 24”	CZBWRT2424	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	24.0#	\$ 244
	• Intended for placement perpendicular to beam supported rectangle worksurfaces	24 x 30”	CZBWRT2430	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	253
	• Return includes splice plates for attachment to adjacent worksurface	24 x 36”	CZBWRT2436	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	35.0#	274
	• Requires perpendicular support frame for non-attached end, specified separately	24 x 42”	CZBWRT2442	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	40.0#	284
	• Includes two splice plates	24 x 48”	CZBWRT2448	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	45.0#	293
	• KN edge is not offered on returns	24 x 54”	CZBWRT2454	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.0#	389
		30 x 24”	CZBWRT3024	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	270
		30 x 30”	CZBWRT3030	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	36.0#	279
		30 x 36”	CZBWRT3036	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	43.0#	304
		30 x 42”	CZBWRT3042	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	49.0#	359
		30 x 48”	CZBWRT3048	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	56.0#	361
		30 x 54”	CZBWRT3054	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.0#	467
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select cutout style.

NCS- No cutout

CSD- Cutout for Dean

CSA- Cutout for Nacre

CSV- Cutout for Villa
- D**Select cutout location.

N- None

C- Cutout : Center
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Peninsula Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep



Peninsula Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep

		MODEL NUMBER						Approx. Packaged Weight	
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color		
  CZPE	MODEL	D x W							
	Peninsula Worksurfaces - 24” and 30” Deep	24 x 60”	CZBWP2460	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	56.0#	\$ 389
	• For use in planning with 74P edges only	24 x 66”	CZBWP2466	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	61.0#	440
	• Cutout in peninsula worksurface is centered on extended section only	24 x 72”	CZBWP2472	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	66.0#	448
	• Inner depth of peninsula worksurface is beam-supported	30 x 66”	CZBWP3066	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	76.0#	577
	• Opposite outer depth of peninsula requires perpendicular support frame, specified separately	30 x 72”	CZBWP3072	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	82.0#	583
	• Modesty panels are specified separately								
	• Power modules, grommets, and electrical components specified separately								
	• Requires splice plate (supplied with adjoining worksurface)								
	• Grain direction runs perpendicular to beam								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select cutout style.

NCS- No cutout

CSD- Cutout for Dean

CSA- Cutout for Nacre

CSV- Cutout for Villa
- D**Select cutout location.

N- None

L- Cutout : Left

R- Cutout : Right
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Conference End Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep



Conference End Worksurfaces for Steel Leg Frames - 29” Height

24” and 30” Deep

		MODEL	D x W	MODEL NUMBER						Approx. Packaged Weight	 74P Edge (74P)		 Knife Edge (KN)	
				Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color					
 CZCE	Conference End for Dual-Sided Applications without Screens - Requires use of two post legs (specified separately). - Worksurface spans entire depth of dual-sided applications that do not feature a center screen - KN edge, when specified, is featured on outer three sides - Power modules, grommets, and electrical components specified separately - Grain direction runs perpendicular to beams - For use only on dual-sided frames with conference end attachment brackets - Conference end worksurfaces are always fixed	24 x 48"	CZBWCE2448	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	44.0#	\$ 287	\$ 320			
		30 x 60"	CZBWCE3060	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	68.0#	465	506			
 CZCE	Conference End for Dual-Sided Applications Using Center Privacy Screens - Requires use of two post legs (specified separately). - Worksurface spans entire depth of dual-sided applications that include a center screen - Screens are specified separately - KN edge, when specified, is featured on outer three sides - Power modules, grommets, and electrical components specified separately - Grain direction runs perpendicular to beams - For use only on dual-sided frames with conference end attachment brackets - Conference end worksurfaces are always fixed	24 x 50"	CZBWCE2450	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	46.0#	\$ 424	\$ 467			
		30 x 62"	CZBWCE3062	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	71.0#	569	626			
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

- 74P edge

KN

- Knife edge
- C**Select cutout style.

NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa
- D**Select cutout location.

N

- None

C

- Cutout : Center
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Single-Sided Steel Leg Frames - 24” Fixed, 29” Height

Supports Single-Sided 24” Deep Fixed Worksurfaces



Single-Sided Steel Leg Frames - 24” Fixed, 29” Height

Supports Single-Sided 24” Deep Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
 CZBS	24” Single-Sided Stand-alone/Starter Frame - Includes two 24” fixed end legs that are non-handed and integrated telescopic beam - For use under either a 24” or 30” deep fixed worksurface 24” worksurfaces centered on frame; 30” is cantilevered - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam with 24” worksurfaces 16” knee clearance to beam with 30” worksurfaces	CZBSS243642/F	☐ ☐	GCL	38.0#	\$ 806
		CZBSS244872/F	☐ ☐	GCL	42.0#	815
		CZBSS247296/F	☐ ☐	GCL	46.0#	872
 CZBS	24” Single-Sided Adder Frame - Includes one 24” intermediate fixed leg and integrated telescopic beam - Requires attachment to 24” deep fixed starter frame; may not be used alone - For use under either a 24” or 30” deep fixed worksurface 24” worksurfaces centered on frame; 30” is cantilevered - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam with 24” worksurfaces 16” knee clearance to beam with 30” worksurfaces	CZBSA243642/F	☐ ☐	GCL	26.0#	\$ 559
		CZBSA244872/F	☐ ☐	GCL	30.0#	563
		CZBSA247296/F	☐ ☐	GCL	34.0#	623
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Single-Sided Steel Leg Frames - 24” Fixed /Conference Ends, 29” Height

Supports Single-Sided 24” Deep Fixed Worksurfaces

Single-Sided Steel Leg Frames - 24” Fixed /Conference Ends, 29” Height

Supports Single-Sided 24” Deep Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
 CZBS	MODEL Conference End on One Side - Includes one 24” fixed end leg and one 24” intermediate fixed leg that are non-handed and integrated telescopic beam - For use under either a 24” or 30” deep fixed worksurface 24” worksurfaces centered on frame; 30” is cantilevered - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam with 24” worksurfaces 16” knee clearance to beam with 30” worksurfaces - Intended for use in an “L” configuration	CZBSS1E243642/F	☐ ☐	GCL	41.0#	\$ 859
		CZBSS1E244872/F	☐ ☐	GCL	45.0#	870
		CZBSS1E247296/F	☐ ☐	GCL	49.0#	914
 CZBS	Conference End on Two Sides - Includes two 24” intermediate fixed legs and integrated telescopic beam - Requires attachment to 24” deep fixed starter frame; may not be used alone - For use under either a 24” or 30” deep fixed worksurface 24” worksurfaces centered on frame; 30” is cantilevered - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam with 24” worksurfaces 16” knee clearance to beam with 30” worksurfaces - Intended for use in an “L” configuration	CZBSS2E243642/F	☐ ☐	GCL	45.0#	\$ 905
		CZBSS2E244872/F	☐ ☐	GCL	49.0#	914
		CZBSS2E247296/F	☐ ☐	GCL	53.0#	958

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C

Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Single-Sided Steel Leg Frames - 30” Fixed, 29” Height

Supports Single-Sided 30” Deep Fixed Worksurfaces



Single-Sided Steel Leg Frames - 30” Fixed, 29” Height

Supports Single-Sided 30” Deep Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
	30" Single-Sided Stand-alone/Starter Telescopic Beam Frame - Includes one 30" deep left leg and one 30" deep right leg - Features integrated telescopic beam - For use under a 30" deep fixed worksur-face only - Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam	CZBSS303642/F	☐ ☐	GCL	40.0#	\$ 929
		CZBSS304872/F	☐ ☐	GCL	44.0#	916
		CZBSS307296/F	☐ ☐	GCL	48.0#	976
CZBS						
	30" Single-Sided Adder Telescopic Beam Frame - Includes one intermediate 30" fixed leg and integrated telescopic beam - Requires attachment to 30" deep fixed starter frame; may not be used alone - For use under a 30" deep fixed worksur-face - Accommodates worksurface width range of 48-72" or 72-96" 16" knee clearance to beam	CZBSA303642/F	☐ ☐	GCL	26.0#	\$ 624
		CZBSA304872/F	☐ ☐	GCL	30.0#	615
		CZBSA307296/F	☐ ☐	GCL	34.0#	672
CZBS						
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping



Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Perpendicular Support Steel Leg Frames - 29” Height



Perpendicular Support Steel Leg Frames - 29” Height

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
	Perpendicular Support Frame - Supports peninsula, return or extended corner worksurfaces - For use with fixed applications only	CZBLS24	☐ ☐	GCL	17.0#	\$ 373
		CZBLS30	☐ ☐	GCL	18.0#	424
CZBL						
	Perpendicular Adder End Frame - Supports peninsula, return or extended corner worksurfaces - For use with fixed applications only - Includes one 24" fixed end leg that is non-handed and integrated telescopic beam	CZBSAE243642/F	☐ ☐	GCL	24.0#	\$ 526
		CZBSAE244872/F	☐ ☐	GCL	28.0#	536
		CZBSAE247296/F	☐ ☐	GCL	32.0#	581
CZBS						
	Post Leg Support - Two post legs are required for conference end support - Includes one splice plate - Leg profile is 1-1/2 x 2-3/8" - For use with fixed applications only	CZBLP	☐ ☐	GCL	10.0#	\$ 115
CZBL						
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 48” Fixed, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frames - 48” Fixed, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame - Includes two 48” fixed end legs and integrated telescopic beams - For use under back-to-back 24” deep fixed worksurfaces - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS483642/F	☐ ☐	GCL	50.0#	\$ 1321
		CZBDS484872/F	☐ ☐	GCL	54.0#	1249
		CZBDS487296/F	☐ ☐	GCL	58.0#	1366
 CZBD	48” Dual-Sided Adder Telescopic Beam Frame - Includes one intermediate fixed leg and integrated telescopic beams - Requires attachment to 48” deep fixed dual-sided starter base; may not be used alone - For use under back-to-back 24” deep fixed worksurfaces - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDA483642/F	☐ ☐	GCL	30.0#	\$ 896
		CZBDA484872/F	☐ ☐	GCL	34.0#	858
		CZBDA487296/F	☐ ☐	GCL	38.0#	992
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 48” Sliding, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Steel Leg Frames - 48” Sliding, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame - Includes two 48” sliding end legs and integrated telescopic beams - For use under back-to-back 24” deep sliding worksurfaces - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS483642/S	☐ ☐	GCL	63.0#	\$ 1623
		CZBDS484872/S	☐ ☐	GCL	67.0#	1346
		CZBDS487296/S	☐ ☐	GCL	71.0#	1464
 CZBD	48” Dual-Sided Adder Telescopic Beam Frame - Includes one intermediate sliding leg and integrated telescopic beams - Requires attachment to 48” deep sliding dual-sided starter base; may not be used alone - Base support profile is 1-1/2” x 2-3/8” - For use under back-to-back 24” deep sliding worksurfaces - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDA483642/S	☐ ☐	GCL	36.0#	\$ 1219
		CZBDA484872/S	☐ ☐	GCL	40.0#	982
		CZBDA487296/S	☐ ☐	GCL	44.0#	1118
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Dual-Sided Steel Leg Frames - 60” Fixed, 29” Height

Supports Two 30” Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Steel Leg Frames - 60” Fixed, 29” Height

Supports Two 30” Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
 CZBD	60" Dual-Sided Stand-alone/Starter Telescopic Beam Frame - Includes two 60" fixed end legs and integrated telescopic beams - For use under back-to-back 30" deep fixed worksurfaces - Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam	CZBDS603642/F	☐	GCL	56.0#	\$ 1343
		CZBDS604872/F	☐	GCL	60.0#	1275
		CZBDS607296/F	☐	GCL	64.0#	1394
 CZBD	60" Dual-Sided Adder Telescopic Beam Frame - Includes one intermediate fixed leg and integrated telescopic beams - Requires attachment to 60" deep fixed sided starter base; may not be used alone - For use under back-to-back 30" deep fixed worksurfaces - Accommodates worksurface width range of 36-42, 48-72" or 72-96" 16" knee clearance to beam	CZBDA603642/F	☐	GCL	30.0#	\$ 896
		CZBDA604872/F	☐	GCL	34.0#	872
		CZBDA607296/F	☐	GCL	38.0#	992
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Dual-Sided Steel Leg Frames - 60” Sliding, 29” Height

Supports Two 30” Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Steel Leg Frames - 60” Sliding, 29” Height

Supports Two 30” Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color		
MODEL					Approx. Packaged Weight	Delivered Pricing
 CZBD	60” Dual-Sided Stand-alone/Starter Telescopic Beam Frame - Includes two 60” sliding end legs and integrated telescopic beams - For use under back-to-back 30” deep slider worksurfaces - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 16” knee clearance to beam	CZBDS603642/S	☐ ☐	GCL	73.0#	\$ 1642
		CZBDS604872/S	☐ ☐	GCL	77.0#	1416
		CZBDS607296/S	☐ ☐	GCL	81.0#	1537
 CZBD	60” Dual-Sided Adder Telescopic Beam Frame - Includes one intermediate sliding leg and integrated telescopic beams - Requires attachment to 60” deep sliding dual-sided starter base; may not be used alone - For use under back-to-back 30” deep slider worksurfaces - Accommodates worksurface width range of 48-72” or 72-96” 16” knee clearance to beam	CZBDA603642/S	☐ ☐	GCL	46.0#	\$ 1219
		CZBDA604872/S	☐ ☐	GCL	50.0#	1061
		CZBDA607296/S	☐ ☐	GCL	54.0#	1178
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 48” Fixed w/Conference Ends, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces

KIDual-Sided Steel Leg Frame - 48” Fixed w/Conference Ends, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces

MODEL		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color	Glide Color		
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface - Includes one 48”fixed end leg, one conference end leg and integrated telescopic beams - For use under back-to-back 24” deep fixed worksurfaces and supports one conference end - Includes brackets for conference end attachment on one side - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS1E483642/F	☐ ☐	GCL	57.0#	\$ 1521
		CZBDS1E484872/F	☐ ☐	GCL	61.0#	1452
		CZBDS1E487296/F	☐ ☐	GCL	65.0#	1571
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces - Includes two 48” fixed conference end legs and integrated telescopic beams - For use under back-to-back 24” deep fixed worksurfaces with two conference ends - Includes brackets for conference end attachment one on both sides - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS2E483642/F	☐ ☐	GCL	64.0#	\$ 1719
		CZBDS2E484872/F	☐ ☐	GCL	68.0#	1481
		CZBDS2E487296/F	☐ ☐	GCL	72.0#	1597

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 60” Fixed w/Conference Ends, 29” Height

Supports Two 30” Deep Back-To-Back Fixed Worksurfaces

KIDUAL-Sided Steel Leg Frame - 60” Fixed w/Conference Ends, 29” Height

Supports Two 30” Deep Back-To-Back Fixed Worksurfaces

MODEL		MODEL NUMBER			Approx. Packaged Weight		Delivered Pricing	
		Basic Model	Paint Color	Glide Color				
 CZBD	60” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface	CZBDS1E603642/F	☐ ☐	GCL	70.0#	\$	1543	
	- Includes one 60” fixed end leg, one conference end leg and integrated telescopic beams - For use under back-to-back 30” deep fixed worksurfaces and supports one conference end - Includes brackets for conference end attachment on one side - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 16” knee clearance to beam	CZBDS1E604872/F	☐ ☐	GCL	74.0#		1655	
		CZBDS1E607296/F	☐ ☐	GCL	78.0#		1776	
 CZBD	60” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces	CZBDS2E603642/F	☐ ☐	GCL	63.0#	\$	1737	
	- Includes two 60” fixed conference end legs and integrated telescopic beams - For use under back-to-back 30” deep fixed worksurfaces with two conference ends - Includes brackets for conference end attachment on both sides - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 16” knee clearance to beam	CZBDS2E604872/F	☐ ☐	GCL	67.0#		1684	
		CZBDS2E607296/F	☐ ☐	GCL	71.0#		1802	
		A	B	C				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 48” Sliding w/Conference Ends, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces

KDual-Sided Steel Leg Frame - 48” Sliding w/Conference Ends, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces

MODEL		MODEL NUMBER			Approx. Packaged Weight		Delivered Pricing	
		Basic Model	Paint Color	Glide Color				
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface - Includes one 48” sliding end leg, one conference end leg and integrated telescopic beams - For use under back-to-back 24” deep sliding worksurfaces and supports one conference end - Includes brackets for conference end attachment on one side - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS1E483642/S	☐ ☐	GCL	75.0#	\$ 1855		
		CZBDS1E484872/S	☐ ☐	GCL	79.0#	1551		
		CZBDS1E487296/S	☐ ☐	GCL	83.0#	1672		
 CZBD	48” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces - Includes two 48” sliding conference end legs and integrated telescopic beams - For use under back-to-back 24” deep sliding worksurfaces with two conference ends - Includes brackets for conference end attachment on both sides - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 10” knee clearance to beam	CZBDS2E483642/S	☐ ☐	GCL	88.0#	\$ 2079		
		CZBDS2E484872/S	☐ ☐	GCL	92.0#	1604		
		CZBDS2E487296/S	☐ ☐	GCL	96.0#	1723		
		A	B	C				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.



Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Frame - 60” Sliding w/Conference Ends, 29” Height

Supports Two 30” Deep Back-To-Back Sliding Worksurfaces

KDual-Sided Steel Leg Frame - 60” Sliding w/Conference Ends, 29” Height

Supports Two 30” Deep Back-To-Back Sliding Worksurfaces

MODEL		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color	Glide Color		
 CZBD	60” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for One Conference End Worksurface - Includes one 60” sliding end leg, one conference end leg and integrated telescopic beams - For use under back-to-back 30” deep sliding worksurfaces and supports one conference end - Includes brackets for conference end attachment on one side - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 16” knee clearance to beam	CZBDS1E603642/S	☐	GCL	87.0#	\$ 1877
		CZBDS1E604872/S	☐	GCL	91.0#	1755
		CZBDS1E607296/S	☐	GCL	95.0#	1876
 CZBD	60” Dual-Sided Stand-alone/Starter Telescopic Beam Frame with Attachment Brackets for Two Conference End Worksurfaces - Includes two 60” sliding conference end legs and integrated telescopic beams - For use under back-to-back 30” deep sliding worksurfaces with two conference ends - Includes brackets for conference end attachment on both sides - Accommodates worksurface width range of 36-42”, 48-72” or 72-96” 16” knee clearance to beam	CZBDS2E603642/S	☐	GCL	102.0#	\$ 2106
		CZBDS2E604872/S	☐	GCL	106.0#	1809
		CZBDS2E607296/S	☐	GCL	110.0#	1926

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Dual-Sided Steel Leg Support Frames - 29” Height



Dual-Sided Steel Leg Support Frames - 29” Height

MODEL	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
	Basic Model	Paint Color	Glide Color		
 CZBL	Perpendicular Support Frame • Supports peninsula, return or extended corner worksurfaces • For use with fixed applications only			25.0#	\$ 601
	CZBLS48	☐ ☐	GCL	28.0#	615
	CZBLS60	☐ ☐	GCL		
 CZBL	Perpendicular Conference End Support Frame • Supports back-to-back peninsula, return or extended corner worksurfaces and a conference end • For use with fixed applications only			32.0#	\$ 806
	CZBLC48	☐ ☐	GCL	35.0#	818
	CZBLC60	☐ ☐	GCL		
A B C					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C

Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.






Specifications and prices are subject to change without prior notice.

Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height

24” Deep

KDual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height

24” Deep

		MODEL NUMBER										
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color		Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
MODEL	D x W											
 CZTD	Dual-Sided Applications with No or One Cutout - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below	24 x 36”	CZBTWR24362	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		72.0#	\$ 696	\$ 754
	24 x 42”	CZBTWR24422	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		85.0#	736	791
	24 x 48”	CZBTWR24482	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		98.0#	908	966
	24 x 54”	CZBTWR24542	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		111.0#	1059	1134
 CZTD	Dual-Sided Applications with up to Two Cutouts - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - LR cutout locations are centered for two users - See cutout locations below	24 x 60”	CZBTWR24602	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		122.0#	\$ 1117	\$ 1193
	24 x 64”	CZBTWR24642	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		130.0#	1174	1255
	24 x 66”	CZBTWR24662	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		134.0#	1221	1312
	24 x 72”	CZBTWR24722	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		145.0#	1228	1318
	24 x 78”	CZBTWR24782	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		157.0#	1413	1502
	24 x 84”	CZBTWR24842	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		170.0#	1433	1521
 CZTD	Dual-Sided Applications with up to Three Cutouts - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users - LR cutout locations are centered for two users - See cutout locations below	24 x 90”	CZBTWR24902	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		181.0#	\$ 1520	\$ 1623
	24 x 96”	CZBTWR24962	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		192.0#	1541	1639

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
KN - Knife edge
- C**Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
CSV - Cutout for Villa
- D**Select cutout location.
N - None
C - Cutout : Center
LR - Cutout : Left/right
LCR - Cutout : Left/center/right
N - Pick for all models
C - Pick for all models
LR - Pick only for models 60” and longer
LCR - Pick only for models 90” and longer

- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.

- F**Select edge color.
Refer to the **Product Color Options** page in this price list.

- G**Select powdercoat color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.




Specifications and prices are subject to change without prior notice.

Dual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height

30” Deep

KIDual-Sided Rectilinear Worksurfaces for Wood Leg Frames - 29” Height

30” Deep

		MODEL NUMBER										
	MODEL	D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color		Approx. Packaged Weight	74P Edge (74P)
 CZTD	Dual-Sided Applications with No or One Cutout - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C cutout option only - See cutout locations below	30 x 36”	CZBTWR30362	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		90.0#	\$ 725
		30 x 42”	CZBTWR30422	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		105.0#	878
		30 x 48”	CZBTWR30482	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		120.0#	995
		30 x 54”	CZBTWR30542	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		135.0#	1128
 CZTD	Dual-Sided Applications with up to Two Cutouts - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - LR cutout locations are centered for two users - See cutout locations below	30 x 60”	CZBTWR30602	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		148.0#	\$ 1185
		30 x 64”	CZBTWR30642	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		159.0#	1302
		30 x 66”	CZBTWR30662	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		164.0#	1404
		30 x 72”	CZBTWR30722	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		177.0#	1413
		30 x 78”	CZBTWR30782	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		193.0#	1626
		30 x 84”	CZBTWR30842	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		206.0#	1644
 CZTD	Dual-Sided Applications with up to Three Cutouts - Includes two identical worksurfaces - Support frames specified separately - Power modules, grommets, and electrical components specified separately - C and LCR cutout locations are centered for three users - LR cutout locations are centered for two users - See cutout locations below	30 x 90”	CZBTWR30902	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		221.0#	\$ 1699
		30 x 96”	CZBTWR30962	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		234.0#	1721

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C**Select cutout style.
- NCS** - No cutout
- CSD** - Cutout for Dean
- CSA** - Cutout for Nacre
- CSV** - Cutout for Villa
- D**Select cutout location.
- N** - None
- C** - Cutout : Center
- LR** - Cutout : Left/right
- LCR** - Cutout : Left/center/right
- N - Pick for all models
- C - Pick for all models
- LR - Pick only for models 60” and longer
- LCR - Pick only for models 90” and longer

ESelect surface finish.

Refer to the **Product Color Options** page in this price list.

FSelect edge color.

Refer to the **Product Color Options** page in this price list.

GSelect powdercoat color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.




Return Worksurfaces for Wood Leg Frames - 29” Height

24”, 27” and 30” Deep



Return Worksurfaces for Wood Leg Frames - 29” Height

24”, 27” and 30” Deep

			MODEL NUMBER							
MODEL		D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Approx. Packaged Weight	 74P Edge (74P)
 CZTT	Return Worksurface With No or One Cutout, Used on Single Frames Only	24 x 30"	CZBTWRT2430	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	30.0#	\$ 253
	- For use with dual return leg frame CZBTLS48 only - Must specify two worksurfaces per frame - Cutout centered for single user per return - Return includes splice plate for perpendicular attachment to adjacent worksurface - KN edge not offered on returns	24 x 36"	CZBTWRT2436	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	35.0#	274
		24 x 42"	CZBTWRT2442	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	40.0#	284
		24 x 48"	CZBTWRT2448	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	45.0#	293
		24 x 54"	CZBTWRT2454	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	361
 CZTT	Return Worksurface With No or One Cutout, Used on Single or Dual Frames	27 x 30"	CZBTWRT2730	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	33.0#	\$ 270
	- For use with single return leg frame CZBTLS30 or dual return leg frame CZBTLS48 - Specify single return leg frame CZBTLS30 with one return worksurface, or dual return leg frame CZBTLS48 with two back-to-back return worksurfaces - Optional modesty panel for single return applications is specified separately. See Planning Guide for modesty panel placement. - Cutout centered for single user per return - Return includes splice plate for perpendicular attachment to adjacent worksurface - KN edge not offered on returns	27 x 36"	CZBTWRT2736	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	39.0#	279
		27 x 42"	CZBTWRT2742	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	45.0#	304
		27 x 48"	CZBTWRT2748	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	359
		27 x 54"	CZBTWRT2754	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	57.0#	361
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select cutout style.

NCS - No cutout

CSD - Cutout for Dean

CSA - Cutout for Nacre

CSV - Cutout for Villa
- D**Select cutout location.

N - None

C - Cutout : Center

N - Pick for all models

C - Pick for all models
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this
- ## SPECIAL SERVICES
- ### Special Carton Marking
- With specially marked information N/C
- ### Shipping
- Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.
- Specifications and prices are subject to change without prior notice.



Return Worksurfaces for Wood Leg Frames - 29” Height

24”, 27” and 30” Deep



Return Worksurfaces for Wood Leg Frames - 29” Height

24”, 27” and 30” Deep

		MODEL NUMBER								
		Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Approx. Packaged Weight		
MODEL	D x W								74P Edge (74P)	
 CZTT	Return Worksurface With No or One Cutout, Used on Single or Dual Frames	30 x 30"	CZBTWRT3030	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	36.0#	\$ 270	
	For use with single return leg frame CZBTLS30 or dual return leg frame CZBTLS48	30 x 36"	CZBTWRT3036	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	43.0#	279	
		30 x 42"	CZBTWRT3042	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	49.0#	304	
		30 x 48"	CZBTWRT3048	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	56.0#	359	
		30 x 54"	CZBTWRT3054	74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	63.0#	361	
	Specify single return leg frame CZBTLS30 with one return worksurface, or dual return leg frame CZBTLS48 with two back-to-back return worksurfaces									
	Optional modesty panel for single return applications is specified separately. See Planning Guide for modesty panel placement.									
	Cutout centered for single user per return									
	Return includes splice plate for perpendicular attachment to adjacent worksurface									
	KN edge not offered on returns									
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select cutout style.

NCS- No cutout

CSD- Cutout for Dean

CSA- Cutout for Nacre

CSV- Cutout for Villa
- D**Select cutout location.

N - Pick for all models

C - Pick for all models
- E**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- F**Select edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 48” Fixed, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Wood Leg Frames - 48” Fixed, 29” Height

Supports Two 24” Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER						
MODEL	Width Range	Basic Model	Wood Finish	Powdercoat Color	Glide Color	Approx. Packaged Weight	Delivered Pricing	
 CZTL	48" Dual-Sided Wood Leg Stand-alone/Starter Telescopic Beam Frame	36-42"	CZBTDS483642/F	☐ ☐ ☐ ☐	☐ ☐	GCL	47.0# \$ 1625	
		48-72"	CZBTDS484872/F	☐ ☐ ☐ ☐	☐ ☐	GCL	51.0# 1534	
		72-96"	CZBTDS487296/F	☐ ☐ ☐ ☐	☐ ☐	GCL	55.0# 1681	
	- Includes two sets of wood legs with two integrated steel telescopic beams - For use under back-to-back 24" deep fixed worksurfaces - Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" - Glide adjustment range of 7/8" 10" knee clearance to beam							
 CZTL	48" Dual-Sided Wood Leg Adder with Steel Telescopic Beam Frame	36-42"	CZBTDA483642/F	☐ ☐ ☐ ☐	☐ ☐	GCL	28.0# \$ 1101	
		48-72"	CZBTDA484872/F	☐ ☐ ☐ ☐	☐ ☐	GCL	32.0# 1055	
		72-96"	CZBTDA487296/F	☐ ☐ ☐ ☐	☐ ☐	GCL	36.0# 1221	
	- Includes single set of wood legs and two integrated steel telescopic beams - Requires attachment to 48" deep dual-sided starter wood leg base; may not be used alone - Base support profile is 1-1/2" x 2-3/8" - For use under back-to-back 24" deep fixed worksurfaces - Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" - Glide adjustment range of 7/8" 10" knee clearance to beam							
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood finish.
Refer to the **Product Color Options** page in this price list.
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 48” Sliding, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Wood Leg Frames - 48” Sliding, 29” Height

Supports Two 24” Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER						
		Basic Model	Wood Finish	Powdercoat Color	Glide Color			
MODEL	Width Range					Approx. Packaged Weight	Delivered Pricing	
 CZTL	48” Dual-Sided Wood Leg Stand-alone/Starter with Steel Telescopic Beam Frame	36-42”	CZBTDS483642/S	☐ ☐ ☐ ☐	☐ ☐	GCL	60.0# \$ 1995	
		48-72”	CZBTDS484872/S	☐ ☐ ☐ ☐	☐ ☐	GCL	64.0# 1655	
		72-96”	CZBTDS487296/S	☐ ☐ ☐ ☐	☐ ☐	GCL	68.0# 1802	
	- Includes two sets of wood legs with two integrated steel telescopic beams - For use under back-to-back 24” deep sliding worksurfaces - Frame supports worksurface width ranges of 36-42”, 48-72”, or 72-96” - Glide adjustment range of 7/8” 10” knee clearance to beam							
 CZTL	48” Dual-Sided Wood Leg Adder with Steel Telescopic Beam Frame	36-42”	CZBTDA483642/S	☐ ☐ ☐ ☐	☐ ☐	GCL	34.0# \$ 1497	
		48-72”	CZBTDA484872/S	☐ ☐ ☐ ☐	☐ ☐	GCL	38.0# 1209	
		72-96”	CZBTDA487296/S	☐ ☐ ☐ ☐	☐ ☐	GCL	42.0# 1374	
	- Includes single set of wood legs and two integrated steel telescopic beams - Requires attachment to 48” deep dual-sided starter wood leg base; may not be used alone - Base support profile is 1-1/2” x 2-3/8” - For use under back-to-back 24” deep sliding worksurfaces - Frame supports worksurface width ranges of 36-42”, 48-72”, or 72-96” - Glide adjustment range of 7/8” 10” knee clearance to beam							
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood finish.
Refer to the **Product Color Options** page in this price list.
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 60” Fixed, 29” Height

Supports Two 30” Deep Back-to-Back Fixed Worksurfaces



Dual-Sided Wood Leg Frames - 60” Fixed, 29” Height

Supports Two 30” Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER					
		Basic Model	Wood Finish	Powdercoat Color	Glide Color		
MODEL	Width Range					Approx. Packaged Weight	Delivered Pricing
 CZTL	36-42"	CZBTDS603642/F	☐ ☐ ☐ ☐	☐ ☐	GCL	47.0#	\$ 1652
	48-72"	CZBTDS604872/F	☐ ☐ ☐ ☐	☐ ☐	GCL	51.0#	1567
	72-96"	CZBTDS607296/F	☐ ☐ ☐ ☐	☐ ☐	GCL	55.0#	1713
 CZTL	36-42"	CZBTDA603642/F	☐ ☐ ☐ ☐	☐ ☐	GCL	28.0#	\$ 1100
	48-72"	CZBTDA604872/F	☐ ☐ ☐ ☐	☐ ☐	GCL	32.0#	1076
	72-96"	CZBTDA607296/F	☐ ☐ ☐ ☐	☐ ☐	GCL	36.0#	1221
		A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood finish.
Refer to the **Product Color Options** page in this price list.
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Dual-Sided Wood Leg Frames - 60” Sliding, 29” Height

Supports Two 30” Deep Back-to-Back Sliding Worksurfaces



Dual-Sided Wood Leg Frames - 60” Sliding, 29” Height

Supports Two 30” Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER						
		Basic Model	Wood Finish	Powdercoat Color	Glide Color			
MODEL		Width Range				Approx. Packaged Weight	Delivered Pricing	
 CZTL	60" Dual-Sided Wood Leg Stand-alone/Starter with Steel Telescopic Beam Frame - Includes two sets of wood legs with two integrated steel telescopic beams - For use under back-to-back 30" deep sliding worksurfaces - Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" - Glide adjustment range of 7/8" 16" knee clearance to beam	36-42"	CZBTDS603642/S	☐ ☐ ☐ ☐	☐ ☐	GCL	60.0#	\$ 2018
		48-72"	CZBTDS604872/S	☐ ☐ ☐ ☐	☐ ☐	GCL	64.0#	1744
		72-96"	CZBTDS607296/S	☐ ☐ ☐ ☐	☐ ☐	GCL	68.0#	1890
 CZTL	60" Dual-Sided Wood Leg Adder with Steel Telescopic Beam Frame - Includes single set of wood legs and two integrated steel telescopic beams - Requires attachment to 60" deep dual-sided wood leg starter base; may not be used alone - Base support profile is 1-1/2" x 2-3/8" - For use under back-to-back 30" deep sliding worksurfaces - Frame supports worksurface width ranges of 36-42", 48-72", or 72-96" - Glide adjustment range of 7/8" 16" knee clearance to beam	36-42"	CZBTDA603642/S	☐ ☐ ☐ ☐	☐ ☐	GCL	34.0#	\$ 1496
		48-72"	CZBTDA604872/S	☐ ☐ ☐ ☐	☐ ☐	GCL	38.0#	1303
		72-96"	CZBTDA607296/S	☐ ☐ ☐ ☐	☐ ☐	GCL	42.0#	1449
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood finish.
Refer to the **Product Color Options** page in this price list.
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Return Support Frames - 29" Height



Wood Leg Return Support Frames - 29" Height

		MODEL NUMBER					
		Basic Model	Wood Finish	Powdercoat Color	Glide Color		
MODEL						Approx. Packaged Weight	Delivered Pricing
	Single-Sided Wood Leg Return Support Frame • Includes one set of wood legs with frame • Supports return worksurface • For use under one 27" or 30" deep return worksurface only • Glide adjustment range of 7/8"	CZBTLS30	☐ ☐ ☐ ☐	☐ ☐	GCL	16.0#	\$ 536
CZBT							
	Dual-Sided Wood Leg Return Support Frame • Supports return worksurface • Includes one set of wood legs with frame • For use under two 24", 27" or 30" return worksurfaces only • Glide adjustment range of 7/8"	CZBTLS48	☐ ☐ ☐ ☐	☐ ☐	GCL	23.0#	\$ 667
CZBT							
		A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood finish.
Refer to the **Product Color Options** page in this price list.
- C** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bondel, WI 54107,
freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Rectilinear Desk with Modesty Panel - 29" Height

30" and 36" Deep



Wood Leg Rectilinear Desk with Modesty Panel - 29" Height

30" and 36" Deep

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge

C Select wood leg finish.
Refer to the **Product Color Options** page in this price list.

D Select cutout style.

NCS	- No cutout
CSD	- Cutout for Dean
CSA	- Cutout for Nacre
CSV	- Cutout for Villa

E Select cutout location.

N	- None
L	- Cutout : Left
R	- Cutout : Right
C	- Cutout : Center
LR	- Cutout : Left/right

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select edge color.
Refer to the **Product Color Options** page in this price list.

H Select powdercoat.
Refer to the **Product Color Options** page in this price list.

I Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.




Wood Leg Elliptical Desk with Modesty Panel - 29” Height

36 and 42” Deep



Wood Leg Elliptical Desk with Modesty Panel - 29” Height

36 and 42” Deep

		MODEL NUMBER											
		Basic Model	Edge Style	Wood Leg Finish	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color	Glide Color			
 Cutout options CZTK Complete Wood Leg Elliptical Desk, Up to Two Cutouts - Includes desk top and wood/steel leg frame with single beam - KN edge, when specified, wraps around the entirety of the worksurface - Perforated steel modesty panel is nested between wood legs - All cutout centers are located 5.5” beyond desk mid-point from user. Left and right cutout centers are located 9.5” from table center. - Cutout location allows cords to fall on user-side of modesty panel	D x W										Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
	35-1/2 x 65-1/2”	CZBTDE3666	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	GCL	133.0#	\$ 1906	\$ 2000
	35-1/2 x 71-1/2”	CZBTDE3672	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	GCL	139.0#	1906	2000
	41-1/2 x 65-1/2”	CZBTDE4266	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	GCL	147.0#	1949	2044
	41-1/2 x 71-1/2”	CZBTDE4272	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	GCL	156.0#	1949	2044
		A	B	C	D	E	F	G	H	I			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

☐ **74P** - 74P edge

☐ **KN** - Knife edge
- C** Select wood leg finish.

Refer to the **Product Color Options** page in this price list.

D Select cutout style.

☐ **NCS** - No cutout

☐ **CSD** - Cutout for Dean

☐ **CSA** - Cutout for Nacre

☐ **CSV** - Cutout for Villa
- E** Select cutout location.

☐ **N** - None

☐ **L** - Cutout : Left

☐ **R** - Cutout : Right

☐ **C** - Cutout : Center

☐ **LR** - Cutout : Left/right
- F** Select surface finish.

Refer to the **Product Color Options** page in this price list.

G Select edge color.

Refer to the **Product Color Options** page in this price list.

H Select powdercoat.

Refer to the **Product Color Options** page in this price list.

I Select glide color.

☐ **GCL** - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

A B C D E F G H I

Specifications and prices are subject to change without prior notice.



Complete Wood Leg Rectilinear Conference Table, Up to Three Cutouts

- Includes conference top, 48" dual-sided wood leg stand-alone, steel support frame with two integrated telescopic beams.
- KN edge, when specified, wraps around the entirety of the table top surface
- Worksurface extends 12" beyond frame on each end
- LR cutout centers are located 23-3/4" from center for 96" tables, and 25-3/4" from center for 108" and 120" tables

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- | | |
|----------|--|
| A | Select basic model. |
| B | Select edge style. |
| | 74P - 74P edge |
| | KN - Knife edge |
| C | Select wood leg finish. |
| | Refer to the Product Color Options page in this price list. |
| D | Select cutout style. |
| | NCS - No cutout |
| | CSD - Cutout for Dean |
| | CSA - Cutout for Nacre |
| | CSV - Cutout for Villa |
| E | Select cutout location. |
| | N - None |
| | L - Cutout : Left |
| | R - Cutout : Right |
| | C - Cutout : Center |
| | LR - Cutout : Left/right |
| | LCR - Cutout : Left/center/right |

- N - Pick for all models
 - C - Pick for all models
 - LR - Pick only for models 60" and longer
 - LCR - Pick only for models 90" and longer
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select edge color.
Refer to the **Product Color Options** page in this price list.
- H** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- I** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.

Wood Leg Elliptical Conference Tables - 29” Height

60” Deep

		MODEL NUMBER											
		Basic Model	Edge Style	Wood Leg Finish	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color	Glide Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
 CZTC Complete Wood Leg Elliptical Conference Table, Up to Three Cutouts - Includes conference top, 48” dual-sided wood leg stand-alone, steel support frame with two integrated telescopic beams. - KN edge, when specified, wraps around the entirety of the table top surface - Worksurface extends 18” beyond frame at farthest edge for 96” table, 20” beyond frame for 108” table, and 22” beyond frame for 120” table - LR cutout centers are located 23-3/4” from center for 96” tables, and 25-3/4” from center for 108” tables and 25-3/4” from center for 120” tables	D x H												
	59-1/2 x 95-1/2”	CZBTCE6096	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	GCL	277.0#	\$ 2721	\$ 2825
	59-1/2 x 107-1/2”	CZBTCE60108	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	GCL	303.0#	2850	2955
	59-1/2 x 119-1/2”	CZBTCE60120	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	GCL	329.0#	2853	2958
		A	B	C	D	E	F	G	H	I			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P

- 74P edge

KN

- Knife edge

CSelect wood leg finish.

Refer to the **Product Color Options** page in this price list.

DSelect cutout style.

NCS

- No cutout

CSD

- Cutout for Dean

CSA

- Cutout for Nacre

CSV

- Cutout for Villa

ESelect cutout location.

N

- None

C

- Cutout : Center

LR

- Cutout : Left/right

LCR

- Cutout : Left/center/right

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

Refer to the **Product Color Options** page in this price list.

HSelect powdercoat.

Refer to the **Product Color Options** page in this price list.

ISelect glide color.

GCL

- Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 6-2-2 - 29” Height

Wireway Assemblies for Single-Sided Applications



Electrical 10-Wire System 6-2-2 - 29” Height

Wireway Assemblies for Single-Sided Applications

		MODEL NUMBER				
		Basic Model	Paint Color			
MODEL		W			Approx. Packaged Weight	Delivered Pricing
 CZE1	Single Rigid Wireway - Single-Sided Applications-6 Circuit	30"	CZBE1S30	☐ ☐	5.0#	\$ 206
	10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration - Assembly includes single rigid wireway and access cover - Single-sided application provides access to two receptacles on user side of beam - Receptacles, infeeds and jumpers are specified separately	36"	CZBE1S36	☐ ☐	6.0#	220
		42"	CZBE1S42	☐ ☐	7.0#	226
		48"	CZBE1S48	☐ ☐	8.0#	231
		54"	CZBE1S54	☐ ☐	9.0#	242
		60"	CZBE1S60	☐ ☐	10.0#	264
		72"	CZBE1S72	☐ ☐	11.0#	325
 CZE1	Double Rigid Wireway Electrical Assembly - Single-Sided Applications-6 Circuit	60"	CZBE1D60	☐ ☐	11.0#	\$ 475
	10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration - Assembly includes double rigid wireway with jumper, and access cover - Single-sided application provides access to four receptacles on user side of beam - Receptacles, infeeds and table-to-table jumpers are specified separately	64"	CZBE1D64	☐ ☐	11.0#	505
		66"	CZBE1D66	☐ ☐	11.0#	514
		72"	CZBE1D72	☐ ☐	12.0#	523
		78"	CZBE1D78	☐ ☐	13.0#	532
		84"	CZBE1D84	☐ ☐	13.0#	538
		90"	CZBE1D90	☐ ☐	15.0#	548
		96"	CZBE1D96	☐ ☐	16.0#	554
		A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 6-2-2 - 42” Height

Wireway Assemblies for Single-Sided & Teaming Applications



Electrical 10-Wire System 6-2-2 - 42” Height

Wireway Assemblies for Single-Sided & Teaming Applications

		MODEL NUMBER				
		Basic Model	Paint Color			
MODEL		W			Approx. Packaged Weight	Delivered Pricing
 CZE1	Single Rigid Wireway Electrical Assembly - Single-Sided & Teaming Applications-6 Circuit • 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes single rigid wireway and access cover • Single-sided application provides access to two receptacles on user side of beam • Receptacles, infeeds and jumpers are specified separately	48"	CZBCE1S48	☐ ☐	8.0#	\$ 209
		54"	CZBCE1S54	☐ ☐	8.0#	202
		60"	CZBCE1S60	☐ ☐	8.0#	271
		72"	CZBCE1S72	☐ ☐	8.0#	354
 CZE1	Double Rigid Wireway Electrical Assembly - Single-Sided & Teaming Applications-6 Circuit • 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes double rigid wireway with jumper, and access cover • Single-sided application provides access to four receptacles on user side of beam • Receptacles, infeeds and table-to-table jumpers are specified separately	60"	CZBCE1D60	☐ ☐	11.0#	\$ 438
		64"	CZBCE1D64	☐ ☐	11.0#	424
		66"	CZBCE1D66	☐ ☐	11.0#	424
		72"	CZBCE1D72	☐ ☐	11.0#	490
		78"	CZBCE1D78	☐ ☐	11.0#	443
		84"	CZBCE1D84	☐ ☐	11.0#	450
		90"	CZBCE1D90	☐ ☐	11.0#	461
		96"	CZBCE1D96	☐ ☐	11.0#	473

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 6-2-2 - 29” Height

Wireway Assemblies for Dual-Sided Applications



Electrical 10-Wire System 6-2-2 - 29” Height

Wireway Assemblies for Dual-Sided Applications

		MODEL NUMBER					
		Basic Model	Paint Color				
MODEL	W			Approx. Packaged Weight	Delivered Pricing		
 CZE2	Single Rigid Wireway Electrical Assembly - Dual-Sided Applications-6 Circuit	36"	CZBE2S36	☐ ☐	8.0 kg	\$ 215	
	• 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes single rigid wireway • Dual-sided application provides access to two receptacles per side • Receptacles, infeeds and jumpers are specified separately	42"	CZBE2S42	☐ ☐	8.0 kg	220	
		48"	CZBE2S48	☐ ☐	8.0 kg	236	
		54"	CZBE2S54	☐ ☐	9.0 kg	242	
		60"	CZBE2S60	☐ ☐	10.0 kg	265	
		72"	CZBE2S72	☐ ☐	11.0 kg	323	
	 CZE2	Double Rigid Wireway Electrical Assembly - Dual-Sided Applications-6 Circuit	60"	CZBE2D60	☐ ☐	11.0 kg	\$ 474
		• 10-wire power provides continuous non-directional power from table-to-table in a 6-2-2 configuration • Assembly includes double rigid wireway with jumper • Dual-sided application provides access to four receptacles per side • Receptacles, infeeds and table-to-table jumpers are specified separately	64"	CZBE2D64	☐ ☐	11.0 kg	476
66"			CZBE2D66	☐ ☐	12.0 kg	482	
72"			CZBE2D72	☐ ☐	12.0 kg	487	
78"			CZBE2D78	☐ ☐	14.0 kg	496	
84"			CZBE2D84	☐ ☐	14.0 kg	501	
90"			CZBE2D90	☐ ☐	16.0 kg	509	
96"			CZBE2D96	☐ ☐	16.0 kg	516	

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power channel powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 6-2-2 - 29” Height

Base Infeed and Base Wire Enclosure



Electrical 10-Wire System 6-2-2 - 29” Height

Base Infeed and Base Wire Enclosure

				MODEL NUMBER					
				Basic Model	Color				
MODEL	Features	L				Approx. Packaged Weight		Delivered Pricing	
 HRDPT	10-Wire Base Infeed - Standard Height-6-2-2	96”		CZBFF	☐ ☐	5.0#		\$ 244	
	• Provides power from fixed floor or wall sources to table power distribution system								
	• Must be hard-wired to the building power source by a licensed electrician								
	• 96” length liquid tight conduit								
	• Includes (2) mounting clips								
 HRDPT	Base Wire Enclosure - 29”H Steel Leg Applications	for 24” base		CZBIC24	☐ ☐	4.5#		\$ 163	
	• Conceals infeed along leg and upper frame	for 30” base		CZBIC30	☐ ☐	5.0#		167	
	• 3-piece construction	for 48” base		CZBIC48	☐ ☐	6.5#		174	
	• Infeed conduit is specified separately	for 60” base		CZBIC60	☐ ☐	7.0#		196	

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2

Top Infeeds - 29" Steel Leg Assembly



Electrical 10-Wire System 6-2-2

Top Infeeds - 29" Steel Leg Assembly

				MODEL NUMBER					
				Basic Model	Color				
MODEL				Features	L	Approx. Packaged Weight	Delivered Pricing		
 HRDPT	10-Wire Top Infeed for Single-Sided Applications-6 Circuit - Provides power from ceiling source to Single-sided table power distribution system - Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit - Includes 10 foot long aluminum pole with single mounting bracket - Provides separate channels for electrical and data entry	Left	120"	CZBTF1L	☐ ☐	15.0#	\$ 624		
		Right	120"	CZBTF1R	☐ ☐	15.0#	624		
 HRDPT	10-Wire Top Infeed for Dual-Sided Applications-6 Circuit - Provides power from ceiling source to Dual-sided table power distribution system - Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit - Includes 10 foot long aluminum pole with dual mounting bracket - Provides separate channels for electrical and data entry		120"	CZBTF2	☐ ☐	15.0#	\$ 624		

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 6-2-2

Jumpers & Receptacles



Electrical 10-Wire System 6-2-2

Jumpers & Receptacles

			MODEL NUMBER		
MODEL			Basic Model	Approx. Packaged Weight	Delivered Pricing
Features	L				
 HRDPT	Table-to-Table Jumper	18-1/2"	CZBJP.TJ	3.0#	\$ 115
	• Flexible metal conduit jumper	42-1/2"	CZBJP.24	3.5#	159
	• TJ, required for standard top to top	48-1/2"	CZBJP.30	4.0#	174
	• 24 spans 24" peninsula top	66-1/2"	CZBJP.48	5.5#	194
	• 30 spans 30" peninsula top	78-1/2"	CZBJP.60	6.5#	228
	• 48 spans (2) - 24" peninsula tops	84-1/2"	CZBJP.72	7.5#	245
	• 60 spans (2) - 30" peninsula tops				
	• 60 spans 60" leg of extended corner top				
	• 72 spans 72" leg of extended corner top				
	• 60 & 72 include Velcro cord manager				
 HRDPT	15-Amp Duplex Receptacle-6 Circuit	Circuit 1	46.2880.1.BL	1.0#	\$ 30
	• Snaps to rigid wireway	Circuit 2	46.2880.2.BL	1.0#	30
	• Receptacle color is black for circuits 1, 2 and 3	Circuit 3	46.2880.3.BL	1.0#	30
	• Receptacle color is orange with white lettering for circuits 4l, 5l and 6l	Circuit 4	46.2880.4l	1.0#	30
		Circuit 5	46.2880.5l	1.0#	30
		Circuit 6	46.2880.6l	1.0#	30

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Workrail Electrical 6-2-2

For Attachment Below Center Work Rail Only



Workrail Electrical 6-2-2

For Attachment Below Center Work Rail Only

	MODEL	MODEL NUMBER		
		Basic Model	Approx. Packaged Weight	Delivered Pricing
 HRDPT	Single Rigid Wireway; Electrical Assembly - Dual-Sided Applications • Specify length by worksurface length • For use on dual-sided applications with frameless or supporting privacy screens • 10-wire power provides continuous non-directional power in a 6-2-2 configuration • Assembly includes single rigid wireway • Dual-sided application provides access to two receptacles per side • Receptacles, infeeds and jumpers are specified separately • For attachment below center work rail only	CZBRE2S36	6.0#	\$ 153
		CZBRE2S42	7.0#	158
		CZBRE2S48	8.0#	161
		CZBRE2S54	9.0#	167
		CZBRE2S60	10.0#	185
		CZBRE2S72	11.0#	231
 HRDPT	Double Rigid Wireway; Electrical Assembly - Dual-Sided Applications • Specify length by worksurface length • For use on dual-sided applications with frameless or supporting privacy screens • 10-wire power provides continuous non-directional power in a 6-2-2 configuration • Assembly includes double rigid wireway with jumper • Dual-sided application provides access to four receptacles per side • Receptacles, infeeds and table-to-table jumpers are specified separately • For attachment below center work rail only	CZBRE2D60	11.0#	\$ 384
		CZBRE2D64	11.0#	387
		CZBRE2D66	11.0#	387
		CZBRE2D72	12.0#	391
		CZBRE2D78	13.0#	395
		CZBRE2D84	13.0#	401
		CZBRE2D90	15.0#	404
		CZBRE2D96	16.0#	411

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 4-4-2 - 29” Height

Wireway Assemblies for Single-Sided Applications



Electrical 10-Wire System 4-4-2 - 29” Height

Wireway Assemblies for Single-Sided Applications

		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL		W		Approx. Packaged Weight	Delivered Pricing
 CZZ1	Single Rigid Wireway - Single-Sided Applications-4 Circuit	30	CZBZ1S30	☐ ☐	5.0# \$ 206
	10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration - Assembly includes single rigid wireway and access cover - Single-sided application provides access to two receptacles on user side of beam - Receptacles, infeeds and jumpers are specified separately	36	CZBZ1S36	☐ ☐	6.0# 220
		42	CZBZ1S42	☐ ☐	7.0# 226
		48	CZBZ1S48	☐ ☐	8.0# 231
		54	CZBZ1S54	☐ ☐	9.0# 242
		60	CZBZ1S60	☐ ☐	10.0# 264
		72	CZBZ1S72	☐ ☐	11.0# 325
 CZZ1	Double Rigid Wireway Electrical Assembly - Single-Sided Applications-4 Circuit	60	CZBZ1D60	☐ ☐	11.0# \$ 475
	10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration - Assembly includes double rigid wireway with jumper, and access cover - Single-sided application provides access to four receptacles on user side of beam - Receptacles, infeeds and table-to-table jumpers are specified separately	64	CZBZ1D64	☐ ☐	11.0# 505
		66	CZBZ1D66	☐ ☐	11.0# 514
		72	CZBZ1D72	☐ ☐	12.0# 523
		78	CZBZ1D78	☐ ☐	13.0# 532
		84	CZBZ1D84	☐ ☐	13.0# 538
		90	CZBZ1D90	☐ ☐	15.0# 548
		96	CZBZ1D96	☐ ☐	16.0# 554

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 4-4-2 - 29” Height

Wireway Assemblies for Dual-Sided Applications



Electrical 10-Wire System 4-4-2 - 29” Height

Wireway Assemblies for Dual-Sided Applications

		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL		W		Approx. Packaged Weight	Delivered Pricing
 CZZ2	Single Rigid Wireway Electrical Assembly - Dual-Sided Applications-4 Circuit	48	CZBZ2S48	☐ ☐	8.0# \$ 236
	• 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration • Assembly includes single rigid wireway • Dual-sided application provides access to two receptacles per side • Receptacles, infeeds and jumpers are specified separately	54	CZBZ2S54	☐ ☐	9.0# 242
		60	CZBZ2S60	☐ ☐	10.0# 265
		72	CZBZ2S72	☐ ☐	11.0# 323
 CZZ2	Double Rigid Wireway Electrical Assembly - Dual-Sided Applications-4 Circuit	60	CZBZ2D60	☐ ☐	11.0# \$ 474
	• 10-wire power provides continuous non-directional power from table-to-table in a 4-4-2 configuration • Assembly includes double rigid wireway with jumper • Dual-sided application provides access to four receptacles per side • Receptacles, infeeds and table-to-table jumpers are specified separately	64	CZBZ2D64	☐ ☐	11.0# 476
		66	CZBZ2D66	☐ ☐	12.0# 482
		72	CZBZ2D72	☐ ☐	12.0# 487
		78	CZBZ2D78	☐ ☐	14.0# 496
		84	CZBZ2D84	☐ ☐	14.0# 501
		90	CZBZ2D90	☐ ☐	16.0# 509
		96	CZBZ2D96	☐ ☐	16.0# 516
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power channel powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Electrical 10-Wire System 4-4-2 - 29” Height

Base Infeed



Electrical 10-Wire System 4-4-2 - 29” Height

Base Infeed

				MODEL NUMBER					
				Basic Model	Color				
MODEL	Features	L				Approx. Packaged Weight		Delivered Pricing	
 HRDPT	10-Wire Base Infeed - Standard Height-4-4-2	96”	CZBFF.442	☐ ☐	5.0#			\$ 244	
	• Provides power from fixed floor or wall sources to table power distribution system								
	• Must be hard-wired to the building power source by a licensed electrician								
	• 96” length liquid tight conduit								
	• Includes (2) mounting clips								
 HRDPT	Base Wire Enclosure - 29”H Steel Leg Applications	for 24” base	CZBIC24	☐ ☐	4.5#			\$ 163	
	• Conceals infeed along leg and upper frame	for 30” base	CZBIC30	☐ ☐	5.0#			167	
	• 3-piece construction	for 48” base	CZBIC48	☐ ☐	6.5#			174	
	• Infeed conduit is specified separately	for 60” base	CZBIC60	☐ ☐	7.0#			196	

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 4-4-2

Top Infeeds - 29" Steel Leg Assembly



Electrical 10-Wire System 4-4-2

Top Infeeds - 29" Steel Leg Assembly

		MODEL NUMBER			
		Basic Model	Color		
 HRDPT	10-Wire Top Infeed for Single-Sided Applications-4 Circuit - Provides power from ceiling source to Single-sided table power distribution system - Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit - Includes 10 foot long aluminum pole with single mounting bracket - Provides separate channels for electrical and data entry	CZBTF1L.442	☐ ☐	15.0#	\$ 624
		CZBTF1R.442	☐ ☐	15.0#	624
 HRDPT	10-Wire Top Infeed for Dual-Sided Applications-4 Circuit - Provides power from ceiling source to Dual-sided table power distribution system - Must be hard-wired to building power source by a licensed electrician 144" length flexible oval conduit - Includes 10 foot long aluminum pole with dual mounting bracket - Provides separate channels for electrical and data entry	CZBTF2.442	☐ ☐	15.0#	\$ 624

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Electrical 10-Wire System 4-4-2

Jumpers & Receptacles



Electrical 10-Wire System 4-4-2

Jumpers & Receptacles

		MODEL NUMBER			
	MODEL	Features	Basic Model	Approx. Packaged Weight	Delivered Pricing
 HRDPT	Table-to-Table Jumper		CZBJP.TJ.442	3.0#	\$ 115
	• Flexible metal conduit jumper		CZBJP.24.442	3.5#	159
	• T.J, required for standard top to top		CZBJP.30.442	4.0#	174
	• 24 spans 24” peninsula top		CZBJP.48.442	5.5#	194
	• 30 spans 30” peninsula top		CZBJP.60.442	6.5#	203
	• 48 spans (2) - 24” peninsula tops		CZBJP.72.442	7.5#	245
	• 60 spans (2) - 30” peninsula tops				
	• 60 spans 60” leg of extended corner top				
	• 72 spans 72” leg of extended corner top				
	• 60 & 72 include Velcro cord manager				
 HRDPT	15-Amp Duplex Receptacle-4 Circuit	Circuit 1	46.2881.1.BL	1.0#	\$ 30
	• Snaps to rigid wireway	Circuit 2	46.2881.2.BL	1.0#	30
	• Receptacle color is black for circuits 1, 2 and 3	Circuit 3	46.2881.3.BL	1.0#	30
	• Receptacle color is orange with white lettering for circuits 4l, 5l and 6l	Circuit 4	46.2881.4l	1.0#	30

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Paint Color			
MODEL		W		Approx. Packaged Weight	Delivered Pricing	
 CZE1	Single Hardwire Assembly with Two Cutouts - Single-Sided Applications	30"	CZBE1S30HW	☐	2.8#	\$ 297
	- Assembly includes access cover - Single-sided application provides access to two receptacles on user side of beam - Galvanized enclosure to house receptacles and wiring provided by electrician - Flexible conduit and connectors bridging table to table must also be provided by electrician - Appropriate for Chicago or New York City installations; See planning guide for details	36"	CZBE1S36HW	☐	3.5#	307
		42"	CZBE1S42HW	☐	4.1#	325
		48"	CZBE1S48HW	☐	4.7#	340
		54"	CZBE1S54HW	☐	5.4#	350
		60"	CZBE1S60HW	☐	6.0#	366
		66"	CZBE1S66HW	☐	6.4#	386
		72"	CZBE1S72HW	☐	7.0#	465
		78"	CZBE1S78HW	☐	7.6#	536
 CZE1	Double Hardwire Assembly with Four Cutouts - Single-Sided Applications	60"	CZBE1D60HW	☐	6.1#	\$ 376
	- Assembly includes access cover - Single-sided application provides access to four receptacles on user side of beam - Galvanized enclosure to house receptacles and wiring provided by electrician - Flexible conduit and connectors bridging table to table must also be provided by electrician - Appropriate for Chicago or New York City installations; See planning guide for details	72"	CZBE1D72HW	☐	7.1#	397
		84"	CZBE1D84HW	☐	8.1#	630
		90"	CZBE1D90HW	☐	8.7#	649
		96"	CZBE1D96HW	☐	9.3#	666

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wire access cover powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical - Hardwired Applications

Dual-Sided Hardwire Enclosure Assemblies



Electrical - Hardwired Applications

Dual-Sided Hardwire Enclosure Assemblies

		MODEL NUMBER			
MODEL	W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Single Hardwire Assembly with Two Cutouts Per Side - Dual-Sided Hardwired Applications	36"	CZBE2S36HW	3.1#	\$ 260
		42"	CZBE2S42HW	3.5#	261
		48"	CZBE2S48HW	3.8#	272
	• Assembly includes access cover	54"	CZBE2S54HW	4.2#	278
	• Dual-sided application provides access to two receptacles per side	60"	CZBE2S60HW	4.6#	283
	• Galvanized enclosure to house receptacles and wiring provided by electrician	66"	CZBE2S66HW	5.0#	297
	• Flexible conduit and connectors bridging table to table must also be provided by electrician	72"	CZBE2S72HW	5.4#	303
	• Appropriate for Chicago or New York City installations	78"	CZBE2S78HW	5.8#	319
 HRDPT	Dual Hardwire Assembly with Four Cutouts Per Side - Dual-Sided Hardwired Applications	60"	CZBE2D60HW	4.8#	\$ 286
		72"	CZBE2D72HW	5.6#	306
		84"	CZBE2D84HW	6.3#	331
	• Assembly includes access cover	90"	CZBE2D90HW	6.7#	344
	• Dual-sided application provides access to four receptacles per side	96"	CZBE2D96HW	7.1#	355
	• Galvanized enclosure to house receptacles and wiring provided by electrician				
	• Flexible conduit and connectors bridging table to table must also be provided by electrician				
	• Appropriate for Chicago or New York City installations				

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Electrical 10-Wire System 6-2-2

Top Infeed & Top Wire Enclosure - 29" Wood Leg Assembly



Electrical 10-Wire System 6-2-2

Top Infeed & Top Wire Enclosure - 29" Wood Leg Assembly

			MODEL NUMBER			
MODEL		L	Basic Model	Color	Approx. Packaged Weight	Delivered Pricing
 HRDPT	Top Infeed 10-wire Pole for Wood Leg Dual-Sided Applications-6 Circuit	120"	CZBTWLF2	☐ ☐	15.0#	\$ 581
	• For use only in dual-sided wood leg base applications					
	• Provides power from ceiling source to dual-sided table power distribution system					
	• Must be hard-wired to building power source by a licensed electrician					
	• 144" length flexible oval conduit					
	• Includes 10 foot long aluminum pole with dual mounting bracket					
	• Provides separate channels for electrical and data entry					
 HRDPT	Top Wire Enclosure for Wood Leg Dual-Sided Applications	120"	CZBTDWLF2	☐ ☐	9.0#	\$ 359
	• Attaches to outer side of support frame between legs on either side of work surface					
	• Provides distribution channel for data cables from ceiling to table					
	• Includes 10 foot aluminum pole and dual mounting bracket					

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Accessories

Top Wire Enclosure - 29” Steel Leg Assembly



Accessories

Top Wire Enclosure - 29” Steel Leg Assembly

			MODEL NUMBER			
			Basic Model	Paint Color		
MODEL			W x D x H		Approx. Packaged Weight	Delivered Pricing
	Top Wire Enclosure - 29" Height for Single-Sided, Left	120"	CZBTDF1L	☐ ☐	9.0#	\$ 319
	• Attaches to outer side of leg at seated user's left					
	• Provides distribution channel for data cables from ceiling to table					
	• Includes 10 foot aluminum pole					
	• Single mounting bracket included					
HRDPT						
	Top Wire Enclosure - 29" Height for Single-Sided, Right	120"	CZBTDF1R	☐ ☐	9.0#	\$ 319
	• Attaches to outer side of leg at seated user's right					
	• Provides distribution channel for data cables from ceiling to table					
	• Includes 10 foot aluminum pole					
	• Single mounting bracket included					
HRDPT						
	Top Wire Enclosure for - 29" Height for Dual-Sided Applications	120"	CZBTDF2	☐ ☐	9.0#	\$ 337
	• Attaches to outer side of leg on either side of worksurface					
	• Provides distribution channel for data cables from ceiling to table					
	• Includes 10 foot aluminum pole					
	• Dual mounting bracket included					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping



Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Data Mount Bracket & Splice Kit



Data Mount Bracket & Splice Kit

MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Data Mount Bracket Kit • Black powdercoat finish • Included bracket, data tree, and mounting screws	CZBDDMB	1.0#	\$ 22
 HRDPT	Splice Kit • For use when a powered single-sided worksurface is planned perpendicularly at the end of a run of powered dual-sided worksurfaces • For use when the use of splice plates are desired on both ends of a Return work-surface for U-shaped office configuration • Kit includes 2 splice plates and 8 mounting screws	CZBSPLICE	1.0#	\$ 14

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER				
			Basic Model	Module Color			
 HRDPT	MODEL	Features L			Approx. Packaged Weight	Delivered Pricing	
	Nacre Pop-up Power Module (Corded) • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Two strain-relief clips included for wire management • 15A approved • UL listed	108" Cord	MOD.MA1.108	☐ ☐	1.0#	\$ 385	
		180" Cord	MOD.MA1.180	☐ ☐	1.0#	395	
 HRDPT	Dean In-surface Power Module (Corded) • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Two strain-relief clips included for wire management • 15A approved • UL listed	108" Cord	MOD.MD1.108	☐ ☐	1.0#	\$ 319	
		180" Cord	MOD.MD1.180	☐ ☐	1.0#	329	
 HRDPT	Dean Undersurface Power Module (Corded) • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Two strain-relief clips included for wire management • 15A approved • UL listed	36" Cord	MOD.MU1.36	☐ ☐	1.0#	\$ 403	
		108" Cord	MOD.MU1.108	☐ ☐	1.0#	408	
		180" Cord	MOD.MU1.180	☐ ☐	1.0#	418	
 HRDPT	Villa Module • Duplex receptacles provide 2 outlets, 2 USB-A charging ports, 1 open data port with data tree • Module only, grommet to be ordered separately • Three cord length options • Black only • Mounts on the under surface below a cutout to allow power access • Cord terminates in a 3-prong plug	36"	14.3263.36		1.0#	\$ 331	
		108"	14.3263.108		1.0#	331	
		180"	14.3263.180		1.0#	331	

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Electrical Components

Pattern Single Circuit Electrical



Electrical Components

Pattern Single Circuit Electrical

			MODEL NUMBER				
			Basic Model	Module Color			
 HRDPT	Nacre Pop-up Power Module (Pattern) - Provides two 3-prong receptacles, one USB-A and one USB-C charging port - Pattern Infeed, jumpers, and gangers ordered separately - Wire management not included 15A approved - ETL listed	40” Cord	MOD.PMA1.40	☐ ☐	1.0#		Delivered Pricing \$ 565
 HRDPT	Dean In-surface Power Module (Pattern) - Provides two 3-prong receptacles, one USB-A and one USB-C charging port - Pattern Infeed, jumpers, and gangers ordered separately - Wire management not included 15A approved - ETL listed	40” Cord	MOD.PMD1.40	☐ ☐	1.0#		\$ 397
 HRDPT	Dean Undersurface Power Module (Pattern) - Provides two 3-prong receptacles, one USB-A and one USB-C charging port - Pattern Infeed, jumpers, and gangers ordered separately - Wire management not included 15A approved - ETL listed	40” Cord	MOD.PMU1.40	☐ ☐	1.0#		\$ 469
HRDPT	Snap-in RPT Module w/Attachment Bracket (Pattern) - Provides two 3-prong receptacles - Pattern infeed, jumpers, and gangers ordered separately 15A approved - ETL listed	20” Cord	MOD.PS1.20.CZB		1.0#		\$ 144

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Electrical Components

Pattern Single Circuit Electrical System



Electrical Components

Pattern Single Circuit Electrical System

		MODEL NUMBER			
	MODEL	Features	Basic Model	Approx. Packaged Weight	Delivered Pricing
HRDPT	Pattern Infeed • 108” cord plugs into standard 15 amp outlet • Kit includes Pattern infeed, grey power distribution block, 12” Pattern jumper and white power distribution block • Can be installed anywhere in the run (middle or end) • Jumper length cannot exceed 600” or 50’ per infeed • 90 degree angled plug • Includes one Pattern quick release tool • Does not include vertical wire management • ETL listed		IFPAT	0.0#	\$ 305
HRDPT	Pattern Jumper • Each jumper kit includes jumper and grey power distribution block • Review product Planning Guide for table-to-table jumper length guidance. • ETL listed	12”	JPPAT.12	1.0#	\$ 70
		53”	JPPAT.53	1.0#	109
		75”	JPPAT.75	1.0#	115
		101”	JPPAT.101	1.0#	139
 HRDPT	Pattern Quick Release Tool • Snaps onto Pattern plugs to make disconnecting Pattern connections easier • Can be moved to multiple connections • Stores snapped onto one connection for easy access		BE04878.BL	0.0#	\$ 3

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Grommet Color		
 HRDPT	Metal Grommet Kit for Villa • Metal grommet design fits within 6.25" x 3" Villa cutout • Includes a brush grommet to hide the gaps	GRM.VG1	☐ ☐	1.0#	\$ 87
 HRDPT	Metal Grommet Kit for Nacre • Fits within 6.94" x 3" Nacre cutout	GRM.GA1	☐ ☐	1.0#	\$ 80
 HRDPT	Metal Grommet Kit for Dean • Fits within 7.81" x 1.93" Dean cutout	GRM.GD1	☐ ☐	1.0#	\$ 80
HRDPT	Plastic Grommet • Fits within 6.25" x 3" Villa cutout	46.0881	☐ ☐	1.0#	\$ 7

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select grommet color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13” High with Framed Fabric Insert



Privacy Screen

13” High with Framed Fabric Insert

			MODEL NUMBER								
MODEL		D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZPF	Single Fabric Privacy Screen - 13" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Standard top rail features one slot for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 13"	CZBPSF2413/1					11.0#	\$ 443	\$ 454	\$ 472
		1-3/16 x 30 x 13"	CZBPSF3013/1					13.0#	482	487	508
		1-3/16 x 36 x 13"	CZBPSF3613/1					14.0#	509	519	539
		1-3/16 x 42 x 13"	CZBPSF4213/1					15.0#	526	536	557
		1-3/16 x 48 x 13"	CZBPSF4813/1					16.0#	542	555	577
		1-3/16 x 54 x 13"	CZBPSF5413/1					17.0#	617	628	654
		1-3/16 x 60 x 13"	CZBPSF6013/1					18.0#	646	660	687
		1-3/16 x 66 x 13"	CZBPSF6613/1					20.0#	657	669	696
		1-3/16 x 72 x 13"	CZBPSF7213/1					21.0#	675	694	722
1-3/16 x 78 x 13"	CZBPSF7813/1					22.0#	707	725	754		
 CZPF	Double Fabric Privacy Screen - 13" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 13"	CZBPSF6013/2					21.0#	\$ 937	\$ 951	\$ 1016
		1-3/16 x 64 x 13"	CZBPSF6413/2					22.0#	958	980	1019
		1-3/16 x 72 x 13"	CZBPSF7213/2					23.0#	992	1012	1052
		1-3/16 x 84 x 13"	CZBPSF8413/2					26.0#	1026	1048	1090
		1-3/16 x 90 x 13"	CZBPSF9013/2					27.0#	1061	1086	1128
		1-3/16 x 96 x 13"	CZBPSF9613/2					28.0#	1062	1087	1501
 CZPF	Triple Fabric Privacy Screen - 13" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 13"	CZBPSF9013/3					30.0#	\$ 1395	\$ 1415	\$ 1473
		1-3/16 x 96 x 13"	CZBPSF9613/3					31.0#	1412	1443	1501
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19” High with Framed Fabric Insert



Privacy Screen

19” High with Framed Fabric Insert

			MODEL NUMBER								
MODEL		D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZPF	Single Fabric Privacy Screen - 19" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Standard top rail features one slot for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 19"	CZBPSF2419/1	□□□	□□	□□□	□□□□□	13.0#	\$ 516	\$ 526	\$ 553
		1-3/16 x 30 x 19"	CZBPSF3019/1	□□□	□□	□□□	□□□□□	14.0#	574	584	614
		1-3/16 x 36 x 19"	CZBPSF3619/1	□□□	□□	□□□	□□□□□	16.0#	588	601	630
		1-3/16 x 42 x 19"	CZBPSF4219/1	□□□	□□	□□□	□□□□□	17.0#	618	632	663
		1-3/16 x 48 x 19"	CZBPSF4819/1	□□□	□□	□□□	□□□□□	19.0#	634	653	685
		1-3/16 x 54 x 19"	CZBPSF5419/1	□□□	□□	□□□	□□□□□	20.0#	798	819	860
		1-3/16 x 60 x 19"	CZBPSF6019/1	□□□	□□	□□□	□□□□□	22.0#	830	852	896
		1-3/16 x 66 x 19"	CZBPSF6619/1	□□□	□□	□□□	□□□□□	23.0#	838	861	905
		1-3/16 x 72 x 19"	CZBPSF7219/1	□□□	□□	□□□	□□□□□	25.0#	860	886	930
	1-3/16 x 78 x 19"	CZBPSF7819/1	□□□	□□	□□□	□□□□□	26.0#	920	950	997	
 CZPF	Double Fabric Privacy Screen - 19" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSF6019/2	□□□	□□	□□□	□□□□□	25.0#	\$ 1120	\$ 1144	\$ 1201
		1-3/16 x 64 x 19"	CZBPSF6419/2	□□□	□□	□□□	□□□□□	27.0#	1133	1161	1220
		1-3/16 x 72 x 19"	CZBPSF7219/2	□□□	□□	□□□	□□□□□	28.0#	1151	1175	1235
		1-3/16 x 84 x 19"	CZBPSF8419/2	□□□	□□	□□□	□□□□□	31.0#	1211	1240	1303
		1-3/16 x 90 x 19"	CZBPSF9019/2	□□□	□□	□□□	□□□□□	32.0#	1244	1277	1341
		1-3/16 x 96 x 19"	CZBPSF9619/2	□□□	□□	□□□	□□□□□	34.0#	1254	1279	1344
 CZPF	Triple Fabric Privacy Screen - 19" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 19"	CZBPSF9019/3	□□□	□□	□□□	□□□□□	35.0#	\$ 1665	\$ 1704	\$ 1788
		1-3/16 x 96 x 19"	CZBPSF9619/3	□□□	□□	□□□	□□□□□	37.0#	1730	1755	1843
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

31” High with Framed Fabric Insert



Privacy Screen

31” High with Framed Fabric Insert

			MODEL NUMBER								
			Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color				
MODEL			D x W x H					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZPF	Single Fabric Privacy Screen - 31” High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Standard top rail features one slot for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 30 x 31”	CZBPSF3031/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	18.0#	\$ 716	\$ 739	\$ 784
		1-3/16 x 36 x 31”	CZBPSF3631/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	20.0#	758	787	834
		1-3/16 x 42 x 31”	CZBPSF4231/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	22.0#	790	820	870
		1-3/16 x 48 x 31”	CZBPSF4831/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	25.0#	823	857	908
 CZPF	Double Fabric Privacy Screen - 31” High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 31”	CZBPSF6031/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	32.0#	\$ 1264	\$ 1309	\$ 1388
		1-3/16 x 64 x 31”	CZBPSF6431/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	35.0#	1305	1350	1431
		1-3/16 x 72 x 31”	CZBPSF7231/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	37.0#	1342	1394	1477
		1-3/16 x 84 x 31”	CZBPSF8431/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	41.0#	1399	1454	1543
		1-3/16 x 90 x 31”	CZBPSF9031/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	43.0#	1402	1457	1546
		1-3/16 x 96 x 31”	CZBPSF9631/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	45.0#	1454	1520	1611
 CZPF	Triple Fabric Privacy Screen - 31” High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 31”	CZBPSF9031/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	47.0#	\$ 1881	\$ 1946	\$ 2061
		1-3/16 x 96 x 31”	CZBPSF9631/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	49.0#	1907	1972	2089

A

B

C

D

E

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | |
|----------------------------------|
| B Select screen location. |
| DAD - Dual adder |
| DST - Dual starter |
| SAD - Single adder |
| SST - Single starter |
- C** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D** Select end cap color.
Refer to the **Product Color Options** page in this price list.
- E** Select upholstery color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13, 19” or 31” High with Framed Fabric Insert



Divider Screen

13, 19” or 31” High with Framed Fabric Insert

		MODEL NUMBER									
		Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery				
MODEL	D x W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZDF	Single Fabric Divider Screen, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSF2413/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	9.0#	\$ 424	\$ 430	\$ 447
		1-3/16 x 30 x 13"	CZBDSF3013/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	10.0#	457	465	484
	• Aluminum powdercoated screen runs perpendicular to privacy screen	1-3/16 x 24 x 19"	CZBDSF2419/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	11.0#	490	501	525
	• Bottom of divider screen rests on top of worksurface	1-3/16 x 30 x 19"	CZBDSF3019/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	12.0#	547	559	587
	• Must specify by location and fixed or sliding function	1-3/16 x 24 x 31"	CZBDSF2431/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	14.0#	690	713	756
	• Standard top rail features one slot for hang-on accessories	1-3/16 x 30 x 31"	CZBDSF3031/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	16.0#	695	716	760
	• Integral linking strip included										
		A	B	C	D	E	F				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

74P - 74P edge
KN - Knife edge
- B**Select worksurface edge style.

74P - 74P edge
KN - Knife edge
- C**Select screen location.

FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
SLE - Sliding left end
SMI - Sliding middle
SRE - Sliding right end
FFL - Fixed freestanding left end
FFM - Fixed freestanding middle
FFR - Fixed freestanding right end

Screen locations FFL, FFR and FFM are NOT available on 31” high screens.
- D**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- E**Select end cap color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery.
Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Divider Screen

13 or 19” High with Framed Fabric Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19” High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

		MODEL NUMBER										
		Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery Color					
MODEL	D x W x H								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZDF	Single Fabric Divider Screen - Used on Perpendicular Worksurfaces, Uninterrupted Screen Length	1-3/16 x 60 x 13”	CZBDSF6013/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	15.0#	\$ 607	\$ 620	\$ 645
		1-3/16 x 66 x 13”	CZBDSF6613/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	16.0#	624	637	663
		1-3/16 x 72 x 13”	CZBDSF7213/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	17.0#	643	662	688
	• Aluminum powder coated screen runs perpendicular to privacy screen	1-3/16 x 78 x 13”	CZBDSF7813/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	18.0#	670	688	716
	• Bottom of divider screen rests on top of worksurface	1-3/16 x 60 x 19”	CZBDSF6019/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	19.0#	788	810	851
	• Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19”	CZBDSF6619/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	20.0#	806	829	870
	• For use on perpendicular worksurfaces only	1-3/16 x 72 x 19”	CZBDSF7219/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	21.0#	826	851	895
	• Standard top rail features one slot for hang-on accessories	1-3/16 x 78 x 19”	CZBDSF7819/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	23.0#	884	911	957
	• Integral linking strip included											
	• For use on Extended Corner, Return and Peninsula Worksurfaces											

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select worksurface edge style.
74P - 74P edge
- C**Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
- D**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- E**Select end cap color.
Refer to the **Product Color Options** page in this price list.
- F**Select upholstery color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13” High with Tool Rail and Framed Fabric Insert



Privacy Screen

13” High with Tool Rail and Framed Fabric Insert

			MODEL NUMBER								
MODEL		D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZPF	Single Fabric Privacy Screen with Tool Rail - 13" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Tool rail features three slots for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 13"	CZBPSFT2413/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	12.0#	\$ 435	\$ 440	\$ 457
		1-3/16 x 30 x 13"	CZBPSFT3013/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	13.0#	456	462	482
		1-3/16 x 36 x 13"	CZBPSFT3613/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	15.0#	502	509	529
		1-3/16 x 42 x 13"	CZBPSFT4213/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	16.0#	526	534	554
		1-3/16 x 48 x 13"	CZBPSFT4813/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	17.0#	543	554	576
		1-3/16 x 54 x 13"	CZBPSFT5413/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	19.0#	614	623	648
		1-3/16 x 60 x 13"	CZBPSFT6013/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	20.0#	628	636	662
		1-3/16 x 66 x 13"	CZBPSFT6613/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	22.0#	660	670	697
		1-3/16 x 72 x 13"	CZBPSFT7213/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	23.0#	664	676	703
		1-3/16 x 78 x 13"	CZBPSFT7813/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	24.0#	726	739	768
 CZPF	Double Fabric Privacy Screen with Tool Rail - 13" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 13"	CZBPSFT6013/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	23.0#	\$ 887	\$ 897	\$ 932
		1-3/16 x 64 x 13"	CZBPSFT6413/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	24.0#	929	971	1011
		1-3/16 x 72 x 13"	CZBPSFT7213/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	25.0#	979	992	1032
		1-3/16 x 84 x 13"	CZBPSFT8413/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	28.0#	1027	1045	1087
		1-3/16 x 90 x 13"	CZBPSFT9013/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	1062	1081	1124
		1-3/16 x 96 x 13"	CZBPSFT9613/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	31.0#	1063	1084	1127
 CZPF	Triple Fabric Privacy Screen with Tool Rail - 13" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 13"	CZBPSFT9013/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	32.0#	\$ 1318	\$ 1331	\$ 1385
		1-3/16 x 96 x 13"	CZBPSFT9613/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	33.0#	1402	1424	1481
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select upholstery color.

Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19" High with Tool Rail and Framed Fabric Insert



Privacy Screen

19" High with Tool Rail and Framed Fabric Insert

			MODEL NUMBER								
			Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color				
MODEL		D x W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZPF	Single Fabric Privacy Screen with Tool Rail - 19" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Tool rail features three slots for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 19"	CZBPSFT2419/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	14.0#	\$ 496	\$ 502	\$ 527
		1-3/16 x 30 x 19"	CZBPSFT3019/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	15.0#	518	526	553
		1-3/16 x 36 x 19"	CZBPSFT3619/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	17.0#	575	584	614
		1-3/16 x 42 x 19"	CZBPSFT4219/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	19.0#	599	609	640
		1-3/16 x 48 x 19"	CZBPSFT4819/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	20.0#	617	629	660
		1-3/16 x 54 x 19"	CZBPSFT5419/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	22.0#	715	727	763
		1-3/16 x 60 x 19"	CZBPSFT6019/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	24.0#	744	758	795
		1-3/16 x 66 x 19"	CZBPSFT6619/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	25.0#	761	778	816
		1-3/16 x 72 x 19"	CZBPSFT7219/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	27.0#	783	798	838
		1-3/16 x 78 x 19"	CZBPSFT7819/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	29.0#	829	845	887
 CZPF	Double Fabric Privacy Screen with Tool Rail - 19" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSFT6019/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	27.0#	\$ 1012	\$ 1026	\$ 1077
		1-3/16 x 64 x 19"	CZBPSFT6419/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	29.0#	1072	1081	1137
		1-3/16 x 72 x 19"	CZBPSFT7219/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	1123	1143	1200
		1-3/16 x 84 x 19"	CZBPSFT8419/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	33.0#	1173	1193	1252
		1-3/16 x 90 x 19"	CZBPSFT9019/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	35.0#	1178	1198	1259
		1-3/16 x 96 x 19"	CZBPSFT9619/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	37.0#	1210	1234	1295
 CZPF	Triple Fabric Privacy Screen with Tool Rail - 19" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 19"	CZBPSFT9019/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	38.0#	\$ 1505	\$ 1527	\$ 1603
		1-3/16 x 96 x 19"	CZBPSFT9619/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	39.0#	1592	1623	1703
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19” High with Tool Rail and Framed Fabric Insert



Divider Screen

13 or 19” High with Tool Rail and Framed Fabric Insert

			MODEL NUMBER										
			Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery					
MODEL			D x W x H						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 CZDF	Single Fabric Divider Screen with Tool Rail, Uninterrupted Screen Length		1-3/16 x 24 x 13"	CZBDSFT2413/1	□□□	□□□	□□	□□□	□□□□□	10.0#	\$ 415	\$ 420	\$ 435
	• Aluminum powdercoated screen runs perpendicular to privacy screen		1-3/16 x 30 x 13"	CZBDSFT3013/1	□□□	□□□	□□	□□□	□□□□□	11.0#	431	435	454
	• Bottom of divider screen rests on top of worksurface		1-3/16 x 24 x 19"	CZBDSFT2419/1	□□□	□□□	□□	□□□	□□□□□	11.0#	468	475	500
	• Must specify by location and fixed or sliding function		1-3/16 x 30 x 19"	CZBDSFT3019/1	□□□	□□□	□□	□□□	□□□□□	13.0#	492	500	525
	• Tool rail features three slots for hang-on accessories												
	• Integral linking strip included												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
- 74P - 74P edge
- KN - Knife edge
- C** Select screen location.
- FLE - Fixed left end
- FMI - Fixed middle
- FRE - Fixed right end
- SLE - Sliding left end
- SMI - Sliding middle
- SRE - Sliding right end
- FFL - Fixed freestanding left end
- FFM - Fixed freestanding middle
- FFR - Fixed freestanding right end

D Select powdercoat.

Refer to the **Product Color Options** page in this price list.

E Select end cap color.

Refer to the **Product Color Options** page in this

price list.

F Select upholstery.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
- | | |
|------------|------------|
| 74P | - 74P edge |
|------------|------------|
- C** Select screen location.
- | | |
|------------|-------------------|
| FLE | - Fixed left end |
| FMI | - Fixed middle |
| FRE | - Fixed right end |
- D** Select powdercoat.
- Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
- Refer to the **Product Color Options** page in this price list.
- F** Select upholstery color.
- Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13” High with Framed Acrylic Insert



Privacy Screen

13” High with Framed Acrylic Insert

			MODEL NUMBER							
			Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic			
MODEL			D x W x H					Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2
 CZPA	Single Acrylic Privacy Screen - 13” High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Standard top rail features one slot for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 13”	CZBPSA2413/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	12.0#	\$ 431	\$ 525
		1-3/16 x 30 x 13”	CZBPSA3013/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	14.0#	448	559
		1-3/16 x 36 x 13”	CZBPSA3613/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	15.0#	478	627
		1-3/16 x 42 x 13”	CZBPSA4213/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	16.0#	518	712
		1-3/16 x 48 x 13”	CZBPSA4813/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	18.0#	519	713
		1-3/16 x 54 x 13”	CZBPSA5413/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	19.0#	623	992
		1-3/16 x 60 x 13”	CZBPSA6013/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	21.0#	639	1009
		1-3/16 x 66 x 13”	CZBPSA6613/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	22.0#	653	1020
		1-3/16 x 72 x 13”	CZBPSA7213/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	23.0#	658	1026
		1-3/16 x 78 x 13”	CZBPSA7813/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	25.0#	689	1060
 CZPA	Double Acrylic Privacy Screen - 13” High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 13”	CZBPSA6013/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	23.0#	\$ 870	\$ 1091
		1-3/16 x 64 x 13”	CZBPSA6413/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	25.0#	899	1161
		1-3/16 x 72 x 13”	CZBPSA7213/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	26.0#	931	1225
		1-3/16 x 84 x 13”	CZBPSA8413/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	29.0#	1012	1396
		1-3/16 x 90 x 13”	CZBPSA9013/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	30.0#	1016	1400
		1-3/16 x 96 x 13”	CZBPSA9613/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	32.0#	1022	1407
 CZPA	Triple Acrylic Privacy Screen - 13” High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 13”	CZBPSA9013/3	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	33.0#	\$ 1293	\$ 1625
		1-3/16 x 96 x 13”	CZBPSA9613/3	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐	35.0#	1356	1762
			A	B	C	D	E			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | | |
|------------|------------------|
| DAD | - Dual adder |
| DST | - Dual starter |
| SAD | - Single adder |
| SST | - Single starter |
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.
Refer to the **Product Color Options** page in this price list.
- E**Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19” High with Framed Acrylic Insert



Privacy Screen

19” High with Framed Acrylic Insert

			MODEL NUMBER							
			Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic			
MODEL			D x W x H					Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2
 CZPA	Single Acrylic Privacy Screen - 19" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Standard top rail features one slot for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 19"	CZBPSA2419/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	14.0#	\$ 490	\$ 648
		1-3/16 x 30 x 19"	CZBPSA3019/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	16.0#	516	709
		1-3/16 x 36 x 19"	CZBPSA3619/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	18.0#	582	882
		1-3/16 x 42 x 19"	CZBPSA4219/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	19.0#	599	898
		1-3/16 x 48 x 19"	CZBPSA4819/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	21.0#	601	899
		1-3/16 x 54 x 19"	CZBPSA5419/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	23.0#	828	1551
		1-3/16 x 60 x 19"	CZBPSA6019/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	25.0#	845	1565
		1-3/16 x 66 x 19"	CZBPSA6619/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	26.0#	857	1578
		1-3/16 x 72 x 19"	CZBPSA7219/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	28.0#	861	1586
1-3/16 x 78 x 19"	CZBPSA7819/1	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	892	1615		
 CZPA	Double Acrylic Privacy Screen - 19" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSA6019/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	28.0#	\$ 1007	\$ 1394
		1-3/16 x 64 x 19"	CZBPSA6419/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	30.0#	1081	1626
		1-3/16 x 72 x 19"	CZBPSA7219/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	31.0#	1138	1735
		1-3/16 x 84 x 19"	CZBPSA8419/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	35.0#	1171	1772
		1-3/16 x 90 x 19"	CZBPSA9019/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	37.0#	1174	1774
		1-3/16 x 96 x 19"	CZBPSA9619/2	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	38.0#	1182	1778
 CZPA	Triple Acrylic Privacy Screen - 19" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 19"	CZBPSA9019/3	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	40.0#	\$ 1497	\$ 2076
		1-3/16 x 96 x 19"	CZBPSA9619/3	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	42.0#	1528	2108
			A	B	C	D	E			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | |
|----------------------------------|
| B Select screen location. |
| DAD - Dual adder |
| DST - Dual starter |
| SAD - Single adder |
| SST - Single starter |
- C**Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.
Refer to the **Product Color Options** page in this price list.
- E**Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19” High with Framed Acrylic Insert



Divider Screen

13 or 19” High with Framed Acrylic Insert

			MODEL NUMBER								
			Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic			
MODEL			D x W x H						Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2
 CZDA	Single Acrylic Divider Screen, Uninterrupted Screen Length - Aluminum powdercoated screen runs perpendicular to privacy screen - Bottom of divider screen rests on top of worksurface - Must specify by location and fixed or sliding function - Standard top rail features one slot for hang-on accessories - Integral linking strip included	1-3/16 x 24 x 13"	CZBDSA2413/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	10.0#	\$ 406	\$ 502	
		1-3/16 x 30 x 13"	CZBDSA3013/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	12.0#	416	525	
		1-3/16 x 24 x 19"	CZBDSA2419/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	11.0#	465	623	
		1-3/16 x 30 x 19"	CZBDSA3019/1	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	13.0#	490	683	
			A	B	C	D	E	F			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select screen location.
- FLE** - Fixed left end
- FMI** - Fixed middle
- FRE** - Fixed right end
- SLE** - Sliding left end
- SMI** - Sliding middle
- SRE** - Sliding right end
- FFL** - Fixed freestanding left end
- FFM** - Fixed freestanding middle
- FFR** - Fixed freestanding right end

- D** Select powdercoat.
- Refer to the **Product Color Options** page in this price list.

- E** Select end cap color.
- Refer to the **Product Color Options** page in this

price list.

F Select acrylic color.

See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Divider Screen

13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

		MODEL NUMBER									
		Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic				
MODEL	D x W x H							Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2	
 CZDA	Single Acrylic Divider Screen - Used on Perpendicular Worksurfaces, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSA6013/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	17.0#	\$ 591	\$ 960	
		1-3/16 x 66 x 13"	CZBDSA6613/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	19.0#	613	980	
		1-3/16 x 72 x 13"	CZBDSA7213/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	20.0#	617	986	
	• Aluminum powdercoated screen runs perpendicular to privacy screen	1-3/16 x 78 x 13"	CZBDSA7813/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	21.0#	643	1016	
	• Bottom of divider screen rests on top of worksurface	1-3/16 x 60 x 19"	CZBDSA6019/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	22.0#	804	1524	
	• Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSA6619/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	23.0#	820	1546	
	• For use on perpendicular worksurfaces only	1-3/16 x 72 x 19"	CZBDSA7219/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	25.0#	829	1551	
	• Standard top rail features one slot for hang-on accessories	1-3/16 x 78 x 19"	CZBDSA7819/1	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	26.0#	857	1578	
	• Integral linking strip included										
	• For use on Extended Corner, Return and Peninsula Worksurfaces										

A

B

C

D

E

F

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select worksurface edge style.

74P- 74P edge
- C

Select screen location.

FLE- Fixed left end

FMI- Fixed middle

FRE- Fixed right end
- D

Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- E

Select end cap color.

Refer to the **Product Color Options** page in this price list.
- F

Select acrylic color.

See pricing columns for acrylic color charges. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

13” High with Tool Rail and Framed Acrylic Insert



Privacy Screen

13” High with Tool Rail and Framed Acrylic Insert

			MODEL NUMBER							
			Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic			
MODEL			D x W x H					Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2
 CZPA	Single Acrylic Privacy Screen with Tool Rail - 13” High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Tool rail features three slots for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 13”	CZBPSAT2413/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	13.0#	\$ 435	\$ 519
		1-3/16 x 30 x 13”	CZBPSAT3013/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	14.0#	463	575
		1-3/16 x 36 x 13”	CZBPSAT3613/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	16.0#	475	624
		1-3/16 x 42 x 13”	CZBPSAT4213/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	18.0#	543	737
		1-3/16 x 48 x 13”	CZBPSAT4813/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	19.0#	548	739
		1-3/16 x 54 x 13”	CZBPSAT5413/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	21.0#	658	1025
		1-3/16 x 60 x 13”	CZBPSAT6013/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	22.0#	672	1045
		1-3/16 x 66 x 13”	CZBPSAT6613/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	24.0#	692	1061
		1-3/16 x 72 x 13”	CZBPSAT7213/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	25.0#	699	1067
		1-3/16 x 78 x 13”	CZBPSAT7813/1	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	27.0#	744	1116
 CZPA	Double Acrylic Privacy Screen with Tool Rail - 13” High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 13”	CZBPSAT6013/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	25.0#	\$ 900	\$ 1123
		1-3/16 x 64 x 13”	CZBPSAT6413/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	26.0#	914	1161
		1-3/16 x 72 x 13”	CZBPSAT7213/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	28.0#	926	1221
		1-3/16 x 84 x 13”	CZBPSAT8413/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	31.0#	1063	1450
		1-3/16 x 90 x 13”	CZBPSAT9013/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	33.0#	1173	1773
		1-3/16 x 96 x 13”	CZBPSAT9613/2	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	34.0#	1189	1785
 CZPA	Triple Acrylic Privacy Screen with Tool Rail - 13” High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 13”	CZBPSAT9013/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	35.0#	\$ 1341	\$ 1672
		1-3/16 x 96 x 13”	CZBPSAT9613/3	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	37.0#	1370	1682
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select acrylic color.

See pricing columns for acrylic color charges.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.




Privacy Screen

19” High with Tool Rail and Framed Acrylic Insert



Privacy Screen

19” High with Tool Rail and Framed Acrylic Insert

			MODEL NUMBER							
MODEL		D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2
 CZPA	Single Acrylic Privacy Screen with Tool Rail - 19" High, Uninterrupted Screen Length - Aluminum powdercoated screen runs along width of worksurface - Tool rail features three slots for hang-on accessories - Integral linking strip included - Linking posts allow for perpendicular attachment of dividers, specified separately - Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 24 x 19"	CZBPSAT2419/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	15.0#	\$ 490	\$ 626
		1-3/16 x 30 x 19"	CZBPSAT3019/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	17.0#	533	725
		1-3/16 x 36 x 19"	CZBPSAT3619/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	19.0#	548	739
		1-3/16 x 42 x 19"	CZBPSAT4219/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	21.0#	626	924
		1-3/16 x 48 x 19"	CZBPSAT4819/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	22.0#	627	929
		1-3/16 x 54 x 19"	CZBPSAT5419/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	24.0#	861	1585
		1-3/16 x 60 x 19"	CZBPSAT6019/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	26.0#	878	1600
		1-3/16 x 66 x 19"	CZBPSAT6619/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	28.0#	897	1617
		1-3/16 x 72 x 19"	CZBPSAT7219/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	30.0#	904	1626
		1-3/16 x 78 x 19"	CZBPSAT7819/1	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	32.0#	949	1673
 CZPA	Double Acrylic Privacy Screen with Tool Rail - 19" High, Center Intersection - Screen includes two equal panels - Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSAT6019/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	29.0#	\$ 1037	\$ 1421
		1-3/16 x 64 x 19"	CZBPSAT6419/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	31.0#	1050	1440
		1-3/16 x 72 x 19"	CZBPSAT7219/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	33.0#	1068	1452
		1-3/16 x 84 x 19"	CZBPSAT8419/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	37.0#	1223	1823
		1-3/16 x 90 x 19"	CZBPSAT9019/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	39.0#	1227	1826
		1-3/16 x 96 x 19"	CZBPSAT9619/2	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	41.0#	1234	1828
 CZPA	Triple Acrylic Privacy Screen with Tool Rail - 19" High, Two Intersections - Screen includes three equal panels - Intersections allow for divider screen attachment	1-3/16 x 90 x 19"	CZBPSAT9019/3	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	42.0#	\$ 1545	\$ 2119
		1-3/16 x 96 x 19"	CZBPSAT9619/3	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	44.0#	1586	2161
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select screen location.

DAD

- Dual adder

DST

- Dual starter

SAD

- Single adder

SST

- Single starter
- C**Select powdercoat.

Refer to the **Product Color Options** page in this price list.
- D**Select end cap color.

Refer to the **Product Color Options** page in this price list.
- E**Select acrylic color.

See pricing columns for acrylic color charges.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert



Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
- | | |
|------------|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select screen location.
- | | |
|------------|--------------------------------|
| FLE | - Fixed left end |
| FMI | - Fixed middle |
| FRE | - Fixed right end |
| SLE | - Sliding left end |
| SMI | - Sliding middle |
| SRE | - Sliding right end |
| FFL | - Fixed freestanding left end |
| FFM | - Fixed freestanding middle |
| FFR | - Fixed freestanding right end |

- D** Select powdercoat.
Refer to the **Product Color Options** page in this price list.

- E** Select end cap color.
Refer to the **Product Color Options** page in this

price list.

- F** Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select worksurface edge style.
74P - 74P edge
- C** Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end
- D** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- E** Select end cap color.
Refer to the **Product Color Options** page in this price list.
- F** Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Accessories

Steel Modesty Panel and Wire Access Cover For Use on 29" Single-Sided Steel Leg Assemblies



Accessories

Steel Modesty Panel and Wire Access Cover For Use on 29" Single-Sided Steel Leg Assemblies

		MODEL	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
				Basic Model	Paint Color		
 CZMP	Steel Modesty Panel	18-1/2 x 10"	CZBMP24	☐ ☐	6.0#	\$ 185	
	- Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" center-to-center spacing 14 gauge powdercoated steel - Reveal of approximately 1" is present between panel and leg - Assembly includes panel, brackets and mounting screws - For use on 29" single-sided steel leg assemblies	24-1/2 x 10"	CZBMP30	☐ ☐	7.0#	199	
		30-1/2 x 10"	CZBMP36	☐ ☐	9.0#	213	
		36-1/2 x 10"	CZBMP42	☐ ☐	10.0#	224	
		42-1/2 x 10"	CZBMP48	☐ ☐	11.0#	261	
		48-1/2 x 10"	CZBMP54	☐ ☐	13.0#	280	
		54-1/2 x 10"	CZBMP60	☐ ☐	14.0#	300	
		58-1/2 x 10"	CZBMP64	☐ ☐	15.0#	306	
		60-1/2 x 10"	CZBMP66	☐ ☐	16.0#	331	
		66-1/2 x 10"	CZBMP72	☐ ☐	17.0#	345	
		72-1/2 x 10"	CZBMP78	☐ ☐	18.0#	360	
		78-1/2 x 10"	CZBMP84	☐ ☐	19.0#	377	
		84-1/2 x 10"	CZBMP90	☐ ☐	20.0#	385	
		90-1/2 x 10"	CZBMP96	☐ ☐	22.0#	407	
 CZWA	Wire Access Covers for Single-Sided 29" High Applications	36"W	CZBWAC36	☐ ☐	4.0#	\$ 73	
	- Steel cover assembly attaches to beam for added cord management in non-powered single-sided applications - For 29"H single-sided frame assemblies only	42"W	CZBWAC42	☐ ☐	5.2#	91	
		48"W	CZBWAC48	☐ ☐	5.9#	78	
		54"W	CZBWAC54	☐ ☐	6.8#	93	
		60"W	CZBWAC60	☐ ☐	7.6#	90	
		64"W	CZBWAC64	☐ ☐	7.2#	125	
		66"W	CZBWAC66	☐ ☐	7.2#	125	
		72"W	CZBWAC72	☐ ☐	9.1#	94	
		78"W	CZBWAC78	☐ ☐	9.2#	143	
		84"W	CZBWAC84	☐ ☐	10.4#	158	
		90"W	CZBWAC90	☐ ☐	11.1#	147	
		96"W	CZBWAC96	☐ ☐	11.8#	134	

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER			
				Basic Model	Paint Color		
MODEL						Approx. Packaged Weight	Delivered Pricing
 CZBC	Cable Tray Assemblies	12-5/8 x 28"	CZBCT36	☐		8.0#	\$ 226
	• Included in standard dual frame model numbers	12-5/8 x 34"	CZBCT42	☐		9.0#	231
	• Cable tray assembly attaches to beams under 10-wire rigid wireway to manage cords	12-5/8 x 40"	CZBCT48	☐		10.0#	233
		12-5/8 x 46"	CZBCT54	☐		11.0#	236
		12-5/8 x 52"	CZBCT60	☐		12.0#	291
	• For use with dual-sided applications only	12-5/8 x 58"	CZBCT64	☐		13.0#	293
	• Supports hard-wired or plug-and-play applications	12-5/8 x 58"	CZBCT66	☐		14.0#	293
	• 48-72" assemblies feature a single tray	12-5/8 x 64"	CZBCT72	☐		15.0#	299
	• 78-96" applications feature two side-by-side trays	12-5/8 x 70"	CZBCT78	☐		17.0#	398
		12-5/8 x 76"	CZBCT84	☐		18.0#	420
	• Not for use on Teaming Tables	12-5/8 x 82"	CZBCT90	☐		19.0#	433
		12-5/8 x 88"	CZBCT96	☐		20.0#	452
 CZBR	Cable Riser Assembly for Steel Adder Leg		CZBDACR	☐		5.0#	\$ 244
	• Cable riser conceals power cords at any intermediate/adder leg location						
	• Riser consists of front and rear panels with support hook						
	• Panels fit between vertical legs and extend the entire width of leg opening to create enclosure						
	• For use on 29" intermediate/adder leg in dual-sided applications only						
	• Dual-sided steel adder frame ordered separately						
 CZBR	Cable Riser Assembly for Wood Adder Leg		CZBDAWLCR	☐		5.0#	\$ 193
	• Cable riser conceals power cords at any intermediate leg location						
	• Riser consists of front and rear panels						
	• Panels fit between the wood legs of a dual-sided adder frame only						
	• Dual-sided wood adder frame ordered separately						

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Color		
MODEL				Approx. Packaged Weight	Delivered Pricing
 HRDPT	LED Double Arm Task Light with Free-standing Base • Includes light and base • 7 watts, 18 fractional LED's • Automatic shut-off after 10 hours • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Base is 6.5" in diameter and 1-1/4" high • Light paddle is approximately 5 x 4" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Power block will not fit into Villa or other recessed power module	CZBTLF	☐ ☐	6.0#	\$ 529
 HRDPT	LED Double Arm Task Light, Tool Rail Mount • Includes light and tool rail mount • 7 watts, 18 fractional LED's • Automatic shut-off after 10 hours • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Mounting clip measures 3.5 x 3.5" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Power block will not fit into Villa or other recessed power module	CZBTLT	☐ ☐	2.0#	\$ 523
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Accessories

Double Arm Task Lights with Occupancy Sensors



Accessories

Double Arm Task Lights with Occupancy Sensors

MODEL		MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Color		
 HRDPT	LED Double Arm Task Light with Occupancy Sensor and Freestanding Base • Includes light and base • 7 watts, 18 fractional LED's • Automatic shut-off after 30 minutes of non-movement near light • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Base is 6-1/5" in diameter and 1-1/4" high • Light paddle is approximately 5 x 4" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Power block will not fit into Villa or other recessed power module	CZBTLOF	☐ ☐	6.0#	\$ 637
 HRDPT	LED Double Arm Task Light with Occupancy Sensor and Tool Rail Mount • Includes light and tool rail mount • 7 watts, 18 fractional LED's • Automatic shut-off after 30 minutes of non-movement near light • 50,000 hour life • Aluminum and plastic construction • Touch and hold dimming • Mounting clip measures 3-1/2 x 3-1/2" • Horizontal arm extends 15" with paddle from vertical arm • 6 foot cord • Power block will not fit into Villa or other recessed power module	CZBTLOT	☐ ☐	2.0#	\$ 630

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Color		
MODEL				Approx. Packaged Weight	Delivered Pricing
HRDPT	Freestanding Base - For retrofit or replacement - For use on models CZBTLOF and CZBTLF	CZBTLBASE	☐ ☐	5.0#	\$ 115
HRDPT	Tool Rail Mount Base - For retrofit or replacement - For use on models CZBTLOT and CZBTLT	CZBTLTOOL	☐ ☐	1.0#	\$ 108

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	Basic Model	Paint Color		
 HRDPT	Asymmetrical LED Task Light with Free-standing Base	LEDTL4WF	☐ ☐	6.0#
	• Includes light and base			
	• Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head			
	• Standard occupancy sensor shuts off after 30 minutes of inactivity			
	• 4.2 watts energy consumption			
	• 7 LED's			
	• 13" arm			
	• Continuous touch and hold dimming from 100% to 15%			
	• Aluminum, zinc and plastic construction			
	• 15 watt wall transformer with 9 foot cord			
 HRDPT	Asymmetrical LED Task Light with Small Divider Mount Clamp	LEDTL4WDSM	☐ ☐	2.0#
	• Includes light and mount with 1/4" to 3/8" thickness range			
	• Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head			
	• Standard occupancy sensor shuts off after 30 minutes of inactivity			
	• 4.2 watts energy consumption			
	• 7 LED's			
	• 10" arm			
	• Continuous touch and hold dimming from 100% to 15%			
	• Aluminum, zinc and plastic construction			
	• 15 watt wall transformer with 9 foot cord			
A B				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

MODEL		MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color		
 HRDPT	Asymmetrical LED Task Light with Large Divider Mount • Includes light and mount with 1/2" to 1-1/2" thickness range • Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head • Standard occupancy sensor shuts off after 30 minutes of inactivity • 4.2 watts energy consumption • 7 LED's • 10" arm • Continuous touch and hold dimming from 100% to 15% • Aluminum, zinc and plastic construction • 15 watt wall transformer with 9 foot cord • 4 foot silver cord with quick connector • UL compliant • 3.7 x 3.1" light paddle • Appropriate for Connection Zone framed privacy screens • Power block will not fit into Villa or other recessed power module	LEDTL4WDLG	☐ ☐	2.0#	\$ 490

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL				Approx. Packaged Weight	Delivered Pricing
HRDPT	Freestanding Base • For replacement or retrofit • For use with model LEDTL4WF	LEDTLBASE	☐ ☐	5.0#	\$ 111
HRDPT	Small Divider Mount • 1/4" to 3/8" thickness range • For replacement or retrofit • For use with model LEDTL4WDSM	LEDTLMTSM	☐ ☐	1.0#	\$ 105
HRDPT	Large Divider Mount • 1/2" to 1-1/2" thickness range • For replacement or retrofit • For use with model LEDTL4WDLG	LEDTLMTLG	☐ ☐	1.0#	\$ 105
		A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
MODEL		W x D x H	Basic Model	Powdercoat Color	Approx. Packaged Weight	Delivered Pricing
	Paper Tray • Steel construction • Accepts letter sized papers • Suspends from screen top rail or tool rail	11-3/8 x 8-7/8 x 1-5/8"	CZBPML	☐ ☐	3.0#	\$ 69
HRDPT						
	Pencil Holder • Steel construction • Suspends from screen top rail or tool rail	2-1/4 X 1-5/8 X 4-3/4"	CZBPMP	☐ ☐	0.5#	\$ 41
HRDPT						
	Box • Steel construction • Suspends from screen top rail or tool rail	3 x 3-1/2 x 3"	CZBPMB	☐ ☐	0.5#	\$ 42
HRDPT						
	Cell Phone Holder • Steel construction • Suspends from screen top rail or tool rail • Lower edge is extended to allow for angled placement	3-1/8 x 1-1/8 x 5-1/4"	CZBPMC	☐ ☐	0.5#	\$ 40
HRDPT						
	Name Plate Holder • Steel construction • Suspends from screen top rail or tool rail • Area for name is approximately 3/8 x 3-3/8" • Name plate not supplied with holder	5-1/8 x 1 x 1-5/8"	CZBPMN	☐ ☐	0.5#	\$ 41
HRDPT						

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.






Single-Sided Rectilinear Worksurfaces - 42” Height

24” Deep for use with Cafe Height Frames



Single-Sided Rectilinear Worksurfaces - 42” Height

24” Deep for use with Cafe Height Frames

			MODEL NUMBER											
MODEL		D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color		Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)	
 CZRC	Single-Sided Applications with One Cutout Option • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • C cutout option only • See cutout locations below	24 x 48	CZBCWR24481MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐		39.0 kg	\$ 623	\$ 653	
		24 x 54	CZBCWR24541MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐		63.0 kg	702	739
 CZRC	Single-Sided Applications with One or Two Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • L and R cutout locations are centered for two users • See cutout locations below	24 x 60	CZBCWR24601MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		69.0 kg	\$ 729	\$ 766	
		24 x 64	CZBCWR24641MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		73.0 kg	804	846
		24 x 66	CZBCWR24661MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		75.0 kg	811	856
		24 x 72	CZBCWR24721MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		82.0 kg	830	872
		24 x 78	CZBCWR24781MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		88.0 kg	892	937
		24 x 84	CZBCWR24841MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		95.0 kg	912	958
 CZRC	Single-Sided Applications with One, Two or Three Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • C and LCR cutout locations are centered for three users • L, R and LR cutout locations are centered for two users • See cutout locations below	24 x 90	CZBCWR24901MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		101.0 kg	\$ 946	\$ 995	
		24 x 96	CZBCWR24961MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		108.0 kg	970	1020

A

B

C

D

E

F

G

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P - 74P edge
- KN - Knife edge
- C** Select cutout style.
- NCS - No cutout
- CSD - Cutout for Dean
- CSA - Cutout for Nacre
- CSV - Cutout for Villa
- D** Select cutout location.
- N - None
- L - Cutout : Left
- R - Cutout : Right
- C - Cutout : Center
- LR - Cutout : Left/right
- LCR - Cutout : Left/center/right
- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60” and longer
- R - Pick only for models 60” and longer

- LR - Pick only for models 60” and longer
- LCR - Pick only for models 90” and longer
- E** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- G** Select modesty panel powdercoat.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.






Single-Sided Rectilinear Worksurfaces - 42” Height

30” Deep for use with Cafe Height Frames



Single-Sided Rectilinear Worksurfaces - 42” Height

30” Deep for use with Cafe Height Frames

			MODEL NUMBER											
MODEL		D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color		Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)	
 CZRC	Single-Sided Applications with One Cutout Option • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • C cutout option only • See cutout locations below	30 x 48	CZBCWR30481MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		66.0 kg	\$ 664	\$ 697	
		30 x 54	CZBCWR30541MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		75.0 kg	737	779
 CZRC	Single-Sided Applications with One or Two Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • L and R cutout locations are centered for two users • See cutout locations below	30 x 60	CZBCWR30601MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		82.0 kg	\$ 764	\$ 805	
		30 x 64	CZBCWR30641MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		87.0 kg	831	895
		30 x 66	CZBCWR30661MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		90.0 kg	900	955
		30 x 72	CZBCWR30721MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		98.0 kg	920	972
		30 x 78	CZBCWR30781MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		106.0 kg	1000	1059
		30 x 84	CZBCWR30841MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		113.0 kg	1020	1078
 CZRC	Single-Sided Applications with One, Two or Three Cutout Options • Support frames are specified separately • Power modules, grommets, and electrical components specified separately • Predrilled for compatibility with café height bases • 42" assembled height • Features perforated steel modesty panel • C and LCR cutout locations are centered for three users • L, R and LR cutout locations are centered for two users • See cutout locations below	30 x 90	CZBCWR30901MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		121.0 kg	\$ 1033	\$ 1090	
		30 x 96	CZBCWR30961MP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		129.0 kg	1059	1116

A

B

C

D

E

F

G

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select cutout style.
NCS - No cutout
CSD - Cutout for Dean
CSA - Cutout for Nacre
CSV - Cutout for Villa
- D** Select cutout location.
N - None
L - Cutout : Left
R - Cutout : Right
C - Cutout : Center
LR - Cutout : Left/right
LCR - Cutout : Left/center/right
N - Pick for all models
C - Pick for all models
L - Pick only for models 60” and longer
R - Pick only for models 60” and longer

LR - Pick only for models 60” and longer
LCR - Pick only for models 90” and longer

- E** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.
- G** Select modesty panel powdercoat.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bondue1, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Teaming Rectilinear Worksurfaces - 42” Height

42” Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42” Height

42” Deep for use with Cafe Height Frames

			MODEL NUMBER									
			Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color			
MODEL	D x W									Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)
 CZRC	One Cutout Option	42 x 48	CZBCWR4248TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	98.0#	\$ 993	\$ 1026
	• Single piece top	42 x 54	CZBCWR4254TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	111.0#	1089	1131
	• Specify only with 24” fixed cafe height frames, specified separately											
	• Power modules, grommets, and electrical components specified separately											
	• 9” clearance between modesty panel and edge of worksurface and is intended for standing approach only											
	• KN edge when specified is featured on width dimensions only											
	• Features modesty panels along width dimensions on both sides											
	• C cutout option only											
	• See cutout locations below											
 CZRC	One or Two Cutout Options	42 x 60	CZBCWR4260TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	122.0#	\$ 1144	\$ 1185
	• Single piece top	42 x 66	CZBCWR4266TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	134.0#	1318	1370
	• Specify only with 24” fixed cafe height frames, specified separately	42 x 72	CZBCWR4272TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	1355	1409
	• Power modules, grommets, and electrical components specified separately	42 x 78	CZBCWR4278TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	157.0#	1462	1520
	• 9” clearance between modesty panel and edge of worksurface and is intended for standing approach only	42 x 84	CZBCWR4284TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	170.0#	1500	1557
	• KN edge when specified is featured on width dimensions only											
	• Features modesty panels along width dimensions on both sides											
	• LR cutout locations are centered for two users											
	• See cutout locations below											
				A	B	C	D	E	F	G		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.

74P - 74P edge

KN - Knife edge

CSelect cutout style.

NCS - No cutout

CSD - Cutout for Dean

CSA - Cutout for Nacre

CSV - Cutout for Villa

DSelect cutout location.

N - None

C - Cutout : Center

LR - Cutout : Left/right

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60” and longer

LCR - Pick only for models 90” and longer

ESelect surface finish.

Refer to the **Product Color Options** page in this
- price list.

FSelect edge color.

Refer to the **Product Color Options** page in this price list.

GSelect cable tray powder coat color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Teaming Rectilinear Worksurfaces - 42” Height

42” Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42” Height

42” Deep for use with Cafe Height Frames

			MODEL NUMBER											
MODEL			D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color				
 CZRC	One, Two or Three Cutout Options		42 x 90	CZBCWR4290TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)	
	• Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions on both sides • C and LCR cutout locations are centered for three users • LR cutout locations are centered for two users • See cutout locations below		42 x 96	CZBCWR4296TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	181.0#	\$ 1522	\$ 1578	
												192.0#	1568	1626

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select cutout style.
- NCS** - No cutout
- CSD** - Cutout for Dean
- CSA** - Cutout for Nacre
- CSV** - Cutout for Villa
- D** Select cutout location.
- N** - None
- C** - Cutout : Center
- LR** - Cutout : Left/right
- LCR** - Cutout : Left/center/right
- N - Pick for all models
- C - Pick for all models
- LR - Pick only for models 60” and longer
- LCR - Pick only for models 90” and longer

- E** Select surface finish.

Refer to the **Product Color Options** page in this price list.

- F** Select edge color.
- Refer to the **Product Color Options** page in this price list.

- G** Select cable tray powder coat color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Teaming Rectilinear Worksurfaces - 42” Height

48” Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42” Height

48” Deep for use with Cafe Height Frames

			MODEL NUMBER											
MODEL			D x W	Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color				
 CZRC	One Cutout Option • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 12" clearance between modesty panel & edge of worksurface offers stool seating • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • C cutout option only • See cutout locations below	48 x 48	CZBCWR4848TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		Approx. Packaged Weight			
		48 x 54	CZBCWR4854TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		98.0#	\$ 995	\$ 1027
												111.0#	1090	1131
 CZRC	One or Two Cutout Options • Single piece top • Specify only with 24" fixed cafe height frames, specified separately • Power modules, grommets, and electrical components specified separately • 12" clearance between modesty panel & edge of worksurface offers stool seating • KN edge when specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • LR cutout locations are centered for two users • See cutout locations below	48 x 60	CZBCWR4860TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		122.0#	\$ 1144	\$ 1187	
		48 x 66	CZBCWR4866TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		134.0#	1319	1372
		48 x 72	CZBCWR4872TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		145.0#	1356	1411
		48 x 78	CZBCWR4878TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		157.0#	1462	1520
		48 x 84	CZBCWR4884TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		170.0#	1500	1557
				A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

CSelect cutout style.

DSelect cutout location.

ESelect surface finish.

74P - 74P edge

KN - Knife edge

NCS - No cutout

CSD - Cutout for Dean

CSA - Cutout for Nacre

CSV - Cutout for Villa

N - None

C - Cutout : Center

LR - Cutout : Left/right

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60” and longer

LCR - Pick only for models 90” and longer

price list.

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Teaming Rectilinear Worksurfaces - 42” Height

48” Deep for use with Cafe Height Frames



Teaming Rectilinear Worksurfaces - 42” Height

48” Deep for use with Cafe Height Frames

			MODEL NUMBER									
			Basic Model	Edge Style	Cutout Style	Cutout Location	Surface Finish	Edge Color	Powdercoat Color			
MODEL	D x W									Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
 CZRC	One, Two or Three Cutout Options	48 x 90	CZBCWR4890TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	181.0#	\$ 1523	\$ 1581
	- Single piece top - Specify only with 24" fixed cafe height frames, specified separately - Power modules, grommets, and electrical components specified separately 12" clearance between modesty panel & edge of worksurface offers stool seating - KN edge when specified is featured on width dimensions only - Features modesty panels along width dimensions front and back - C and LCR cutout locations are centered for three users - LR cutout locations are centered for two users - See cutout locations below	48 x 96	CZBCWR4896TMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	192.0#	1571	1627
			A	B	C	D	E	F	G			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- 74P** - 74P edge
- KN** - Knife edge
- C** Select cutout style.
- NCS** - No cutout
- CSD** - Cutout for Dean
- CSA** - Cutout for Nacre
- CSV** - Cutout for Villa
- D** Select cutout location.
- N** - None
- C** - Cutout : Center
- LR** - Cutout : Left/right
- LCR** - Cutout : Left/center/right
- N - Pick for all models
- C - Pick for all models
- LR - Pick only for models 60” and longer
- LCR - Pick only for models 90” and longer

- E** Select surface finish.

Refer to the **Product Color Options** page in this price list.

- F** Select edge color.
- Refer to the **Product Color Options** page in this price list.

- G** Select cable tray powder coat color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



24” Fixed - 42” Height Steel Leg Frame

Supports Single-Sided 24” Deep or Teaming Worksurfaces



24” Fixed - 42” Height Steel Leg Frame

Supports Single-Sided 24” Deep or Teaming Worksurfaces

			MODEL NUMBER				
			Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	Delivered Pricing
 CZCH	24” Single-Sided Stand-alone/Starter Frame	24 x 40-3/8	CZBCSS2448/F	☐ ☐	GCL	51.0#	\$ 1005
	- Includes two 24” fixed end legs that are non-handed and integrated telescopic beam - For use under 24” deep fixed single sided or 42” or 48” teaming table rectangular worksurfaces in 42” café height applications - Accommodates worksurface width of 48” or range of 54-72” or 78-96” 10” clearance to beam on 24” single-sided worksurfaces 9” clearance to modesty panels on 42” teaming worksurfaces 12” clearance to modesty panels on 48” teaming worksurfaces - Frame on café height tables is inset from outside edge of worksurfaces in stand-alone/starter configurations 42” finished height when fully assembled with worksurface	24 x 40-3/8	CZBCSS245472/F	☐ ☐	GCL	55.0#	1086
		24 x 40-3/8	CZBCSS247896/F	☐ ☐	GCL	59.0#	1092
 CZCH	24” Single-Sided Adder Frame	24 x 40-3/8	CZBCSA2448/F	☐ ☐	GCL	30.0#	\$ 556
	- Includes one 24” intermediate fixed leg that is non-handed and integrated telescopic beam - Requires attachment to 24” deep fixed 42” height starter frame; may not be used alone. - For use under 24” deep fixed single sided or 42” or 48” teaming table rectangular worksurfaces in 42” café height applications - Accommodates worksurface width of 48” or range of 54-72” or 78-96” 10” clearance to beam on 24” single-sided worksurfaces 9” clearance to modesty panels on 42” teaming worksurfaces 12” clearance to modesty panels on 48” teaming worksurfaces 42” finished height when fully assembled with worksurface	24 x 40-3/8	CZBCSA245472/F	☐ ☐	GCL	34.0#	636
		24 x 40-3/8	CZBCSA247896/F	☐ ☐	GCL	38.0#	648

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C** Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



30” Fixed - 42” Height Steel Leg Frame

Supports Single-Sided 30” Deep Worksurfaces



30” Fixed - 42” Height Steel Leg Frame

Supports Single-Sided 30” Deep Worksurfaces

			MODEL NUMBER				
MODEL			Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	Delivered Pricing
 CZCH	30” Single-Sided Stand-alone/Starter Telescopic Beam Frame	30 x 40-3/8	CZBCSS3048/F	☐ ☐	GCL	53.0#	\$ 1048
	- Includes one 30” deep left leg and one 30” deep right leg and integrated telescopic beam - For use under a 30” deep fixed single sided café height worksurface only - Accommodates worksurface width of 48” or range of 54-72” or 78-96” 16” knee clearance to beam 42” finished height when fully assembled with worksurface	30 x 40-3/8	CZBCSS305472/F	☐ ☐	GCL	57.0#	1128
		30 x 40-3/8	CZBCSS307896/F	☐ ☐	GCL	61.0#	1137
 CZCH	30” Single-Sided Adder Telescopic Beam Frame	30 x 40-3/8	CZBCSA3048/F	☐ ☐	GCL	30.0#	\$ 579
	- Includes one intermediate 30” fixed leg that is non-handed and integrated telescopic beam - Requires attachment to 30” deep fixed 42” height starter frame; may not be used alone. - For use under a 30” deep fixed single sided café height worksurface only - Accommodates worksurface width of 48” or range of 54-72” or 78-96” 16” knee clearance to beam 42” finished height when fully assembled with worksurface	30 x 40-3/8	CZBCSA305472/F	☐ ☐	GCL	34.0#	659
		30 x 40-3/8	CZBCSA307896/F	☐ ☐	GCL	38.0#	667
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select powdercoat. Refer to the **Product Color Options** page in this price list.
- C**Select glide color.
GCL - Clear

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Infeeds for Cafe Height Applications - 6-2-2

For use with Cafe Height Frames Only



Infeeds for Cafe Height Applications - 6-2-2

For use with Cafe Height Frames Only

MODEL				MODEL NUMBER		Approx. Packaged Weight				Delivered Pricing			
				Basic Model	Color								
 HRDPT	10-Wire Base Infeed - Cafe Height-6 Circuit - Provides power from fixed floor or wall sources to table power distribution system - Must be hardwired to the building power source by a licensed electrician 108" length liquid tight conduit - Includes two mounting clips	Features	108"	CZBCFF	☐ ☐	5.0#				\$ 258			
 HRDPT	10-Wire Top Infeed for Cafe Height, Left-6 Circuit - For use on café height frames only - Attaches to outer side of leg at seated user's left - Provides power from ceiling to table power distribution system - Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit - Includes 10' long aluminum pole with dual mounting bracket - Provides separate channels for electrical and data entry - Single mounting bracket included	Left	120"	CZBCTF1L	☐ ☐	15.0#				\$ 593			
 HRDPT	10-Wire Top Infeed for Cafe Height, Right-6 Circuit - For use on cafe height frames only - Attaches to outer side of leg at seated user's right - Provides power from ceiling to table power distribution system - Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit - Includes 10' foot aluminum pole with dual mounting bracket - Provides separate channels for electrical and data entry - Single mounting bracket included	Right	120"	CZBCTF1R	☐ ☐	15.0#				\$ 593			

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Top Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only



Top Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only

		MODEL NUMBER			
		Basic Model	Color		
MODEL	L			Approx. Packaged Weight	Delivered Pricing
 HRDPT	Top Wire Enclosure - Cafe Height for Single Sided, Left	10'	CZBCTDF1L	☐ ☐	9.0# \$ 361
	• For use on cafe height single-sided frames only • Attaches to outer side of leg at seated user's left • Provides distribution channel for data cables from ceiling to table • Includes 10 foot aluminum pole • Single mounting bracket included				
 HRDPT	Top Wire Enclosure - Cafe Height for Single Sided, Right	10'	CZBCTDF1R	☐ ☐	9.0# \$ 361
	• For use on cafe height single-sided frames only • Attaches to outer side of leg at seated user's right • Provides distribution channel for data cables from ceiling to table • Includes 10 foot aluminum pole • Single mounting bracket included				

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Base Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only



Base Wire Enclosure for Cafe Height Applications

For use with Cafe Height Frames Only

				MODEL NUMBER					
				Basic Model	Color				
MODEL				Features	H	Approx. Packaged Weight		Delivered Pricing	
	Base Wire Enclosure - 42” High Steel Leg Applications • Conceals infeed along leg and upper frame • 3-piece construction • Infeed conduit is specified separately	for 24” base	CZBCIC24	☐ ☐	6.5#	\$	176		
		for 30” base	CZBCIC30	☐ ☐	7.0#		179		
HRDPT									
	Wire Access Covers for Single-Sided 42” High Applications • Steel cover assembly attaches to beam for added cord management in non-powered single-sided applications • For 42”H single-sided frame assemblies only	48”W	CZBCWAC48	☐ ☐	4.7#	\$	90		
		54”W	CZBCWAC54	☐ ☐	5.1#		81		
		60”W	CZBCWAC60	☐ ☐	5.8#		119		
		64”W	CZBCWAC64	☐ ☐	5.8#		119		
		66”W	CZBCWAC66	☐ ☐	5.8#		119		
		72”W	CZBCWAC72	☐ ☐	6.8#		135		
		78”W	CZBCWAC78	☐ ☐	6.4#		131		
		84”W	CZBCWAC84	☐ ☐	6.6#		137		
		90”W	CZBCWAC90	☐ ☐	8.0#		147		
		96”W	CZBCWAC96	☐ ☐	9.4#		155		
				A	B				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Frameless Privacy Screens

Frameless Privacy Screens feature the option of either acrylic or glass inserts fitted into an aluminum work rail whose top rests flush with the top of the worksurface. Screens are offered in 13” and 19” heights and in widths of 6” increments from 36-96” (64” is also available).

Frameless Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize “Rail Supported” electrical components.

Note: Dividers cannot be attached to Frameless Privacy Screens.

Supporting Privacy Screens

Supporting privacy screens feature an aluminum work rail whose top rests flush with the top of the worksurface. Vertical aluminum posts and a single top rail enclose insert panels offered in steel dry erase markerboard, acrylic, or tackable fabric options. Screens are 19” high and are available in widths of 6” increments from 36-96” (64” is also available). Supporting Privacy Screens require the attachment of a Laminate Counter Shelf or Upmount Storage Cubby, specified separately, to complete the assembly.

Supporting Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize “Rail Supported” electrical components. Dividers may be attached to Supporting Privacy Screens at intersection locations.

Shelves and Upmount Storage Cubbies

Designed to complete a Supporting Privacy Screen assembly, Laminate Counter Shelves and Upmount Storage Cubbies expand storage options within Benching applications. Shelves are 15-3/4” deep, and overhang each side by approximately 7”. Widths range from 36-96” in 6” increments. Upmount Storage Cubbies are split (open on the right hand side) to provide each of two facing users equal storage space. Open laminate with steel partition or steel with sliding/locking doors are available in 6” increments from 36-72”



Above Worksurface Privacy Screens and Dividers

Paint Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Framed Fabric Screen Inserts	
Spectrum	S1
Popcorn	PV2

Above Worksurface Privacy Screens and Dividers

Frameless Privacy Screen Insert - Grade 1	
Colorless Acrylic	ACS
Glass Clear	GLA

Frameless Privacy Screen Insert - Grade 2	
Glass Satin Etch Two Sides	GL2
Kiwi Acrylic	AKI
Laguna Acrylic	ALA
Pumpkin Acrylic	APU
Sunshine Acrylic	ASE
Tomato Acrylic	ATT

End Cap Color	
Black	CBL
Cottonwood	CCO
Shadow	CSW
Starlight Silver	CSX

Framed Screen Inserts - Grade 1	
Translucent Crystal Acrylic	ACS

Framed Screen Inserts - Grade 2	
Kiwi Acrylic	AKI
Laguna Acrylic	ALA
Pumpkin Acrylic	APU
Sunshine Acrylic	ASE
Tomato Acrylic	ATT
White Markerboard Acrylic	AWH

NOTE: ACS is consistent with CRYs - Translucent Crystal Acrylic option for Connection Zone® Mobile Screens. AWH is consistent with WHTE - Solid White Acrylic option for Connection Zone® Mobile Screens.

Finish Cards

View color swatches for items listed within this document.



- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.

Frameless Center Privacy Screen



Frameless Center Privacy Screen

		MODEL	D x W x H	MODEL NUMBER			Approx. Packaged Weight		
				Basic Model	Paint Color	Insert			
 CZPU	Frameless Center Privacy Screen with Work Rail - 13" High • 13" finished height above worksurface • Width dimension is actual • 1/2" radius top corners • Center work rail is 2-1/2" wide; insert is 1/4" thick • Electrical components are attached to the bottom of the work rail; specified separately • Insert is inset 1" from table edge	2-1/2 x 36 x 13"	CZBPSU3613/1	☐	☐	14.0#	\$ 657	\$ 753	
		2-1/2 x 42 x 13"	CZBPSU4213/1	☐	☐	16.0#	707	803	
		2-1/2 x 48 x 13"	CZBPSU4813/1	☐	☐	18.0#	730	864	
		2-1/2 x 54 x 13"	CZBPSU5413/1	☐	☐	20.5#	811	967	
		2-1/2 x 60 x 13"	CZBPSU6013/1	☐	☐	22.5#	860	1032	
		2-1/2 x 64 x 13"	CZBPSU6413/1	☐	☐	24.0#	877	1062	
		2-1/2 x 66 x 13"	CZBPSU6613/1	☐	☐	24.5#	887	1077	
		2-1/2 x 72 x 13"	CZBPSU7213/1	☐	☐	27.0#	906	1117	
		2-1/2 x 78 x 13"	CZBPSU7813/1	☐	☐	29.0#	987	1214	
		2-1/2 x 84 x 13"	CZBPSU8413/1	☐	☐	31.0#	1046	1254	
		2-1/2 x 90 x 13"	CZBPSU9013/1	☐	☐	33.0#	1059	1296	
2-1/2 x 96 x 13"	CZBPSU9613/1	☐	☐	35.5#	1071	1341			
 CZPU	Frameless Center Privacy Screen with Work Rail - 19" High • 19" finished height above worksurface • Width dimension is actual • 1/2" radius top corners • Center work rail is 2-1/2" wide; insert is 1/4" thick • Electrical components are attached to the bottom of the work rail; specified separately • Insert is inset 1" from table edge	2-1/2 x 36 x 19"	CZBPSU3619/1	☐	☐	16.0#	\$ 707	\$ 830	
		2-1/2 x 42 x 19"	CZBPSU4219/1	☐	☐	18.5#	766	886	
		2-1/2 x 48 x 19"	CZBPSU4819/1	☐	☐	21.0#	796	970	
		2-1/2 x 54 x 19"	CZBPSU5419/1	☐	☐	23.5#	887	1084	
		2-1/2 x 60 x 19"	CZBPSU6019/1	☐	☐	26.0#	946	1164	
		2-1/2 x 64 x 19"	CZBPSU6419/1	☐	☐	28.0#	968	1199	
		2-1/2 x 66 x 19"	CZBPSU6619/1	☐	☐	28.5#	982	1220	
		2-1/2 x 72 x 19"	CZBPSU7219/1	☐	☐	31.5#	1012	1274	
		2-1/2 x 78 x 19"	CZBPSU7819/1	☐	☐	33.5#	1100	1383	
		2-1/2 x 84 x 19"	CZBPSU8419/1	☐	☐	36.0#	1185	1440	
		2-1/2 x 90 x 19"	CZBPSU9019/1	☐	☐	38.5#	1201	1493	
2-1/2 x 96 x 19"	CZBPSU9619/1	☐	☐	41.5#	1220	1551			

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C

Select insert and finish.
See pricing columns for insert color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19” High with Framed Fabric Insert



Supporting Privacy Screen

19” High with Framed Fabric Insert

			MODEL NUMBER						
MODEL		D x W x H	Basic Model	Paint	Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
 CZSF	Single Supporting Fabric Privacy Screen with Work Rail - 19” High • 19” finished height above worksurface • Single, uninterrupted screen • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 36 X 19”	CZBSPF3619/1	☐	☐ ☐ ☐ ☐	35.5#	\$ 824	\$ 858	\$ 899
		2-1/2 X 42 X 19”	CZBSPF4219/1	☐	☐ ☐ ☐ ☐	38.5#	860	895	939
		2-1/2 X 48 X 19”	CZBSPF4819/1	☐	☐ ☐ ☐ ☐	40.5#	881	917	963
		2-1/2 X 54 X 19”	CZBSPF5419/1	☐	☐ ☐ ☐ ☐	43.5#	1089	1133	1191
		2-1/2 X 60 X 19”	CZBSPF6019/1	☐	☐ ☐ ☐ ☐	45.5#	1179	1227	1289
		2-1/2 X 72 X 19”	CZBSPF7219/1	☐	☐ ☐ ☐ ☐	49.5#	1209	1262	1325
 CZSF	Double Supporting Fabric Privacy Screen with Work Rail 19” High, Center Intersection • 19” finished height above worksurface • Screen includes two equal panels • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 60 X 19”	CZBSPF6019/2	☐	☐ ☐ ☐ ☐	56.5#	\$ 1342	\$ 1397	\$ 1467
		2-1/2 X 72 X 19”	CZBSPF7219/2	☐	☐ ☐ ☐ ☐	61.5#	1415	1483	1557
		2-1/2 X 84 X 19”	CZBSPF8419/2	☐	☐ ☐ ☐ ☐	66.5#	1491	1557	1635
		2-1/2 X 96 X 19”	CZBSPF9619/2	☐	☐ ☐ ☐ ☐	71.5#	1528	1607	1686

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C

Select upholstery.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19" High with Framed Acrylic Insert



Supporting Privacy Screen

19" High with Framed Acrylic Insert

			MODEL NUMBER					
			Basic Model	Paint	Acrylic			
MODEL			D x W x H	Approx. Packaged Weight			Acrylic Grade 1	Acrylic Grade 2
 CZSA	Single Supporting Acrylic Privacy Screen with Work Rail - 19" High • 19" finished height above worksurface • Single, uninterrupted screen • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 36 X 19"	CZBSPA3619/1	☐ ☐	☐ ☐ ☐	36.5#	\$ 806	\$ 1090
		2-1/2 X 42 X 19"	CZBSPA4219/1	☐ ☐	☐ ☐ ☐	39.5#	844	1224
		2-1/2 X 48 X 19"	CZBSPA4819/1	☐ ☐	☐ ☐ ☐	42.5#	847	1395
		2-1/2 X 54 X 19"	CZBSPA5419/1	☐ ☐	☐ ☐ ☐	45.5#	1112	1497
		2-1/2 X 60 X 19"	CZBSPA6019/1	☐ ☐	☐ ☐ ☐	48.5#	1188	1605
		2-1/2 X 72 X 19"	CZBSPA7219/1	☐ ☐	☐ ☐ ☐	52.5#	1209	1682
 CZSA	Double Supporting Acrylic Privacy Screen and Work Rail - 19" High, Center Intersection • 19" finished height above worksurface • Screen includes two equal panels • Complete assembly requires addition of either storage cubby or shelf, specified separately • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 60 X 19"	CZBSPA6019/2	☐ ☐	☐ ☐ ☐	58.5#	\$ 1373	\$ 2040
		2-1/2 X 72 X 19"	CZBSPA7219/2	☐ ☐	☐ ☐ ☐	64.5#	1491	2060
		2-1/2 X 84 X 19"	CZBSPA8419/2	☐ ☐	☐ ☐ ☐	69.5#	1564	2331
		2-1/2 X 96 X 19"	CZBSPA9619/2	☐ ☐	☐ ☐ ☐	75.5#	1576	2671

A

B

C

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat.
Refer to the **Product Color Options** page in this price list.
- C** Select acrylic color.
See pricing columns for acrylic color charges.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Supporting Privacy Screen

19" High with Framed Dry Erase Steel Markerboard Insert



Supporting Privacy Screen

19" High with Framed Dry Erase Steel Markerboard Insert

			MODEL NUMBER			
MODEL			Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing
 CZSM	Single Supporting Markerboard Privacy Screen with Work Rail - 19" High • 19" finished height above worksurface • Single, uninterrupted screen • Complete assembly requires addition of either storage cubby or shelf, specified separately • Framed steel inserts are markerable and magnetic • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 36 X 19"	CZBSPM3619/1	☐	36.5#	\$ 765
		2-1/2 X 42 X 19"	CZBSPM4219/1	☐	39.5#	805
		2-1/2 X 48 X 19"	CZBSPM4819/1	☐	42.5#	887
		2-1/2 X 54 X 19"	CZBSPM5419/1	☐	45.5#	951
		2-1/2 X 60 X 19"	CZBSPM6019/1	☐	48.5#	1032
		2-1/2 X 72 X 19"	CZBSPM7219/1	☐	52.5#	1277
 CZSM	Double Supporting Markerboard Privacy Screen with Work Rail - 19" High, Center Intersection • 19" finished height above worksurface • Screen includes two equal panels • Complete assembly requires addition of either storage cubby or shelf, specified separately • Framed steel inserts are markerable and magnetic • Electrical components are attached to the bottom of the work rail; specified separately	2-1/2 X 60 X 19"	CZBSPM6019/2	☐	58.5#	\$ 1250
		2-1/2 X 72 X 19"	CZBSPM7219/2	☐	64.5#	1344
		2-1/2 X 84 X 19"	CZBSPM8419/2	☐	69.5#	1424
		2-1/2 X 96 X 19"	CZBSPM9619/2	☐	75.5#	1591

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select powdercoat. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Laminate Counter Shelf

For Attachment to Supporting Privacy Screen



Laminate Counter Shelf

For Attachment to Supporting Privacy Screen

		MODEL NUMBER					
		Basic Model	Surface Finish	Edge Color			
MODEL	D x W x H				Approx. Packaged Weight	Delivered Pricing	
 CZSH	Laminate Counter Shelf - For attachment to supporting privacy screen frame, specified separately 15-3/4" deep shelf provides approximately 7" overhang per side - Includes mounting hardware 73P edge	15-3/4 x 36 x 3/4"	CZBSH36	☐ ☐ ☐	☐ ☐ ☐	13.0#	\$ 324
		15-3/4 x 42 x 3/4"	CZBSH42	☐ ☐ ☐	☐ ☐ ☐	15.5#	325
		15-3/4 x 48 x 3/4"	CZBSH48	☐ ☐ ☐	☐ ☐ ☐	17.5#	325
		15-3/4 x 54 x 3/4"	CZBSH54	☐ ☐ ☐	☐ ☐ ☐	19.5#	326
		15-3/4 x 60 x 3/4"	CZBSH60	☐ ☐ ☐	☐ ☐ ☐	22.0#	327
		15-3/4 x 72 x 3/4"	CZBSH72	☐ ☐ ☐	☐ ☐ ☐	26.0#	420
		15-3/4 x 84 x 3/4"	CZBSH84	☐ ☐ ☐	☐ ☐ ☐	30.5#	422
		15-3/4 x 96 x 3/4"	CZBSH96	☐ ☐ ☐	☐ ☐ ☐	35.0#	424
		A	B	C			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- C** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Storage Cubby - Upmount

For Attachment to Supporting Privacy Screen



Storage Cubby - Upmount

For Attachment to Supporting Privacy Screen

			MODEL NUMBER										
			Basic Model	Partition Finish	Surface Finish	Edge Color	Shell Color	Door Color	Lock Option	Lock Color			
 CZLS	MODEL	D x W x H										Approx. Packaged Weight	Delivered Pricing
	Laminate Storage Cubby with Steel Partition - Open	15-3/4 x 36 x 13-3/16"	CZBLSU36	☐	☐	☐						35.0#	\$ 1000
		15-3/4 x 42 x 13-3/16"	CZBLSU42	☐	☐	☐						42.0#	1067
	• For attachment to supporting privacy screen frame, specified separately	15-3/4 x 48 x 13-3/16"	CZBLSU48	☐	☐	☐						49.0#	1093
	• Open area is half the width of the unit on each side	15-3/4 x 54 x 13-3/16"	CZBLSU54	☐	☐	☐						56.0#	1193
		15-3/4 x 60 x 13-3/16"	CZBLSU60	☐	☐	☐						70.0#	1214
	• Includes mounting hardware	15-3/4 x 72 x 13-3/16"	CZBLSU72	☐	☐	☐						84.0#	1456
	• Laminate outer, steel inner divider												
	• Inner height clearance 11-3/4"												
	• Divider is magnetic												
	• Usable side of cubby is on left side when viewed by user												
 CZSS	Steel Storage Cubby - Sliding Door	13-1/2 x 36 x 14-1/4"	CZBMSUSD36				☐	☐	☐	☐		36.0#	\$ 1200
	• For attachment to supporting privacy screen frame, specified separately	13-1/2 x 42 x 14-1/4"	CZBMSUSD42				☐	☐	☐	☐		42.0#	1305
	• Open area is half the width of the unit on each side	13-1/2 x 48 x 14-1/4"	CZBMSUSD48				☐	☐	☐	☐		48.0#	1399
		13-1/2 x 54 x 14-1/4"	CZBMSUSD54				☐	☐	☐	☐		54.0#	1492
	• Includes mounting hardware	13-1/2 x 60 x 14-1/4"	CZBMSUSD60				☐	☐	☐	☐		60.0#	1694
	• Steel construction with sliding locking door on each side	13-1/2 x 72 x 14-1/4"	CZBMSUSD72				☐	☐	☐	☐		72.0#	1837
	• Inner height clearance 12-1/2"												
	• Metal surfaces are magnetic												
	• Usable side of cubby is on right side when viewed by user												
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect partition finish.
Refer to the **Product Color Options** page in this price list.

CSelect surface finish.
Refer to the **Product Color Options** page in this price list.

DSelect edge color.
Refer to the **Product Color Options** page in this price list.

ESelect shell finish.
Refer to the **Product Color Options** page in this price list.

FSelect door finish.
Refer to the **Product Color Options** page in this price list.

GSelect lock option.

HSelect lock color.
Refer to the **Product Color Options** page in this price list.

KA - Key alike

KS - Key standard

NLC - No lock core

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



TECHNICAL SPECIFICATIONS

General Information

The Connection Zone Storage offering is a collection of elements created for space efficiency within open environments. The collection consists of shared lockers, individual credenzas and pedestals.

Construction and Standard Features

Lockers

Single and double module lockers are sized to accommodate binders, bags and other personal items. A coat hook is standard and an optional fixed blank shelf, which divides the compartment vertically in two, is available for the double module locker.

Both the single and double module lockers are available in 30" and 36" widths. The single module locker is available in three heights, 33¹/₈", 48⁷/₁₆" and 63³/₄". The double module locker is available in two heights, 33¹/₈" and 63³/₄".

Interior Clearance

Single module locker: 13¹/₂" and 16¹/₂" wide by 16⁷/₈" deep by 14¹/₂" high
Double module locker: 13¹/₂" and 16¹/₂" wide by 16⁷/₈" deep by 30¹/₈" high

Shell

The shell is common to the lateral 700 Series lateral storage units, with 18-gauge formed steel uprights, top and bottom reinforcements welded together to create a rigid box frame. The outer skin is constructed of 19- and 20-gauge cold rolled steel (C.R.S.) with a seamless back detail. Lockers feature leveling glides with a 1" adjustment range.

Partitions

A 1¹/₂" thick double-wall hidden partition divides the locker shell in half, running from top to bottom, into which the cupboard doors lock.

Shelves

1" thick shelves with flanges, front and back, screw into the upright members of the case and center partition to create separation between modules.

Doors

The locker doors are single wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110 degree opening, provide 3-way adjustment of door to ensure consistent gapping and operation.

Credenzas

Connection Zone credenza shells are constructed of 18- and 20-gauge steel components, with 18-gauge structural top and bottom reinforcements and vertical uprights. Credenzas are available in two widths, 60" and 72", each with an open bookcase and drawer sections. Credenzas are available in three heights, 17¹¹/₁₆", 20³/₄" and 23¹³/₁₆", each with different drawer configurations.

Interior Configuration & Clearance

17¹¹/₁₆" high unit

Bookcase section – 12³/₈" high by 28¹/₂" and 34¹/₂" wide by 18" deep
Drawer section – A) 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately). B) Qty, two 6" box drawers that will accept plate dividers (sold separately).

20³/₄" high unit

Bookcase section – 15⁷/₁₆" high by 28¹/₂" and 34¹/₂" wide by 18" deep
Drawer section – 3" pencil drawer and 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately).

23¹³/₁₆" high unit:

Bookcase section – 18¹/₂" high by 28¹/₂" and 34¹/₂" wide by 18" deep with one adjustable blank shelf.
Drawer section – 6" drawer that will accept plate dividers (sold separately), 12" drawer with 27 and 33" lineal inches of filing side to side. Unit standard with side-to-side folder bars, optional plate dividers (sold separately).

Drawers

Steel and laminate drawer fronts are available, both accepting exterior pulls. Fronts are screw-mounted to roll-out shelves to build drawers. All drawers feature smooth riding, full-extension, ball bearing slides. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls. Key lock is standard on 12" drawers. Components have been tested to accept loads of 125 pounds, exceeding ANSI/BIFM X5.9 2004 standards for filing when recommended counterbalance weight is installed.

Partition

A 1¹/₂" thick double-wall partition runs down the center of the unit, dividing the bookcase section from the file section.

Legs

1¹/₂" x ³/₄" steel legs with threaded insert and 16-gauge top plate are bolted to the underside of the credenza, raising it 3¹/₁₆" off the floor. Adjustable leveling glides provide 1" of adjustment.

Pedestals

Mobile Box/ File Pedestals, 15" wide by 21³/₄" tall, are available in three depths, 17⁵/₈", 21⁵/₈" and 27⁵/₈".

Basic Shell

Shell composed of 20-gauge steel body with 20-gauge steel top and box frame, front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Single wall metal or laminate fronts screw-mount to pre-painted drawer bodies and overlap the face of the unit. Box (6") drawers operate on two-piece, ³/₄" extensions ball bearing suspensions, File drawers operate on three-piece full extension ball bearing suspensions. Pull options include ADA-compliant nickel plated loop pulls.

Casters

Consist of four twin-wheel hooded casters, two front casters locking. A smaller fifth caster is attached to, and travels with, the file drawer.

General

Locks

There are four locking options for Connection Zone Storage:

I. Standard key lock (available on lockers and credenzas) - The standard lock is a high-security double-bit lock. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations are available at no additional charge (this information must be included with order). Locks can be master keyed.

Please see the Accessories section of this price list for order information on master keys, extractor (core removal) keys, key blanks, cut keys, core sets and key sets. All standard locks have removable and interchangeable plugs. This feature allows for onsite custom keying. Units can be supplied with lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core removal) key and can be found in the Accessories section. Contact KI Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-number locks.
Example: 30 plugs = 3 keyed alike, 10 keyed alike, 17 keyed alike



TECHNICAL SPECIFICATIONS

General (cont.)

Locks (cont.)

2. Padlock (available on lockers only) - Robust zinc housing allows the end user to apply their own combination lock. Lock is backed with a stainless steel escutcheon plate to protect the paint finish.

3. Combination lock (available on lockers only) - 4-dial combination lock that allows user to access locker without the need of a key. All locks are shipped with a factory set code 3333, combination is set by the end user / facility manager. In the case of lost or forgotten codes, a master key override will unlock the unit and allow the lock to be recoded. Combination lock features solid zinc construction. and a 4-digit combination allows up to 10,000 unique codes.

4. Digital lock - Standalone battery operated lock allows user immediate and simple keypad access without the need of a key. All locks are shipped with a factory set code 2244, the new access code is set by the end user / facility manager. Users have the flexibility to set and change a personal entry code, while a preset master code ensures that supervisor access is always available, or in an emergency, the key code can be overridden.

- Features:
- Up to 80,000 operating cycles battery life
 - Low battery warning
 - Battery failure key override
 - 8-digit master code and 6-digit sub-master codes
 - 4-digit user code (10000 unique codes)
 - 6-digit technician code
 - Code changeable
 - Not suitable for chlorinated environments

Standard Finishes

Lockers are offered in all standard powder-coat colors. Powder-coat application is a hybrid epoxy. Paint is baked on to provide a scratch and stain resistant finish. Shells and doors/drawers may be specified in separate colors for no upcharge. Credenzas also feature separate specification of shell and drawers. Shells are offered in all standard powder-coat colors. Drawers are offered in a laminate construction (standard laminates) or in steel (standard powder-coat). Mechanical components are plated or finished with other protective coating.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available but subject to upcharge and the following conditions:

1. Two steel color chips (minimum 2 1/2" x 3 1/2") are required for color matching. Paper samples are acceptable; however a seasonable tolerance must be allowed when comparing the two samples.
2. All solid, single-pass non-standard colors are available with extended lead times. Colors that are deemed to be metallic, hi-chromatic, textured or require multiple passes are subject to further upcharges. Orders will not be processed until a color match is approved in writing.

Commercial Pack

This is the standard pack that KI offers on all files and storage products. Commercial pack consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.



Credenza/Lockers		Rainforest	FRQ	Titanium evolv	LTV		
Shell Color (Includes Legs)		Raw Jasper	FRJ	White Nebula	LWL		
		Rubber Ducky	FRK	White Sand	LWN		
		Sand	FSA	Windsor Mahogany	LWY		
		Starlight Silver Metallic	FSX	Credenza/Pedestals			
		Surf's Up	FSP				
		Tarragon	FTQ				
		Twilight Shadow	FTI				
		Ultra Blue	FUB				
		Warm Grey	FWG	Laminate Drawer/Credenza Top Edge Color			
		Zesty Lime	FZL				
		Credenza/Pedestals					
						Beigewood	EBZ
						Belair	EBQ
				Biltmore Cherry	EBT		
				Black	EBL		
		Blue Grey	EGR	Brighton Walnut	EBW		
		Flannel	FN	Castle Oak	ECO		
		Glitz Metallic	GZ	Laminate Drawer/Surface Color		Cayenne	ECY
		Hazy Jade	HJ			LBQ	Cherry Storm
Honey Bee	HY	LBT	Cocobala			ECC	
Light Tone	LG	LBK	Cool Grey			ECG	
Mardi Gras	MG	LBW	Designer White			EDR	
Misty Brown	MY	LCA	Earthen Clay	EEY			
Nemo	NE	LCO	Everglade Shade	EEV			
Nordic	ND	LCU	Flannel	EFN			
Purple Haze	PH	LCX	Florence Walnut	EFC			
Rainforest	RQ	LCI	Friston Ash	EFH			
Raw Jasper	RJ	LCL	Frosty White	EFW			
Rubber Ducky	RK	LCC	Hazy Jade	EHJ			
Sand	SA	LRI	Honey Bee	EHY			
Starlight Silver Metallic	SX	LDZ	Italian Silver Ash	EIT			
Surf's Up	SP	LDR	Kensington Maple	EKM			
Tarragon	TQ	LDG	Light Tone	ELG			
Twilight Shadow	TI	LXF	Mardi Gras	EMG			
Ultra Blue	UB	LFC	Misty Brown	EMY			
Warm Grey	WG	LOL	Monticello Maple	EMT			
Zesty Lime	ZL	LFH	Multiplex	EMB			
Credenza/Lockers		Frosty White	LFW	Nemo	ENE		
		Graphite Nebula	LGN	Nordic	END		
		Grey	LGE	Pinnacle Walnut	EPW		
		High Rise	LHE	Poppy Red	EPR		
		Hollyberry	LHY	Purple Haze	EPH		
		Island	LID	Rainforest	ERQ		
		Italian Silver Ash	LIT	River Cherry	ERY		
		Kensington Maple	LKM	Rubber Ducky	ERK		
		Lapis Blue	LLB	Sand	ESA		
		Markerboard White	LMK	Sky Blue	ESK		
		Misted Zephyr	LMR	Sterling Ash	EAZ		
		Monticello Maple	LMT	Surf's Up	ESP		
		North Sea	LNA	Tarragon	ETQ		
		Ocean	LON	Twilight Shadow	ETI		
		Pearl Bisque	LPB	Ultra Blue	EUB		
		Pinnacle Walnut	LPW	Warm Grey	EWG		
		Pressed Linen	LPR	Windsor Mahogany	EWY		
		River Cherry	LRY	Zesty Lime	EZL		
		Steel Drawer/Door Color		Satin Stainless	LSS		
Shadow Zephyr	LSR						
Silicon evolv	LSV						
Sterling Ash	LAZ						
Tailored Linen	LTL						



Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER								
			Basic Model	Lock Option	Lock Color	Shell Color	Drawer Color	Pull Style			
	Features	W x D x H								Approx. Packaged Weight	Delivered Pricing
 CZSC Lateral File, Open • Features one 12" lateral file drawer and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Hanging file bars included for side-to-side filing • Optional pad specified separately	Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 17-3/4"	CZSCS60120FO	□□	□□□	□□	□□□	□□□		143.0#	\$ 1783
	Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 17-3/4"	CZSCS72120FO	□□	□□□	□□	□□□	□□□		163.0#	1839
	Open w/Adjustable Shelf Left, Lateral File Right	60 x 18 x 17-3/4"	CZSCS60120OF	□□	□□□	□□	□□□	□□□		143.0#	1783
	Open w/Adjustable Shelf Left, Lateral File Right	72 x 18 x 17-3/4"	CZSCS72120OF	□□	□□□	□□	□□□	□□□		163.0#	1839
 CZSC Box/Box, Open • Features two 6" box drawers and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Optional pad specified separately • Non-locking	Box/Box Left, Open w/Adjustable Shelf Right	60 x 18 x 17-3/4"	CZSCS60120BBO			□□	□□□	□□□		158.0#	\$ 2092
	Box/Box Left, Open w/Adjustable Shelf Right	72 x 18 x 17-3/4"	CZSCS72120BBO			□□	□□□	□□□		181.0#	2173
	Open w/Adjustable Shelf Left, Box/Box Right	60 x 18 x 17-3/4"	CZSCS601200BB			□□	□□□	□□□		158.0#	2092
	Open w/Adjustable Shelf Left, Box/Box Right	72 x 18 x 17-3/4"	CZSCS721200BB			□□	□□□	□□□		181.0#	2173
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|------------|----------------|
| KS | - Key standard |
| NLC | - No lock core |
| KA | - Key alike |
- C** Select lock color.
Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat.
Refer to the **Product Color Options** page in this price list.
- E** Select drawer powdercoat.
Refer to the **Product Color Options** page in this price list.
- F** Select pull style.
- | | |
|------------|------------------------|
| CZP | - Connection Zone pull |
| USP | - U-Series pull |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Slips assembled, FOB Pembroke, ON K8A 0E1,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Credenzas

Steel Shell and Drawers 21” High



Credenzas

Steel Shell and Drawers 21” High

		MODEL NUMBER								
		Basic Model	Lock Option	Lock Color	Shell Color	Drawer Color	Pull Style			
 CZSC Pencil/Lateral File, Open • Features upper 3” pencil drawer, lower 12” lateral file and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Hanging file bars included for side-to-side filing • Optional pad specified separately	Features	W x D x H							Approx. Packaged Weight	Delivered Pricing
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 20-3/4”	CZSCS60150PFO	☐	☐	☐	☐	☐	171.0#	\$ 2071
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 20-3/4”	CZSCS72150PFO	☐	☐	☐	☐	☐	193.0#	2166
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-3/4”	CZSCS601500PF	☐	☐	☐	☐	☐	171.0#	2071
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-3/4”	CZSCS721500PF	☐	☐	☐	☐	☐	193.0#	2166
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike
- C**Select lock color.

Refer to the **Product Color Options** page in this price list.
- D**Select shell powdercoat.

Refer to the **Product Color Options** page in this price list.
- E**Select drawer powdercoat.

Refer to the **Product Color Options** page in this price list.
- F**Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Credenzas

Steel Shell and Drawers 24" High



Credenzas

Steel Shell and Drawers 24" High

			MODEL NUMBER								
			Basic Model	Lock Option	Lock Color	Shell Color	Drawer Color	Pull Style			
 CZSC Box/Lateral File, Open with Adjustable Shelf • Features upper 6" box drawer, lower 12" lateral file and opposite open with adjustable shelf • Steel shell and drawers • Full extension slides • Hanging file bars included for side-to-side filing • Optional pad specified separately	Features	W x D x H								Approx. Packaged Weight	Delivered Pricing
	Box/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 23-7/8"	CZSCS60180BFO	☐	☐	☐	☐	☐		175.0#	\$ 2153
	Box/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 23-7/8"	CZSCS72180BFO	☐	☐	☐	☐	☐		199.0#	2253
	Open w/Adjustable Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCS601800BF	☐	☐	☐	☐	☐		175.0#	2153
	Open w/Adjustable Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCS721800BF	☐	☐	☐	☐	☐		199.0#	2253
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike

CSelect lock color.

Refer to the **Product Color Options** page in this price list.

DSelect shell powdercoat.

Refer to the **Product Color Options** page in this price list.

ESelect drawer powdercoat.

Refer to the **Product Color Options** page in this price list.

FSelect pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

KS

- Key standard

NLC

- No lock core

KA

- Key alike

B

Select lock option.

C

Select lock color.
Refer to the **Product Color Options** page in this price list.

D

Select shell powdercoat.
Refer to the **Product Color Options** page in this price list.

E

Select drawer laminate.
Refer to the **Product Color Options** page in this price list.

F

Select edge color.
Refer to the **Product Color Options** page in this price list.

G

Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Credenzas

Steel Shell, Laminate Front 21" High



Credenzas

Steel Shell, Laminate Front 21" High

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The $\square$ indicates that a choice is required.
- The absence of the $\square$ indicates that no choice is required.
- Alpha-numeric characters in place of $\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|------------|----------------|
| KS | - Key standard |
| NLC | - No lock core |
| KA | - Key alike |
- C** Select lock color.
Refer to the **Product Color Options** page in this price list.
- D** Select shell powdercoat.
Refer to the **Product Color Options** page in this price list.
- E** Select drawer laminate.
Refer to the **Product Color Options** page in this price list.
- F** Select edge color.
Refer to the **Product Color Options** page in this price list.

- G** Select pull style.
- | | |
|------------|------------------------|
| CZP | - Connection Zone pull |
| USP | - U-Series pull |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

**Ships assembled, FOB Pembroke, ON K8A 0E1,
freight prepaid. Freight class 70.**

Specifications and prices are subject to change without prior notice.


Credenzas

Steel Shell, Laminate Front 24" High



Credenzas

Steel Shell, Laminate Front 24" High

			MODEL NUMBER									
			Basic Model	Lock Option	Lock Color	Shell Color	Drawer Laminate	Edge Color	Pull Style			
	Features	W x D x H										
	Box/Lateral File Left, Open w/Adj. Shelf Right	60 x 18 x 23-7/8"	CZSCL60180BF0	☐	☐	☐	☐	☐	☐		185.0#	\$ 2470
	Box/Lateral File Left, Open w/Adj. Shelf Right	72 x 18 x 23-7/8"	CZSCL72180BF0	☐	☐	☐	☐	☐	☐		210.0#	2549
	Open w/Adj. Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCL601800BF	☐	☐	☐	☐	☐	☐		185.0#	2470
	Open w/Adj. Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCL721800BF	☐	☐	☐	☐	☐	☐		210.0#	2549
CZSC												
Box/Lateral File, Open with Adjustable Shelf												
• Features upper 6" box drawer, lower 12" lateral file and opposite open with adjustable shelf												
• Steel shell; laminate drawer front												
• Full extension slides												
• Hanging file bars included for side-to-side filing												
• Optional pad specified separately												
• Laminate drawers feature pattern-matched poly edging												
					</							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike

C

Select lock color.

Refer to the **Product Color Options** page in this price list.

D

Select shell powdercoat.

Refer to the **Product Color Options** page in this price list.

E

Select drawer laminate.

Refer to the **Product Color Options** page in this price list.

F

Select edge color.

Refer to the **Product Color Options** page in this price list.

- G

Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER				
				Basic Model	Surface Finish	Edge Color		
MODEL		Features	W x D x H				Approx. Packaged Weight	Delivered Pricing
 CZCT	Single Credenza Tops • 1/16" overhang • Intended for single tops only • 74P edge only • Top attaches with fasteners through drilled holes and pre-applied double-sided tape (fasteners and tape provided)	Single Credenza Top	60 x 18 x 1-1/4"	CZSCT6018	☐ ☐ ☐	☐ ☐	39.0#	\$ 430
		Single Credenza Top	72 x 18 x 1-1/4"	CZSCT7218	☐ ☐ ☐	☐ ☐	46.0#	497
 CZCT	Back to Back Credenza Top • 1/16" overhang • Intended for back-to-back credenza top • 74P edge only • Top attaches with fasteners through drilled holes and pre-applied double-sided tape (fasteners and tape provided)	Back-to-Back Credenza Top	60 x 36 x 1-1/4"	CZSCT6036	☐ ☐ ☐	☐ ☐	77.0#	\$ 629
		Back-to-Back Credenza Top	72 x 36 x 1-1/4"	CZSCT7236	☐ ☐ ☐	☐ ☐	92.0#	686
				A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- C** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Credenza Pads



Credenza Pads

				MODEL NUMBER										
				Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 CZSP	MODEL	COM Yardage	W x D x H	CZSCP3018	□□□□	7.5#	\$ 151	\$ 167	\$ 171	\$ 171	\$ 185	\$ 199	\$ 199	\$ 213
	Credenza Pads	.6 yards	30 x 18 x 1-1/8"	CZSCP3618	□□□□	9.0#	161	183	185	188	201	220	221	238
	• Foam and medium density fiberboard construction	.6 yards	36 x 18 x 1-1/8"											
	• Non-skid pads on underside													
				A	B									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select upholstery grade and color. Refer to [ki.com/fabrics](#)

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER										
		Basic Model	Lock Option	Lock Color	Shell Color	Door Color	Pull Style					
Features	W x D x H							Approx. Packaged Weight	Standard Lock	Padlock	Combination Lock	Digital Lock
 CZLK 30” Wide • Steel construction with steel doors • Shell and door finishes are specified independently • Standard doors are 15” high • Individual doors are 14” wide on 30” models • 4 locking options are offered • Individual lockers are randomly keyed	Standard Personal Lockers 2 X 2	30 x 18 x 33-1/8”	CZSLKSTD3030	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	122.0#	\$ 1802	\$ 1920	\$ 2551	\$ 3182
	Standard Personal Lockers 2 X 3	30 x 18 x 48-7/16”	CZSLKSTD3045	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	163.0#	2492	2667	3617	4563
	Standard Personal Lockers 2 X 4	30 x 18 x 63-3/4”	CZSLKSTD3060	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	205.0#	3219	3453	4718	5981
 CZLK 36” Wide • Steel construction with steel doors • Shell and door finishes are specified independently • Standard doors are 15” high • Individual doors are 17” wide on 36” models • 4 locking options are offered • Individual lockers are randomly keyed	Standard Personal Lockers 2 X 2	36 x 18 x 33-1/8”	CZSLKSTD3630	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	132.0#	\$ 1888	\$ 2008	\$ 2640	\$ 3272
	Standard Personal Lockers 2 X 3	36 x 18 x 48-7/16”	CZSLKSTD3645	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	178.0#	2616	2791	3740	4689
	Standard Personal Lockers 2 X 4	36 x 18 x 63-3/4”	CZSLKSTD3660	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	223.0#	3383	3617	4881	6144

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select lock option.

SLCK

- Standard lock

PLCK

- Padlock

CLCK

- Combination lock

DLCK

- Digital lock

- C

Select lock color.

Refer to the **Product Color Options** page in this price list.

Lock color is only available when Standard Lock (SLCK) is selected.

- D

Select shell powdercoat.

Refer to the **Product Color Options** page in this price list.

- E

Select door powdercoat.

Refer to the **Product Color Options** page in this price list.

- F

Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

Pull Style pick is only available when standard lock has been selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER												
			Basic Model	Lock Option	Lock Color	Shell Color	Door Color	Pull Style							
 CZLK 30” Wide with Lower Drawer - Steel construction with steel doors - Lowest lockers feature sliding drawers - Shell and door/drawer finishes are specified independently - Standard doors/drawers are 15” high - Individual doors are 14” wide on 30” models 4 locking options are offered - Individual lockers are randomly keyed	Features	W x D x H	Standard Lockers, Bottom Drawers 2 X 2	30 x 18 x 33-1/8”	CZSLKSTDD3030	☐ ☐ ☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	Approx. Packaged Weight	Standard Lock	Padlock	Combination Lock	Digital Lock
	Standard Lockers, Bottom Drawers 2 X 3	30 x 18 x 48-7/16”	CZSLKSTDD3045	☐ ☐ ☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	146.0#	\$ 2055	\$ 2173	\$ 2804	\$ 3435		
	Standard Lockers, Bottom Drawers 2 X 4	30 x 18 x 63-3/4”	CZSLKSTDD3060	☐ ☐ ☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	187.0#	2744	2919	3867	4817		
				☐ ☐ ☐ ☐	☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐	229.0#	3471	3705	4969	6234		
				A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select lock option.
- SLCK

- Standard lock
- PLCK

- Padlock
- CLCK

- Combination lock
- DLCK

- Digital lock

- C**Select lock color.
- Refer to the **Product Color Options** page in this price list.
- Lock color is only available when Standard Lock (SLCK) is selected.

- D**Select shell powdercoat.
- Refer to the **Product Color Options** page in this price list.

- E**Select door powdercoat.
- Refer to the **Product Color Options** page in this price list.

- F**Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

Pull Style pick is only available when standard lock has been selected.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

CZLK

36" Wide with Lower Drawer

- Steel construction with steel doors
- Lowest lockers feature sliding drawers
- Shell and door/drawer finishes are specified independently
- Standard doors/drawers are 15" high
- Individual doors are 17" wide on 36" models
- 4 locking options are offered
- Individual lockers are randomly keyed

HOW TO ORDER

Indicate the following information on order forms:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|-------------|--------------------|
| SLCK | - Standard lock |
| PLCK | - Padlock |
| CLCK | - Combination lock |
| DLCK | - Digital lock |

- C** Select lock color.
Refer to the **Product Color Options** page in this price list.
Lock color is only available when Standard Lock (SLCK) is selected.

- D** Select shell powdercoat.
Refer to the **Product Color Options** page in this price list.

- E** Select door powdercoat.
Refer to the **Product Color Options** page in this price list.

- F** Select pull style.

CZP	- Connection Zone pull
USP	- U-Series pull

Pull Style pick is only available when standard lock has been selected.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER										
		Basic Model	Lock Option	Lock Color	Shell Color	Door Color	Pull Style					
Features	W x D x H							Approx. Packaged Weight	Standard Lock	Padlock	Combination Lock	Digital Lock
 CZLK 30” Wide - Steel construction with steel doors - Shell and door finishes are specified independently - Large doors are 30” high - Individual doors are 14” wide on 30” models 4 locking options are offered - Includes one coat hook in each locker - Accepts one centered shelf, specified separately - Individual lockers are randomly keyed	Large Personal Lockers 2 x 1	30 x 18 x 33-1/8”	CZSLKLRG3030	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	98.0#	\$ 1521	\$ 1581	\$ 1896	\$ 2213
	Large Personal Lockers 2 x 2	30 x 18 x 63-3/4”	CZSLKLRG3060	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	185.0#	2663	2778	3412	4043
		A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- SLCK

- Standard lock
- PLCK

- Padlock
- CLCK

- Combination lock
- DLCK

- Digital lock

- C** Select lock color.
- Refer to the **Product Color Options** page in this price list.
- Lock color is only available when Standard Lock (SLCK) is selected.

- D** Select shell powdercoat.
- Refer to the **Product Color Options** page in this price list.

- E** Select door powdercoat.
- Refer to the **Product Color Options** page in this price list.

- F** Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

Pull Style pick is only available when standard lock has been selected.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER										
		Basic Model	Lock Option	Lock Color	Shell Color	Door Color	Pull Style					
Features	W x D x H							Approx. Packaged Weight	Standard Lock	Padlock	Combination Lock	Digital Lock
 CZLK 36” Wide - Steel construction with steel doors - Shell and door finishes are specified independently - Large doors are 30” high - Individual doors are 17” wide on 36” models 4 locking options are offered - Includes one coat hook in each locker - Accepts one centered shelf, specified separately - Individual lockers are randomly keyed	Large Personal Lockers 2 x 1	36 x 18 x 33-1/8”	CZSLKLRG3630	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	108.0#	\$ 1597	\$ 1655	\$ 1972	\$ 2288
	Large Personal Lockers 2 x 2	36 x 18 x 63-3/4”	CZSLKLRG3660	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	200.0#	2798	2915	3546	4177
		A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- SLCK

- Standard lock
- PLCK

- Padlock
- CLCK

- Combination lock
- DLCK

- Digital lock

- C** Select lock color.
- Refer to the **Product Color Options** page in this price list.
- Lock color is only available when Standard Lock (SLCK) is selected.

- D** Select shell powdercoat.
- Refer to the **Product Color Options** page in this price list.

- E** Select door powdercoat.
- Refer to the **Product Color Options** page in this price list.

- F** Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

Pull Style pick is only available when standard lock has been selected.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER					
			Basic Model	Shelf Color				
MODEL	Features	W x D x H			Approx. Packaged Weight	Delivered Pricing		
	Large Locker Fixed Shelves For use with large lockers only	13-1/2 x 15-7/8 x 7/8"	CZLK30FS	☐ ☐	5.0#	\$	94	
		16-1/2 x 15-7/8 x 7/8"	CZLK36FS	☐ ☐	6.0#		105	
CZAC								
HRDPT	P-Series Keys - Double bit design - Range of 200 different core/key numbers available - Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC		0.4#	\$	15	
		Lock Core/2 Key Set - Black	2.KP20522		0.4#		15	
		Master Key	2.KP20550		0.2#		11	
		Extractor Key	2.KP20551		0.2#		11	
		Blank Key	2.KP20552		0.2#		3	
		Cut Key	2.KP20557		0.2#		4	
HRDPT	Locker Master Key for CLCK Lock - Master key for CLCK combination locks used on Connection Zone storage lockers ONLY - Not for use with any other locks except Connection Zone combination locks		2.KP61614		0.2#	\$	29	
HRDPT	Locker Master Key for DLCK Lock - Master key for DLCK digital locks used on Connection Zone storage lockers ONLY - Not for use with any other locks except Connection Zone digital locks		2.KP61616		0.2#	\$	10	
			A	B				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select shelf color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER										
	MODEL	W x D x H	Basic Model	Shell Color	Drawer Color	Drawer Laminate	Edge Color	Lock Option	Lock Color	Pull Style		Approx. Packaged Weight	Delivered Pricing
	Steel Shell and Drawer • Upper box drawer, lower file • 5th wheel eliminates need for counter-balance weight • Steel shell and steel fronts • Optional dividers specified separately • Optional pad specified separately	15 X 17-5/8 X 21-3/4"	CZPDS20MBF	☐	☐			☐	☐	☐		51.0#	\$ 463
		15 x 21-5/8 x 21-3/4"	CZPDS24MBF	☐	☐			☐	☐	☐		54.0#	494
		15 x 27-5/8 x 21-3/4"	CZPDS30MBF	☐	☐			☐	☐	☐		66.0#	547
CZPD													
	Steel Shell, Laminate Front • Upper box drawer, lower file • 5th wheel eliminates need for counter-balance weight • Steel shell with laminate drawer fronts • Optional dividers specified separately • Optional pad specified separately	15 x 17-5/8 x 21-3/4"	CZPDL20MBF	☐		☐	☐	☐	☐	☐		48.0#	\$ 692
		15 x 21-5/8 x 21-3/4"	CZPDL24MBF	☐		☐	☐	☐	☐	☐		51.0#	722
		15 x 27-5/8 x 21-3/4"	CZPDL30MBF	☐		☐	☐	☐	☐	☐		63.0#	776
CZPD													
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select shell color.
Refer to the **Product Color Options** page in this price list.
- C** Select drawer color.
Refer to the **Product Color Options** page in this price list.
- D** Select drawer laminate.
Refer to the **Product Color Options** page in this price list.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike
- G** Select lock color.
Refer to the **Product Color Options** page in this price list.
- H** Select pull style.

CZP

- Connection Zone pull

USP

- U-Series pull

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Pedestals

Pads



Pedestals

Pads

			MODEL NUMBER											
 CZSP	MODEL	COM Yardage	W x D	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Pedestal Pads	.6 yards	15 x 17-5/8"	CZSPP1520	□□□□	4.0#	\$ 111	\$ 123	\$ 124	\$ 121	\$ 134	\$ 145	\$ 145	\$ 157
	• Foam and medium density fiberboard construction	.75 yards	15 x 21-5/8"	CZSPP1524	□□□□	5.0#	130	145	148	152	167	184	185	201
	• Non-slip pads on underside	1 yard	15 x 27-5/8"	CZSPP1530	□□□□	6.0#	140	157	159	161	178	193	194	212
				A	B									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade and color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
			Basic Model	Approx. Packaged Weight	Delivered Pricing	
MODEL	Features	W x D x H				
 PDACU	Pencil Tray • For 3" pencil and 6" box drawers • Black finish only • Priced individually	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	\$ 10	
 PDACU	6" Partition • For 6" box drawers • Black finish only • Priced individually	12-1/8 x 4-5/8"	S7P/D6	1.0#	\$ 6	
 PDACU	Hanging Folder Partition • For 12" file drawers • Black finish only • Priced individually	12-1/8 x 9-5/8"	S7P/D12	1.0#	\$ 10	
 PDACU	Pedestal Hanging Folder Bar Channel • Clips over top edge of pedestal drawer body • Prevents files from moving freely but can be moved by hand • Can also be used to hang folders in file drawers side-to-side	1 Bar: Fits 17-5/8"D Pedestals	S7P/20FBP	0.1#	\$ 8	
		2 Bars: Fits 21-5/8"D Pedestals	S7P/24FBP	0.1#	10	
		3 Bars: Fits 27-5/8"D Pedestals	S7P/30FBP	0.1#	14	

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Acrylic Gradient Pattern
Printed Surface




Acrylic Grid Pattern
Printed Surface




Acrylic Solid White
Unprinted Surface



Acrylic Translucent Crystal
Unprinted Surface



Solid White
Magnetic Steel Surface



Fabric Surface
See [ki.com/fabrics](#)

Connection Zone® Screens, as part of the Connection Zone® Collection, offer freestanding mobile collaboration and space division. Mobile screens feature steel frames and acrylic inserts, either printed or unprinted, with dry-erase coating. All Connection Zone® Screen models meet or exceed relevant ANSI/BIFMA X5.6-2010/ BIFMA 5.9-2012 standards, available upon request.

CONSTRUCTION AND STANDARD FEATURES

Frame Construction

Mobile frames are constructed of steel tube supports. Tubes are shaped and joined to create a screen with interior storage compartments. Frame is fully coated with dry-erase powdercoat paint, allowing marker writability on all painted surfaces. Frames support the attachment of acrylic sheets for the creation of a two-sided complete screen, and frame design allows for physical connection of one screen to another. Frames feature 2 steel formed hooks for attachment of flip chart pads.

Screens available in heights of 72” and 80”, and in

widths of 36” and 42”. Screen floor space depth is 22-1/2”.

Acrylic Inserts

One-quarter inch thick acrylic sheets are captured on either side of steel frame. Acrylic features dry-erase coating on user-facing side of each sheet for full surface writability.

Inserts may be specified in either unprinted or printed styles. See images above and pricelist for available options. Other print patterns, sizes, or individual requests can be submitted through Product Modification Requests, contact Customer Service for details.

Steel Inserts

Steel inserts feature a dry erase-writable surface attached to a hardboard core. Steel inserts are magnetic and accept optional tackable fabric bulletin boards and rails.

Fabric Inserts

Fabric inserts feature fiberglass cores. Inserts are tackable and are offered in a variety of colors.

Fabric inserts are neither writeable nor magnetic.

Casters

Casters feature 4” black swivel twin wheels, and are plate-mounted.

Ledge

An optional steel accessory shelf ledge is available allowing for placement of foam board or other presentation materials at the bottom of the unit.

Bulletin Boards and Rails

Optional tackable bulletin boards are intended for placement on the upper portion of steel insert tiles. Boards are magnetically attached and are fully repositionable.

Rails are intended for horizontal placement anywhere on a steel insert.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit [ki.com](#)



Mobile Screens

Frame Color

Silver Dry-Erase	SLDE
White Dry-Erase	
WHDE	

Printed Acrylic Insert Color

Gradient Pattern	AGRA
Grid Pattern	
AGRD	

Unprinted Acrylic Insert Color

Translucent crystal	CRYS
Solid white	
WHTC	

Tackable Fabric Insert

Spectrum	S1
Popcorn	PV2

NOTE: Steel insert is white dry erase finish.



			MODEL NUMBER				
MODEL			Basic Model	Print Pattern	Frame Color	Approx. Packaged Weight	Delivered Pricing
	Printed Acrylic Screen	36 x 72 X 22-1/2"	CZMSAP3672	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	225.0#	\$ 5947
	• Acrylic insert with dry-erase coating	42 x 72 X 22-1/2"	CZMSAP4272	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	232.0#	5947
	• Gradient and grid print patterns allow graduated translucency and permeation of light	42 x 80 X 22-1/2"	CZMSAP4280	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	238.0#	5947
	• Includes storage tray and ganging hardware						
	• Black casters						
	• Acrylic surface is non-magnetic and will not accept magnetic attachments						
CZMS							
	Unprinted Acrylic Screen	36 x 72 X 22-1/2"	CZMSAS3672	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	225.0#	\$ 5296
	• Acrylic insert with dry-erase coating	42 x 72 X 22-1/2"	CZMSAS4272	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	232.0#	5296
	• Acrylic does not feature any print pattern	42 x 80 X 22-1/2"	CZMSAS4280	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	238.0#	5296
	• Includes storage tray and ganging hardware						
	• Black casters						
	• Acrylic surface is non-magnetic and will not accept magnetic attachments						
CZMS							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select acrylic type.
- | | |
|-------------|-----------------------|
| AGRA | - Gradient Pattern |
| AGRD | - Grid Pattern |
| CRYS | - Translucent crystal |
| WHTE | - Solid white |
- C**Select frame color.
- | | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER							
	MODEL	W x H x D	Basic Model	Frame Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Magnetic Dry Erase Steel Screen • Dual-sided screen with white magnetic dry erase steel both sides • Includes storage tray and ganging hardware • Black casters	36 x 72 x 22-1/2"	CZMSDS3672	☐ ☐ ☐ ☐		254.0#	\$ 3889			
		42 x 72 x 22-1/2"	CZMSDS4272	☐ ☐ ☐ ☐		263.0#	3998			
		42 x 80 x 22-1/2"	CZMSDS4280	☐ ☐ ☐ ☐		272.0#	4150			
CZMS										
	Magnetic Tackable Fabric Bulletin Board • Magnetic attachment to steel tiles only • Intended for use on topmost 24" of tile only • Not intended for use on curve • Tackable surface	24 x 24 x 1/2"	CZMSBB2424		☐ ☐ ☐ ☐	2.5#	N/A	\$ 542	\$ 555	\$ 587
		36 x 24 x 1/2"	CZMSBB3624		☐ ☐ ☐ ☐	3.0#	N/A	573	584	616
		42 x 24 x 1/2"	CZMSBB4224		☐ ☐ ☐ ☐	3.5#	N/A	577	591	623
CZMSB										
	Magnetic Tackable Fabric Bulletin Rail • Magnetic attachment to steel tiles only • Intended for horizontal placement only • Not intended for use on curve • Tackable surface	24 x 6 x 1/2"	CZMSBR246		☐ ☐ ☐ ☐	1.0#	N/A	\$ 263	\$ 270	\$ 282
		36 x 6 x 1/2"	CZMSBR366		☐ ☐ ☐ ☐	1.5#	N/A	283	290	303
		42 x 6 x 1/2"	CZMSBR426		☐ ☐ ☐ ☐	2.0#	N/A	296	303	314
CZMSB										
			A	B	C					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | | |
|-------------|--------------------|
| SLDE | - Silver Dry-Erase |
| WHDE | - White Dry-Erase |
- Refer to the **Product Color Options** page in this price list.
- C**Select fabric.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER							
			Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
	MODEL	W x H x D								
	Fabric Tile	36 x 72 X 22-1/2"	CZMSTF3672	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	205.0#	\$ 4019	\$ 4066	\$ 4351
	• Dual-sided screen with tackable fabric on both sides	42 x 72 X 22-1/2"	CZMSTF4272	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	209.0#	4150	4197	4491
	• Includes storage tray and ganging hardware	42 x 80 X 22-1/2"	CZMSTF4280	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	212.0#	4297	4350	4654
	• Black casters									
			A	B	C	D				

CZMSF

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.

SLDE

WHDE

- Silver Dry-Erase

- White Dry-Erase

Refer to the **Product Color Options** page in this price list.
- C**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- D**Select fabric side 2.

Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Mobile Screens

Magnetic Dry Erase Steel and Tackable Fabric



Mobile Screens

Magnetic Dry Erase Steel and Tackable Fabric

		MODEL NUMBER							
MODEL	W x H x D	Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Magnetic Dry Erase Steel Side One, Tackable Fabric Side Two	CZMSSF3672	☐ ☐ ☐ ☐		☐ ☐ ☐ ☐	229.0#	\$ 3996	\$ 4022	\$ 4184
	42 x 72 X 22-1/2"	CZMSSF4272	☐ ☐ ☐ ☐		☐ ☐ ☐ ☐	236.0#	4119	4141	4307
	42 x 80 X 22-1/2"	CZMSSF4280	☐ ☐ ☐ ☐		☐ ☐ ☐ ☐	242.0#	4265	4292	4467
CZMSF									
	Tackable Fabric Side One, Magnetic Dry Erase Steel Side Two	CZMSFS3672	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		229.0#	\$ 3996	\$ 4022	\$ 4184
	42 x 72 X 22-1/2"	CZMSFS4272	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		236.0#	4119	4141	4307
	42 x 80 X 22-1/2"	CZMSFS4280	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		242.0#	4265	4292	4467
CZMSF									
		A	B	C	D				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.

SLDE

WHDE

- Silver Dry-Erase

- White Dry-Erase

Refer to the **Product Color Options** page in this price list.
- C**Select fabric side 1.

Refer to [ki.com/fabrics](#)
- D**Select fabric side 2.

Refer to [ki.com/fabrics](#)

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL	W x H x D			Approx. Packaged Weight	Delivered Pricing
 HRDPT	Attachable Ledge Tray - Provides support for ancillary presentation materials such as foam boards and easel pads - Approximately 1/2" deep by width of screen	34 x 1 x 2"	CZMSL36	☐ ☐ ☐ ☐	1.3#
		40 x 1 x 2"	CZMSL42	☐ ☐ ☐ ☐	1.5#
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SLDE	- Silver Dry-Erase
WHDE	- White Dry-Erase

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.