
# **Currency**

//////////////////////////////////////		Specifying
		Desks and Desk Shells
		Returns and Return Shells
Product Details		Bridges
Desks, Desk Shells, Returns, Return Shells, and Bridges	20	D-Shape and P-Shape Worksurfaces
Desks and Desk Shells with 6" Overhang	26	Parametric Common Tops/Worksurfaces
D-Shape and P-Shape Worksurfaces	28	Tables
Parametric Common Tops/Worksurfaces	30	Legs and Table Bases
Tables	32	Modesty Panel
Fixed and Mobile Pedestals	34	Two-High Fixed Pedestals
Two-High Fixed Pedestals for Use with Shells	38	1.5-High and Two-High Fixed Pedestals
One-High, 1.5-High, and Two-High		Two-High Fixed Pedestals for Use with Shells
Lower Storage and Lateral Files	40	Two-High Mobile Pedestals
Storage Filler Panels	43	Mobile Pedestals
Three-High and Four-High Lateral Files	44	Storage Filler Panels
One-High and 1.5-High Open Storage for Ology, Migration SE, and Slim Leg		Storage to Beam Connector
HAD Applications	46	Basic Cushions Enhanced
Credenzas	50	One-High and 1.5-High Open Storage for Ology,
Bookcases	56	Migration SE, and Slim Leg HAD Applications
Towers and Wardrobes	58	Credenzas
Overheads and Organizers	62	Bookcases
Parametric Tackboards	74	Overheads and Organizer
Conference Room Furniture	76	Tackboard
Application Topics		Conference Room Furniture
Currency Table Tops, Legs, and Base Combinations	78	Accessories
Power Units	81	One-High, 1.5-High, and Two-High Lateral Files
Tower and Wardrobe Interior Configurations	82	Three-High and Four-High Lateral Files
Wardrobe Stability Guidelines	83	One-High, 1.5-High, and Two-High Lower Storage
Specifying Stacking Bookcases	84	Single-Door Towers
Specifying Stacking Overheads	85	Dual-Door Towers
Bookcase Shelf Counts	86	Side Access Towers
Directional Laminate and Edge Profile Detail	90	Wardrobes
Currency Style Conversion List	92	
Storage Capacities and Dimensions	96	
Blending Currency with Elective Elements	110	

## **Statement of Line**

Currency



Understanding
►Page 22
Specifying
►Page 116

## **Currency Desks with Pedestals**

	60"W	66"W	72"W
24"D	•	•	•
30"D	•	•	•

Tip: Parametric depth range 24"D–30"D is available in 1/16" increments on CRDSKSPR, CRDSKSPL, and CRDSKDP. Tip: Parametric width range 60"W–72"W is available in 1/16" increments on CRDSKSPR, CRDSKSPL, and CRDSKDP.



Understanding
►Page 22
Specifying
►Page 116

## **Currency Desk Shells**

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	84"W	96"W
18 <sup>7</sup> / <sub>8</sub> "D	•	•	•	•	•	•	•		
24"D	•	•	•	•	•	•	•	•	•
30"D	•	•	•	•	•	•	•		

Tip: Parametric depth range 187/8"D-30"D is available in 1/16" increments on CRDSHL.

Tip: Parametric width range 36"W-96"W is available in 1/16" increments on CRDSHL.





Understanding
►Page 26
Specifying
►Page 122

## **Currency Desk Shell with 6" Overhang**

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	84"W	96"W
36"D	•	•	•	•	•	•	•	•	•

Tip: Parametric width (36"W–96"W) is available in  $^{1}/_{16}$ " increments.





Understanding ▶Page 22 Specifying ▶ Page 128

## **Currency Desk with 6" Overhang and Pedestals**


	60"W	66"W	72"W
36"D	•	•	•

Tip: Parametric width (60"W-72"W) is available in 1/16" increments.

## **Currency Returns with Pedestal**

	42"W	48"W	
24"D	•	•	

Tip: Parametric width range 42"W-48"W is available in 1/16" increments on CRRTNSPR and CRRTNSPL.



Understanding ▶Page 22 Specifying ► Page 128



Right-hand unit

Understanding

Understanding

►Page 28

▶ Page 134

Specifying

▶Page 22 Specifying Page 132

## **Currency Return Shells**

		_		
	36"W	42"W	48"W	
18 <sup>7</sup> /8"D	•	•	•	
24"D	•	•	•	

Tip: Parametric depth range 187/8"D-24"D is available in 1/16" increments on CRRTNR and CRRTNL.

Tip: Parametric width range 36"W-48"W is available in 1/16" increments on CRRTNR and CRRTNL.

## **Currency Bridges**

	36"W	42"W	48"W	
18 <sup>7</sup> /8"D	•	•	•	
24"D	•	•	•	

Tip: Parametric depth range 187/8"D-24"D is available in 1/16" increments on

Tip: Parametric width range 36"W-48"W is available in 1/16" increments on CRBRG.



Understanding ▶Page 28 Specifying

## Page 134

## **Currency P-Shape Worksurfaces**

Left-hand unit

		54"W – 72"W
Depth B	30"D – 48"D	•
Depth C	24"D – 36"D	•


Tip: P-Shape depths and widths are available in 1/16" increments.

## **Currency D-Shape Worksurfaces**

	48"W – 78"W	
30"D – 36"D	•	

Tip: D-Shape depths and widths are available in 1/16" increments.

## Statement of Line, Currency, continued



Understanding
►Page 30
Specifying
►Page 136

Understanding
►Page 30
Specifying
►Page 140

## **Currency Parametric Common Top HAD Application**

30"W - 120"W

18<sup>7</sup>/<sub>8</sub>"D – 24"D

Tip: Right-handed application shown. Left-handed application is also available. Tip: Top depths and widths are available in 1/16" increments.

## **Currency Parametric Common Tops/Worksurfaces**


15"W - 120"W

12"D - 36"D

Tip: Common top/worksurface depths and widths are available in  $^{1}/_{16}"$  increments.



Understanding
Page 32
Specifying
Page 144



## **Currency Tables—Round**

36" - 54"

Diameter


Tip: Round table diameters are available in 1/16" increments.

## **Currency Tables—Square**

36" - 54"

Width

Tip: Square table widths are available in 1/16" increments.



Understanding
►Page 32
Specifying
►Page 146

Understanding
►Page 32
Specifying
►Page 150

## **Currency Tables—Rectangle**

36"W - 168"W

24"D - 48"D


Tip: Rectangle table depths are available in 1/16" increments.

## **Currency Tables—Racetrack**

66"W – 168"W

36"D – 48"D

Tip: Racetrack table depths and widths are available in 1/16" increments.



Understanding ►Page 32 Specifying ► Page 154



Specifying Page 156

## **Currency Tables—Boat**

96"W - 168"W 48"D

Tip: Boat table widths are available in 1/16" increments.

## **Currency Legs and Table Bases— Rectangular Base**

179/16"W 239/16"W 49/16"D

Tip: Rectangular base is 28" in height.



Specifying Page 157



Specifying Page 158

Specifying

▶ Page 159

## **Currency Legs and Table Bases— Steel T-Base and X-Base**

26"W 36"W 21/4"Dia

Tip: Steel T- and X-base are 279/16" in height.

## **Currency Legs and Table Bases—Post Leg**

3"D

Tip: Post leg is 273/4" in height.



Specifying ► Page 158

## **Currency Legs and Table Bases—Column Leg**

6"W 6"D

Tip: Column leg is 27<sup>5</sup>/16" in height.

## **Currency Legs and Table Bases—Square Leg**

15<sup>1</sup>/<sub>4</sub>"H 18<sup>1</sup>/<sub>4</sub>"H 271/4"H

Tip: Square leg is 2" in depth.

## Statement of Line, Currency, continued



Specifying
Page 162



Understanding
►Page 34
Specifying
►Page 164

## **Currency Modesty Panel**

	24"W - 60"W
13 <sup>3</sup> / <sub>4</sub> "H	•

Tip: Modesty panel widths are available in 1/16" increments.



	15%"W	
21%"H	•	
27 <sup>5</sup> /16"H	•	



Understanding
▶Page 34
Specifying
▶Page 170



Understanding
► Page 43
Specifying
► Page 175


## **Currency Mobile Pedestal**


	15¾"W	
23 <sup>2</sup> / <sub>3</sub> "H	•	
25 <sup>15</sup> /16"H	•	

# Currency One-High, 1.5-High, and Two-High Storage Filler Panels


	51/8"W
15¾"H	•
21%"H	•
27 <sup>5</sup> / <sub>16</sub> "H	•

Tip: Universal laminate storage filler panels are used for units of same height with finished backs only; not for use with recessed or open back units.









\* The case on One-High and 1.5-High open units is 18¹/s"D. When top is added, the top matches the depth of units with drawers and doors


Understanding
►Page 46
Specifying
►Page 178

## Currency One-High and 1.5-High Storage for Ology, Migration SE, and Slim Leg HAD Applications


	30"W	36"W	42"W	48"W	60"W	72"W
15 <sup>3</sup> /8"H	•	•	•	•	•	•
21 <sup>3</sup> / <sub>8</sub> "H	•	•	•	•	•	•

Tip: Units have removable back to allow access to desk leg and can be specified with open or finished back. Tip: Width and depth are available in  $^{1}/_{16}$ " increments.

#### 1.5-High



#### Two-High



Understanding ▶Page 50

Specifying ▶ Pages 180–184

## **Currency Full Storage Credenzas**

	42"W	48"W	60"W	66"W	72"W
21 <sup>3</sup> /8"H	•	•	•	•	•
27 <sup>5</sup> / <sub>16</sub> "H	•	•	•	•	•

Tip: Height is shown without top. Top can be optioned on.


Tip: Recessed-back option is available on credenza units for use with Answer beam. The recess depth is 33/4".

Tip: Units specified with recessed-back option will always come without top. Specify Universal top with power access door separately.

▶ See Answer Beam and Answer Fence Specification Guide.

Tip: Units with open configurations are available in parametric width 42"W-72"W on styles CRCD15HFSLFL, CRCD15HFSLFR, CRCD15HFSOO, CRCD2HFSLFL, CRCD2HFSLFR, and CRCD2HFSOO in 1/16 increments. Open side flexes in width, lateral file will remain 30"W or 36"W pending overall unit size. Open/Open configurations are split evenly with a center panel.

Tip: Units with cabinet configurations are available in parametric width 60"W-72"W on styles CRCD2HFSCC. CRCD2HFSLCLFL, and CRCD2HFSLCLFR in 1/16 increments. Cabinet side flexes in width, lateral file will remain 30"W or 36"W pending overall unit size. Cabinet/Cabinet configurations are split evenly with a center panel.



Understanding ►Page 50

Specifying


►Page 190


## **Currency Credenzas with Kneespace**

	60"W	66"W	72"W
18 <sup>7</sup> /8"D	•	•	•
24"D	•	•	•

Tip: Parametric depth (187/s"D-24"D) and parametric width (60"W-72"W) available on CRCD2HKSDP, CRCD2HKSSPL, and CRCD2HKSSPR.

## Statement of Line, Currency, continued






Understanding
►Page 56
Specifying
►Page 200

Currency Bookcases									
24"W	30"W	36"W							
•	•	•							
•	•	•							
•	•	•							
•	•	•							
•	•	•							
•	•	•							
•	•	•							
		24"W 30"W  • • •	24"W 30"W 36"W  • • • •						

Tip: Parametric height, depth, and width is specifiable in 1/16" increments.

Currency Stacking Bookcases						
Application Height	24"W	30"W	36"W			
41 <sup>3</sup> / <sub>4</sub> "H	•	•	•			
47 <sup>15</sup> / <sub>16</sub> "H	•	•	•			
54 <sup>1</sup> /8"H	•	•	•			
66 <sup>1</sup> / <sub>2</sub> "H	•	•	•			
72"H	•	•	•			
78"H	•	•	•			
84"H	•	•	•			

Tip: Parametric height, depth, and width is specifiable in  $^{1}/_{16}$ " increments.




## **Currency Overheads with Sliding Doors, Hinged Doors, or Open Fronts**

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"D without doors	•	•	•	•	•	•	•
16"D with doors	•	•	•	•	•	•	•


Tip: Height of overheads when specified with panel mount option is  $15^7/16$ "H.

Tip: Parametric width is available 36"W-75"W in 1/16" increments.




# Currency Overheads with Sliding Doors, Hinged Doors, or Open Fronts for Answer Beam, Dual-Sided Application—Personal or Shared

	61 <sup>1</sup> /2"W	67 <sup>1</sup> /2"W	73 <sup>1</sup> /2"W
5"D without doors	•	•	•
6"D with doors	•	•	•



# Currency Overheads with Sliding Doors, Hinged Doors, or Open Fronts for Answer Beam, Single-Sided Application—Personal or Shared

	63"W	69"W	75"W
15"D without doors	•	•	•
16"D with doors	•	•	•




Understanding
►Page 62
Specifying
►Page 220

## **Currency Stacking Overheads with Hinged Doors, Sliding Doors, or Open Fronts**

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"D without doors	•	•	•	•	•	•	•
16"D with doors	•	•	•	•	•	•	•

Tip: Parametric width is available 36"W-75"W in 1/16" increments.

## Statement of Line, Currency, continued



Understanding
►Page 62
Specifying
►Page 228


## **Currency Organizers**

	36"W	42"W	48"W	54"W	60"W	66"W	72"W
15"D Personal	•	•	•	•	•	•	•
15"D Shared	•	•	•	•	•	•	•

Tip: Height of organizers when specified with no bracket option is 827/32"H.

Tip: 72"W organizers have three equal-spaced vertical supports.


Tip: Parametric width is available 36"W-75"W in 1/16" increments.



## Currency Organizers for Answer Beam, Dual-Sided Application—Personal or Shared

	61 <sup>1</sup> /2"W	67 <sup>1</sup> /2"W	73 <sup>1</sup> / <sub>2</sub> "W
15"D	•	•	•

Tip: Height of organizers when specified with no bracket option is  $8^{27/32}$ "H. Tip: Organizers 73<sup>1</sup>/<sub>2</sub>"W and wider have three equal-spaced vertical supports.



## Currency Organizers for Answer Beam, Single-Sided Application—Personal or Shared

	63"W	69"W	75"W
15"D	•	•	•

Tip: Height of organizers when specified with no bracket option is  $8^{27}/3z$ "H. Tip: Organizers 75"W and wider have three equal-spaced vertical supports.




## **Currency Tackboards**

24"W–114"W 9½"H–47½"H

Tip: Tackboard heights and widths are available in 1/16" increments.

Tip: Parametric sizing is shown here, refer to specifying for modular sizing.



## Currency Conference Room Furniture— Service Cart

30"W 36"W 22"D • •

Tip: Heights for service cart vary with and without casters. Height with casters is 35<sup>1</sup>/<sub>4</sub>"H and height without casters is 34<sup>5</sup>/<sub>8</sub>"H.



Understanding ►Page 76 Specifying ▶ Page 240



Specifying ▶ Page 241

## **Currency Conference Room Furniture—** Lectern

	24"W
18 <sup>7</sup> /8"D	•

## **Currency Hinged Door Power Unit**

	8 <sup>5</sup> / <sub>16</sub> "V
5 <sup>5</sup> / <sub>16</sub> "D	•

Tip: Hinged door power unit is 2" in height.









Understanding ►Page 40 Specifying Page 244

#### Three-High



#### Four-High



Understanding ►Page 44 Specifying Page 248

## **Currency Lateral Files**

		30"W	36"W	
One-High	15 <sup>3</sup> /8"H	•	•	
1.5-High	21 <sup>3</sup> /8"H	•	•	
Two-High	27 <sup>5</sup> /16"H	•	•	

Tip: Height is without top. Tops can be optioned off for ganged applications. Tip: Recessed-back option is available on all One-High, 1.5-High, and Two-High units for use with Answer beam. The recess depth is 33/4".

Tip: Units specified with recessed back option will always come without top. Specify Universal top with power access door separately.

See Answer Beam and Answer Fence Specification Guide.

## **Currency Three-High and Four-High Lateral Files**

		30"W	36"W	
Three-High	39 <sup>1</sup> / <sub>5</sub> "H	•	•	
Four-High	51¹/₅"H	•	•	

<sup>\*</sup> Parametric depth is available 187/8"D – 30"D in 1/16" increments on CRL1H, CRL15HOF, CRL15HBF, and CRL2H.

<sup>\*</sup> The top matches the depth of units with drawers and doors.

<sup>\*</sup> Parametric depth is available 187/8"D - 30"D in 1/16" increments on CRL3H and CRL4H.

## Statement of Line, Currency, continued









\*Parametric depth is available 187/8"D–24"D in 1/16" increments on CRLS1H, CRLS15HO, CRLS15HD, CRLS2HO, and CRLS2HD.
\*Parametric width is available 30W–42"W in 1/16" increments on CRLS1H, CRLS15HO, CRLS15HD, CRLS2HO, and CRLS2HD.
\*The top matches the depth of units with drawers and doors.

Understanding

- ►Page 40 Specifying
- Page 250

## **Currency Lower Storage**


		30"W	36"W	42"W
One-High	15 <sup>3</sup> /8"H	•	•	•
1.5-High	21 <sup>3</sup> /8"H	•	•	•
Two-High	27 <sup>5</sup> / <sub>16</sub> "H	•	•	•

Tip: Height is without top. Tops can be optioned off for ganged applications.

Tip: Recessed-back option is available on all One-High, 1.5-High, and Two-High units for use with Answer beam. The recess depth is 33/4".

Tip: Units specified with recessed back option will always come without top. Specify Universal top with power access door separately.

See Answer Beam and Answer Fence Specification Guide.




Understanding
►Page 58
Specifying
►Page 254

## **Currency Single-Door Towers**

	187⁄8"D	24"D		
41 <sup>3</sup> / <sub>4</sub> "H	•	•		
47 <sup>15</sup> / <sub>16</sub> "H	•	•		
54 <sup>1</sup> / <sub>8</sub> "H	•	•		
66 <sup>1</sup> /2"H	•	•		
72"H	•	•		
78"H	•	•		
84"H	•	•		

Tip: Parametric depth and height is specifiable in 1/16" increments on CRTWBFL, CRTWBFR, CRTWFFF.



Understanding ▶Page 58 Specifying
Page 260

## **Currency Dual-Door Towers**

	187⁄8"D	24"D
41 <sup>3</sup> / <sub>4</sub> "H	•	•
47 <sup>15</sup> /16"H	•	•
54 <sup>1</sup> /8"H	•	•
66 <sup>1</sup> / <sub>2</sub> "H	•	•
72"H	•	•
78"H	•	•
84"H	•	•

Tip: Parametric depth and height is specifiable in 1/16" increments on CRTWDBFL, CRTWDBFR, CRTWDFFL, and CRTWDFFR.









Side access towers with doors hinged left, with drawers

Side access towers with doors hinged right, with drawers


Understanding ►Page 58 Specifying Page 266

## **Currency Side Access Towers**

	24"W	
41 <sup>3</sup> / <sub>4</sub> "H	•	
47 <sup>15</sup> /16"H	•	
54 <sup>1</sup> /8"H	•	
66 <sup>1</sup> /2"H	•	
72"H	•	
78"H	•	
84"H	•	

Tip: Parametric height is specifiable in 1/16" increments on CRTWSABBFL, CRTWSABFFR, CRTWSAFFL, CRTWWSAFFR.

## Statement of Line, Currency, continued



Understanding
►Page 58
Specifying
►Page 272

Currency Wardrobes						
12"W	24"W					
•	•					
•	•					
•	•					
•	•					
•	•					
•	•					
		12"W 24"W				

Tip: Parametric depth, width, and height is specifiable in 1/16" increments on CRWDL and CRWDR.

## **Currency Desks, Desk Shells, Returns, Return Shells, and Bridges**

The below Currency desks, bridges, and returns are being culled Spring 2024. See Steelcase.com for information on replacement style numbers.

**Desks** are freestanding and are available with and without pedestals, to create a desk shell, single pedestal desk, or double pedestal desk.

► Specifying, page 112

Returns are available with and without pedestals, to create a single pedestal return or return shell. Returns attach to desks or credenzas to form an L-shape configuration. Attachment brackets are included with returns.


Specifying, page 126

**Bridges** must attach to a worksurface on each side to create a U-shape configuration. Attachment brackets are included with bridges.

► Specifying, page 132

#### **Desk and return shells**

can be used with 22¾"D and 277/16"D freestanding pedestals or mobile pedestals for a customized storage solution.



Actual Dimensions								
	Desks (with pedestal)	Desk Shells	Returns	Return Shells	Bridges			
Depth	30" and 36"	24", 30", and 36"	24"	24"	24"			
Width	60"-72"	36"-96"*	42" or 48"	42" or 48"	30", 42", and 48"			
Height	287/16"	287/16"	287/16"	287/16"	287/16"			

Tip: Height shown is with a 11/8" top specification.

Tip: Desk shells wider than 72"W not available 187/8"D-2315/16"D.

\*Not all widths are available with all depths. See specification pages.


### **Actual Dimensions**

## Currency Desk/Return/Bridge Worksurface Thickness

	Low-Pressure Laminate	High-Pressure Laminate
Worksurface/Top Thickness – 11/8" core	11/8"	13/16"
Worksurface/Top Thickness – 13/6" core	13/8"	17/16"

\*Worksurface thickness differs based on the worksurface thickness and materiality specified.

## **Product Details**



**36"D desks** have a 6" overhang on the visitor side. End panels/pedestals will be 30"D.



#### Clear access end pan-


els are available with desks to provide structural support, while maintaining clearance for under worksurface knee space. They include a cord pass through cut out, and are not to be used as a visible end panel.

Pulls on desks and returns with pedestals are available in a variety of shapes.

Lock is standard on desks and returns with pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in, and the one above. Locks are specified with storage, but shipped separately. Locks are field installed.

**Leveling glides** adjust to install desks and returns on uneven floors and have a 11/4" adjustable glide range.

Steelcase October 2023




#### 1/4-height modesty pan-

els are intended for use up against a wall to provide 203/4" of clearance from the floor to the bottom of the modesty panel for all power access, or 133/4" of clearance from the top of the bottom stretcher to the bottom of the modesty panel. Top modesty and bottom stretcher are 61/2" tall. Bottom stretcher is included when 1/4-height modesty is specified.

Modesty panels have horizontal grain direction.


End panels have vertical grain direction.



Pulls are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

#### Pilot-hole to pilot-hole dimensions are as follows:

- Ledge: 96 mm
- Handle: 96 mm
- Contemporary: 128 mm
- Jazz: 128 mm
- Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
- Inset: N.A.



Locks are standard on desks and returns with storage. Lock cylinders must be specified separately, and are field installed.

► Lock and Keying, page 572

## Counterweight pack-

ages are required to ensure product stability and are ordered as an option, or separately through service parts.

#### **Field installed locks**

are available with consecutive, specific, and random keving options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately.

### Counterweights are

not needed when under worksurfaces pedestals are installed in an L-shape, U-shape, or T-shape configuration.

Counterweights are available as a service part package for use when furniture is reconfigured into

application which require the

use of counterweights. **Back and end panel** configurations differ depending on the modesty panel and support options

selected.

#### **Surface Materials**

#### Currency desks, returns, and bridges

can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### Desk, return, and bridge case

- Low-Pressure Laminate
- High-Pressure Laminate

#### **Headsets**

 Low-Pressure Laminate · High-Pressure Laminate

- Low-Pressure Laminate
- High-Pressure Laminate

#### Ledge pull

- · 4799 Platinum Metallic
- 7207 Black

#### **Handle pull**

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz pull

- 0835 Black
- 4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Transitional pull**

- 0835 Black
- · 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- · 4799 Platinum Metallic
- 7280 Smooth Bronze
- · 9201 Polished Chrome
- 9211 Nickel

#### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Inset pull**

- · 4799 Platinum Metallic
- 4803 Near Black Metallic
- 7241 Arctic White
- 7278 Dark Bronze


#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

#### **Drawer bodies, drawer** suspensions, and glides

Black

### **Application Topics**




## 60"W or wider desk shells require a reinforcing

channel, due to unsupported kneespace 54" or greater. 72"W or wider desks receive a center support.

#### If one clear access end panel is specified

on desk shell, the desk shell must be attached to an adjoining worksurface(s). If two clear access end panels are specified on desk shell, the desk shell must be used like a bridge in a U-shaped configuration. Desk shells with clear access end panel(s) can not be freestanding. Tip: Desk shells wider than 72"W not available 187/8"D-2315/16"D.



If a bridge is specified in a U-shaped configuration, a reinforcing channel must be used with 54"W or more of unsupported knee space.

When specifying a reinforcing channel, use the largest available size that fits within the open kneespace.

#### Storage capacities and dimensions

Page 96

## Currency Desks, Desk Shells, Returns, Return Shells, and Bridges

**Desks** are freestanding and are available with and without pedestals, to create a desk shell, single pedestal desk, or double pedestal desk.

►Specifying, page 116

Returns are available with and without pedestals, to create a single pedestal return or return shell. Returns attach to desks or credenzas to form an L-shape configuration. Attachment brackets are included with returns.


► Specifying, page 128

Bridges must attach to a worksurface on each side to create a U-shape configuration. Attachment brackets are included with bridges.

Specifying, page 132

#### Desk and return shells

can be used with 22<sup>3</sup>/<sub>4</sub>"D and 27<sup>7</sup>/<sub>16</sub>"D freestanding pedestals or mobile pedestals for a customized storage solution.



Actual Dimensions					
	Desks (with pedestal)	Desk Shells	Returns (with pedestal)	Return Shells	Bridges
Depth	24"–30"	187/8"-30"	24"	187/8"-24"	18 <sup>7</sup> /8"–24"
Width	60"-72"	36"-96"*	42"-48"	36"–48"	36"–48"
Height	287/16"	287/16"	287/16"	287/16"	287/16"

Tip: For 36"D desk shells and desk with pedestals, please continue to leverage **CRDSK**. See Currency Desks and Desk Shells with 6" Overhang for more desking sizes, page 26.

Tip: Height shown is with a 11/8" top specification.

\*Not all widths are available with all depths. See specification pages.

Tip: Desk shells wider than 72"W not available 187/8"D-2315/16"D.


#### **Actual Dimensions**

### **Currency Desk/Return/Bridge Worksurface Thickness**

	Low-Pressure Laminate	High-Pressure Laminate
Worksurface/Top Thickness – 11/8" core	11/8"	13/16"
Worksurface/Top Thickness – 13/8" core	13/8"	17/16"

\*Worksurface thickness differs based on the worksurface thickness and materiality specified.

### **Product Details**




#### Clear access end pan-

els are available with desks to provide structural support, while maintaining clearance for under worksurface knee space. They include a cord pass through cut out, and are not to be used as a visible end panel.

# Pulls on desks and returns with pedestals are available in a variety of shapes.

Lock is standard on desks and returns with pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in, and the one above. Locks are specified with storage, but shipped separately. Locks are field installed.

**Leveling glides** adjust to install desks and returns on uneven floors and have a 11/4" adjustable glide range.




### 1/4-height modesty pan-

els are intended for use up against a wall to provide 20%4" of clearance from the floor to the bottom of the modesty panel for all power access, or 133/4" of clearance from the top of the bottom stretcher to the bottom of the modesty panel. Top modesty and bottom stretcher are 61/2" tall. Bottom stretcher is included when 1/4-height modesty is specified.


**Modesty panels** have horizontal grain direction.

**End panels** have vertical grain direction.




**Pulls** are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

**Grommets** are 3" in diameter and available on desks, returns, and bridges.




**Corner grommets** are 35/16" from the edge of the worksurface.



**Center grommets** are 35/16" from the visitor side.

## Pilot-hole to pilot-hole dimensions are as follows:

- · Ledge: 96 mm
- Handle: 96 mm
- Contemporary: 128 mm
- Jazz: 128 mm
- Transitional: 160 mmNile: 160 mm or 320 mm
- (depending on storage type)
- Bar: 128 mm
   Inset: N.A.



**Locks** are standard on desks and returns with storage. Lock cylinders must be specified separately, and are field installed.

►Lock and Keying, page 572

Counterweight packages are required to ensure product stability and are ordered as an option, or separately through service parts.

#### Field installed locks

are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately.

Counterweights are not needed when under worksurfaces pedestals are installed in an L-shape, U-shape, or T-shape configuration.

#### **Counterweights** are available as a service part package for use when furniture is reconfigured into

niture is reconfigured into application which require the use of counterweights.

Back and end panel configurations differ depending on the modesty panel and support options selected.

### **Surface Materials**

## Currency desks, returns, and bridges

can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

## Desk, return, and bridge case

Low-Pressure LaminateHigh-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- High-Pressure Laminate

#### Top

- Low-Pressure Laminate
- · High-Pressure Laminate

#### Ledge pull

4799 Platinum Metallic7207 Black

## Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Transitional pull**

- 0835 Black
- · 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome9211 Nickel

#### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Inset pull

- 4799 Platinum Metallic
- · 4803 Near Black Metallic
- · 7241 Arctic White
- 7278 Dark Bronze


#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

## Drawer bodies, drawer suspensions, and glides

Black

### **Application Topics**



### 60"W or wider desk


**shells** require a reinforcing channel, due to unsupported kneespace 54" or greater.

### 72"W or wider desk

shells receive a center support (half panel). Because of this, 72"W or wider desk shells cannot receive a center grommet.

## If one clear access end panel is specified

on desk shell, the desk shell must be attached to an adjoining worksurface(s). If two clear access end panels are specified on desk shell, the desk shell must be used like a bridge in a U-shaped configuration. Desk shells with clear access end panel(s) can not be freestanding. Tip: Desk shells wider than 72"W not available 187/8"D-2315/16"D.



If a bridge is specified in a U-shaped configuration, a reinforcing channel must be used with 54"W or more of unsupported knee space.

When specifying a reinforcing channel, use the largest available size that fits within the open kneespace.

## Storage capacities and dimensions

Page 96


# **Currency Desks and Returns: Back Panel and End Panel Configurations**

Back and end panel configurations vary depending on the modesty panel and storage options selected.

#### Desks


#### **End Panel Over Back Panel**


 Desks with <sup>1</sup>/<sub>4</sub>-height modesty panel + two end panels.



#### **Back Panel Over End Panel**


- Desks with ¼-height modesty panel + two pedestals
- · Desks with full modesty panel





#### Mix


 Desks with ½-height modesty panel + one pedestal + end panel



#### Returns

#### **End Panel Over Back Panel**

• Returns with 1/4-height modesty panel + end panel



#### **Back Panel Over End Panel**

- Returns with 1/4-height modesty panel + pedestal
- · Returns with full modesty panel






\*Back of desk shown

## **Currency Desks and Desk Shells with 6" Overhang**

**Desks** are freestanding and are available with and without pedestals, to create a desk shell, single pedestal desk, or double pedestal desk.

▶Specifying, page 122

**Desk shells with 6" overhang** can be used with pedestals for use with shells



Actual Dimensions			
	Desks (with pedestal)	Desk Shells	
Depth	36"	36"	
Width	60"-72"	36"–96"	
Height	287/16"	287/16"	

Tip: Height shown is with a 11/8" top specification.

Actual Dimensions				
Currency Desk Worksurface Thickness				
	Low-Pressure Laminate	High-Pressure Laminate		
Worksurface/ Top Thickness – 11/8" core	11/8"	1 <sup>3</sup> /16"		
Worksurface/ Top Thickness – 13/8" core	1 <sup>3</sup> /8"	17/16"		

<sup>\*</sup>Worksurface thickness differs based on the worksurface thickness and materiality specified.



**36"D desks** have a 6" overhang on the visitor side. End panels/pedestals will be 30"D.


Pulls on desks with pedestals are available in a variety of shapes.

Lock is standard on desks and returns with pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in, and the one above. Locks are specified with storage, but shipped separately. Locks are field installed

**Leveling glides** adjust to install desks and returns on uneven floors and have a 11/4" adjustable glide range.

**Modesty panels** have horizontal grain direction.


**End panels** have vertical grain direction.




**Pulls** are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

Inset pull

**Grommets** are 3" in diameter and available on desks.



**Corner grommets** are 85/8" from the edge of the worksurface.




**Center grommets** are 85/8" from the visitor side.

## Pilot-hole to pilot-hole

dimensions are as follows:

- Ledge: 96 mm
- Handle: 96 mm
- · Contemporary: 128 mm
- Jazz: 128 mm
- Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
- · Inset: N.A.



**Locks** are standard on desks and returns with storage. Lock cylinders must be specified separately, and are field installed.

►Lock and Keying, page 572

#### **Counterweight packages** are required to ensure product stability and are ordered as an option, or sep-

arately through service parts.

Field installed locks
are available with con-

secutive, specific, and

random keying options. Field installed lock cylinders, **LOCK9201FR** or **LOCK9250FR** must be specified separately.

#### Counterweights are

not needed when under worksurfaces pedestals are installed in an L-shape, U-shape, or T-shape configuration.

**Counterweights** are available as a service part package for use when furniture is reconfigured into application which require the use of counterweights.

#### **Surface Materials**

**Currency desks** can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### **Desk case**

- Low-Pressure Laminate
- High-Pressure Laminate

#### **Headsets**

- · Low-Pressure Laminate
- · High-Pressure Laminate

#### Top

- Low-Pressure Laminate
- High-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
   9244 Nielest
- 9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black
- 4799 Platinum Metallic9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Transitional pull**

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Inset pull

- 4799 Platinum Metallic
- · 4803 Near Black Metallic
- · 7241 Arctic White
- · 7278 Dark Bronze


#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

## Drawer bodies, drawer suspensions, and glides

Black

#### **Application Topics**



**60"W or wider desk shells** require a reinforcing channel, due to unsupported kneespace 54" or greater.

#### 72"W or wider desk shells receive a center support (half panel). Because of this, 72"W or wider desk shells cannot receive a cen-

ter arommet.

72"W or wider desks with pedestals require a reinforcing channel due to unsupported kneespace 54" or greater.

When specifying a reinforcing channel, use the largest available size that fits within the open kneespace.

## Storage capacities and dimensions


►Page 96

## **Currency D-Shape** and P-Shape Worksurfaces


#### **Currency D- and** P-shape worksurfaces

offer unique support for meetings. These worksurfaces are parametric and can flex by 1/16" increments to allow flexibility in planning.

► Specifying, page 134



#### P-Shape



## **Actual Dimensions**

**Currency D-Shape and P-Shape Worksurface Parametric Ranges** 

_	
	D-Shape Worksurfaces
Depth	30"–36"
Width	48"-78"
	P-Shape Worksurfaces
Depth B Range	30"–48"
Depth C Range	24"–36"
Width A Range	54"-72"

#### **Actual Dimensions**

28

**Currency D-Shape and P-Shape Worksurface Thickness** 

	Low-Pressure Laminate	High-Pressure Laminate
Worksurface/ Top Thickness – 11/8" core	11/8"	13/16"
Worksurface/ Top Thickness – 13/8" core	1 <sup>3</sup> /8"	17/16"

Worksurtace thickness differs based on the worksurface thickness and materiality specified.

### **Product Details**

surfaces must be attached to a bridge, return, or adjoining worksurface to form a flush-height, L- or U-shaped configuration and to provide

**Right-hand P-shape** worksurfaces pair with left-hand returns. Left-hand P-shape worksurfaces pair with right-hand returns.

D- and P-shape worksurfaces include an end panel, and are available with and without modesty panels.

Modesty panels are available in either full or 1/4-height. Full-height modesty panels go to the floor. The 1/4-height modesty panels suspend from the worksurface, and are 133/4" high.

Column leg diameter

#### **Surface Materials**

## Case (end and modesty

- · Low-Pressure Laminate
- · High-Pressure Laminate

Right-hand unit

- Low-Pressure Laminate
- High-Pressure Laminate

#### Column leg

- 4799 Platinum Metallic
- 7207 Black

#### **Wiring and Cabling**

Round grommets are available and are field installed to allow power cords and cables to pass through the worksurface. Grommets are specified separately.

►See page 350

D- and P-shape workstability.

Wood Casegoods and Tables Specification Guide Steelcase October 2023

## **Currency Parametric Common Tops/Worksurfaces**


## Currency parametric common tops/worksur-

faces are used to create storage applications with a seamless top, or as a table or desk with legs. These tops can flex by 1/16" increments to allow flexibility in planning.

► Specifying, page 140

#### **Currency worksurfaces**

and tops use 11/8" and 13/8" core. The actual thickness of the worksurface will change depending on materiality selected.



### **Actual Dimensions**

### **Currency Common Top/Worksurface Parametric Ranges**

	Low-Pressure Laminate	High-Pressure Laminate	Blending
Depth	12"–36"	12"–36"	N.A.
Width	15"–96"	15"-120"	N.A.
Worksurface/ Top Thickness – 11/8" core	11/8"	13⁄16"	11/6" core with HPL (13/16") is the same thickness as HPL Universal worksurfaces
Worksurface/ Top Thickness – 13/8" core	13⁄8"	17⁄16"	13/6" core with HPL (17/16") is the same thickness as HPL Elective Elements worksurfaces

#### **Product Details**

## Common tops/worksur-

**faces** are available in either Low-Pressure Laminate or High-Pressure Laminate.

Common tops/worksurfaces have 11/6" thick and 13/6" core thickness. Please see actual dimensions table below for core thickness

plus materiality thickness.

Common tops/worksurfaces have 3 mm plastic edge banding on the front (user's) side. Sides and back have matching 1 mm edge.

The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) tops

are slightly different. It is recommended that only tops of the same type are specified in a given application. There may be sheen or texture differences when using Low-Pressure Laminate and High-Pressure Laminate in adjacent applications. Use caution when mixing and matching different worksurface types.


**Worksurfaces** used as a table, up to 84"W, require four legs and appropriate reinforcing channels. Worksurfaces 84<sup>1</sup>/<sub>16</sub>" –120"W require six legs and appropriate reinforcing channels.

Worksurfaces used in a run-off application with two legs, secured to another worksurface with bracketry, can be no longer than 72"W and must use appropriate reinforcing channels.


#### **Reinforcing channels**

must be used with tops larger than 54"W for 54"W or more of unsupported kneespace. Any common top used as a table with legs equal to or larger than 30"D x 72"W requires two reinforcing channels.


**Grommets** are 3" in diameter and are available on worksurfaces.



**Corner grommets** are 35/16" from the edge of the worksurface.



**Center grommets** are 35/16" from the visitor side.



If creating an application with four legs as supports, do not specify left or right-hand grommets. Grommet cut out will interfere with leg location.

If creating a run-off application with two legs as supports, do not specify grommets on the side that has legs as supports. Grommet cut out will interfere with leg location.

**Grommets** do not interfere with hanging modesty panels.

# Grommet placement recommendations by size include:

- No grommets on worksurfaces less than 18"D
- Center grommet only on worksurfaces 15"W– 29.9375"W
- Left, right, or center grommet only on worksurfaces 30"W– 41 9375"W
- Any placement of one, two, or three grommets on worksurfaces 42"W and above




**Support plates** are available to connect two worksurfaces and allow one to support the other.



**Tie plates** are available to provide added strength and alignment between two worksurfaces.

**Square legs** are 2" x 2" and available individually. Legs come in three heights. See **CRSQB** for more information.



Square legs can be used to create stand-alone table desk or a return. Specify two legs to create a return, and specify four legs to create a table desk.



**Post leg** is available individually. Leg is 27<sup>3</sup>/<sub>8</sub>"H with glide. Glide adjusts 2".

Post legs can be used to create a stand-alone table desk or return. Specify two legs to create a return and four legs to create a table desk.



**Column leg** is 6", and 27<sup>3</sup>/<sub>8</sub>"H with glide. Glide adjusts 1<sup>1</sup>/<sub>4</sub>".

**Column leg** can be used to create a return.

#### **Application Topics**

When specifying a Currency parametric common top over a run of storage, use SmartTools to determine the correct dimension to be specified.

#### Common top dimensions are calculated in SmartTools using six major factors:

- Product combination dimensions of common top vary pending storage combinations in the application.
- Top offset—the width of the common top is not equal to plan width and is undersized for panelapplications.
- Case offset—width of the top changes between HPL and LPL.
- Case vs. top offset difference between end panel face to top.
- Ganging offset—width of the common top reduces if units gang together.
- Parametric rounding parametric common tops round to the nearest ½16<sup>th</sup> of an inch.

## Common top width examples:

- Two pedestals HPL: 31<sup>13</sup>/<sub>16</sub>"
- Two pedestals LPL: 315/8"

**Due to nominal versus actual dimensions,** the common top total dimension may calculate to be smaller than anticipated.

#### **Surface Materials**


#### Top

- Low-Pressure LaminateHigh-Pressure Laminate
- Edge
- Plastic

## **Currency Tables**

**Currency tables** can be used in a variety of conference and collaborative settings.

► Specifying, pages 144–154



### **Actual Dimensions**

### **Currency Tables**

	Round	Square	Rectangle	Racetrack	Boat	
Diameter	36"–54"	N.A.	N.A.	N.A.	N.A.	
Depth	N.A.	N.A.	24"-48"	36"-48"	48"	
Width	N.A.	36"–54"	36"-168"	66"-168"	96"–168"	

## **Actual Dimensions**

## **Currency Table Top Thickness**

	Low-Pressure Laminate	High-Pressure Laminate
Worksurface/ Top Thickness – 11/8" core	11/8"	1 <sup>3</sup> /16"
Worksurface/ Top Thickness – 13/8" core	13/8"	17/16"

<sup>\*</sup>Worksurface thickness differs based on the worksurface thickness and materiality specified.


#### **Product Details**

**Table tops** have a wood core with either a Low- or High-Pressure laminate surface.

**Table tops** are available in 11/8" and 13/8" core thickness.




**Table tops** features a 3 mm square edge profile.



**Currency table tops** are available in the following shapes: round, square, rectangle, racetrack, and boat.

**All tops** are available parametrically in ½16" increments.

Two-piece tops will occur when the top is in Low-Pressure Laminate and larger than 95¾"W, and in High-Pressure Laminate and larger than 119¹5/16"W. Tops will be split into two equal sections and ship with connecting hardware.




**Low-Pressure Laminate two-piece tops** will not have matching grain patterns.

**All High-Pressure Laminate two-piece tops** above 144"W will not have matching grain patterns.

Woodgrain High-Pressure Laminate two-piece tops 120"W-144"W will have matching grain patterns.



**Rectangular table base** is available in Low- and High-Pressure Laminate, and accommodates routing of power and data cords. Access is provided by a hinged door.





**Interior dimensions of rectangular base** is 135%"W by 21/4"D in the center to allow for floor power and data box placement.



**Steel X- and T- bases** are available in 26"W and 36"W.

Tip: When specifying a conference table, base size is predetermined by the selections made, and cannot be changed.



**Steel post leg** is 3" in diameter.



**Steel column leg** is 6" in diameter.



Steel square leg is available in three different heights to create a range of table applications, including conferencing, end tables, and coffee tables.

#### **Surface Materials**

#### Case

Low-Pressure Laminate

#### Headset

· Low-Pressure Laminate

### Table top

- Low-Pressure Laminate
- · High-Pressure Laminate

#### **Edge profile**

· 3 mm plastic

Rectangular table base
Low-Pressure laminate

#### X- and T- base

- Paint
- · Polished Chrome

#### Post leg

- 4799 Platinum Metallic7207 Black

#### Column leg

- · 4799 Platinum Metallic
- · 7207 Black

#### **Square leg**

- Paint
- · Polished Chrome

#### Hinged door power unit

 8043 Clear Anodized Aluminum

## Power, Wiring & Cabling

**Grommet option** allows for either no grommet or hinged door power unit.

#### **Hinged door power unit**

has two power outlets and openings for two data ports. The bottom of the units is open to allow pass-through of power and data cables to the floor. Available as an option on conference table tops and as a separate style number.

#### Rectangular table

**base** accommodates routing of power and data cords. Access is provided by a hinged door.

**Round grommets** are available as a separate style number, and are field installed. Grommets are  $2^3/4^{"}$  in diameter and allows for cable and cord pass-through in the worksurface.

## **Currency Pedestals**

Fixed and Mobile

A subset of the below Currency pedestals are being culled Spring 2024. See Steelcase.com for information on replacement style numbers. New pedestal style numbers are available as quote only with FOE Fall 2024.

**Fixed pedestals** are floor standing and can support worksurfaces at 21<sup>11</sup>/<sub>32</sub>"H or 27<sup>11</sup>/<sub>32</sub>"H.

Tip: Using Currency storage with Universal Steel storage is not recommended.

► Specifying, page 164

**Top** is open on fixed pedestals and accommodates attachment to a worksurface. Attachment hardware is included.

**Drawer fronts** are available in Low-Pressure Laminate and High-Pressure Laminate, and are full to the bottom of the case (no toe kick).

Finished back and sides are standard on pedestals.


**File drawers** open their full depth for total access to the contents and have an integrated U-channel on the drawer bodies for hanging file folder frames.

**Mobile pedestals** can be moved wherever storage is needed. They provide an auxiliary works unface when

auxiliary worksurface when you need more space to spread out your work.

Specifying, page 170
Tip: Two-High mobile pedestals do not fit under desks
with reinforcement channels.


**Top on mobile pedestal** is 11/8" thick and is available in Low-Pressure Laminate and High-Pressure Laminate.



**Pulls on pedestals** are available in a variety of shapes.

Lock is standard on pedestals. Lock is located in the bottom drawer, and locks the drawer it is located in and the one above. Locks are specified with storage, but shipped separately. Locks are field installed.

**Leveling glides** adjust to install pedestals on uneven floors and have a 11/2" adjustable glide range.



Mobile pedestal cushion top provides a temporary seat ideal for informal gatherings. Cushion top is ordered separately and requires field installation.


Specifying, page 172
Tip: Two-High mobile pedestals with a cushion top will not fit under a desk.

**Four casters** are hard composition and non-locking, with a full-rotation swivel.

Actual	Dimensions	
	1.5-High Fixed Pedestals (Box/File)	Two-High Fixed Pedestals (Open/Box/File, Box/Box/File, and File/File)
Depth	187/8" and 24"	187/8", 2213/16", 24", 291/16", and 30"
Width	157⁄8"	157/8"
Height	213/8"	275/16"
	1.5-High Mobile Pedestals (Box/File)	Two-High Mobile Pedestals (Open/Box/File, Box/Box/File, and File/File)
Depth	187/8" and 22"	22"
Width	15¾"	15¾"
Height	23%"	25 <sup>15</sup> /16"

#### **Product Details**


Drawers are black, bore and dowel construction.



File drawer body is standard with integrated U-channel to accommodate hanging folder files.

All pedestal file drawers accommodate front-toback and side-to-side letter

24"D, 291/16"D, and 30"D pedestal file drawers also accommodate side-to-side legal filing. ►See page 96




Pencil tray to hold small office supplies is standard with pedestals with box drawers

## 213/8"H fixed pedestal

can be used in combination with other 1.5-High lower storage to create a variety of storage options.

#### 275/16"H fixed pedestal

can be used in combination with other Two-High lower storage to create a variety of storage options.



Pulls on pedestals are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

#### Pilot-hole to pilot-hole dimensions are as follows:

· Ledge: 96 mm

· Handle: 96 mm

· Contemporary: 128 mm

Jazz: 128 mm

Transitional: 160 mm

· Nile: 160 mm or 320 mm (depending on storage type)

Bar: 128 mm

Inset: N.A.



Lock cylinders are available field-installed. Pedestals are shipped installed with plugs, with lock cylinders separate.

#### **Optional field installed**

locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all Currency storage products. ► Lock and Keying, page 572

#### Mobile pedestal cushion top is field installed with screws. See assembly instructions for details

Counterweight packages are required to ensure product stability and are ordered as an option, or separately through service parts.

Counterweights are not needed when under worksurface pedestals are installed in an L-shape, U-shape, or T-shape configuration.


#### Counterweights are required when stacking storage (overheads and bookcases) is mounted to the worksurface, and less

than the full width of the worksurface. Counterweights are not

required when stacking storage is mounted to the worksurfaces, and is full width of the worksurface

Counterweights are available as a service part package for use when furniture is reconfigured into application which require the use of counterweights.

#### **Connections**



Fixed pedestals are intended to attach under a worksurface for security and support. Pedestals match the depth of Universal worksurfaces exactly, or can be paired with Currency parametric common top.

Fixed pedestals are not to be used alone as a freestanding unit, and must be used with other furniture.

Pedestals using common tops must be attached to other storage, a perpendicular worksurface, or a panel. A maximum 6" overhang of the worksurface is allowed on either side, or back.

#### **Surface Materials**

Currency storage can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### **Pedestal case**

- Low-Pressure Laminate
- · High-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- · High-Pressure Laminate

- Low-Pressure Laminate
- · High-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- · 9201 Polished Chrome 9211 Nickel
- 9212 Silver

#### Jazz pull

- 0835 Black
- · 4799 Platinum Metallic
- · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Transitional pull**

- 0835 Black
- · 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- · 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Inset pull**

- · 4799 Platinum Metallic
- · 4803 Near Black Metallic
- · 7241 Arctic White
- 7278 Dark Bronze

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

# Drawer bodies, drawer suspensions, and glides

Black

### **Cushion top**

- Upholstery
- ► Specifying, page 172

### **Application Topics**

223/4"D and 291/16"D
pedestals are for use with
desk and return shells. Their
depth allows them to slide
under a desk or return shell
to create an array of storage
configurations.

The thickness between Low-Pressure Laminate and High-Pressure Laminate differs slightly. These slight dimensional differences are accounted for within SmartTools, and are important when specifying a parametric common top. Use SmartTools to specify an exact fit.

## Storage capacities and dimensions

▶Page 96

## **Currency Pedestals**

Fixed Pedestals for Use with Shells

Fixed pedestals for use with shells are floor standing and can be retrofit to the underside of Currency desk shells.

Tip: Using Currency storage with Universal Steel storage is not recommended.


► Specifying, page 168

**Top** is open on fixed pedestals and accommodates attachment to a worksurface. Attachment hardware is included.

**Drawer fronts** are available in Low-Pressure Laminate and High-Pressure Laminate, and are full to the bottom of the case (no toe kick).

Finished back and sides are standard on pedestals.


**File drawers** open their full depth for total access to the contents and have an integrated U-channel on the drawer bodies for hanging file folder frames.



<b>Actual Dimens</b>	ions					
		gh Fixed Po with Curre	edestals ency Desk Shells			gh Fixed Pedestals with Currency Bow Front Shells
Application	Currency	Desk Shell		Application	Currency	Bow Front Shell
Style Number	CRDSHL		Style Number	CRDSH	LB	
Application Depth	187⁄8"	24"	30"	Application Depth	36"	42"
Pedestal Depth	1731/32"	233/32"	293/32"	Pedestal Depth	231/4"	291/4"
Width	153⁄4"	153⁄4"	15¾"	Width	153⁄4"	15¾"
Height	275/16"	275/16"	275/16"	Height	275/16"	275/16"
	for Use		edestals ency Desk Shell		•	gh Fixed Pedestals with Currency Return Shell
	with Ov			Application	Currency	Return Shell
Application			vith Overhang	Style Number	CRRTNI	R and CRRTNL
Style Number	CRDSHI	LO		Application Depth	187⁄8"	24"
Application Depth	36"			Pedestal Depth	1725/32"	2228/32"
Pedestal Depth	291/4"			 Width	153/4"	153/4"
Width	153/4"			Height	275/16"	275/16"
Height	275/16"			— neigiit	£1710	21 710

#### **Product Details**


Drawers are black, bore and dowel construction.




File drawer body is standard with integrated U-channel to accommodate hanging folder files.

All pedestal file drawers accommodate front-toback and side-to-side letter

24"D and 30"D pedestal file drawers also accommodate side-to-side legal filing. ►See page 96



Pencil tray to hold small office supplies is standard with pedestals with box drawers



Pulls on pedestals are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

#### Pilot-hole to pilot-hole dimensions are as follows:

· Ledge: 96 mm

· Handle: 96 mm

· Contemporary: 128 mm

Jazz: 128 mm

Transitional: 160 mm

· Nile: 160 mm or 320 mm (depending on storage type)

Bar: 128 mm

· Inset: N.A.



Lock cylinders are available field-installed. Pedestals are shipped installed with plugs, with lock cylinders separate.

#### **Optional field installed**

locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all Currency storage products.

► Lock and Keying, page 572 Counterweight packages are required to ensure

product stability and are ordered as an option, or separately through service parts.

Counterweights are not needed when under worksurface pedestals are installed in an L-shape, U-shape, or T-shape configuration.

#### Counterweights are

required when stacking storage (overheads and bookcases) is mounted to the worksurface, and less than the full width of the worksurface.

Counterweights are not required when stacking storage is mounted to the worksurfaces, and is full width of the worksurface.

#### Counterweights are

available as a service part package for use when furniture is reconfigured into application which require the use of counterweights.

### **Connections**

Fixed pedestals for use with shells are intended to attach under a Currency shell for security and support. Pedestals for use with shells depth is specified using the application depth

(shell it is going underneath)

to ensure an exact fit.

Fixed pedestals are not to be used alone as a freestanding unit, and must be used with other furniture.

#### **Surface Materials**

Currency storage can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### **Pedestal case**

- Low-Pressure Laminate
- High-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- High-Pressure Laminate

- Low-Pressure Laminate
- High-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz pull

- 0835 Black
- 4799 Platinum Metallic
- · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Transitional pull**

- 0835 Black
- 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Inset pull**

- 4799 Platinum Metallic
- · 4803 Near Black Metallic
- 7241 Arctic White
- · 7278 Dark Bronze

- 9201 Polished Chrome
- 9250 Ember Chrome

#### **Drawer bodies, drawer** suspensions, and glides

Black

#### **Cushion top**

- Upholstery
- Specifying, page 172

### **Application Topics**

#### The thickness between Low-Pressure Laminate and High-**Pressure Laminate**

differs slightly. These slight dimensional differences are accounted for within SmartTools and are important when specifying a parametric common top. Use SmartTools to specify an exact fit.

#### Storage capacities and dimensions

►Page 96

# **Currency One-High, 1.5-High, and Two-High Lower Storage, and Lateral Files**

#### One-High, 1.5-High, and Two-High Currency low storage and lateral

**files** are floor standing and can support worksurfaces at 15<sup>3</sup>/<sub>8</sub>"H, 21<sup>3</sup>/<sub>8</sub>"H, or 27<sup>5</sup>/<sub>16</sub>"H.

Tip: Using Currency storage with Universal Steel storage is not recommended.

Specifying, pages 244 and 250

**Tops** can be optioned on to low storage and laterals, and are either 11/8" or 13/8" thick. If no top is selected, low storage and laterals accommodate attachment to a worksurface or common top. Attachment hardware is included.

#### **Drawer and door**

fronts are available in Low-Pressure Laminate and High-Pressure Laminate, and are full to the bottom of the case (no toe kick).

Finished back and sides are standard on low storage and lateral files.
Recessed back option has an unfinished back.

**File drawers** open their full depth for total access to the contents and have an integrated U-channel on the drawer bodies for hanging file folder frames.

Pull on low storage with doors and laterals is available in a variety of

shapes.

Lock is standard on low storage with doors and lateral files. Lock is located in the top left corner of the right handed door of low storage with doors. Lock is located in the bottom drawer of lateral files, and locks the drawer it is located in and the one above. Locks are specified with storage, but shipped separately. Locks are field installed.

#### Recessed back option provides access to power and data outlets in panel, beam, or wall.

**Leveling glides** adjust to install low storage and laterals on uneven floors and have a 11/4" adjustable glide range.

Adjustable shelf thickness is 3/4".

Actual Dimensions			
	One-High File	1.5-High Box/File and Open/File	Two-High File/File
Depth	187/8"–30"	187⁄8"–30"	187/8"-30"
Width	30" and 36"	30" and 36"	30" and 36"
Height	153/8"	213/8"	275/16"
	One-High Low Storage	1.5-High Low Storage	Two-High Low Storage
Depth	187/8"–24"	187/8"-24"	187/8"-24"
Width	30"-42"	30"-42"	30"–42"
Height	153/8"	213/8"	275/16"


<sup>\*</sup> The top (if specified) matches the depth of units with drawers and doors.

Tip: All heights are without top. Add either 11/8" or 13/8" (depending on selection) to achieve overall height with top.


Tip: 1.5-High and Two-High open and doored low storage units, greater than 36"W, have a reinforcement brace under the adjustable shelf to maintain shelf structural integrity.

Tip: Parametric depth on lateral file units, and parametric depth and width on open low storage units, is specifiable in 1/16" increments.

**Drawers** are black, bore and dowel construction.




**File drawer body** is standard with integrated U-channel to accommodate hanging folder files.



#### 36"W file drawers


accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.




#### 30"W file drawers

accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.

## **Safety interlock system** allows only one drawer to be rolled out at a time.




Two-High lower storage has three holes for adjustable shelf placement, spaced 11/4" apart. When the adjustable shelf is in the bottom position, the top shelf has 121/4" of usable space, and the bottom shelf has 101/16" of usable space. Units greater than 36"W have a reinforcement brace to support structural integrity of the shelf and will have 1.06" less of storage clearance below the shelf.



has three holes for adjustable shelf placement, spaced 11/4" apart. When the adjustable shelf is in the bottom position, the top shelf has 65/16" of usable space, and the bottom shelf has 101/16" of usable space. Units greater than 36"W have a reinforcement brace to support structural integrity of the shelf and will have 1.06" less of storage clearance below

the shelf.




Pulls on low storage with doors and lateral files are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

### Pilot-hole to pilot-hole dimensions are as follows:

- Ledge: 96 mm
- Handle: 96 mm
- Contemporary: 128 mm
- Jazz: 128 mm
- · Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
- Inset: N.A.

**Lateral files** receive the 320 mm nile pull. All other storage units receive the 160 mm nile pull.



**Locks** are available field-installed. Low storage with doors and lateral files are shipped installed with plugs, with the locks separate.

Optional field installed locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all Currency storage products.

► Lock and Keying, page 572

**Counterweight packages** are required to ensure product stability and are ordered as an option, or separately through service parts.

**Counterweights** are not needed when lateral files are installed in an L-shape, U-shape, or T-shape configuration.

Counterweights are required when stacking storage (overheads and bookcases) is mounted to the worksurface, and less than the full width of the worksurface.

**Counterweights** are not required when stacking storage is mounted to the worksurfaces, and is full width of the worksurface.

**Counterweights** are available as a service part package for use when furniture is reconfigured into application which require the use of counterweights.

Counterweight type and quantity varies depending on size and storage configuration. Units with counterweights will ship with either standard or steel counterweights. Steel counterweight pricing will equal the price of two standard counterweights.

**One adjustable shelf** is included in 1.5-High and Two-High open and hinged door configurations.


Recessed back storage includes laminate front and sides. The back of the storage is inset 33/4" to allow access to Answer beam power receptacles. Recessed back storage does not include a top.




Square edge tops with 1/2" cord drop are ordered separately through Universal Systems Worksurfaces.
Specify option hinged door for power and data outlet

access.


See Answer Freestanding
Specification Guide.



Currency storage with recessed back should be used when storage will be placed in front of a power outlet



When One-High or 1.5-High storage is used in conjunction with intermediate supports or stanchions, specify no top open and order square edge tops with 1/2" cord drop or common top separately.




Ganging hardware is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

Side-by-side units with individual tops will result in a nominal 3/32" gap.

#### **Wiring and Cabling**



Use mid storage supports attached to 1.5-High and Two-High laminate storage to support the opposite end of stanchion mounted storage on an Answer beam. See Answer Beam and Answer Fence Specification




**Recessed back units** cannot be used to conceal base power infeed. ►See Answer Beam and Answer Fence Specification

#### **Application Topics**

223/4"D low storage and laterals are for use with desk and return shells. Their depth allows them to slide under a desk or return shell to create an array of storage configurations.



Intermediate supports are used with Currency One-High or 1.5-High storage as a worksurface support. allowing for nesting of low storage. Use square edge tops with 1/2" cord drop when used in beam applications.



Storage to beam connector attaches to One-High, 1.5-High, and Two-High storage to Answer beam to support a beam segment. Connector must attach to a finished back. One-High, 1.5-High, and Two-High storage can not be placed over Answer beam foot.

Storage-to-beam connector can not be used with Answer panels.

> Steelcase October 2023

#### **Surface Materials**

Currency storage can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### Low storage or lateral file case

- Low-Pressure Laminate
- · High-Pressure Laminate

#### **Headsets**

· Low-Pressure Laminate · High-Pressure Laminate

- · Low-Pressure Laminate
- · High-Pressure Laminate

#### Ledge pull

- · 4799 Platinum Metallic 7207 Black

#### **Handle pull**

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black
- · 4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Transitional pull

- · 0835 Black
- · 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- · 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

#### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Inset pull**

- 4799 Platinum Metallic
- 4803 Near Black Metallic
- 7241 Arctic White
- · 7278 Dark Bronze

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

#### **Drawer bodies, drawer** suspensions, and glides

Black

## **Currency Storage Filler Panels**


Fillers can be used with 187/8"D Currency One-High, 1.5-High, and Two-High lower storage in conditions where 24"D worksurface is desired. The filler will fill the gap between storage and panel.

► Specifying page 175

**Fillers** attach to lower storage units and to the worksurface above. Fillers cannot be used with the storage-to-beam connector to provide support to beam.

**Fillers** are laminate with matching edge banding. They are available in three heights to match the height of Currency One-High, 1.5-High, and Two-High storage without tops.


**Fillers** should not be used to enclose location of a base power feed.




October 2023

Actual Dimensions					
	One-High	1.5-High	Two-High		
Depth	1"	1"	1"		
Width	51/8"	51/8"	51/8"		
Height	15 <sup>3</sup> /8"	21 <sup>3</sup> /8"	27 <sup>5</sup> /16"		

## **Currency Three-High and Four-High Lateral Files**






#### **Product Details**

**Laterals** cannot be placed over an Answer panel foot.

**Pulls** are available in a variety of shapes.



**File drawer body** is standard with integral top rail to accommodate hanging folder files. Drawers are a black bore and dowel construction with a proud front.

**Safety interlock system** allows only one drawer or roll-out shelf to be opened

at a time.



No-top option for lateral files is available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface.

# Actual Dimensions Three-High Four-High Depth 187/8"-30" 187/8"-30" Width 30" and 36" 30" and 36" Height 391/5" 511/5"

Tip: Heights shown are without a top.


Tip: Parametric depth on lateral file units is specifiable in 1/16" increments.

**Application Topics** 

**Storage Capacities and** 

**Dimensions** 

Page 96




**Pulls on lateral files** are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.


## Pilot-hole to pilot-hole dimensions are as follows:

- Ledge: 96 mm
- Handle: 96 mm
- · Contemporary: 128 mm
- Jazz: 128 mm
- Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
   Inset: N.A.

**Lateral files** receive the 320 mm nile pull. All other storage units receive the 160 mm nile pull.




**Locks** are available field-installed. Lateral files are shipped installed with plugs, with the locks separate.



#### 36"W file drawers

accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.



#### 30"W file drawers

accommodate front-to-back and side-to-side letter filing, as well as front-to-back legal filing. 24"D file drawers also accommodate side-to-side legal filing.





#### **Optional field-installed**

locks are available with consecutive, specific, and random keying options. Field-installed lock cylinders (LOCK9201FR or LOCK9250FR) must be specified separately. When cylinders are ordered, the

factory will omit lock cylinders from all Currency products.

Lock and Keying, page 572





**Ganging hardware** is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both.

#### Counterweight packag-

es are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.

#### **Surface Materials**

#### **Currency lateral files**

can be specified with different case, headset, and top laminate finishes.

#### Lateral file case

Low-Pressure Laminate

#### **Headsets**

· Low-Pressure Laminate

#### Top

Low-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black
- 4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Transitional pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

#### Bar pull

- 0835 Black
- · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Inset pull

- 4799 Platinum Metallic
- 4803 Near Black
- 7241 Arctic White
- 7278 Dark Bronze

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

## Drawer bodies, drawer suspensions, and glides


Black

## Currency One-High and 1.5-High Open Storage for Ology, Migration SE, and Slim Leg HAD Applications

## Currency One-High and 1.5-High open storage

are available with options to accommodate Ology, Migration SE, and Slim Leg HAD leg integration. They provide a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with the open storage configuration.


Specifying, page 178



Actual Dimensions					
	One-High	1.5-High			
Depth	18 <sup>7</sup> /8"–24"	18 <sup>7</sup> /8"–24"			
Usable Depth for Ology application	102/5"*	102/5"*			
Usable Depth for Migration SE application	93/10"	93/10"			
Width	30"-72"	30"-72"			
Height	15 <sup>3</sup> /8"	213/8"			


<sup>\*</sup> Top depth is  $18^{7/8}$ ", case depth is 18", to align with any other open low storage (example: open credenza).

Steelcase October 2023




#### One-High open storage can be used with Ology

extended range desks, Ology basic range desks, Migration SE extended range desks, Migration SE basic range desks, and Slim Leg HAD.




1.5-High open storage can be used with Ology


basic range desks, Migration SE basic range desks, and Slim Leg HAD.




One-High and 1.5-High open storage have a merle painted steel, removable interior back panel to allow access to the base.

One-High and 1.5-High open storage cannot be interchanged. Use Ology open storage with Ology desk, Migration SE open storage with Migration SE desk, and Slim Leg HAD open storage with Slim Leg HAD.






**Units smaller than** 42"W have one opening. Units 42"W and larger have a center support.




Open back



Finished back

Ology, Migration SE, and Slim Leg HAD open units offer an option of open back or a finished back for use in applications where the back of the unit is exposed, such as an aisle-way.




Open back units for Ology desks have 6" clearance. Open back units for Migration SE and Slim Leg HAD units have 72/25" clearance.


**Integrated storage** options that apply to One-High and 1.5-High units are only meant for use with the specified height-adjustable desk. For example, open storage specified for Migration SE cannot later be blended with Ology.

Integrated open laterals do not accommodate 24"D. 30"D. or 36"D Migration SE worksurfaces. See actual dimensions chart on next page.

#### **Application Topics**

Base units are nonhanded. Handedness is identified in the specification of the tops, which are ordered separately.





Application is determined by which leg of the desk is located inside the storage.


Location of the Ology, Migration SE, and Slim Leg HAD port in tops is determined by the application orientation. If right leg is integrated into storage, it is a right application. Ology or Migration SE desks cannot be placed in the middle of

**Currency tops for** Ology, Migration SE, and Slim Leg HAD application feature a cutout for legs and are used on individual storage units.


the Currency common top.

**Currency common tops** for Ology, Migration SE, and Slim Leg HAD application can be used with two units side-by-side when one storage unit is


required for leg integration.



#### **Currency common tops** for Ology, Migration SE, and Slim Leg HAD open units application are available when ganging height adjustable desk integrated storage units to other Currency lower storage units of the same height and depth.



Universal privacy/ modesty screens must be undersized and justified to the outside when used with a storage unit.



To help avoid pinch points, the Currency One-High and 1.5-High lower storage for height-adjustable desk application extends 1" past the back of the height-adjustable desk worksurface.

#### **Surface Materials**

#### Case

- Low-Pressure Laminate
- · High-Pressure Laminate

HAD Integrated Storage Case Widths and Desk Dimensions							
	Ology	Desk De	epth				
Case Width	23"	24"	29"	30"	35"	36"	
30"-35 <sup>15</sup> /16"	•	•	•	•	N.A.	N.A.	
36"-41 <sup>15</sup> /16"	•	•	•	•	•	•	
42"-72"	•	•	•	•	•	•	

#### **Migration SE Desk Depth**

Case Width	23"	24"	29"	30"	35"	36"
30"-35 <sup>15</sup> /16"	•	N.A.	N.A.	N.A.	N.A.	N.A.
36"-41 <sup>15</sup> /16"	•	N.A.	•	N.A.	•	N.A.
42"-72"	•	N.A.	•	N.A.	•	N.A.

Tip: C-leg only available with HAD integrated storage when desk is 29"D.

#### Slim Leg HAD Desk Depth

Case Width	28"	29"	30"	34"	35"	36"
30"-35 <sup>15</sup> /16"	•	•	•	N.A.	N.A.	N.A.
<b>36"-41</b> <sup>15</sup> /16"	•	•	•	•	•	•
42"-72"	•	•	•	•	•	•

## **Currency Credenzas**

Credenzas come in various depths, heights, and storage configurations.
► Specifying, pages 180, 184, and 190

Full storage credenzas are available in 187/6"D and 24"D, and 1.5-High and Two-High heights.

**Tops** are available in either 11/8" or 13/8" thicknesses.


**Finished back** is included on all full storage credenzas.

#### **Recessed-back option**

provides access to power and data outlets in panel, beam, or wall applications.

## **Credenzas with kneespace** are available in 18<sup>7</sup>/8"D and 24"D, and single or double pedestal configurations.

**Modesty panels** are available on credenzas with kneespace in either full height or <sup>1</sup>/<sub>4</sub>-height (24"D) or full height (18<sup>7</sup>/<sub>8</sub>"D).



#### **Actual Dimensions**


#### **Currency Credenza Top Thickness**

	Low-Pressure	High-Pressure	
	Laminate	Laminate	
Worksurface/ Top Thickness – 11/8" core	11/8"	13/16"	
Worksurface/ Top Thickness – 13/8" core	13/8"	17/16"	

Tip: Top thickness differs based on the worksurface thickness and materiality specified.

#### **Currency credenzas**

provide storage and support to beam based settings. A variety of credenza configurations are available to accommodate a range of applications and needs. ►See Answer Beam and Answer Fence Specification Guide for stability guidelines.



#### **Actual Dimensions**


#### Full Storage Credenzas

	Open/Open	Open/ Lateral File	Lateral File/ Lateral File	Lateral File/ Cabinet	Cabinet/ Cabinet
Depth	187/8"-24"	187/8"–24"	187/8"–24"	187/8"–24"	187/8"–24"
Width	42"-72"	42"-72"	59.815", 65.815", and 71.815"	60"–72"	60"-72"
Height	213/8" and 275/16"	213/8" and 275/16"	213/8" and 275/16"	213/8" and 275/16"	213/8" and 275/16"

#### **Credenzas with Kneespace**

:	Single Pedestal	Double Pedestal
Depth	187⁄8"–24"	187/8"-24"
Width	60"–72"	60"-72"
: Height	287/16"	287/16"


Tip: Credenzas with kneespace are standard with a 11/8"-thick top, included in the overall height.



**Open/open credenzas** are divided evenly with a single center support in all widths.

_ °	
36"	30"-36"
_	
_ °	


Open/lateral file credenzas 42"W-65<sup>15</sup>/16"W receive a 30"W file drawer. 66"W open/lateral file credenzas and above receive a 36"W lateral file.




Lateral file/lateral file credenzas in 60"W include two 30"W file drawers.

Lateral file/lateral file credenzas in 66"W include one 36"W file drawer and one 30"W file drawer. Specify which side you want which size lateral file on.


Lateral file/lateral file credenzas in 72"W include two 36"W file drawers.



Lateral file/cabinet credenzas 60"W-65<sup>15</sup>/16"W receive a 30"W file drawer. 66"W lateral file/cabinet credenzas and above receive a 36"W lateral file.




Cabinet/cabinet credenzas are divided evenly with a double center support on 60"W–72"W cases. All widths include four doors.



**Credenzas with kneespace** are available 60"–72"W and include either a left, right, or double pedestal configuration.

Reinforcing channels are ordered separately and must be used on credenzas that have 54"W or more of unsupported kneespace (70"W single pedestal units).



**Pulls** are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

Pilot-hole to pilot-hole dimensions are as follows:

Ledge: 96 mmHandle: 96 mm

Contemporary: 128 mm


Jazz: 128 mm

Transitional: 160 mm


 Nile: 160 mm or 320 mm (depending on storage type)

Bar: 128 mm
 Inset: N.A.

**Lateral files** receive the 320 mm nile pull. All other storage units receive the 160 mm nile pull.




**File drawer body** is standard with integrated U-channel to accommodate hanging folder files.




1/4-height modesty panels are intended for use up against a wall to provide 203/4" of clearance from the floor to the bottom of the modesty panel for wall power access, or 133/4" of clearance from the top of the bottom stretcher to the bottom of the modesty panel. Top modesty and bottom stretcher are 61/2" tall. Bottom stretcher is included when 1/4-height modesty is specified.

Modesty panels and back panels have horizontal grain direction.

**End panels** have vertical grain direction.



Recessed-back credenzas inset the back of the storage by 3¾" to allow access to Answer beam power receptacles. Storage does not include a top.



Currency credenza with recessed back should be used when storage will be placed in front of a power outlet.



#### Square edge laminate top with 1/2" cord drop must be specified with door location that aligns with outlet location on Answer Beam

#### Square edge laminate tops feature option power

access door and can be used as individual storage tops or common tops. See Answer Freestanding

Specification Guide.




Basic cushion is available for use on 1.5-High and Two-High credenzas. Basic cushion is ordered separately and requires field-installation


► See Storage Specification Guide.

Tip: Basic cushion is available on Currency credenzas with a top only.


Grommets are 3" in diameter and available on kneespace credenzas.



Corner grommets are 35/16" from the edge of the worksurface.



Center grommets are 35/16" from the visitor side.



Locks are standard on credenzas. Lock cylinders must be specified separately, and are field installed.

►Lock and Keying, page 572

Field installed locks are available with consecutive, specific, and random keying options. LOCK9201FR or LOCK9250FR must be specified separately.

### Counterweight pack-

ages are required to ensure product stability and are included in credenzas, or are available separately through service parts.


#### **Counterweight type**

varies depending on size and storage configuration. Units with counterweights will ship with either standard or steel counterweights. Steel counterweight pricing will equal the price of two standard counterweights.

#### Storage capacities and dimensions

►See page 96

#### **Application Topics**



#### Credenzas used to support one end of overheads or organiz-

ers must be connected to Answer Beam using storage-to-beam connector. Use single-sided stanchion kit to connect to Answer Beam and use mid-storage supports.


Storage-to-beam connector can not be used with Answer panels.

See Answer Beam and Answer Fence Specification Guide.



#### **Mid-storage supports**

can be used with credenzas to support the opposite end of stanchion-mounted storage on an Answer beam. These supports can also be used on both ends of an overhead unit to support if freestanding.



#### **Mid-storage supports**

can be used on both ends of an overhead unit to the credenza unit. Credenza must be 1.5-High and include a lateral file.

#### **Surface Materials**

#### **Currency credenzas**

can be specified with different case, headset, and top laminate finishes.

Tip: Low-Pressure Laminate headsets cannot be specified with High-Pressure Laminate cases.

#### Credenza case

- Low-Pressure Laminate
- High-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- High-Pressure Laminate

- Low-Pressure Laminate
- High-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black
- 4799 Platinum Metallic · 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Transitional pull**

- 0835 Black
- 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

#### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Inset pull**

- · 4799 Platinum Metallic
- · 4803 Near Black Metallic
- 7241 Arctic White
- · 7278 Dark Bronze

#### Lock

- · 9201 Polished Chrome
- 9250 Ember Chrome

#### **Drawer bodies, drawer** suspensions, and glides


Black


## **Currency Credenzas: Back Panel and End Panel Configurations**


Back and end panel configurations vary depending on the modesty panel and storage options selected.

#### **End Panel Over Back Panel**

- · All full storage credenzas
- · Credenza with kneespace, full modesty panel








Back of credenza shown


## **Currency Bookcases**



Actual Dimensions				
	Bookcase	Stacking Bookcase		
Depth	15"–24"	15"–24"		
Width	24"–36"	24"–36"		
Height	413/4"-84"	N.A.		
Application Height	N.A.	413/4"-84"		

**Bookcases** cannot be placed over an Answer panel foot.

**Bookcases** are available with adjustable shelves. Shelves can be repositioned without using tools.




#### The number of adjustable shelves per

**bookcase** depends on case height:

- 41<sup>3</sup>/<sub>4</sub>"H 2 adjustable shelves
- 47<sup>15</sup>/<sub>16</sub>"H 2 adjustable shelves
- $54^{1}/8"H 3$  adjustable shelves
- 66<sup>1</sup>/<sub>2</sub>"H 4 adjustable shelves
- 72"H 4 adjustable shelves
- 78"H 4 adjustable shelves
- 84"H 4 adjustable shelves
- ► See Bookcase Shelf Counts, page 86.

**Standard-size binders** will fit in bookcases with adjustable shelves.



**Ganging hardware** is available to provide alignment by joining adjacent components side-by-side, back-to-back, or both. Currency bookcases 661/2"H and larger must be placed against a wall, if not ganged back-to-back.

When specifying stacking bookcases, selecting the correct worksurface thickness of the application ensures that the stacking bookcase aligns with other tall storage.

When specifying stacking bookcases, selecting the overall application height desired ensures that the stacking bookcase aligns with other tall storage. For example, to specify a stacking bookcase that goes into an application with a Two-High low storage unit and a 72"H tower, specify 72"H application height on CRBKS2H. To specify a stacking bookcase that goes into an application with a 1.5-High low storage unit and

**Stacking bookcases** must be used with One-High, 1.5-High, or Two-High laterals or lower storage. Stacking bookcases cannot be freestanding.

a 72"H tower, specify 72"H application height on

CRBKS15H.

#### **Surface Materials**

#### **Bookcase case**

- · Low-Pressure Laminate
- · High-Pressure Laminate

#### **Adjustable shelf brackets**


· Brushed nickel

#### **Application Topics**

Storage Capacities and Dimensions
▶Page 96


**66¹/2"H-84"H freestanding bookcases** need to be placed back-to-back or against the wall.

**Stacking bookcases** can be shorter than the supporting worksurface as long as a worksurface support or side panel of a storage unit is used under the worksurface within 6" of where the side of the stacking bookcase is loaded.



**Stacking bookcase width** must be within 6" of the under-worksurface storage width.

## **Currency Towers and Wardrobes**




Actual Dimensions						
	Single Door with Drawers	Dual Door with Drawers	Side Access Tower with Drawers	Single Door Wardrobe		
Depth	187/8"-24"	187/8"-24"	24"	187/8"-24"		
Width	15 <sup>29</sup> /32"	24"	24"	12"-24"		
Height	413⁄4"–84"	41¾"-84"	41¾"-84"	41¾"–84"		

Tip: Dimension ranges shown above are available in 1/16" increments parametrically.


#### Parametric height

towers flex the height of the locker above the drawers. Drawer heights remain constant.

#### **Towers and wardrobes** cannot be placed over an Answer panel foot.



**Towers and wardrobes** are available in heights that align with Answer panels and other storage units.




**Tower and wardrobe** combines coat storage, box and file drawers, and adjust-

able shelves.

#### **Adjustable shelf count**

varies by height and style. Please see Interior Configurations, page 82, for more information.




Door on wardrobe is full height and can be hinged on the left or right. Coat hook is always located on the same side as the door hinge.

Box drawers are black, bore and dowel construction.




File drawer body is standard with integral top rail to accommodate hanging file folders.



Pulls are available in the following styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

#### Pilot-hole to pilot-hole dimensions are as follows:

- · Ledge: 96 mm
- · Handle: 96 mm
- Contemporary: 128 mm
- Jazz: 128 mm
- · Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
- Inset: N.A.



Locks come standard on towers and wardrobes. Lock cylinders must be specified separately, and are field installed.

Field installed locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately. ►Lock and Keying, page 572





Ganging hardware is available to provide alignment by joining adjacent storage components side-byside, back-to-back, or both.






Wardrobes must be attached to adjacent storage, a wall, or in a run of multiple wardrobes, to ensure stability and prevent tipping. See Wardrobe Stability Guidelines, page 83, for details of how many wardrobes are required in the run based on wardrobe size.

Towers 72"H and taller must be attached to another unit or the wall.

#### **Counterweight packages**

are required to ensure product stability and are ordered as an option or separately. Product specification pages indicate the correct counterweight package for each style number and any exceptions where counterweights are not required.



Side access tower construction is as follows:

- Front panel over top panel
- · Top panel over back panel

#### **Surface Materials**

**Currency storage** can be specified with different case, headset, and top laminate finishes.

Tip: LPL headsets cannot be specified with HPL cases.

**Tower door fronts and front panels** will not have matching grain direction with drawer fronts.

## Low storage or lateral file case

- Low-Pressure Laminate
- · High-Pressure Laminate

#### **Headsets**

- · Low-Pressure Laminate
- · High-Pressure Laminate

#### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

#### Handle pull

- 0835 Black
- 9211 Nickel

#### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome9211 Nickel
- 9212 Silver

#### Jazz puli

- 0835 Black
- · 4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### **Transitional pull**

- 0835 Black
- · 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9211 Nickel

#### Nile pull

- 0835 Black
- · 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

#### Bar pull

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

#### Inset pull

- · 4799 Platinum Metallic
- 4803 Near Black Metallic
- 7241 Arctic White
- 7278 Dark Bronze

#### Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

## Drawer bodies, drawer suspensions, and glides

Black

#### **Tower drawer fronts**

specified in High-Pressure Laminate will have High-Pressure Laminate on both the front and the back. All other High-Pressure Laminate drawer fronts have High-Pressure Laminate on the front, and backer material on the back.

## **Currency Overheads and Organizers**

A subset of the below Currency overhead and organizer styles are being culled this Spring 2024.

See Steelcase.com for information on replacement style numbers.

New overheads and organizers style numbers are available as guote only with FOE Fall 2023.

Currency overheads and organizers provide storage above a worksurface and can be used in a variety of applications.

Tip: Using Currency storage with Universal Steel storage is not recommended.

► Specifying, pages 208–228

#### **Sliding door overheads**

have a non-locking sliding door. Door is available in Low-Pressure Laminate, High-Pressure Laminate, and optional markerboard surface

Tip: Markerboard is slightly thicker than the standard laminate.

#### **Hinged door overheads**


have two, three, or four locking doors depending on width. Doors are available in Low-Pressure Laminate and High-Pressure Laminate. Tip: Markerboard is slightly thicker than the standard laminate.

**Open overheads** have two equal-spaced openings.

#### Stacking overheads

have end panels that allow the storage to sit on top of a worksurface. Stacking overheads allow for easy installation, and do not require anchoring to a wall. Stacking overheads must be placed up against a wall or back to back with a similar height unit.

## **Stacking overheads** include a 11/2" reveal for cable management.



#### **Currency overheads** and organizers provide support and storage for users in beam-based settings. A number of configurations are available to support storage in parallel and perpendicular orientation to the beam, in both shared and personal storage configurations. Overheads mounted perpendicular to the beam and low storage provide personal storage and privacy between users. ►See Answer Beam and Answer Fence Specification Guide for stability guidelines.

**Overheads** mounted parallel to the beam provide shared storage and privacy along the beam.

#### **Actual Dimensions**

#### Standard Widths\*

:	Overheads with Sliding or Hinged Doors	Overheads with Open Fronts	Organizer
Depth	16"	15"	15"
Width	36", 42", 48", 54", 60", 66", and 72"	36", 42", 48", 54", 60", 66", and 72"	36", 42", 48", 54", 60", 66", and 72"
: Height	15"	15"	8 <sup>27</sup> / <sub>32</sub> "

#### Single-Sided Perpendicular, Answer Beam Application\*\*

	Overheads with Sliding or Hinged Doors	<b>Overheads with Open Fronts</b>	Organizer
Depth	16"	15"	15"
Width	63", 69", and 75"	63", 69", and 75"	63", 69", and 75"
Height	15"	15"	8 <sup>27</sup> / <sub>32</sub> "

#### **Dual-Sided Perpendicular, Answer Beam Application\*\*\***


	Overheads with Sliding or Hinged Doors	Overheads with Open Fronts	Organizer
Depth	16"	15"	15"
Width	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "
Height	15"	15"	827/32"

\*Units are on module to match width of panel, Answer beam, or other 6" module product dimensions.


<sup>\*\*</sup> Units are 3" wider than module to accommodate width of Answer beam.

<sup>\*\*\*</sup> Units are 11/2" wider than module to partially overlap the Answer beam.

**Currency overheads and organizers** mount on Answer as face mount, top cap mount, and perpendicular face mount applications.




Two cap mount brackets are available in Answer Solutions Specification Guide for use with Currency overheads and organizers.
See Stability Guidelines in Answer Solutions Specification Guide.



**Currency overheads** 


may be mounted at 38"H or lower if another panel mounted component prevents it from being seated upon. Overhead storage height accepts standard and A4 binders.

Organizers are available personal or shared. Personal provides storage on one side only. Shared storage is divided down the center, with half storage on one side and half storage on the opposite side. Personal storage has a center divider.




Currency-Valence


Currency overheads are designed differently than Currency overheads. Please note Currency overheads do not have a light-concealing valence. If light is still to be added to underside of overhead, refer to "actual dimension" tables of lighting options to confirm light width doesn't exceed case width.



**Stacking overheads** attach to the top of a credenza, desk, desk shell, or Two-High freestanding laterals or low storage, using hardware included with the overhead unit. When placed on top of multiple lateral files or low storage, the storage units must be ganged together. Stacking overheads have a 1½" reveal for cable pass-through.




**Under worksurface storage width** must be no greater than 6" wider than stacking overhead.




Stacking overheads

cannot be used with lateral file/lateral file credenza configurations.




Stacking overheads

cannot be used with P- or D-shape freestanding worksurfaces.



Wall mount overheads

have a 1" gap between the back panel and end panel.



**Locks** are standard on overheads with hinged doors. Lock cylinders must be specified separately, and are field installed.

Field installed locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately.

Lock and Keying, page 572


#### **Stacking overheads**

are designed to align with other Currency tall storage heights. 38"H stacking overheads align with 66"H tall storage. 44"H stacking overheads align with 72"H tall storage.

Selecting the correct worksurface thickness of the application ensures that the stacking overhead aligns with other


tall storage.

#### **Application Topics**




#### Clearance between worksurface and bottom of overhead

is 213/8" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.



**Hanging components** cannot hang in front of a double-pane window.



**Hanging components** cannot be used next to a double-pane window at a 90° corner.

#### **Bracket options**


►Page 67

#### **Stability Guidelines**

► See Answer Beam and Answer Fence Specification Guide.

#### **Answer Beam Application**

See Answer Beam and Answer Fence Specification



#### Standard width overheads and organizers

are on-module to align with Answer beam widths and should be used in parallel application with the beam.

Overheads and organizers for perpendicular application are intended for use only with Answer Beam. They are wider than module width to accommodate the width of the beam and remain on-module with storage below.

#### In all Answer Beam applications where overhead or organizer

are being mounted on Answer Beam, select the appropriate bracket option. Mid-storage support and stanchion kits for mounting with Answer Beam must be ordered separately.

See Answer Beam and Answer Fence Specification Guide



#### Units for single-sided perpendicular applica-


tion are dimensioned 3" wider than module width to fully overlap the beam and align with on-module storage on the other end.

Tip: Units for single-sided perpendicular application should only be used with Answer Beam.



#### **Units for dual-sided** perpendicular applica-

tion are dimensioned 11/2" wider than module width to partially overlap the beam. Tip: Units for dual-sided perpendicular application should only be used with Answer Beam.




Units for parallel application are on-module width and can be used anywhere along a beam.

Low storage or credenzas used to support one end of overheads or organizers must be connected to Answer Beam using storage-to-beam connector.


Storage-to-beam connector can not be used with Answer panels.

When overheads are placed side-by-side in parallel application to Answer beam, it is recommended that the units be ganged. **TSBAWAK** is the style number for the ganging bracket to use for low and mid-storage in beam applications.

See Answer Beam and Answer Fence Specification Guide.



Shared storage in parallel application should always be centered over the



#### Personal storage in parallel application can


be used back-to-back. Tip: Use centered stanchions and mid-storage supports to support the front edge of the overhead unit.

#### Overheads and organizers in parallel applications must not extend

past end of beam. Tip: Beam-mounted storage is not allowed in freestanding beam configurations.

See Answer Beam and Answer Fence Specification Guide.


Stacking overheads can be shorter than the supporting worksurface as long as a worksurface support or side panel of a storage unit is used under the worksurface within 6" of where the side of the stacking bookcase is loaded.



#### **On-module attachment** brackets are used to mount overheads on panels

of the same width as overheads and are available as an option

Safety catch locks overhead storage unit to frame to prevent accidental removal.



Width of overhead must match the width of the panel or panels that it is attached to when using an on-module bracket. Overhead may span up to two frames.




Horizontal wall attachment brackets are available to attach overhead storage to the wall of building.

#### **Laminate overheads** and organizers up to

48"W can attach on-module to Answer panels. Sizes larger than 48"W cannot be panel mounted. Follow the Answer panel stability rules. Tip: End-mount brackets are not available for use with Answer panels.

See Answer Solutions Specification Guide.



Overheads and organizers have many different attachment methods.







Overhead cabinets can attach so they align with tower, vertical cabinet, and panel heights.



Storage is always centered on the dual-sided bench when used in parallel application.




Column height at shortest level is 297/8"H. Column will then adjust upward 3" for leveling. Height from floor to top of box is approximately 45".



When ganging storage units together for Answer Beam application, use ganging bracket AWAK. When ganging overheads and organizers for Answer Beam applications, use ganging bracket TSBAWAK. Use mid-storage supports or stanchion supports when mounting overheads and organizers for Answer Beam applications.


► See Answer Beam and Answer Fence Specification Guide.





**Currency overheads** and organizers cannot be used as end counter storage on FrameOne.

#### **Wiring and Cabling**



**Vertical wire managers** are available to conceal cords that are routed from light mounted beneath overhead storage.

#### **Surface Materials**

#### Case

- Low-Pressure Laminate
- High-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- High-Pressure Laminate
- White Markerboard (2977) -sliding door only

#### Locks

- 9201 Polished Chrome
- 9250 Ember chrome

#### **On-module attachment** brackets

· Black paint only

Bracket Options		
	Personal Overhead/Organizer	Shared Overhead/Organizer
Wall Mount	Select wall mount option. Brackets included.	N.A.
Suspended between Currency Towers	Select suspended between towers option. Order cabinet-to-cabinet attachment kit ( <b>AWAK</b> ) separately.	Select suspended between towers option. Order cabinet-to-cabinet attachment kit ( <b>AWAK</b> ) separately.
Answer Panel Mount	Select Answer panel bracket option for use with overheads and organizers up to 48"W only. Sizes larger than 48"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> . Brackets included.	N.A.
Answer Duo Support Column (Perpendicular)	Select Answer Duo support column option for use with 54"W to 66"W overheads or organizers only. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> . Brackets and column included.	Select Answer Duo support column option for use with 54"W to 66"W overheads or organizers only. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> .
Top Cap Mount on Answer	Select top cap mount on Answer option. Order Answer top cap mount brackets separately, for use with overheads or organizers up to 72"W only. Sizes larger than 72"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the Answer Solutions Specification Guide. Order brackets separately.	Select top cap mount on Answer option. Order Answer top cap mount brackets separately, for use with overheads or organizers up to 72"W only. Sizes larger than 72"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> .
Answer Beam	Select Answer Beam option. Order Answer Beam mount bracket separately, see <i>Answer Beam and Answer Fence Specification Guide</i> . Order brackets separately.	Select Answer Beam option. Order Answer Beam mount bracket separately, see <i>Answer Beam and Answer Fence Specification Guide</i> .

Weight Capacity								
Overhead	Weight Capacity	Wall Mount	Brackets		W/Answer Beam Dual-Sided Application		W/Answer Beam Single-Sided Application	
Width	lbs	Organizer	Shared	Organizer	Shared	Organizer	Shared	
36"	1572/5	•	•				,	
42"	1841/2	•	•					
48"	2111/2	•	•					
54"	2383/5	•	•					
60"	2653/5	•	•					
611/2"	272 <sup>2</sup> /5			•	•			
63"	2791/5					•	•	
66"	2927/10	•	•					
671/2"	2991/2			•	•			
69"	3061/5					•	•	
72"	<b>316</b> <sup>7</sup> / <sub>10</sub>	•	•					
731/2"	3231/2			•	•			
75"	3301/5					•	•	

## **Currency Overheads and Organizers**

New overhead and organizer style numbers are available as quote only with FOE Fall 2023.

Currency overheads and organizers provide storage above a worksurface and can be used in a variety of applications.

Tip: Using Currency storage with Universal Steel storage is not recommended.

► Specifying, pages 214–232

#### **Sliding door overheads**

have a non-locking sliding door. Door is available in Low-Pressure Laminate, High-Pressure Laminate, and optional markerboard surface

Tip: Markerboard is slightly thicker than the standard laminate.

#### **Hinged door overheads**

have two, three, or four locking doors depending on width. Doors are available in Low-Pressure Laminate and High-Pressure Laminate. Tip: Markerboard is slightly thicker than the standard laminate.

**Open overheads** have two equal-spaced openings.

#### Stacking overheads

have end panels that allow the storage to sit on top of a worksurface. Stacking overheads allow for easy installation, and do not require anchoring to a wall. Stacking overheads must be placed up against a wall or back to back with a similar height unit.


#### Stacking overheads

include a 1<sup>1</sup>/<sub>2</sub>" reveal for cable management.

#### Tackboards for use with stacking overhead applications will

automatically deduct 21/4" from the overall width of tackboard and 11/2" from the height of the tackboard to account for cable management clearance.

**Stacking overheads** are intended to go above Two-High Currency storage and desking.




#### **Currency overheads** and organizers pro-

vide support and storage for users in beam-based settings. A number of configurations are available to support storage in parallel and perpendicular orientation to the beam, in both shared and personal storage configurations.

Overheads mounted perpendicular to the beam and low storage provide personal storage and privacy between users.

►See Answer Beam and Answer Fence Specification Guide for stability guidelines.



#### Overheads mounted parallel to the beam provide shared storage and privacy along the beam.

#### **Actual Dimensions**

#### Standard Widths\*

	Overheads with Sliding or Hinged Doors	Overheads with Open Fronts	Organizer
Depth	16"	15"	15"
Width	36"-75"	36"-75"	36"–75"
Storage Bin Height	15"	15"	8 <sup>27</sup> / <sub>32</sub> "

Tip: Width is available parametrically in 1/16" inch increments.

#### Single-Sided Perpendicular, Answer Beam Application\*\*

	Overheads with Sliding or Hinged Doors	<b>Overheads with Open Fronts</b>	Organizer
Depth	16"	15"	15"
Width	63", 69", and 75"	63", 69", and 75"	63", 69", and 75"
Storage Bin Height	15"	15"	8 <sup>27</sup> / <sub>32</sub> "

#### **Dual-Sided Perpendicular, Answer Beam Application\*\*\***

	Overheads with Sliding or Hinged Doors	<b>Overheads with Open Fronts</b>	Organizer
Depth	16"	15"	15"
Width	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "	61 <sup>1</sup> / <sub>2</sub> ", 67 <sup>1</sup> / <sub>2</sub> ", and 73 <sup>1</sup> / <sub>2</sub> "
Storage Bin Height	15"	15"	8 <sup>27</sup> / <sub>32</sub> "

\*Units are on module to match width of panel, Answer beam, or other 6" module product dimensions.


<sup>\*\*</sup> Units are 3" wider than module to accommodate width of Answer beam.

<sup>\*\*\*</sup> Units are 11/2" wider than module to partially overlap the Answer beam.

Overheads and organizers have varying counts of doors or openings based on door-type and width.


- Overheads with no doors less than 72"W have two openings.
- Overheads with no doors 72"W or wider have four openings.
- · Organizers less than 72"W have two openings.
- Organizers 72"W or wider have four openings.
- Overheads with hinged doors less than 42"W have two doors.
- Overheads with hinged doors 42"W-65<sup>15</sup>/<sub>16</sub>"W have three doors.
- Overheads with hinged doors 66"W or wider have four doors.
- Overheads with sliding doors always have one door that slides between two openings, any width.

**Currency overheads and organizers** mount on Answer as face mount, top cap mount, and perpendicular face mount applications.




**Two cap mount brackets** are available in Answer Solutions Specification Guide for use with Currency overheads and organizers.

See Stability Guidelines in Answer Solutions Specification Guide.



**Currency overheads** may be mounted at 38"H or lower if another panel mounted component prevents it from being seated upon. Overhead storage height accepts standard and A4 binders.


**Organizers** are available personal or shared. Personal provides storage on one side only. Shared storage is divided down the center, with half storage on one side and half storage on the opposite side. Personal storage has a center divider.




Currency-Valence

Currency overheads are designed differently than legacy overheads. Please note Currency overheads do not have a light-concealing valence. If light is still to be added to underside of overhead, refer to "actual dimension" tables of lighting options to confirm light width doesn't exceed case width.

**Light valances** are available on stacking overheads only.



Stacking overheads attach to the top of a credenza, desk, desk shell, or Two-High freestanding laterals or low storage, using hardware included with the overhead unit. When placed on top of multiple lateral files or low storage, the storage units must be ganged together. Stacking overheads have a 1½" reveal for cable pass-through.




**Under worksurface storage width** must be no greater than 6" wider than stacking overhead.



**Stacking overheads** can be used with lateral file/lateral file credenza configurations, but must be specified parametrically.

- 60"W lateral/lateral credenza in LPL = 59.75"W stacking overhead.
- 60"W lateral/lateral credenza in HPL = 59.875"W stacking overhead.
- 66"W lateral/lateral credenza in LPL = 65.75"W stacking overhead.
- 66"W lateral/lateral credenza in HPL = 65.875"W stacking overhead.
- 72"W lateral/lateral credenza in LPL = 71.75"W stacking overhead.
- 72"W lateral/lateral credenza in HPL = 71.875"W stacking overhead.



**Stacking overheads** cannot be used with Por D-shape freestanding worksurfaces.



**Wall mount overheads** have a 1" gap between the back panel and end panel.

**Wall mount organizers** are available with modular width only. Parametric width is not available on wall mount organizers.




Locks are standard on overheads with hinged doors. Lock cylinders must be specified separately, and are field installed.

Field installed locks are available with consecutive, specific, and random keying options. Field installed lock cylinders, LOCK9201FR or LOCK9250FR must be specified separately. ►Lock and Keying, page 572

#### Selecting the correct worksurface thickness of the application


ensures that the stacking overhead aligns with other tall storage.

#### **Application Topics**




#### Clearance between worksurface and bottom of overhead

is 213/8" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.



**Hanging components** cannot hang in front of a double-pane window.



**Hanging components** cannot be used next to a double-pane window at a 90° corner.

#### **Bracket options**


▶ Page 73

#### **Stability Guidelines**

► See Answer Beam and Answer Fence Specification Guide.

#### **Answer Beam Application**

See Answer Beam and Answer Fence Specification



#### Standard width overheads and organizers

are on-module to align with Answer beam widths and should be used in parallel application with the beam.

Overheads and organizers for perpendicular application are intended for use only with Answer Beam. They are wider than module width to accommodate the width of the beam and remain on-module with storage below.

#### In all Answer Beam applications where overhead or organizer

are being mounted on Answer Beam, select the appropriate bracket option. Mid-storage support and stanchion kits for mounting with Answer Beam must be ordered separately.

See Answer Beam and Answer Fence Specification Guide.



#### Units for single-sided perpendicular applica-


tion are dimensioned 3" wider than module width to fully overlap the beam and align with on-module storage on the other end.

Tip: Units for single-sided perpendicular application should only be used with Answer Beam.



perpendicular application are dimensioned 11/2" wider than module width to partially overlap the beam.

Tip: Units for dual-sided perpendicular application should only be used with Answer Beam.




Units for parallel application are on-module width and can be used anvwhere along a beam.

Low storage or credenzas used to support one end of overheads or organizers must be connected to Answer Beam using storage-to-beam connector.


Storage-to-beam connector can not be used with Answer panels.

When overheads are placed side-by-side in parallel application to Answer beam, it is recommended that the units be ganged. TSBAWAK is the style number for the ganging bracket to use for low and mid-storage in beam applications.

See Answer Beam and Answer Fence Specification



Shared storage in parallel application should always be centered over the



#### Personal storage in parallel application can

be used back-to-back. Tip: Use centered stanchions and mid-storage supports to support the front edge of the overhead unit.


#### Overheads and organizers in parallel applications must not extend past end of beam.

Tip: Beam-mounted storage is not allowed in freestanding beam configurations.

See Answer Beam and Answer Fence Specification Guide.


Stacking overheads can be shorter than the supporting worksurface as long as a worksurface support or side panel of a storage unit is used under the worksurface within 6" of where the side of the stacking bookcase is loaded.

#### **Connections**




**On-module attachment** brackets are used to mount overheads on panels of the same width as overheads and are available as an option

Safety catch locks overhead storage unit to frame to prevent accidental removal.



Width of overhead must match the width of the panel or panels that it is attached to when using an on-module bracket. Overhead may span up to two frames.




Horizontal wall attachment brackets are available to attach overhead storage to the wall of building.

#### **Laminate overheads** and organizers up to

48"W can attach on-module to Answer panels. Sizes larger than 48"W cannot be panel mounted. Follow the Answer panel stability rules. Tip: End-mount brackets are not available for use with Answer panels.

See Answer Solutions Specification Guide.



Overheads and organizers have many different attachment methods.


►See page 73.




Overhead cabinets can attach so they align with tower, vertical cabinet, and panel heights.



Storage is always centered on the dual-sided bench when used in parallel application.



Column height at shortest level is 297/8"H. Column will then adjust upward 3" for leveling. Height from floor to top of box is approximately 45".





When ganging storage units together for Answer Beam application, use ganging bracket AWAK. When ganging overheads and organizers for Answer Beam applications, use ganging bracket TSBAWAK. Use mid-storage supports or stanchion supports when mounting overheads and organizers for Answer Beam applications.

► See Answer Beam and

Guide.


Answer Fence Specification





**Currency overheads** and organizers cannot be used as end counter storage on FrameOne.

#### **Wiring and Cabling**



**Vertical wire managers** are available to conceal cords that are routed from light mounted beneath overhead storage.

#### **Surface Materials**

- Low-Pressure Laminate
- · High-Pressure Laminate

#### **Headsets**

- Low-Pressure Laminate
- High-Pressure Laminate
- White Markerboard (2977) -sliding door only

#### Locks

- 9201 Polished Chrome
- 9250 Ember chrome

#### **On-module attachment** brackets


· Black paint only

<b>Bracket Options</b>		
	Personal Overhead/Organizer	Shared Overhead/Organizer
Wall Mount	Select wall mount option. Brackets included.	N.A.
Suspended between Currency Towers	Select suspended between towers option. Order cabinet-to-cabinet attachment kit ( <b>AWAK</b> ) separately.	Select suspended between towers option. Order cabinet-to-cabinet attachment kit ( <b>AWAK</b> ) separately.
Answer Panel Mount	Select Answer panel bracket option for use with overheads and organizers up to 48"W only. Sizes larger than 48"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> . Brackets included.	N.A.
Answer Duo Support Column (Perpendicular)	Select Answer Duo support column option for use with 54"W to 66"W overheads or organizers only. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> . Brackets and column included.	Select Answer Duo support column option for use with 54"W to 66"W overheads or organizers only. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> .
Top Cap Mount on Answer	Select top cap mount on Answer option. Order Answer top cap mount brackets separately, for use with overheads or organizers up to 72"W only. Sizes larger than 72"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the Answer Solutions Specification Guide. Order brackets separately.	Select top cap mount on Answer option. Order Answer top cap mount brackets separately, for use with overheads or organizers up to 72"W only. Sizes larger than 72"W cannot be panel mounted. Must comply with Answer Stability Guidelines, see the <i>Answer Solutions Specification Guide</i> .
Answer Beam	Select Answer Beam option. Order Answer Beam mount bracket separately, see <i>Answer Beam and Answer Fence Specification Guide</i> . Order brackets separately.	Select Answer Beam option. Order Answer Beam mount bracket separately, see <i>Answer Beam and Answer Fence Specification Guide</i> .

Weight Capacity							
Overhead	Weight Capacity	Wall Mount	Brackets	W/Answer B Application	eam Dual-Sided	W/Answer B Application	eam Single-Sided
Width	Ibs	Organizer	Shared	Organizer	Shared	Organizer	Shared
36"	1572/5	•	•				
42"	1841/2	•	•				
48"	2111/2	•	•				
54"	2383/5	•	•				
60"	<b>265</b> <sup>3</sup> / <sub>5</sub>	•	•				
611/2"	<b>272</b> <sup>2</sup> /5			•	•		
63"	2791/5					•	•
66"	2927/10	•	•				
671/2"	2991/2			•	•		
69"	3061/5					•	•
72"	3167/10	•	•				
731/2"	3231/2			•	•		
75"	3301/5					•	•

## **Currency Parametric Tackboards**

Tackboards finish the space between an overhead unit and a worksurface. It is a fabric-covered tackable surface that is available parametrically by ¹/₁e" increments in depth and height.
▶ Specifying page 236



#### **Product Details**

**Tackboards** provide a fabric covered tackable surface above the worksurface.

The ends of wallmounted tackboards are finished.

#### **Connections**

**Tackboards** attach with hook and loop fasteners. The attachment hardware is standard with the tackboard for field installation.

#### **Surface Materials**

#### **Tackboards**

- Vertical surface fabric
- Horizontal surface fabric Tip: Vertical application only available on 36"W-60"W.

### **Actual Dimensions**

## Tackboard Parametric Width Range 24"W—114"W Parametric Height Range 91/2"H—471/2"H Thickness 1"

Tip: Thickness includes core tackboard, spacer, and attachment hardware.

## **Currency Conference Room Furniture**

#### Conference room furni-


**ture** is available for use with conference tables to complete conferencing applications.

► Specifying, pages 238–240

#### Lectern



#### **Service Cart**



#### **Actual Dimensions**

#### **Currency Conference Room Furniture**

	Service Cart	Lectern
Depth	22"	187⁄8"
Width	30", 36"	24"
Height	351/4" (with casters), 345/8" (no casters)	447/8"

Tip: Service cart height shown is with a 11/8" top specification.

### **Product Details**

Lecterns are on casters to provide easy mobility and includes a 6"H fixed shelf.


Service carts come in two widths to provide storage for conference supplies. The carts are available with and without casters to provide either easy mobility, or fixed storage.

Lock is standard on service carts. Lock cylinders must be specified separately, and are field installed

► Lock and Keying, page 572

Casters come standard on lecterns, and are available as an option on service carts. Both include two locking and two non-locking casters. Locking casters are located on the front of the units for easy access.

Leveling glides are available on service carts without casters, and adjust to install carts on uneven floors.




are available in the follow styles: ledge, handle, contemporary, jazz, transitional, nile, bar, and inset.

### Pilot-hole to pilot-hole dimensions are as

follows:

- · Ledge: 96 mm
- · Handle: 96 mm
- · Contemporary: 128 mm
- Jazz: 128 mm
- · Transitional: 160 mm
- Nile: 160 mm or 320 mm (depending on storage type)
- Bar: 128 mm
- · Inset: N.A.



Three cable passthroughs provide cable management within lectern.

### **Surface Materials**

### Case

· Low-Pressure Laminate

### Headset

· Low-Pressure Laminate

### Top

· Low-Pressure Laminate

### Ledge pull

- 4799 Platinum Metallic
- 7207 Black

### **Handle pull**

- 0835 Black
- 9211 Nickel

### **Contemporary pull**

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### Jazz pull

- 0835 Black
- 4799 Platinum Metallic
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Transitional pull**

- · 0835 Black
- · 4799 Platinum Metallic
- 7280 Smooth Bronze
- 9211 Nickel

### Nile pull

- 0835 Black
- 4799 Platinum Metallic
- · 7280 Smooth Bronze
- 9201 Polished Chrome
- 9211 Nickel

### Bar pull

- · 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

### **Inset pull**

- 4799 Platinum Metallic
- · 4803 Near Black Metallic
- 7241 Arctic White
- · 7278 Dark Bronze

- 9201 Polished Chrome
- 9250 Ember Chrome

### **Lectern top support**

0835 Black

### **Drawer bodies, drawer** suspensions, and glides

• Black

### **Grain Direction**



Tip: Service cart headsets will not have matching grain direction.

# **Currency Table Tops, Legs, and Base Combinations**

Table Top	Style Number	Depth	Width	Valid Base Options	# of Base
		36"D	60"–72"W	Rectangular Base (18"W)	
		36 <sup>1</sup> / <sub>16</sub> "- 48"D	60"-101 <sup>15</sup> / <sub>16</sub> "W	Rectangular Base (24"W)	2
			102"–168"W	Rectangular Base (24"W)	
			0011 701114	Square Leg	<b>1</b> 4
		24"-36"D	36"-72"W	Post Leg (Steel, 3"W)	•••
		24 - 50 B	36"-101 <sup>15</sup> /16"W	Column (Steel, 6"W)	4
			102"–168"W	Column (Steel, 6"W)	6
Rectangular	Rectangular CRRECTBL	28"-38"D  38" <sup>1</sup> / <sub>16</sub> "- 48"D	60"-101 <sup>15</sup> /16"W	T-Base (Steel, 26"W)	<b>X</b> 2
			66"-101 <sup>15</sup> / <sub>16</sub> "W	X-Base (Steel, 26"W)	<b>* 2</b>
			102"–168"W	T-Base (Steel, 26"W)	<b>X 3</b>
				X-Base (Steel, 26"W)	<b>3</b>
			60"–101 <sup>15</sup> /16"W	T-Base (Steel, 36"W)	<b>1</b> 2
			66"–101 <sup>15</sup> /16"W	X-Base (Steel, 36"W)	***
			102"–168"W	T-Base (Steel, 36"W)	<b>3</b>
				X-Base (Steel, 36"W)	***

 <sup>=</sup> Number of base units to order.
 Blank spaces in matrix designate top and base combinations that are not valid.

Table Top	Style Number	Depth	Width	Valid Base Options	# of Base	
		36"D	66"-72"W	Rectangular Base (18"W)	2	
		36 <sup>1</sup> /16"- 48"D	72 <sup>1</sup> /16"–101 <sup>15</sup> /16"W	Rectangular Base (24"W)		
			102"–168"W	Rectangular Base (24"W)		
			66"-72"W	Post Leg (Steel, 3"W)	11	
			36"-48"D	66"–101 <sup>15</sup> / <sub>16</sub> "W	Column (Steel, 6"W)	
			102"–168"W	Column (Steel, 6"W)		
Racetrack	Racetrack CRRCTRKTBL	36"-38"D	66"–101 <sup>15</sup> /16"W	T-Base (Steel, 26"W)	<b>1</b> 2	
: : : :				X-Base (Steel, 26"W)	***	
			102"–168"W	T-Base (Steel, 26"W)	***	
				X-Base (Steel, 26"W)	<b>3</b>	
:			66"–101 <sup>15</sup> / <sub>16</sub> "W	T-Base (Steel, 36"W)	X X	
· · ·		38" <sup>1</sup> / <sub>16</sub> "- 48"D	78"–101 <sup>15</sup> /16"W	X-Base (Steel, 36"W)	***	
			102"–168"W	T-Base (Steel, 36"W)	***	
				X-Base (Steel, 36"W)	***************************************	

<sup>1 =</sup> Number of base units to order. Blank spaces in matrix designate top and base combinations that are not valid.


Table Top	Style Number	Depth	Width	Valid Base Options	# of Base
			96"–101 <sup>15</sup> / <sub>16</sub> "W	T-Base (Steel, 36"W)	*2
				X-Base (Steel, 36"W)	***
				Rectangular Base (24"W)	
Boat	CRBTTBL	48"D		Column (Steel, 6"W)	4
			102"–168"W	T-Base (Steel, 36"W)	<b>3</b>
				X-Base (Steel, 36"W)	<b>**</b> 3
				Rectangular Base (24"W)	3
				Column (Steel, 6"W)	6
	CRRTBL		36"–54"W	Square Leg	<b>P</b> 4
				Post Leg (Steel, 3"W)	<b># 4</b>
Round			36"–38"W	X-Base (Steel, 26"W)	*
			38 <sup>1</sup> / <sub>16</sub> "–54"W	X-Base (Steel, 36"W)	\$
Square	CRSQTBL		36"–54"W	Square Leg	<b>4</b>
				Post Leg (Steel, 3"W)	₩ 4
				X-Base (Steel, 36"W)	*


Number of base units to order.
 Blank spaces in matrix designate top and base combinations that are not valid.

# **Power Units**

### **Hinged Door Power Unit and Rectangular Base Locations**


### **Boat, Racetrack, and Rectangular Tops**





PW ≤ 72

 $PW > 72 \text{ and } < 94^{-1}/2$ "



 $PW \ge 94^{1/2}$ " and  $< 141^{3/4}$ "



PW ≥141 <sup>3</sup>/<sub>4</sub>"

PW = Planned Width PD = Planned Depth

Rectangular Base Location = Hinged Door Power Unit =

### **Hinged Door Power** Unit



### **Product Details**

### **Hinged door power**

unit provides two electrical outlets and two open ports for data adapters. Power unit features a hinged door that opens 90° for access to power and data and is flush with the worksurface when closed. It has a 6' cord with grounded plug. Available on conference table tops only.

### **Hinged door power unit**

is field installed in a factory cut hole.

### **Surface Materials**

### **Power Unit**

· 8043 Clear Anodized Aluminum

### Outlet

· Black plastic only

### **Power Cord**

· Black plastic only

### **Actual Dimensions**

Depth	53/8"
Width	83/8"
Height	31/2"
Power o	ord
length	6'

# **Tower and Wardrobe Interior Configurations**

### **Towers**

### Single-Door Towers and Dual-Door Towers with Box/File (CRTWBFL, CRTWBFR, CRTWDBFL, CRTWDBFR)


- H < 48" = 1 fixed bottom shelf
- 48" ≤ H < 66" = 1 fixed bottom shelf and 1 adjustable shelf
- $66" \le H < 79" = 1$  fixed bottom shelf and 2 adjustable shelves
- H ≥ 79" = 1 fixed bottom shelf and 3 adjustable shelves

### Single-Door Towers and Dual-Door Towers with File/File (CRTWFFL, CRTWFFR, CRTWDFFL, CRTWDFFR)

- H < 54" = 1 fixed bottom shelf
- $54" \le H < 66" = 1$  fixed bottom shelf and 1 adjustable shelf
- 66" ≤ H < 79" = 1 fixed bottom shelf and 2 adjustable shelves
- H ≥ 79" = 1 fixed bottom shelf and 3 adjustable shelves


### Side Access Towers (CRTWSABBFL, CRTWSABBFR, CRTWSAFFL, CRTWSAFFR)

- H < 48" = 1 fixed bottom shelf
- 48" ≤ H < 66" = 1 fixed bottom shelf and 1 adjustable shelf
- 66" ≤ H < 79" = 1 fixed bottom shelf and 2 adjustable shelves
- H ≥ 79" = 1 fixed bottom shelf and 3 adjustable shelves




### **Wardrobes**

Wardrobes offer a fixed top shelf. See below for storage opening heights by wardrobe height.



H < 72"H Wardrobes








84"H Wardrobes

# **Wardrobe Stability Guidelines**

**Wardrobes** must be attached to adjacent storage, a wall, or in a run of multiple wardrobes, to ensure stability and prevent tipping. If application is a run of wardrobes, see below for minimum wardrobe number rules by size.

### **Wardrobe Guidelines**

• Dimensions Depth	Height	Width	· Minimum Wardrobe Number	
18 <sup>7</sup> / <sub>8</sub> " ≤ D ≤ 24"	H ≤ 70"	Any	3	
18 <sup>7</sup> / <sub>8</sub> " ≤ D ≤ 24"	H > 70"	W ≥ 15"	4	
18 <sup>7</sup> / <sub>8</sub> " ≤ D ≤ 24"	H > 70"	W < 15"	6	



- A. Wardrobes 70"H or shorter must be attached to two other wardrobes, totaling a run of three wardrobes.
- B. Wardrobes taller than 70"H with 15"W or greater must be attached to three other wardrobes, totaling a run of four wardrobes.
- C. Wardrobes taller than 70"H and narrower than 15"W must be attached to five other wardrobes, totaling a run of six wardrobes.

# **Specifying Stacking Bookcases**

# When specifying stacking bookcases,

selecting the correct worksurface thickness of storage below, materiality, and overall desired height of the application ensures that the stacking bookcase aligns with neighboring tall storage. Bookcase height is calculated on the back-end. For example, to specify a stacking bookcase that goes into an application with a Two-High low storage unit and a 661/2"H tower, specify 661/2"H application height on CRBKS2H. To specify a stacking bookcase that goes into an application with a 1.5-High low storage unit and a 661/2"H tower, specify 661/2"H application height on CRBKS15H.

See matrix to the right for what each combination of specifiable options results in for physical stacking bookcase height.


### Worksurface Thickness, Materiality, Application Height, and Stacking Overhead Height

When specifying stacking bookcases, selecting the correct worksurface thickness of storage below, materiality, and overall desired height of the application ensures that the stacking bookcase aligns with neighboring tall storage. Bookcase height is calculated on the back-end. For example, to specify a stacking bookcase that goes into an application with a Two-High low storage unit and a 661/2"H tower, specify 661/2"H application height on CRBKS2H. To specify a stacking bookcase that goes into an application with a 1.5-High low storage unit and a 661/2"H tower, specify 661/2"H application height on CRBKS15H.


		Application Height	Stacking Bookcase Height			
	Stacking Bookcase Style Number	(Tall storage height or desired low	Top Surface Details of Low Storage beneath			
Place on top of		storage + stacking		Low-Pressure Laminate		re
			<b>1</b> 1/8"	1³/8"	<b>1</b> 1/8"	1 <sup>3</sup> /8"
One-High Currency Storage	CRBKS1H	413/4"	25 <sup>9</sup> / <sub>32</sub> "	251/32"	251/4"	25"
One-High Currency Storage	CRBKS1H	47 <sup>15</sup> / <sub>16</sub> "	3115/32"	317/32"	3111/32"	<b>31</b> <sup>3</sup> / <sub>16</sub> "
One-High Currency Storage	CRBKS1H	541/8"	37 <sup>21</sup> / <sub>32</sub> "	3713/32"	37 <sup>17</sup> / <sub>32</sub> "	373/8"
One-High Currency Storage	CRBKS1H	661/2"	501/32"	49 <sup>25</sup> /32"	49 <sup>29</sup> / <sub>32</sub> "	493/4"
One-High Currency Storage	CRBKS1H	72"	55 <sup>17</sup> /32"	559/32"	55 <sup>13</sup> / <sub>32</sub> "	551/4"
One-High Currency Storage	CRBKS1H	78"	6117/32"	619/32"	6113/32"	611/4"
One-High Currency Storage	CRBKS1H	84"	6717/32"	679/32"	6713/32"	671/4"
1.5-High Currency Storage	CRBKS15H	413/4"	19 <sup>9</sup> /32"	197/32"	19 <sup>1</sup> /4"	19"
1.5-High Currency Storage	CRBKS15H	47 <sup>15</sup> / <sub>16</sub> "	2515/32"	257/32"	25 <sup>7</sup> /16"	253/16"
1.5-High Currency Storage	CRBKS15H	541/8"	3121/32"	3113/32"	31 <sup>5</sup> /8"	313/8"
1.5-High Currency Storage	CRBKS15H	661/2"	441/32"	43 <sup>25</sup> /32"	44"	433/4"
1.5-High Currency Storage	CRBKS15H	72"	4917/32"	499/32"	491/2"	491/4"
1.5-High Currency Storage	CRBKS15H	78"	5517/32"	55 <sup>9</sup> /32"	55 <sup>1</sup> /2"	551/4"
1.5-High Currency Storage	CRBKS15H	84"	6117/32"	61 <sup>9</sup> /32"	61 <sup>1</sup> /2"	611/4"
Two-High Currency Storage	CRBKS2H	413/4"	13 <sup>9</sup> /32"	131/32"	13 <sup>1</sup> /4"	13"
Two-High Currency Storage	CRBKS2H	47 <sup>15</sup> / <sub>16</sub> "	19 <sup>15</sup> /32"	19 <sup>7</sup> /32"	<b>19</b> <sup>7</sup> / <sub>16</sub> "	<b>19</b> <sup>3</sup> / <sub>16</sub> "
Two-High Currency Storage	CRBKS2H	541/8"	25 <sup>21</sup> / <sub>32</sub> "	2513/32"	25 <sup>5</sup> /8"	253/8"
Two-High Currency Storage	CRBKS2H	661/2"	381/32"	37 <sup>25</sup> /32"	38"	373/4"
Two-High Currency Storage	CRBKS2H	72"	4317/32"	439/32"	431/2"	431/4"
Two-High Currency Storage	CRBKS2H	78"	4917/32"	499/32"	491/2"	491/4"
Two-High Currency Storage	CRBKS2H	84"	55 <sup>17</sup> /32"	55 <sup>9</sup> /32"	551/2"	551/4"

<sup>\*</sup>Tall storage height or desired low storage plus stacking bookcase overall height.


<sup>\*\*</sup>Top surface details of low storge beneath.



**CRBKS2H** on top of Two-High low storage next to a 84"H tower.



**CRBKS15H** on top of 1.5-High low storage next to a 84"H tower.



**CRBKS1H** on top of One-High low storage next to a 84"H tower.

# **Specifying Stacking Overhead**

### Worksurface Thickness, Materiality, Application Height, and Stacking Overhead Height

When specifying stacking overheads, selecting the correct worksurface thickness of storage below, materiality, and desired overall height of the application ensures that the stacking overhead aligns with neighboring tall storage when applicable. Overhead height is calculated on the back-end. Stacking overheads are intended to go on top of Two-High Currency storage or desking.

	Stacking O	verhead Hei	ght			
Application Height	Top Surface Details of Low Storage beneath					
(Tall storage height or desired low storage + stacking bookcase overall height)	Low-Pressi Laminate	ure	High-Pressı Laminate			
	<b>1</b> 1/8"	1 <sup>3</sup> /8"	<b>1</b> 1/8"	1 <sup>3</sup> /8"		
41 <sup>3</sup> / <sub>4</sub> "H	139/32"	131/32"	131/4"	13"		
47 <sup>15</sup> / <sub>16</sub> "H	19 <sup>1</sup> /2"	197/32"	<b>19</b> <sup>7</sup> /16"	<b>19</b> <sup>3</sup> / <sub>16</sub> "		
54 <sup>1</sup> /8"H	25 <sup>21</sup> /32"	2513/32"	25 <sup>5</sup> /8"	253/8"		
66 <sup>1</sup> /2"H	381/32"	37 <sup>25</sup> /32"	38"	373/4"		
72"H	4317/32"	439/32"	431/2"	431/4"		
78"H	4917/32"	499/32"	491/2"	491/4"		
84"H	55 <sup>17</sup> / <sub>32</sub> "	55 <sup>9</sup> /32"	55 <sup>1</sup> /2"	55 <sup>1</sup> /4"		

# **Bookcase Shelf Counts**


### **Bookcase Shelf Counts by Height**

See below for count of adjustable shelves by height for freestanding bookcase, CRBK.

2 Adjustable Shelves

3 Adjustable Shelves

**4 Adjustable Shelves** 








Modular Height	Number of Adjustable Shelves
413/4"	2
47 <sup>15</sup> / <sub>16</sub> "	2
541/8"	3
661/2"	4
72"	4
78"	4
84"	4

### **Stacking Bookcase Shelf Counts by Height**

### For Use with One-High Currency Low Storage

See below for count of adjustable shelves by height for stacking bookcases.

- · Stacking bookcases for use with One-High Currency low storage, CRBKS1H, are available with adjustable shelves. Shelves can be repositioned without using tools.
- 3 Adjustable Shelves 1 Adjustable Shelf **4 Adjustable Shelves** 2 Adjustable Shelves



Tip: The number of adjustable shelves per stacking bookcase depends on the overall application height of low storage plus stacking bookcase.

Modular Height	Number of Adjustable Shelves
413/4"	1
47 <sup>15</sup> / <sub>16</sub> "	1
541/8"	2
66 <sup>1</sup> /2"	3
72"	3
78"	4
84"	4

### Stacking Bookcase Shelf Counts by Height, continued

### For Use with 1.5-High Currency Low Storage

See below for count of adjustable shelves by height for stacking bookcases.

 Stacking bookcases for use with 1.5-High Currency low storage, CRBKS15H, are available with adjustable shelves. Shelves can be repositioned without using tools.

# 1 Adjustable Shelf 2 Adjustable Shelves 3 Adjustable Shelves 4 Adjustable Shelves 571/2"H 711/2"H 84"H 84"H

Tip: The number of adjustable shelves per stacking bookcase depends on the overall application height of low storage plus stacking bookcase.

Modular Height	Number of Adjustable Shelves
413/4"	1
47 <sup>15</sup> / <sub>16</sub> "	1
541/8"	1
661/2"	2
72"	3
78"	3
84"	4

### Stacking Bookcase Shelf Counts by Height, continued

### For Use with Two-High Currency Low Storage

See below for count of adjustable shelves by height for stacking bookcases.

 Stacking bookcases for use with Two-High Currency low storage, CRBKS2H, are available with adjustable shelves. Shelves can be repositioned without using tools.


# Cubby Only 1 Adjustable Shelf 2 Adjustable Shelves 3 Adjustable Shelves 413/4"H -4715/16"H -6115/16"H -757/16"H -757/16"H

Tip: The number of adjustable shelves per stacking bookcase depends on the overall application height of low storage plus stacking bookcase.

Modular Height	Number of Adjustable Shelves
413/4"	Cubby only
4715/16"	Cubby only
54 <sup>1</sup> /8"	1
66 <sup>1</sup> /2"	2
72"	2
78"	3
84"	3

# **Directional Laminate and Edge Profile Detail**

### The appearance of laminate may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to



<sup>\* 36&</sup>quot;W-611/2"W overhead back panels have vertical grain direction. 63"W-75"W overhead back panels have horizontal grain direction.

D-Shaped

Towers, wardrobes, bookcases, returns, return shells, and bridges back/modesty panels have vertical

Desks, desk shells, and credenza back/modesty panels have horizontal grain direction.

Common Top


Service cart

### **Product Details**



### 3 mm radius front edge profile

(11/8" thick and 13/8" thick)



### 3 mm Edge Profile Locations **User side only** Worksurfaces:

Desks Desk shells Credenzas Returns Bridges

### Tops:

Lateral files Lower storage Credenzas Storage cabinets Overhead storage and wallmounted overhead storage Towers Wardrobes Bookcases

# **Currency Style Conversion List**

tyles being culled in C	October 2023, except those with *asterisl	k* Replacement Styles	
.5-High Full Storage C	redenza		
CRCD15HFS	Credenza-1.5-High	CRCD15HFS00	Credenza-1.5-High, Open/Open
Culled October 2023		CRCD15HFSLFR	Credenza-1.5-High, Open/Lateral
		CRCD15HFSLFL	Credenza-1.5-High, Lateral/Open
		CRCD15HFSLL	Credenza-1.5-High, Lateral/Lateral
Γwo-High Full Storage (	Credenza		
CRCD2HFS	Credenza-Two-High	CRCD2HFS00	Credenza-Two-High, Open/Open
Culled October 2023		CRCD2HFSLFR	Credenza-Two-High, Open/Lateral
		CRCD2HFSLFL	Credenza-Two-High, Lateral/Open
		CRCD2HFSLL	Credenza-Two-High, Lateral/Lateral
		CRCD2HFSLCLFL	Credenza-Two-High, Lateral/Cabinet
		CRCD2HFSLCLFR	Credenza-Two-High, Cabinet/Lateral
		CRCD2HFSCC	Credenza-Two-High, Cabinet/Cabinet
Гwo-High Credenzas wi	ith Kneespace		<u> </u>
CRCD2HKS Culled October 2023	Credenza – Two-High with Kneespace	CRCD2HKSSPL	Credenza—Two-High, Kneespace, Single Ped Left Hand
		CRCD2HK\$SPR	Credenza—Two-High, Kneespace, Sing Ped Right Hand
		CRCD2HKSDP	Credenza—Two-High Kneespace, Doub
One-High Lateral File			
CRL1H*	Lateral—One High, File*	No style number change, not being culled in October	
I.5-High Lateral File			
CRL15H	Lateral—1.5-High	CRL15HOF	Lateral-1.5-High, Open/File
Culled October 2023		CRL15HBF	Lateral—1.5-High, Box/File
Гwo-High Lateral File			
CRL2H*	Lateral—Two-High, File/File*	No style number change, not being culled in October	
Γhree-High Lateral File			
CRL3H*	Lateral—Three-High, File/File/File*	No style number change, not being culled in October	
Four-High Lateral File			
CRL4H*	Lateral—Four-High, File/File/File/File*	No style number change, not being culled in October	
One-High Low Storage			
CRLS1H*	Low Storage—One-High, Open*	No style number change, not being culled in October	
I.5-High Low Storage			
CRLS15H	Low Storage — 1.5-High	CRLS15HO	Low Storage – 1.5-High, Open
Culled October 2023	- <del>-</del>	CRLS15HD	Low Storage — 1.5-High, Cabinet


Styles hains culled in 6	otobov 2022 overnt these with testerisht	Ponlogement Chile	
	ctober 2023, except those with *asterisk*	Replacement Styles	
Two-High Low Storage		<b>ADI 60116</b>	
CRLS2H	Low Storage—Two-High	CRLS2HO	Low Storage—Two-High, Open
Culled October 2023		CRLS2HD	Low Storage—Two-High, Cabinet
Single Door Tower	T 0: 1 D % D	ODTWDE!	T. 0: 1 D. D. (E) D. 111
CRTW	Tower—Single Door with Drawers	CRTWBFL	Tower—Single Door, Box/File, Door HL
Culled October 2023		CRTWBFR	Tower—Single Door, Box/File, Door HR
		CRTWFFL	Tower—Single Door, File/File, Door HL
D I D T		CRTWFFR	Tower—Single Door, File/File, Door HR
Dual Door Tower	Tanana Baral Baranaith Baranana	ODTWODEL	Taylor Dean Bay/File Mandraka I
CRTWD	Tower—Dual Door with Drawers	CRTWDBFL	Tower—Dual Door, Box/File, Wardrobe L
Culled October 2023		CRTWDEF	Tower – Dual Door, Box/File, Wardrobe R
		CRTWDFFL	Tower—Dual Door, File/File, Wardrobe L
Oid. A T		CRTWDFFR	Tower—Dual Door, File/File, Wardrobe R
Side Access Tower	Towar Cida Access	CRTWSABBFL	Tawar Cida Assass BBE Wandash I
CRTWSA  Culled October 2023	Tower—Side Access		Tower – Side Access, BBF, Wardrobe L
Culled October 2023		CRTWSABBFR	Tower—Side Access, BBF, Wardrobe R
		CRTWSAFFL	Tower—Side Access, FF, Wardrobe L
Wardrobe		CRTWSAFFR	Tower—Side Access, FF, Wardrobe R
	Wandarka	CRWDL	Wandaha Dan Hanad Laft
CRWD	Wardrobe	CRWDL	Wardrobe — Door Hinged Left
Culled October 2023	muil 0004 avecant these with testerisks	-	Wardrobe—Door Hinged Right
Desk	pril 2024, except those with *asterisk*	Replacement Styles	
CRDSK	Desk	CRDSHL	Desk-Shell
Silbon	Book	CRDSKSPR	Desk—Single Ped, RH
		CRDSKSPL	Desk—Single Ped, LH
		CRDSKDP	Desk—Double Ped
Returns		J.1.201.2.1	Book Bouble Fou
CRRTN	Return	CRRTNR	Return—Shell, RH
	. Iotani	CRRTNL	Return—Shell, LH
		CRRTNSPR	Return—Single Ped, RH
		CRRTNSPL	Return—Single Ped, LH
Bridges		- · · · · · · · · · · · · · · · · · · ·	
CRBRG*	Bridge*	No style number change, not being culled in April 2024	
Common Tops			
CRHADCT*	Top, Common, HAD Application*	No style number change, not being culled in April 2024	
CRCT*	Top, Common, Rectangular / Worksurfaces*	No style number change, not being culled in April 2024	
Tackboard			
CRTB	Tackboard	CRTBWM	Tackboard, Wallmount
Bookcase			
CRBK*	Bookcase-15"D*	No style number change, not being culled in April 2024	


Styles being culled in	April 2024, except those with *asterisk*	Replacement Styles	
Stacking bookcase			
CRBKS	Stacking Bookcase	CRBKS1H	Bookcase—Stacking on One-High
	· ·	CRBKS15H	Bookcase—Stacking on 1.5-High
		CRBKS2H	Bookcase—Stacking on Two-High or Desk
Filler Panel			
CRFP*	Filler Panel*	No style number change, not being culled in April 2024	
Storage to Beam Con	nectors		
CRSTBC*	Storage to Beam Connector*	No style number change, not being culled in April 2024	
Power Units			
AWVHD*	Hinged Door Power Unit*	No style number change, not being culled in April 2024	
Tables			
CRRTBL*	Table — Round*	No style number change, not being culled in April 2024	
CRSQTBL*	Table—Square*	No style number change, not being culled in April 2024	
CRRECTBL*	Table — Rectangle*	No style number change, not being culled in April 2024	
CRRCTRKTBL*	Table – Racetrack*	No style number change, not being culled in April 2024	
CRBTTBL*	Table—Boat*	No style number change, not being culled in April 2024	
Bases			
CRRECB*	Base – Rectangular Base*	No style number change, not being culled in April 2024	
CRSXB*	Base – Steel X-Base*	No style number change, not being culled in April 2024	
CRSTB*	Base – Steel T-Base*	No style number change, not being culled in April 2024	
CRPB*	Base—Post Leg*	No style number change, not being culled in April 2024	
CRSQB*	Base—Square Leg*	No style number change, not being culled in April 2024	
CRCLMB*	Base—Column Leg*	No style number change, not being culled in April 2024	

Styles being culled in Ap	pril 2024, except those with *asterisk*	Replacement Styles
Modesty Panel		
CRMP*	Modesty Panel, 13.75"H*	No style number change, not being culled in April 2024
Conference Furniture		
CRSC*	Service Cart, 22"D, 343/4"H*	No style number change, not being culled in April 2024
CRLCTRN*	Lectern, 18 <sup>7</sup> / <sub>8</sub> "D, 24"W, 44 <sup>7</sup> / <sub>8</sub> "H*	No style number change, not being culled in April 2024

# **Storage Capacities and Dimensions**

### **Filing Types**





Side to side letter





Front-to-back legal Rails adjust outward for letter-size.

### **Fixed Pedestal Drawers**


For fixed pedestals, desks, returns, credenzas, and towers

### **6"H Box Drawers**



Size/Type	Inside Dimensions D W H		_	Inside Height Clearance
18 <sup>7</sup> /8"D Unit	121/6"	121/6"	23/4"	42/5"
22 <sup>13</sup> /16"D Unit	121/6"	121/6"	23/4"	42/5"
24"D Unit	151/6"	121/6"	23/4"	42/5"
291/16"D Unit	151/6"	121/6"	23/4"	42/5"
30"D Unit	151/6"	121/6"	23/4"	42/5"

### 12"H File Drawers




Tip: All units under 24"D will
have the 18 <sup>7</sup> /8"D unit drawer
dimensions on parametric
pedestals.

Size/Type	Inside I D	Dimensio W	ons H	Inside Height Clearance	Letter-Sized Storage	Legal-Sized Storage	
18 <sup>7</sup> /8"D Unit	121/6"	121/6"	91/6"	1031/32"	12" front-to-back 12" side-to-side	N.A.	
22 <sup>13</sup> /16"D Unit	121/6"	121/6"	91/6"	1031/32"	12" front-to-back 12" side-to-side	N.A.	
24"D Unit	151/6"	121/6"	91/6"	1031/32"	15" front-to-back 12" side-to-side	12" side-to-side	
29 <sup>1</sup> / <sub>16</sub> "D Unit	151/6"	121/6"	91/6"	1031/32"	15" front-to-back 12" side-to-side	12" side-to-side	
30"D Unit	151/6"	121/6"	91/6"	1031/32"	15" front-to-back	12" side-to-side	

### **Mobile Pedestal Drawers**


For mobile pedestals

### **6"H Box Drawers**



Inside	Dimensi	Inside Height		
D	W	Н	Clearance	
14"	121/6"	23/4"	42/5"	
16"	121/6"	23/4"	42/5"	
	<b>D</b> 14"	<b>D W</b> 121/6"	14" 121/6" 23/4"	

### 12"H File Drawers




Size/Type	Inside Dimensions			Inside Height	Letter-Sized	Legal-Sized	
	D	W	Н	Clearance	Storage	Storage	
18 <sup>7</sup> /8"D Unit	14"	121/6"	91⁄6"	1031/32"**	14" front-to-back 12" side-to-side	N.A.	
22"D Unit	16"	121/6"	91/6"	1031/32"**	16" front-to-back	16" front-to-back	

Tip: All units under 22"D will have the 187/8"D unit drawer dimensions on parametric mobile pedestals.

### **Lateral File Drawers**

For lateral files and credenzas


### **30"W Box Drawers**



Size/Type	Inside	Dimensi	Inside Height		
	D	W	н	Clearance	
18 <sup>7</sup> /8"D Unit	121/6"	252/3"	24/5"	47/8"	
223/4"D Unit	121/6"	252/3"	24/5"	47/8"	
24"D Unit	151/6"	252/3"	24/5"	47/8"	
30"D Unit	151/6"	252/3"	24/5"	47/8"	

Tip: All units under 24"D will have the 18"D and 223/4"D drawer dimensions on parametric credenzas.

### **36"W Box Drawers**




Size/Type	Inside	Dimensi	Inside Height		
	D	w	Н	Clearance	
18 <sup>7</sup> /8"D Unit	121/6"	31%"	24/5"	47/8"	
223/4"D Unit	121/6"	312/3"	24/5"	47/8"	
24"D Unit	151/6"	312/3"	24/5"	47/8"	
30"D Unit	151/6"	312/3"	24/5"	47/8"	

Tip: All units under 24"D will have the 18"D and 223/4"D drawer dimensions on parametric credenzas.

### **Lateral File Drawers, continued**

For lateral files and credenzas

### 30"W File Drawers




Size/Type	Inside Dimensions			Inside Height	Letter-Sized	Legal-Sized
•	D	W	н	Clearance	Storage	Storage
18 <sup>7</sup> /8"D Unit	121/6"	252/3"	91/6"	10 <sup>31</sup> /32"**	24" front-to-back* 25" side-to-side	12" front-to-back
223/4"D Unit	121/6"	252/3"	91/6"	10 <sup>31</sup> /32"**	24" front-to-back* 25" side-to-side	12" front-to-back
24"D Unit	151/6"	252/3"	91/6"	10 <sup>31</sup> / <sub>32</sub> "**	30" front-to-back* 25" side-to-side	15" front-to-back + 10" 25" side-to-side
30"D Unit	151/6"	25%"	91/6"	10 <sup>31</sup> / <sub>32</sub> "	30" front-to-back* 25" side-to-side	15" front-to-back + 10" 25" side-to-side
Tin: All units unde	or 24"D wil	l have the 1	18"D and 2	23/4"[]		

\*Two rows

\*Two rows

### **36"W File Drawers**



Size/Type	Inside D	Dimensi W	ons H	Inside Height Clearance	Letter-Sized Storage	Legal-Sized Storage	
18 <sup>7</sup> / <sub>8</sub> "D Unit	121/6"	312⁄3"	91/6"	10 <sup>31</sup> / <sub>32</sub> "**	24" front-to-back* 31" side-to-side	24" front-to-back*	
223/4"D Unit	121/6"	31⅔"	91/6"	10 <sup>31</sup> / <sub>32</sub> "**	24" front-to-back* 31" side-to-side	24" front-to-back*	
24"D Unit	151/6"	31%"	91/6"	10 <sup>31</sup> / <sub>32</sub> "**	30" front-to-back* 31" side-to-side	30" front-to-back 31" side-to-side	
30"D Unit	151/6"	312/3"	91/6"	1031/32"**	30" front-to-back* 31" side-to-side	30" front-to-back 31" side-to-side	
Time Allita	10× 01"D wil	I have tha	10"0 004 0	103/JID			

Tip: All units under 24"D will have the 18"D and 223/4"D drawer dimensions on parametric credenzas.

### **One-High Low Storage Units**



Size/Type	Inside	Dimensio	ons
	D	W	Н
30"W x 187/8"D	17"	281/4"	<b>11</b> <sup>1</sup> /5"
36"W x 187/8"D	17"	341/4"	11 <sup>1</sup> /5"
42"W x 187/8"D	17"	401/4"	<b>11</b> <sup>1</sup> /5"
30"W x 24"D	221/6"	281/4"	<b>11</b> <sup>1</sup> /5"
36"W x 24"D	221/6"	341/4"	<b>11</b> <sup>1</sup> /5"
42"W x 24"D	221/6"	401/4"	11 <sup>1</sup> /5"

Tip: All units under 24"D will have the 18"D and 22<sup>3</sup>/<sub>4</sub>"D drawer dimensions on parametric credenzas.

<sup>\*\*</sup>Three-High and Four-High lateral files have an inside clearance height of 10¹/4" on top drawer and third drawer down.

<sup>\*\*</sup>Three-High and Four-High lateral files have an inside clearance height of 101/4" on top drawer and third drawer down.

### **Lateral File Drawers, continued**

For lateral files and credenzas

### 1.5-High Low Storage Units



Size/Type	Inside D	Dimensio W	ons H
30"W x 187/8"D	17"	281/4"	17 <sup>1</sup> /5"
36"W x 187/8"D	17"	341/4"	171/5"
42"W x 187/8"D	17"	401/4"	17 <sup>1</sup> /5"
30"W x 24"D	221/6"	281/4"	171/5"
36"W x 24"D	221/6"	341/4"	17 <sup>1</sup> /5"
42"W x 24"D	221/6"	401/4"	17 <sup>1</sup> /5"

Tip: Please see Understanding pages for above shelf usable height and below shelf usable height.

### **Two-High Low Storage Units**





Size/Type	Inside D	Dimensio W	ns H
30"W x 187/8"D	17"	281/4"	251/5"
36"W x 187/8"D	17"	341/4"	251/5"
42"W x 187/8"D	17"	401/4"	251/5"
30"W x 223/4"D	21"	281/4"	251/5"
36"W x 223/4"D	21"	341/4"	251/5"
42"W x 223/4"D	21"	401/4"	251/5"
30"W x 24"D	221/6"	281/4"	251/5"
36"W x 24"D	221/6"	341/4"	251/5"
42"W x 24"D	221/6"	401/4"	251/5"

Tip: Please see Understanding pages for above shelf usable height and below shelf usable height.

Stacking Overhead	Size/Type	Inside	Dimensi	ons			
omoning of cincau	3:20, : <b>, p</b> c	D	W	Н			
	36"W	139/10"	334/5"	127/8"			
	42"W	139/10"	394/5"	127/8"			
	48"W	139/10"	454/5"	127/8"			
	54"W	139/10"	<b>51</b> ½"	127/8"			
	60"W	<b>13</b> 9/10"	574/5"	127/8"			
	66"W	139/10"	634/5"	127/8"			
	72"W	139/10"	694/5"	127/8"			
Overhead	Size/Type	Inside D (for I Mount Wall M	and	ons W	H (for Panel Mount)	H (for all other)	
	36"W	131/6"		334/5"	<b>13</b> 3⁄10"	127/8"	
	42"W	131/6"		394⁄5"	<b>13</b> 3⁄10"	12 <sup>7</sup> /8"	
	48"W	131⁄6"		454/5"	<b>13</b> 3⁄10"	12 <sup>7</sup> /8"	
•	54"W	131/6"		514/5"	<b>13</b> 3⁄10"	12 <sup>7</sup> /8"	
	60"W	131/6"		574/5"	<b>13</b> 3⁄10"	12 <sup>7</sup> /8"	
	66"W	131/6"		634/5"	<b>13</b> 3⁄10"	12 <sup>7</sup> /8"	
	72"W	131/6"		694/5"	133⁄10"	127⁄8"	
Organizer	Size/Type	Inside D (for I Mount Wall M	and	ons W	H (for Panel Mount)	H (for all other)	
	36"W	131/6"		334⁄5"	67/10"	62/5"	
	42"W	131⁄6"		394⁄5"	77/10"	7%"	
	48"W	131/6"		454/5"	87/10"	82/5"	
	54"W	131/6"		514/5"	97/10"	92⁄5"	
	60"W	131/6"		574/5"	107/10"	102/5"	
	66"W	131/6"		634/5"	<b>11</b> 7⁄10"	112/5"	
	72"W	131/6"		694/5"	127/10"	123/5"	

### **Credenzas**


Open Side, Two-High

Tip: For drawer inside dimensions, please see pedestals and lateral drawers.

Tip: For parametric credenzas, open side flexes in width, lateral file will remain 30"W or 36"W pending overall unit size.

Size/Type	Inside D D	imensio W	ns H
42"W x 187/8"D	16¹∕₃"	11"	2213/36"
48"W x 187/8"D	16⁴⁄₃"	17"	2213/36"
60"W x 187/8"D	161/3"	29"	2213/36"
66"W x 187/8"D	16½	29"	2213/36"
72"W x 187/8"D	161/3"	35"	2213/36"
42"W x 24"D	219/20"	11"	2213/36"
48"W x 24"D	219/20"	17"	2213/36"
60"W x 24"D	219/20"	29"	2213/36"
66"W x 24"D	219/20"	29"	2213/36"
72"W x 24"D	219/20"	35"	2213/36"

### Open Side, 1.5-High




Tip: For drawer inside dimensions, please see pedestals and lateral drawers.

Tip: For parametric credenzas, open side flexes in width, lateral file will remain 30"W or 36"W pending overall unit size.

Size/Type	Inside D D	imensio	ns H
42"W x 187/8"D	16½"	111/20"	<b>16</b> 7/18"
48"W x 187/8"D	16⅓"	171/20"	<b>16</b> 7/18"
60"W x 187/8"D	16½"	291/20"	<b>16</b> 7/18"
66"W x 187/8"D	16½"	291/20"	<b>16</b> 7/18"
72"W x 187/8"D	16½"	351/20"	<b>16</b> 7/18"
42"W x 24"D	219/20"	111/20"	<b>16</b> 7/18"
48"W x 24"D	219/20"	171/20"	<b>16</b> 7/18"
60"W x 24"D	219/20"	291/20"	<b>16</b> <sup>7</sup> /18"
66"W x 24"D	219/20"	291/20"	<b>16</b> 7/18"
72"W x 24"D	219⁄20"	351/20"	<b>16</b> 7/18"

### **Towers** Single Door,



	Size/Type	Inside D D	imensior W	ns H
	41¾"H x 181/8"D	<b>17</b> 3/16"	147/32"	191/16"
f	47 <sup>15</sup> / <sub>16</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D	<b>17</b> 3/16"	147/32"	251/4"
ce	541/8"H x 187/8"D	<b>17</b> 3/16"	147/32"	3115/32"
	66½"H x 181/8"D	<b>17</b> 3/16"	147/32"	4313/16"
	72"H x 187/8"D	173/16"	147/32"	495/16"
	78"H x 187/8"D	173/16"	147/32"	555/16"
	84"H x 187/8"D	173/16"	147/32"	615/16"
	41¾"H x 24"D	225/16"	147/32"	191/16"
	47 <sup>15</sup> /16"H x 24"D	225/16"	147/32"	251/4"
	541/8"H x 24"D	225/16"	147/32"	3115/32"
	66½"H x 24"D	225/16"	147/32"	4313/16"
	72"H x 24"D	225/16"	147/32"	495/16"
	78"H x 24"D	225/16"	147/32"	555/16"
	84"H x 24"D	225/16"	147/32"	615/16"

### Single Door, File/File



Size/Type	Inside D D	imension W	ns H
41¾"H x 187/8"D	<b>17</b> 3/16"	147/32"	131/32"
47 <sup>15</sup> /16"H x 18 <sup>7</sup> /8"D	<b>17</b> 3/16"	147/32"	197/32"
541/8"H x 187/8"D	<b>17</b> 3/16"	147/32"	2513/32"
66½"H x 185%"D	<b>17</b> 3/16"	147/32"	3725/32"
72"H x 187/8"D	173/16"	147/32"	439/32"
78"H x 181/8"D	173/16"	147/32"	49%2"
84"H x 187⁄8"D	173/16"	147/32"	55%2"
41¾"H x 24"D	225/16"	147/32"	131/32"
47 <sup>15</sup> /16"H x 24"D	225/16"	147/32"	197/32"
541/8"H x 24"D	225/16"	147/32"	2513/32"
66½"H x 24"D	225/16"	147/32"	3725/32"
72"H x 24"D	225/16"	147/32"	439/32"
78"H x 24"D	225/16"	147/32"	49%2"
84"H x 24"D	225/16"	147/32"	559/32"

### **Towers, continued**


<b>Dual Do</b>	or.
	•
Box/File	•
	Shelf Space

Size/Type	Inside   D	Dimensio W	ns H
41¾"H x 187/8"D	<b>17</b> 3/16"	147/32"	191/16"
47 <sup>15</sup> /16"H x 18 <sup>7</sup> /8"D	<b>17</b> 3/16"	147/32"	251/4"
541/8"H x 187/8"D	<b>17</b> 3/16"	147/32"	3115/32"
66½"H x 183/8"D	<b>17</b> 3/16"	147/32"	4313/16"
72"H x 187/8"D	<b>17</b> 3/16"	147/32"	495/16"
78"H x 187/8"D	<b>17</b> 3/16"	147/32"	555/16"
84"H x 187/8"D	<b>17</b> 3/16"	147/32"	<b>61</b> 5/16"
41¾"H x 24"D	225/16"	147/32"	191/16"
47 <sup>15</sup> /16"H x 24"D	225/16"	147/32"	251/4"
541/8"H x 24"D	225/16"	147/32"	31 <sup>15</sup> /32"
66½"H x 24"D	225/16"	147/32"	4313/16"
72"H x 24"D	225/16"	147/32"	495/16"
78"H x 24"D	225/16"	147/32"	555/16"
84"H x 24"D	225/16"	147/32"	<b>61</b> 5/16"

Dual Door,	Size/Type		Dimensio	
File/File		D	W	Н
10. 1	41¾"H X 18¾"D	<b>17</b> 3/16"	147/32"	131/32"
Shelf Space	47 <sup>15</sup> / <sub>16</sub> "H X 18 <sup>7</sup> / <sub>8</sub> "D	<b>17</b> 3/16"	147/32"	197/32"
	541/8"H X 187/8"D	<b>17</b> 3/16"	147/32"	2513/32"
	66½"H X 18%"D	<b>17</b> 3/16"	147/32"	37 <sup>25</sup> /32"
	72"H X 18%"D	<b>17</b> 3/16"	147/32"	439/32"
	78"H X 18%"D	<b>17</b> 3/16"	147/32"	49%2"
	84"H X 181/8"D	<b>17</b> 3/16"	147/32"	55%2"
	41¾"H X 24"D	225/16"	147/32"	131/32"
	47 <sup>15</sup> / <sub>16</sub> "H X 24"D	225/16"	147/32"	197/32"
	541/8"H X 24"D	225/16"	147/32"	2513/32"
	66½"H X 24"D	225/16"	147/32"	37 <sup>25</sup> /32"
	72"H X 24"D	225/16"	147/32"	439/32"
	78"H X 24"D	225/16"	147/32"	499/32"
	84"H X 24"D	225/16"	147/32"	55%2"

Side Access	Size/Type	Inside	Dimensi	ons
		D	W	н
	41¾"H X 24"D	153/32"	221/4"	1213/32
Shelf	47 <sup>15</sup> /16"H X 24"D	153/32"	221/4"	1819/32'
Space	541/8"H X 24"D	153/32"	221/4"	2425/32
	66½"H X 24"D	153/32"	221/4"	375/32"
^	72"H X 24"D	153/32"	221/4"	4221/321
Shelf	78"H X 24"D	153/32"	221/4"	4821/32
Space	84"H X 24"D	153/32"	221/4"	54 <sup>21</sup> /32'

### **Wardrobes**



Size/Type	Inside D	Dimension W	ns H
41 <sup>3</sup> / <sub>4</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 12"W	<b>17</b> <sup>1</sup> /10"	101/4"	36 <sup>25</sup> /32"
47 <sup>15</sup> / <sub>16</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 12"W	<b>17</b> <sup>1</sup> / <sub>10</sub> "	101/4"	4231/32"
54 <sup>1</sup> / <sub>8</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 12"W	<b>17</b> <sup>1</sup> /10"	101/4"	491/5"
66 <sup>1</sup> / <sub>2</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 12"W	171/10"	101/4"	614/7"
72"H x 18 <sup>7</sup> /8"D x 12"W	171/10"	101/4"	67"
78"H x 18 <sup>7</sup> / <sub>8</sub> "D x 12"W	171/10"	101/4"	73"
84"H x 18 <sup>7</sup> /8"D x 12"W	171/10"	101/4"	79"
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 12"W	221/5"	101/4"	36 <sup>25</sup> /32"
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 12"W	221/5"	101/4"	4231/32"
54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 12"W	221/5"	101/4"	491/5"
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 12"W	221/5"	101/4"	614/7"
72"H x 24"D x 12"W	221/5"	101/4"	67"
78"H x 24"D x 12"W	221/5"	101/4"	73"
84"H x 24"D x 12"W	221/5"	101/4"	79"
41 <sup>3</sup> / <sub>4</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 24"W	171/10"	221/4"	36 <sup>25</sup> / <sub>32</sub> "
47 <sup>15</sup> / <sub>16</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 24"W	171/10"	221/4"	4231/32"
54 <sup>1</sup> / <sub>8</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 24"W	171/10"	221/4"	491/5"
66 <sup>1</sup> / <sub>2</sub> "H x 18 <sup>7</sup> / <sub>8</sub> "D x 24"W	171/10"	221/4"	614/7"
72"H x 18 <sup>7</sup> /8"D x 24"W	171/10"	221/4"	67"
78"H x 18 <sup>7</sup> /8"D x 24"W	171/10"	221/4"	73"
84"H x 18 <sup>7</sup> /8"D x 24"W	171/10"	221/4"	79"
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 24"W	221/5"	221/4"	36 <sup>25</sup> / <sub>32</sub> "
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 24"W	221/5"	221/4"	4231/32"
54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 24"W	221/5"	221/4"	491/5"
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 24"W	221/5"	221/4"	614/7"
72"H x 24"D x 24"W	221/5"	221/4"	67"
78"H x 24"D x 24"W	221/5"	221/4"	73"
84"H x 24"D x 24"W	221/5"	221/4"	79"

cases						
	Size/Type	Inside [	Dimensions			
		D	W	Top Shelf Space	Bottom Shelf Space	Row of Binders Accommodated
	Height X Depth X Width					
	41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	18 <sup>23</sup> /32"	915/16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	12 <sup>3</sup> /32"	9 <sup>15</sup> /16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	<b>11</b> 11/32"	915/16"	4
	72"H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 15"D x 24"W	14 <sup>1</sup> /8"	21 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4
	41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	18 <sup>23</sup> /32"	915/16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>3</sup> /32"	915/16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	<b>11</b> 11/32"	915/16"	4
	72"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4
	41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	1823/32"	9 <sup>15</sup> /16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	12 <sup>3</sup> /32"	9 <sup>15</sup> /16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	<b>11</b> <sup>11</sup> /32"	9 <sup>15</sup> /16"	4
	72"H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4
	41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	18 <sup>23</sup> /32"	915/16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>3</sup> /32"	915/16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	<b>11</b> <sup>11</sup> /32"	915/16"	4
	72"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4
	41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	18 <sup>23</sup> /32"	915/16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	12 <sup>3</sup> / <sub>32</sub> "	915/16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	11 <sup>11</sup> /32"	915/16"	4
	72"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4
	41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>17</sup> /32"	915/16"	2
	47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	18 <sup>23</sup> /32"	915/16"	2
	54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>3</sup> / <sub>32</sub> "	915/16"	3
	66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	11 <sup>11</sup> /32"	915/16"	4
	72"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	16 <sup>27</sup> /32"	915/16"	4
	78"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	<b>16</b> <sup>7</sup> /16"	121/32"	4
	84"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	22 <sup>7</sup> /16"	121/32"	4

### **Stacking Bookcases**

Stacking Bookcases on top of One-High Currency Storage



Size/Type	Inside Dimensions								
	D	w	Top Shelf Space	Bottom Shelf Space	2nd from Bottom Space	Row of Binders Accommodated			
Application-Height X D	epth X Widt	th							
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	109/32"	N.A.	1			
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54 <sup>1</sup> /8"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	8 <sup>25</sup> /32"	12 <sup>25</sup> /32"	2			
66 <sup>1</sup> /2"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	75/16"	12 <sup>25</sup> /32"	3			
72"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
78"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4			
84"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>15</sup> /16"	12 <sup>25</sup> /32"	4			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 24"W	231/8"	2125/32"	12 <sup>27</sup> /32"	10 <sup>9</sup> /32"	N.A.	1			
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54¹/8"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	8 <sup>25</sup> /32"	12 <sup>25</sup> /32"	2			
66¹/2"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	75/16"	12 <sup>25</sup> /32"	3			
72"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1213/16"	12 <sup>25</sup> /32"	3			
78"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	415/16"	12 <sup>25</sup> /32"	4			
84"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1015/16"	1225/32"	4			
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	109/32"	N.A.	1			
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54 <sup>1</sup> /8"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	8 <sup>25</sup> / <sub>32</sub> "	12 <sup>25</sup> /32"	2			
66 <sup>1</sup> /2"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	75/16"	12 <sup>25</sup> /32"	3			
72"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
78"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4			
84"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	10 <sup>15</sup> /16"	12 <sup>25</sup> /32"	4			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	109/32"	N.A.	1			
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54 <sup>1</sup> /8"H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	8 <sup>25</sup> /32"	12 <sup>25</sup> /32"	2			
66 <sup>1</sup> /2"H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	75/16"	12 <sup>25</sup> /32"	3			
72"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
78"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	415/16"	12 <sup>25</sup> /32"	4			
84"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1015/16"	12 <sup>25</sup> /32"	4			
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>9</sup> /32"	N.A.	1			
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54 <sup>1</sup> /8"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	8 <sup>25</sup> /32"	12 <sup>25</sup> /32"	2			
66¹/2"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	75/16"	12 <sup>25</sup> /32"	3			
72"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
78"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	415/16"	12 <sup>25</sup> /32"	4			
84"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1015/16"	12 <sup>25</sup> /32"	4			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>9</sup> /32"	N.A.	1			
47 <sup>15</sup> /16"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>15</sup> /32"	N.A.	1			
54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	8 <sup>25</sup> /32"	12 <sup>25</sup> /32"	2			
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	7 <sup>5</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
72"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
78"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4			
	_0 /0	00 102	,52	. 710	102	•			

Tip: Stacking bookcase shelves can be adjusted in 32 mm increments for maximum flexibility.

### **Stacking Bookcases**


Stacking Bookcases on top of 1.5-High Currency Storage

Size/Type	Inside Dimensions							
	D	w	Top Shelf Space	Bottom Shelf Space	2nd from Bottom Space	Row of Binders Accommodated		
Application-Height X D	epth X Wid	th						
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 24"W	<b>14</b> <sup>1</sup> /8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	4 <sup>9</sup> / <sub>32</sub> "	N.A.	1		
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>15</sup> /32"	N.A.	1		
54 <sup>1</sup> / <sub>8</sub> "H x 15"D x 24"W	<b>14</b> <sup>1</sup> /8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>21</sup> /32"	N.A.	1		
66 <sup>1</sup> / <sub>2</sub> "H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	15 <sup>5</sup> /32"	12 <sup>25</sup> /32"	2		
72"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3		
78"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
84"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4		
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	49/32"	N.A.	1		
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1015/32"	N.A.	1		
54 <sup>1</sup> / <sub>8</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	16 <sup>21</sup> /32"	N.A.	1		
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	155/32"	12 <sup>25</sup> /32"	2		
72"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3		
78"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
84"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> / <sub>32</sub> "	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4		
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	49/32"	N.A.	1		
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	1015/32"	N.A.	1		
54 <sup>1</sup> /8"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> / <sub>32</sub> "	16 <sup>21</sup> /32"	N.A.	1		
66 <sup>1</sup> /2"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	15 <sup>5</sup> /32"	12 <sup>25</sup> /32"	2		
72"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> / <sub>32</sub> "	6 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
78"H x 15"D x 30"W	141/8"	27 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	1213/16"	1225/32"	3		
84"H x 15"D x 30"W	141/8"	2725/32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4		
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	49/32"	N.A.	1		
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1015/32"	N.A.	1		
54 <sup>1</sup> /8"H x 24"D x 30"W	231/8"	27 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	16 <sup>21</sup> /32"	N.A.	1		
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	15 <sup>5</sup> /32"	12 <sup>25</sup> /32"	2		
72"H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3		
78"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1213/16"	12 <sup>25</sup> /32"	3		
84"H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4		
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 36"W	141/8"	3325/32"	12 <sup>27</sup> /32"	49/32"	N.A.	1		
47 <sup>15</sup> /16"H x 15"D x 36"W	141/8"	33 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	1015/32"	N.A.	1		
54 <sup>1</sup> /8"H x 15"D x 36"W	141/8"	33 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	16 <sup>21</sup> / <sub>32</sub> "	N.A.	1		
66 <sup>1</sup> / <sub>2</sub> "H x 15"D x 36"W	141/8"	3325/32"	12 <sup>27</sup> /32"	155/32"	12 <sup>25</sup> /32"	2		
72"H x 15"D x 36"W	141/8"	33 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3		
78"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
84"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	415/16"	12 <sup>25</sup> /32"	4		
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	49/32"	N.A.	1		
47 <sup>15</sup> /16"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>15</sup> /32"	N.A.	1		
54 <sup>1</sup> /8"H x 24"D x 36"W	231/8"	33 <sup>25</sup> / <sub>32</sub> "	12 <sup>27</sup> /32"	16 <sup>21</sup> / <sub>32</sub> "	N.A.	1		
66 <sup>1</sup> /2"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	15 <sup>5</sup> /32"	12 <sup>25</sup> /32"	2		
72"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	6 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
78"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3		
84"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	4 <sup>15</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	4		

Tip: Stacking bookcase shelves can be adjusted in 32 mm increments for maximum flexibility.

### **Stacking Bookcases**

Stacking Bookcases on top of Two-High Currency Storage



Size/Type	Inside Dimensions								
	D	W	Top Shelf Space	Bottom Shelf Space	2nd from Bottom Space	Row of Binders Accommodated			
Application-Height X D	epth X Wid	th							
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 24"W	<b>14</b> <sup>1</sup> /8"	21 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
54 <sup>1</sup> /8"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>21</sup> /32"	N.A.	1			
66 <sup>1</sup> /2"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	<b>14</b> <sup>11</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	2			
78"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	6 <sup>13</sup> /16"	12 <sup>25</sup> /32"	3			
34"H x 15"D x 24"W	141/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> /16"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
54 <sup>1</sup> /8"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>21</sup> /32"	N.A.	1			
66 <sup>1</sup> /2"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1411/16"	12 <sup>25</sup> /32"	2			
78"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3			
84"H x 24"D x 24"W	231/8"	21 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 30"W	141/8"	2725/32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> /16"H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
54 <sup>1</sup> /8"H x 15"D x 30"W	<b>14</b> <sup>1</sup> /8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>21</sup> /32"	N.A.	1			
66 <sup>1</sup> /2"H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1411/16"	12 <sup>25</sup> /32"	2			
78"H x 15"D x 30"W	14 <sup>1</sup> /8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3			
34"H x 15"D x 30"W	141/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> /16"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
54 <sup>1</sup> /8"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1021/32"	N.A.	1			
66 <sup>1</sup> /2"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1411/16"	12 <sup>25</sup> /32"	2			
78"H x 24"D x 30"W	231/8"	27 <sup>25</sup> /32"	12 <sup>27</sup> /32"	613/16"	12 <sup>25</sup> /32"	3			
34"H x 24"D x 30"W	231/8"	2725/32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
41 <sup>3</sup> / <sub>4</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> / <sub>16</sub> "H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
54 <sup>1</sup> /8"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1021/32"	N.A.	1			
66 <sup>1</sup> /2"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 15"D x 36"W	14 <sup>1</sup> /8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1411/16"	12 <sup>25</sup> /32"	2			
78"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	6 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
84"H x 15"D x 36"W	141/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
41 <sup>3</sup> / <sub>4</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	N.A.	N.A.	N.A.	0			
47 <sup>15</sup> / <sub>16</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> / <sub>32</sub> "	N.A.	N.A.	N.A.	0			
54¹/8"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	10 <sup>21</sup> /32"	N.A.	1			
66 <sup>1</sup> / <sub>2</sub> "H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	93/16"	12 <sup>25</sup> /32"	2			
72"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	1411/16"	12 <sup>25</sup> /32"	2			
78"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	6 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			
34"H x 24"D x 36"W	231/8"	33 <sup>25</sup> /32"	12 <sup>27</sup> /32"	12 <sup>13</sup> / <sub>16</sub> "	12 <sup>25</sup> /32"	3			

Tip: Stacking bookcase shelves can be adjusted in 32 mm increments for maximum flexibility.

Steelcase October 2023

Service Cart						
	Size/Type	Inside I	Dimensions	Top Opening	Box Drawer	Cabinet
		D	W	н	н	Н
	22"D x 30"W	187/8"	281/4"	7"	5"	157/8" *
1	22"D x 36"W	187⁄8"	341/4"	7"	5"	157/8" *
	* Excluding shelf					

# **Blending Currency with Elective Elements**

**Currency** can be blended with Elective Elements to create beautiful, cost effective applications.

# Use Elective Elements components in a Currency application to

dial up the overall aesthetic. Components suggested to use include:


- · Veneer worksurfaces
- Gate leg
- Floating shelves and back panels
- Glass front overheads and towers
- · Hanging modesty panels
- See Elective Elements
  Specification Guide

# Use Currency components in an Elective Elements application to value engineer. Components

suggested to use include:

- HPL worksurfaces
- Under worksurface storage
- Towers
- Overheads


**Graphic** is shown with nile pulls, as nile pulls are available on both Currency and Elective Elements.




Quantity	Style Number	Description	Product Type
1	CRCT	30"D x 54"W, 11/8" thick	Parametric Common Top
l	CRCT	24"D x 91 <sup>1</sup> / <sub>2</sub> "W, 1 <sup>1</sup> / <sub>8</sub> " thick	Parametric Common Top
1	CRLS2HD	24"D x 30"W, double door, no top	Lower Storage Two-High
1	CRPD2H	24"D, box/box/file	Fixed Pedestal Two-High
1	CRPD2H	24"D, file/file	Fixed Pedestal Two-High
1	CRTWFFL	24"D, 661/5"H, file/file, hinged left	Tower Single Door
1	E6FSH	12"H x 12"D x 30"W, 3/4" thick, 2 brackets	Floating Shelf with Shelf Back Panel
1	E6FSH	12"H x 12"D x 96"W, $\frac{3}{4}$ " thick, 5 brackets	Floating Shelf with Shelf Back Panel
1	E6GBP	30"H x 60"W	Magnetic Back Painted Glass
1	E6LBPSH	15"H x 30"W x <sup>3</sup> / <sub>4</sub> " thick, 2 brackets	Floating Back Panel
1	EEAWST	66"H x 25½"W	Parametric Tackboard
1	E6GL30127	Gate leg, 30"D x 27 <sup>5</sup> / <sub>8</sub> "H	Gate Leg
1	TSATPL14	In-Line Support Plate	In-Line Support Plate

It is not recommended to blend Currency underworksurface storage with Elective Elements underworksurface storage. As heights vary slightly, along with headsets and pull placement variations.

### **Elective Elements**



### Currency



## Desk and Desk Shells 24/24

► Need help?

page 20

Product details,



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

### **Standard Includes**

### Standard includes

- Desk and desk shells with pedestal, if specified:
   Low-Pressure Laminate case with matching or con-
- trasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Finished back
- · Modesty panel, full or quarter height
- · Bore and dowel drawer construction: black
- One fastened metal filing system per file drawer: black only
- Full extension, heavy-duty ball bearing drawer suspensions
- Lock plug

**Options** 

- · Counterweight, if selected
- 1¼" adjustable leveling glides
- · Desk shells shipped ready to assemble
- · Desk with pedestal(s) shipped fully assembled
- · One pencil tray is included in units with a box drawer

			to			

Style number

**Required to Specify** 

Tip: 36"D desks have a 6" overhang on the visitor side. Pedestals and end panels are 30"D.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Tip: Full depth end panels are required for any stand alone desk shell. When one or more clear-access end panels are used, the desk shell must be attached to an adjoining worksurface(s).

Prices at right Specify 24" depth. 30"D Prices at right Specify 30" depth. 36"D Prices at right Specify 36" depth.  Width Specify 36"Width. 42"W Prices at right Specify 42"Width. 48"W Prices at right Specify 48"Width. 54"W Prices at right Specify 48"Width. 60"W Prices at right Specify 54"Width. 60"W Prices at right Specify 60"Width. 66"W Prices at right Specify 60"Width. 72"W Prices at right Specify 66"Width. 72"W Prices at right Specify 72"Width. 84"W Prices at right Specify 84"Width. 92"W Prices at right Specify 84"Width.	
• 36"D Prices at right Specify 36" depth.  Width • 36"W Prices at right Specify 36"Width. • 42"W Prices at right Specify 42"Width. • 48"W Prices at right Specify 48"Width. • 54"W Prices at right Specify 54"Width. • 60"W Prices at right Specify 60"Width. • 66"W Prices at right Specify 66"Width. • 72"W Prices at right Specify 72"Width. • 84"W Prices at right Specify 84"Width.	
Width  • 36"W  • 42"W  • Prices at right  • 48"W  • Prices at right  • 54"W  • Prices at right  • 60"W  • 66"W  • 66"W  • 72"W  • Prices at right  • 72"W  • Prices at right  • Specify 36"Width.  • Specify 42"Width.  • Specify 48"Width.  • Specify 54"Width.  • Specify 60"Width.  • Prices at right  • Specify 60"Width.  • Prices at right  • Specify 66"Width.  • Rational Specify 69"Width.  • Specify 72"Width.  • Specify 84"Width.	
<ul> <li>42"W</li> <li>48"W</li> <li>48"W<td></td></li></ul>	
<ul> <li>48"W</li> <li>54"W</li> <li>60"W</li> <li>66"W</li> <li>72"W</li> <li>84"W</li> <li>Prices at right</li> <li>Prices at right</li> <li>Specify 54"Width.</li> <li>Specify 54"Width.</li> <li>Specify 60"Width.</li> <li>Specify 60"Width.</li> <li>Specify 66"Width.</li> <li>Prices at right</li> <li>Specify 66"Width.</li> <li>Specify 72"Width.</li> <li>Specify 72"Width.</li> <li>Specify 84"Width.</li> </ul>	
<ul> <li>54"W</li> <li>60"W</li> <li>66"W</li> <li>66"W</li> <li>72"W</li> <li>84"W</li> <li>Prices at right</li> <li>Prices at right</li> <li>Specify 60"Width.</li> <li>Specify 66"Width.</li> <li>Specify 66"Width.</li> <li>Specify 66"Width.</li> <li>Specify 72"Width.</li> <li>Specify 72"Width.</li> <li>Specify 84"Width.</li> </ul>	
<ul> <li>60"W</li> <li>66"W</li> <li>72"W</li> <li>84"W</li> <li>Prices at right</li> <li>Prices at right</li> <li>Prices at right</li> <li>Specify 60"Width.</li> <li>Specify 66"Width.</li> <li>Specify 72"Width.</li> <li>Specify 72"Width.</li> <li>Specify 84"Width.</li> </ul>	
<ul> <li>66"W Prices at right Specify 66"Width.</li> <li>72"W Prices at right Specify 72"Width.</li> <li>84"W Prices at right Specify 84"Width.</li> </ul>	
<ul> <li>66"W</li> <li>72"W</li> <li>84"W</li> <li>Prices at right</li> <li>Prices at right</li> <li>Specify 66"Width.</li> <li>Specify 72"Width.</li> <li>Specify 72"Width.</li> <li>Specify 84"Width.</li> </ul>	
• 84"W Prices at right Specify 84"Width.	
• 84"W Prices at right Specify 84"Width.	
, ,	
Support—Right · Box/box/file pedestal Prices at right Specify with box/box/file pe	destal.
Clear-access end panel     Prices at right     Specify with clear-access e	nd panel.
• File/file pedestal Prices at right Specify with file/file pedesta	al.
• Full depth end panel Prices at right Specify with full depth end p	panel.
<ul> <li>Open/box/file pedestal Prices at right Specify with open/box/file p</li> </ul>	edestal.
Support—Left • Box/box/file pedestal Prices at right Specify with box/box/file pe	destal.
Clear-access end panel Prices at right Specify with clear-access e.	nd panel.
• File/file pedestal Prices at right Specify with file/file pedesta	a/.
<ul> <li>Full depth end panel</li> <li>Prices at right</li> <li>Specify with full depth end panel</li> </ul>	panel.
<ul> <li>Open/box/file pedestal Prices at right Specify with open/box/file p</li> </ul>	edestal.
Counterweight · No counterweight No cost Specify no counterweight.	
• With counterweight +\$200 Specify with counterweight.	
Modesty • Full No cost Specify with full panel.	
Panel • Quarter height No cost Specify with quarter height	panel.
Worksurface • 11%" No cost Specify with 11%" thickness.	
Thickness • 13%" +\$160 Specify with 13/6" thickness.	

**U.S. Price** 

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

**⊠4/24** = Last order entry April 14, 2024

### ▶Options, continued from previous page

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	• Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul><li>Inset</li><li>Nile</li></ul>	+\$ 36 per pull +\$ 37 per pull	Specify with inset pull. Specify with nile pull.
	Transitional	+\$ 37 per pull	Specify with transitional pull.
	Fransitional     Bar	+\$ 37 per pull +\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

### ▶ Specification Information, on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

October 2023

### ▶ Options, on previous page

Spe	cificati	on Inforr	mation			
· Dimo	ensions W	н	• Style Number	·U.S. Base LPL Case		• Options (Add \$ to Base Price)
Desi	Shell v	with Two	Full Depth (	or Clear Acce	ss End Pai	nels <b>X4/24</b>
24"	36"	28 <sup>7</sup> /16"	CRDSK	\$ 665	\$ 730	+\$100
24"	42"	28 <sup>7</sup> /16"	CRDSK	\$ 697	\$ 769	+\$105
24"	48"	28 <sup>7</sup> /16"	CRDSK	\$ 729	\$ 803	+\$109
24"	54"	28 <sup>7</sup> /16"	CRDSK	\$ 753	\$ 829	+\$112
24"	60"	28 <sup>7</sup> /16"	CRDSK	\$ 762	\$ 839	+\$113
24"	66"	28 <sup>7</sup> /16"	CRDSK	\$ 799	\$ 879	+\$120
24"	72"	28 <sup>7</sup> /16"	CRDSK	\$ 826	\$ 909	+\$124
24"	84"	28 <sup>7</sup> /16"	CRDSK	\$1162	\$1279	+\$174
24"	96"	28 <sup>7</sup> /16"	CRDSK	\$1383	\$1521	+\$207
30"	36"	28 <sup>7</sup> /16"	CRDSK	\$ 712	\$ 785	+\$107
30"	42"	28 <sup>7</sup> /16"	CRDSK	\$ 739	\$ 814	+\$111
30"	48"	28 <sup>7</sup> /16"	CRDSK	\$ 775	\$ 853	+\$117
30"	54"	28 <sup>7</sup> /16"	CRDSK	\$ 799	\$ 879	+\$120
30"	60"	287/16"	CRDSK	\$ 806	\$ 887	+\$122

Spe	cificati	on Info	rmation					
·Dim	ensions		·Style	U.S. Base Prices • LPL Case • HPL Case			• Options • (Add \$ to Base Price)	
D	W	Н	Number	LPL Headset	HPL Headset	HPL Headset	Top Surface HPL	

\$ 925

\$ 960

\$1193

+\$125

+\$132

+\$162

\$ 841

\$ 874


\$1085

Desk	( with	One Full I	Depth or Clea	ar Access E	nd Panel	and One P	edestal	<b>X</b> 4/24
30"	60"	287/16"	CRDSK	\$1656	\$1739	\$1872	+\$198	
30"	66"	287/16"	CRDSK	\$1754	\$1840	\$1980	+\$210	

30"	66"	287/16"	CRDSK	\$1754	\$1840	\$1980	+\$210
30"	72"	28 <sup>7</sup> /16"	CRDSK	\$1849	\$1942	\$2089	+\$222
36	72"	287/16"	CRDSK	\$1940	\$2037	\$2192	+\$233

Desk with	Two Pedestals	<b>X</b> 4/24

30"	60"	287/16"	CRDSK	\$2184	\$2293	\$2467	+\$262
30"	66"	287/16"	CRDSK	\$2305	\$2419	\$2602	+\$277
30"	72"	287/16"	CRDSK	\$2422	\$2544	\$2739	+\$291
36	72"	28 <sup>7</sup> /16"	CRDSK	\$2538	\$2664	\$2867	+\$304



30"

30"

36

66"

72"

72"

287/16"

287/16"

287/16"

**CRDSK** 

**CRDSK** 


CRDSK





For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

# **Desk and Desk Shells**



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

#### **Standard Includes**

### **Required to Specify**

**Required to Specify** 

Style number

Need help?
Product details,
page 22

- 28<sup>7</sup>/16"H desk and desk shells with pedestal, if specified:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Finished back
- · Modesty panel, full or quarter height
- · Bore and dowel drawer construction: black
- One fastened metal filing system per file drawer: black only
- Full extension, heavy-duty ball bearing drawer suspensions
- Lock plug

**Options** 

- · One counterweight on single pedestal desk, if selected
- · Two counterweights on dual pedestal desk, if selected
- 11/4" adjustable leveling glides
- · Desk shells shipped ready to assemble
- · Desk with pedestal(s) shipped fully assembled
- One pencil tray is included in units with a box drawer

Size Option	Modular	Prices at right	Specify with modular.
	<ul> <li>Parametric</li> </ul>	Prices at right	Specify with parametric.
Depth	• 18 <sup>7</sup> / <sub>8</sub> "D	Prices at right	Specify 18 <sup>7</sup> / <sub>8</sub> " depth.
	• 24"D	Prices at right	Specify 24" depth.
	• 30"D	Prices at right	Specify 30" depth.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 54"W	Prices at right	Specify 54"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
	• 84"W	Prices at right	Specify 84"Width.
	• 96"W	Prices at right	Specify 96"Width.
Support—Right	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>Clear-access end panel</li> </ul>	Prices at right	Specify with clear-access end panel.
	File/file pedestal	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Support—Left	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>Clear-access end panel</li> </ul>	Prices at right	Specify with clear-access end panel.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Counterweight	No counterweight	-\$100 per counterweight	Specify no counterweight.
	<ul> <li>With counterweight</li> </ul>	No cost	Specify with counterweight.
Modesty	• Full	No cost	Specify with full panel.
Panel	<ul> <li>Quarter height</li> </ul>	No cost	Specify with quarter height panel.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 13/8"	+\$160	Specify with 13/8" thickness.
Options, continu	ıed on next page		

**U.S. Price** 

Tip: Desk shells wider than 72"W not available 18<sup>7</sup>/8"D–23<sup>15</sup>/16"D.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Tip: Full depth end panels are required for any stand alone desk shell. When one or more clear-access end panels are used, the desk shell must be attached to an adjoining worksurface(s).



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

**Required to Specify** 

Specify laminate color number.

### ▶Options, continued from previous page

**Case Finish** 

**Options** 

Low-Pressure Laminate (LPL)

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	price group 1 • High-Pressure Laminate (HPL)	Prices at right	Specify laminate color number.
	price group 1 • High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 2 • High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	<ul><li>price group 3</li><li>Open Line laminate</li></ul>	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
rinisn	<ul><li>price group 1</li><li>High-Pressure Laminate (HPL)</li><li>price group 1</li></ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Grommet	No grommet	No cost	Specify with no grommet.
Location	• Left	+\$ 40	Specify with left grommet.
	• Right	+\$ 40	Specify with right grommet.
	• Center	+\$ 40	Specify with center grommet.
	Right and left	+\$ 80	Specify with right and left grommet.
	Right and center	+\$ 80	Specify with right and center grommet.
	Left and center     Dight left and center	+\$ 80 +\$120	Specify with left and center grommet. Specify with right, left, and center grommet.
	Right, left, and center	+\$120	Specify with right, left, and center grommet.
Pull	Contemporary	No cost	Specify with contemporary pull.
	• Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	• Inset	+\$ 36 per pull	Specify with inset pull.
	• Nile	+\$ 37 per pull	Specify with nile pull.
	Transitional	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

**U.S. Price** 

No cost

Tip: 72"W or greater desk shells cannot receive center grommet due to required center support.

▶ Specification Information, on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### ▶ Options, on previous page

Specific	ation Inform	nation					
					·U.S. Ba	se Prices	
Dimension	ns		·Style	Modular	· 18 <sup>7</sup> /8"	· 24"	· 30"
Modular	<b>Parametric</b>	Height	Number	Depth	:	:	:
Width	Width			Parametric	· N.A.	· 18 <sup>15</sup> /16"	· 24 <sup>1</sup> / <sub>16</sub> "
				Depth	:	-24"	-30"
			:	_	:	:	:



# **Desk Shell with Two Full Depth or Clear Access End Panels**

36"	N.A.	28 <sup>7</sup> /16"	CRDSHL	\$ 625	\$ 665	\$ 712
42"	36 <sup>1</sup> / <sub>16</sub> "–42"	28 <sup>7</sup> /16"	CRDSHL	\$ 655	\$ 697	\$ 739
48"	421/16"-48"	28 <sup>7</sup> /16"	CRDSHL	\$ 685	\$ 729	\$ 775
54"	481/16"-54"	28 <sup>7</sup> /16"	CRDSHL	\$ 708	\$ 753	\$ 799
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	28 <sup>7</sup> /16"	CRDSHL	\$ 716	\$ 762	\$ 806
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSHL	\$ 751	\$ 799	\$ 841
72"	66 <sup>1</sup> /16"-72"	28 <sup>7</sup> /16"	CRDSHL	\$ 776	\$ 826	\$ 874
84"	721/16"-84"	28 <sup>7</sup> /16"	CRDSHL	N.A.	\$1162	\$1230
96"	841/16"-96"	28 <sup>7</sup> /16"	CRDSHL	N.A.	\$1383	\$1463

### **High-Pressure Laminate Case**

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	N.A.	28 <sup>7</sup> /16"	CRDSHL	\$ 686	\$ 730	\$ 785
42"	361/16"-42"	28 <sup>7</sup> /16"	CRDSHL	\$ 719	\$ 769	\$ 814
48"	421/16"-48"	28 <sup>7</sup> /16"	CRDSHL	\$ 752	\$ 803	\$ 853
54"	481/16"-54"	28 <sup>7</sup> /16"	CRDSHL	\$ 777	\$ 829	\$ 879
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	28 <sup>7</sup> /16"	CRDSHL	\$ 786	\$ 839	\$ 887
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSHL	\$ 824	\$ 879	\$ 925
72"	661/16"-72"	287/16"	CRDSHL	\$ 852	\$ 909	\$ 960
84"	721/16"-84"	287/16"	CRDSHL	N.A.	\$1279	\$1350
96"	841/16"-96"	287/16"	CRDSHL	N.A.	\$1521	\$1606
96" :	84 <sup>1</sup> / <sub>16</sub> "–96"	28 <sup>7</sup> /16"	CRDSHL	N.A. :	\$1521 :	

<sup>▶</sup> Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

### ▶ Specification Information, continued from previous page

Specific	ation Inform	nation					
					∙U.S. Ba	ase Prices	
· Dimension	ns		·Style	Modular	· 24"	· 30"	
Modular	<b>Parametric</b>	Height	Number	Depth	:	:	
Width	Width		:	<b>Parametric</b>	. N.A.	· 24 <sup>1</sup> /16"	
				Depth		-30"	
:			:		:	:	

## **Single Pedestal Desk**

			ate Case and Headset dop. For High-Pressure Laminat	e top pricing, refer to Sr	martTools.	
60"	N.A.	28 <sup>7</sup> /16"	CRDSKSPL	\$1673	\$1756	
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKSPL	\$1766	\$1854	
7011	001/12   70	007/	OBDCKCDI	¢1057	<b>#1010</b>	

### Pedestal Left, Low-Pressure Laminate Case and High-Pressure Laminate Headset Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

60"	N.A.	287/16"	CRDSKSPL	\$1752	\$1839	
66"	601/16"-66"	287/16"	CRDSKSPL	\$1850	\$1940	
72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKSPL	\$1945	\$2042	

### **Pedestal Left, High-Pressure Laminate Case and Headset**

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

60"	N.A.	28 <sup>7</sup> /16"	CRDSKSPL	\$1878	\$1972
66"	601/16"-66"	287/16"	CRDSKSPL	\$1984	\$2080
72"	661/16"-72"	287/16"	CRDSKSPL	\$2086	\$2189

### **Pedestal Right, Low-Pressure Laminate Case and Headset**

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

60"	N.A.	28 <sup>7</sup> /16"	CRDSKSPR	\$1673 \$1756	
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKSPR	\$1766 \$1854	
72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKSPR	\$1857 \$1949	

### Pedestal Right, Low-Pressure Laminate Case and High-Pressure Laminate Headset Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

60"	N.A.	287/16"	CRDSKSPR	\$1752	\$1839	
66"	601/16"-66"	287/16"	CRDSKSPR	\$1850	\$1940	
72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKSPR	\$1945	\$2042	

### Pedestal Right, High-Pressure Laminate Case and Headset

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

60"	N.A.	28 <sup>7</sup> /16"	CRDSKSPR	\$1878	\$1972
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKSPR	\$1984	\$2080
72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKSPR	\$2086	\$2189

<sup>▶</sup> Specification Information, continued on next page






### ▶ Specification Information, continued from previous page

287/16"

Specific	ation Inform	nation					
					·U.S. Ba	ase Prices	
·Dimensio	ns		·Style	Modular	24"	· 30"	
Modular	<b>Parametric</b>	Height	Number	Depth	:	:	
Width	Width			Parametric	N.A.	· 24 <sup>1</sup> / <sub>16</sub> "	
			:	Depth	:	-30"	
:					:		



## **Dual Pedestal Desk**

661/16"-72"

	essure Laminate ng includes Low-Press		<b>Headset</b> top. For High-Pressure Lamina	ate top pricing, refer to Sn	nartTools.	
60"	N.A.	28 <sup>7</sup> /16"	CRDSKDP	\$2275	\$2384	
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKDP	\$2390	\$2505	

\$2501

\$2622

**CRDSKDP** 

60"	N.A.	28 <sup>7</sup> /16"	CRDSKDP	\$2378	\$2493
66"	601/16"-66"	287/16"	CRDSKDP	\$2499	\$2619
72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKDP	\$2616	\$2744

60"	N.A.	28 <sup>7</sup> /16"	CRDSKDP	\$2544	\$2667	
66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKDP	\$2673	\$2802	
72"	66 <sup>1</sup> / <sub>16</sub> "–72"	287/16"	CRDSKDP	\$2799	\$2939	
:			:	:	•	




# **Desk and Desk Shells with Overhang**

► Need help?

page 26

Product details,



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

### **Standard Includes**

Desk and desk shells with pedestal, if specified:
 Low-Pressure Laminate case with matching or con-

- trasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Finished back
- · Modesty panel, full height
- · Bore and dowel drawer construction: black
- One fastened metal filing system per file drawer: black only
- Full extension, heavy-duty ball bearing drawer suspensions
- · Lock plug

Ontions

- · Two counterweights on desks, if selected
- 11/4" adjustable leveling glides
- · Desk shells shipped ready to assemble
- · Desk with pedestal(s) shipped fully assembled
- · One pencil tray is included in units with a box drawer

**Required to Specify** 

Style number

Tip: 36"D desks have a 6" overhang on the visitor side. Pedestals and end panels are 30"D.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Tip: Full depth end panels are required for any stand alone desk shell. When one or more clear-access end panels are used, the desk shell must be attached to an adjoining worksurface(s).

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
	Parametric	Prices at right	Specify with parametric.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 54"W	Prices at right	Specify 54"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
	• 84"W	Prices at right	Specify 84"Width.
	• 96"W	Prices at right	Specify 96"Width.
Support—Right	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>Clear-access end panel</li> </ul>	Prices at right	Specify with clear-access end panel.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Support—Left	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>Clear-access end panel</li> </ul>	Prices at right	Specify with clear-access end panel.
	File/file pedestal	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Counterweight	No counterweight	-\$200	Specify no counterweight.
	With counterweight	No cost	Specify with counterweight.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	+\$160	Specify with 13/8" thickness.

II & Drice

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

**Required to Specify** 

Specify laminate color number.

Specify laminate color number.

Specify laminate color number.

Specify laminate color number.

#### ▶Options, continued from previous page

**Case Finish** 

**Options** 

price group 1

price group 1

price group 2

Low-Pressure Laminate (LPL)

· High-Pressure Laminate (HPL) Prices at right

· High-Pressure Laminate (HPL) See information at left

· High-Pressure Laminate (HPL) See information at left

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

price group 3 · Open Line laminate +\$102 plus cost See Surface Material Reference Manual. of laminate **Headset** · Low-Pressure Laminate (LPL) No cost Specify laminate color number. **Finish** price group 1 · High-Pressure Laminate (HPL) Prices at right Specify laminate color number. price group 1 · High-Pressure Laminate (HPL) See information at left Specify laminate color number. · High-Pressure Laminate (HPL) See information at left Specify laminate color number. price group 3 Open Line laminate +\$102 plus cost See Surface Material Reference Manual. of laminate **Top Surface**  Low-Pressure Laminate (LPL) No cost Specify laminate color number. **Finish** price group 1 · High-Pressure Laminate (HPL) Prices at right Specify laminate color number. price group 1 · High-Pressure Laminate (HPL) See information at left Specify laminate color number. price group 2 · High-Pressure Laminate (HPL) See information at left Specify laminate color number. price group 3 · Open Line laminate +\$102 plus cost See Surface Material Reference Manual. of laminate Grommet No cost Specify with no grommet. · No grommet Left Location +\$ 40 Specify with left grommet. +\$ 40 Right Specify with right grommet. Center +\$ 40 Specify with center grommet. · Right and left +\$ 80 Specify with right and left grommet. +\$ 80 Specify with right and center grommet. · Right and center · Left and center +\$ 80 Specify with left and center grommet. · Right, left, and center +\$120 Specify with right, left, and center grommet. Pull Contemporary No cost Specify with contemporary pull. Handle No cost Specify with handle pull. Ledge No cost Specify with ledge pull. +\$ 27 per pull Specify with jazz pull. Jazz Inset +\$ 36 per pull Specify with inset pull. Nile +\$ 37 per pull Specify with nile pull. Transitional +\$ 37 per pull Specify with transitional pull. Bar +\$ 39 per pull Specify with bar pull.

No cost

+\$ 36 per lock

**U.S. Price** 

No cost

Tip: 72"W or greater desk shells cannot receive center grommet due to required center support.



· Key plug

· Master key plug

Keys



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Specify with key plug.

Specify with master key plug.

### ▶ Options, on previous page

Specific	ation Info	ormation				
					U.S. Ba	se Prices
· Dimensio	ns			·Style	·LPL	·HPL
Modular	Modular	<b>Parametric</b>	Height	Number	Case	Case
Depth	Width	Width				
: -				:	:	
•				•		•



# **Desk Shell with 6" Overhang**

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	36"	36"	28 <sup>7</sup> /16"	CRDSHLO	\$ 860	\$ 946
36"	42"	361/16"-42"	28 <sup>7</sup> /16"	CRDSHLO	\$ 890	\$ 979
36"	48"	421/16"-48"	28 <sup>7</sup> /16"	CRDSHLO	\$ 920	\$1012
36"	54"	481/16"-54"	28 <sup>7</sup> /16"	CRDSHLO	\$ 949	\$1043
36"	60"	54 <sup>1</sup> / <sub>16</sub> "–60"	28 <sup>7</sup> /16"	CRDSHLO	\$ 954	\$1049
36"	66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSHLO	\$ 990	\$1089
36"	72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSHLO	\$1085	\$1193
36"	84"	721/16"-84"	28 <sup>7</sup> /16"	CRDSHLO	\$1377	\$1514
36"	96"	841/16"-96"	28 <sup>7</sup> /16"	CRDSHLO	\$1610	\$1770
:				:	:	


Speci		

					U.S. Base	Prices	
· Dimensions				·Style	·LPL	·LPL	·HPL
Modular	Modular	<b>Parametric</b>	Height	Number	Case	Case	Case
Depth	Width	Width			with	with	with
				:	Headset	HPL	Headset
				:	:	Headset	
					:		



Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	60"	60"	28 <sup>7</sup> /16"	CRDSKOSPR	\$1926	\$2012	\$2150	
36"	66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKOSPR	\$2035	\$2127	\$2274	
36"	72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKOSPR	\$2140	\$2237	\$2392	



▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### ▶ Specification Information, continued from previous page


Specific	ation Info	ormation					
					U.S. Base	Prices	
·Dimensio	ns			·Style	·LPL	·LPL	·HPL
Modular	Modular	<b>Parametric</b>	Height	Number	Case	Case	Case
Depth	Width	Width			with	with	with
-					Headset	HPL	Headset
				:	:	Headset	:
				:	•	:	•



# Desk—Single Pedestal, Left-Hand, 6" Overhang

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	60"	60"	28 <sup>7</sup> /16"	CRDSKOSPL	\$1926	\$2012	\$2150
36"	66"	601/16"-66"	28 <sup>7</sup> /16"	CRDSKOSPL	\$2035	\$2127	\$2274
36"	72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKOSPL	\$2140	\$2237	\$2392



## Desk—Dual Pedestal, 6" Overhang

Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.


36"	60"	60"	28 <sup>7</sup> /16"	CRDSKODP	\$2458	\$2571	\$2752
36"	66"	601/16"-66"	287/16"	CRDSKODP	\$2601	\$2721	\$2912
36"	72"	661/16"-72"	28 <sup>7</sup> /16"	CRDSKODP	\$2738	\$2864	\$3067

# Return and Return Shells 134/24

► Need help?

page 20

Product details,



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

#### **Standard Includes**

- · Return and return shells:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Finished back
- · Modesty panel, full or quarter height
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · Lock plug
- · Attachment hardware
- 1½" adjsutable leveling glides
- · Returns shipped fully assembled
- · Return shells shipped ready to assemble

### **Required to Specify**

Style number

Tip: Lock for the box/box/file
configuration does not lock
the top box drawer.

Tip: Specify either a left or right support.

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Width	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
Support—Right	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Support—Left	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Modesty	• Full	No cost	Specify with full panel.
Panel	<ul> <li>Quarter height</li> </ul>	No cost	Specify with quarter height panel.
Worksurface	• 11/8"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	+\$160	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

• Bar

Keys

Key plug

Master key plug

Options, conti	nued from previous page		
	Options	U.S. Price	Required to Specify
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices below	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	. Dan		Connectific with how mult

Spe	cificati	ion Info	rmation		
· Dime	ensions		·Style	·U.S. Base Prices	· Options
D	W	н	Number	LPL Case HPL	Case (Add \$ to Base Price)
			:	: :	Top Surface HPL

+\$ 39 per pull

+\$ 36 per lock

No cost

Specify with bar pull.

Specify with key plug.

Specify with master key plug.

# Return Shell with One Full Depth End Panel 24/24

24"	42"	287/16"	CRRTN	\$610	\$670	+\$ 92
24"	48"	287/16"	CRRTN	\$665	\$730	+\$100
•			•			•

· Dimensions			·Style		U.S. Base Prices  • LPL Case • HPL Case		• Options se · (Add \$ to Base Price)
D	W	Н	Number	LPL Headset	HPL Headset	HPL Headset	Top Surface HPL
Retu	rn with	One Pe	destal 🔀 4/2	4			
24"	42"	287/16"	CRRTN	\$1263	\$1325	\$1426	+\$153
24"	48"	287/16"	CRRTN	\$1382	\$1451	\$1562	+\$165



Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.






**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

# **Return and Return Shells**

► Need help?

page 22

Product details,



Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

#### **Standard Includes**

- 287/16"H return and return shells:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- · 1 mm edgeband on sides and back: plastic price group 1
- Finished back
- · Modesty panel, full or quarter height
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · Lock plug

▶ Options, continued on next page

- · Attachment hardware
- 1½" adjsutable leveling glides
- · Returns shipped fully assembled
- · Return shells shipped ready to assemble

**Required to Specify** 

Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
-	<ul> <li>Parametric</li> </ul>	Prices at right	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /8" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
Support—Right	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Support—Left	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Full depth end panel</li> </ul>	Prices at right	Specify with full depth end panel.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Modesty	• Full	No cost	Specify with full panel.
Panel	<ul> <li>Quarter height</li> </ul>	No cost	Specify with quarter height panel.
Worksurface	• 11/8"	No cost	Specify with 11/8" thickness.
Thickness	• 13⁄8"	+\$160	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.

Tip: Return with one pedestal is not available in 187/8"D or 36"W.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Tip: Specify either a left or right support pending style number. Left-hand styles will only prompt Support-Left. Right hand styles will only prompt Support-Right.

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Headset Finish	<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Grommet	No grommet	No cost	Specify with no grommet.
Location	• Left	+\$ 40	Specify with left grommet.
	<ul> <li>Right</li> </ul>	+\$ 40	Specify with right grommet.
	<ul> <li>Center</li> </ul>	+\$ 40	Specify with center grommet.
	<ul> <li>Right and left</li> </ul>	+\$ 80	Specify with right and left grommet.
	<ul> <li>Right and center</li> </ul>	+\$ 80	Specify with right and center grommet.
	<ul> <li>Left and center</li> </ul>	+\$ 80	Specify with left and center grommet.
	<ul> <li>Right, left, and center</li> </ul>	+\$120	Specify with right, left, and center grommet
Pull	Contemporary	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	<ul> <li>Ledge</li> </ul>	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	<ul> <li>Nile</li> </ul>	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

### ▶ Specification Information, on next page



### ▶ Options, on previous page

Specific	ation Inform	nation					
					· U.S. Ba	se Prices	
Dimension	ns		· Style	Modular	· 18 <sup>7</sup> /8"	· 24"	
Modular	<b>Parametric</b>	Height	Number	Depth		:	
Width	Width			Parametric	N.A.	· 18 <sup>15</sup> /16"	
				Depth		-24"	
						:	

## **Return Shell with One Full Depth End Panel**

	Lett Hand, Low-Pressure Laminate Gase Tip: Pricing includes Low-Pressure Laminate top pricing, refer to SmartTools.							
36"	N.A.	28 <sup>7</sup> /16"	CRRTNL	\$562	\$592			
42"	36 <sup>1</sup> /16"-42"	28 <sup>7</sup> /16"	CRRTNL	\$580	\$610			
48"	421/16"-48"	28 <sup>7</sup> /16"	CRRTNL	\$632	\$665			

### Left Hand, High-Pressure Laminate Case Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	N.A.	28 <sup>7</sup> /16"	CRRTNL	\$617	\$650
42"	36 <sup>1</sup> /16"-42"	287/16"	CRRTNL	\$637	\$670
48"	421/16"-48"	28 <sup>7</sup> /16"	CRRTNL	\$694	\$730

### **Right Hand, Low-Pressure Laminate Case** Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

36"	N.A.	287/16"	CRRTNR	\$562	\$592
42"	36 <sup>1</sup> /16"-42"	287/16"	CRRTNR	\$580	\$610
48"	421/16"-48"	287/16"	CRRTNR	\$632	\$665

### **Right Hand, High-Pressure Laminate Case** Tip: Pricing includes Low-Pressure Laminate top. For High-Pressure Laminate top pricing, refer to SmartTools.

			, ,	, , , ,		
36"	N.A.	287/16"	CRRTNR	\$617	\$650	
42"	36 <sup>1</sup> /16"-42"	28 <sup>7</sup> /16"	CRRTNR	\$637	\$670	
48"	42 <sup>1</sup> / <sub>16</sub> "–48"	28 <sup>7</sup> /16"	CRRTNR	\$694	\$730	

### ▶ Specification Information, continued on next page





For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

### ▶ Specification Information, continued from previous page

287/16"

24"

					U.S. Base	e Prices	
Dimension	15			· Style	·LPL	·LPL	·HPL
Modular	<b>Parametric</b>	Height	Modular	Number	Case	Case	Case
Width	Width		Depth	:	with	with	with
				:	Headset	HPL	Headset
				:	:	Headset	:
				•			



### Left-hand unit



Right-hand unit

48"

421/16"-48"

Retur	n with One Pe	destal						
<b>Left Ha</b> Tip: Pricil		sure Laminate t	op. For High-Pre	essure Laminate top pricir	ng, refer to S	martTools.		
42"	N.A.	28 <sup>7</sup> /16"	24"	CRRTNSPL	\$1263	\$1325	\$1426	
48"	421/16"-48"	28 <sup>7</sup> /16"	24"	CRRTNSPL	\$1382	\$1451	\$1562	
Right H		sure Laminate t	op. For High-Pre	essure Laminate top pricir	ng, refer to S	martTools.		
42"	N.A.	28 <sup>7</sup> /16"	24"	CRRTNSPR	\$1263	\$1325	\$1426	

\$1382

\$1451

\$1562

**CRRTNSPR** 

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

# **Bridges**



	Standard Includes	Required to Specify
Need help? Product details, page 22	Bridge: - Low-Pressure Laminate case, price group 1 - High-Pressure Laminate case, price group 1, if selected Attachment bracket 3 mm edgeband on user's side: plastic price group 1 1 mm edgeband on sides and back: plastic price group 1 Modesty panel, full or quarter height Shipped ready to assemble	Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
	<ul> <li>Parametric</li> </ul>	Prices at right	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /s" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
Modesty	• Full	No cost	Specify with full panel.
Panel	<ul> <li>Quarter height</li> </ul>	No cost	Specify with quarter height panel.
Worksurface	• 11/8"	No cost	Specify with 11/8" thickness.
Thickness	• 13⁄8"	+\$160	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost	► See Surface Material Reference Manual.

+\$102 plus cost of laminate

No cost

+\$ 40

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.



Grommet

Location

No grommet

Center


Specify with no grommet.

Specify with center grommet.

					·U.S. Ba	se Prices
· Dimen Modula		Height	· Style Number	Modular Depth	18 <sup>7</sup> /8"	24"
Width	Width	_	: :	Parametric Depth	N.A.	18 <sup>15</sup> / <sub>16</sub> " -24"
Bridge	<b>)</b>		•			
		_				
	essure Laminate ng includes Low-Press		op. For High-Press	cure Laminate top prici	ing, refer to S	martTools.
			op. For High-Press	ure Laminate top prici	ing, refer to S	martTools. \$456
Tip: Pricir	ng includes Low-Press	sure Laminate t		ure Laminate top prici		
Tip: Pricin	ng includes Low-Press N.A.	sure Laminate to 28 <sup>7</sup> /16"	CRBRG	ure Laminate top prici	\$433	\$456
Tip: Pricin 36" 42" 48" High-Pr	N.A. 36 <sup>1</sup> / <sub>16</sub> "-42" 42 <sup>1</sup> / <sub>16</sub> "-48"  essure Laminate	28 <sup>7</sup> /16" 28 <sup>7</sup> /16" 28 <sup>7</sup> /16" 28 <sup>7</sup> /16"	CRBRG CRBRG CRBRG	ure Laminate top prici	\$433 \$461 \$495	\$456 \$485 \$521
Tip: Pricin 36" 42" 48" High-Pr	N.A. 36 <sup>1</sup> / <sub>16</sub> "-42" 42 <sup>1</sup> / <sub>16</sub> "-48"  essure Laminate	28 <sup>7</sup> /16" 28 <sup>7</sup> /16" 28 <sup>7</sup> /16" 28 <sup>7</sup> /16"	CRBRG CRBRG CRBRG		\$433 \$461 \$495	\$456 \$485 \$521
Tip: Pricin 36" 42" 48" High-Pr	N.A.  36 <sup>1</sup> / <sub>16</sub> "-42"  42 <sup>1</sup> / <sub>16</sub> "-48"  essure Laminate of includes Low-Press	28 <sup>7</sup> /16"	CRBRG CRBRG CRBRG		\$433 \$461 \$495 ing, refer to S	\$456 \$485 \$521 EmartTools.



# **D-Shape and P-Shape Worsurfaces**



# Standard Includes d help? • Worksurface:

### **Required to Specify**

Style number

► Need help? Product details, page 28

- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate top
- Low-Pressure Laminate case with matching or contrasting High-Pressure Laminate top, if selected
- High-Pressure Laminate case with matching or contrasting Low-Pressure Laminate top, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate top, if selected
- Column leg: paint price group 1
- · Adjusting leveling glides
- · Ships ready to assemble

Tip: For laminate price group
2 and higher pricing, please
refer to the electronic cata-
log or SmartTools.


	Options	U.S. Price	Required to Specify
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 13/8"	+\$160	Specify with 13/8" thickness.
Base Finish	Paint price group 1	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 24	Specify paint color number.
Modesty	No modesty panel	No cost	Specify without modesty panel.
Panel	<ul> <li>Quarter height</li> </ul>	+\$158	Specify with quarter height panel.
	• Full	+\$279	Specify with full panel.
Handedness	• Left-hand	No cost	Specify with left-hand.
	<ul> <li>Right-hand</li> </ul>	No cost	Specify with right-hand.

Tip: Right-hand P-shape worksurfaces pair with lefthand returns. Left-hand P-shape worksurfaces pair with right-hand returns.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information									
·Style	· Dimensions			· U.S. Base Prices					
Number	Modular	<b>Parametric</b>	Modular	· 48"W	· 54"W	· 60"W	· 66"W	· 72"W	· 78"W
:	Depth C	Depth	Width	-	:	:	:	:	:
			Parametric	48"W-	54"W-	60"W-	66"W-	72"W-	78"W
:	:	:	Width	53 <sup>15</sup> /16"W	59 <sup>15</sup> /16"W	65 <sup>15</sup> /16"W	71 <sup>15</sup> /16"W	77 <sup>15</sup> /16"W	




# **D-Shape, Low-Pressure Laminate Case and Top**

		•	•					
CRDWKSF	30"	30"-35 <sup>15</sup> /16"	\$1008	\$1052	\$1114	\$1184	\$1248	\$1310
	36"	36"	\$1109	\$1156	\$1226	\$1295	\$1397	\$1467

# **D-Shape, High-Pressure Laminate Case and Top**

D-oliapo,	b-onape, mgn-1 1655ure Eanimate Gase and 16p								
CRDWKSF	30"	30"-35 <sup>15</sup> /16"	\$1261	\$1315	\$1393	\$1481	\$1559	\$1639	
	36"	36"	\$1386	\$1447	\$1531	\$1620	\$1745	\$1834	
		•							

## **Specification Information, continued**



Right-hand unit



Tip: The difference between depth B and depth C must be at least 6" and at most 12"

# P-Shape, Low-Pressure Laminate Case and Top

CRPWKSF	24"	24"–29 <sup>15</sup> /16"	N.A.	\$1215	\$1279	\$1416	\$1621	N.A.
	30"	30"-35 <sup>15</sup> ⁄16"	N.A.	\$1279	\$1345	\$1490	\$1705	N.A.
	36"	36"	N.A.	\$1342	\$1414	\$1564	\$1791	N.A.
•		•						•

### P-Shape, High-Pressure Laminate Case and Top

i Giiapo,	- Onapo, mgn 11033aro Eanimato Oa30 ana 10p								
CRPWKSF	24"	24"-29 <sup>15</sup> / <sub>16</sub> "	N.A.	\$1518	\$1597	\$1768	\$2026	N.A.	
	30"	30"-35 <sup>15</sup> /16"	N.A.	\$1597	\$1682	\$1861	\$2132	N.A.	
	36"	36"	N.A.	\$1679	\$1766	\$1955	\$2237	N.A.	
•		•							



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

# **Parametric Common Tops HAD Application**

►Need help?

page 30

Product details,



### Right-hand unit

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Width is specifiable in 1/16" increments.

Tip: When specifying a Currency parametric common top over a run of storage, use SmartTools to determine the correct dimension to be specified. See Understanding pages for more details.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

Tip: Width is specifiable in 1/16" increments.

Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

#### **Standard Includes**

# ½" thick common top for Ology and Migration SE application:

- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Width: 30"W-96"W (LPL), 30"W-120"W (HPL)
- Depth: 18<sup>7</sup>/<sub>8</sub>"D–24"D (LPL and HPL)

### **Required to Specify**

Style number

	Options	U.S. Price	Required to Specify
Depth	• 187⁄8"D	Prices at right	Specify 187/s" depth.
	• 24"D	Prices at right	Specify 24" depth.
Desk Type	Migration SE	No cost	Specify with Migration SE.
	• Ology	No cost	Specify with Ology.
	Slim Leg HAD	No cost	Specify with Slim Leg HAD.
Desk Depth	• 23"D	No cost	Specify 23" desk depth.
•	• 28"D	No cost	Specify 28" desk depth.
	• 29"D	No cost	Specify 29" desk depth.
	• 30"D	No cost	Specify 30" desk depth.
	• 34"D	No cost	Specify 34" desk depth.
	• 35"D	No cost	Specify 35" desk depth.
	• 36"D	No cost	Specify 36" desk depth.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	+\$160	Specify with 13/8" thickness.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Handedness	Left-hand	No cost	Specify with left-hand.
	Right-hand	No cost	Specify with right-hand.
Leg Type	• C Leg	No cost	Specify with C leg.
•	• T Leg	No cost	Specify with T leg.




For Canadian Pricing Multiply U.S. Price by the

Canadian price factor.

See page 1 for details.

Specification Information									
· U.S. Base Prices									
·Style	· Dimensions		Modular	30"W	: 36"W	: 42"W	48"W	54"W	: 60"W
Number	Depth	<b>Parametric</b>	Width	:	:	:	:	:	:
:	:	Depth	<b>Parametric</b>	: 30"W-	: 36"W-	: 42"W-	: 48"W-	: 54"W-	: 60"W-
:	:		Width	: 35 <sup>15</sup> /16"W	: 41 <sup>15</sup> /16"W	: 47 <sup>15</sup> /16"W	: 53 <sup>15</sup> /16"W	: 59 <sup>15</sup> /16"W	: 65 <sup>15</sup> /16"W



Right-hand unit

# Common Top HAD Application—Low-Pressure Laminate

•••••	. opz	//ppiioation	2011 1 1000410 24111114						
CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"–23 <sup>15</sup> / <sub>16</sub> "	\$153	\$165	\$179	\$193	\$199	\$206	
	24"	24"	\$181	\$195	\$211	\$228	\$235	\$243	

### ▶ Specifying Information continued from above

				·U.S. Base	Prices					
·Style	· Dimensi	ons	Modular	66"W	· 72"W	· 78"W	· 84"W	· 90"W	· 96"W	
Number	Depth	<b>Parametric</b>	Width	•		•	•	•	•	
		Depth	Parametric	66"W-	· 72"W–	· 78"W–	· 84"W–	90"W-	· 96"W-	_
:	:	-	Width	· 71 <sup>15</sup> ⁄16"W	. 77 <sup>15</sup> /16"W	. 83 <sup>15</sup> /16"W	. 89 <sup>15</sup> /16"W	. 95 <sup>15</sup> /16"W	· 101 <sup>15</sup> /16"W	
Common	Ton HAD	Annlication	I nw.Procent	laminat	e continu	ieų			·	_

CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"–23 <sup>15</sup> /16"	\$237	\$266	\$303	\$341	\$386	\$436	
	24"	24"	\$280	\$314	\$358	\$396	\$441	\$491	
•									

### ▶ Specifying Information continued from above

				∙ U.S. Base	Prices		
· Style	Dimensi	ons	Modular	102"W	: 108"W	: 114"W	: 120"W
Number	Depth	<b>Parametric</b>	Width	:	:	:	:
:	:	Depth	Parametric	: 102"W-	: 108"W–	: 114"W-	: 120"W
:	:		Width	: 107 <sup>15</sup> /16"W	: 113 <sup>15</sup> /16"W	: 119 <sup>15</sup> /16"W	:

# Common Top HAD Application—Low-Pressure Laminate, continued

	. op	ppoao		,				
CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"-23 <sup>15</sup> /16"	N.A.	N.A.	N.A.	N.A.		
	24"	24"	N.A.	N.A.	N.A.	N.A.		

## ▶ Specifying Information continued on next page




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### ▶ Specifying Information continued from previous page

Specifica	ation Info	rmation							
				∙U.S. Base	Prices				
·Style	·Dimensi	ons	Modular	: 30"W	: 36"W	: 42"W	: 48"W	· 54"W	: 60"W
Number	Depth	<b>Parametric</b>	Width	:					
1	:	Depth	Parametric	: 30"W-	: 36"W-	: 42"W-	: 48"W-	54"W-	: 60"W-
:	:		Width	35 <sup>15</sup> /16"W	41 <sup>15</sup> /16"W	47 <sup>15</sup> /16"W	53 <sup>15</sup> /16"W	59 <sup>15</sup> /16"W	65 <sup>15</sup> /16"W



Right-hand unit

Common 1	Top HAD	Application—High-	Pressure Lamina	te					
CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"–23 <sup>15</sup> / <sub>16</sub> "	\$204	\$221	\$238	\$256	\$264	\$275	
	24"	24"	\$241	\$260	\$281	\$304	\$313	\$324	

### ▶ Specifying Information continued from above

				∙ U.S. Base	Prices				
·Style	·Dimensions		Modular	· 66"W	· 72"W	· 78"W	· 84"W	· 90"W	· 96"W
Number	Depth	<b>Parametric</b>	Width	:	:	:	:	:	:
· ·	:	Depth	Parametric Width	: 66"W– : 71 <sup>15</sup> /16"W	: 72"W– : 77 <sup>15</sup> ⁄16"W	: 78"W− : 83 <sup>15</sup> ∕16"W	: 84"W– : 89 <sup>15</sup> ⁄16"W	: 90"W- : 95 <sup>15</sup> ⁄16"W	: 96"W− : 101 <sup>15</sup> ⁄16"W
Common	Top HAD	Application—I	High-Pressur	e Lamina	te, contin	ued			
CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"-23 <sup>15</sup> /16"		\$317	\$353	\$399	\$453	\$512	\$580
	24"	24"		\$373	\$419	\$477	\$528	\$588	\$655

### ▶ Specifying Information continued from above

				∙ U.S. Base	Prices		
· Style	Dimensi	ons	Modular	: 102"W	: 108"W	: 114"W	: 120"W
Number	Depth	<b>Parametric</b>	Width	:	:	:	:
:	:	Depth	Parametric	: 102"W-	: 108"W–	: 114"W-	: 120"W
:	:		Width	: 107 <sup>15</sup> /16"W	: 113 <sup>15</sup> /16"W	: 119 <sup>15</sup> /16"W	:

### Common Ton HAD Application—High-Pressure Laminate, continued

Common Top HAD Application			ingii-i iossuio Laiiiii				
CRHADCT	18 <sup>7</sup> /8"	18 <sup>7</sup> /8"-23 <sup>15</sup> /16"	\$655	\$741	\$839	\$ 946	
	24"	24"	\$721	\$815	\$923	\$1041	



Parametric Common Tops HAD Application

# **Parametric Common Tops/Worksurface**

►Need help?

page 30

Product details,



Tip: When specifying a Currency parametric common top over a run of storage, use SmartTools to determine the correct dimension to be specified. See Understanding pages for more details.

Tip: Worksurfaces being used as a table, up to 84"W, require four legs and appropriate reinforcing channels. Worksurfaces 841/16"W-120"W require six legs and appropriate reinforcing channels.

Tip: Reinforcing channels are ordered separately and must be used with tops larger than 54"W for 54"W or more of unsupported kneespace.

Tip: Any top used as a table with legs, equal to or larger than 30"Dx72"W requires two reinforcing channels.

Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

Tip: Width is specifiable in 1/16" increments.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

### **Standard Includes**

- ½" thick common top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- 3 mm edgeband on user's side: plastic price group 1
- 1 mm edgeband on sides and back: plastic price group 1
- Depth: 12"D-36"D
- Width: 15"W-96"W (LPL), 15"W-120"W (HPL)

### **Required to Specify**

Style number

	Options	U.S. Price	Required to Specify
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Worksurface	• 1 <sup>1</sup> /8"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	+\$160	Specify with 13/8" thickness.
Grommet	No grommet	No cost	Specify with no grommet.
Location	• Left	+\$ 40	Specify with left grommet.
	<ul> <li>Right</li> </ul>	+\$ 40	Specify with right grommet.
	Center	+\$ 40	Specify with center grommet.
	<ul> <li>Right and center</li> </ul>	+\$ 80	Specify with right and center grommet.
	<ul> <li>Left and center</li> </ul>	+\$ 80	Specify with left and center grommet.
	<ul> <li>Right, left, and center</li> </ul>	+\$120	Specify with right, left, and center grommet.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specific	ation Ir	nformatio	on									
·Style	Dimen	sions		·U.S. Ba	se Prices	5						
Number	Mod.	Para.	Mod.	153/4"W	: 18"W	: 24"W	:30"W	: 36"W	42"W	48"W	54"W	: 60"W
1	Depth	Depth	Width				•				-	
			Para.	15"W	18"W	24"W	30"W	: 36"W	42"W	48"W	54"W	60"W
		•	Width	-17	23	-29	-35	-41	-47	-53	-59	-65
	:			15/16" <b>W</b>	15/16"W	15/16"W	15/16"W	15/16"W	15/16"W	15/16" <b>W</b>	15/16" <b>W</b>	: <sup>15</sup> /16" <b>W</b>



Parame	Parametric Common Top/Worksurface—Low-Pressure Laminate													
CRCT	12"	12"-17 <sup>15</sup> /16"	\$ 98	\$106	\$114	\$124	\$134	\$144	\$173	\$186	\$199			
	187/8"	18"-23 <sup>15</sup> /16"	\$109	\$118	\$126	\$137	\$150	\$160	\$193	\$206	\$222			
	24"	24"-29 <sup>15</sup> /16"	\$124	\$134	\$143	\$154	\$160	\$173	\$206	\$220	\$233			
	30"	30"-35 <sup>15</sup> /16"	\$178	\$190	\$199	\$208	\$222	\$233	\$265	\$284	\$303			
	36"	36"	\$211	\$227	\$238	\$247	\$258	\$268	\$303	\$317	\$329			

### ▶ Specifying Information continued from above

• Style Number	Dimens Mod. Depth	sions Para. Depth	Mod. Width Para. Width	• U.S. Ba 66"W 66"W -71	72"W :72"W :72"W :-77 :15/16"W	. 78"W . 78"W 83 . 15/16"W	84"W -84"W -89 -15/16"W	90"W 90"W -95	96"W -101 -15/16"W	102"W 102"W -107 15/16"W	108"W -108"W -113 -15/16"W	: 114"W : 114"W : -119 : 15/16"W	: 120"W : : 120"W
Paramet	ric Com	mon Top	/Worksu	ırface—	Low-Pre	essure l	aminat	e, cont	•				•
CRCT	12"	12"-17 <sup>15</sup> /16	II	\$233	\$261	\$332	\$351	\$372	\$389	N.A.	N.A.	N.A.	N.A.
	187⁄8"	18"-23 <sup>15</sup> /16	"	\$259	\$288	\$368	\$389	\$413	\$433	N.A.	N.A.	N.A.	N.A.
	24"	24"-29 <sup>15</sup> /16	"	\$262	\$292	\$392	\$434	\$449	\$482	N.A.	N.A.	N.A.	N.A.
	30"	30"-35 <sup>15</sup> /16	"	\$329	\$361	\$463	\$485	\$506	\$523	N.A.	N.A.	N.A.	N.A.
	36"	36"		\$356	\$386	\$485	\$583	\$605	\$631	N.A.	N.A.	N.A.	N.A.

<sup>▶</sup> Specifying Information continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

### ▶ Specifying Information continued from previous page

Specific	ation In	formatio	on											
Style	Dimens	sions		∙U.S. Ba	· U.S. Base Prices									
Number	Mod.	Para.	Mod.	: 15¾"W	18"W	: 24"W	:30"W	:36"W	42"W	48"W	54"W	60"W		
	Depth	Depth	Width											
			Para.	15"W	18"W	· 24"W	30"W	36"W	42"W	48"W	54"W	60"W		
	:	:	Width	-17	23	-29	-35	-41	-47	-53	-59	<del>-</del> 65		
	:			15/16"W	15/16"W	15/16"W	15/16"W	15/16"W	15/16"W	15/16"W	15/16"W	15/16" <b>W</b>		



Parame	tric Con	nmon Top/Work	csurface—	-High-P	ressure	Lamina	ite					
CRCT	12"	12"-17 <sup>15</sup> /16"	\$131	\$141	\$151	\$165	\$180	\$192	\$231	\$247	\$264	
	187/8"	18"-23 <sup>15</sup> /16"	\$145	\$157	\$170	\$184	\$201	\$213	\$256	\$275	\$297	
	24"	24"-29 <sup>15</sup> / <sub>16</sub> "	\$165	\$180	\$191	\$206	\$213	\$231	\$275	\$294	\$311	
	30"	30"-35 <sup>15</sup> / <sub>16</sub> "	\$237	\$252	\$264	\$280	\$297	\$311	\$352	\$380	\$404	
	36"	36"	\$283	\$303	\$318	\$329	\$343	\$356	\$404	\$423	\$438	

### ▶ Specifying Information continued from above

·Style	Dimensions			· U.S. Base Prices										
Number	Mod.	Para.	Mod.	: 66"W	: 72"W	: 78"W	: 84"W	90"W	96"W	102"W	108"W	114"W	: 120"W	
	Depth	Depth	Width		-			-						
			Para.	· 66"W	· 72"W	· 78"W	· 84"W	· 90"W	· 96"W	· 102"W	· 108"W	· 114"W	120"W	
:	:	:	Width	<del>-</del> 71	-77	-83	89	-95	-101	-107	-113	-119	:	
:	:	:		. 15/ <sub>16</sub> "W	. 15/16" <b>W</b>	. 15/ <sub>16</sub> "W	. 15/ <sub>16</sub> "W	. 15/16" <b>W</b>	. 15/ <sub>16</sub> "W	. 15/ <sub>16</sub> "W	. 15/ <sub>16</sub> "W	. 15/16" <b>W</b>	:	

tric Con	nmon Top/Work	csurface—	-High-P	ressure	Lamina	ite, con	tinued				
12"	12"-17 <sup>15</sup> /16"	\$311	\$347	\$443	\$468	\$496	\$519	\$543	\$567	\$592	\$617
187/8"	18"-23 <sup>15</sup> /16"	\$344	\$385	\$491	\$519	\$550	\$577	\$602	\$631	\$657	\$683
24"	24"-29 <sup>15</sup> / <sub>16</sub> "	\$348	\$390	\$524	\$578	\$599	\$642	\$669	\$699	\$728	\$756
30"	30"-35 <sup>15</sup> /16"	\$438	\$481	\$618	\$646	\$674	\$697	\$727	\$754	\$780	\$806
36"	36"	\$475	\$515	\$646	\$778	\$808	\$841	\$873	\$905	\$936	\$968
	12" 18 <sup>7</sup> / <sub>8</sub> " 24" 30"	12" 12"-17 <sup>15</sup> /16" 18 <sup>7</sup> /8" 18"-23 <sup>15</sup> /16" 24" 24"-29 <sup>15</sup> /16" 30" 30"-35 <sup>15</sup> /16"	12"     12"-17¹5/16"     \$311       187/8"     18"-23¹5/16"     \$344       24"     24"-29¹5/16"     \$348       30"     30"-35¹5/16"     \$438	12"     12"-17¹5/16"     \$311     \$347       187/8"     18"-23¹5/16"     \$344     \$385       24"     24"-29¹5/16"     \$348     \$390       30"     30"-35¹5/16"     \$438     \$481	12"     12"-17¹5/16"     \$311     \$347     \$443       187/8"     18"-23¹5/16"     \$344     \$385     \$491       24"     24"-29¹5/16"     \$348     \$390     \$524       30"     30"-35¹5/16"     \$438     \$481     \$618	12"     12"-17¹5/16"     \$311     \$347     \$443     \$468       187/8"     18"-23¹5/16"     \$344     \$385     \$491     \$519       24"     24"-29¹5/16"     \$348     \$390     \$524     \$578       30"     30"-35¹5/16"     \$438     \$481     \$618     \$646	12"     12"-17¹5⁄₁6"     \$311     \$347     \$443     \$468     \$496       187⁄8"     18"-23¹5⁄₁6"     \$344     \$385     \$491     \$519     \$550       24"     24"-29¹5⁄₁6"     \$348     \$390     \$524     \$578     \$599       30"     30"-35¹5⁄₁6"     \$438     \$481     \$618     \$646     \$674	1876"       18"-2315/16"       \$344       \$385       \$491       \$519       \$550       \$577         24"       24"-2915/16"       \$348       \$390       \$524       \$578       \$599       \$642         30"       30"-3515/16"       \$438       \$481       \$618       \$646       \$674       \$697	12"     12"-17¹⁵⁄₁6"     \$311     \$347     \$443     \$468     \$496     \$519     \$543       187⁄8"     18"-23¹⁵⁄₁6"     \$344     \$385     \$491     \$519     \$550     \$577     \$602       24"     24"-29¹⁵⁄₁6"     \$348     \$390     \$524     \$578     \$599     \$642     \$669       30"     30"-35¹⁵⁄₁6"     \$438     \$481     \$618     \$646     \$674     \$697     \$727	12"     12"-17¹5⁄₁6"     \$311     \$347     \$443     \$468     \$496     \$519     \$543     \$567       187⁄8"     18"-23¹5⁄₁6"     \$344     \$385     \$491     \$519     \$550     \$577     \$602     \$631       24"     24"-29¹5⁄₁6"     \$348     \$390     \$524     \$578     \$599     \$642     \$669     \$699       30"     30"-35¹5⁄₁6"     \$438     \$481     \$618     \$646     \$674     \$697     \$727     \$754	12"     12"-17½/16"     \$311     \$347     \$443     \$468     \$496     \$519     \$543     \$567     \$592       18½"     18"-23½/16"     \$344     \$385     \$491     \$519     \$550     \$577     \$602     \$631     \$657       24"     24"-29½/16"     \$348     \$390     \$524     \$578     \$599     \$642     \$669     \$699     \$728       30"     30"-35½/16"     \$438     \$481     \$618     \$646     \$674     \$697     \$727     \$754     \$780



# **Round and Square Tables**

	Standard Includes	Required to Specify
► Need help? Product details, page 32	<ul> <li>Top: Low-Pressure Laminate price group 1 with 3 mm plastic square edge</li> <li>Table base</li> <li>Ships ready to assemble</li> </ul>	Style number


Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Top Surface Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Base Type	Square leg	See Leg Height	Specify with square leg.
	<ul> <li>X-base</li> </ul>	+\$ 462	Specify with X-base.
	<ul> <li>Post leg</li> </ul>	+\$1840	Specify with post leg.
X-base	Paint price group 1	No cost	Specify paint color number.
Finish	<ul> <li>Paint price group 2</li> </ul>	+\$ 24	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 35	Specify paint color number.
	<ul> <li>Polished chrome</li> </ul>	+\$ 168	Specify with polished chrome.
Post Leg	Paint price group 1	No cost	Specify paint color number.
Base Finish	<ul> <li>Paint price group 2</li> </ul>	+\$ 24	Specify paint color number.
Square Leg	Paint price group 1	No cost	Specify paint color number.
Base Finish	<ul> <li>Paint price group 2</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	No cost	Specify paint color number.
Column	Paint price group 1	No cost	Specify paint color number.
Finish	<ul> <li>Paint price group 2</li> </ul>	+\$ 24	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 35	Specify paint color number.
	<ul> <li>Polished chrome</li> </ul>	+\$ 168	Specify with polished chrome.
Square Leg	• 28"H	+\$ 780	Specify with 28" leg height.
Height	• 16"H	+\$ 884	Specify with 16" leg height.
-	• 19"H	+\$ 924	Specify with 18" leg height.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> /8"	+\$160	Specify with 13/8" thickness.

Tip: Leg height is only an option when a base type of "Square Leg" is selected.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.



	ation Inform			
Style Numbers	<ul><li>Dimension</li><li>Modular</li><li>Diameter/</li><li>Width</li></ul>	Parametric Diameter/ Width	· <u>U.S. Ba</u> LPL	SE Prices HPL
Round Ta	ble			
CRRTBL	36"	36"-41.9375"	\$523	\$ 655
	42"	42"-47.9375"	\$680	\$ 851
	48"	48"-53.9375"	\$780	\$ 976
	54"	54"	\$915	\$1143
Square Ta	able	•	·	·
CRSQTBL	36"	36"-41.9375"	\$523	\$ 655
	42"	42"-47.9375"	\$680	\$ 851
	48"	48"-53.9375"	\$780	\$ 976
	54"	54"	\$915	\$1143



# **Rectangle Tables**

Need help?

page 32

Product details,



Tip: 36"W-5915/16"W rectangular shaped tops are also available. For the complete parametric size offering and pricing, please refer to SmartTools.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Two-piece tops will occur when the top is in Low-Pressure Laminate and larger than 953/4"W, and in High-Pressure Laminate and larger than 11915/16"W. Tops will be split into two equal sections and ship with connecting hardware. Low-Pressure Laminate two-piece tops will not have matching grain patterns. All High-Pressure Laminate two-piece tops above 144"W will not have matching grain patterns. Woodgrain High-Pressure Laminate twopiece tops 120"W-144"W will have matching grain patterns.

Tip: Grommet options allow for either no grommet or hinged power door unit(s). Grommets are available for order as a separate style number, and are field installed.

Tip: Selecting hinged door grommet option results in cut out in table top. Power unit ships separately and is field installed.



### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

### **Standard Includes**

### • Top: Low-Pressure Laminate price group 1 with 3 mm plastic square edge

- · Ships ready to assemble
- · Reinforcing channel, if required, dependent on table size and base option

### **Required to Specify**

Specify with hinged door.

Style number

	Options	U.S. Price	Required to Specify
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Base Type	Column	Prices below	Specify with column.
	<ul> <li>Post leg</li> </ul>	Prices below	Specify with post leg.
	Rectangle base	Prices below	Specify with rectangle base.
	Square leg	Prices below	Specify with square leg.
	• T-base	Prices below	Specify with T-base.
	• X-base	Prices below	Specify with X-base.
Worksurface	• 1 <sup>1</sup> /8"	No cost	Specify with 11/8" thickness.
Thickness	· 13/8"	+\$160	Specify with 13/8" thickness.
Grommet	No grommet	No cost	Specify without grommet.


+\$529

## **Base Type Upcharges**

· Hinged door

Base Type	· Base Price	• Options Paint Price Group 2	Paint Price Group 3	Polished	High-Pressure Laminate Price Group 1
Column	+\$323	+\$24	N.A.	N.A.	N.A.
Post Leg	+\$460	+\$24	N.A.	N.A.	N.A.
Rectangu	lar Base				
179/16"W	+\$780	N.A.	N.A.	N.A.	+\$196
239/16"W	+\$879	N.A.	N.A.	N.A.	+\$220
Square Le	eg .				
16"H	+\$221	+\$33	N.A.	N.A.	N.A.
19"H	+\$231	+\$33	N.A.	N.A.	N.A.
27 <sup>1</sup> / <sub>4</sub> "H	+\$195	+\$33	N.A.	N.A.	N.A.
T-base					
26"W	+\$317	+\$24	+\$35	+\$168	N.A.
36"W	+\$395	+\$24	+\$35	+\$168	N.A.
X-base					
26"W	+\$359	+\$24	+\$35	+\$168	N.A.
36"W	+\$462	+\$24	+\$35	+\$168	N.A.
					·

Specific	ation Ir	nformatio	on													
·Style	Dimen	sions		·U.S. Bas	e Prices							400004				
Number	Mod.	Para.	Mod.	60"W	66"W	72"W	: 78"W	: 84"W	90"W	96"W	102"W	108"W				
	Depth	Depth	Width		-		:	•								
1			Para.	60"W-	66"W-	72"W-	78"W-	84"W-	90"W-	96"W-	102"W-	108"W-				
1			Width	65 <sup>15</sup> /16"W	7115/16"W	77 <sup>15</sup> /16"W	83 <sup>15</sup> /16"W	89 <sup>15</sup> /16"W	95 <sup>15</sup> /16"W	101 <sup>15</sup> /16"W	107 <sup>15</sup> /16"W	113 <sup>15</sup> /16"W				



Tip: For the complete range of parametric sizes available, please refer to SmartTools.

# **Rectangle Table—Low-Pressure Laminate**

•											
CRRECTBL	24"	24"-29.9375"	\$ 595	\$ 643	\$ 686	\$ 727	\$ 772	\$ 818	\$ 867	\$ 915	\$ 964
	30"	30"-35.9375"	\$ 643	\$ 686	\$ 728	\$ 773	\$ 819	\$ 868	\$ 920	\$ 970	\$1024
	36"	36"-41.9375"	\$ 688	\$ 737	\$ 788	\$ 834	\$ 884	\$ 937	\$ 995	\$1049	\$1106
	42"	42"-47.9375"	\$ 756	\$ 809	\$ 867	\$ 919	\$ 973	\$1032	\$1095	\$1155	\$1218
	48"	48"	\$ 833	\$ 892	\$ 954	\$1010	\$1073	\$1136	\$1236	\$1304	\$1376
		•	•					•	•		•

### ▶ Specifying Information continued from above

· Style	Dimensions			· U.S. Base Prices								
Number	Mod. Depth	Para. Depth	Mod. Width	<u>:</u>	120"W-	126"W-	138"W-	144"W-	150"W-	: 156"W-	162"W-	: 168"W : : 168"W
			Para. Width									
Rectangl	e Table	Low-l	Pressure	Laminate	•	•	•		•			
CRRECTBL	24"	0.411 00 00	7511	\$1018	\$1074	\$1127	\$1237	\$1293	\$1349	N.A.	N.A.	NI A
CKKECTBL	24	24"–29.93	75"	φισισ	Ψ107-	ΨΙΙΖΙ	ψ1201	Ψ1200	ψιστο	11.7.	11.7.	N.A.
CKKECTBL	30"	30"–35.93		\$1018	\$1139	\$1197	\$1312	\$1370	\$1434	N.A.	N.A.	N.A.
CHHECTBL			75"			•	• -	•				
CHHECTBL	30"	30"–35.93	75" 75"	\$1080	\$1139	\$1197	\$1312	\$1370	\$1434	N.A.	N.A.	N.A.

### ▶ Specifying Information continued on next page




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### ▶ Specifying Information continued from previous page

Specific	ation I	nformatio	on									
·Style	Style · Dimensions			·U.S. Base Prices								
Number	Mod. Para.		Mod.	60"W	66"W 72"W		: 78"W	: 84"W	90"W	96"W	: 102"W	108"W
1	Depth	Depth	Width		•	-		:	-			
1	- 1		Para.	60"W-	66"W-	72"W-	78"W-	84"W-	90"W-	96"W-	102"W-	108"W-
1	- 1		Width	65 <sup>15</sup> /16"W	7115/16"W	77 <sup>15</sup> /16"W	8315/16"W	89 <sup>15</sup> /16"W	95 <sup>15</sup> /16"W	101 <sup>15</sup> /16"W	107 <sup>15</sup> /16"W	113 <sup>15</sup> /16"W
						•					•	



Tip: For the complete range of parametric sizes available, please refer to SmartTools.

## **Rectangle Table—High-Pressure Laminate**


icciangi	, ian	ic iligii-i icəsi	ii C Laiiiiiia	LU							
CRRECTBL	24"	24"–29.9375"	\$ 743	\$ 803	\$ 858	\$ 908	\$ 965	\$1022	\$1084	\$1143	\$1204
	30"	30"-35.9375"	\$ 803	\$ 858	\$ 909	\$ 966	\$1023	\$1085	\$1149	\$1212	\$1280
	36"	36"-41.9375"	\$ 860	\$ 920	\$ 985	\$1042	\$1106	\$1171	\$1244	\$1311	\$1384
	42"	42"-47.9375"	\$ 945	\$1012	\$1084	\$1148	\$1216	\$1290	\$1370	\$1443	\$1523
	48"	48"	\$1040	\$1115	\$1192	\$1263	\$1339	\$1419	\$1544	\$1629	\$1719
		•	•				•	•		•	•

### ▶ Specifying Information continued on from above

• Style Number	· Dimens Mod. Depth	Para.	Para. Mod.	• <b>U.S. Base</b> • 114"W		126"W-	138"W-	144"W-	150"W-	: 156"W-	162"W-	: 168"W :: 168"W
					: 120"W- /: 125 <sup>15</sup> ⁄16"W							
Rectangl	e Table	High-	Pressure	Laminate	)			•		•		
CRRECTBL	. 24"	24"-29.93	75"	\$1273	\$1341	\$1409	\$1545	\$1616	\$1687	\$1763	\$1842	\$1927
	30"	30"-35.93	75"	\$1348	\$1423	\$1497	\$1640	\$1712	\$1793	\$1874	\$1956	\$2045
	36"	36"-41.9375"		\$1458	\$1539	\$1618	\$1775	\$1853	\$1937	\$2024	\$2117	\$2211
	42"	42"-47.93	75"	\$1604	\$1695	\$1778	\$1953	\$2039	\$2131	\$2227	\$2326	\$2433
	48"	48"		\$1812	\$1911	\$2008	\$2204	\$2302	\$2407	\$2515	\$2628	\$2660

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

# **Racetrack Tables**



Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Two-piece tops will occur when the top is in Low-Pressure Laminate and larger than 953/4"W, and in High-Pressure Laminate and larger than 11915/16"W. Tops will be split into two equal sections and ship with connecting hardware. Low-Pressure Laminate two-piece tops will not have matching grain patterns. All High-Pressure Laminate two-piece tops above 144"W will not have matching grain patterns. Woodgrain High-Pressure Laminate twopiece tops 120"W-144"W will have matching grain

Tip: Grommet options allow for either no grommet or hinged power door unit(s). Grommets are available for order as a separate style number, and are field installed.

Tip: Selecting hinged door grommet option results in cut out in table top. Power unit ships separately and is field installed.

Standard Includes	Required to Specify
-------------------	---------------------

Style number

Need help?
Product details,
page 32

- Top: Low-Pressure Laminate price group 1 with 3 mm plastic square edge
- Table base
- · Ships ready to assemble
- Reinforcing channel, if required, dependent on table size and base option

	Options	U.S. Price	Required to Specify
Top Surface Finish	<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Base Type	Column	Prices below	Specify with column.
	<ul> <li>Post leg</li> </ul>	Prices below	Specify with post leg.
	<ul> <li>Rectangle base</li> </ul>	Prices below	Specify with rectangle base.
	T-base	Prices below	Specify with T-base.
	• X-base	Prices below	Specify with X-base.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 13/8"	+\$160	Specify with 13/8" thickness.
Grommet	No grommet	No cost	Specify without grommet.
	<ul> <li>Hinged door</li> </ul>	+\$529	Specify with hinged door.


### **Base Type Upcharges**

·Base Type	·Base Price	• Options (Ad Paint Price Group 2	ld \$ to Base Price Paint Price Group 3	e) Polished Chrome	High-Pressure Laminate Price Group 1	
Column	+\$323	+\$24	N.A.	N.A.	N.A.	
Post Leg	+\$460	+\$24	N.A.	N.A.	N.A.	
Rectangu	lar Base					
179/16"W	+\$780	N.A.	N.A.	N.A.	+\$196	
239/16"W	+\$879	N.A.	N.A.	N.A.	+\$220	
T-base						
26"W	+\$317	+\$24	+\$35	+\$168	N.A.	
36"W	+\$395	+\$24	+\$35	+\$168	N.A.	
X-base						
26"W	+\$359	+\$24	+\$35	+\$168	N.A.	
36"W	+\$462	+\$24	+\$35	+\$168	N.A.	
•	•	•		•	•	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Specifica	ition Info	rmatio	n									
·Style	Dimen	sions		·U.S. Bas	I.S. Base Prices							
Number	Mod.	Para.	Mod.	66"W	: 72"W	: 78"W	: 84"W	90"W	96"W	102"W	108"W	114"W
	Depth	Depth	Width	•			:	:		-	<u>:</u>	-
		:	Para.	66"W-	72"W-	78"W-	84"W-	90"W-	96"W-	102"W-	108"W-	114"W-
:			Width	71 <sup>15</sup> /16"W	77 <sup>15</sup> /16"W	83 <sup>15</sup> /16"W	89 <sup>15</sup> /16"W	96 <sup>15</sup> /16"W	101 <sup>15</sup> /16"W	107 <sup>15</sup> /16"W	113 <sup>15</sup> /16"W	119 <sup>15</sup> /16"W



#### **Racetrack Table—Low-Pressure Laminate**

CRRCTRKTBL	36"	36"-41.9375"	\$ 773	\$ 826	\$ 877	\$ 929	\$ 985	\$1044	\$1102	\$1162	\$1226
	42"	42"-47.9375"	\$ 850	\$ 909	\$ 964	\$1022	\$1083	\$1149	\$1211	\$1279	\$1348
	48"	48"	\$ 935	\$1001	\$1061	\$1125	\$1192	\$1297	\$1367	\$1443	\$1523
	:	:	:	:	:	:		: :	:	:	

#### ▶ Specifying Information continued from above


• Style Number	· Dimens Mod. Depth	Para.	Mod. Width	• <b>U.S. Base</b> • 120"W		: 138"W	: 144"W	150"W	156"W	: 162"W	168"W
	Depth	Deptn	Para.	: 120"W- : 125 <sup>15</sup> /16"W							168"W
Racetrack T	able—	-Low-Pi	essure	Laminato	•	-	·	-	-	-	
CRRCTRKTBL	36"	36"-41 9		\$1294	\$1359	\$1490	\$1559	\$1626	\$1700	\$1778	\$1858
CRRCTRKTBL	36" 42"	36"-41.9 42"-47.9	375"	\$1294 \$1422	\$1359 \$1494	\$1490 \$1640	\$1559 \$1713	\$1626 \$1790	\$1700 \$1870	\$1778 \$1955	\$1858 \$2043



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

#### ▶ Specifying Information continued from previous page

Specifica	ation Info	rmatio	1									
·Style	· Dimen	sions		· U.S. Bas	e Prices							
Number	Mod.	Para.	Mod.	· 66"W	· 72"W	· 78"W	· 84"W	· 90"W	· 96"W	· 102"W	· 108"W	· 114"W
	Depth	Depth	Width	:	:			:			:	
	: -		Para.	66"W-	· 72"W–	· 78"W–	· 84"W–	90"W-	96"W-	102"W-	· 108"W–	· 114"W–
	:	:	Width	71 <sup>15</sup> /16"W	77 <sup>15</sup> /16"W	83 <sup>15</sup> /16"W	89 <sup>15</sup> /16"W	95 <sup>15</sup> /16"W	101 <sup>15</sup> /16"W	107 <sup>15</sup> /16"W	113 <sup>15</sup> /16"W	119 <sup>15</sup> /16"W
•												



## Racetrack Table—High-Pressure Laminate

CRRCTRKTBL	36"	36"-41.9375"	\$ 966	\$1032	\$1097	\$1161	\$1231	\$1305	\$1379	\$1453	\$1532	
	42"	42"-47.9375"	\$1064	\$1136	\$1204	\$1278	\$1356	\$1436	\$1514	\$1598	\$1686	
	48"	48"	\$1169	\$1253	\$1325	\$1406	\$1491	\$1621	\$1708	\$1804	\$1903	_


#### ▶ Specifying Information continued from above

• Style Number	Dimens Mod. Depth		Mod. Width Para.	:	: 126"W : 126"W-	138"W-	144"W-	150"W-	156"W-	162"W-	
Racetrack	Table—	High-P	ressur	: e Laminat	ie	:	:	:	:	:	:

CRRCTRKTBL 36	36"	36"-41.9375"	\$1618	\$1698	\$1864	\$1948	\$2033	\$2125	\$2223	\$2321
42	12"	42"-47.9375"	\$1778	\$1868	\$2049	\$2141	\$2237	\$2337	\$2443	\$2554
48	18"	48"	\$2008	\$2109	\$2312	\$2418	\$2527	\$2641	\$2759	\$2791

Racetrack Tables

# **Boat-Shaped Table**



Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Two-piece tops will occur when the top is in Low-Pressure Laminate and larger than 953/4"W, and in High-Pressure Laminate and larger than 11915/16"W. Tops will be split into two equal sections and ship with connecting hardware. Low-Pressure Laminate two-piece tops will not have matching grain patterns. All High-Pressure Laminate two-piece tops above 144"W will not have matching grain patterns. Woodgrain High-Pressure Laminate twopiece tops 120"W-144"W will have matching grain patterns.

Tip: Grommet options allow for either no grommet or hinged power door unit(s). Grommets are available for order as a separate style number, and are field installed.

Tip: Selecting hinged door grommet option results in cut out in table top. Power unit ships separately and is field installed.

	Standard Includes	Required to Specify
Need help? Product details, page 32	<ul> <li>Top: Low-Pressure Laminate price group 1 with 3 mm plastic square edge</li> <li>Table base</li> <li>Ships ready to assemble</li> <li>Reinforcing channel, if required, dependent on table size and base option</li> </ul>	Style number

Options	U.S. Price	Required to Specify
<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Column	Prices below	Specify with column.
<ul> <li>Rectangle base</li> </ul>	Prices below	Specify with rectangle base.
T-base	Prices below	Specify with T-base.
• X-base	Prices below	Specify with X-base.
• 1½"	No cost	Specify with 11/8" thickness.
• 13/8"	+\$160	Specify with 13/8" thickness.
No grommet	No cost	Specify without grommet.
Hinged door	+\$529	Specify with hinged door.
	Low-Pressure Laminate (LPL) price group 1     High-Pressure Laminate (HPL) price group 1     High-Pressure Laminate (HPL) price group 2     High-Pressure Laminate (HPL) price group 3     Open Line laminate      Column     Rectangle base     T-base     X-base      11/8"     13/8"      No grommet	Low-Pressure Laminate (LPL) price group 1     High-Pressure Laminate (HPL) price group 1     High-Pressure Laminate (HPL) price group 2     High-Pressure Laminate (HPL) price group 3     Open Line laminate        Column


#### **Base Type Upcharges**

·Base	·Base	·Options (Ad	ld \$ to Base Price	e)		
Туре	Price	Paint Price Group 2	Paint Price Group 3	Polished Chrome	High-Pressure Laminate Price Group 1	
<u></u>	: #000	: 004	: N A	: N A	: N.A	
Column	+\$323	+\$24	N.A.	N.A.	N.A.	
Rectange	ular Base					
17%16"W	N.A.	N.A.	N.A.	N.A.	N.A.	
23%16"W	+\$879	N.A.	N.A.	N.A.	+\$220	
T-base						
26"W	N.A.	N.A.	N.A.	N.A.	N.A.	
36"W	+\$395	+\$24	+\$35	+\$168	N.A.	
X-base						
26"W	N.A.	N.A.	N.A.	N.A.	N.A.	
36"W	+\$462	+\$24	+\$35	+\$168	N.A.	
					•	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Specific	ation Ir	format	tion									
·Style	·Dimens	sions		·U.S. Base	Prices							
Number	Mod.	Para.	Mod.	96"W	: 102"W	108"W	114"W	120"W	: 126"W	138"W	144"W	: 150"W
	Depth	Depth	Width			•		-		-	:	
			Para.	96"W-	102"W-	108"W-	114"W-	120"W-	126"W-	138"W-	144"W-	150"W-
:	:	:	Width	: 101 <sup>15</sup> /16"W	: 107 <sup>15</sup> /16"W	: 113 <sup>15</sup> /16"W	: 119 <sup>15</sup> /16"W	125 <sup>15</sup> /16"W	: 137 <sup>15</sup> /16"W	143 <sup>15</sup> /16"W	: 149 <sup>15</sup> /16"W	: 155 <sup>15</sup> /16"W



# **Boat-Shaped Table—Low-Pressure Laminate**

CRBTTBL	48"	48"	\$1297	\$1367	\$1443	\$1523	\$1606	\$1687	\$1850	\$1934	\$2021

#### ▶ Specifying Information continued from above

·Style	Dimens	sions		·U.S. Base	Prices	
Number	Mod.	Para.	Mod.	156"W	: 162"W	: 168"W
	Depth	Depth	Width	•	:	•
			Para.	156"W-	162"W-	168"W
			Width	161 <sup>15</sup> /16"W	167 <sup>15</sup> /16"W	
:	:	:	Width	: 161 <sup>15</sup> /16"W	: 167 <sup>15</sup> /16"W	:

# **Boat-Shaped Table—Low-Pressure Laminate**

CRBTTBL	48"	48"	\$2112	\$2207	\$2232

Style	·Dimens	sions		·U.S. Base	Prices							
Number	Mod.	Para.	Mod.	96"W	· 102"W	· 108"W	· 114"W	· 120"W	· 126"W	· 138"W	· 144"W	· 150"W
	Depth	Depth	Width	:	:	:	:	:	:		:	:
	: -		Para.	96"W-	· 102"W-	· 108"W–	· 114"W–	120"W-	· 126"W-	138"W-	· 144"W–	· 150"W-
	:	:	Width	101 <sup>15</sup> /16"W	107 <sup>15</sup> /16"W	113 <sup>15</sup> /16"W	: 119 <sup>15</sup> / <sub>16</sub> "W	125 <sup>15</sup> /16"W	137 <sup>15</sup> /16"W	143 <sup>15</sup> /16"W	149 <sup>15</sup> / <sub>16</sub> "W	: 155 <sup>15</sup> ⁄16"W
				•	•	•	•	•	•	•	•	
Boat-Sha	aped Ta	ble—H	igh-Pr	essure La	minate							

#### ▶ Specifying Information continued from above

·Style	Dimens	sions		·U.S. Base	Prices	
Number	Mod.	Para.	Mod.	156"W	: 162"W	: 168"W
	Depth	Depth	Width		:	
	-		Para.	156"W-	162"W-	168"W
			Width	· 161 <sup>15</sup> /16"W	· 16715/16"W	
:	:			:	:	

# **Boat-Shaped Table—High-Pressure Laminate**

CRBTTBL	48"	48"	\$2641	\$2759	\$2791
			T	7	T



**For Canadian Pricing** 

Multiply U.S. Price by the Canadian price factor.

# **Legs and Table Bases**

# **Rectangular Base**



Standard Includes	Required to Specify
<ul> <li>Base: Low-Pressure Laminate price group 1</li> <li>Adjusting leveling glides: black plastic</li> <li>Ships ready to assemble</li> </ul>	Style number

	Options	U.S. Price	Required to Specify
Width	• 18"W • 24"W	Prices at right Prices at right	Specify 18"Width. Specify 24"Width.
Base Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.

ificatio	n Info	rmation			
		<b>.</b> .			
nsions W	н	Number	LPL	HPL	
17 <sup>9</sup> /16"	28"	CRRECB	\$780	\$ 976	
23 <sup>9</sup> /16"	28"	CRRECB	\$879	\$1099	
	17 <sup>9</sup> /16"	nsions W H 17 <sup>9</sup> /16" 28"	W H Number  179/16" 28" CRRECB	U.S. Bas LPL W H Number 179/16" 28" CRRECB \$780	U.S. Base Prices



### **Steel T-base and X-base**

#### **Standard Includes Required to Specify** Column: paint Style number · Base: paint price group 1 Adjusting leveling glides: black plastic · Ships ready to assemble

	Options	U.S. Price	Required to Specify
Width	• 26"W	Prices at right	Specify 26"Width.
	• 36"W	Prices at right	Specify 36"Width.
Base Finish	Paint price group 1	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$ 24	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	+\$ 35	Specify paint color number.
	Polished chrome	+\$168	Specify with polished chrome
Column Finish	Paint price group 1	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 3</li> </ul>	No cost	Specify paint color number.
	Polished chrome	No cost	Specify with polished chrome

Specification Information					
·Width	· Column Diameter	· Style Number	·U.S. Base Price		
<u>:</u>	:	•	:		

### **T-Bases**

26"	21/4"	CRSTB	\$317	
36"	21/4"	CRSTB	\$395	

Steelcase October 2023

### X-Rases

A BU303					
26"	21/4"	CRSXB	\$359		
36"	21/4"	CRSXB	\$462		
:	:	:	:		





Legs and Table Bases, continued

#### **Post Leg**



#### **Standard Includes Required to Specify**

- Post leg: paint price group 1
- · Adjusting leveling glides
- · Ships ready to assemble

Style number

	Options	U.S. Price	Required to Specify
Base Finish	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$24	Specify paint color number. Specify paint color number.

Spe	Specification Information							
Dime	ensions W	н	• Style Number	· U.S. Base Price				
<b>3"</b> :	3"	273/4"	CRPB	\$460 :				

### **Square Legs**



### **Standard Includes**

- Square legs: paint price group 1
- Adjusting leveling glides: black plastic
- · Quantity: one
- · Ships ready to assemble

Requirea	to Specii
Style number	

**Options U.S. Price Required to Specify Base Finish** No cost · Paint price group 1 Specify paint color number. +\$24 • Paint price group 2 Specify paint color number. +\$41 · Paint price group 3 Specify paint color number. Width • 16"W Specify 16"Width. Prices at right • 19"W Prices at right Specify 19"Width. Specify 28"Width. • 28"W


Prices at right

Spe	Specification Information						
· Dim	ensions W	н	• Style Number	·U.S. Base Price			
2"	2"	151/4"	CRSQB	\$221			
2"	2"	181/4"	CRSQB	\$231			
2"	2"	271/4"	CRSQB	\$195 :			



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

## **Column Leg**



#### Standard Includes Required to Specify

- Column leg: paint price group 1
- Adjusting leveling glides: black plastic
- · Ships ready to assemble

Style	numher	

	Options	U.S. Price	Required to Specify
Base Finish	<ul> <li>Paint price group 1</li> </ul>	No cost	Specify paint color number.
	<ul> <li>Paint price group 2</li> </ul>	+\$24	Specify paint color number.

Spe	Specification Information							
· Dime	ensions W	н	•Style Number	· U.S. Base Price				
6" :	6"	275/16"	CRCLMB	\$323 :				

## **Post Leg**



Standard Includes	Required to Specify

- Post leg: paint price group 1
- · Adjusting leveling glides
- · Ships ready to assemble

Style number

	Options	U.S. Price	Required to Specify
Basic (Primary Finish)	<ul><li>Paint price group 1</li><li>Paint price group 2</li></ul>	No cost +\$19	Specify paint color number. Specify paint color number.

Specifi	mation	
·Height	·Style	·U.S.
:	Number	Base
	•	Price
:	:	:
273/8"	TSATP27	\$193



# **Supports and Channels**

Standard Includes	Required to Specify
<ul> <li>Worksurface supports and channels: black paint</li> </ul>	Style number

Specificat	ion Inform	ation		
Dimensions		·U.S. Base Price		
In-Line Sup	port Plate	)		
14"D	TSATDI 14	\$105		





7"L

**TSATTIE** 

\$148

In-Line Support Plate							
14"D	TSATPL14	\$105					
20"D	TSATPL20	\$105					
Packag	Package of Six Tie Plates for Side-by-Side Worksurfaces						

Reinforcing Channels					
39"W	TSATRC39	\$ 74			
48"W	TSATRC48	\$ 77			
57"W	TSATRC57	\$ 81			
72"W	TSATRC72	\$174			

# **Intermediate Support**

Standard Includes	Required to Specify
<ul><li>Intermediate support: paint</li><li>Attachment hardware</li></ul>	Style number

	Options	U.S. Price	Required to Specify
Basic (Primary Finish)	<ul><li>Paint price group 1</li><li>Paint price group 2</li><li>Paint price group 3</li></ul>	No cost +\$19 +\$33	Specify paint color number. Specify paint color number. Specify paint color number.
Storage Brancing Options	No brace	No cost	Specify without brace.

Specification Information						
·Dime	ensions	·Style	·U.S.			
D	н	Number	Base			
:		:	Price			
:		:	:			

# For Use with One-High Currency Storage

6" 28<sup>1</sup>/<sub>2</sub>" **UFS1610H** \$323


### For Use with 1.5-High Currency Storage

16" 28½" **UFS1615H** \$323





# **Modesty Panel**



Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

#### **Required to Specify**

- Modesty panel: Low-Pressure Laminate price group 1
- Bracket: paint price group 1, Merle
- Ships ready to assemble

Style number


	Options	U.S. Price	Required to Specify
Modesty Panel Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.

Style	·Height		·U.S. Base					E 410.47	
Number	:	Modular Width	: 24"W	: 30"W	: 36"W	: 42"W	: 48"W	54"W	: 60"W
•		Parametric	24"W- 29 <sup>15</sup> ⁄16"W	30"W- 35 <sup>15</sup> ⁄16"W	36"W- 41 <sup>15</sup> ⁄16"W	42"W- 47 <sup>15</sup> / <sub>16</sub> "W	48"W- 53 <sup>15</sup> / <sub>16</sub> "W	54"W- 59 <sup>15</sup> ⁄16"W	60"W
Low-Pre	ssure Lar	ninate				·			
CRMP	133⁄4"		\$352	\$380	\$401	\$434	\$456 :	\$482	\$508 :
High-Pro	essure La	minate							



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# Two-High Fixed Pedestals X4/24



#### **Standard Includes**

#### **Required to Specify**

Style number

► Need help? · Fixed pedestal, Two-High: Product details, page 34

- Low-Pressure Laminate case with matching or contras ing Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · One pencil tray is included in units with a box drawer
- Lock plug
- · Counterweight

**Options** 

187/g"D

· 24"D

• 30"D

- · Attachment hardware
- 1½" adjustable leveling glides
- · Shipped fully assembled

ast-			

Case Finish	Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
	price group		
	<ul> <li>High-Pressure Laminate (HPL)</li> </ul>	Prices at right	Specify laminate color number.
	price group 1		
ıp	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
_			• •

Tip: For laminate price grou 2 and higher pricing, please refer to the electronic catalog or SmartTools.

aminate color number. price group 2 · High-Pressure Laminate (HPL) See information at left Specify laminate color number. price group 3 · Open Line laminate +\$102 plus cost See Surface Material Reference Manual. of laminate

**U.S. Price** 

Prices at right

Prices at right

Prices at right

No cost

Finish	

Headset

**Depth** 

price group 1 · High-Pressure Laminate (HPL) Prices at right price group 1 · High-Pressure Laminate (HPL) See information at left price group 2 · High-Pressure Laminate (HPL) See information at left Specify laminate color number. Specify laminate color number.

Specify with inset pull.

Specify with nile pull.

Specify with bar pull.

Specify with transitional pull.

Specify laminate color number.

See Surface Material Reference Manual.

**Required to Specify** 

Specify 187/8" depth.

Specify 24" depth.

Specify 30" depth.

price group 3 · Open Line laminate

Low-Pressure Laminate (LPL)

Specify laminate color number.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Keys	<ul><li>Key plug</li><li>Master key plug</li></ul>	No cost +\$ 36 per lock	Specify with key plug. Specify with master key plug.
Pull	Contemporary	No cost	Specify with contemporary pul

Specify with contemporary pull. No cost Contemporary Handle No cost Specify with handle pull. Ledge No cost Specify with ledge pull. +\$ 27 per pull Specify with jazz pull. Jazz

+\$ 36 per pull

+\$ 37 per pull

+\$ 37 per pull

+\$ 39 per pull

+\$102 plus cost

of laminate

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the elec-

tronic catalog or SmartTools.

Counterweight

· No counterweight · With counterweight

 Inset Nile

• Bar

Transitional

-\$100 Specify with no counterweight. No cost Specify with counterweight.



For Canadian Pricing Multiply U.S. Price by the


Canadian price factor. See page 1 for details.

Steelcase October 2023

Cura	idi Ai	an Indan					
Spec	incatio	on Infor	mation				
Dimensions D W		н	·Style Number	U.S. Base Price		· HPL Case	
			:	LPL Headset	HPL Headset	HPL Headset	
Two-l	High Fi	xed Ped	lestals 🔀 4/	24			
One O	pen, On	e Box Dra	wer, and One F	ile Drawer			
18 <sup>7</sup> ⁄8"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$ 890	\$ 963	\$1115	
22 <sup>13</sup> /16"	157/8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
24"	157/8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
291/16"	157⁄a"	275/16"	CRPD2H	\$1033	\$1225	\$1418	








Two-l	High F	ixed Ped	lestals 🔀 4/	24			
One O	pen, On	e Box Dra	wer, and One F	ile Drawer			
187⁄8"	157/8"	275/16"	CRPD2H	\$ 890	\$ 963	\$1115	
22 <sup>13</sup> /16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
24"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
29½16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
30"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
Two B	ox Drav	vers, and	One File Drawe	r			
18 <sup>7</sup> /8"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$ 890	\$ 963	\$1115	
22 <sup>13</sup> /16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
24"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
29½16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
30"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
Two Fi	ile Drav	/ers					
18 <sup>7</sup> /8"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$ 890	\$ 963	\$1115	
22 <sup>13</sup> /16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
24"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1018	\$1099	\$1272	
29 <sup>1</sup> /16"	15 <sup>7</sup> /8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
30"	157/8"	275/16"	CRPD2H	\$1033	\$1225	\$1418	
			:	:		•	

# 1.5-High and Two-High Fixed Pedestals



#### **Standard Includes**

Style number

► Need help? Product details, page 34

- Fixed pedestal, 1.5-High and Two-High: - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- One pencil tray is included in units with a box drawer
- Lock plug
- · Counterweight, if selected
- · Attachment hardware
- 1½" adjustable leveling glides
- · Shipped fully assembled

		re					

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /8" depth.
	• 24"D	Prices at right	Specify 24" depth.
	• 30"D	Prices at right	Specify 30" depth.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.
Pull	Contemporary	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Counterweight

No cost

+\$100

· No counterweight


· With counterweight

Specify with no counterweight.


Specify with counterweight.


					U.S. Bas	se Prices	
<b>Dimensio</b>	ns			·Style	·LPL		·HPL
D	D	W	Н	Number	Case		Case
Modular Parametric				:	:		:
				:	. LPL	· HPL	·HPL
					Headset	Headset	Headset











### 1.5-High Fixed Pedestals

One Box Drawer and One File Drawer										
187⁄8"	187⁄8"	15 <sup>3</sup> /4"	213/8"	CRPD15H	\$ 632	\$ 690	\$ 814			
24"	18 <sup>15</sup> /16"–24"	15 <sup>3</sup> /4"	21 <sup>3</sup> /8"	CRPD15H	\$ 727	\$ 792	\$ 932			
:				:	:	:	:			

## **Two-High Fixed Pedestals**

One Open, One Box Drawer, and One File Drawer								
187/8"	18 <sup>7</sup> /8"	15 <sup>3</sup> /4"	275/16"	CRPD2HOBF	\$ 790	\$ 863	\$1015	
24"	18 <sup>15</sup> /16"–24"	15 <sup>3</sup> /4"	275/16"	CRPD2HOBF	\$ 918	\$ 999	\$1172	
30"	241/16"-30"	15 <sup>3</sup> /4"	275/16"	CRPD2HOBF	\$1033	\$1125	\$1318	

Two Box Drawers and One File Drawer									
187/8"	18 <sup>7</sup> /8"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPD2HBBF	\$ 790	\$ 863	\$1015		
24"	18 <sup>15</sup> /16"-24"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPD2HBBF	\$ 918	\$ 999	\$1172		
30"	241/16"-30"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPD2HBBF	\$1033	\$1125	\$1318		

Two File Drawers									
187/8"	18 <sup>7</sup> ⁄8"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPD2HFF	\$ 790	\$ 863	\$1015		
24"	18 <sup>15</sup> /16"–24"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPD2HFF	\$ 918	\$ 999	\$1172		
30"	241/16"-30"	15 <sup>3</sup> /4"	275/16"	CRPD2HFF	\$1033	\$1125	\$1318		
:				:	:		:		

**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# **Two-High Fixed Pedestals for Use with Shells**



#### **Standard Includes**

#### **Required to Specify**

Need help?
Product details,
page 38

- Fixed pedestal, Two-High:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Bore and dowel drawer construction: black
- One fastened metal filing system per file drawer: black only
- Full extension, heavy-duty ball bearing drawer suspensions
- One pencil tray is included in units with a box drawer
- Lock plug
- · Counterweight, if selected
- Attachment hardware
- 1¼" adjustable leveling glides
- · Shipped fully assembled

	 _
Style number	

Tip: Specify type of
Currency shell the pedestal
will be going underneath in
Application step.
5 5

Tip: Specify depth of your Currency shell the pedestal will be going underneath in application depth step.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Application	Currency desk shell	No cost	Specify with Currency desk shell.
	<ul> <li>Currency bow front shell</li> </ul>	No cost	Specify with Currency bow front shell.
	<ul> <li>Currency desk shell</li> </ul>	No cost	Specify with Currency desk shell with
	with overhang		overhang.
	<ul> <li>Currency return shell</li> </ul>	No cost	Specify with Currency return shell.
Application	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /8" depth.
Depth	• 24"D	Prices at right	Specify 24" depth.
	• 30"D	Prices at right	Specify 30" depth.
	• 36"D	Prices at right	Specify 36" depth.
	• 42"D	Prices at right	Specify 42" depth.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.

#### ▶Options, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

#### ▶Options, continued from previous page


	Options	U.S. Price	Required to Specify
Pull	Contemporary	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Counterweight	No counterweight	No cost	Specify with no counterweight.
_	<ul> <li>With counterweight</li> </ul>	+\$100	Specify with counterweight.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

				U.S. Bas	e Prices	
Dimensions D D	w	н	· Style Number	· LPL Case		· HPL Case
, D Modular Parame			Hulliber	Case		Case
				: LPL	· HPL	HPL
				Headset	Headset	Headset


#### **Two-High Fixed Pedestals For Use with Shells**







Two Bo	Two Box Drawers and One File Drawer										
187/8"	18 <sup>7</sup> /8"	15 <sup>3</sup> /4"	275/16"	CRPDSHL2HBBF	\$ 790	\$ 863	\$1015				
24"	18 <sup>15</sup> /16"-24"	15 <sup>3</sup> /4"	275/16"	CRPDSHL2HBBF	\$ 918	\$ 999	\$1172				
30"	241/16"-30"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HBBF	\$1033	\$1125	\$1318				
36"	36"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HBBF	\$1033	\$1125	\$1318				
42"	42"	153/4"	27 <sup>5</sup> /16"	CRPDSHL2HBBF	\$1064	\$1159	\$1361				



Two Fil	e Drawers						
18 <sup>7</sup> /8"	187/8"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HFF	\$ 790	\$ 863	\$1015
24"	18 <sup>15</sup> /16"-24"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HFF	\$ 918	\$ 999	\$1172
30"	241/16"-30"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HFF	\$1033	\$1125	\$1318
36"	36"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HFF	\$1033	\$1125	\$1318
42"	42"	15 <sup>3</sup> /4"	27 <sup>5</sup> /16"	CRPDSHL2HFF	\$1064	\$1159	\$1361
•				•			



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

# Two-High Mobile Pedestals 24/24



	Standard Includes	Required to Specify
Need help? Product details, page 34	<ul> <li>Mobile pedestal, Two-High: <ul> <li>Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset</li> <li>Low-Pressure Laminate case with High-Pressure Laminate headset, if selected</li> <li>High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected</li> </ul> </li> <li>Finished back</li> <li>Bore and dowel drawer construction: black</li> <li>One fastened metal filing system per file drawer: black only</li> <li>Full extension, heavy-duty ball bearing drawer suspensions</li> <li>Two counterweights</li> <li>Lock plug</li> <li>Shipped fully assembled</li> <li>One pencil tray is included in units with a box drawer</li> </ul>	Style number

Tip: Two-High mobile pedestals do not fit under desks that have reinforcement channels.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Depth	• 22"D	Prices at right	Specify 22" depth.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	· ·	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>		Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Hop Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
1 111311	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	• Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul><li>Inset</li><li>Nile</li></ul>	+\$ 36 per pull	Specify with nile pull.
	Transitional	+\$ 37 per pull +\$ 37 per pull	Specify with nile pull. Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

October 2023

Spe	cificat	ion Info	ormation					
Dim D	ensions W	н	·Style Number	U.S. Base ·LPL Case			· HPL Case	<b>,</b>
				LPL	HPL	·HPL	HPL	· HPL
				Headset	Headset	Headset	Headset	Headset
				and Top	with LPL	and Top	with LPL	and Top
				· · ·	Тор	· -	Тор	: -

# Two-High Mobile Pedestals ☑ 4/24

2515/16"

22"

CRMP2HE

Olic Ob	One Open, One Box Drawer, and One File Drawer											
22"	153⁄4"	25 <sup>15</sup> /16"	CRMP2HE	\$1208	\$1286	\$1364	\$1408	\$1486				
								•				



Tip: Two-High mobile pedestals with a cushion top will not fit under a desk.





22"	153⁄4"	25 <sup>15</sup> /16"	CRMP2HE	\$1208	\$1286	\$1364	\$1408	\$1486
			:	:	:	:		:

\$1286

\$1364

\$1408

\$1486

\$1208



# **Mobile Pedestals**



#### **Standard Includes**

Style number

Need help? Product details, page 34

- Mobile pedestal, 1.5 High, and Two-High: - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headse
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- Two counterweights
- Lock plug
- · Shipped fully assembled
- One pencil tray is included in units with a box drawer

Ю.	96	ш	rod	ŧο		eci	f٧
	G	СП	Cu	u	-yr	CUI	ı y

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /8" depth.
	• 22"D	Prices at right	Specify 22" depth.
Cushion	Fabric price group 1	No cost	Specify fabric color number.
Finish	<ul> <li>Fabric price group 2</li> </ul>	+\$ 16	Specify fabric color number.
	<ul> <li>Vinyl price group 2</li> </ul>	+\$ 16	Specify vinyl color number.
	<ul> <li>Fabric price group 3</li> </ul>	+\$ 59	Specify fabric color number.
	<ul> <li>Fabric price group 4</li> </ul>	+\$ 73	Specify fabric color number.
	Fabric price group 5	+\$ 94	Specify fabric color number.
	<ul> <li>Fabric price group 6</li> </ul>	+\$ 130	Specify fabric color number.
	Fabric price group 7	+\$ 157	Specify fabric color number.
	Fabric price group 8	+\$ 226	Specify fabric color number.
	Fabric price group 9	+\$ 289	Specify fabric color number.
	Fabric price group 10	+\$ 351	Specify fabric color number.
	Leather price group 1	+\$ 899	Specify leather color number.
	Leather price group 2	+\$1040	Specify leather color number.
	Customer's Own Materials (COM)	+\$ 23	See Surface Materials Reference Manua
	Customer's Own Leather (COL)	No cost	See Surface Materials Reference Manua
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Top Surface Finish	<ul> <li>Low-Pressure Laminate (LPL) price group 1</li> </ul>	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	<ul> <li>Ledge</li> </ul>	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	• Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	Master key plug	+\$ 36 per lock	Specify with master key plug.
Drawer	Box/box/file	Prices below and at right	Specify with box/box/file.
Configuration	Box/file	Prices below and at right	Specify with box/file.
	<ul> <li>Open/box/file</li> </ul>	Prices below and at right	Specify with open/box/file.

Tip: Lock for the box/box/file configuration does not lock the top box drawer.

Specific	ation Infor	matio	n						
· Dimensio D	ns D	w	н	· Style · Number	U.S. Base P ∙LPL Case	rices		· HPL Case	
Modular	<b>Parametric</b>			:	LPL	HPL	· HPL	HPL	HPL
:				:	Headset	Headset	Headset	Headset	Headset
:				:	and Top	with LPL	and Top	with LPL	and Top
:						Top		Top	



# 1.5-High Mobile Pedestals

One Box	Drawer and O	ne File D	rawer						
187/8"	N.A.	153/4"	232/3"	CRMP15H	\$918	\$ 975	\$1032	\$1063	\$1120
22"	18 <sup>15</sup> /16–22"	153/4"	232/3"	CRMP15H	\$980	\$1041	\$1102	\$1138	\$1199
				•	•	-			•

▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

#### ▶ Specification Information, continued from previous page

Specific	ation Infor	matio	n						
· Dimensio D	ns D	w	н	· Style · Number	U.S. Base P ∙LPL Case	rices		· HPL Case	
Modular	<b>Parametric</b>			:	LPL	HPL	· HPL	HPL	· HPL
:				:	Headset	Headset	Headset	Headset	Headset
:				:	and Top	with LPL	and Top	with LPL	and Top
:						Тор	· -	Тор	· ·

## **Two-High Mobile Pedestals**




One Op	en, One Box	Drawer, and	d One File	Drawer					
22"	N.A.	15 <sup>3</sup> /4"	25 <sup>15</sup> /16"	CRMP2HOBF	\$1208	\$1286	\$1364	\$1408	\$1486



Two Bo	x Drawers ar	nd One File	Drawer						
22"	N.A.	15 <sup>3</sup> /4"	25 <sup>15</sup> /16"	CRMP2HBBF	\$1208	\$1286	\$1364	\$1408	\$1486
					-				



Two File D	Prawers								
22"	N.A.	15 <sup>3</sup> /4"	25 <sup>15</sup> / <sub>16</sub> "	CRMP2HFF	\$1208	\$1286	\$1364	\$1408	\$1486
:				:	:	:	:	:	:



# **Pedestal Cushion Top**

18<sup>7</sup>/8" or 22" N.A. 15<sup>3</sup>/4" 1<sup>3</sup>/4" **CRC** \$ 356



**For Canadian Pricing** 

Multiply U.S. Price by the Canadian price factor.

# **Storage Filler Panels**

Tip: Storage filler panels are used for units of same height with finished backs only; not for use with recessed or open back units.

Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Standard Includes	Required to Specify	
Need help? Product details, page 43	<ul> <li>Low-Pressure Laminate price group 1</li> <li>High-Pressure Laminate price group 1, if selected</li> </ul>	Style number	

	Options	U.S. Price	Required to Specify
Panel Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Storage	One-High	+\$ 68	Specify with One-High storage height.
Height	• 1.5-High	+\$ 76	Specify with 1.5-High storage height.
	• Two-High	+\$ 80	Specigy with Two-High storage height.

D	W	н	Number			
			: :	LPL	HPL Price Group 1	
)ne-H	ligh Fi	ller Pan	el			
"	51/8"	153/8"	CRFP	\$68	\$ 89	

1.5-l	ligh Fil	ller Pane	el			
1"	51/8"	213/8"	CRFP	\$76	\$ 97	
:			:	:	:	


Two-High Filler Panel						
1"	51/8"	273/8"	CRFP	\$80	\$101	
:			:	:	•	





**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# **Storage to Beam Connector**



Tip: Storage-to-beam connector can not be used with Answer panels.

Standard Includes	Required to Specify
<ul> <li>Skin material: fabric or steel, laminate or veneer</li> <li>Connector: black paint</li> <li>Attachment hardware</li> </ul>	Style number

	Options	U.S. Price	Required to Specify
Skin Materials	<ul><li>Fabric or steel</li><li>Laminate or veneer</li></ul>	No cost No cost	Specify with fabric or steel skin material. Specify with laminate or veneer skin material.
Storage Height	• 1.5-High or Two-High	No cost	Specify with 1.5-High or Two-High storage height.
	<ul> <li>One-High</li> </ul>	No cost	Specify with One-High storage height.
Application	• Full	No cost	Specify with full application.
	<ul> <li>Recessed</li> </ul>	No cost	Specify with recessed application.
Handedness	Left-hand	No cost	Specify with left-hand.
	<ul> <li>Right-hand</li> </ul>	No cost	Specify with right-hand.

Specifica	cation Information	
• Style Number	· U.S. Price	
CRSTBC	\$122	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor. See page 1 for details.

# **Basic Cushions Enhanced**



Tip: Basic cushion enhanced is constructed with a thin solid base.

Tip: Basic cushion is fieldinstalled and supplies to attach are included.

Standard Includes	Required to Specify
<ul> <li>Enhanced cushion top: fabric price group 1</li> <li>Attachment supplies: hook and loop fastener</li> </ul>	Style number

	Options	U.S. Price	Required to Specify
Upholstery	Upholstery price group 1	No cost	Specify upholstery color number.
•	<ul> <li>Upholstery price group 2</li> </ul>	+\$ 12	Specify upholstery color number.
	<ul> <li>Upholstery price group 3</li> </ul>	+\$ 59	Specify upholstery color number.
	<ul> <li>Upholstery price group 4</li> </ul>	+\$ 73	Specify upholstery color number.
	<ul> <li>Upholstery price group 5</li> </ul>	+\$ 92	Specify upholstery color number.
	Upholstery price group 6	+\$129	Specify upholstery color number.
	<ul> <li>Upholstery price group 7</li> </ul>	+\$154	Specify upholstery color number.
	Upholstery price group 8	+\$223	Specify upholstery color number.
	Upholstery price group 9	+\$286	Specify upholstery color number.
	Upholstery price group 10	+\$348	Specify upholstery color number.
	<ul> <li>Customer's Own Material (COM)</li> </ul>	+\$ 23	See Surface Materials Reference Manual.
Storage	Bracing for 30"W storage	No cost	Specify with bracing for 30"W storage.
Brancing Options	Bracing for 36"W storage	No cost	Specify with bracing for 36"W storage.

• Dimensions • Style				·U.S.
D	W	н	Number	Base Price
18"	30"	1"	RCHE1830	\$374
18"	36"	1"	RCHE1836	\$397
18"	42"	1"	RCHE1842	\$420
231/8"	30"	1"	RCHE2430	\$427
23½"	36"	1"	RCHE2436	\$443



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# **One-High and 1.5-High Open Storage**

Tip: The actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications.

	Standard Includes	Required to Specify
Need help? Product details, page 46	Case, One-High and 1.5-High:  Low-Pressure Laminate price group 1  High-Pressure Laminate price group 1, if selected Removable interior cover  Shelf, if 1.5-High unit is selected  Grommet  Wire manager  11/4" adjustable leveling glides  Shipped fully assembled	Style number

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 18 <sup>7</sup> /8" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 30"W	Prices at right	Specify 30"Width.
	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 72"W	Prices at right	Specify 72"Width.
Desk Type	Migration SE	No cost	Specify with Migration SE.
	<ul> <li>Ology</li> </ul>	No cost	Specify with Ology.
	Slim Leg HAD	No cost	Specify Slim Leg HAD.
Back Panel	No back panel	No cost	Specify without back panel.
	<ul> <li>With a back panel 30"W–42"W</li> </ul>	+\$177	Specify with back panel.
	<ul> <li>With a back panel 42<sup>1</sup>/<sub>16</sub>"W-72"W</li> </ul>	+\$189	Specify with back panel.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.


Tip: For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Specification Information									
				U.S. E	Base Price	s			
·Dimensions		·Style	Modular	•30"	•36"	•42"	•48"	•60"	•72"
Modular	<b>Parametric</b>	Number	Width	:	:	:	:	:	:
Depth	Depth	:	<b>Parametric</b>	•30"	•30 <sup>1</sup> /16"	•36 <sup>1</sup> /16"	•42 <sup>1</sup> /16"	•48 <sup>1</sup> /16"	•60 <sup>1</sup> / <sub>16</sub> "
		:	Width	:	; <b>–</b> 36"	: <b>-42</b> "	; <b>–48</b> "	; <b>–</b> 60"	: <b>–72</b> "

# One-High Open Storage for Ology, Migration SE, or Slim Leg HAD Application



Low-Pressure Laminate								
187/8"	N.A.	CRHAD1H	\$ 862	\$ 862	\$ 869	\$ 897	\$ 924	\$ 954
24"	18 <sup>15</sup> /16"–24"	CRHAD1H	\$ 905	\$ 905	\$ 912	\$ 942	\$ 970	\$1002
High-Pres	sure Laminate							
18 <sup>7</sup> /8"	N.A.	CRHAD1H	\$1078	\$1078	\$1086	\$1122	\$1156	\$1192
24"	18 <sup>15</sup> /16"–24"	CRHAD1H	\$1131	\$1131	\$1140	\$1177	\$1212	\$1252
			:	:	:		:	:

# 1.5-High Open Storage for Ology, Migration SE, or Slim Leg HAD Application




Low-Pressure Laminate								
187/8"	N.A.	CRHAD15H	\$ 898	\$ 898	\$ 906	\$ 934	\$ 961	\$ 989
24"	18 <sup>15</sup> /16"–24"	CRHAD15H	\$ 943	\$ 943	\$ 951	\$ 981	\$1009	\$1038
High-Pres	sure Laminate							
187/8"	N.A.	CRHAD15H	\$1123	\$1123	\$1132	\$1167	\$1201	\$1236
24"	18 <sup>15</sup> /16"–24"	CRHAD15H	\$1178	\$1178	\$1189	\$1226	\$1261	\$1297
		:	i		:	:		:



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# 1.5-High Credenza Storage



Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

#### **Required to Specify**

Style number

►Need help? Product details, page 50

- 1.5-High credenza, if open/open is selected:
- Low-Pressure Laminate case, price group 1
- High-Pressure Laminate case, price group 1, if selected
- 1.5-High credenza, if open/lateral file or lateral file/lateral file is selected:
- Low-Pressure Laminate case, price group 1
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Adjustable shelf on open/open configuration and open/ lateral file configuration
- · Lock on open/lateral file or lateral file/lateral file configuration, if selected, plug
- · Counterweight included on units with drawers
- 1½" leveling glides
- · Shipped fully assembled

	Options	U.S. Price	Required to Specify
Size Option	Modular	No cost	Specify with modular.
	Parametric	No cost	Specify with parametric.
Depth	• 18 <sup>7</sup> / <sub>8</sub> "D	Prices at right	Specify 187/8" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
Storage	30" left lateral/	No cost	Specify with 30" left lateral/
Configuration	36" right lateral		36" right lateral configuration.
	36" left lateral/	No cost	Specify with 36" left lateral/
	30" right lateral		30" right lateral configuration.
Application	• Full	No cost	Specify with full application.
	Recessed	No cost	Specify with recessed application.
Top Options	No top	No cost	Specify without top.
	With top	No cost	Specify with top.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 13/8"	+\$160	Specify with 13/8" thickness.
Case	Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
Finish	price group 1		
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 2		
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost	See Surface Material Reference Manual
		of laminate	
Headset	Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
Finish	price group 1		
	High-Pressure Laminate (HPL)	Prices at right	Specify laminate color number.
	price group 1	One information of the	Consider la main ata de la constante
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 3		, ,
	Open Line laminate	+\$102 plus cost	► See Surface Material Reference Manual
		of laminate	

Tip: For a 42"W open/open configuration, refer to 42" open low storage.

Tip: Open/open configuration does not include a headset.

Tip: Recessed back option automatically removes top. Specify square edge top with 1/2" cord drop and power access door separately.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.



For Canadian Pricing Multiply U.S. Price by the

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual
Pull	Contemporary	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

### **With Top Option Upcharges**

Dimensions D W		D W	w	• Option • (Add \$ t	s o Base Price)
Modular	Modular	Parametric	Parametric	LPL	HPL Price Group 1
187/8"	42"	N.A.	N.A.	+\$160	+\$213
187⁄8"	48"	N.A.	42 <sup>1</sup> /16"-48"W	+\$193	+\$256
187⁄8"	60"	N.A.	48 <sup>1</sup> / <sub>16</sub> "–60"W	+\$222	+\$297
187⁄8"	66"	N.A.	60½16"-66"W	+\$259	+\$344
187⁄8"	72"	N.A.	661/16"-72"	+\$288	+\$385
24"	42"	18 <sup>15</sup> /16"–24"	N.A.	+\$173	+\$231
24"	48"	18 <sup>15</sup> /16"–24"	421/16"-48"	+\$206	+\$275
24"	60"	18 <sup>15</sup> /16"–24"	481/16"-60"	+\$233	+\$311
24"	66"	18 <sup>15</sup> /16"-24"	601/16"-66"	+\$262	+\$348
24"	72"	18 <sup>15</sup> /16"-24"	661/16"-72"	+\$292	+\$415


▶ Specification Information, on next page



## 1.5-High Credenza Storage, continued

#### ▶ Options, on previous page

Specific	ation Inforr	nation						
				∙U.S. B	ase Pri	ces		
· Dimensio	ns	· Style	Modular	: 42"	: 48"	: 60"	: 66"	· 72"
; <b>D</b>	D	Number	Width	:	:	:	:	:
Modular	<b>Parametric</b>	:	Parametric	; N.A.	: 42 <sup>1</sup> /16"	: 48 <sup>1</sup> /16"	: 60 <sup>1</sup> /16"	; 66 <sup>1</sup> /16"
:		:	Width	:	: <del>-48</del> "	: <del>-60</del> "	: <b>-66</b> "	: <b>-72</b> "
Open/Ope	n Configuratio	n Low-Pressure Lamii	nate Case					
18 <sup>7</sup> /8"	N.A.	CRCD15HFS00		\$1101	\$1158	\$1218	\$1283	\$1349
24"	18 <sup>15</sup> /16"-24"	CRCD15HFS00		\$1158	\$1218	\$1283	\$1349	\$1421
Open/Ope	n Configuratio	n High-Pressure Lami	nate Case					
18 <sup>7</sup> /8"	N.A.	CRCD15HFS00		\$1376	\$1447	\$1522	\$1602	\$1687
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSOO		\$1448	\$1522	\$1602	\$1687	\$1777



Tip: Center panel splits width evenly on parametric and modular sizes.

	/	^	>
		[\$]	7
			ノ
	//		

Tip: Parametric width flexes on open side, not lateral side.

Open/Lateral File Configuration, Low-Pressure Laminate Case with Headset							
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFR	\$1719	\$1786	\$1862	\$1938	\$2019
24"	18 <sup>15</sup> /16"–24"	CRCD15HFSLFR	\$1786	\$1862	\$1938	\$2019	\$2103
Open/Lateral File Configuration, Low-Pressure Laminate Case with High-Pressure Laminate Headset							adset
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFR	\$1825	\$1897	\$1979	\$2061	\$2149
24"	18 <sup>15</sup> /16"–24"	CRCD15HFSLFR	\$1897	\$1979	\$2061	\$2149	\$2239
Open/La	Open/Lateral File Configuration, High-Pressure Laminate Case with Headset						
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFR	\$2048	\$2132	\$2228	\$2323	\$2425
24"	18 <sup>15</sup> /16"–24"	CRCD15HFSLFR	\$2132	\$2228	\$2323	\$2425	\$2528



Tip: Parametric width flexes on open side, not lateral side.

Lateral	File/Open Config	juration, Low-Pressure Lamina	te Case with Head	set			
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFL	\$1719	\$1786	\$1862	\$1938	\$2019
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSLFL	\$1786	\$1862	\$1938	\$2019	\$2103
Lateral File/Open Configuration, Low-Pressure Laminate Case with High-Pressure Laminate Headset							
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFL	\$1825	\$1897	\$1979	\$2061	\$2149
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSLFL	\$1897	\$1979	\$2061	\$2149	\$2239
Lateral	File/Open Confiç	juration, High-Pressure Lamina	ate Case with Head	set			
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLFL	\$2048	\$2132	\$2228	\$2323	\$2425
24"	18 <sup>15</sup> /16"–24"	CRCD15HFSLFL	\$2132	\$2228	\$2323	\$2425	\$2528
:		:	:	:	:	:	:


<sup>▶</sup> Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

### ▶ Specification Information, continued from previous page

Specific	ation Inforr	nation				
			U.S. Ba	es		
Dimensio  D  Modular	ns D Parametric	• Style Number	Modular Width	•60"	·66"	•72" :
:		Configuration, Low-P	ressure I aminate	Case with	Hoode	: 
18 <sup>7</sup> /8"	N.A.	CRCD15HFSLL	icosuic Euiiiiiute	\$2179	\$2272	\$2371
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSLL		\$2272	\$2371	\$2475
	le/Lateral File sure Laminate	Configuration, Low-P	ressure Laminate	Case with	)	
187/8"	N.A.	CRCD15HFSLL		\$2322	\$2422	\$2529
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSLL		\$2422	\$2529	\$2640
Lateral Fil	le/Lateral File	Configuration, High-P	ressure Laminate	e Case witl	h Heads	et
187/8"	N.A.	CRCD15HFSLL		\$2625	\$2740	\$2864
24"	18 <sup>15</sup> /16"-24"	CRCD15HFSLL		\$2740	\$2864	\$2993



# **Two-High Credenza Storage**



Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

#### / : | . .

Style number

**Required to Specify** 

Need help?
Product details,
page 50

- Two-High credenza, if open/open is selected:
- Low-Pressure Laminate case, price group 1
- High-Pressure Laminate case, price group 1, if selected
- Two-High credenza, if open/lateral file or lateral file/lateral file is selected:
- Low-Pressure Laminate case, price group 1
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- Finished back
- Adjustable shelf on open/open, open/lateral file, lateral file/ cabinet, and cabinet/cabinet configurations
- Lock on open/lateral file, lateral file/lateral file, cabinet/ lateral file, or cabinet/cabinet, if selected, plug
- · Counterweight included on units with drawers
- 11/4" leveling glides
- · Shipped fully assembled

	Options	U.S. Price	Required to Specify
Size Option	Modular	No cost	Specify with modular.
	Parametric	No cost	Specify with parametric.
Depth	• 18 <sup>7</sup> /8"D	Prices at right	Specify 187/s" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
Storage	30" left lateral/	No cost	Specify with 30" left lateral/
Configuration	36" right lateral		36" right lateral configuration.
	36" left lateral/	No cost	Specify with 36" left lateral/
	30" right lateral		30" right lateral configuration.
Application	• Full	No cost	Specify with full application.
	Recessed	No cost	Specify with recessed application.
Top Options	No top	No cost	Specify without top.
	With top	No cost	Specify with top.
Worksurface	• 11/8"	No cost	Specify with 11/8" thickness.
Thickness	• 13⁄8"	+\$160	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost	See Surface Material Reference Manual.

of laminate

Tip: Open/open configuration does not include a headset.

Tip: Recessed back option automatically removes top. Specify square edge top with 1/2" cord drop and power access door separately.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

▶ Options, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Headset Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	<ul> <li>Handle</li> </ul>	No cost	Specify with handle pull.
	<ul> <li>Ledge</li> </ul>	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	<ul> <li>Master key plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

# For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

### **With Top Option Upcharges**

Dimensio  D  Modular	ns W Modular	D Parametric	W Parametric	• Option • (Add \$ to	s o Base Price)
:	modulai	Turumetrio		LPL	HPL Price Group 1
187⁄8"	42"	N.A.	N.A.	+\$160	+\$213
187⁄8"	48"	N.A.	42 <sup>1</sup> /16"-48"W	+\$193	+\$256
187⁄8"	60"	N.A.	48½16"-60"W	+\$222	+\$297
187⁄8"	66"	N.A.	60½16"-66"W	+\$259	+\$344
187/8"	72"	N.A.	661/16"-72"	+\$288	+\$385
24"	42"	18 <sup>15</sup> /16"–24"	N.A.	+\$173	+\$231
24"	48"	18 <sup>15</sup> /16"–24"	421/16"-48"	+\$206	+\$275
24"	60"	18 <sup>15</sup> /16"–24"	481/16"-60"	+\$233	+\$311
24"	66"	18 <sup>15</sup> / <sub>16</sub> "–24"	601/16"-66"	+\$262	+\$348
24"	72"	18 <sup>15</sup> /16"–24"	661/16"-72"	+\$292	+\$415


▶ Specification Information, on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

#### ▶ Options, on previous page

Specific	ation Inforn	nation						
				∙U.S. B	ase Pri	ces		
· Dimensio	ns	· Style	Modular	: 42"	: 48"	: 60"	: 66"	· 72"
; D	D	Number	Width	:	:	:	:	:
Modular	<b>Parametric</b>	:	<b>Parametric</b>	; N.A.	: 42 <sup>1</sup> /16"	: 48 <sup>1</sup> /16"	: 60 <sup>1</sup> /16"	: 66 <sup>1</sup> /16"
		•	Width	:	: <del>-48</del> "	: <b>-60</b> "	: <b>-66</b> "	: <b>-72</b> "
Open/Ope	n Configuratio	n Low-Pressure Lami	nate Case					
187⁄8"	N.A.	CRCD2HFS00		\$1277	\$1345	\$1416	\$1491	\$1569
24"D	18 <sup>15</sup> / <sub>16</sub> "–24"	CRCD2HFS00		\$1345	\$1416	\$1491	\$1569	\$1650
Open/Ope	n Configuratio	n High-Pressure Lam	inate Case					
187/8"	N.A.	CRCD2HFS00		\$1596	\$1681	\$1771	\$1865	\$1962
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFS00		\$1681	\$1771	\$1865	\$1962	\$2063



Tip: Center panel splits width evenly on parametric and modular sizes.



Tip: Center panel splits width evenly on parametric and modular sizes.



Tip: Parametric width fl exes on open side, not lateral side.

Open/La	teral File Config	guration, Low-Pressure Lamina	ate Case with Head	set			
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFR	\$1934	\$2014	\$2098	\$2187	\$2281
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLFR	\$2014	\$2098	\$2187	\$2281	\$2381
Open/La	teral File Confiç	guration, Low-Pressure Lamina	ate Case with High-	Pressur	e Lamir	nate He	adset
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFR	\$2057	\$2144	\$2234	\$2330	\$2433
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLFR	\$2144	\$2234	\$2330	\$2433	\$2540
Open/La	teral File Confiç	guration, High-Pressure Lamin	ate Case with Head	lset			
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFR	\$2318	\$2419	\$2522	\$2634	\$2752
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLFR	\$2419	\$2522	\$2634	\$2752	\$2878
Lateral	File/Open Config	guration, Low-Pressure Lamina	ate Case with Head	set			
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFL	\$1934	\$2014	\$2098	\$2187	\$2281
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLFL	\$2014	\$2098	\$2187	\$2281	\$2381
Lateral	File/Open Confiç	guration, Low-Pressure Lamina	ate Case with High-	Pressur	e Lamir	nate He	adset
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFL	\$2057	\$2144	\$2234	\$2330	\$2433
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLFL	\$2144	\$2234	\$2330	\$2433	\$2540
Lateral	File/Open Confiç	guration, High-Pressure Lamin	ate Case with Head	lset			
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLFL	\$2318	\$2419	\$2522	\$2634	\$2752
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLFL	\$2419	\$2522	\$2634	\$2752	\$2878
		:		:	:	:	:

<sup>▶</sup> Specification Information, continued on next page




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specific	ation Inforr	nation				
				U.S. B	ase Pric	es
Dimensio	ns	· Style	Modular	· 60"	·66"	·72"
D	D	Number	Width	:	:	:
Modular	Parametric	:		:	:	:
		:		:	:	:
Lateral Fil	e/Lateral File	Configuration, Low-F	Pressure Laminate	Case with	Heads	et
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLL		\$2468	\$2578	\$2691
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLL		\$2578	\$2691	\$2811
Lateral Fil Headset	le/Lateral File	Configuration, Low-F	Pressure Laminate	e Case with	High-P	ressure Laminate
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLL		\$2633	\$2752	\$2874
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLL		\$2752	\$2874	\$3004
Lateral Fil	e/Lateral File	Configuration, High-l	Pressure Laminat	e Case witl	h Heads	et
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLL		\$2985	\$3122	\$3263
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLL		\$3122	\$3263	\$3413





Tip: Parametric width fl exes on cabinet side, not lateral side.


Lateral F	ile/Cabinet Cor	nfiguration, Low-Pressure Lami	nate Case with He	adset	
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLCLFL	\$2187	\$2281	\$2381
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLCLFL	\$2281	\$2381	\$2485
Lateral F Headset	-	nfiguration, Low-Pressure Lami	nate Case with Hig	h-Pres	sure Laminate
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLCLFL	\$2330	\$2433	\$2540
24"D	18 <sup>15</sup> /16"–24"	CRCD2HFSLCLFL	\$2433	\$2540	\$2651
Lateral F	File/Cabinet Cor	nfiguration, High-Pressure Lami	inate Case with He	adset	
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLCLFL	\$2634	\$2752	\$2878
24"D	1815/16"-24"	CRCD2HFSLCLFL	\$2752	\$2878	\$3006

<sup>▶</sup> Specification Information, continued on next page




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

Specific	ation Inforr	mation				
Dimension	ns D Parametric	· Style Number	Modular Width Parametric Width	• U.S. B	66" : 66" : 60 <sup>1</sup> / <sub>16</sub> " : –66"	ces : 72" : : 66 <sup>1</sup> / <sub>16</sub> " : -72"
Cabinet/La	ateral File Cor	nfiguration, Low-Pressu	re Laminate Cas	e with He	adset	·
187/8"	N.A.	CRCD2HFSLCLFR		\$2187	\$2281	\$2381
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLCLFR		\$2281	\$2381	\$2485
Cabinet/La	teral File Conf	figuration, Low-Pressure	e Laminate Case v	with High-	Pressure	e Laminate Headset
18 <sup>7</sup> /8"	N.A.	CRCD2HFSLCLFR		\$2330	\$2433	\$2540
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSLCLFR		\$2433	\$2540	\$2651
Cabinet/La	ateral File Cor	nfiguration, High-Pressu	ıre Laminate Cas	e with He	adset	
187/8"	N.A.	CRCD2HFSLCLFR		\$2634	\$2752	\$2878
24"D	18 <sup>15</sup> / <sub>16</sub> "–24"	CRCD2HFSLCLFR		\$2752	\$2878	\$3006



Tip: Parametric width flexes on cabinet side, not lateral side.



Tip: Center panel splits width evenly on parametric and modular sizes.

Tip: Parametric sizes are split evenly on both cabinet sides

Cabinet	Cabinet Configu	ıration, Low-Pressure Lamina	te Case with Headset	
18 <sup>7</sup> /8"	N.A.	CRCD2HFSCC	\$1558 \$1639	\$1724
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSCC	\$1639 \$1724 \$	\$1816
Cabinet	Cabinet Configu	ıration, Low-Pressure Lamina	te Case with High-Pressure L	aminate Headset
18 <sup>7</sup> /8"	N.A.	CRCD2HFSCC	\$1682 \$1771	\$1861
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSCC	\$1771 \$1861	\$1961
Cabinet	Cabinet Configu	ıration, High-Pressure Lamina	te Case with Headset	
18 <sup>7</sup> /8"	N.A.	CRCD2HFSCC	\$1946 \$2050	\$2154
24"D	18 <sup>15</sup> /16"-24"	CRCD2HFSCC	\$2050 \$2154	\$2268
		:	: : :	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.


Steelcase October 2023

### **Two-High Credenza Storage with Kneespace**

►Need help?

page 50

Product details,



Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

- · Two-High credenza with kneespace:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- 11/8" thick top:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · Finished back
- · Modesty panel, full or quarter height
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per fi le drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · One pencil tray is included in units with a box drawer
- · Lock plug
- · Counterweight

- 1½" leveling glides
- · Shipped fully assembled

Tip: Reinforcing channels
are ordered separately and
must be used on credenzas
that have 54"W or more of
unsupported kneespace
(70"W single pedestal units).

Tip: Grain direction of modesty panel runs horizontally. Grain direction of pedestals runs vertically.

Tip: Quarter height modesty panel available on 24"D units only.

#### For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Size Option	Modular	No cost	Specify with modular.
-	Parametric	No cost	Specify with parametric.
Depth	• 187⁄8"D	Prices at right	Specify 187/8" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
Left Support	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Right Support	Box/box/file pedestal	Prices at right	Specify with box/box/file pedestal.
	<ul> <li>File/file pedestal</li> </ul>	Prices at right	Specify with file/file pedestal.
	<ul> <li>Open/box/file pedestal</li> </ul>	Prices at right	Specify with open/box/file pedestal.
Modesty	• Full	No cost	Specify with full panel.
Panel	<ul> <li>Quarter height</li> </ul>	No cost	Specify with quarter height panel.
Grommet	No grommet	No cost	Specify without grommet.
Location	<ul> <li>Center</li> </ul>	+\$ 40	Specify with center location.
	• Left	+\$ 40	Specify with left location.
	<ul> <li>Right</li> </ul>	+\$ 40	Specify with right location.
	<ul> <li>Left and center</li> </ul>	+\$ 80	Specify with left and center location.
	<ul> <li>Right and center</li> </ul>	+\$ 80	Specify with right and center location.
Case	Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
Finish	price group 1	5	
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 2		
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	· · · · · · · · · · · · · · · · · · ·		

+\$102 plus cost

of laminate

▶ Options, continued on next page

· Open Line laminate



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

See Surface Material Reference Manual.

**Required to Specify** 

Style number

#### ▶Options, continued from previous page

	Options	U.S. Price	Required to Specify
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pull	Contemporary	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	<ul> <li>Nile</li> </ul>	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Keys	Key plug	No cost	Specify with key plug.
	Master key plug	+\$ 36 per lock	Specify with master key plug.

				·U.S. E	ase Pri	ces
Dimension D	ons D	· Style · Number	Modular Width	60"	: 66"	: <b>72"</b>
Modular	Parametric		Parametric Width	: N.A.	: 60 <sup>1</sup> / <sub>16</sub> " : –66"	: 66 <sup>1</sup> /16" : -72"
Single Pe	destal, Left, Lo	ow-Pressure Laminate	e Case with Low-P	ressure L	aminate	Headset
18 <sup>7</sup> /8"	N.A.	CRCD2HKSSPL		\$1680	\$1796	\$1909
24"D	18 <sup>15</sup> /16"-24"	CRCD2HKSSPL		\$1760	\$1873	\$1992
Single Pe	destal, Left, Lo	ow-Pressure Laminate	e Case with High-P	ressure L	aminate	e Headset
18 <sup>7</sup> /8"	N.A.	CRCD2HKSSPL		\$1789	\$1910	\$2031
24"D	18 <sup>15</sup> /16"-24"	CRCD2HKSSPL		\$1874	\$1993	\$2121
Single Pe	destal, Left, H	igh-Pressure Laminat	e Case with High-F	Pressure I	.aminat	e Headset
18 <sup>7</sup> /8"	N.A.	CRCD2HKSSPL		\$2020	\$2155	\$2290



Tip: Pricing is shown with Low-Pressure Laminate top.




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

<sup>▶</sup> Specification Information, continued on next page

Specific	ation Inforr	nation				
				∙U.S. B	ase Pri	ces
· Dimensio · D	ns D	· Style · Number	Modular Width	: 60" :	: 66" :	· 72"
Modular	Parametric	:	Parametric Width	; N.A. :	: 60 <sup>1</sup> /16" : –66"	. 66¹∕₁6" . –72"
Single Pe	destal, Right, l	Low-Pressure Lamina	te Case with Low-	Pressure	Lamina	te Headset
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSSPR		\$1680	\$1796	\$1909
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSSPR		\$1760	\$1873	\$1992
Single Pe	destal, Right, I	Low-Pressure Lamina	te Case with High-	Pressure	Lamina	te Headset
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSSPR		\$1789	\$1910	\$2031
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSSPR		\$1874	\$1993	\$2121
Single Pe	destal, Right, I	High-Pressure Lamina	ite Case with High	-Pressure	Lamina	nte Headset
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSSPR		\$2020	\$2155	\$2290
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSSPR		\$2117	\$2250	\$2395
Dual Pede	stal, Low-Pres	ssure Laminate Case	with Low-Pressure	Laminat	e Heads	et
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSDP		\$2176	\$2314	\$2451
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSDP		\$2279	\$2415	\$2559
Dual Pede	stal, Low-Pres	ssure Laminate Case	with High-Pressure	e Laminat	e Head	set
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSDP		\$2316	\$2461	\$2609
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSDP		\$2427	\$2572	\$2724
Dual Pede	stal, High-Pre	ssure Laminate Case	with High-Pressur	e Lamina	te Head	set
18 <sup>7</sup> ⁄8"	N.A.	CRCD2HKSDP		\$2614	\$2777	\$2943
24"D	18 <sup>15</sup> ⁄16"–24"	CRCD2HKSDP		\$2741	\$2904	\$3076




Tip: Pricing is shown with Low-Pressure Laminate top.



Tip: Pricing is shown with Low-Pressure Laminate top.



### **Bookcases**



Tip: See understanding pages for shelf count by height.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

#### s

#### **Required to Specify**

► Need help? Product details, page 56 Bookcase:

- Low-Pressure Laminate price group 1

- High-Pressure Laminate price group 1, if selected

• 11/8" thick top: laminate to match case

Adjustable shelf: laminate to match case

Brackets for shelves: brushed nickel only

1¼" leveling glides

Shipped fully assembled

Sivie number	Style nui	mbe	r
--------------	-----------	-----	---

	Options	U.S. Price	Required to Specify
Size Option	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Depth	• 15"D	Prices at right	Specify 15" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 24"W	Prices at right	Specify 24"Width.
	• 30"W	Prices at right	Specify 30"Width.
	• 36"W	Prices at right	Specify 36"Width.
Height	• 41 <sup>3</sup> / <sub>4</sub> "H	Prices at right	Specify 41 <sup>3</sup> / <sub>4</sub> " height.
	• 47 <sup>15</sup> / <sub>16</sub> "H	Prices at right	Specify 47 <sup>15</sup> / <sub>16</sub> " height.
	• 54 <sup>1</sup> /8"H	Prices at right	Specify 54 <sup>1</sup> /8" height.
	• 66 <sup>1</sup> /2"H	Prices at right	Specify 66 <sup>1</sup> /2" height.
	• 72"H	Prices at right	Specify 72" height.
	• 78"H	Prices at right	Specify 78" height.
	• 84"H	Prices at right	Specify 84" height.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost	See Surface Material Reference Manual.


of laminate





For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

						·U.S Bas	se Prices
Dimensio	ns			·Style	Modular	· · 15"	· 24"
Modular	<b>Parametric</b>	Modular	<b>Parametric</b>	Number	Depth	:	:
Height	Height	Width	Width		Parametric	· 15"	· 15 <sup>1</sup> /16"–24
	_				Depth	:	:
				:		:	

Low-Pres	ssure Laminate Ca	ase				
413/4"	41 <sup>3</sup> /4"	24"	24"	CRBK	\$ 975	\$1038
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	24"	CRBK	\$1015	\$1081
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBK	\$1057	\$1126
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	24"	CRBK	\$1103	\$1174
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBK	\$1191	\$1268
78"	721/16"-78"	24"	24"	CRBK	\$1238	\$1319
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	24"	CRBK	\$1288	\$1372
41 <sup>3</sup> / <sub>4</sub> "	41 <sup>3</sup> /4"	30"	241/16"-30"	CRBK	\$ 995	\$1060
47 <sup>15</sup> /16"	4113/16"-4715/16"	30"	241/16"-30"	CRBK	\$1036	\$1103
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBK	\$1079	\$1149
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	30"	241/16"-30"	CRBK	\$1125	\$1198
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBK	\$1215	\$1294
78"	721/16"-78"	30"	241/16"-30"	CRBK	\$1265	\$1347
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	30"	241/16"-30"	CRBK	\$1316	\$1401
41 <sup>3</sup> / <sub>4</sub> "	41 <sup>3</sup> /4"	36"	301/16"-36"	CRBK	\$1015	\$1081
47 <sup>15</sup> /16"	4113/16"-4715/16"	36"	301/16"-36"	CRBK	\$1056	\$1125
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBK	\$1101	\$1173
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	36"	301/16"-36"	CRBK	\$1146	\$1220
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBK	\$1238	\$1318
78"	721/16"-78"	36"	301/16"-36"	CRBK	\$1291	\$1375
84"	78 <sup>1</sup> /16"–84"	36"	301/16"-36"	CRBK	\$1343	\$1430










Specific	ation Inform	ation					
						·U.S Ba	se Prices
· Dimensio	ns			·Style	Modular	· 15"	· 24"
Modular	<b>Parametric</b>	Modular	<b>Parametric</b>	Number	Depth	:	:
Height	Height	Width	Width		Parametric	· 15"	· 15 <sup>1</sup> /16"–24"
				:	Depth	:	:
:				:			:

### **Bookcases with Adjustable Shelves, continued**

DUUNUU	1303 With Aujus	tubic t	morvos, ounc	iiiucu			
High-Pre	ssure Laminate C	ase					
41 <sup>3</sup> / <sub>4</sub> "	41 <sup>3</sup> /4"	24"	24"	CRBK	\$1219	\$1298	
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	24"	CRBK	\$1269	\$1351	
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBK	\$1321	\$1408	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	24"	24"	CRBK	\$1379	\$1468	
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBK	\$1489	\$1585	
78"	721/16"-78"	24"	24"	CRBK	\$1548	\$1649	
84"	78 <sup>1</sup> /16"–84"	24"	24"	CRBK	\$1610	\$1715	
413/4"	413/4"	30"	241/16"-30"	CRBK	\$1244	\$1325	
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	30"	241/16"-30"	CRBK	\$1295	\$1379	
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBK	\$1347	\$1436	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	30"	241/16"-30"	CRBK	\$1405	\$1498	
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBK	\$1519	\$1617	
78"	72 <sup>1</sup> /16"–78"	30"	241/16"-30"	CRBK	\$1581	\$1684	
84"	78 <sup>1</sup> /16"–84"	30"	241/16"-30"	CRBK	\$1645	\$1751	
413/4"	413/4"	36"	301/16"-36"	CRBK	\$1269	\$1351	
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	36"	301/16"-36"	CRBK	\$1320	\$1406	
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBK	\$1377	\$1466	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	36"	301/16"-36"	CRBK	\$1433	\$1525	
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBK	\$1547	\$1648	
78"	721/16"-78"	36"	301/16"-36"	CRBK	\$1614	\$1719	
84"	78 <sup>1</sup> /16"–84"	36"	301/16"-36"	CRBK	\$1679	\$1787	








Currency

## Stacking Bookcases **X4/24**



Tip: Stacking bookcases are designed to align with other Currency tall storage. 255/8"H stacking bookcases align with 541/8"H tall storage. 37 31/32"H stacking bookcases align with 661/2"H tall storage. 443/16"H stacking overheads align with 72"H tall storage. Selecting the correct worksurface thickness of the application ensures that the stacking bookcase aligns with other tall storage.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

#### **Standard Includes**

#### **Required to Specify**

Style number

Need help?
Product details,
page 56

- · Stacking Bookcase:
- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- 1" thick top: laminate to match case
- · Adjustable shelf: laminate to match case
- · Attachment hardware
- · Shipped fully assembled

	Options	U.S. Price	Required to Specify
Depth	• 15"D	Prices at right	Specify 15" depth.
Width	• 30"W	Prices at right	Specify 30"Width.
	• 36"W	Prices at right	Specify 36"Width.
Height	• 25 <sup>5</sup> /8"H	Prices at right	Specify 255/8" height.
•	• 37 <sup>31</sup> / <sub>32</sub> "H	Prices at right	Specify 3731/32" height.
	• 44 <sup>3</sup> / <sub>16</sub> "H	Prices at right	Specify 443/16" height.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	+\$160	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 3	See information at left	Specify laminate color number.
	<ul> <li>Open Line laminate</li> </ul>	+\$102 plus cost	See Surface Material Reference Manual.

Spe	cificat	ion Info	rmation		
· Dim · D	ensions W	н	·Style Number	U.S. Bas · LPL Case	e Price ·HPL ·Case
Stac	king B	ookcas	e with Adju	ıstable Sho	: elves
15"	30"	25 <sup>5</sup> /8"	CRBKS	\$782	\$ 978
15"	30"	3731/32"	CRBKS	\$814	\$1018
15"	30"	44 <sup>3</sup> /16"	CRBKS	\$870	\$1088
15"	36"	25 <sup>5</sup> /8"	CRBKS	\$798	\$ 997
15"	36"	3731/32"	CRBKS	\$829	\$1036
15"	36"	44 <sup>3</sup> /16"	CRBKS	\$888	\$1110
					•

of laminate



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## **Stacking Bookcases**

Need help?

page 56

Product details,



Tip: Stacking bookcases go on top of One-High, 1.5-High, and Two-High Currency low storage. Please specify the application height of the overall height desired with low storage and stacking bookcase combined.

Tip: See understanding pages for shelf count by application height.

Tip: Selecting the correct worksurface thickness and top surface materiality type (LPL or HPL) ensures that the stacking bookcase aligns with neighboring tall storage.

Tip: Top surface type refers to the materiality of the storage attaching to the stacking bookcase.

### Standard Includes

Stacking bookcase:

- Low-Pressure Laminate price group 1
- High-Pressure Laminate price group 1, if selected
- · 1" thick top: laminate to match case
- · Adjustable shelf: laminate to match case
- · Attachment hardware
- · Shipped fully assembled

#### **Required to Specify**

Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Depth	• 15"D	Prices at right	Specify 15" depth.
	• 24"D	Prices at right	Specify 24" depth.
Width	• 24"W	Prices at right	Specify 24"Width.
	• 30"W	Prices at right	Specify 30"Width.
	• 36"W	Prices at right	Specify 36"Width.
Application	• 41 <sup>3</sup> /4"H	Prices at right	Specify 41 <sup>3</sup> / <sub>4</sub> " height.
Height	• 47 <sup>15</sup> / <sub>16</sub> "H	Prices at right	Specify 47 <sup>15</sup> / <sub>16</sub> " height.
	• 54 <sup>1</sup> /8"H	Prices at right	Specify 54 <sup>1</sup> /8" height.
	• 66 <sup>1</sup> /2"H	Prices at right	Specify 66 <sup>1</sup> / <sub>2</sub> " height.
	• 72"H	Prices at right	Specify 72" height.
	• 78"H	Prices at right	Specify 78" height.
	• 84"H	Prices at right	Specify 84" height.
Worksurface	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 13⁄8"	+\$160	Specify with 13/8" thickness.

Top Surface	Low-Pressure Laminate (LPL)	No cost	Specify with Low-Pressure Laminate.
Туре	High-Pressure Laminate (HPL)	No cost	Speciy with High-Pressure Laminate.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.





**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	: 24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth		
Application	Application	Width	Width	:	Parametric	: 15"	151/16"-24"
Height	Height				Depth		

Bookcase, Stacking on One-High Currency Low Storage								
Low-Pres	ssure Laminate Ca	ase						
413/4"	41 <sup>3</sup> /4"	24"	24"	CRBKS1H	\$ 764	\$ 814		
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	24"	CRBKS1H	\$ 796	\$ 847		
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS1H	\$ 829	\$ 883		
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	24"	CRBKS1H	\$ 863	\$ 919		
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS1H	\$ 922	\$ 982		
78"	721/16"-78"	24"	24"	CRBKS1H	\$ 959	\$1021		
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	24"	CRBKS1H	\$ 997	\$1062		
413/4"	41 <sup>3</sup> /4"	30"	241/16"-30"	CRBKS1H	\$ 779	\$ 830		
47 <sup>15</sup> /16"	4113/16"-4715/16"	30"	241/16"-30"	CRBKS1H	\$ 812	\$ 864		
541/8"	48"-541/8"	30"	241/16"-30"	CRBKS1H	\$ 845	\$ 900		
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	30"	241/16"-30"	CRBKS1H	\$ 880	\$ 937		
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS1H	\$ 941	\$1002		
78"	721/16"-78"	30"	241/16"-30"	CRBKS1H	\$ 978	\$1042		
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	30"	241/16"-30"	CRBKS1H	\$1017	\$1083		
413/4"	41 <sup>3</sup> /4"	36"	301/16"-36"	CRBKS1H	\$ 795	\$ 846		
47 <sup>15</sup> /16"	4113/16"-4715/16"	36"	301/16"-36"	CRBKS1H	\$ 828	\$ 882		
541/8"	48"-541/8"	36"	301/16"-36"	CRBKS1H	\$ 862	\$ 918		
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	36"	301/16"-36"	CRBKS1H	\$ 898	\$ 956		
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBKS1H	\$ 960	\$1023		
78"	721/16"-78"	36"	301/16"-36"	CRBKS1H	\$ 998	\$1063		
84"	781/16"-84"	36"	301/16"-36"	CRBKS1H	\$1038	\$1105		







Specifica	tion Inform	nation					
						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth	:	
Application	Application	Width	Width	:	Parametric	: 15"	151/16"-24"
Height	Height				Depth		

### Bookcase, Stacking on One-High Currency Low Storage, continued

DUUNUU	oc, otaoking o	II OIIC	ingn oancho	y Low Otorago, oo	iitiiiuGu		
High-Pre	ssure Laminate C	ase					
41 <sup>3</sup> / <sub>4</sub> "	41 <sup>3</sup> /4"	24"	24"	CRBKS1H	\$ 955	\$1017	
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	24"	CRBKS1H	\$ 995	\$1059	
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS1H	\$1036	\$1104	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	24"	24"	CRBKS1H	\$1079	\$1149	
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS1H	\$1153	\$1228	
78"	72 <sup>1</sup> /16"–78"	24"	24"	CRBKS1H	\$1199	\$1276	
84"	78 <sup>1</sup> /16"–84"	24"	24"	CRBKS1H	\$1246	\$1328	
413/4"	413/4"	30"	241/16"-30"	CRBKS1H	\$ 974	\$1037	
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	30"	241/16"-30"	CRBKS1H	\$1015	\$1080	
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBKS1H	\$1056	\$1125	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	30"	241/16"-30"	CRBKS1H	\$1100	\$1171	
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS1H	\$1176	\$1253	
78"	72 <sup>1</sup> /16"–78"	30"	241/16"-30"	CRBKS1H	\$1223	\$1302	
84"	78 <sup>1</sup> /16"–84"	30"	241/16"-30"	CRBKS1H	\$1271	\$1354	
413/4"	413/4"	36"	301/16"-36"	CRBKS1H	\$ 994	\$1058	
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	36"	301/16"-36"	CRBKS1H	\$1035	\$1102	
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBKS1H	\$1078	\$1148	
661/2"	54 <sup>3</sup> /16"–66 <sup>1</sup> /2"	36"	301/16"-36"	CRBKS1H	\$1122	\$1195	
72"	66 <sup>9</sup> /16"–72"	36"	301/16"-36"	CRBKS1H	\$1200	\$1279	
78"	721/16"-78"	36"	301/16"-36"	CRBKS1H	\$1247	\$1329	
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	36"	301/16"-36"	CRBKS1H	\$1297	\$1381	

<sup>▶</sup> Specification Information, continued on next page




Specifica	ation Inform	nation					
						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	: 24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth	:	
Application	Application	Width	Width	:	Parametric	: 15"	: 15 <sup>1</sup> / <sub>16</sub> "–24"
Height	Height				Depth		:
				:		:	


### Pookosco Stacking on 1 E-High Currency Law Storage

Low-Pres	ssure Laminate Ca	ase				
41 <sup>3</sup> / <sub>4</sub> "	41 <sup>3</sup> /4"	24"	24"	CRBKS15H	\$ 735	\$ 782
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	24"	CRBKS15H	\$ 765	\$ 815
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS15H	\$ 797	\$ 849
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	24"	CRBKS15H	\$ 830	\$ 884
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS15H	\$ 887	\$ 944
78"	721/16"-78"	24"	24"	CRBKS15H	\$ 922	\$ 982
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	24"	CRBKS15H	\$ 959	\$1021
413/4"	413/4"	30"	241/16"-30"	CRBKS15H	\$ 750	\$ 798
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	30"	241/16"-30"	CRBKS15H	\$ 781	\$ 831
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBKS15H	\$ 813	\$ 866
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	30"	241/16"-30"	CRBKS15H	\$ 847	\$ 902
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS15H	\$ 905	\$ 964
78"	721/16"-78"	30"	241/16"-30"	CRBKS15H	\$ 941	\$1002
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	30"	241/16"-30"	CRBKS15H	\$ 979	\$1042
413/4"	413/4"	36"	301/16"-36"	CRBKS15H	\$ 765	\$ 815
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	36"	301/16"-36"	CRBKS15H	\$ 797	\$ 849
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBKS15H	\$ 830	\$ 884
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	36"	301/16"-36"	CRBKS15H	\$ 862	\$ 918
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBKS15H	\$ 924	\$ 984
78"	721/16"-78"	36"	301/16"-36"	CRBKS15H	\$ 960	\$1023
84"	781/16"-84"	36"	301/16"-36"	CRBKS15H	\$ 999	\$1064











**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Specifica	ation Inform	ation					
						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	: 24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth	:	
Application	Application	Width	Width	:	Parametric	: 15"	151/16"-24"
Height	Height				Depth	:	:
				•			

### Bookcase, Stacking on 1.5-High Currency Low Storage, continued

41³/4"       41³/4"       24"       24"       CRBK\$15H       \$ 919       \$ 978         47¹5/₁6"       41¹³/₁6"-47¹5/₁6"       24"       24"       CRBK\$15H       \$ 956       \$1019         54¹/6"       48"-54¹/6"       24"       24"       CRBK\$15H       \$ 996       \$1061         66¹/2"       54³/₁6"-66¹/2"       24"       24"       CRBK\$15H       \$1037       \$1105         72"       66³/₁6"-72"       24"       24"       CRBK\$15H       \$1109       \$1180         78"       72¹/₁6"-78"       24"       24"       CRBK\$15H       \$1109       \$1180         78"       72¹/₁6"-84"       24"       24"       CRBK\$15H       \$1199       \$1276         41³/₄"       41³/₄"       30"       24¹/₁6"-30"       CRBK\$15H       \$ 937       \$ 998         47¹5/₁6"       41³/₄"       30"       24¹/₁6"-30"       CRBK\$15H       \$ 976       \$ 1039         54¹/₂6"       48"-54¹/₂6"       30"       24¹/₁6"-30"       CRBK\$15H       \$ 976       \$ 1039         54¹/₂6"       48"-54¹/₂6"       30"       24¹/₁6"-30"       CRBK\$15H       \$ 1019       \$ 1127         72"       66³/₁6"-72"       30"       24¹/₁6"-30"       CRBK\$	High-Pre	ssure Laminate C	ase				
541/e" 48"-541/e" 24" 24" CRBK\$15H \$ 996 \$1061 661/e" 543/1e"-661/e" 24" 24" CRBK\$15H \$ 1037 \$ 1105 72" 669/1e"-72" 24" 24" CRBK\$15H \$ 1109 \$1180 78" 721/1e"-78" 24" 24" CRBK\$15H \$ 1153 \$ 1228 84" 781/1e"-84" 24" CRBK\$15H \$ 1199 \$ 1276 413/4" 413/4" 30" 241/1e"-30" CRBK\$15H \$ 937 \$ 998 4715/1e" 48"-541/e" 30" 241/1e"-30" CRBK\$15H \$ 1016 \$ 1083 661/e" 543/1e"-661/e" 30" 241/1e"-30" CRBK\$15H \$ 1059 \$ 1127 72" 669/1e"-72" 30" 241/1e"-30" CRBK\$15H \$ 1059 \$ 1127 72" 669/1e"-72" 30" 241/1e"-30" CRBK\$15H \$ 1059 \$ 1127 72" 669/1e"-72" 30" 241/1e"-30" CRBK\$15H \$ 1059 \$ 1127 72" 669/1e"-72" 30" 241/1e"-30" CRBK\$15H \$ 1131 \$ 1205 78" 721/1e"-78" 30" 241/1e"-30" CRBK\$15H \$ 1176 \$ 1253 84" 781/1e"-84" 30" 241/1e"-30" CRBK\$15H \$ 1176 \$ 1253 41/1e"-30" CRBK\$15H \$ 1176 \$ 1253 84" 781/1e"-84" 30" 241/1e"-30" CRBK\$15H \$ 1176 \$ 1253 61/4e" 413/4" 413/4" 36" 301/1e"-36" CRBK\$15H \$ 996 \$ 1061 541/e" 4113/1e"-4715/1e" 36" 301/1e"-36" CRBK\$15H \$ 996 \$ 1061 541/e" 48"-541/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-661/e" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-72" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-72" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-72" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-72" 36" 301/1e"-36" CRBK\$15H \$ 1037 \$ 1105 661/e" 543/1e"-72" 36" 301/1e"-36" CRBK\$15H \$ 1155 \$ 1230 78" 721/1e"-78" 36" 301/1e"-36" CRBK\$15H \$ 1155 \$ 1230 78" 721/1e"-78" 36" 301/1e"-36" CRBK\$15H \$ 1155 \$ 1230 78" 721/1e"-78" 36" 301/1e"-36" CRBK\$15H \$ 1150 \$ 1230 78" 721/1e"-78" 36" 301/1e"-36" CRBK\$15H \$ 1150 \$ 1230 78" 721/1e"-78" 36" 301/1e"-36" CRBK\$15H \$	41 <sup>3</sup> / <sub>4</sub> "	413/4"	24"	24"	CRBKS15H	\$ 919	\$ 978
661/2"         543/16"-661/2"         24"         24"         CRBKS15H         \$1037         \$1105           72"         669/16"-72"         24"         24"         CRBKS15H         \$1109         \$1180           78"         721/16"-78"         24"         24"         CRBKS15H         \$1153         \$1228           84"         781/16"-84"         24"         24"         CRBKS15H         \$1199         \$1276           413/4"         413/4"         30"         241/16"-30"         CRBKS15H         \$937         \$98           4715/16"         4113/16"-4715/16"         30"         241/16"-30"         CRBKS15H         \$976         \$1039           541/8"         48"-541/8"         30"         241/16"-30"         CRBKS15H         \$1016         \$1083           661/2"         543/16"-661/2"         30"         241/16"-30"         CRBKS15H         \$1059         \$1127           72"         669/16"-72"         30"         241/16"-30"         CRBKS15H         \$1131         \$1205           78"         721/16"-78"         30"         241/16"-30"         CRBKS15H         \$1131         \$1205           78"         721/16"-84"         30"         241/16"-30"         CRBKS15H	47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	24"	CRBKS15H	\$ 956	\$1019
72" 669/16"-72" 24" 24" CRBKS15H \$1109 \$1180  78" 721/16"-78" 24" 24" CRBKS15H \$1153 \$1228  84" 781/16"-84" 24" CRBKS15H \$1199 \$1276  413/4" 413/4" 30" 241/16"-30" CRBKS15H \$937 \$998  4715/16" 4113/16"-4715/16" 30" 241/16"-30" CRBKS15H \$976 \$1039  541/8" 48"-541/8" 30" 241/16"-30" CRBKS15H \$1016 \$1083  661/2" 543/16"-661/2" 30" 241/16"-30" CRBKS15H \$1059 \$1127  72" 669/16"-72" 30" 241/16"-30" CRBKS15H \$1131 \$1205  78" 721/16"-78" 30" 241/16"-30" CRBKS15H \$1176 \$1253  84" 781/16"-84" 30" 241/16"-30" CRBKS15H \$1176 \$1253  84" 781/16"-84" 30" 241/16"-30" CRBKS15H \$1176 \$1253  413/4" 413/4" 36" 301/16"-36" CRBKS15H \$996 \$1019  4715/16" 4113/16"-4715/16" 36" 301/16"-36" CRBKS15H \$996 \$1061  541/8" 48"-541/8" 36" 301/16"-36" CRBKS15H \$1037 \$1105  661/2" 543/16"-661/2" 36" 301/16"-36" CRBKS15H \$1037 \$1105	54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS15H	\$ 996	\$1061
78"         72¹/16"-78"         24"         24"         CRBK\$15H         \$1153         \$1228           84"         78¹/16"-84"         24"         24"         CRBK\$15H         \$1199         \$1276           4¹³/4"         4¹³/4"         30"         2⁴¹/16"-30"         CRBK\$15H         \$937         \$998           47¹5/16"         4¹³/16"-47¹5/16"         30"         2⁴¹/16"-30"         CRBK\$15H         \$976         \$1039           5⁴¹/8"         48"-5⁴¹/8"         30"         2⁴¹/16"-30"         CRBK\$15H         \$1016         \$1083           66¹/2"         5⁴³/16"-66¹/2"         30"         2⁴¹/16"-30"         CRBK\$15H         \$1059         \$1127           72"         66³/16"-72"         30"         2⁴¹/16"-30"         CRBK\$15H         \$1131         \$1205           78"         7²¹/16"-78"         30"         2⁴¹/16"-30"         CRBK\$15H         \$1176         \$1253           84"         78¹/16"-78"         30"         2⁴¹/16"-30"         CRBK\$15H         \$1124         \$1303           4¹³/4"         4¹³/4"         36"         30¹/16"-36"         CRBK\$15H         \$956         \$1019           4¹³/4"         4¹³/16"-36"         CRBK\$15H         \$96         \$1061 <td>66<sup>1</sup>/2"</td> <td>54<sup>3</sup>/16"-66<sup>1</sup>/2"</td> <td>24"</td> <td>24"</td> <td>CRBKS15H</td> <td>\$1037</td> <td>\$1105</td>	66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	24"	CRBKS15H	\$1037	\$1105
84" 781/16"-84" 24" 24" CRBKS15H \$1199 \$1276 413/4" 413/4" 30" 241/16"-30" CRBKS15H \$937 \$998 4715/16" 4113/16"-4715/16" 30" 241/16"-30" CRBKS15H \$976 \$1039 541/8" 48"-541/8" 30" 241/16"-30" CRBKS15H \$1016 \$1083 661/2" 543/16"-661/2" 30" 241/16"-30" CRBKS15H \$1059 \$1127 72" 669/16"-72" 30" 241/16"-30" CRBKS15H \$1131 \$1205 78" 721/16"-78" 30" 241/16"-30" CRBKS15H \$1176 \$1253 84" 781/16"-84" 30" 241/16"-30" CRBKS15H \$1176 \$1253 84" 781/16"-84" 30" 241/16"-30" CRBKS15H \$1224 \$1303 413/4" 413/4" 36" 301/16"-36" CRBKS15H \$956 \$1019 4715/16" 4113/16"-4715/16" 36" 301/16"-36" CRBKS15H \$996 \$1061 541/8" 48"-541/8" 36" 301/16"-36" CRBKS15H \$1037 \$1105 661/2" 543/16"-661/2" 36" 301/16"-36" CRBKS15H \$1037 \$1105 661/2" 543/16"-661/2" 36" 301/16"-36" CRBKS15H \$1037 \$1105 661/2" 543/16"-661/2" 36" 301/16"-36" CRBKS15H \$1037 \$1148 72" 669/16"-72" 36" 301/16"-36" CRBKS15H \$1078 \$1148 72" 669/16"-72" 36" 301/16"-36" CRBKS15H \$1155 \$1230 78" 721/16"-78" 36" 301/16"-36" CRBKS15H \$1155 \$1230	72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS15H	\$1109	\$1180
41 <sup>3</sup> / <sub>4</sub> " 41 <sup>3</sup> / <sub>4</sub> " 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 937 \$ 998 47 <sup>15</sup> / <sub>16</sub> " 41 <sup>13</sup> / <sub>16</sub> "-47 <sup>15</sup> / <sub>16</sub> " 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 976 \$1039 54 <sup>1</sup> / <sub>8</sub> " 48"-54 <sup>1</sup> / <sub>8</sub> " 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 1016 \$1083 66 <sup>1</sup> / <sub>2</sub> " 54 <sup>3</sup> / <sub>16</sub> "-66 <sup>1</sup> / <sub>2</sub> " 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 1059 \$1127 72" 66 <sup>9</sup> / <sub>16</sub> "-72" 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 1131 \$ 1205 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 1176 \$ 1253 84" 78 <sup>1</sup> / <sub>16</sub> "-84" 30" 24 <sup>1</sup> / <sub>16</sub> "-30" CRBKS15H \$ 1176 \$ 1253 84" 78 <sup>1</sup> / <sub>16</sub> "-84" 30" 24 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 956 \$ 1019 47 <sup>15</sup> / <sub>16</sub> " 41 <sup>13</sup> / <sub>16</sub> "-47 <sup>15</sup> / <sub>16</sub> " 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 996 \$ 1061 54 <sup>1</sup> / <sub>8</sub> " 48"-54 <sup>1</sup> / <sub>8</sub> " 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1037 \$ 1105 66 <sup>1</sup> / <sub>2</sub> " 54 <sup>3</sup> / <sub>16</sub> "-66 <sup>1</sup> / <sub>2</sub> " 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1078 \$ 1148 72" 66 <sup>9</sup> / <sub>16</sub> "-72" 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1078 \$ 1148 72" 66 <sup>9</sup> / <sub>16</sub> "-72" 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" 30 <sup>1</sup> / <sub>16</sub> "-36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1155 \$ 1230 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 36" CRBKS15H \$ 1200 \$ 1279	78"	721/16"-78"	24"	24"	CRBKS15H	\$1153	\$1228
4715/16"       4113/16"-4715/16"       30"       241/16"-30"       CRBKS15H       \$ 976       \$1039         541/8"       48"-541/8"       30"       241/16"-30"       CRBKS15H       \$1016       \$1083         661/2"       543/16"-661/2"       30"       241/16"-30"       CRBKS15H       \$1059       \$1127         72"       669/16"-72"       30"       241/16"-30"       CRBKS15H       \$1131       \$1205         78"       721/16"-78"       30"       241/16"-30"       CRBKS15H       \$1176       \$1253         84"       781/16"-84"       30"       241/16"-30"       CRBKS15H       \$1224       \$1303         413/4"       413/4"       36"       301/16"-36"       CRBK\$15H       \$956       \$1019         4715/16"       4113/16"-4715/16"       36"       301/16"-36"       CRBK\$15H       \$996       \$1061         541/8"       48"-541/8"       36"       301/16"-36"       CRBK\$15H       \$1037       \$1105         661/2"       543/16"-661/2"       36"       301/16"-36"       CRBK\$15H       \$1078       \$1148         72"       669/16"-72"       36"       301/16"-36"       CRBK\$15H       \$1155       \$1230         78"       721/16"-78" <td>84"</td> <td>781/16"-84"</td> <td>24"</td> <td>24"</td> <td>CRBKS15H</td> <td>\$1199</td> <td>\$1276</td>	84"	781/16"-84"	24"	24"	CRBKS15H	\$1199	\$1276
54¹/8"       48"-54¹/8"       30"       24¹/16"-30"       CRBK\$15H       \$1016       \$1083         66¹/2"       54³/16"-66¹/2"       30"       24¹/16"-30"       CRBK\$15H       \$1059       \$1127         72"       66³/16"-72"       30"       24¹/16"-30"       CRBK\$15H       \$1131       \$1205         78"       72¹/16"-78"       30"       24¹/16"-30"       CRBK\$15H       \$1176       \$1253         84"       78¹/16"-84"       30"       24¹/16"-30"       CRBK\$15H       \$1224       \$1303         41³/4"       41³/4"       36"       30¹/16"-36"       CRBK\$15H       \$ 956       \$1019         47¹5/16"       41¹³/16"-47¹5/16"       36"       30¹/16"-36"       CRBK\$15H       \$ 996       \$1061         54¹/8"       48"-54¹/8"       36"       30¹/16"-36"       CRBK\$15H       \$1037       \$1105         66¹/2"       54³/16"-66¹/2"       36"       30¹/16"-36"       CRBK\$15H       \$1078       \$1148         72"       66³/16"-72"       36"       30¹/16"-36"       CRBK\$15H       \$1155       \$1230         78"       72¹/16"-78"       36"       30¹/16"-36"       CRBK\$15H       \$1200       \$1279	41 <sup>3</sup> / <sub>4</sub> "	413/4"	30"	241/16"-30"	CRBKS15H	\$ 937	\$ 998
66¹/2"       54³/16"-66¹/2"       30"       24¹/16"-30"       CRBKS15H       \$1059       \$1127         72"       66³/16"-72"       30"       24¹/16"-30"       CRBKS15H       \$1131       \$1205         78"       72¹/16"-78"       30"       24¹/16"-30"       CRBKS15H       \$1176       \$1253         84"       78¹/16"-84"       30"       24¹/16"-30"       CRBKS15H       \$1224       \$1303         41³/4"       41³/4"       36"       30¹/16"-36"       CRBKS15H       \$ 956       \$1019         47¹5/16"       41¹³/16"-47¹5/16"       36"       30¹/16"-36"       CRBKS15H       \$ 996       \$1061         54¹/8"       48"-54¹/8"       36"       30¹/16"-36"       CRBKS15H       \$1037       \$1105         66¹/2"       54³/16"-66¹/2"       36"       30¹/16"-36"       CRBKS15H       \$1078       \$1148         72"       66³/16"-72"       36"       30¹/16"-36"       CRBKS15H       \$1155       \$1230         78"       72¹/16"-78"       36"       30¹/16"-36"       CRBKS15H       \$1200       \$1279	47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	30"	241/16"-30"	CRBKS15H	\$ 976	\$1039
72"         669/16"-72"         30"         241/16"-30"         CRBKS15H         \$1131         \$1205           78"         721/16"-78"         30"         241/16"-30"         CRBKS15H         \$1176         \$1253           84"         781/16"-84"         30"         241/16"-30"         CRBKS15H         \$1224         \$1303           413/4"         413/4"         36"         301/16"-36"         CRBKS15H         \$ 956         \$1019           4715/16"         4113/16"-4715/16"         36"         301/16"-36"         CRBKS15H         \$ 996         \$1061           541/8"         48"-541/8"         36"         301/16"-36"         CRBKS15H         \$1037         \$1105           661/2"         543/16"-661/2"         36"         301/16"-36"         CRBKS15H         \$1078         \$1148           72"         669/16"-72"         36"         301/16"-36"         CRBKS15H         \$1155         \$1230           78"         721/16"-78"         36"         301/16"-36"         CRBKS15H         \$1200         \$1279	54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBKS15H	\$1016	\$1083
78"         72¹/16"-78"         30"         24¹/16"-30"         CRBK\$15H         \$1176         \$1253           84"         78¹/16"-84"         30"         24¹/16"-30"         CRBK\$15H         \$1224         \$1303           41³/4"         41³/4"         36"         30¹/16"-36"         CRBK\$15H         \$ 956         \$1019           47¹5/16"         41¹³/16"-47¹5/16"         36"         30¹/16"-36"         CRBK\$15H         \$ 996         \$1061           54¹/8"         48"-54¹/8"         36"         30¹/16"-36"         CRBK\$15H         \$1037         \$1105           66¹/2"         54³/16"-66¹/2"         36"         30¹/16"-36"         CRBK\$15H         \$1078         \$1148           72"         66³/16"-72"         36"         30¹/16"-36"         CRBK\$15H         \$1155         \$1230           78"         72¹/16"-78"         36"         30¹/16"-36"         CRBK\$15H         \$1200         \$1279	66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	30"	241/16"-30"	CRBKS15H	\$1059	\$1127
84" 78\\\^{1}/16\\^{1}-84\\^{1}\$ 30\\^{1}\$ 24\\\^{1}/16\\^{1}-30\\^{1}\$ CRBK\$15H \$1224 \$1303 \$41\\\^{1}/4\\^{1}\$ 41\\\^{3}/4\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$956 \$1019 \$47\\\^{1}/16\\^{1}\$ 41\\\^{1}/3/16\\^{1}-47\\\^{1}/16\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$996 \$1061 \$54\\\^{1}/8\\^{1}\$ 48\\\^{1}-54\\\^{1}/8\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$1037 \$1105 \$66\\\^{1}/2\\^{1}\$ 54\\\^{3}/16\\^{1}-66\\\^{1}/2\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$1078 \$1148 \$72\\^{1}\$ 66\\\^{9}/16\\^{1}-72\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$1155 \$1230 \$78\\^{1}\$ 72\\\^{1}/16\\^{1}-78\\^{1}\$ 36\\^{1}\$ 30\\\^{1}/16\\^{1}-36\\^{1}\$ CRBK\$15H \$1200 \$1279	72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS15H	\$1131	\$1205
413/4"       413/4"       36"       301/16"-36"       CRBKS15H       \$ 956       \$1019         4715/16"       4113/16"-4715/16"       36"       301/16"-36"       CRBKS15H       \$ 996       \$1061         541/8"       48"-541/8"       36"       301/16"-36"       CRBKS15H       \$1037       \$1105         661/2"       543/16"-661/2"       36"       301/16"-36"       CRBKS15H       \$1078       \$1148         72"       669/16"-72"       36"       301/16"-36"       CRBKS15H       \$1155       \$1230         78"       721/16"-78"       36"       301/16"-36"       CRBKS15H       \$1200       \$1279	78"	721/16"-78"	30"	241/16"-30"	CRBKS15H	\$1176	\$1253
4715/16"       4113/16"-4715/16"       36"       301/16"-36"       CRBKS15H       \$ 996       \$1061         541/8"       48"-541/8"       36"       301/16"-36"       CRBKS15H       \$1037       \$1105         661/2"       543/16"-661/2"       36"       301/16"-36"       CRBKS15H       \$1078       \$1148         72"       669/16"-72"       36"       301/16"-36"       CRBKS15H       \$1155       \$1230         78"       721/16"-78"       36"       301/16"-36"       CRBKS15H       \$1200       \$1279	84"	781/16"-84"	30"	241/16"-30"	CRBKS15H	\$1224	\$1303
54¹/8"       48"-54¹/8"       36"       30¹/16"-36"       CRBKS15H       \$1037       \$1105         66¹/2"       54³/16"-66¹/2"       36"       30¹/16"-36"       CRBKS15H       \$1078       \$1148         72"       66⁰/16"-72"       36"       30¹/16"-36"       CRBKS15H       \$1155       \$1230         78"       72¹/16"-78"       36"       30¹/16"-36"       CRBKS15H       \$1200       \$1279	41 <sup>3</sup> / <sub>4</sub> "	413/4"	36"	301/16"-36"	CRBKS15H	\$ 956	\$1019
661/2"       543/16"-661/2"       36"       301/16"-36"       CRBKS15H       \$1078       \$1148         72"       669/16"-72"       36"       301/16"-36"       CRBKS15H       \$1155       \$1230         78"       721/16"-78"       36"       301/16"-36"       CRBKS15H       \$1200       \$1279	47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	36"	301/16"-36"	CRBKS15H	\$ 996	\$1061
72" 669/16"-72" 36" 301/16"-36" <b>CRBKS15H</b> \$1155 \$1230 78" 721/16"-78" 36" 301/16"-36" <b>CRBKS15H</b> \$1200 \$1279	54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBKS15H	\$1037	\$1105
78" 72 <sup>1</sup> / <sub>16</sub> "–78" 36" 30 <sup>1</sup> / <sub>16</sub> "–36" <b>CRBKS15H</b> \$1200 \$1279	66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	36"	301/16"-36"	CRBKS15H	\$1078	\$1148
	72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBKS15H	\$1155	\$1230
84" 781/16"-84" 36" 301/16"-36" <b>CRBKS15H</b> \$1249 \$1330	78"	721/16"-78"	36"	301/16"-36"	CRBKS15H	\$1200	\$1279
	84"	781/16"-84"	36"	301/16"-36"	CRBKS15H	\$1249	\$1330

<sup>▶</sup> Specification Information, continued on next page




Specifica	ation Inform	nation					
						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	: 24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth	:	
Application	Application	Width	Width	:	Parametric	: 15"	: 15 <sup>1</sup> / <sub>16</sub> "–24"
Height	Height				Depth		:
				:		:	


### Rookease Stacking on Two-High Currency Low Storage

Low-Pres	ssure Laminate Ca	ise				
41 <sup>3</sup> /4"	413/4"	24"	24"	CRBKS2H	\$706	\$ 752
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	24"	CRBKS2H	\$736	\$ 784
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS2H	\$766	\$ 816
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	24"	CRBKS2H	\$798	\$ 850
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS2H	\$853	\$ 908
78"	721/16"-78"	24"	24"	CRBKS2H	\$887	\$ 944
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	24"	CRBKS2H	\$922	\$ 982
41 <sup>3</sup> / <sub>4</sub> "	413/4"	30"	241/16"-30"	CRBKS2H	\$721	\$ 768
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	30"	241/16"-30"	CRBKS2H	\$751	\$ 800
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBKS2H	\$782	\$ 833
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	30"	241/16"-30"	CRBKS2H	\$814	\$ 867
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS2H	\$870	\$ 927
78"	721/16"-78"	30"	241/16"-30"	CRBKS2H	\$905	\$ 964
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	30"	241/16"-30"	CRBKS2H	\$941	\$1002
41 <sup>3</sup> / <sub>4</sub> "	413/4"	36"	301/16"-36"	CRBKS2H	\$735	\$ 783
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	36"	301/16"-36"	CRBKS2H	\$766	\$ 816
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBKS2H	\$798	\$ 850
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	36"	301/16"-36"	CRBKS2H	\$829	\$ 883
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBKS2H	\$888	\$ 946
78"	721/16"-78"	36"	301/16"-36"	CRBKS2H	\$924	\$ 984
84"	781/16"-84"	36"	301/16"-36"	CRBKS2H	\$960	\$1023

<sup>▶</sup> Specification Information, continued on next page









**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.


Specifica	tion Inform	nation					
						· U.S Bas	e Prices
Dimensions				Style	Modular	: 15"	24"
Modular	Parametric	Modular	<b>Parametric</b>	Number	Depth	:	
Application	Application	Width	Width	:	Parametric	: 15"	151/16"-24"
Height	Height				Depth		

### Bookcase, Stacking on Two-High Currency Low Storage, continued

Doomou	oo, otaoiting o		g oarrond	y zon otorago, o	ontinaoa		
High-Pre	ssure Laminate C	ase					
413/4"	413/4"	24"	24"	CRBKS2H	\$ 883	\$ 940	
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	24"	24"	CRBKS2H	\$ 920	\$ 979	
54 <sup>1</sup> /8"	48"-541/8"	24"	24"	CRBKS2H	\$ 958	\$1020	
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	24"	CRBKS2H	\$ 997	\$1062	
72"	66 <sup>9</sup> /16"-72"	24"	24"	CRBKS2H	\$1066	\$1135	
78"	721/16"-78"	24"	24"	CRBKS2H	\$1108	\$1180	
84"	781/16"-84"	24"	24"	CRBKS2H	\$1153	\$1228	
41 <sup>3</sup> / <sub>4</sub> "	413/4"	30"	241/16"-30"	CRBKS2H	\$ 901	\$ 959	
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	30"	241/16"-30"	CRBKS2H	\$ 938	\$ 999	
54 <sup>1</sup> /8"	48"-541/8"	30"	241/16"-30"	CRBKS2H	\$ 978	\$1041	
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	30"	241/16"-30"	CRBKS2H	\$1018	\$1084	
72"	66 <sup>9</sup> /16"-72"	30"	241/16"-30"	CRBKS2H	\$1088	\$1158	
78"	721/16"-78"	30"	241/16"-30"	CRBKS2H	\$1131	\$1205	
84"	781/16"-84"	30"	241/16"-30"	CRBKS2H	\$1176	\$1253	
413/4"	413/4"	36"	301/16"-36"	CRBKS2H	\$ 919	\$ 979	
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	36"	301/16"-36"	CRBKS2H	\$ 958	\$1020	
54 <sup>1</sup> /8"	48"-541/8"	36"	301/16"-36"	CRBKS2H	\$ 997	\$1062	
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	36"	301/16"-36"	CRBKS2H	\$1036	\$1104	
72"	66 <sup>9</sup> /16"-72"	36"	301/16"-36"	CRBKS2H	\$1110	\$1182	
78"	721/16"-78"	36"	301/16"-36"	CRBKS2H	\$1154	\$1229	
84"	781/16"-84"	36"	301/16"-36"	CRBKS2H	\$1201	\$1279	

<sup>▶</sup> Specification Information, continued on next page





### Overheads \$\times 4/24\$



Tip: Overheads with sliding doors do not lock.

Tip: Overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

#### For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: Answer beam bracket option includes no brackets. Brackets are specified separately based on specific application.

Tip: Not all attachment brackets are included within the style number. See Understanding content for more information.



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

#### **Standard Includes**

#### Overhead:

Need help?

page 62

Product details,

 Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset

 Low-Pressure Laminate case with High-Pressure Laminate headset, if selected

 High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected

· Lock plug on overheads with hinged doors only

· Shipped fully assembled

#### **Required to Specify**


Style number

	Cripped faily assembled		
	Options	U.S. Price	Required to Specify
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 54"W	Prices at right	Specify 54"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 61 <sup>1</sup> / <sub>2</sub> "W	Prices at right	Specify 61 <sup>1</sup> /2"Width.
	• 63"W	Prices at right	Specify 63"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 67 <sup>1</sup> / <sub>2</sub> "W	Prices at right	Specify 67 <sup>1</sup> /2"Width.
	• 69"W	Prices at right	Specify 69"Width.
	• 72"W	Prices at right	Specify 72"Width.
	• 73 <sup>1</sup> / <sub>2</sub> "W	Prices at right	Specify 731/2"Width.
	• 75"W	Prices at right	Specify 75"Width.
Storage	Personal	Prices at right	Specify with personal.
Support	Shared	Prices at right	Specify with shared.
Door	Hinged doors	Prices at right	Specify with hinged doors.
Option	<ul> <li>No door option</li> </ul>	Prices at right	Specify without doors.
	Sliding doors	Prices at right	Specify with sliding doors.
Door Surface	Laminate	Prices at right	Specify with laminate.
Туре	<ul> <li>Markerboard</li> </ul>	Prices at right	Specify with markerboard.
Attachment	Answer beam	No cost	Specify with Answer beam.
Brackets	<ul> <li>Suspended between towers</li> </ul>	No cost	Specify with suspended between towers.
	<ul> <li>Top cap mount on Answer</li> <li>Wall mount brackets</li> </ul>	No cost	Specify with top cap mount on Answer.
	– 36"W–66"W	+\$137	Specify with wall mount brackets 36"W-66"W.
	– 72"W	+\$186	Specify with 72"W wall mount brackets.
	<ul> <li>Answer panel</li> </ul>	+\$ 46	Specify with Answer panel.
	<ul> <li>Answer duo support column</li> </ul>	+\$382	Specify with Answer duo support column.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL)</li> <li>price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Keys	Key plug     Master key plug	No cost +\$ 36 per lock	Specify with key plug. Specify with master key plug.

October 2023


					U.S. Base	Price		
Dime D	ensions W	н	· Number of Doors	·Style Number	· LPL Case		·HPL Case	• Options • (Add \$ to • Base Price)
			:	: : :	LPL Headset	: HPL : Headset	HPL Headset	: Markerboard : Door
Ove	head w	/ith Hi	nged Doors	<b>X</b> 4/24				
16"	36"	15"	2	CROH	\$ 712	\$ 769	\$ 889	N.A.
16"	42"	15"	3	CROH	\$ 825	\$ 890	\$1030	N.A.
16"	48"	15"	3	CROH	\$ 944	\$1020	\$1180	N.A.
16"	54"	15"	3	CROH	\$1068	\$1153	\$1334	N.A.
16"	60"	15"	3	CROH	\$1173	\$1267	\$1466	N.A.
16"	66"	15"	4	CROH	\$1291	\$1395	\$1615	N.A.
16"	72"	15"	4	СКОН	\$1357	\$1465	\$1696	N.A.





## Overhead with Hinged Doors for Use with Answer Beam, Dual-Sided Application ₹4/24

Personal								
16"	611/2"	15"	3	CROH	\$1265	\$1367	\$1583	N.A.
16"	671/2"	15"	4	CROH	\$1330	\$1436	\$1662	N.A.
16"	731/2"	15"	4	СКОН	\$1370	\$1479	\$1712	N.A.
			:	:	:		:	:





Personal									
16"	63"	15"	3	СКОН	\$1279	\$1381	\$1598	N.A.	
16"	69"	15"	4	СКОН	\$1343	\$1450	\$1678	N.A.	
16"	75"	15"	4	СКОН	\$1384	\$1495	\$1730	N.A.	





Pers	onal								
16"	36"	15"	2	СКОН	\$ 619	\$ 668	\$ 774	+\$109	
16"	42"	15"	3	СКОН	\$ 732	\$ 790	\$ 914	+\$132	
16"	48"	15"	3	СКОН	\$ 852	\$ 921	\$1066	+\$146	
16"	54"	15"	3	СКОН	\$ 974	\$1052	\$1217	+\$179	
16"	60"	15"	3	СКОН	\$1080	\$1165	\$1348	+\$207	
16"	66"	15"	4	СКОН	\$1198	\$1295	\$1499	+\$246	
16"	72"	15"	4	СКОН	\$1264	\$1366	\$1582	+\$265	
				•				•	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

October 2023

		·Style Number	U.S. Base I			
Dimensions D W H	· Number of Doors		· LPL · Case		· HPL Case	• Options • (Add \$ to
	:					Base Price)
· · ·	· · ·	· · · · · · · · · · · · · · · · · · ·	: LPL : Headset	: HPL · Headset	HPL Headset	· Markerboard · Door

## Overhead with Sliding Doors, continued 34/24 Shared

Shared									
16"	36"	15"	2	СКОН	\$ 832	\$ 897	\$1038	+\$237	
16"	42"	15"	2	СКОН	\$ 945	\$1021	\$1182	+\$278	
16"	48"	15"	2	СКОН	\$1064	\$1148	\$1329	+\$308	
16"	54"	15"	2	СКОН	\$1187	\$1283	\$1486	+\$368	
16"	60"	15"	2	СКОН	\$1294	\$1398	\$1618	+\$426	
16"	66"	15"	2	СКОН	\$1410	\$1522	\$1761	+\$497	
16"	72"	15"	2	СКОН	\$1477	\$1595	\$1847	+\$548	
:			:	:	:		:	:	

## Overhead with Sliding Doors for Use with Answer Beam, Dual-Sided Application ₹4/24


Personal									
16"	61 <sup>1</sup> /2"	15"	1	CROH	\$1175	\$1269	\$1468	+\$222	
16"	671/2"	15"	1	СКОН	\$1239	\$1339	\$1549	+\$252	
16"	731/2"	15"	1	CROH	\$1277	\$1379	\$1596	+\$267	
Shar	ed								
16"	61 <sup>1</sup> /2"	15"	2	СКОН	\$1383	\$1494	\$1729	+\$461	
16"	671/2"	15"	2	СКОН	\$1448	\$1565	\$1811	+\$518	
16"	731/2"	15"	2	CROH	\$1491	\$1610	\$1864	+\$565	
:			:	:	:		:	:	


## Overhead with Sliding Doors for Use with Answer Beam, Single-Sided Application 4/24

Personal									
16"	63"	15"	1	CROH	\$1186	\$1282	\$1485	+\$227	
16"	69"	15"	1	СКОН	\$1252	\$1353	\$1567	+\$257	
16"	75"	15"	1	СКОН	\$1288	\$1392	\$1612	+\$278	
Shar	ed								
16"	63"	15"	2	СКОН	\$1397	\$1509	\$1747	+\$472	
16"	69"	15"	2	СКОН	\$1463	\$1580	\$1829	+\$530	
16"	75"	15"	2	СКОН	\$1507	\$1627	\$1884	+\$574	

<sup>▶</sup> Specification Information, continued on next page









**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

					U.S. Base			
· Dimensions · Number			·Number	·Style	·LPL		·HPL	<ul><li>Options</li></ul>
D	W	н	of Doors	Number	Case		Case	(Add \$ to
			:	:	:		:	Base Price)
				•			•	
				:	. LPL	· HPL	HPL	Markerboard
				:	Headset	Headset	Headset	Door


Pricing at right is for case only. Headsets are not available on open units.





			•						
Ove:	rhead	with No	Doors, Open	X 4/24					
Pers	onal								
15"	36"	15"	N.A.	СКОН	\$ 447	N.A.	\$ 559	N.A.	
15"	42"	15"	N.A.	СКОН	\$ 561	N.A.	\$ 701	N.A.	
15"	48"	15"	N.A.	СКОН	\$ 679	N.A.	\$ 850	N.A.	
15"	54"	15"	N.A.	CROH	\$ 802	N.A.	\$1003	N.A.	
15"	60"	15"	N.A.	CROH	\$ 908	N.A.	\$1135	N.A.	
15"	66"	15"	N.A.	CROH	\$1026	N.A.	\$1283	N.A.	
15"	72"	15"	N.A.	CROH	\$1090	N.A.	\$1365	N.A.	
Shar	ed								
15"	36"	15"	N.A.	CROH	\$ 659	N.A.	\$ 824	N.A.	
15"	42"	15"	N.A.	CROH	\$ 774	N.A.	\$ 967	N.A.	
15"	48"	15"	N.A.	CROH	\$ 894	N.A.	\$1117	N.A.	
15"	54"	15"	N.A.	CROH	\$1016	N.A.	\$1270	N.A.	
15"	60"	15"	N.A.	CROH	\$1123	N.A.	\$1403	N.A.	
15"	66"	15"	N.A.	CROH	\$1239	N.A.	\$1547	N.A.	
15"	72"	15"	N.A.	CROH	\$1305	N.A.	\$1632	N.A.	

Pricing at right is for case only. Headsets are not available on open units.



Ove	rhead w	vith No	Doors for	Use with An	swer Bea	m, Dual-S	ided Appli	cation	<b>X</b> 4/24		
Personal											
15"	611/2"	15"	N.A.	CROH	\$1005	N.A.	\$1257	N.A.			
15"	671/2"	15"	N.A.	CROH	\$1073	N.A.	\$1339	N.A.			
15"	731/2"	15"	N.A.	CROH	\$1104	N.A.	\$1381	N.A			
Shar	ed										
15"	611/2"	15"	N.A.	CROH	\$1215	N.A.	\$1519	N.A.			
15"	671/2"	15"	N.A.	СКОН	\$1280	N.A.	\$1599	N.A.			
15"	731/2"	15"	N.A.	СКОН	\$1319	N.A.	\$1648	N.A.			


▶ Specification Information, continued on next page



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Specification Information										
· Dimensions · Number				· Style	U.S. Base Price · Style · LPL			· Options		
D			of Doors	Number	Case Case		· HPL Case	(Add \$ to Base Price)		
			· ·	•	: :		· ·			
			•	:	: LPL : Headset	: HPL : Headset	: HPL : Headset	: Markerboard : Door		

Pricing at right is for case only. Headsets are not available on open units.



0ve	rhead	with No	Doors for	Use with An	swer Bea	m, Single	-Sided App	lication	<b>X</b> 4/24					
Personal														
15"	63"	15"	N.A.	СКОН	\$1018	N.A.	\$1272	N.A.						
15"	69"	15"	N.A.	СКОН	\$1081	N.A.	\$1354	N.A.						
15"	75"	15"	N.A.	СКОН	\$1114	N.A.	\$1393	N.A.						
Shar	ed													
15"	63"	15"	N.A.	CROH	\$1226	N.A.	\$1532	N.A.						
15"	69"	15"	N.A.	CROH	\$1293	N.A.	\$1616	N.A.						
15"	75"	15"	N.A.	СКОН	\$1331	N.A.	\$1665	N.A.						
:				•	:		•	•						

### **Overheads**



Tip: Overheads with sliding doors do not lock.

Tip: Overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

#### For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: Answer beam bracket option includes no brackets. Brackets are specified separately based on specific application.

Tip: Not all attachment brackets are included within the style number. See Understanding content for more information.

	Standard Includes	Required to Specify
► Need help? Product details, page 68	Overhead:  - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset  - Low-Pressure Laminate case with High-Pressure Laminate headset, if selected  - High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected  Lock plug on overheads with hinged doors only  Shipped fully assembled	Style number

**U.S. Price** 

**Options** 

**Required to Specify** 

<ul> <li>Modular</li> </ul>	No cost	Specify with modular.
<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
• 36"W	Prices at right	Specify 36"Width.
	<u> </u>	Specify 42"Width.
		Specify 48"Width.
	· ·	Specify 54"Width.
		Specify 60"Width.
	· ·	Specify 61 <sup>1</sup> /2"Width.
		Specify 63"Width.
	· ·	Specify 66"Width.
	<u> </u>	Specify 67 <sup>1</sup> /2"Width.
		Specify 69"Width.
• 72"W	Prices at right	Specify 72"Width.
• 73 <sup>1</sup> / <sub>2</sub> "W	Prices at right	Specify 731/2"Width.
• 75"W	Prices at right	Specify 75"Width.
Laminate	Prices at right	Specify with laminate.
<ul> <li>Markerboard</li> </ul>	Prices at right	Specify with markerboard.
Answer beam	No cost	Specify with Answer beam.
	No cost	Specify with top cap mount on Answer.
<ul> <li>Wall mount brackets</li> </ul>		
– 36"W–66"W	+\$137	Specify with wall mount brackets 36"W-66"W.
– 72"W	+\$186	Specify with 72"W wall mount brackets.
<ul> <li>Answer panel</li> </ul>	+\$ 46	Specify with Answer panel.
<ul> <li>Answer duo support column</li> </ul>	+\$382	Specify with Answer duo support column
Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
price group 1		
	Prices at right	Specify laminate color number.
` '		
	See information at left	Specify laminate color number.
` '	oce information at left	opeony laminate dolor namber.
	See information at left	Specify laminate color number.
	occ information at lost	opeony laminate dolor namber.
	1\$102 plue cost	See Surface Material Reference Manual.
- Open Line laminate	of laminate	See Surface Material Helefelice Manual.
Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
	Prices at right	Specify laminate color number.
` '	i noco al rigin	opeony familiate delet flamber.
	See information at left	Specify laminate color number.
` '	dee information at left	opecity laminate color number.
	Cas information at left	Charify laminate color number
` '	oce iniviniation at left	Specify laminate color number.
	. #100 plus sast	Can Curtana Matarial Dafaranan Manual
Open Line laminate	of laminate	See Surface Material Reference Manual.
		0 " " 1
<ul> <li>Key plug</li> </ul>	No cost	Specify with key plug.
	Parametric  36"W  42"W  48"W  54"W  60"W  611/2"W  63"W  66"W  671/2"W  731/2"W  731/2"W  75"W  Laminate  Markerboard  Answer beam  Top cap mount on Answer  Wall mount brackets  36"W–66"W  72"W  Answer panel  Answer duo support column  Low-Pressure Laminate (LPL) price group 1  High-Pressure Laminate (HPL) price group 2  High-Pressure Laminate (HPL) price group 3  Open Line laminate  Low-Pressure Laminate (LPL) price group 1  High-Pressure Laminate (HPL) price group 3  Open Line laminate	Parametric No cost  36"W Prices at right 42"W Prices at right 68"W Prices at right 611/2"W Prices at right 66"W Prices at right 671/2"W Prices at right 69"W Prices at right 69"W Prices at right 69"W Prices at right 72"W Prices at right 73"W Prices at right 73"W Prices at right 73"W Prices at right 73"W Prices at right 75"W Prices at right Price at right Price group 1 Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Price group 1 Prices at right Prices at right Prices at right Price group 1 Prices at right Prices at ri




## **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

					U.S. Bas	e Price	
Dimensio	ns			·Style	·LPL		·HPL
Modular Width	Parametric Width	D	Н	Number	Case		Case
				· : :	LPL Headset	: HPL · Headset	HPL Headset




:				:	: LPL : Headset	∶HPL ∶Headset	· HPL · Headset
Overh	ead with Hinge	d Do	ors				
36"	36"	16"	15"	CROHHD	\$ 712	\$ 769	\$ 889
42"	361/16"-42"	16"	15"	CROHHD	\$ 825	\$ 890	\$1030
48"	421/16"-48"	16"	15"	CROHHD	\$ 944	\$1020	\$1180
54"	481/16"-54"	16"	15"	CROHHD	\$1068	\$1153	\$1334
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	16"	15"	CROHHD	\$1173	\$1267	\$1466
N.A.	601/16"-611/2"	16"	15"	CROHHD	\$1265	\$1367	\$1583
N.A.	61 <sup>9</sup> /16"-63"	16"	15"	СКОННО	\$1279	\$1381	\$1598
66"	631/16"-66"	16"	15"	СКОННО	\$1291	\$1395	\$1615
N.A.	661/16"-671/2"	16"	15"	CROHHD	\$1330	\$1436	\$1662
N.A.	67 <sup>9</sup> /16"-69"	16"	15"	CROHHD	\$1343	\$1450	\$1678
72"	691/16"-72"	16"	15"	CROHHD	\$1357	\$1465	\$1696
N.A.	721/16"-731/2"	16"	15"	CROHHD	\$1370	\$1479	\$1712
N.A.	73 <sup>9</sup> /16"-75"	16"	15"	CROHHD	\$1384	\$1495	\$1730



## Overhead—Hinged Doors, Personal, For Use with Answer Beam, Dual-Sided Application

61 <sup>1</sup> /2"	N.A.	16"	15"	CROHHDPABD	\$1265	\$1367	\$1583	
671/2"	N.A.	16"	15"	CROHHDPABD	\$1330	\$1436	\$1662	
731/2"	N.A.	16"	15"	CROHHDPABD	\$1370	\$1479	\$1712	



## Overhead—Hinged Doors, Personal, for Use with Answer Beam, Single-Sided Application

63"	N.A.	16"	15"	CROHHDPABS	\$1279	\$1381	\$1598
69"	N.A.	16"	15"	CROHHDPABS	\$1343	\$1450	\$1678
75"	N.A.	16"	15"	CROHHDPABS	\$1384	\$1495	\$1730


▶ Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

					U.S. Bas	se Price		
Dimensions				· Style	·LPL		·HPL	· Options
	arametric 'idth	D	н	Number	Case		Case	(Add \$ to Base Price)
				:	LPL Headset	: HPL : Headset	HPL Headset	: Markerboard : Door



	3		,				
36"	36"	16"	15"	CROHSDP	\$ 619	\$ 668	\$ 774
42"	36 <sup>1</sup> / <sub>16</sub> "–42"	16"	15"	CROHSDP	\$ 732	\$ 790	\$ 914
48"	421/16"-48"	16"	15"	CROHSDP	\$ 852	\$ 921	\$1066
54"	48 <sup>1</sup> / <sub>16</sub> "–54"	16"	15"	CROHSDP	\$ 974	\$1052	\$1217
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	16"	15"	CROHSDP	\$1080	\$1165	\$1348

48"	421/16"-48"	16"	15"	CROHSDP	\$ 852	\$ 921	\$1066	+\$146	
54"	48 <sup>1</sup> / <sub>16</sub> "–54"	16"	15"	CROHSDP	\$ 974	\$1052	\$1217	+\$179	
60"	54 <sup>1</sup> /16"–60"	16"	15"	CROHSDP	\$1080	\$1165	\$1348	+\$207	
N.A.	601/16"-611/2"	16"	15"	CROHSDP	\$1175	\$1269	\$1468	+\$222	
N.A.	61 <sup>9</sup> /16"–63"	16"	15"	CROHSDP	\$1186	\$1282	\$1485	+\$227	
66"	631/16"-66"	16"	15"	CROHSDP	\$1198	\$1295	\$1499	+\$246	
N.A.	661/16"-671/2"	16"	15"	CROHSDP	\$1239	\$1339	\$1549	+\$252	
N.A.	67 <sup>9</sup> /16"–69"	16"	15"	CROHSDP	\$1252	\$1353	\$1567	+\$257	
72"	691/16"-72"	16"	15"	CROHSDP	\$1264	\$1366	\$1582	+\$265	
N.A.	721/16"-731/2"	16"	15"	CROHSDP	\$1277	\$1379	\$1596	+\$267	
N.A.	73 <sup>9</sup> /16"-75"	16"	15"	CROHSDP	\$1288	\$1392	\$1612	+\$278	



Overhe	ead—Sliding D	oors	, Sha	red				
36"	36"	16"	15"	CROHSDS	\$ 832	\$ 897	\$1038	+\$237
42"	361/16"-42"	16"	15"	CROHSDS	\$ 945	\$1021	\$1182	+\$278
48"	421/16"-48"	16"	15"	CROHSDS	\$1064	\$1148	\$1329	+\$308
54"	481/16"-54"	16"	15"	CROHSDS	\$1187	\$1283	\$1486	+\$368
60"	541/16"-60"	16"	15"	CROHSDS	\$1294	\$1398	\$1618	+\$426
N.A.	601/16"-611/2"	16"	15"	CROHSDS	\$1383	\$1494	\$1729	+\$461
N.A.	61 <sup>9</sup> /16"–63"	16"	15"	CROHSDS	\$1397	\$1509	\$1747	+\$472
66"	631/16"-66"	16"	15"	CROHSDS	\$1410	\$1522	\$1761	+\$497
N.A.	661/16"-671/2"	16"	15"	CROHSDS	\$1448	\$1565	\$1811	+\$518
N.A.	67 <sup>9</sup> /16"-69"	16"	15"	CROHSDS	\$1463	\$1580	\$1829	+\$530
72"	691/16"-72"	16"	15"	CROHSDS	\$1477	\$1595	\$1847	+\$548
N.A.	721/16"-731/2"	16"	15"	CROHSDS	\$1491	\$1610	\$1864	+\$565
N.A.	73 <sup>9</sup> /16"–75"	16"	15"	CROHSDS	\$1507	\$1627	\$1884	+\$574
•				•	•			•


<sup>▶</sup> Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


+\$109 +\$132

Specific	ation Inforn	natio	n					
·Dimensio	ns			·Style	U.S. Bas	se Price	· HPL	·Options
Modular Width	Parametric Width	D	Н	Number	Case		Case	: (Add \$ to : Base Price)
					LPL Headset	HPL Headset	HPL Headset	: Markerboard : Door



## Overhead—Sliding Doors, Personal, for Use with Answer Beam, Dual-Sided Application

61 <sup>1</sup> /2"	N.A.	16"	15"	CROHSDPABD	\$1175	\$1269	\$1468	+\$222	
671/2"	N.A.	16"	15"	CROHSDPABD	\$1239	\$1339	\$1549	+\$252	
731/2"	N.A.	16"	15"	CROHSDPABD	\$1277	\$1379	\$1596	+\$267	




### Overhead—Sliding Doors, Shared, for Use with Answer Beam, Dual-Sided Application

61 <sup>1</sup> /2"	N.A.	16"	15"	CROHSDSABD	\$1383	\$1494	\$1729	+\$461	
671/2"	N.A.	16"	15"	CROHSDSABD	\$1448	\$1565	\$1811	+\$518	
731/2"	N.A.	16"	15"	CROHSDSABD	\$1491	\$1610	\$1864	+\$565	

## Overhead—Sliding Doors, Personal, for Use with Answer Beam, Single-Sided Application

63"	N.A.	16" 1	5"	CROHSDPABS	\$1186	\$1282	\$1485	+\$227	
69"	N.A.	16" 1	5"	CROHSDPABS	\$1252	\$1353	\$1567	+\$257	
75"	N.A.	16" 1	5"	CROHSDPABS	\$1288	\$1392	\$1612	+\$278	



## Overhead—Sliding Doors, Shared, for Use with Answer Beam, Single-Sided Application

63"	N.A.	16"	15"	CROHSDSABS	\$1397	\$1509	\$1747	+\$472	
69"	N.A.	16"	15"	CROHSDSABS	\$1463	\$1580	\$1829	+\$530	
75"	N.A.	16"	15"	CROHSDSABS	\$1507	\$1627	\$1884	+\$574	

▶ Specification Information, continued on next page

**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Specific	ation Inform			iroiii previous į			
Dimensio Modular Width		D	н	• Style Number	U.S. Ba ·LPL Case	se Price • HPL Case	
Overhea	d—No Doors	s, Ope	en, Po	ersonal			
36"	36"	15"	15"	СКОНОР	\$ 447	\$ 559	
42"	361/16"-42"	15"	15"	СКОНОР	\$ 561	\$ 701	
48"	421/16"-48"	15"	15"	СКОНОР	\$ 679	\$ 850	
54"	481/16"-54"	15"	15"	СКОНОР	\$ 802	\$1003	
60"	541/16"-60"	15"	15"	СКОНОР	\$ 908	\$1135	
N.A.	601/16"-611/2"	15"	15"	СКОНОР	\$1005	\$1257	
N.A.	61 <sup>9</sup> /16"–63"	15"	15"	СКОНОР	\$1018	\$1272	
66"	631/16"-66"	15"	15"	СКОНОР	\$1026	\$1283	
N.A.	661/16"-671/2"	15"	15"	СКОНОР	\$1073	\$1339	
N.A.	67 <sup>9</sup> /16"–69"	15"	15"	СКОНОР	\$1081	\$1354	
72"	691/16"-72"	15"	15"	СКОНОР	\$1090	\$1365	
N.A.	721/16"-731/2"	15"	15"	СКОНОР	\$1104	\$1381	
N.A.	73 <sup>9</sup> /16"-75"	15"	15"	СКОНОР	\$1114	\$1393 ·	
Overhea	d—No Doors	, Ope	en, St	nared	·	•	
36"	36"	15"	15"	CROHOS	\$ 659	\$ 824	
42"	361/16"-42"	15"	15"	CROHOS	\$ 774	\$ 967	
48"	421/16"-48"	15"	15"	CROHOS	\$ 894	\$1117	
54"	481/16"-54"	15"	15"	сконоѕ	\$1016	\$1270	
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	15"	15"	сконоѕ	\$1123	\$1403	
N.A.	601/16"-611/2"	15"	15"	сконоѕ	\$1215	\$1519	
N.A.	61 <sup>9</sup> /16"–63"	15"	15"	сконоѕ	\$1226	\$1532	
66"	631/16"-66"	15"	15"	CROHOS	\$1239	\$1547	

15"

15"

15"

15"

15"

15"

15"

15"

15"

**CROHOS** 

**CROHOS** 

**CROHOS** 

**CROHOS** 

**CROHOS** 

\$1280

\$1293

\$1305

\$1319

\$1331

\$1599

\$1616

\$1632

\$1648

\$1665

661/16"-671/2"

679/16"-69"

691/16"-72"

739/16"-75"

721/16"-731/2"



N.A.

N.A.

72"


N.A.

N.A.




<sup>▶</sup> Specification Information, continued on next page

Specification Information									
·Dimensio	ne			· Style	U.S. Ba	se Price ·HPL			
Modular	Parametric	D	н	Number	Case	Case			
Width	Width			:		:			
:				:	:	:			




## Overhead—No Doors, Open, Personal, for Use with Answer Beam, Dual-Sided Application

61 <sup>1</sup> /2"	N.A.	15"	15"	CROHOPABD	\$1005	\$1257
671/2"	N.A.	15"	15"	CROHOPABD	\$1073	\$1339
731/2"	N.A.	15"	15"	CROHOPABD	\$1104	\$1381




## Overhead—No Doors, Open, Shared, for Use with Answer Beam, Dual-Sided Application

61 <sup>1</sup> /2"	N.A.	15"	15"	CROHOSABD	\$1215	\$1519	
671/2"	N.A.	15"	15"	CROHOSABD	\$1280	\$1599	
731/2"	N.A.	15"	15"	CROHOSABD	\$1319	\$1648	



## Overhead—No Doors, Open, Personal, for Use with Answer Beam, Single-Sided Application

•	63"	N.A.	15"	15"	CROHOPABS	\$1018	\$1272
	69"	N.A.	15"	15"	CROHOPABS	\$1081	\$1354
	75"	N.A.	15"	15"	CROHOPABS	\$1114	\$1393



## Overhead—No Doors, Open, Shared, for Use with Answer Beam, Single-Sided Application

63"	N.A.	15"	15"	CROHOSABS	\$1226	\$1532
69"	N.A.	15"	15"	CROHOSABS	\$1293	\$1616
75"	N.A.	15"	15"	CROHOSABS	\$1331	\$1665

**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

### Stacking Overheads \$\times 4/24\$

►Need help?

page 62

Product details,



Tip: Stacking overheads with sliding doors do not lock.

Tip: Stacking overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

Tip: 37.98725"H overheads align with 66<sup>1</sup>/2"H storage. 44.17475"H overheads align with 72"H storage.

# For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: Stacking overheads cannot be used with lateral file/lateral file credenza configurations.

Tip: 15"H refers to the height of the storage case.

#### **Standard Includes**

#### Stacking overhead:

- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Lock plug on overheads with hinged doors only
- · Attachment hardware

#### **Required to Specify**

Style number

	Options	U.S. Price	Required to Specify
Height	• 15"H	Prices at right	Specify 15" depth.
Width	• 36"W • 42"W • 48"W	Prices at right Prices at right Prices at right	Specify 36"Width. Specify 42"Width. Specify 48"Width.
	• 54"W • 60"W • 66"W • 72"W	Prices at right Prices at right Prices at right Prices at right	Specify 54"Width. Specify 60"Width. Specify 66"Width. Specify 72"Width.
Door	<ul><li> Hinged doors</li><li> No door</li><li> Sliding doors</li></ul>	Prices at right Prices at right Prices at right	Specify with hinged doors. Specify without doors. Specify with sliding doors.
Door Surface Type	Laminate     Markerboard	Prices at right Prices at right	Specify with laminate. Specify with markerboard.
Worksurface Thickness	• 11/8" • 13/8"	No cost +\$160	Specify with 11/6" thickness. Specify with 13/6" thickness.
Case Finish	Low-Pressure Laminate (LPL) price group 1     High-Pressure Laminate (HPL)	No cost  Prices at right	Specify laminate color number.  Specify laminate color number.
	<ul><li>price group 1</li><li>High-Pressure Laminate (HPL)</li><li>price group 2</li></ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> <li>Open Line laminate</li> </ul>	See information at left +\$102 plus cost	Specify laminate color number.  See Surface Material Reference Manual.
	· Open Line laminate	of laminate	Gee Surface Material Helefelice Manual.
Headset Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Keys	Key plug     Master key plug	No cost +\$ 36 per lock	Specify with key plug. Specify with master key plug.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

October 2023

· Options

(Add \$ to

N.A.

N.A.

N.A.

N.A.


N.A.


N.A.

N.A.

Base Price)

Markerboard Door





**CROHS** 

**Specification Information** 

66"

72"


16"

15"

15"

4

4



Stacking Overhead with Sliding Door ► 4/24									
16"	36"	15"	1	CROHS	\$ 964	\$1041	\$1205	+\$172	
16"	42"	15"	1	CROHS	\$1080	\$1165	\$1348	+\$193	
16"	48"	15"	1	CROHS	\$1199	\$1296	\$1500	+\$206	
16"	54"	15"	1	CROHS	\$1293	\$1397	\$1617	+\$237	
16"	60"	15"	1	CROHS	\$1428	\$1541	\$1784	+\$276	
16"	66"	15"	1	CROHS	\$1547	\$1671	\$1934	+\$317	
16"	72"	15"	1	CROHS	\$1663	\$1797	\$2079	+\$360	

\$1640

\$1755

\$1772

\$1895

\$2051

\$2195

**U.S. Base Price** 



Pricing at right is for case only. Headsets are not available on open units.

Stacking Overhead with No Doors, Open 🔀 4/24									
15"	36"	15"	N.A.	CROHS	\$ 600	N.A.	\$ 752	N.A.	
15"	42"	15"	N.A.	CROHS	\$ 719	N.A.	\$ 899	N.A.	
15"	48"	15"	N.A.	CROHS	\$ 832	N.A.	\$1039	N.A.	
15"	54"	15"	N.A.	CROHS	\$ 969	N.A.	\$1211	N.A.	
15"	60"	15"	N.A.	CROHS	\$1065	N.A.	\$1330	N.A.	
15"	66"	15"	N.A.	CROHS	\$1185	N.A.	\$1481	N.A.	
15"	72"	15"	N.A.	CROHS	\$1296	N.A.	\$1620	N.A.	
:			:	:	:		:	:	



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

# **Stacking Overheads**

►Need help?

**Tackboard** 

**Valance** 

**Top Surface** 

Type

Keys

page 68

Product details,



Tip: Stacking overheads with sliding doors do not lock.

Tip: Stacking overheads with three doors will have two doors hinged right. Overheads with four doors will have two doors hinged left, and two hinged right. Doors will always open from the center out.

Tip: Stacking overheads go on top of Two-High Currency storage or desks. Please specify the application height of the overall height desired with storage and stacking overhead combined.

#### For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Selecting the correct worksurface thickness and top surface materiality type (Low-Pressure Laminate or High-Pressure Laminate) of storage underneath ensures that the stacking overhead aligns with neighboring tall storage.

Tip: White markerboard (2977) headset finish available with sliding doors only.

Tip: 15"H refers to the height of the storage case.

Tip: Stacking overheads must be specified parametrically if going above a lateral file/lateral file credenza. Please see understanding pages for more information.



### For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

#### **Standard Includes**

#### · Stacking overhead:

- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- Lock plug on overheads with hinged doors only
- · Attachment hardware

Required	ro Specii
Style number	

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Application	• 66 <sup>1</sup> /2"H	Prices at right	Specify 66 <sup>1</sup> / <sub>2</sub> " height.
Height	• 72"H	Prices at right	Specify 72" height.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 54"W	Prices at right	Specify 54"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 72"W	Prices at right	Specify 72"Width.
Door Surface	Laminate	Prices at right	Specify with laminate.
Туре	<ul> <li>Markerboard</li> </ul>	Prices at right	Specify with markerboard.
	• 1½"	No cost	Specify with 11/8" thickness.
Thickness	• 1 <sup>3</sup> / <sub>8</sub> "	No cost	Specify with 13/8" thickness.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number
	High-Pressure Laminate (HPL) price group 1	Prices at right	Specify laminate color number
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number
	<ul> <li>High-Pressure Laminate (HPL)</li> </ul>	See information at left	Specify laminate color number

+\$102 plus cost

of laminate

Price at right

Price at right

Price at right

Price at right

No cost

No cost

No cost

+\$ 36 per lock

#### · With light valance Headset · Low-Pressure Laminate (LPL) Finish price group 1

price group 3

No tackboard

· With tackboard

· No light valance

Open Line laminate

· High-Pressure Laminate (HPL) Prices at right price group 1

· High-Pressure Laminate (HPL) See information at left price group 2

· High-Pressure Laminate (HPL) See information at left price group 3 Open Line laminate +\$102 plus cost

· Low-Pressure Laminate (LPL) · High-Pressure Laminate (HPL)

· Key plug Master kev plug

See Surface Material Reference Manual. of laminate Specify with Low-Pressure Laminate. No cost

> Specify with High-Pressure Laminate. Specify with key plug. Specify with master key plug.

Specify with no tackboard.

Specify with no light valance.

Specify laminate color number.

Specify laminate color number.

Specify laminate color number.

Specify laminate color number.

Specify with light valance.

Specify with tackboard.

See Surface Material Reference Manual.

Options, continued on next page

### ▶Options, continued from previous page

For fabric price groups 1-5 pricing, please refer to the electronic catalog or SmartTools.

# With Tackboard Option Upcharges

Dimensio Modular Width	ns Parametric Width	Modular Application Height	Parametric Application Height	• Option (Add \$ to Base Price)  Fabric Price Group A
36"	36"	661/2"	66 <sup>1</sup> /2"	+\$397
42"	361/16"-42"	661/2"	661/2"	+\$420
48"	421/16"-48"	661/2"	66 <sup>1</sup> /2"	+\$438
54"	481/16"-54"	661/2"	66 <sup>1</sup> /2"	+\$470
60"	541/16"-60"	661/2"	66 <sup>1</sup> /2"	+\$500
66"	601/16"-66"	661/2"	66 <sup>1</sup> /2"	+\$542
72"	661/16"-72"	661/2"	66 <sup>1</sup> /2"	+\$602
N.A.	721/16"-75"	661/2"	66 <sup>1</sup> /2"	+\$664
36"	36"	72"	66 <sup>9</sup> /16"-72"	+\$436
42"	361/16"-42"	72"	66 <sup>9</sup> /16"-72"	+\$461
48"	421/16"-48"	72"	66 <sup>9</sup> /16"-72"	+\$483
54"	481/16"-54"	72"	66 <sup>9</sup> /16"-72"	+\$517
60"	541/16"-60"	72"	66 <sup>9</sup> /16"-72"	+\$548
66"	601/16"-66"	72"	66 <sup>9</sup> /16"-72"	+\$596
72"	661/16"-72"	72"	66 <sup>9</sup> /16"-72"	+\$664
N.A.	721/16"-75"	72"	66 <sup>9</sup> /16"-72"	+\$729

For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

# **With Valance Option Upcharges**

Dimension Modular Width	ons Parametric Width	• Option (Add	to Base Price)		
	Width	· · ·	Price Group 1		
36"	36"	+\$127	+\$148		
42"	361/16"-42"	+\$141	+\$165		
48"	421/16"-48"	+\$155	+\$182		
54"	481/16"-54"	+\$166	+\$194		
60"	541/16"-60"	+\$183	+\$214		
66"	601/16"-66"	+\$197	+\$230		
72"	661/16"-72"	+\$211	+\$246		
N.A.	72 <sup>1</sup> /16"-75"	+\$213	+\$249		

▶ Specification Information, continued on next page



opecilic	ation Inforr	nation				Base Pri		
Dimension Modular Width	s Parametric Width	Depth	Modular App Height	Parametric App Height	Style Number	LPL	·HPL	· HPL Case
			:	:	:	Headset	Headset	Headset
Stacking	g Overhead-	—Hinged	Doors					
36"	36"	16"	661/2"	661/2"	CROHSHD	\$1056	\$1140	\$1320
12"	361/16"-42"	16"	661/2"	661/2"	CROHSHD	\$1173	\$1267	\$1466
48"	421/16"-48"	16"	661/2"	661/2"	CROHSHD	\$1293	\$1397	\$1617
54"	48 <sup>1</sup> / <sub>16</sub> "–54"	16"	661/2"	661/2"	CROHSHD	\$1384	\$1495	\$1730
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	16"	661/2"	661/2"	CROHSHD	\$1521	\$1643	\$1902
66"	601/16"-66"	16"	661/2"	661/2"	CROHSHD	\$1640	\$1772	\$2051
72"	661/16"-72"	16"	661/2"	661/2"	CROHSHD	\$1755	\$1895	\$2195
N.A.	721/16"-75"	16"	661/2"	661/2"	CROHSHD	\$1773	\$1915	\$2216
36"	36"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1056	\$1140	\$1320
42"	361/16"-42"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1173	\$1267	\$1466
48"	421/16"-48"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1293	\$1397	\$1617
54"	48 <sup>1</sup> / <sub>16</sub> "–54"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1384	\$1495	\$1730
60"	54 <sup>1</sup> / <sub>16</sub> "–60"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1521	\$1643	\$1902
66"	601/16"-66"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1640	\$1772	\$2051
72"	66 <sup>1</sup> /16"-72"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSHD	\$1755	\$1895	\$2195

667/16"-72"

**CROHSHD** 

\$1915

\$2216


\$1773



16"

721/16"-75"

N.A.



Specification Information										
						Base Pr	ices			
Dimension Modular	Parametric	Depth	· Modular App	Parametric App	· Style Number	· LPL Case		· HPL Case	• Option (Add \$ to	
Width	Width		Height	Height	:	: · LPL	· HPL	: · HPL	: Base : Price)	
:			:	:		Headset	Headset	Headset	Marker-	
•			:	:	:	:	:	:	Board Door	



			:	:	•	:	:	:	Door
Stack	ing Overhea	d—Sli	ding Door	'S					
36"	36"	16"	661/2"	661/2"	CROHSSD	\$ 964	\$1041	\$1205	+\$172
42"	361/16"-42"	16"	661/2"	661/2"	CROHSSD	\$1080	\$1165	\$1348	+\$193
48"	421/16"-48"	16"	661/2"	661/2"	CROHSSD	\$1199	\$1296	\$1500	+\$206
54"	48 <sup>1</sup> /16"-54"	16"	661/2"	661/2"	CROHSSD	\$1293	\$1397	\$1617	+\$237
60"	54 <sup>1</sup> /16"-60"	16"	661/2"	661/2"	CROHSSD	\$1428	\$1541	\$1784	+\$276
66"	601/16"-66"	16"	661/2"	661/2"	CROHSSD	\$1547	\$1671	\$1934	+\$317
72"	661/16"-72"	16"	661/2"	661/2"	CROHSSD	\$1663	\$1797	\$2079	+\$360
N.A.	72 <sup>1</sup> /16"–75"	16"	661/2"	661/2"	CROHSSD	\$1680	\$1814	\$2100	+\$364
36"	36"	16"	72"	66 <sup>7</sup> /16"–72"	CROHSSD	\$ 964	\$1041	\$1205	+\$172
42"	361/16"-42"	16"	72"	66 <sup>7</sup> /16"–72"	CROHSSD	\$1080	\$1165	\$1348	+\$193
48"	421/16"-48"	16"	72"	66 <sup>7</sup> /16"–72"	CROHSSD	\$1199	\$1296	\$1500	+\$206
54"	481/16"-54"	16"	72"	66 <sup>7</sup> /16"–72"	CROHSSD	\$1293	\$1397	\$1617	+\$237
60"	54 <sup>1</sup> /16"-60"	16"	72"	66 <sup>7</sup> /16"–72"	CROHSSD	\$1428	\$1541	\$1784	+\$276
66"	601/16"-66"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSSD	\$1547	\$1671	\$1934	+\$317
72"	661/16"-72"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSSD	\$1663	\$1797	\$2079	+\$360
N.A.	72 <sup>1</sup> /16"-75"	16"	72"	66 <sup>7</sup> /16"-72"	CROHSSD	\$1680	\$1814	\$2100	+\$364
:			:		:	:	:	:	:

<sup>▶</sup> Specification Information, continued on next page



					U.S. Ba	se Price	
Dimensio Modular Width	ns Parametric Width	D	н	• Style • Number	· LPL Case	· HPL Case	
Stacking	overhead-	-No C	oors,	Open	·		
36"	36"	15"	661/2"	CROHSO	\$ 600	\$ 752	
42"	361/16"-42"	15"	661/2"	сконѕо	\$ 719	\$ 899	
48"	421/16"-48"	15"	661/2"	CROHSO	\$ 832	\$1039	
54"	481/16"-54"	15"	661/2"	CROHSO	\$ 969	\$1211	
60"	541/16"-60"	15"	661/2"	CROHSO	\$1065	\$1330	
66"	601/16"-66"	15"	661/2"	CROHSO	\$1185	\$1481	
72"	661/16"-72"	15"	661/2"	CROHSO	\$1296	\$1620	
N.A.	721/16"-75"	15"	661/2"	CROHSO	\$1309	\$1636	
36"	36"	15"	72"	CROHSO	\$ 600	\$ 752	
42"	361/16"-42"	15"	72"	CROHSO	\$ 719	\$ 899	
48"	421/16"-48"	15"	72"	CROHSO	\$ 832	\$1039	
54"	481/16"-54"	15"	72"	CROHSO	\$ 969	\$1211	
60"	541/16"-60"	15"	72"	CROHSO	\$1065	\$1330	
66"	601/16"-66"	15"	72"	CROHSO	\$1185	\$1481	
72"	661/16"-72"	15"	72"	CROHSO	\$1296	\$1620	



N.A.

721/16"-75"

72"

**CROHSO** 

\$1309

\$1636

See page 1 for details.

# Organizers 24/24



	Standard Includes	<b>Required to Specify</b>
Need help? Product details, page 62	Organizer:  - Low-Pressure Laminate case, price group 01  - High-Pressure Laminate case, price group 01, if selected	Style number

	Options	U.S. Price	Required to Specify		
Width	• 36"W	Prices at right	Specify 36"Width.		
	• 42"W	Prices at right	Specify 42"Width.		
	• 48"W	Prices at right	Specify 48"Width.		
	• 54"W	Prices at right	Specify 54"Width.		
	• 60"W	Prices at right	Specify 60"Width.		
	• 61 <sup>1</sup> /2"W	Prices at right	Specify 61 <sup>1</sup> /2"Width.		
	• 63"W	Prices at right	Specify 63"Width.		
	• 66"W	Prices at right	Specify 66"Width.		
	• 67 <sup>1</sup> /2"W	Prices at right	Specify 671/2"Width.		
	• 69"W	Prices at right	Specify 69"Width.		
	• 72"W	Prices at right	Specify 72"Width.		
	• 73 <sup>1</sup> /2"W	Prices at right	Specify 731/2"Width.		
	• 75"W	Prices at right	Specify 75"Width.		
Storage	Personal	No cost	Specify with personal.		
Configuration	<ul> <li>Shared</li> </ul>	No cost	Specify with shared.		
Attachment	Answer beam	No cost	Specify with Answer beam.		
Brackets	<ul> <li>Top cap mount on Answer</li> </ul>	No cost	Specify with top cap mount on Answer.		
	<ul> <li>Wall mount brackets</li> </ul>				
	- 36"W-66"W	+\$137	Specify with wall mount brackets 36"W-66"W.		
	– 72"W	+\$186	Specify with 72"W wall mount brackets.		
	<ul> <li>Answer panel</li> </ul>	+\$ 46	Specify with Answer panel.		
	Answer duo support column	+\$382	Specify with Answer duo support column.		
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.		
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.		
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.		
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.		
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.		

Tip: For appropriate use of Answer Beam, mid-storage, and stanchion supports, see Answer Beam and Answer Fence Specification Guide.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Not all attachment brackets are included within the style number. See Understanding content for more information.




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

			<u></u>	\
/	/			$\le$
		$\triangleleft$		







Specification Information										
				U.S. Base						
· Dime · D	nsions W	н	Style Number	· LPL Case	· HPL Case					
:			:	:	:					
Orga	nizer	<b>X4/24</b>								
Perso	nal									
15"	36"	8 <sup>27</sup> / <sub>32</sub> "	CROR	\$ 862	\$1078					
15"	42"	8 <sup>27</sup> / <sub>32</sub> "	CROR	\$ 942	\$1177					
15"	48"	8 <sup>27</sup> /32"	CROR	\$ 953	\$1191					
15"	54"	8 <sup>27</sup> /32"	CROR	\$ 964	\$1204					
15"	60"	8 <sup>27</sup> /32"	CROR	\$ 981	\$1227					
15"	66"	8 <sup>27</sup> /32"	CROR	\$1026	\$1283					
15"	72"	8 <sup>27</sup> /32"	CROR	\$1081	\$1354					
Share	d									
15"	36"	8 <sup>27</sup> /32"	CROR	\$ 896	\$1119					
15"	42"	8 <sup>27</sup> /32"	CROR	\$ 974	\$1217					
15"	48"	8 <sup>27</sup> /32"	CROR	\$ 985	\$1231					
15"	54"	8 <sup>27</sup> /32"	CROR	\$ 997	\$1246					
15"	60"	8 <sup>27</sup> /32"	CROR	\$1015	\$1269					
15"	66"	8 <sup>27</sup> /32"	CROR	\$1058	\$1322					
15"	72"	8 <sup>27</sup> /32"	CROR	\$1114	\$1393					

Orga	Organizer for use with Answer Beam, Dual-Sided Application 🛚 🔀 4/24											
Personal												
15"	61 <sup>1</sup> /2"	8 <sup>27</sup> /32"	CROR	\$1005	\$1257							
15"	671/2"	8 <sup>27</sup> /32"	CROR	\$1059	\$1323							
15"	731/2"	8 <sup>27</sup> /32"	CROR	\$1090	\$1365							
Shar	ed											
15"	61 <sup>1</sup> /2"	8 <sup>27</sup> /32"	CROR	\$1040	\$1299							

\$1370

\$1407

\$1095

\$1126

▶ Specification Information, continued on next page

**CROR** 

**CROR** 



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

15"

15"


671/2"

731/2"

8<sup>27</sup>/32"

827/32"

Spo	ecifica	ition In	formation		
· Dim	nension	s	·Style	U.S. Bas	e Price • HPL
D	W	Н	Number	Case	Case
:			:	:	:



Orga	Organizer for use with Answer Beam, Single-Sided Application 🔀 4/24											
Pers	onal											
15"	63"	8 <sup>27</sup> /32"	CROR	\$1018	\$1272							
15"	69"	8 <sup>27</sup> /32"	CROR	\$1073	\$1339							
15"	75"	8 <sup>27</sup> /32"	CROR	\$1103	\$1380							
Shar	ed											
15"	63"	8 <sup>27</sup> /32"	CROR	\$1050	\$1312							
15"	69"	8 <sup>27</sup> /32"	CROR	\$1104	\$1381							
15"	75"	8 <sup>27</sup> /32"	CROR	\$1136	\$1420							
					•							

# **Organizers**



	Standard Includes	Required to Specify
Need help? Product details, page 68	Organizer:  Low-Pressure Laminate case, price group 01  High-Pressure Laminate case, price group 01, if selected	Style number

	Options	U.S. Price	Required to Specify
Size	Modular	No cost	Specify with modular.
	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.
Width	• 36"W	Prices at right	Specify 36"Width.
	• 42"W	Prices at right	Specify 42"Width.
	• 48"W	Prices at right	Specify 48"Width.
	• 54"W	Prices at right	Specify 54"Width.
	• 60"W	Prices at right	Specify 60"Width.
	• 61 <sup>1</sup> /2"W	Prices at right	Specify 61 <sup>1</sup> /2"Width.
	• 63"W	Prices at right	Specify 63"Width.
	• 66"W	Prices at right	Specify 66"Width.
	• 67 <sup>1</sup> /2"W	Prices at right	Specify 67 <sup>1</sup> /2"Width.
	• 69"W	Prices at right	Specify 69"Width.
	• 72"W	Prices at right	Specify 72"Width.
	• 73 <sup>1</sup> /2"W	Prices at right	Specify 731/2"Width.
	• 75"W	Prices at right	Specify 75"Width.
Attachment	Answer beam	No cost	Specify with Answer beam.
Brackets	<ul> <li>Suspended between towers</li> </ul>	No cost	Specify with suspended between towers.
	<ul><li>Top cap mount on Answer</li><li>Wall mount brackets</li></ul>	No cost	Specify with top cap mount on Answer.
	– 36"W–66"W	+\$137	Specify with wall mount brackets 36"W-66"W.
	– 72"W	+\$186	Specify with 72"W wall mount brackets.
	<ul> <li>Answer panel</li> </ul>	+\$ 46	Specify with Answer panel.
	<ul> <li>Answer duo support column</li> </ul>	+\$382	Specify with Answer duo support column.
Case Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost	See Surface Material Reference Manual.

of laminate

Tip: For appropriate use of Answer Beam, mid-storage, and stanchion supports, see Answer Beam and Answer Fence Specification Guide.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.


Tip: Not all attachment brackets are included within the style number. See Understanding content for more information.

Tip: Wall-mounted organizers are available in modular dimension only.




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

					U.S. Ba	ise Price
Dimensio	ns			· Style	·LPL	·HPL
Modular Width	Parametric Width	D	н	Number	Case	Case
wiatii	wiath			:	:	:
				:	:	:



Organi	izer—Persona						
36"	36"	15"	8 <sup>27</sup> /32"	CRORP	\$ 862	\$1078	
42"	361/16"-42"	15"	8 <sup>27</sup> /32"	CRORP	\$ 942	\$1177	
48"	421/16"-48"	15"	8 <sup>27</sup> /32"	CRORP	\$ 953	\$1191	
54"	481/16"-54"	15"	8 <sup>27</sup> /32"	CRORP	\$ 964	\$1204	
60"	54 <sup>1</sup> /16"-60"	15"	8 <sup>27</sup> /32"	CRORP	\$ 981	\$1227	
N.A.	601/16"-611/2"	15"	8 <sup>27</sup> /32"	CRORP	\$1005	\$1257	
N.A.	61 <sup>9</sup> /16"–63"	15"	8 <sup>27</sup> /32"	CRORP	\$1018	\$1272	
66"	631/16"-66"	15"	8 <sup>27</sup> /32"	CRORP	\$1026	\$1283	
N.A.	661/16"-671/2"	15"	8 <sup>27</sup> /32"	CRORP	\$1059	\$1323	
N.A.	67 <sup>9</sup> /16"-69"	15"	8 <sup>27</sup> /32"	CRORP	\$1073	\$1339	
72"	691/16"-72"	15"	8 <sup>27</sup> /32"	CRORP	\$1081	\$1354	
N.A.	721/16"-731/2"	15"	8 <sup>27</sup> /32"	CRORP	\$1090	\$1365	
N.A.	73 <sup>9</sup> /16"-75"	15"	8 <sup>27</sup> /32"	CRORP	\$1103	\$1380	
:				:	:	:	




Organi	izer—Shared						
36"	36"	15"	8 <sup>27</sup> /32"	CRORS	\$ 896	\$1119	
42"	361/16"-42"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$ 974	\$1217	
48"	421/16"-48"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$ 985	\$1231	
54"	481/16"-54"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$ 997	\$1246	
60"	541/16"-60"	15"	8 <sup>27</sup> /32"	CRORS	\$1015	\$1269	
N.A.	601/16"-611/2"	15"	8 <sup>27</sup> /32"	CRORS	\$1040	\$1299	
N.A.	61 <sup>9</sup> /16"-63"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$1050	\$1312	
66"	631/16"-66"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$1058	\$1322	
N.A.	661/16"-671/2"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$1095	\$1370	
N.A.	67 <sup>9</sup> /16"-69"	15"	8 <sup>27</sup> / <sub>32</sub> "	CRORS	\$1104	\$1381	
72"	691/16"-72"	15"	8 <sup>27</sup> /32"	CRORS	\$1114	\$1393	
N.A.	721/16"-731/2"	15"	8 <sup>27</sup> /32"	CRORS	\$1126	\$1407	
N.A.	73 <sup>9</sup> /16"-75"	15"	8 <sup>27</sup> /32"	CRORS	\$1136	\$1420	
•						•	

<sup>▶</sup> Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

Specific	ation Inforn	natio	n			
					U.S. Ba	se Price
Dimensio	ns			· Style	·LPL	·HPL
Modular	<b>Parametric</b>	D	Н	Number	Case	Case
Width	Width			:	:	:
				:		:




### Organizer—Personal, for Use with Answer Beam, Dual-Sided Application

					• • •	
61 <sup>1</sup> /2"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABD \$1005	\$1257	
671/2"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABD \$1059	\$1323	
731/2"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABD \$1090	\$1365	

Organi	Organizer—Shared, for Use with Answer Beam, Dual-Sided Application							
611/2"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABD \$1040	\$1299			
671/2"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABD \$1095	\$1370			
731/2"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABD \$1126	\$1407			

Organ	Organizer—Personal, for Use with Answer Beam, Single-Sided Application							
63"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABS \$1018	\$1272			
69"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABS \$1073	\$1339			
75"	N.A.	15"	8 <sup>27</sup> /32"	CRORPABS \$1103	\$1380			



# Organizer—Shared, for Use with Answer Beam, Single-Sided Application

				, ,		
63"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABS \$1050	\$1312	
69"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABS \$1104	\$1381	
75"	N.A.	15"	8 <sup>27</sup> /32"	CRORSABS \$1136	\$1420	

# **Tackboards**



### **Standard Includes**

### **Required to Specify**

► Need help? Product details, page 74 Tackboard: fabric price group AAttachment hardware

Parametric sizes:
 Width: 24"W-114"W
 Height: 91/2"H-471/2"H

Style number

Tip: Dimensions shown are modular sizes.

Tip: Width is specifiable in 1/16" increments.

Tip: Vertical application only available on 36"W-60"W.

Tip: Tackboards cannot be attached to walls covered by textured paint or wallpaper.

	Options	<b>U.S. Price</b>	Required to Specify		
Size Option	Modular	No cost	Specify with modular.		
_	<ul> <li>Parametric</li> </ul>	No cost	Specify with parametric.		
Height	• 20 <sup>1</sup> / <sub>4</sub> "H	Prices at right	Specify 20 <sup>1</sup> / <sub>4</sub> " height.		
	• 26 <sup>1</sup> /4"H	Prices at right	Specify 26 <sup>1</sup> / <sub>4</sub> " height.		
Width	• 36"W	Prices at right	Specify 36"Width.		
	• 42"W	Prices at right	Specify 42"Width.		
	• 48"W	Prices at right	Specify 48"Width.		
	• 54"W	Prices at right	Specify 54"Width.		
	• 60"W	Prices at right	Specify 60"Width.		
	• 66"W	Prices at right	Specify 66"Width.		
	• 72"W	Prices at right	Specify 72"Width.		
Fabric	Horizontal	No cost	Specify with horizontal direction.		
Direction	<ul> <li>Vertical</li> </ul>	No cost	Specify with vertical direction.		
Tackboard	Fabric price group A	No cost	Specify with fabric price group A.		
Finish	<ul> <li>Fabric price group 1</li> </ul>	+\$ 5	Specify with fabric price group 1.		
	<ul> <li>Fabric price group 2</li> </ul>	+\$ 32	Specify with fabric price group 2.		
	Fabric price group 3	+\$ 49	Specify with fabric price group 3.		
	Fabric price group 4	+\$122	Specify with fabric price group 4.		
	Fabric price group 5	+\$181	Specify with fabric price group 5.		
	<ul> <li>Customer's Own Material</li> </ul>	+\$ 61	Specify with Customer's Own Material.		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

		· U.S. Base Prices									
Dimensions H Parametric	• Style Number	Parametric Width	24"- 29 <sup>15</sup> / <sub>16</sub> "	: 30"- : 35 <sup>15</sup> / <sub>16</sub> "	: 36"- : 41 <sup>15</sup> / <sub>16</sub> "	: 42"- : 47 <sup>15</sup> / <sub>16</sub> "	: 48"- : 53 <sup>15</sup> / <sub>16</sub> "	: 54"- : 59 <sup>15</sup> / <sub>16</sub> "	: 60"- : 65 <sup>15</sup> /16"	: 66"- : 71 <sup>15</sup> / <sub>16</sub> "	: 72"- : 77 <sup>15</sup> / <sub>16</sub> '
Parametric '	Tackboards				•	•					•
9 <sup>1</sup> /2"–15 <sup>7</sup> /16"H	CRTBWM		\$320	\$340	\$358	\$378	\$396	\$423	\$449	\$476	\$504
15 <sup>1</sup> /2"–21 <sup>7</sup> /16"H	CRTBWM		\$355	\$377	\$397	\$420	\$438	\$470	\$500	\$530	\$562
21 <sup>1</sup> /2"–27 <sup>7</sup> /16"H	CRTBWM		\$391	\$415	\$436	\$461	\$483	\$517	\$548	\$581	\$616
27 <sup>1</sup> /2"–33 <sup>7</sup> /16"H	CRTBWM		\$430	\$457	\$481	\$508	\$533	\$568	\$603	\$639	\$678
33 <sup>1</sup> /2"–39 <sup>7</sup> /16"H	CRTBWM		\$434	\$462	\$486	\$513	\$538	\$574	\$609	\$646	\$684
39 <sup>1</sup> /2"–45 <sup>7</sup> /16"H	CRTBWM		\$438	\$466	\$491	\$518	\$544	\$579	\$615	\$652	\$691
45 <sup>1</sup> /2"–47 <sup>7</sup> /16"H	CRTBWM		\$443	\$471	\$496	\$523	\$549	\$585	\$621	\$659	\$698
47 <sup>1</sup> /2"H	CRTBWM		\$447	\$476	\$501	\$529	\$555	\$591	\$627	\$665	\$705

			· U.S. Base Prices						
Dimensions H Parametric	· Style · Number	Parametric Width	78"- 83 <sup>15</sup> / <sub>16</sub> "	: 84"- : 89 <sup>15</sup> / <sub>16</sub> " :	90"- 95 <sup>15</sup> / <sub>16</sub> "	: 96"- : 101 <sup>15</sup> / <sub>16</sub> " :	: 102"– : 107 <sup>15</sup> /16" :	: 108"– : 113 <sup>15</sup> /16" :	: 114" : : :
Parametric '	Tackboards,	continued							
9 <sup>1</sup> /2"–15 <sup>7</sup> / <sub>16</sub> "H	CRTBWM		\$535	\$540	\$546	\$551	\$556	\$562	\$568
15 <sup>1</sup> /2"–21 <sup>7</sup> /16"H	CRTBWM		\$596	\$600	\$606	\$612	\$618	\$624	\$630
21 <sup>1</sup> /2"–27 <sup>7</sup> /16"H	CRTBWM		\$653	\$659	\$666	\$673	\$679	\$686	\$693
27 <sup>1</sup> /2"–33 <sup>7</sup> /16"H	CRTBWM		\$718	\$725	\$733	\$740	\$747	\$755	\$762
33 <sup>1</sup> /2"–39 <sup>7</sup> /16"H	CRTBWM		\$725	\$733	\$740	\$747	\$755	\$762	\$770
39 <sup>1</sup> /2"–45 <sup>7</sup> /16"H	CRTBWM		\$733	\$740	\$747	\$755	\$762	\$770	\$778
45 <sup>1</sup> /2"–47 <sup>7</sup> /16"H	CRTBWM		\$740	\$747	\$755	\$762	\$770	\$778	\$786
47 <sup>1</sup> /2"H	CRTBWM		\$747	\$755	\$762	\$770	\$778	\$786	\$793



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

# **Conference Room Furniture**

Service Carts



### **Standard Includes**

### **Required to Specify**

Need help? Product details, page 76

- · Service cart: - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with matching or contrasting High-Pressure Laminate top, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- Bore and dowel drawer construction: black
- · Adjustable shelf: laminate to match case
- Lock plug
- · Casters: black plastic, if selected
- · Shipped fully assembled

Style number

Tip: Nominal dimensions shown in specifying. Please refer to understanding pages for actual dimensions.

#### For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Width	• 30"W	No cost	Specify 30"Width.
	• 36"W	No cost	Specify 36"Width.
Depth	• 22"D	No cost	Specify 22" depth.
Height	• 34 <sup>3</sup> /4"H	No cost	Specify 343/4" height.
Case	Low-Pressure Laminate (LPL)	No cost	Specify laminate color number.
Finish	<ul><li>price group 1</li><li>High-Pressure Laminate (HPL)</li><li>price group 1</li></ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 3	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL) price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 3  Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 1	Prices at right	Specify laminate color number.
	High-Pressure Laminate (HPL)     price group 2	See information at left	Specify laminate color number.
	High-Pressure Laminate (HPL)	See information at left	Specify laminate color number.
	price group 3  Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Worksurface	• 11/8"	No cost	Specify with 11/8" thickeness.
Thickness	• 13/8"	+\$160	Specify with 13/8" thickeness.
Pulls	<ul> <li>Contemporary</li> </ul>	No cost	Specify with contemporary pull.
	Handle	No cost	Specify with handle pull.
	• Ledge	No cost	Specify with ledge pull.
	• Jazz	+\$ 27 per pull	Specify with jazz pull.
	<ul> <li>Inset</li> </ul>	+\$ 36 per pull	Specify with inset pull.
	Nile	+\$ 37 per pull	Specify with nile pull.
	<ul> <li>Transitional</li> </ul>	+\$ 37 per pull	Specify with transitional pull.
	• Bar	+\$ 39 per pull	Specify with bar pull.
Options, contin	ued on next page		



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.


▶ Options, continued on next page

### ▶Options, continued from previous page

Tip: Height of the service cart will increase when casters are optioned on, making the overall height 35<sup>1</sup>/<sub>4</sub>".

	Options	U.S. Price	Required to Specify
Caster Type	<ul><li>No caster</li><li>With caster</li></ul>	No cost +\$ 51	Specify without caster. Specify with caster.
Keys	<ul><li>Key plug</li><li>Master key plug</li></ul>	No cost +\$ 36	Specify with key plug. Specify with master key plug.
Lock Finish	Ember chrome     Polished chrome	No cost No cost	Specify with ember chrome. Specify with polished chrome.

	ensions		· Style	U.S. Base F LPL Case	Prices	· HPL Case	·Options
: <b>D</b>	W	н	Number	LPL Headset	HPL Headset	HPL Headset	(Add \$ to Base Price) Top Surface HPL
Serv	ice Ca	rts					
22"	30"	343/4"	CRSC	\$1183	\$1242	\$1420	+\$59
22"	36"	343/4"	CRSC	\$1359	\$1427	\$1631	+\$68





Canadian price factor.

See page 1 for details.

# **Conference Room Furniture**

Lectern



#### **Required to Specify Standard Includes** Need help? · Lectern: Style number Product details, - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate top page 76 - Low-Pressure Laminate case with matching or contrasting High-Pressure Laminate top, if selected - High-Pressure Laminate case with matching or contrasting Low-Pressure Laminate top, if selected - High-Pressure Laminate case with matching or contrasting High-Pressure Laminate top, if selected • Fixed shelf: laminate to match case · Casters: black plastic · Ships ready to assemble

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Case Finish	Low-Pressure Laminate (LPL) price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices below	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Top Surface Finish	Low-Pressure Laminate (LPL)     price group 1	No cost	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 1</li> </ul>	Prices below	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 2</li> </ul>	See information at left	Specify laminate color number.
	<ul> <li>High-Pressure Laminate (HPL) price group 3</li> </ul>	See information at left	Specify laminate color number.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Support Finish	Smooth paint price group 2	No cost	Specify with paint price group 2.

Spec	ificatio	on Info	rmation					
Dime:	mensions • Style W H Number		U.S. Base Prices • LPL Case		· HPL Ca	ase		
· · ·				LPL Top	HPL Top	LPL Top	HPL Top	
Lecte	ern							
18 <sup>7</sup> /8"	24"	44 <sup>7</sup> /8"	CRLCTRN	\$1317 :	\$1423 :	\$1542 :	<b>\$1648</b>	



See page 1 for details.

Accessories

# **Attachment Kit, Cabinet to Cabinet Application**

Tip: Ganging hardware is used to provide rigidity between cabinets mounted side by side in a panel or wallmounted application

Standard Includes	Required to Specify
<ul> <li>Attachment kit, four bolts and nuts per kit,</li> </ul>	Style number

Specif	ication Info	rmation
Style	·Quantity	·U.S.

Number Price

AWAK 1 \$46

# **Hinged Door Power Unit**



### **Standard Includes**

**Required to Specify** 

Hinged door power unit:

if selected: bronze only

- Two electrical outlets
- Two open ports for data adapters
- 6 ft. power cord
- Power unit: 8043 Clear Annodized Aluminum
- · Outlet: black plastic
- Power cord: black plastic
- · Ships ready to assemble

### Style number



· Dime	ensions		·Style	·U.S.		·U.S.
D	W	н	Number	Price		
5 <sup>5</sup> /16"	8 <sup>5</sup> /16"	2"	AWVHD	\$529		
10	0-710	2	·			



Accessories, continued

### **Wood Center Drawer**



Tip: Dimensions given are outside dimensions.

Standard Includes	Required to Specify
<ul> <li>Non-locking center drawer: wood group 1</li> <li>Mounting frame: black paint only</li> </ul>	Style number

	Options	U.S. Price	Required to Specify
Drawer Finish	<ul><li>Wood group 1</li><li>Wood group 3</li><li>Customiz stain</li></ul>	Prices below Prices below No cost	Specify wood color number. Specify wood color number. Specify with Customiz stain.
	Full-fill finish on wood group 1	No cost	See Surface Material Reference Manual. Specify full-fill finish number.

Spec	cificat	ion Inf	ormation	
• Dime	ensions W	н	• Style Number	·U.S. Price
91/2"	21"	21/4"	AWAC2321	

# Metal Center Drawers ☑ 4/24



Standard Includes	Required to Specify
<ul><li>Center drawer: all paint price groups</li><li>Mounting frame: Grey V2 paint only</li></ul>	Style number

	<b>Options</b>	U.S. Price	Required to Specify
Drawer Finish	Paint price group 1	No cost	Specify with paint color number.
	<ul> <li>Paint price group 2</li> </ul>	No cost	Specify with paint color number.
	<ul> <li>Paint price group 3</li> </ul>	No cost	Specify with paint color number.

Spec	eificati	ion Inf	on Information		
· Dimei D	nsions W	н	. •	·U.S. Price	
23"	211/2"	23/8"	FCD20 ₩4/24	\$363	
181/8"	211/2"	23/8"	FSCD20 ₩4/24	\$368	



October 2023

Accessories

# One-High, 1.5-High, and Two-High Lateral Files



#### **Standard Includes**

### **Required to Specify**

Need help? Product details, page 40

- One-High, 1.5-High, and Two-High lateral files:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure
- Laminate headset, if selected

   High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- · Bore and dowel drawer construction: black
- · One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · Two counterweights
- · Attachment hardware
- 1¹/4" adjustable leveling glides
- · Shipped fully assembled
- · Edge finish to match top, if selected.

Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
-	Parametric	Prices at right	Specify with parametric.
Depth	• 187/8"	Prices at right	Specify 187/8" depth.
	• 223/4"	Prices at right	Specify 223/4" depth.
	• 24"	Prices at right	Specify 24" depth.
	• 30"	Prices at right	Specify 30" depth.
Width	• 30"	Prices at right	Specify 30" width.
	• 36"	Prices at right	Specify 36" width.
Application	• Full	No cost	Specify with full.
	<ul> <li>Recessed</li> </ul>	No cost	Specify with recessed.
Top Option	No Top	No cost	Specify no top.
	With Top	Prices at right	Specify with top.
Worksurface	• 1 <sup>1</sup> /8"	No cost	Specify with 1 <sup>1</sup> / <sub>8</sub> " thickness.
Thickness	• 1 <sup>3</sup> /8"	+\$160	Specify with 13/8" thickness.
Case Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
		iaiiiiiale	

Prices at right

Prices at right

+\$102 plus cost of laminate

See information at left

See information at left

Tip: Recessed back option automatically removes top. Specify square edge top with ½" cord drop and power access door separately.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: For Answer beam applications where low storage supports overheads or organizers with mid-storage supports, omit the 1"H top on the lower storage and specify a square edge top.

▶Options, continued on next page

**Top Surface** 

**Finish** 



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

· Laminate HPL Price Group 1

· Laminate HPL Price Group 2

· Laminate HPL Price Group 3

· Laminate LPL Price Group 1

· Open Line laminate

Specify with laminate HPL price group 1.

Specify with laminate HPL price group 2.

Specify with laminate HPL price group 3.

Specify with laminate LPL price group 1.

See Surface Material Reference Manual.

#### ▶Options, continued from previous page

Tip: Price is per pull.

	<b>Options</b>	U.S. Price	Required to Specify
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	Handle Pull	No cost	Specify with handle pull.
	<ul> <li>Ledge Pull</li> </ul>	No cost	Specify with ledge pull.
	Jazz Pull	+\$ 27	Specify with jazz pull.
	Inset Pull	+\$ 36	Specify with inset pull.
	Nile Pull	+\$ 37	Specify with nile pull.
	<ul> <li>Transitional Pull</li> </ul>	+\$ 37	Specify with transitional pull.
	• Bar Pull	+\$ 39	Specify with bar pull.
Keys	Key Plug	No cost	Specify with key plug.
-	<ul> <li>Master Key Plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.
Counterweight	No counterweight	-\$100 per counterweight	Specify no counterweight.
•	With counterweight	No cost	Specify with counterweight.

Tip: Counterweight type and quantity varies depending on size and storage configuration. Please refer to the electronic catalog or SmartTools.

# **With Top Option Upcharges**

Tip: For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

<ul><li>Dimensions</li><li>Modular</li><li>Depth</li></ul>	Parametric Depth	Modular Width	• Options (Add \$ to Base Price)
Deptii	Берин	Width	LPL HPL
18 <sup>7</sup> /8"	N.A.	30"	+\$138 +\$185
18 <sup>7</sup> /8"	N.A.	36"	+\$147 +\$198
223/4"	1815/16"-223/4"	30"	+\$138 +\$185
223/4"	1815/16"-223/4"	36"	+\$147 +\$198
24"	22 <sup>13</sup> /16"-24"	30"	+\$154 +\$208
24"	22 <sup>13</sup> / <sub>16</sub> "–24"	36"	+\$161 +\$215
30"	241/16"-30"	30"	+\$172 +\$234
30"	241/16"-30"	36"	+\$180 +\$242
:			•

				U.S. Base Prices		
Modular Depth	· Parametric Depth	· Modular · Width	·Style Number	·Low- Pressure	·Low- Pressure	· High- Pressure
•	•			Laminate	Laminate	Laminate
	:	•	•	Case with	Case with	Case with
	:	:		Headset	High-	Headset
	:	:		:	Pressure	:
	:	:		:	Laminate	:
	•		:	•	Headset	





For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

### **One-High Laterals**

One File Drawer							
18 <sup>7</sup> /8"	N.A.	30"	CRL1H	\$1025	\$1107	\$1280	
18 <sup>7</sup> /8"	N.A.	36"	CRL1H	\$1079	\$1164	\$1346	
24"	18 <sup>15</sup> /16"-24"	30"	CRL1H	\$1025	\$1107	\$1280	
24"	18 <sup>15</sup> /16"–24"	36"	CRL1H	\$1079	\$1164	\$1346	
30"	241/16"-30"	30"	CRL1H	\$1066	\$1152	\$1334	
30"	241/16"-30"	36"	CRL1H	\$1123	\$1212	\$1403	
			•			•	

▶ Specification Information, continued on next page

				U.S. Base P	rices	
Modular	· Parametric	·Modular	·Style	·Low-	·Low-	· High-
Depth	Depth	Width	Number	Pressure	Pressure	Pressure
_	:	:	:	Laminate	Laminate	Laminate
	:	:	:	Case with	Case with	Case with
	:		:	Headset	High-	Headset
		:	:		Pressure	:
		:			Laminate	:
					Headset	

# 1 5-Wigh Laterale

i.5-Hig	jn Laterais						
One Ope	en, One File Draw	/er					
18 <sup>7</sup> /8"	N.A.	30"	CRL15HOF	\$1183	\$1277	\$1478	
18 <sup>7</sup> /8"	N.A.	36"	CRL15HOF	\$1246	\$1346	\$1557	
24"	18 <sup>15</sup> /16"–24"	30"	CRL15HOF	\$1334	\$1440	\$1666	
24"	18 <sup>15</sup> /16"–24"	36"	CRL15HOF	\$1403	\$1515	\$1753	
30"	241/16"-30"	30"	CRL15HOF	\$1391	\$1502	\$1739	
30"	241/16"-30"	36"	CRL15HOF	\$1463	\$1581	\$1831	
One Box	, One File Drawe	er					
18 <sup>7</sup> /8"	N.A.	30"	CRL15HBF	\$1183	\$1277	\$1478	
18 <sup>7</sup> /8"	N.A.	36"	CRL15HBF	\$1246	\$1346	\$1557	
24"	18 <sup>15</sup> /16"–24"	30"	CRL15HBF	\$1334	\$1440	\$1666	
24"	18 <sup>15</sup> /16"–24"	36"	CRL15HBF	\$1403	\$1515	\$1753	
30"	241/16"-30"	30"	CRL15HBF	\$1391	\$1502	\$1739	
30"	241/16"-30"	36"	CRL15HBF	\$1463	\$1581	\$1831	

# **Two-High Laterals**

Two File	Drawers						
18 <sup>7</sup> /8"	N.A.	30"	CRL2H	\$1340	\$1447	\$1674	
18 <sup>7</sup> /8"	N.A.	36"	CRL2H	\$1411	\$1523	\$1762	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	30"	CRL2H	\$1522	\$1644	\$1902	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	36"	CRL2H	\$1601	\$1730	\$2003	
24"	2213/16"-24"	30"	CRL2H	\$1522	\$1644	\$1902	
24"	2213/16"-24"	36"	CRL2H	\$1601	\$1730	\$2003	
30"	241/16"-30"	30"	CRL2H	\$1588	\$1716	\$1987	
30"	241/16"-30"	36"	CRL2H	\$1671	\$1807	\$2093	









One-High, 1.5-High, and Two-High Lateral Files

# **Three-High and Four-High Lateral Files**



### Standard Includes

### **Required to Specify**

Need help? Product details, page 44

- · Three-High and Four-High lateral files:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- Finished back
- · Bore and dowel drawer construction: black
- One fastened metal filing system per file drawer: black only
- · Full extension, heavy-duty ball bearing drawer suspensions
- · Two counterweights
- Attachment hardware
- 1½" adjustable leveling glides
- · Shipped fully assembled
- Edge finish to match top, if selected

CtvIA	number
SIVIE	Hullibel

	Lage milen to mater top, ii ee.	30.00			
	Options	U.S. Price	Required to Specify		
Size Option	Modular     Parametric	No cost No cost	Specify with modular. Specify with parametric.		
Depth	• 18 <sup>7</sup> / <sub>8</sub> " • 24" • 30"	Prices at right Prices at right Prices at right	Specify 187/6" depth. Specify 24" depth. Specify 30" depth.		
Top Option	<ul><li>No Top</li><li>With Top</li></ul>	No cost Prices at right	Specify no top. Specify with top.		
Worksurface Thickness	• 1 <sup>1</sup> / <sub>8</sub> " • 1 <sup>3</sup> / <sub>8</sub> "	No cost +\$160	Specify with 11/8" thickness. Specify with 13/8" thickness.		
Top Surface Finish	Laminate HPL Price Group 1     Laminate HPL Price Group 2     Laminate HPL Price Group 3     Laminate LPL Price Group 1     Open Line laminate	Prices at right See information at left See information at left Prices at right +\$102 plus cost of laminate	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.		
Case Finish	Laminate HPL Price Group 1     Laminate HPL Price Group 2     Laminate HPL Price Group 3     Laminate LPL Price Group 1     Open Line laminate	Prices at right See information at left See information at left Prices at right +\$102 plus cost of laminate	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.		
Headset Finish	Laminate HPL Price Group 1     Laminate HPL Price Group 2     Laminate HPL Price Group 3     Laminate LPL Price Group 1     Open Line laminate	Prices at right See information at left See information at left Prices at right +\$102 plus cost of laminate	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.		
Pulls	Contemporary Pull     Handle Pull     Ledge Pull	No cost No cost No cost	Specify with contemporary pull. Specify with handle pull. Specify with ledge pull.		

+\$ 27

+\$ 36 +\$ 37

+\$ 37

+\$ 39

No cost

+\$ 36 per lock

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Price is per pull.



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Keys

Jazz Pull

Inset Pull

Nile PullTransitional Pull

Bar Pull

Key Plug

· Master Key Plug

Specify with jazz pull. Specify with inset pull.

Specify with nile pull.

Specify with bar pull.

Specify with key plug.

Specify with transitional pull.

Specify with master key plug.

### ▶Options, continued from previous page

# With Top Option Upcharges

Tip: For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Dimensions Modular	Parametric	• Options · (Add \$ to Base Price)			
Depth	Width	: :LPL	HPL		
18 <sup>7</sup> /8"	30"	+\$138	+\$185		
18 <sup>7</sup> /8"	36"	+\$147	+\$198		
24"	30"	+\$154	+\$208		
24"	36"	+\$161	+\$215		
30"	30"	+\$172	+\$234		
30"	36"	+\$180	+\$242		

				U.S. Base	Prices	
Modular Depth	Parametric Depth	· Modular · Width	· Style Number	·Low- Pressure	·Low- Pressure	·High- Pressure
· · ·	:	:	:		Laminate Case with	Laminate Case with
	:	•	:	Headset	High- Pressure	Headset
	:	:	:	:	Laminate Headset	:
	· ·	:	:	:	:	•

# **Three-High Laterals**

Three File Drawers						
N.A.	30"	CRL3H	\$2393	\$2568	\$2942	
N.A.	36"	CRL3H	\$2528	\$2714	\$3110	
18 <sup>15</sup> /16"–24"	30"	CRL3H	\$2415	\$2592	\$2970	
18 <sup>15</sup> /16"–24"	36"	CRL3H	\$2551	\$2739	\$3139	
241/16"-30"	30"	CRL3H	\$2437	\$2616	\$2998	
241/16"-30"	36"	CRL3H	\$2575	\$2765	\$3169	
	N.A. N.A. 18 <sup>15</sup> / <sub>16</sub> "–24" 18 <sup>15</sup> / <sub>16</sub> "–24" 24 <sup>1</sup> / <sub>16</sub> "–30"	N.A. 30"  N.A. 36"  18 <sup>15</sup> /16"–24" 30"  18 <sup>15</sup> /16"–24" 36"  24 <sup>1</sup> /16"–30" 30"	N.A. 30" CRL3H  N.A. 36" CRL3H  18 <sup>15</sup> /16"-24" 30" CRL3H  18 <sup>15</sup> /16"-24" 36" CRL3H  24 <sup>1</sup> / <sub>1</sub> 6"-30" 30" CRL3H	N.A. 30" CRL3H \$2393  N.A. 36" CRL3H \$2528  18 <sup>15</sup> / <sub>16</sub> "-24" 30" CRL3H \$2415  18 <sup>15</sup> / <sub>16</sub> "-24" 36" CRL3H \$2551  24 <sup>1</sup> / <sub>16</sub> "-30" 30" CRL3H \$2437	N.A. 30" <b>CRL3H</b> \$2393 \$2568  N.A. 36" <b>CRL3H</b> \$2528 \$2714  18 <sup>15</sup> /16"-24" 30" <b>CRL3H</b> \$2415 \$2592  18 <sup>15</sup> /16"-24" 36" <b>CRL3H</b> \$2551 \$2739  24 <sup>1</sup> /16"-30" 30" <b>CRL3H</b> \$2437 \$2616	N.A.       30"       CRL3H       \$2393       \$2568       \$2942         N.A.       36"       CRL3H       \$2528       \$2714       \$3110         1815/16"-24"       30"       CRL3H       \$2415       \$2592       \$2970         1815/16"-24"       36"       CRL3H       \$2551       \$2739       \$3139         241/16"-30"       30"       CRL3H       \$2437       \$2616       \$2998

# Four-High Laterals

Four File	Drawers						
18 <sup>7</sup> /8"	N.A.	30"	CRL4H	\$2639	\$2835	\$3250	
18 <sup>7</sup> /8"	N.A.	36"	CRL4H	\$2721	\$2923	\$3351	
24"	18 <sup>15</sup> /16"–24"	30"	CRL4H	\$2663	\$2861	\$3280	
24"	18 <sup>15</sup> /16"–24"	36"	CRL4H	\$2746	\$2950	\$3382	
30"	241/16"-30"	30"	CRL4H	\$2688	\$2888	\$3311	
30"	241/16"-30"	36"	CRL4H	\$2772	\$2978	\$3415	







For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

# One-High, 1.5-High, and Two-High Lower Storage



#### **Standard Includes**

### **Required to Specify**

► Need help? Product details, page 40

- Lower storage, if One-High lower storage, 1.5-High open lower storage, or Two-High open lower storage is selected:
- Low-Pressure Laminate case
- High-Pressure Laminate case, if selected
- Lower storage, if 1.5-High or Two-High lower storage with doors is selected:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · Finished back
- Pulls on 1.5-High and Two-High lower storage with doors, if selected
- Lock on 1.5-High and Two-High lower storage with doors, if selected: lock plug
- · Attachment hardware
- 1½" adjustable leveling glides
- One adjustable shelf (1.5-High and Two-High)
- · Shipped fully assembled
- · Edge finish to match top, if selected

Style number

Tip: Recessed back option automatically removes top.
Specify square edge top with 1/2" cord drop and power

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

access door separately.

Tip: For Answer beam applications where low storage supports overheads or organizers with mid-storage supports, omit the 1"H top on the lower storage and specify a square edge top.



# **For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

	Options	U.S. Price	Required to Specify
Size Option	Modular     Parametric	Prices at right Prices at right	Specify with modular. Specify with parametric.
Depth	• 18 <sup>7</sup> / <sub>8</sub> " • 22 <sup>3</sup> / <sub>4</sub> " • 24"	Prices at right Prices at right Prices at right	Specify 18 <sup>7</sup> / <sub>8</sub> " depth. Specify 22 <sup>3</sup> / <sub>4</sub> " depth. Specify 24" depth.
Width	• 30" • 36" • 42"	Prices at right Prices at right Prices at right	Specify 30" width. Specify 36" width. Specify 42" width.
Application	Full     Recessed	No cost No cost	Specify with full. Specify with recessed.
Top Option	No Top     With Top	No cost Prices at right	Specify without top. Specify with top.
Worksurface Thickness	• 1¹/e" • 1³/e"	No cost +\$160	Specify with 1½" thickness. Specify with 1½" thickness.
Case Finish	Laminate HPL Price Group 1 Laminate HPL Price Group 2 Laminate HPL Price Group 3 Laminate LPL Price Group 1 Open Line laminate	Prices at right See information at left See information at left Prices at right +\$102 plus cost of laminate	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.
Top Surface Finish	<ul> <li>Laminate HPL Price Group 1</li> <li>Laminate HPL Price Group 2</li> <li>Laminate HPL Price Group 3</li> <li>Laminate LPL Price Group 1</li> <li>Open Line laminate</li> </ul>	Prices at right See information at left See information at left Prices at right +\$102 plus cost of laminate	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.
Headset Finish	<ul> <li>Laminate HPL Price Group 1</li> <li>Laminate HPL Price Group 2</li> <li>Laminate HPL Price Group 3</li> <li>Laminate LPL Price Group 1</li> <li>Open Line laminate</li> </ul>	Prices at right See information at left See information at left Prices at right +\$102 plus cost of	Specify with laminate HPL price group 1. Specify with laminate HPL price group 2. Specify with laminate HPL price group 3. Specify with laminate LPL price group 1. See Surface Material Reference Manual.

laminate

▶Options, continued on next page

### ▶Options, continued from previous page

Tip: Price is per pull.

	<b>Options</b>	U.S. Price	Required to Specify
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	Handle Pull	No cost	Specify with handle pull.
	<ul> <li>Ledge Pull</li> </ul>	No cost	Specify with ledge pull.
	Jazz Pull	+\$27	Specify with jazz pull.
	<ul> <li>Inset Pull</li> </ul>	+\$36	Specify with inset pull.
	Nile Pull	+\$37	Specify with nile pull.
	<ul> <li>Transitional Pull</li> </ul>	+\$37	Specify with transitional pull.
	Bar Pull	+\$39	Specify with bar pull.
Keys	Key Plug	No cost	Specify with key plug.
-	Master Key Plug	+\$36	Specify with master key plug.

# **With Top Option Upcharges**

**Specification Information** 

Tip: For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Dimensions Modular Depth	Parametric Depth	Modular Width	Parametric Width	• Options (Add \$ to Base Price)		
; Debrii	; : : Debtii	·	; <b>Widtii</b>	LPL	HPL	
187/8"	N.A.	30"	N.A.	+\$138	+\$185	
18 <sup>7</sup> /8"	N.A.	36"	301/16"-36"	+\$147	+\$198	
187/8"	N.A.	42"	361/16"-42"	+\$161	+\$215	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	30"	N.A.	+\$138	+\$185	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	36"	301/16"-36"	+\$147	+\$198	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	42"	361/16"-42"	+\$161	+\$215	
24"	22 <sup>13</sup> /16"-24"	30"	N.A.	+\$154	+\$208	
24"	22 <sup>13</sup> /16"-24"	36"	301/16"-36"	+\$161	+\$215	
24"	22 <sup>13</sup> / <sub>16</sub> "–24"	42" :	36 <sup>1</sup> / <sub>16</sub> "–42"	+\$173 :	+\$232	

			· U.S. Bas	e Prices	
· Parametric	·Style	<b>Modular Width</b>	30"	<sub>:</sub> 36"	: 42"
Depth	Number	Parametric Width	; N.A.	301/16"-36"	\$693 \$693 \$866
h Lower Stora	age		•	·	
/-Pressure Lam	inate Case				
N.A.	CRLS1H		\$626	\$659	\$693
18 <sup>15</sup> /16"-24"	CRLS1H		\$626	\$659	\$693
h-Pressure Lam	ninate Case			_	
N.A.	CRLS1H		\$783	\$824	\$866
18 <sup>15</sup> /16"-24"	CRLS1H		\$783	\$824	\$866
:	:		:	•	:
	N.A.  18 <sup>15</sup> / <sub>16</sub> "–24"  h-Pressure Lam  N.A.	Depth Number  Lower Storage  V-Pressure Laminate Case  N.A. CRLS1H  1815/16"-24" CRLS1H  h-Pressure Laminate Case  N.A. CRLS1H	Depth Number Parametric Width  Lower Storage  v-Pressure Laminate Case  N.A. CRLS1H  18 <sup>15</sup> /16"-24" CRLS1H  h-Pressure Laminate Case  N.A. CRLS1H	Parametric Style Number Modular Width 30" Parametric Width N.A.  **NA.**  **Depth**  **NA.**  **CRLS1H**  **S626**  **Depth**  **NA.**  **CRLS1H**  **CRLS1H**  **CRLS1H**  **S626**  **NA.**  **CRLS1H**  **CRLS1H**  **CRLS1H**  **T83**  *	Depth   Number   Parametric Width   N.A.







For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specific	ation Inform	ation				
				·U.S. Bas	e Prices	
Modular	· Parametric	·Style	Modular Width	: 30"	: 36"	: 42"
Depth	Depth	Number	Parametric Width	: N.A. :	30 <sup>1</sup> /16"–36"	: 36 <sup>1</sup> /16"–42" :
1.5-High	Lower Stora	ge				
Open, Lov	/-Pressure Lam	inate Case				
18 <sup>7</sup> /8"	N.A.	CRLS15HO		\$ 735	\$ 773	\$ 812
24"	18 <sup>15</sup> /16"–24"	CRLS15HO		\$ 857	\$ 901	\$ 947
Open, Hig	h-Pressure Lam	inate Case				
18 <sup>7</sup> /8"	N.A.	CRLS15HO		\$ 918	\$ 966	\$1015
24"	18 <sup>15</sup> /16"–24"	CRLS15HO		\$1072	\$1127	\$1184
	:	:		:	:	:
1.5-High	Lower Stora	ge				
Cabinet, L	.ow-Pressure La	aminate Case	with Headset			
18 <sup>7</sup> ⁄8"	N.A.	CRLS15HD		\$ 827	\$ 878	\$ 930
24"	18 <sup>15</sup> /16"–24"	CRLS15HD		\$ 949	\$1006	\$1065
Cabinet, L	.ow-Pressure La	aminate Case	with High-Pressure	Laminate H	eadset	
18 <sup>7</sup> ⁄8"	N.A.	CRLS15HD		\$ 848	\$ 902	\$ 956
24"	18 <sup>15</sup> /16"–24"	CRLS15HD		\$ 971	\$1031	\$1092
Cabinet, F	ligh-Pressure L	aminate Case	with Headset			
18 <sup>7</sup> /8"	N.A.	CRLS15HD		\$1034	\$1098	\$1163
24"	18 <sup>15</sup> ⁄16"–24"	CRLS15HD		\$1187	\$1258	\$1331
	:	:		:	:	:



Open, Low-Pressure Laminate Case						
187/8"	N.A.	CRLS2HO	\$ 821	\$ 855	\$ 888	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	CRLS2HO	\$ 920	\$ 956	\$ 995	
24"	2213/16"-24"	CRLS2HO	\$ 920	\$ 956	\$ 995	
Open, H	igh-Pressure Lam	inate Case				
187/8"	N.A.	CRLS2HO	\$1026	\$1069	\$1110	
223/4"	18 <sup>15</sup> /16"-22 <sup>3</sup> /4"	CRLS2HO	\$1151	\$1195	\$1244	
24"	2213/16"-24"	CRLS2HO	\$1151	\$1195	\$1244	
•	•	•	•	•	•	

<sup>▶</sup> Specification Information, continued on next page





Specific	ation Inform	ation				
· Modular · Depth	Parametric Depth	•Style Number	Modular Width Parametric Width	• <b>U.S. Bas</b> : 30" : N.A.	e Prices : 36" : 30 <sup>1</sup> / <sub>16</sub> "–36"	: 42" : 36 <sup>1</sup> / <sub>16</sub> "–42"
Two-Hig	h Lower Stor	age		:	:	:
Cabinet, L	ow-Pressure La	aminate Case	with Headset			
18 <sup>7</sup> /8"	N.A.	CRLS2HD		\$ 913	\$ 960	\$1006
223/4"	1815/16"-223/4"	CRLS2HD		\$1012	\$1061	\$1113
24"	22 <sup>13</sup> /16"–24"	CRLS2HD		\$1012	\$1061	\$1113
Cabinet, L	ow-Pressure La	minate Case	with High-Pressure	Laminate H	leadset	
18 <sup>7</sup> /8"	N.A.	CRLS2HD		\$ 936	\$ 986	\$1034
223/4"	1815/16"-223/4"	CRLS2HD		\$1035	\$1087	\$1141
24"	2213/16"-24"	CRLS2HD		\$1035	\$1087	\$1141
Cabinet, H	ligh-Pressure L	aminate Case	with Headset			
18 <sup>7</sup> /8"	N.A.	CRLS2HD		\$1141	\$1200	\$1256
223/4"	1815/16"-223/4"	CRLS2HD		\$1266	\$1326	\$1390
24"	22 <sup>13</sup> /16"–24"	CRLS2HD		\$1266	\$1326	\$1390





# **Single-Door Towers**



#### **Standard Includes**

### **Required to Specify**

► Need help? Product details, page 58

- 15.906"W single-door tower:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · 1" thick top: laminate to match case
- Lock plug
- · Two counterweights
- 1¹/4" leveling glides
- Shipped fully assembled

· Laminate HPL Price Group 3

· Laminate LPL Price Group 1

· Bore and dowel drawer construction: black

Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
•	<ul> <li>Parametric</li> </ul>	Prices at right	Specify with parametric.
Depth	• 187/8"	Prices at right	Specify 18 <sup>7</sup> / <sub>8</sub> " depth.
_	• 24"	Prices at right	Specify 24" depth.
Height	• 413/4"	Prices at right	Specify 413/4" height.
_	• 47 <sup>15</sup> /16"	Prices at right	Specify 47 <sup>15</sup> /16" height.
	• 54 <sup>1</sup> /8"	Prices at right	Specify 541/8" height.
	• 661/2"	Prices at right	Specify 66½" height.
	• 72"	Prices at right	Specify 72" height.
	• 78"	Prices at right	Specify 78" height.
	• 84"	Prices at right	Specify 84" height.
Case Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Price is per pull.

	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	Handle Pull	No cost	Specify with handle pull.
	<ul> <li>Ledge Pull</li> </ul>	No cost	Specify with ledge pull.
	Jazz Pull	+\$ 27	Specify with jazz pull.
	<ul> <li>Inset Pull</li> </ul>	+\$ 36	Specify with inset pull.
	Nile Pull	+\$ 37	Specify with nile pull.
	<ul> <li>Transitional Pull</li> </ul>	+\$ 37	Specify with transitional pull.
	Bar Pull	+\$ 39	Specify with bar pull.
Keys	• Key Plug	No cost	Specify with key plug.
	<ul> <li>Master Key Plug</li> </ul>	+\$ 36 per lock	Specify with master key plug.

See information at left

Prices at right



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specify with laminate HPL price group 3.

Specify with laminate LPL price group 1.



					·U.S. Bas	
Modular Height	· Parametric Height	· Modular · Width	·Style Number	Modular Depth Parametric Depth	: 18 <sup>7</sup> /8" : N.A.	24" · 18 <sup>15</sup> /16"–24'
	ineight		Humber	rarametric beptii	; N.A.	:
Single Do	oor Tower—0	ne Box Dr	awer, One	File Drawer		
Hinged Lef	it, Low-Pressure	Laminate (	Case with Hea	adset		
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFL		\$1887	\$1921
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWBFL		\$1973	\$2009
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWBFL		\$2067	\$2105
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	15.906"	CRTWBFL		\$2166	\$2206
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFL		\$2264	\$2306
78"	721/16"-78"	15.906"	CRTWBFL		\$2367	\$2412
84"	781/16"-84"	15.906"	CRTWBFL		\$2476	\$2522
Hinged Lef	it, Low-Pressure	Laminate (	Case with Hig	h-Pressure Laminate H	leadset	
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFL		\$2022	\$2058
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWBFL		\$2115	\$2154
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWBFL		\$2216	\$2258
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	15.906"	CRTWBFL		\$2323	\$2366
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFL		\$2429	\$2475
78"	721/16"-78"	15.906"	CRTWBFL		\$2540	\$2589
84"	781/16"-84"	15.906"	CRTWBFL		\$2658	\$2708
Hinged Let	ft, High-Pressure	Laminate	Case with He	adset		
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFL		\$2309	\$2350
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWBFL		\$2416	\$2461
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWBFL		\$2533	\$2582
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWBFL		\$2657	\$2707
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFL		\$2780	\$2833
78"	721/16"-78"	15.906"	CRTWBFL		\$2908	\$2965
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	15.906"	CRTWBFL		\$3045	\$3103

<sup>▶</sup> Specification Information, continued on next page



					·U.S. Bas	se Prices
Modular	· Parametric	·Modular	· Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	: 24"
Height	Height	Width	Number	Parametric Depth	N.A.	1815/16"-24
	:	:	:			•



Modular	· Parametric	· Modular	· Style	<b>Modular Depth</b>	. 18 <sup>7</sup> /8"	<u>:</u> 24"
Height	Height	Width	Number	Parametric Depth	: N.A.	: 18 <sup>15</sup> /16"–24"
	·				•	•
Single Do	or Tower—0	ne Box Dr	awer, One	File Drawer, contin	ued	
Hinged Rig	ıht, Low-Pressur	e Laminate	Case with H	eadset		
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFR		\$1887	\$1921
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "-47 <sup>15</sup> / <sub>16</sub> "	15.906"	CRTWBFR		\$1973	\$2009
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWBFR		\$2067	\$2105
66 <sup>1</sup> /2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	15.906"	CRTWBFR		\$2166	\$2206
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFR		\$2264	\$2306
78"	721/16"-78"	15.906"	CRTWBFR		\$2367	\$2412
84"	781/16"-84"	15.906"	CRTWBFR		\$2476	\$2522
Hinged Rig	ıht, Low-Pressur	e Laminate	Case with H	igh-Pressure Laminate	Headset	
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFR		\$2022	\$2058
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWBFR		\$2115	\$2154
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> / <sub>8</sub> "	15.906"	CRTWBFR		\$2216	\$2258
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWBFR		\$2323	\$2366
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFR		\$2429	\$2475
78"	721/16"-78"	15.906"	CRTWBFR		\$2540	\$2589
84"	781/16"-84"	15.906"	CRTWBFR		\$2658	\$2708
Hinged Rig	ıht, High-Pressu	re Laminate	Case with H	eadset		
41 <sup>3</sup> /4"	N.A.	15.906"	CRTWBFR		\$2309	\$2350
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWBFR		\$2416	\$2461
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWBFR		\$2533	\$2582
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWBFR		\$2657	\$2707
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWBFR		\$2780	\$2833
78"	721/16"-78"	15.906"	CRTWBFR		\$2908	\$2965
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	15.906"	CRTWBFR		\$3045	\$3103

<sup>▶</sup> Specification Information, continued on next page



Specific	ation Informa	ition				
· Modular	· Parametric	· Modular	·Style	Modular Depth	• <b>U.S. Bas</b> 18 <sup>7</sup> /8"	se Prices
Height	Height	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"–24"
Single D	oor Tower—T	wo File D	rawers			
Hinged Le	ft, Low-Pressure	Laminate	Case with Hea	adset		
413/4"	N.A.	15.906"	CRTWFFL		\$1955	\$1991
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWFFL		\$2048	\$2086
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWFFL		\$2145	\$2185
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWFFL		\$2246	\$2288
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFL		\$2349	\$2392
78"	72 <sup>1</sup> /16"–78"	15.906"	CRTWFFL		\$2456	\$2502
84"	78 <sup>1</sup> /16"–84"	15.906"	CRTWFFL		\$2569	\$2617
Hinged Le	ft, Low-Pressure	Laminate	Case with Hig	h-Pressure Laminate H	leadset	
413/4"	N.A.	15.906"	CRTWFFL		\$2095	\$2134
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWFFL		\$2196	\$2238
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWFFL		\$2301	\$2344
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWFFL		\$2410	\$2454
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFL		\$2521	\$2567
78"	72 <sup>1</sup> /16"–78"	15.906"	CRTWFFL		\$2636	\$2686
84"	781/16"-84"	15.906"	CRTWFFL		\$2759	\$2810
Hinged Le	ft, High-Pressure	e Laminate	Case with He	adset		
413/4"	N.A.	15.906"	CRTWFFL		\$2393	\$2438
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWFFL		\$2510	\$2557
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWFFL		\$2632	\$2682
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWFFL		\$2758	\$2810
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFL		\$2886	\$2940
78"	721/16"-78"	15.906"	CRTWFFL		\$3020	\$3077
84"	78 <sup>1</sup> /16"–84"	15.906"	CRTWFFL		\$3162	\$3221
:	:	:	:		:	:





Specific	ation Informa	ition				
					∙U.S. Bas	
·Modular	· Parametric	Modular	Style	Modular Depth	: 18 <sup>7</sup> /8"	: 24"
Height	Height	Width	Number	Parametric Depth	; N.A. :	: 18 <sup>15</sup> /16"–24"
Single D	oor Tower—T	wo File D	rawers, cor	ntinued		
Hinged Rig	ght, Low-Pressu	re Laminate	Case with H	eadset		
413/4"	N.A.	15.906"	CRTWFFR		\$1955	\$1991
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWFFR		\$2048	\$2086
541/8"	48"-54 <sup>1</sup> /8"	15.906"	CRTWFFR		\$2145	\$2185
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWFFR		\$2246	\$2288
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFR		\$2349	\$2392
78"	721/16"-78"	15.906"	CRTWFFR		\$2456	\$2502
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	15.906"	CRTWFFR		\$2569	\$2617
Hinged Rig	ght, Low-Pressu	re Laminate	Case with H	gh-Pressure Laminate	Headset	
413/4"	N.A.	15.906"	CRTWFFR		\$2095	\$2134
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	15.906"	CRTWFFR		\$2196	\$2238
54 <sup>1</sup> /8"	48"-541/8"	15.906"	CRTWFFR		\$2301	\$2344
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	15.906"	CRTWFFR		\$2410	\$2454
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFR		\$2521	\$2567
78"	721/16"-78"	15.906"	CRTWFFR		\$2636	\$2686
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	15.906"	CRTWFFR		\$2759	\$2810
Hinged Rig	ght, High-Pressu	re Laminat	e Case with H	eadset		
413/4"	N.A.	15.906"	CRTWFFR		\$2393	\$2438
47 <sup>15</sup> /16"	4113/16"-4715/16"	15.906"	CRTWFFR		\$2510	\$2557
54 <sup>1</sup> /8"	48"-541/8"	15.906"	CRTWFFR		\$2632	\$2682
661/2"	54 <sup>3</sup> / <sub>16</sub> "-66 <sup>1</sup> / <sub>2</sub> "	15.906"	CRTWFFR		\$2758	\$2810
72"	66 <sup>9</sup> /16"-72"	15.906"	CRTWFFR		\$2886	\$2940
78"	721/16"-78"	15.906"	CRTWFFR		\$3020	\$3077
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	15.906"	CRTWFFR		\$3162	\$3221





# **Dual-Door Towers**



#### **Standard Includes**

# **Required to Specify**

Need help? Product details, page 58

- 24"W dual-door tower:
  - Low-Pressure Laminate case with matching or
  - contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · 1" thick top: laminate to match case
- · Coat hook: brushed nickel only
- · Lock plug

· Ledge Pull

Jazz Pull

Inset Pull

Nile Pull

Bar Pull

Key Plug

Keys

Transitional Pull

· Master Key Plug

- · Two counterweights
- 11/4" leveling glides
- · Shipped fully assembled
- · Fixed top shelf in wardrobe on units 66"H and taller

Style number

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
•	Parametric	Prices at right	Specify with parametric.
Depth	• 187/8"	Prices at right	Specify 187/s" depth.
	• 24"	Prices at right	Specify 24" depth.
Height	• 413/4"	Prices at right	Specify 413/4" height.
•	• 47 <sup>15</sup> / <sub>16</sub> "	Prices at right	Specify 47 <sup>15</sup> /16" height.
	• 54 <sup>1</sup> /8"	Prices at right	Specify 541/8" height.
	• 661/2"	Prices at right	Specify 66½" height.
	• 72"	Prices at right	Specify 72" height.
	• 78"	Prices at right	Specify 78" height.
	• 84"	Prices at right	Specify 84" height.
Interior	Coat Hook	No cost	Specify with coat hook.
Configuration	<ul> <li>Coat Rod</li> </ul>	No cost	Specify with coat rod.
Case Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	<ul> <li>Handle Pull</li> </ul>	No cost	Specify with handle pull.
	Lasters Death	NI	Consider with lades well

No cost

+\$ 27

+\$ 36

+\$ 37

+\$ 37

+\$ 39

No cost

+\$ 36 per lock

Tip: Coat rods available on 24"D units.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Price is per pull.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specify with ledge pull.

Specify with jazz pull.

Specify with inset pull.

Specify with transitional pull.

Specify with master key plug.


Specify with nile pull.

Specify with bar pull.

Specify with key plug.


Specific	ation Informa	ition				
Modular Height	•Parametric Height	· Modular Width	• Style Number	Modular Depth Parametric Depth	• <b>U.S. Bas</b> • 18 <sup>7</sup> /8" • N.A.	e Prices : 24" : 18 <sup>15</sup> / <sub>16</sub> "–24"
Dual Doo	r Tower—On	e Box Dra	wer, One Fi	le Drawer	<u> </u>	·
Wardrobe	Left, Low-Pressi	ure Laminat	te Case with	Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	L	\$2006	\$2043
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDBF	L	\$2101	\$2140
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWDBF	L	\$2341	\$2384
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDBF	L	\$2551	\$2601
72"	669/16"-72"	24"	CRTWDBF	L	\$2669	\$2721
78"	721/16"-78"	24"	CRTWDBF	L	\$2792	\$2847
84"	781/16"-84"	24"	CRTWDBF	L	\$2922	\$2979
Wardrobe	Left, Low-Pressi	ure Laminat	te Case with	High-Pressure Laminat	e Headset	
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	L	\$2150	\$2190
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDBF	L	\$2254	\$2295
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWDBF	L	\$2513	\$2558
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDBF	L	\$2738	\$2793
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDBF	L	\$2866	\$2923
78"	721/16"-78"	24"	CRTWDBF	L	\$2999	\$3059
84"	78 <sup>1</sup> /16"–84"	24"	CRTWDBF	L	\$3140	\$3201
Wardrobe	Left, High-Press	ure Lamina	te Case with	Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	L	\$2456	\$2504
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	24"	CRTWDBF	L	\$2578	\$2626
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWDBF	L	\$2876	\$2930
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDBF	L	\$3138	\$3201
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDBF	L	\$3286	\$3352
78"	721/16"-78"	24"	CRTWDBF	L	\$3440	\$3509
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWDBF	L	\$3603	\$3674











Right-hand unit

· Modular	· Parametric	· Modular	·Style	Modular Depth	• U.S. Bas	se Prices · 24"
Height	Height	Width	Number	Parametric Depth	: N.A.	18 <sup>15</sup> /16"–24"
Dual Doo	r Tower—One	e Box Drav	wer, One F	ile Drawer, continu	ed	•
Wardrobe	Right, Low-Press	sure Lamina	ate Case with	Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	R	\$2006	\$2043
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDBF	R	\$2101	\$2140
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWDBF	R	\$2341	\$2384
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDBF	R	\$2551	\$2601
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDBF	R	\$2669	\$2721
78"	721/16"-78"	24"	CRTWDBF	R	\$2792	\$2847
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWDBF	R	\$2922	\$2979
Wardrobe	Right, Low-Press	sure Lamina	ate Case with	High-Pressure Lamina	te Headset	
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	R	\$2150	\$2190
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDBF	R	\$2254	\$2295
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWDBF	R	\$2513	\$2558
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDBF	R	\$2738	\$2793
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDBF	R	\$2866	\$2923
78"	721/16"-78"	24"	CRTWDBF	R	\$2999	\$3059
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWDBF	R	\$3140	\$3201
Wardrobe	Right, High-Pres	sure Lamin	ate Case wit	h Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDBF	R	\$2456	\$2504
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDBF	R	\$2578	\$2626
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWDBF	R	\$2876	\$2930
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	CRTWDBF	R	\$3138	\$3201
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDBF	R	\$3286	\$3352
78"	721/16"-78"	24"	CRTWDBF	R	\$3440	\$3509
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWDBF	R	\$3603	\$3674

<sup>▶</sup> Specification Information, continued on next page




Specific	ation Informa	ition				
Modular Height	Parametric Height	· Modular · Width	• Style Number	Modular Depth Parametric Depth	• U.S. Bas • 18 <sup>7</sup> /8" • N.A.	e Prices 24" 18 <sup>15</sup> /16"-24"
Dual Doo	r Tower—Tw	o File Dra	wers		·	·
Wardrobe	Left, Low-Press	ure Laminat	te Case with	Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDFF	L	\$2081	\$2121
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDFF	L	\$2181	\$2222
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWDFF	L	\$2431	\$2475
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDFF	L	\$2649	\$2700
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDFF	L	\$2771	\$2825
78"	721/16"-78"	24"	CRTWDFF	L	\$2900	\$2956
84"	781/16"-84"	24"	CRTWDFF	L	\$3035	\$3094
Wardrobe	Left, Low-Press	ure Laminat	te Case with	High-Pressure Laminat	e Headset	
41 <sup>3</sup> /4"	N.A.	24"	CRTWDFF	L	\$2233	\$2275
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	CRTWDFF	L	\$2340	\$2383
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWDFF	L	\$2610	\$2657
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDFF	L	\$2845	\$2899
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDFF	L	\$2977	\$3035
78"	721/16"-78"	24"	CRTWDFF	L	\$3116	\$3177
84"	78 <sup>1</sup> /16"–84"	24"	CRTWDFF	L	\$3262	\$3326
Wardrobe	Left, High-Press	ure Lamina	te Case with	Headset		
41 <sup>3</sup> /4"	N.A.	24"	CRTWDFF	L	\$2552	\$2602
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWDFF	L	\$2678	\$2726
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWDFF	L	\$2989	\$3044
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWDFF	L	\$3261	\$3325
72"	66 <sup>9</sup> /16"-72"	24"	CRTWDFF	L	\$3414	\$3481
78"	721/16"-78"	24"	CRTWDFF	L	\$3575	\$3646
84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWDFF	L	\$3744	\$3818





\*

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.






Right-hand unit



# **Side Access Towers**



Left-hand unit

# Standard Includes Required to Specify Need help? Product details, page 58 - Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset - Low-Pressure Laminate case with High-Pressure Laminate headset, if selected - High-Pressure Laminate case with matching or

- contrasting High-Pressure Laminate headset, if selected 1" thick top: laminate to match case
- · Coat hook: brushed nickel only
- · Lock plug
- · Two counterweights
- 11/4" leveling glides
- · Shipped fully assembled
- · Fixed top shelf in wardrobe on units 66"H and taller

	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
	Parametric	Prices at right	Specify with parametric.
Height	• 413/4"	Prices at right	Specify 41 <sup>3</sup> / <sub>4</sub> " height.
	• 47 <sup>15</sup> /16"	Prices at right	Specify 47 <sup>15</sup> / <sub>16</sub> " height.
	• 54½"	Prices at right	Specify 541/8" height.
	• 66½"	Prices at right	Specify 661/2" height.
	• 72"	Prices at right	Specify 72" height.
	• 78"	Prices at right	Specify 78" height.
	• 84"	Prices at right	Specify 84" height.
Interior	Coat Hook	No cost	Specify with coat hook.
Configuration	<ul> <li>Coat Rod</li> </ul>	No cost	Specify with coat rod.
Case Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	<ul> <li>Open Line laminate</li> </ul>	+\$102 plus cost of	See Surface Material Reference Manual.
		laminate	
Headset Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of	See Surface Material Reference Manual.
		laminate	
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	<ul> <li>Handle Pull</li> </ul>	No cost	Specify with handle pull.
	<ul> <li>Ledge Pull</li> </ul>	No cost	Specify with ledge pull.
	Jazz Pull	+\$ 27	Specify with jazz pull.
	<ul> <li>Inset Pull</li> </ul>	+\$ 36	Specify with inset pull.
	Nile Pull	+\$ 37	Specify with nile pull.
	<ul> <li>Transitional Pull</li> </ul>	+\$ 37	Specify with transitional pull.
	Bar Pull	+\$ 39	Specify with bar pull.

No cost

+\$ 36 per lock

Tip: Coat rods available on 24"D units.

For laminate price

group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Price is per pull.



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Keys


Key Plug

· Master Key Plug

Specify with key plug.

Specify with master key plug.

· · · · · · · · · · · · · · · · · · ·	Specific	Specification Information									
Prices	· Modular Height				•						
	:	:	:	: :	Prices						



Left-hand unit

• Modular • Height •	Parametric Height	• Modular • Width •	· Style Number	·U.S. Base Prices
Side Acc	ess Tower—	Two Box D	rawers and One l	File Drawer
Wardrobe	Left, Low-Press	ure Laminat	te Case with Headse	t
413/4"	N.A.	24"	CRTWSABBFL	\$2207
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFL	\$2312
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWSABBFL	\$2423
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSABBFL	\$2541
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFL	\$2658
78"	72 <sup>1</sup> /16"-78"	24"	CRTWSABBFL	\$2781
84"	78 <sup>1</sup> /16"-84"	24"	CRTWSABBFL	\$2910
Wardrobe	Left, Low-Press	ure Laminat	te Case with High-Pr	essure Laminate Headset
413/4"	N.A.	24"	CRTWSABBFL	\$2367
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFL	\$2481
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWSABBFL	\$2602
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSABBFL	\$2728
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFL	\$2855
78"	72 <sup>1</sup> /16"-78"	24"	CRTWSABBFL	\$2987
84"	78 <sup>1</sup> /16"-84"	24"	CRTWSABBFL	\$3127
Wardrobe	Left, High-Press	ure Lamina	te Case with Headse	et
413/4"	N.A.	24"	CRTWSABBFL	\$2708
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFL	\$2841
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWSABBFL	\$2980
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSABBFL	\$3126
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFL	\$3273
78"	721/16"-78"	24"	CRTWSABBFL	\$3426
84"	78 <sup>1</sup> /16"-84"	24"	CRTWSABBFL	\$3588

<sup>▶</sup> Specification Information, continued on next page



Specific	ation Inform	ation			
· Modular	· Parametric	·Modular	· Style	·U.S.	
Height	Height	Width	Number	Base	
	: -	:		Prices	
		:		•	




Right-hand unit

Side Access Tower—Two Box Drawers and One File Drawer, continued           Wardrobe Right, Low-Pressure Laminate Case with Headset           419/4"         N.A.         24"         CRTWSABBFR         \$2207           4715/16"         4113/16"-4715/16"         24"         CRTWSABBFR         \$2312           541/8"         48"-541/8"         24"         CRTWSABBFR         \$2423           661/2"         543/16"-661/2"         24"         CRTWSABBFR         \$2541           72"         669/16"-72"         24"         CRTWSABBFR         \$2658           78"         721/16"-78"         24"         CRTWSABBFR         \$2910           Wardrobe Right, Low-Pressure Laminate Case with High-Pressure Laminate Headset           413/4"         N.A.         24"         CRTWSABBFR         \$2367           4715/16"         4113/16"-4715/16"         24"         CRTWSABBFR         \$2461           541/6"         48"-541/6"         24"         CRTWSABBFR         \$2602           661/2"         48"-541/6"         24"         CRTWSABBFR         \$2602           661/2"         543/16"-661/2"         24"         CRTWSABBFR         \$2855           78"         721/16"-78"         24"         CRTWSABBFR         <	Height	Height	Width	Number	Base Prices	
A19/4" N.A.   24"   CRTWSABBFR   \$2207	Side Acc	cess Tower—	Two Box	Drawers and One F	ile Drawer, continued	
4715/16" 4113/16"-4715/16" 24" CRTWSABBFR \$2312 541/8" 48"-541/8" 24" CRTWSABBFR \$2423 661/2" 543/16"-661/2" 24" CRTWSABBFR \$2541 72" 669/16"-72" 24" CRTWSABBFR \$2658 78" 721/16"-78" 24" CRTWSABBFR \$2781 84" 781/16"-84" 24" CRTWSABBFR \$2910 Wardrobe Right, Low-Pressure Laminate Case with High-Pressure Laminate Headset 413/4" N.A. 24" CRTWSABBFR \$2367 4715/16" 4113/16"-4715/16" 24" CRTWSABBFR \$2602 661/2" 543/16"-661/2" 24" CRTWSABBFR \$2602 661/2" 543/16"-661/2" 24" CRTWSABBFR \$2855 78" 721/16"-78" 24" CRTWSABBFR \$2855 78" 721/16"-78" 24" CRTWSABBFR \$2855 78" 721/16"-78" 24" CRTWSABBFR \$2987 84" 781/16"-84" 24" CRTWSABBFR \$2980 661/2" 543/16"-661/2" 24" CRTWSABBFR \$3126 72" 669/16"-72" 24" CRTWSABBFR \$33273 78" 721/16"-78" 24" CRTWSABBFR \$33273	Wardrobe	Right, Low-Pres	sure Lamir	nate Case with Heads	et	
\$\frac{54\lambda{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{def}{\textit{s}}{\textit{s}}{\textit{def}{\textit{s}}{\textit{s}}{\textit{def}{\textit{s}}{\text{s}}{\textit{s}}{\text	413/4"	N.A.	24"	CRTWSABBFR	\$2207	
661/2" 543/16"-661/2" 24" CRTWSABBFR \$2541 72" 669/16"-72" 24" CRTWSABBFR \$2658 78" 721/16"-78" 24" CRTWSABBFR \$2781 84" 781/16"-84" 24" CRTWSABBFR \$2910  Wardrobe Right, Low-Pressure Laminate Case with High-Pressure Laminate Headset 413/4" N.A. 24" CRTWSABBFR \$2367 4715/16" 4113/16"-4715/16" 24" CRTWSABBFR \$2481 541/8" 48"-541/8" 24" CRTWSABBFR \$2602 661/2" 543/16"-661/2" 24" CRTWSABBFR \$2855 78" 721/16"-78" 24" CRTWSABBFR \$2987 84" 781/16"-84" 24" CRTWSABBFR \$2987  Wardrobe Right, High-Pressure Laminate Case with Headset 413/4" N.A. 24" CRTWSABBFR \$2987 84" 781/16"-84" 24" CRTWSABBFR \$2708 4715/16" 413/16"-4715/16" 24" CRTWSABBFR \$2980 661/2" 543/16"-661/2" 24" CRTWSABBFR \$3126 72" 669/16"-72" 24" CRTWSABBFR \$3273 78" 721/16"-78" 24" CRTWSABBFR \$3273	47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFR	\$2312	
72"         66³/16"-72"         24"         CRTWSABBFR         \$2658           78"         72¹/16"-78"         24"         CRTWSABBFR         \$2781           84"         78¹/16"-84"         24"         CRTWSABBFR         \$2910           Wardrobe Right, Low-Pressure Laminate Case with High-Pressure Laminate Headset           41³/4"         N.A.         24"         CRTWSABBFR         \$2367           47¹5/16"         41¹3/16"-47¹5/16"         24"         CRTWSABBFR         \$2481           54¹/8"         48"-54¹/8"         24"         CRTWSABBFR         \$2602           66¹/2"         54³/16"-66¹/2"         24"         CRTWSABBFR         \$2728           72"         66³/16"-72"         24"         CRTWSABBFR         \$2855           78"         72¹/16"-78"         24"         CRTWSABBFR         \$2987           84"         78¹/16"-84"         24"         CRTWSABBFR         \$3127           Wardrobe Right, High-Pressure Laminate Case with Headset           41³/4"         N.A.         24"         CRTWSABBFR         \$2980           47¹5/16"         41³/16"-47¹5/16"         24"         CRTWSABBFR         \$2841           54¹/6"         48"-54¹/8"         24"         CRTWS	54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWSABBFR	\$2423	
78"   721/16"-78"   24"   CRTWSABBFR   \$2781	661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSABBFR	\$2541	
R4"   781/16"-84"   24"   CRTWSABBFR   \$2910	72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFR	\$2658	
Wardrobe Right, Low-Pressure Laminate Case with High-Pressure Laminate Headset           41³/4"         N.A.         24"         CRTWSABBFR         \$2367           47¹5/₁6"         41¹³/₁6"-47¹5/₁6"         24"         CRTWSABBFR         \$2481           54¹/8"         48"-54¹/8"         24"         CRTWSABBFR         \$2602           66¹/2"         54³/₁6"-66¹/2"         24"         CRTWSABBFR         \$2728           72"         66³/₁6"-72"         24"         CRTWSABBFR         \$2855           78"         72¹/₁6"-78"         24"         CRTWSABBFR         \$2987           84"         78¹/₁6"-84"         24"         CRTWSABBFR         \$3127           Wardrobe Right, High-Pressure Laminate Case with Headset         41³/₄¹a"         N.A.         24"         CRTWSABBFR         \$2708           47¹5/₁6"         41¹³⁄₁6"-47¹5/₁6"         24"         CRTWSABBFR         \$2841           54¹/⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄⁄	78"	721/16"-78"	24"	CRTWSABBFR	\$2781	
A13/4"   N.A.   24"   CRTWSABBFR   \$2367	84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWSABBFR	\$2910	
4715/16" 4113/16"-4715/16" 24" CRTWSABBFR \$2481  541/8" 48"-541/8" 24" CRTWSABBFR \$2602  661/2" 543/16"-661/2" 24" CRTWSABBFR \$2728  72" 669/16"-72" 24" CRTWSABBFR \$2855  78" 721/16"-78" 24" CRTWSABBFR \$2987  84" 781/16"-84" 24" CRTWSABBFR \$3127  Wardrobe Right, High-Pressure Laminate Case with Headset  413/4" N.A. 24" CRTWSABBFR \$2708  4715/16" 4113/16"-4715/16" 24" CRTWSABBFR \$2841  541/6" 48"-541/8" 24" CRTWSABBFR \$2980  661/2" 543/16"-661/2" 24" CRTWSABBFR \$2980  661/2" 543/16"-661/2" 24" CRTWSABBFR \$3126  72" 669/16"-72" 24" CRTWSABBFR \$3273  78" 721/16"-78" 24" CRTWSABBFR \$3273	Wardrobe	Right, Low-Pres	sure Lamir	nate Case with High-P	ressure Laminate Headset	
541/8"       48"-541/8"       24"       CRTWSABBFR       \$2602         661/2"       54³/16"-661/2"       24"       CRTWSABBFR       \$2728         72"       66³/16"-72"       24"       CRTWSABBFR       \$2855         78"       72¹/16"-78"       24"       CRTWSABBFR       \$2987         84"       78¹/16"-84"       24"       CRTWSABBFR       \$3127         Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       4¹¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/6"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       5⁴³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       7²¹/16"-78"       24"       CRTWSABBFR       \$3426	413/4"	N.A.	24"	CRTWSABBFR	\$2367	
66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$2728         72"       66³/16"-72"       24"       CRTWSABBFR       \$2855         78"       72¹/16"-78"       24"       CRTWSABBFR       \$2987         84"       78¹/16"-84"       24"       CRTWSABBFR       \$3127         Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       4¹¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/6"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       72¹/16"-78"       24"       CRTWSABBFR       \$3426	47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFR	\$2481	
72"       669/16"-72"       24"       CRTWSABBFR       \$2855         78"       72¹/16"-78"       24"       CRTWSABBFR       \$2987         84"       78¹/16"-84"       24"       CRTWSABBFR       \$3127         Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       4¹¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/6"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       72¹/16"-78"       24"       CRTWSABBFR       \$3426	541/8"	48"-54 <sup>1</sup> /8"	24"	CRTWSABBFR	\$2602	
78"       72¹/16"-78"       24"       CRTWSABBFR       \$2987         84"       78¹/16"-84"       24"       CRTWSABBFR       \$3127         Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       41¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/8"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       72¹/16"-78"       24"       CRTWSABBFR       \$3426	661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSABBFR	\$2728	
84"       78¹/16"-84"       24"       CRTWSABBFR       \$3127         Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       4¹¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/6"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       72¹/16"-78"       24"       CRTWSABBFR       \$3426	72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFR	\$2855	
Wardrobe Right, High-Pressure Laminate Case with Headset         41³/4"       N.A.       24"       CRTWSABBFR       \$2708         47¹5/16"       4¹¹³/16"-47¹5/16"       24"       CRTWSABBFR       \$2841         54¹/8"       48"-54¹/8"       24"       CRTWSABBFR       \$2980         66¹/2"       54³/16"-66¹/2"       24"       CRTWSABBFR       \$3126         72"       66³/16"-72"       24"       CRTWSABBFR       \$3273         78"       72¹/16"-78"       24"       CRTWSABBFR       \$3426	78"	721/16"-78"	24"	CRTWSABBFR	\$2987	
41 <sup>3</sup> / <sub>4</sub> " N.A. 24" CRTWSABBFR \$2708 47 <sup>15</sup> / <sub>16</sub> " 41 <sup>13</sup> / <sub>16</sub> "-47 <sup>15</sup> / <sub>16</sub> " 24" CRTWSABBFR \$2841 54 <sup>1</sup> / <sub>6</sub> " 48"-54 <sup>1</sup> / <sub>8</sub> " 24" CRTWSABBFR \$2980 66 <sup>1</sup> / <sub>2</sub> " 54 <sup>3</sup> / <sub>16</sub> "-66 <sup>1</sup> / <sub>2</sub> " 24" CRTWSABBFR \$3126 72" 66 <sup>9</sup> / <sub>16</sub> "-72" 24" CRTWSABBFR \$3273 78" 72 <sup>1</sup> / <sub>16</sub> "-78" 24" CRTWSABBFR \$3426	84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWSABBFR	\$3127	
4715/16"       4113/16"-4715/16"       24"       CRTWSABBFR       \$2841         541/6"       48"-541/8"       24"       CRTWSABBFR       \$2980         661/2"       543/16"-661/2"       24"       CRTWSABBFR       \$3126         72"       669/16"-72"       24"       CRTWSABBFR       \$3273         78"       721/16"-78"       24"       CRTWSABBFR       \$3426	Wardrobe	Right, High-Pres	sure Lami	nate Case with Heads	et	
541/8"       48"-541/8"       24"       CRTWSABBFR       \$2980         661/2"       543/16"-661/2"       24"       CRTWSABBFR       \$3126         72"       669/16"-72"       24"       CRTWSABBFR       \$3273         78"       721/16"-78"       24"       CRTWSABBFR       \$3426	413/4"	N.A.	24"	CRTWSABBFR	\$2708	
66 <sup>1</sup> /2" 54 <sup>3</sup> /16"-66 <sup>1</sup> /2" 24" <b>CRTWSABBFR</b> \$3126 72" 66 <sup>9</sup> /16"-72" 24" <b>CRTWSABBFR</b> \$3273 78" 72 <sup>1</sup> /16"-78" 24" <b>CRTWSABBFR</b> \$3426	47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSABBFR	\$2841	
72" 66 <sup>9</sup> /16"-72" 24" <b>CRTWSABBFR</b> \$3273 78" 72 <sup>1</sup> /16"-78" 24" <b>CRTWSABBFR</b> \$3426	541/8"	48"-54 <sup>1</sup> /8"	24"	CRTWSABBFR	\$2980	
78" 72 <sup>1</sup> / <sub>16</sub> "-78" 24" <b>CRTWSABBFR</b> \$3426	661/2"	543/16"-661/2"	24"	CRTWSABBFR	\$3126	
	72"	66 <sup>9</sup> /16"-72"	24"	CRTWSABBFR	\$3273	
84" 78 <sup>1</sup> / <sub>16</sub> "–84" 24" <b>CRTWSABBFR</b> \$3588	78"	721/16"-78"	24"	CRTWSABBFR	\$3426	
	84"	78 <sup>1</sup> / <sub>16</sub> "–84"	24"	CRTWSABBFR	\$3588	

<sup>▶</sup> Specification Information, continued on next page



Specific	ation Inform	ation			
Modular Height	· Parametric Height	· Modular · Width	Style Number	∙U.S. Base	
	:	:	:	Prices	




• Modular • Height	Parametric Height	· Modular · Width	Style Number	· U.S. · Base · Prices
Side Acc	ess Tower—	Two File C	Drawers	
Wardrobe	Left, Low-Press	ure Laminat	te Case with Headse	et
413/4"	N.A.	24"	CRTWSAFFL	\$2128
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSAFFL	\$2231
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWSAFFL	\$2337
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSAFFL	\$2449
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFL	\$2561
78"	721/16"-78"	24"	CRTWSAFFL	\$2680
84"	781/16"-84"	24"	CRTWSAFFL	\$2803
Wardrobe	Left, Low-Press	ure Laminat	te Case with High-P	ressure Laminate Headset
413/4"	N.A.	24"	CRTWSAFFL	\$2283
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSAFFL	\$2393
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWSAFFL	\$2508
661/2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSAFFL	\$2629
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFL	\$2750
78"	721/16"-78"	24"	CRTWSAFFL	\$2878
84"	781/16"-84"	24"	CRTWSAFFL	\$3011
Wardrobe	Left, High-Press	ure Lamina	te Case with Heads	et
413/4"	N.A.	24"	CRTWSAFFL	\$2624
47 <sup>15</sup> / <sub>16</sub> "	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSAFFL	\$2753
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWSAFFL	\$2886
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	CRTWSAFFL	\$3027
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFL	\$3151
78"	721/16"-78"	24"	CRTWSAFFL	\$3300
84"	781/16"-84"	24"	CRTWSAFFL	\$3454

<sup>▶</sup> Specification Information, continued on next page



Specification Information								
·Modular	· Parametric	·Modular	· Style	·U.S.				
Height	Height	Width	Number	Base				
: -		:		Prices				
	:		:	:				




# Right-hand unit

Modular Height	Parametric Height	· Modular Width	• Style Number	· U.S. Base Prices
Side Acc	ess Tower—	Two File D	Drawers, continued	I
Wardrobe l	Right, Low-Pres	sure Lamina	ate Case with Headse	ŧ
41 <sup>3</sup> /4"	N.A.	24"	CRTWSAFFR	\$2128
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	CRTWSAFFR	\$2231
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWSAFFR	\$2337
661/2"	54 <sup>3</sup> / <sub>16</sub> "–66 <sup>1</sup> / <sub>2</sub> "	24"	CRTWSAFFR	\$2449
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFR	\$2561
78"	721/16"-78"	24"	CRTWSAFFR	\$2680
84"	781/16"-84"	24"	CRTWSAFFR	\$2803
Wardrobe l	Right, Low-Pres	sure Lamina	ate Case with High-Pre	essure Laminate Headset
41 <sup>3</sup> /4"	N.A.	24"	CRTWSAFFR	\$2283
47 <sup>15</sup> /16"	4113/16"-4715/16"	24"	CRTWSAFFR	\$2393
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	CRTWSAFFR	\$2508
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSAFFR	\$2629
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFR	\$2750
78"	721/16"-78"	24"	CRTWSAFFR	\$2878
84"	781/16"-84"	24"	CRTWSAFFR	\$3011
Wardrobe l	Right, High-Pres	sure Lamin	ate Case with Headse	t
41 <sup>3</sup> /4"	N.A.	24"	CRTWSAFFR	\$2624
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	CRTWSAFFR	\$2753
54 <sup>1</sup> /8"	48"-541/8"	24"	CRTWSAFFR	\$2886
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	CRTWSAFFR	\$3027
72"	66 <sup>9</sup> /16"-72"	24"	CRTWSAFFR	\$3151
78"	721/16"-78"	24"	CRTWSAFFR	\$3300
84"	781/16"-84"	24"	CRTWSAFFR	\$3454



# **Wardrobes**



Tip: Wardrobes must be attached to adjacent storage, a wall, or in a run of multiple wardrobes, to ensure stability and prevent tipping. See Wardrobe Stability Guidelines, page 83, for details of how many wardrobes are required in the run based on wardrobe size.

Tip: Coat rods available on 24"D units.

Tip: Wardrobes 543/16"H and taller receive a fixed top shelf.

For laminate price group 2 and higher pricing, please refer to the electronic catalog or SmartTools.

Tip: Price is per pull.



# For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

### **Standard Includes**

- · Wardrobes:
- Low-Pressure Laminate case with matching or contrasting Low-Pressure Laminate headset
- Low-Pressure Laminate case with High-Pressure Laminate headset, if selected
- High-Pressure Laminate case with matching or contrasting High-Pressure Laminate headset, if selected
- · 1" thick top: laminate to match case
- · Coat hook: brushed nickel only
- · Lock plug

Product details,

page 58

- 11/4" leveling glides
- · Shipped fully assembled
- Fixed top shalf on wardrobes 543/46"H and taller

# **Required to Specify**

Style number

	Fixed top shelf on wardrobes !	543/16"H and taller	
	Options	U.S. Price	Required to Specify
Size Option	Modular	Prices at right	Specify with modular.
Size Option	Parametric	Prices at right	Specify with parametric.
Depth	• 18 <sup>7</sup> / <sub>8</sub> "	Prices at right	Specify 18 <sup>7</sup> / <sub>8</sub> " depth.
-	• 24"	Prices at right	Specify 24" depth.
Width	• 12"	Prices at right	Specify 12" width.
	• 24"	Prices at right	Specify 24" width.
Height	• 413/4"	Prices at right	Specify 413/4" height.
	• 47 <sup>15</sup> /16"	Prices at right	Specify 47 <sup>15</sup> /16" height.
	• 54½"	Prices at right	Specify 541/8" height.
	• 66½"	Prices at right	Specify 66½" height.
	• 72"	Prices at right	Specify 72" height.
	• 78"	Prices at right	Specify 78" height.
	• 84"	Prices at right	Specify 84" height.
Interior	Coat Hook	No cost	Specify with coat hook.
Configuration	<ul> <li>Coat Rod</li> </ul>	No cost	Specify with coat rod.
Shelf	No Shelf	No cost	Specify with no shelf.
	<ul> <li>Fixed Top Shelf</li> </ul>	+\$ 50	Specify with fixed top-shelf.
Case Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	Laminate LPL Price Group 1	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Headset Finish	Laminate HPL Price Group 1	Prices at right	Specify with laminate HPL price group 1.
	<ul> <li>Laminate HPL Price Group 2</li> </ul>	See information at left	Specify with laminate HPL price group 2.
	<ul> <li>Laminate HPL Price Group 3</li> </ul>	See information at left	Specify with laminate HPL price group 3.
	<ul> <li>Laminate LPL Price Group 1</li> </ul>	Prices at right	Specify with laminate LPL price group 1.
	Open Line laminate	+\$102 plus cost of laminate	See Surface Material Reference Manual.
Pulls	Contemporary Pull	No cost	Specify with contemporary pull.
	Handle Pull	No cost	Specify with handle pull.
	Ledge Pull	No cost	Specify with ledge pull.
	Jazz Pull	+\$ 27	Specify with jazz pull.
	Inset Pull	+\$ 36	Specify with inset pull.
	Nile Pull	+\$ 37	Specify with nile pull.
	Transitional Pull	+\$ 37	Specify with transitional pull.
	D D-II		On a site with home will

+\$ 39

No cost

+\$ 36 per lock

Bar Pull

Key Plug

· Master Key Plug


Keys

Specify with bar pull.

Specify with key plug.

Specify with master key plug.

Specification Information									
		·U.S. Base Prices							
·Modular	Parametric	·Modular	· Parametric	· Style	Modular Depth	18 <sup>7</sup> /8"	24"		
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> / <sub>16</sub> "–24"		
				:		:	:		



#### -Hinged Left **Wardrobe-Low-Pressure Laminate Case with Headset** 413/4" N.A. 12" N.A. **CRWDL** \$1045 \$1024 4715/16" 4113/16"-4715/16" 12" N.A. **CRWDL** \$1078 \$1100 541/8" 48"-541/8" **CRWDL** 12" N.A. \$1135 \$1158 661/2" 543/16"-661/2" 12" N.A. **CRWDL** \$1242 \$1266 72" **CRWDL** 669/16"-72" 12" N.A. \$1301 \$1327 78" 721/16"-78" 12" N.A. **CRWDL** \$1364 \$1391 84" 781/16"-84" 12" **CRWDL** N.A. \$1430 \$1458 413/4" N.A. 24" 121/16"-24" **CRWDL** \$1280 \$1306 4715/16" 4113/16"-4715/16" 24" 121/16"-24" **CRWDL** \$1348 \$1375 541/8" 48"-541/8" 24" 121/16"-24" **CRWDL** \$1419 \$1448 661/2" 543/16"-661/2" 24" 121/16"-24" **CRWDL** \$1540 \$1570 72" 669/16"-72" 24" 121/16"-24" **CRWDL** \$1614 \$1646 78" 721/16"-78" 24" 121/16"-24" **CRWDL** \$1692 \$1726 \$1809 84" 781/16"-84" 24" 121/16"-24" **CRWDL** \$1774



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

<sup>▶</sup> Specification Information, continued on next page

Wardrobes, continued

# ▶ Specification Information, continued from previous page

Specification Information									
						·U.S. Base	Prices		
·Modular	· Parametric	·Modular	Parametric	· Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	· 24"		
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"-24"		
		:				:			



Low-Pressure Laminate Case with High-Pressure Laminate Headset								
41 <sup>3</sup> /4"	N.A.	12"	N.A.	CRWDL	\$1106	\$1128		
47 <sup>15</sup> /16"	41 <sup>13</sup> / <sub>16</sub> "–47 <sup>15</sup> / <sub>16</sub> "	12"	N.A.	CRWDL	\$1163	\$1187		
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	12"	N.A.	CRWDL	\$1227	\$1251		
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	12"	N.A.	CRWDL	\$1337	\$1363		
72"	66 <sup>9</sup> /16"-72"	12"	N.A.	CRWDL	\$1401	\$1429		
78"	721/16"-78"	12"	N.A.	CRWDL	\$1469	\$1498		
84"	781/16"-84"	12"	N.A.	CRWDL	\$1540	\$1571		
41 <sup>3</sup> /4"	N.A.	24"	121/16"-24"	CRWDL	\$1382	\$1411		
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	121/16"-24"	CRWDL	\$1456	\$1485		
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	121/16"-24"	CRWDL	\$1533	\$1564		
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	121/16"-24"	CRWDL	\$1659	\$1692		
72"	66 <sup>9</sup> /16"-72"	24"	121/16"-24"	CRWDL	\$1739	\$1774		
78"	721/16"-78"	24"	121/16"-24"	CRWDL	\$1823	\$1860		
84"	781/16"-84"	24"	121/16"-24"	CRWDL	\$1912	\$1950		


<sup>▶</sup> Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information									
·U.S. Base Prices									
·Modular	· Parametric	·Modular	· Parametric	· Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	: 24"		
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"-24"		
				:			•		



Wardrol	Wardrobe—Hinged Left, continued									
High-Pressure Laminate Case with Headset										
41 <sup>3</sup> /4"	N.A.	12"	N.A.	CRWDL	\$1280	\$1306				
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	12"	N.A.	CRWDL	\$1345	\$1373				
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	12"	N.A.	CRWDL	\$1420	\$1448				
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	12"	N.A.	CRWDL	\$1540	\$1570				
72"	66 <sup>9</sup> /16"-72"	12"	N.A.	CRWDL	\$1614	\$1646				
78"	721/16"-78"	12"	N.A.	CRWDL	\$1692	\$1726				
84"	781/16"-84"	12"	N.A.	CRWDL	\$1775	\$1810				
41 <sup>3</sup> /4"	N.A.	24"	12 <sup>1</sup> / <sub>16</sub> "–24"	CRWDL	\$1600	\$1633				
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	121/16"-24"	CRWDL	\$1685	\$1719				
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	121/16"-24"	CRWDL	\$1774	\$1810				
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	121/16"-24"	CRWDL	\$1912	\$1950				
72"	66 <sup>9</sup> /16"-72"	24"	121/16"-24"	CRWDL	\$2005	\$2045				
78"	721/16"-78"	24"	121/16"-24"	CRWDL	\$2102	\$2145				
84"	78 <sup>1</sup> /16"–84"	24"	121/16"-24"	CRWDL	\$2205	\$2249				

<sup>▶</sup> Specification Information, continued on next page



**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wardrobes, continued

# ▶ Specification Information, continued from previous page

Specification Information									
•							Prices		
·Modular	· Parametric	·Modular	Parametric	· Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	24"		
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"-24"		
		:		:			:		



Wardro	be—Hinged Righ	nt				_		
Low-Pressure Laminate Case with Headset								
413/4"	N.A.	12"	N.A.	CRWDR	\$1024	\$1045		
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	12"	N.A.	CRWDR	\$1078	\$1100		
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	12"	N.A.	CRWDR	\$1135	\$1158		
66 <sup>1</sup> /2"	543/16"-661/2"	12"	N.A.	CRWDR	\$1242	\$1266		
72"	669/16"-72"	12"	N.A.	CRWDR	\$1301	\$1327		
78"	721/16"-78"	12"	N.A.	CRWDR	\$1364	\$1391		
84"	781/16"-84"	12"	N.A.	CRWDR	\$2205	\$2205		
41 <sup>3</sup> /4"	N.A.	24"	121/16"-24"	CRWDR	\$1280	\$1306		
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	121/16"-24"	CRWDR	\$1348	\$1375		
54 <sup>1</sup> /8"	48"-541/8"	24"	121/16"-24"	CRWDR	\$1419	\$1448		
66 <sup>1</sup> /2"	543/16"-661/2"	24"	121/16"-24"	CRWDR	\$1540	\$1570		
72"	669/16"-72"	24"	121/16"-24"	CRWDR	\$1614	\$1646		
78"	721/16"-78"	24"	121/16"-24"	CRWDR	\$1692	\$1726		
84"	781/16"-84"	24"	121/16"-24"	CRWDR	\$1774	\$1809		
:	•	:	:	:	:			

<sup>▶</sup> Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Specification Information									
						·U.S. Base	Prices		
·Modular	· Parametric	·Modular	· Parametric	· Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	24"		
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"-24"		
:		:				:	:		



Wardrobe—Hinged Right, continued  Low-Pressure Laminate Case with High-Pressure Laminate Headset							
41 <sup>3</sup> /4"	N.A.	12"	N.A.	CRWDR	\$1106	\$1128	
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	12"	N.A.	CRWDR	\$1163	\$1187	
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	12"	N.A.	CRWDR	\$1227	\$1251	
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	12"	N.A.	CRWDR	\$1337	\$1363	
72"	66 <sup>9</sup> /16"-72"	12"	N.A.	CRWDR	\$1401	\$1429	
78"	721/16"-78"	12"	N.A.	CRWDR	\$1469	\$1498	
84"	781/16"-84"	12"	N.A.	CRWDR	\$1540	\$1571	
41 <sup>3</sup> /4"	N.A.	24"	121/16"-24"	CRWDR	\$1382	\$1411	
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	121/16"-24"	CRWDR	\$1456	\$1485	
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	121/16"-24"	CRWDR	\$1533	\$1564	
66 <sup>1</sup> /2"	54 <sup>3</sup> /16"-66 <sup>1</sup> /2"	24"	121/16"-24"	CRWDR	\$1659	\$1692	
72"	66 <sup>9</sup> /16"-72"	24"	121/16"-24"	CRWDR	\$1739	\$1774	
78"	721/16"-78"	24"	121/16"-24"	CRWDR	\$1823	\$1860	
84"	781/16"-84"	24"	121/16"-24"	CRWDR	\$1912	\$1950	

# ▶ Specification Information, continued on next page




**For Canadian Pricing** Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wardrobes, continued

# ▶ Specification Information, continued from previous page

Specific	ation Informat	ion					
	·U.S. Bas				Prices		
·Modular	· Parametric	·Modular	Parametric	·Style	<b>Modular Depth</b>	18 <sup>7</sup> /8"	: 24"
Height	Height	Width	Width	Number	Parametric Depth	N.A.	18 <sup>15</sup> /16"-24"
		:		:			:



Wardrobe—Hinged Right, continued							
High-Pressure Laminate Case with Headset							
41 <sup>3</sup> / <sub>4</sub> "	N.A.	12"	N.A.	CRWDR	\$1280	\$1306	
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	12"	N.A.	CRWDR	\$1345	\$1373	
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	12"	N.A.	CRWDR	\$1420	\$1448	
66 <sup>1</sup> /2"	543/16"-661/2"	12"	N.A.	CRWDR	\$1540	\$1570	
72"	669/16"-72"	12"	N.A.	CRWDR	\$1614	\$1646	
78"	721/16"-78"	12"	N.A.	CRWDR	\$1692	\$1726	
84"	781/16"-84"	12"	N.A.	CRWDR	\$1775	\$1810	
41 <sup>3</sup> /4"	N.A.	24"	121/16"-24"	CRWDR	\$1600	\$1633	
47 <sup>15</sup> /16"	41 <sup>13</sup> /16"-47 <sup>15</sup> /16"	24"	121/16"-24"	CRWDR	\$1685	\$1719	
54 <sup>1</sup> /8"	48"-54 <sup>1</sup> /8"	24"	121/16"-24"	CRWDR	\$1774	\$1810	
66 <sup>1</sup> /2"	543/16"-661/2"	24"	121/16"-24"	CRWDR	\$1912	\$1950	
72"	66 <sup>9</sup> /16"-72"	24"	121/16"-24"	CRWDR	\$2005	\$2045	
78"	721/16"-78"	24"	121/16"-24"	CRWDR	\$2102	\$2145	
84"	781/16"-84"	24"	121/16"-24"	CRWDR	\$2205	\$2249	
:	:	:	:	:	· ·	:	

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.