

# Steelcase Health Separation Screens



## Availability

**Electronic price list updated** with release 200.E (U.S.) and 156.E (Canada), dated February 20, 2023.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

*Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.*

View or download Steelcase Specification Guides at <https://steelcase.s4mrc.com/na/spec-guides/individual-spec-guides?limit=30&p=1>

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

## Surface Materials

**The surface materials team** has announced the launch of the Finish Library, found at <https://finishlibrary.steelcase.com/>.

► For a list of all trademarks, refer to the last page of this specification guide. © 2023 Steelcase Inc.

## Understanding

|                                 |   |
|---------------------------------|---|
| Freestanding Separation Screens | 2 |
| Desktop Separation Screens      | 3 |

## Specifying

|                                 |   |
|---------------------------------|---|
| Freestanding Separation Screens | 4 |
| Desktop Separation Screens      | 5 |



## For Canadian Pricing

Canadian factor can be found at [www.steelcase.com/CADpricing](http://www.steelcase.com/CADpricing). Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

# Freestanding Separation Screens


**Separation screens** aid infection-control efforts and offer a protective barrier between those who seek help and those who stand ready.

**Freestanding separation screens** are mounted off-set of frames for enhanced cleanability.

**Freestanding separation screens with no lower panel** provide clearance when sitting.

**Freestanding separation screens** are designed for movability.

**Freestanding separation screens** require minimal assembly.



**Temperature cutout** provides access to take contactless temperature readings. Cutout is 6" in diameter and is placed off centered on the right or left side of the screen, when standing in front of screen. Off centered design mitigates likelihood of talking through cutout.

**Temperature cutout** is available with or without 12"W x 6"H cutout and is only available on screens that are transparent. Temperature cutout is located approximately 47" above finished floor, while the 12"W x 6"H cutouts are located 32" above finished floor.

**Freestanding separation screens** default with an open bottom. A lower screen panel can be added as an option.

**Optional 12"W x 6"H cutouts** allow for communication and the passage of any necessary documents or items.

**Cutouts** are 32" above finished floor.

## Dimensions

| Freestanding screens | HSDSF4872                        | HSSF7272                         |
|----------------------|----------------------------------|----------------------------------|
| Overall width        | 48"                              | 72"                              |
| Overall height       | 72"                              | 72"                              |
| Overall depth        | 18 <sup>3</sup> / <sub>8</sub> " | 18 <sup>3</sup> / <sub>8</sub> " |
| Upper panel width    | 48"                              | 72"                              |
| Upper panel height   | 48"                              | 48"                              |
| Lower panel width    | 48"                              | 72"                              |
| Lower panel height   | 20 <sup>3</sup> / <sub>4</sub> " | 20 <sup>3</sup> / <sub>8</sub> " |

## Surface Materials

### Screen

- Plastic

### Frame

- 4799 Platinum Metallic

# Desktop Separation Screens

Desktop Separation Screens

Separation Screens

**Desktop separation screens** clamp onto  $\frac{3}{4}$ "– $1\frac{3}{4}$ " thick worksurfaces without damaging the worksurface.

**24"W and 30"W desktop separation screens** have two clamps. 48"W desktop separation screens have three clamps.

**24"W desktop separation screens** can be used for transaction tops.

**Desktop separation screens** are available with or without a cutout.


**Cutouts on desktop separation screens** are 12"W x 6"H.

**Temperature cutout** provides access to take contactless temperature readings. Cutout is 6" in diameter and is placed off centered. When assembling in the field, installer can select what side to place the cutout. Off centered design mitigates likelihood of talking through cutout.

**Temperature cutout** is available with or without the 12"W x 6"H cutout. Temperature cutout is not available on 24"W screens and is only available on screens that are transparent. Temperature cutout is located approximately 20" from bottom of metal screen frame.

**Desktop separation screens** are available in white opaque plastic with no cutout.

**Clamps** are standard with rubber feet to ensure tight fit without marring worksurface.



## Dimensions

| Desktop screens | Overall Width       | Overall Height      |
|-----------------|---------------------|---------------------|
| 24"W x 30"H     | 23 $\frac{4}{5}$ "  | 31 $\frac{7}{10}$ " |
| 30"W x 30"H     | 30"                 | 31 $\frac{7}{10}$ " |
| 48"W x 30"H     | 47 $\frac{9}{10}$ " | 31 $\frac{7}{10}$ " |
| 24"W x 42"H     | 23 $\frac{4}{5}$ "  | 44 $\frac{7}{10}$ " |
| 30"W x 42"H     | 30"                 | 44 $\frac{7}{10}$ " |
| 48"W x 42"H     | 47 $\frac{9}{10}$ " | 44 $\frac{7}{10}$ " |

## Surface Materials

### Screen

- Plastic

### Frame

- 4799 Platinum Metallic

# Freestanding Separation Screens X 4/23

|  | Standard Includes  | Required to Specify  |
|--|--|--|
| ► Need help?<br>Product details,<br>page 2 | <ul style="list-style-type: none"> <li>Screen frame: 4799 Platinum Metallic</li> <li>Upper panel: transparent plastic</li> </ul> | 1 Style number<br>2 Upper panel (see below under Required Selections)<br>3 Lower panel (see below under Required Selections)<br>4 Options, if selected (see below) |

*Tip: Separation screens default to having an open bottom. Optional lower panels can be selected for more comprehensive coverage.*

*Tip: Temperature cutout location is determined when approaching the screen as the individual getting their temperature checked, not as individual positioned behind screen.*

|                    | Required Selections  | U.S. Price                  | Required to Specify  |
|--------------------|--|-----------------------------|--|
| <b>Upper Panel</b> | <ul style="list-style-type: none"> <li>Transparent plastic</li> </ul>  | No cost                     | Specify <i>with transparent plastic</i> .  |
| <b>Lower Panel</b> | <ul style="list-style-type: none"> <li>No panel</li> <li>Transparent plastic for 48"W</li> <li>Transparent plastic for 72"W</li> </ul> | No cost<br>+\$238<br>+\$377 | Specify <i>with no panel</i> .<br>Specify <i>with transparent plastic lower panel</i> .<br>Specify <i>with transparent plastic lower panel</i> . |

|                | Options  | U.S. Price                  | Required to Specify  |
|----------------|--|-----------------------------|--|
| <b>Cutouts</b> | <b>12"W x 6"H cutout, on transparent upper panel only</b> <ul style="list-style-type: none"> <li>No cutout</li> <li>One cutout for use with 48"W</li> <li>Two cutouts for use with 72"W</li> </ul> | No cost<br>+\$ 65<br>+\$132 | Specify <i>with no cutout</i> .<br>Specify <i>with cutout</i> .<br>Specify <i>with cutout</i> .                        |
|                | <b>Temperature cutout</b> <ul style="list-style-type: none"> <li>No temperature cutout</li> <li>With temperature cutout</li> </ul>   | No cost<br>+\$ 65           | Specify <i>with no temperature cutout</i> .<br>Specify <i>with temperature cutout</i> and select right or left facing. |



| Specification Information |        |            |  |
|---------------------------|--------|------------|--|
| Dimensions                | Style  | U.S.       |  |
| W H                       | Number | Base Price |  |

## 48"W Freestanding Separation Screen

|     |     |  |        |
|-----|-----|--|--------|
| 48" | 72" | <b>HSDSF4872</b> <span style="color: #e91e63;">X 4/23</span> | \$1211 |
|-----|-----|--|--------|

## 72"W Freestanding Separation Screen

|     |     |   |        |
|-----|-----|---|--------|
| 72" | 72" | <b>HSSF7272</b> <span style="color: #e91e63;">X 4/23</span> | \$1564 |
|-----|-----|---|--------|



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ► See page 1 for details.

X 4/23 = Last order entry  
 April 16, 2023

*Tip: Desktop separation screens fit on worksurfaces that are 3/4"–13/4" thick.*

*Tip: 24"W desktop screens can be used with transaction tops.*

*Tip: 24"W desktop screens can be used as side barriers on applicable worksurfaces.*

*Tip: Temperature cutout is not available on 24"W screens.*

| Standard Includes  | Required to Specify   |
|--|---|
| <ul style="list-style-type: none"> <li>Need help? Product details, page 3</li> <li>Screen frame: 4799 Platinum Metallic</li> <li>Panel: transparent plastic</li> </ul> | <ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Panel (see below under Required Selections)</li> <li>3 Options, if selected (see below)</li> </ul> |

| Required Selections  | U.S. Price  | Required to Specify  |
|--|---|--|
| <b>Panel</b> <ul style="list-style-type: none"> <li>Transparent plastic</li> <li>White opaque plastic for 24"W x 30"H</li> <li>White opaque plastic for 24"W x 42"H</li> <li>White opaque plastic for 30"W x 30"H</li> <li>White opaque plastic for 30"W x 42"H</li> <li>White opaque plastic for 48"W x 30"H</li> <li>White opaque plastic for 48"W x 42"H</li> </ul> | <ul style="list-style-type: none"> <li>No cost</li> <li>+\$133</li> <li>+\$165</li> <li>+\$198</li> <li>+\$232</li> <li>+\$264</li> <li>+\$331</li> </ul> | <ul style="list-style-type: none"> <li>Specify <i>with transparent plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> <li>Specify <i>with white opaque plastic</i>.</li> </ul> |

| Options  | U.S. Price  | Required to Specify   |
|--|---|---|
| <b>Cutouts</b> <ul style="list-style-type: none"> <li><b>12"W x 6"H cutout, on transparent upper panel only</b></li> <li>No cutout</li> <li>With cutout</li> </ul> | <ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 65</li> </ul> | <ul style="list-style-type: none"> <li>Specify <i>with no cutout</i>.</li> <li>Specify <i>with cutout</i>.</li> </ul>   |
| <b>Temperature cutout</b> <ul style="list-style-type: none"> <li>No temperature cutout</li> <li>With temperature cutout</li> </ul>                                 | <ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 65</li> </ul> | <ul style="list-style-type: none"> <li>Specify <i>with no temperature cutout</i>.</li> <li>Specify <i>with temperature cutout</i> and select right or left facing.</li> </ul> |

| Specification Information |              |                  |      |
|---------------------------|--------------|------------------|------|
| Dimensions                | Style Number | U.S. Base Prices |      |
| W                         |              | 30"H             | 42"H |

## 24"W Desktop Separation Screen


|     |   |       |       |
|-----|---|-------|-------|
| 24" | <b>HSSD24</b> <span style="color: #e91e63;">X 4/23</span> | \$590 | \$670 |
|-----|---|-------|-------|

## 30"W Desktop Separation Screen

|     |   |       |       |
|-----|---|-------|-------|
| 30" | <b>HSSD30</b> <span style="color: #e91e63;">X 4/23</span> | \$719 | \$799 |
|-----|---|-------|-------|

## 48"W Desktop Separation Screen

|     |   |       |       |
|-----|---|-------|-------|
| 48" | <b>HSSD48</b> <span style="color: #e91e63;">X 4/23</span> | \$822 | \$955 |
|-----|---|-------|-------|



X 4/23 = Last order entry  
April 16, 2023

# Trademark List

- ® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, LessThanFive, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Wernld, and X-Stack.
- ® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- ® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- ® The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- ® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- ® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- ® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- ® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.
- ® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- ® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- ® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- ® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.
- ® The following is a registered trademark of Security People, Inc.: Digilock.
- ® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Agree, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, DeskWizard, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elсна, Empath, Empress, Enea, ñno, EnSync, Enviro, Escapade, Everwall, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mystic, Mystic Metal, Mystic Wood, Montara650, Montreal, MoreThanFive, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ocular, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Karman, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Tenor, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, WorkValet and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- ™ The following are trademarks of Polyvision: Accord, a³, e³, Boundri, and Nota.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma, Inc: West Elm.
- ™ The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
- ™ The following are trademarks of Orangebox Ltd., Cardiff, UK: Air³, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale.
- ™® The following are trademarks or registered trademarks of AMQ Solutions, LLC: AMQ, AMQ logo, KINEX, ILINE, ACTIV, AMOBI, CONCUR, 3F, REVI, S-SERIES, JAKU, SIYA, ZILO, BODI, FL-X, TIZU, EMBANK, TEKTI and BIXBY.
- ™® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Holy Day, Last Minute, Wrapp, Foro, Kelly, Noha, Viable, Solar, Sistema, Savina, Designed In The Sun, Cambio, Aleta, Viccarbe (logo), Viccarbe.

*Trademarks used here in are the property of Steelcase Inc. or of their respective owners.*