

# Height-Adjustable Desks Specification Guide

## Availability

**Electronic price list updated** with release 200.I (U.S.) and 156.I (Canada), dated October 16, 2023.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

## Surface Materials

**The surface materials team** has announced the launch of the Finish Library, found at [www.steelcase.com/finishlibrary/](http://www.steelcase.com/finishlibrary/).

► For a list of all trademarks, refer to the last page of this specification guide. © 2023 Steelcase Inc.

## Working With This Specification Guide

Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4

## Statement of Line

6

## Workstation Design Guidelines and Requirements

26

## How to Calculate Power Needs

27

## Basics of Ergonomic Seating

28

## Basics of Standing and Monitor Arm Positioning

29

## Worksurface Shape Overview

30

## Worksurface Edge Options

31

## Height-Adjustable Desks Comparison Chart

32

## Worktools Compatibility Charts

38

## Steelcase Monitor Arm Guidelines

43

## CarbonNeutral Product Certification

44

## Ology

45

## Steelcase Flex Collection

125

## Migration SE

153

## Ology Walkstation

191

## Airtouch

201

## Screens, and Cable and Power Management

211

## Surface Materials

275

## Resources

285




### For Canadian Pricing

Canadian factor can be found at [www.steelcase.com/CADpricing/](http://www.steelcase.com/CADpricing/). Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.


# Ten Tips: How to Get the Most Out of This Book

## Tip 1



**Watch** the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

## Tip 2



**Use the Statement of Line pages** for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

## Tip 3



**Find cross references** by looking for page numbers flagged with an arrow.

## Tip 4


**Study the product detail pages** in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

**Product Drawing** shows you what the product looks like and points out important features.

**Product Details** gives specific information on the product and how it is used.

**Connections** describes how the product is assembled or how it attaches to another product.



**Actual Dimensions** table lists the dimensions of the product.

**Wiring and Cabling** details the power and cable-management and cable routing capabilities of the product.

**Surface Materials** lists what material is used for each part of the product.

**Tip 5**

**Refer to the specifying pages** for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
  - Dimensions
  - Style Number
  - Price

**Product Drawing** shows you what the product looks like.

**Standard Includes** (under the red or dark grey band) provides a list of what comes standard with the product.

**Required to Specify** (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

**Specification Information** (under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

**Standard Includes**

- Standard length (100, 120, 144, 168, 192, 216, 240, 264, 288, 312, 336, 360, 384, 408, 432, 456, 480, 504, 528, 552, 576, 600, 624, 648, 672, 696, 720, 744, 768, 792, 816, 840, 864, 888, 912, 936, 960, 984, 1008, 1032, 1056, 1080, 1104, 1128, 1152, 1176, 1200, 1224, 1248, 1272, 1296, 1320, 1344, 1368, 1392, 1416, 1440, 1464, 1488, 1512, 1536, 1560, 1584, 1608, 1632, 1656, 1680, 1704, 1728, 1752, 1776, 1800, 1824, 1848, 1872, 1896, 1920, 1944, 1968, 1992, 2016, 2040, 2064, 2088, 2112, 2136, 2160, 2184, 2208, 2232, 2256, 2280, 2304, 2328, 2352, 2376, 2400, 2424, 2448, 2472, 2496, 2520, 2544, 2568, 2592, 2616, 2640, 2664, 2688, 2712, 2736, 2760, 2784, 2808, 2832, 2856, 2880, 2904, 2928, 2952, 2976, 3000, 3024, 3048, 3072, 3096, 3120, 3144, 3168, 3192, 3216, 3240, 3264, 3288, 3312, 3336, 3360, 3384, 3408, 3432, 3456, 3480, 3504, 3528, 3552, 3576, 3600, 3624, 3648, 3672, 3696, 3720, 3744, 3768, 3792, 3816, 3840, 3864, 3888, 3912, 3936, 3960, 3984, 4008, 4032, 4056, 4080, 4104, 4128, 4152, 4176, 4200, 4224, 4248, 4272, 4296, 4320, 4344, 4368, 4392, 4416, 4440, 4464, 4488, 4512, 4536, 4560, 4584, 4608, 4632, 4656, 4680, 4704, 4728, 4752, 4776, 4800, 4824, 4848, 4872, 4896, 4920, 4944, 4968, 4992, 5016, 5040, 5064, 5088, 5112, 5136, 5160, 5184, 5208, 5232, 5256, 5280, 5304, 5328, 5352, 5376, 5400, 5424, 5448, 5472, 5496, 5520, 5544, 5568, 5592, 5616, 5640, 5664, 5688, 5712, 5736, 5760, 5784, 5808, 5832, 5856, 5880, 5904, 5928, 5952, 5976, 6000, 6024, 6048, 6072, 6096, 6120, 6144, 6168, 6192, 6216, 6240, 6264, 6288, 6312, 6336, 6360, 6384, 6408, 6432, 6456, 6480, 6504, 6528, 6552, 6576, 6600, 6624, 6648, 6672, 6696, 6720, 6744, 6768, 6792, 6816, 6840, 6864, 6888, 6912, 6936, 6960, 6984, 7008, 7032, 7056, 7080, 7104, 7128, 7152, 7176, 7200, 7224, 7248, 7272, 7296, 7320, 7344, 7368, 7392, 7416, 7440, 7464, 7488, 7512, 7536, 7560, 7584, 7608, 7632, 7656, 7680, 7704, 7728, 7752, 7776, 7800, 7824, 7848, 7872, 7896, 7920, 7944, 7968, 7992, 8016, 8040, 8064, 8088, 8112, 8136, 8160, 8184, 8208, 8232, 8256, 8280, 8304, 8328, 8352, 8376, 8400, 8424, 8448, 8472, 8496, 8520, 8544, 8568, 8592, 8616, 8640, 8664, 8688, 8712, 8736, 8760, 8784, 8808, 8832, 8856, 8880, 8904, 8928, 8952, 8976, 9000, 9024, 9048, 9072, 9096, 9120, 9144, 9168, 9192, 9216, 9240, 9264, 9288, 9312, 9336, 9360, 9384, 9408, 9432, 9456, 9480, 9504, 9528, 9552, 9576, 9600, 9624, 9648, 9672, 9696, 9720, 9744, 9768, 9792, 9816, 9840, 9864, 9888, 9912, 9936, 9960, 9984, 10008, 10032, 10056, 10080, 10104, 10128, 10152, 10176, 10200, 10224, 10248, 10272, 10296, 10320, 10344, 10368, 10392, 10416, 10440, 10464, 10488, 10512, 10536, 10560, 10584, 10608, 10632, 10656, 10680, 10704, 10728, 10752, 10776, 10800, 10824, 10848, 10872, 10896, 10920, 10944, 10968, 10992, 11016, 11040, 11064, 11088, 11112, 11136, 11160, 11184, 11208, 11232, 11256, 11280, 11304, 11328, 11352, 11376, 11400, 11424, 11448, 11472, 11496, 11520, 11544, 11568, 11592, 11616, 11640, 11664, 11688, 11712, 11736, 11760, 11784, 11808, 11832, 11856, 11880, 11904, 11928, 11952, 11976, 12000, 12024, 12048, 12072, 12096, 12120, 12144, 12168, 12192, 12216, 12240, 12264, 12288, 12312, 12336, 12360, 12384, 12408, 12432, 12456, 12480, 12504, 12528, 12552, 12576, 12600, 12624, 12648, 12672, 12696, 12720, 12744, 12768, 12792, 12816, 12840, 12864, 12888, 12912, 12936, 12960, 12984, 13008, 13032, 13056, 13080, 13104, 13128, 13152, 13176, 13200, 13224, 13248, 13272, 13296, 13320, 13344, 13368, 13392, 13416, 13440, 13464, 13488, 13512, 13536, 13560, 13584, 13608, 13632, 13656, 13680, 13704, 13728, 13752, 13776, 13800, 13824, 13848, 13872, 13896, 13920, 13944, 13968, 13992, 14016, 14040, 14064, 14088, 14112, 14136, 14160, 14184, 14208, 14232, 14256, 14280, 14304, 14328, 14352, 14376, 14400, 14424, 14448, 14472, 14496, 14520, 14544, 14568, 14592, 14616, 14640, 14664, 14688, 14712, 14736, 14760, 14784, 14808, 14832, 14856, 14880, 14904, 14928, 14952, 14976, 15000, 15024, 15048, 15072, 15096, 15120, 15144, 15168, 15192, 15216, 15240, 15264, 15288, 15312, 15336, 15360, 15384, 15408, 15432, 15456, 15480, 15504, 15528, 15552, 15576, 15600, 15624, 15648, 15672, 15696, 15720, 15744, 15768, 15792, 15816, 15840, 15864, 15888, 15912, 15936, 15960, 15984, 16008, 16032, 16056, 16080, 16104, 16128, 16152, 16176, 16200, 16224, 16248, 16272, 16296, 16320, 16344, 16368, 16392, 16416, 16440, 16464, 16488, 16512, 16536, 16560, 16584, 16608, 16632, 16656, 16680, 16704, 16728, 16752, 16776, 16800, 16824, 16848, 16872, 16896, 16920, 16944, 16968, 16992, 17016, 17040, 17064, 17088, 17112, 17136, 17160, 17184, 17208, 17232, 17256, 17280, 17304, 17328, 17352, 17376, 17400, 17424, 17448, 17472, 17496, 17520, 17544, 17568, 17592, 17616, 17640, 17664, 17688, 17712, 17736, 17760, 17784, 17808, 17832, 17856, 17880, 17904, 17928, 17952, 17976, 18000, 18024, 18048, 18072, 18096, 18120, 18144, 18168, 18192, 18216, 18240, 18264, 18288, 18312, 18336, 18360, 18384, 18408, 18432, 18456, 18480, 18504, 18528, 18552, 18576, 18600, 18624, 18648, 18672, 18696, 18720, 18744, 18768, 18792, 18816, 18840, 18864, 18888, 18912, 18936, 18960, 18984, 19008, 19032, 19056, 19080, 19104, 19128, 19152, 19176, 19200, 19224, 19248, 19272, 19296, 19320, 19344, 19368, 19392, 19416, 19440, 19464, 19488, 19512, 19536, 19560, 19584, 19608, 19632, 19656, 19680, 19704, 19728, 19752, 19776, 19800, 19824, 19848, 19872, 19896, 19920, 19944, 19968, 19992, 20016, 20040, 20064, 20088, 20112, 20136, 20160, 20184, 20208, 20232, 20256, 20280, 20304, 20328, 20352, 20376, 20400, 20424, 20448, 20472, 20496, 20520, 20544, 20568, 20592, 20616, 20640, 20664, 20688, 20712, 20736, 20760, 20784, 20808, 20832, 20856, 20880, 20904, 20928, 20952, 20976, 21000, 21024, 21048, 21072, 21096, 21120, 21144, 21168, 21192, 21216, 21240, 21264, 21288, 21312, 21336, 21360, 21384, 21408, 21432, 21456, 21480, 21504, 21528, 21552, 21576, 21600, 21624, 21648, 21672, 21696, 21720, 21744, 21768, 21792, 21816, 21840, 21864, 21888, 21912, 21936, 21960, 21984, 22008, 22032, 22056, 22080, 22104, 22128, 22152, 22176, 22200, 22224, 22248, 22272, 22296, 22320, 22344, 22368, 22392, 22416, 22440, 22464, 22488, 22512, 22536, 22560, 22584, 22608, 22632, 22656, 22680, 22704, 22728, 22752, 22776, 22800, 22824, 22848, 22872, 22896, 22920, 22944, 22968, 22992, 23016, 23040, 23064, 23088, 23112, 23136, 23160, 23184, 23208, 23232, 23256, 23280, 23304, 23328, 23352, 23376, 23400, 23424, 23448, 23472, 23496, 23520, 23544, 23568, 23592, 23616, 23640, 23664, 23688, 23712, 23736, 23760, 23784, 23808, 23832, 23856, 23880, 23904, 23928, 23952, 23976, 24000, 24024, 24048, 24072, 24096, 24120, 24144, 24168, 24192, 24216, 24240, 24264, 24288, 24312, 24336, 24360, 24384, 24408, 24432, 24456, 24480, 24504, 24528, 24552, 24576, 24600, 24624, 24648, 24672, 24696, 24720, 24744, 24768, 24792, 24816, 24840, 24864, 24888, 24912, 24936, 24960, 24984, 25008, 25032, 25056, 25080, 25104, 25128, 25152, 25176, 25200, 25224, 25248, 25272, 25296, 25320, 25344, 25368, 25392, 25416, 25440, 25464, 25488, 25512, 25536, 25560, 25584, 25608, 25632, 25656, 25680, 25704, 25728, 25752, 25776, 25800, 25824, 25848, 25872, 25896, 25920, 25944, 25968, 25992, 26016, 26040, 26064, 26088, 26112, 26136, 26160, 26184, 26208, 26232, 26256, 26280, 26304, 26328, 26352, 26376, 26400, 26424, 26448, 26472, 26496, 26520, 26544, 26568, 26592, 26616, 26640, 26664, 26688, 26712, 26736, 26760, 26784, 26808, 26832, 26856, 26880, 26904, 26928, 26952, 26976, 27000, 27024, 27048, 27072, 27096, 27120, 27144, 27168, 27192, 27216, 27240, 27264, 27288, 27312, 27336, 27360, 27384, 27408, 27432, 27456, 27480, 27504, 27528, 27552, 27576, 27600, 27624, 27648, 27672, 27696, 27720, 27744, 27768, 27792, 27816, 27840, 27864, 27888, 27912, 27936, 27960, 27984, 28008, 28032, 28056, 28080, 28104, 28128, 28152, 28176, 28200, 28224, 28248, 28272, 28296, 28320, 28344, 28368, 28392, 28416, 28440, 28464, 28488, 28512, 28536, 28560, 28584, 28608, 28632, 28656, 28680, 28704, 28728, 28752, 28776, 28800, 28824, 28848, 28872, 28896, 28920, 28944, 28968, 28992, 29016, 29040, 29064, 29088, 29112, 29136, 29160, 29184, 29208, 29232, 29256, 29280, 29304, 29328, 29352, 29376, 29400, 29424, 29448, 29472, 29496, 29520, 29544, 29568, 29592, 29616, 29640, 29664, 29688, 29712, 29736, 29760, 29784, 29808, 29832, 29856, 29880, 29904, 29928, 29952, 29976, 30000, 30024, 30048, 30072, 30096, 30120, 30144, 30168, 30192, 30216, 30240, 30264, 30288, 30312, 30336, 30360, 30384, 30408, 30432, 30456, 30480, 30504, 30528, 30552, 30576, 30600, 30624, 30648, 30672, 30696, 30720, 30744, 30768, 30792, 30816, 30840, 30864, 30888, 30912, 30936, 30960, 30984, 31008, 31032, 31056, 31080, 31104, 31128, 31152, 31176, 31200, 31224, 31248, 31272, 31296, 31320, 31344, 31368, 31392, 31416, 31440, 31464, 31488, 31512, 31536, 31560, 31584, 31608, 31632, 31656, 31680, 31704, 31728, 31752, 31776, 31800, 31824, 31848, 31872, 31896, 31920, 31944, 31968, 31992, 32016, 32040, 32064, 32088, 32112, 32136, 32160, 32184, 32208, 32232, 32256, 32280, 32304, 32328, 32352, 32376, 32400, 32424, 32448, 32472, 32496, 32520, 32544, 32568, 32592, 32616, 32640, 32664, 32688, 32712, 32736, 32760, 32784, 32808, 32832, 32856, 32880, 32904, 32928, 32952, 32976, 33000, 33024, 33048, 33072, 33096, 33120, 33144, 33168, 33192, 33216, 33240, 33264, 33288, 33312, 33336, 33360, 33384, 33408, 33432, 33456, 33480, 33504, 33528, 33552, 33576, 33600, 33624, 33648, 33672, 33696, 33720, 33744, 33768, 33792, 33816, 33840, 33864, 33888, 33912, 33936, 33960, 33984, 34008, 34032, 34056, 34080, 34104, 34128, 34152, 34176, 34200, 34224, 34248, 34272, 34296, 34320, 34344, 34368, 34392, 34416, 34440, 34464, 34488, 34512, 34536, 34560, 34584, 34608, 34632, 34656, 34680, 34704, 34728, 34752, 34776, 34800, 34824, 34848, 34872, 34896, 34920, 34944, 34968, 34992, 35016, 35040, 35064, 35088, 35112, 35136, 35160, 35184, 35208, 35232, 35256, 35280, 35304, 35328, 35352, 35376, 35400, 35424, 35448, 35472, 35496, 35520, 35544, 35568, 35592, 35616, 35640, 35664, 35688, 35712, 35736, 35760, 35784, 35808, 35832, 35856, 35880, 35904, 35928, 35952, 35976, 36000, 36024, 36048, 36072, 36096, 36120, 36144, 36168, 36192, 36216, 36240, 36264, 36288, 36312, 36336, 36360, 36384, 36408, 36432, 36456, 36480, 36504, 36528, 36552, 36576, 36600, 36624, 36648, 36672, 36696, 36720, 36744, 36768, 36792, 36816, 36840, 36864, 36888, 36912, 36936, 36960, 36984, 37008, 37032, 37056, 37080, 37104, 37128, 37152, 37176, 37200, 37224, 37248, 37272, 37296, 37320, 37344, 37368, 37392, 37416, 37440, 37464, 37488, 37512, 37536, 37560, 37584, 37608, 37632, 37656, 37680, 37704, 37728, 37752, 37776, 37800, 37824, 37848, 37872, 37896, 37920, 37944, 37968, 37992, 38016, 38040, 38064, 38088, 38112, 38136, 38160, 38184, 38208, 38232, 38256, 38280, 38304, 38328, 38352, 38376, 38400, 38424, 38448, 38472, 38496, 38520, 38544, 38568, 38592, 38616, 38640, 38664, 38688, 38712, 38736, 38760, 38784, 38808, 38832, 38856, 38880, 38904, 38928, 38952, 38976, 39000, 39024, 39048, 39072, 39096, 39120, 39144, 39168, 39192, 39216, 39240, 39264, 39288, 39312, 39336, 39360, 39384, 39408, 39432, 39456, 39480, 39504, 39528, 39552, 39576, 39600, 39624, 39648, 39672, 39696, 39720, 39744, 39768, 39792, 39816, 39840, 39864, 39888, 39912, 39936, 39960, 39984, 40008, 40032, 40056, 40080, 40104, 40128, 40152, 40176, 40200, 40224, 40248, 40272, 40296, 40320, 40344, 40368, 40392, 40416, 40440, 40464, 40488, 40512, 40536, 40560, 40584, 40608, 40632, 40656, 40680, 40704, 40728, 40752, 40776, 40800, 40824, 40848, 40872, 40896, 40920, 40944, 40968, 40992, 41016, 41040, 41064, 41088, 41112, 41136, 41160, 41184, 41208, 41232, 41256, 41280, 41304, 41328, 41352, 41376, 41400, 41424, 41448, 41472, 41496, 41520, 41544, 41568, 41592, 41616, 41640, 41664, 41688, 41712, 41736, 41760, 41784,

# Additional Resources

**Product brochures and planning tools** can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources website at [village.steelcase.com](http://village.steelcase.com).

**This specification guide** contains multiple Steelcase product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.

Additional storage products can be found in the *Storage Specification Guide*.

## Printed Materials

**Quick Ship Guide**  
This handbook describes all Steelcase and Coalesse products that are available for Rapid2 (ships in 2 days), Rapid5 (ships in 5-7 days), or Coalesse Rapid10 (ships in 10 days).

## Surface Materials Reference Manual

- This publication provides:
- An explanation of the surface materials
  - "Available on" matrices
  - Vertical surface fabric and seating upholstery selection listing
  - Technical data for surface materials
  - Surface material care and cleaning instructions

## Computer Tools

**Electronic Catalog**  
Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools – Steelcase's design and specification software (for more information on SmartTools, please email [SmartTools@steelcase.com](mailto:SmartTools@steelcase.com)), the ProjectMatrix Project-Symbols libraries, as well as 20-20 CAP Studio.

## Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

## Digital Publications

You can access these digital publications at [www.steelcase.com](http://www.steelcase.com) or [village.steelcase.com](http://village.steelcase.com).

## Planning Ideas

**Planning ideas** are available to help inspire, envision, and plan great solutions. 2D and 3D AutoCAD drawings, Sketch-Up files, and SmartTools drawings are available on the Planning Ideas site: [www.steelcase.com/planningideas](http://www.steelcase.com/planningideas).

## Support

**Steelcase Capabilities**  
Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

**For ordering or product assistance**, call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to [lineone@steelcase.com](mailto:lineone@steelcase.com).

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to <http://www.steelcase.com/warranty/>.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

## Related Products

**Steelcase worktools** include a full line of ergonomically designed products that enhances and improves the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting.

► For additional information, refer to *Steelcase Worktools Specification Guide*.


## Sustainability

**At Steelcase**, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: [www.steelcase.com/discover/steelcase/esg-overview/environmental/ProductEnvironmentalProfiles](http://www.steelcase.com/discover/steelcase/esg-overview/environmental/ProductEnvironmentalProfiles), which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at [Origin.build](http://Origin.build).



# Statement of Line

## Ology Height-Adjustable Desks




- Understanding
- ▶ Page 46
- Specifying
- ▶ Page 80

## Rectangular Desks

	34"	40"	46"	52"	58"	64"	70"	76"
23" or 24"D	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
29" or 30"D	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
35" or 36"D	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]

Tip: Widths are available parametrically in 1/16" increments from 34"–78".



- Understanding
- ▶ Page 46
- Specifying
- ▶ Page 84


## Tapered Desks\*

29" or 30"	[ 58" ]	23" or 24"	29" or 30"	[ 64" ]	23" or 24"
29" or 30"	[ 70" ]	23" or 24"	29" or 30"	[ 76" ]	23" or 24"

\*Left-hand units shown. Right-hand units available.

Tip: Widths are available parametrically in 1/16" increments from 58"W–78"W.

## Ology Height-Adjustable Desks, continued




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 86

### 90° Equal Corner 3-Leg Desks

	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●
29"D or 30"D	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 52"W–78"W.

Tip: 64"W, 70"W, and 76"W 90° equal worksurfaces ship in two pieces.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 86

### 90° Extended Corner 3-Leg Desks\*

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●

\*Left-hand units shown. Right-hand units available.

Tip: Widths are available parametrically in 1/16" increments from 40"W–78"W.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 86

### 120° Equal Corner 3-Leg Desks

	34"W	40"W	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 34"W–66"W.

**Ology Height-Adjustable Desks, continued**




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 100

**Rectangular Bases**

	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●	●
35"D or 36"D	●	●	●	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 34"W–78"W.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 100

**Tapered Bases\***

	58"W	64"W	70"W	76"W
23"D/29"D or 24"D/30"D	●	●	●	●

\*Left-hand units shown. Right-hand units available.

Tip: Widths are available parametrically in 1/16" increments from 58"W–78"W.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 100

**90° Equal Corner 3-Leg Bases**

	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●
29"D or 30"D	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 52"W–78"W.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 100

**90° Extended Corner 3-Leg Bases\***

	40"W	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●	●

\*Left-hand units shown. Right-hand units available.

Tip: Widths are available parametrically in 1/16" increments from 40"W–78"W.




Understanding  
 ▶ Page 46  
 Specifying  
 ▶ Page 100

**120° Equal Corner 3-Leg Bases**


	34"W	40"W	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 34"W–66"W.

## Modesty Panels and Fixed Personal/Modesty Screens



Understanding  
▶ Page 74  
Specifying  
▶ Page 110



Understanding  
▶ Page 223  
Specifying  
▶ Page 256

### Modesty Panels

	34"W	40"W	46"W	58"W	64"W	70"W	76"W
14 $\frac{3}{8}$ "H	●	●	●	●	●	●	●

Tip: Widths are available parametrically in 1/16" increments from 34"W–78"W.

### Fixed Personal/Modesty Screens


	30"W	36"W	42"W	48"W
12"H	●	●	●	●
19 $\frac{1}{2}$ "H	●	●	●	●
24"H	●	●	●	●

Tip: 19 $\frac{1}{2}$ "H and 24"H are for privacy use only.


## Ology Cable and Power Management



**Cable Riser-Leg Connection**  
Understanding  
▶ Page 48  
Specifying  
▶ Page 111



**Cable Riser-Fence Connection**  
Understanding  
▶ Page 49  
Specifying  
▶ Page 111




**Cable Basket**  
Understanding  
▶ Page 49  
Specifying  
▶ Page 111



**Cable Brackets**  
Understanding  
▶ Page 49  
Specifying  
▶ Page 111

### Ology Integrated Storage




Understanding  
 ▶ Page 76  
 Specifying  
 ▶ Page 114


### Universal Steel One-High and 1.5-High Open Laterals for Ology Application\*

	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

\*Right-hand application shown. Left-hand application available.




Understanding  
 ▶ Page 76  
 Specifying  
 ▶ Page 116



Understanding  
 ▶ Page 76  
 Specifying  
 ▶ Page 117

### Universal Shrouds

### Universal Filler




Understanding  
 ▶ Page 78  
 Specifying  
 ▶ Page 118

### Universal Common Tops for Ology Application\*

60"W	66"W	72"W	78"W	84"W	90"W	96"W	108"W
●	●	●	●	●	●	●	●

\*Right-hand application shown. Left-hand application available.


**Ology Integrated Storage, continued**

Understanding  
 ▶ Page 78  
 Specifying  
 ▶ Page 120

**Elective Elements One-High Open Plinth Base Pedestals for Ology Application\***

	24"W	30"W	36"W	42"W
17 1/4"D	●	●	●	●

\*Right-hand application shown. Left-hand application available.



Understanding  
 ▶ Page 78  
 Specifying  
 ▶ Page 122

**Elective Elements Common Tops for Ology Application\***

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
18"D	●	●	●	●	●	●	●	●	●	●	●	●
	96"W	102"W	108"W	114"W	120"W							
18"D	●	●	●	●	●							

\*Right-hand application shown. Left-hand application available.

## Rectangle Steelcase Flex Collection




Understanding  
 ▶ Page 126  
 Specifying  
 ▶ Page 138

## Rectangle Height-Adjustable Desks

	46"W	58"W	70"W
23"D or 24"D	●	●	●
29"D or 30"D	●	●	●


Tip: Widths are available parametrically in 1/16" increments from 46"–72".



Understanding  
 ▶ Page 130  
 Specifying  
 ▶ Page 142

## 120° Straight Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
<b>Left-Hand</b>	22 <sup>11</sup> / <sub>16</sub> "	40 <sup>7</sup> / <sub>16</sub> "	40 <sup>13</sup> / <sub>16</sub> "	71 <sup>5</sup> / <sub>16</sub> "
<b>Right-Hand</b>	40 <sup>7</sup> / <sub>16</sub> "	22 <sup>11</sup> / <sub>16</sub> "	40 <sup>13</sup> / <sub>16</sub> "	71 <sup>5</sup> / <sub>16</sub> "



Understanding  
 ▶ Page 130  
 Specifying  
 ▶ Page 144

## 120° Corner Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
<b>Left-Hand</b>	23 <sup>1</sup> / <sub>4</sub> "	14 <sup>1</sup> / <sub>4</sub> "	42"	42"
<b>Right-Hand</b>	14 <sup>1</sup> / <sub>4</sub> "	23 <sup>1</sup> / <sub>4</sub> "	42"	42"

## Steelcase Flex Collection, continued



Understanding  
 ▶ Page 126  
 Specifying  
 ▶ Page 140

### Rectangle Height-Adjustable Bases

	46"W	58"W	70"W
23"D or 24"D	●	●	●
29"D or 30"D	●	●	●

*Tip: Widths are available parametrically in 1/16" increments from 46"–72".*




Understanding  
 ▶ Page 133  
 Specifying  
 ▶ Page 146

### Curved Screens


	46"W	58"W	70"W
18"H	●	●	●

## Personal Spaces Privacy Wraps



### 120° Desk Mount Privacy Wrap

Understanding  
 ▶ Page 134  
 Specifying  
 ▶ Page 147




### 90° Desk Mount Privacy Wrap

Understanding  
 ▶ Page 134  
 Specifying  
 ▶ Page 148


## Accessories




**Power Hanger**  
Understanding  
▶ Page 127  
Specifying  
▶ Page 149



**Cable Tray for Flex Rectangle Height-Adjustable Desks**  
Understanding  
▶ Page 127  
Specifying  
▶ Page 149




**Cable Tray for 120° Flex Height-Adjustable Desks**  
Understanding  
▶ Page 131  
Specifying  
▶ Page 150




**Cable Brackets**  
Understanding  
▶ Page 127  
Specifying  
▶ Page 150



**Brakes for Flex Height-Adjustable Desks**  
Understanding  
▶ Page 126  
Specifying  
▶ Page 151



**Magnetic Cable Clips**  
Understanding  
▶ Page 136  
Specifying  
▶ Page 151




**Modesty Panel for 120° Height-Adjustable and 120° Straight Work Table**  
Understanding  
▶ Page 131  
Specifying  
▶ Page 151



**Magnetic Name Tag**  
Understanding  
▶ Page 136  
Specifying  
▶ Page 152

### Migration SE Height-Adjustable Desks




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 164

### Rectangular Desks, T-Leg

	46"	52"	58"	64"	70"	76"
23" or 24"D	<input type="checkbox"/>					
	46"	52"	58"	64"	70"	76"
28", 29", or 30"D	<input type="checkbox"/>					
	46"	52"	58"	64"	70"	76"
35" or 36"D	<input type="checkbox"/>					

Tip: Widths are available parametrically in 1/16" increments from 46"–76".




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 166

### Rectangular Desks, C-Leg

	46"	52"	58"	64"	70"	76"
29" or 30"D	<input type="checkbox"/>					

Tip: Widths are available parametrically in 1/16" increments from 46"–76".

## Migration SE Height-Adjustable Desks, continued




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 168

### 90° Equal Corner 3-Leg Desks

	52"W	58"W
23"D or 24"D	●	●
29"D or 30"D	●	●

Tip: Widths are parametric by 1/16" from 52"W–60"W.



Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 168

### 90° Extended Corner 3-Leg Desks\*


	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●

\*Left-hand units shown. Right-hand units available.

Tip: Widths are parametric by 1/16" from 46"W–76"W.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

Tip: For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 168

### 120° Equal Corner 3-Leg Desks


	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●

Tip: Widths are parametric by 1/16" from 46"W–66"W.

## Migration SE Height-Adjustable Desks, continued



Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 178




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 179

### Rectangular Bases, T-Leg

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
28"D, 29"D, or 30"D	●	●	●	●	●	●
35"D or 36"D	●	●	●	●	●	●

### Rectangular Bases, C-Leg

	46"W	52"W	58"W	64"W	70"W	76"W
29"D or 30"D	●	●	●	●	●	●




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 180

### 90° Equal Corner 3-Leg Bases

	52"W	58"W
23"D or 24"D	●	●
29"D or 30"D	●	●

Tip: Widths are parametric by 1/16" from 52"W–60"W.



Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 180

### 90° Extended Corner 3-Leg Bases\*

	46"W	52"W	58"W	64"W	70"W	76"W
23"D or 24"D	●	●	●	●	●	●
29"D or 30"D	●	●	●	●	●	●


\*Left-hand units shown. Right-hand units available.

Tip: Widths are parametric by 1/16" from 46"W–76"W.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

Tip: For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

### Migration SE Height-Adjustable Desks, continued




Understanding  
 ▶ Page 154  
 Specifying  
 ▶ Page 180

### 120° Equal Corner 3-Leg Bases

	46"W	52"W	58"W	64"W
23"D or 24"D	●	●	●	●

Tip: Widths are parametric by 1/16" from 46"W–76"W.




Understanding  
 ▶ Page 162  
 Specifying  
 ▶ Page 182

### Universal One-High and 1.5-High Open Laterals\*

For Migration SE Application

	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

\*Right-hand application shown. Left-hand application available.



Understanding  
 ▶ Page 162  
 Specifying  
 ▶ Page 184


### Universal Common Tops\*

For Migration SE Application


60"W	66"W	72"W	78"W	84"W	90"W	96"W	108"W
●	●	●	●	●	●	●	●

\*Right-hand application shown. Left-hand application available.

## Migration SE Height-Adjustable Desks, continued



Understanding  
 ▶ Page 162  
 Specifying  
 ▶ Page 186



Understanding  
 ▶ Page 162  
 Specifying  
 ▶ Page 187

### Shrouds

For Migration SE Application

	30"W	36"W	42"W
16"H	●	●	●
22"H	●	●	●

### Filler

For Migration SE Application

16"H	●
22"H	●


## Migration SE Cable and Power Management



**Cable Riser-Leg Connection**  
 Understanding  
 ▶ Page 156  
 Specifying  
 ▶ Page 188




**Cable Riser-Fence Connection**  
 Understanding  
 ▶ Page 156  
 Specifying  
 ▶ Page 188



**Cable Brackets**  
 Understanding  
 ▶ Page 156  
 Specifying  
 ▶ Page 188

## Walkstation




Understanding  
 ▶ Page 192  
 Specifying  
 ▶ Page 198


## Ology Walkstation and Sit-to-Walkstation

## Airtouch Height-Adjustable Worksurfaces

### Universal Tables




Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 206





Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 206

### Rectangular Worksurfaces




### 90° Corner Worksurfaces




Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 206

### 120° Equal Worksurfaces




## Airtouch Height-Adjustable Worksurfaces

For Use with Universal Systems




Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 208





Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 208

### Rectangular Worksurfaces




### 90° Corner Worksurfaces




Understanding  
 ▶ Page 202  
 Specifying  
 ▶ Page 208

### 120° Equal Worksurfaces



**Screens**




Understanding  
 ▶ Page 212  
 Specifying  
 ▶ Page 243

**Universal Privacy/Modesty Screens**

	Height Above Worksurface	42"W	48"W	54"W	60"W	66"W
Privacy Mount Height*	19½"H	●	●	●	●	●
Privacy/Modesty Mount Height*	13"H	●	●	●	●	●

\*Privacy mount height measures 48" from the floor to the top of the screen and privacy/modesty mount height measures 42" from the floor to the top of the screen.


Tip: Overall screen height is 25<sup>7</sup>/<sub>10</sub>"H.



Understanding  
 ▶ Page 214  
 Specifying  
 ▶ Page 244

**Universal Privacy Screens**

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
13½"H	●	●	●	●	●	●	●	●	●	●	●	●	●
19½"H	●	●	●	●	●	●	●	●	●	●	●	●	●




Understanding  
 ▶ Page 216  
 Specifying  
 ▶ Page 246

**Sarto Privacy/Modesty Screens**

	24"W	29"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W
24"H	●	●	●	●	●	●	●	●	●	●
30"H	●	●	●	●	●	●	●	●	●	●

**Screens, continued**




Understanding  
▶ Page 218  
Specifying  
▶ Page 248

**Sarto Privacy Screens**

	24"W	29"W	30"W	36"W	42"W	46"W	48"W	54"W	58"W	60"W	66"W	70"W	72"W	78"W	84"W	90"W	96"W
13 1/2"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
19 1/2"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
24"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
36"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



Understanding  
▶ Page 218  
Specifying  
▶ Page 250




Understanding  
▶ Page 219  
Specifying  
▶ Page 252


**Sarto Alignment Bracket**

**Sarto Curved Screens, L-Screen**

	30"W	38"W	46"W
18"H	•	•	•



Understanding  
▶ Page 219  
Specifying  
▶ Page 254



Understanding  
▶ Page 222  
Specifying  
▶ Page 255


**Sarto Curved Screens, Half Desk-Screen**

	23"W	29"W	35"W
18"H	•	•	•

**Soffio Screen**

	56"W	68"W	80"W
26"H	•	•	•

**Screens, continued**



Understanding  
 ▶ Page 224  
 Specifying  
 ▶ Pages 258—260



Understanding  
 ▶ Page 226  
 Specifying  
 ▶ Page 262

**Worksurface Side Screens**


	22"W	23 1/2"W	24"W	28"W	29 1/2"W	30"W
12"H	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●

**Acrylic Privacy Screens**

	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
22"H	●	●	●	●	●	●	●	●



Understanding  
 ▶ Page 227  
 Specifying  
 ▶ Page 262



Understanding  
 ▶ Page 228  
 Specifying  
 ▶ Page 263

**Acrylic Modesty Screens**

	22"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
14"H	●	●	●	●	●	●	●	●

**Table-Mounted Translucent and Slatwall Screens**

	18"W	27"W	30"W	36"W	44"W	60"W
12"H	●	●	●	●	●	●
18"H	●	●	●	●	●	●

*Tip: Slatwall screens only available in 12"H.*

## Cable and Power Management




### Vertical Cable Carrier

Understanding  
 ▶ Page 230  
 Specifying  
 ▶ Page 265




### 6"D Wire Manager

Understanding  
 ▶ Page 230  
 Specifying  
 ▶ Page 265




### 1 3/4"D Wire Manager

Understanding  
 ▶ Page 230  
 Specifying  
 ▶ Page 266




### Power and Data Strips with Cord and Rail Attachment Brackets

Understanding  
 ▶ Page 231  
 Specifying  
 ▶ Page 266




### Power and Data Strips with Worksurface Attachment Bracket

Understanding  
 ▶ Page 231  
 Specifying  
 ▶ Page 267




### Powerstrip Intro

Understanding  
 ▶ Page 232  
 Specifying  
 ▶ Page 268




### Powerstrip Plus

Understanding  
 ▶ Page 236  
 Specifying  
 ▶ Page 270




### Under Worksurface Utility Power

Understanding  
 ▶ Page 240  
 Specifying  
 ▶ Page 272



### Universal Cable Management Kit, Small


Understanding  
 ▶ Page 242  
 Specifying  
 ▶ Page 273



### Universal Cable Management Kit, Large

Understanding  
 ▶ Page 242  
 Specifying  
 ▶ Page 273

# Workstation Design Guidelines and Requirements



## Overview

**Designed for movement with dynamic seating,** adjustable worktools and height-adjustable desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

1. **Adjustability Needed:**  
What is the height range requirement? (seated or sit-to-stand)
2. **Worksurface Size Needed:**  
What does the physical space look like? (worksurface configuration)
3. **Equipment/Tools Used:**  
What type of computer equipment and other worktools are being used on the worksurface? (load capacity)
4. **Use:**  
What is the height-adjustable desk being used for (individual or shared, touchdown space or full workstation, sit-to-stand or seated)?

## ⚠️ WARNING

Risk of Serious Injury. If not used as intended, moving worksurfaces can pinch or injure people, or damage property. Always follow these Instructions:

1. Keep height-adjustment range free from obstructions above and below the worksurface.
2. Plan for a minimum 1" gap against a panel or wall.
3. Plan for a minimum 1" gap to adjacent furniture.

## Tips

### Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of height-adjustable desks.

### Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

### Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a height-adjustable desk and a fixed object.

### Depth


When placing a height-adjustable desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.

### Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the height-adjustable desk is not impeded because of cables. Consider the addition of a cable riser or cable basket to help harness these wires and cables.

### Power

Plan easy and unobstructed access to electrical outlets for computer equipment and height-adjustable desks (when applicable).



## ⚠️ WARNING

Risk of serious injury.

### Bases-only warranty limitations and potential for injury:

The use of worksurfaces that do not comply with the Steelcase defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all Steelcase Warranties, expressed or implied.

The use of worksurfaces that do not comply with Steelcase criteria voids any Steelcase claims of compliance with ANSI/BIFMA, UL, LEED, or other applicable requirements. The use of non-Steelcase worksurfaces on Steelcase adjustable-height bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. Steelcase is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-Steelcase worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a Steelcase worksurface as intended.

## Worksurface Criteria and Limitations

The use of non-Steelcase worksurfaces is not recommended. Any use of a non-Steelcase worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.

## Tips

### Height-adjustable

**bases** include fasteners intended for use with Steelcase worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:

- Medium-density or higher particleboard or fiberboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater (Ology, Flex, and Migration SE)
- Thickness of 1<sup>3</sup>/<sub>16</sub>" or greater
- Fasteners located a minimum distance of 1" from any edge

# How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

**When planning a power network,** you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

**If your usage is not known in advance:**

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

**If your usage is known in advance:**

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

▶ See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

**Approximate power consumption for common devices**

Device	Wattage	Amperage	Voltage	Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/Copier (high)	1900	17.3	110	1
Large Printer/Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

*Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.*

# Basics of Ergonomic Seating

**A well-designed, ergonomically advanced chair** that allows a full range of healthy postures throughout the day and can contribute to worker wellness and productivity.

**Neck** is straight or slightly forward.


**Shoulders** are relaxed so arms hang naturally.

**Back** has full contact with the backrest (sit all the way back in your chair).

**Elbows and forearms** can rest comfortably on the arms of your chair, or on worksurfaces.

**Lower back** fits into curved lumbar support.

**Tension** is adjusted so backrest reclines easily, yet provides smooth, even support, and encourages postural change.



**Top of monitor** should be at eye level.

**Screen** is 20 to 30 inches from the eyes. Screen is at eye level slightly lower and directly in front of worker so head is not turned.

**Wrists** should be straight when keying or mousing, not bent up or down.

**When keying or mousing,** forearms are parallel to the floor.

**Thighs** are parallel to the floor.

**Feet** are flat on the floor or on a footrest.

# Basics of Standing and Monitor Arm Positioning


Basics of Standing and  
Monitor Arm Positioning

**Height-adjustable desks**, when combined with monitor arms, allow a full range of healthy postures throughout the day and can contribute to worker wellbeing and productivity.

**Top of monitor** should be 0° to 20° below horizontal line of sight.

**Avoid locking knees** to help maintain good posture.

**Feet** should be flat on the floor or use foot rest or foot pad.



## Height

Top of monitor



**Top of the monitor** should be positioned at or slightly below eye level.

## Distance



**Monitor** should be 20" to 30" from the eyes or approximately an arm's length away.

Height-Adjustable  
Desks

# Worksurface Shape Overview


**Extensive worksurface shape and size offering** allows designers to meet a variety of planning applications and footprints.




**Rectangular**  
Ology  
Migration SE  
Airtouch




**Rectangular with Rounded Corners**  
Rectangle Flex Desk  
Migration SE




**Tapered**  
Ology



**90° Corner**  
Airtouch




**90° Equal**  
Ology  
Migration SE




**90° Equal \***  
Ology




**90° Extended**  
Ology  
Migration SE




**90° Extended \***  
Ology



**120° Equal**  
Ology  
Airtouch  
Migration SE



**120° Straight Desk**  
120° Flex Desk




**120° Corner Desk**  
120° Flex Desk

*\*Worksurfaces equal to and wider than 60<sup>1</sup>/<sub>16</sub>" x 60<sup>1</sup>/<sub>16</sub>" ship in two pieces.*

## High-Pressure Laminate Worksurfaces

**Front (user's) edge profile** is available with a 3 mm edge profile.




3 mm edge profile

**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

▶ See *Surface Materials* in this book for specific PVC-free availability, page 276.


*Tip: Universal Tables (rounded corners) have a continuous 3 mm edge.*

**Edge profile finishes** are specified separately from laminate color.



**Radius corners** have rounded corners on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.


*Tip: Ology, when optioned with rounded corners and with integrated rail, will have 1/4" radius corners on the two front (user's) corners and 90° corners on the rear two corners.*



**Square corners and wood veneer worksurfaces** have 90° corner on all four sides with a front user's edge.

*Tip: Flex rectangle and 120° corner desk wood veneer worksurfaces have radius corners on all four sides.*

## Wood Veneer Worksurfaces



**Front (user's) edge profile** is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.

*Tip: Wood veneer worksurfaces are available on Airtouch through specials.*

## Radius Corner Edge Profiles




Rectangular



Tapered



120° Equal



90° Equal



90° Extended



120° Straight Desk



120° Corner Desk

## Square Corner and Wood Edge Profiles



Rectangular



Tapered



120° Equal



90° Equal




90° Extended

# Height-Adjustable Desks Comparison Chart

**Height-adjustable desks** transform to meet the needs of someone 5' to 6'4" tall. Adjustables offer six selections; Ology, Flex, Migration SE, and Airtouch.

The chart below will help you determine which product line best meets your needs.

## Ology



### Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability at 1 1/2" per second. Includes three controller options:

- Simple touch
- Active touch
- 4 Pre-sets

Weight capacity of 360 pounds (2-leg) to 500 pounds (3-leg).

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

▶ See page 52 for worksurface weights.

## Adjustables Comparison Chart

	<b>Ology</b> Sit-to-Stand
<b>Range of Adjustment</b>	Extended height: 22 <sup>3</sup> / <sub>5</sub> " – 48 <sup>7</sup> / <sub>10</sub> " Basic height: 27 <sup>3</sup> / <sub>10</sub> " – 46 <sup>2</sup> / <sub>5</sub> "
<b>Type of Adjustment</b>	Electric
<b>Distributed Weight Capacity</b>	360 pounds (2-leg) 500 pounds (3-leg) <i>Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).</i>
<b>Worksurface Weight</b>	▶ See page 52 for worksurface weights
<b>Worksurface Thickness</b>	1"
<b>Controller</b>	Simple touch, Active touch, 4 Pre-sets
<b>Integrated Rail</b>	Yes
<b>Integrated Soft Edge</b>	Yes
<b>Integrated Power</b>	Yes
<b>Motor</b>	Enclosed
<b>Decibel Rating</b>	< 50 dBA
<b>Volts</b>	120v AC
<b>Input Amps</b>	2-leg: 2.5A/ 3-leg: 3.75A
<b>Watts</b>	2-leg: 300W/ 3-leg: 450W
<b>Standby Power</b>	0.1W
<b>Frequency and Phase</b>	60 Hz Single Phase
<b>Adjustability Speed</b>	1 1/2" per second
<b>Stretcher or Understructure Design</b>	Fixed
<b>Base Only Availability</b>	Yes
<b>ANSI/BIFMA (29"D Knee depth requirement for worksurface)</b>	Meet or Exceed

**Rectangle Height-Adjustable Desks**



**Enhanced sit-to-stand height-adjustability**

A push button delivers electric adjustability up to 1 1/2" per second. Includes two controller options:

- Simple touch
- Active touch

	<b>Weight Capacity</b>
Flex Rectangle	360 pounds

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*


▶ See *Storage Specification Guide* for worksurface weights.

**Adjustables Comparison Chart**

	<b>Flex Rectangle Sit-to-Stand</b>
<b>Range of Adjustment</b>	Extended height: 22 <sup>3</sup> / <sub>5</sub> " – 48 <sup>7</sup> / <sub>10</sub> " Basic height: 27 <sup>3</sup> / <sub>5</sub> " – 46 <sup>9</sup> / <sub>10</sub> "
<b>Type of Adjustment</b>	Electric
<b>Distributed Weight Capacity</b>	360 pounds
<b>Worksurface Weight</b>	See page 129 for worksurface weights
<b>Worksurface Thickness</b>	1"
<b>Controller</b>	Simple touch, Active touch
<b>Integrated Rail</b>	No
<b>Integrated Soft Edge</b>	No
<b>Integrated Power</b>	Yes
<b>Motor</b>	Enclosed
<b>Decibel Rating</b>	< 45 dBA
<b>Volts</b>	120v AC
<b>Input Amps</b>	2.5A
<b>Watts</b>	300W
<b>Standby Power</b>	0.1W
<b>Frequency and Phase</b>	60 Hz Single Phase
<b>Adjustability Speed</b>	1 1/2" per second
<b>Stretcher or Understructure Design</b>	Fixed
<b>Base Only Availability</b>	Yes
<b>ANSI/BIFMA (29"D Knee depth requirement for worksurface)</b>	Meet or Exceed

## Height-Adjustable Desks Comparison Chart, continued

### 120° Height-Adjustable Desks



#### Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability up to 1 1/2" per second. Includes two controller options:

- Simple touch
- Active touch

	Weight Capacity
Flex 120° Straight and Flex 120° Corner	540 pounds

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*

▶ See *Storage Specification Guide* for worksurface weights.

### Adjustables Comparison Chart


	Flex 120° Straight and Flex 120° Corner Sit-to-Stand
<b>Range of Adjustment</b>	Extended height: 22 <sup>3</sup> / <sub>5</sub> " – 48 <sup>7</sup> / <sub>10</sub> " Basic height: 27 <sup>3</sup> / <sub>5</sub> " – 46 <sup>9</sup> / <sub>10</sub> "
<b>Type of Adjustment</b>	Electric
<b>Distributed Weight Capacity</b>	540 pounds
<b>Worksurface Weight</b>	See page 129 for worksurface weights
<b>Worksurface Thickness</b>	1"
<b>Controller</b>	Simple touch, Active touch
<b>Integrated Rail</b>	No
<b>Integrated Soft Edge</b>	No
<b>Integrated Power</b>	Yes
<b>Motor</b>	Partially enclosed
<b>Decibel Rating</b>	< 45 dBA
<b>Volts</b>	100v-240v AC
<b>Input Amps</b>	3.75A
<b>Watts</b>	450W
<b>Standby Power</b>	0.1W
<b>Frequency and Phase</b>	60 Hz Single Phase
<b>Adjustability Speed</b>	1 1/2" per second
<b>Stretcher or Understructure Design</b>	Fixed
<b>Base Only Availability</b>	No
<b>ANSI/BIFMA (29"D Knee depth requirement for worksurface)</b>	Meet or Exceed

### Adjustables Comparison Chart

	Migration SE
<b>Range of Adjustment</b>	Extended height: 22 <sup>3</sup> / <sub>8</sub> " — 48 <sup>7</sup> / <sub>10</sub> " Basic height: 28 <sup>3</sup> / <sub>10</sub> " — 46 <sup>9</sup> / <sub>10</sub> "
<b>Type of Adjustment</b>	Electric
<b>Distributed Weight Capacity</b>	250 pounds
<b>Worksurface Weight</b>	► See page 157 for worksurface weights
<b>Worksurface Thickness</b>	1"
<b>Controller</b>	Up/Down, Digital Pre-set
<b>Integrated Rail</b>	No
<b>Integrated Soft Edge</b>	No
<b>Integrated Power</b>	No
<b>Motor</b>	Enclosed
<b>Decibel Rating</b>	< 55 dBA
<b>Volts</b>	100-127v AC, 220-240v AC
<b>Input Amps</b>	5A max for 100-127v AC, 2A max for 220-240v AC
<b>Watts</b>	540W
<b>Standby Power</b>	0.3W
<b>Frequency and Phase</b>	60 Hz (100-127v AC) 50Hz (220-240v AC) Single Phase
<b>Adjustability Speed</b>	1 <sup>3</sup> / <sub>10</sub> " per second
<b>Stretcher or Understructure Design</b>	Telescoping understructure for both T- and C-leg
<b>Base Only Availability</b>	Yes
<b>ANSI/BIFMA (29"D Knee depth requirement for worksurface)</b>	Meet or Exceed

## Height-Adjustable Desks Comparison Chart, continued

### Airtouch



#### Collaborative height-adjustability

Weight capacity of 150 pounds.

*Tip: When calculating lifting capacity, subtract the weight of the worksurface.*

▶ See page 205 for worksurface weights.

\*Small configurations only.

\*\* 29"D knee depth requirement for worksurface

### Adjustables Comparison Chart

	<b>Airtouch</b> Sit-to-Stand
<b>Range of Adjustment</b>	26"—43"
<b>Type of Adjustment</b>	Counterforce Mechanism
<b>Distributed Weight Capacity</b>	150 pounds
<b>Worksurface Weight</b>	▶ See page 205 for worksurface weights
<b>Worksurface Thickness</b>	1 <sup>3</sup> / <sub>16</sub> "
<b>Controller</b>	Paddle
<b>Integrated Rail</b>	No
<b>Integrated Soft Edge</b>	No
<b>Integrated Power</b>	No
<b>Motor</b>	N.A.
<b>Decibel Rating</b>	N.A.
<b>Volts</b>	N.A.
<b>Input Amps</b>	N.A.
<b>Watts</b>	N.A.
<b>Standby Power</b>	N.A.
<b>Frequency and Phase</b>	N.A.
<b>Adjustability Speed</b>	User speed (1 second)
<b>Stretcher or Under-structure Design</b>	N.A.
<b>Base Only Availability</b>	No
<b>ANSI/BIFMA **</b>	Meet or Exceed



# Worktools Compatibility Charts

**To determine worksurface compatibility** with acrylic privacy/modesty screens, SOTO rail, and SlatRail worktools for each configuration and shape, see compatibility chart below.


*Tip: The Ology integrated rail option does not apply to these rules because the rail matches the worksurface width.*

*Tip: Slatwall stanchions are not applicable because they allow Slatwall to overhang mounting area.*

*Tip: SlatRail stanchions do not work with the same size screen or SOTO rail, (e.g. 48"W SlatRail will not work with 52"W screens) because of clamp location. Specify the SlatRail one size smaller or larger when using in combination (if applicable).*

▶ See page 226

## Ology Desks



### Rectangular and Tapered

Side **A** width


#### Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W		■					
46"W			■				
52"W				■			
58"W					■		
64"W						■	
70"W							■
76"W							

Side **A** width

#### SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W		■	■			
46"W			■	■		
52"W				■	■	
58"W					■	■
64"W						■
70"W						
76"W						



### 90° Equal 3-Leg

Side **A** width

#### Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
52"W	■	■	■	■			
58"W		■	■	■	■		
64"W			■	■	■	■	
70"W				■	■	■	■
76"W					■	■	■

Side **B** width

#### Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	28"W	34"W	40"W	46"W	52"W	58"W	64"W
52"W	■	■	■	■			
58"W		■	■	■	■		
64"W			■	■	■	■	
70"W				■	■	■	■
76"W					■	■	■

Side **A** width

#### SlatRail


Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
52"W	■	■	■	■	■	
58"W		■	■	■	■	
64"W			■	■	■	■
70"W				■	■	■
76"W					■	■

Side **B** width

#### SlatRail

Worksurfaces	24"W	30"W	36"W	42"W	48"W	60"W
52"W	■	■	■	■	■	
58"W		■	■	■	■	
64"W			■	■	■	■
70"W				■	■	■
76"W					■	■

Ology Desks, continued



90° Extended 3-Leg

Side A width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	Side A width						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
40"W							
46"W							
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■

Side B width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	Side B width						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
40"W	■	■					
46"W	■	■	■				
58"W	■	■	■	■	■		
64"W							
70"W							
76"W							

Side A width


SlatRail

Worksurfaces	Side A width					
	24"W	30"W	36"W	42"W	48"W	60"W
40"W						
46"W						
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■

Side B width

SlatRail

Worksurfaces	Side B width					
	24"W	30"W	36"W	42"W	48"W	60"W
40"W	■	■	■			
46"W	■	■	■	■		
58"W	■	■	■	■	■	
64"W						
70"W						
76"W						



120° Equal

Side A width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	Side A width						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side B width

Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	Side B width						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	■

Side A width

SlatRail


Worksurfaces	Side A width					
	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Side B width

SlatRail

Worksurfaces	Side B width					
	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

**Ology Desks, continued**



**120° Equal 3-Leg**

Side **A** width

Worksurfaces	Acrylic Privacy/Modesty/SOTO Rail						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **B** width

Worksurfaces	Acrylic Privacy/Modesty/SOTO Rail						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
34"W	■						
40"W	■	■					
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	

Side **A** width

Worksurfaces	SlatRail					
	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

Side **B** width

Worksurfaces	SlatRail					
	24"W	30"W	36"W	42"W	48"W	60"W
34"W	■	■				
40"W	■	■	■			
46"W	■	■	■	■		
52"W	■	■	■	■	■	
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■

**Steelcase Flex Height-Adjustable Desks**



**Rectangular**


Side **A** width

Worksurfaces	Acrylic Privacy/Modesty/SOTO Rail					
	28"W	34"W	40"W	46"W	52"W	58"W
46"W	■	■				
58"W	■	■	■	■		
70"W	■	■	■	■	■	■

Side **A** width

Worksurfaces	SlatRail				
	24"W	30"W	36"W	42"W	48"W
46"W	■	■	■		
58"W	■	■	■	■	
70"W	■	■	■	■	■

## Migration SE Desks



### Rectangular

Side **A** width

#### Acrylic Privacy/Modesty/SOTO Rail

Worksurfaces	Side <b>A</b> width						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W
46"W	■	■	■				
52"W	■	■	■	■			
58"W	■	■	■	■	■		
64"W	■	■	■	■	■	■	
70"W	■	■	■	■	■	■	■
76"W	■	■	■	■	■	■	■


Side **A** width

#### SlatRail

Worksurfaces	Side <b>A</b> width					
	24"W	30"W	36"W	42"W	48"W	60"W
46"W	■	■	■			
52"W	■	■	■	■		
58"W	■	■	■	■	■	
64"W	■	■	■	■	■	■
70"W	■	■	■	■	■	■
76"W	■	■	■	■	■	■


*Tip: Migration SE 90° and 120° corner desks are not available with acrylic privacy/modesty screens, SOTO rail, and SlatRail.*

**Airtouch Worksurfaces**



**Rectangular and Rectangular Bi-level**

Worksurfaces	Side A width							Side A width					
	<b>Acrylic Privacy/Modesty/SOTO Rail</b>							<b>SlatRail</b>					
	28"W	34"W	40"W	46"W	52"W	58"W	64"W	24"W	30"W	36"W	42"W	48"W	60"W
	40"W	■	■					■	■	■			
46"W	■	■	■				■	■	■	■			
58"W	■	■	■	■	■		■	■	■	■	■		




**90° Corner and 90° Corner Bi-Level**

Worksurfaces	Side A width							Side B width						
	<b>Acrylic Privacy/Modesty/SOTO Rail</b>							<b>Acrylic Privacy/Modesty/SOTO Rail</b>						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
	39 1/4"W	■	■					■	■					
45 1/4"W	■	■	■				■	■	■					

Worksurfaces	Side A width						Side B width					
	<b>SlatRail</b>						<b>SlatRail</b>					
	24"W	30"W	36"W	42"W	48"W	60"W	24"W	30"W	36"W	42"W	48"W	60"W
	39 1/4"W	■	■	■			■	■	■			
45 1/4"W	■	■	■	■		■	■	■	■			



**120° Equal**

Worksurfaces	Side A width							Side B width						
	<b>Acrylic Privacy/Modesty/SOTO Rail</b>							<b>Acrylic Privacy/Modesty/SOTO Rail</b>						
	28"W	34"W	40"W	46"W	52"W	58"W	64"W	28"W	34"W	40"W	46"W	52"W	58"W	64"W
	34"W	■						■						

Worksurfaces	Side A width						Side B width					
	<b>SlatRail</b>						<b>SlatRail</b>					
	24"W	30"W	36"W	42"W	48"W	60"W	24"W	30"W	36"W	42"W	48"W	60"W
	34"W	■	■				■	■				

# Steelcase Monitor Arm Guidelines

## Application Guidelines for Multiple Monitor Arms on 2-Leg Height Adjustable Desks

### Rules:

- A single monitor arm is allowed on worksurfaces greater than 46"W
- Only a single monitor arm is allowed on 23"D to 28"D worksurfaces
- Minimum worksurface size: 29/30"D x 58"W
- No more than three single monitor arms (maximum monitor weight of 15 pounds per arm) permitted on 2-leg desk
- No more than six monitors permitted on 2-leg desk
- No more than 60 pounds maximum for monitor weight per 2-leg desk
- Not permitted on 2-leg desks with casters or height saver feet
- When calculating height-adjustable desk lifting capacity, subtract the weight of the worksurface, understructure, options, and add-on products (e.g. flat panel monitor arm, monitors, and CPUs)
- No worksurface overhangs permitted on the height-adjustable desk

Monitor Arm Assemblies	Migration SE T-Leg Only	Ology	AMQ T-Leg Only	Flex
Single Dynamic/Single Static Monitor Arm	X	X	X	X
Dual Dynamic/Dual Static Monitor Arm	X	X	X	X
Triple Dynamic/Triple Static Monitor Arm	X	X	X	Static only
One over One Static Monitor Arm	X	X	X	
Two over Two Static/Wide Static Monitor Arm	X	X	X	
Three over Three Static/Wide Static Monitor Arm	X	X		

# CarbonNeutral Product Certification



CarbonNeutral.com

To be a CarbonNeutral product, the emissions of each desk are measured, calculated and third-party verified across every stage of the desk's lifecycle. The amount of carbon emissions from manufacturing that can't be avoided are offset by investing in trusted projects that focus on emissions avoidance and removal, and social good. Through the investment of these projects, the carbon emissions of these desk options equal zero.

The following style numbers have CarbonNeutral product certification options:

Ology

- **OLSLRQCN**
- **OLELRQCN**
- **OLSL3CN**
- **OLELL3CN**

Migration SE

- **MGSLTRQCN**
- **MGELTRQCN**
- **MGSLCRQCN**
- **MGELCRQCN**

Exceptions:

- Stand alone add on accessories are not available with CarbonNeutral product certification.

---

# Ology

## Understanding

Ology Height-Adjustable Desks	46
Ology Corner Desks and Bases Size Restrictions	66
Ology Options Availability Chart	72
Ology Modesty Panels	74
Universal Steel One-High and 1.5-High Open Laterals	76
Elective Elements One-High Open Plinth Base Pedestals and Common Tops	78

## Specifying

Ology Height-Adjustable Rectangular Desks	80
Ology Height-Adjustable Tapered Desks	84
Ology Height-Adjustable 3-Leg Corner Desks	86
Ology Height-Adjustable Bases	100
Ology Modesty Panels	110
Ology Cable and Power Management	111
Active Touch Controller Kit	112
Universal Steel One-High and 1.5-High Open Laterals	114
Universal Shrouds	116
Universal Filler	117
Universal Common Tops	118
Elective Elements One-High Open Plinth Base Pedestals	120
Elective Elements Common Tops	122

# Ology Height-Adjustable Desks

**Ology** brings together physiology and biology to support wellbeing at work. It allows users to quickly, quietly, and intuitively change posture without disrupting their coworkers. Ology offers a one button solution for quick eye-to-eye collaboration. The integrated rail offers today's workers a range of ergonomic tools. Ology provides Bactiblock, an antimicrobial additive, can be molded into the most frequently touched components.  
 ▶ Specifying, page 80.

**Desk** has a wood core with a High-Pressure Laminate or wood veneer surface and is 1" thick.

**Lifting column** is controlled by central control box for synchronization. Columns are precision balanced to minimize surface vibrations.


**Access door and tray with power** provides user access to 120V and USB power and data as well as cord management. Available as an option.

**Integrated rail**, available as an option, supports space division, lighting, or worktools to give users choice and control for their physical wellbeing.

**Extended height-adjustable base** adjusts from 22<sup>3</sup>/<sub>8</sub>"H to 48<sup>7</sup>/<sub>10</sub>"H in any increment.

**Basic height-adjustable base** adjusts from 27<sup>3</sup>/<sub>10</sub>"H-46<sup>2</sup>/<sub>5</sub>"H in any increment.

**Leveling glides** adjust 1/2" to install desk on uneven floors. 1" adjustable glides are available as an option.



CarbonNeutral.com

**Now available as a CarbonNeutral product**, making sure our commitment to a more sustainable future helps yours too.

**Push button simple touch controller** adjusts height at a rate of 1 1/2" per second.

**Soft edge**, available as option, reduces unhealthy pressure on forearms, as well as feelings of shoulder and neck fatigue. Soft edge is 36"W.

**Edge** is available in 3 mm edge profile.

**Base** supports a maximum distributed weight load of 360 pounds (2-leg) and 500 pounds (3-leg).

*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*

▶ See page 52 for worksurface weights.

**Active touch controller** is Bluetooth-enabled and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.


*Tip: Active touch controller is standard.*

*Tip: Steelcase Rise mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

**Product Details**

**High-Pressure Laminate Desks**


**Front (user's) edge profile** is available in 3 mm edge profile.




**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

► See *Surface Materials* in this book for specific PVC-free availability, page 276.


**Edge profile finishes** are specified separately from laminate color.



**Square corners**, available as an option, have 90° corners on all four sides with a front user's edge.



**Radius corners**, available as an option, have 1¼" radius on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.




**When radius corners are specified in applications with integrated rail**, the front corners of the desk will be radius and the back corners will be square.


**Wood Veneer Desks**

**Front (user's) edge profile** is wood veneer with a square (3 mm) radius.

**Side and back edges** are flat. Wood edge color matches finish specified for desk. Corner style for wood veneer desks are square corners.




**Extended ology desks** adjust 22¾"H to 48¾"H in any increment. Basic height-adjustable base adjusts from 27¾"H-46¾"H in any increment.




**Simple touch controller** is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.

*Tip: Optional antimicrobial additive available.*




**Active touch controller** is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

*Tip: Steelcase Rise mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*




**4 pre-set programmable controller** is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. The collaboration button can be programmed to raise the desk to an average standing height for shoulder to shoulder/dyadic collaboration. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.


**Obstruction sensing technology** is standard with all Ology desks. The worksurface will backtrack when it makes contact with an object.




**Desk sizes** are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.




**Integrated rail**, available as an option, allows for the mounting of personal/modesty screens, lights, power strips, and other worktools.






**The overall dimension of the worksurface** is 23"D, 29"D, or 35"D. If full depth worksurfaces are desired, add 1" to each depth.



**Integrated rail** is optional and must be specified on initial order. It cannot be added after install. Worksurface depth is shortened by 1¾" to accommodate the integrated rail so the overall footprint remains the same.




**Cord drop** is standard when rail is specified and power door or grommets are not optioned to allow for cords to drop below the surface. Corner desks will have a cord drop on opposite side when power door or grommets are specified on a single side.




**Desk overhang for CPU holder or layering of low storage and pedestals** is available as an option on rectangular desks. The overhang is 9" and available on 64"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.


*Tip: Overhang not available on 35"D or 36"D.*



**Soft edge**, available as an option, is polyurthane and is offered with Bactiblock, an antimicrobial additive. Soft edge is available on rectangular and tapered desks that are 58"W or wider without overhang. With a left or right overhang, soft edge is available on 70"W and 76"W only. Soft edge cannot be used on desks that have overhang on both left and right.




**Soft edge** can be positioned left or right on desks that are 64"W or wider for use with integrated storage. *Tip: Soft edge is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.*




**Work surface overhang** can be positioned left or right on desks that are 70" wide or wider for use with integrated storage. *Tip: Overhang not available on 35"D or 36"D.*


**Ology desk with integrated storage** must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.



**90° desks, 60<sup>1</sup>/<sub>16</sub>" x 60<sup>1</sup>/<sub>16</sub>" and wider**, are manufactured in two pieces due to laminate sheet size. Flush mounted desk bracing is provided. The desk split is located on the left side if an equal corner is specified. The split is located on the longest side if an extended corner is specified.



**90° desks** can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths are not required to match.



**120° desks** can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths must match.



**CarbonNeutral product in the Ology portfolio** helps organizations achieve their carbon emissions goals. Order **OLSLRQC**, **OLELRQC**, **OLSLL3CN**, or **OLELL3CN** to specify Ology with CarbonNeutral product certification.


**Wiring and Cabling**

**Low surge electric motor with quiet operation** adjusts at 1<sup>1</sup>/<sub>2</sub>" per second. Motor is 110V and includes a 10<sup>4</sup>/<sub>5</sub>' power cord. Motor has 0.1W standby power.


**Chicago** requires that desks shipping into Illinois ship with a 9' power cord.

**Ology desks** are NRTL listed, and the Ology base is NRTL listed when constructed in accordance with the assembly directions.


**Controllers** must be located next to the control box. The control box can be placed on either the right or left side of the desk and is field-installed.




**Power and data access door and tray with USB** is available as an option. The door is 16<sup>1</sup>/<sub>2</sub>"W and centered on the surface, providing user access to power, data, and USB, as well as cord management. Corner desks can support the access door on either side of the desk or on both sides and will have a cord drop on opposite side when an integrated rail is specified.




**Power strip**, located in tray, includes three outlets and easy access to two USB charging ports. Each port provides two amperage of output. USB receptacles conveniently charge a wide range of electronic devices, though not all devices are USB compatible. Cord length is 10'. Data can be terminated and accessed in the tray, and it is positioned to the right. Both modular furniture and NEMA faceplates can be used. Chicago and California have special requirements. Desks shipping to Illinois and California with the power access door option have a powerstrip with overcurrent protection.




**Power and data access door and tray** can be positioned left or right on desks that are 64"W or wider for use with integrated storage. *Tip: Power and data access door and tray is shifted 3" on 64"W, 6" on 70"W, and 9" on 76"W, without overhang.*




**Grommets**, available as an option, help manage cable/cords going from the top of desk to the underside. Grommet inside dimensions are 3<sup>1</sup>/<sub>4</sub>"W X 3<sup>3</sup>/<sub>4</sub>"D.




**Grommets** come in pairs. 90° and 120° corners offer pairs of grommets on the left side, right side, or both sides. 90° widths smaller than 58"W and 120° widths smaller than 40"W have a single grommet. *Tip: When grommet is optioned, power and data access door cannot be applied on the same side of the worksurface.*




**Cable riser** supports cable management vertically between the floor and the underside of the desk. It is available in 6527 Merle and is specified separately. ▶ Specifying, page 111



**Cable riser, with leg connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




**Cable riser, with fence connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




**Cable basket and cable brackets**, ordered separately, support horizontal cable management below the worksurface.  
▶ Specifying, page 111

**Cable baskets** are available on rectangular, tapered, and 90° corner desks 46<sup>1</sup>/<sub>16</sub>"W or larger, and 120° corner desks 40<sup>1</sup>/<sub>16</sub>"W or larger.



**Cable baskets** inside dimensions are 6"D x 17<sup>3</sup>/<sub>4</sub>"W x 4<sup>1</sup>/<sub>4</sub>"H and the overall width is 19<sup>1</sup>/<sub>2</sub>"W with a height of 4<sup>1</sup>/<sub>2</sub>"H.



**Cable basket** requires 8"D of clearance to install. The cable basket bracket is universal which allows for front or back facing orientation.

*Tip: If the rail is specified on Ology, the cable basket is only allowed in the back facing orientation.*

*Tip: If a modesty panel is used on Ology, the cable basket is only allowed in the front facing orientation.*



**Inside dimensions of cable brackets** are 6"D x 2<sup>1</sup>/<sub>4</sub>"W x <sup>1</sup>/<sub>18</sub>"H.

## Surface Materials

### High-Pressure Laminate Desk

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)  
A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

### 3 mm edge profile

- Plastic

### Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-Fill Finish (option)

### Square 3 mm edge profile

- Wood veneer to match desk

### Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

### Soft edge and grommet

- 6527 Merle

### Power and Data Access Door and Tray

- Door**
- Paint
  - Anodized Aluminum


### Door bezel

- 6527 Merle

## Application Topics


**Moving desks** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

▶ See page 26




**Modesty panels**, available in laminate and wood veneer, attach to the understructure of the desk. It is parametric in width from <sup>1</sup>/<sub>16</sub>". Width of modesty panel can be equal to or less than the width of the desk.

*Tip: Full-width modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) and inset from the edge of the worksurface.*




**When using modesty panels with integrated storage**, modesty panels must be specified 20" smaller than the width of the desk.



**Modesty panels** may be inset a maximum of 3<sup>1</sup>/<sub>2</sub>" from the back of the worksurface to allow for c-clamping.


*Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.*



**In order to inset**, modesty panels must be specified a minimum of 12" smaller (rectangular and tapered) or 7<sup>3</sup>/<sub>4</sub>" smaller (90°) and 7" smaller (120°) than the width of the desk understructure.


*Tip: To use with integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and taper) or 21" (90°) and 16" (120°) and inset from the edge of the worksurface.*

*Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.*




**Fixed privacy/modesty screens** mount on the integrated rail above for privacy and below for modesty.


*Tip: 19<sup>1</sup>/<sub>2</sub>"H and 24"H are for privacy use only.*




**When using fixed screens in the modesty position**, the desk must be at least 10" wider than the width of the screen.




**When mounting Universal privacy/modesty screens with One-High integrated storage**, desks must be 64"W and wider.



**When using fixed screens in the modesty position with One-High integrated storage**, the desk must be at least 24" wider than the width of the screen.




**Universal boundary screens** are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.




23"H pedestal

**On extended height desks, any storage higher than 19" will impede the height range of the desk.** On basic height desks, any storage higher than 23<sup>7</sup>/<sub>10</sub>" will impede the height range of the desk.  
*Tip: Do not place storage underneath controller.*





21"H pedestal

**When the power access door is optioned, on extended height desks any storage taller than 16<sup>1</sup>/<sub>2</sub>"H will impede the height range of the desk.** On basic height desks, any storage taller than 21<sup>1</sup>/<sub>5</sub>"H will impede the height range of the desk.  
*Tip: Do not place storage underneath controller.*





**When optioning the integrated rail, without the power access door, flat panel monitor arms may be c-clamped.**  
*Tip: The cable basket cannot be used in the same location.*




**When optioning both the integrated rail and power access door, flat panel monitor arms cannot be c-clamped 5<sup>1</sup>/<sub>2</sub>" on either side of the power door.**

**When optioning the integrated rail and using a cable basket, there will not be enough room to C-clamp behind the basket.**




**When optioning the power access door only, flat panel monitor arms cannot be c-clamped behind the power door or 5<sup>1</sup>/<sub>2</sub>" to either side.**


**CF monitor arms cannot be rail mounted.**  
 ▶ See page 43 for *Steelcase Monitor Arm Guidelines*.



**When attaching lighting to the integrated rail, there is a 5<sup>1</sup>/<sub>4</sub>" mounting free zone on each end of the rail.**




**When installing SlatRail with a power door only, do not c-clamp the stanchions 5<sup>1</sup>/<sub>2</sub>" on either side of the power door.**



**When mounting CPU holders, specify the overhang option.**  
*Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.*

*Tip: Overhang not available on 35"D or 36"D.*




**On extended height desks, CPUs installed in a CPU cradle should not exceed 18<sup>1</sup>/<sub>2</sub>" high, or it will impede the height range of the desk.**


**All assemblies meet or exceed ANSI/BIFMA standards.**



Read base only warranty limitations.  
 ▶ See page 26 for *Workstation Design Guidelines and Requirements*.



**Keyboard assemblies are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.**



**Steelcase keyboard assemblies can be installed on 29"/30"D Ology. Specify desks 46"W and wider and with an 11" track for 29"D and 17" track for 30"D.**

## Supporting Multiple Monitors on 2-Leg Height Adjustable Desks

### Application Guidelines

#### Rules:

- Minimum worksurface size: 29/30"D x 58"W
- No more than three single monitor arms (maximum monitor weight of 15 pounds per arm) permitted on 2-leg desk
- No more than six monitors permitted on 2-leg desk
- No more than 60 pounds maximum for monitor weight per 2-leg desk
- Not permitted on 2-leg desks with casters or height saver feet
- When calculating height-adjustable desk lifting capacity, subtract the weight of the worksurface, understructure, options, and add-on products (e.g. flat panel monitor arm, monitors, and CPUs)
- No worksurface overhangs permitted on the height-adjustable desk

Monitor Arm Assemblies	Migration SE T-Leg Only	Ology	AMQ T-Leg Only	Flex
Single Dynamic/Single Static Monitor Arm	X	X	X	X
Dual Dynamic/Dual Static Monitor Arm	X	X	X	X
Triple Dynamic/Triple Static Monitor Arm	X	X	X	Static only
One over One Static Monitor Arm	X	X	X	
Two over Two Static/Wide Static Monitor Arm	X	X	X	
Three over Three Static/Wide Static Monitor Arm	X	X		

## Ology Height-Adjustable Desks, continued

### Installation

**Desks** ship with pre-drilled holes for mounting bases.

**Two-piece tops** ship with flush mounted desk bracing.

**Height-adjustable base** requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data access door or soft edge).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

### Worksurface Weight

Worksurface Shape	W	LD	RD	Worksurface Weight	
-------------------	---	----	----	--------------------	--



				<b>23"D</b>	<b>24"D</b>
Rectangular	34"	23" or 24"	23" or 24"	20 lb	21 lb
	40"	23" or 24"	23" or 24"	24 lb	25 lb
	46"	23" or 24"	23" or 24"	27 lb	29 lb
	52"	23" or 24"	23" or 24"	31 lb	32 lb
	58"	23" or 24"	23" or 24"	35 lb	36 lb
	64"	23" or 24"	23" or 24"	39 lb	40 lb
	70"	23" or 24"	23" or 24"	42 lb	43 lb
	76"	23" or 24"	23" or 24"	46 lb	47 lb
				<b>29"D</b>	<b>30"D</b>
	34"	29" or 30"	29" or 30"	26 lb	27 lb
	40"	29" or 30"	29" or 30"	30 lb	31 lb
	46"	29" or 30"	29" or 30"	34 lb	36 lb
	52"	29" or 30"	29" or 30"	39 lb	41 lb
	58"	29" or 30"	29" or 30"	43 lb	45 lb
	64"	29" or 30"	29" or 30"	48 lb	50 lb
	70"	29" or 30"	29" or 30"	52 lb	54 lb
	76"	29" or 30"	29" or 30"	56 lb	59 lb
				<b>35"D</b>	<b>36"D</b>
	34"	35" or 36"	35" or 36"	31 lb	32 lb
	40"	35" or 36"	35" or 36"	36 lb	37 lb
	46"	35" or 36"	35" or 36"	42 lb	43 lb
	52"	35" or 36"	35" or 36"	47 lb	48 lb
	58"	35" or 36"	35" or 36"	52 lb	54 lb
	64"	35" or 36"	35" or 36"	58 lb	60 lb
	70"	35" or 36"	35" or 36"	63 lb	65 lb
	76"	35" or 36"	35" or 36"	69 lb	71 lb

<b>Understructure Weight</b>	<b>Options Integrated Rail Weight</b>	<b>Power and Data Access Door Weight</b>	<b>Soft Edge Weight</b>	<b>Accessory Modesty Panel Weight*</b>
7.8 lb	5.1 lb	N.A.	N.A.	15.2 lb
9.0 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
10.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
11.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb
7.8 lb	5.1 lb	N.A.	N.A.	15.2 lb
9.0 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
10.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
11.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb
8.9 lb	5.1 lb	N.A.	N.A.	15.2 lb
10.1 lb	5.8 lb	6.9 lb	N.A.	17.6 lb
11.1 lb	6.6 lb	6.9 lb	N.A.	20.0 lb
12.3 lb	7.3 lb	6.9 lb	N.A.	22.4 lb
13.5 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb
14.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb
15.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb
17.0 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb

\*For detailed modesty panel information, see page 74

## Ology Height-Adjustable Desks, continued

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data access door or soft edge).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*


### Worksurface Weight, continued

Worksurface Shape	W	LD	RD	Worksurface Weight	
				23"D/29"D	24"D/30"D



Tapered	58"	29" or 30"	23" or 24"	39 lb	40 lb
	64"	29" or 30"	23" or 24"	43 lb	45 lb
	70"	29" or 30"	23" or 24"	47 lb	49 lb
	76"	29" or 30"	23" or 24"	51 lb	53 lb
	58"	23" or 24"	29" or 30"	39 lb	40 lb
	64"	23" or 24"	29" or 30"	43 lb	45 lb
	70"	23" or 24"	29" or 30"	47 lb	49 lb
	76"	23" or 24"	29" or 30"	51 lb	53 lb

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight	
					23"D	24"D



90° Equal 3-Leg	52"	23" or 24"	52"	23" or 24"	58.2 lb	59.2 lb
	58"	23" or 24"	58"	23" or 24"	66.6 lb	67.6 lb
	64"	23" or 24"	64"	23" or 24"	75.0 lb	77.0 lb
	70"	23" or 24"	70"	23" or 24"	83.4 lb	85.4 lb
	76"	23" or 24"	76"	23" or 24"	91.8 lb	94.8 lb

• Understructure Weight	• Options			• Soft Edge Weight	• Accessory
	• Integrated Rail Weight	• Power and Data Access Door Weight	• Modesty Panel Weight*		
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	
12.4 lb	8.0 lb	6.9 lb	2.6 lb	24.8 lb	
13.6 lb	8.8 lb	6.9 lb	2.6 lb	27.3 lb	
14.8 lb	9.5 lb	6.9 lb	2.6 lb	29.7 lb	
15.9 lb	10.2 lb	6.9 lb	2.6 lb	32.1 lb	

• Understructure Weight	• Options		
	• Integrated Rail Weight	• Power and Data Access Door Weight	• Soft Edge Weight
15.1 lb	15.8 lb	N.A.	N.A.
17.5 lb	17.3 lb	6.9 lb each	N.A.
19.6 lb	18.7 lb	6.9 lb each	N.A.
22.0 lb	20.2 lb	6.9 lb each	N.A.
24.3 lb	21.7 lb	6.9 lb each	N.A.

\*For detailed modesty panel information, see page 74

## Ology Height-Adjustable Desks, continued

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).

Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data access door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

### Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight	
					23"D/23"D	24"D/24"D
90° Extended 3-Leg	40"	23" or 24"	52"	23" or 24"	49.8 lb	50.8 lb
	40"	23" or 24"	58"	23" or 24"	54.1 lb	55.1 lb
	40"	23" or 24"	64"	23" or 24"	58.2 lb	59.2 lb
	40"	23" or 24"	70"	23" or 24"	62.4 lb	63.4 lb
	40"	23" or 24"	76"	23" or 24"	66.6 lb	67.6 lb
	46"	23" or 24"	52"	23" or 24"	54.0 lb	55.0 lb
	46"	23" or 24"	58"	23" or 24"	58.2 lb	59.2 lb
	46"	23" or 24"	64"	23" or 24"	62.4 lb	64.4 lb
	46"	23" or 24"	70"	23" or 24"	66.6 lb	68.6 lb
	46"	23" or 24"	76"	23" or 24"	70.8 lb	72.8 lb
	52"	23" or 24"	40"	23" or 24"	49.8 lb	50.8 lb
	52"	23" or 24"	46"	23" or 24"	54.0 lb	55.0 lb
	52"	23" or 24"	58"	23" or 24"	62.4 lb	63.4 lb
	52"	23" or 24"	64"	23" or 24"	66.6 lb	67.6 lb
	52"	23" or 24"	70"	23" or 24"	70.8 lb	72.8 lb
	52"	23" or 24"	76"	23" or 24"	75.0 lb	77.0 lb
	58"	23" or 24"	40"	23" or 24"	54.1 lb	55.1 lb
	58"	23" or 24"	46"	23" or 24"	58.2 lb	59.2 lb
	58"	23" or 24"	52"	23" or 24"	62.4 lb	63.4 lb
	58"	23" or 24"	64"	23" or 24"	70.8 lb	72.8 lb
58"	23" or 24"	70"	23" or 24"	75.0 lb	77.0 lb	
58"	23" or 24"	76"	23" or 24"	79.2 lb	81.2 lb	
64"	23" or 24"	40"	23" or 24"	58.2 lb	59.2 lb	
64"	23" or 24"	46"	23" or 24"	62.4 lb	64.4 lb	
64"	23" or 24"	52"	23" or 24"	66.6 lb	67.6 lb	
64"	23" or 24"	58"	23" or 24"	70.8 lb	72.8 lb	
64"	23" or 24"	70"	23" or 24"	79.2 lb	82.2 lb	
64"	23" or 24"	76"	23" or 24"	83.4 lb	86.4 lb	

Understructure Weight	Options		
	Integrated Rail Weight	Power and Data Access Door Weight	Soft Edge Weight
13.5 lb	18.8 lb	6.9 lb each	N.A.
14.6 lb	19.9 lb	6.9 lb each	N.A.
15.7 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.0 lb	23.0 lb	6.9 lb each	N.A.
14.7 lb	19.9 lb	6.9 lb each	N.A.
15.8 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.1 lb	23.0 lb	6.9 lb each	N.A.
19.2 lb	24.0 lb	6.9 lb each	N.A.
13.5 lb	18.8 lb	6.9 lb each	N.A.
14.7 lb	19.9 lb	6.9 lb each	N.A.
16.3 lb	21.9 lb	6.9 lb each	N.A.
17.4 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
14.6 lb	19.9 lb	6.9 lb each	N.A.
15.8 lb	20.9 lb	6.9 lb each	N.A.
16.3 lb	21.9 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.9 lb	26.1 lb	6.9 lb each	N.A.
15.7 lb	20.9 lb	6.9 lb each	N.A.
16.9 lb	21.9 lb	6.9 lb each	N.A.
17.4 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
20.8 lb	26.1 lb	6.9 lb each	N.A.
22.0 lb	27.1 lb	6.9 lb each	N.A.

## Ology Height-Adjustable Desks, continued

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, under-structure and options (i.e. integrated rail, power and data access door or soft edge).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

### Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight	
					23"D	24"D



90° Extended 3-Leg, continued	70"	23" or 24"	40"	23" or 24"	62.4 lb	63.4 lb
	70"	23" or 24"	46"	23" or 24"	66.6 lb	68.6 lb
	70"	23" or 24"	52"	23" or 24"	70.8 lb	72.8 lb
	70"	23" or 24"	58"	23" or 24"	75.0 lb	77.0 lb
	70"	23" or 24"	64"	23" or 24"	79.2 lb	82.2 lb
	70"	23" or 24"	76"	23" or 24"	87.6 lb	90.6 lb
	76"	23" or 24"	40"	23" or 24"	66.6 lb	67.6 lb
	76"	23" or 24"	46"	23" or 24"	70.8 lb	72.8 lb
	76"	23" or 24"	52"	23" or 24"	75.0 lb	77.0 lb
	76"	23" or 24"	58"	23" or 24"	79.2 lb	81.2 lb
	76"	23" or 24"	64"	23" or 24"	83.4 lb	86.4 lb
	76"	23" or 24"	70"	23" or 24"	87.6 lb	90.6 lb

• Understructure Weight	• Options		
	• Integrated Rail Weight	• Power and Data Access Door Weight	• Soft Edge Weight
16.9 lb	21.9 lb	6.9 lb each	N.A.
18.1 lb	23.0 lb	6.9 lb each	N.A.
18.5 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.8 lb	26.1 lb	6.9 lb each	N.A.
23.1 lb	28.2 lb	6.9 lb each	N.A.
18.0 lb	23.0 lb	6.9 lb each	N.A.
19.2 lb	24.0 lb	6.9 lb each	N.A.
19.7 lb	25.1 lb	6.9 lb each	N.A.
20.9 lb	26.1 lb	6.9 lb each	N.A.
22.0 lb	27.1 lb	6.9 lb each	N.A.
23.1 lb	28.2 lb	6.9 lb each	N.A.

## Ology Height-Adjustable Desks, continued

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, under-structure and options (i.e. integrated rail, power and data access door or soft edge).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

### Worksurface Weight, continued

Worksurface Shape	LW	RW	Worksurface Weight	Worksurface Weight	Worksurface Weight
			LD and RD	LD and RD	LD and RD
			23"D/29"D	23"D/30"D	24"D/29"D



90° Extended 3-Leg	46"	40"	48.8 lb	49.3 lb	49.3 lb
	46"	52"	59.3 lb	60.2 lb	59.9 lb
	46"	58"	64.6 lb	65.7 lb	65.2 lb
	46"	64"	69.9 lb	71.2 lb	70.4 lb
	46"	70"	75.2 lb	76.6 lb	75.7 lb
	46"	76"	80.5 lb	82.1 lb	81.0 lb
	46"	78"	82.3 lb	83.9 lb	82.8 lb
	52"	40"	53.0 lb	53.5 lb	53.7 lb
	52"	46"	58.3 lb	59.0 lb	59.0 lb
	52"	58"	68.8 lb	69.9 lb	69.5 lb
	52"	64"	74.1 lb	75.4 lb	74.8 lb
	52"	70"	79.4 lb	80.8 lb	80.1 lb
	52"	76"	84.7 lb	86.3 lb	85.4 lb
	52"	78"	86.5 lb	88.1 lb	87.2 lb
	58"	40"	57.2 lb	57.7 lb	58.0 lb
	58"	46"	62.4 lb	63.1 lb	63.3 lb
	58"	52"	67.7 lb	68.6 lb	68.6 lb
	58"	64"	78.3 lb	79.6 lb	79.2 lb
	58"	70"	83.6 lb	85.0 lb	84.5 lb
	58"	76"	88.9 lb	90.5 lb	89.8 lb
	58"	78"	90.7 lb	92.3 lb	91.5 lb
	64"	40"	61.4 lb	61.9 lb	62.4 lb
	64"	46"	66.6 lb	67.3 lb	67.7 lb
	64"	52"	71.9 lb	72.8 lb	73.0 lb
	64"	58"	77.2 lb	78.3 lb	78.3 lb
	64"	70"	87.8 lb	89.2 lb	88.9 lb
	64"	76"	93.1 lb	94.7 lb	94.2 lb
	64"	78"	94.9 lb	96.5 lb	95.9 lb

| <b>•Worksurface Weight<br/>LD and RD</b> |
|--|--|--|--|
| <b>24"D/30"D</b>                         | <b>29"D/29"D</b>                         | <b>29"D/30"D</b>                         | <b>30"D/30"D</b>                         |
| 49.8 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 60.7 lb                                  | 62.4 lb                                  | 63.1 lb                                  | 63.6 lb                                  |
| 66.2 lb                                  | 67.7 lb                                  | 68.6 lb                                  | 69.1 lb                                  |
| 71.7 lb                                  | 73.0 lb                                  | 74.1 lb                                  | 74.6 lb                                  |
| 77.1 lb                                  | 78.3 lb                                  | 79.6 lb                                  | 80.0 lb                                  |
| 82.6 lb                                  | 83.6 lb                                  | 85.0 lb                                  | 85.5 lb                                  |
| 84.4 lb                                  | 85.4 lb                                  | 86.9 lb                                  | 87.3 lb                                  |
| 54.1 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 59.6 lb                                  | 62.4 lb                                  | 63.0 lb                                  | 63.6 lb                                  |
| 70.6 lb                                  | 73.0 lb                                  | 73.9 lb                                  | 74.6 lb                                  |
| 76.0 lb                                  | 78.3 lb                                  | 79.4 lb                                  | 80.0 lb                                  |
| 81.5 lb                                  | 83.6 lb                                  | 84.9 lb                                  | 85.5 lb                                  |
| 87.0 lb                                  | 88.9 lb                                  | 90.3 lb                                  | 91.0 lb                                  |
| 88.8 lb                                  | 90.7 lb                                  | 92.1 lb                                  | 92.8 lb                                  |
| 58.5 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 64.0 lb                                  | 67.7 lb                                  | 68.3 lb                                  | 69.1 lb                                  |
| 69.5 lb                                  | 73.0 lb                                  | 73.7 lb                                  | 74.6 lb                                  |
| 80.4 lb                                  | 83.6 lb                                  | 84.7 lb                                  | 85.5 lb                                  |
| 85.9 lb                                  | 88.9 lb                                  | 90.1 lb                                  | 91.0 lb                                  |
| 91.4 lb                                  | 94.2 lb                                  | 95.6 lb                                  | 96.5 lb                                  |
| 93.2 lb                                  | 95.9 lb                                  | 97.4 lb                                  | 98.3 lb                                  |
| 62.9 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 68.4 lb                                  | 73.0 lb                                  | 73.5 lb                                  | 74.6 lb                                  |
| 73.8 lb                                  | 78.3 lb                                  | 79.0 lb                                  | 80.0 lb                                  |
| 79.3 lb                                  | 83.6 lb                                  | 84.5 lb                                  | 85.5 lb                                  |
| 90.3 lb                                  | 94.2 lb                                  | 95.4 lb                                  | 96.5 lb                                  |
| 95.7 lb                                  | 99.5 lb                                  | 100.9 lb                                 | 101.9 lb                                 |
| 97.6 lb                                  | 101.2 lb                                 | 102.7 lb                                 | 103.8 lb                                 |

## Ology Height-Adjustable Desks, continued

Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).


*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, under-structure and options (i.e. integrated rail, power and data access door or soft edge).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

### Worksurface Weight, continued

Worksurface Shape	LW	RW	Worksurface Weight	Worksurface Weight	Worksurface Weight
			LD and RD	LD and RD	LD and RD
			23"D/29"D	23"D/30"D	24"D/29"D



90° Extended 3-Leg	70"	40"	65.5 lb	66.1 lb	66.8 lb
	70"	46"	70.8 lb	71.5 lb	72.1 lb
	70"	52"	76.1 lb	77.0 lb	77.4 lb
	70"	58"	81.4 lb	82.5 lb	82.7 lb
	70"	64"	86.7 lb	88.0 lb	88.0 lb
	70"	76"	97.3 lb	98.9 lb	98.5 lb
	70"	78"	99.0 lb	100.7 lb	100.3 lb
	76"	40"	69.7 lb	70.3 lb	71.2 lb
	76"	46"	75.0 lb	75.7 lb	76.5 lb
	76"	52"	80.3 lb	81.2 lb	81.8 lb
	76"	58"	85.6 lb	86.7 lb	87.0 lb
	76"	64"	90.9 lb	92.1 lb	92.3 lb
	76"	70"	96.2 lb	97.6 lb	97.6 lb
	76"	78"	103.2 lb	104.9 lb	104.7 lb

| <b>•Worksurface Weight<br/>LD and RD</b> |
|--|--|--|--|
| <b>24"D/30"D</b>                         | <b>29"D/29"D</b>                         | <b>29"D/30"D</b>                         | <b>30"D/30"D</b>                         |
| 67.3 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 72.8 lb                                  | 78.3 lb                                  | 78.8 lb                                  | 80.0 lb                                  |
| 78.2 lb                                  | 83.6 lb                                  | 84.3 lb                                  | 85.5 lb                                  |
| 83.7 lb                                  | 88.9 lb                                  | 89.8 lb                                  | 91.0 lb                                  |
| 89.2 lb                                  | 94.2 lb                                  | 95.2 lb                                  | 96.5 lb                                  |
| 100.1 lb                                 | 104.8 lb                                 | 106.2 lb                                 | 107.4 lb                                 |
| 101.9 lb                                 | 106.5 lb                                 | 108.0 lb                                 | 109.2 lb                                 |
| 71.7 lb                                  | N.A.                                     | N.A.                                     | N.A.                                     |
| 77.1 lb                                  | 83.6 lb                                  | 84.1 lb                                  | 85.5 lb                                  |
| 82.6 lb                                  | 88.9 lb                                  | 89.6 lb                                  | 91.0 lb                                  |
| 88.1 lb                                  | 94.2 lb                                  | 95.1 lb                                  | 96.5 lb                                  |
| 93.5 lb                                  | 99.5 lb                                  | 100.5 lb                                 | 101.9 lb                                 |
| 99.0 lb                                  | 104.8 lb                                 | 106.0 lb                                 | 107.4 lb                                 |
| 106.3 lb                                 | 111.8 lb                                 | 113.3 lb                                 | 114.7 lb                                 |

## Ology Height-Adjustable Desks, continued


Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).

Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

Tip: When calculating lifting capacity, subtract the weight of the worksurface, under-structure and options (i.e. integrated rail, power and data access door or soft edge).

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

### Worksurface Weight, continued

Worksurface Shape	LW	LD	RW	RD	Worksurface Weight			
					23"D	24"D	29"D	30"D
	34"	23", 24", 29" or 30"	34"	23", 24", 29" or 30"	38.7 lb	39.7 lb	38.9 lb	39.6 lb
	40"	23", 24", 29" or 30"	40"	23", 24", 29" or 30"	47.1 lb	48.1 lb	47.9 lb	48.9 lb
	46"	23", 24", 29" or 30"	46"	23", 24", 29" or 30"	55.5 lb	56.5 lb	57.3 lb	58.5 lb
	52"	23", 24", 29" or 30"	52"	23", 24", 29" or 30"	63.9 lb	65.9 lb	62.7 lb	64.2 lb
	58"	23", 24", 29" or 30"	58"	23", 24", 29" or 30"	72.3 lb	74.3 lb	72.0 lb	73.8 lb
	64"	23", 24", 29" or 30"	64"	23", 24", 29" or 30"	80.7 lb	82.7 lb	81.4 lb	83.5 lb

Tip: Right- and left-hand depths must match.

<b>Understructure Weight</b>	<b>Integrated Rail Weight</b>	<b>Power and Data Access Door Weight</b>	<b>Soft Edge Weight</b>
11.8 lb	11.5 lb	N.A.	N.A.
14.2 lb	13.0 lb	N.A.	N.A.
15.1 lb	14.5 lb	N.A.	N.A.
17.5 lb	15.9 lb	6.9 lb each	N.A.
19.6 lb	17.4 lb	6.9 lb each	N.A.
22.0 lb	18.9 lb	6.9 lb each	N.A.

# Ology Corner Desks and Bases Size Restrictions

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>High-Pressure Laminate Desks</b>				
<b>OLELL3</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$3839
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$3839
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$3968
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$3968
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$4095
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$4095
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$4222
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$4222
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$4350
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$4350
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$3839
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$3839
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$3968
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$3968
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$4095
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$4095
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$4222
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$4222
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$4350
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$4350
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$3839
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$3839
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$3839
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$3839

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>Wood Veneer Desks</b>				
<b>OLELL3</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$5126
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$5126
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$5273
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$5273
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$5421
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$5421
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$5563
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$5563
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$5717
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$5717
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$5126
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$5126
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$5273
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$5273
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$5421
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$5421
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$5563
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$5563
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$5717
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$5717
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$5126
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$5126
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$5126
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$5126

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Ology Corner Desks and Bases Size Restrictions, continued

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>High-Pressure Laminate Desks</b>				
<b>OLSLL3</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$3540
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$3540
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$3655
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$3655
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$3774
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$3774
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$3891
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$3891
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$4007
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$4007
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$3540
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$3540
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$3655
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$3655
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$3774
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$3774
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$3891
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$3891
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$4007
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$4007
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$3540
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$3540
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$3540
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$3540

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>Wood Veneer Desks</b>				
<b>OLSLL3</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$4832
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$4832
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$4962
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$4962
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$5099
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$5099
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$5233
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$5233
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$5374
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$5374
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$4832
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$4832
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$4962
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$4962
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$5099
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$5099
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$5233
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$5233
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$5374
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$5374
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$4832
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$4832
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$4832
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$4832

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Ology Corner Desks and Bases Size Restrictions, continued

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Base — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>OLELL3B</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$3691
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$3691
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$3746
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$3746
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$3805
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$3805
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$3861
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$3861
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$3917
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$3917
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$3691
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$3691
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$3746
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$3746
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$3805
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$3805
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$3861
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$3861
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$3917
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$3917
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$3691
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$3691
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$3691
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$3691

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

• Style	• Desks Specified as	• Base Price	• Desks Specified as	• Base Price
<b>90° Corner Base — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)</b>				
<b>OLSL3B</b>	40WL x 23DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 23DR	\$3399
	40WL x 24DL x 52WR x 29DR	N.A.	40WL x 29DL x 52WR x 24DR	\$3399
	40WL x 23DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 23DR	\$3453
	40WL x 24DL x 58WR x 29DR	N.A.	40WL x 29DL x 58WR x 24DR	\$3453
	40WL x 23DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 23DR	\$3503
	40WL x 24DL x 64WR x 29DR	N.A.	40WL x 29DL x 64WR x 24DR	\$3503
	40WL x 23DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 23DR	\$3557
	40WL x 24DL x 70WR x 29DR	N.A.	40WL x 29DL x 70WR x 24DR	\$3557
	40WL x 23DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 23DR	\$3608
	40WL x 24DL x 76WR x 29DR	N.A.	40WL x 29DL x 76WR x 24DR	\$3608
	40WL x 23DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 23DR	\$3399
	40WL x 24DL x 52WR x 30DR	N.A.	40WL x 30DL x 52WR x 24DR	\$3399
	40WL x 23DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 23DR	\$3453
	40WL x 24DL x 58WR x 30DR	N.A.	40WL x 30DL x 58WR x 24DR	\$3453
	40WL x 23DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 23DR	\$3503
	40WL x 24DL x 64WR x 30DR	N.A.	40WL x 30DL x 64WR x 24DR	\$3503
	40WL x 23DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 23DR	\$3557
	40WL x 24DL x 70WR x 30DR	N.A.	40WL x 30DL x 70WR x 24DR	\$3557
	40WL x 23DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 23DR	\$3608
	40WL x 24DL x 76WR x 30DR	N.A.	40WL x 30DL x 76WR x 24DR	\$3608
	52WL x 29DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 29DR	\$3399
	52WL x 29DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 29DR	\$3399
	52WL x 30DL x 40WR x 23DR	N.A.	52WL x 23DL x 40WR x 30DR	\$3399
	52WL x 30DL x 40WR x 24DR	N.A.	52WL x 24DL x 40WR x 30DR	\$3399

Tip: When the 90° desk width is 40"-42" and 23"/24" deep on one end AND the opposite end is 29"/30" deep, product size limits apply. The width must be increased to 46"W or greater.

Tip: When specifying 3-leg 90° equal corners the smallest width available is 52" x 52", regardless of depth.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 40" x 52", when 23"/24" deep is selected on both ends.

Tip: When specifying 3-leg 90° extended corners the smallest width available is 46" x 52", when 29"/30" deep is selected on both ends.

 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
▶ See page 1 for details.

# Ology Options Availability Chart



	Rectangular							
	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Grommet	Available	Available	Available	Available	Available	Available	Available	Available
Integrated Rail	Available	Available	Available	Available	Available	Available	Available	Available
Overhang	Not available	Left or Right	Left or Right Left and Right	Left or Right Left and Right				
Overhang + Power Door	Not available	Center	Center	Center				
Overhang + Soft Edge	Not available	Left, Right, or Center	Left and Left or Right and Right	Left and Left or Right and Right				
Power Door	Not available	Available	Available	Available	Available	Available	Left, Right, or Center	Left, Right, or Center
Soft Edge	Not available	Not available	Not available	Not available	Available	Left, Right, or Center	Left, Right, or Center	Left, Right, or Center




	Tapered			
	58"W	64"W	70"W	76"W
Grommet	Available	Available	Available	Available
Integrated Rail	Available	Available	Available	Available
Power Door	Available	Left, Right or Center	Left, Right or Center	Left, Right or Center
Soft Edge	Available	Left, Right or Center	Left, Right or Center	Left, Right or Center

*Tip: When integrated storage is present, power door and soft edge can be positioned left or right on desks that are 64"W or wider. Position must shift away from the storage.*

*Tip: Overhang can be positioned left or right on desks that are 70" wide or wider when used with integrated storage.*

*Tip: Overhang not available on 35"D or 36"D.*



	90°						
	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Grommet	Available						
Integrated Rail	Available						
Overhang	Not available						
Power Door	Not available	Not available	Not available	Available	Available	Available	Available
Soft Edge	Not available						

*Tip: Integrated storage can be used on 90° Ology desks that are 70" wide or wider.*



	120°					
	34"W	40"W	46"W	52"W	58"W	64"W
Grommet	Available	Available	Available	Available	Available	Available
Integrated Rail	Available	Available	Available	Available	Available	Available
Power Door	Not available	Not available	Not available	Available	Available	Available
Soft Edge	Not available					


*Tip: Integrated storage can be used on 120° Ology desks that are 52" wide or wider.*

# Ology Modesty Panels


**Modesty panels** provide modesty when needed. Modesty panels, available in laminate and veneer, connect to the desk frame.

► Specifying, page 110

**Brackets** are attached to the panel.



## Product Details



**Gap** is 1/2" between underside of the worksurface and top of modesty panel.

*Tip: C-clamp mounting is not allowed when attaching modesty panels.*

**Modesty panels** are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.

## Surface Materials

### High-Pressure Laminate Panel

- Laminate
- See *Surface Materials Reference Manual*.
- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See *Surface Materials Reference Manual*.

### 3 mm edge profile

- Plastic

### Wood veneer panel

- Wood veneer (standard)
- Customiz stain (option)
- Full-Fill Finish (option)

### Square 3 mm edge profile

- Wood veneer to match panel

### Bracket

- 7360 Merle


## Application Topics

**Modesty panels** are parametric in width from 34"W to 78"W in 1/16" increments. Modesty panel can be equal to the width of the desk or shorter.

*Tip: When using a modesty panel on straight and taper parametric sized desks, modesty panel width must be verified in CET to avoid interference.*


**When used with integrated storage**, modesty panel must be a minimum of 20" shorter than worksurface width to allow for pinch point clearances.

**Modesty panels** are undersized 2 1/2".




**Full width modesty panels** cannot be used on desks with integrated rail.

*Tip: To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) or 21" smaller (90°) and 16" smaller (120°) than the width of the desk understructure.*



**Modesty panels** may be inset a maximum of 3 1/2" from the back of the worksurface to allow for c-clamping.

*Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.*



**In order to inset**, modesty panels must be specified a minimum of 12" smaller (rectangular and tapered) or 7 3/4" smaller (90°) and 7" smaller (120°) than the width of the desk understructure. Utilize the mounting plates and screws to attach the modesty panel to the underside of the worksurface instead of to the cantilevers.

*Tip: Inset modesty panels do not work with the power access door option or the cable basket and cable brackets.*

**Universal or Sarto privacy/modesty screens** cannot be used with Ology modesty panels.

**When using a modesty panel with Universal or Sarto privacy screens**, verify placement in CET to avoid interference.

## Actual Dimensions

Modular Modesty Panels	
Width	31 1/2", 37 1/2", 43 1/2", 49 1/2", 54 1/2", 61 1/2", 67 1/2", or 73 1/2"
Height	14 3/8"
Overall height	14 7/8"
Thickness	3/4"

*Tip: Overall height is measured from bottom of mounting surface to the bottom of the screen.*

*Tip: Parametric modesty panel widths can be specified from 34"—78"W in 1/16" increments.*




# Universal Steel One-High and 1.5-High Open Laterals


For Ology Application

**Universal One-High and 1.5-High open laterals for Ology application** seamlessly integrates the Ology desk leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.


► Specifying, page 114




## Product Details



**One-High storage** can be used with Ology extended range desks or basic range desks.



**1.5-High storage** can only be used with Ology basic range desks.




**One-High and 1.5-High storage for Ology application** have a removable interior back panel to allow access to the Ology base.


**Ology desk with integrated storage** must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.

## Actual Dimensions

	One-High	1.5-High
Depth with flush steel open front	18"	18"
Depth with proud steel open front	18 <sup>7</sup> / <sub>8</sub> "	18 <sup>7</sup> / <sub>8</sub> "
Usable depth	11 <sup>7</sup> / <sub>10</sub> "	11 <sup>7</sup> / <sub>10</sub> "
Width	30", 36", and 42"	30", 36", and 42"
Height	16"	22"



**Laminate and wood veneer tops with square edge profile** are available. Tops are 1<sup>3</sup>/<sub>16</sub>"H.




**Removable interior cover** provides access to power outlets that can be located in the panel behind storage unit.

**Case Widths and Ology Foot Dimensions**


**30"W Ology open laterals** can house Ology legs of 24" or 30" in length. 36"W and 42"W units can house Ology legs with feet of 24", 30", or 36" in length.

**Integrated leg options** apply to One-High and 1.5-High units only and are meant for use with Ology height-adjustable desks only.

**Application Topics**




Application: Ology left




Application: Ology right


**Application** is determined by which leg of the Ology desk is located inside the storage.



**Shroud** is used to finish off the back of the storage when application is used as stand-alone unit.




**Filler** is used in end-of-run applications where end of storage unit will be visible.




**No top option on lateral file** is available for use with a Universal common top shared with an adjacent lateral.

**Universal common top for Ology application**, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the Universal common top. Ology desk cannot be placed in the middle of the Universal common top.




**Ology modesty panel or fixed personal/modesty screens** must be undersized and justified to the outside when used with One-High and 1.5-High storage units. Only one open lateral file is permitted on Ology 90° corner desks.


**When used with One-High and 1.5-High integrated storage**, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.




**To help avoid pinch points**, the Universal One-High and 1.5-High open laterals for Ology application extends 1" past the back of the Ology worksurface.




**Soft edge and power and data access door** can be positioned left or right on Ology desks that are 64"W or wider for use with One-High and 1.5-High integrated storage.




**Worksurface overhang** can be positioned left or right on desks that are 70" wide or wider. *Tip: Overhang not available on 35"D or 36"D.*




**Ology 90° corners** that are 70" wide and wider can be used with One-High and 1.5-High storage units.




**Ology 120° corners** that are 52" wide and wider can be used with One-High and 1.5-High storage units. Only one open lateral file is permitted on Ology 120° corner desks.



**Tapered desks** that are 70" wide and wider can be used with One-High and 1.5-High storage units.



**When specifying One-High and 1.5-High storage that matches the worksurface depth**, only One-High storage should be placed adjacent to the desk.



**Pinch point clearances** are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

**Surface Materials**

**Lateral case**

- Paint

**Laminate top**

- Laminate
- Open Line laminate (option)

**Edge on laminate top**

- Plastic

**Wood veneer top**

- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

**Shroud and filler**


- Paint

# Elective Elements One-High Open Plinth Base Pedestals and Common Tops

For Ology Application

**One-High open plinth base pedestal and common top for Ology application** seamlessly integrate the Ology desk into Elective Elements. They provide a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

► Specifying, pages 120 and 122.



*Tip: Use Elective Elements common tops with Ology base to create an Elective Elements height adjustable desk.*

## Actual Dimensions


One-High Open Plinth Base Pedestal	
Depth	17 <sup>1</sup> / <sub>4</sub> "
Width	24", 30", 36", and 42"
Height	15 <sup>1</sup> / <sub>2</sub> "
Common Top	
Depth	18"
Width	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96", 102", 108", 114", and 120"
Height	N.A.

## Product Details

### Pedestal Base



3" Base



**Removable interior cover** provides access to power outlets that can be located in the panel behind storage unit.

### Base widths and Ology foot:

- 24"W Ology base units can house Ology legs 24" in length.
- 30"W Ology base units can house Ology legs of 24" or 30" in length.
- 36"W and 42"W units can house Ology legs of 24", 30", or 36" in length.

**Ology desk with integrated storage** must be specified with modular widths only. When opting for parametric widths, integrated storage is not available.

## Surface Materials

### Pedestal case

- Veneer
- Laminate

### Laminate top on pedestal and common top

- Laminate
- Open Line laminate (option)

### Edges on pedestal and common top


- Wood veneer
- Plastic

### Wood veneer top on pedestal and common top


- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

**Application Topics**

**Storage**




Application: Ology left




Application: Ology right

**Application** is determined by which leg of the Ology base is located inside the pedestal.


**Common tops for Ology application** can be used with two units side-by-side when one storage unit is required for Ology leg integration.




**Common top for Ology application**, ordered separately, is available in laminate or veneer. Cut-out for Ology leg is available on the left side or the right side of the common top. Ology desk cannot be placed in the middle of the common top.




**Common tops for Ology application** are available when ganging Ology base units to other Elective Elements pedestals of the same height.



**To help avoid pinch points, the pedestal for Ology application** extends 1" past the back of the common top.




**When specifying One-High storage that matches the worksurface depth**, only One-High storage should be placed adjacent to the desk.




**Pinch point clearances** are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

**Desk**




**Modesty panel or fixed personal/modesty screens** must be under-sized and justified to the outside of the common top when used with pedestal.


**When used with One-High integrated storage**, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.




**Soft edge and power and data access door** can be positioned left or right on Ology desks that are 64"W or wider for use with One-High integrated storage.



**Worksurface overhang** can be positioned left or right on desks that are 70" wide or wider.  
*Tip: Overhang not available on 35"D or 36"D.*




**Ology 90° corners** that are 70" wide and wider can be used with One-High storage unit.



**Ology 120° corners** that are 52" wide and wider can be used with One-High storage unit.

# Ology Height-Adjustable Rectangular Desks

High-Pressure Laminate or Wood Veneer



*Tip: On extended height desks, any storage higher than 19", or 16½" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23⅞", or 21⅞" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.*

*Tip: On 23"24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.*

▶ See page 43 for *Steelcase Monitor Arm Guidelines*.

*Tip: For desks 29"30"Dx58"W and greater additional monitor arm configurations are allowed.*

▶ See page 43, *Steelcase Monitor Arm Guidelines*.

*Tip: Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg).*

*When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*

*Tip: 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).*

▶ See page 52 for *worksurface weights*.

*Tip: Antimicrobial additives can be specified only when specifying simple touch controller and/or soft edge.*

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

Standard Includes		Required to Specify
▶ Need help? Product details, page 46	<ul style="list-style-type: none"> <li>• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer</li> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Active touch controller</li> <li>• Modular widths: 34"–76"</li> <li>• ½" adjustable glides</li> <li>• Power cord: 10⅝"</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk depth</li> <li>3 Desk width</li> <li>4 High-Pressure Laminate or wood color for worksurface</li> <li>5 Plastic color number for profile edge on laminate worksurface, if selected</li> <li>6 Desk corner style, if laminate desk selected (see below under Required Selections)</li> <li>7 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle</li> <li>8 Integrated rail (see below under Required Selections)</li> <li>9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections)</li> <li>10 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276</p>

Required Selections	U.S. Price	Required to Specify
<b>Desk Corner Style (Laminate Desks Only)</b> <ul style="list-style-type: none"> <li>• Square corners</li> <li>• Radius corners</li> </ul>	No cost +\$ 93	Specify <i>with square corners</i> . Specify <i>with radius corners</i> .
<b>Integrated Rail</b> <ul style="list-style-type: none"> <li>• Without integrated rail</li> <li>• With integrated rail</li> </ul>	No cost +\$448	Specify <i>without integrated rail</i> . Specify <i>with integrated rail</i> .
<b>Antimicrobial Components</b> <ul style="list-style-type: none"> <li>• Non-antimicrobial components</li> <li>• Antimicrobial components</li> </ul>	No cost No cost	Specify <i>with non-antimicrobial components</i> . Specify <i>with antimicrobial components</i> .

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• <b>High-Pressure Laminate desks</b></li> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> <li>• <b>Wood veneer desks</b></li> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> </ul>	+\$102 +\$359 No cost	Specify wood color number. Specify wood color number. Specify <i>with customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> <li>• Full-fill finish on wood group 1</li> </ul>	+\$102	Specify full-fill finish number.
<b>Base</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 44	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276.
<b>Desk Type</b> <ul style="list-style-type: none"> <li>• Parametric width desk</li> </ul>	No cost	Specify <i>with parametric desk type</i> .

▶ Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
<b>Overhang</b>	<ul style="list-style-type: none"> <li>• Desk overhang on left No cost</li> <li>• Desk overhang on right No cost</li> <li>• Desk overhang left and right No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with desk overhang left.</li> <li>Specify with desk overhang right.</li> <li>Specify with desk overhang left and right.</li> </ul>
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Simple touch controller -\$ 74</li> <li>• 4 Pre-set controller +\$ 173</li> </ul>	<ul style="list-style-type: none"> <li>Specify with simple touch controller.</li> <li>Specify with 4 pre-set controller.</li> </ul>
<b>Soft Edge</b>	<ul style="list-style-type: none"> <li>• With soft edge +\$ 328</li> </ul>	Specify with soft edge.
<b>Power and Data Access Door, Tray and USB</b>	<ul style="list-style-type: none"> <li>• Power and data access door, tray and USB: paint group 1 or 2 +\$1124</li> <li>• Power and data access door, tray and USB: anodized aluminum +\$1140</li> </ul>	<ul style="list-style-type: none"> <li>Specify with power and data access door and select paint color number.</li> <li>Specify with power and data access door and select anodized aluminum.</li> </ul>
<b>Power and Data Access Door and Soft Edge Position</b>	<ul style="list-style-type: none"> <li>• Centered No cost</li> <li>• Left No cost</li> <li>• Right No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with centered position.</li> <li>Specify with left position.</li> <li>Specify with right position.</li> </ul>
<b>Grommet</b>	<ul style="list-style-type: none"> <li>• Grommet +\$ 61</li> </ul>	Specify with grommet.
<b>Glides</b>	<ul style="list-style-type: none"> <li>• 1" adjustable glides +\$ 46</li> </ul>	Specify with 1" glides.
<b>CarbonNeutral Product</b>	<ul style="list-style-type: none"> <li>• CarbonNeutral product certification +\$ 45</li> </ul>	Add suffix <b>CN</b> to the end of the style number.
<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Modesty panels</li> <li>• Fixed personal/modesty screens</li> <li>• Cable and power management</li> </ul>	<ul style="list-style-type: none"> <li>► Page 110</li> <li>► Page 256</li> <li>► Page 111</li> </ul>

► Specification Information, on next page

Tip: Overhang not available on 35"D or 36"D.

Tip: 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and larger.

Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.

Tip: Soft edge is available on desks 58"W and larger. If overhang left or overhang right is selected, soft edge is available on desks 70"W or 76"W. Soft edge cannot be specified on desks that have overhang on both sides.

Tip: Power and data access door is available on desks 40"W or greater.

Tip: Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

Tip: Rectangular desks accommodate either power and data access door or grommet, but not both.



**For Canadian Pricing**


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Ology Height-Adjustable Rectangular Desks, High-Pressure Laminate or Wood Veneer, continued

► Options, on previous page

**Specification Information**



**U.S. Base Prices**

• Style Number	• Dimensions D	• Desk Type	U.S. Base Prices							
			34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	34"W -36"W	36 <sup>1</sup> / <sub>16</sub> "W -42"W	42 <sup>1</sup> / <sub>16</sub> "W -48"W	48 <sup>1</sup> / <sub>16</sub> "W -54"W	54 <sup>1</sup> / <sub>16</sub> "W -60"W	60 <sup>1</sup> / <sub>16</sub> "W -66"W	66 <sup>1</sup> / <sub>16</sub> "W -72"W	72 <sup>1</sup> / <sub>16</sub> "W -78"W

**High-Pressure Laminate Desks — Extended Height**

OLELRQ	23" or 24"	29" or 30"	35" or 36"	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				\$2452	\$2529	\$2604	\$2683	\$2765	\$2852	\$2935	\$3024
				\$2750	\$2834	\$2920	\$3010	\$3102	\$3196	\$3292	\$3392
				\$3050	\$3142	\$3238	\$3336	\$3441	\$3541	\$3650	\$3765

**Wood Veneer Desks — Extended Height**

OLELRQ	23" or 24"	29" or 30"	35" or 36"	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				\$3236	\$3327	\$3411	\$3503	\$3598	\$3700	\$3793	\$3899
				\$3566	\$3665	\$3763	\$3865	\$3967	\$4079	\$4183	\$4300
				\$3898	\$4002	\$4114	\$4224	\$4340	\$4458	\$4575	\$4703

**High-Pressure Laminate Desks — Basic Height**

OLSLRQ	23" or 24"	29" or 30"	35" or 36"	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				\$2263	\$2331	\$2400	\$2474	\$2548	\$2629	\$2709	\$2789
				\$2536	\$2616	\$2691	\$2777	\$2859	\$2946	\$3037	\$3128
				\$2812	\$2898	\$2985	\$3076	\$3172	\$3263	\$3365	\$3469

**Wood Veneer Desks — Basic Height**

OLSLRQ	23" or 24"	29" or 30"	35" or 36"	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				\$3047	\$3129	\$3207	\$3294	\$3381	\$3477	\$3567	\$3664
				\$3352	\$3447	\$3534	\$3632	\$3724	\$3829	\$3928	\$4036
				\$3660	\$3758	\$3861	\$3964	\$4071	\$4180	\$4290	\$4407



**For Canadian Pricing**


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



# Ology Height-Adjustable Tapered Desks

High-Pressure Laminate or Wood Veneer



**Tip:** On extended height desks, any storage higher than 19", or 16½" if the power access door is optioned, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23<sup>7</sup>/<sub>10</sub>", or 21<sup>1</sup>/<sub>5</sub>" if the power access door is optioned, will impede lowest height range of worksurface. Do not place storage underneath controller.

**Tip:** On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See *Steelcase Worktools Specification Guide*.

**Tip:** For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

▶ See page 43, *Steelcase Monitor Arm Guidelines*.

**Tip:** Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

**Tip:** 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

▶ See page 52 for worksurface weights.

**Tip:** Antimicrobial additives can be specified only when specifying simple touch controller and/or soft edge.

**For laminate group 2 and 3 pricing,** please refer to the electronic catalog or SmartTools.

**Tip:** Soft edge is available on desks 58"W and larger.

**Tip:** Power access door and soft edge can be positioned left or right on desks that are 64"W or wider for use with One-High integrated storage.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 46	<ul style="list-style-type: none"> <li>• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer</li> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Active touch controller</li> <li>• Modular widths: 58"–76"</li> <li>• ½" adjustable glides</li> <li>• Power cord: 10<sup>4</sup>/<sub>5</sub></li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk depth</li> <li>3 Desk width</li> <li>4 High-Pressure Laminate or wood color for worksurface</li> <li>5 Plastic color number for profile edge on laminate worksurface, if selected</li> <li>6 Desk corner style, if laminate desk selected (see below under Required Selections)</li> <li>7 Paint color number for base 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle</li> <li>8 Integrated rail (see below under Required Selections)</li> <li>9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections)</li> <li>10 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276</p>

	Required Selections	U.S. Price	Required to Specify
<b>Desk Corner Style (Laminate Desks Only)</b>	<ul style="list-style-type: none"> <li>• Square corners</li> <li>• Radius corners</li> </ul>	No cost +\$ 93	Specify <i>with square corners</i> . Specify <i>with radius corners</i> .
<b>Integrated Rail</b>	<ul style="list-style-type: none"> <li>• Without integrated rail</li> <li>• With integrated rail</li> </ul>	No cost +\$ 448	Specify <i>without integrated rail</i> . Specify <i>with integrated rail</i> .
<b>Antimicrobial Components</b>	<ul style="list-style-type: none"> <li>• Non-antimicrobial components</li> <li>• Antimicrobial components</li> </ul>	No cost No cost	Specify <i>with non-antimicrobial components</i> . Specify <i>with antimicrobial components</i> .

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<p><b>High-Pressure Laminate desks</b></p> <ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul> <p><b>Wood veneer desks</b></p> <ul style="list-style-type: none"> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> <li>• Full-fill finish on wood group 1</li> </ul> <p><b>Base</b></p> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	See information at left See information at left +\$ 102 plus cost of laminate +\$ 102 +\$ 359 No cost +\$ 102 No cost +\$ 44	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> . Specify wood color number. Specify wood color number. Specify <i>with customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number. Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276.
<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Parametric width desk</li> </ul>	No cost	Specify <i>with parametric desk type</i> .
<b>Soft Edge</b>	<ul style="list-style-type: none"> <li>• With soft edge</li> </ul>	+\$ 328	Specify <i>with soft edge</i> .
<b>Power and Data Access Door, Tray and USB</b>	<ul style="list-style-type: none"> <li>• Power and data access door, tray and USB: paint group 1 or 2</li> <li>• Power and data access door, tray and USB: anodized aluminum</li> </ul>	+\$1124 +\$1140	Specify <i>with power and data access door</i> and select paint color number. Specify <i>with power and data access door</i> and select anodized aluminum.

▶ Options, continued on next page

► Options, continued from previous page


Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.

Tip: Tapered desks accommodate either power and data access door or grommet, but not both.

Options	U.S. Price	Required to Specify
<b>Controller</b>	<ul style="list-style-type: none"> <li>Simple touch controller -\$ 74</li> <li>4 Pre-set controller +\$ 173</li> </ul>	Specify with simple touch controller. Specify with 4 pre-set controller.
<b>Power and Data Access Door and Soft Edge Position</b>	<ul style="list-style-type: none"> <li>Centered No cost</li> <li>Left No cost</li> <li>Right No cost</li> </ul>	Specify with centered position. Specify with left position. Specify with right position.
<b>Grommet</b>	<ul style="list-style-type: none"> <li>Grommet +\$61</li> </ul>	Specify with grommet.
<b>Glides</b>	<ul style="list-style-type: none"> <li>1" adjustable glides +\$46</li> </ul>	Specify with 1" glides.
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Modesty panels</li> <li>Fixed personal/modesty screens</li> <li>Cable and power management</li> </ul>	<ul style="list-style-type: none"> <li>► Page 110</li> <li>► Page 256</li> <li>► Page 111</li> </ul>

**Specification Information**

Style Number	Dimensions LD	RD	Desk Type	U.S. Base Prices			
				58"W	64"W	70"W	76"W
			Modular				
			Parametric	58 <sup>1</sup> / <sub>16</sub> "W-60"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	72 <sup>1</sup> / <sub>16</sub> "W-78"W




**High-Pressure Laminate Desks — Extended Height**

O L E L R T	23" or 24"	29" or 30"	\$3102	\$3196	\$3292	\$3392
	29" or 30"	23" or 24"	\$3102	\$3196	\$3292	\$3392

**Wood Veneer Desks — Extended Height**

O L E L R T	23" or 24"	29" or 30"	\$3967	\$4079	\$4183	\$4300
	29" or 30"	23" or 24"	\$3967	\$4079	\$4183	\$4300



**High-Pressure Laminate Desks — Basic Height**


O L S L R T	23" or 24"	29" or 30"	\$2859	\$2946	\$3037	\$3128
	29" or 30"	23" or 24"	\$2859	\$2946	\$3037	\$3128

**Wood Veneer Desks — Basic Height**

O L S L R T	23" or 24"	29" or 30"	\$3724	\$3829	\$3928	\$4036
	29" or 30"	23" or 24"	\$3724	\$3829	\$3928	\$4036

# Ology Height-Adjustable 3-Leg Corner Desks

High-Pressure Laminate or Wood Veneer



**Tip:** On extended height desks, any storage higher than 19", or 16½" if the power access door is optional, will impede lowest height range of worksurface. On basic height desks, any storage higher than 23⅞", or 21⅞" if the power access door is optional, will impede lowest height range of worksurface. Do not place storage underneath controller.

**Tip:** Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface, understructure and options selected.

**Tip:** 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).  
▶ See page 52 for worksurface weights.

**Tip:** Antimicrobial additives can be specified only when specifying simple touch controller

**For laminate price group 2 and 3 pricing,** please refer to the electronic catalog or SmartTools.

**Tip:** For a conversion chart of old to new 3-leg corner style numbers refer to page 286.

**Tip:** The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 46	<ul style="list-style-type: none"> <li>• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer</li> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Active touch controller</li> <li>• Modular widths:                             <ul style="list-style-type: none"> <li>– 90° equal corner: 52"–76"</li> <li>– 90° extended corner: 40"–76"</li> <li>– 120° equal corner: 34"–64"</li> </ul> </li> <li>• ½" adjustable glides</li> <li>• Power cord: 10½'</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk depth</li> <li>3 Desk width</li> <li>4 High-Pressure Laminate or wood color for worksurface</li> <li>5 Plastic color number for profile edge on laminate worksurface, if selected</li> <li>6 Desk corner style, if laminate desk selected (see below under Required Selections)</li> <li>7 Paint color number for base                             <ul style="list-style-type: none"> <li>4799 Platinum Metallic</li> <li>7207 Black</li> <li>7241 Arctic White</li> <li>7360 Merle</li> </ul> </li> <li>8 Integrated rail (see below under Required Selections)</li> <li>9 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections)</li> <li>10 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276</p>

	Required Selections	U.S. Price	Required to Specify
<b>Desk Corner Style (Laminate Desks Only)</b>	<ul style="list-style-type: none"> <li>• Square corners</li> <li>• Radius corners</li> </ul>	No cost +\$ 93	Specify <i>with square corners</i> . Specify <i>with radius corners</i> .
<b>Integrated Rail</b>	<ul style="list-style-type: none"> <li>• Without integrated rail</li> <li>• With integrated rail</li> </ul>	No cost +\$896	Specify <i>without integrated rail</i> . Specify <i>with integrated rail</i> .
<b>Antimicrobial Components</b>	<ul style="list-style-type: none"> <li>• Non-antimicrobial components</li> <li>• Antimicrobial components</li> </ul>	No cost No cost	Specify <i>with non-antimicrobial components</i> . Specify <i>with antimicrobial components</i> .

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>High-Pressure Laminate desks</b>		
	<ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer desks</b>		
	<ul style="list-style-type: none"> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> <li>• Full-fill finish on wood group 1</li> </ul>	+\$102 +\$359 No cost +\$102	Specify wood color number. Specify wood color number. Specify <i>with customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	<b>Base</b>		
	<ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 66	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276.
<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Modular width desk</li> <li>• Parametric width desk</li> </ul>	No cost No cost	Specify <i>with modular desk type</i> . Specify <i>with parametric desk type</i> .
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Simple touch controller</li> <li>• 4 Pre-set controller</li> </ul>	–\$ 74 +\$173	Specify <i>with simple touch controller</i> . Specify <i>with 4 pre-set controller</i> .

▶ Options, continued on next page

► Options, continued from previous page

Tip: Power and data access door and grommet cannot be located on the same side of the desk.

Tip: Power and data access door is available on desks 58"W or greater.


Tip: When selecting power and data access door or grommet on one side, a cord drop will be standard on opposite side if integrated rail is present.

Tip: CarbonNeutral option is not available for 120° corner desks.

Options	U.S. Price	Required to Specify	
<b>Power and Data Access Door, Tray and USB</b>	• Power and data access door on left or right: paint group 1 or 2	+\$1124	Specify with power and data access door on left or right and select paint color number.
	• Power and data access door on left or right: anodized aluminum	+\$1140	Specify with power and data access door on left or right and select anodized aluminum.
	• Power and data access door on left and right: paint group 1 or 2	+\$2248	Specify with power and data access door on left and right and select paint color number.
	• Power and data access door on left and right: anodized aluminum	+\$2280	Specify with power and data access door on left and right and select anodized aluminum.
<b>Grommet</b>	• Grommet on left- or right-hand side.	+\$ 61	Specify with grommet and select left- or right-hand sides.
	• Grommet on left- and right-hand side.	+\$ 122	Specify with grommet and select left- and right-hand sides.
<b>Glides</b>	• 1" adjustable glides	+\$ 69	Specify with 1" glides.
<b>CarbonNeutral Product</b>	• CarbonNeutral product certification	+\$ 45	Add suffix <b>CN</b> to the end of the style number.
<b>Related Products</b>	• Modesty panels • Fixed personal/modesty screens • Cable and power management		► Page 110 ► Page 256 ► Page 111

Ology

Style Number		Dimensions D		U.S. Base Prices								
		Modular Left Width	Parametric Left Width	Modular Right Width	Parametric Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
						40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
						42"W	48"W	54"W	60"W	66"W	72"W	78"W



90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

OLELL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	\$3735	\$3853	\$3973	\$4093	\$4216
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$3853	\$3973	\$4093	\$4216	\$4349
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$3735	\$3853	\$3973	\$4093	\$4216	\$4349	\$4483
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$3853	\$3973	\$4093	\$4216	\$4349	\$4483	\$4620
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$3973	\$4093	\$4216	\$4349	\$4483	\$4620	\$4763
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$4093	\$4216	\$4349	\$4483	\$4620	\$4763	\$4915
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$4216	\$4349	\$4483	\$4620	\$4763	\$4915	\$5062

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>"W x 60<sup>1</sup>/<sub>16</sub>"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► Specification Information, continued on next page

Ology Height-Adjustable 3-Leg Corner Desks, High-Pressure Laminate or Wood Veneer, continued

► Specification Information, continued from previous page

Specification Information												
Style Number	Dimensions				U.S. Base Prices							
	D		Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
					Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
						42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**High-Pressure Laminate Desks**

OLELL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	► See page 66				
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$3967	\$4095	\$4221	\$4350	\$4485
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	► See page 66	\$3967	\$4095	\$4221	\$4350	\$4485	\$4625
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$3967	\$4095	\$4221	\$4350	\$4485	\$4625	\$4762
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$4095	\$4221	\$4350	\$4485	\$4625	\$4762	\$4909
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$4221	\$4350	\$4485	\$4625	\$4762	\$4909	\$5063
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$4350	\$4485	\$4625	\$4762	\$4909	\$5063	\$5207

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>" W x 60<sup>1</sup>/<sub>16</sub>" W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► Specification Information, continued on next page




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**


Specification Information											
Style Number	Dimensions			U.S. Base Prices							
	D	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 29"/30")**

**High-Pressure Laminate Desks**

OLELL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$4079	\$4216	\$4353	\$4483	\$4620
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	N.A.	\$4079	\$4216	\$4353	\$4483	\$4620	\$4763
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	N.A.	\$4216	\$4353	\$4483	\$4620	\$4763	\$4908
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	N.A.	\$4353	\$4483	\$4620	\$4763	\$4908	\$5053
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	N.A.	\$4483	\$4620	\$4763	\$4908	\$5053	\$5208
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	N.A.	\$4620	\$4763	\$4908	\$5053	\$5208	\$5354



**90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 23"/24")**

**Wood Veneer Desks**

OLELL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	\$5022	\$5159	\$5298	\$5435	\$5583
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$5159	\$5298	\$5435	\$5583	\$5735
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$5022	\$5159	\$5298	\$5418	\$5583	\$5735	\$5889
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$5159	\$5298	\$5418	\$5583	\$5735	\$5889	\$6046
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$5298	\$5435	\$5583	\$5735	\$5889	\$6046	\$6209
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$5435	\$5583	\$5735	\$5889	\$6046	\$6195	\$6377
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$5583	\$5735	\$5889	\$6046	\$6209	\$6377	\$6559

Tip: At least one side must be 52"W or greater.


Tip: Equal corner widths are parametric to <sup>1</sup>/<sub>16</sub>" from 52"W–78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>"W x 60<sup>1</sup>/<sub>16</sub>"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► **Specification Information, continued on next page**

► **Specification Information, continued from previous page**

Specification Information		U.S. Base Prices									
Style Number	Dimensions D	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W—42"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	48 <sup>1</sup> / <sub>16</sub> "W—54 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W—60 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W—66 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W—72 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W—78"W



**90° 3-Leg Corner Desks — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**Wood Veneer Desks**

OLELL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	► See page 67				
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$5273	\$5420	\$5563	\$5717	\$5870
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	► See page 67	\$5273	\$5420	\$5563	\$5717	\$5870	\$6031
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$5273	\$5420	\$5563	\$5717	\$5870	\$6031	\$6188
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$5420	\$5563	\$5717	\$5870	\$6031	\$6188	\$6357
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$5563	\$5717	\$5870	\$6031	\$6188	\$6357	\$6526
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$5717	\$5870	\$6031	\$6188	\$6357	\$6526	\$6704

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>" W x 60<sup>1</sup>/<sub>16</sub>" W and wider, are manufactured in two pieces. The work surface split is located on the left side of an equal corner and on the longest side of an extended corner.

► **Specification Information, continued on next page**




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page


Specification Information											
Style Number	Dimensions			U.S. Base Prices							
	D	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Extended Height (Same Depth Both Ends 29"/30")**

**Wood Veneer Desks**

OLELL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$5385	\$5541	\$5694	\$5850	\$6006
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	N.A.	\$5385	\$5541	\$5694	\$5850	\$6006	\$6169
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	N.A.	\$5541	\$5694	\$5850	\$6006	\$6169	\$6334
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	N.A.	\$5694	\$5850	\$6006	\$6169	\$6334	\$6499
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	N.A.	\$5850	\$6006	\$6169	\$6334	\$6499	\$6671
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	N.A.	\$6006	\$6169	\$6334	\$6499	\$6671	\$6851



**90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 23"/24")**

**High-Pressure Laminate Desks**

OLSLL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	\$3441	\$3553	\$3663	\$3771	\$3887
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$3553	\$3663	\$3771	\$3887	\$4006
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$3441	\$3553	\$3663	\$3771	\$3887	\$4006	\$4130
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$3553	\$3663	\$3771	\$3887	\$4006	\$4130	\$4256
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$3663	\$3771	\$3887	\$4006	\$4130	\$4256	\$4387
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$3771	\$3887	\$4006	\$4130	\$4256	\$4387	\$4528
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$3887	\$4006	\$4130	\$4256	\$4387	\$4528	\$4661

Tip: At least one side must be 52"W or greater.


Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>"W x 60<sup>1</sup>/<sub>16</sub>"W and wider, are manufactured in two pieces. The work surface split is located on the left side of an equal corner and on the longest side of an extended corner.

► Specification Information, continued on next page

► **Specification Information, continued from previous page**

Specification Information												
Style Number	Dimensions			U.S. Base Prices								
	D	Modular Left Width	Parametric Left Width	Modular Right Width	Parametric Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
						40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
						42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**High-Pressure Laminate Desks**

OLSL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	► See page 68	► See page 66			
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	N.A.	N.A.	\$3655	\$3773	\$3891	\$4007	\$4133
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	► See page 66	\$3655	\$3773	\$3891	\$4007	\$4133	\$4261
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W-60"W	\$3655	\$3773	\$3891	\$4007	\$4133	\$4261	\$4387
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	\$3773	\$3891	\$4007	\$4133	\$4261	\$4387	\$4522
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	\$3891	\$4007	\$4133	\$4261	\$4387	\$4522	\$4657
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W-78"W	\$4007	\$4133	\$4261	\$4387	\$4522	\$4657	\$4796

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to <sup>1</sup>/<sub>16</sub>" from 52"W-78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>" W x 60<sup>1</sup>/<sub>16</sub>" W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► **Specification Information, continued on next page**




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► **Specification Information, continued from previous page**

Specification Information											
• Style Number	• Dimensions D			• U.S. Base Prices							
	• Modular Left Width	• Parametric Left Width	• Parametric Right Width	• Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
					40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 29"/30")**

High-Pressure Laminate Desks										
OLSL3	29" or 30"	40"W	40"W–42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$3759	\$3887	\$4008	\$4130	\$4256
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	N.A.	\$3759	\$3887	\$4008	\$4130	\$4256	\$4387
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	N.A.	\$3887	\$4008	\$4130	\$4256	\$4387	\$4520
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	N.A.	\$4008	\$4130	\$4256	\$4387	\$4520	\$4655
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	N.A.	\$4130	\$4256	\$4387	\$4520	\$4655	\$4797
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	N.A.	\$4256	\$4387	\$4520	\$4655	\$4797	\$4931



**90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 23"/24")**

Wood Veneer Desks										
OLSL3	23" or 24"	40"W	40"W–42"W	N.A.	N.A.	\$4728	\$4859	\$4988	\$5113	\$5254
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$4859	\$4988	\$5113	\$5254	\$5392
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$4728	\$4859	\$4988	\$5096	\$5254	\$5392	\$5536
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$4859	\$4988	\$5096	\$5254	\$5392	\$5536	\$5682
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$4988	\$5113	\$5254	\$5392	\$5536	\$5682	\$5833
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$5113	\$5254	\$5392	\$5536	\$5682	\$5833	\$5989
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$5254	\$5392	\$5536	\$5682	\$5833	\$5989	\$6158

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W–78"W.


Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>"W x 60<sup>1</sup>/<sub>16</sub>"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► **Specification Information, continued on next page**



► **Specification Information, continued from previous page**

Specification Information											
Style Number	Dimensions			U.S. Base Prices							
	D	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W—	42 <sup>1</sup> / <sub>16</sub> "W—	48 <sup>1</sup> / <sub>16</sub> "W—	54 <sup>1</sup> / <sub>16</sub> "W—	60 <sup>1</sup> / <sub>16</sub> "W—	66 <sup>1</sup> / <sub>16</sub> "W—	72 <sup>1</sup> / <sub>16</sub> "W—
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**Wood Veneer Desks**

OLSL3	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	► See page 69				
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$4962	\$5098	\$5233	\$5374	\$5519
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	► See page 69	\$4962	\$5098	\$5233	\$5374	\$5519	\$5667
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$4962	\$5098	\$5233	\$5374	\$5519	\$5667	\$5813
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$5098	\$5233	\$5374	\$5519	\$5667	\$5813	\$5970
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$5233	\$5374	\$5519	\$5667	\$5813	\$5970	\$6126
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$5374	\$5519	\$5667	\$5813	\$5970	\$6126	\$6293

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to <sup>1</sup>/<sub>16</sub>" from 52"W–78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>" W x 60<sup>1</sup>/<sub>16</sub>" W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.

► **Specification Information, continued on next page**




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information											
Style Number	Dimensions			U.S. Base Prices							
	D	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
				Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° 3-Leg Corner Desks — Basic Height (Same Depth Both Ends 29"/30")**

**Wood Veneer Desks**

OLSL3	29" or 30"	40"W	40"W-42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	N.A.	N.A.	\$5065	\$5212	\$5350	\$5497	\$5642
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	N.A.	\$5065	\$5212	\$5350	\$5497	\$5642	\$5793
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W-60"W	N.A.	\$5212	\$5350	\$5497	\$5642	\$5793	\$5946
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	N.A.	\$5350	\$5497	\$5642	\$5793	\$5946	\$6101
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	N.A.	\$5497	\$5642	\$5793	\$5946	\$6101	\$6258
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W-78"W	N.A.	\$5642	\$5793	\$5946	\$6101	\$6258	\$6428

Tip: At least one side must be 52"W or greater.

Tip: Equal corner widths are parametric to 1/16" from 52"W-78"W.

Tip: 90° desks, 60<sup>1</sup>/<sub>16</sub>"W x 60<sup>1</sup>/<sub>16</sub>"W and wider, are manufactured in two pieces. The worksurface split is located on the left side of an equal corner and on the longest side of an extended corner.


► **Specification Information, continued on next page**

 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

Ology Height-Adjustable 3-Leg Corner Desks, High-Pressure Laminate or Wood Veneer, continued

► Specification Information, continued from previous page

Specification Information									
• Style Number	• Dimensions D			• U.S. Base Prices					
	• Modular Left Width	• Parametric Left Width		• Modular Right Width					
				34"W	40"W	46"W	52"W	58"W	64"W
				34"W—	36 <sup>1</sup> / <sub>16</sub> "W—	42 <sup>1</sup> / <sub>16</sub> "W—	48 <sup>1</sup> / <sub>16</sub> "W—	54 <sup>1</sup> / <sub>16</sub> "W—	60 <sup>1</sup> / <sub>16</sub> "W—
				36"W	42"W	48"W	54"W	60"W	66"W



**120° 3-Leg Corner Desks — Extended Height**

**High-Pressure Laminate Desks**

OLELW3	23" or 24"	34"W	34"W–36"W	\$3441	\$3559	\$3674	\$3791	\$3908	\$4029
	23" or 24"	40"W	36 <sup>1</sup> / <sub>16</sub> "W–42"W	\$3559	\$3674	\$3791	\$3908	\$4029	\$4153
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	\$3674	\$3791	\$3908	\$4029	\$4153	\$4280
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$3791	\$3908	\$4029	\$4153	\$4280	\$4412
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$3908	\$4029	\$4153	\$4280	\$4412	\$4544
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$4029	\$4153	\$4280	\$4412	\$4544	\$4678

**Wood Veneer Desks**

OLELW3	23" or 24"	34"W	34"W–36"W	\$4467	\$4895	\$5044	\$5161	\$5278	\$5417
	23" or 24"	40"W	36 <sup>1</sup> / <sub>16</sub> "W–42"W	\$4895	\$5010	\$5161	\$5296	\$5417	\$5561
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	\$5044	\$5161	\$5278	\$5437	\$5561	\$5710
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$5161	\$5296	\$5437	\$5561	\$5713	\$5845
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$5278	\$5417	\$5561	\$5713	\$5845	\$5995
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$5417	\$5561	\$5710	\$5845	\$5995	\$6151

► Specification Information, continued on next page




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information										
Style Number	Dimensions D			U.S. Base Prices						
	Modular Left Width	Parametric Left Width	Modular Right Width	Parametric Right Width	34"W	40"W	46"W	52"W	58"W	64"W
					34"W—	36 <sup>1</sup> / <sub>16</sub> "W—	42 <sup>1</sup> / <sub>16</sub> "W—	48 <sup>1</sup> / <sub>16</sub> "W—	54 <sup>1</sup> / <sub>16</sub> "W—	60 <sup>1</sup> / <sub>16</sub> "W—
					36"W	42"W	48"W	54"W	60"W	66"W



**120° 3-Leg Corner Desks — Extended Height**

**High-Pressure Laminate Desks**

OLELW3	29" or 30"	34"W	34"W–36"W	\$3740	\$3860	\$3974	\$4091	\$4207	\$4326
	29" or 30"	40"W	36 <sup>1</sup> / <sub>16</sub> "W–42"W	\$3860	\$3974	\$4091	\$4207	\$4326	\$4451
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	\$3974	\$4091	\$4207	\$4326	\$4451	\$4580
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$4091	\$4207	\$4326	\$4451	\$4580	\$4713
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$4207	\$4326	\$4451	\$4580	\$4713	\$4843
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$4326	\$4451	\$4580	\$4713	\$4843	\$4977

**Wood Veneer Desks**

OLELW3	29" or 30"	34"W	34"W–36"W	\$5076	\$5216	\$5344	\$5479	\$5615	\$5746
	29" or 30"	40"W	36 <sup>1</sup> / <sub>16</sub> "W–42"W	\$5216	\$5344	\$5479	\$5615	\$5746	\$5884
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	\$5344	\$5479	\$5615	\$5746	\$5884	\$6031
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	\$5479	\$5615	\$5746	\$5884	\$6031	\$6186
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$5615	\$5746	\$5884	\$6031	\$6186	\$6338
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$5746	\$5884	\$6031	\$6186	\$6338	\$6491


► Specification Information, continued on next page

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

Ology Height-Adjustable 3-Leg Corner Desks, High-Pressure Laminate or Wood Veneer, continued

► Specification Information, continued from previous page

Specification Information										
Style Number	Dimensions			U.S. Base Prices						
	D	Modular Left Width	Parametric Left Width	Modular Right Width	34"W	40"W	46"W	52"W	58"W	64"W
				Parametric Right Width	34"W—	36 <sup>1</sup> / <sub>16</sub> "W—	42 <sup>1</sup> / <sub>16</sub> "W—	48 <sup>1</sup> / <sub>16</sub> "W—	54 <sup>1</sup> / <sub>16</sub> "W—	60 <sup>1</sup> / <sub>16</sub> "W—
					36"W	42"W	48"W	54"W	60"W	66"W



**120° 3-Leg Corner Desks — Basic Height**

**High-Pressure Laminate Desks**

OLSLW3	23" or 24"	34"W	34"W-36"W	\$3171	\$3280	\$3387	\$3494	\$3600	\$3710
	23" or 24"	40"W	36 <sup>1</sup> / <sub>16</sub> "W-42"W	\$3280	\$3387	\$3494	\$3600	\$3710	\$3826
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	\$3387	\$3494	\$3600	\$3710	\$3826	\$3946
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	\$3494	\$3600	\$3710	\$3826	\$3946	\$4068
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W-60"W	\$3600	\$3710	\$3826	\$3946	\$4068	\$4188
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	\$3710	\$3826	\$3946	\$4068	\$4188	\$4313

**Wood Veneer Desks**

OLSLW3	23" or 24"	34"W	34"W-36"W	\$4197	\$4616	\$4757	\$4864	\$4970	\$5098
	23" or 24"	40"W	36 <sup>1</sup> / <sub>16</sub> "W-42"W	\$4616	\$4723	\$4864	\$4988	\$5098	\$5234
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	\$4757	\$4864	\$4970	\$5118	\$5234	\$5376
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	\$4864	\$4988	\$5118	\$5234	\$5379	\$5501
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W-60"W	\$4970	\$5098	\$5234	\$5379	\$5501	\$5639
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	\$5098	\$5234	\$5376	\$5501	\$5639	\$5786

► Specification Information, continued on next page




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information															
Style Number	Dimensions D			U.S. Base Prices											
	Modular Left Width	Parametric Left Width		Modular Right Width	Parametric Right Width										
				34"W	34"W—36"W	40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W



### 120° 3-Leg Corner Desks — Basic Height

#### High Pressure Laminate Desks


OLSLW3	29" or 30"	34"W	34"W—36"W	\$3446	\$3555	\$3662	\$3768	\$3875	\$3984
	29" or 30"	40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$3555	\$3662	\$3768	\$3875	\$3984	\$4100
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$3662	\$3768	\$3875	\$3984	\$4100	\$4218
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3768	\$3875	\$3984	\$4100	\$4218	\$4341
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3875	\$3984	\$4100	\$4218	\$4341	\$4461
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3984	\$4100	\$4218	\$4341	\$4461	\$4586

#### Wood Veneer Desks

OLSLW3	29" or 30"	34"W	34"W—36"W	\$4782	\$4911	\$5032	\$5156	\$5283	\$5404
	29" or 30"	40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$4911	\$5032	\$5156	\$5283	\$5404	\$5533
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$5032	\$5156	\$5283	\$5404	\$5533	\$5669
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$5156	\$5283	\$5404	\$5533	\$5669	\$5814
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$5283	\$5404	\$5533	\$5669	\$5814	\$5956
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$5404	\$5533	\$5669	\$5814	\$5956	\$6100

 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

# Ology Height-Adjustable Bases



**Tip:** Any storage higher than 19" will impede lowest height range of worksurface. On basic height desks, any storage higher than 23<sup>7</sup>/<sub>10</sub>" will impede lowest height range of worksurface. Do not place storage underneath controller.

**Tip:** On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See page 43 for Steelcase Monitor Arm Guidelines.

**Tip:** For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

▶ See page 43, Steelcase Monitor Arm Guidelines.

**Tip:** Base supports a maximum distributed weight capacity of 360 pounds (2-leg) and 500 pounds (3-leg). When calculating lifting capacity, subtract the weight of the worksurface and understructure.

**Tip:** 2-leg desks that have an overhang, or are 35"D or 36"D will have a distributed weight capacity of 300 pounds (136.1 kg).

▶ See page 52 for understructure weights.

**Tip:** Antimicrobial additives can be specified only when specifying simple touch controller.

**Tip:** Attachment hardware is intended for worksurfaces 1" thick only.

**Tip:** 9" overhang is available on desks 64"W and larger. Overhang on both sides is available on 70"W and 76"W only.

**Tip:** Overhang not available on 35"D or 36"D.

**Tip:** Overhang is available on rectangular bases only.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 46	<ul style="list-style-type: none"> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Active touch controller</li> <li>• Modular width:                             <ul style="list-style-type: none"> <li>– Rectangular base: 34"–76"</li> <li>– Tapered base: 58"–76"</li> <li>– 90° equal corner base: 52"–76"</li> <li>– 90° extended corner base: 40"–76"</li> <li>– 120° equal corner base: 34"–64"</li> </ul> </li> <li>• 1/2" adjustable glides</li> <li>• Power cord: 10<sup>4</sup>/<sub>5</sub>'</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk depth</li> <li>3 Desk width</li> <li>4 Paint color number for base:                             <ul style="list-style-type: none"> <li>4799 Platinum Metallic</li> <li>7207 Black</li> <li>7241 Arctic White</li> <li>7360 Merle</li> </ul> </li> <li>5 Antimicrobial or non-antimicrobial components, if simple touch controller selected (see below under Required Selections)</li> <li>6 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>

	Required Selections	U.S. Price	Required to Specify
<b>Antimicrobial Components</b>	<ul style="list-style-type: none"> <li>• Non-antimicrobial components</li> <li>• Antimicrobial components</li> </ul>	No cost No cost	Specify with non-antimicrobial components. Specify with antimicrobial components.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Bases</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2 for rectangular and tapered bases</li> <li>• Paint price group 2 for corner bases</li> </ul>	No cost +\$ 44 +\$ 66	Specify paint color number. Specify paint color number. Specify paint color number.
			▶ See <i>Surface Materials</i> , page 276.

<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Parametric width desk</li> </ul>	No cost	Specify with parametric desk type.
<b>Overhang</b>	<ul style="list-style-type: none"> <li>• Desk overhang on left</li> <li>• Desk overhang on right</li> <li>• Desk overhang left and right</li> </ul>	No cost No cost No cost	Specify with desk overhang left. Specify with desk overhang right. Specify with desk overhang left and right.
<b>Glides</b>	<ul style="list-style-type: none"> <li>• 1" adjustable glides</li> </ul>	+\$ 23 per glide	Specify with 1" glides.
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Simple touch controller</li> <li>• 4 pre-set controller</li> </ul>	–\$ 74 +\$173	Specify with simple touch controller. Specify with 4 pre-set controller.

**Tip:** The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.


## ⚠ WARNING

Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.


**Specification Information**

Style Number	Dimension D	Desk Type	U.S. Base Prices							
			34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular	34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	34"W	36 <sup>1</sup> / <sub>16</sub> "W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
			-36"W	-42"W	-48"W	-54"W	-60"W	-66"W	-72"W	-78"W



**Rectangular Bases — Extended Height**

OLELRQB	23" or 24"	\$2312	\$2386	\$2462	\$2542	\$2620	\$2710	\$2796	\$2882
	29" or 30"	\$2605	\$2688	\$2774	\$2862	\$2896	\$2943	\$2970	\$2989
	35" or 36"	\$2862	\$2888	\$2919	\$2933	\$2960	\$3002	\$3015	\$3020



**Rectangular Bases — Basic Height**

OLSLRQB	23" or 24"	\$2132	\$2200	\$2271	\$2344	\$2418	\$2500	\$2577	\$2658
	29" or 30"	\$2402	\$2479	\$2557	\$2641	\$2668	\$2715	\$2740	\$2755
	35" or 36"	\$2641	\$2665	\$2692	\$2703	\$2730	\$2767	\$2778	\$2784

► Specification Information, continued on next page



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

## Ology Height-Adjustable Bases, continued

### ► Specification Information, continued from previous page


#### Specification Information

• Style Number	• Dimensions		• Desk Type	• U.S. Base Prices			
	LD	RD					
			Modular	58"W	64"W	70"W	76"W
			Parametric	58 <sup>1</sup> / <sub>16</sub> "W-60"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	72 <sup>1</sup> / <sub>16</sub> "W-78"W



#### Tapered Bases — Extended Height

<b>OLELRTB</b>	23" or 24"	29" or 30"	\$2896	\$2943	\$2970	\$2989
	29" or 30"	23" or 24"	\$2896	\$2943	\$2970	\$2989



#### Tapered Bases — Basic Height

<b>OLSLRTB</b>	23" or 24"	29" or 30"	\$2668	\$2715	\$2740	\$2755
	29" or 30"	23" or 24"	\$2668	\$2715	\$2740	\$2755

### ► Specification Information, continued on next page




#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information										
Style Number	Dimensions		U.S. Base Prices							
	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
			Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
				42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° Corner 3-Leg Bases — Extended Height (Same Depth Both Ends 23"/24")**

OLELL3B	23" or 24"	40"W	40"W—42"W	N.A.	N.A.	\$3536	\$3591	\$3647	\$3703	\$3760
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	N.A.	N.A.	\$3591	\$3647	\$3703	\$3760	\$3817
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3536	\$3591	\$3647	\$3703	\$3760	\$3817	\$3873
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3591	\$3647	\$3703	\$3760	\$3817	\$3873	\$3929
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3647	\$3703	\$3760	\$3817	\$3873	\$3929	\$3984
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W—72"W	\$3703	\$3760	\$3817	\$3873	\$3929	\$3984	\$4043
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W—76"W	\$3760	\$3817	\$3873	\$3929	\$3984	\$4043	\$4102

Tip: At least one side must be 52"W or greater.


► **Specification Information, continued on next page**

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

Ology Height-Adjustable Bases, continued

► Specification Information, continued from previous page

Specification Information											
Style Number	Dimensions D			U.S. Base Prices							
	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W	
			Modular Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W	
			Parametric Right Width	42"W	48"W	54"W	60"W	66"W	72"W	78"W	



**90° Corner 3-Leg Bases — Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

OLELL3B	23" or 24" R/L	29" or 30" L/R	40"W	40"W-42"W	N.A.	N.A.	► See page 70				
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W-48"W	N.A.	N.A.	\$3746	\$3805	\$3861	\$3917	\$3973
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W-54"W	► See page 70	\$3746	\$3805	\$3861	\$3917	\$3973	\$4030
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W-60"W	\$3746	\$3805	\$3861	\$3917	\$3973	\$4030	\$4086
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W-66"W	\$3805	\$3861	\$3917	\$3973	\$4030	\$4086	\$4143
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W-72"W	\$3861	\$3917	\$3973	\$4030	\$4086	\$4143	\$4199
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W-78"W	\$3917	\$3973	\$4030	\$4086	\$4143	\$4199	\$4260

Tip: At least one side must be 52"W or greater.

► Specification Information, continued on next page




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► **Specification Information, continued from previous page**

Specification Information											
Style Number	Dimensions		U.S. Base Prices								
	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W	
			Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W	78"W



**90° Corner 3-Leg Bases — Extended Height (Same Depth Both Ends 29"/30")**

OLELL3B	29" or 30"	40"W	40"W—42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	N.A.	N.A.	\$3901	\$3958	\$4017	\$4072	\$4129
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	N.A.	\$3901	\$3958	\$4017	\$4072	\$4129	\$4184
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	N.A.	\$3958	\$4017	\$4072	\$4129	\$4184	\$4242
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	N.A.	\$4017	\$4072	\$4129	\$4184	\$4242	\$4298
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W—72"W	N.A.	\$4072	\$4129	\$4184	\$4242	\$4298	\$4354
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W—78"W	N.A.	\$4129	\$4184	\$4242	\$4298	\$4354	\$4412



**90° Corner 3-Leg Bases — Basic Height (Same Depth Both Ends 23"/24")**

OLSL3B	23" or 24"	40"W	40"W—42"W	N.A.	N.A.	\$3258	\$3310	\$3361	\$3415	\$3465
	23" or 24"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	N.A.	N.A.	\$3310	\$3361	\$3415	\$3465	\$3516
	23" or 24"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3258	\$3310	\$3361	\$3415	\$3465	\$3516	\$3569
	23" or 24"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3310	\$3361	\$3415	\$3465	\$3516	\$3569	\$3621
	23" or 24"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3361	\$3415	\$3465	\$3516	\$3569	\$3621	\$3673
	23" or 24"	70"W	66 <sup>1</sup> / <sub>16</sub> "W—72"W	\$3415	\$3465	\$3516	\$3569	\$3621	\$3673	\$3724
	23" or 24"	76"W	72 <sup>1</sup> / <sub>16</sub> "W—78"W	\$3465	\$3516	\$3569	\$3621	\$3673	\$3724	\$3781

Tip: At least one side must be 52"W or greater.


► **Specification Information, continued on next page**

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

Ology Height-Adjustable Bases, continued

► **Specification Information, continued from previous page**

Specification Information											
Style Number	Dimensions			U.S. Base Prices							
	D			Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
		Modular Left Width	Parametric Left Width	Parametric Right Width	40"W—	42 <sup>1</sup> / <sub>16</sub> "W—	48 <sup>1</sup> / <sub>16</sub> "W—	54 <sup>1</sup> / <sub>16</sub> "W—	60 <sup>1</sup> / <sub>16</sub> "W—	66 <sup>1</sup> / <sub>16</sub> "W—	72 <sup>1</sup> / <sub>16</sub> "W—
					42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° Corner 3-Leg Bases — Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

OLSL3B	23" or 24" R/L	29" or 30" L/R	40"W	40"W–42"W	N.A.	N.A.	► See page 71				
	23" or 24" R/L	29" or 30" L/R	46"W	42 <sup>1</sup> / <sub>16</sub> "W–48"W	N.A.	N.A.	\$3453	\$3503	\$3557	\$3608	\$3662
	23" or 24" R/L	29" or 30" L/R	52"W	48 <sup>1</sup> / <sub>16</sub> "W–54"W	► See page 71	\$3453	\$3503	\$3557	\$3608	\$3662	\$3712
	23" or 24" R/L	29" or 30" L/R	58"W	54 <sup>1</sup> / <sub>16</sub> "W–60"W	\$3453	\$3503	\$3557	\$3608	\$3662	\$3712	\$3764
	23" or 24" R/L	29" or 30" L/R	64"W	60 <sup>1</sup> / <sub>16</sub> "W–66"W	\$3503	\$3557	\$3608	\$3662	\$3712	\$3764	\$3816
	23" or 24" R/L	29" or 30" L/R	70"W	66 <sup>1</sup> / <sub>16</sub> "W–72"W	\$3557	\$3608	\$3662	\$3712	\$3764	\$3816	\$3867
	23" or 24" R/L	29" or 30" L/R	76"W	72 <sup>1</sup> / <sub>16</sub> "W–78"W	\$3608	\$3662	\$3712	\$3764	\$3816	\$3867	\$3924

Tip: At least one side must be 52"W or greater.

► **Specification Information, continued on next page**




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information										
Style Number	Dimensions		U.S. Base Prices							
	Modular Left Width	Parametric Left Width	Modular Right Width	40"W	46"W	52"W	58"W	64"W	70"W	76"W
			Parametric Right Width	40"W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
				42"W	48"W	54"W	60"W	66"W	72"W	78"W



**90° Corner 3-Leg Base — Basic Height (Same Depth Both Ends 29"/30")**

OLSL3B	29" or 30"	40"W	40"W—42"W	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	29" or 30"	46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	N.A.	N.A.	\$3596	\$3647	\$3699	\$3751	\$3805
	29" or 30"	52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	N.A.	\$3596	\$3647	\$3699	\$3751	\$3805	\$3854
	29" or 30"	58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	N.A.	\$3647	\$3699	\$3751	\$3805	\$3854	\$3908
	29" or 30"	64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	N.A.	\$3699	\$3751	\$3805	\$3854	\$3908	\$3958
	29" or 30"	70"W	66 <sup>1</sup> / <sub>16</sub> "W—72"W	N.A.	\$3751	\$3805	\$3854	\$3908	\$3958	\$4012
	29" or 30"	76"W	72 <sup>1</sup> / <sub>16</sub> "W—78"W	N.A.	\$3805	\$3854	\$3908	\$3958	\$4012	\$4067

Tip: At least one side must be 52"W or greater.

► **Specification Information, continued on next page**


 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

## Ology Height-Adjustable Bases, continued

### ► Specification Information, continued from previous page


#### Specification Information

• Style Number	• Dimensions D		• U.S. Base Prices							
	• Modular Left Width	• Parametric Left Width	• Modular Right Width	• Parametric Right Width	34"W	40"W	46"W	52"W	58"W	64"W
					34"W	36 <sup>1</sup> / <sub>16</sub> "W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W
					36"W	42"W	48"W	54"W	60"W	66"W



### 120° 3-Leg Corner Bases — Extended Height

OLELW3B	23" or 24"	34"W	34"W—36"W	\$3352	\$3405	\$3458	\$3512	\$3567	\$3621
		40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$3405	\$3458	\$3512	\$3567	\$3621	\$3675
		46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$3458	\$3512	\$3567	\$3621	\$3675	\$3730
		52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3512	\$3567	\$3621	\$3675	\$3730	\$3785
		58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3567	\$3621	\$3675	\$3730	\$3785	\$3839
		64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3621	\$3675	\$3730	\$3785	\$3839	\$3893



### 120° 3-Leg Corner Bases — Extended Height

OLELW3B	29" or 30"	34"W	34"W—36"W	\$3499	\$3554	\$3608	\$3663	\$3717	\$3770
		40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$3554	\$3608	\$3663	\$3717	\$3770	\$3825
		46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$3608	\$3663	\$3717	\$3770	\$3825	\$3878
		52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3663	\$3717	\$3770	\$3825	\$3878	\$3933
		58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3717	\$3770	\$3825	\$3878	\$3933	\$3987
		64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3770	\$3825	\$3878	\$3933	\$3987	\$4043

### ► Specification Information, continued on next page




#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► Specification Information, continued from previous page

Specification Information											
• Style Number	• Dimensions			• U.S. Base Prices							
	D	• Modular Left Width	• Parametric Left Width	• Modular Right Width	• Parametric Right Width	34"W	40"W	46"W	52"W	58"W	64"W
						34"W	40"W	46"W	52"W	58"W	64"W
						34"W	36 <sup>1</sup> / <sub>16</sub> "W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W
						36"W	42"W	48"W	54"W	60"W	66"W



**120° Corner 3-Leg Bases — Basic Height**

OLSLW3B	23" or 24"	34"W	34"W—36"W	\$3077	\$3127	\$3176	\$3228	\$3279	\$3330
		40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$3127	\$3176	\$3228	\$3279	\$3330	\$3380
		46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$3176	\$3228	\$3279	\$3330	\$3380	\$3430
		52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3228	\$3279	\$3330	\$3380	\$3430	\$3479
		58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3279	\$3330	\$3380	\$3430	\$3479	\$3529
		64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3330	\$3380	\$3430	\$3479	\$3529	\$3581



**120° 3-Leg Corner Bases — Basic Height**

OLSLW3B	29" or 30"	34"W	34"W—36"W	\$3225	\$3276	\$3328	\$3378	\$3426	\$3475
		40"W	36 <sup>1</sup> / <sub>16</sub> "W—42"W	\$3276	\$3328	\$3378	\$3426	\$3475	\$3525
		46"W	42 <sup>1</sup> / <sub>16</sub> "W—48"W	\$3328	\$3378	\$3426	\$3475	\$3525	\$3575
		52"W	48 <sup>1</sup> / <sub>16</sub> "W—54"W	\$3378	\$3426	\$3475	\$3525	\$3575	\$3624
		58"W	54 <sup>1</sup> / <sub>16</sub> "W—60"W	\$3426	\$3475	\$3525	\$3575	\$3624	\$3674
		64"W	60 <sup>1</sup> / <sub>16</sub> "W—66"W	\$3475	\$3525	\$3575	\$3624	\$3674	\$3724

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

# Ology Modesty Panels

## High-Pressure Laminate or Wood Veneer



*Tip: Modesty panels cannot be used on desks with integrated rail. To use with the integrated rail, the modesty panel must be undersized by a minimum of 12" (rectangular and tapered) or 7" (90°) and inset from the edge of the worksurface.*

**For laminate price group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

*Tip: Modular modesty panels are undersized 2½" to account for desks with radius corners.*

*Tip: When using a modesty panel on straight and taper parametric sized desks, modesty panel width must be verified in CET to avoid interference.*

*Tip: Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified, however, laminate specification is only allowed up to 60" wide.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 74</li> </ul>	<ul style="list-style-type: none"> <li>Panel: High-Pressure Laminate price group 1 or wood group 1 veneer</li> <li>Modular widths: 34"—76"</li> <li>Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Panel type (see below under Required Selections)</li> <li>Panel width</li> <li>High-Pressure Laminate or wood color for panel</li> <li>Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Required Selections	U.S. Price	Required to Specify
<b>Panel Type</b>		
<ul style="list-style-type: none"> <li>Modular width panel</li> <li>Parametric width panel</li> </ul>	No cost No cost	Specify with modular panel type. Specify with parametric panel type.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
<b>High-Pressure Laminate</b>		
<ul style="list-style-type: none"> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	See information at left See information at left +\$102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
<b>Wood veneer</b>		
<ul style="list-style-type: none"> <li>Wood group 2</li> <li>Wood group 3</li> <li>Customiz stain</li> </ul>	+\$102 +\$359 No cost	Specify wood color number. Specify wood color number. Specify with customiz stain. ▶ See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> <li>Full-fill finish on wood group 1</li> </ul>	+\$102	Specify full-fill finish number.
<b>Grain direction</b>		
<ul style="list-style-type: none"> <li>Horizontal grain direction</li> <li>Vertical grain direction</li> </ul>	No cost No cost	Specify with horizontal grain direction. Specify with vertical grain direction.

### Specification Information

Style Number	Panel Type	U.S. Base Prices							
		34"W	40"W	46"W	52"W	58"W	64"W	70"W	76"W
Modular	Parametric	34"W	36 <sup>1</sup> / <sub>16</sub> "W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W
		36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W
	<b>Weight</b>	15.2 lb	17.6 lb	20.0 lb	22.4 lb	24.8 lb	27.3 lb	29.7 lb	32.1 lb

### High-Pressure Laminate

OLMP	34"	40"	46"	52"	58"	64"	70"	76"
	\$288	\$289	\$295	\$301	\$305	\$314	\$322	\$330

### Wood Veneer

OLMP	34"	40"	46"	52"	58"	64"	70"	76"
	\$360	\$365	\$373	\$379	\$383	\$394	\$404	\$415

## Cable Riser



Fence connection



Leg connection

Tip: Cable riser leg connection is not compatible with the Flex height adjustable desk.

Standard Includes		Required to Specify
▶ Need help? Product details, page 48	<ul style="list-style-type: none"> <li>Cable riser with fence connection: 7360 Merle paint</li> <li>Attachment hardware</li> </ul>	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
<b>Connection</b>		
<ul style="list-style-type: none"> <li>Fence</li> <li>Leg</li> </ul>	No cost +\$152	Specify with fence connection. Specify with leg connection.

Specification Information	
• Style Number	• U.S. Base Price
.....	.....
<b>OLCR</b>	\$104
.....	.....

## Cable Basket



Tip: Cable baskets are compatible with rectangular, tapered, or 90° corner desks 46<sup>1</sup>/<sub>6</sub>"W or larger and 120° corner desks 40<sup>1</sup>/<sub>6</sub>"W or larger.

Tip: Cable basket attaches to the worksurface with brackets, which requires an 8" depth clearance to mount.

Standard Includes		Required to Specify
▶ Need help? Product details, page 48	<ul style="list-style-type: none"> <li>Cable basket: 6527 Merle plastic</li> </ul>	Style number

Specification Information					
Dimensions			Style Number	Weight	U.S. Price
D	W	H			
8"	18"	4 <sup>1</sup> / <sub>2</sub> "	<b>OLCB</b>	1.0 lb	\$82
.....	.....	.....	.....	.....	.....

## Cable Brackets




 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 48	<ul style="list-style-type: none"> <li>Cable brackets, quantity of four: 6527 Merle plastic</li> </ul>	Style number

Specification Information		
Style Number	Weight	U.S. Price
<b>OLCBK4</b>	0.5 lb	\$50
.....	.....	.....

# Active Touch Controller Kit

For Ology Desks



*Tip: Active touch controller kit can upgrade any existing Ology desk or base as a replacement to the up/down or 4-preset programmable controller.*

*Tip: Tapered and rectangle Ology desks require the standard 2-leg application; corner Ology desks require 3-leg application.*

*Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.*

Standard Includes	Required to Specify
-------------------	---------------------

- Active touch controller
- 2-leg application

- 1 Style number
- 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
---------	------------	---------------------

**Leg Application**

- 3-leg

+\$195

Specify *with 3-leg.*

### Specification Information

Style Number	U.S. Base Price
--------------	-----------------

<b>OLATKT</b>	\$388
---------------	-------



**For Canadian Pricing**


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.



# Universal Steel One-High and 1.5-High Open Laterals

For Ology Application



Drawings show right-hand application, left hand is also available.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

Tip: Only available for Ology desks specified with modular widths.

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

	Standard Includes	Required to Specify
▶ Need help? Product details, page 76	<ul style="list-style-type: none"> <li>Lateral case: paint price group 1</li> <li>1<sup>3</sup>/<sub>16</sub>" H top: laminate price group 1, if selected                             <ul style="list-style-type: none"> <li>– Edge: plastic</li> </ul> </li> <li>1<sup>3</sup>/<sub>16</sub>" H top: wood group 1, if selected</li> <li>Four adjustable leveling glides</li> <li>Grommet</li> <li>Wire manager</li> <li>Ganging hardware</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint color number for lateral case</li> <li>Width (see below under Required Selections)</li> <li>Laminate color number for top, if laminate top selected</li> <li>Plastic color number for edge, if laminate top selected</li> <li>Wood color number for top, if wood top selected</li> <li>Front style (see below under Required Selections)</li> <li>Application (see below under Required Selections)</li> <li>Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>

	Required Selections	U.S. Price	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>30"W</li> <li>36"W</li> <li>42"W</li> </ul>	Prices at right Prices at right Prices at right	Specify with 30" width. Specify with 36" width. Specify with 42" width.
<b>Front Style</b>	<ul style="list-style-type: none"> <li>Flush steel front</li> <li>Proud steel front</li> </ul>	Prices at right Prices at right	Specify with flush steel front. Specify with proud steel front.
<b>Application</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	No cost No cost	Specify with right-hand application. Specify with left-hand application.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Paint price group 3</li> </ul>	No cost +\$111 +\$192	Specify paint color number. Specify paint color number. Specify paint color number.
<b>Tops</b>	<p><b>No top</b></p> <ul style="list-style-type: none"> <li>For use beneath a Universal common top</li> </ul> <p><b>Laminate top</b></p> <ul style="list-style-type: none"> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul> <p><b>Wood veneer top</b></p> <ul style="list-style-type: none"> <li>Wood group 1</li> <li>Wood group 2</li> <li>Wood group 3</li> <li>Customiz stain</li> </ul>	–\$147  See information at left See information at left +\$102 plus cost of laminate  +\$619 +\$663 +\$758 No cost	Specify with no top.  Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .  Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with customiz stain. ▶ See <i>Surface Materials Reference Manual</i> .

<b>Related Products</b>	<ul style="list-style-type: none"> <li>Universal common tops</li> <li>Universal shrouds</li> <li>Universal filler</li> </ul>	<ul style="list-style-type: none"> <li>▶ Page 118</li> <li>▶ Page 116</li> <li>▶ Page 117</li> </ul>
-------------------------	--	--



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

**Specification Information**



Style Number	Dimensions			U.S. Base Prices	
	D	W	H	Flush Steel Front	Proud Steel Front

**One-High Open Lateral**

RSCHAD	18"	18 <sup>7</sup> / <sub>8</sub> "	30"	16"	\$1509	\$1596
		18"	18 <sup>7</sup> / <sub>8</sub> "	36"	16"	\$1666
	18"	18 <sup>7</sup> / <sub>8</sub> "	42"	16"	\$1815	\$1932

**1.5-High Open Lateral**

RSCBHAD	18"	18 <sup>7</sup> / <sub>8</sub> "	30"	22"	\$1839	\$1946
		18"	18 <sup>7</sup> / <sub>8</sub> "	36"	22"	\$2031
	18"	18 <sup>7</sup> / <sub>8</sub> "	42"	22"	\$2214	\$2357





 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
▶ See page 1 for details.

# Universal Shrouds

For Use with Universal Steel One-High and 1.5-High Open Laterals, Ology Application

*Tip: Universal shroud width must match width of the universal Steel One-High or 1.5-High open lateral for Ology applications.*



Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 76</li> </ul>	<ul style="list-style-type: none"> <li>• Shroud: paint price group 1</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Paint color number for shroud</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Required Selections	U.S. Price	Required to Specify
<b>Width</b>		
• 30"W	No cost	Specify with 30" width.
• 36"W	No cost	Specify with 36" width.
• 42"W	No cost	Specify with 42" width.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$45	Specify paint color number.
• Paint price group 3	+\$74	Specify paint color number.

<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Universal Steel One-High and 1.5-High open lateral files for Ology application</li> </ul>	▶ Page 114
-------------------------	--	------------

## Specification Information

Dimensions		Style	U.S.
D	H	Number	Base Price
:	:	:	:
:	:	:	:

### One-High Shroud

6"	16"	<b>RPXSHAD</b>	\$114
:	:	:	:

### 1.5-High Shroud

6"	22"	<b>RPXSBHAD</b>	\$129
:	:	:	:



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

# Universal Filler

Universal Filler

For Use with Universal Steel One-High and 1.5-High Open Laterals, Ology Application

Standard Includes		Required to Specify
▶ Need help? Product details, page 76	<ul style="list-style-type: none"> <li>• Filler: paint</li> <li>• Attachment hardware</li> </ul>	1 Style number 2 Paint color number for filler ▶ See <i>Surface Materials</i> , page 276.

Related Products	
<ul style="list-style-type: none"> <li>• Universal Steel One-High and 1.5-High open lateral files for Ology applications</li> </ul>	▶ Page 114

## Specification Information

Dimensions		Style	U.S.
D	H	Number	Price

### One-High Filler

6"	16"	<b>RPXFHAD</b>	\$ 81
:	:	:	:

### 1.5-High Filler

6"	22"	<b>RPXFBHAD</b>	\$101
:	:	:	:




Ology

 **For Canadian Pricing**  
 Multiply U.S. Price by the  
 Canadian price factor.  
 ▶ See page 1 for details.

# Universal Common Tops

For Use with Universal Steel One-High and 1.5-High Open Laterals and Credenzas, Ology Application



Drawing shows right-hand application, left hand is also available.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 78</li> <li>• 1<math>\frac{3}{16}</math>"H top: laminate price group 1, if selected – Edge: plastic</li> <li>• 1<math>\frac{3}{16}</math>"H top: wood group 1, if selected</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Laminate color number for top, if laminate top selected</li> <li>4 Plastic color number for edge, if laminate top selected</li> <li>5 Wood color number on top, if wood top selected</li> <li>6 Front style (see below under Required Selections)</li> <li>7 Application (see below under Required Selections)</li> <li>8 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>

Required Selections	U.S. Price	Required to Specify
<b>Width</b>		
<ul style="list-style-type: none"> <li>• 60"W</li> <li>• 66"W</li> <li>• 72"W</li> <li>• 78"W</li> <li>• 84"W</li> <li>• 90"W</li> <li>• 96"W</li> <li>• 108"W</li> </ul>	<p>Prices at right</p>	<p>Specify with 60" width.</p> <p>Specify with 66" width.</p> <p>Specify with 72" width.</p> <p>Specify with 78" width.</p> <p>Specify with 84" width.</p> <p>Specify with 90" width.</p> <p>Specify with 96" width.</p> <p>Specify with 108" width.</p>

<b>Front Style</b>	<ul style="list-style-type: none"> <li>• Flush front</li> <li>• Proud front</li> </ul>	<p>No cost</p> <p>No cost</p>	<p>Specify with flush front.</p> <p>Specify with proud front.</p>
--------------------	--	-------------------------------	---

<b>Application</b>	<ul style="list-style-type: none"> <li>• Right hand</li> <li>• Left hand</li> </ul>	<p>No cost</p> <p>No cost</p>	<p>Specify with right-hand application.</p> <p>Specify with left-hand application.</p>
--------------------	---	-------------------------------	--

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

For wood and laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
<b>Laminate top</b>		
<ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	<p>See information at left</p> <p>See information at left</p> <p>+\$102 plus cost of laminate</p>	<p>Specify laminate color number.</p> <p>Specify laminate color number.</p> <p>▶ See <i>Surface Materials Reference Manual</i>.</p>
<b>Wood veneer top</b>		
<ul style="list-style-type: none"> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> <li>• Full-fill finish on wood group 1</li> </ul>	<p>See information at left</p> <p>See information at left</p> <p>No cost</p> <p>Prices at right</p>	<p>Specify with wood veneer top and indicate wood color number.</p> <p>Specify with wood veneer top and indicate wood color number.</p> <p>Specify with customiz stain.</p> <p>▶ See <i>Surface Materials Reference Manual</i>.</p> <p>Specify with full-fill finish and select wood color number.</p> <p>▶ See <i>Surface Materials Reference Manual</i>.</p>


<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Universal Steel One-High and 1.5-High open lateral files for Ology application</li> <li>• Universal shrouds</li> <li>• Universal filler</li> </ul>	<p>▶ Page 114</p> <p>▶ Page 116</p> <p>▶ Page 117</p>
-------------------------	---	---



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

**Specification Information**

Style Number	Dimensions		W	U.S. Base Prices		Options (Add \$ to Base Price)
	Flush Front	Proud Front		Laminate	Veneer	Full-Fill Finish on Wood Group 1
<b>RATCTHAD</b>	18"	18 <sup>7</sup> / <sub>8</sub> "	60"	\$ 463	\$1040	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	66"	\$ 534	\$1097	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	72"	\$ 603	\$1150	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	78"	\$ 763	\$1376	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	84"	\$ 862	\$1565	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	90"	\$ 960	\$1655	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	96"	\$1059	\$1825	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	108"	\$1272	N.A.	N.A.




Tip: Can not order veneer on 108"W Universal common top.



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Elective Elements One-High Open Plinth Base Pedestals

For Ology Application



Tip: Leveling glides adjust up to 3/4".

Tip: Drawings show right-hand application, left hand is also available.

Tip: Right-hand or left-hand application is determined by which leg of the Ology desk is located inside the storage.

**For laminate price group 2 and 3 pricing,** please refer to the electronic catalog or SmartTools.

Tip: Only available for Ology desks specified with modular widths.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 78</li> <li>• Case with back panel: wood group 1 veneer or laminate price group 1</li> <li>• Grommet</li> <li>• Removable interior cover</li> <li>• Wire manager</li> <li>• Leveling glides</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Wood or laminate color number for case</li> <li>4 Application (see below under Required Selections)</li> <li>5 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Required Selections	U.S. Price	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>• 24"W Price below</li> <li>• 30"W Price below</li> <li>• 36"W Price below</li> <li>• 42"W Price below</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 24"W.</li> <li>Specify with 30"W.</li> <li>Specify with 36"W.</li> <li>Specify with 42"W.</li> </ul>
<b>Application</b>	<ul style="list-style-type: none"> <li>• Right hand No cost</li> <li>• Left hand No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with right-hand application.</li> <li>Specify with left-hand application.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<p><b>Case</b></p> <ul style="list-style-type: none"> <li>• Laminate price group 1 -\$215</li> <li>• Laminate price group 2 See information at left</li> <li>• Laminate price group 3 See information at left</li> <li>• Open Line laminate -\$181 plus cost of laminate</li> <li>• Wood group 2 +\$ 62</li> <li>• Wood group 3 +\$222</li> <li>• Full-fill finish on wood group 1 No cost</li> <li>• Customiz stain No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify laminate color number.</li> <li>Specify laminate color number.</li> <li>Specify laminate color number.</li> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> <li>Specify wood color number.</li> <li>Specify wood color number.</li> <li>Specify wood veneer color number.</li> <li>Specify with Customiz stain.</li> </ul>
<b>Grain Direction</b>	<ul style="list-style-type: none"> <li>• No grain direction No cost</li> <li>• Vertical No cost</li> <li>• Horizontal No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with no grain direction.</li> <li>Specify with vertical grain direction.</li> <li>Specify with horizontal grain direction.</li> </ul>
<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Elective Elements common tops for Ology application</li> </ul>	<ul style="list-style-type: none"> <li>▶ Page 122</li> </ul>

Specification Information					
Style Number	Dimensions			U.S. Base Price	Option (Add \$ to Base Price)
	D	H	W		
E6PDHAD	17¼"	15½"	24"	\$2170	-\$178
	17¼"	15½"	30"	\$2316	-\$204
	17¼"	15½"	36"	\$2460	-\$227
	17¼"	15½"	42"	\$2609	-\$254



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.





**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

*Tip: Short grain on laminate tops is only available on 60"W.*

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Wood veneer tops</b>		
	<ul style="list-style-type: none"> <li>Wood group 2</li> <li>Wood group 3</li> <li>Full-fill finish on wood group 1</li> <li>Customiz stain</li> </ul>	Prices below Prices below Prices below No cost	Specify wood color number. Specify wood color number. Specify wood veneer color number. Specify with Customiz stain.
	<b>Laminate tops</b>		
	<ul style="list-style-type: none"> <li>Laminate price group 1</li> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	Prices below See information at left See information at left Prices below plus cost of laminate	Specify laminate color number. Specify laminate color number. Specify laminate color number. ▶ See Surface Materials Reference Manual.
<b>Grain Direction</b>	<b>Veneer tops</b>		
	<ul style="list-style-type: none"> <li>Long grain</li> <li>Short grain</li> </ul>	No cost No cost	Specify with long grain. Specify with short grain.
	<b>Laminate tops</b>		
	<ul style="list-style-type: none"> <li>No grain direction</li> <li>Long grain</li> <li>Short grain (on 60"W)</li> </ul>	No cost No cost No cost	Specify with no grain direction. Specify with long grain. Specify with short grain.
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Elective Elements One-High open plinth base pedestals for Ology application</li> <li>Ology modesty panels</li> <li>Fixed personal/modesty screens</li> </ul>		▶ Page 120 ▶ Page 110 ▶ Page 256

**Specification Information**

Style Number	Dimensions		U.S. Base Prices			Options (Add \$ to Base Price)			
	D	W	Wood Group 1	Laminate		Wood		Full-Fill Finish on Wood Group 1	Open Line Laminate
			Wood Square Edge	3 mm Plastic Square Edge	Wood Square Edge	Wood Group 2	Wood Group 3		
<b>E6WSHAD</b>	18"	24"	\$ 743	\$ 315	\$ 644	+\$ 41	+\$138	+\$ 44	-\$327
	18"	30"	\$ 789	\$ 361	\$ 690	+\$ 41	+\$138	+\$ 44	-\$327
	18"	36"	\$ 809	\$ 381	\$ 710	+\$ 69	+\$240	+\$ 69	-\$327
	18"	42"	\$ 896	\$ 414	\$ 792	+\$ 69	+\$240	+\$ 69	-\$379
	18"	48"	\$ 967	\$ 485	\$ 863	+\$ 69	+\$240	+\$ 69	-\$379
	18"	54"	\$1000	\$ 518	\$ 896	+\$ 69	+\$240	+\$ 69	-\$379
	18"	60"	\$1090	\$ 552	\$ 973	+\$102	+\$358	+\$102	-\$435
	18"	66"	\$1159	\$ 621	\$1042	+\$102	+\$358	+\$102	-\$435
	18"	72"	\$1239	\$ 701	\$1122	+\$102	+\$358	+\$102	-\$435
	18"	78"	\$1305	\$ 767	\$1188	+\$102	+\$358	+\$102	-\$435
	18"	84"	\$1585	\$1047	\$1468	+\$102	+\$358	+\$102	-\$435
	18"	90"	\$1850	\$1312	\$1733	+\$102	+\$358	+\$102	-\$435
	18"	96"	\$2128	\$1590	\$2011	+\$102	+\$358	+\$102	-\$435
	18"	102"	\$2446	\$1854	\$2321	+\$141	+\$493	+\$141	-\$488
	18"	108"	\$2811	\$2219	\$2686	+\$141	+\$493	+\$141	-\$488
	18"	114"	\$3235	\$2643	\$3110	+\$141	+\$493	+\$141	-\$488
18"	120"	\$3719	\$3127	\$3594	+\$141	+\$493	+\$141	-\$488	



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



---

# Steelcase Flex Collection

## Understanding

Height-Adjustable Desks and Bases	126
Curved Screens	133
Personal Spaces	134
Accessories	136

## Specifying

Rectangle Height-Adjustable Desks and Bases	138
120° Height-Adjustable Desks	142
Curved Screens	146
Desk Mount Privacy Wraps	147
Accessories	149

# Flex Rectangle Height-Adjustable Desks and Bases

**Height-adjustable desks** bring mobility and wellbeing, allowing users to change posture and location to suit their work needs. Optional integrated power includes a single power cord that comes out of the desk for ease of movement.  
 ▶ Specifying, pages 138–140

**Desk** has a wood core with a High-Pressure Laminate, wood veneer surface, or a plywood core with a plywood surface, and is 1" thick.

**Edge** is available in 3 mm edge profile, when High-Pressure Laminate is selected.


**Square edge** is available in 3 mm edge profile, when wood veneer is selected.

**Plywood desks edge profile** is exposed plywood with a square (3 mm) radius.

**Basic height-adjustable base** adjusts from 27<sup>3</sup>/<sub>10</sub>"H–46<sup>9</sup>/<sub>10</sub>"H in any increment.

**Extended height-adjustable base** adjusts from 22<sup>3</sup>/<sub>10</sub>"H to 48<sup>7</sup>/<sub>10</sub>"H in any increment.


**Brakes** are available as an option or can be specified separately. Brake can be activated by the user to fix the mobile desk into place and is engaged by spinning the ring to the floor.  
*Tip: Brake is recommend for use on hard floors.*



**Push button simple touch controller** adjusts height at a rate of 1<sup>1</sup>/<sub>2</sub>" per second.

**Base** supports a maximum distributed weight load of 360 pounds (2-leg).  
*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*  
 ▶ See page 129 for worksurface weights.

**Lifting column** is controlled by central control box for synchronization. Columns are precision balanced to minimize surface vibrations.




**Active touch controller** is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.  
*Tip: Steelcase Rise mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

**Directional rollers** provide intentional user mobility.

## Product Details

### High-Pressure Laminate Desks

**Edge profile** is available in 3 mm edge profile.



**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and woodgrain finishes.

**Edge profile finishes** are specified separately from laminate color.

**Radius corners** are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

### Wood Veneer Desks

**Edge profile** is wood veneer with a square (3 mm) radius.

### Plywood Desks

**Plywood desk's edge profile** is exposed plywood with a square (3 mm) radius.

**Simple touch controller** is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.

*Tip: Available with an antimicrobial option.*

**Active touch controller** is Bluetooth-enabled and is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

*Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

**Obstruction sensing technology** is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

**The overall depth of the worksurface** is 23"D, 24"D, 29"D, or 30"D.

**Desk overhang for CPU holder or layering of low storage and pedestals** is available as an option. The overhang is 9" and available on 58"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.



**Extended height Flex desks** adjust 22¾"H to 48⅞"H in any increment. Basic height-adjustable base adjusts from 27¾"H–46⅞"H in any increment.

## Wiring and Cabling

**Low surge electric motor with quiet operation** adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

**Chicago** requires that desks shipping into Illinois ship with a 9' power cord.

**Flex desks and bases** are listed by ETL.




**Cable trays** are available as an option or can be ordered separately. 46"W–57½"W desks use the 28" cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see the chart below for additional guidelines.

Overhang	Worksurface Width			
	46"W–57½"W	58"W–65½"W	66"W–69½"W	70"W–72"W
None	28"W Cable Tray	40"W Cable Tray		
Left or Right	28"W Cable Tray		40"W Cable Tray	
Left and Right				28"W Cable Tray


**Integrated power** is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks 57½"W and under receive three power outlets in the understructure and desks 58"W and above receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

**Integrated power** is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.


**Integrated power** is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



**Cable riser, with fence connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



**Magnetic cable clips** are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a separate style number.



**Cable brackets**, ordered separately, support horizontal cable management below the worksurface.  
 ▶ Specifying, page 135



**Inside dimensions of cable brackets** are 6"D x 2¼"W x ¼"H.

### Surface Materials

#### High-Pressure Laminate Desk

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)  
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

#### 3 mm edge profile

- Plastic

#### Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

#### Plywood Desk

- 3862 OP Baltic Birch plywood

#### Square 3 mm edge profile

- Wood veneer to match desk
- Plywood to match desk

#### Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

#### Foot

- Paint

#### Rollers

- 6053 Seagull
- 6205 Black
- 6249 Platinum Solid
- 6527 Merle

#### Brake

- 6527 Merle

#### Braided Cord Color Matrix

**Braided cord samples** are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

*Tip: Braided cord color is defaulted to 9007 Sterling.*

Finish	Similar Steelcase Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

\*Default finish on integrated power.

### Application Topics

**Moving desks** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

**Universal boundary screens** are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

**On extended height desks, any storage higher than 19"** will impede the height range of the desk. On basic height desks, any storage higher than 23<sup>7</sup>/<sub>10</sub>" will impede the height range of the desk.

*Tip: Do not place storage underneath controller.*

**When mounting CPU holders**, specify the overhang option.  
*Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.*

**All assemblies** meet or exceed ANSI/BIFMA standards.



Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.

**Keyboard assemblies** are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

## Installation

**Desks** ship with pre-drilled holes for mounting bases.

**Height-adjustable base** requires attachment to the worksurface.


Base supports a maximum distributed weight capacity of 360 pounds.

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options.*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

*Tip: Flex 90° desk mounted wraps will work on Flex rectangular height-adjustable desks 23"D x 52"W and above.*

## Worksurface Weight

Worksurface Shape	W	D	Worksurface Weight		Understructure Weight	Leg Clearance (A)	Options	Accessory	
			23"D	24"D			Integrated Power Weight	Desk Mounted Wrap	Curved Screen*
	46"	23" or 24"	27 lb	29 lb	7.1 lb	9½"	5.0 lb	29 lb	1.9 lb
	58"	23" or 24"	35 lb	36 lb	9.4 lb	9½"	5.0 lb	29 lb	3.7 lb
	70"	23" or 24"	42 lb	43 lb	11.7 lb	9½"	5.0 lb	29 lb	5.5 lb
			29"D	30"D					
	46"	29" or 30"	34 lb	36 lb	7.1 lb	12½"	5.0 lb	29 lb	1.9 lb
	58"	29" or 30"	43 lb	45 lb	9.4 lb	12½"	5.0 lb	29 lb	3.7 lb
	70"	29" or 30"	52 lb	54 lb	11.7 lb	12½"	5.0 lb	29 lb	5.5 lb

\*For detailed curved screen information, see page 133.

# 120° Height-Adjustable Desks

**120° height-adjustable desks** bring mobility and wellbeing, allowing users to change posture and location to suit their work needs. Optional integrated power includes a single power cord that comes out of the desk for ease of movement.  
► Specifying, pages 142–144


**Edge** is available in 3 mm edge profile, when High-Pressure Laminate is selected.

**Desk** has a wood core with a High-Pressure Laminate, wood veneer surface, or a plywood core with a plywood surface, and is 1" thick.

**Base** is available in extended or basic height: extended height-adjustable base adjusts from 22<sup>3</sup>/<sub>5</sub>"H to 48<sup>7</sup>/<sub>10</sub>"H in any increment.


**Base** supports a maximum distributed weight load of 540 pounds (3-leg).  
*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.*

**Basic height-adjustable base** adjusts from 27<sup>3</sup>/<sub>5</sub>"H–46<sup>9</sup>/<sub>10</sub>"H in any increment.



**Lifting columns** are controlled by a central control box for synchronization. Columns are precision balanced to minimize surface vibrations.

**Push button simple touch controller** adjusts height at a rate of 1½" per second.



**Active touch controller** is Bluetooth-enabled; is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.


*Tip: Steelcase Rise mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

**Slide glide on 120° height-adjustable desks** provides intentional user mobility.

**Product Details**

**High-Pressure Laminate Desks**

**Edge profile** is available in 3 mm edge profile.



**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and woodgrain finishes.

**Edge profile finishes** are specified separately from laminate color.

**Radius corners** are standard with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

**Wood Veneer Desks**

**Edge profile** is wood veneer with a square (3 mm) radius.

**Plywood Desks**

**Plywood desk's edge profile** is exposed plywood with a square (3 mm) radius.


**Simple touch controller** is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.

*Tip: Available with an antimicrobial option.*

**Active touch controller** is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.


*Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.*

**Obstruction sensing technology** is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.



**Extended height Flex desks** adjust 22¾"H to 48 7/10"H in any increment.

**Basic height-adjustable base** adjusts from 27¾"H–46 9/10"H in any increment.




**Modesty panels** are available on the 120° height-adjustable desks as an option, or can be ordered separately. The two piece design provides modesty for the user, and attachment for the magnetic cable clips to keep the height-adjustable power cord out of the users way.

**Wiring and Cabling**

**Low surge electric motor with quiet operation** adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

**Chicago** requires that desks shipping into Illinois ship with a 9' power cord.

**Flex desks and bases** are listed by ETL.




**120° cable tray** is available on the 120° height-adjustable desks as an option, or can be ordered separately.


**Integrated power** is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

**Integrated power** is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, a braided cord option is available. Curly cord is also available for extra cord management.


**Integrated power** is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



**Cable riser, with fence connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



**Magnetic cable clips** are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a option on the 120° Flex height-adjustable desks, or as a separate style number.



**Cable brackets**, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 150



**Inside dimensions of cable brackets** are 6"D x 2¼"W x 1/18"H.

## Surface Materials

### High-Pressure Laminate Desk

- Laminate
- See *Surface Materials Reference Manual*.
- Open Line laminate (option)  
A program including non- Steelcase laminates which are suitable for use on Steelcase products.
- See *Surface Materials Reference Manual*.

### 3 mm edge profile

- Plastic

### Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

### Plywood Desk

- 3862 OP Baltic Birch plywood

### Square 3 mm edge profile

- Wood veneer to match desk
- Plywood to match desk

### Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

### Desk slide glide

- 6527 Merle

### Modesty panel

- Paint

### Modesty panel bracket

- 6527 Merle

### Magnetic cable clips

- 6053 Seagull

## Braided Cord Color Matrix

**Braided cord samples** are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish color for color reference purposes.  
*Tip: Braided cord color is defaulted to 9007 Sterling.*

Finish	Similar Steelcase Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

\*Default finish on integrated power.

## Application Topics

**Moving desks** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

**Universal boundary screens** are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

**On extended height desks, any storage higher than 19"** will impede the height range of the desk. On basic height desks, any storage higher than 23<sup>7</sup>/<sub>10</sub>" will impede the height range of the desk.

*Tip: Do not place storage underneath controller.*

**All assemblies** meet or exceed ANSI/BIFMA standards.




Read base only warranty limitations.

**Keyboard assemblies** are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

**Curved screens** provide user adjustable privacy and modesty for height-adjustable desks and work tables.

► Specifying, page 146

**Curved screens** are attached to the worksurface with magnetic brackets allowing for user adjustability between privacy and modesty modes.



**Curved screens** are pin tackable.

**Curved screens** can be ordered as single or pair to optimized privacy needs.

## Product Details

**Curved screens** perform to an NRC rating of 0.45.

## Application Topics

**Curved screens** are sized to work with modular size desks. Mounting a pair of screens on a parametric sized desk will create a gap between screens.

*Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.*

**Curved screen** is mounted with a 5/8" cord drop.

**Fabric** is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

**Privacy configuration** provides 11½" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

**Modesty configuration** provides 3½" of screen above the worksurface and 13½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

**When ordering a single screen**, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted in privacy mode.

**Single curved screens** mounted to a modular size desk will cover half the width of the desk. If more coverage is desired, order the next size larger of screens. *Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.*

## Surface Materials

### Screen

- Fabric

*Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials for available fabric finishes.*

► Page 280

### Brackets

- 6527 Merle

## Actual Dimensions

<b>Width</b>	46", 58", or 70"
<b>Height</b>	18"
<b>Weight</b>	1.9 lb, 3.7 lb, 5.5 lb
<b>Depth</b>	½"

# Personal Spaces


## Desk Mount Privacy Wraps

**Tackable acoustic privacy wraps** offer acoustic privacy and personalization for the user.

► Specifying, pages 147–148

**Upholstery details** continue the curvature of the wrap.

**120° desk mount privacy wraps** are attached via brackets to the 120° straight and 120° corner height-adjustable desks.



**Integrated light option** minimizes shadows under privacy wrap, and enhances backdrop for video calls.

**Wrap knit** covers the entire frame creating a warm and enclosed privacy element.

### Actual Dimensions

#### 120° Privacy Wrap


Width Left 40<sup>9</sup>/<sub>10</sub>"

Width Right 40<sup>9</sup>/<sub>10</sub>"

Height 45<sup>1</sup>/<sub>4</sub>"

**Integrated light option** minimizes shadows under privacy wrap, and enhances backdrop for video calls.

**90° desk mount privacy wrap** attaches to Flex rectangular height-adjustable desks and worksurfaces that offer a 5" radius corner.



**Upholstery details** continue the curvature of the wrap.

**Frame** can accept magnetic name tag or Flex freestanding screens to add personalization and privacy to the workstation.

### Actual Dimensions

#### 90° Privacy Wrap

Depth 25<sup>4</sup>/<sub>5</sub>"

Width 52<sup>9</sup>/<sub>10</sub>"

Height 45<sup>1</sup>/<sub>4</sub>"


**Wrap Knit and Light Finish Matrix**

<b>Wrap Finish Name</b>	<b>Wrap Finish Code</b>	<b>Light Finish Name</b>	<b>Light Finish Code</b>
Dark Grey/ Merle	5KJ1	Merle	6527
Blue	5KJ2	Seagull	6053
Light Grey/ Platinum	5KJ3	Seagull	6053
Light Brown/ Beige	5KJ4	Milk	6052

# Accessories

**Flex accessories** can be used across the collection to provide functionality and personalization.

► Specifying, pages 149–152




**Magnetic name tag** attaches to all privacy wraps for personal notes in the workstation. Name tags have an erasable finish and are sold in packages of two or ten.



**Power hangers** are available in two configurations: four power and three power with USB.

**Power hangers** hang from the pegs on work tables.



**Magnetic cable clips** manage the height adjustable power cord. Cable clips are sold in packages of two or ten.

## Braided Cord Color Matrix

**Braided cord samples** are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Similar Steelcase Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Tip: Braided cord color is defaulted to cover finish but can be changed if desired.*

## Actual Dimensions

	Depth	Width	Height
Power Hanger	2 <sup>3</sup> / <sub>10</sub> "	10"	1 <sup>3</sup> / <sub>8</sub> "

## Product Details


**Power hangers** are standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

**Power hangers** are available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.


**Power hangers** are weighted and have a rubberized back to allow them to sit firmly on the worksurface.

**Power cords** should not be routed in walkways or where subject to damage.


**Over-current protection** is standard on power hangers. The reset button is located on the side of the power hanger. If the over-current protection trips, reset by pushing the button back into place.




**Rectangular cable trays** are available as an option or can be ordered separately. 46"W–57<sup>15</sup>/<sub>16</sub>"W desks use the 28"W cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see additional cable tray specifying details chart on page 17.



**120° cable tray** is available on the 120° height-adjustable desks as an option, or can be ordered separately.



**Cable riser, with fence connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




**Cable brackets**, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 150



**Inside dimensions of cable brackets** are 6"D x 2<sup>1</sup>/<sub>4</sub>"W x 1<sup>1</sup>/<sub>16</sub>"H.



**Magnetic cable clips** are finished in 6053 Seagull with a 6527 Merle magnet logo.

## Surface Materials

### Power hangers

- 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle

### Rectangular and 120° cable trays

- P631 Dark Heather Grey

### Cable bracket

- 6527 Merle

### Cable riser

- 7360 Merle

### Cable catch

- P630 Medium Heather Grey
- P631 Dark Heather Grey

### Magnetic cable clips


- 6053 Seagull with 6527 Merle magnet symbol

### Magnetic name tag

- 6009 Arctic White (erasable)

# Steelcase Flex Collection

## Rectangle Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: On 23"24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use. See Steelcase Worktools Specification Guide.

Tip: For desks 29"30"Dx58"W and greater additional monitor arm configurations are allowed. See Steelcase Worktools Specification Guide.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

### Standard Includes

- Worksurface:
  - High-Pressure Laminate price group 01 with 3 mm plastic edge
  - Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- Active touch controller
- Foot: paint price group 01
- Roller: plastic
- Modular widths: 46", 58", or 70"
- Attachment hardware
- No overhang on worksurface
- Power cord: 10' with standard plug

### Options

Size Option	Modular	No cost
	Parametric	No cost
Overhang	No Overhang	No cost
	Overhang - Left	No cost
	Overhang - Left & Right	No cost
	Overhang - Right	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Customiz Stain	No cost
	Laminate HPL Price Group 02	46"W-54"W: +\$25 54 1/16"W"-72"W": +\$33
	Laminate HPL Price Group 03	46"W-54"W: +\$49 54 1/16"W"-72"W": +\$65
	Veneer Price Group 01	See below
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
Base Finish	Oll Price Group 1	+\$102
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Foot Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
	Paint Price Group 03	+\$41
Power Configuration	No under Worksurface Power	No cost
	Under Worksurf Clamp with USB-A	46"W-57 15/16"W: +\$801 58"W"-72"W": +\$834
	Under Worksurf Clamp with USB-C	46"W-57 15/16"W: +\$1,122 58"W"-72"W": +\$1,153
	Under Worksurface Only	46"W-57 15/16"W: +\$476 58"W"-72"W": +\$508
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8" Curly Cord	+\$319
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

▶ **Product Information continued on next page**

# Steelcase Flex Collection

## Rectangle Height-Adjustable Desks

### ► Product Information continued from previous page

Options		
Cable Tray	No Cable Tray With Cable Tray	No cost See below
Controller	Active Touch Controller Simple Touch Controller	No cost -\$74
Antimicrobial	Non-Antimicrobial With Antimicrobial	No cost No cost
Brake	No Brake With Brake	No cost +\$69

Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

### Specification Information

Style Number	Dimensions Depth	Size Option	Base Prices					Cable Tray (Add \$ to Base Price)
			Width					
		Modular	46"W	N.A.	58"W	N.A.	70"W	
		Parametric	46"W- 48"W	48 1/16"W- 54"W	54 1/16"W- 60"W	60 1/16"W- 66"W	66 1/16"W- 72"W	

### Rectangle Height-Adjustable Desks

#### Laminate HPL Price Group 01 - Basic Height

FLXSRQ	23" or 24"	29" or 30"	\$2400	\$2474	\$2548	\$2629	\$2709	+\$183
			\$2691	\$2777	\$2859	\$2946	\$3037	+\$205

#### Veneer Price Group 01 - Basic Height


FLXSRQ	23" or 24"	29" or 30"	\$3207	\$3294	\$3381	\$3477	\$3567	+\$183
			\$3534	\$3632	\$3724	\$3829	\$3928	+\$205

#### Laminate HPL Price Group 01 - Extended Height

FLXERQ	23" or 24"	29" or 30"	\$2604	\$2683	\$2765	\$2852	\$2935	+\$183
			\$2920	\$3010	\$3102	\$3196	\$3292	+\$205


#### Veneer Price Group 01 - Extended Height

FLXERQ	23" or 24"	29" or 30"	\$3411	\$3503	\$3598	\$3700	\$3793	+\$183
			\$3763	\$3865	\$3967	\$4079	\$4183	+\$205



# Steelcase Flex Collection

## Rectangle Height-Adjustable Bases



Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use. See Steelcase Worktools Specification Guide.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed. See Steelcase Worktools Specification Guide.

Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.

### Standard Includes

- Electric height-adjustable sit-to-stand base: paint price group 01
- Foot: paint price group 01
- Roller: plastic
- Active touch controller
- Modular widths: 46", 58", or 70"
- Attachment hardware
- No overhang on worksurface
- Power cord: 10' with standard plug

### Options

Size Option	Modular	No cost
	Parametric	No cost
Overhang	No Overhang	No cost
	Overhang - Left	No cost
	Overhang - Left & Right	No cost
	Overhang - Right	No cost
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Foot Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
	Paint Price Group 03	+\$41
Power Configuration	No under Worksurface Power	No cost
	Under Worksurf Clamp with USB-A	46"W-57 15/16"W: +\$801 58"W"-72"W": +\$834
	Under Worksurf Clamp with USB-C	46"W-57 15/16"W: +\$1,122 58"W"-72"W": +\$1,153
	Under Worksurface Only	46"W-57 15/16"W: +\$476 58"W"-72"W": +\$508
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8" Curly Cord	+\$319
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Cable Tray	No Cable Tray	No cost
	With Cable Tray	See below
Controller	Active Touch Controller	No cost
	Simple Touch Controller	-\$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Brake	No Brake	No cost
	With Brake	+\$69

► **Product Information continued on next page**

# Steelcase Flex Collection

## Rectangle Height-Adjustable Bases

► Product Information continued from previous page

### Specification Information

Style Number	Dimensions Depth	Width Size Option	Base Prices					Cable Tray (Add \$ to Base Price)
			46"W	N.A.	58"W	N.A.	70"W	
		Modular	46"W	N.A.	58"W	N.A.	70"W	
		Parametric	46"W-	48 1/16"W-	54 1/16"W-	60 1/16"W-	66 1/16"W-	
			48"W	54"W	60"W	66"W	72"W	

### Rectangle Height-Adjustable Bases

#### Basic Height

FLXSRQB	23" or 24"	\$2271	\$2344	\$2418	\$2500	\$2577	+\$183
	29" or 30"	\$2557	\$2641	\$2668	\$2715	\$2740	+\$205

#### Extended Height


FLXERQB	23" or 24"	\$2462	\$2542	\$2620	\$2710	\$2796	+\$183
	29" or 30"	\$2774	\$2862	\$2896	\$2943	\$2970	+\$205



Tip: Antimicrobial can be specified only when specifying simple touch controller.

# Steelcase Flex Collection

## 120° Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.

### Standard Includes

- Worksurface:
  - High-Pressure Laminate price group 01 with 3 mm plastic edge
  - Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- Active touch controller
- Power cord: 10' with standard plug
- Slide glide: plastic
- Attachment hardware

### Options

Handedness	Left Hand	No cost
	Right Hand	No cost
Depth - Left	22 11/16"	No cost
	40 7/16"	No cost
Depth - Right	22 11/16"	No cost
	40 7/16"	No cost
Width Back	40 13/16"	No cost
Width Front	71 5/16"	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Customiz Stain	No cost
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
Base Finish	Veneer Price Group 01	+\$744
	OLL Price Group 1	+\$102
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Power Configuration	No under Worksurface Power	No cost
	Under Worksurface Only	+\$508
	Under Worksurf Clamp with USB-A	+\$834
	Under Worksurf Clamp with USB-C	+\$1153
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8" Curly Cord	+\$319
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Controller	Active Touch Controller	No cost
	Simple Touch Controller	-\$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Magnetic Cable Clip	No Magnetic Cable Clip	No cost
	With Magnetic Cable Clips	+\$95

► Product Information continued on next page

# Steelcase Flex Collection

## 120° Height-Adjustable Desks

► **Product Information continued from previous page**


### Options

Cable Tray	No Cable Tray	No cost
	With Cable Tray	+\$183
Modesty Panel	No Modesty Panel	No cost
	Modesty Panel	+\$650
Modesty Panel Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$20
	Paint Price Group 03	+\$37

*Tip: Antimicrobial can be specified only when specifying simple touch controller.*

*Tip: Magnetic cable clips come in a pack of two when ordered with the height-adjustable desk style number.*

### Specification Information



Style Number    Base Prices

#### 120° Straight Desk Height-Adjustable, Basic Height


**FLXSWS3**    \$3106

#### 120° Straight Desk Height-Adjustable, Extended Height

**FLXEWS3**    \$3371

# Steelcase Flex Collection

## 120° Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

### Standard Includes

- Worksurface:
  - High-Pressure Laminate price group 01 with 3 mm plastic edge
  - Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- Active touch controller
- Power cord: 10' with standard plug
- Slide glide: plastic
- Attachment hardware

### Options

Handedness	Left Hand	No cost
	Right Hand	No cost
Depth - Left	14 1/4"	No cost
	23 1/4"	No cost
Depth - Right	14 1/4"	No cost
	23 1/4"	No cost
Width - Left	42"	No cost
	42"	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Customiz Stain	No cost
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
Base Finish	Veneer Price Group 01	+\$744
	OLL Price Group 1	+\$102
	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Power Configuration	No under Worksurface Power	No cost
	Under Worksurface Only	+\$508
	Under Worksurf Clamp with USB-A	+\$834
	Under Worksurf Clamp with USB-C	+\$1153
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8" Curly Cord	+\$319
Power Cord Finish	Braided Cord	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Controller	Active Touch Controller	No cost
	Simple Touch Controller	-\$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost

► **Product Information continued on next page**

# Steelcase Flex Collection

## 120° Height-Adjustable Desks

### ► Product Information continued from previous page


Options		
Magnetic Cable Clip	No Magnetic Cable Clip	No cost
	With Magnetic Cable Clips	+\$95
Cable Tray	No Cable Tray	No cost
	With Cable Tray	+\$183
Modesty Panel	No Modesty Panel	No cost
	Modesty Panel	+\$650
Modesty Panel Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$20
	Paint Price Group 03	+\$37

*Tip: The standard active touch controller is Bluetooth-enabled to allow pairing with the Steelcase Rise app.*

*Tip: Antimicrobial can be specified only when specifying simple touch controller.*

*Tip: Magnetic cable clips come in a pack of two when ordered with the height-adjustable desk style number.*

### Specification Information



Style Number    Base Prices

#### 120° Corner Desk Height-Adjustable, Basic Height


**FLXSWC3**    \$3137

#### 120° Corner Desk Height-Adjustable, Extended Height

**FLXEWC3**    \$3403

# Steelcase Flex Collection

## Curved Screens



Tip: Handedness is only needed to specify when ordering single curved screen.

Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: When choosing contrasting fabrics, outside and inside screen fabric must stay within same fabric family.

### Standard Includes

- Curved desk screen: fabric price group A or 01
- Magnet attachment housing: 6527 Merle
- Attachment hardware

### Options

Inside Screen Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
Outside Screen Finish	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
Handedness	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
	LH Privacy/RH Modesty	No cost
	RH Privacy/LH Modesty	No cost

### Specification Information

Dimensions		Style Number	Base Prices		
Depth	Height		Desk Width		
			46"W	58"W	70"W

#### Single


1/2"	18"	<b>FLXCS</b>	\$678	\$782	\$886
------	-----	--------------	-------	-------	-------

#### Pair

1/2"	18"	<b>FLXCSP</b>	\$1356	\$1564	\$1772
------	-----	---------------	--------	--------	--------

# Steelcase Flex Collection

## Desk Mounted Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.

Tip: 120° desk mounted privacy wrap is optimized for use with the 120° straight and 120° corner height-adjustable tables.

### Standard Includes

- Wrap: knit price group 01:
  - 5KJ1 Merle
  - 5KJ2 Cloud
  - 5KJ3 Fog
  - 5KJ4 Sand
- Light, if selected: plastic price group 01:
  - 6052 Milk
  - 6053 Seagull
  - 6527 Merle

### Options

Height	45 1/4"	No cost
Width - Left	40 9/10"	No cost
Width - Right	40 9/10"	No cost
Light	No Light	No cost
	With Light	+\$828 10 Pack: +\$8,284

### Specification Information

Style Number    Base Price

#### 120° Desk Mount Privacy Wrap


**FLXDWW**    \$2294

#### 120° Desk Mount Privacy Wrap, Quantity 10

**FLXDWW10**    \$21,486

# Steelcase Flex Collection

## Desk Mounted Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.

### Standard Includes

- Wrap: knit price group 01:
  - 5KJ1 Merle
  - 5KJ2 Cloud
  - 5KJ3 Fog
  - 5KJ4 Sand
- Light, if selected: plastic price group 01:
  - 6052 Milk
  - 6053 Seagull
  - 6527 Merle

### Options

Handedness	Left Hand	No cost
	Right Hand	No cost
Height	45 1/4"	No cost
Depth	25 4/5"	No cost
Width	52 9/10"	No cost
Light	No Light	No cost
	With Light	+\$828 10 Pack: +\$8,284

### Specification Information

Style Number    Base Price

#### 90° Desk Mount Privacy Wrap

**FLXDWR**    \$2294

#### 90° Desk Mount Privacy Wrap, Quantity 10

**FLXDWR10**    \$21,486

# Steelcase Flex Collection

## Accessories



*Tip: Power hangers shipping to Illinois will receive 9' power cord.*

*Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.*

*Tip: Braided cord color is defaulted to cover finish but can be changed if desired.*

*Tip: Standard plug is a NEMA 5-15 3-prong plug.*

### Standard Includes

- Rubberized hanger back: 7360 Merle paint
- Cover:
  - 4AY2 Chili
  - 4AZ5 Marlin
  - 4BQ7 Fuchsia
  - 4CZ8 Light Peacock
  - 7243 Seagull
  - 7360 Merle
- Power cord: 10' with standard plug

### Options


Power Configuration	4 Power	No cost
	3 Power 1 USB	+\$119
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

### Specification Information

Style Number    Base Price

### Power Hanger

**FLXPH**            \$538



*Tip: 46"W-57 15/16"W desks use the 28"W cable tray. 58"W-72"W desks use the 48"W cable tray.*

### Standard Includes

- Cable tray: P631 Dark Heather Grey molded PET felt
- Attachment hardware
- 28"W cable tray, if 46"W-57 15/16"W worksurface selected
- 40"W cable tray, if 58"W-72"W worksurface selected

### Options

Depth Worksurface	23"	No cost
	24"	No cost
	29"	No cost
	30"	No cost

► **Product Information continued on next page**

# Steelcase Flex Collection

## Accessories

► **Product Information continued from previous page**

### Specification Information

Style Number	Dimensions	Prices
	Worksurface Width	Worksurface Depth
	23"D/24"D	29"D/30"D

### Cable Tray for Rectangle Height-Adjustable Desks

FLXCT	46"-72"	\$183	\$205
-------	---------	-------	-------

*Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.*

### Standard Includes

- Cable tray: P631 Dark Heather Grey molded PET felt
- Attachment hardware

### Specification Information

Style Number	Price
--------------	-------

### Cable Tray for 120° Height-Adjustable Desks

FLXWCT	\$183
--------	-------

*Tip: Flex 120° cable tray can be used with the Flex 120° straight and Flex 120° corner height-adjustable desks.*

### Standard Includes

- Cable brackets, quantity of four: 6527 Merle


### Specification Information

Style Number	Price
--------------	-------

### Cable Brackets

FLXCBK4	\$51
---------	------

*Tip: Cable brackets can be used instead of cable trays or will fit inside footprint of 29"/30"D cable trays.*



### Standard Includes


- Two brakes: 6527 Merle
- Attachment hardware

### Specification Information

Style Number Price

### Brakes for Rectangle Height-Adjustable Desks

**FLXBRK** \$69



### Standard Includes

- Magnetic clips: 6053 Seagull

### Specification Information


Style Number Price

### Magnetic Cable Clips, Quantity 2

**FLXMCC2** \$97

### Magnetic Cable Clips, Quantity 10

**FLXMCC10** \$385



### Standard Includes

- Modesty panel: paint price group 01

### Options

Modesty Panel Finish	Paint Price Group 01	Paint Price Group 02	Paint Price Group 03
	No cost	+\$20	+\$37

### Specification Information

Style Number Price


### 120° Modesty Panel

**FLXWMP** \$662

*Tip: Modesty panel can be used with 120° straight and corner height-adjustable desks and 120° straight seated height work table.*

# Steelcase Flex Collection

## Accessories



*Tip: Magnetic name tags work on the privacy wraps.*

### Standard Includes

- Name tags: 6009 Arctic White

### Specification Information

Style Number    Prices

---

#### Magnetic Name Tags, Quantity 2

---

**FLXMNT2**    \$157

---

#### Magnetic Name Tags, Quantity 10

---

**FLXMNT10**    \$1016

---

---

# Migration SE

## Understanding

Migration SE Height-Adjustable Desks and Bases	154
Universal One-High and 1.5-High Open Laterals	162

## Specifying

Migration SE Height-Adjustable Desks	164
Migration SE Height-Adjustable 3-Leg Corner Desks	168
Migration SE Height-Adjustable Bases	178
Migration SE Height-Adjustable 3-Leg Corner Bases	180
Universal One-High and 1.5-High Open Laterals	182
Universal Common Tops	184
Universal Shrouds	186
Universal Fillers	187
Migration SE Cable and Power Management	188
Accessories	189

# Migration SE Height-Adjustable Desks and Bases

**Migration SE** supports wellbeing at work by allowing users to move between seated and standing postures throughout the workday.  
 ▶ Specifying, page 164



CarbonNeutral.com

**Now available as a CarbonNeutral product,** making sure our commitment to a more sustainable future helps yours too.

**Corners** are available in both square or radius options. The radius corner option offers both a 2" and 5" radius.

**Push button controller** adjusts height at a rate of 1 3/10" per second. Two options are available—up/down or 4 pre-set.

**Base** supports a maximum distributed weight capacity of 250 pounds (2-leg) and 330 pounds (3-leg).  
*Tip: When calculating lifting capacity, subtract the weight of the worksurface.*  
 ▶ See page 157 for worksurface weights.

**Edge** is available in 3 mm edge profile.

**Desk foot** is available in square, mitered edge, or height saver foot with casters.

**The extended height adjustable base** adjusts from 22 3/5"-48 7/10" in any increment.

**Migration SE** offers both T- and C-leg configurations on rectangle desks, and T-leg configurations on 3-leg corner desks.


**Desk** has a wood core with a High-Pressure Laminate or wood veneer surface and is 1" thick.

**Internal motors with electronic synchronization drive.**

**The basic height adjustable base** adjusts from 28 3/10"-46 9/10" in any increment.

**Leveling glides** adjust 1/2" to install desk on uneven floors.


**Migration SE desks** are available in 90° and 120° 3-leg configurations.



**Product Details**

**High-Pressure Laminate Desks**


**Front (user's) edge profile** is available in 3 mm edge profile.





**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

► See *Surface Materials* in this book for specific PVC-free availability, page 276.

**Edge profile finishes** are specified separately from laminate color.



**Square corners** are standard and have 90° corners on all four sides.



**Radius corners** are available as an option on rectangle desks with 2" radius or 5" radius on all four corners and will include 3 mm edge profile on all sides.

*Tip: Radius corners are not available on 90° and 120° corner desks.*


**Wood Veneer Desks**

**Front (user's) edge profile** is wood veneer with a square (3 mm) radius.

**Side and back edges** are flat. Wood edge color matches finish specified for desk.

**Overhang** is available as an option. The maximum overhang available as a standard option is 12"W.


*Tip: 76"W rectangle desks come with a 4" overhang on each side.*



23", 24", 29", or 30" 23", 24", 29", or 30"


**90° corner desks** can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths are not required to match. Right- and left-hand widths are not required to match.

*Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.*




**120° corner desks** can be specified 23" or 24" deep. Right- and left-hand depths must match and right- and left-hand widths must match.

**Overhangs on 90° corner desks** are allowed on one side only. Overhangs on 120° corner desks are not allowed.




**T-leg configuration** is available on rectangle and corner desks. Rectangle T-leg desks are available in 23"/24", 28"/29"/30", and 35"/36" depth options. Corner T-leg desks are available in 23", 24", 29", and 30" depth options.


**Corner desks** are 3-leg desks and are available in a T-leg configuration.



**C-leg configuration** is available on rectangle desks only in a 29"/30" depth option to maximize leg clearance below.




**Squared-edge foot** offers a squared front and back edge flush to the floor. The glide adjustments on this foot are 1/2".




**Mitered-edge foot** is available as an option on rectangle desks. This style of foot offers a mitered front and back edge flush to the floor. The glide adjustments on this foot are 1/2".  
*Tip: Mitered-edge foot is only available on rectangle desks.*


**Slide glides** are available and can be added for user mobility.  
► See page 189




**Height saver foot** is available as an option on T-leg rectangle desks. This style foot offers 50 mm casters without changing the height range of the desk. The front two casters lock while the back two casters do not lock.



**Migration SE extended height adjustable desk** adjusts from 22<sup>3</sup>/<sub>5</sub>"–48<sup>7</sup>/<sub>10</sub>" in any increment. The basic height adjustable desk adjusts from 28<sup>3</sup>/<sub>10</sub>"–46<sup>9</sup>/<sub>10</sub>" in any increment.





**Up/down controller** is available as an option and easily adjusts height of desk, at a rate of 1<sup>3</sup>/<sub>10</sub>" per second, by simply pushing the up and down arrows.



**4 pre-set programmable controller** is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.

**Obstruction sensing technology** is standard with all Migration SE desks. The worksurface will back-track when it makes contact with an object.



**Rectangle and corner desk sizes** are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.






CarbonNeutral.com  
**CarbonNeutral product in the Migration SE portfolio** helps organizations achieve their carbon emissions goals. Order **MGSLTRQCN**, **MGELTRQCN**, **MGSLCRQCN**, or **MGELCRQCN** to specify Migration SE with CarbonNeutral product certification.

**Wiring and Cabling**


**Electric motor with whisper quiet operation** adjusts at 1 $\frac{3}{10}$ " per second. Motor is 24V DC and includes a 9' power cord. Motor for 2-leg desk has a 0.3W standby power and 3-leg desk has a 0.1W standby power.

**Migration SE desks and bases** are listed by ETL.

*Tip: Migration SE base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.*  
 ▶ See page 26




**Cable riser-fence connections inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. The fence connection can go to the leg or the fence. Overall depth is 2".



**Cable brackets**, ordered separately, support horizontal cable management below the worksurface.  
 ▶ Specifying, page 188



**Inside dimensions of cable brackets** are 3 $\frac{5}{8}$ "D x 1 $\frac{3}{8}$ "W x 1 $\frac{3}{16}$ "H.



**Cable management** includes two cable clips and two ties to help manage desk cables.

**Surface Materials**

**High-Pressure Laminate Desk**

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)  
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.  
 ▶ See *Surface Materials Reference Manual*.

**3 mm edge profile**

- Plastic

**Wood Veneer Desk**

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

**Square 3 mm edge profile**


- Wood veneer to match desk

**Height-adjustable base**

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

**Application Topics**

**Moving desks** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.



**76"W Migration SE desks**

ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the integrated storage below.

**Integrated storage on Migration SE corner desks** cannot be used if the desk has an overhang.

**Migration SE 90° corners** with one side that is 70"W and wider can be used with integrated storage.

**Migration SE 120° corners** that are 52"W or wider can be used with integrated storage.

**Integrated storage** cannot be used on Migration SE desk with 5" radius corners.

**When attaching 90° desk mount privacy wrap to the Migration SE worksurface with radius corners**, a worksurface overhang is not allowed on either side of the worksurface.

**Universal boundary screens**


are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

**SOTO rail and SlatRail**

mount to desks to support worktools, freeing up desk space.

▶ See *Steelcase Worktools Specification Guide*.


**Integrated storage** is allowed on Migration SE rectangle and corner desks. Two storage units may be used on one rectangle desk, however, user space will be limited. Only one storage unit can be used on corner desks.




21"H pedestal

**On extended height desks**, any storage higher than 18<sup>3</sup>/<sub>4</sub>" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

**All assemblies** meet or exceed ANSI/BIFMA standards.



**Keyboard assemblies** are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



**Steelcase keyboard assemblies** can be installed on 29"/30"D Migration SE. Specify with an 11" track.

**⚠ WARNING**

Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.

Base supports a maximum distributed weight capacity of 250 pounds (2-leg) and 330 pounds (3-leg).


*Tip: When calculating lifting capacity, subtract the weight of the worksurface and understructure.*

**Desk Weight**


Worksurface Shape	W	LD	RD	Worksurface Weight
-------------------	---	----	----	--------------------

**Rectangle Desk**

**T-Leg**



**C-Leg**



Rectangular— 23" or 24"D	46"	23" or 24"	23" or 24"	30 lb
	52"	23" or 24"	23" or 24"	34 lb
	58"	23" or 24"	23" or 24"	38 lb
	64"	23" or 24"	23" or 24"	42 lb
	70"	23" or 24"	23" or 24"	46 lb
	76"	23" or 24"	23" or 24"	51.8 lb
Rectangular— 28", 29", or 30"D	46"	29" or 30"	29" or 30"	38 lb
	52"	29" or 30"	29" or 30"	43 lb
	58"	29" or 30"	29" or 30"	48 lb
	64"	29" or 30"	29" or 30"	53 lb
	70"	29" or 30"	29" or 30"	58 lb
	76"	29" or 30"	29" or 30"	62.6 lb
Rectangular— 35" or 36"D	46"	35" or 36"	35" or 36"	46 lb
	52"	35" or 36"	35" or 36"	52 lb
	58"	35" or 36"	35" or 36"	58 lb
	64"	35" or 36"	35" or 36"	64 lb
	70"	35" or 36"	35" or 36"	70 lb
	76"	35" or 36"	35" or 36"	75.5 lb

*Tip: C-leg is available in 29" and 30" depth only.*

**Installation**

**Desks** ship with pre-drilled holes for mounting bases.


**Height-adjustable base** requires attachment to the worksurface.

**Base** supports a maximum of distributed weight capacity of 250 pounds (2-leg rectangle) and 330 pounds (3-leg corner).

*Tip: When calculating lifting capacity of rectangle desks, subtract the weight of the worksurface (see below) and the weight of the understructure (18.2 pounds).*


*Tip: When calculating lifting capacity of corner desks, subtract the weight of the worksurface (see below) and the weight of the understructure (27.8 pounds).*

## Migration SE Height-Adjustable Desks and Bases, continued

<b>Desk Weight</b>						
<b>Worksurface Shape</b>	<b>Worksurface Weight</b>					
	<b>LW</b>	<b>RW</b>	<b>LD and RD 23"D/23"D</b>	<b>LD and RD 23"D/24"D</b>	<b>LD and RD 23"D/29"D</b>	<b>LD and RD 23"D/30"D</b>
	46"	52"	49.5 lb	50.3 lb	54.4 lb	55.3 lb
	46"	58"	53.4 lb	54.4 lb	59.4 lb	60.4 lb
	46"	64"	57.3 lb	58.5 lb	64.3 lb	65.5 lb
	46"	70"	61.2 lb	62.6 lb	69.3 lb	70.6 lb
	46"	76"	65.2 lb	66.7 lb	74.2 lb	75.7 lb
	52"	46"	49.5 lb	50.1 lb	53.4 lb	54.1 lb
	52"	52"	54.4 lb	55.2 lb	59.4 lb	60.2 lb
	52"	58"	58.3 lb	59.3 lb	64.3 lb	65.3 lb
	52"	64"	62.3 lb	63.4 lb	69.2 lb	70.4 lb
	52"	70"	66.2 lb	67.5 lb	74.2 lb	75.5 lb
	52"	76"	70.1 lb	71.6 lb	79.1 lb	80.6 lb
	58"	46"	53.4 lb	54.1 lb	57.3 lb	58 lb
	58"	52"	58.3 lb	59.2 lb	63.3 lb	64.1 lb
	58"	58"	62.3 lb	63.3 lb	68.2 lb	69.2 lb
	58"	64"	66.2 lb	67.3 lb	73.2 lb	74.3 lb
	58"	70"	70.1 lb	71.4 lb	78.1 lb	79.4 lb
	58"	76"	74 lb	75.5 lb	83 lb	84.6 lb
	64"	46"	57.3 lb	58 lb	61.2 lb	61.9 lb
	64"	52"	62.3 lb	63.1 lb	67.2 lb	68 lb
	64"	58"	66.2 lb	67.2 lb	72.1 lb	73.1 lb
70"	46"	61.2 lb	61.9 lb	65.2 lb	65.8 lb	
70"	52"	66.2 lb	67 lb	71.1 lb	71.9 lb	
70"	58"	70.1 lb	71.1 lb	76.1 lb	77.1 lb	
76"	46"	65.2 lb	65.8 lb	69.1 lb	69.7 lb	
76"	52"	70.1 lb	70.9 lb	75 lb	75.9 lb	
76"	58"	74 lb	75 lb	80 lb	81 lb	

**Desk Weight**


Worksurface Shape	Worksurface Weight				
	LW	RW	LD and RD 24"D/24"D	LD and RD 24"D/29"D	LD and RD 24"D/30"D




90° Corner 3-Leg	46"	52"	50.9 lb	54.9 lb	55.7 lb
	46"	58"	55 lb	59.9 lb	60.8 lb
	46"	64"	59.1 lb	64.8 lb	65.9 lb
	46"	70"	63.2 lb	69.7 lb	71 lb
	46"	76"	67.3 lb	74.7 lb	76.2 lb
	52"	46"	50.9 lb	54.1 lb	54.7 lb
	52"	52"	56 lb	60 lb	60.8 lb
	52"	58"	60.1 lb	65 lb	65.9 lb
	52"	64"	64.2 lb	69.9 lb	71 lb
	52"	70"	68.3 lb	74.8 lb	76.1 lb
	52"	76"	72.4 lb	79.8 lb	81.3 lb
	58"	46"	55 lb	58.2 lb	58.8 lb
	58"	52"	60.1 lb	64.1 lb	64.9 lb
	58"	58"	64.2 lb	69 lb	70 lb
	58"	64"	68.3 lb	74 lb	75.1 lb
	58"	70"	72.4 lb	78.9 lb	80.2 lb
	58"	76"	76.5 lb	83.9 lb	85.3 lb
	64"	46"	59.1 lb	62.2 lb	62.9 lb
	64"	52"	64.2 lb	68.2 lb	69 lb
	64"	58"	68.3 lb	73.1 lb	74.1 lb
	70"	46"	63.2 lb	66.3 lb	67 lb
	70"	52"	68.3 lb	72.3 lb	73.1 lb
	70"	58"	72.4 lb	77.2 lb	78.2 lb
	76"	46"	67.3 lb	70.4 lb	71 lb
	76"	52"	72.4 lb	76.4 lb	77.2 lb
	76"	58"	76.2 lb	81.3 lb	82.3 lb

Migration SE

## Migration SE Height-Adjustable Desks and Bases, continued

<b>Desk Weight</b>						
<b>Worksurface Shape</b>	<b>Worksurface Weight</b>					
	<b>LW</b>	<b>RW</b>	<b>LD and RD 29"D/29"D</b>	<b>LD and RD 29"D/30"D</b>	<b>LD and RD 30"D/30"D</b>	
	90° Corner 3-Leg	46"	52"	57.3 lb	58 lb	58.4 lb
		46"	58"	62.3 lb	63.1 lb	63.5 lb
		46"	64"	67.2 lb	68.2 lb	68.7 lb
		46"	70"	72.2 lb	73.3 lb	73.8 lb
		46"	76"	77.1 lb	78.4 lb	78.9 lb
		52"	46"	57.3 lb	57.8 lb	58.4 lb
		52"	52"	63.3 lb	63.9 lb	64.6 lb
		52"	58"	68.2 lb	69 lb	69.7 lb
		52"	64"	73.2 lb	74.2 lb	74.8 lb
		52"	70"	78.1 lb	79.3 lb	79.9 lb
		52"	76"	83 lb	84.4 lb	85 lb
		58"	46"	62.3 lb	62.8 lb	63.5 lb
		58"	52"	68.2 lb	68.9 lb	69.7 lb
		58"	58"	73.2 lb	74 lb	74.8 lb
		58"	64"	78.1 lb	79.1 lb	79.9 lb
		58"	70"	83 lb	84.2 lb	85 lb
		58"	76"	88 lb	89.3 lb	90.1 lb
		64"	46"	67.2 lb	67.7 lb	68.7 lb
		64"	52"	73.2 lb	73.8 lb	74.8 lb
		64"	58"	78.1 lb	78.9 lb	79.9 lb
	70"	46"	72.2 lb	72.6 lb	73.8 lb	
	70"	52"	78.1 lb	78.8 lb	79.9 lb	
	70"	58"	83 lb	83.9 lb	85 lb	
	76"	46"	77.1 lb	77.6 lb	78.9 lb	
	76"	52"	83 lb	83.7 lb	85 lb	
	76"	58"	88 lb	88.8 lb	90.1 lb	

### Desk Weight

Worksurface Shape	Worksurface Weight			
	LW	RW	LD and RD 23"D/23"D	LD and RD 24"D/24"D
	46"	46"	58 lb	59.7 lb
	52"	52"	66.9 lb	68.9 lb
	58"	58"	75.9 lb	46.8 lb
	64"	64"	84.8 lb	46.8 lb

### Overhang

	Rectangle Desk	Overhang				
		3"W	4"W	6"W	9"W	12"W
Desk Width	46"–57.9"	•	N.A.	•	•	•
	58"–63.9"	•	N.A.	•	•	•
	64"–69.9"	•	N.A.	•	•	•
	70"–75.9"	•	N.A.	•	•	•
	76"*	N.A.	•	•	•	•

\*Tip: 76"W has a standard 4" overhang on both sides.

### 90° 3-Leg Corner Desk Overhang

	Overhang				
		3"W	6"W	9"W	12"W
Desk Width	46"–57.9"	N.A.	N.A.	N.A.	N.A.
	58"–63.9"	•	•	•	•
	64"–69.9"	•	•	•	•
	70"–75.9"	•	•	•	•
	76"	•	•	•	•

Tip: Overhangs are allowed on one side only.


Tip: 120° corner desks do not allow overhangs.

# Universal One-High and 1.5-High Open Laterals

For Migration SE Application

**Universal One-High and 1.5-High open laterals for Migration SE application** seamlessly integrates the Migration SE T-leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

► Specifying, page 182




**Usable depth in One-High and 1.5-High open laterals** is 10 $\frac{7}{10}$ "D.


## Actual Dimensions

	One-High	1.5-High
Depth with flush steel open front	18"	18"
Depth with proud steel open front	18 $\frac{7}{8}$ "	18 $\frac{7}{8}$ "
Usable Depth	10 $\frac{7}{10}$ "	10 $\frac{7}{10}$ "
Width	30", 36", and 42"	30", 36", and 42"
Height	16"	22"


## Product Details




**One-High storage** can be used with Migration SE with T-leg extended range desks or basic range desks.




**1.5-High storage** can only be used with Migration SE with T-leg basic range desks.



**One-High and 1.5-High storage for Migration SE with T-leg application** have a removeable interior back panel to allow access to the Migration SE with T-leg base.



**Laminate and wood veneer tops with square edge profile** are available. Tops are 1 $\frac{3}{16}$ "H.



**Removable interior cover** provides access to power outlets that can be located in the panel behind storage unit.

**Integrated open laterals** do not accommodate 24"D, 30"D, or 36"D Migration SE worksurfaces.


### Case Widths and Migration SE Foot Dimensions

		Migration SE Worksurface Depth		
		23"	29"	35"
<b>Migration SE Open Lateral Width</b>	<b>30"</b>	•	N.A.	N.A.
	<b>36"</b>	•	•	•
	<b>42"</b>	•	•	•


**30"W Migration SE open laterals** are not permitted with 29"D or 35"D Migration SE desks due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths.

**Integrated leg options** apply to One-High and 1.5-High units only and are meant for use with Migration SE T-leg height-adjustable rectangle and corner desks.

### Application Topics




Application: Migration SE left




Application: Migration SE right


**Application** is determined by which leg of the Migration SE desk is located inside the storage.



**Shroud** is used to finish off the back of the storage when application is used as stand-alone unit.



**Filler** is used in end-of-run applications where end of storage unit will be visible.



**No top option on lateral file** is available for use with a Universal common top shared with an adjacent lateral.

**Universal common top for Migration SE application**, ordered separately, is available in laminate or veneer. Cut-out for Migration SE T-leg is available on the left side or the right side of the Universal common top. Migration SE desk cannot be placed in the middle of the Universal common top.

**76"W Migration SE desks** ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the Universal One-High and 1.5-High open lateral storage below.


**Integrated storage on Migration SE corner desks** cannot be used if the desk has an overhang.

**Migration SE 90° corners with one side** that is 70"W and wider can be used with integrated storage.


**Migration SE 120° corners** that are 52"W or wider can be used with integrated storage.

**Integrated storage** cannot be used on Migration SE rectangle desk with 5" radius corners.


**Universal privacy/modesty or Sarto privacy/modesty screens** must be undersized and justified to the outside when used with One-High and 1.5-High storage units.




**When used with One-High and 1.5-High integrated storage**, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



**To help avoid pinch points**, the Universal One-High and 1.5-High open laterals for Migration SE application extend 1" past the back of the Migration SE worksurface. Open laterals for Migration SE are only available on Migration SE T-leg desks 23"D, 29"D, and 35"D.



**When specifying One-High and 1.5-High storage that matches the worksurface depth**, only One-High storage should be placed adjacent to the desk.



**Pinch point clearances** are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

**Universal One-High and 1.5-High open laterals for Migration SE application** can only be used with Migration SE T-leg desks.

### Surface Materials

#### Lateral case

- Paint

#### Laminate top

- Laminate
- Open Line laminate (option)

#### Edge on laminate top

- Plastic

#### Wood veneer top


- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

#### Shroud and filler

- Paint

# Migration SE Height-Adjustable Desks

T-Leg



Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D desks.

Tip: On extended height desks, any storage higher than 18 3/4" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

▶ See page 157 for overhang rules.

Tip: 5" corner radius option available on desks 58"W or wider.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See Steelcase Worktools Specification Guide.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

▶ See page 43, Steelcase Monitor Arm Guidelines.



## For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 154</li> <li>• Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge</li> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Square or radius (if selected) corners</li> <li>• Depth: 23", 24", 28", 29", 29", 30", 35", or 36"</li> <li>• Width: 46", 52", 58", 64", 70", or 76"</li> <li>• Power cord: 9'</li> <li>• 1/2" adjustable glides</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk type (see below under Required Selections)</li> <li>3 Overhang and overhang width, if selected (see below under Required Selections)</li> <li>4 Controller (see below under Required Selections)</li> <li>5 Foot (see below under Required Selections)</li> <li>6 Corner (see below under Required Selections)</li> <li>7 Desk depth</li> <li>8 Desk width</li> <li>9 High-Pressure Laminate or wood color for worksurface</li> <li>10 Plastic color number for profile edge, if selected</li> <li>11 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle</li> <li>12 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 276</li> </ol>

Desk Type	Required Selections	U.S. Price	Required to Specify
<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Parametric width desk</li> <li>• Modular width desk</li> </ul>	No cost No cost	Specify with <i>parametric desk type</i> . Specify with <i>modular desk type</i> .
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Up/down controller</li> <li>• 4 pre-set controller</li> </ul>	No cost +\$ 74	Specify with <i>up/down controller</i> . Specify with <i>4 pre-set controller</i> .
<b>Foot</b>	<ul style="list-style-type: none"> <li>• Squared-edge foot</li> <li>• Mitered-edge foot</li> <li>• Height saver with casters</li> </ul>	No cost No cost +\$208	Specify with <i>squared-edge foot</i> . Specify with <i>mitered-edge foot</i> . Specify with <i>height saver with caster</i> .
<b>Overhang</b>	<ul style="list-style-type: none"> <li>• No overhang</li> <li>• Left overhang</li> <li>• Right overhang</li> </ul>	No cost No cost No cost	Specify with <i>no overhang</i> . Specify with <i>left overhang</i> . Specify with <i>right overhang</i> .
	<b>Overhang width</b>		
	<ul style="list-style-type: none"> <li>• 3"W</li> <li>• 6"W</li> <li>• 9"W</li> <li>• 12"W</li> </ul>	No cost No cost No cost No cost	Specify with <i>3"W overhang</i> . Specify with <i>6"W overhang</i> . Specify with <i>9"W overhang</i> . Specify with <i>12"W overhang</i> .
<b>Corner</b>	<ul style="list-style-type: none"> <li>• Square corner</li> <li>• Radius corner</li> </ul>	No cost +\$ 93	Specify with <i>square corner</i> . Specify with <i>radius corner</i> .
	<b>Corner radius</b>		
	<ul style="list-style-type: none"> <li>• 2" radius</li> <li>• 5" radius</li> </ul>	No cost No cost	Specify with <i>2" radius</i> . Specify with <i>5" radius</i> .

▶ Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
<b>Laminate top</b>		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+\$102	► See <i>Surface Materials Reference Manual</i> .
<b>Wood veneer desks</b>		
• Wood group 2	+\$102	Specify wood color number.
• Wood group 3	+\$359	Specify wood color number.
• Customiz stain	No cost	Specify with <i>customiz stain</i> .
		► See <i>Surface Materials Reference Manual</i> .
• Full-fill finish on wood group 1	+\$102	Specify full-fill finish number.
<b>Base</b>		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 44	Specify paint color number.
		► See <i>Surface Materials</i> , page 276
<b>CarbonNeutral Product</b>	CarbonNeutral product certification	+\$ 45
		Add suffix <b>CN</b> to the end of the style number.
<b>Related Products</b>	• Privacy/modesty screens	► Pages 243–244
	• Cable and power management	► Page 188

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

*Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.*

► See page 157 for worksurface weights.

*Tip: CarbonNeutral option is not available for GSA styles MGSLTRQG and MGELTRQG.*

**Specification Information**

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
			46"W	52"W	58"W	64"W	70"W	76"W
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46½"W	52½"W	58½"W	64½"W	70½"W
				-52"W	-58"W	-64"W	-70"W	-76"W

**High-Pressure Laminate Desks—Basic Height**

MGSLTRQ	23" or 24"	\$1679	\$1711	\$1746	\$1789	\$1833	\$1877
MGSLTRQG	28", 29", or 30"	\$1712	\$1747	\$1782	\$1824	\$1872	\$1917
	35" or 36"	\$1748	\$1783	\$1818	\$1872	\$1917	\$1964

**Wood Group 1 Desks—Basic Height**


MGSLTRQ	23" or 24"	\$2456	\$2498	\$2544	\$2602	\$2657	\$2714
MGSLTRQG	28", 29", or 30"	\$2522	\$2568	\$2614	\$2671	\$2727	\$2784
	35" or 36"	\$2586	\$2635	\$2685	\$2753	\$2805	\$2868

**High-Pressure Laminate Desks—Extended Height**

MGELTRQ	23" or 24"	\$1832	\$1868	\$1904	\$1952	\$2000	\$2049
MGELTRQG	28", 29", or 30"	\$1870	\$1905	\$1943	\$1993	\$2043	\$2093
	35" or 36"	\$1909	\$1945	\$1985	\$2043	\$2093	\$2146

**Wood Group 1 Desks—Extended Height**

MGELTRQ	23" or 24"	\$2609	\$2655	\$2702	\$2765	\$2824	\$2886
MGELTRQG	28", 29", or 30"	\$2680	\$2726	\$2775	\$2840	\$2898	\$2960
	35" or 36"	\$2747	\$2797	\$2852	\$2924	\$2981	\$3050




*Tip: MGSLTRQG and MGELTRQG are for GSA use only.*



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

# Migration SE Height-Adjustable Desks

## C-Leg



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 154</li> <li>• Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge</li> <li>• Electric height-adjustable sit-to-stand base: paint</li> <li>• Square corners</li> <li>• Depth: 29" or 30"</li> <li>• Width: 46", 52", 58", 64", 70", or 76"</li> <li>• Power cord: 9'</li> <li>• ½" adjustable glides</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk type (see below under Required Selections)</li> <li>3 Overhang and overhang width, if selected (see below under Required Selections)</li> <li>4 Controller (see below under Required Selections)</li> <li>5 Corner (see below under Required Selections)</li> <li>6 Desk depth</li> <li>7 Desk width</li> <li>8 High-Pressure Laminate or wood color for worksurface</li> <li>9 Plastic color number for profile edge, if selected</li> <li>10 Paint color number for base:               <ul style="list-style-type: none"> <li>4799 Platinum Metallic</li> <li>7207 Black</li> <li>7241 Arctic White</li> <li>7360 Merle</li> </ul> </li> <li>11 Options, if selected (see below)               <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276</li> </ul> </li> </ol>

*Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.*

*Tip: On extended height desks, any storage higher than 18¾" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.*

▶ See page 157 for overhang rules.

*Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.*

▶ See *Steelcase Worktools Specification Guide*.

*Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.*

▶ See page 43, *Steelcase Monitor Arm Guidelines*.

*Tip: 5" corner radius option available on desks 58"W or wider.*

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Desk Type	Required Selections	U.S. Price	Required to Specify
<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Parametric width desk</li> <li>• Modular width desk</li> </ul>	No cost No cost	Specify with <i>parametric desk type</i> . Specify with <i>modular desk type</i> .
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Up/down controller</li> <li>• 4 pre-set controller</li> </ul>	No cost +\$ 74	Specify with <i>up/down controller</i> . Specify with <i>4 pre-set controller</i> .
<b>Foot</b>	<ul style="list-style-type: none"> <li>• Squared-edge</li> <li>• Mitered-edge</li> </ul>	No cost No cost	Specify with <i>squared-edge foot</i> . Specify with <i>mitered-edge foot</i> .
<b>Overhang</b>	<ul style="list-style-type: none"> <li>• No overhang</li> <li>• Left overhang</li> <li>• Right overhang</li> </ul>	No cost No cost No cost	Specify with <i>no overhang</i> . Specify with <i>left overhang</i> . Specify with <i>right overhang</i> .
	<b>Overhang width</b>		
	<ul style="list-style-type: none"> <li>• 3"W</li> <li>• 6"W</li> <li>• 9"W</li> <li>• 12"W</li> </ul>	No cost No cost No cost No cost	Specify with <i>3"W overhang</i> . Specify with <i>6"W overhang</i> . Specify with <i>9"W overhang</i> . Specify with <i>12"W overhang</i> .
<b>Corner</b>	<ul style="list-style-type: none"> <li>• Square corner</li> <li>• Radius corner</li> </ul>	No cost +\$ 93	Specify with <i>square corner</i> . Specify with <i>radius corner</i> .
	<b>Corner radius</b>		
	<ul style="list-style-type: none"> <li>• 2" radius</li> <li>• 5" radius</li> </ul>	No cost No cost	Specify with <i>2" radius</i> . Specify with <i>5" radius</i> .

Surface Materials	Options	U.S. Price	Required to Specify
	<b>Laminate top</b>		
	<ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	See information at left See information at left +\$102	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer desks</b>		
	<ul style="list-style-type: none"> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> </ul>	+\$102 +\$359 No cost	Specify wood color number. Specify wood color number. Specify with <i>customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	<ul style="list-style-type: none"> <li>• Full-fill finish on wood group 1</li> </ul>	+\$102	


▶ **Options, continued on next page**

► Options, continued from previous page

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <b>Base</b> <ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> </ul>	No cost +\$44	Specify paint color number. Specify paint color number. ► See <i>Surface Materials</i> , page 276
<b>CarbonNeutral Product</b> CarbonNeutral product certification	+\$45	Add suffix <b>CN</b> to the end of the style number.
<b>Related Products</b> <ul style="list-style-type: none"> <li>Privacy/modesty screens</li> <li>Cable and power management</li> </ul>		► Pages 243–244 ► Page 188

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.  
► See page 157 for worksurface weights.

Tip: CarbonNeutral option is not available for GSA styles **MGSLCRQG** and **MGELCRQG**.



Tip: **MGSLCRQG** and **MGELCRQG** are for GSA use only.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
			46"W	52"W	58"W	64"W	70"W	76"W
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46 <sup>1</sup> / <sub>16</sub> "W	52 <sup>1</sup> / <sub>16</sub> "W	58 <sup>1</sup> / <sub>16</sub> "W	64 <sup>1</sup> / <sub>16</sub> "W	70 <sup>1</sup> / <sub>16</sub> "W
				52"W	58"W	64"W	70"W	76"W

High-Pressure Laminate Desks—Basic Height

<b>MGSLCRQ</b>	29" or 30"	\$1712	\$1747	\$1782	\$1824	\$1872	\$1917
<b>MGSLCRQG</b>							

Wood Group 1 Desks—Basic Height

<b>MGSLCRQ</b>	29" or 30"	\$2522	\$2568	\$2614	\$2671	\$2727	\$2784
<b>MGSLCRQG</b>							

High-Pressure Laminate Desks—Extended Height

<b>MGELCRQ</b>	29" or 30"	\$1870	\$1905	\$1943	\$1993	\$2043	\$2093
<b>MGELCRQG</b>							


Wood Group 1 Desks—Extended Height

<b>MGELCRQ</b>	29" or 30"	\$2680	\$2726	\$2775	\$2840	\$2898	\$2960
<b>MGELCRQG</b>							



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

# Migration SE Height-Adjustable 3-Leg Corner Desk



*Tip: On extended height desks, any storage higher than 18<sup>3</sup>/<sub>10</sub>" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.*

*Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.*

*Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.*

*Tip: Overhang is not allowed on 120° corner desks.*

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 154</li> <li>• Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer</li> <li>• Electric height-adjustable sit-to-stand base: paint price group 1</li> <li>• Up/down controller</li> <li>• Depth:               <ul style="list-style-type: none"> <li>– 90° equal corner: 23", 24", 29", 30"</li> <li>– 90° extended corner: 23", 24", 29", 30"</li> <li>– 120° equal corner: 23", 24"</li> </ul> </li> <li>• Modular widths:               <ul style="list-style-type: none"> <li>– 90° corner: 46"–76"</li> <li>– 120° equal corner: 46"–64"</li> </ul> </li> <li>• ½" adjustable glides</li> <li>• Power cord: 9'</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk type (see below under Required Selections)</li> <li>3 Overhang and overhang width, if selected (see below under Required Selections)</li> <li>4 Controller (see below under Required Selections)</li> <li>5 Desk depth</li> <li>6 Desk width</li> <li>7 High-Pressure Laminate or wood color for worksurface</li> <li>8 Plastic color number for profile edge on laminate worksurface, if selected</li> <li>9 Paint color number for base:               <ul style="list-style-type: none"> <li>4799 Platinum Metallic</li> <li>7207 Black</li> <li>7241 Arctic White</li> <li>7360 Merle</li> </ul> </li> <li>10 Options, if selected (see below)               <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276</li> </ul> </li> </ol>

	Required Selections	U.S. Price	Required to Specify
<b>Desk Type</b>	<ul style="list-style-type: none"> <li>• Parametric width desk</li> <li>• Modular width desk</li> </ul>	No cost No cost	Specify <i>with parametric desk type</i> . Specify <i>with modular desk type</i> .
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Up/down controller</li> <li>• 4 pre-set controller</li> </ul>	No cost +\$ 74	Specify <i>with up/down controller</i> . Specify <i>with 4 pre-set controller</i> .
<b>Overhang</b>	<ul style="list-style-type: none"> <li>• No overhang</li> <li>• Left overhang</li> <li>• Right overhang</li> </ul>	No cost No cost No cost	Specify <i>with no overhang</i> . Specify <i>with left overhang</i> . Specify <i>with right overhang</i> .
	<b>Overhang width</b>		
	<ul style="list-style-type: none"> <li>• 3"W</li> <li>• 6"W</li> <li>• 9"W</li> <li>• 12"W</li> </ul>	No cost No cost No cost No cost	Specify <i>with 3"W overhang</i> . Specify <i>with 6"W overhang</i> . Specify <i>with 9"W overhang</i> . Specify <i>with 12"W overhang</i> .


	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Laminate top</b>		
	<ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	See information at left See information at left +\$102	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer desks</b>		
	<ul style="list-style-type: none"> <li>• Wood group 2</li> <li>• Wood group 3</li> <li>• Customiz stain</li> </ul>	+\$102 +\$359 No cost	Specify wood color number. Specify wood color number. Specify <i>with customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> <li>• Full-fill finish on wood group 1</li> </ul>	+\$102	Specify full-fill finish number.
	<b>Base</b>		
	<ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 66	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276
<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Privacy/modesty screens</li> <li>• Cable and power management</li> </ul>		▶ Pages 243–244 ▶ Page 188



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

**Specification Information**

• Style Number	• Dimensions D		• Modular Right Width	• U.S. Base Prices					
	• Modular Left Width	• Parametric Left Width		• Parametric Right Width	46"W	52"W	58"W	64"W	70"W



**90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")**

**High-Pressure Laminate Desks**

MGS LTLC	MGS LTLCG	23" or 24"	46"	46"	N.A.	\$2665	\$2745	\$2827	\$2912	\$2999
		23" or 24"	52"	46 1/16"–52"	\$2665	\$2745	\$2827	\$2912	\$2999	\$3089
		23" or 24"	58"	52 1/16"–58"	\$2745	\$2827	\$2912	\$2999	\$3089	\$3182
		23" or 24"	64"	58 1/16"–64"	\$2827	\$2912	\$2999	\$3089	\$3182	\$3277
		23" or 24"	70"	64 1/16"–70"	\$2912	\$2999	\$3089	\$3182	N.A.	N.A.
		23" or 24"	76"	70 1/16"–76"	\$2999	\$3089	\$3182	\$3277	N.A.	N.A.

**Specification Information**

• Style Number	• Dimensions D		• Modular Right Width	• U.S. Base Prices					
	• Modular Left Width	• Parametric Left Width		• Parametric Right Width	46"W	52"W	58"W	64"W	70"W

**90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**High-Pressure Laminate Desks**

MGS LTLC	MGS LTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$2717	\$2799	\$2883	\$2969	\$3058
		23" or 24" R/L <td>29" or 30" L/R <td>52"</td> <td>46 1/16"–52"</td> <td>\$2717</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> </td>	29" or 30" L/R <td>52"</td> <td>46 1/16"–52"</td> <td>\$2717</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td>	52"	46 1/16"–52"	\$2717	\$2799	\$2883	\$2969	\$3058	\$3150
		23" or 24" R/L <td>29" or 30" L/R <td>58"</td> <td>52 1/16"–58"</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> </td>	29" or 30" L/R <td>58"</td> <td>52 1/16"–58"</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td>	58"	52 1/16"–58"	\$2799	\$2883	\$2969	\$3058	\$3150	\$3245
		23" or 24" R/L <td>29" or 30" L/R <td>64"</td> <td>58 1/16"–64"</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> </td>	29" or 30" L/R <td>64"</td> <td>58 1/16"–64"</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td>	64"	58 1/16"–64"	\$2883	\$2969	\$3058	\$3150	\$3245	\$3342
		23" or 24" R/L <td>29" or 30" L/R <td>70"</td> <td>64 1/16"–70"</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>N.A.</td> <td>N.A.</td> </td>	29" or 30" L/R <td>70"</td> <td>64 1/16"–70"</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>N.A.</td> <td>N.A.</td>	70"	64 1/16"–70"	\$2969	\$3058	\$3150	\$3245	N.A.	N.A.
		23" or 24" R/L <td>29" or 30" L/R <td>76"</td> <td>70 1/16"–76"</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> <td>N.A.</td> <td>N.A.</td> </td>	29" or 30" L/R <td>76"</td> <td>70 1/16"–76"</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> <td>N.A.</td> <td>N.A.</td>	76"	70 1/16"–76"	\$3058	\$3150	\$3245	\$3342	N.A.	N.A.


Tip: **MGS LTLCG** is for GSA use only.  
 Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.  
 Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**

# Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► **Specification Information, continued from previous page**

Specification Information		U.S. Base Prices							
Style Number	Dimensions D	Modular Right Width	U.S. Base Prices						
			46"W	52"W	58"W	64"W	70"W	76"W	
	• Modular Left Width	Parametric Right Width	46"W	46 <sup>1</sup> / <sub>16</sub> "W-	52 <sup>1</sup> / <sub>16</sub> "W-	58 <sup>1</sup> / <sub>16</sub> "W-	64 <sup>1</sup> / <sub>16</sub> "W-	70 <sup>1</sup> / <sub>16</sub> "W-	76"W
	• Parametric Left Width								



## 90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")

### High-Pressure Laminate Desks

MGS	SL	TLC	MGS	SL	TLC	CG	46"	52"	58"	64"	70"	76"
							N.A.	\$2717	\$2799	\$2883	\$2969	\$3058
							\$2717	\$2799	\$2883	\$2969	\$3058	\$3150
							\$2799	\$2883	\$2969	\$3058	\$3150	\$3245
							\$2883	\$2969	\$3058	\$3150	\$3245	\$3342
							\$2969	\$3058	\$3150	\$3245	N.A.	N.A.
							\$3058	\$3150	\$3245	\$3342	N.A.	N.A.

## 90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

### Wood Veneer Desks

MGS	SL	TLC	MGS	SL	TLC	CG	46"	52"	58"	64"	70"	76"
							N.A.	\$3971	\$4070	\$4169	\$4279	\$4385
							\$3971	\$4070	\$4169	\$4279	\$4385	\$4495
							\$4070	\$4169	\$4279	\$4385	\$4495	\$4608
							\$4169	\$4279	\$4385	\$4495	\$4608	\$4723
							\$4279	\$4385	\$4495	\$4608	N.A.	N.A.
							\$4385	\$4495	\$4608	\$4723	N.A.	N.A.

Tip: **MGS** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

Tip: For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**



### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information										
Style Number	Dimensions				U.S. Base Prices					
	D		Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
	Modular Left Width	Parametric Left Width			46"W	46½"W	52½"W	58½"W	64½"W	70½"W

**90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

Wood Veneer Desks											
MGSLTLC	MGSLTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$4023	\$4124	\$4225	\$4336	\$4444
		23" or 24" R/L	29" or 30" L/R	52"	46½"-52"	\$4023	\$4124	\$4225	\$4336	\$4444	\$4556
		23" or 24" R/L	29" or 30" L/R	58"	52½"-58"	\$4124	\$4225	\$4336	\$4444	\$4556	\$4671
		23" or 24" R/L	29" or 30" L/R	64"	58½"-64"	\$4225	\$4336	\$4444	\$4556	\$4671	\$4788
		23" or 24" R/L	29" or 30" L/R	70"	64½"-70"	\$4336	\$4444	\$4556	\$4671	N.A.	N.A.
		23" or 24" R/L	29" or 30" L/R	76"	70½"-76"	\$4444	\$4556	\$4671	\$4788	N.A.	N.A.

**90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")**

Wood Veneer Desks											
MGSLTLC	MGSLTLCG	29" or 30"	29" or 30"	46"	46"	N.A.	\$4023	\$4124	\$4225	\$4336	\$4444
		29" or 30"	29" or 30"	52"	46½"-52"	\$4023	\$4124	\$4225	\$4336	\$4444	\$4556
		29" or 30"	29" or 30"	58"	52½"-58"	\$4124	\$4225	\$4336	\$4444	\$4556	\$4671
		29" or 30"	29" or 30"	64"	58½"-64"	\$4225	\$4336	\$4444	\$4556	\$4671	\$4788
		29" or 30"	29" or 30"	70"	64½"-70"	\$4336	\$4444	\$4556	\$4671	N.A.	N.A.
		29" or 30"	29" or 30"	76"	70½"-76"	\$4444	\$4556	\$4671	\$4788	N.A.	N.A.

Tip: **MGSLTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in ½" increments.


► **Specification Information, continued on next page**

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

# Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► **Specification Information, continued from previous page**

Specification Information		U.S. Base Prices								
Style Number	Dimensions D			Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		Modular Left Width	Parametric Left Width	Parametric Right Width	46"W	46 1/16"W-52"W	52 1/16"W-58"W	58 1/16"W-64"W	64 1/16"W-70"W	70 1/16"W-76"W



## 90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

**High-Pressure Laminate Desks**

Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	23" or 24"	46"	46"	N.A.	\$2935	\$3023	\$3114	\$3207	\$3303	
MGELTLCG	23" or 24"	52"	46 1/16"-52"		\$2935	\$3023	\$3114	\$3207	\$3303	\$3402
	23" or 24"	58"	52 1/16"-58"		\$3023	\$3114	\$3207	\$3303	\$3402	\$3504
	23" or 24"	64"	58 1/16"-64"		\$3114	\$3207	\$3303	\$3402	\$3504	\$3609
	23" or 24"	70"	64 1/16"-70"		\$3207	\$3303	\$3402	\$3504	N.A.	N.A.
	23" or 24"	76"	70 1/16"-76"		\$3303	\$3402	\$3504	\$3609	N.A.	N.A.

## 90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

**High-Pressure Laminate Desks**

Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$2995	\$3085	\$3178	\$3273	\$3371
MGELTLCG	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"-52"		\$2995	\$3085	\$3178	\$3273	\$3371
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"-58"		\$3085	\$3178	\$3273	\$3371	\$3472
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"-64"		\$3178	\$3273	\$3371	\$3472	\$3576
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"-70"		\$3273	\$3371	\$3472	\$3576	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"-76"		\$3371	\$3472	\$3576	\$3683	N.A.

Tip: **MGELTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information										
Style Number	Dimensions D			U.S. Base Prices						
	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W	
			Parametric Right Width	46"W	46 <sup>1</sup> / <sub>16</sub> "W-	52 <sup>1</sup> / <sub>16</sub> "W-	58 <sup>1</sup> / <sub>16</sub> "W-	64 <sup>1</sup> / <sub>16</sub> "W-	70 <sup>1</sup> / <sub>16</sub> "W-	76"W

**90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")**

**High-Pressure Laminate Desks**

Style Number	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	29" or 30"	46"	46"	N.A.	\$2995	\$3085	\$3178	\$3273	\$3371
MGELTLCG	29" or 30"	52"	46 <sup>1</sup> / <sub>16</sub> "-52"	\$2995	\$3085	\$3178	\$3273	\$3371	\$3472
	29" or 30"	58"	52 <sup>1</sup> / <sub>16</sub> "-58"	\$3085	\$3178	\$3273	\$3371	\$3472	\$3576
	29" or 30"	64"	58 <sup>1</sup> / <sub>16</sub> "-64"	\$3178	\$3273	\$3371	\$3472	\$3576	\$3683
	29" or 30"	70"	64 <sup>1</sup> / <sub>16</sub> "-70"	\$3273	\$3371	\$3472	\$3576	N.A.	N.A.
	29" or 30"	76"	70 <sup>1</sup> / <sub>16</sub> "-76"	\$3371	\$3472	\$3576	\$3683	N.A.	N.A.

**90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")**

**Wood Veneer Desks**

Style Number	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	23" or 24"	46"	46"	N.A.	\$4241	\$4348	\$4456	\$4574	\$4689
MGELTLCG	23" or 24"	52"	46 <sup>1</sup> / <sub>16</sub> "-52"	\$4241	\$4348	\$4456	\$4574	\$4689	\$4808
	23" or 24"	58"	52 <sup>1</sup> / <sub>16</sub> "-58"	\$4348	\$4456	\$4574	\$4689	\$4808	\$4930
	23" or 24"	64"	58 <sup>1</sup> / <sub>16</sub> "-64"	\$4456	\$4574	\$4689	\$4808	\$4930	\$5055
	23" or 24"	70"	64 <sup>1</sup> / <sub>16</sub> "-70"	\$4574	\$4689	\$4808	\$4930	N.A.	N.A.
	23" or 24"	76"	70 <sup>1</sup> / <sub>16</sub> "-76"	\$4689	\$4808	\$4930	\$5055	N.A.	N.A.

**90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)**

**Wood Veneer Desks**

Style Number	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W	
MGELTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$4301	\$4410	\$4520	\$4640	\$4757
MGELTLCG	23" or 24" R/L	29" or 30" L/R	52"	46 <sup>1</sup> / <sub>16</sub> "-52"	\$4301	\$4410	\$4520	\$4640	\$4757	\$4878
	23" or 24" R/L	29" or 30" L/R	58"	52 <sup>1</sup> / <sub>16</sub> "-58"	\$4410	\$4520	\$4640	\$4757	\$4878	\$5002
	23" or 24" R/L	29" or 30" L/R	64"	58 <sup>1</sup> / <sub>16</sub> "-64"	\$4520	\$4640	\$4757	\$4878	\$5002	\$5129
	23" or 24" R/L	29" or 30" L/R	70"	64 <sup>1</sup> / <sub>16</sub> "-70"	\$4640	\$4757	\$4878	\$5002	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 <sup>1</sup> / <sub>16</sub> "-76"	\$4757	\$4878	\$5002	\$5129	N.A.	N.A.

Tip: **MGELTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**

## Migration SE Height-Adjustable 3-Leg Corner Desk, continued

### ► Specification Information, continued from previous page

Specification Information									
• Style Number	• Dimensions D			• U.S. Base Prices					
	• Modular Left Width	• Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
						Parametric Right Width	46"W	46½"W-	52½"W-
					52"W	58"W	64"W	70"W	76"W

### 90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")

#### Wood Veneer Desks


Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	29" or 30"	46"	46"	N.A.	\$4301	\$4410	\$4520	\$4640	\$4757	
MGELTCG	29" or 30"	52"	46½"-52"		\$4301	\$4410	\$4520	\$4640	\$4757	\$4878
	29" or 30"	58"	52½"-58"		\$4410	\$4520	\$4640	\$4757	\$4878	\$5002
	29" or 30"	64"	58½"-64"		\$4520	\$4640	\$4757	\$4878	\$5002	\$5129
	29" or 30"	70"	64½"-70"		\$4640	\$4757	\$4878	\$5002	N.A.	N.A.
	29" or 30"	76"	70½"-76"		\$4757	\$4878	\$5002	\$5129	N.A.	N.A.

Tip: **MGELTCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."

Tip: Widths are parametric in ½" increments.

Specification Information									
• Style Number	• Dimensions D			• U.S. Base Prices					
	• Modular Left Width	• Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W		
						Parametric Right Width	46"W	46½"W-	52½"W-
					52"W	58"W	64"W	66"W	



### 120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

#### High-Pressure Laminate Desks

Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	66"W
MGSLTWC	23" or 24"	46"	46"		\$2693	N.A.	N.A.	N.A.	N.A.
MGSLTCG	23" or 24"	52"	46½"-52"		N.A.	\$2881	N.A.	N.A.	N.A.
	23" or 24"	58"	52½"-58"		N.A.	N.A.	\$3055	N.A.	N.A.
	23" or 24"	64"	58½"-64"		N.A.	N.A.	N.A.	\$3241	N.A.
	23" or 24"		64½"-66"		N.A.	N.A.	N.A.	N.A.	\$3438

Tip: **MGSLTCG** is for GSA use only.

Tip: Width left and width right must match.

Tip: Widths are parametric by ½" from 46"-66".

### ► Specification Information, continued on next page

► **Specification Information, continued from previous page**

Specification Information										
Style Number	Dimensions			U.S. Base Prices						
	D	Modular Left Width	Parametric Left Width	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	
						46"W	52"W	58"W	64"W	
						46"W	46 <sup>1</sup> / <sub>16</sub> "W-	52 <sup>1</sup> / <sub>16</sub> "W-	58 <sup>1</sup> / <sub>16</sub> "W-	64 <sup>1</sup> / <sub>16</sub> "W-
							52"W	58"W	64"W	66"W

**120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")**

**Wood Veneer Desks**

Style Number	D	Modular Left Width	Parametric Left Width	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	66"W
MGSLTWC	23" or 24"	46"	46"			\$4063	N.A.	N.A.	N.A.	N.A.
MGSLTWC	23" or 24"	52"	46 <sup>1</sup> / <sub>16</sub> "-52"			N.A.	\$4289	N.A.	N.A.	N.A.
	23" or 24"	58"	52 <sup>1</sup> / <sub>16</sub> "-58"			N.A.	N.A.	\$4488	N.A.	N.A.
	23" or 24"	64"	58 <sup>1</sup> / <sub>16</sub> "-64"			N.A.	N.A.	N.A.	\$4714	N.A.
	23" or 24"		64 <sup>1</sup> / <sub>16</sub> "-66"			N.A.	N.A.	N.A.	N.A.	\$4911

Tip: **MGSLTWC** is for GSA use only.  
 Tip: Width left and width right must match.  
 Tip: Widths are parametric by 1/16" from 46"-66".

► **Specification Information, continued on next page**


 **For Canadian Pricing**  
 Multiply U.S. Price by the  
 Canadian price factor.  
 ► See page 1 for details.

## Migration SE Height-Adjustable 3-Leg Corner Desk, continued

### ► Specification Information, continued from previous page

#### Specification Information

Style Number	Dimensions			U.S. Base Prices					
	D	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	
				Parametric Right Width	46"W	46½"W–52"W	52½"W–58"W	58½"W–64"W	64½"W–66"W



### 120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

#### High-Pressure Laminate Desks

Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	66"W
MGELTWC	23" or 24"	46"	46"		\$2910	N.A.	N.A.	N.A.	N.A.
MGELTWCG	23" or 24"	52"	46½"W–52"		N.A.	\$3110	N.A.	N.A.	N.A.
	23" or 24"	58"	52½"W–58"		N.A.	N.A.	\$3298	N.A.	N.A.
	23" or 24"	64"	58½"W–64"		N.A.	N.A.	N.A.	\$3502	N.A.
	23" or 24"		64½"W–66"		N.A.	N.A.	N.A.	N.A.	\$3715

### 120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

#### Wood Veneer Desks

Style	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	66"W
MGELTWC	23" or 24"	46"	46"		\$4280	N.A.	N.A.	N.A.	N.A.
MGELTWCG	23" or 24"	52"	46½"W–52"		N.A.	\$4518	N.A.	N.A.	N.A.
	23" or 24"	58"	52½"W–58"		N.A.	N.A.	\$4731	N.A.	N.A.
	23" or 24"	64"	58½"W–64"		N.A.	N.A.	N.A.	\$4975	N.A.
	23" or 24"		64½"W–66"		N.A.	N.A.	N.A.	N.A.	\$5188

Tip: **MGELTWCG** is for GSA use only.

Tip: Width left and width right must match.

Tip: Widths are parametric by ½" from 46"-66".



#### For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



# Migration SE Height-Adjustable Bases

T-Leg



Tip: Attachment hardware is intended for desks 1" to 1<sup>1</sup>/<sub>8</sub>" thick.

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D base.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See *Steelcase Worktools Specification Guide*.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

▶ See page 43, *Steelcase Monitor Arm Guidelines*.

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Worksurface for use on this base needs to be 2" wider than the base.



**WARNING**  
Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.



## For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 154	<ul style="list-style-type: none"> <li>• Electric height-adjustable sit-to-stand base: paint price group 1</li> <li>• Depth: 23", 24", 28", 29", 30", 35", or 36"</li> <li>• Power cord: 9'</li> <li>• 1/2" adjustable glides</li> <li>• Attachment hardware</li> </ul>	1 Style number 2 Depth 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

Required Selections	U.S. Price	Required to Specify
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Up/down controller: No cost</li> <li>• 4 pre-set controller: +\$ 74</li> </ul>	Specify with <i>up/down controller</i> . Specify with <i>4 pre-set controller</i> .
<b>Foot</b>	<ul style="list-style-type: none"> <li>• Squared-edge foot: No cost</li> <li>• Mitered-edge foot: No cost</li> <li>• Height saver with casters: +\$208</li> </ul>	Specify with <i>squared-edge foot</i> . Specify with <i>mitered-edge foot</i> . Specify with <i>height saver with caster</i> .

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• Base</li> <li>• Paint price group 1: No cost</li> <li>• Paint price group 2: +\$ 44</li> </ul>	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276
<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Privacy/modesty screens</li> <li>• Cable and power management</li> </ul>	▶ Pages 243–244 ▶ Page 188

Specification Information		
Style Number	Dimensions Depth	U.S. Base Price

## Rectangular Base—Basic Height

<b>MGSLTRQB</b>	23" or 24"	\$1313
	28", 29", or 30"	\$1313
	35" or 36"	\$1313


## Rectangular Base—Extended Height

<b>MGELTRQB</b>	23" or 24"	\$1449
	28", 29", or 30"	\$1449
	35" or 36"	\$1449

# Migration SE Height-Adjustable Bases

## C-Leg

Migration SE  
Height-Adjustable  
Bases



*Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick.*

*Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.*

*Tip: On 23"x24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.*

▶ See *Steelcase Worktools Specification Guide*.

*Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.*  
▶ See page 43, *Steelcase Monitor Arm Guidelines*.

*Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.*

*Tip: Worksurface for use on this base needs to be 2" wider than the base.*

### **WARNING**

Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.



### **For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 154	<ul style="list-style-type: none"> <li>Electric height-adjustable sit-to-stand base: paint price group 1</li> <li>Depth: 29" or 30"</li> <li>Power cord: 9'</li> <li>1/2" adjustable glides</li> <li>Attachment hardware</li> </ul>	1 Style number 2 Depth 3 Paint color number for base: 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
<b>Controller</b>	<ul style="list-style-type: none"> <li>Up/down controller</li> <li>4 pre-set controller</li> </ul>	No cost +\$74	Specify with up/down controller. Specify with 4 pre-set controller.
<b>Foot</b>	<ul style="list-style-type: none"> <li>Squared-edge</li> <li>Mitered-edge</li> </ul>	No cost No cost	Specify with squared-edge foot. Specify with mitered-edge foot.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Base</b> <ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> </ul>	No cost +\$44	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Privacy/modesty screens</li> <li>Cable and power management</li> </ul>		▶ Pages 243–244 ▶ Page 188

Specification Information		
Style Number	Dimensions Depth	U.S. Base Price


### **Rectangular Base—Basic Height**

<b>MGSLCRQB</b>	29" or 30"	\$1313
:	:	:

### **Rectangular Base—Extended Height**

<b>MGELCRQB</b>	29" or 30"	\$1449
:	:	:

# Migration SE Height-Adjustable 3-Leg Corner Bases



Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick

Tip: On extended height desks, any storage higher than 18 3/10" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 154	<ul style="list-style-type: none"> <li>• Electric height-adjustable sit-to-stand base: paint price group 1</li> <li>• Up/down controller</li> <li>• Width: 46", 52", 58", 64", 70", or 76"</li> <li>• Depth:                             <ul style="list-style-type: none"> <li>– 90° corner: 23", 24", 29", 30"</li> <li>– 120° corner: 23", 24"</li> </ul> </li> <li>• 1/2" adjustable glides</li> <li>• Power cord: 9'</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk depth</li> <li>3 Controller (see below under Required Selections)</li> <li>4 Paint color number for base:                             <ul style="list-style-type: none"> <li>4799 Platinum Metallic</li> <li>7207 Black</li> <li>7241 Arctic White</li> <li>7360 Merle</li> </ul> </li> <li>5 Options, if selected (see below)</li> </ol>

	Required Selections	U.S. Price	Required to Specify
<b>Controller</b>	<ul style="list-style-type: none"> <li>• Up/down controller</li> <li>• 4 Pre-set controller</li> </ul>	No cost +\$74	Specify with up/down controller. Specify with 4 pre-set controller.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$66	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 276

<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Privacy/modesty screens</li> <li>• Cable and power management</li> </ul>		▶ Pages 243–244 ▶ Page 188
-------------------------	---	--	-------------------------------

Specification Information		
• Style Number	• Dimensions D	• U.S. Base Price
•	•	•
•	•	•
•	•	•

## 90 3-Leg Corner Base—Basic Height

<b>MGSLTLCB</b>	23" or 24" 29" or 30"	\$2468 \$2468
•	•	•
•	•	•

## 90 3-Leg Corner Base—Extended Height

<b>MGELTLCB</b>	23" or 24" 29" or 30"	\$2688 \$2688
•	•	•
•	•	•

## 120 3-Leg Corner Base—Basic Height

<b>MGSLTWCB</b>	23" or 24"	\$2468
•	•	•
•	•	•


## 120 3-Leg Corner Base—Extended Height

<b>MGELTWCB</b>	23" or 24"	\$2668
•	•	•
•	•	•



# Universal One-High and 1.5-High Open Laterals

for Migration SE Application



Drawings show right-hand application, left hand is also available.

Tip: Open laterals are only for Migration SE T-leg desks.

Tip: 30"W integrated storage is not permitted with 29"D and 35"D Migration SE worksurfaces due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths. ▶ See page 163 for chart showing restrictions

Tip: Migration SE desk depth is necessary in specification for integrated storage due to the placement of the Migration SE leg.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 162	<ul style="list-style-type: none"> <li>Lateral case: paint price group 1</li> <li>1¾"H top: laminate price group 1, if selected                             <ul style="list-style-type: none"> <li>Edge: plastic</li> </ul> </li> <li>1¾"H top: wood group 1, if selected                             <ul style="list-style-type: none"> <li>Four adjustable leveling glides</li> </ul> </li> <li>Grommet</li> <li>Wire manager</li> <li>Ganging hardware</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint color number for lateral case</li> <li>Width (see below under Required Selections)</li> <li>Migration SE desk depth (see below under Required Selections)</li> <li>Laminate color number for top, if laminate top selected</li> <li>Plastic color number for edge, if laminate top selected</li> <li>Wood color number for top, if wood top selected</li> <li>Front style (see below under Required Selections)</li> <li>Application (see below under Required Selections)</li> <li>Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>

	Required Selections	U.S. Price	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>30"W</li> <li>36"W</li> <li>42"W</li> </ul>	Prices at right Prices at right Prices at right	Specify with 30"W. Specify with 36"W. Specify with 42"W.
<b>Migration SE Desk Depth</b>	<ul style="list-style-type: none"> <li>23"D</li> <li>29"D</li> <li>35"D</li> </ul>	No cost No cost No cost	Specify with 23"D. Specify with 29"D. Specify with 35"D.
<b>Front Style</b>	<ul style="list-style-type: none"> <li>Flush steel front</li> <li>Proud steel front</li> </ul>	Prices at right Prices at right	Specify with flush steel front. Specify with proud steel front.
<b>Application</b>	<ul style="list-style-type: none"> <li>Right hand</li> <li>Left hand</li> </ul>	No cost No cost	Specify with right-hand application. Specify with left-hand application.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Paint price group 3</li> </ul>	No cost +\$111 +\$192	Specify paint color number. Specify paint color number. Specify paint color number.
<b>Tops</b>	<p><b>No top</b></p> <ul style="list-style-type: none"> <li>For use beneath a Universal common top</li> </ul> <p><b>Laminate top</b></p> <ul style="list-style-type: none"> <li>High-Pressure Laminate price group 2</li> <li>High-Pressure Laminate price group 3</li> <li>Open Line laminate</li> </ul> <p><b>Wood veneer top</b></p> <ul style="list-style-type: none"> <li>Wood group 1 veneer top</li> <li>Wood group 2 veneer top</li> <li>Wood group 3 veneer top</li> <li>Customiz stain</li> </ul>	-\$147 +\$ 17 +\$ 33 +\$102 plus cost of laminate +\$619 +\$660 +\$757 No cost	Specify with no top. Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> . Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain. ▶ See <i>Surface Materials Reference Manual</i> .

Related Products		
<ul style="list-style-type: none"> <li>Universal common tops for Migration SE application</li> <li>Universal shrouds</li> <li>Universal filler</li> </ul>	<ul style="list-style-type: none"> <li>▶ Page 184</li> <li>▶ Page 186</li> <li>▶ Page 187</li> </ul>	

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

**Specification Information**



Style Number	Dimensions			U.S. Base Prices	
	D	W	H	Flush Steel Front	Proud Steel Front

**One-High Open Lateral**

RSCMHAD	18"	18 <sup>7</sup> / <sub>8</sub> "	30"	16"	\$1509	\$1596
	18"	18 <sup>7</sup> / <sub>8</sub> "	36"	16"	\$1666	\$1773
	18"	18 <sup>7</sup> / <sub>8</sub> "	42"	16"	\$1815	\$1932

**1.5-High Open Lateral**


RSCMBHAD	18"	18 <sup>7</sup> / <sub>8</sub> "	30"	22"	\$1839	\$1946
	18"	18 <sup>7</sup> / <sub>8</sub> "	36"	22"	\$2031	\$2162
	18"	18 <sup>7</sup> / <sub>8</sub> "	42"	22"	\$2214	\$2357



 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
▶ See page 1 for details.

# Universal Common Tops

for Migration SE Application



Drawing shows right-hand application, left hand is also available.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.

**For wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, please refer to the electronic catalog or SmartTools.**



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes	Required to Specify
-------------------	---------------------


<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 162</li> <li>• 1<math>\frac{3}{16}</math>"H top: laminate price group 1, if selected               <ul style="list-style-type: none"> <li>– Edge: plastic</li> </ul> </li> <li>• 1<math>\frac{3}{16}</math>"H top: wood group 1, if selected</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Migration SE desk depth (see below under Required Selections)</li> <li>4 Laminate color number for top, if laminate top selected</li> <li>5 Plastic color number for edge, if laminate top selected</li> <li>6 Wood color number on top, if wood top selected</li> <li>7 Front style (see below under Required Selections)</li> <li>8 Application (see below under Required Selections)</li> <li>9 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>
---	---

Required Selections	U.S. Price	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>• 60"W Prices at right</li> <li>• 66"W Prices at right</li> <li>• 72"W Prices at right</li> <li>• 78"W Prices at right</li> <li>• 84"W Prices at right</li> <li>• 90"W Prices at right</li> <li>• 96"W Prices at right</li> <li>• 108"W Prices at right</li> </ul>	Specify with 60"W. Specify with 66"W. Specify with 72"W. Specify with 78"W. Specify with 84"W. Specify with 90"W. Specify with 96"W. Specify with 108"W.
<b>Migration SE Desk Depth</b>	<ul style="list-style-type: none"> <li>• 23"W No cost</li> <li>• 29"W No cost</li> <li>• 35"W No cost</li> </ul>	Specify with 23"D. Specify with 29"D. Specify with 35"D.
<b>Front Style</b>	<ul style="list-style-type: none"> <li>• Flush front No cost</li> <li>• Proud front No cost</li> </ul>	Specify with flush front. Specify with proud front.
<b>Application</b>	<ul style="list-style-type: none"> <li>• Right hand No cost</li> <li>• Left hand No cost</li> </ul>	Specify with right-hand application. Specify with left-hand application.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• <b>Laminate top</b></li> <li>• High-Pressure Laminate price group 2 See information at left</li> <li>• High-Pressure Laminate price group 3 See information at left</li> <li>• Open Line laminate +\$102 plus cost of laminate</li> </ul>	Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> <li>• <b>Wood veneer top</b></li> <li>• Wood group 2 See information at left</li> <li>• Wood group 3 See information at left</li> <li>• Customiz stain No cost</li> <li>• Full-fill finish on wood group 1 Prices at right</li> </ul>	Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain. ▶ See <i>Surface Materials Reference Manual</i> . Specify with full-fill finish and select wood finish number. ▶ See <i>Surface Materials Reference Manual</i> .
<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Universal One-High and open lateral 1.5-High for Migration SE application</li> <li>• Universal shrouds</li> <li>• Universal filler</li> </ul>	▶ Page 182 ▶ Page 186 ▶ Page 187

**Specification Information**

Style Number	Dimensions		W	U.S. Base Prices		Options
	Flush Front	Proud Front		Laminate	Veneer	(Add \$ to Base Price) Full-Fill Finish
<b>RATCTMHAD</b>	18"	18 <sup>7</sup> / <sub>8</sub> "	60"	\$ 459	\$1030	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	66"	\$ 532	\$1086	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	72"	\$ 595	\$1140	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	78"	\$ 756	\$1365	+\$ 69
	18"	18 <sup>7</sup> / <sub>8</sub> "	84"	\$ 855	\$1549	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	90"	\$ 953	\$1640	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	96"	\$1049	\$1807	+\$102
	18"	18 <sup>7</sup> / <sub>8</sub> "	108"	\$1262	N.A.	N.A.



Tip: Can not order veneer on 108"W Universal common top.

Migration SE



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Universal Shrouds

for Migration SE Application

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 162</li> </ul>	<ul style="list-style-type: none"> <li>• Shroud: paint price group 1</li> <li>• Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Paint color number for shroud</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

*Tip: Shroud width must match width of the universal One-High or 1.5-High open lateral for Migration SE applications.*



Required Selections	U.S. Price	Required to Specify
<b>Width</b>		
• 30"W	No cost	Specify <i>with 30"W.</i>
• 36"W	No cost	Specify <i>with 36"W.</i>
• 42"W	No cost	Specify <i>with 42"W.</i>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$45	Specify paint color number.
• Paint price group 3	+\$74	Specify paint color number.

<b>Related Products</b>	<ul style="list-style-type: none"> <li>• Universal One-High and 1.5-High open lateral files for Migration SE application</li> </ul>	▶ Page 182
-------------------------	---	------------

## Specification Information

Dimensions		Style Number	U.S. Base Price
D	H		
7"	16"	RPXSMHAD	\$114
7"	22"	RPXSMBHAD	\$129



### One-High Shroud

7"	16"	RPXSMHAD	\$114
:	:	:	:

### 1.5-High Shroud

7"	22"	RPXSMBHAD	\$129
:	:	:	:



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

# Universal Fillers

for Migration SE Application

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 162</li> <li>• Filler: paint</li> <li>• Attachment hardware</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for filler</li> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Related Products	
<b>Related Products</b> <ul style="list-style-type: none"> <li>• Universal One-High and 1.5-High open lateral files for Migration SE applications</li> </ul>	▶ Page 182

Specification Information		
• Dimensions	• Style	• U.S.
D    H	Number	Price

One-High Filler		
7"	16"	<b>RPXFMHAD</b> \$ 81
:	:	:


1.5-High Filler		
7"	22"	<b>RPXFMBHAD</b> \$101
:	:	:



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Migration SE Cable and Power Management

## Cable Riser



Fence connection



Leg connection

Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 153</li> </ul> | <ul style="list-style-type: none"> <li>• Cable riser with fence connection: 7360 Merle paint</li> <li>• Attachment hardware</li> </ul> | <ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Options, if selected (see below)</li> </ul> |
|--|--|--|


Options	U.S. Price	Required to Specify
---------	------------	---------------------

- |  |                   |  |
|--|-------------------|--|
| <b>Connection</b> <ul style="list-style-type: none"> <li>• Fence</li> <li>• Leg</li> </ul> | No cost<br>+\$152 | Specify <i>with fence connection.</i><br>Specify <i>with leg connection.</i> |
|--|-------------------|--|

Specification Information	
---------------------------	--

• Style Number	• U.S. Base Price
MIGCR	\$107

## Cable Brackets



Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 153</li> </ul> | <ul style="list-style-type: none"> <li>• Cable brackets, quantity of four: 6527 Merle plastic</li> </ul> | <ul style="list-style-type: none"> <li>Style number</li> </ul> |
|--|--|--|

Specification Information		
---------------------------	--	--

• Style Number	• Weight	• U.S. Price
MIGCBK4	0.5 lb	\$52



### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


## Slide Glides



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 155</li> <li>• Slide glides, quantity of four, basic or extended height range control box: black plastic</li> </ul>	Style number

Specification Information	
Style Number	U.S. Price
MGSGLD	\$32

## Desk and Bench Switch Kit



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 35</li> <li>• Up/down controller, basic or extended height range control box: black plastic</li> </ul>	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
<b>Controller</b>		
<ul style="list-style-type: none"> <li>• Up/down controller</li> <li>• 4 pre-set controller</li> </ul>	No cost +\$74	Specify with up/down controller. Specify with 4 pre-set controller.
<b>Height Range</b>		
<ul style="list-style-type: none"> <li>• Basic</li> <li>• Extended</li> </ul>	No cost No cost	Specify with basic range. Specify with extended range.

Specification Information	
Style Number	U.S. Base Price
MGDSKT	\$281

Migration SE

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



---

# Ology Walkstation



## Understanding

Ology Walkstation **192**



## Specifying

Ology Walkstation **198**

# Ology Walkstation

## The Ology Walkstation

consists of a fully integrated electric height adjustable Ology worksurface with an exclusively engineered, low speed, commercial grade treadmill.

► Specifying, page 198

**Back and side edges** are available in 3 mm edge profile.

**Quiet, high torque motor** is included.

**Ology Sit-to-Walkstation** is available in 70"W worksurface.

**Height-adjustable worksurface** is laminate.

**Base paint options** to match Ology desks.

**Leveling glides** have a standard 1/2" height or optional 1" height for surface leveling on uneven floors.

**Ology Walkstation** is available in worksurface widths from 34"W to 64"W.

**Treadmill and console** are centered on worksurface widths from 34"W to 64"W.

**Magnetic safety clip** is standard.

**Digital key pad console** allows user to start, stop, adjust speed, and adjust worksurface height.

**Commercial grade treadmill** has maximum speed of 2 mph in .1 mph increments and no incline adjustability.

**Sit-to-Walkstation**, chair side, includes push button simple touch or 4 preset controller for ease of height adjustment when seated.

**The Sit-to-Walkstation** provides an area where the worksurface can be lowered for seated use. The user then has the flexibility to adjust from a seated, to a standing, to a walking position with room for a chair next to the treadmill.


**Digital display console** allows user to monitor speed, calories burned, time, and distance.

**The treadmill** sits firmly in slots along the base of the table. In the Sit-to-Walkstation, the treadmill mounts under the right- or left-side of the table.


## Actual Dimensions

	Overall Depth	Overall Width (Walkstation)	Overall Width (Sit-to-Walkstation)	Overall Height
Treadmill	65 1/2"	23"	23"	10 1/2"
Treadmill belt	50"	17 3/4"	17 3/4"	6 1/2"
Worksurface	29" or 30"	34", 40", 46", 52", 58", or 64"	70"	26 1/10"–52 1/5"

### Product Details



**Ology Walkstation** is standard with indicators on belt to show movement and belt edge.



**Ology Walkstation** is standard with metal treadmill receiver plate between feet to insure stability and keep treadmill and worksurface aligned.


*Tip: Walkstation does not incline.*

**Maximum treadmill weight capacity** is 360 pounds.


**Desk base** supports a maximum distributed weight load of 360 pounds.

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options (i.e. integrated rail, power and data access door or monitors).*


*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*




**Ology Walkstation** has an adjustability range of 26<sup>1</sup>/<sub>10</sub>"H to 52<sup>1</sup>/<sub>5</sub>"H.



**Digital display console** allows user to monitor speed, calories, time, and distance.



**Digital key pad console** allows user to start, stop, adjust speed, and adjust worksurface height.



**Magnetic safety clip** should always be attached to user when walkstation is in use.

**Belt** must be in the off position before user steps on to treadmill.

### Wiring and Cabling

**Nine foot power cord** is standard on treadmill.

### Surface Materials

**Worksurface, back edge, and side edges**

- Laminate
  - ▶ See *Surface Materials Reference Manual*.
  - Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.


### Treadmill

- 7270 Silverstone

### Base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

### Application Topics



**Ology Walkstation** may be used in a variety of applications: meeting spaces, individual spaces, and shared spaces.

**Keyboard assemblies** are not allowed on walkstations.

**Universal boundary screens** are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

### Installation

**Allow** three feet from the outside edge of the treadmill base on both sides and rear. The only exception is if unit is pushed up against a plain, unobstructed wall on one side.


**Use of a Steelcase brand single or dual monitor arm** is suggested.

**Use of a hands-free listening or communication device** while operating the Ology Walkstation is strongly suggested.

### Product Details

#### High-Pressure Laminate Desks


**Front (user's) edge profile** is available in 3 mm edge profile.




**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

▶ See *Surface Materials* in this book for specific PVC-free availability, page 276.


**Edge profile finishes** are specified separately from laminate color.




**Square corners**, available as an option, have 90° corners on all four sides with a front user's edge.




**Radius corners**, available as an option, have 1/4" radius on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for freestanding furniture.



**When radius corners are specified in applications with integrated rail**, the front corners of the desk will be radius and the back corners will be square.




**Simple touch controller** is available as an option for 70"W or 76"W tops and easily adjusts height of desk, at a rate of 1/2" per second, by lifting or pressing down on the controller.




**4 pre-set programmable controller** is available as an option for 70"W or 76"W tops. It allows users to set the seated and standing height positions or pre-set heights for multiple users. The collaboration button can be programmed to raise the desk to an average standing height for shoulder to shoulder/dyadic collaboration. Digital display will show the height of the desk when adjusting and at rest before it enters sleep mode.


**Obstruction sensing technology** is standard with all Ology desks. The worksurface will backtrack when it makes contact with an object.




**Desk sizes** are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.




**Integrated rail**, available as an option, allows for the mounting of privacy screens, monitor arms, lights, power strips, and other worktools.



**The overall depth of the worksurface** is 29"D or 30"D.



**Integrated rail** is optional and must be specified on initial order. It cannot be added after install. Worksurface depth is shortened by 13/4" to accommodate the integrated rail so the overall footprint remains the same.



**Cord drop** is standard when rail is specified and power door or grommets are not optioned to allow for cords to drop below the surface.


### Wiring and Cabling

**Height-adjustable desks low surge electric motor with quiet operation** adjusts at 1/2" per second. Motor is 110V and includes a 10 5/8' power cord. Motor has 0.1W standby power.

**Chicago** requires that desks shipping into Illinois ship with a 9' power cord.


**Ology Walkstations** are NRTL listed.  
▶ See page 26

**Controllers** must be located next to the control box. The control box can be placed on either the right or left side of the desk and is field-installed.




**Power and data access door and tray with USB** is available as an option. The door is 16 1/2"W on the surface, providing user access to power, data, and USB, as well as cord management.


**If power and data access door** is selected, grommet cannot be selected.



**Power strip**, located in tray, includes three outlets and easy access to two USB charging ports. Each port provides two amps of output. USB receptacles conveniently charge a wide range of electronic devices, though not all devices are USB compatible. Cord length is 10'. Data can be terminated and accessed in the tray, and it is positioned to the right. Both modular furniture and NEMA faceplates can be used. Chicago and California have special requirements. Desks shipping to Illinois and California with the power access door option have a powerstrip with overcurrent protection.




**If power door is not specified**, another recommendation for power and cable management is Powerstrip Intro or Powerstrip Plus and the Universal Cable Management Kit. Powerstrip Intro or Plus are available separately to support power outlets, USB-A, USB-C needs. Please reference pages 232, 236, and 242 for further information.  
*Tip: When a rail is specified on Ology Walkstation, the Universal Cable Management Kit cannot be used due to interference.*




**Grommets**, available as an option, help manage cable/cords going from the top of desk to the underside. Grommet inside dimensions are 3 1/4"W X 3 1/4"D.




**Grommets** come in pairs.  
*Tip: When grommet is optioned, power and data access door cannot be applied.*




**Cable riser** supports cable management vertically between the floor and the underside of the desk. It is available in 6527 Merle and is specified separately.  
▶ Specifying, page 111



**Cable riser, with leg connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



**Cable riser, with fence connection, inside dimensions** are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




**Cable basket and cable brackets**, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 111

**Cable baskets** are available on rectangular, tapered, and 90° corner desks 46<sup>1</sup>/<sub>16</sub>"W or larger, and 120° corner desks 40<sup>1</sup>/<sub>16</sub>"W or larger.

*Tip: If the rail is specified on Ology, the cable basket is only allowed in the back facing orientation.*



**Cable baskets** inside dimensions are 6"D x 17<sup>3</sup>/<sub>4</sub>"W x 4<sup>1</sup>/<sub>4</sub>"H and the overall width is 19<sup>1</sup>/<sub>2</sub>"W with a height of 4<sup>1</sup>/<sub>2</sub>"H.



**Inside dimensions of cable brackets** are 6"D x 2<sup>1</sup>/<sub>4</sub>"W x 1<sup>1</sup>/<sub>8</sub>"H.

## Surface Materials

### High-Pressure Laminate Desk

- Laminate
  - See *Surface Materials Reference Manual*.
  - Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See *Surface Materials Reference Manual*.

### 3 mm edge profile

- Plastic

### Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

### Power and Data Access Door and Tray

- Door**
- Paint
  - Anodized Aluminum

- Door bezel**
- 6527 Merle

## Application Topics

**Moving desks** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

► See page 26



**Modesty screens maximum modesty screen height from underside of worksurface** is 9<sup>7</sup>/<sub>8</sub>".


**Universal privacy/modesty screens in privacy** mount only with 19<sup>1</sup>/<sub>8</sub>" above and 5<sup>1</sup>/<sub>2</sub>" below worksurface.

### Screens not allowed on Walkstation:

- Universal privacy/modesty screens in privacy/modesty mount
- Soffio screens
- Acrylic modesty screen
- Ology modesty panels
- Fixed personal/modesty screens


### Screens allowed on Walkstation:

- Sarto and Sarto curved screens
- Acrylic privacy screen
- Fixed personal screen only above the worksurface



23"H pedestal


**Any storage higher than 22"** will impede the height range of the desk. *Tip: Do not place storage underneath controller.*



21"H pedestal

**When the power access door** is optional, on any storage taller than 19<sup>1</sup>/<sub>2</sub>"H will impede the height range of the desk.



*Tip: Do not place storage underneath controller.*



**When optioning the integrated rail, without the power access door**, attach: CF monitor arm with FrameOne bracket or C-clamp installed prior to rail.



*Tip: The cable basket cannot be used in the same location.*

*Tip: The cable basket cannot be used in the same location.*




**When optioning both the integrated rail and power access door**, flat panel monitor arms cannot be c-clamped 5<sup>1</sup>/<sub>2</sub>" on either side of the power door.

**When optioning the integrated rail and using a cable basket**, there will not be enough room to C-clamp behind the basket.




**When optioning the power access door only**, flat panel monitor arms cannot be c-clamped behind the power door (except for Eyesite) or 5 1/2" to either side.

**CF monitor arms** cannot be rail mounted.  
 ▶ See page 43 for *Steelcase Monitor Arm Guidelines*.  
*Tip: The cable basket cannot be used in the same location.*



**When attaching lighting, fixed privacy screens, or flat panel monitor arms to the integrated rail**, there is a 5 1/4" mounting free zone on each end of the rail.




**When installing SlatRail with a power door only**, do not c-clamp the stanchions 5 1/2" on either side of the power door.



**All assemblies** meet or exceed ANSI/BIFMA standards.

**WARNING**



▶ See page 26 for *Workstation Design Guidelines and Requirements*.



**Keyboard assemblies** are not allowed.



**Personal console** works widths 52", 58", 64", or 70". Do not use with widths 34", 40", or 46".



**When mounted on user side, CPU mini** only works with desktop widths of 58" and 64". If mounted on back edge, CPU mini only works on desktop width of 70", or if CPU mini depth is less than 9 1/8", works on width of 64".

### Installation

**Desks** ship with pre-drilled holes for mounting bases.

**Height-adjustable base** requires attachment to the worksurface.


Base supports a maximum distributed weight capacity of 360 pounds (2-leg).

*Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure and options (i.e. integrated rail, power and data access door).*

*Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.*

### Worksurface Weight

Worksurface Shape	W	Worksurface Weight		Understructure Weight	Options	
		29"D	30"D		Integrated Rail Weight	Power and Data Access Door Weight



Rectangular	W	Worksurface Weight		Understructure Weight	Options	
		29"D	30"D		Integrated Rail Weight	Power and Data Access Door Weight
	34"	26 lb	27 lb	7.8 lb	5.1 lb	N.A.
	40"	30 lb	31 lb	9.0 lb	5.8 lb	6.9 lb
	46"	34 lb	36 lb	10.1 lb	6.6 lb	6.9 lb
	52"	39 lb	41 lb	11.3 lb	7.3 lb	6.9 lb
	58"	43 lb	45 lb	12.4 lb	8.0 lb	6.9 lb
	64"	48 lb	50 lb	13.6 lb	8.8 lb	6.9 lb
	70"	52 lb	54 lb	14.8 lb	9.5 lb	6.9 lb


### Ology Walkstation Options Availability Chart



	Rectangular						
	34"W	40"W	46"W	52"W	58"W	64"W	70"W
Grommet	Available	Available	Available	Available	Available	Available	Available
Integrated Rail	Available	Available	Available	Available	Available	Available	Available
Power Door	Not available	Center	Center	Center	Center	Left, Right, or Center	Left, Right, or Center

Note: Grommet and power door cannot be specified together.

# Ology Walkstation



► Need help?  
Product details,  
page 192

## Standard Includes

- Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Modular widths: 34"–70"
- ½" adjustable glides
- Desk power cord: 10½'
- Attachment hardware
- Treadmill: 7270 Silverstone
- High-torque motor
- Digital display and keypad console
- Magnetic safety clip

## Required to Specify

- 1 Style number
  - 2 Desk depth
  - 3 Desk width
  - 4 High-Pressure Laminate color number for worksurface
  - 5 Plastic color number for profile edge on laminate worksurface
  - 6 Paint color number for base:  
4799 Platinum Metallic  
7207 Black  
7241 Arctic White  
7360 Merle
  - 7 Desk corner style (see below under Required Selections)
  - 8 Options, if selected
- See *Surface Materials*, page 276.

Tip: For laminate group 2 and group 3, please refer to the electronic catalog or SmartTools.

Tip: Ology Walkstation work-surface widths 34"W, 40"W, 46"W, 52"W, 58"W, or 64"W.

Tip: Ology Sit-to-Walkstation work-surface width is 70".

	Required Selections	U.S. Price	Required to Specify
<b>Desk Corner Style</b>	<ul style="list-style-type: none"> <li>• Square corners</li> <li>• Radius corners</li> </ul>	No cost +\$ 93	Specify <i>with square corners</i> . Specify <i>with radius corners</i> .

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>High-Pressure Laminate desks</b> <ul style="list-style-type: none"> <li>• Laminate price group 2</li> <li>• Laminate price group 3</li> <li>• Open Line laminate</li> </ul>	See information at left See information at left +\$ 102 plus cost of laminate	Specify laminate color number. Specify laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	<b>Base</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 44	Specify paint color number. Specify paint color number.
<b>Integrated Rail</b>	<ul style="list-style-type: none"> <li>• Without integrated rail</li> <li>• With integrated rail</li> </ul>	No cost +\$ 448	Specify <i>without integrated rail</i> . Specify <i>with integrated rail</i> .
<b>Power and Data Access Door, Tray and USB</b>	<ul style="list-style-type: none"> <li>• Power and data access door, tray and USB: paint group 1 or 2</li> <li>• Power and data access door, tray and USB: anodized aluminum</li> </ul>	+\$1124 +\$1140	Specify <i>with power and data access door</i> and select paint color number.  Specify <i>with power and data access door</i> and select anodized aluminum.
<b>Power and Data Access Door</b>	<ul style="list-style-type: none"> <li>• Centered</li> <li>• Left</li> <li>• Right</li> </ul>	No cost No cost No cost	Specify <i>with centered position</i> . Specify <i>with left position</i> . Specify <i>with right position</i> .
<b>Grommet</b>	<ul style="list-style-type: none"> <li>• Grommet</li> </ul>	+\$ 61	Specify <i>with grommet</i> .
<b>Glides</b>	<ul style="list-style-type: none"> <li>• 1" adjustable glides</li> </ul>	+\$ 46	Specify <i>with 1" glides</i> .
<b>Controller – 70"W</b>	<ul style="list-style-type: none"> <li>• Simple touch controller</li> <li>• 4 Pre-set controller</li> </ul>	No cost +\$ 173	Specify <i>with simple touch controller</i> . Specify <i>with 4 pre-set controller</i> .




**For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

**Specification Information**

**U.S. Base Prices**

Style Number	Depth	34"W	40"W	46"W	52"W	58"W	64"W	70"W
<b>OLWALK</b>	29" or 30"	\$9385	\$9666	\$9956	\$10,256	\$10,563	\$10,880	\$11,205



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



---

# Airtouch

## Understanding

Height-Adjustable Worksurfaces	<b>202</b>
--------------------------------	------------

## Height-Adjustable Worksurfaces

Universal Tables	<b>206</b>
Universal Systems	<b>208</b>

# Airtouch Height-Adjustable Worksurfaces

## Airtouch worksurfaces

support computer-intensive users and mobile users in single occupant, multi-occupant, or high-churn environments. They allow users to quickly and effortlessly raise and lower their worksurfaces between seated and standing positions.


► Specifying, page 206

**Worksurface** has a wood core with a High-Pressure Laminate surface and is 1<sup>3</sup>/<sub>16</sub>" thick.

**Edge** is available in 3 mm profile.

**Base** allows unique applications without having to tether any power cords.

**Leveling glides** adjust 1" to install unit on uneven floors.



**Ergonomic lift handle** activates smooth, effortless height adjustments.


**Airtouch** has an adjustment feature on the column which allows the unit to function properly with any weight up to 150 pounds. *Tip: When calculating lifting capacity, subtract the weight of the worksurface.* ► See page 205 for worksurface weights.

**Height-adjustable column** adjusts from 26"H to 43"H in any increment.

**Product Details**

**High-Pressure Laminate Worksurfaces**

**Front (user's) edge profile** is available in 3 mm edge profile.




3 mm edge profile

**PVC-free, 3 mm edge profiles** are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.


*Tip: Universal Tables have a continuous 3 mm edge.*

**Edge profile finishes** are specified separately from laminate color.

**Edge profile** provides a flush interface with universal pedestals.




**Universal tables** have 2" radius corners on all four sides with a continuous user's edge. Radius corners eliminate sharp edges and are appropriate for free-standing furniture.




**Universal Systems** have 90° corners on all four sides with a front user's edge.


**Airtouch height-adjustable tables** are available in straight and corner shapes.



**Airtouch worksurfaces** adjust 26"H to 43"H in any increment.



**At least a 1<sup>3</sup>/<sub>4</sub>" gap** must separate backs of a table and panels to accommodate cables and prevent pinching. A 1" gap separates sides and adjacent furniture.



**Worksurface overhang for pedestal storage** varies by shape and size of worksurface.

**Surface Materials**

**High-Pressure Laminate Tables**

- Laminate
- ▶ See *Surface Materials Reference Manual*.

- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.

▶ See *Surface Materials Reference Manual*.

**3 mm**

- Plastic

**Height-adjustable base**

- 4799 Platinum
- 7207 Black



**Height-adjustable column**

- 4799 Platinum paint

**Application Topics**

**Moving tables** can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable worksurfaces.

**Airtouch** is designed to support up to 150 pounds including the worksurface. An adjustable feature on the column allows the amount of lift assist to be set for various cargo loads.




**The gauge located near the top of the column** shows the amount of lift assist in use. The amount of lift assist can be dialed up for heavier loads and dialed down for lighter loads. If the unit is not moving smoothly, the lift assist mechanism needs to be adjusted. For example, if the top raises too fast, dial the lift assist down. If the top is difficult to raise, dial the lift assist up.


**Typical workload weights** are:

- Laptop 5–8 lb
- Small flat screen 10–16 lb
- Monitor arm 10–14 lb
- Desk lamp 5–10 lb
- Keyboard 2–3 lb
- Inch of paper 2<sup>1</sup>/<sub>2</sub> lb
- Desk phone 3–5 lb

**Worksurface** travels at the speed designated by the user. Users can adjust the table from seated to standing in one natural motion (approximately 1 second).



**Universal boundary screens** are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.



**Screens** mount to worksurfaces in privacy or below the worksurface for modesty. ▶ See *Worktools Compatibility Charts*, page 38, for help determining appropriate screen widths for each Airtouch worksurface size.

**SOTO rail and SlatRail** mount to worksurfaces to support worktools, freeing up worksurface space.

▶ See *Worktools Compatibility Charts*, page 38, for help determining appropriate SOTO rail and SlatRail widths for each Airtouch worksurface size.



**Any storage higher than 24<sup>1</sup>/<sub>2</sub>"** will impede the lower height range of worksurface. *Tip: Do not place storage underneath paddle.*

**Worksurface weight plates** may be necessary to order if there is not enough weight on the worksurface. Applications using the smallest width worksurface without additional worktools (i.e. touch-down spaces) will require these counterweights (946900053SR).

**All assemblies** meet or exceed ANSI/BIFMA standards.



**Keyboard assemblies** are not allowed on height-adjustable desks. They do not meet minimum safety requirements.

**Installation**

**Worksurfaces** ship with pre-drilled holes for mounting bases.

**Airtouch column** requires attachment to the base and worksurface.

## Airtouch Height-Adjustable Worksurfaces, continued

Base supports a maximum distributed weight capacity of 150 pounds.

*Tip: When calculating lifting capacity, subtract the weight of the worksurface.*

### Worksurface Weight

Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight
-------------------	---	----	----	--------------	--------------------

#### Universal Tables





Rectangular – 22 <sup>1</sup> / <sub>4</sub> "D	40"	22 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	BAPSS2442	30.6 lb
	46"	22 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	BAPSS2448	35.0 lb
	58"	22 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	BAPSS2460	44.8 lb

Rectangular – 28 <sup>1</sup> / <sub>4</sub> "D	40"	28 <sup>1</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	BAPSS3042	38.3 lb
	46"	28 <sup>1</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	BAPSS3048	44.8 lb
	58"	28 <sup>1</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>4</sub> "	BAPSS3060	55.8 lb

Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight
-------------------	----	----	----	----	--------------	--------------------

90° Corner	39 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	39 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	BAPSC2442	45.9 lb
	45 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	45 <sup>1</sup> / <sub>4</sub> "	22 <sup>1</sup> / <sub>4</sub> "	BAPSC2448	59.0 lb

120° Equal	34"	22 <sup>1</sup> / <sub>4</sub> "	34"	22 <sup>1</sup> / <sub>4</sub> "	BAPB2436	55.8 lb
------------	-----	----------------------------------	-----	----------------------------------	----------	---------



**Worksurface Weight**

Worksurface Shape	W	LD	RD	Style Number	Worksurface Weight
-------------------	---	----	----	--------------	--------------------

**For use with Universal Systems**





Rectangular – 22¼"D	40"	22¼"	22¼"	UAPSS2442	30.6 lb
	46"	22¼"	22¼"	UAPSS2448	35.0 lb
	58"	22¼"	22¼"	UAPSS2460	44.8 lb

Rectangular – 28¼"D	40"	28¼"	28¼"	UAPSS3042	38.3 lb
	46"	28¼"	28¼"	UAPSS3048	44.8 lb
	58"	28¼"	28¼"	UAPSS3060	55.8 lb

Worksurface Shape	LW	LD	RW	RD	Style Number	Worksurface Weight
-------------------	----	----	----	----	--------------	--------------------


90° Corner	39¼"	16¼"	39¼"	16¼"	UAPSC1842	30.6 lb
	39¼"	22¼"	39¼"	22¼"	UAPSC2442	45.9 lb
	45¼"	22¼"	45¼"	22¼"	UAPSC2448	59.0 lb

120° Equal	34"	22¼"	34"	22¼"	UAPB2436	55.8 lb
------------	-----	------	-----	------	----------	---------



# Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Tables



*Tip: Airtouch height-adjustable base requires assembly and attachment to the worksurface.*

*Tip: Worksurfaces ship with pre-drilled holes for mounting bases.*

*Tip: Any storage higher than 24½" will impede the lower height range of the worksurface. Do not place storage underneath paddle.*

**For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.**

*Tip: An adjustment feature on the column allows the unit to function properly with any load up to 150 pounds, including the worksurface.*

*Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).*

*Tip: For help determining privacy/modesty screen, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 38.*

*Tip: Wood veneer worksurface options are available through specials.*

*Tip: Paint surface options apply to base only. Paint surface option does not apply to column.*

*Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.*



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 202	<ul style="list-style-type: none"> <li>High-Pressure Laminate price group 1</li> <li>High-Pressure Laminate worksurface edge: plastic 3 mm edge</li> <li>Worksurface corners: radius</li> <li>Height-adjustable column mechanism: 4799 Platinum</li> <li>Height-adjustable mechanism base: paint</li> <li>Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>High-Pressure Laminate color number for worksurface</li> <li>Plastic color number for profile edge on laminate worksurface</li> <li>Paint color number for base: 4799 Platinum Metallic 7207 Black</li> <li>Options, if selected (see below)</li> </ol> <p>▶ See Surface Materials, page 276.</p>

Options	U.S. Price	Required to Specify	
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 57</li> <li>See information below</li> <li>See information below</li> <li>+\$102 plus cost of laminate</li> </ul>	<ul style="list-style-type: none"> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify laminate color number.</li> <li>Specify laminate color number.</li> </ul> <p>▶ See <i>Surface Materials Reference Manual</i>.</p>
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Slatwall, SlatRail, and Freestanding Worktools</li> <li>SOTO rail/shelves</li> <li>Flat panel arms</li> <li>Privacy/modesty screens</li> <li>Acrylic screens</li> <li>Cable and power management</li> </ul>	<ul style="list-style-type: none"> <li>▶ See <i>Steelcase Worktools Specification Guide</i>.</li> <li>▶ See <i>Steelcase Worktools Specification Guide</i>.</li> <li>▶ See <i>Steelcase Worktools Specification Guide</i>.</li> <li>▶ Pages 243–244</li> <li>▶ Page 226</li> <li>▶ Page 265</li> </ul>	

**Specification Information**

**U.S. Base Price  
High-Pressure Laminate**



• Dimensions			• Style Number	• Plastic 3 mm Edge
W	LD	RD		



**Rectangular Tables**

**22¼"D**

40"	22¼"	22¼"	<b>BAPSS2442</b>	\$3501
46"	22¼"	22¼"	<b>BAPSS2448</b>	\$3551
58"	22¼"	22¼"	<b>BAPSS2460</b>	\$3661

**28¼"D**

40"	28¼"	28¼"	<b>BAPSS3042</b>	\$3644
46"	28¼"	28¼"	<b>BAPSS3048</b>	\$3699
58"	28¼"	28¼"	<b>BAPSS3060</b>	\$3813



Tip: 58" privacy/modesty screens should not be specified with 22¼"D rectangular worksurfaces.

Tip: Base supports a maximum distributed weight capacity of 150 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

▶ See page 205 worksurface weights.

**Specification Information**


**U.S. Base Price  
High-Pressure Laminate**



• Dimensions				• Style Number	• Plastic 3 mm Edge
LW	LD	RW	RD		


**90° Corner Tables**

39¼"	22¼"	39¼"	22¼"	<b>BAPSC2442</b>	\$3831
45¼"	22¼"	45¼"	22¼"	<b>BAPSC2448</b>	\$3893



**120° Equal Table**

34"	22¼"	34"	22¼"	<b>BAPB2436</b>	\$4325
-----	------	-----	------	-----------------	--------




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

# Airtouch Height-Adjustable Worksurfaces

High-Pressure Laminate Universal Systems



*Tip: Airtouch height-adjustable base requires assembly and attachment to the worksurface.*

*Tip: Worksurfaces ship with pre-drilled holes for mounting bases.*

*Tip: An adjustment feature on the column allows the unit to function properly with any load up to 150 pounds, including the worksurface.*

**For laminate group 2 and 3 pricing,** please refer to the electronic catalog or SmartTools.

*Tip: Any storage higher than 24½" will impede the lower height range of the worksurface. Do not place storage underneath paddle.*

*Tip: Counterweights may be necessary to order if there is not enough load on the worksurface. Order service part (946900053SR).*

*Tip: For help determining privacy/modesty screen, SOTO rail, and SlatRail width compatibility, see Worktools Compatibility Charts, page 38.*

*Tip: Wood veneer worksurface options are available through specials.*

*Tip: Only single and dual flat panel monitor arm applications are permitted for use with single column height-adjustable tables.*

*Tip: Paint surface options apply to base only. Paint surface option does not apply to column.*

	Standard Includes	Required to Specify
▶ Need help? Product details, page 202	<ul style="list-style-type: none"> <li>High-Pressure Laminate price group 1</li> <li>High-Pressure Laminate worksurface edge: plastic 3 mm edge</li> <li>Worksurface corners: 90°</li> <li>Height-adjustable column mechanism: 4799 Platinum</li> <li>Height-adjustable mechanism base: paint</li> <li>Attachment hardware</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>High-Pressure Laminate color number for worksurface</li> <li>Plastic color number for profile edge on laminate worksurface</li> <li>Paint color number for base: 4799 Platinum Metallic 7207 Black</li> <li>Options, if selected (see below)</li> </ol> <p>▶ See Surface Materials, page 276.</p>

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Laminate price group 2</li> <li>Laminate price group 3</li> <li>Open Line laminate</li> </ul>	<p>No cost</p> <p>+\$ 57</p> <p>See information below</p> <p>See information below</p> <p>+\$102 plus cost of laminate</p>	<p>Specify paint color number.</p> <p>Specify paint color number.</p> <p>Specify laminate color number.</p> <p>Specify laminate color number.</p> <p>▶ See <i>Surface Materials Reference Manual</i>.</p>
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Slatwall, SlatRail, and Freestanding Worktools</li> <li>SOTO rail/shelves</li> <li>Flat panel arms</li> <li>Privacy/modesty screens</li> <li>Acrylic screens</li> <li>Cable and power management</li> </ul>		<p>▶ See <i>Steelcase Worktools Specification Guide</i>.</p> <p>▶ See <i>Steelcase Worktools Specification Guide</i>.</p> <p>▶ See <i>Steelcase Worktools Specification Guide</i>.</p> <p>▶ Pages 243–244</p> <p>▶ Page 262</p> <p>▶ Page 265</p>



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Tip: 58" privacy/modesty screens should not be specified with 22¼"D rectangular worksurfaces.

**Specification Information**

Dimensions				Style Number	U.S. Base Price High-Pressure Laminate
W	LD	RD	Plastic 3 mm Edge		





**Rectangular Worksurfaces**

**22¼"D**

40"	22¼"	22¼"	<b>UAPSS2442</b>	\$3427
46"	22¼"	22¼"	<b>UAPSS2448</b>	\$3476
58"	22¼"	22¼"	<b>UAPSS2460</b>	\$3568

**28¼"D**

40"	28¼"	28¼"	<b>UAPSS3042</b>	\$3551
46"	28¼"	28¼"	<b>UAPSS3048</b>	\$3605
58"	28¼"	28¼"	<b>UAPSS3060</b>	\$3713




**Specification Information**

Dimensions					Style Number	U.S. Base Price High-Pressure Laminate
LW	LD	RW	RD	Plastic 3 mm Edge		
						No Suffix




**90° Corner Worksurfaces**

39¼"	16¼"	39¼"	16¼"	<b>UAPSC1842</b>	\$3673
39¼"	22¼"	39¼"	22¼"	<b>UAPSC2442</b>	\$3697
45¼"	22¼"	45¼"	22¼"	<b>UAPSC2448</b>	\$3753



**120° Equal Worksurface**

34"	22¼"	34"	22¼"	<b>UAPB2436</b>	\$4178
-----	------	-----	------	-----------------	--------



 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.



---

# Screens, and Cable and Power Management

## Understanding

Universal Privacy/Modesty Screens	212
Universal Privacy Screens and Aligners	214
Sarto Privacy/Modesty Screens	216
Sarto Privacy Screens	218
Sarto Curved Screens	219
Universal and Sarto Screens Specific Guidelines	220
Soffio Screen	222
Fixed Personal/Modesty Screens	223
Worksurface Side Screens	224
Acrylic Screens	226
Table-Mounted Translucent and Slatwall Screens	228
Cable and Power Management	230

## Specifying

Universal Privacy/Modesty Screens	243
Universal Privacy Screens and Aligners	244
Sarto Privacy/Modesty Screens	246
Sarto Privacy Screens	248
Sarto Alignment Clip	250
Sarto Curved Screens	252
Soffio Screen	255
Fixed Personal/Modesty Screens	256
Worksurface Side Screens	258
Acrylic Screens	262
Table-Mounted Screens	263
Cable and Power Management	265

# Universal Privacy/Modesty Screens


**Universal privacy/modesty screen** provides a boundary element for height-adjustable desks and fixed worksurfaces. It can be used with Ology desk, Migration SE desk, Airtouch, Elective Elements, Universal tables, and Universal panel mount worksurfaces. Privacy/modesty screens are not to be used on height-adjustable benching.

► Specifying, page 243

**Universal privacy/modesty screens** are available in one height, 25<sup>7</sup>/<sub>10</sub>" , with two mount location options to provide either privacy or privacy/modesty.

**Universal privacy/modesty screens** cannot be used on surfaces that have intergrated rails or an additive SOTO rail.

**Universal privacy/modesty screen** is pin tackable.




**The screen** is attached to the worksurface using simple L-brackets and 1" screws.

## Actual Dimensions

<b>Width</b>	42", 48", 54", 60", or 66"
<b>Height</b>	25 <sup>7</sup> / <sub>10</sub> "
<b>Weight</b>	9.79 lb, 10.315 lb, 10.84 lb, 11.365 lb, 11.89 lb
<b>Thickness</b>	3/4"

## Product Details



**The edge of the screen** is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide contrast or dark heather grey for a uniform visual.

**The screen** may be used on  $\frac{3}{4}$ "– $1\frac{1}{2}$ " thick worksurfaces.

**The width of the screen** can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

## Surface Materials

### Screen

- Fabric
- ▶ See *Surface Materials*, page 276.

### Edge (upper segment)

- 7360 Merle


### Edge (lower segment)

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

### Brackets

- 7360 Merle


## Application Topics




**Universal privacy/modesty screen** mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned  $3\frac{3}{4}$ " in from each side of the screen.

*Tip: When specifying grommets on Ology, verify the position of the screen in CET SmartTools Planning.*


**Screen height attachment locations** are determined when specifying privacy (top of screen will be at 48") or privacy/modesty (top of screen will be at 42"). The location cannot be changed in the field.



**Privacy configuration** provides  $19\frac{1}{8}$ " of screen above the worksurface and  $5\frac{1}{2}$ " of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 48"H Answer panel.



**Screen** can be mounted with a  $\frac{1}{8}$ " cord drop or flush with no cord drop.



**Privacy/modesty configuration** provides 13" of screen above the worksurface and  $11\frac{7}{10}$ " of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. The top of the screen will align with the bottom of the top trim on a 42"H Answer panel.

**Both the privacy and privacy/modesty configurations** allow the height-adjustable desks to be lowered to the lowest position (22") while preserving pinch point gap. Privacy version will not interfere with integrated storage.

**Privacy/modesty screens** must never be wider than the surface to which they are attached.  
*Tip: It is recommended that CET SmartTools Planning aid be used to ensure proper application of screen to worksurface or tables.*


**Universal privacy/modesty screens** cannot be used with 58"W Ology desks with leg integrated into storage. The smallest screen width is 42" which would collide with the storage. Must use a minimum 64"W desk when using storage and Universal privacy/modesty screens.

**Universal privacy/modesty screens** cannot be used with Ology modesty panels.

**When used with One-High integrated storage**, Universal privacy/modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

# Universal Privacy Screens and Aligners

**Universal privacy screens** provide a boundary and privacy element for height adjustable desks and fixed workspaces. It can be used with Ology, Migration SE, Elective Elements, panel supported Universal workspaces, and TS Series workspaces.  
► Specifying, page 244




## Actual Dimensions

<b>Height</b>	12½" or 18½"
<b>Overall Height</b>	13½" or 19½"
<b>Width</b>	24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", or 96"


*Tip: Overall height is measured from top of mounting surface to the top of the screen.*

*Tip: 13½"H screen aligns with a 42" datum from the floor.  
19½" screen aligns with a 48" datum from the floor.*

**Product Details**




**Universal privacy screens** are tackable and available in 13½"H and 19½"H, and have widths from 24"W to 96"W.





**The edge of the screen** is comprised of two different materials. The upper segment is merle plastic. The lower portion is PET which can be specified in medium heather grey to provide contrast or dark heather grey for a uniform visual.

**The screen** may be used on ¾"-1½" thick worksurface.

**The width of the screen** can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.



**When fabric screens are placed directly adjacent to each other**, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.



**Brackets** are included with screens. Two brackets are used on all screens.

**Universal privacy screen** slides onto brackets.

**Surface Materials**

**Screen**

- Fabric
- ▶ See *Surface Materials*, page 276.

**Edge (upper segment)**

- 7360 Merle

**Edge (lower segment)**

- P630 Medium Heather Grey PET
- P631 Dark Heather Grey PET

**Brackets**

- 7241 Textured Arctic White
- 7360 Textured Merle
- 4799 Platinum


# Sarto Privacy/Modesty Screens

**Sarto privacy/modesty screen** provides a boundary element for height-adjustable desks and fixed worksurfaces. It can be used with Ology desk, Migration SE desk, Airtouch, Elective Elements, Universal tables, and Universal panel mount worksurfaces. Sarto privacy/modesty screens are not to be used on height-adjustable benching.

► Specifying, page 246

**Sarto privacy/modesty screens** are available in overall heights from 24" to 30", with a privacy height option to provide varying levels of privacy and modesty.

**Sarto privacy/modesty screen** is pin tackable.



**The screen** is attached to the worksurface using simple L-brackets and 1" screws.

## Actual Dimensions

**Width** 23"-70"

**Height** 24"-30"

**Thickness** 9/16"

## Product Details

The screen may be used on 3/4"–1 1/2" thick worksurfaces.


Screens are available in modular or parametric sizes.

The width of the screen can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.


### Weight of screens

are calculated as follows:  
Screen: 0.0044 pounds per inch<sup>2</sup> Bracket: 0.2 pounds per bracket.


## Application Topics



**Sarto privacy/modesty screen** mounts to worksurfaces using simple L-brackets and screws. The brackets are positioned 3 3/4" in from each side of the screen. Two L-brackets are included with screens narrower than 60"W. Three or four L-brackets are included on screens 60"W and wider.




**Worksurface type** is available for screens 60" wide or wider, and allows the Sarto privacy/modesty screen to mount to a scalloped worksurface (for example Bivi Height-Adjustable Desk).



Screen can be mounted to the back edge of the worksurface with a 1 1/8" cord drop or flush with no cord drop.

**Screens 36"W and narrower** can be mounted as side screens, and are always mounted flush to the edge of the worksurface. This application grows the footprint of the workstation by 3/16" per screen.

Screens are specified with a privacy height above the worksurface. A 1" thick worksurface is assumed. This privacy height sets the position of the brackets and cannot be changed in the field.



Screens are specified by first selecting an overall screen height (24"–30"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the worksurface. Allowable privacy height selection changes based on the specified overall height.

**All privacy heights** allow a height adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

### To match screens

ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.

- 24"H Screen, Privacy/Modesty Configuration – Privacy Height = 13 1/2"
- 24"H Screen, Privacy Configuration – Privacy Height = 16 1/2"
- 30"H Screen, Privacy Configuration – Privacy Height = 22 1/2"

### Sarto privacy/modesty screens

can be used with universal worksurfaces and tables where surface supports and leg brackets are not in same location of the screen L-bracket attachment points.

- Example 1—Worksurfaces supported by a panel side bracket or cantilever can accept privacy/modesty screen placed 6" in from end with these brackets.
- Example 2—Tables with cabby leg or double elliptical post C-legs can accept screens 6" shorter than total table width but not same width.

**Sarto privacy/modesty screens** cannot be used with Ology modesty panels.

**When a parametric Sarto screen is used on a parametric Ology desk**, verify the screen width and placement in CET SmartTools planning to avoid interference.

**Privacy/modesty screens** can also be used with Elective Elements surfaces with some restrictions when combined with gate leg or the Elective Elements adjustable-height leg.

**Privacy/modesty screens** must never be wider than the surface to which they are attached.  
*Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.*

## Surface Materials

### Screen


- Fabric
- ▶ See *Surface Materials*, page 276.

### Brackets


- 7360 Merle

# Sarto Privacy Screens

**Sarto privacy screens** provide a light scale boundary and privacy element for height-adjustable desks and fixed worksurfaces. It can be used with Ology, Migration SE, Elective Elements, universal worksurfaces, and TS Series worksurfaces.  
 ▶ Specifying, page 248



## Product Details




**Sarto privacy screens** are tackable. They are available in four modular heights, 13½"H, 19½"H, 23½"H, and 35½"H, and have widths ranging from 24"W to 96"W. Screens can also be specified parametrically.

**The screen** may be used on ¾"–1½" thick worksurfaces.

**The width of the screen** can be equal to or less than the width of the worksurface to which it will attach. Some restrictions apply due to location of worksurface legs and supports.

*Tip: It is recommended that CET SmartTools planning aid be used to ensure proper application of screen to worksurface or tables.*



**Brackets and hard stops** are included with screens. Screens narrower than 60"W use two brackets, while screens 60"W and larger utilize three brackets. The third bracket is centered on the width of the screen.

**Offset brackets** are included with 29"W screens, to help maintain appropriate pinch points between the screen and adjacent objects. Side screen option is available for screens 36"W and narrower.

**Sarto privacy screen** slides onto brackets.

**Alignment brackets** are available to help eliminate gapping and misalignment between back and side screens. Alignment brackets are available as their own style (**PSCB**).

**Weight of screens** are calculated as follows:  
 Screen: 0.0044 pounds per inch<sup>2</sup>  
 Bracket: 1.2 pounds per bracket.

## Surface Materials

### Screen

- Fabric
- ▶ See *Surface Materials*, page 276.

### Brackets and hard stops

- 7360 Merle

## Actual Dimensions


<b>Screen Height</b>	12½"–34½"
<b>Overall Height</b>	13½"–25½"
<b>Width</b>	24"–96"

*Tip: Overall height is measured from top of mounting surface to the top of the screen.*


**Sarto curved screens** provide light scale privacy and modesty for height-adjustable desks and work tables.  
 ▶ Specifying, pages 252-254

**Curved screens** are pin tackable.

**Curved screens** are attached to the work surface with simple metal L-brackets.




**Sarto curved screens** sit flush against the work surface. If 1" cord drop is needed, please reach out to Specials for alternative bracket.



## Actual Dimensions


	L-Screen	Half-Desk Screen
Overall Width	43"-66"	43", 49", or 55"
Depth	20"	20"
Width	23"-46"	23", 29", or 35"
Height	17.909", 18", or 24"	17.909", 18", or 24"
Thickness	7/8"	7/8"
Weight: 18"H	5.7 lb, 6.5 lb, 7.2 lb	5.0 lb, 5.6 lb, 6.2 lb
Weight: 24"H	7.3 lb, 8.4 lb, 9.4 lb	6.4 lb, 7.2 lb, 8.0 lb

## Application Topics



**Half desk screens** are sized to work with modular size desks. Mounting a pair of half desk screens on a parametric sized desk will create a gap between screens. Parametric width screens are available to create a full wrap of parametric work surfaces.


*Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.*



**L-screens** are sized to work with popular sized modular width desks. When mounted, the modular widths of the L-screen are designed to cover two thirds of the back of the work surface.

*Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.*

**Fabric** is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.



**Screens** are specified by first selecting an overall screen height (18"-24"), then specifying a privacy height. Privacy height is measured from the top of the screen to the top of the work surface. Allowable privacy height selection changes based on the specified overall height.

**All privacy heights** allow a height-adjustable desk to be lowered to the lowest position (22") while preserving pinch point gap.

**To match screens** ordered on or before June 20, 2021, please consult the following information to determine proper privacy height.

- 24"H Screen, Privacy/Modesty Configuration – Privacy Height = 13½"
- 24"H Screen, Privacy Configuration – Privacy Height = 16½"

**When ordering a single screen**, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted.

**Screen** is not applicable on shaped work surface edges (knife edge, bullnose, P-edge, etc).

## Surface Materials

### Screen

• Fabric  
*Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials for available fabric finishes.*  
 ▶ Page 280


### Brackets

- 6527 Merle

# Universal and Sarto Screens Specific Guidelines

## Migration SE Specific Guidelines

### Rectangular 29"D and 35"D




All guidelines assume the screen is centered on the desk.


Screens are sized to be a minimum of 4" smaller than worksurfaces. They can be placed anywhere along the back edge of a desk but cannot extend past the desk edge.

## Ology Specific Guidelines

### Rectangular 23"D, 29"D, and 35"D



### Tapered 23"D and 29"D




The screen can be placed on the back edge of an Ology without an integrated rail desk utilizing either the 1 1/8" cord drop or no cord drop placement. Screens are sized to be a minimum of 4" smaller than worksurfaces. Optional cable trays and grommets on Ology may cause some interference with screen mounting brackets.

### Legend


No interference
Interference or cannot be used
Cannot specify a grommet

## Ology Specific Guidelines, continued

### 90° Corner 23"D



### 120° Corner 23"D



All guidelines assume the screen is centered on the desk.

When using the universal or sarto privacy/modesty screen on Ology with 1 1/8" cable drop, there are no limits on the horizontal placement of the cable tray beneath the desk.

The Universal and Sarto privacy/modesty screens can not be used with the Ology modesty panel without causing interference.

When a parametric Sarto screen is used on a parametric Ology desk, verify the screen width and placement in CET SmartTools planning to avoid interference.

The universal or sarto privacy/modesty screen can be used on either back edge of a 90° or 120° corner desk configuration.

Ology desks using an integrated storage leg may only mount the universal privacy/modesty screen in the privacy position and cannot use sarto screens due to interference. See SmartTools for more information.

The universal or sarto privacy/modesty screen does not mount to an Ology rail or into the Ology cantilevers.

If using overhangs, the leg must be at least 3 1/2" in from its standard position to avoid interference with the screen bracket.

### Airtouch Specific Guidelines

#### Rectangular 22<sup>1</sup>/<sub>4</sub>"D and 28<sup>1</sup>/<sub>4</sub>"D

		Worksurface Width		
		40"	46"	58"
Screen Width	42"			
	48"			
	54"			
	60"			
	66"			

#### 90° 22<sup>1</sup>/<sub>4</sub>"D

		Worksurface Width	
		39 <sup>1</sup> / <sub>4</sub> "	45 <sup>1</sup> / <sub>4</sub> "
Screen Width	42"		
	48"		
	54"		
	60"		
	66"		

#### 120° 22<sup>1</sup>/<sub>4</sub>"D

		Worksurface Width
		34"
Screen Width	42"	
	48"	
	54"	
	60"	
	66"	

**Universal or sarto privacy/modesty screen weight** should be considered, along with other items to be used on Airtouch, so as not to exceed weight limit.

**Universal or sarto privacy/modesty screens** can be placed on the back edge of an Airtouch worksurface, utilizing either the 1<sup>1</sup>/<sub>8</sub>" cord drop or no cord drop placement without creating interference. The screen must be narrower than the width of the worksurface. Screen cannot exceed the width of table.


#### Legend

	No interference
	Interference or cannot be used
	Cannot specify a grommet

# Soffio Screen

**Soffio screen** provides privacy and modesty in nearly infinite configurations for height-adjustable desks and fixed workspaces.

► Specifying, page 255



**Screen** is pin tackable.


**Screen** includes corrugations, allowing for the screen to curve at any point along the width.

**Screen** is attached to the worksurface with brackets.

## Application Topics

**Screen** is available in three standard sizes, allowing for a variety of mounting configurations on desks of different sizes.

*Tip: It is strongly recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.*



**Fabric** is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

**Screen** provides 13" of screen above the worksurface and 12" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

**Screen** is not handed. The screen can be mounted in a right- or left-hand configuration.

**Screen** is not applicable on shaped worksurface edges (knife edge, bullnose, P-edge, etc).

## Surface Materials

### Screen

- Fabric

### Brackets

- 6527 Merle

## Actual Dimensions

<b>Desk width</b>	56", 68", or 80"
<b>Height</b>	26"
<b>Weight</b>	2.9 lb, 3.6 lb, 4.2 lb
<b>Thickness</b>	1"

# Fixed Personal/Modesty Screens


Fixed Personal/  
Modesty Screens

**Personal screens** are tackable and provide variable privacy when and where it is needed. The screens can be used on the Ology integrated rail and the SOTO rail. 19½"H and 24"H are not intended for use in modesty position when used with a height-adjustable desk.

► Specifying, page 256

**Fixed personal screens** are available in three heights; 12", 19½", and 24" - and four widths to accommodate varying levels of privacy. Height is measured from the top of the mounting surface to the top of the screen.

**Brackets** are attached to the screen.




## Actual Dimensions

### Fixed Personal/Modesty Screens


	Fixed Personal/Modesty Screens
Width	30", 36", 42", or 48"
Height	11", 18½", or 23"
Overall height	12", 19½", or 24"
Thickness	¾"

*Tip: Overall height is measured from top of mounting surface to the top of the screen.*

## Product Details



**Personal screens** can be mounted on the rail. The overall height from the floor will vary depending on the height of the adjustable worksurface.



**Gap** is 1" between personal screen and rail.

## Surface Materials

### Infill

- Fabric

### Brackets

- 4799 Platinum paint

front




back




**Fabric without pattern** is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.


## Application Topics



**19½"H and 24"H personal screens** cannot be used in the modesty position on Ology desks.



**When attaching fixed personal/modesty screens to the Ology integrated rail**, there is a 5¼" mounting free zone on each end of the rail.



**When using fixed screens in the modesty position**, the desk must be at least 10" larger than the width of the screen.

**When used with One-High integrated storage**, fixed modesty screens must be a minimum of 24" shorter than worksurface width to allow for pinch point clearances.

# Worksurface Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness


**Worksurface side screens** provide a territorial boundary between users. Fabric, frosted glass, or clear glass screens are available for different levels of privacy. They are used on worksurfaces 0.808", 1", 1.185" and 1.5" thick.  
 ▶ Specifying, pages 258—260

**Worksurface bracket** sits on the worksurface and allows the side screen to work on worksurfaces 22"D–30"D or deeper worksurfaces.

**Worksurface side screen** is available in fabric or glass. Fabric screen is pin tackable.

**Worksurface bracket** is powder coat paint.


**Clamp at front of bracket** attaches to the front edge of four specific worksurface thicknesses.



## Actual Dimensions

	Fabric and Glass Screen	Application
<b>Width</b>	22" or 28" 24" or 30" 23½" or 29½"	FrameOne, Ology, Migration SE, and Flex worksurfaces Elective Elements and Universal worksurfaces Universal worksurfaces with cord drop
<b>Height</b>	12" or 19½"	
<b>Fabric Screen Thickness</b>	¾"	
<b>Glass Thickness</b>	¼"	
<b>Worksurface Bracket Clamp</b>	0.808" thickness 1" thickness 1.185" thickness 1.5" thickness	FrameOne worksurfaces Ology, Migration SE, and Flex worksurfaces Universal worksurfaces Elective Elements worksurfaces

**Product Details**



**Worksurface side screens** attach with two screws (#8 x 1/2" large buttonhead wood screws) through the clamp at the front on the underneath of the worksurface. The bracket clamp must be flush to the worksurface flat front edge.

**Worksurfaces 0.808" thick** utilize the smallest clamp at the front (FrameOne).

**Worksurfaces 1" thick** utilize a different clamp at the front (Ology, Migration SE, Flex).

**Worksurfaces 1.185" thick** utilize another clamp at the front (Universal).


**Worksurfaces 1.5" thick** utilize the largest clamp at the front (Elective Elements).

*Tip: Worksurface bracket clamp must be used with the corresponding top thickness as noted above.*

**Application Topics**

**Side screens** run parallel to the side (depth) of a worksurface only. They can attach anywhere along the front edge of a worksurface as long as the underworksurface clearance is free from any obstructions.

**Worksurface side screen** must be clear of any obstruction or interference on top of the worksurface.



**The width of screens** can be equal to or less than the depth of the worksurface to which it will attach. No overhang is allowed. Some restrictions apply due to location of worksurface legs and supports. *Tip: Consult SmartTools for any application restrictions.*

**Surface Materials**

**Bracket**

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

**Screen**

- 6500 Clear Glass
- 6530 Frosted Glass
- Fabric

▶ See *Surface Materials*, page 276.

# Acrylic Screens


## Acrylic Privacy Screens



► Specifying, page 262

*Tip: Screen may need to be shorter than worksurface width. To determine screen/cableway and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 38.*

## Product Details



**Privacy screen** provides lightweight space division above worksurface.

**Gap between worksurface and screen** is 1" to allow for cable feed through.

**Privacy screen top** is a fixed height 19" above worksurface.

**Privacy screen** can be used in combination with modesty screen.

**Privacy screen** ships with Universal clamps for field installation.

## Application Topics

Screen Width	SlatRail Width					
	24"	30"	36"	42"	48"	60"
22"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray
25"/28"	Black	Light Gray				
31"/34"	Light Gray	Black	Light Gray	Light Gray	Light Gray	Light Gray
37"/40"	Light Gray	Light Gray	Black	Light Gray	Light Gray	Light Gray
43"/46"	Light Gray	Light Gray	Light Gray	Black	Light Gray	Light Gray
49"/52"	Light Gray	Light Gray	Light Gray	Light Gray	Black	Light Gray
55"/58"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Black
61"/64"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Black

 SlatRail stanchions mount on the outside of the screen

 SlatRail stanchions will not work with the screen

 SlatRail stanchions mount on the inside of the screen

*Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens.*

## Surface Materials

**Screen**

- 6544 Frost only

### Universal clamp

- 0835 Black
- 4799 Platinum

## Actual Dimensions

**Depth** 1/4"

**Width** 22", 28", 34", 40", 46", 52", 58", and 64"

**Height** 22"


**Acrylic Modesty Screens**



► Specifying, page 262

*Tip: Screen may need to be shorter than worksurface width. To determine screen/cableway and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 38.*

**Product Details**



**Modesty screen** provides below worksurface modesty.

**Gap between worksurface and screen/cableway** is 1" to allow for cable feed through.

**Modesty screen top** is a fixed height 1/4" above and 1 1/2" below worksurface.

**Modesty screen** can be used in combination with privacy screen and cableways.

**Modesty screen** ships with Universal clamps for field installation.

**When used with One-High integrated storage**, acrylic modesty screens must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.

**Application Topics**

Screen Width	SlatRail Width					
	24"	30"	36"	42"	48"	60"
22"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray
25"/28"	Black	Light Gray				
31"/34"	Light Gray	Black	Light Gray	Light Gray	Light Gray	Light Gray
37"/40"	Light Gray	Light Gray	Black	Light Gray	Light Gray	Light Gray
43"/46"	Light Gray	Light Gray	Light Gray	Black	Light Gray	Light Gray
49"/52"	Light Gray	Light Gray	Light Gray	Light Gray	Black	Light Gray
55"/58"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Black
61"/64"	Light Gray	Light Gray	Light Gray	Light Gray	Light Gray	Black

- SlatRail stanchions mount on the outside of the screen
- SlatRail stanchions will not work with the screen
- SlatRail stanchions mount on the inside of the screen

*Tip: SlatRail does not overhang the SlatRail stanchions; therefore, it is important to order the appropriate SlatRail size when used in combination with screens and cableway.*

**Surface Materials**

**Screen**

- 6544 Frost only

**Universal clamp**

- 0835 Black
- 4799 Platinum


**Actual Dimensions**

<b>Depth</b>	1/4"
<b>Width</b>	22", 28", 34", 40", 46", 52", 58", and 64"
<b>Height</b>	14"


# Table-Mounted Translucent and Slatwall Screens

► Specifying, page 263

**Screens** can be attached above the worksurface to the left, right, and rear sides of table desks with post legs.




**Screen** attaches to the rear of rectangular table desk top.




**Screens** are not flush with tables. 12" screens are 15"H from the tabletop and 18" screens are 21"H from the tabletop.

### Product Details

**Screens**, 6" smaller than table desks, do not extend full width or full depth of worksurface.



**Table desk tops** are shipped without screen holes. To attach screens, holes must be drilled on site using the supplied template. Plugs are available through Service Parts (**TS5YGMTSR**) when screens are not in use and have been removed from the top.



**Screen** attaches above the worksurface for use as a privacy panel or below the worksurface for use as a modesty panel. Mounting brackets, ordered separately, must be used when attaching screens above and below a worksurface.

# Cable and Power Management

## Vertical Cable Carrier



► Specifying, page 265

### Product Details

**Vertical cable carrier** has a 52" flexible spine with two management channels to manage cords from below worksurface to the floor.

**Vertical cable carrier bracket** attaches to the underside of the worksurface and weighted base sits on floor.

### Surface Materials

**Vertical cable carrier**

- 6688 Steel

### Actual Dimensions

**Width** 2½"

**Height** 52"

**Weight** 1 lb

## 6"D Wire Managers



► Specifying, page 265

### Product Details

**Wire manager** is flexible to manage cords underneath the worksurface.

**PVC-free ABX material** is resistant to fatigue and recyclable.

### Surface Materials

**Wire manager**

- 6000 Black
- 6249 Platinum


### Actual Dimensions

**Depth** 6"

**Width** 30", 36", 42", 48", 54", and 60"

**Height** 1"

## 1¾"D Wire Managers



► Specifying, page 266

### Product Details

**Wire manager** is flexible to manage cords underneath the worksurface.

**PVC-free polypropylene material** is resistant to fatigue and recyclable.

### Surface Materials

**Wire manager**

- 6000 Black


### Actual Dimensions

**Depth** 1¾"

**Width** 6", 12", 18", 23¼", 30", 35", 42", and 48"

**Height** 1¾"

**Power and Data Strips with Cord and Rail Attachment Brackets**



► Specifying, page 267

**Product Details**

**Power strip** have a 8' cord and are ordered separately.

**Power and data strip** provides additional electrical and voice and data receptacles.

**Power and data strip** are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application.

**Power strips** can be mounted on the SOTO rail. Cord length is 8'. Available PVC only.

**Surface Materials**

**Power and Data Strip**

- 8043 Clear Anodized Aluminum cover with black faceplate.

**Attachment brackets**

- 4799 Platinum paint only


**Actual Dimensions**

**Depth** 2¼"

**Width** 10¼"

**Height** 3"

**Power and Data Strips with Cord with Worksurface Attachment Bracket**



► Specifying, page 267

**Product Details**

**Power and data strip worksurface bracket** attaches to worksurfaces 5½" to 15½" thick. Available with an 8' long cord with plug.

**Surface Materials**

**Power and Data Strip**

- 8043 Clear Anodized Aluminum cover with black faceplate.

**Attachment brackets**

- 4799 Platinum paint only







**Actual Dimensions**

**Depth** 2¼"

**Width** 6¾"

**Height** 8"

**Powerstrip Intro**



► Specifying, page 268

**Product Details**

**Powerstrip intro** offers desktop C-clamped powerstrips with combinations of power outlets, USB-A and USB A+C 20W, and optional under worksurface utility power 4 or 7 power outlets.

**Desktop power configuration options and specifications** include:

- Two power
- One power and dual USB-A
- One power and USB A+C 20W
- Two power and one USB-A+C 20W
- Power outlet is 15A, 120V, 60Hz
- Tamper resistant power outlets

**Meets spill test criteria.**

**Two power with 20 watt intelligent USB A-C:**


- If only USB-C in use: delivers what the device needs up to 20 watts
- If only USB-A in use, up to 10 watts
- If both USB A+C in use, USB-A delivers up to 10 watts and 10 watts to USB-C. If USB-A device needs less than 10W, the remainder up to 20 watts goes to the USB-C device
- USB-A watt/amp output (2 port) is 10W/2A per port with dedicated charging ports

**C-clamp** is designed to accommodate worksurfaces up to 1½" thick.

Dual 10W USB-A  
20W USB A+C




**Powerstrip intro USB ports** are recommended for charging: cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices. Not recommended for devices needing higher output, more than 20-watts, like compact laptops. See Powerstrip Plus for higher output USB options.



**Cable management clips, 2-pack**, comes standard with each powerstrip. Mounts under the worksurface to manage cords.




*Tip: Cord clip screw length for minimum worksurface thickness of ¾".*

**Powerstrip intro without optional under worksurface utility power** includes a 9-foot standard smooth cord with a diameter of ⅜".



**Powerstrip intro** includes a standard straight 3-prong plug. An overcurrent protection (OCP) 90-degree plug is also an option. Check with your local authorities having jurisdiction to see if overcurrent protection is required.

**Optional Under Worksurface Utility Power**



**Universal cable management tray** - small tray, **DSTRAYSM**, holds four outlets and large tray, **DSTRAYLG**, holds seven outlets under worksurface utility power.

**Overcurrent protection, OCP, via a circuit breaker** prevents one powerstrip intro assembly from drawing more than 15 amps of power.

**Overcurrent protection** is included as standard with powerstrip intro configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

**Overcurrent protection (OCP)** includes a circuit breaker rated for 15 amps.

**Powerstrip intro with optional under worksurface utility power** comes standard with OCP inline box and optional 6-foot or 8-foot standard smooth power cord with a diameter of ⅜". Choice of standard straight or 90 degree NEMA 5-15 3-prong plug.

**The bottom of each utility powerstrip block** has slots. The slots allow the block to slide onto raised bars in the universal cable management trays, sold separately. These help keep the powerstrip in place when the tray is opened or closed.

**Optional under worksurface utility power blocks** do not ship with independent mounting hardware. They are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.


### Surface Materials

#### Housing

- 6009 Arctic White
- 6527 Merle

*Tip: Arctic white housing will have white cord and merle housing will have black cord.*

### Actual Dimensions



**2 Port**



**3 Port**

	2 Port	3 Port
<b>D</b>	3 <sup>1</sup> / <sub>16</sub> "	3 <sup>7</sup> / <sub>16</sub> "
<b>W</b>	3 <sup>1</sup> / <sub>16</sub> "	4 <sup>11</sup> / <sub>16</sub> "
<b>H</b>	1 <sup>5</sup> / <sub>8</sub> "	1 <sup>5</sup> / <sub>8</sub> "

Underwriters Laboratory (UL) Listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

#### Certifications include:

- cULus



	Without under worksurface utility power	With under worksurface utility power
Power cord length	9 ft or 163" curly cord	6 ft and 8 ft options or 163" curly cord
Nema 5-15 3 Prong Plug Options	Standard Straight 1 <sup>3</sup> / <sub>8</sub> " x 1" x 7 <sup>7</sup> / <sub>8</sub> "	Standard Straight
Overcurrent Protection (OCP)	90 degree with Overcurrent Protection (OCP) in plug 2 <sup>1</sup> / <sub>16</sub> " x 1 <sup>5</sup> / <sub>8</sub> " x 1 <sup>7</sup> / <sub>16</sub> "	Standard 90 degree
	90 degree OCP plug	Included with utility power as an inline box





Power cord length

Nema 5-15 3 Prong Plug Options


Overcurrent Protection (OCP)




**Standard 3-Prong Plug**




**Overcurrent Protection (OCP) 90° Plug**



*Tip: When no under work-surface utility power is specified this plug will be provided.*




**Optional Under Worksurface Utility Power**



Cord from desktop power to under worksurface utility power is a preset length 48"

Cord between the two under worksurface utility powerstrips is preset at 24"





Power cord length with optional utility power: 6 ft or 8 ft


### Powerstrip Intro vs. Powerstrip Plus

Product Name	Power Strip Intro	Powerstrip Plus
Number of Worksurfaces Power Configurations	4 Power outlets, USB-A and USB A+C 20W	12 Power outlets, USB-A, USB A+C 20W, USB-C 100W and Data
Dual 10W USB-A	Yes	Yes
10W USB-A or 20W USB A+C	Yes	Yes
100W USB-C (Compact laptops)	No	Yes
Mounting Options	C-Clamp	C-Clamp, Rail or Front Edge
Under Worksurface Utility Power Options	4 Outlets or 7 Outlets	4 Outlets 7 Outlets or 9 Outlets
Overcurrent Protection (OCP)	Optional with no utility power  Standard with more than three power outlets  Standard with utility power	Optional with no utility power  Standard with more than three power outlets  Standard with utility power
Cord Options	Standard and Curly	Standard, Braided or Curly
Plug Options	<b>Desktop powerstrip</b> Standard NEMA or 90 Degree NEMA with overcurrent protection  <b>Desktop powerstrip with optional under worksurface utility powerstrip</b> Standard NEMA 90 Degree NEMA *OCP is inline box with utility power.	Standard NEMA 90 Degree NEMA Thread Low Profile


**Powerstrip Plus**




Without overcurrent protection




With overcurrent protection



4 outlet



7 outlet



9 outlet



► Specifying, page 270

**Product Details**

**Desktop power** offers multiple power, USB, and data options; and can be specified with a C-clamp, rail mount, or front edge mount. Meets spill test criteria.

**C-clamp** is designed to accommodate worksurfaces between 1/2" and 1 3/8" thick. Also available with rail mount or front edge mount.




**Under worksurface optional utility power** blocks do not ship with independent mounting hardware. They are designed to mount into the Universal cable management kit without additional hardware. Kit sold separately.



**Cable management**


**kit** comes standard with each powerstrip. Mounts under the worksurface to manage cords.

*Tip: Cord clip screw length for minimum worksurface thickness of 3/4".*



**The bottom of each utility powerstrip block** has slots. The slots allow the block to slide onto raised bars in the universal cable management kit. These help keep the powerstrip in place when the tray is opened or closed. Universal cable management kit sold separately.

Dual 10W USB-A  
10W USB-C  
20W USB A+C




100W USB C



**Powerstrip Plus's USB A+C 20W** recommended for charging: cell phones, tablets, headphones, wearable fitness trackers, or other small electronic devices.

**USB-C 100W** recommended for all of the above and compact laptops.

**Overcurrent protection via a circuit breaker** prevents one powerstrip plus assembly from drawing more than 15 amps of power.



**Overcurrent protection** is included as standard with powerstrip plus configurations with more than three outlets and is an option on configurations with less than four outlets. Check with your local authorities having jurisdiction to see if overcurrent protection is required for assemblies with less than four outlets.

**Power plug options:**

- Standard NEMA 5-15 3 prong
- 90 degree NEMA 5-15 3 prong
- Thread low profile plug


**Surface Materials**

**Desktop power**

- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6302 Baltic
- 6338 Chili
- 6527 Merle
- 6BD1 Aubergine
- 6BD2 Peacock
- 6BD5 Honey
- 6BD6 Lagoon
- 6BD7 Saffron
- 6BE2 Light Peacock

**Power cord options and lengths:**

- Smooth straight 6', 8', or 10': Black or White
- Braided 6', 8', or 10': Black or Seagull
- Curly cord 8' or 163": Black or White



**Braided cord**

- 9009 Black
- 9011 Seagull

**Actual Dimensions**

**Diameter of Powerstrip Plus power cords:**

**Standard** 1/3"

**Braided** 2/5"

**Curly** 1/3"  
(coiled area 1 1/2" diameter)

Underwriters Laboratory (UL) Listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.

**Power configurations options guide**


Hedberg Option Code	Power Outlet	Number per Powerstrip			Data
		USB-A	USB A+C/ Low Wattage	USB-C/ High Wattage	
3P	3				
2P1A	2	2			
2P1AC10	2		1 – 20W		
2P1A1D	2	2			1
2P1C100	2			1 – 100W	
3P1A	3	2			
1P1A1C100	1	2		1 – 100W	
2P1A1C100	2	2		1 – 100W	
2P3A1C20	2	2	1 – 20W		
3P2AC10	3		2 – 20W		
3P1AC101D	3		1 – 20W		1
2P1A1C100D	2	2		1 – 100W	1

**Optional data port adapter information chart.** (Coupler/jack not included)


Note: Please verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.

Adapter	Manufacturer
BBB	L-Com Keystone Modular
BBB	NETCONNECT, and 110 Connect Series Modular Jack
BBB	Siemon ZMAX Style
BBB	Allen Tel Versa Tap Series
BBB	Leviton Quick Port Series
BBB	Belden REVConnect
BBB	HDMI Adapter Cable
CCC	Hubbell Nextspeed Keystone Series
CCC	ADC Truenet series
DDD	Blank (no coupler/jack)
EEE	Ortronics TracJack Series
FFF	Panduit Mini-Com Series
HHH	Video Monitor Jack/DB-15, panel mount solder style

## Cable and Power Management, continued




### Optional Under Worksurface Utility Power Dimensions





**Under Worksurface Utility Power**



► Specifying, page 272


**Product Details**

**Under worksurface utility power** provides multiple power outlets for plugging in a height adjustable desk, computer, and desktop necessities with a one cord out solution.




**Cable management kit** comes standard and mounts under the worksurface to manage cords.



*Tip: Cord clip screw length for minimum worksurface thickness of 3/4".*



**Under worksurface utility power** does not ship with independent mounting hardware. The blocks are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.



**The bottom of each utility powerstrip block** has slots. The slots allow the block to slide onto raised bars in the universal cable management kit trays. This design helps keep the powerstrip in place when the tray is opened or closed. Universal cable management kit's smart straps, if selected, are used to hold the power cord in place. ► See page 273 for universal cable management kit understanding content.



**Overcurrent protection** is required by UL on these products.

**UL Listed:** Utility power block outlets are hardwired together in a complete, UL listed assembly. *Tip: Underwriters laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code.*


**Power plug options:**

- Standard NEMA 5-15 3 prong
- 90 degree NEMA 5-15 3 prong
- Thread low profile plug

**Surface Materials**

**Power cord options and lengths:**

- Smooth straight 6', 8', or 10': Black or White
- Braided 6', 8', or 10': Black or Seagull
- Curly cord 8' or 163": Black or White



**Braided cord**

- 9009 Black
- 9011 Seagull

**Actual Dimensions**


**Power blocks**

Depth	2"
Width	8 1/4"
Thickness	1"

Four outlets total – One utility block, with three outlets each and one floating female outlet



Seven outlets total – Two utility block, with three outlets each and one floating female outlet




Nine outlets total – Three utility block, with three outlets each.



**Floating female outlet for oversized plugs or power supplies.**


**Optional standard NEMA 3-prong plug, 90° or thread low profile plug.**

## Dimensions



- Optional under worksurface utility power available with:
- NEMA 90°
  - Standard NEMA 5-15 3-prong
  - Thread low profile plug

**Universal Cable Management Kit**



► Specifying, page 273

**Product Details**



**Universal cable management kit** provides easy management and access to cords, cables, and power blocks under a workstation.

**Optional smart straps** allow for easy management of cables and cords in the cable management tray. The large tray ships with 10 straps and the small tray ships with five straps. Straps are 5<sup>3</sup>/<sub>4</sub>" long.




**Cable management tray** is designed to fit behind the stretcher bar and under-structure of most Steelcase height-adjustable tables.

**Cable management tray** provides tool-free and hardware-free mounting of under worksurface power from the powerstrip plus.

**Cable management tray** allows for a 1/8" gap around all four sides between the tray and the worksurface when mounted to allow for cable egress.



**The small cable management tray** is designed to hold one utility powerstrip and it has four outlets. The tray does not have the capacity to hold more than one utility powerstrip.






**The large cable management tray** holds two utility powerstrips in the raised bars section. There is capacity to add three utility powerstrips, two in the raised bar area and one more in the tray, strapped down.

**Surface Materials**

**Cable tray**  
• 6527 Merle

**Actual Dimensions**


<b>Depth</b>	6 <sup>5</sup> / <sub>16</sub> " (7 <sup>1</sup> / <sub>2</sub> " with bracket)
<b>Width</b>	15 <sup>1</sup> / <sub>2</sub> ", 30"
<b>Height</b>	2 <sup>5</sup> / <sub>8</sub> " (3 <sup>1</sup> / <sub>2</sub> " when installed)





# Universal Privacy Screens and Aligners

## Universal Privacy Screens



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 214</li> <li>• Screen: fabric price group 1</li> <li>• Brackets: paint price group 1</li> <li>• Edge: PET</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Width (see below under Required Selections)</li> <li>3 Height (see below under Required Selections)</li> <li>4 Fabric color number for screen</li> <li>5 Bracket finish color number</li> <li>6 Edge color:               <ul style="list-style-type: none"> <li>P630 Medium Heather Grey PET</li> <li>P631 Dark Heather Grey PET</li> </ul> </li> <li>7 Options, if selected (see below)               <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul> </li> </ol>

Required Selections	U.S. Price	Required to Specify
<b>Width</b> <ul style="list-style-type: none"> <li>• 24"W</li> <li>• 30"W</li> <li>• 36"W</li> <li>• 42"W</li> <li>• 48"W</li> <li>• 54"W</li> <li>• 60"W</li> <li>• 66"W</li> <li>• 72"W</li> <li>• 78"W</li> <li>• 84"W</li> <li>• 90"W</li> <li>• 96"W</li> </ul>	Prices at right Prices at right	Specify width. Specify width.
<b>Height</b> <ul style="list-style-type: none"> <li>• 13½"H</li> <li>• 19½"H</li> </ul>	Prices at right Prices at right	Specify height. Specify height.

Tip: 13½"H screen will align at a 42" datum. 19½"H screen will align at a 48" datum.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Fabric price group 1</li> <li>• Fabric price group 2</li> <li>• Fabric price group 3</li> <li>• Fabric price group 4</li> <li>• Fabric price group 5</li> <li>• Fabric price group 6</li> <li>• Fabric price group 7</li> <li>• Fabric price group 8</li> <li>• Fabric price group 9</li> <li>• Fabric price group 10</li> <li>• Customer's Own Material (COM)</li> </ul>	No cost +\$ 49 +\$132 +\$165 +\$203 +\$237 +\$274 +\$307 +\$343 +\$378 +\$ 23	Specify fabric color number. Specify fabric color number. ▶ See <i>Surface Materials Reference Manual</i> .
<b>Bracket</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 16	Specify paint color number. Specify paint color number.
<b>Related Products</b> <ul style="list-style-type: none"> <li>• Aligners</li> </ul>		▶ See below

▶ **Specification Information, on next page**



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

► Options, on previous page

**Specification Information**

Style Number	Height	U.S. Base Prices							
		24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W
UFPS	13½"	\$443	\$475	\$505	\$540	\$571	\$605	\$637	\$670
	19½"	\$505	\$557	\$608	\$658	\$713	\$763	\$814	\$862

► Specification Information, continued from above

Style Number	Height	U.S. Base Prices				
		72"W	78"W	84"W	90"W	96"W
UFPS	13½"	\$704	\$735	\$ 766	\$ 798	\$ 831
	19½"	\$915	\$965	\$1014	\$1065	\$1112

## Aligners



Tip: Aligners are for use with fabric screens only.


Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Need help? Product details, page 214</li> <li>Aligner, package of 10: translucent plastic</li> </ul>	Style number

**Specification Information**

Style Number	U.S. Price
UFAL	\$36

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.

# Sarto Privacy/Modesty Screens



Tip: Sarto privacy/modesty screens can be attached to 3/4"-1 1/2" thick worksurface, including Ology, Migration SE, Elective Elements, universal tables, and universal panel-mount worksurfaces.

Tip: The screens weigh between 3.51 and 11.64 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces. See understanding pages to calculate screen weight.

Tip: Worksurface type option adds a fourth worksurface bracket and repositions brackets to avoid worksurface scallops.

Tip: Side screen option changes standard brackets for smaller L-brackets and only mount flush to the side of the worksurface. Side screen option is only available on screens 36"W and narrower.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 211</li> </ul>	<ul style="list-style-type: none"> <li>• Screen: fabric price group 1</li> <li>• Brackets: 7360 Merle</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Size option (see below under Required Selections)</li> <li>3 Width (see below under Required Selections)</li> <li>4 Height (see below under Required Selections)</li> <li>5 Privacy height (see below under Required Selections)</li> <li>6 Worksurface type (see below under Required Selections)</li> <li>7 Screen type (see below under Required Selections)</li> <li>8 Fabric color number for screen</li> <li>9 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 276.</p>


Required Selections		U.S. Price	Required to Specify																																										
<b>Size Option</b>	<ul style="list-style-type: none"> <li>• Modular</li> <li>• Parametric</li> </ul>	No cost No cost	Specify <i>with modular</i> . Specify <i>with parametric</i> .																																										
<b>Width</b>	<table border="1"> <thead> <tr> <th>Modular</th> <th>Parametric</th> </tr> </thead> <tbody> <tr><td>• N.A.</td><td>23"W–28 15/16"W</td></tr> <tr><td>• 24"W</td><td>N.A.</td></tr> <tr><td>• 29"W</td><td>29"W</td></tr> <tr><td>• N.A.</td><td>29 1/16"W–36"W</td></tr> <tr><td>• 42"W</td><td>36 1/16"W–42"W</td></tr> <tr><td>• 46"W</td><td>N.A.</td></tr> <tr><td>• 48"W</td><td>42 1/16"W–48"W</td></tr> <tr><td>• 54"W</td><td>48 1/16"W–54"W</td></tr> <tr><td>• 58"W</td><td>N.A.</td></tr> <tr><td>• 60"W</td><td>54 1/16"W–60"W</td></tr> <tr><td>• 66"W</td><td>60 1/16"W–66"W</td></tr> <tr><td>• 70"W</td><td>66 1/16"W–70"W</td></tr> </tbody> </table>	Modular	Parametric	• N.A.	23"W–28 15/16"W	• 24"W	N.A.	• 29"W	29"W	• N.A.	29 1/16"W–36"W	• 42"W	36 1/16"W–42"W	• 46"W	N.A.	• 48"W	42 1/16"W–48"W	• 54"W	48 1/16"W–54"W	• 58"W	N.A.	• 60"W	54 1/16"W–60"W	• 66"W	60 1/16"W–66"W	• 70"W	66 1/16"W–70"W	Prices at right Prices at right	Specify width. Specify width.																
Modular	Parametric																																												
• N.A.	23"W–28 15/16"W																																												
• 24"W	N.A.																																												
• 29"W	29"W																																												
• N.A.	29 1/16"W–36"W																																												
• 42"W	36 1/16"W–42"W																																												
• 46"W	N.A.																																												
• 48"W	42 1/16"W–48"W																																												
• 54"W	48 1/16"W–54"W																																												
• 58"W	N.A.																																												
• 60"W	54 1/16"W–60"W																																												
• 66"W	60 1/16"W–66"W																																												
• 70"W	66 1/16"W–70"W																																												
<b>Height</b>	<table border="1"> <thead> <tr> <th>Modular</th> <th>Parametric</th> </tr> </thead> <tbody> <tr><td>• 24"H</td><td>24"H</td></tr> <tr><td>• 30"H</td><td>24 1/2"H–30"H</td></tr> </tbody> </table>	Modular	Parametric	• 24"H	24"H	• 30"H	24 1/2"H–30"H	Prices at right Prices at right	Specify height. Specify height.																																				
Modular	Parametric																																												
• 24"H	24"H																																												
• 30"H	24 1/2"H–30"H																																												
<b>Privacy Height</b>	<table border="1"> <thead> <tr> <th>Screen Height</th> <th>Minimum Privacy Height</th> <th>Maximum Privacy Height</th> </tr> </thead> <tbody> <tr><td>• 24"H</td><td>9"H</td><td>16 1/2"H</td></tr> <tr><td>• 24 1/2"H</td><td>9 1/2"H</td><td>17"H</td></tr> <tr><td>• 25"H</td><td>10"H</td><td>17 1/2"H</td></tr> <tr><td>• 25 1/2"H</td><td>10 1/2"H</td><td>18"H</td></tr> <tr><td>• 26"H</td><td>11"H</td><td>18 1/2"H</td></tr> <tr><td>• 26 1/2"H</td><td>11 1/2"H</td><td>19"H</td></tr> <tr><td>• 27"H</td><td>12"H</td><td>19 1/2"H</td></tr> <tr><td>• 27 1/2"H</td><td>12 1/2"H</td><td>20"H</td></tr> <tr><td>• 28"H</td><td>13"H</td><td>20 1/2"H</td></tr> <tr><td>• 28 1/2"H</td><td>13 1/2"H</td><td>21"H</td></tr> <tr><td>• 29"H</td><td>14"H</td><td>21 1/2"H</td></tr> <tr><td>• 29 1/2"H</td><td>14 1/2"H</td><td>22"H</td></tr> <tr><td>• 30"H</td><td>15"H</td><td>22 1/2"H</td></tr> </tbody> </table>	Screen Height	Minimum Privacy Height	Maximum Privacy Height	• 24"H	9"H	16 1/2"H	• 24 1/2"H	9 1/2"H	17"H	• 25"H	10"H	17 1/2"H	• 25 1/2"H	10 1/2"H	18"H	• 26"H	11"H	18 1/2"H	• 26 1/2"H	11 1/2"H	19"H	• 27"H	12"H	19 1/2"H	• 27 1/2"H	12 1/2"H	20"H	• 28"H	13"H	20 1/2"H	• 28 1/2"H	13 1/2"H	21"H	• 29"H	14"H	21 1/2"H	• 29 1/2"H	14 1/2"H	22"H	• 30"H	15"H	22 1/2"H	No cost No cost	Specify privacy height. Specify privacy height.
Screen Height	Minimum Privacy Height	Maximum Privacy Height																																											
• 24"H	9"H	16 1/2"H																																											
• 24 1/2"H	9 1/2"H	17"H																																											
• 25"H	10"H	17 1/2"H																																											
• 25 1/2"H	10 1/2"H	18"H																																											
• 26"H	11"H	18 1/2"H																																											
• 26 1/2"H	11 1/2"H	19"H																																											
• 27"H	12"H	19 1/2"H																																											
• 27 1/2"H	12 1/2"H	20"H																																											
• 28"H	13"H	20 1/2"H																																											
• 28 1/2"H	13 1/2"H	21"H																																											
• 29"H	14"H	21 1/2"H																																											
• 29 1/2"H	14 1/2"H	22"H																																											
• 30"H	15"H	22 1/2"H																																											
<b>Worksurface Type</b>	<b>For screens 60"W or greater</b> <ul style="list-style-type: none"> <li>• Without scallop</li> <li>• With scallop</li> </ul>	No cost +\$55	Specify <i>without scallop</i> . Specify <i>with scallop</i> .																																										
<b>Screen Type</b>	<ul style="list-style-type: none"> <li>• Rear screen</li> <li>• Side screen</li> </ul>	No cost No cost	Specify <i>with rear screen</i> . Specify <i>with side screen</i> .																																										

Tip: Fabric is applied horizontally on the screen.

Tip: Screen allows for 1½" cord drop or no cord drop when mounted to the rear of a worksurface. See understanding pages for product specific application guidelines.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
• Fabric price group 2	+\$ 57	Specify fabric color number.
• Fabric price group 3	+\$161	Specify fabric color number.
• Fabric price group 4	+\$205	Specify fabric color number.
• Fabric price group 5	+\$246	Specify fabric color number.
• Fabric price group 6	+\$288	Specify fabric color number.
• Fabric price group 7	+\$334	Specify fabric color number.
• Fabric price group 8	+\$375	Specify fabric color number.
• Fabric price group 9	+\$417	Specify fabric color number.
• Fabric price group 10	+\$459	Specify fabric color number.
• Customer's Own Material (COM)	+\$ 23	Specify fabric color number.
		▶ See <i>Surface Materials Reference Manual</i> .

Specification Information												
Style Number	Parametric Height	Modular width	U.S. Base Prices									
			24"W	29"W	N.A.	42"W	46"W or 48"W	54"W	58"W or 60"W	66"W	70"W	
		Parametric width	23"W-	29"W	29½"W	36½"W	42½"W	48½"W	54½"W	60½"W	66½"W	70"W
			28½"W		-36"W	-42"W	-48"W	-54"W	-60"W	-66"W	-70"W	




PSPM	24"	24½"-30"																
	\$431	\$589	\$484	\$650	\$516	\$680	\$546	\$711	\$578	\$743	\$611	\$777	\$644	\$812	\$678	\$845	\$711	\$876

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.



**Specification Information**

Style Number	Parametric Height	Modular Width	U.S. Base Prices												
			24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
		Parametric Width	24"W	24 <sup>1</sup> / <sub>16</sub> "W	30 <sup>1</sup> / <sub>16</sub> "W	36 <sup>1</sup> / <sub>16</sub> "W	42 <sup>1</sup> / <sub>16</sub> "W	48 <sup>1</sup> / <sub>16</sub> "W	54 <sup>1</sup> / <sub>16</sub> "W	60 <sup>1</sup> / <sub>16</sub> "W	66 <sup>1</sup> / <sub>16</sub> "W	72 <sup>1</sup> / <sub>16</sub> "W	78 <sup>1</sup> / <sub>16</sub> "W	84 <sup>1</sup> / <sub>16</sub> "W	90 <sup>1</sup> / <sub>16</sub> "W
			-30"W	-36"W	-42"W	-48"W	-54"W	-60"W	-66"W	-72"W	-78"W	-84"W	-90"W	-96"W	




PSPS	Height	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
	13 <sup>1</sup> / <sub>2</sub> "H	\$324	\$348	\$372	\$395	\$420	\$446	\$470	\$493	\$518	\$ 560	\$ 583	\$ 608	\$ 632
	14"-19 <sup>1</sup> / <sub>2</sub> "	\$370	\$408	\$446	\$484	\$521	\$558	\$596	\$632	\$673	\$ 735	\$ 770	\$ 812	\$ 847
	20"-24"	\$452	\$484	\$516	\$546	\$578	\$611	\$644	\$678	\$711	\$ 752	\$ 792	\$ 832	\$ 873
	24 <sup>1</sup> / <sub>2</sub> "-30"	\$617	\$650	\$680	\$711	\$743	\$777	\$812	\$845	\$876	\$1088	\$1158	\$1227	\$1297
	30 <sup>1</sup> / <sub>2</sub> "-35 <sup>1</sup> / <sub>2</sub> "	\$701	\$734	\$764	\$795	\$827	\$859	\$892	\$925	\$960	\$1170	\$1239	\$1310	\$1380

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

Screens, Cable and Power Management

# Sarto Alignment Clip



*Tip: Alignment clip is for use with Sarto privacy or Sarto privacy/modesty screens.*

*Tip: Alignment clip is for Sarto screens in perpendicular applications.*

Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 218</li> </ul> | <ul style="list-style-type: none"> <li>• Alignment clip: 7360 Merle</li> </ul> |
|--|--|

Specification Information	
---------------------------	--

• Style Number	• U.S. Price
----------------	--------------

<b>PSCB</b>	\$7
-------------	-----




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.








Specification Information							
Style Number	Parametric Height	Modular Width Parametric Width	U.S. Base Prices				
			23"W	29"W	35"W	41"W	46"W
PLSCRN	18"H		\$586	\$649	\$709	\$768	\$829
	18½"-24"		\$606	\$669	\$729	\$788	\$849

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.





*Tip: Soffio screens can be attached to 3/4" – 1 1/2" thick worksurfaces, including Ology, Migration SE, Elective Elements, Universal tables, and Universal panel-mount worksurfaces.*

*Tip: Screens weigh between 2.9 and 4.2 pounds. Take this into consideration when planning for use on height-adjustable worksurfaces.*

*Tip: Fabric is applied horizontally on the screen.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 222</li> </ul>	<ul style="list-style-type: none"> <li>• 26"H curved desk screen: fabric price group 3</li> <li>• Brackets: 6527 Merle</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desk width (see below under Required Selections)</li> <li>3 Fabric color number for screen</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

	Required Selections	U.S. Price	Required to Specify
<b>Width</b>	<ul style="list-style-type: none"> <li>• 56"W</li> <li>• 68"W</li> <li>• 80"W</li> </ul>	Price below Price below Price below	Specify with 56"W. Specify with 68"W. Specify with 80"W.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• Fabric price group 3</li> <li>• Fabric price group 4</li> </ul>	No cost +\$243	Specify fabric color number. Specify fabric color number.

Specification Information			
Style Number	U.S. Base Prices		
	Desk Width		
	56"W	68"W	80"W
<b>SSCRN</b>	\$1065	\$1138	\$1207

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

Screens, Cable and Power Management

# Fixed Personal/Modesty Screens




Tip: Fixed personal/modesty screens are for use with Ology integrated rail and SOTO rail.

Tip: When using COM fabric, it is recommended that non-patterned fabric be used to provide a consistent visual between adjacent screens, and from one side to the other.

Tip: 19½"H and 24"H are for personal only.

Tip: 19½"H and 24"H screens are not intended for use in the modesty position when used with a height-adjustable desk.

Tip: For Ology desks 52"W and smaller, when using fixed screens in the modesty position, the screen must be sized 10" smaller than the width of the desk.



Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |
|--|--|
| ▶ Need help? Product details, page 223 | <ul style="list-style-type: none"> <li>• Personal/modesty screens: fabric price group 1</li> <li>• Brackets: 4799 Platinum</li> </ul>  |
|  | 1 Style number<br>2 Fabric color number for screen<br>3 Options, if selected (see below)<br>▶ See <i>Surface Materials</i> , page 276. |

Surface Materials	Options	U.S. Price			Required to Specify
-------------------	---------	------------	--	--	---------------------

Surface Materials	Fabric	12"H	19½"H	24"H	Required to Specify
	• Fabric price group 1	No cost	No cost	No cost	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ▶ See <i>Surface Materials Reference Manual</i> .
	• Fabric price group 2	+\$ 36	+\$ 49	+\$ 59	
	• Fabric price group 3	+\$ 97	+\$132	+\$165	
	• Fabric price group 4	+\$125	+\$165	+\$204	
	• Customer's Own Material (COM)	+\$ 23	+\$ 23	+\$ 23	

### Specification Information

Width	Weight	Style Number	U.S. Base Price
-------	--------	--------------	-----------------

#### 12"H Screens

30"	3.4 lb	<b>CQSF3012</b>	\$259
36"	3.9 lb	<b>CQSF3612</b>	\$305
42"	4.3 lb	<b>CQSF4212</b>	\$341
48"	4.7 lb	<b>CQSF4812</b>	\$385
·	·	·	·

#### 19½"H Screens

30"	4.2 lb	<b>CQSF3019</b>	\$400
36"	4.7 lb	<b>CQSF3619</b>	\$445
42"	5.5 lb	<b>CQSF4219</b>	\$487
48"	6.5 lb	<b>CQSF4819</b>	\$525
·	·	·	·

#### 24"H Screens

30"	4.9 lb	<b>CQSF3024</b>	\$538
36"	5.5 lb	<b>CQSF3624</b>	\$584
42"	6.1 lb	<b>CQSF4224</b>	\$626
48"	7.4 lb	<b>CQSF4824</b>	\$667
·	·	·	·




**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



# Worksurface Fabric Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness



Tip: The worksurface side screen is intended to clamp to the front of a worksurface.

Tip: The worksurface side screen does not work on knife edge profiles.

Tip: Fabric is applied horizontally on the screen.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 224</li> </ul>	<ul style="list-style-type: none"> <li>• Screen: fabric price group 1</li> <li>• Bracket with integrated worksurface clamp: paint price group 1</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Height (see below under Required Selections)</li> <li>3 Width (see below under Required Selections)</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

	Required Selections	U.S. Price	Required to Specify
<b>Height</b>	<ul style="list-style-type: none"> <li>• 12"H</li> <li>• 19½"H</li> </ul>	<ul style="list-style-type: none"> <li>Prices below</li> <li>Prices below</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 12"H.</li> <li>Specify with 19½"H.</li> </ul>
<b>Width</b>	<p><b>FrameOne, Ology, Migration SE, and Flex</b></p> <ul style="list-style-type: none"> <li>• 22"W</li> <li>• 28"W</li> </ul> <p><b>Elective Elements and Universal</b></p> <ul style="list-style-type: none"> <li>• 24"W</li> <li>• 30"W</li> </ul> <p><b>Universal with Cord Drop</b></p> <ul style="list-style-type: none"> <li>• 23½"W</li> <li>• 29½"W</li> </ul>	<ul style="list-style-type: none"> <li>Prices below</li> <li>Prices below</li> <li>Prices below</li> <li>Prices below</li> <li>Prices below</li> <li>Prices below</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 22"W.</li> <li>Specify with 28"W.</li> <li>Specify with 24"W.</li> <li>Specify with 30"W.</li> <li>Specify with 23½"W.</li> <li>Specify with 29½"W.</li> </ul>

	Options	U.S. Price	Required to Specify
<b>Bracket Finish</b>	<ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 16</li> </ul>	<ul style="list-style-type: none"> <li>Specify paint color number.</li> <li>Specify paint color number.</li> </ul>
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• Fabric price group 1</li> <li>• Fabric price group 2</li> <li>• Fabric price group 3</li> <li>• Fabric price group 4</li> <li>• Fabric price group 5</li> <li>• Fabric price group 6</li> <li>• Fabric price group 7</li> <li>• Fabric price group 8</li> <li>• Fabric price group 9</li> <li>• Fabric price group 10</li> <li>• Customer's Own Material (COM)</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 38</li> <li>+\$107</li> <li>+\$134</li> <li>+\$164</li> <li>+\$191</li> <li>+\$220</li> <li>+\$250</li> <li>+\$277</li> <li>+\$305</li> <li>+\$ 23</li> </ul>	<ul style="list-style-type: none"> <li>Specify fabric color number.</li> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> </ul>

Specification Information			
Style Number	Height	Width	U.S. Base Prices

## Fabric Side Screen for Use with FrameOne (0.808") Worksurface Thickness

WKSSFF	12"	22"	\$ 990
	12"	28"	\$1067
	19½"	22"	\$1086
	19½"	28"	\$1163

▶ Specification Information, continued on next page



### For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

► **Specification Information, continued from previous page**

**Specification Information**

• Style • Number	• Height	• Width	• U.S. Base • Prices
---------------------	----------	---------	-------------------------



**Fabric Side Screen for Use with Ology, Migration SE, and Flex (1") Worksurface Thicknesses**

<b>WKSSFHA</b>	12"	22"	\$ 990
	12"	28"	\$1067
	19½"	22"	\$1086
	19½"	28"	\$1163

**Fabric Side Screen for Use with Universal (1.185") Worksurface Thickness**

<b>WKSSFU</b>	12"	24"	\$1003
	12"	30"	\$1080
	19½"	24"	\$1099
	19½"	30"	\$1176

**For Use with Cord Drop Worksurfaces**

	12"	23½"	\$1003
	12"	29½"	\$1080
	19½"	23½"	\$1099
	19½"	29½"	\$1176

**Fabric Side Screen for Use with Elective Elements (1.5") Worksurface Thickness**


<b>WKSSF E</b>	12"	24"	\$1003
	12"	30"	\$1080
	19½"	24"	\$1099
	19½"	30"	\$1176



**For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

# Worksurface Glass Side Screens

For Use on Desking, Benching, and Table Worksurfaces with Varying Thickness



Tip: The worksurface side screen is intended to clamp to the front of a worksurface.

Tip: The worksurface side screen does not work on knife edge profiles.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 224</li> </ul>	<ul style="list-style-type: none"> <li>• Screen: 6500 Clear Glass</li> <li>• Bracket with integrated worksurface clamp: paint price group 1</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Height (see below under Required Selections)</li> <li>3 Width (see below under Required Selections)</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

	Required Selections	U.S. Price	Required to Specify
<b>Height</b>	<ul style="list-style-type: none"> <li>• 12"H</li> <li>• 19½"H</li> </ul>	Prices below Prices below	Specify with 12"H. Specify with 19½"H.
<b>Width</b>	<b>FrameOne, Ology, Migration SE, and Flex</b> <ul style="list-style-type: none"> <li>• 22"W</li> <li>• 28"W</li> </ul>	Prices below Prices below	Specify with 22"W. Specify with 28"W.
	<b>Elective Elements and Universal</b> <ul style="list-style-type: none"> <li>• 24"W</li> <li>• 30"W</li> </ul>	Prices below Prices below	Specify with 24"W. Specify with 30"W.
	<b>Universal with Cord Drop</b> <ul style="list-style-type: none"> <li>• 23½"W</li> <li>• 29½"W</li> </ul>	Prices below Prices below	Specify with 23½"W. Specify with 29½"W.

	Options	U.S. Price	Required to Specify
<b>Bracket Finish</b>	<ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$ 16	Specify paint color number. Specify paint color number.
<b>Surface Materials</b>	<ul style="list-style-type: none"> <li>• 6500 Clear Glass</li> <li>• 6530 Frosted Glass</li> </ul>	No cost +\$173	Specify with 6500 Clear Glass. Specify with 6530 Frosted Glass.

Specification Information			
Style Number	Height	Width	U.S. Base Prices
.....	.....	.....	.....

## Glass Side Screen for Use with FrameOne (0.808") Worksurface Thickness

<b>WKSSGF</b>	12"	22"	\$679
	12"	28"	\$756
	19½"	22"	\$808
	19½"	28"	\$885
.....	.....	.....	.....

## Glass Side Screen for Use with Ology, Migration SE, and Flex (1") Worksurface Thicknesses

<b>WKSSGHA</b>	12"	22"	\$679
	12"	28"	\$756
	19½"	22"	\$808
	19½"	28"	\$885
.....	.....	.....	.....

▶ **Specification Information, continued on next page**




**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

► Specification Information, continued from previous page

**Specification Information**

• Style • Number	• Height	• Width	• U.S. Base • Prices
---------------------	----------	---------	-------------------------



**Glass Side Screen for Use with Universal (1.185") Worksurface Thickness**

<b>WKSSGU</b>	12"	24"	\$706
	12"	30"	\$783
	19 1/2"	24"	\$835
	19 1/2"	30"	\$912

**For use with Cord Drop Worksurfaces**

	12"	23 1/2"	\$706
	12"	29 1/2"	\$783
	19 1/2"	23 1/2"	\$835
	19 1/2"	29 1/2"	\$912

**Glass Side Screen for Use with Elective Elements (1.5") Worksurface Thickness**

<b>WKSSGE</b>	12"	24"	\$706
	12"	30"	\$783
	19 1/2"	24"	\$835
	19 1/2"	30"	\$912



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


# Acrylic Screens

Tip: Screen may need to be shorter than worksurface width. To determine screen and height-adjustable worksurface compatibility, see Worktools Compatibility Charts, page 38.

Tip: 58"W and 64"W screens are not recommended for use with 22 1/4"D rectangular Airtouch worksurfaces.



Tip: 58"W and 64"W screens ship with three Universal clamps. All other screen widths ship with two Universal clamps.



 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 226	<ul style="list-style-type: none"> <li>• Screen: 6544 Frost only</li> <li>• Universal clamps: paint</li> </ul>	1 Style number 2 Paint color number for Universal clamp: 0835 Black 4799 Platinum

## Specification Information

Screen Width	Cableway Width	Weight	Style Number	U.S. Price
--------------	----------------	--------	--------------	------------

### Privacy Screens Only

22"	N.A.	5.67 lb	<b>AP22</b>	\$ 501
28"	N.A.	5.77 lb	<b>AP28</b>	\$ 525
34"	N.A.	6.17 lb	<b>AP34</b>	\$ 555
40"	N.A.	6.57 lb	<b>AP40</b>	\$ 580
46"	N.A.	6.77 lb	<b>AP46</b>	\$ 611
52"	N.A.	6.97 lb	<b>AP52</b>	\$ 639
58"	N.A.	7.27 lb	<b>AP58</b>	\$ 715
64"	N.A.	7.77 lb	<b>AP64</b>	\$ 741

### Modesty Screens Only

22"	N.A.	4.27 lb	<b>AM22</b>	\$ 456
28"	N.A.	4.57 lb	<b>AM28</b>	\$ 487
34"	N.A.	4.87 lb	<b>AM34</b>	\$ 513
40"	N.A.	5.17 lb	<b>AM40</b>	\$ 538
46"	N.A.	5.52 lb	<b>AM46</b>	\$ 568
52"	N.A.	5.77 lb	<b>AM52</b>	\$ 596
58"	N.A.	5.97 lb	<b>AM58</b>	\$ 670
64"	N.A.	6.27 lb	<b>AM64</b>	\$ 691

### Modesty and Privacy Screens

22"	N.A.	8.07 lb	<b>AMP22</b>	\$ 816
28"	N.A.	8.57 lb	<b>AMP28</b>	\$ 873
34"	N.A.	9.27 lb	<b>AMP34</b>	\$ 925
40"	N.A.	9.97 lb	<b>AMP40</b>	\$ 982
46"	N.A.	10.52 lb	<b>AMP46</b>	\$1040
52"	N.A.	10.97 lb	<b>AMP52</b>	\$1097
58"	N.A.	11.47 lb	<b>AMP58</b>	\$1195
64"	N.A.	12.27 lb	<b>AMP64</b>	\$1250

## Table-Mounted Translucent and Slatwall Screens

For Use Above or Below the Worksurface

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 228</li> <li>• Translucent screen, if selected: 6505 Frosted White</li> <li>• Slatwall screen, if selected: paint price group 1</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for slatwall screen, if selected</li> <li>3 Options, if selected (see below)</li> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Slatwall screen</li> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$24	Specify paint color number. Specify paint color number.
<b>Related Products</b> <ul style="list-style-type: none"> <li>• Mounting brackets</li> <li>• Privacy-modesty adapters</li> </ul>		<ul style="list-style-type: none"> <li>▶ Page 211</li> <li>▶ Page 211</li> </ul>

*Tip: Mounting brackets must be ordered with screens.*



Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Base Price

### Translucent Screens

1/4"	18"	12"	<b>TS5YTS1218</b>	\$235
1/4"	27"	12"	<b>TS5YTS1227</b>	\$255
1/4"	30"	12"	<b>TS5YTS1230</b>	\$277
1/4"	36"	12"	<b>TS5YTS1236</b>	\$324
1/4"	44"	12"	<b>TS5YTS1244</b>	\$393
1/4"	60"	12"	<b>TS5YTS1260</b>	\$413
1/4"	18"	18"	<b>TS5YTS1818</b>	\$255
1/4"	27"	18"	<b>TS5YTS1827</b>	\$325
1/4"	30"	18"	<b>TS5YTS1830</b>	\$416
1/4"	36"	18"	<b>TS5YTS1836</b>	\$463
1/4"	44"	18"	<b>TS5YTS1844</b>	\$483
1/4"	60"	18"	<b>TS5YTS1860</b>	\$534
:	:	:	:	:


### Slatwall Screens

1/4"	18"	12"	<b>TS5YSL1218</b>	\$290
1/4"	26 3/4"	12"	<b>TS5YSL1226</b>	\$364
1/4"	30"	12"	<b>TS5YSL1230</b>	\$391
1/4"	36"	12"	<b>TS5YSL1236</b>	\$431
1/4"	43 1/2"	12"	<b>TS5YSL1244</b>	\$480
1/4"	60"	12"	<b>TS5YSL1260</b>	\$562
:	:	:	:	:



 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

## Screen Mounting Brackets



*Tip: Package of three mounting brackets is to be used with 60"W screens only. Package of two mounting brackets is for use with all other applications.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 228</li> </ul>	<ul style="list-style-type: none"> <li>• Mounting brackets and hardware: paint price group 1</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for mounting brackets and hardware</li> <li>3 Options, if selected (see below)</li> <li>▶ See <i>Surface Materials</i>, page 276.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> </ul>	No cost +\$12	Specify paint color number. Specify paint color number.

### Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Base Price
:	:	:	:	:
:	:	:	:	:

### Package of Two Mounting Brackets

1½"	2"	15"	<b>TS5YMB212</b>	\$242
1½"	3"	21"	<b>TS5YMB218</b>	\$268
:	:	:	:	:

### Package of Three Mounting Brackets

1½"	2"	15"	<b>TS5YMB312</b>	\$322
1½"	3"	21"	<b>TS5YMB318</b>	\$332
:	:	:	:	:

## Privacy-Modesty Adapters

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>• Package of two privacy-modesty adapters</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

### Specification Information

• Height	• Style	• U.S.
:	Number	Price
:	:	:
4"	<b>TS5YMBADP</b>	\$35
:	:	:

*Tip: Order privacy-modesty adapter when attaching one screen directly above or below another.*



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

## Vertical Cable Carrier




Tip: Vertical cable carrier is recommended for use with height-adjustable worksurfaces.

Tip: Vertical cable carrier affixes under the worksurface and has a weighted base to hold it in place.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 230</li> </ul>	<ul style="list-style-type: none"> <li>• Cable carrier: 6688 Steel</li> <li>• Attachment hardware</li> </ul>	Style number

Specification Information			
Dimensions		Style Number	U.S. Price
W	H		
2 1/2"	52"	AHCC	\$232

## 6"D Wire Managers



Tip: Wire manager attaches to a clip that is affixed to the underside of a worksurface.


Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 230</li> </ul>	<ul style="list-style-type: none"> <li>• Wire manager: 6000 Black or 6249 Platinum</li> <li>• Attachment hardware</li> </ul>	Style number

Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
6"	30"	2"	0.13 lb	<b>AWMXL30</b>	\$101
6"	36"	2"	0.24 lb	<b>AWMXL36</b>	\$116
6"	42"	2"	0.34 lb	<b>AWMXL42</b>	\$132
6"	48"	2"	0.44 lb	<b>AWMXL48</b>	\$144
6"	54"	2"	0.56 lb	<b>AWMXL54</b>	\$162
6"	60"	2"	0.65 lb	<b>AWMXL60</b>	\$179



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

## 1 3/4" D Wire Managers



Tip: Actual width of AWM23 is 2 3/4".

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 230</li> <li>• Wire manager: 6000 Black</li> <li>• Attachment hardware</li> </ul>	Style number

Specification Information					
Dimensions			Weight	Style Number	U.S. Price
D	W	H			
1 1/4"	6"	1 3/4"	0.13 lb	<b>AWM06</b>	\$35
1 1/4"	12"	1 3/4"	0.24 lb	<b>AWM12</b>	\$46
1 1/4"	18"	1 3/4"	0.34 lb	<b>AWM18</b>	\$53
1 1/4"	23"	1 3/4"	0.44 lb	<b>AWM23</b>	\$60
1 1/4"	30"	1 3/4"	0.56 lb	<b>AWM30</b>	\$70
1 1/4"	35"	1 3/4"	0.65 lb	<b>AWM35</b>	\$77
1 1/4"	42"	1 3/4"	0.77 lb	<b>AWM42</b>	\$85
1 1/4"	48"	1 3/4"	0.88 lb	<b>AWM48</b>	\$96

## Power and Data Strips with Cord and Rail Attachment Brackets

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 231</li> <li>• Power strip with 8' PVC cord</li> <li>• Attachment bracket: 4799 Platinum</li> </ul>	Style number


Specification Information	
Style Number	U.S. Price

### Power and Data Strip with Cord and Rail Attachment Bracket

<b>FMVPDS</b>	\$355
---------------	-------


### Power Strip with Cord and Rail Attachment Bracket

<b>FMVPS</b>	\$322
--------------	-------



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Power and Data Strips with Cord with Worksurface Attachment Bracket



Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 231</li> </ul> | <ul style="list-style-type: none"> <li>• Power and data strip with cord: 8043 Clear Anodized Aluminum cover with black faceplate</li> <li>• Worksurface attachment bracket: 4799 Platinum</li> </ul> | <ul style="list-style-type: none"> <li>Style number</li> </ul> |
|--|--|--|


Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Price

2¼"	10¼"	3"	<b>BPDSWSPL</b>	\$378
:	:	:	:	:

Products on this page are Benching products. They are here to simplify your planning. They are ordered through the Benching electronic catalog (SFM).

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.


## Powerstrip Intro



*Tip: C-clamp is designed to accommodate worksurfaces up to 1 1/2" thick.*

*Tip: Each USB port can provide up to 10 watts (2 amps). Configuration with dual USB-A, each port is independent of the other.*

*Tip: Overcurrent protection includes a 15 amp circuit breaker.*



 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 232	<ul style="list-style-type: none"> <li>• Powerstrip intro: plastic</li> <li>• Straight 3-prong plug</li> <li>• C-clamp mount</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desktop power configuration (see below under Required Selections)</li> <li>3 Plastic color number for housing: 6009 Arctic White 6527 Merle</li> <li>4 Options, (if selected) see below</li> </ol>

	Required Selections	U.S. Price	Required to Specify
<b>Desktop Power Configuration</b>	• Two power outlets	No cost	Specify with two power outlets.
	• One power outlet with 10-watt dual USB-A	No cost	Specify with one power outlet with 10-watt dual USB-A.
	• One power outlet with one USB-A and one USB-C intelligent 20W	+\$ 40	Specify with one power outlet with one USB-A and one USB-C intelligent 20W.
	• Two power outlets with one USB-A and one USB-C intelligent 20W	+\$123	Specify with two power outlets with one USB-A and one USB-C intelligent 20W.

	Options	U.S. Price	Required to Specify
<b>Power Plug Type</b>	• Standard NEMA 3-prong	No cost	Specify with standard NEMA plug.
	• 90° NEMA with overcurrent protection (OCP, used when desktop power only is specified, no utility power)	+\$ 52	Specify with 90° NEMA plug with overcurrent protection (OCP).
	• 90° NEMA (No OCP, used when utility power option is specified)	+\$ 36	Specify with 90° NEMA (no OCP).

<b>Under Worksurface Utility Power Configuration</b>	• Four outlets total—one utility block, with three outlets each, and one floating female outlet	+\$130	Specify with one utility and one female plug.
	• Seven outlets total—two utility blocks, with three outlets each, and one floating female outlet	+\$258	Specify with two utility and one female plug.

<b>Power Cord Lengths Without Under Worksurface Utility Power</b>	• 9' standard	No cost	Specify with 9' standard cord.
	• 163" curly cord	+\$293	Specify with 163" curly cord.


<b>Power Cord Lengths With Under Worksurface Utility Power</b>	• 6' standard	No cost	Specify with 6' standard cord.
	• 8' standard	+\$ 21	Specify with 8' standard cord.
	• 163" curly cord	+\$293	Specify with 163" curly cord.

▶ **Specification Information, continued on next page**


► **Specification Information, continued from previous page**

**Specification Information**

Dimensions			Style	U.S. Base
D	W	H	Number	Price
3"	3"	3 1/8"	<b>DSPINTRO</b>	\$206



## Powerstrip Plus



*Tip: C-clamp is designed to accommodate worksurfaces between 1/2" and 1 3/8" thick.*

*Tip: Desktop power cord exit extends 1/2" off of the back of the worksurface when C-clamped.*

*Tip: 20-watt USB-C provides wattage to charge cell phones and tablets. 60-watt USB-C is needed to charge larger devices like compact laptops.*

*Tip: Cord length between desktop power and under-worksurface power is 48" and length between under-worksurface blocks is 24".*

*Tip: Power cord 8' curly cannot be specified with power plug type thread low profile.*

*Tip: Cord clip screw length for minimum worksurface thickness of 3/4".*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 236</li> <li>• Powerstrip plus: plastic price group 1 and group 2</li> <li>• 8' standard power cord: black or white</li> <li>• C-clamp mount</li> <li>• Cord managers</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Desktop power mount (see below under Required Selections)</li> <li>3 Desktop power configuration (see below under Required Selections)</li> <li>4 Plastic color number for powerstrip</li> <li>5 Plastic color number for power cord</li> <li>6 Options, (if selected) see below</li> </ol> <p>▶ Surface Materials, see page 276.</p>

	Required Selections	U.S. Price	Required to Specify
<b>Desktop Power Mount</b>	• C-clamp	No cost	Specify with C-clamp power mount.
	• Front edge under mount	+\$ 21	Specify with front-edge under mount.
	• Rail mount	+\$ 32	Specify with rail power mount.
<b>Desktop Power Configuration</b>	• Three power outlets	No cost	Specify with three power outlets with 10-watt dual USB-A.
	• Two power outlets with 10-watt dual USB-A	No cost	Specify with two power outlets with 10-watt dual USB-A.
	• Two power outlets with USB A+C 20-watt	+\$ 64	Specify with two power outlets with USB A+C 20-watt
	• Two power outlets with 10-watt dual USB-A and open data port	+\$ 97	Specify with two power outlets with 10-watt dual USB-A and open data port.
	• Three power outlets with 10-watt dual USB-A	+\$ 97	Specify with three power outlets with 10-watt dual USB-A.
	• Three power with dual USB A+C 20-watt and open data port	+\$130	Specify with three power with dual USB A+C 20-watt and open data port.
	• Three power with two dual USB A+C 20-watt	+\$258	Specify with three power with two dual USB A+C 20-watt.
	• Two power with 10-watt dual USB-A and USB A+C 20W	+\$323	Specify with two power with 10-watt dual USB-A and USB A+C 20W
	• Two power outlets with 60-watt USB-C	+\$323	Specify with two power outlets with 60-watt USB-C.
	• One power outlet with 10-watt dual USB-A and 60-watt USB-C	+\$451	Specify with one power outlet with 10-watt dual USB-A and 60-watt USB-C.
	• Two power outlets with 10-watt dual USB-A and 60-watt USB-C	+\$517	Specify with two power outlets with 10-watt dual USB-A and 60-watt USB-C.
	• Two power outlets with dual 10-watt USB-A, 60-watt USB-C, and open data port	+\$580	Specify with two power outlets with dual 10-watt USB-A, 60-watt USB-C, and open data port.

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Power</b>		
	• Plastic price groups 1 and 2	No cost	Specify plastic color number.
<b>Under Worksurface (Utility) Power Configuration</b>	• No under worksurface power	No cost	Specify with no utility.
	• No under worksurface with overcurrent protection	+\$ 52	Specify with no utility and with overcurrent protection.
	• Four outlets total—one utility block, with three outlets each, and one floating female outlet	+\$130	Specify with one utility and one female plug.
	• Seven outlets total—two utility blocks, with three outlets each, and one floating female outlet	+\$258	Specify with two utility and one female plug.
	• Nine outlets total—three utility blocks, with three outlets each	+\$388	Specify with three utility.

▶ Options, continued on next page



### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


▶ See page 1 for details.

► Options, continued from previous page


	Options	U.S. Price	Required to Specify
<b>Power Cord</b>	• 6' standard cord	No cost	Specify with 6' standard cord.
	• 8' standard cord	+\$ 21	Specify with 8' standard cord.
	• 10' standard cord	+\$ 21	Specify with 10' standard cord.
	• 6' braided cord	+\$ 69	Specify with 6' braided cord.
	• 8' braided cord	+\$206	Specify with 8' braided cord.
	• 10' braided cord	+\$206	Specify with 10' braided cord.
	• 8' curly cord	+\$258	Specify with 8' curly cord.
	• 163" curly cord	+\$293	Specify with 163" curly cord.
<b>Power Cord Color</b>	<b>Standard and curly cord</b>		
	• Black	No cost	Specify with black cord.
	• White	No cost	Specify with white cord.
	<b>Braided cord</b>		
	• Black	No cost	Specify with black braided cord.
	• Seagull	No cost	Specify with seagull braided cord.
<b>Power Plug Type</b>	• Standard NEMA 3-prong	No cost	Specify with standard NEMA plug.
	• 90° NEMA	+\$ 36	Specify with 90° NEMA plug.
	• Thread low profile	+\$ 40	Specify with Thread low profile plug.

Tip: Underworksurface power blocks do not ship with independent mounting hardware. They are designed to mount into the Universal cable management kit without additional hardware. Kit sold separately.


Tip: Overcurrent protection includes a 15 amp circuit breaker.




Without overcurrent protection




With overcurrent protection



with optional underworksurface utility power with 4 outlets



with optional underworksurface utility power with 7 outlets



with optional underworksurface utility power with 9 outlets

Specification Information

Style Number	U.S. Base Price
DSPOWER	\$388

Tip: Configurations with outlets under the worksurface are standard with overcurrent protection.

Tip: Check with your local fire inspector and other authorities with jurisdiction, to understand if overcurrent protection is required for your municipality on units without under worksurface outlets.


Tip: Height adjustable desks can be plugged into powerstrip plus for a 'one cord down' solution.

Tip: When using powerstrip plus with nine outlets under worksurface utility power, specify one large and one small universal cable management kit.

Tip: Do not use a vertical cable manager with a curly cord or braided cord.

Tip: Curly power cord cannot be used with power plug type thread.

## Under Worksurface Utility Power



*Tip: Underworksurface power blocks do not ship with independent mounting hardware. They are designed to mount into the universal cable management kit without additional hardware. Kit sold separately.*

*Tip: Overcurrent protection includes a 15 amp circuit breaker.*

*Tip: Do not use a vertical cable manager with a curly cord or braided cord.*

*Tip: Cord length between blocks is 24", if applicable.*

*Tip: Never plug a powerstrip into another powerstrip.*

*Tip: 4 outlet utility block fits in the small tray universal cable management kit, 7 outlet utility block fits in large tray universal cable management kit, and 9 outlets with three utility blocks, specify one large and one small universal cable management kit. Kit sold separately.*

*Tip: Power cord 8' curly cannot be specified with power plug type thread low profile.*

*Tip: Cord clip screw length for minimum worksurface thickness of 3/4".*



### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 236</li> <li>• Under worksurface utility power: 4 outlets</li> <li>• 8' standard cord: plastic</li> <li>• Circuit breaker</li> <li>• Cord managers</li> <li>• Power blocks in merle finish</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Under worksurface utility power configuration (see below under Required Selections)</li> <li>3 Options, (if selected) see below</li> </ol>

Required Selections	U.S. Price	Required to Specify
<b>Under Worksurface Utility Power Configuration</b>		
• Four outlets total – one utility block, with three outlets each and one floating female outlet	No cost	Specify with one utility and one female plug.
• Seven outlets total – two utility blocks, with three outlets each and one floating female outlet	+\$123	Specify with two utility and one female plug.
• Nine outlets total – three utility blocks, with three outlets each	+\$246	Specify with three utility.

Options	U.S. Price	Required to Specify
<b>Power Cord</b>		
• 6' standard cord	No cost	Specify with 6' standard cord.
• 8' standard cord	+\$ 21	Specify with 8' standard cord.
• 10' standard cord	+\$ 21	Specify with 10' standard cord.
• 6' braided cord	+\$ 69	Specify with 6' braided cord.
• 8' braided cord	+\$206	Specify with 8' braided cord.
• 10' braided cord	+\$206	Specify with 10' braided cord.
• 8' curly cord	+\$258	Specify with 8' curly cord.
• 163" curly cord	+\$293	Specify with 163" curly cord.
<b>Power Cord Color</b>		
<b>Standard and curly cord</b>		
• Black	No cost	Specify with black cord.
• White	No cost	Specify with white cord.
<b>Braided cord</b>		
• Black	No cost	Specify with black braided cord.
• Seagull	No cost	Specify with seagull braided cord.
<b>Power Plug Type</b>		
• Standard NEMA 3-prong	No cost	Specify with standard NEMA plug.
• 90° NEMA	+\$ 36	Specify with 90° NEMA plug.
• Thread low profile	+\$ 40	Specify with Thread low profile plug.

<b>Related Products</b>	• Universal cable management kits	▶ Page 273
-------------------------	-----------------------------------	------------

Specification Information	
Style Number	U.S. Base Price
<b>DSUP</b>	\$167

## Universal Cable Management Kit(s)


	Standard Includes	Required to Specify
▶ Need help? Product details, page 242	<ul style="list-style-type: none"> <li>Cable management tray: 6527 Merle</li> <li>Five red rubber: smart straps, if small cable management kit is selected</li> <li>10 red rubber: smart straps, if large cable management kit is selected</li> <li>Attachment hardware</li> </ul>	1 Style number 2 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
<b>Strap</b>	<ul style="list-style-type: none"> <li>Smart straps</li> </ul>	No cost	Specify <i>with smart straps</i> .

### Specification Information

Dimensions			Style	U.S.
D	W	H	Number	Price
:	:	:	:	:
:	:	:	:	:

Tip: The weight limit of the 15½" tray is five pounds, while the weight limit of the 30" tray is 10 pounds.




### Small Cable Management Kit

6 <sup>5</sup> / <sub>16</sub> "	15½"	3½"	<b>DSTRAYSM</b>	\$ 97
:	:	:	:	:

### Large Cable Management Kit

6 <sup>5</sup> / <sub>16</sub> "	30"	3½"	<b>DSTRAYLG</b>	\$130
:	:	:	:	:



Tip: When installed, tray provides ¼" of clearance on all sides to allow for cable egress between the underside of the worksurface and the top of the tray.

Tip: Tray attachment hardware accommodates work-surfaces more than ¾" in thickness. Screws may pop through thinner work-surfaces.



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



---

# Surface Materials

<b>Surface Materials</b>	<b>276</b>
<b>Directional Laminate Grain Directions</b>	<b>283</b>
<b>Wood Veneer Grain Directions</b>	<b>284</b>

# Surface Materials

**This listing** includes all the surface material choices that are available for the products in this specification guide.

## Resources

For more information about surface materials, refer to the following resources:

**Additional surface materials specification tools** are available to assist you in the specification process—the Surface Materials Binders.

**The global surface materials palette** is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/ APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see [steelcase.com/surface-materials](http://steelcase.com/surface-materials).

## Surface Materials Binders

- include:
- Surface Materials Reference Manual
  - A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

## Paint

### Steelcase Surfaces

- Applies to:
- USB powerstrip with clamp mount brackets
- 4140 Arctic White  
4799 Platinum Metallic  
7360 Merle

- Applies to:
- USB powerstrip with rail mount brackets
- 4799 Platinum Metallic

Ⓜ = Established

- Applies to:
- Ology bases
  - Migration SE bases
  - Flex height-adjustable desk lifting columns

### Price Group 1

- Textured Paint**
- 7207 Black  
7241 Arctic White  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4799 Platinum Metallic

- Applies to:
- Ology power and data access trays

### Price Group 1

- Textured Paint**
- 7207 Black  
7241 Arctic White  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4799 Platinum Metallic

### Metal and Accessory Paint

- 8043 Clear Anodized Aluminum

- Applies to:
- Worksurface side screen bracket

### Price Group 1

- Textured Paint**
- 7207 Black  
7241 Arctic White  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4799 Platinum Metallic

- Applies to:
- Walkstation\*
  - Clamps for Privacy/Modesty Screens

### Price Group 2

- Smooth Metallic Paint**
- 4799 Platinum Metallic

- Smooth Paint**
- 0835 Black

\*Walkstation only available in platinum base.

- Applies to:
- Airtouch height-adjustable bases

### Price Group 1

- 7207 Black

### Price Group 2

- 4799 Platinum

*Tip: Airtouch lifting column is available in 4799 Platinum only.*

- Applies to:
- Universal Steel One-High open lateral for Ology
  - Universal shrouds for Ology
  - Universal filler for Ology

### Price Group 1

- Smooth Paint**
- 4238 Mocha  
4239 Clay  
4240 Chalk  
4242 Milk

### Textured Paint

- 7207 Black  
7225 Sand  
7237 Slate Ⓜ  
7238 Fieldstone  
7239 Midnight  
7241 Arctic White  
7243 Seagull  
7278 Dark Bronze  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4743 Mineral Metallic  
4750 Champagne Metallic  
4798 Sterling Metallic  
4799 Platinum Metallic  
4803 Near Black Metallic

### Smooth Paint

- 4700 Warm White

### Textured Metallic Paint

- 7245 Carbon Metallic  
7246 Midnight Metallic

- Applies to:
- Universal privacy screens

### Price Group 1

- Textured Paint**
- 7241 Arctic White  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4799 Platinum Metallic

- Applies to:
- Universal privacy/modesty screen brackets
  - Sarto privacy/modesty screen brackets
  - Sarto privacy screen brackets and hard stops
  - Sarto curved screen brackets
  - Soffio curved screen brackets

### Price Group 1

- Textured Paint**
- 7360 Merle

### Steelcase Surfaces

- Applies to:
- Screen mounting brackets
  - Slatwall screens

### Price Group 1

- 7207 Black  
7225 Sand  
7241 Arctic White  
7243 Seagull

### Price Group 2

- 4750 Champagne Metallic  
4798 Sterling Metallic  
4799 Platinum Metallic  
7246 Midnight Metallic

- Applies to:
- Flex height-adjustable desk feet

### Price Group 1

- Smooth Paint**
- 4238 Mocha  
4239 Clay  
4240 Chalk  
4242 Milk  
4710 Low Gloss Black\*

### Textured Paint

- 7207 Black  
7225 Sand  
7237 Slate Ⓜ  
7238 Fieldstone  
7239 Midnight  
7241 Arctic White  
7243 Seagull  
7250 Sterling Dark Solid  
7278 Dark Bronze  
7360 Merle

### Price Group 2

- Smooth Metallic Paint**
- 4743 Mineral Metallic  
4750 Champagne Metallic  
4798 Sterling Metallic  
4799 Platinum Metallic  
4803 Near Black Metallic  
7245 Carbon Metallic

### Smooth Paint

- 4700 Warm White

### Textured Metallic Paint

- 7245 Carbon Metallic  
7246 Midnight Metallic

- Applies to:
- Power hanger cover
- 4AY2 Chili  
4AZ5 Marlin  
4BQ7 Fuchsia  
4CZ8 Light Peacock  
7243 Seagull  
7360 Merle

- Applies to:
- Flex height-adjustable desk feet
  - Privacy back wrap bracket
  - Universal storage

### Price Group 3

- Accent Paint**
- 1ATG Rose Quartz  
4AV3 Blue Jay  
4AV4 Baltic  
4AX1 Citron  
4AY2 Chili  
4AZ5 Marlin  
4CL7 Sandstone  
4CL8 Smokey Plum  
4CZ5 Honey  
4CZ6 Lagoon  
4CZ8 Light Peacock

### Coatings

- 1ATT Cast Shadow

### Lux Coatings

- 4B20 Obsidian  
4B22 Matte Brass  
4B23 Burnished Bronze  
4B24 Night Bronze  
4B25 Matte Copper  
4B26 Smoked Mica  
4B29 Cast Iron

**Custom Surfaces****Price Group 3****PerfectMatch**

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

*Tip: Price Group 3 paints are not available on height-adjustable bench bases.*

**Laminate**

*Tip: All products may not be available in all colors listed below.*

**Steelcase Surfaces****High-Pressure Laminate****Price Group 1**

Applies to:

- Ology desks
- Ology modesty panels
- Migration SE desks
- Walkstation and Sit-to-Stand Walkstation worksurfaces
- Airtouch worksurfaces
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Universal Steel One-High storage for Ology
- Universal tops and fillers for Ology
- Flex height-adjustable desk worksurface
- Currency

**Fiber Laminate**

- 2850 Vanadium Fiber
- 2852 Tungsten Fiber
- 2854 Vellum Fiber **E**
- 2860 Granite Fiber
- 2862 Stucco Fiber **E**

**Micro Laminate**

- 2920 Marl Micro
- 2921 Gypsum Micro
- 2922 Clay Micro

**Patina Laminate**

- 2870 Blonde Bronze Patina
- 2873 Instant Iron Patina

**Solid Laminate**

- 2722 Cream **E**
- 2730 Arctic White
- 2746 Black
- 2759 Warm White
- 2811 Mist **E**
- 2883 Seagull
- 2884 Milk
- 2885 Dune
- 2HAA Persian Salt
- 2HAB Rose
- 2HAC Indigo
- 2HAD Green Citrine
- 2HAE Dark Olivine
- 2HAF Cloudy
- 2HMG Merle
- 2HWU Clay
- 2HWV Chalk

**E** = Established

**Speckle Laminate**

- 2820 Coffee Speckle **E**
- 2823 Driftwood Speckle
- 2824 Smoke Speckle
- 2825 Vanadium Speckle

*Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.*

**Woodgrain Laminate**

- 2406 Clear Cherry **E**
- 2409 Clear Maple
- 2410 Graphite Walnut
- 2412 Natural Cherry
- 2422 Medium Cherry
- 2511 Winter on Maple
- 2535 Virginia Walnut
- 2536 Blackwood **E**
- 2538 Clear Walnut
- 2592 Blonde on Maple **E**
- 2714 Natural Walnut **E**
- 2HAK Clear Oak
- 2HAN Ash Noce
- 2HAT Acacia
- 2HAW Ash Wenge
- 2HBN Bisque Noce
- 2HBW Bisque Wenge
- 2HCN Clay Noce
- 2HCW Clay Wenge
- 2HSN Storm Noce
- 2HSW Storm Wenge
- 2HWA Grey Kingswood
- 2HWB Planked Walnut
- 2HWD Resolute Walnut
- 2HWE Natural Recon
- 2HWF Smoked Walnut

*Tip: Woodgrain laminates and the turnstone laminate collection are not available as matched sets. The grain patterns will not align. These are not recommended for fully segmented skin applications.*

**Price Group 2****Textured Laminate**

- 2TH2 Fawn Cypress
- 2TH4 Saddle Oak
- 2TH5 Veranda Teak
- 2TH7 Walnut Heights
- 2UH1 Reclaimed Aggregate
- 2UH2 Reclaimed Gravel
- 2UH4 Cement\*
- 2UH6 Sheetrock

\*2UH4 Cement has limited 90° corner parametric availability due to laminate sheet size.

Applies to:

- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable desk worksurface
- Elective Elements common top
- Ology worksurfaces

**Price Group 3****Solid Laminate**

- 24H1 Satin White
- 24H2 Satin Black
- 24H3 Satin Stone
- 24H4 Satin Mocha

**Custom Surfaces****Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$102 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Ology desks, Universal One-High tops for use on Ology, and common tops for use on Ology, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

**Laminate Approval and Material Requirements**

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit [www.steelcase.com](http://www.steelcase.com)

For additional information, refer to the *Steelcase Surface Materials Reference Manual*.

**Wood**

Applies to:

- Ology desks
- Ology modesty panels
- Migration SE desks
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable desk worksurface

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

**Steelcase Surfaces**

**Veneers** are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

**Open-pore finish** is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

**Veneer**

**Wood Group 1**

**Flat-Cut Open-Pore**

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry **E**
- 3422 FC/OP Medium Cherry
- 3522 FC/OP Clear Maple
- 3592 FC/OP Blonde on Maple **E**
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3752 FC/OP Medium Walnut **E**
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

**Flat-Cut Open-Pore, Natural Veneer**

- 3342 FC/OP Black Walnut
- 35A2 FC/OP Blanch Maple
- 37A2 FC/OP Thunder Walnut

**Quarter-Cut Open-Pore**

- 3042 QC/OP Ash **E**
- 3222 QC/OP Clear Maple
- 3292 QC/OP Blonde on Maple **E**
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3352 QC/OP Medium Walnut **E**
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany on Walnut
- 3382 QC/OP Graphite Walnut

**Quarter-Cut Open-Pore, Natural Veneer**

- 32A2 QC/OP Blanch Maple
- 33A2 QC/OP Thunder Walnut
- 3392 QC/OP Black Walnut

**Rift-Cut Open-Pore**

- 3602 RC/OP Desert Oak

**Rift-Cut Full-Fill, Natural Veneer**

- 36A2 RC/OP Volcanic Oak

**Wood Group 3**

**Flat-Cut Open-Pore, Natural Veneer**

- 3082 FC/OP Washed Walnut

**Wood Group 1**

**Open-Pore Planked Veneer**

- 3P41 OP Planked Cherry
- 3P51 OP Planked Maple
- 3P61 OP Planked Oak
- 3P71 OP Planked Walnut
- 3VFX OP Unmarked Oak

*Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.*

**Full-Fill**

**Full-fill finish** is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

**Wood Group 2**

**Flat-Cut Full-Fill**

- 3064 FC/FF Graphite Walnut
- 3404 FC/FF Clear Cherry (Aged)
- 3414 FC/FF Natural Cherry **E**
- 3424 FC/FF Medium Cherry
- 3524 FC/FF Clear Maple
- 3544 FC/FF Blonde on Maple **E**
- 3704 FC/FF Clear Walnut
- 3714 FC/FF Natural Walnut
- 3754 FC/FF Medium Walnut **E**
- 3764 FC/FF Dark Walnut
- 3774 FC/FF Medium Mahogany on Walnut

**Flat-Cut Full-Fill, Natural Veneer**

- 3734 FC/FF Black Walnut

**Quarter-Cut Full-Fill**

- 3224 QC/FF Clear Maple
- 3294 QC/FF Blonde on Maple **E**
- 3304 QC/FF Clear Walnut
- 3314 QC/FF Natural Walnut
- 3354 QC/FF Medium Walnut **E**
- 3364 QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

**Quarter-Cut Full-Fill, Natural Veneer**

- 3394 QC/FF Black Walnut

**Rift-Cut Full-Fill**

- 3604 RC/FF Desert Oak

**Wood Group 3**

**Flat-Cut Full-Fill, Natural Veneer**

- 3084 FC/FF Washed Walnut

**Premium Veneers**

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3 as a part of our Select Surfaces program, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on [village.steelcase.com](http://village.steelcase.com) for sample information and product line availability. All premium veneers are in clear-coat.

**Wood Group 3**

**Quarter-Cut Open-Pore**

- 3832 QC/OP Figured Anigre

**Select Surfaces**

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit [steelcase.com/surface-materials](http://steelcase.com/surface-materials) under the Select Surfaces section.

**Composite Veneer**

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Select Surfaces as Wood Group 1 pricing.

**E** = Established

**Wood Group 1****Flat-Cut Open-Pore**

- 3JDX FC/OP Oak Composite
- 3JXX FC/OP Walnut Composite

**Quarter-Cut Open-Pore**

- 3F8X QC/OP European Walnut Composite
- 3GGX QC/OP Zebrano Composite
- 3HGX QC/OP Oak Composite
- 3HVX QC/OP Walnut Composite
- 3ZNX QC/OP Night Cerused Oak Composite

**Custom Surfaces**

**Customiz stain** is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

**Plywood**

- Applies to:
  - Flex height-adjustable desk worksurface
- 3862 OP Baltic Birch

- Applies to:
  - Flex Desk Mount Privacy Wraps

**Wrap Knit**

- 5KJ1 Merle
- 5KJ2 Cloud
- 5KJ3 Fog
- 5KJ4 Sand

**E** = Established

**Plastic****Steelcase Surfaces**

*Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.*

- Applies to:
  - Cable clip
- 6053 Seagull

- Applies to:
  - Height-adjustable desk power
- 5U23 Blue Jay
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6249 Platinum Solid
- 6338 Chili
- 6527 Merle

- Applies to:
  - Wrap light
- 6052 Milk
- 6053 Seagull
- 6527 Merle

- Applies to:
  - 3 mm edge profile on Ology desks and modesty panels
  - 3 mm edge profile on Migration SE desks
  - Airtouch worksurfaces
  - 1 mm square edge profile on Universal One-High open lateral laminate tops for Ology
  - Universal common tops for Ology
  - Universal tops for Ology
  - Flex height-adjustable desk worksurface
  - Currency

- 6000 Black
- 6009 Arctic White
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple **E**
- 6041 Natural Walnut **E**
- 6052 Milk
- 6053 Seagull
- 6169 Stone
- 6170 Mocha
- 61AA Persian Salt
- 61AB Rose
- 61AC Indigo
- 61AD Green Citrine
- 61AE Dark Olivine
- 61AF Cloudy
- 6213 Acacia
- 6219 Clear Oak
- 6231 Graphite Walnut
- 6237 Clear Maple
- 6242 Virginia Walnut
- 6243 Blackwood
- 6245 Clear Walnut
- 6249 Platinum Solid
- 6271 Plywood
- 6527 Merle
- 6619 Ice **E**
- 6631 Cream **E**
- 6635 Dawn **E**
- 6636 Mist
- 6654 Sand
- 6655 Warm White
- 6695 Midnight
- 6697 Fog
- 6698 Fieldstone
- 66WA Grey Kingswood
- 66WB Planked Walnut
- 66WD Resolute Walnut
- 66WE Natural Recon
- 66WF Smoked Walnut
- 66WU Clay
- 66WV Chalk
- 6703 Ash Wenge
- 6704 Storm Wenge
- 6706 Clay Wenge
- 6707 Ash Noce
- 6708 Bisque Noce
- 6709 Clay Noce
- 6710 Storm Noce
- 6T02 Fawn Cypress
- 6T04 Saddle Oak
- 6T05 Veranda Teak
- 6T07 Walnut Heights
- 6T08 Aggregate
- 6T09 Gravel
- 6T10 Cement
- 6T12 Sheetrock

- Applies to:
  - USB powerstrip housing
- 6009 Arctic White
- 6527 Merle

- Applies to:
  - Walkstation and Sit-to-Stand Walkstation
- 6000 Black
- 6278 Felt

- Applies to:
  - Flex height-adjustable desk rollers
- 6053 Seagull
- 6205 Black
- 6527 Merle
- 6249 Platinum Solid

- Applies to:
  - Flex height-adjustable desk power
- 5U23 Blue Jay
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6249 Platinum Solid
- 6338 Chili
- 6527 Merle

- Applies to:
  - Translucent screens
- 6505 Frosted White

- Applies to:
  - Powerstrip plus
- 6000 Black
- 6009 Arctic White
- 6053 Seagull
- 6302 Baltic
- 6338 Chili
- 6527 Merle
- 6BD1 Aubergine
- 6BD2 Peacock
- 6BD5 Honey
- 6BD6 Lagoon
- 6BD7 Saffron
- 6BE2 Light Peacock

**Acrylic**

- Applies to:
  - Modesty and privacy screens
- 6544A Acrylic Frost

**PET**

- Applies to:
  - Flex cable catch
- P630 Medium Heather Grey
- P631 Dark Heather Grey

- Applies to:
  - Flex cable tray
- P631 Dark Heather Grey

**Glass**

- Applies to
- Worksurface side screens
- 6500 Clear  
6530 Frosted

**Upholstery**

- Applies to:
- Flex

**Braided Cord Color Matrix**

**Braided cord samples** are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

*Tip: Braided cord color is defaulted to 9007 Sterling.*

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

\*Default finish on integrated power.

- Applies to:
- Universal screens

*Tip: Designtex: Gamut and Designtex: Crossweave are also available on Universal screens. Designtex: Gamut and Designtex: Crossweave are part of the Select Surfaces program.*

▶ See Surface Materials Reference Manual for more information on the Select Surfaces program.

**Steelcase Surfaces**

**Price Group 1**

**Abacus** 

- P123 Portico
- P124 Opus
- P125 Cusp
- P126 Artifact

**Buzz2**

- 5F03 Tomato
- 5F04 Red 
- 5F05 Burgundy
- 5F06 Sky 
- 5F07 Blue
- 5F08 Navy
- 5F15 Stone
- 5F16 Grey
- 5F17 Black
- 5G50 Dunegrass
- 5G51 Sable
- 5G55 Pumpkin
- 5G57 Rouge
- 5G59 Meadow
- 5G61 Cyan
- 5G62 Atlantic
- 5G63 Crocus
- 5G64 Alpine
- 5G65 Tornado

**Price Group 2**

**Code**

- 5FA1 Fossil
- 5FA2 Gabbro
- 5FA3 Reed
- 5FA4 Bluff
- 5FA5 Sea Salt
- 5FA6 Cannon
- 5FA7 Tussah
- 5FA8 Mica
- 5FA9 Ecru
- 5FB1 Bamboo

**Cogent: Connect**

- 5S15 Coconut
- 5S16 Turmeric/Honey
- 5S17 Tangerine
- 5S18 Scarlet
- 5S19 Concord
- 5S21 Blue Jay
- 5S23 Wasabi
- 5S24 Nickel
- 5S25 Graphite
- 5S27 Malt
- 5S28 Root Beer
- 5S93 Indigo/Blueprint
- 5S94 Lizard/Jungle
- 5S95 Sailor
- 5S96 Quicksilver
- 5S99 Lipstick/Merlot
- 5SD0 Royal Blue
- 5SD1 Aubergine
- 5SD2 Peacock
- 5SD3 Lagoon
- 5SD4 Saffron
- 5SD5 Citrine
- 5SD6 Rose Quartz
- 5SD7 Sea Salt
- 5SF3 Storm Cloud
- 5SF4 Olivine

**Intersection**

- P211 Summit
- P212 Chalk
- P213 Lace

**Latch**

- P601 Clam
- P602 Eggshell
- P603 Zen
- P604 Cool Gray
- P605 Armor
- P606 Sentinel
- P607 Rye
- P608 Billow
- P609 Nimbus

**Stencil**

- P455 Midnight
- P456 Mulberry
- P457 Cracked Pepper
- P458 Denim
- P459 Chartreuse
- P460 Bittersweet
- P461 Mauvelous
- P462 Bermuda
- P463 Concrete
- P464 Orchid
- P465 Parchment
- P466 Silk
- P467 Sea Salt
- P468 Honeydew
- P469 Sepia

**Price Group 3**

**Billiard Multi-Use by Designtex**

- 5H11 Poppy
- 5H12 Tangelo
- 5H13 Citrine/Citron
- 5H14 Avocado
- 5H16 Indigo
- 5H17 Mallard
- 5H18 Teak
- 5H19 Cumulus
- 5H20 Pewter
- 5H21 Gunmetal
- 5H22 Ink
- 5H23 Rose Quartz
- 5H24 Sea Salt
- 5H25 Storm Cloud
- 5H26 Olivine

Applies to:

- Sarto screens
- Flex curved screens
- Sarto curved screens
- Soffio curved screens

*Tip: The following thin, light colored fabrics are not available on Sarto and Flex curved screens:*

- Abacus
  - P122 Entasis
  - P126 Artifact
- Alloy
  - P525 Polar
  - P526 Skim
  - P528 Tern
- Charm

- P505 Shell
- P506 Mimoso
- P508 Sparkle

- Code
  - 5FA5 Sea Salt

- Latch
  - P601 Clam
  - P603 Zen

- Optic
  - P541 Twinkle
  - P544 Shine

- Flip: Orbit
  - 5F91 Blizzard

- Pianista
  - P420 Sand
  - P428 Flax

- Sprite
  - 5541 Snow

**Price Group A**

- Sprite

**Price Group 1**

- Abacus 
- Alloy
- Boccie
- Buzz2
- Charm
- Lapel
- Link
- Optic
- Pianista
- Rhythm

**Price Group 2**

- Bariolage
- Cogent: Connect
- Flip: Orbit
- Flip: TexHex
- Fresco
- Intersection\*
- Latch
- Stencil\*

\*Intersection and Stencil not available on Soffio curved screens.

 = Established

**Price Group 3**

Billiard Multi-Use by  
DesignTex

**Price Group 6**

Fusion

Applies to:

- Worksurface side screens

**Price Group 1**

Abacus **E**

Alloy  
Boccie  
Buzz2  
Charm  
Lapel  
Optic  
Pianista  
Rhythm  
Tinsel

**Price Group 2**

Bariolage  
Code  
Cogent: Connect  
Fresco  
Intersection  
Latch  
Flip: Orbit  
Stencil  
Flip: TexHex

**Price Group 3**

Billiard Multi-Use by  
DesignTex

**Upholstery****Select Surfaces Program: Upholstery**

Applies to:

- Soffio

**A collection of textiles** are available as part of a Select Surfaces Program. The collection from the leading suppliers in the market consists of high-performance textiles.

To order these fabrics, enter the finish code which corresponds with the fabric price group.

Price Group	Finish Code
<b>4</b>	<b>59DD</b>

Then enter the fabric information in the Special Fabric Information pop up window.

Applies to:

Worksurface side screens

Price Group	Finish Code
<b>1</b>	<b>59DA</b>
<b>2</b>	<b>59DB</b>
<b>3</b>	<b>59DC</b>
<b>4</b>	<b>59DD</b>
<b>5</b>	<b>59DE</b>
<b>6</b>	<b>59DF</b>
<b>7</b>	<b>59DG</b>
<b>8</b>	<b>59DH</b>
<b>9</b>	<b>59DJ</b>
<b>10</b>	<b>59DK</b>

Applies to:

- Flex curved screens
- Sarto screens
- Universal screens
- Worksurface side screens

**Select Surfaces****For information on products within Select Surfaces,**

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit [www.steelcase.com](http://www.steelcase.com)

**For additional information regarding Customer's Own Material**, including accent paints, Signature plastics, and fabrics from DesignTex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit [steelcase.com/surface-materials](http://steelcase.com/surface-materials) under the Select Surfaces section.

**Laminate and Edge Finishes**

Applies to:

- Ology desks
- Ology modesty panels
- Migration SE desks
- Airtouch
- Universal One-High open lateral tops for Ology
- Universal common tops for Ology
- Flex height-adjustable worksurfaces
- Currency

Laminate Color	Recommended 3 mm Edge Color
----------------	-----------------------------

**Fiber Laminate**

2850 Vanadium Fiber	6654 Sand
2852 Tungsten Fiber	6636 Mist
2854 Vellum Fiber <b>E</b>	6655 Warm White
2860 Granite Fiber	6000 Black
2862 Stucco Fiber <b>E</b>	6053 Seagull

**Micro Laminate**

2920 Marl Micro	6053 Seagull
2921 Gypsum Micro	6654 Sand
2922 Clay Micro	6654 Sand

**Patina Laminate**

2870 Blonde Bronze Patina	6654 Sand
2873 Instant Iron Patina	6527 Merle

**Solid Laminate**

24H1 Satin White	6009 Arctic White
24H2 Satin Black	6000 Black
24H3 Satin Stone	6169 Stone
24H4 Satin Mocha	6170 Mocha
2722 Cream <b>E</b>	6631 Cream <b>E</b>
2730 Arctic White	6009 Arctic White
2746 Black	6000 Black
2759 Warm White	6655 Warm White
2811 Mist <b>E</b>	6636 Mist
2883 Seagull	6053 Seagull
2884 Milk	6052 Milk
2885 Dune	6654 Sand
2HAA Persian Salt	61AA Persian Salt
2HAB Rose	61AB Rose
2HAC Indigo	61AC Indigo
2HAD Green Citrine	61AD Green Citrine
2HAE Dark Olivine	61AE Dark Olivine
2HAF Cloudy	61AF Cloudy
2HMG Merle	6527 Merle
2HWU Clay	66WU Clay
2HVV Chalk	66WV Chalk

**Speckle Laminate**

2820 Coffee Speckle <b>E</b>	6631 Cream <b>E</b>
2823 Driftwood Speckle	6631 Cream <b>E</b>
2824 Smoke Speckle	6636 Mist
2825 Vanadium Speckle	6619 Ice <b>E</b>

**E** = Established

**Laminate and Edge Finishes, continued**

Laminate Color	Recommended 3 mm Edge Color
<b>Textured Laminate</b>	
2TH2 Fawn Cypress	6T02 Fawn Cypress
2TH4 Saddle Oak	6T04 Saddle Oak
2TH5 Veranda Teak	6T05 Veranda Teak
2TH7 Walnut Heights	6T07 Walnut Heights
2UH1 Reclaimed Aggregate	6T08 Aggregate
2UH2 Reclaimed Gravel	6T09 Gravel
2UH4 Cement	6T10 Cement
2UH6 Sheetrock	6T12 Sheetrock
<b>Woodgrain Laminate</b>	
2406 Clear Cherry <b>E</b>	6234 Clear Cherry
2409 Clear Maple	6237 Clear Maple
2410 Graphite Walnut	6231 Graphite Walnut
2412 Natural Cherry	6034 Natural Cherry
2422 Medium Cherry	6036 Medium Cherry
2511 Winter on Maple	6037 Winter on Maple
2535 Virginia Walnut	6242 Virginia Walnut
2536 Blackwood <b>E</b>	6243 Blackwood <b>E</b>
2538 Clear Walnut	6245 Clear Walnut
2592 Blonde on Maple <b>E</b>	6038 Blonde on Maple <b>E</b>
2714 Natural Walnut <b>E</b>	6041 Natural Walnut <b>E</b>
2HAK Clear Oak	6219 Clear Oak
2HAN Ash Noce	6707 Ash Noce
2HAT Acacia	6213 Acacia
2HAW Ash Wenge	6703 Ash Wenge
2HBN Bisque Noce	6708 Bisque Noce
2HBW Bisque Wenge	6705 Bisque Wenge
2HCN Clay Noce	6707 Clay Noce
2HCW Clay Wenge	6706 Clay Wenge
2HSN Storm Noce	6709 Storm Noce
2HSW Storm Wenge	6704 Storm Wenge
2HWA Grey Kingswood	66WA Grey Kingswood
2HWB Planked Walnut	66WB Planked Walnut
2HWD Resolute Walnut	66WD Resolute Walnut
2HWE Natural Recon	66WE Natural Recon
2HWF Smoked Walnut	66WF Smoked Walnut

*Tip: Woodgrain laminates and the turnstone laminate collection are not available as matched sets. The grain patterns will not align.*

**Custom Surfaces**

**Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$102 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on height-adjustable desks, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

**Laminate Approval and Material Requirements**

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit [www.steelcase.com](http://www.steelcase.com)

**For additional information,** refer to the *Steelcase Surface Materials Reference Manual*.

# Directional Laminate Grain Directions

**Directional laminates** are standard with the grain directions shown.

## Worksurfaces—High-Pressure Laminate




**Rectangular**  
Ology  
Migration SE




**Rectangular with Rounded Corners**  
Migration SE  
Steelcase Flex Collection




**Tapered**  
Ology




**90° Equal**  
Migration SE  
Ology



**90° Equal 2 pc**  
Ology



**90° Extended**  
Migration SE  
Ology



**90° Extended 2 pc**  
Ology



**90° Corner**  
Airtouch



**120° Equal**  
Migration SE  
Ology




**Modesty Panel**  
Ology

*Tip: Modesty panels are defaulted in the horizontal grain direction for both laminate and wood veneer. Optional vertical grain direction can be specified; however, laminate specification is only allowed up to 60"W.*

# Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.

## Worksurfaces—Wood Veneer



**Rectangular**  
Airtouch  
Migration SE  
Ology




**Rectangular with Rounded Corners**  
Migration SE  
Steelcase Flex Collection




**120° Equal**  
Airtouch  
Ology  
Migration SE




**Tapered**  
Ology




**90° Equal**  
Migration SE  
Ology



**90° Equal 2 pc**  
Ology




**90° Extended**  
Migration SE  
Ology



**90° Extended 2 pc**  
Ology



**Modesty Panel Horizontal Grain Direction**  
Ology



**Modesty Panel Vertical Grain Direction**  
Ology

---

# Resources

<b>Desking Products Style Number Conversion List</b>	<b>286</b>
<b>Style Number Index</b>	<b>288</b>

# Desking Products Style Number Conversion List

## Ology Corner Desks

<b>Old Style Number</b>	<b>New Style Number</b>
-------------------------	-------------------------

### 90° Corner

OLELLC	<b>OLELL3</b>
OLELLCB	<b>OLELL3B</b>
OLSLLC	<b>OLSLL3</b>
OLSLLCB	<b>OLSLL3B</b>

### 120° Corner

OLELWC	<b>OLELW3</b>
OLELWCB	<b>OLELW3B</b>
OLSLWC	<b>OLSLW3</b>
OLSLWCB	<b>OLSLW3B</b>



# Style Number Index

Style Number	Page	Description
<b>AHCC</b>	265	Vertical Cable Carrier
<b>AM22</b>	262	22" Modesty Screen
<b>AM28</b>	262	28" Modesty Screen
<b>AM34</b>	262	34" Modesty Screen
<b>AM40</b>	262	40" Modesty Screen
<b>AM46</b>	262	46" Modesty Screen
<b>AM52</b>	262	52" Modesty Screen
<b>AM58</b>	262	58" Modesty Screen
<b>AM64</b>	262	64" Modesty Screen
<b>AMP22</b>	262	22" Modesty and Privacy Screen
<b>AMP28</b>	262	28" Modesty and Privacy Screen
<b>AMP34</b>	262	34" Modesty and Privacy Screen
<b>AMP40</b>	262	40" Modesty and Privacy Screen
<b>AMP46</b>	262	46" Modesty and Privacy Screen
<b>AMP52</b>	262	52" Modesty and Privacy Screen
<b>AMP58</b>	262	58" Modesty and Privacy Screen
<b>AMP64</b>	262	64" Modesty and Privacy Screen
<b>AP22</b>	262	22" Privacy Screen
<b>AP28</b>	262	28" Privacy Screen
<b>AP34</b>	262	34" Privacy Screen
<b>AP40</b>	262	40" Privacy Screen
<b>AP46</b>	262	46" Privacy Screen
<b>AP52</b>	262	52" Privacy Screen
<b>AP58</b>	262	58" Privacy Screen
<b>AP64</b>	262	64" Privacy Screen
<b>AWM06</b>	266	6" Wire Manager
<b>AWM12</b>	266	12" Wire Manager
<b>AWM18</b>	266	18" Wire Manager
<b>AWM23</b>	266	23" Wire Manager
<b>AWM30</b>	266	30" Wire Manager
<b>AWM35</b>	266	35" Wire Manager
<b>AWM42</b>	266	42" Wire Manager
<b>AWM48</b>	266	48" Wire Manager
<b>AWMXL30</b>	265	6"D Wire Manager
<b>AWMXL36</b>	265	6"D Wire Manager
<b>AWMXL42</b>	265	6"D Wire Manager
<b>AWMXL48</b>	265	6"D Wire Manager
<b>AWMXL54</b>	265	6"D Wire Manager
<b>AWMXL60</b>	265	6"D Wire Manager
<b>BAPB2436</b>	207	Airtouch Hgt-Adj Wksf, 120° Equal
<b>BAPSC2442</b>	207	Airtouch Hgt-Adj Wksf, 90° Corner
<b>BAPSC2448</b>	207	Airtouch Hgt-Adj Wksf, 90° Corner
<b>BAPSS2442</b>	207	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>BAPSS2448</b>	207	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>BAPSS2460</b>	207	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>BAPSS3042</b>	207	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>BAPSS3048</b>	207	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>BAPSS3060</b>	207	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>BPDSWSPL</b>	267	Pwr and Data Strips w/Cord w/Wrksf Att Bkt
<b>CQSF3012</b>	256	12"H Fixed Personal/Modesty Screen
<b>CQSF3019</b>	256	19"H Fixed Personal/Modesty Screen
<b>CQSF3024</b>	256	24"H Fixed Personal/Modesty Screen
<b>CQSF3612</b>	256	12"H Fixed Personal/Modesty Screen
<b>CQSF3619</b>	256	19"H Fixed Personal/Modesty Screen
<b>CQSF3624</b>	256	24"H Fixed Personal/Modesty Screen

Style Number	Page	Description
<b>CQSF4212</b>	256	12"H Fixed Personal/Modesty Screen
<b>CQSF4219</b>	256	19"H Fixed Personal/Modesty Screen
<b>CQSF4224</b>	256	24"H Fixed Personal/Modesty Screen
<b>CQSF4812</b>	256	12"H Fixed Personal/Modesty Screen
<b>CQSF4819</b>	256	19"H Fixed Personal/Modesty Screen
<b>CQSF4824</b>	256	24"H Fixed Personal/Modesty Screen
<b>DSPINTRO</b>	269	Powerstrip Intro
<b>DSPPOWER</b>	271	Desktop Powerstrip Plus USB/Data
<b>DSTRAYLG</b>	273	Universal Cable Management Kit Large
<b>DSTRAYSM</b>	273	Universal Cable Management Kit Small
<b>DSUP</b>	272	Under Worksurface Utility Power
<b>E6PDHAD</b>	120	Plnth Bs Ped Ology Ap
<b>E6WSHAD</b>	123	Ology Open Pedestal
<b>FLXBRK</b>	151	Flex, Brakes for Hgt-Adj Desks
<b>FLXCBK4</b>	150	Flex, Cable Brackets
<b>FLXCS</b>	146	Flex, Curved Screen
<b>FLXCSP</b>	146	Flex, Curved Screen, Pair
<b>FLXCT</b>	150	Flex, Cable Tray
<b>FLXDWR</b>	148	Desk Mount Privacy Wrap
<b>FLXDWR10</b>	148	Desk Mount Privacy Wrap
<b>FLXDWW</b>	147	Desk Mount Privacy Wrap
<b>FLXDWW10</b>	147	Desk Mount Privacy Wrap
<b>FLXERQ</b>	139	Flex, Hgt-Adj Desks, Ext Height
<b>FLXERQB</b>	141	Flex, Hgt-Adj Bases, Ext Height
<b>FLXEWC3</b>	145	120° Height-Adjustable Desk
<b>FLXEWS3</b>	143	120° Height-Adjustable Desk
<b>FLXMCC10</b>	151	Magnetic Cable Clip
<b>FLXMCC2</b>	151	Magnetic Cable Clip
<b>FLXMNT10</b>	152	Magnetic Name Tag
<b>FLXMNT2</b>	152	Magnetic Name Tag
<b>FLXPH</b>	149	Flex, Power Hanger
<b>FLXSRQ</b>	139	Flex, Hgt-Adj Desks, Basic Height
<b>FLXSRQB</b>	141	Flex, Hgt-Adj Bases, Basic Height
<b>FLXSWS3</b>	145	120° Height-Adjustable Desk
<b>FLXSWS3</b>	143	120° Height-Adjustable Desk, Cable Tray
<b>FLXWCT</b>	150	120° Height-Adjustable Desk
<b>FLXWMP</b>	151	120° Modesty Panel
<b>FMVPDS</b>	266	Pwr and Data Strips w/Cord and Rail Attct Bkt
<b>FMVPS</b>	266	Pwr and Data Strips w/Cord and Rail Attct Bkt
<b>MGDSKT</b>	189	Desk and Bench Switch Kit
<b>MGELCRQ</b>	167	Migration SE Desk-Rect, C-Leg Ext Hgt
<b>MGELCRQB</b>	179	Migration SE Base-Rect, C-Leg Ext Hgt
<b>MGELCRQG</b>	167	Migration SE Desk-Rect, C-Leg Ext Hgt GSA
<b>MGELTLC</b>	172-174	Migration SE Desk 90°, T-Leg Ext Hgt
<b>MGELTLCB</b>	180	Migration SE Base 90°, T-Leg Ext Hgt
<b>MGELTLCG</b>	172-174	Migration SE Desk 90°, T-Leg Ext Hgt GSA
<b>MGELTRQ</b>	165	Migration SE, Desk-Rect, Ext hght
<b>MGELTRQB</b>	178	Migration SE Base-Rect, T-Leg Ext Hgt
<b>MGELTRQG</b>	165	Migration SE Desk-Rect, T-Leg Ext Hgt GSA
<b>MGELTWC</b>	176	Migration SE Desk 120°, T-Leg Ext Hgt
<b>MGELTWCB</b>	180	Migration SE Base 120°, T-Leg Ext Hgt
<b>MGELTWCG</b>	176	Migration SE Desk 120°, T-Leg Ext Hgt GSA
<b>MGSGLD</b>	189	Migration SE, Cable Bracket
<b>MGSLCRQ</b>	167	Migration SE Desk-Rect, C-Leg Bsc Hgt
<b>MGSLCRQB</b>	179	Migration SE Base-Rect, C-Leg Bsc Hgt

Style Number	Page	Description	Style Number	Page	Description
<b>MGSLCRQG</b>	167	Migration SE Desk-Rect, C-Leg Bsc Hgt GSA	<b>TS5YMB218</b>	264	Screen Bracket
<b>MGSLTLC</b>	169-171	Migration SE Desk 90°, T-Leg Bsc Hgt	<b>TS5YMB312</b>	264	Screen Bracket
<b>MGSLTLCB</b>	180	Migration SE Base 90°, T-Leg Bsc Hgt	<b>TS5YMB318</b>	264	Screen Bracket
<b>MGSLTLCG</b>	169-171	Migration SE Desk 90°, T-Leg Bsc Hgt GSA	<b>TS5YMBADP</b>	264	Screen Adapter
<b>MGSLTRQ</b>	165	Migration SE Desk-Rect, T-Leg Bsc Hgt	<b>TS5YSL1218</b>	263	Slatwall Screen
<b>MGSLTRQB</b>	178	Migration SE Base-Rect, T-Leg Bsc Hgt	<b>TS5YSL1226</b>	263	Slatwall Screen
<b>MGSLTRQG</b>	165	Migration SE Desk-Rect, T-Leg Bsc Hgt GSA	<b>TS5YSL1230</b>	263	Slatwall Screen
<b>MGSLTWC</b>	174-175	Migration SE Desk 120° T-Leg Bsc Hght	<b>TS5YSL1236</b>	263	Slatwall Screen
<b>MGSLTWCB</b>	180	Migration SE Base 120° T-Leg Bsc Hght	<b>TS5YSL1244</b>	263	Slatwall Screen
<b>MGSLTWCG</b>	174-175	Migration SE Desk 120° T-Leg Bsc Hght GSA	<b>TS5YSL1260</b>	263	Slatwall Screen
<b>MIGCBK4</b>	188	Migration, Cable Bracket	<b>TS5YTS1218</b>	263	Desk-mounted Screen
<b>MIGCR</b>	188	Migration, Cable Riser	<b>TS5YTS1227</b>	263	Desk-mounted Screen
<b>OLATKT</b>	112	Active Touch Kit	<b>TS5YTS1230</b>	263	Desk-mounted Screen
<b>OLCB</b>	111	Ology, Cable Basket	<b>TS5YTS1236</b>	263	Desk-mounted Screen
<b>OLCBK4</b>	111	Ology, Cable Bracket	<b>TS5YTS1244</b>	263	Desk-mounted Screen
<b>OLCR</b>	111	Ology, Cable Riser	<b>TS5YTS1260</b>	263	Desk-mounted Screen
<b>OLELL3</b>	87-91	Ology, Hgt-Adj, 3-Leg Corner Desks	<b>TS5YTS1818</b>	263	Desk-mounted Screen
<b>OLELL3B</b>	103-105	Ology, Hgt-Adj Base, 90° 3-Leg Base	<b>TS5YTS1827</b>	263	Desk-mounted Screen
<b>OLELRQ</b>	82	Ology, Hgt-Adj Desk, Rectangular	<b>TS5YTS1830</b>	263	Desk-mounted Screen
<b>OLELRQB</b>	101	Ology, Hgt-Adj Desk, Rectangular	<b>TS5YTS1836</b>	263	Desk-mounted Screen
<b>OLELRT</b>	85	Ology, Hgt-Adj Desk, Tapered	<b>TS5YTS1844</b>	263	Desk-mounted Screen
<b>OLELRTB</b>	102	Ology, Hgt-Adj Base, Tapered	<b>TS5YTS1860</b>	263	Desk-mounted Screen
<b>OLELW3</b>	96-97	Ology, Hgt-Adj Base, 120° 3-Leg Corner Desk	<b>UAPB2436</b>	209	Airtouch Hgt-Adj Wksf, 120° Equal
<b>OLELW3B</b>	108	Ology, Hgt-Adj Base, 120° 3-Leg Corner Base	<b>UAPSC1842</b>	209	Airtouch Hgt-Adj Wksf, 90° Corner
<b>OLMP</b>	110	Ology, Modesty Panels	<b>UAPSC2442</b>	209	Airtouch Hgt-Adj Wksf, 90° Corner
<b>OLSL3</b>	91-95	Ology, 90° Corner Desk	<b>UAPSC2448</b>	209	Airtouch Hgt-Adj Wksf, 90° Corner
<b>OLSL3B</b>	105-107	Ology, 90° Corner Base	<b>UAPSS2442</b>	209	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>OLSLRQ</b>	82	Ology, Hgt-Adj Desk, Rectangular	<b>UAPSS2448</b>	209	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>OLSLRQB</b>	101	Ology, Hgt-Adj Bases, Rectangular	<b>UAPSS2460</b>	209	Airtouch Hgt-Adj Wksf, 22¼"D Rectangular
<b>OLSLRT</b>	85	Ology, Hgt-Adj Desk, Tapered	<b>UAPSS3042</b>	209	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>OLSLRTB</b>	102	Ology, Hgt-Adj Bases, Tapered	<b>UAPSS3048</b>	209	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>OLSLW3</b>	98-99	Ology, Hgt-Adj, 120° 3-Leg Corner Desk	<b>UAPSS3060</b>	209	Airtouch Hgt-Adj Wksf, 28¼"D Rectangular
<b>OLSLW3B</b>	109	Ology, Hgt-Adj, 120° 3-Leg Corner Base	<b>UFAL</b>	245	Aligners
<b>OLWALK</b>	199	Ology Walkstation	<b>UFPM</b>	243	Uni Prv/ Mod Screen
<b>PHSCRN</b>	254	Sarto Curved Screen	<b>UFPS</b>	245	Uni Prv Screen
<b>PLSCRN</b>	253	Sarto Curved Screen	<b>WKSSFE</b>	259	Fabric Side Scrn for 1.5" Wksf
<b>PSCB</b>	250	Sarto Alnmt Clip	<b>WKSSFF</b>	258	Fabric Side Scrn for 0.808" Wksf
<b>PSPM</b>	247	Sarto Privacy Screens	<b>WKSSFHA</b>	259	Fabric Side Scrn for 1" Wksf
<b>PSPS</b>	249	Sarto Privacy Screens	<b>WKSSFU</b>	259	Fabric Side Scrn for 1.185" Wksf
<b>RATCTHAD</b>	119	Common Top	<b>WKSSGE</b>	261	Glass Side Scrn for 1.5" Wksf
<b>RATCTMHAD</b>	185	Common Top	<b>WKSSGF</b>	260	Glass Side Scrn for 0.808" Wksf
<b>RPXFBHAD</b>	117	Filler	<b>WKSSGHA</b>	260	Glass Side Scrn for 1" Wksf
<b>RPXFHAD</b>	117	Filler	<b>WKSSGU</b>	261	Glass Side Scrn for 1.185" Wksf
<b>RPXFMBHAD</b>	187	Filler			
<b>RPXFMHAD</b>	187	Filler			
<b>RPXSBHAD</b>	116	Shroud			
<b>RPXSHAD</b>	116	Shroud			
<b>RPXSMBHAD</b>	186	Shroud			
<b>RPXSMHAD</b>	186	Shroud			
<b>RSCBHAD</b>	115	Univ 1.5 High Open Lat			
<b>RSCHAD</b>	115	Univ One-High Open Lat			
<b>RSCMBHAD</b>	183	Univ 1.5 High Open Lat			
<b>RSCMHAD</b>	183	Univ One-High Open Lat			
<b>SSCRN</b>	255	Soffio Screen			
<b>TS5YMB212</b>	264	Screen Bracket			

# Trademark List

® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, LessThanFive, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Wernld, and X-Stack.

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightlior.

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Agree, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobl, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, DeskWizard, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elsa, Empath, Empress, Enea, ñno, EnSync, Enviro, Escapade, Everwall, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mystic, Mystic Metal, Mystic Wood, Montara650, Montreal, MoreThanFive, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ocular, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Radia, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Karman, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Tenor, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolley, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, WorkValet and X-tenz.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.

™ The following is a trademark of Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.

™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.

™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.

™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.

™ The following are trademarks of Polyvision: Accord, a<sup>3</sup>, e<sup>3</sup>, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

™ The following is a trademark of Elena Marquina Testor: nanimarquina.

™ The following is a trademark of Forbo International SA: Forbo.

™ The following are trademarks of Orangebox Ltd., Cardiff, UK: Air<sup>3</sup>, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirm, On the QT, Ramsey, Skoner, Sully, Track-B, and Vale.

™® The following are trademarks or registered trademarks of AMQ Solutions, LLC: AMQ, AMQ logo, KINEX, ILINE, ACTIV, AMOBI, CONCUR, 3F, REVI, S-SERIES, JAKU, SIYA, ZILO, BODI, FL-X, TIZU, EMBANK, TEKTIS and BIXBY.

™® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Holy Day, Last Minute, Wrapp, Foro, Kelly, Noha, Viable, Solar, Sistema, Savina, Designed In The Sun, Cambio, Aleta, Viccarbe (logo), Viccarbe.

*Trademarks used here in are the property of Steelcase Inc. or of their respective owners.*