DORN BRACHT

SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

33 870 895



- 240mm projection
- pivotable spout 360°
- Swivel option available with swivel limit set 12 821 970
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Brushed Dark Platinum	33 870 895-99
Chrome	33 870 895-00
Brushed Platinum	33 870 895-06
Platinum	33 870 895-08
Durabrass (23kt Gold)	33 870 895-09
Dark Chrome	33 870 895-19
Brushed Durabrass (23kt Gold)	33 870 895-28
Matte Black	33 870 895-33
Brushed Champagne (22kt Gold)	33 870 895-46
Champagne (22kt Gold)	33 870 895-47
Brushed Chrome	33 870 895-93

Recommended miscellaneous



Swivel limitation set - 12 821 970 90

Recommended miscellaneous



Dispenser without rosette - Brushed Dark Platinum 82 424 970-99


Recommended miscellaneous




Strainer waste with control handle - Brushed Dark Platinum 10 712 970-99

SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

33 870 895



Flow rate chart



Certificates

Belgaqua_21-027-27_3.


LGA_28657.

GDV_0400314.

DORN BRACHT

SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

33 870 895



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 11 148 00-99	shower	1	45
2	04 30 02 120 00-85	hose	1	30
3	90 28 22 302 00-99	spout	1	45
4	09 28 10 160 90	ring	1	2
5	09 28 10 162 90	ring	1	2
6	09 28 10 161 90	ring	1	2
7	90 15 05 064 00 90	cartridge	1	2
8	09 23 10 072 90	nut	1	60
9	09 14 10 190 90	seal	1	2
10	09 28 30 030-99	cover	1	45
11	09 20 89 020-99	handle	1	45
12	90 31 11 063 00 90	pin	1	2
13	90 31 20 087 00-99	plug	1	45
14	04 30 04 101 00 90	hose	2	2
15	04 28 20 067 00 90	pipe	1	2
16	04 30 11 040 00 90	fixing set	1	2
17	09 20 93 056 90	insert	1	2
18	90 24 03 253 00 90	adaptor	1	2
19	09 30 03 038 90	hose	1	2
20	04 21 50 010 00 90	accessories	1	2
21	90 30 09 031 00 90	key	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com