

CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705



- cover plate 120 x 120 mm
 - rosette 60 x 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 3x head part with cut-to-length spindle and sleeve
- 36 503 985-FF can also be used as an alternative.**

	Brushed Champagne (22kt Gold)	ST 060 110 5705-46
	Chrome	ST 060 110 5705-00
	Brushed Platinum	ST 060 110 5705-06
	Champagne (22kt Gold)	ST 060 110 5705-47
	Brushed Dark Platinum	ST 060 110 5705-99

Individual components of this set

You need the following components for this set

1x 36 503 780-46



3x 36 607 705-46



CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Champagne (22kt Gold)	36 503 780-46
	Chrome	36 503 780-00
	Brushed Platinum	36 503 780-06
	Platinum	36 503 780-08
	Dark Chrome	36 503 780-19
	Brushed Durabronz (23kt Gold)	36 503 780-28
	Matte Black	36 503 780-33
	Champagne (22kt Gold)	36 503 780-47
	Brushed Chrome	36 503 780-93
	Brushed Dark Platinum	36 503 780-99

Fits: IMO, MEM, CL.1, CYO

Required miscellaneous

	xTOOL Concealed thermostat module without volume control - •max. recess depth 155 mm •min. recess depth 115 mm	35 503 970 90
--	---	---------------

Recommended miscellaneous

	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
--	--	---------------


Required miscellaneous

	xGRID Installation track 555 mm -	12 360 970 90
--	--	---------------


CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705
mm [inches]



Flow rate chart



Certificates

WRAS_2011026.


DVGW_DW-
6512DN0706.

LGA_29930.

CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705





- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

	Brushed Champagne (22kt Gold)	36 607 705-46
	Chrome	36 607 705-00
	Brushed Platinum	36 607 705-06
	Dark Chrome	36 607 705-19
	Champagne (22kt Gold)	36 607 705-47
	Brushed Dark Platinum	36 607 705-99

CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705
mm [inches]



Certificates

WRAS_2011026.

LGA_29931.


WRAS_2010066.

DVGW_DW-
6512DN0706.

CL.1 xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

CL.1

ST 060 110 5705
Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 70 051 01-46	handle	1	30
2	90 21 02 108 00 90	disc	1	2
3	90 90 03 143 00 90	top	1	2