





META xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

META

ST 060 115 0660



- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

	Brushed Champagne (22kt Gold)	ST 060 115 0660-46
	Chrome	ST 060 115 0660-00
	Brushed Platinum	ST 060 115 0660-06
	Dark Chrome	ST 060 115 0660-19
	Matte Black	ST 060 115 0660-33
	Champagne (22kt Gold)	ST 060 115 0660-47
	Brushed Chrome	ST 060 115 0660-93

Individual components of this set

You need the following components for this set



1x 36 501 979-46



1x 36 607 661-46



META xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

META

ST 060 115 0660

META xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

META

ST 060 115 0660



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Champagne (22kt Gold)	36 501 979-46
	Chrome	36 501 979-00
	Brushed Platinum	36 501 979-06
	Platinum	36 501 979-08
	Durabress (23kt Gold)	36 501 979-09
	Dark Chrome	36 501 979-19
	Brushed Durabress (23kt Gold)	36 501 979-28
	Matte Black	36 501 979-33
	Champagne (22kt Gold)	36 501 979-47
	Brushed Chrome	36 501 979-93
	Brushed Dark Platinum	36 501 979-99

Required miscellaneous

	xTOOL Concealed thermostat module without volume control - •max. recess depth 110 mm •min. recess depth 85 mm	35 503 970 90
--	--	---------------


Recommended miscellaneous

	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
--	--	---------------

Required miscellaneous

	xGRID Installation track 555 mm -	12 360 970 90
--	--	---------------

ST 060 115 0660
mm [inches]





Certificates

WRAS_2011026.








DVGW_DW-
6512DN0706.

LGA_29930.

ST 060 115 0660



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

	Brushed Champagne (22kt Gold)	36 607 661-46
	Chrome	36 607 661-00
	Brushed Platinum	36 607 661-06
	Dark Chrome	36 607 661-19
	Matte Black	36 607 661-33
	Champagne (22kt Gold)	36 607 661-47
	Brushed Chrome	36 607 661-93

Required miscellaneous



- Wall valve 1/2" -**
- max. recess depth 145 mm
 - min. recess depth 85 mm

35 607 970 90

Required miscellaneous



- Wall valve 1/2" -**
- max. recess depth 145 mm
 - min. recess depth 85 mm

35 607 970 90




META xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

META

ST 060 115 0660

ST 060 115 0660
mm [inches]



Certificates


LGA_38107.

LGA_29931.

WRAS_2010066.

LGA_29932.

ST 060 115 0660



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 66 014 04-46	handle	1	30
2	90 21 02 181 00 90	disc	1	2
3	90 90 03 143 00 90	top	1	2