

ST 060 115 0660



- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

	Brushed Chrome	ST 060 115 0660-93
	Chrome	ST 060 115 0660-00
	Brushed Platinum	ST 060 115 0660-06
	Dark Chrome	ST 060 115 0660-19
	Matte Black	ST 060 115 0660-33
	Brushed Champagne (22kt Gold)	ST 060 115 0660-46
	Champagne (22kt Gold)	ST 060 115 0660-47

**Individual components of this set**

You need the following components for this set



1x 36 501 979-93



1x 36 607 661-93



## META xTOOL Thermostat module with 1 valve - Brushed Chrome

---

META

ST 060 115 0660


ST 060 115 0660



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Chrome	36 501 979-93
	Chrome	36 501 979-00
	Brushed Platinum	36 501 979-06
	Platinum	36 501 979-08
	Durabass (23kt Gold)	36 501 979-09
	Dark Chrome	36 501 979-19
	Brushed Durabass (23kt Gold)	36 501 979-28
	Matte Black	36 501 979-33
	Brushed Champagne (22kt Gold)	36 501 979-46
	Champagne (22kt Gold)	36 501 979-47
	Brushed Dark Platinum	36 501 979-99


**Required miscellaneous**

	<b>xTOOL Concealed thermostat module without volume control -</b> •max. recess depth 110 mm •min. recess depth 85 mm	35 503 970 90
---	--	---------------

**Required miscellaneous**


	<b>xGRID Installation track 555 mm -</b>	12 360 970 90
---	--	---------------

**Recommended miscellaneous**

	<b>xGRID Attachment set for integrating in the dry wall construction -</b>	12 340 970 90
---	--	---------------

ST 060 115 0660

mm [inches]



Certificates


WRAS\_2011026.

DVGW\_DW-  
6512DN0706.

LGA\_29930.

LGA\_29932.

ST 060 115 0660










**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 31 09 095 00 90	bar	1	2
3	09 11 02 162-93	cover	1	60
4	90 14 10 049 00 90	seal	1	2
5	90 21 02 112 00-93	sleeve	1	-
Spare part can no longer be ordered, please order the replacement item				
6	90 17 33 004 00-93	handle	1	20
7	90 21 33 011 00-13	handle	1	-
Spare part can no longer be ordered, please order the replacement item				
8	90 16 02 027 00 90	spring	1	2
9	90 30 30 136 00 90	screw	1	2
10	90 31 20 049 00-13	plug	1	30
11	12 178 970 90	Extension 46 mm -	1	2

ST 060 115 0660



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

	Brushed Chrome	36 607 661-93
	Chrome	36 607 661-00
	Brushed Platinum	36 607 661-06
	Dark Chrome	36 607 661-19
	Matte Black	36 607 661-33
	Brushed Champagne (22kt Gold)	36 607 661-46
	Champagne (22kt Gold)	36 607 661-47

**Required miscellaneous**



**Wall valve 1/2" -**

- max. recess depth 145 mm
- min. recess depth 85 mm

35 607 970 90

**Required miscellaneous**



**Wall valve 1/2" -**

- max. recess depth 145 mm
- min. recess depth 85 mm

35 607 970 90



## META xTOOL Thermostat module with 1 valve - Brushed Chrome


---

META

ST 060 115 0660

ST 060 115 0660

mm [inches]



Certificates


LGA\_38107.

IAPMO\_4976 (7).

LGA\_29931.

WRAS\_2010066.

LGA\_29932.



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 66 014 04-93	handle	1	20
2	90 21 02 181 00 90	disc	1	2
3	90 90 03 143 00 90	top	1	2