

Rain shower with ceiling fixing 220 mm - Brushed Durabron (23kt Gold)

IMO

28 669 970



- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 1707033

Fits: IMO, TARA, LISSÉ, VAIA, META, CYO

	Brushed Durabron (23kt Gold)	28 669 970-28
	Chrome	28 669 970-00
	Brushed Platinum	28 669 970-06
	Platinum	28 669 970-08
	Dark Chrome	28 669 970-19
	Matte Black	28 669 970-33
	Brushed Champagne (22kt Gold)	28 669 970-46
	Champagne (22kt Gold)	28 669 970-47
	Brushed Chrome	28 669 970-93
	Brushed Dark Platinum	28 669 970-99

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

28 669 970

mm [inches]




Flow rate chart



Certificates

WRAS_2212012. DVGW_DW-
6517DN0118.



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 22 040-28	rosette	1	20
2	09 14 10 141 90	seal	1	2
3	09 11 03 080-28	connection	1	20
4	09 23 01 075 90	insert	1	2
5	04 12 05 092 00-28	shower	1	20
6	90 30 09 069 00 90	key	1	2