

HAWORTH

Accessories

GSA Price List – August 2023

This price list is based upon Haworth's February 2021 commercial pricing.
GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE
Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables
(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)
Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large
Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000



Electronic Update Page – Accessories Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
Click Here	October 2023	178	Update – Circa Floor Light removed due to obsolescence.
Click Here	October 2023	188	Update – Tube Top Medium light removed due to obsolescence.
Click Here	October 2023	195	Update – Super Class and Discount Group updated.
Click Here	October 2023	218	Update – Letter Tray illustration and features updated to reflect this item may be freestanding.
Click Here	October 2023	221	Update – PLACES Hook for Wood Top Cap removed due to obsolescence.
Click Here	November 2023	1A-9A	New – Additional Price List Pages added for new Ergotron products.



This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH, INC.

GENERAL SERVICES ADMINISTRATION

FEDERAL ACQUISITION SERVICES

Authorized Federal Supply Schedule Furniture (FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)

Contract Number:	GS-03F-057DA
Contract Start Date:	February 8, 2016
Contract End Date:	February 7, 2026
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 http://www.haworth.com/government
Business Size:	Large

Information for Ordering Activities I-FSS-600

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).

Table of Contents

Statement of Line	7-20
--------------------------------	------

Belong Cushion Top

Cushion	21
---------------	----

Electrical Components

Power Cube	22
Plug Strip	22
Power Suite	22

Wire Management Tray General Specifications

Wire Management Tray	23
----------------------------	----

Electrical Components

Power Suite and Wire Management Tray Kit	24
Wire Management Tray	24
Brackets	25
Cord Management Cuff	26
Mesh Cord Manager with Cuffs	26
Power Tap — Horizontal	27
Power Tap — Vertical	28
Power Tap — Hardwire	29
Power Tap — Corded Horizontal and Vertical	29
Hatch	30
Power Tap Bracket — Fixed	30
Power Tap Bracket — Adjustable	30
Power Tap Bracket — Under Surface	31
Power Tap Bracket with Grommet	31
Bezel Utility Module	32
Data Bezel	32
Cables	33
Retrofit USB Charging Cable	33
Classic Power Module	34
Classic Power Module Bracket - Angled	35
Classic Power Module Bracket - Vertical Bracket	35
Classic Power Module Bracket - Under Surface	35
Collaborative Power Station	36
Enhanced Power Module — Seamless	38
Enhanced Power Module — Corded	42
Enhanced Power Module — Hardwire	48
Enhanced Power Module — Spiral Corded — Height Adjustable	53
Enhanced Power Module — Cord for Height Adjustable	54
Above Worksurface — Adjustable	55
Above Worksurface — Adjustable with Tackboard Offset	56
Above Worksurface — Fixed	56
Under Worksurface — Fixed	56
For Use with X Series	57
Power, Data and USB	58
Flip Top Unit with Smooth Bezel — Corded — Double-Sided — Power, Data and USB	62
Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided — Power, Data and USB	66
Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided — Power, Data and USB	70
Flip Top Units — Power and Data	74
Flip Top Unit — Non-Powered	75
Power, Data and USB	77
Flip Top Unit — Corded — Double-Sided — Flip Top Units — Power, Data and USB	83
Flip Top Unit — Hardwire — Single-Sided — Power, Data and USB	89
Flip Top Unit — Hardwire — Double-Sided — Power, Data and USB	95
Flush Mounted Power — Corded	101
Flush Mounted Power — Hardwire	105
Flush Mounted Power — Spiral Cord for Height Adjustable	109
Flush Mounted Power — Cord for Height Adjustable	112

Flush Mount Power Module with Sliding Door	115
Flush Mount Power Module with Sliding Door — 4-Port and 6-Port Wide and Narrow — Corded	118
Flush Mount Power Modular with Sliding Door — Spiral Corded — Height Adjustable	122
Flush Mount Power Modular with Sliding Door — Corded — Height Adjustable	124
Flush Mount Power Module with Sliding Door — 4-Port and 6-Port Narrow — Hardwire	126
Flush Mounted — Round	130
Wireless Charging Module	131

Ergotron Keyboard Tray

Keyboard Tray with Mouse Pad	132
Neo-Flex Keyboard Tray	132

Ergotron CPU Holder

Small CPU Holder	133
Universal CPU Holder	133
Cable CPU Holder	133

Ergotron Monitor Arms and Accessories

HX Single Arm	134
HX Dual Arm	134
HX Triple Monitor Bow Kit	135
LX Desk Mount Single Arm	136
LX Desk Mount Dual Arm	136
LX Sit-to-Stand Mount — LX Dual Stacking Arm — Tall Pole Monitor Arm	137
LX Sit-to-Stand Mount Single Arm	138
LX Desk Dual Direct Arm	139
LX Desk Dual Direct Handle Kit	139
LX One-Stop Rotational Control Kit	140
LX Two-Stop Rotational Control Kit	140
LX Extension	141
LX Sit-to-Stand Extension	141
LX Pole Collar	141
LX Arm, Extension and Collar Kit	141
MXV Desk Mount Single Arm	142
MXV Desk Mount Dual Arm	142
MXV Desk Mount Single Arm	143
Dual Monitor and Handle Kit	144
Monitor Quick Release LCD Bracket	144
Grommet Mount for LX Single and Dual Direct Arms	145
Grommet Mount for LX Dual Arm	145
Grommet Mount for LX Arm on WorkFit-T/TL	145
Grommet Mount for MXV Single Monitor Arm	145
Grommet Mount for MXV Dual Monitor Arm	145

Ergotron

Ergotron WorkFit-A — Single Attached Sit-Stand Workstation ..	146
Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation ..	147
Ergotron WorkFit-S — Single Attached Sit-Stand Workstation ..	148
Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation ..	149
Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation ..	150
Ergotron WorkFit-T — Desktop Sit-Stand Workstation	151
Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	152
Ergotron WorkFit LX - Sit-Stand Desk Mount System	153
Grommet Mount	154
Conversion Kit Single HD to Dual	154
Worksurface	155
Large Keyboard Tray	155
Tablet/Document Holder	155
Conversion Kit: Dual to LCD & Laptop	156
Conversion Kit: LCD & Laptop to Dual	156
Tall-User Kit for WorkFit Dual	156
Deep Keyboard Tray	157
Corner Keyboard Tray	157

Table of Contents

WorkFit Single LCD Monitor Kit	158
WorkFit Dual Monitor Kit	158
WorkFit LCD & Laptop Kit	158
Dual Monitor Double- Hinged Bow	159
Tall-User Kit for Single Display	159
Ergotron WorkFit — Anti-Fatigue Floor Mat	160
Ergotron Neo-Flex Laptop Cart	161
Ergotron Teachwell® Mobile Digital Workspace	162
LearnFit Desk	163
Storage Bin	163
Ergotron Zip 12 Charging	164

Grommets

Grommets	165
Flip Top Unit — Hatch	166

Information Display

Standard Easel	167
Large Easel	168

Information Display Planes Boards and Accessories

Information Boards	169
Horizontal Wall Rail for Information Boards	169
Wall Cleat for Information Boards	169
Horizontal Wall Rail End Caps	170
Y-Leg Bumper	170
Markerboard Accessories	171

Lighting

Adaptable LED Task Light - Stand-Alone	172
Adaptable LED Task Light - Starter Kit	172
Adaptable LED Task Light - Add-On Kit	173
Reed Premier™ Stand-Alone LED Task Light	174
Reed Premier™ Starter LED Task Light	174
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	175
Reed Premier™ Add-On Occupancy Sensor	175
Voyage without Occupancy Sensor	176
Voyage with Occupancy Sensor	176
Freestanding Lighting	177
Mounted Lighting	177
Grommet — For Use with Brazo Grommet Mounted Light Only	177
Circa Table Light	178
Circa Floor Light	178
Contour Table Light	179
Contour Floor Light	179
Giraffa Table Light	180
LIM Freestanding Lighting	181
LIM Worksurface Mounted Lighting	182
LIM Mounted Lighting	183
LIM Hardware	184
LIM 360 Table Light	185
LIM 360 Grommet Mounted Light	185
Pixo Table Light	186
Superlight Table Light	187
Superlight Floor Light	187
Superlight Base Pads	187
Tube Top Table Light	188
Tube Top Floor Light	188
UMA Audio Lantern	189

Pip

Personal Laptop Table	190
-----------------------	-----

Recycling Solutions

Recycling Solutions	191
Recycling/Trash Bin	191

Storage Accessories

Drawer Insert	192
PDA Tray	193
Dividers	193
Personal Tray	193
Pencil Tray	193

Wire Management

Compose Connections Cable Chain	194
Vertical Cable Chain	194
J-Channel	195
Conduit Clamp	195
Wire Management Loop	195
Wire Manager Clips	195
Wire Manager — Horizontal	196
Horizontal Wire Management	196
Vertical Cable Guide	196
Height Adjustable Table - Belong Horizontal	197
Wire Management Basket	197
Basket Cover	197
Vertical Wire Channel - Leg Attached	197
Planes C-Leg Training Table Vertical Wire Manager	198
Compose Task Light Cord Manager	198
UniGroup Too, UniGroup and PLACES Wire Manager	198

Work Tools — Mounting

Slat, Wall Mount	199
Belong Single Side	200
Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount	201
Tool Rail — Single Post — C-Clamp or Thru-mount	202
Tool Rail — Under Horizontal Surface Mount — L-Bracket	203
Tool Rail — Single Post — L-Bracket Mount	204
Tool Rail — Single Sided Continuous Benching End	205
Tool Rail — Double-Sided Continuous Benching End Application Only	206
Tool Rail — Internal Single Sided Continuous Benching Application	207
Tool Rail — Internal Continuous Benching Application Only	208
Tool Rail — Single Post Internal/Benching	208

Work Tools

Territory Screen — End-of Run	209
Territory Screen — Shared	209
Territory L-Screen	210
Territory Screen — Multi-material	211
Structural Screen Tile	212
Belong Systems Tile — External Mount for use with Compose Panels	212
Screen Rail	213
Open C Cubby	213
Trays	213
Base Tray	214
Desk Top L-Screen	214
Desk Top Reference Shelf	214
Paper Tray — Landscape	215
Tool Cup	215
Hanging Sorter	215
Mini Shelf	215
Blotter	216
Reference Shelves	216
Accessory Kit	216
Paper Sorter	217
Binder Bin	217
Mini Shelf	217
Phone Shelf	217
Letter Tray	218
Waste Bin	218

Table of Contents

Waste Bin 218

Magnet Board 219

Magnet Hooks 219

Magnet Hook 219

Round Peg Magnets 219

Mirror 219

Workstation Accessories

Shallow Drawer 220

Steel Center Drawer 220

Pencil + Drawer 220

Pencil Drawer 220

Make-A-Corner 220

Compose All-Purpose Hook 221

PLACES All-Purpose Hook 221

PLACES All-Purpose Hook — For Low Profile Wood Top Cap
Panels 221

UniGroup All-Purpose Hook 221

UniGroup Too All Purpose Hook 221

Bag Hook 221

Lock Programs

HW Lock Plugs and Keys 226

HW Plugs and Keys 227

HW Replacement Keys 227

HW Master Key 227

HW Control Key 227

HW Key Blank 227

Digital Lock 228

Digital Lock Control Key Fob 228

Finishes

Finish/Color Legend 236


Index 237-243

Ergotron Warranty 244

Lifetime Product Warranty Inside Back Cover


Statement of Line

Cushion Top — page 21




QBFC_F
Belong Cushion


Electrical Components – Belong — pages 22-26




EUC4
Power Cube




EUR1
Plug Strip




EUB5
Power Suite




Wire Management
Tray




EUBT
Power Suite and Wire
Management Tray Kit




EUWT
Wire Management Tray



EUCB
Standard Edge
Worksurface Mount




EUCB
Knife Edge
Worksurface
Mount




EUCB
Under Worksurface
Mount



EUCB
Above Worksurface
Application



EUAC
Cord Management
Cuff



EUAW
Mesh Cord Manager
with Cuffs

Electrical Components – Belong Power Tap — pages 27-29



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N
Horizontal



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N
Vertical



EUET-0030-CM3N
Horizontal Hard Wired



EUET-0030-CM3N
Vertical Hard Wired




EUET-0000-1M3N
Horizontal Corded




EUET-0000-1M3N
Vertical Corded


Electrical Components – Belong Power Tap Brackets — pages 30-31




EUA1-0610-PFN
Hatch




EUA1-0610-PFC
Hatch




EUA1-0610-PFT
Hatch




ZUAP-0000-PFD
Fixed



ZUAP-0000-PAN
Adjustable




ZUAP-0000-PUR
Under Surface




ZUAP-0000-PGH
with Grommet Beside
Storage Only

Statement of Line


Electrical Components — page 32




EURT-0072-1100
EURT-0072-1010
Bezel Utility Model
USB Charging: Round
or Square



EURT-00E4-1100
EURT-00E4-1010
Bezel Utility Model
Power Outlet: Round
or Square




EURT-0000-N001CB
EURT-0000-N001CW
Bezel Utility Model
Round Data Bezel




EURT-0000-N001SB
EURT-0000-N001SW
Bezel Utility Model
Square Data Bezel

Electrical Components – Cables — page 33




EUDX-H000-B
Cable



EUDX-V000-B
Cable



EUDX-3000-B
Cable




EUDX-U000-B
Retrofit USB Charging
Cable


Electrical Components — pages 34-36




EUF1
Classic Power Module




EUFB-0000-AB
Classic Power
Module Bracket - Angled



EUFB-0000-SB
Classic Power
Module Bracket - Vertical
Bracket




EUFB-0000-UB
Classic Power
Module Bracket - Under
Surface




EUCN-PJ
Collaborative
Power Station


Electrical Components – Enhanced Power Module — pages 38-54




EUS1-PF0B
EUS1-PF0W
EUS1-HL0B
EUS1-HL0W
Seamless Enhanced
Power Module




EUD1-PF0B-2010
3-Port Power Cord




EUD1-PF0B-2110
4-Port Power Cord




EUD1-PF0B-2112
6-Port Power Cord



EUD1-PF0B-4000
6-Port Power Cord
Circuit Breaker Plug




EUD1-HF0B-2010
3-Port Hard Wired




EUD1-HF0B-2110
4-Port Hard Wired

Statement of Line


Electrical Components – Enhanced Power Module (cont'd) — pages 38-54



EUD1-HF0B-2112
6-Port Hard Wired




EUD1-SF0B-2110
4-Port IEC-Cord and
Spiral Cord



EUD1-SF0B-4000
4-Port IEC-Cord and
Spiral Cord Circuit
Breaker Plug




EUD1-SL0B-2110
4-Port IEC-Cord and
Power Cord




EUD1-SL0B-4000
4-Port IEC-Cord and
Power Cord Fused Plug


Electrical Components – Enhanced Power Module Brackets — pages 55-57




EUDB-0000-H
Adjustable




EUDB-0000-N
Adjustable




EUDB-0000-T
Adjustable with Offset



EUDB-0000-W
Above Worksurface Fixed




EUDB-0000-U
Below Worksurface Fixed




EUDB-J
For Use with X Series


Electrical Components – Flip Top Units with Smooth Bezel — pages 58-72




EUC1-PFOP-311010
Corded –
Single-Sided




EUC1-PFOP-200000
Corded –
Single-Sided




EUC1-PFOP-210010
Corded –
Single-Sided



EUC1-PFOP-400000
Corded –
Single-Sided




EUC2-PFOP-311010
Corded –
Double-Sided




EUC2-PFOP-210010
Corded –
Double-Sided




EUC2-PFOP-400000
Corded –
Double-Sided




EUC1-HFOP-311010
Hardwire –
Single-Sided




EUC1-HFOP-200000
Hardwire –
Single-Sided



EUC1-HFOP-210010
Hardwire –
Single-Sided




EUC2-HFOP-311010
Hardwire –
Double-Sided




EUC2-HFOP-210010
Hardwire –
Double-Sided

Statement of Line


Electrical Components – Flip Top Units — pages 74-99




(1.1)
EUE1-1111W
Single Sided Corded




(2.0)
EUE1-1B01W
Single Sided Corded




Power Cord
EUE1-1331W
Single Sided Corded




EUE2-1331W
Double Sided Corded




EUE1-C331W
Single Sided Hard Wired




EUE2-C331W
Double Sided Hard Wired




EUE1-000B
Single Sided
Non Powered




EUE2-000B
Double Sided
Non Powered




EUE1-PF0B-2110
4-Port Flip Top Unit –
Corded – Single-Sided




EUE1-PF0B-1212
6-Port Flip Top Unit –
Corded – Single-Sided




EUE1-PF0B-4000
4-Port Flip Top Unit –
Corded – Single-Sided -
Circuit Breaker Plug



EUE2-PF0B-2110
4-Port Flip Top Unit –
Corded – Double-Sided



EUE2-PF0B-1212
6-Port Flip Top Unit –
Corded – Double-Sided



EUE2-PF0B-4000
4-Port Flip Top Unit –
Corded – Double-Sided -
Fused Plug




EUE1-HF0B-2110
4-Port Flip Top Unit –
Hardwire – Single-Sided



EUE1-HF0B-1212
6-Port Flip Top Unit –
Hardwire – Single-Sided




EUE2-HF0B-2110
4-Port Flip Top Unit –
Hardwire – Double-Sided




EUE2-HF0B-1212
6-Port Flip Top Unit –
Hardwire – Double-Sided


Electrical Components – Flush Mounted — pages 101-114




EUB1-PL0B-2100
3-Port Power Cord




EUB1-PL0B-2110
4-Port Power Cord




EUB1-PL0B-2112
6-Port Power Cord




EUB1-PL0B-4000
4-Port Power Cord
Circuit Breaker Plug




EUB1-HL0B-2100
3-Port Hard Wired




EUB1-HL0B-2110
4-Port Hard Wired




EUB1-HL0B-2112
6-Port Hard Wired




EUB1-SF0B-2100
3-Port IEC-Cord
and Spiral Cord



EUB1-SF0B-2110
4-Port IEC-Cord
and Spiral Cord



EUB1-SF0B-2112
6-Port IEC-Cord
and Spiral Cord



EUB1-SF0B-4000
4-Port IEC-Cord and Spiral
Cord Circuit Breaker Plug




EUB1-SL0B-2100
3-Port IEC-Cord
and Power Cord

Statement of Line


Electrical Components – Flush Mounted (cont'd) — pages 101-114



EUB1-SLOB-2110
4-Port IEC-Cord
and Power Cord




EUB1-SLOB-2112
6-Port IEC-Cord
and Power Cord




EUB1-SLOB-4000
4-Port IEC-Cord and Power
Cord Circuit Breaker Plug


Electrical Components – Flush Mount Power Module with Sliding Door — pages 118-129




EWCA
Corded
4-Port and 6-Port
Wide




EWCB
Corded
4-Port and 6-Port
Narrow




EWCG-3A1D-NPSCBNSF
Spiral Corded – Height Adjustable
4-Port




EWCG-3A3E-NPSCBNSF
Spiral Corded – Height Adjustable
6-Port




EWCG-4RNN-NPSCBNSF
Spiral Corded – Height Adjustable
4-Port




EWCG-3A1D-NPSCBNSL
Corded – Height Adjustable
4-Port




EWCG-3A3E-NPSCBNSL
Corded – Height Adjustable
6-Port



EWCG-4RNN-NPSCBNSL
Corded – Height Adjustable
4-Port




EWCG-3A1D-NPSCBNCW
Narrow – Hardwire
4-Port




EWCG-3A3E-NPSCBNCW
Narrow – Hardwire
6-Port


Electrical Components – Wireless Charging Module — pages 130-131



EUP1-PF
EUP1-HF
Flush Mounted Round



EUWC-PFOB-12002
Wireless Charging Module



EUWC-PFOB
EUWC-PFOW
EUWC-HLOB
EUWC-HLOW
Wireless Charging Module

Statement of Line


Ergotron Keyboard Tray — page 132



169BK
**Keyboard Tray with
Mouse Pad**



UKMCBK
**Keyboard Tray with
Mouse Pad**




97-582-009
**Neo-Flex Keyboard
Tray**

Ergotron CPU Holders — page 133



80-063
Small CPU Holder




97-468
Universal CPU Holder




80-105-064
Cable CPU Holder


Ergotron Monitor Arms – HX and LX Arms — pages 134-139




45-475
45-478
HX Single Arm




45-476
45-479
HX Dual Arm




98-009-026
98-009-216
**HX Triple Monitor
Bow Kit**




45-241-026
45-490-216
45-241-224
45-295-026
45-537-216
**LX Desk Mount
Single Arm**




45-245-026
45-491-216
45-245-224
**LX Desk Mount
Dual Arm**



45-248-026
45-492-216
45-492-224
**LX Desk Mount
Dual Arm**



45-549-026
45-509-216
**LX Dual Stacking Arm -
Tall Pole Monitor Arm**



45-360-026
45-384-026
**LX Sit-to-Stand Mount
Single Arm**




45-489
LX Desk Dual Direct Arm




98-037-062
**LX Desk Dual Direct
Handle Kit**


Ergotron Monitor Arms – LX Arms Accessories — pages 140-141




97-774-003
**LX One-Stop Rotational
Control Kit**



98-060-003
**LX Two-Stop Rotational
Control Kit**




45-289-026
LX Extension



45-362-026
**LX Sit-to-Stand
Extension**




97-844
LX Pole Collar




97-940-026
98-130-216
**LX Arm, Extension
and Collar Kit**

Ergotron Monitor Arms – MXV Desk Mount — page 142




45-486
**MXV Desk Mount
Single Arm**



45-496
**MXV Desk Mount
Dual Arm**


Ergotron Monitor Arms – MX Desk Mount — page 143



45-214-026
**MX Desk Mount
Single Arm**

Statement of Line

Ergotron Monitor Arms – Accessories — page 144



97-783
**Dual Monitor and
Handle Kit**



60-589-060
**Monitor Quick Release
LCD Bracket**


Ergotron Monitor Arms – Mounting Options — page 145




98-034
Grommet Mount



98-035
Grommet Mount



98-017
Grommet Mount




98-110
Grommet Mount




98-111
Grommet Mount


Ergotron WorkFit — pages 146-153




24-317-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-390-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-391-026
**WorkFit-A Single
Attached Sit-Stand
Workstation**




24-316-026
**WorkFit-A Dual
Attached Sit-Stand
Workstation**




24-392-026
**WorkFit-A Dual
Attached Sit-Stand
Workstation**




33-350-200
**WorkFit-S Single
Attached Sit-Stand
Workstation**




33-351-200
**WorkFit-S Single
Attached Sit-Stand
Workstation**




33-341-200
**WorkFit-S Dual
Attached Sit-Stand
Workstation**




33-349-200
33-349-211
**WorkFit-S Dual
Attached Sit-Stand
Workstation**




33-407-085
33-407-062
**WorkFit-SR Dual
Attached Sit-Stand
Workstation**



33-397-085
33-397-062
**WorkFit-T Desktop
Sit-Stand Workstation**
















33-406-085
33-406-062
33-418-085
**WorkFit-TL Desktop
Sit-Stand Workstation**




45-405-026
**WorkFit-LX Sit-Stand
Desk Mount System**

Statement of Line

Ergotron WorkFit – Accessories — pages 154-160

					
97-692 WorkFit-A Grommet Mount	97-606 WorkFit-A Conversion Kit Single HD to Dual	97-581-019 WorkFit-S Worksurface	97-653 WorkFit-S Large Keyboard Tray	97-558-200 WorkFit-S Tablet/Document Holder	
					
97-617 WorkFit-A/ WorkFit-S Conversion Kit: Dual to LCD & Laptop	97-616 WorkFit-A/ WorkFit-S Conversion Kit: LCD & Laptop to Dual	97-615 WorkFit-A/ WorkFit-S Tall-User Kit for WorkFit Dual	97-897 WorkFit-A/ WorkFit-S Deep Keyboard Tray	97-898 WorkFit-A/ WorkFit-S Corner Keyboard Tray	97-935-085 97-935-062 WorkFit-T/ WorkFit-TL Single LCD Monitor Kit
					
97-934-085 97-934-062 WorkFit-T/ WorkFit-TL Dual LCD Monitor Kit	97-933-085 97-933-062 WorkFit-T/ WorkFit-TL LCD & Laptop Kit	98-101-009 Dual Monitor Double-Hinged Bow	97-845 Tall-User Kit for Single Display	97-620-060 Anti-Fatigue Floor Mat	


Ergotron Neo-Flex Laptop Cart — page 161




Ergotron Teachwell® Mobile Digital Workspace — page 162



Ergotron LearnFit — page 163




Ergotron Zip 12 Charging — page 164




Statement of Line

Grommets — pages 165-166




Planes Information Displays and Accessories — pages 167-170



Markerboard Accessories — page 171



Lighting — pages 172-189




Statement of Line


Lighting (cont'd) — pages 172-189




LCF1-6009
Contour Floor
Light



HCPL-GFT1-13
Giraffa Table Light




LLL1
LIM Table Light
with Block



LLL2
LIM Table Light
with Pivot




LLL3
LIM Floor Light



LLC1
LIM Worksurface
Mounted Light




LLM1
LIM Mounted Light -
Slat



LLM1
LIM Mounted Light -
Belong Rail




LLM2
LIM Mounted Light -
Panel




LLU2
LIM Mounted Light -
Under Shelf




LL31-2210-NFLC
LIM 360 Table Light



LL32-2210-NGLC
LIM 360 Grommet
Mounted Light




LUPT
Pixo Table Light




HCPL-SLT1-17
Superlight Table
Light




HCPL-SLF1-47
Superlight Floor
Light




HCPL-SLSV-48P
Superlight Base
Pads



HCPL-TTT1-14
Tube Top Table Light



HCPL-TTT2-21
Tube Top Table Light



HCPL-TTT3-27
Tube Top Table Light



HCPL-TTF1-60
Tube Top Floor Light




HCPL-UMT2-11
UMA Audio Lantern

Pip Personal Laptop
Table —
page 190




STP-P26-TH

Recycling Solutions — page 191




JRPY-3948




KURB
Recycling/Trash Bin

Storage Accessories – Drawer Inserts — page 192




KJFI-00XX-D
Lateral File Drawer
Insert




KFI-00XX-B
Lateral File Drawer
Insert


Lateral File Drawer Insert — page 193




KJTY-12
PDA Tray



KDV
Dividers




KJTY-10
Personal Tray




KJTY-9
Pencil Tray

Statement of Line


Wire Management — pages 194-198




EAAW-0000-H
Cable Chain



EUAW-4000-V
Compose Connections
Cable Chain



4TJC-72
J-Channel




EUAM-0000
Conduit Clamp



NEH-8
Wire Management Loop



TA01-0225
Wire Manager Clips




EUAW-NH
Wire Manager —
Horizontal




WUAW-PNH
Horizontal Wire
Management




NECG-V
Vertical Cable Guide




AKWN
Height Adjustable Table -
Belong Horizontal



TAWB
Wire Management Basket



TABC
Basket Cover



TYVW
Vertical Wire Channel —
Leg Attached



TA01-0228-F
Planes C-Leg Training
Table Vertical Wire
Manager



VZAW-0000-V
Compose Task Light
Cord Manager




WC-6
UniGroup Too, UniGroup
and PLACES Wire Manager


Work Tools – Mounting — pages 199-219




KUPY
Slat, Wall Mount




KUR1-0424-PZN
Belong Single Side



KUR1-CSN
KUR1-TSN
Belong Tool Rail —
Horizontal Surface Mount
C-Clamp or Thru-Mount




KUP1-CSN
KUP1-TSN
Belong Tool Rail — Single
Post — C-Clamp or
Thru-mount




KUR1-1224-USN
Belong Tool Rail — Under
Horizontal Surface
Mount — L-Bracket




KUP1-0000-USN
Belong Tool Rail — Single
Post — L-Bracket Mount




KUR1-1224-USE
Belong Tool Rail — Single
Sided Continuous
Benching End




KUR2-1224-UBE
Belong Tool Rail —
Double-Sided Continuous
Benching End Application
Only



KUR1-1224-USI
Belong Tool Rail — Internal
Single Sided Continuous
Benching Application



KUR2-1224-UBI
Belong Tool Rail — Internal
Continuous Benching
Application Only




KUP2-0000-UBI
Belong Tool Rail — Single
Post Internal/Benching




KUTS-E
Belong Territory
Screen — End-of Run

Statement of Line


Work Tools – Mounting (cont'd) — pages 199-219



KUTS-S
Belong Territory
Screen — Shared




KUTS-L
Belong Territory L-Screen




SUTM
Territory Screen —
Multi-material




KUTB
Belong Structural
Screen Tile



KZTB
Belong Systems Tile —
External Mount for use
with Compose Panels



KUSR
Screen Rail - Double Sided




KUSR
Belong Screen Rail -
Single Sided




KUCU-0915-BNN
Belong Open C Cubby
No Slots




KUCU-1215-BNS
Belong Open C Cubby
With Slots




KUAK
Trays




KUBT
Belong Base Tray




KULS
Belong Desk Top L-Screen



KURS
Belong Desk Top
Reference Shelf



KUPT-0913-H
Belong Paper Tray




KUPT-0913-F
Belong Paper Tray



KUTC-0000-H
Belong Tool Cup



KUHS-0000-H
Belong Hanging Sorter




KUSH-0408-H
Belong Mini Shelf




KUBL-2030-FJ
Belong Blotter




KURS-0010-H
Belong Reference Shelf




KURS-0019-H
Belong Reference Shelf




KURS-0012-B
Belong Reference Shelf




KUAK
Belong Accessory Kit




DTPR-3
Jump Stuff Paper Sorter




DTSB-3
Jump Stuff Binder Bin




DMSP
Jump Stuff Mini Shelf



DTPT-3
Jump Stuff Phone Shelf



DTLT-2
Jump Stuff Letter Tray




DTRB
Jump Stuff Waste Bin



KUAM-0411
Magnetic Board




KUAM-0518
Magnetic Board



KUAH-0002
Magnetic Hooks



KUAH-0003
Magnetic Hook




KUAP-0000
Magnetic Round
Peg Magnets




KUAR-0403
Magnetic Mirror

Statement of Line


Workstation Accessories — pages 220-221




DS-3
Shallow Drawer




SCD-19
Steel Center Drawer



KUDP-2420
Pencil + Drawer




JAC-18
Pencil Drawer




MAC-0001
Make-A-Corner




VZAC-0000-P
Compose All-Purpose Hook



VZAC-0000-H
Compose All-Purpose Hook



HCH-0008
PLACES All-Purpose Hook




HCH-0008-W
PLACES All-Purpose Hook — For
Low Profile Wood Top Cap Panels



CH-8
UniGroup All-Purpose Hook




E2CH-8
UniGroup Too All-Purpose Hook




KUWH-0202
Bag Hook

Lock Programs — pages 226-228




LSET
HW Lock Plugs and Keys



HW-SVC
HW Plugs and Keys



HWSK
HW Replacement Keys




HWMK-1
HW Master Key




CK-3
HW Control Key



HWKB-1
HW Key Blank



HUDR-R
HUDR-L
Digital Lock



HUDR-B
HUDR-T
Digital Lock




HUDF-F
Digital Lock Control
Key Fob

This page intentionally blank

Belong Cushion Top

Cushion



QBFC_F

Depth	Nominal Width	Actual Width	Number	Fabric Grade					
				A	B	C	D	E	F
16.8"(427mm)	24"(610mm)	22.65"(575mm)	QBFC-1824-F	\$626.18	\$ 720.09	\$ 826.55	\$ 939.27	\$1051.99	\$1208.51
	30"(762mm)	28.65"(728mm)	QBFC-1830-F	723.80	832.41	955.37	1085.61	1215.97	1396.79
	36"(914mm)	34.65"(880mm)	QBFC-1836-F	821.42	944.73	1084.19	1231.95	1379.95	1585.07
	42"(1067mm)	40.65"(1033mm)	QBFC-1842-F	919.04	1057.05	1213.01	1378.29	1543.93	1773.35

Features

- Includes one cushion and non-slip material.
- .75"(19mm) thick cushion is cover stitched around perimeter edges.
- Cushion is inset 0.6"(15mm) from base unit perimeter edges.
- Cushion has a two-sided reversible surface; same fabric on both sides.

To Order, Specify:


- 1) Product number.
- 2) Fabric and color.


Specification Tips


- Cushion is not structural; to be used with a storage top.
- Cushion may be the same width or not as wide as the base unit.
- Patterned fabrics may not align on both sides of the cushion.

Electrical Components

Belong


	Number	Price
Power Cube	EUC4-BIN1-31100YN	\$332.45
 EUC4 Features - Includes one power module with three 120V receptacles (NEMA 5-15R), one dual USB-A charging port, one USB-C charging port, one wireless charger, and 9’(2743mm) hinged braided power cord with low profile plug (NEMA 5-15P). - Can be freestanding on worksurface or be used with appropriate mounting bracket. 10W Qi (wireless) charging coil on top of cube. - USB-A and USB-C share 15W charging capability. - USB-A provides two ports. - USB-C provides one port for fast charge for a mobile phone. - Power Cube has non-slip pad on bottom. To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-FM Snow Specification Tips - Available in charcoal TR-K or snow TR-FM. - Brackets (EUCB) are optional and can be separately specified. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

	Number	Price
Plug Strip	EUR1-BIN1-50000	\$81.75
 EUR1 Features - Includes one plug strip with five 120V receptacles (NEMA 5-15R), circuit breaker, and 9’(2743mm) braided power cord with low profile plug (NEMA 5-15P). - Plug Strip can mount in wire management tray or mount directly to the underside of the worksurface without additional bracket. - Plug Strip has keyhole slots for mounting below worksurface. - UL 962A listed Furniture Power Distribution Unit. To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-FM Snow Specification Tips - Available in charcoal TR-K or snow TR-FM. - Recommended for 23”(584mm) deep surfaces which cannot accommodate a wire management tray. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

	Number	Price
Power Suite	EUB5-BIN1-81100YN	\$386.95
 EUB5 Features - Includes one power module with three 120V receptacles (NEMA 5-15R), one dual USB-A charging port, one USB-C charging port, one wireless charger, one connected plug strip with five 120V receptacles (NEMA 5-15R), circuit breaker, and 9’(2743mm) hinged braided power cord with low profile plug (NEMA 5-15P). - Cord connecting plug strip to power cube is 4’(1219mm). - Power Cube can be freestanding on worksurface or be used with appropriate mounting bracket. Plug strip can mount in wire management tray or mount directly to the underside of the worksurface without additional bracket. 10W Qi (wireless) charging coil on top of cube. - USB-A and USB-C share 15W charging capability. - USB-A provides two ports. - USB-C provides one port for fast charge for a mobile phone. - Power Cube has non-slip pad on bottom. - Plug Strip has keyhole slots for mounting below worksurface. - Circuit breaker has a reset indicator light. To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-FM Snow Specification Tips - Available in charcoal TR-K or snow TR-FM. - Plug Strip designed to be mounted below worksurface for long term connection. Power Cube is mounted above the surface for a convenient power option. - Recommended for 23”(584mm) deep surfaces which cannot accommodate a wire management tray. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

Wire Management Tray General Specifications

Wire Management Tray




Product Name	Approved Table Depths	Approved Table Widths	Reduce Tray Width Leg Clearance	Example Calculation To Determine Tray Width
Upside – Height Adjustable Table C-Leg and T-Leg/ Rectangle Top	29"(737mm)	58"(1473mm), 64"(1626mm), 70"(1778mm), 76"(1930mm), 82"(2083mm)	22"(559mm)	64"(1626mm) Table Width - 22"(559mm) Reduce Tray Width 42"(1067mm) Tray Width
Planes – Height Adjustable Table C-Leg/Rectangle Top	29"(737mm)	58"(1473mm), 64"(1626mm), 70"(1778mm)	22"(559mm)	64"(1626mm) Table Width - 22"(559mm) Reduce Tray Width 42"(1067mm) Tray Width
Planes LT Model Height Adjustable Table C-Leg and T-Leg/ Rectangle Top	29"(737mm)	58"(1473mm), 64"(1626mm), 70"(1778mm)	22"(559mm)	64"(1626mm) Table Width - 22"(559mm) Reduce Tray Width 42"(1067mm) Tray Width
Masters Series Height Adjustable Table Rectangle Top	30"(762mm), 36"(914mm), 42"(1067mm)	60"(1524mm), 66"(1676mm), 72"(1829mm)	22"(559mm)	64"(1626mm) Table Width - 22"(559mm) Reduce Tray Width 42"(1067mm) Tray Width
Masters Series Height Adjustable Table with Storage Integration Rectangle Top	30"(762mm), 36"(914mm), 42"(1067mm)	66"(1676mm), 72"(1829mm), 78"(1981mm), 84"(2134mm)	30"(762mm)	66"(1676mm) Table Width - 30"(762mm) Reduce Tray Width 36"(914mm) Tray Width
Jive Table – Dual Disc Base Rectangle Top	30"(762mm), 36"(914mm), 42"(1067mm)	72"(1829mm), 84"(2134mm), 96"(2438mm)	36"(914mm)	72"(1829mm) Table Width - 36"(914mm) Reduce Tray Width 36"(914mm) Tray Width
Jive Table – T-Leg – Round Column Rectangle Top	36"(914mm)	66"(1676mm), 72"(1829mm), 84"(2134mm)	12"(305mm)	66"(1676mm) Table Width - 12"(305mm) Reduce Tray Width 54"(1372mm) Tray Width
Jive Table – T-Leg – Extruded Column Rectangle Top	30"(762mm), 36"(914mm)	54"(1372mm), 60"(1524mm), 66"(1676mm), 72"(1829mm)	18"(457mm)	60"(1524mm) Table Width - 18"(457mm) Reduce Tray Width 42"(1067mm) Tray Width
Jive Table – C-Leg Extruded and Round Column Rectangle Top	30"(762mm)	54"(1372mm), 60"(1524mm), 66"(1676mm), 72"(1829mm)	18"(457mm)	72"(1829mm) Table Width - 18"(457mm) Reduce Tray Width 54"(1372mm) Tray Width
Jive Table Post Round Base and Post Extruded Base Rectangle Top	30"(762mm), 36"(914mm)	42"(1067mm), 48"(1219mm), 54"(1372mm), 60"(1524mm), 66"(1676mm), 72"(1829mm), 84"(2134mm)	6"(152mm)	42"(1067mm) Table Width - 6"(152mm) Reduce Tray Width 36"(914mm) Tray Width
Adaptable Worksurface Rectangle Worksurface	30"(762mm)	42"(1067mm), 48"(1219mm), 54"(1372mm), 60"(1524mm), 72"(1829mm)	6"(152mm)	48"(1219mm) Table Width - 6"(152mm) Reduce Tray Width 42"(1067mm) Tray Width
Cultivate Table Frames	36"(914mm), 42"(1067mm)	60"(1524mm), 72"(1829mm) Wide Frames	12"(305mm)	60"(1524mm) Table Width - 12"(305mm) Reduce Tray Width 48"(1219mm) Tray Width
		84"(2134mm), 96"(2438mm) Wide Frames	12"(305mm)	84"(2134mm) Table Width - 12"(305mm) Reduce Tray Width 72"(1829mm) Tray Width (use two 36"(914mm) wide trays)


Electrical Components

Belong


	Description	Number	Price
Brackets	Edgeband	EUCB-0000-WJP	\$ 54.50
	Knife Edge	EUCB-0000-WFP	125.35
	VSU/Tackboard	EUCB-0000-TJP	54.50
	Undersurface	EUUB-0503-UP	27.25




Standard Edge Worksurface Mount




Knife Edge Worksurface Mount



EUCB



Under Worksurface Mount



Above Worksurface Application
(Bracket NOT Fastened or Needed)

Features

- Includes mounting bracket and mounting hardware.
- For use with Belong Power Solutions (with the exception of the Power Strip).

Specification Tips

- Available in standard finishes.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- Product number.
- Trim color.
 - TR-K Charcoal
 - TR-FM Snow

Electrical Components

Belong Power Tap — Horizontal

Power Tap — Horizontal



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N



Description	Circuit Access	Number	Price
3-Circuit Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-3M3N1NL	\$213.95
	2	EUET-0030-3M3N2NL	213.95
	3	EUET-0030-3M3N3NL	213.95
6'(1829mm)	1	EUET-0072-3M3N1NL	\$248.88
	2	EUET-0072-3M3N2NL	248.88
	3	EUET-0072-3M3N3NL	248.88
9'(2743mm)	1	EUET-00A8-3M3N1NL	\$278.82
	2	EUET-00A8-3M3N2NL	278.82
	3	EUET-00A8-3M3N3NL	278.82
4-Circuit, (2+2) Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-2M3N1NL	\$213.95
	2	EUET-0030-2M3N2NL	213.95
	3	EUET-0030-2M3N3NL	213.95
	4	EUET-0030-2M3N4NL	213.95
6'(1829mm)	1	EUET-0072-2M3N1NL	\$248.88
	2	EUET-0072-2M3N2NL	248.88
	3	EUET-0072-2M3N3NL	248.88
	4	EUET-0072-2M3N4NL	248.88
9'(2743mm)	1	EUET-00A8-2M3N1NL	\$278.82
	2	EUET-00A8-2M3N2NL	278.82
	3	EUET-00A8-2M3N3NL	278.82
	4	EUET-00A8-2M3N4NL	278.82
4-Circuit, (3+1) Conduit Length — Horizontal			
30"(762mm)	1	EUET-0030-4M3N1NL	\$213.95
	2	EUET-0030-4M3N2NL	213.95
	3	EUET-0030-4M3N3NL	213.95
	4	EUET-0030-4M3N4NL	213.95
6'(1829mm)	1	EUET-0072-4M3N1NL	\$248.88
	2	EUET-0072-4M3N2NL	248.88
	3	EUET-0072-4M3N3NL	248.88
	4	EUET-0072-4M3N4NL	248.88
9'(2743mm)	1	EUET-00A8-4M3N1NL	\$278.82
	2	EUET-00A8-4M3N2NL	278.82
	3	EUET-00A8-4M3N3NL	278.82
	4	EUET-00A8-4M3N4NL	278.82

Features

- Includes Power Tap housing with three 15A receptacle outlets (NEMA 5-15R) with 0.375"(10mm) conduit and Power Base connector.
- Power Base connector is used to connect to PDA.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.

Specification Tips:

- Specify conduit length, circuit configuration and circuit access with Power Base connector.
- Specify mounting bracket separately.
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).


To Order, Specify:

- 1) Product number.
- 2) Trim color.
 - TR-K Charcoal
 - TR-J Graphite

Electrical Components

Belong Power Tap — Vertical

Power Tap — Vertical



EUET-0030-3M3N
EUET-0030-2M3N
EUET-0030-4M3N



Description	Circuit Access	Number	Price
3-Circuit Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-3M3N1NS	\$213.95
	2	EUET-0030-3M3N2NS	213.95
	3	EUET-0030-3M3N3NS	213.95
6'(1829mm)	1	EUET-0072-3M3N1NS	\$248.88
	2	EUET-0072-3M3N2NS	248.88
	3	EUET-0072-3M3N3NS	248.88
9'(2743mm)	1	EUET-00A8-3M3N1NS	\$278.82
	2	EUET-00A8-3M3N2NS	278.82
	3	EUET-00A8-3M3N3NS	278.82
4-Circuit (2+2) Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-2M3N1NS	\$213.95
	2	EUET-0030-2M3N2NS	213.95
	3	EUET-0030-2M3N3NS	213.95
	4	EUET-0030-2M3N4NS	213.95
6'(1829mm)	1	EUET-0072-2M3N1NS	\$248.88
	2	EUET-0072-2M3N2NS	248.88
	3	EUET-0072-2M3N3NS	248.88
	4	EUET-0072-2M3N4NS	248.88
9'(2743mm)	1	EUET-00A8-2M3N1NS	\$278.82
	2	EUET-00A8-2M3N2NS	278.82
	3	EUET-00A8-2M3N3NS	278.82
	4	EUET-00A8-2M3N4NS	278.82
4-Circuit (3+1) Conduit Length — Vertical			
30"(762mm)	1	EUET-0030-4M3N1NS	\$213.95
	2	EUET-0030-4M3N2NS	213.95
	3	EUET-0030-4M3N3NS	213.95
	4	EUET-0030-4M3N4NS	213.95
6'(1829mm)	1	EUET-0072-4M3N1NS	\$248.88
	2	EUET-0072-4M3N2NS	248.88
	3	EUET-0072-4M3N3NS	248.88
	4	EUET-0072-4M3N4NS	248.88
9'(2743mm)	1	EUET-00A8-4M3N1NS	\$278.82
	2	EUET-00A8-4M3N2NS	278.82
	3	EUET-00A8-4M3N3NS	278.82
	4	EUET-00A8-4M3N4NS	278.82

Features

- Includes Power Tap housing with three 15A receptacle outlets (NEMA 5-15R) with 0.375"(10mm) conduit and Power Base connector.
- Power Base connector is used to connect to PDA.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.

Specification Tips:

- Specify conduit length, circuit configuration and circuit access with Power Base connector.
- Specify mounting bracket separately.
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).


To Order, Specify:

- Product number.
- Trim color.
 - TR-K Charcoal
 - TR-J Graphite

Electrical Components

Belong Power Tap — Hardwire and Corded

Power Tap — Hardwire



Description	Circuit	Number	Price
Hardwire Length — Horizontal			
30"(762mm)	1	EUET-0030-CM3N1NL	\$213.95
6'(1829mm)	1	EUET-0072-CM3N1NL	248.88
9'(2743mm)	1	EUET-00A8-CM3N1NL	278.82
15'(4572mm)	1	EUET-00J0-CM3N1NL	338.70
Hardwire Length — Vertical			
30"(762mm)	1	EUET-0030-CM3N1NS	\$213.95
6'(1829mm)	1	EUET-0072-CM3N1NS	248.88
9'(2743mm)	1	EUET-00A8-CM3N1NS	278.82
15'(4572mm)	1	EUET-00J0-CM3N1NS	338.70

Features

- Includes Power Tap with three 15A receptacle outlets (MEMA 5-15) with conduit and conduit fitting.
- Hardwire option for connection to field wired junction box with 0.5"(13mm) knockout.
- Power Tap housing with receptacles available in charcoal or graphite finish; conduit standard in black only.
- Field installed.


To Order, Specify:

- Product number.
- Trim color.
TR-K Charcoal
TR-J Graphite

Specification Tips

- For use with 120 volt 60 hertz power source only.**
- Specify mounting bracket separately.**
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
 - Under Surface bracket mounts Power Tap under worksurface. **Vertical Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Power Tap — Corded Horizontal and Vertical



Cord Length — Horizontal			
6'(1829mm)	1	EUET-0000-1M3N16L	\$151.53
9'(2743mm)	1	EUET-0000-1M3N19L	162.21
15'(4572mm)	1	EUET-0000-1M3N1EL	183.57
25'(7620mm)	1	EUET-0000-1M3N1YL	219.17
Cord Length — Vertical			
6'(1829mm)	1	EUET-0000-1M3N16S	\$151.53
9'(2743mm)	1	EUET-0000-1M3N19S	162.21
15'(4572mm)	1	EUET-0000-1M3N1ES	183.57
25'(7620mm)	1	EUET-0000-1M3N1YS	219.17

Features

- Includes Power Tap with three 15A receptacle outlets (MEMA 5-15R) with cord and plug (15A NEMA 5-15-P).
- Power Tap housing with receptacles available in charcoal or graphite finish; cord standard in black only.
- Field installed.

To Order, Specify:




- Product number.
- Trim color.
TR-K Charcoal
TR-J Graphite

Specification Tips

- For use with 120 volt 60 hertz power source only.**
- Specify mounting bracket separately.**
 - Fixed Bracket with three patch cord holder mounts Power Tap to edge of worksurface with mounting screws. **Horizontal Power Tap required.**
 - Adjustable bracket mounts Power Tap to edge of worksurface with thumb screws for ease of relocation. **Horizontal Power Tap required.**
 - Under Surface bracket mounts Power Tap under worksurface. **Vertical Power Tap required.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components


Belong Power Tap Brackets

	Description	Number	Trim A	B
Hatch 	Hatch only	EUA1-0610-PFN	\$162.26	\$171.20
	Hatch with Wire Chute	EUA1-0610-PFC	205.04	213.98
	Hatch with Wire Tray	EUA1-0610-PFT	205.04	213.98
	Features - Includes painted flip-up hatch with attachment hardware. - Hatch options include Wire Chute or Wire Tray. - Hatch is flush mounted with removable brush edge; brush conceals 0.5”(13mm) gap for cord routing. - Hatch is 6”(152mm) x 10.5”(267mm) and fits into a 5.5”(140mm) x 10”(254mm) cutout. - Hatch with Wire Chute manages cords to Utility Tray. - Hatch with Wire Tray allows attachment of Hardwire or Modular Vertical Power Tap and mounting of data faceplate. - Provides two openings for information plate attachment 1.38”(35mm) x 2.71”(69mm). - Power Tap under worksurface bracket is required for use with Corded Vertical Power Tap. - Field installed into field cut opening. Designed for use with Adaptable Worksurfaces and Tables (Rectangular and Hex).			
To Order, Specify: - Product number. - Trim color.				
Power Tap Bracket — Fixed 	Fixed	ZUAP-0000-PFD	\$62.40	71.34
Features - Includes one Power Tap mounting bracket and mounting hardware. - Fixed Bracket mounts Power Tap to edge of worksurface with mounting screws. - Fixed bracket accommodates three patch cords. Horizontal Power Tap required.				
Specification Tips Accommodates 1.18”(30mm) thick tops. - Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes. Not compatible with the Power Tap-Corded shipped prior to July 2013.				
Power Tap Bracket — Adjustable 	Adjustable	ZUAP-0000-PAN	\$78.44	87.38
Features - Includes one Power Tap mounting bracket and mounting hardware. - Adjustable bracket mounts Power Tap to back edge of worksurface with thumb screws for ease of relocation. Horizontal Power Tap required.				
Specification Tips Accommodates 1.18”(30mm) thick tops. - Adjustable Power Tap Bracket may interfere with Screen application. - Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes. Not compatible with the Power Tap-Corded shipped prior to July 2013.				
To Order, Specify: - Product number. - Trim color.				

Electrical Components

Belong Power Tap Brackets

	Description	Number	Trim A	B
Power Tap Bracket — Under Surface	Under Surface — Right-hand	ZUAP-0000-PUR	\$62.40	\$71.34
	Under Surface — Left-hand	ZUAP-0000-PUL	62.40	71.34



ZUAP-0000-PUR

Features

- Includes one Power Tap mounting bracket and mounting hardware.
- Under Surface bracket mounts Power Tap under worksurface.
- **Vertical Power Tap required.**


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- Under surface bracket may be used on top of worksurface in restricted reach (ADA) applications. Mounting screws will deface top of worksurface.
- Power Tap applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- **Not compatible with the Power Tap-Corded shipped prior to July 2013.**

Power Tap Bracket with Grommet	Fixed Grommet — Horizontal	ZUAP-0000-PGH	\$140.84	\$149.78
	Fixed Grommet — Vertical	ZUAP-0000-PGV	140.84	149.78



ZUAP-0000-PGH

Features

- Includes one Power Tap bracket, grommet with cover and mounting hardware.
- Horizontal bracket mounts to top through field installed grommet. Horizontal Power Tap required.
- Vertical bracket mounts to top through field installed grommet. Vertical Power Tap required.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Specification Tips

- **Designed for use with 1.18" (30mm) thick tops.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Power Tab Bracket with grommet can only be used with 3-Circuit, 4-Circuit and Hardwired power taps.

Electrical Components

Bezel Utility Module



EURT-0072-1100
EURT-0072-1010



Features

- Includes: Either a round or square faced Power Module and mounting hardware.
- For use on surfaces 0.75”(19mm) - 1.44”(37mm) thick.
- Available with either:
 - One power outlet (NEMA 5-15R)
 - One two port USB charger. Consists of two USB outlets with 1000mA of charging power (5 volts) per USB outlet.
 - One data/video jack
- Available in black or supplier white only.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Power configuration has one cord with plug (NEMA 5-15P).
- USB configuration has one cord with 2”(51mm) x 1”(25mm) x 3”(76mm) voltage transformer plug. Transformer may block adjacent outlets (see illustration).
- Data jacks and AV cables field supplied.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Requires field cut 1.75”(44mm) hole and field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

To Order, Specify:

1) Product number, including:

1 Shape:


- S Square
- C Round

2 Color Options:


- B Black
- W White

Description	Depth	Number	12	Price
6' Cord				
Power	1.75”(44mm)	EURT-0072-1100		\$114.80
USB		EURT-0072-1010		344.44
12' Cord				
Power	1.75”(44mm)	EURT-00E4-1100		\$196.81
USB		EURT-00E4-1010		426.45

Data Bezel



EURT-0000-N001CB
EURT-0000-N001CW



EURT-0000-N001SB
EURT-0000-N001SW

Description	Number	Price
Round		
Black	EURT-0000-N001CB	\$114.80
White	EURT-0000-N001CW	114.80
Square		
Black	EURT-0000-N001SB	\$114.80
White	EURT-0000-N001SW	114.80

Feature



- Includes one round or square bezel for the Bezel Utility Module.
- Available in black or supplier white only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical Components

Cables

	Length	Description	Color	Number	Price
Cables  EUDX-H000-B	HDMI Coupler				
	N/A	HDMI	Black	EUDX-H000-B	\$204.05
	N/A	HDMI	White	EUDX-H000-W	204.05
 EUDX-V000-B	VGA Cable				
	120"(3048mm)	VGA	Black	EUDX-V000-B	\$244.87
		VGA	White	EUDX-V000-W	244.87
 EUDX-3000-B	Audio Cable — 3.5mm				
	120"(3048mm)	VGA	Black	EUDX-3000-B	\$ 57.15
		VGA	White	EUDX-3000-W	57.15

Features


- Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable.
- Installs in an open data port in one of the following products:
 - Flip Top Unit
 - Double Sided Flip Top Unit
 - Quick Connect Power
 - Workware Interface Module
 - Flush Mount Module
 - Enhanced Power Module

To Order, Specify:

- Product number.
(No finish specification required.)

Specification Tips

- Provides communication between components: i.e. laptop, processor, monitor, etc.
- HDMI transmits digital video signals.
- VGA transmits analog video signals without audio.

Retrofit USB Charging Cable  EUDX-U000-B	72"(1829mm)	Black	EUDX-U000-B	\$187.98
		White	EUDX-U000-W	187.98

Features

- Includes one USB charging simplex (with two USB outlets) with 72"(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
 - Flip Top Unit
 - Double Sided Flip Top Unit
 - Quick Connect Power
 - Workware Interface Module
 - Flush Mount Module
 - Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:

- Product number.
(No finish specification required.)

EUDX-U000-B




Electrical Components

Classic Power Module

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price
Corded								
		6'(1829mm)	Black	Black	3	2 Power Receptacles, 1 USB Charging	EUF1-PF0B-21000	\$273.15
					4	3 Power Receptacles, 1 USB Charging	EUF1-PF0B-31000	287.27
		6'(1829mm)	White	White	3	2 Power Receptacles, 1 USB Charging	EUF1-PF0W-21000	\$273.15
					4	3 Power Receptacles, 1 USB Charging	EUF1-PF0W-31000	287.27
		10'(3048mm)	Black	Black	3	2Power Receptacles, 1 USB Charging	EUF1-PJ0B-21000	\$294.00
					4	3 Power Receptacles, 1 USB Charging	EUF1-PJ0B-31000	308.12
		10'(3048mm)	White	White	3	2 Power Receptacles, 1 USB Charging	EUF1-PJ0W-21000	\$294.00
					4	3 Power Receptacles, 1 USB Charging	EUF1-PJ0W-31000	308.12

Classic Power Module



Features

- Includes power module with 3 or 4 ports configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets).
- Corded power module with 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two 5V USB 2.0 style A outlets, each with 10.5W (2.1Amp) charging capacity.
- Attaches to surface with separately specified mounting brackets.
- Color option of black or white front.

Specification Tips

- Configuration and quantity of power and USB ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Mounting Bracket


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Classic Power Module Brackets

	Description	Number	Price
Classic Power Module Bracket - Angled	Black	EUFB-0000-AB	\$65.52
	White	EUFB-0000-AW	65.52



EUFB-0000-AB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Fixed Bracket mounts Classic Power Module to edge of worksurface with thumb screws for ease of relocation.


Specification Tips

- **Accommodates 2"(51mm) thick tops.**
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- Recommended for use on panel mounted worksurface or freestanding table top.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Classic Power Module Bracket - Vertical Bracket	Black	EUFB-0000-SB	\$65.52
	White	EUFB-0000-SW	65.52



EUFB-0000-SB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Adjustable bracket mounts Classic Power Module to edge of worksurface with thumb screws for ease of relocation.


Specification Tips

- **Accommodates 2"(51mm) thick tops.**
- Adjustable Classic Power Module Bracket may interfere with Screen application.
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.
- Recommended for use on freestanding table top.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Classic Power Module Bracket - Under Surface	Black	EUFB-0000-UB	\$65.52
	White	EUFB-0000-UW	65.52



EUFB-0000-UB

Features

- Includes one Classic Power Module mounting bracket and mounting hardware.
- Under Surface bracket mounts Classic Power Module under worksurface with mounting screws.

Specification Tips

- Under surface Classic Power Module bracket may be used on top of worksurface in restricted reach (ADA) applications. Mounting screws will deface top of worksurface.
- Classic Power Module applications should be reviewed by local authorities (electrical inspector) prior to ordering due to varying local codes.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Collaborative Power Station

	Color	Number	Price
Collaborative Power Station	Fog/Matte Fog	EUCN-PJ0F-311	\$1320.62
	Storm/Matte Storm	EUCN-PJ0S-311	1320.62
	Black/Matte Black	EUCN-PJ0B-311	1320.62
	Fog/Weathered Aspen Veneer	EUCN-PJ0V-311	1822.86



EUCN-PJ



Features

- Includes power module with 5 ports (3 on the top and 2 on the bottom) configured with simplex outlets (NEMA-5-15R) and USB charging port.
- Corded power module with 15 amp - 9’(2743mm) long cord with plug (NEMA 5-15P).
- USB-A provides two 10W charging ports.
- USB-C 18W provides a single 18w USB-C port that can provide a fast charge for mobile phones and tablets.
- Color options:
 - Fog/Matte Fog
 - Storm/Matte Storm
 - Black/Matte Black
 - Fog/Weathered Aspen Veneer

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips



- Configuration and quantity of power and data ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

This page intentionally blank

Electrical Components

Enhanced Power Module — Seamless

Enhanced Power Module — Seamless



EUS1-PF0B
EUS1-PF0W
EUS1-HL0B
EUS1-HL0W

Features

- Includes power module with 2, 3, 4, 5 or 6 ports configured with simplex outlets (NEMA-5-15R), USB charging port or data ports and mounting hardware.
- Power Modules specified with a data port includes a variety of data port adapters and blank covers, which accommodate most varieties of field supplied data/AV Jacks.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Corded power module with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- Hardwire power module with 12'(3658mm) flexible galvanized metal conduit with fitting for 0.5"(13mm) knockout and wires for hardwire connection.
- USB-A provides two 10W charging ports.
- USB-C 60W charging ports not available for hardwire.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge a computer. Occupies two charging ports.
- Attaches to surface with separately specified mounting brackets.
- Enhanced Power Module Bracket EUDB-0000-B_ for perimeter edge power.
- Color option of black or white plastic front.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Mounting Bracket
 - Horizontal and Vertical Wire Management

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module — Seamless

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price
Corded								
4"(102mm)	1.875"(48mm)	6'(1829mm)	Black	Black	2	1 Power Receptacles, 1 Data Port	EUS1-PF0B-1010	\$ 480.33
						1 Power Receptacles, 1 USB-A Charging	EUS1-PF0B-1100	574.52
						2 Power Receptacles	EUS1-PF0B-2000	480.33
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0B-100001	\$ 822.42
						2 Power Receptacles, 1 Data Port	EUS1-PF0B-2010	561.96
						2 Power Receptacles, 1 USB-A Charging	EUS1-PF0B-2100	656.15
						3 Power Receptacles	EUS1-PF0B-3000	561.96
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PF0B-2200	\$ 750.34
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PF0B-210010	814.69
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0B-200001	822.42
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0B-2110	656.15
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PF0B-201010	720.50
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PF0B-210001	\$ 998.23
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0B-3110	737.77
						3 Power Receptacles, 2 USB-A Charging	EUS1-PF0B-3200	831.96
						4 Power Receptacles, 1 Data Port	EUS1-PF0B-4010	643.58
						5 Power Receptacles	EUS1-PF0B-5000	643.58
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PF0B-211001	\$ 1079.85
4"(102mm)	1.875"(48mm)	6'(1829mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-PF0W-1010	\$ 317.08
						1 Power Receptacles, 1 USB-A Charging	EUS1-PF0W-1100	411.27
						2 Power Receptacles	EUS1-PF0W-2000	317.08
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0W-100001	\$ 659.17
						2 Power Receptacles, 1 Data Port	EUS1-PF0W-2010	398.71
						2 Power Receptacles, 1 USB-A Charging	EUS1-PF0W-2100	492.90
						3 Power Receptacles	EUS1-PF0W-3000	398.71
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PF0W-2200	\$ 587.09
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PF0W-210010	651.44
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PF0W-200001	659.17
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0W-2110	492.90
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PF0W-201010	557.25
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PF0W-210001	\$ 834.98
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PF0W-3110	574.52
						3 Power Receptacles, 2 USB-A Charging	EUS1-PF0W-3200	668.71
						4 Power Receptacles, 1 Data Port	EUS1-PF0W-4010	480.33
						5 Power Receptacles	EUS1-PF0W-5000	480.33
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PF0W-211001	\$ 916.60
4"(102mm)	1.875"(48mm)	12'(3658mm)	Black	Black	2	1 Power Receptacles, 1 Data Port	EUS1-PL0B-1010	\$ 557.06
						1 Power Receptacles, 1 USB-A Charging	EUS1-PL0B-1100	651.25
						2 Power Receptacles	EUS1-PL0B-2000	557.06
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0B-100001	\$ 899.15
						2 Power Receptacles, 1 Data Port	EUS1-PL0B-2010	638.69
						2 Power Receptacles, 1 USB-A Charging	EUS1-PL0B-2100	732.88
						3 Power Receptacles	EUS1-PL0B-3000	638.69
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-PL0B-2200	\$ 827.07
						2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PL0B-210010	891.42
						2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0B-200001	899.15
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0B-2110	732.88
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PL0B-201010	797.23
9.5"(241mm)					5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PL0B-210001	\$ 1074.96
						3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0B-3110	814.50
						3 Power Receptacles, 2 USB-A Charging	EUS1-PL0B-3200	908.69
						4 Power Receptacles, 1 Data Port	EUS1-PL0B-4010	720.31
						5 Power Receptacles	EUS1-PL0B-5000	720.31
11"(279mm)					6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PL0B-211001	\$ 1156.58

Electrical Components

Enhanced Power Module — Seamless

Width	Depth	Cord Length	Trim Color	Color	Port	Configuration	Number	Price					
Corded													
4"(102mm)	1.875"(48mm)	12'(3658mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-PL0W-1010	\$ 393.81					
						1 Power Receptacles, 1 USB-A Charging	EUS1-PL0W-1100	488.00					
						2 Power Receptacles	EUS1-PL0W-2000	393.81					
5.5"(140mm)					3	1 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0W-100001	\$ 735.90					
						2 Power Receptacles, 1 Data Port	EUS1-PL0W-2010	475.44					
						2 Power Receptacles, 1 USB-A Charging	EUS1-PL0W-2100	569.63					
						3 Power Receptacles	EUS1-PL0W-3000	475.44					
						7"(178mm)				4	2 Power Receptacles, 2 USB-A Charging	EUS1-PL0W-2200	\$ 663.82
											2 Power Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	EUS1-PL0W-210010	728.17
2 Power Receptacles, 1 USB-C 60W Charging	EUS1-PL0W-200001	735.90											
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0W-2110	569.63					
						2 Power Receptacles, 1 Data Port, 1 Smart USB-A+C Charging	EUS1-PL0W-201010	633.98					
						9.5"(241mm)				5	2 Power Receptacles, 1 USB-A Charging, 1 USB-C 60W Charging	EUS1-PL0W-210001	\$ 911.71
3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-PL0W-3110	651.25											
3 Power Receptacles, 2 USB-A Charging	EUS1-PL0W-3200	745.44											
						4 Power Receptacles, 1 Data Port	EUS1-PL0W-4010	557.06					
						5 Power Receptacles	EUS1-PL0W-5000	557.06					
						11"(279mm)				6	2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 USB-C 60W Charging	EUS1-PL0W-211001	993.33
Hardwire													
4"(102mm)	1.875"(48mm)	12'(3658mm)	Black	Black	2	1 Power Receptacles, 1 Data Port					EUS1-HL0B-1010	\$ 653.25	
						1 Power Receptacles, 1 USB-A Charging	EUS1-HL0B-1100	747.44					
						2 Power Receptacles	EUS1-HL0B-2000	653.25					
5.5"(140mm)					3	2 Power Receptacles, 1 Data Port	EUS1-HL0B-2010	\$ 734.88					
						2 Power Receptacles, 1 USB-A Charging	EUS1-HL0B-2100	829.07					
						3 Power Receptacles	EUS1-HL0B-3000	734.88					
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-HL0B-2200	\$ 923.26					
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0B-2110	829.07					
9.5"(241mm)					5	3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0B-3110	\$ 910.69					
						3 Power Receptacles, 2 USB-A Charging	EUS1-HL0B-3200	1004.88					
						4 Power Receptacles, 1 Data Port	EUS1-HL0B-4010	816.50					
						5 Power Receptacles	EUS1-HL0B-5000	816.50					
4"(102mm)	1.875"(48mm)	12'(3658mm)	White	White	2	1 Power Receptacles, 1 Data Port	EUS1-HL0W-1010	\$ 490.00					
						1 Power Receptacles, 1 USB-A Charging	EUS1-HL0W-1100	584.19					
						2 Power Receptacles	EUS1-HL0W-2000	490.00					
5.5"(140mm)					3	2 Power Receptacles, 1 Data Port	EUS1-HL0W-2010	\$ 571.63					
						2 Power Receptacles, 1 USB-A Charging	EUS1-HL0W-2100	665.82					
						3 Power Receptacles	EUS1-HL0W-3000	571.63					
7"(178mm)					4	2 Power Receptacles, 2 USB-A Charging	EUS1-HL0W-2200	\$ 760.01					
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0W-2110	665.82					
9.5"(241mm)					5	3 Power Receptacles, 1 USB-A Charging, 1 Data Port	EUS1-HL0W-3110	\$ 747.44					
						3 Power Receptacles, 2 USB-A Charging	EUS1-HL0W-3200	841.63					
						4 Power Receptacles, 1 Data Port	EUS1-HL0W-4010	653.25					
						5 Power Receptacles	EUS1-HL0W-5000	653.25					

This page intentionally blank

Electrical Components


Enhanced Power Module — Corded

3-Port:
(2) Power
(1) USB-A




EUD1-PF0B-2010

4-Port:
(2) Power
(1) USB-A
(1) Data




EUD1-PF0B-2110

6-Port:
(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



EUD1-PF0B-2112

4-Port:
(4) Power



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUD1-PF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6’(1829mm) or 12’(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets.
- 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Separately specify attachment hardware for desired application.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	\$ 552.38
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	552.38
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	646.57
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	740.76
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	552.38
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	646.57
						3 Power Receptacles	EUD1-PF0B-3000	552.38
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	\$ 552.38
						1 Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	552.38
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	646.57
						1 Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	834.95
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	552.38
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	552.38
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	646.57
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	740.76
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	552.38
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	646.57
						4 Power Receptacles	EUD1-PF0B-4000	552.38
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	\$ 728.19
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	728.19
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	728.19
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	822.38
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	822.38
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	916.57
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	916.57
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	1010.76
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	634.00
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	634.00
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	634.00
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	728.19
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	728.19
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	822.38
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	822.38
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	916.57
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	1010.76
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	634.00
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	728.19
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	728.19
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	822.38
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	916.57
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	634.00
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	634.00
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	728.19
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	822.38
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	634.00
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	728.19
						6 Power Receptacles	EUD1-PF0B-6000	634.00

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	\$389.13
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	389.13
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	483.32
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	577.51
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	389.13
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	483.32
						3 Power Receptacles	EUD1-PF0W-3000	389.13
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	\$389.13
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	389.13
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	483.32
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	671.70
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	389.13
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	389.13
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	483.32
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	577.51
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	389.13
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	483.32
						4 Power Receptacles	EUD1-PF0W-4000	389.13
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	\$564.94
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	564.94
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	564.94
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	659.13
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	659.13
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	753.32
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	753.32
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	847.51
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	470.75
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	470.75
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	470.75
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	564.94
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	564.94
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	659.13
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	659.13
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	753.32
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	847.51
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	470.75
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	564.94
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	564.94
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	659.13
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	753.32
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	470.75
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	470.75
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	564.94
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	659.13
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	470.75
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	564.94
						6 Power Receptacles	EUD1-PF0W-6000	470.75

Electrical Components

Enhanced Power Module — Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	\$ 629.11
						1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	629.11
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	723.30
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	817.49
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	629.11
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	723.30
						3 Power Receptacles	EUD1-PL0B-3000	629.11
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	\$ 629.11
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	629.11
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	723.30
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	911.68
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	629.11
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	629.11
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	723.30
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	817.49
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	629.11
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	723.30
						4 Power Receptacles	EUD1-PL0B-4000	629.11
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	\$ 804.92
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	804.92
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	804.92
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	899.11
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	899.11
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	993.30
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	993.30
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	1087.49
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	710.73
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	710.73
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	710.73
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	804.92
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	804.92
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	899.11
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	899.11
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	993.30
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	1087.49
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	710.73
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	804.92
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	804.92
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	899.11
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	993.30
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	710.73
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	710.73
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	804.92
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	899.11
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	710.73
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	804.92
						6 Power Receptacles	EUD1-PL0B-6000	710.73

Electrical Components

Enhanced Power Module — Corded


Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9.5" (241mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	\$465.86
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	465.86
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	560.05
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	654.24
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	465.86
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	560.05
						3 Power Receptacles	EUD1-PL0W-3000	465.86
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	\$465.86
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	465.86
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	560.05
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	748.43
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	465.86
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	465.86
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	560.05
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	654.24
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	465.86
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	560.05
						4 Power Receptacles	EUD1-PL0W-4000	465.86
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	\$641.67
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	641.67
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	641.67
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	735.86
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	735.86
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	830.05
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	830.05
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	924.24
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	547.48
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	547.48
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	547.48
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	641.67
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	641.67
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	735.86
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	735.86
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	830.05
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	924.24
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	547.48
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	641.67
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	641.67
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	735.86
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	830.05
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	547.48
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	547.48
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	641.67
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	735.86
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	547.48
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	641.67
						6 Power Receptacles	EUD1-PL0W-6000	547.48

This page intentionally blank

Electrical Components

Enhanced Power Module — Hardwire


3-Port:
(2) Power
(1) USB-A



Hard Wired

EUD1-HF0B-2010


4-Port:
(2) Power
(1) USB-A
(1) Data



Hard Wired

EUD1-HF0B-2110

6-Port:
(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



Hard Wired

EUD1-HF0B-2112

- Features**
- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
 - Data port accommodate most varieties of field supplied data/AV jacks.
 - Attaches to surface with use of separately specified mounting brackets.
 - Hardwired power module with 6’(1829mm) or 12’(3658mm) long flexible metal conduit feed, 0.5”(13mm) conduit fitting and wires for hardwire connection.
 - USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
 - Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

- Specification Tips**
- **Configuration and quantity of power and data ports cannot be modified in the field.**
 - **For use with 120 volt 60 hertz power source only.**
 - Separately specify attachment hardware for desired application.
 - Requires field installation.
 - Specify AV cables separately.
 - Cable Bay requires cables less than 0.3”(7.6mm) diameter.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	\$ 648.57
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	648.57
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	742.76
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	836.95
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	648.57
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	742.76
						3 Power Receptacles	EUD1-HF0B-3000	648.57
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	\$ 648.57
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	648.57
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	742.76
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	931.14
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	648.57
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	648.57
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	742.76
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	836.95
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	648.57
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	742.76
9.5" (241mm)	3" (76mm)				6	4 Power Receptacles	EUD1-HF0B-4000	648.57
						1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	\$ 824.38
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	824.38
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	824.38
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	918.57
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	918.57
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	1012.76
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	1012.76
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	1106.95
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	730.19
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	730.19
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	730.19
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	824.38
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	824.38
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	918.57
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	918.57
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	1012.76
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	1106.95
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	730.19
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	824.38
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	824.38
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	918.57
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	1012.76
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	730.19
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	730.19
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	824.38
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	918.57
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	730.19
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	824.38
						6 Power Receptacles	EUD1-HF0B-6000	730.19

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	\$485.32
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	485.32
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	579.51
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	673.70
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	485.32
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	579.51
						3 Power Receptacles	EUD1-HF0W-3000	485.32
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	\$485.32
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	485.32
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	579.51
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	767.89
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	485.32
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	485.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	579.51
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	673.70
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	485.32
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	579.51
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	\$661.13
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	661.13
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	661.13
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	755.32
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	755.32
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	849.51
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	849.51
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	943.70
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	566.94
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	566.94
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	566.94
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	661.13
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	661.13
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	755.32
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	755.32
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	849.51
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	943.70
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	566.94
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	661.13
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	661.13
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	755.32
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	849.51
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	566.94
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	566.94
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	661.13
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	755.32
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	566.94
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	661.13
						6 Power Receptacles	EUD1-HF0W-6000	566.94

Electrical Components

Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HLOB-1002	\$ 725.30
						1 Power Receptacle, 2 Data Ports	EUD1-HLOB-1020	725.30
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HLOB-1110	819.49
						1 Power Receptacle, 2 USB Charging	EUD1-HLOB-1200	913.68
						2 Power Receptacles, 1 Data Port	EUD1-HLOB-2010	725.30
						2 Power Receptacles, 1 USB Charging	EUD1-HLOB-2100	819.49
						3 Power Receptacles	EUD1-HLOB-3000	725.30
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HLOB-1012	\$ 725.30
						1 Power Receptacle, 3 Data Ports	EUD1-HLOB-1030	725.30
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HLOB-1102	819.49
						1 Power Receptacle, 3 USB Charging	EUD1-HLOB-1300	1007.87
						2 Power Receptacles, 1 Cable Bay	EUD1-HLOB-2002	725.30
						2 Power Receptacles, 2 Data Ports	EUD1-HLOB-2020	725.30
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOB-2110	819.49
						2 Power Receptacles, 2 USB Charging	EUD1-HLOB-2200	913.68
						3 Power Receptacles, 1 Data Port	EUD1-HLOB-3010	725.30
						3 Power Receptacles, 1 USB Charging	EUD1-HLOB-3100	819.49
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HLOB-1104	\$ 901.11
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HLOB-1122	901.11
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HLOB-1140	901.11
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOB-1212	995.30
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HLOB-1230	995.30
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HLOB-1302	1089.49
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HLOB-1320	1089.49
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HLOB-1410	1183.68
						2 Power Receptacles, 2 Cable Bays	EUD1-HLOB-2004	806.92
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HLOB-2022	806.92
						2 Power Receptacles, 4 Data Ports	EUD1-HLOB-2040	806.92
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOB-2112	901.11
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HLOB-2130	901.11
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HLOB-2202	995.30
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HLOB-2220	995.30
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HLOB-2310	1089.49
						2 Power Receptacles, 4 USB Charging	EUD1-HLOB-2400	1183.68
						3 Power Receptacles, 3 Data Ports	EUD1-HLOB-3030	806.92
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HLOB-3102	901.11
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HLOB-3120	901.11
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HLOB-3210	995.30
						3 Power Receptacles, 3 USB Charging	EUD1-HLOB-3300	1089.49
						4 Power Receptacles, 1 Cable Bay	EUD1-HLOB-4002	806.92
						4 Power Receptacles, 2 Data Ports	EUD1-HLOB-4020	806.92
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOB-4110	901.11
						4 Power Receptacles, 2 USB Charging	EUD1-HLOB-4200	995.30
						5 Power Receptacles, 1 Data Port	EUD1-HLOB-5010	806.92
						5 Power Receptacles, 1 USB Charging	EUD1-HLOB-5100	901.11
						6 Power Receptacles	EUD1-HLOB-6000	806.92

Electrical Components


Enhanced Power Module — Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HLOW-1002	\$ 562.05
						1 Power Receptacle, 2 Data Ports	EUD1-HLOW-1020	562.05
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HLOW-1110	656.24
						1 Power Receptacle, 2 USB Charging	EUD1-HLOW-1200	750.43
						2 Power Receptacles, 1 Data Port	EUD1-HLOW-2010	562.05
						2 Power Receptacles, 1 USB Charging	EUD1-HLOW-2100	656.24
						3 Power Receptacles	EUD1-HLOW-3000	562.05
6.5" (165mm)	3" (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1012	\$ 562.05
						1 Power Receptacle, 3 Data Ports	EUD1-HLOW-1030	562.05
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-1102	656.24
						1 Power Receptacle, 3 USB Charging	EUD1-HLOW-1300	844.62
						2 Power Receptacles, 1 Cable Bay	EUD1-HLOW-2002	562.05
						2 Power Receptacles, 2 Data Ports	EUD1-HLOW-2020	562.05
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-2110	656.24
						2 Power Receptacles, 2 USB Charging	EUD1-HLOW-2200	750.43
						3 Power Receptacles, 1 Data Port	EUD1-HLOW-3010	562.05
						3 Power Receptacles, 1 USB Charging	EUD1-HLOW-3100	656.24
9.5" (241mm)	3" (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HLOW-1104	\$ 737.86
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-1122	737.86
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HLOW-1140	737.86
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1212	832.05
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HLOW-1230	832.05
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HLOW-1302	926.24
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HLOW-1320	926.24
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HLOW-1410	1020.43
						2 Power Receptacles, 2 Cable Bays	EUD1-HLOW-2004	643.67
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-2022	643.67
						2 Power Receptacles, 4 Data Ports	EUD1-HLOW-2040	643.67
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-2112	737.86
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HLOW-2130	737.86
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HLOW-2202	832.05
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HLOW-2220	832.05
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HLOW-2310	926.24
						2 Power Receptacles, 4 USB Charging	EUD1-HLOW-2400	1020.43
						3 Power Receptacles, 3 Data Ports	EUD1-HLOW-3030	643.67
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-3102	737.86
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HLOW-3120	737.86
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HLOW-3210	832.05
						3 Power Receptacles, 3 USB Charging	EUD1-HLOW-3300	926.24
						4 Power Receptacles, 1 Cable Bay	EUD1-HLOW-4002	643.67
						4 Power Receptacles, 2 Data Ports	EUD1-HLOW-4020	643.67
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-4110	737.86
						4 Power Receptacles, 2 USB Charging	EUD1-HLOW-4200	832.05
						5 Power Receptacles, 1 Data Port	EUD1-HLOW-5010	643.67
						5 Power Receptacles, 1 USB Charging	EUD1-HLOW-5100	737.86
						6 Power Receptacles	EUD1-HLOW-6000	643.67

Electrical Components

Enhanced Power Module — Spiral Corded — Height Adjustable


Top Depth	Top Width	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
3"	6.5"	10'(3048mm)- 12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	\$ 997.56
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	1091.75
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	903.37
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	997.56
					4	4 Power Receptacles	EUD1-SF0B-4000	903.37
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	\$ 834.31
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	928.50
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	740.12
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	834.31
					4	4 Power Receptacles	EUD1-SF0W-4000	740.12

4-Port:(2) Power
(1) USB-A
(1) Data

EUD1-SF0B-2110

4-Port:

(4) Power



EUD1-SF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands to 12'(3658mm) when stretched.
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- For use with:**
 - Planes or Planes LT Model Height Adjustable Tables
 - Planes or Planes LT Model Height Adjustable Bench
 - Upside+ or Upside Model Height Adjustable Tables
- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:



- Product number.
(No finish specification required.)

NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

Electrical Components

Enhanced Power Module — Cord for Height Adjustable

Top Depth	Top Width	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
3" (76mm)	6.5" (165mm)	10'(3048mm)- 12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0B-2110	\$1074.29
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0B-2200	1168.48
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0B-3010	980.10
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0B-3100	1074.29
					4	4 Power Receptacles	EUD1-SL0B-4000	980.10
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0W-2110	\$ 911.04
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0W-2200	1005.23
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0W-3010	816.85
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0W-3100	911.04
					4	4 Power Receptacles	EUD1-SL0W-4000	816.85



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/ AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- **For use with:**
 - Planes or Planes LT Model Height Adjustable Tables
 - Planes or Planes LT Model Height Adjustable Bench
 - Upside+ or Upside Model Height Adjustable Tables
- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-HB	\$85.68
				White Bracket	EUDB-0000-HW	85.68



EUDB-0000-H



EUDB-0000-H
Class YA - SIN 33721
Discount Group XIII

Features


- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to back edge of 1.125"(29mm) to 2"(51mm) worktop.
- Not for use with a tack board.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.



EUDB-0000-NB



EUDB-0000-N
Class YA – GSA: Open Market



4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-NB	\$123.61
			White Bracket	EUDB-0000-NW	123.61

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules.
- Available in black or white.
- Mounts to work surface edge.

To Order, Specify:









- 1) Product number.
(No finish specification required.)

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Designed to be used with knife edge or pillowed knife edge work surfaces.


Electrical Components

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable with Tackboard Offset	4"(102mm)	3.5"(89mm)	3.5"(89mm)	Black Bracket	EUDB-0000-TB	\$85.68
				White Bracket	EUDB-0000-TW	85.68
 EUDB-0000-T  Side View Detail  Features - Includes bracket and mounting hardware. - For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules. - Available in black or white. - Mounts to back edge of 1.125"(29mm) to 2"(51mm) worktop when a tackboard is present. To Order, Specify: - Product number. (No finish specification required.)						
Specification Tips - Specify Enhanced Power Module separately. - Requires field installation. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.						
	Height	Width	Length	Description	Number	Price
Above Worksurface – Fixed	4.25"(107mm)	3"(76mm)	2"(51mm)	Black Bracket	EUDB-0000-WB	\$85.68
				White Bracket	EUDB-0000-WW	85.68
 EUDB-0000-W  Side View Detail  Features - Includes bracket and mounting hardware. - For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules. - Available in black or white. - Mounts under worksurface with Enhanced Power Module above worksurface. To Order, Specify: - Product number. (No finish specification required.)						
Specification Tips - Specify Enhanced Power Module separately. - Requires field installation. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.						
	Height	Width	Length	Description	Number	Price
Under Worksurface – Fixed	2"(51mm)	3"(76mm)	2.5"(64mm)	Black Bracket	EUDB-0000-UB	\$85.68
				White Bracket	EUDB-0000-UW	85.68
 EUDB-0000-U  Side View Detail  Features - Includes bracket and mounting hardware. - For use with 3, 4 or 6 port Enhanced Power Module and 2-6 port Seamless Enhanced Power Modules. - Available in black or white. - Mounts under worksurface with offset to accommodate most transformer plugs. To Order, Specify: - Product number. (No finish specification required.)						
Specification Tips - Specify Enhanced Power Module separately. - Requires field installation. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.						

Electrical Components
Enhanced Power Module Bracket

	Height	Width	Depth	Trim Color	Number	Price
For Use with X Series	5"(127mm)	2.375"(60mm)	1.125"(29mm)	Black	EUDB-0000-JB	\$85.68
				White	EUDB-0000-JW	\$85.68



EUDB-J

Features


- Includes bracket, grommet and mounting hardware.
- Field installed.

Specification Tips

- Bracket designed to be used with X Series Enhanced Power Module only.
- Designed to be used in open storage cavities of lockers, group lockers, cubby lockers and combination units.
- Cannot be used in drawers or personal storage towers.
- A 1.25"(32mm) diameter Greenlee punch is recommended to punch the power hole through the back of our products (lockers).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.




EUDB-J


Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided


Power, Data and USB




EUC1-PF0P-311010



EUC1-PF0P-200000



EUC1-PF0P-210010



NOTE: Always Circuit Breaker Plug when more than three power outlets specified.

EUC1-PF0P-400000


Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75”(70mm) and will extend below the table top.
- Corded power module available with 15 amp - 6’(1829mm) or 10’(3048mm) long cord with plug (NEMA 5-15P).
- Ships assembled.

Specification Tips

- Configuration and quantity of ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Corded flip top units with four or more receptacles utilize a circuit breaker plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

2, 4, and 6 Port Examples



To Order, Specify:

- Product number.
- Finish color for Bezel/Port.
 - TR-PM1 Silver/White
 - TR-PM2 Midnight Black/Black
 - TR-PM8 Matte White/White
 - TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-PF0P-100010	\$ 673.61
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-PF0P-101000	832.15
				1 Receptacle, 1 USB-A Charging	A, B	EUC1-PF0P-110000	772.20
				2 Receptacles	A, B	EUC1-PF0P-200000	673.61
			4	1 Receptacle, 1 USB-A Charging, 1 Cable Bay	F, V	EUC1-PF0P-110001	\$ 799.57
				1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PF0P-111010	958.11
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-PF0P-101001	859.52
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-PF0P-100110	1043.14
				2 Receptacles, 1 Cable Bay	F, V	EUC1-PF0P-200001	700.98
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-PF0P-200100	1043.14
				2 Receptacles, 1 USB-A Charging, 1 Data Port	F, V	EUC1-PF0P-210010	799.57
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PF0P-201010	859.52
				2 Receptacles, 2 Data Ports	F, V	EUC1-PF0P-200020	700.98
				2 Receptacles, 2 USB-A Charging	F, V	EUC1-PF0P-220000	898.16
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-PF0P-202000	1018.06
				3 Receptacles, 1 Data Port	F, V	EUC1-PF0P-300010	700.98
				3 Receptacles, 1 USB-A Charging	F, V	EUC1-PF0P-310000	799.57
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-PF0P-301000	859.52
				4 Receptacles	F, V	EUC1-PF0P-400000	700.98
			6	1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-111011	\$ 911.85
				1 Receptacle, 1 USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PF0P-110120	1155.42
				1 Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-110021	813.26
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-101021	873.21
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-100111	1056.83
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PF0P-211001	971.80
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PF0P-211020	971.80
				2 Receptacles, 1 USB-A Charging, 3 Data Ports	J, K	EUC1-PF0P-210030	813.26
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-PF0P-201030	873.21
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-PF0P-200101	1056.83
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PF0P-200120	1056.83
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PF0P-200021	714.67
				2 Receptacles, 4 Data Ports	J, K	EUC1-PF0P-200040	714.67
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-PF0P-300011	714.67
				3 Receptacles, 1 USB-A Charging, 1 Cable Bay	J, K	EUC1-PF0P-310001	813.26
				3 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PF0P-311010	971.80
				3 Receptacles, 1 USB-A Charging, 2 Data Ports	J, K	EUC1-PF0P-310020	813.26
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PF0P-301001	873.21
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PF0P-301020	873.21
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-PF0P-300110	1056.83
				3 Receptacles, 3 Data Ports	J, K	EUC1-PF0P-300030	714.67
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-PF0P-402000	1031.75
				4 Receptacles, 1 Cable Bay	J, K	EUC1-PF0P-400001	714.67
				4 Receptacles, 1 USB-A Charging, 1 Data Port	J, K	EUC1-PF0P-410010	813.26
				4 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-PF0P-411000	971.80
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PF0P-401010	873.21
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-PF0P-400100	1056.83
				4 Receptacles, 2 Data Ports	J, K	EUC1-PF0P-400020	714.67
				4 Receptacles, 2 USB-A Charging	J, K	EUC1-PF0P-420000	911.85
				5 Receptacles, 1 Data Port	J, K	EUC1-PF0P-500010	714.67
				5 Receptacles, 1 USB-A Charging	J, K	EUC1-PF0P-510000	813.26
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-PF0P-501000	873.21
				6 Receptacles	J, K	EUC1-PF0P-600000	714.67

Electrical Components

Flip Top Unit with Smooth Bezel – Corded – Single-Sided



Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-PJ0P-100010	\$ 740.74
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-PJ0P-101000	899.28
				1 Receptacle, 1 Dual USB-A Charging	A, B	EUC1-PJ0P-110000	839.33
				2 Receptacles	A, B	EUC1-PJ0P-200000	740.74
			4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	F, V	EUC1-PJ0P-110001	\$ 866.70
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PJ0P-111010	1025.24
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-PJ0P-101001	926.65
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-PJ0P-100110	1110.27
				2 Receptacles, 1 Cable Bay	F, V	EUC1-PJ0P-200001	768.11
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	F, V	EUC1-PJ0P-210010	866.70
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-PJ0P-201010	926.65
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-PJ0P-200100	1110.27
				2 Receptacles, 2 Data Ports	F, V	EUC1-PJ0P-200020	768.11
				2 Receptacles, 2 Dual USB-A Charging	F, V	EUC1-PJ0P-220000	965.29
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-PJ0P-202000	1085.19
				3 Receptacles, 1 Data Port	F, V	EUC1-PJ0P-300010	768.11
				3 Receptacles, 1 Dual USB-A Charging	F, V	EUC1-PJ0P-310000	866.70
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-PJ0P-301000	926.65
				4 Receptacles	F, V	EUC1-PJ0P-400000	768.11
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-111011	\$1038.93
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PJ0P-110120	1222.55
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-110021	880.39
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-101021	940.34
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-100111	1123.96
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PJ0P-211001	1098.88
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PJ0P-211020	1098.88
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	J, K	EUC1-PJ0P-210030	880.39
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-PJ0P-201030	940.34
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-PJ0P-200101	1123.96
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-PJ0P-200120	1123.96
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-PJ0P-200021	781.80
				2 Receptacles, 4 Data Ports	J, K	EUC1-PJ0P-200040	781.80
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-PJ0P-300011	781.80
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	J, K	EUC1-PJ0P-310001	880.39
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PJ0P-311010	1038.93
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	J, K	EUC1-PJ0P-310020	880.39
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-PJ0P-301001	940.34
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-PJ0P-301020	940.34
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-PJ0P-300110	1123.96
				3 Receptacles, 3 Data Ports	J, K	EUC1-PJ0P-300030	781.80
				4 Receptacles, 1 Cable Bay	J, K	EUC1-PJ0P-400001	781.80
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	J, K	EUC1-PJ0P-410010	880.39
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-PJ0P-411000	1038.93
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-PJ0P-401010	940.34
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-PJ0P-400100	1123.96
				4 Receptacles, 2 Data Ports	J, K	EUC1-PJ0P-400020	781.80
				4 Receptacles, 2 Dual USB-A Charging	J, K	EUC1-PJ0P-420000	978.98
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-PJ0P-402000	1098.88
				5 Receptacles, 1 Data Port	J, K	EUC1-PJ0P-500010	781.80
				5 Receptacles, 1 Dual USB-A Charging	J, K	EUC1-PJ0P-510000	880.39
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-PJ0P-501000	940.34
				6 Receptacles	J, K	EUC1-PJ0P-600000	781.80

This page intentionally blank


Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided


Power, Data and USB



EUC2-PF0P-311010



EUC2-PF0P-210010



NOTE: Always Circuit Breaker Plug when more than three power outlets specified.
EUC2-PF0P-400000

Features

- Includes double flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75”(70mm) and will extend below the table top.
- Corded power module available with two 15 amp - 6’(1829mm) or 10’(3048mm) long cord with plug (NEMA 5-15P).
- Ships assembled.

Specification Tips

- **Configuration and quantity of ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Corded flip top units with four receptacles utilize a circuit breaker plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.
TR-PM1 Silver/White
TR-PM2 Midnight Black/Black
TR-PM8 Matte White/White
TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/T).

Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-PF0P-110001	\$1522.98
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PF0P-111010	1681.52
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-PF0P-101001	1582.93
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-PF0P-100110	1766.55
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-PF0P-200100	1766.55
				2 Receptacles, 1 Cable Bay	M, P	EUC2-PF0P-200001	1424.39
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-PF0P-210010	1522.98
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PF0P-201010	1582.93
				2 Receptacles, 2 Data Ports	M, P	EUC2-PF0P-200020	1424.39
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-PF0P-220000	1621.57
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-PF0P-202000	1741.47
				3 Receptacles, 1 Data Port	M, P	EUC2-PF0P-300010	1424.39
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-PF0P-310000	1522.98
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-PF0P-301000	1582.93
				4 Receptacles	M, P	EUC2-PF0P-400000	1424.39
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-111011	\$1736.25
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PF0P-110120	1919.87
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-110021	1577.71
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-101021	1637.66
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-100111	1821.28
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PF0P-211001	1736.25
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PF0P-211020	1736.25
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, T	EUC2-PF0P-210030	1577.71
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, T	EUC2-PF0P-201030	1637.66
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, T	EUC2-PF0P-200101	1821.28
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PF0P-200120	1821.28
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PF0P-200021	1479.12
				2 Receptacles, 4 Data Ports	Q, T	EUC2-PF0P-200040	1479.12
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PF0P-300011	1479.12
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, T	EUC2-PF0P-310001	1577.71
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PF0P-311010	1736.25
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, T	EUC2-PF0P-310020	1577.71
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PF0P-301001	1637.66
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PF0P-301020	1637.66
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, T	EUC2-PF0P-300110	1821.28
				3 Receptacles, 3 Data Ports	Q, T	EUC2-PF0P-300030	1479.12
				4 Receptacles, 2 Dual USB-A Charging	Q, T	EUC2-PF0P-420000	1676.30
				4 Receptacles, 1 Cable Bay	Q, T	EUC2-PF0P-400001	1479.12
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, T	EUC2-PF0P-410010	1577.71
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, T	EUC2-PF0P-411000	1736.25
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PF0P-401010	1637.66
				4 Receptacles, 1 USB-C 60W Charging	Q, T	EUC2-PF0P-400100	1821.28
				4 Receptacles, 2 Data Ports	Q, T	EUC2-PF0P-400020	1479.12
				4 Receptacles, 2 Smart USB-A+C Charging	Q, T	EUC2-PF0P-402000	1796.20
				5 Receptacles, 1 Data Port	Q, T	EUC2-PF0P-500010	1479.12
				5 Receptacles, 1 Dual USB-A Charging	Q, T	EUC2-PF0P-510000	1577.71
				5 Receptacles, 1 Smart USB-A+C Charging	Q, T	EUC2-PF0P-501000	1637.66
				6 Receptacles	Q, T	EUC2-PF0P-600000	1479.12

Electrical Components

Flip Top Unit with Smooth Bezel — Corded — Double-Sided


Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-PJ0P-110001	\$1590.11
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PJ0P-111010	1748.65
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-PJ0P-101001	1650.06
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-PJ0P-100110	1833.68
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-PJ0P-200100	1833.68
				2 Receptacles, 1 Cable Bay	M, P	EUC2-PJ0P-200001	1491.52
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-PJ0P-210010	1590.11
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-PJ0P-201010	1650.06
				2 Receptacles, 2 Data Ports	M, P	EUC2-PJ0P-200020	1491.52
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-PJ0P-220000	1688.70
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-PJ0P-202000	1808.60
				3 Receptacles, 1 Data Port	M, P	EUC2-PJ0P-300010	1491.52
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-PJ0P-310000	1590.11
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-PJ0P-301000	1650.06
				4 Receptacles	M, P	EUC2-PJ0P-400000	1491.52
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-111011	\$1803.38
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PJ0P-110120	1987.00
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-110021	1644.84
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-101021	1704.79
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-100111	1888.41
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-211001	1803.38
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PJ0P-211020	1803.38
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, T	EUC2-PJ0P-210030	1644.84
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, T	EUC2-PJ0P-201030	1704.79
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-200101	1888.41
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, T	EUC2-PJ0P-200120	1888.41
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUC2-PJ0P-200021	1546.25
				2 Receptacles, 4 Data Ports	Q, T	EUC2-PJ0P-200040	1546.25
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUC2-PJ0P-300011	1546.25
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-310001	1644.84
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PJ0P-311010	1803.38
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, T	EUC2-PJ0P-310020	1644.84
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, T	EUC2-PJ0P-301001	1704.79
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, T	EUC2-PJ0P-301020	1704.79
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, T	EUC2-PJ0P-300110	1888.41
				3 Receptacles, 3 Data Ports	Q, T	EUC2-PJ0P-300030	1546.25
				4 Receptacles, 2 Dual USB-A Charging	Q, T	EUC2-PJ0P-420000	1743.43
				4 Receptacles, 1 Cable Bay	Q, T	EUC2-PJ0P-400001	1546.25
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, T	EUC2-PJ0P-410010	1644.84
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-411000	1803.38
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, T	EUC2-PJ0P-401010	1704.79
				4 Receptacles, 1 USB-C 60W Charging	Q, T	EUC2-PJ0P-400100	1888.41
				4 Receptacles, 2 Data Ports	Q, T	EUC2-PJ0P-400020	1546.25
				4 Receptacles, 2 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-402000	1863.33
				5 Receptacles, 1 Data Port	Q, T	EUC2-PJ0P-500010	1546.25
				5 Receptacles, 1 Dual USB-A Charging	Q, T	EUC2-PJ0P-510000	1644.84
				5 Receptacles, 1 Smart USB-A+C Charging	Q, T	EUC2-PJ0P-501000	1704.79
				6 Receptacles	Q, T	EUC2-PJ0P-600000	1546.25

This page intentionally blank


Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided


Power, Data and USB



EUC1-HF0P-311010



EUC1-HF0P-200000



EUC1-HF0P-210010

Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table top.
- Hardwired power module with 6'(1829mm) or 10'(3048mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- Ships assembled.

Specification Tips

- **Configuration and quantity of ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.
 - TR-PM1 Silver/White
 - TR-PM2 Midnight Black/Black
 - TR-PM8 Matte White/White
 - TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-HF0P-100010	\$ 783.45
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-HF0P-101000	941.99
				1 Receptacle, 1 USB-A Charging	A, B	EUC1-HF0P-110000	882.04
				2 Receptacles	A, B	EUC1-HF0P-200000	783.45
			4	1 Receptacle, 1 USB-A Charging, 1 Cable Bay	F, V	EUC1-HF0P-110001	\$ 909.41
				1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HF0P-111010	1067.95
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-HF0P-101001	969.36
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-HF0P-100110	1152.98
				2 Receptacles, 1 Cable Bay	F, V	EUC1-HF0P-200001	810.82
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-HF0P-200100	1152.98
				2 Receptacles, 1 USB-A Charging, 1 Data Port	F, V	EUC1-HF0P-210010	909.41
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HF0P-201010	969.36
				2 Receptacles, 2 Data Ports	F, V	EUC1-HF0P-200020	810.82
				2 Receptacles, 2 USB-A Charging	F, V	EUC1-HF0P-220000	1008.00
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-HF0P-202000	1127.90
				3 Receptacles, 1 Data Port	F, V	EUC1-HF0P-300010	810.82
				3 Receptacles, 1 USB-A Charging	F, V	EUC1-HF0P-310000	909.41
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-HF0P-301000	969.36
				4 Receptacles	F, V	EUC1-HF0P-400000	810.82
			6	1 Receptacle, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-111011	\$1081.64
				1 Receptacle, 1 USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HF0P-110120	1265.26
				1 Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-110021	923.10
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-101021	983.05
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-100111	1166.67
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HF0P-211001	1081.64
				2 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HF0P-211020	1081.64
				2 Receptacles, 1 USB-A Charging, 3 Data Ports	J, K	EUC1-HF0P-210030	923.10
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-HF0P-201030	983.05
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-HF0P-200101	1166.67
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HF0P-200120	1166.67
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HF0P-200021	824.51
				2 Receptacles, 4 Data Ports	J, K	EUC1-HF0P-200040	824.51
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-HF0P-300011	824.51
				3 Receptacles, 1 USB-A Charging, 1 Cable Bay	J, K	EUC1-HF0P-310001	923.10
				3 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HF0P-311010	1081.64
				3 Receptacles, 1 USB-A Charging, 2 Data Ports	J, K	EUC1-HF0P-310020	923.10
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HF0P-301001	983.05
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HF0P-301020	983.05
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-HF0P-300110	1166.67
				3 Receptacles, 3 Data Ports	J, K	EUC1-HF0P-300030	824.51
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-HF0P-402000	1141.59
				4 Receptacles, 1 Cable Bay	J, K	EUC1-HF0P-400001	824.51
				4 Receptacles, 1 USB-A Charging, 1 Data Port	J, K	EUC1-HF0P-410010	923.10
				4 Receptacles, 1 USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-HF0P-411000	1081.64
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HF0P-401010	983.05
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-HF0P-400100	1166.67
				4 Receptacles, 2 Data Ports	J, K	EUC1-HF0P-400020	824.51
				4 Receptacles, 2 USB-A Charging	J, K	EUC1-HF0P-420000	1021.69
				5 Receptacles, 1 Data Port	J, K	EUC1-HF0P-500010	824.51
				5 Receptacles, 1 USB-A Charging	J, K	EUC1-HF0P-510000	923.10
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-HF0P-501000	983.05
				6 Receptacles	J, K	EUC1-HF0P-600000	824.51

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Single-Sided




Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	2	1 Receptacle, 1 Data Port	A, B	EUC1-HJ0P-100010	\$ 850.58
				1 Receptacle, 1 Smart USB-A+C Charging	A, B	EUC1-HJ0P-101000	1009.12
				1 Receptacle, 1 Dual USB-A Charging	A, B	EUC1-HJ0P-110000	949.17
				2 Receptacles	A, B	EUC1-HJ0P-200000	850.58
			4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	F, V	EUC1-HJ0P-110001	\$ 976.54
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HJ0P-111010	1135.08
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUC1-HJ0P-101001	1036.49
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	F, V	EUC1-HJ0P-100110	1220.11
				2 Receptacles, 1 Cable Bay	F, V	EUC1-HJ0P-200001	877.95
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	F, V	EUC1-HJ0P-210010	976.54
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUC1-HJ0P-201010	1036.49
				2 Receptacles, 1 USB-C 60W Charging	F, V	EUC1-HJ0P-200100	1220.11
				2 Receptacles, 2 Data Ports	F, V	EUC1-HJ0P-200020	877.95
				2 Receptacles, 2 Dual USB-A Charging	F, V	EUC1-HJ0P-220000	1075.13
				2 Receptacles, 2 Smart USB-A+C Charging	F, V	EUC1-HJ0P-202000	1195.03
				3 Receptacles, 1 Data Port	F, V	EUC1-HJ0P-300010	877.95
				3 Receptacles, 1 Dual USB-A Charging	F, V	EUC1-HJ0P-310000	976.54
				3 Receptacles, 1 Smart USB-A+C Charging	F, V	EUC1-HJ0P-301000	1036.49
				4 Receptacles	F, V	EUC1-HJ0P-400000	877.95
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-111011	\$1148.77
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HJ0P-110120	1332.39
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-110021	990.23
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-101021	1050.18
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-100111	1233.80
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HJ0P-211001	1148.77
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HJ0P-211020	1148.77
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	J, K	EUC1-HJ0P-210030	990.23
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	J, K	EUC1-HJ0P-201030	1050.18
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUC1-HJ0P-200101	1233.80
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUC1-HJ0P-200120	1233.80
				2 Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUC1-HJ0P-200021	891.64
				2 Receptacles, 4 Data Ports	J, K	EUC1-HJ0P-200040	891.64
				3 Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUC1-HJ0P-300011	891.64
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	J, K	EUC1-HJ0P-310001	990.23
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HJ0P-311010	1148.77
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	J, K	EUC1-HJ0P-310020	990.23
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUC1-HJ0P-301001	1050.18
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUC1-HJ0P-301020	1050.18
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUC1-HJ0P-300110	1233.80
				3 Receptacles, 3 Data Ports	J, K	EUC1-HJ0P-300030	891.64
				4 Receptacles, 1 Cable Bay	J, K	EUC1-HJ0P-400001	891.64
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	J, K	EUC1-HJ0P-410010	990.23
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	J, K	EUC1-HJ0P-411000	1148.77
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	J, K	EUC1-HJ0P-401010	1050.18
				4 Receptacles, 1 USB-C 60W Charging	J, K	EUC1-HJ0P-400100	1233.80
				4 Receptacles, 2 Data Ports	J, K	EUC1-HJ0P-400020	891.64
				4 Receptacles, 2 Dual USB-A Charging	J, K	EUC1-HJ0P-420000	1088.82
				4 Receptacles, 2 Smart USB-A+C Charging	J, K	EUC1-HJ0P-402000	1208.72
				5 Receptacles, 1 Data Port	J, K	EUC1-HJ0P-500010	891.64
				5 Receptacles, 1 Dual USB-A Charging	J, K	EUC1-HJ0P-510000	990.23
				5 Receptacles, 1 Smart USB-A+C Charging	J, K	EUC1-HJ0P-501000	1050.18
				6 Receptacles	J, K	EUC1-HJ0P-600000	891.64

This page intentionally blank

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided

Power, Data and USB



Features

- Includes double flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-A, USB-C 60W, Smart USB-A+C), data port(s) or cable bay, and mounting hardware.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables. Occupies two ports.
- USB-A provides two 10W charging ports. Occupies one port.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75”(70mm) and will extend below the table top.
- Each flip top module within the bezel provided with two 6’(1829mm) or 10’(3048mm) long flexible metal conduit feed, 0.5”(13mm) conduit fitting and wires for hardwire connection.
- Ships assembled.

Specification Tips

- **Configuration and quantity of ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Note two conduit feeds are provided from the double-sided flip top unit.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.
TR-PM1 Silver/White
TR-PM2 Midnight Black/Black
TR-PM8 Matte White/White
TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided

Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		6' (1829mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-HF0P-110001	\$1742.66
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HF0P-111010	1901.20
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-HF0P-101001	1802.61
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-HF0P-100110	1986.23
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-HF0P-200100	1986.23
				2 Receptacles, 1 Cable Bay	M, P	EUC2-HF0P-200001	1644.07
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-HF0P-210010	1742.66
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HF0P-201010	1802.61
				2 Receptacles, 2 Data Ports	M, P	EUC2-HF0P-200020	1644.07
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-HF0P-220000	1841.25
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-HF0P-202000	1961.15
				3 Receptacles, 1 Data Port	M, P	EUC2-HF0P-300010	1644.07
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-HF0P-310000	1742.66
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-HF0P-301000	1802.61
				4 Receptacles	M, P	EUC2-HF0P-400000	1644.07
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-111011	\$1955.93
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HF0P-110120	2139.55
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-110021	1797.39
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-101021	1857.34
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-100111	2040.96
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HF0P-211001	1955.93
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HF0P-211020	1955.93
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, V	EUC2-HF0P-210030	1797.39
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, V	EUC2-HF0P-201030	1857.34
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, V	EUC2-HF0P-200101	2040.96
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HF0P-200120	2040.96
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HF0P-200021	1698.80
				2 Receptacles, 4 Data Ports	Q, V	EUC2-HF0P-200040	1698.80
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HF0P-300011	1698.80
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, V	EUC2-HF0P-310001	1797.39
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HF0P-311010	1955.93
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, V	EUC2-HF0P-310020	1797.39
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HF0P-301001	1857.34
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HF0P-301020	1857.34
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, V	EUC2-HF0P-300110	2040.96
				3 Receptacles, 3 Data Ports	Q, V	EUC2-HF0P-300030	1698.80
				4 Receptacles, 2 Dual USB-A Charging	Q, V	EUC2-HF0P-420000	1895.98
				4 Receptacles, 1 Cable Bay	Q, V	EUC2-HF0P-400001	1698.80
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, V	EUC2-HF0P-410010	1797.39
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, V	EUC2-HF0P-411000	1955.93
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HF0P-401010	1857.34
				4 Receptacles, 1 USB-C 60W Charging	Q, V	EUC2-HF0P-400100	2040.96
				4 Receptacles, 2 Data Ports	Q, V	EUC2-HF0P-400020	1698.80
				4 Receptacles, 2 Smart USB-A+C Charging	Q, V	EUC2-HF0P-402000	2015.88
				5 Receptacles, 1 Data Port	Q, V	EUC2-HF0P-500010	1698.80
				5 Receptacles, 1 Dual USB-A Charging	Q, V	EUC2-HF0P-510000	1797.39
				5 Receptacles, 1 Smart USB-A+C Charging	Q, V	EUC2-HF0P-501000	1857.34
				6 Receptacles	Q, V	EUC2-HF0P-600000	1698.80

Electrical Components

Flip Top Unit with Smooth Bezel — Hardwire — Double-Sided







Bezel Width	Bezel Depth	Cord Length	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
		10' (3048mm)	4	1 Receptacle, 1 Dual USB-A Charging, 1 Cable Bay	M, P	EUC2-HJ0P-110001	\$1809.79
				1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HJ0P-111010	1968.33
				1 Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	M, P	EUC2-HJ0P-101001	1869.74
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port	M, P	EUC2-HJ0P-100110	2053.36
				2 Receptacles, 1 USB-C 60W Charging	M, P	EUC2-HJ0P-200100	2053.36
				2 Receptacles, 1 Cable Bay	M, P	EUC2-HJ0P-200001	1711.20
				2 Receptacles, 1 Dual USB-A Charging, 1 Data Port	M, P	EUC2-HJ0P-210010	1809.79
				2 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	M, P	EUC2-HJ0P-201010	1869.74
				2 Receptacles, 2 Data Ports	M, P	EUC2-HJ0P-200020	1711.20
				2 Receptacles, 2 Dual USB-A Charging	M, P	EUC2-HJ0P-220000	1908.38
				2 Receptacles, 2 Smart USB-A+C Charging	M, P	EUC2-HJ0P-202000	2028.28
				3 Receptacles, 1 Data Port	M, P	EUC2-HJ0P-300010	1711.20
				3 Receptacles, 1 Dual USB-A Charging	M, P	EUC2-HJ0P-310000	1809.79
				3 Receptacles, 1 Smart USB-A+C Charging	M, P	EUC2-HJ0P-301000	1869.74
				4 Receptacles	M, P	EUC2-HJ0P-400000	1711.20
			6	1 Receptacle, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-111011	\$2023.06
				1 Receptacle, 1 Dual USB-A Charging, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HJ0P-110120	2206.68
				1 Receptacle, 1 Dual USB-A Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-110021	1864.52
				1 Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-101021	1924.47
				1 Receptacle, 1 USB-C 60W Charging, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-100111	2108.09
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-211001	2023.06
				2 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HJ0P-211020	2023.06
				2 Receptacles, 1 Dual USB-A Charging, 3 Data Ports	Q, V	EUC2-HJ0P-210030	1864.52
				2 Receptacles, 1 Smart USB-A+C Charging, 3 Data Ports	Q, V	EUC2-HJ0P-201030	1924.47
				2 Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-200101	2108.09
				2 Receptacles, 1 USB-C 60W Charging, 2 Data Ports	Q, V	EUC2-HJ0P-200120	2108.09
				2 Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUC2-HJ0P-200021	1765.93
				2 Receptacles, 4 Data Ports	Q, V	EUC2-HJ0P-200040	1765.93
				3 Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUC2-HJ0P-300011	1765.93
				3 Receptacles, 1 Dual USB-A Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-310001	1864.52
				3 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HJ0P-311010	2023.06
				3 Receptacles, 1 Dual USB-A Charging, 2 Data Ports	Q, V	EUC2-HJ0P-310020	1864.52
				3 Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	Q, V	EUC2-HJ0P-301001	1924.47
				3 Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	Q, V	EUC2-HJ0P-301020	1924.47
				3 Receptacles, 1 USB-C 60W Charging, 1 Data Port	Q, V	EUC2-HJ0P-300110	2108.09
				3 Receptacles, 3 Data Ports	Q, V	EUC2-HJ0P-300030	1765.93
				4 Receptacles, 2 Dual USB-A Charging	Q, V	EUC2-HJ0P-420000	1963.11
				4 Receptacles, 1 Cable Bay	Q, V	EUC2-HJ0P-400001	1765.93
				4 Receptacles, 1 Dual USB-A Charging, 1 Data Port	Q, V	EUC2-HJ0P-410010	1864.52
				4 Receptacles, 1 Dual USB-A Charging, 1 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-411000	2023.06
				4 Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	Q, V	EUC2-HJ0P-401010	1924.47
				4 Receptacles, 1 USB-C 60W Charging	Q, V	EUC2-HJ0P-400100	2108.09
				4 Receptacles, 2 Data Ports	Q, V	EUC2-HJ0P-400020	1765.93
				4 Receptacles, 2 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-402000	2083.01
				5 Receptacles, 1 Data Port	Q, V	EUC2-HJ0P-500010	1765.93
				5 Receptacles, 1 Dual USB-A Charging	Q, V	EUC2-HJ0P-510000	1864.52
				5 Receptacles, 1 Smart USB-A+C Charging	Q, V	EUC2-HJ0P-501000	1924.47
				6 Receptacles	Q, V	EUC2-HJ0P-600000	1765.93

This page intentionally blank

Electrical Components

Flip Top Units

Power and Data



Circuit Breaker Plug Detail

Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets				
5.24"(133mm)	4.37"(111mm)	1 Power, 1 Data	EUE1-0000-1111W	\$ 571.24
		2 Power, 0 Data	EUE1-0000-1B01W	571.24
8.31"(211mm)	4.37"(111mm)	2 Power, 2 Data	EUE1-0000-1221W	778.19
		3 Power, 1 Data	EUE1-0000-1311W	778.19
11.25"(286mm)		3 Power, 3 Data	EUE1-0000-1331W	778.19
		4 Power, 2 Data	EUE1-0000-1421W	778.19
Corded Double-Sided Outlets				
8.31"(211mm)	8"(203mm)	2 Power, 2 Data	EUE2-0000-1221W	\$1556.33
		3 Power, 1 Data	EUE2-0000-1311W	1556.33
11.25"(286mm)		3 Power, 3 Data	EUE2-0000-1331W	1556.33
		4 Power, 2 Data	EUE2-0000-1421W	1556.33
Hardwire Single-Sided Outlets				
8.31"(211mm)	4.37"(111mm)	2 Power, 2 Data	EUE1-0000-C221W	\$ 807.46
11.25"(286mm)		3 Power, 3 Data	EUE1-0000-C331W	807.46
Hardwire Double-Sided Outlets				
8.31"(211mm)	8"(203mm)	2 Power, 2 Data	EUE2-0000-C221W	\$1695.44
11.25"(286mm)		3 Power, 3 Data	EUE2-0000-C331W	1695.44

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Standard in anodized finish.
- Ships assembled.

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- For use with 120 volt 60 hertz power source only.
- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Flip Top Unit — Non-Powered

Width	Bezel Depth	Trim Color	Port Color	Port	Configuration	Number	Price
Single-Sided Outlets							
5.32"(135mm)	4.37"(111mm)	Black Anodized	Black	2	1 Cable Bay	EUE1-000B-0002	\$1049.75
					2 Data Ports	EUE1-000B-0020	1049.75
8.31"(211mm)	4.37"(111mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000B-0022	\$1049.75
					4 Data Ports	EUE1-000B-0040	1049.75
11.3"(287mm)	4.37"(111mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000B-0042	\$1049.75
					6 Data Ports	EUE1-000B-0060	1049.75
5.32"(135mm)	4.37"(111mm)	Clear Anodized	White	2	1 Cable Bay	EUE1-000W-0002	\$ 783.09
					2 Data Ports	EUE1-000W-0020	783.09
8.31"(211mm)	4.37"(111mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000W-0022	\$ 783.09
					4 Data Ports	EUE1-000W-0040	783.09
11.3"(287mm)	4.37"(111mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000W-0042	\$ 783.09
					6 Data Ports	EUE1-000W-0060	783.09
Double-Sided Outlets							
8.31"(211mm)	8.07"(205mm)	Black Anodized	Black	4	2 Data Ports, 1 Cable Bay	EUE2-000B-0022	\$1827.89
					4 Data Ports	EUE2-000B-0040	1827.89
11.3"(287mm)	8.07"(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000B-0042	\$1827.89
					6 Data Ports	EUE2-000B-0060	1827.89
8.31"(211mm)	8.07"(205mm)	Clear Anodized	White	4	2 Data Ports, 1 Cable Bay	EUE2-000W-0022	\$1561.23
					4 Data Ports	EUE2-000W-0040	1561.23
11.3"(287mm)	8.07"(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000W-0042	\$1561.23
					6 Data Ports	EUE2-000W-0060	1561.23



Features

- Includes bezel and nonpowered flip top module with 2, 4 or 6 ports that can be configured with data ports or cable bays and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each Cable Bay can accept up to 2 pull out data/AV cables
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

This page intentionally blank


Electrical Components

Flip Top Unit – Corded – Single-Sided

Power, Data and USB

4-Port:


- (2) Power
- (1) USB-A
- (1) Data



EUE1-PF0B-2110

6-Port:

- (4) Power
- (1) USB-A
- (1) Data




NOTE:
Always Circuit Breaker Plug
when more than three
power outlets specified.

EUE1-PF0B-1212

4-Port:

- (4) Power



NOTE:
Always Circuit Breaker Plug
when more than three
power outlets specified.

EUE1-PF0B-4000

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0B-1010	\$1049.75
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0B-1100	1148.34
						2 Power Receptacles	A, B	EUE1-PF0B-2000	1049.75
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0B-1012	\$1049.75
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0B-1030	1049.75
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0B-1102	1148.34
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0B-1120	1148.34
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0B-1300	1345.52
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0B-2002	1049.75
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0B-2020	1049.75
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0B-2110	1148.34
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0B-2200	1246.93
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0B-3010	1049.75
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0B-3100	1148.34
						4 Power Receptacles	F, V	EUE1-PF0B-4000	1049.75
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1032	\$1049.75
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0B-1050	1049.75
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1122	1148.34
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0B-1140	1148.34
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-1212	1246.93
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-1230	1246.93
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-1302	1345.52
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-1320	1345.52
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-2022	1049.75
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0B-2040	1049.75
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-2112	1148.34
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-2130	1148.34
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-2202	1246.93
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-2220	1246.93
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0B-2310	1345.52
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0B-2400	1444.11
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-3012	1049.75
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0B-3030	1049.75
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-3102	1148.34
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-3120	1148.34
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0B-3210	1246.93
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0B-3300	1345.52
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0B-4002	1049.75
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0B-4020	1049.75
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0B-4110	1148.34
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0B-4200	1246.93
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0B-5010	1049.75
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0B-5100	1148.34
						6 Power Receptacles	J, K	EUE1-PF0B-6000	1049.75

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0W-1010	\$ 783.09
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0W-1100	881.68
						2 Power Receptacles	A, B	EUE1-PF0W-2000	783.09
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0W-1012	\$ 783.09
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0W-1030	783.09
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0W-1102	881.68
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0W-1120	881.68
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0W-1300	1078.86
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0W-2002	783.09
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0W-2020	783.09
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0W-2110	881.68
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0W-2200	980.27
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0W-3010	783.09
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0W-3100	881.68
						4 Power Receptacles	F, V	EUE1-PF0W-4000	783.09
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1032	\$ 783.09
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0W-1050	783.09
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1122	881.68
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0W-1140	881.68
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-1212	980.27
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-1230	980.27
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-1302	1078.86
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-1320	1078.86
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-2022	783.09
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0W-2040	783.09
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-2112	881.68
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-2130	881.68
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-2202	980.27
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-2220	980.27
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0W-2310	1078.86
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0W-2400	1177.45
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-3012	783.09
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0W-3030	783.09
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-3102	881.68
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-3120	881.68
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0W-3210	980.27
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0W-3300	1078.86
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0W-4002	783.09
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0W-4020	783.09
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0W-4110	881.68
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0W-4200	980.27
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0W-5010	783.09
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0W-5100	881.68
						6 Power Receptacles	J, K	EUE1-PF0W-6000	783.09

Electrical Components

Flip Top Unit – Corded – Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0B-1010	\$1130.32
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0B-1100	1228.91
						2 Power Receptacles	A, B	EUE1-PL0B-2000	1130.32
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0B-1012	\$1130.32
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0B-1030	1130.32
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0B-1102	1228.91
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0B-1120	1228.91
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0B-1300	1426.09
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0B-2002	1130.32
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0B-2020	1130.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0B-2110	1228.91
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0B-2200	1327.50
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0B-3010	1130.32
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0B-3100	1228.91
						4 Power Receptacles	F, V	EUE1-PL0B-4000	1130.32
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1032	\$1130.32
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0B-1050	1130.32
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1122	1228.91
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0B-1140	1228.91
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-1212	1327.50
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-1230	1327.50
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-1302	1426.09
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-1320	1426.09
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-2022	1130.32
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0B-2040	1130.32
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-2112	1228.91
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-2130	1228.91
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-2202	1327.50
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-2220	1327.50
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0B-2310	1426.09
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0B-2400	1524.68
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-3012	1130.32
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0B-3030	1130.32
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-3102	1228.91
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-3120	1228.91
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0B-3210	1327.50
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0B-3300	1426.09
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0B-4002	1130.32
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0B-4020	1130.32
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0B-4110	1228.91
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0B-4200	1327.50
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0B-5010	1130.32
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0B-5100	1228.91
						6 Power Receptacles	J, K	EUE1-PL0B-6000	1130.32

Electrical Components

Flip Top Unit – Corded – Single-Sided


Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0W-1010	\$ 863.66
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0W-1100	962.25
						2 Power Receptacles	A, B	EUE1-PL0W-2000	863.66
8.31" (211mm)	4.37" (111mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0W-1012	\$ 863.66
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0W-1030	863.66
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0W-1102	962.25
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0W-1120	962.25
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0W-1300	1159.43
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0W-2002	863.66
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0W-2020	863.66
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0W-2110	962.25
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0W-2200	1060.84
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0W-3010	863.66
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0W-3100	962.25
						4 Power Receptacles	F, V	EUE1-PL0W-4000	863.66
						1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1032	\$ 863.66
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0W-1050	863.66
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1122	962.25
11.3" (287mm)	4.37" (111mm)				6	1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0W-1140	962.25
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-1212	1060.84
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-1230	1060.84
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-1302	1159.43
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-1320	1159.43
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-2022	863.66
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0W-2040	863.66
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-2112	962.25
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-2130	962.25
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-2202	1060.84
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-2220	1060.84
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0W-2310	1159.43
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0W-2400	1258.02
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-3012	863.66
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0W-3030	863.66
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-3102	962.25
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-3120	962.25
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0W-3210	1060.84
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0W-3300	1159.43
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0W-4002	863.66
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0W-4020	863.66
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0W-4110	962.25
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0W-4200	1060.84
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0W-5010	863.66
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0W-5100	962.25
						6 Power Receptacles	J, K	EUE1-PL0W-6000	863.66

This page intentionally blank


Electrical Components

Flip Top Unit — Corded — Double-Sided


Power, Data and USB



EUE2-PF0B-2110



EUE2-PF0B-1212



EUE2-PF0B-4000

Features

- Includes bezel and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each flip top module within the bezel provided with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/T).

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0B-1012	\$1827.89
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0B-1030	1827.89
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0B-1102	1926.48
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0B-1120	1926.48
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0B-1300	2123.66
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0B-2002	1827.89
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0B-2020	1827.89
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0B-2110	1926.48
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0B-2200	2025.07
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0B-3010	1827.89
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0B-3100	1926.48
						4 Power Receptacles	M, P	EUE2-PF0B-4000	1827.89
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0B-1032	\$1827.89
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PF0B-1050	1827.89
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0B-1122	1926.48
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PF0B-1140	1926.48
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0B-1212	2025.07
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PF0B-1230	2025.07
						1 Power Receptacle, 3 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-1302	2123.66
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-1320	2123.66
						2 Power Receptacles, 2 Data Ports, 2 Cable Bays	Q, T	EUE2-PF0B-2022	1827.89
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PF0B-2040	1827.89
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 2 Cable Bays	Q, T	EUE2-PF0B-2112	1926.48
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PF0B-2130	1926.48
						2 Power Receptacles, 2 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-2202	2025.07
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-2220	2025.07
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-2310	2123.66
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PF0B-2400	2222.25
						3 Power Receptacles, 1 Data Port, 2 Cable Bays	Q, T	EUE2-PF0B-3012	1827.89
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PF0B-3030	1827.89
						3 Power Receptacles, 1 USB Charging, 2 Cable Bays	Q, T	EUE2-PF0B-3102	1926.48
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PF0B-3120	1926.48
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-3210	2025.07
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PF0B-3300	2123.66
						4 Power Receptacles, 2 Cable Bays	Q, T	EUE2-PF0B-4002	1827.89
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PF0B-4020	1827.89
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PF0B-4110	1926.48
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PF0B-4200	2025.07
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PF0B-5010	1827.89
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PF0B-5100	1926.48
						6 Power Receptacles	Q, T	EUE2-PF0B-6000	1827.89

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0W-1012	\$1561.23
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0W-1030	1561.23
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0W-1102	1659.82
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0W-1120	1659.82
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0W-1300	1857.00
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0W-2002	1561.23
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0W-2020	1561.23
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0W-2110	1659.82
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0W-2200	1758.41
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0W-3010	1561.23
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0W-3100	1659.82
						4 Power Receptacles	M, P	EUE2-PF0W-4000	1561.23
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-1032	\$1561.23
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PF0W-1050	1561.23
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-1122	1659.82
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PF0W-1140	1659.82
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-1212	1758.41
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PF0W-1230	1758.41
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-1302	1857.00
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-1320	1857.00
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PF0W-2022	1561.23
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PF0W-2040	1561.23
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-2112	1659.82
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PF0W-2130	1659.82
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-2202	1758.41
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-2220	1758.41
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-2310	1857.00
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PF0W-2400	1955.59
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PF0W-3012	1561.23
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PF0W-3030	1561.23
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PF0W-3102	1659.82
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PF0W-3120	1659.82
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-3210	1758.41
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PF0W-3300	1857.00
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PF0W-4002	1561.23
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PF0W-4020	1561.23
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PF0W-4110	1659.82
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PF0W-4200	1758.41
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PF0W-5010	1561.23
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PF0W-5100	1659.82
						6 Power Receptacles	Q, T	EUE2-PF0W-6000	1561.23

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0B-1012	\$1908.46
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0B-1030	1908.46
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0B-1102	2007.05
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0B-1120	2007.05
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0B-1300	2204.23
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0B-2002	1908.46
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0B-2020	1908.46
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0B-2110	2007.05
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0B-2200	2105.64
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0B-3010	1908.46
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0B-3100	2007.05
						4 Power Receptacles	M, P	EUE2-PL0B-4000	1908.46
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-1032	\$1908.46
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PL0B-1050	1908.46
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-1122	2007.05
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PL0B-1140	2007.05
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-1212	2105.64
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PL0B-1230	2105.64
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-1302	2204.23
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-1320	2204.23
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0B-2022	1908.46
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PL0B-2040	1908.46
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-2112	2007.05
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PL0B-2130	2007.05
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-2202	2105.64
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-2220	2105.64
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-2310	2204.23
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PL0B-2400	2302.82
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0B-3012	1908.46
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PL0B-3030	1908.46
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0B-3102	2007.05
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PL0B-3120	2007.05
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-3210	2105.64
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PL0B-3300	2204.23
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PL0B-4002	1908.46
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PL0B-4020	1908.46
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PL0B-4110	2007.05
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PL0B-4200	2105.64
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PL0B-5010	1908.46
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PL0B-5100	2007.05
						6 Power Receptacles	Q, T	EUE2-PL0B-6000	1908.46

Electrical Components

Flip Top Unit — Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0W-1012	\$1641.80
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0W-1030	1641.80
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0W-1102	1740.39
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0W-1120	1740.39
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0W-1300	1937.57
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0W-2002	1641.80
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0W-2020	1641.80
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0W-2110	1740.39
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0W-2200	1838.98
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0W-3010	1641.80
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0W-3100	1740.39
						4 Power Receptacles	M, P	EUE2-PL0W-4000	1641.80
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-1032	\$1641.80
						1 Power Receptacle, 5 Data Ports	Q, T	EUE2-PL0W-1050	1641.80
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-1122	1740.39
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, T	EUE2-PL0W-1140	1740.39
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-1212	1838.98
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, T	EUE2-PL0W-1230	1838.98
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-1302	1937.57
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-1320	1937.57
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, T	EUE2-PL0W-2022	1641.80
						2 Power Receptacles, 4 Data Ports	Q, T	EUE2-PL0W-2040	1641.80
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-2112	1740.39
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, T	EUE2-PL0W-2130	1740.39
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-2202	1838.98
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-2220	1838.98
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-2310	1937.57
						2 Power Receptacles, 4 USB Charging	Q, T	EUE2-PL0W-2400	2036.16
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, T	EUE2-PL0W-3012	1641.80
						3 Power Receptacles, 3 Data Ports	Q, T	EUE2-PL0W-3030	1641.80
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, T	EUE2-PL0W-3102	1740.39
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, T	EUE2-PL0W-3120	1740.39
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-3210	1838.98
						3 Power Receptacles, 3 USB Charging	Q, T	EUE2-PL0W-3300	1937.57
						4 Power Receptacles, 1 Cable Bay	Q, T	EUE2-PL0W-4002	1641.80
						4 Power Receptacles, 2 Data Ports	Q, T	EUE2-PL0W-4020	1641.80
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, T	EUE2-PL0W-4110	1740.39
						4 Power Receptacles, 2 USB Charging	Q, T	EUE2-PL0W-4200	1838.98
						5 Power Receptacles, 1 Data Port	Q, T	EUE2-PL0W-5010	1641.80
						5 Power Receptacles, 1 USB Charging	Q, T	EUE2-PL0W-5100	1740.39
						6 Power Receptacles	Q, T	EUE2-PL0W-6000	1641.80

This page intentionally blank


Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Power, Data and USB

4-Port:


- (2) Power
- (1) USB-A
- (1) Data



EUE1-HF0B-2110

6-Port:

- (3) Power
- (1) USB-A
- (2) Data



EUE1-HF0B-1212

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Hardwired power module with 6'(1829mm) or 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0B-1010	\$1159.59
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0B-1100	1258.18
						2 Power Receptacles	A, B	EUE1-HF0B-2000	1159.59
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0B-1012	\$1159.59
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0B-1030	1159.59
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0B-1102	1258.18
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0B-1120	1258.18
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0B-1300	1455.36
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0B-2002	1159.59
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0B-2020	1159.59
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0B-2110	1258.18
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0B-2200	1356.77
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0B-3010	1159.59
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0B-3100	1258.18
						4 Power Receptacles	F, V	EUE1-HF0B-4000	1159.59
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1032	\$1159.59
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0B-1050	1159.59
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1122	1258.18
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0B-1140	1258.18
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-1212	1356.77
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-1230	1356.77
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-1302	1455.36
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-1320	1455.36
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-2022	1159.59
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0B-2040	1159.59
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-2112	1258.18
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-2130	1258.18
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-2202	1356.77
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-2220	1356.77
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0B-2310	1455.36
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0B-2400	1553.95
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-3012	1159.59
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0B-3030	1159.59
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-3102	1258.18
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-3120	1258.18
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0B-3210	1356.77
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0B-3300	1455.36
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0B-4002	1159.59
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0B-4020	1159.59
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0B-4110	1258.18
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0B-4200	1356.77
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0B-5010	1159.59
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0B-5100	1258.18
						6 Power Receptacles	J, K	EUE1-HF0B-6000	1159.59

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	6' (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HFOW-1010	\$ 892.93
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HFOW-1100	991.52
						2 Power Receptacles	A, B	EUE1-HFOW-2000	892.93
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HFOW-1012	\$ 892.93
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HFOW-1030	892.93
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HFOW-1102	991.52
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HFOW-1120	991.52
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HFOW-1300	1188.70
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HFOW-2002	892.93
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HFOW-2020	892.93
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HFOW-2110	991.52
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HFOW-2200	1090.11
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HFOW-3010	892.93
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HFOW-3100	991.52
						4 Power Receptacles	F, V	EUE1-HFOW-4000	892.93
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-1032	\$ 892.93
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HFOW-1050	892.93
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-1122	991.52
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HFOW-1140	991.52
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-1212	1090.11
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HFOW-1230	1090.11
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-1302	1188.70
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-1320	1188.70
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HFOW-2022	892.93
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HFOW-2040	892.93
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-2112	991.52
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HFOW-2130	991.52
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-2202	1090.11
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-2220	1090.11
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HFOW-2310	1188.70
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HFOW-2400	1287.29
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HFOW-3012	892.93
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HFOW-3030	892.93
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HFOW-3102	991.52
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HFOW-3120	991.52
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HFOW-3210	1090.11
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HFOW-3300	1188.70
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HFOW-4002	892.93
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HFOW-4020	892.93
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HFOW-4110	991.52
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HFOW-4200	1090.11
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HFOW-5010	892.93
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HFOW-5100	991.52
						6 Power Receptacles	J, K	EUE1-HFOW-6000	892.93

Electrical Components

Flip Top Unit — Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HLOB-1010	\$1240.16
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HLOB-1100	1338.75
						2 Power Receptacles	A, B	EUE1-HLOB-2000	1240.16
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HLOB-1012	\$1240.16
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 3 Data Ports	F, V	EUE1-HLOB-1030	1240.16
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HLOB-1102	1338.75
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HLOB-1120	1338.75
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HLOB-1300	1535.93
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HLOB-2002	1240.16
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HLOB-2020	1240.16
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HLOB-2110	1338.75
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HLOB-2200	1437.34
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HLOB-3010	1240.16
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HLOB-3100	1338.75
						4 Power Receptacles	F, V	EUE1-HLOB-4000	1240.16
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-1032	\$1240.16
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HLOB-1050	1240.16
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-1122	1338.75
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HLOB-1140	1338.75
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-1212	1437.34
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HLOB-1230	1437.34
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-1302	1535.93
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-1320	1535.93
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOB-2022	1240.16
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HLOB-2040	1240.16
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-2112	1338.75
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HLOB-2130	1338.75
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-2202	1437.34
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-2220	1437.34
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HLOB-2310	1535.93
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HLOB-2400	1634.52
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOB-3012	1240.16
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HLOB-3030	1240.16
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HLOB-3102	1338.75
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HLOB-3120	1338.75
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HLOB-3210	1437.34
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HLOB-3300	1535.93
					4	4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HLOB-4002	1240.16
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HLOB-4020	1240.16
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HLOB-4110	1338.75
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HLOB-4200	1437.34
					5	5 Power Receptacles, 1 Data Port	J, K	EUE1-HLOB-5010	1240.16
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HLOB-5100	1338.75
					6	6 Power Receptacles	J, K	EUE1-HLOB-6000	1240.16

Electrical Components

Flip Top Unit — Hardwire — Single-Sided


Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	4.37" (111mm)	12' (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HLOW-1010	\$ 973.50
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HLOW-1100	1072.09
						2 Power Receptacles	A, B	EUE1-HLOW-2000	973.50
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HLOW-1012	\$ 973.50
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HLOW-1030	973.50
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HLOW-1102	1072.09
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HLOW-1120	1072.09
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HLOW-1300	1269.27
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HLOW-2002	973.50
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HLOW-2020	973.50
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HLOW-2110	1072.09
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HLOW-2200	1170.68
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HLOW-3010	973.50
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HLOW-3100	1072.09
						4 Power Receptacles	F, V	EUE1-HLOW-4000	973.50
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-1032	\$ 973.50
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HLOW-1050	973.50
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-1122	1072.09
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HLOW-1140	1072.09
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-1212	1170.68
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HLOW-1230	1170.68
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-1302	1269.27
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-1320	1269.27
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HLOW-2022	973.50
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HLOW-2040	973.50
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-2112	1072.09
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HLOW-2130	1072.09
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-2202	1170.68
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-2220	1170.68
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HLOW-2310	1269.27
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HLOW-2400	1367.86
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HLOW-3012	973.50
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HLOW-3030	973.50
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HLOW-3102	1072.09
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HLOW-3120	1072.09
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HLOW-3210	1170.68
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HLOW-3300	1269.27
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HLOW-4002	973.50
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HLOW-4020	973.50
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HLOW-4110	1072.09
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HLOW-4200	1170.68
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HLOW-5010	973.50
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HLOW-5100	1072.09
						6 Power Receptacles	J, K	EUE1-HLOW-6000	973.50

This page intentionally blank


Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Power, Data and USB



EUE2-HF0B-2110



EUE2-HF0B-1212

Features

- Includes bezel and two flip top modules, each with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Each flip top module within the bezel provided with 6'(1829mm) or 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Flip top frame is flush mounted with two spring release flip module(s).
- Flip top unit overall height is 2.75"(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- Note two conduit feeds are provided from the double-sided flip top unit.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0B-1012	\$2047.57
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0B-1030	2047.57
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0B-1102	2146.16
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0B-1120	2146.16
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0B-1300	2343.34
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0B-2002	2047.57
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0B-2020	2047.57
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0B-2110	2146.16
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0B-2200	2244.75
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0B-3010	2047.57
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0B-3100	2146.16
						4 Power Receptacles	M, P	EUE2-HF0B-4000	2047.57
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1032	\$2047.57
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0B-1050	2047.57
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1122	2146.16
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0B-1140	2146.16
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-1212	2244.75
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-1230	2244.75
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-1302	2343.34
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-1320	2343.34
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-2022	2047.57
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0B-2040	2047.57
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-2112	2146.16
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-2130	2146.16
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-2202	2244.75
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-2220	2244.75
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-2310	2343.34
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0B-2400	2441.93
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-3012	2047.57
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0B-3030	2047.57
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-3102	2146.16
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-3120	2146.16
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-3210	2244.75
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0B-3300	2343.34
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0B-4002	2047.57
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0B-4020	2047.57
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-4110	2146.16
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0B-4200	2244.75
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0B-5010	2047.57
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0B-5100	2146.16
						6 Power Receptacles	Q, V	EUE2-HF0B-6000	2047.57

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	6' (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0W-1012	\$1780.91
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0W-1030	1780.91
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0W-1102	1879.50
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0W-1120	1879.50
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0W-1300	2076.68
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0W-2002	1780.91
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0W-2020	1780.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0W-2110	1879.50
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0W-2200	1978.09
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0W-3010	1780.91
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0W-3100	1879.50
						4 Power Receptacles	M, P	EUE2-HF0W-4000	1780.91
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1032	\$1780.91
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0W-1050	1780.91
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1122	1879.50
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0W-1140	1879.50
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-1212	1978.09
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-1230	1978.09
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-1302	2076.68
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-1320	2076.68
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-2022	1780.91
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0W-2040	1780.91
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-2112	1879.50
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-2130	1879.50
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-2202	1978.09
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-2220	1978.09
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-2310	2076.68
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0W-2400	2175.27
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-3012	1780.91
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0W-3030	1780.91
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-3102	1879.50
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-3120	1879.50
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-3210	1978.09
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0W-3300	2076.68
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0W-4002	1780.91
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0W-4020	1780.91
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-4110	1879.50
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0W-4200	1978.09
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0W-5010	1780.91
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0W-5100	1879.50
						6 Power Receptacles	Q, V	EUE2-HF0W-6000	1780.91

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HLOB-1012	\$2128.14
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HLOB-1030	2128.14
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HLOB-1102	2226.73
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HLOB-1120	2226.73
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HLOB-1300	2423.91
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HLOB-2002	2128.14
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HLOB-2020	2128.14
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HLOB-2110	2226.73
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HLOB-2200	2325.32
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HLOB-3010	2128.14
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HLOB-3100	2226.73
						4 Power Receptacles	M, P	EUE2-HLOB-4000	2128.14
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-1032	\$2128.14
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HLOB-1050	2128.14
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-1122	2226.73
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HLOB-1140	2226.73
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-1212	2325.32
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HLOB-1230	2325.32
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-1302	2423.91
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-1320	2423.91
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOB-2022	2128.14
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HLOB-2040	2128.14
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-2112	2226.73
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HLOB-2130	2226.73
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-2202	2325.32
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-2220	2325.32
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-2310	2423.91
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HLOB-2400	2522.50
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOB-3012	2128.14
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HLOB-3030	2128.14
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOB-3102	2226.73
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HLOB-3120	2226.73
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-3210	2325.32
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HLOB-3300	2423.91
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HLOB-4002	2128.14
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HLOB-4020	2128.14
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HLOB-4110	2226.73
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HLOB-4200	2325.32
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HLOB-5010	2128.14
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HLOB-5100	2226.73
						6 Power Receptacles	Q, V	EUE2-HLOB-6000	2128.14

Electrical Components

Flip Top Unit — Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5.31" (135mm)	8" (203mm)	12' (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HLOW-1012	\$1861.48
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HLOW-1030	1861.48
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HLOW-1102	1960.07
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HLOW-1120	1960.07
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HLOW-1300	2157.25
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HLOW-2002	1861.48
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HLOW-2020	1861.48
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HLOW-2110	1960.07
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HLOW-2200	2058.66
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HLOW-3010	1861.48
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HLOW-3100	1960.07
						4 Power Receptacles	M, P	EUE2-HLOW-4000	1861.48
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-1032	\$1861.48
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HLOW-1050	1861.48
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-1122	1960.07
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HLOW-1140	1960.07
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-1212	2058.66
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HLOW-1230	2058.66
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-1302	2157.25
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-1320	2157.25
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HLOW-2022	1861.48
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HLOW-2040	1861.48
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-2112	1960.07
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HLOW-2130	1960.07
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-2202	2058.66
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-2220	2058.66
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-2310	2157.25
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HLOW-2400	2255.84
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HLOW-3012	1861.48
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HLOW-3030	1861.48
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HLOW-3102	1960.07
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HLOW-3120	1960.07
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-3210	2058.66
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HLOW-3300	2157.25
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HLOW-4002	1861.48
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HLOW-4020	1861.48
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HLOW-4110	1960.07
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HLOW-4200	2058.66
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HLOW-5010	1861.48
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HLOW-5100	1960.07
						6 Power Receptacles	Q, V	EUE2-HLOW-6000	1861.48


This page intentionally blank

Electrical Components

Flush Mounted Power — Corded

3-Port:


(2) Power
(1) USB



EUB1-PL0B-2100

4-Port:


(2) Power
(1) USB-A
(1) Data



EUB1-PL0B-2110

6-Port:


(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



EUB1-PL0B-2112

4-Port:

(4) Power



NOTE:

Always Circuit Breaker Plug
when more than 3
power outlets specified.

EUB1-PL0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	12'(3658mm)	Black	Black	3	1 Power Receptacle, 1 Cable Bay	EUB1-PL0B-1002	\$1218.73
						1 Power Receptacle, 2 Data Ports	EUB1-PL0B-1020	1218.73
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-PL0B-1110	1317.61
						1 Power Receptacle, 2 USB Charging	EUB1-PL0B-1200	1416.49
						2 Power Receptacles, 1 Data Port	EUB1-PL0B-2010	1218.73
						2 Power Receptacles, 1 USB Charging	EUB1-PL0B-2100	1317.61
						3 Power Receptacles	EUB1-PL0B-3000	1218.73
8.25"(210mm)	3"(76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-PL0B-1012	\$1304.41
						1 Power Receptacle, 3 Data Ports	EUB1-PL0B-1030	1304.41
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-PL0B-1102	1403.29
						1 Power Receptacle, 3 USB Charging	EUB1-PL0B-1300	1601.05
						2 Power Receptacles, 1 Cable Bay	EUB1-PL0B-2002	1304.41
						2 Power Receptacles, 2 Data Ports	EUB1-PL0B-2020	1304.41
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0B-2110	1403.29
						2 Power Receptacles, 2 USB Charging	EUB1-PL0B-2200	1502.17
						3 Power Receptacles, 1 Data Port	EUB1-PL0B-3010	1304.41
						3 Power Receptacles, 1 USB Charging	EUB1-PL0B-3100	1403.29
						4 Power Receptacles	EUB1-PL0B-4000	1304.41
						1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-PL0B-1104	\$1489.02
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-PL0B-1122	1489.02
9.75"(248mm)	3"(76mm)				6	1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-PL0B-1140	1489.02
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0B-1212	1587.90
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-PL0B-1230	1587.90
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-PL0B-1302	1686.78
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-PL0B-1320	1686.78
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-PL0B-1410	1785.66
						2 Power Receptacles, 2 Cable Bays	EUB1-PL0B-2004	1390.14
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-PL0B-2022	1390.14
						2 Power Receptacles, 4 Data Ports	EUB1-PL0B-2040	1390.14
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0B-2112	1489.02
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-PL0B-2130	1489.02
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-PL0B-2202	1587.90
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-PL0B-2220	1587.90
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-PL0B-2310	1686.78
						2 Power Receptacles, 4 USB Charging	EUB1-PL0B-2400	1785.66
						3 Power Receptacles, 3 Data Ports	EUB1-PL0B-3030	1390.14
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-PL0B-3102	1489.02
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-PL0B-3120	1489.02
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-PL0B-3210	1587.90
						3 Power Receptacles, 3 USB Charging	EUB1-PL0B-3300	1686.78
						4 Power Receptacles, 1 Cable Bay	EUB1-PL0B-4002	1390.14
						4 Power Receptacles, 2 Data Ports	EUB1-PL0B-4020	1390.14
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0B-4110	1489.02
						4 Power Receptacles, 2 USB Charging	EUB1-PL0B-4200	1587.90
						5 Power Receptacles, 1 Data Port	EUB1-PL0B-5010	1390.14
						5 Power Receptacles, 1 USB Charging	EUB1-PL0B-5100	1489.02
						6 Power Receptacles	EUB1-PL0B-6000	1390.14

Electrical Components

Flush Mounted Power — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	12'(3658mm)	White	White	3	1 Power Receptacle, 1 Cable Bay	EUB1-PL0W-1002	\$1047.32
						1 Power Receptacle, 2 Data Ports	EUB1-PL0W-1020	1047.32
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-PL0W-1110	1146.20
						1 Power Receptacle, 2 USB Charging	EUB1-PL0W-1200	1245.08
						2 Power Receptacles, 1 Data Port	EUB1-PL0W-2010	1047.32
						2 Power Receptacles, 1 USB Charging	EUB1-PL0W-2100	1146.20
8.25"(210mm)	3"(76mm)				4	3 Power Receptacles	EUB1-PL0W-3000	1047.32
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-PL0W-1012	\$1133.00
						1 Power Receptacle, 3 Data Ports	EUB1-PL0W-1030	1133.00
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-PL0W-1102	1231.88
						1 Power Receptacle, 3 USB Charging	EUB1-PL0W-1300	1429.64
						2 Power Receptacles, 1 Cable Bay	EUB1-PL0W-2002	1133.00
						2 Power Receptacles, 2 Data Ports	EUB1-PL0W-2020	1133.00
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0W-2110	1231.88
						2 Power Receptacles, 2 USB Charging	EUB1-PL0W-2200	1330.76
						3 Power Receptacles, 1 Data Port	EUB1-PL0W-3010	1133.00
						3 Power Receptacles, 1 USB Charging	EUB1-PL0W-3100	1231.88
						4 Power Receptacles	EUB1-PL0W-4000	1133.00
9.75"(248mm)	3"(76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-PL0W-1104	\$1317.61
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-PL0W-1122	1317.61
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-PL0W-1140	1317.61
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0W-1212	1416.49
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-PL0W-1230	1416.49
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-PL0W-1302	1515.37
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-PL0W-1320	1515.37
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-PL0W-1410	1614.25
						2 Power Receptacles, 2 Cable Bays	EUB1-PL0W-2004	1218.73
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-PL0W-2022	1218.73
						2 Power Receptacles, 4 Data Ports	EUB1-PL0W-2040	1218.73
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-PL0W-2112	1317.61
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-PL0W-2130	1317.61
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-PL0W-2202	1416.49
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-PL0W-2220	1416.49
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-PL0W-2310	1515.37
						2 Power Receptacles, 4 USB Charging	EUB1-PL0W-2400	1614.25
						3 Power Receptacles, 3 Data Ports	EUB1-PL0W-3030	1218.73
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-PL0W-3102	1317.61
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-PL0W-3120	1317.61
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-PL0W-3210	1416.49
						3 Power Receptacles, 3 USB Charging	EUB1-PL0W-3300	1515.37
						4 Power Receptacles, 1 Cable Bay	EUB1-PL0W-4002	1218.73
						4 Power Receptacles, 2 Data Ports	EUB1-PL0W-4020	1218.73
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-PL0W-4110	1317.61
						4 Power Receptacles, 2 USB Charging	EUB1-PL0W-4200	1416.49
						5 Power Receptacles, 1 Data Port	EUB1-PL0W-5010	1218.73
						5 Power Receptacles, 1 USB Charging	EUB1-PL0W-5100	1317.61
						6 Power Receptacles	EUB1-PL0W-6000	1218.73


This page intentionally blank

Electrical Components

Flush Mounted Power — Hardwire

3-Port:


(2) Power
(1) USB-A



Hard Wired
EUB1-HL0B-2100

4-Port:


(2) Power
(1) USB-A
(1) Data



Hard Wired
EUB1-HL0B-2110

6-Port:

(2) Power
(1) USB-A
(1) Data
(1) Cable Bay



Hard Wired
EUB1-HL0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Hardwired power module with 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- Configuration and quantity of power and data ports cannot be modified in the field.**
- For use with 120 volt 60 hertz power source only.**
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Hardwire

Top Width	Top Depth	Conduit Length	Trim Color	Port Color	Port	Power	USB Charging	Data Port	Cable Bay	Description	Number	Price						
Corded																		
6.75" (171mm)	3" (76mm)	12' (3658mm)	Black	Black	3	1	0	0	2	1 Power Receptacle, 1 Cable Bay	EUB1-HLOB-1002	\$1333.19						
						1	0	2	0	1 Power Receptacle, 2 Data Ports	EUB1-HLOB-1020	1333.19						
						1	1	1	0	1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-HLOB-1110	1432.07						
						1	2	0	0	1 Power Receptacle, 2 USB Charging	EUB1-HLOB-1200	1530.95						
						2	0	1	0	2 Power Receptacles, 1 Data Port	EUB1-HLOB-2010	1333.19						
						2	1	0	0	2 Power Receptacles, 1 USB Charging	EUB1-HLOB-2100	1432.07						
						3	0	0	0	3 Power Receptacles	EUB1-HLOB-3000	1333.19						
8.25" (210mm)	3" (76mm)				4	1	0	1	2	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-HLOB-1012	\$1418.87						
						1	0	3	0	1 Power Receptacle, 3 Data Ports	EUB1-HLOB-1030	1418.87						
						1	1	0	2	1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-HLOB-1102	1517.75						
						1	3	0	0	1 Power Receptacle, 3 USB Charging	EUB1-HLOB-1300	1715.51						
						2	0	0	2	2 Power Receptacles, 1 Cable Bay	EUB1-HLOB-2002	1418.87						
						2	0	2	0	2 Power Receptacles, 2 Data Ports	EUB1-HLOB-2020	1418.87						
						2	1	1	0	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOB-2110	1517.75						
						2	2	0	0	2 Power Receptacles, 2 USB Charging	EUB1-HLOB-2200	1616.63						
						3	0	1	0	3 Power Receptacles, 1 Data Port	EUB1-HLOB-3010	1418.87						
						3	1	0	0	3 Power Receptacles, 1 USB Charging	EUB1-HLOB-3100	1517.75						
						4	0	0	0	4 Power Receptacles	EUB1-HLOB-4000	1418.87						
						9.75" (248mm)	3" (76mm)				6	1	1	0	4	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-HLOB-1104	\$1603.48
												1	1	2	2	1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-HLOB-1122	1603.48
1	1	4	0	1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-HLOB-1140							1603.48						
1	2	1	2	1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOB-1212							1702.36						
1	2	3	0	1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-HLOB-1230							1702.36						
1	3	0	2	1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-HLOB-1302							1801.24						
1	3	2	0	1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-HLOB-1320							1801.24						
1	4	1	0	1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-HLOB-1410							1900.12						
2	0	0	4	2 Power Receptacles, 2 Cable Bays	EUB1-HLOB-2004							1504.60						
2	0	2	2	2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-HLOB-2022							1504.60						
2	0	4	0	2 Power Receptacles, 4 Data Ports	EUB1-HLOB-2040							1504.60						
2	1	1	2	2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOB-2112							1603.48						
2	1	3	0	2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-HLOB-2130							1603.48						
2	2	0	2	2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-HLOB-2202							1702.36						
2	2	2	0	2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-HLOB-2220							1702.36						
2	3	1	0	2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-HLOB-2310							1801.24						
2	4	0	0	2 Power Receptacles, 4 USB Charging	EUB1-HLOB-2400							1900.12						
3	0	3	0	3 Power Receptacles, 3 Data Ports	EUB1-HLOB-3030							1504.60						
3	1	0	2	3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-HLOB-3102							1603.48						
3	1	2	0	3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-HLOB-3120							1603.48						
3	2	1	0	3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-HLOB-3210							1702.36						
3	3	0	0	3 Power Receptacles, 3 USB Charging	EUB1-HLOB-3300							1801.24						
4	0	0	2	4 Power Receptacles, 1 Cable Bay	EUB1-HLOB-4002							1504.60						
4	0	2	0	4 Power Receptacles, 2 Data Ports	EUB1-HLOB-4020							1504.60						
4	1	1	0	4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOB-4110							1603.48						
4	2	0	0	4 Power Receptacles, 2 USB Charging	EUB1-HLOB-4200							1702.36						
5	0	1	0	5 Power Receptacles, 1 Data Port	EUB1-HLOB-5010							1504.60						
5	1	0	0	5 Power Receptacles, 1 USB Charging	EUB1-HLOB-5100							1603.48						
6	0	0	0	6 Power Receptacles	EUB1-HLOB-6000							1504.60						

Electrical Components

Flush Mounted Power — Hardwire

Top Width	Top Depth	Conduit Length	Trim Color	Port Color	Port	Power	USB Charging	Data Port	Cable Bay	Description	Number	Price
6.75" (171mm)	3" (76mm)	12' (3658mm)	White	White	3	1	0	0	2	1 Power Receptacle, 1 Cable Bay	EUB1-HLOW-1002	\$1161.78
						1	0	2	0	1 Power Receptacle, 2 Data Ports	EUB1-HLOW-1020	1161.78
						1	1	1	0	1 Power Receptacle, 1 Data Port, 1 USB Charging	EUB1-HLOW-1110	1260.66
						1	2	0	0	1 Power Receptacle, 2 USB Charging	EUB1-HLOW-1200	1359.54
						2	0	1	0	2 Power Receptacles, 1 Data Port	EUB1-HLOW-2010	1161.78
						2	1	0	0	2 Power Receptacles, 1 USB Charging	EUB1-HLOW-2100	1260.66
						3	0	0	0	3 Power Receptacles	EUB1-HLOW-3000	1161.78
8.25" (210mm)	3" (76mm)				4	1	0	1	2	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUB1-HLOW-1012	\$1247.46
						1	0	3	0	1 Power Receptacle, 3 Data Ports	EUB1-HLOW-1030	1247.46
						1	1	0	2	1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUB1-HLOW-1102	1346.34
						1	3	0	0	1 Power Receptacle, 3 USB Charging	EUB1-HLOW-1300	1544.10
						2	0	0	2	2 Power Receptacles, 1 Cable Bay	EUB1-HLOW-2002	1247.46
						2	0	2	0	2 Power Receptacles, 2 Data Ports	EUB1-HLOW-2020	1247.46
						2	1	1	0	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOW-2110	1346.34
						2	2	0	0	2 Power Receptacles, 2 USB Charging	EUB1-HLOW-2200	1445.22
						3	0	1	0	3 Power Receptacles, 1 Data Port	EUB1-HLOW-3010	1247.46
						3	1	0	0	3 Power Receptacles, 1 USB Charging	EUB1-HLOW-3100	1346.34
						4	0	0	0	4 Power Receptacles	EUB1-HLOW-4000	1247.46
9.75" (248mm)	3" (76mm)				6	1	1	0	4	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUB1-HLOW-1104	\$1432.07
						1	1	2	2	1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUB1-HLOW-1122	1432.07
						1	1	4	0	1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUB1-HLOW-1140	1432.07
						1	2	1	2	1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOW-1212	1530.95
						1	2	3	0	1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUB1-HLOW-1230	1530.95
						1	3	0	2	1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUB1-HLOW-1302	1629.83
						1	3	2	0	1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUB1-HLOW-1320	1629.83
						1	4	1	0	1 Power Receptacle, 4 USB Charging, 1 Data Port	EUB1-HLOW-1410	1728.71
						2	0	0	4	2 Power Receptacles, 2 Cable Bays	EUB1-HLOW-2004	1333.19
						2	0	2	2	2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-HLOW-2022	1333.19
						2	0	4	0	2 Power Receptacles, 4 Data Ports	EUB1-HLOW-2040	1333.19
						2	1	1	2	2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-HLOW-2112	1432.07
						2	1	3	0	2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-HLOW-2130	1432.07
						2	2	0	2	2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-HLOW-2202	1530.95
						2	2	2	0	2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-HLOW-2220	1530.95
						2	3	1	0	2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-HLOW-2310	1629.83
						2	4	0	0	2 Power Receptacles, 4 USB Charging	EUB1-HLOW-2400	1728.71
						3	0	3	0	3 Power Receptacles, 3 Data Ports	EUB1-HLOW-3030	1333.19
						3	1	0	2	3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-HLOW-3102	1432.07
						3	1	2	0	3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-HLOW-3120	1432.07
						3	2	1	0	3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-HLOW-3210	1530.95
						3	3	0	0	3 Power Receptacles, 3 USB Charging	EUB1-HLOW-3300	1629.83
						4	0	0	2	4 Power Receptacles, 1 Cable Bay	EUB1-HLOW-4002	1333.19
						4	0	2	0	4 Power Receptacles, 2 Data Ports	EUB1-HLOW-4020	1333.19
						4	1	1	0	4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-HLOW-4110	1432.07
						4	2	0	0	4 Power Receptacles, 2 USB Charging	EUB1-HLOW-4200	1530.95
						5	0	1	0	5 Power Receptacles, 1 Data Port	EUB1-HLOW-5010	1333.19
						5	1	0	0	5 Power Receptacles, 1 USB Charging	EUB1-HLOW-5100	1432.07
						6	0	0	0	6 Power Receptacles	EUB1-HLOW-6000	1333.19


This page intentionally blank

Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

3-Port:


- (2) Power
- (1) USB-A



EUB1-SF0B-2100

4-Port:


- (2) Power
- (1) USB-A
- (1) Data



EUB1-SF0B-2110

6-Port:

- (2) Power
- (1) USB-A
- (1) Data
- (1) Cable Bay



EUB1-SF0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands to 12'(3658mm) when stretched.
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- **For use with Planes Height Adjustable Tables or Planes Height Adjustable Bench.**
- Not for use with cable chain.
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

4-Port:

- (4) Power



EUB1-SF0B-4000

Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	10'(3048mm)	Black	Black	3	2 Power Receptacles, 1 Data Port	EUB1-SF0B-2010	\$1506.69
						2 Power Receptacles, 1 USB Charging	EUB1-SF0B-2100	1605.57
						3 Power Receptacles	EUB1-SF0B-3000	1506.69
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SF0B-2002	1592.37
						2 Power Receptacles, 2 Data Ports	EUB1-SF0B-2020	1592.37
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0B-2110	1691.25
						2 Power Receptacles, 2 USB Charging	EUB1-SF0B-2200	1790.13
						3 Power Receptacles, 1 Data Port	EUB1-SF0B-3010	1592.37
						3 Power Receptacles, 1 USB Charging	EUB1-SF0B-3100	1691.25
						4 Power Receptacles	EUB1-SF0B-4000	1592.37
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SF0B-2004	\$1678.10
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SF0B-2022	1678.10
						2 Power Receptacles, 4 Data Ports	EUB1-SF0B-2040	1678.10
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SF0B-2112	1776.98
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SF0B-2130	1776.98
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SF0B-2202	1875.86
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SF0B-2220	1875.86
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SF0B-2310	1974.74
						2 Power Receptacles, 4 USB Charging	EUB1-SF0B-2400	2073.62
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0B-3012	1678.10
						3 Power Receptacles, 3 Data Ports	EUB1-SF0B-3030	1678.10
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0B-3102	1776.98
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SF0B-3120	1776.98
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SF0B-3210	1875.86
						3 Power Receptacles, 3 USB Charging	EUB1-SF0B-3300	1974.74
						4 Power Receptacles, 1 Cable Bay	EUB1-SF0B-4002	1678.10
						4 Power Receptacles, 2 Data Ports	EUB1-SF0B-4020	1678.10
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0B-4110	1776.98
						4 Power Receptacles, 2 USB Charging	EUB1-SF0B-4200	1875.86
						5 Power Receptacles, 1 Data Port	EUB1-SF0B-5010	1678.10
						5 Power Receptacles, 1 USB Charging	EUB1-SF0B-5100	1776.98
						6 Power Receptacles	EUB1-SF0B-6000	1678.10





Electrical Components

Flush Mounted Power — Spiral Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	10'(3048mm)	White	White	3	2 Power Receptacles, 1 Data Port	EUB1-SF0W-2010	\$1335.28
						2 Power Receptacles, 1 USB Charging	EUB1-SF0W-2100	1434.16
						3 Power Receptacles	EUB1-SF0W-3000	1335.28
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SF0W-2002	\$1420.96
						2 Power Receptacles, 2 Data Ports	EUB1-SF0W-2020	1420.96
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0W-2110	1519.84
						2 Power Receptacles, 2 USB Charging	EUB1-SF0W-2200	1618.72
						3 Power Receptacles, 1 Data Port	EUB1-SF0W-3010	1420.96
						3 Power Receptacles, 1 USB Charging	EUB1-SF0W-3100	1519.84
						4 Power Receptacles	EUB1-SF0W-4000	1420.96
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SF0W-2004	\$1506.69
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SF0W-2022	1506.69
						2 Power Receptacles, 4 Data Ports	EUB1-SF0W-2040	1506.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SF0W-2112	1605.57
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SF0W-2130	1605.57
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SF0W-2202	1704.45
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SF0W-2220	1704.45
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SF0W-2310	1803.33
						2 Power Receptacles, 4 USB Charging	EUB1-SF0W-2400	1902.21
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0W-3012	1506.69
						3 Power Receptacles, 3 Data Ports	EUB1-SF0W-3030	1506.69
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SF0W-3102	1605.57
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SF0W-3120	1605.57
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SF0W-3210	1704.45
						3 Power Receptacles, 3 USB Charging	EUB1-SF0W-3300	1803.33
						4 Power Receptacles, 1 Cable Bay	EUB1-SF0W-4002	1506.69
						4 Power Receptacles, 2 Data Ports	EUB1-SF0W-4020	1506.69
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SF0W-4110	1605.57
						4 Power Receptacles, 2 USB Charging	EUB1-SF0W-4200	1704.45
						5 Power Receptacles, 1 Data Port	EUB1-SF0W-5010	1506.69
						5 Power Receptacles, 1 USB Charging	EUB1-SF0W-5100	1605.57
						6 Power Receptacles	EUB1-SF0W-6000	1506.69

Electrical Components

Flush Mounted Power — Cord for Height Adjustable



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging port (with two USB outlets), data ports or cable bay(s) that can accept up to two pull out data/AV cables and mounting hardware.
- Data port accommodate most varieties of field supplied data/AV jacks.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB Charging Port consists of two USB 2.0 style A outlets. 4 Amp (shared) charging capacity.
- Attaches to surface with use of included mounting brackets.
- Flush Mount has an overall housing depth of 4"(102mm) and will extend into mounting surface.
- Color option of black painted bezel with black receptacles or white painted bezel with white receptacles.

Specification Tips

- **Configuration and quantity of power and data ports cannot be modified in the field.**
- **For use with 120 volt 60 hertz power source only.**
- **For use with Planes Height Adjustable Tables or Planes Height Adjustable Bench.**
- Designed to be used with cable chain.
- Requires field installation.
- Requires field cut access hole for power cord/conduit routing.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

Flush Mounted Power — Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Corded								
6.75"(171mm)	3"(76mm)	12'(3658mm)	Black	Black	3	2 Power Receptacles, 1 Data Port	EUB1-SLOB-2010	\$1587.26
						2 Power Receptacles, 1 USB Charging	EUB1-SLOB-2100	1686.14
						3 Power Receptacles	EUB1-SLOB-3000	1587.26
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SLOB-2002	\$1672.94
						2 Power Receptacles, 2 Data Ports	EUB1-SLOB-2020	1672.94
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOB-2110	1771.82
						2 Power Receptacles, 2 USB Charging	EUB1-SLOB-2200	1870.70
						3 Power Receptacles, 1 Data Port	EUB1-SLOB-3010	1672.94
						3 Power Receptacles, 1 USB Charging	EUB1-SLOB-3100	1771.82
						4 Power Receptacles	EUB1-SLOB-4000	1672.94
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SLOB-2004	\$1758.67
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SLOB-2022	1758.67
						2 Power Receptacles, 4 Data Ports	EUB1-SLOB-2040	1758.67
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SLOB-2112	1857.55
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SLOB-2130	1857.55
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SLOB-2202	1956.43
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SLOB-2220	1956.43
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SLOB-2310	2055.31
						2 Power Receptacles, 4 USB Charging	EUB1-SLOB-2400	2154.19
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOB-3012	1758.67
						3 Power Receptacles, 3 Data Ports	EUB1-SLOB-3030	1758.67
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOB-3102	1857.55
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SLOB-3120	1857.55
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SLOB-3210	1956.43
						3 Power Receptacles, 3 USB Charging	EUB1-SLOB-3300	2055.31
						4 Power Receptacles, 1 Cable Bay	EUB1-SLOB-4002	1758.67
						4 Power Receptacles, 2 Data Ports	EUB1-SLOB-4020	1758.67
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOB-4110	1857.55
						4 Power Receptacles, 2 USB Charging	EUB1-SLOB-4200	1956.43
						5 Power Receptacles, 1 Data Port	EUB1-SLOB-5010	1758.67
						5 Power Receptacles, 1 USB Charging	EUB1-SLOB-5100	1857.55
						6 Power Receptacles	EUB1-SLOB-6000	1758.67



Electrical Components

Flush Mounted Power — Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
6.75"(171mm)	3"(76mm)	12'(3658mm)	White	White	3	2 Power Receptacles, 1 Data Port	EUB1-SLOW-2010	\$1415.85
						2 Power Receptacles, 1 USB Charging	EUB1-SLOW-2100	1514.73
						3 Power Receptacles	EUB1-SLOW-3000	1415.85
8.25"(210mm)	3"(76mm)				4	2 Power Receptacles, 1 Cable Bay	EUB1-SLOW-2002	\$1501.53
						2 Power Receptacles, 2 Data Ports	EUB1-SLOW-2020	1501.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOW-2110	1600.41
						2 Power Receptacles, 2 USB Charging	EUB1-SLOW-2200	1699.29
						3 Power Receptacles, 1 Data Port	EUB1-SLOW-3010	1501.53
						3 Power Receptacles, 1 USB Charging	EUB1-SLOW-3100	1600.41
						4 Power Receptacles	EUB1-SLOW-4000	1501.53
9.75"(248mm)	3"(76mm)				6	2 Power Receptacles, 2 Cable Bays	EUB1-SLOW-2004	\$1587.26
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUB1-SLOW-2022	1587.26
						2 Power Receptacles, 4 Data Ports	EUB1-SLOW-2040	1587.26
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUB1-SLOW-2112	1686.14
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUB1-SLOW-2130	1686.14
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUB1-SLOW-2202	1785.02
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUB1-SLOW-2220	1785.02
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUB1-SLOW-2310	1883.90
						2 Power Receptacles, 4 USB Charging	EUB1-SLOW-2400	1982.78
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOW-3012	1587.26
						3 Power Receptacles, 3 Data Ports	EUB1-SLOW-3030	1587.26
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUB1-SLOW-3102	1686.14
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUB1-SLOW-3120	1686.14
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUB1-SLOW-3210	1785.02
						3 Power Receptacles, 3 USB Charging	EUB1-SLOW-3300	1883.90
						4 Power Receptacles, 1 Cable Bay	EUB1-SLOW-4002	1587.26
						4 Power Receptacles, 2 Data Ports	EUB1-SLOW-4020	1587.26
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUB1-SLOW-4110	1686.14
						4 Power Receptacles, 2 USB Charging	EUB1-SLOW-4200	1785.02
						5 Power Receptacles, 1 Data Port	EUB1-SLOW-5010	1587.26
						5 Power Receptacles, 1 USB Charging	EUB1-SLOW-5100	1686.14
						6 Power Receptacles	EUB1-SLOW-6000	1587.26

Electrical Components — Catalog Logic

Flush Mount Power Module with Sliding Door



Electrical Components




Flush Mount Power Module with Sliding Door





Port Options

4 Port – Port Options

1 Power Port Options







2 Data / Cable Port Options






6 Port – Port Options

1 Power Port Options



2 Data / Cable Port Options




Note

- Configuration and quantity of power and data ports can not be modified in the field.
- Audio/Video Cables are separately specified for Non-Switching Interface Units. Cables must be specified at the proper length required to reach from the users device to the Monitor.

1 Power Port Options:


Power Receptacles

- Conventional 3 prong Power Receptacle (black)




USB Charging Receptacles


- Includes 2 USB receptacles per port. (black)
- USB charging only – No data.



R Power Receptacles Only



A Both Power Receptacles and USB Charging Receptacles (even numbers or majority power receptacles)




B Both Power Receptacles and USB Charging Receptacles (majority USB charging receptacles)



2 Data/Cable Port Options:


Cable Bay

- A reservoir that holds audio/video cables (black).
- A single Cable Bay accommodates a maximum of two video cables and occupies two ports in the Interface Module.



Data Access Ports

- The Data Access Port option includes a tree of multiple data jack adapters used to accommodate most types of field supplied RJ45 data jacks.
- The VGA and microphone data jack adapters, included with the Data Jack Adapter Tree, may not be used because of clearance issues.
- Blank data covers are also included if data access is not required.
- Additional data jack adapters are available through eParts.



B Cable Bay (No Cables)



D Data Access Port



NN No Data/No Cables


This page intentionally blank

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded


4-Port and 6-Port

Wide



EWCA

Narrow



EWCB



Features

- Includes power module with sliding door, ports for power receptacle(s), optional data jack adapters, phone cord access and attachment hardware.
- Power cord, cable bay, receptacles and data jack adapter plates are black.
- Data jack adapters accommodate most varieties of field supplied data jacks and includes blank data covers.
- Excludes VGA and microphone adapters.
- Power module bezel is clear anodized aluminum; sliding door and end trim are available in trim colors indicated.
- Corded power module includes 12 foot black, 15 Amp cord with plug.
- Power Module overall height is 2.75"; will extend below the horizontal surface and extend above surface 0.35".
- Power module ships for field installation; field modification required to horizontal top for phone access which will deface top.

Specification Tips

- Formerly known as workware.
- Provides power, data, communication and audio/video access for users; may be specified with a variety of port configurations to fit user requirements.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Audio/Video Cables are separately specified. Cables must be specified at the proper length required to reach from the user's device to the Monitor.
- Requires a cable base be located directly below power module to house user cables, power and data cables and optional cable retractor; refer to Application Guide for cable base guidelines.
- 4-Port/Wide – Power Modules may be installed on tables specified with the standard Flip Top Unit cutout options (-F) or (-V); 6-Port/Wide/ – Power Modules may be installed on tables specified with the standard Flip Top Unit cutout options (-J) or (-K). These standard cutout options do not provide access for the communication opening to run a phone cable.
- Selected user AV cables extend 48" from Cable Bay without use of a Cable Retractor and 34" with a Cable Retractor.
- For use with 120 volt 60 hertz power source only.
- Electrical application requires prior approval by authority having jurisdiction.

To Order, Specify:

- 1) Product number:
- 2) Trim Color for Sliding Door/End Trim.
 - ZA-MT – Anodized Aluminum
 - Painted
 - TR-K – Charcoal
 - TR-J – Graphite
 - TR-PLS – Smooth Plaster

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded

Top Width	Top Depth	Configuration	Trim Color	Flip Top Unit Cut Out Codes*	Number	①	Price
Wide Module							
4 Port							
5"(127mm)	9.6"(244mm)	2 Power Receptacles, 1 Cable Bay	Anodized	F, V	EWCA-2R2B-NPSCBN		\$1353.93
		1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay			EWCA-2A2B-NPSCBN		1780.96
		2 Power Receptacles, 2 Data Ports			EWCA-2R2D-NPSCBN		1353.93
		1 Power Receptacle, 1 USB-A Charging, 2 Data Ports			EWCA-2A2D-NPSCBN		1780.96
		4 Power Receptacles			EWCA-4RNN-NPSCBN		1353.93
		2 Power Receptacles, 2 USB-A Charging			EWCA-4ANN-NPSCBN		2207.99
5"(127mm)	9.6"(244mm)	2 Power Receptacles, 1 Cable Bay	Painted	F, V	EWCA-2R2B-NPSPBN		\$1418.77
		1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay			EWCA-2A2B-NPSPBN		1845.80
		2 Power Receptacles, 2 Data Ports			EWCA-2R2D-NPSPBN		1418.77
		1 Power Receptacle, 1 USB-A Charging, 2 Data Ports			EWCA-2A2D-NPSPBN		1845.80
		4 Power Receptacles			EWCA-4RNN-NPSPBN		1418.77
		2 Power Receptacles, 2 USB-A Charging			EWCA-4ANN-NPSPBN		2272.83
6 Port							
5"(127mm)	12.6"(321mm)	4 Power Receptacles, 1 Cable Bay	Anodized	J, K	EWCA-4R2B-NPSCBN		\$1481.00
		2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay			EWCA-4A2B-NPSCBN		2335.06
		2 Power Receptacles, 2 Cable Bays			EWCA-2R4B-NPSCBN		1481.00
		1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays			EWCA-2A4B-NPSCBN		1908.03
		3 Power Receptacles, 3 Data Ports			EWCA-3R3D-NPSCBN		1481.00
		2 Power Receptacles, 1 USB-A Charging, 3 Data Ports			EWCA-3A3D-NPSCBN		1908.03
		1 Power Receptacle, 2 USB-A Charging, 3 Data Ports			EWCA-3B3D-NPSCBN		2335.06
		6 Power Receptacles			EWCA-6RNN-NPSCBN		1481.00
3 Power Receptacles, 3 USB-A Charging	EWCA-6ANN-NPSCBN		2762.09				
5"(127mm)	12.6"(321mm)	4 Power Receptacles, 1 Cable Bay	Painted	J, K	EWCA-4R2B-NPSPBN		\$1545.84
		2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay			EWCA-4A2B-NPSPBN		2399.90
		2 Power Receptacles, 2 Cable Bays			EWCA-2R4B-NPSPBN		1545.84
		1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays			EWCA-2A4B-NPSPBN		1972.87
		3 Power Receptacles, 3 Data Ports			EWCA-3R3D-NPSPBN		1545.84
		2 Power Receptacles, 1 USB-A Charging, 3 Data Ports			EWCA-3A3D-NPSPBN		1972.87
		1 Power Receptacle, 2 USB-A Charging, 3 Data Ports			EWCA-3B3D-NPSPBN		2399.90
		6 Power Receptacles			EWCA-6RNN-NPSPBN		1545.84
3 Power Receptacles, 3 USB-A Charging	EWCA-6ANN-NPSPBN		2826.93				

*Reference Specification Guide for dimensions.

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded

Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
Narrow Module								
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Clear Anodized	Black	4	1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSCBNPW	\$1663.21
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports	EWCB-2A2D-NPSCBNPW	1663.21
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSCBNPW	2517.27
						1 Power Receptacles, 3 Data Ports	EWCG-1R3D-NPSCBNPW	1236.18
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNPW	1236.18
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNPW	1663.21
						2 Power Receptacles, 2 Data Ports	EWCB-2R2D-NPSCBNPW	1236.18
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNPW	2090.24
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNPW	1236.18
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNPW	1663.21
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Painted	Black	4	4 Power Receptacles	EWCG-4RNN-NPSCBNPW	1236.18
						1 Power Receptacle, 1 Data Port, 1 Cable Bay	EWCG-1R3E-NPSPBNPW	\$1301.02
						1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSPBNPW	1728.05
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports	EWCB-2A2D-NPSPBNPW	1728.05
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSPBNPW	1301.02
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSPBNPW	2582.11
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNPW	1301.02
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNPW	1728.05
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNPW	1301.02
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNPW	2155.08
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNPW	1301.02
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNPW	1728.05
						4 Power Receptacles	EWCG-4RNN-NPSPBNPW	1301.02
						1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSCBNPW	\$1790.28
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSCBNPW	1790.28
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSCBNPW	1790.28
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSCBNPW	2217.31
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSCBNPW	2217.31
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSCBNPW	2644.34
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSCBNPW	2644.34
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSCBNPW	3071.37
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNPW	1790.28
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNPW	1790.28
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNPW	1363.25
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNPW	1363.25
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNPW	2217.31
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNPW	2217.31
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNPW	2644.34
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNPW	1363.25
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNPW	3071.37
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNPW	1363.25
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNPW	1790.28
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNPW	1790.28
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNPW	2217.31
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNPW	1363.25
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNPW	2644.34
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNPW	1363.25
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNPW	1790.28
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNPW	1363.25
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNPW	2217.31
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNPW	1363.25
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNPW	1790.28
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	6 Power Receptacles	EWCG-6RNN-NPSCBNPW	1363.25

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Wide and Narrow — Corded


Top Width	Top Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Painted	Black	6	1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSPBNPW	\$1855.12
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSPBNPW	1855.12
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSPBNPW	1855.12
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSPBNPW	2282.15
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSPBNPW	2282.15
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSPBNPW	2709.18
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSPBNPW	2709.18
						1 Power Receptacles, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSPBNPW	3136.21
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNPW	1855.12
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNPW	1855.12
						2 Power Receptacles, 2 Cable Bay	EWCG-2R4B-NPSPBNPW	1428.09
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNPW	1428.09
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNPW	2282.15
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNPW	2282.15
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNPW	2282.15
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNPW	2709.18
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNPW	1428.09
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNPW	3136.21
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNPW	1428.09
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNPW	1855.12
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNPW	1855.12
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNPW	2282.15
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNPW	1428.09
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNPW	2709.18
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNPW	1428.09
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNPW	1855.12
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNPW	1428.09
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNPW	2282.15
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNPW	1428.09
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNPW	1855.12
						6 Power Receptacles	EWCG-6RNN-NPSPBNPW	1428.09

Electrical Components

Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable

4-Port:


- (2) Power
- (1) USB
- (1) Data



EWCG-3A1D-NPSCBNSF

6-Port:


- (2) Power
- (1) USB
- (1) Data
- (1) Cable Bay



EWCG-3A3E-NPSCBNSF

4-Port:

- (4) Power



EWCG-4RNN-NPSCBNSF



Features

- Includes power module with sliding door, 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10'(3048mm) to 12'(3658mm) when stretched.
- Auxiliary 24"(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB Charging simplex consist of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

Specification Tips

- Formerly known as workware.
- Not for use with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim Color for Sliding Door/End Trim:
Anodized Aluminum ZA-MT
Painted:
Charcoal TR-K
Graphite TR-J
Smooth Plaster TR-PLS


Electrical Components

Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable


Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
Corded								
6.5" (165mm)	3" (76mm)	6' (1829mm)	Clear Anodized	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNSF	\$1436.00
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSCBNSF	1436.00
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNSF	2290.06
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNSF	1863.03
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNSF	1436.00
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNSF	1863.03
						4 Power Receptacles	EWCG-4RNN-NPSCBNSF	1436.00
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNSF	1563.07
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNSF	1563.07
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNSF	1990.10
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNSF	2417.13
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNSF	1563.07
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNSF	3271.19
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNSF	2844.16
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNSF	1990.10
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNSF	2417.13
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNSF	1990.10
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNSF	2417.13
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNSF	1563.07
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNSF	1990.10
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNSF	1563.07
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNSF	2844.16
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNSF	1990.10
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNSF	1563.07
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNSF	1563.07
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNSF	2417.13
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNSF	1563.07
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNSF	1990.10
						6 Power Receptacles	EWCG-6RNN-NPSCBNSF	1563.07
6.5" (165mm)	3" (76mm)	6' (1829mm)	Painted	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNSF	\$1500.84
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNSF	1500.84
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNSF	2354.90
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNSF	1927.87
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNSF	1500.84
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNSF	1927.87
						4 Power Receptacles	EWCG-4RNN-NPSPBNSF	1500.84
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNSF	1627.91
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNSF	1627.91
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNSF	2054.94
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNSF	2481.97
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNSF	1627.91
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNSF	3336.03
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNSF	2909.00
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNSF	2054.94
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNSF	2481.97
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNSF	2054.94
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNSF	2481.97
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNSF	1627.91
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNSF	2054.94
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNSF	1627.91
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNSF	2909.00
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNSF	2054.94
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNSF	1627.91
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNSF	1627.91
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNSF	2481.97
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNSF	1627.91
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNSF	2054.94
						6 Power Receptacles	EWCG-6RNN-NPSPBNSF	1627.91

Electrical Components


Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable



EWCG-3A1D-NPSCBNSL



EWCG-3A3E-NPSCBNSL



NOTE:
Always Circuit Breaker Plug
when more than 3
power outlets specified.

EWCG-4RNN-NPSCBNSL



Features

- Includes power module with sliding door, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12’(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary 24”(610mm) power cord with NEMA 5-15R used to provide power to table motor controller.
- USB-A Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

Specification Tips

- Formerly known as workware.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3”(7.6mm) diameter.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim Color for Sliding Door/End Trim:
Anodized Aluminum ZA-MT
Painted:
Charcoal TR-K
Graphite TR-J
Smooth Plaster TR-PLS

Electrical Components

Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable


Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
Corded								
6.5" (165mm)	3" (76mm)	12' (3658mm)	Clear Anodized	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNSL	\$1588.99
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSCBNSL	1588.99
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNSL	2443.05
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNSL	2016.02
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNSL	1588.99
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNSL	2016.02
						4 Power Receptacles	EWCG-4RNN-NPSCBNSL	1588.99
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNSL	\$1716.06
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNSL	1716.06
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNSL	2143.09
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNSL	2570.12
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNSL	1716.06
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNSL	3424.18
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNSL	2997.15
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNSL	2143.09
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNSL	2570.12
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNSL	2143.09
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNSL	2570.12
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNSL	1716.06
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNSL	2143.09
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNSL	1716.06
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNSL	2997.15
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNSL	2143.09
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNSL	1716.06
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNSL	1716.06
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNSL	2570.12
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNSL	1716.06
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNSL	2143.09
						6 Power Receptacles	EWCG-6RNN-NPSCBNSL	1716.06
6.5" (165mm)	3" (76mm)	12' (3658mm)	Painted	Black	4	2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNSL	\$1653.83
						2 Power Receptacles, 2 Data Ports	EWCG-2R2D-NPSPBNSL	1653.83
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNSL	2507.89
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNSL	2080.86
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNSL	1653.83
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNSL	2080.86
						4 Power Receptacles	EWCG-4RNN-NPSPBNSL	1653.83
					6	2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNSL	\$1780.90
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNSL	1780.90
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNSL	2207.93
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNSL	2634.96
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNSL	1780.90
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNSL	3489.02
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNSL	3061.99
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNSL	2207.93
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNSL	2634.96
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNSL	2207.93
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNSL	2634.96
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNSL	1780.90
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNSL	2207.93
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNSL	1780.90
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNSL	3061.99
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNSL	2207.93
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNSL	1780.90
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNSL	1780.90
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNSL	2634.96
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNSL	1780.90
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNSL	2207.93
						6 Power Receptacles	EWCG-6RNN-NPSPBNSL	1780.90

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

4-Port:

- (2) Power
- (1) USB
- (1) Data




Hard Wired

EWCG-3A1D-NPSCBNCW

6-Port:

- (2) Power
- (1) USB
- (1) Data
- (1) Cable Bay



Hard Wired

EWCG-3A3E-NPSCBNCW



Features

- Includes power module with sliding door, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Hardwired power module with 6’(1829mm) or 12’(3658mm) long flexible metal conduit feed, .05”(13mm) conduit fitting and wires for hardwire connection.
- USB-A Charging simplex consists of 2 USB outlets.
- 1,000mA of charging power per USB outlet.
- Color option of clear anodized lid with black receptacles or painted lid with black receptacles.

Specification Tips

- Formerly known as workware.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- **Configuration and quantity of power and data ports cannot be modified in the field.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Housing finish code (applicable to painted housing color only).

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

Top Width	Top Depth	Conduit Length	Configuration	Trim Color	Number	Price
Narrow Module						
4 Port						
3.25" (83mm)	9.6" (244mm)	6' (1829mm)	2 Power Receptacles, 1 Cable Bay	Anodized	EWCB-2R2B-NPSCBNCC	\$1185.61
			1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay		EWCB-2A2B-NPSCBNCC	1612.64
			2 Power Receptacles, 2 Data Ports		EWCB-2R2D-NPSCBNCC	1185.61
			1 Power Receptacle, 1 USB-A Charging, 2 Data Ports		EWCB-2A2D-NPSCBNCC	1612.64
			4 Power Receptacles		EWCB-4RNN-NPSCBNCC	1185.61
			2 Power Receptacles, 2 USB-A Charging		EWCB-4ANN-NPSCBNCC	2039.67
3.25" (83mm)	9.6" (244mm)	6' (1829mm)	2 Power Receptacles, 1 Cable Bay	Painted	EWCB-2R2B-NPSPBNCC	1250.45
			1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay		EWCB-2A2B-NPSPBNCC	1677.48
			2 Power Receptacles, 2 Data Ports		EWCB-2R2D-NPSPBNCC	1250.45
			1 Power Receptacle, 1 USB-A Charging, 2 Data Ports		EWCB-2A2D-NPSPBNCC	1677.48
			4 Power Receptacles		EWCB-4RNN-NPSPBNCC	1250.45
			2 Power Receptacles, 2 USB-A Charging		EWCB-4ANN-NPSPBNCC	2104.51
6 Port						
3.25" (83mm)	12.6" (321mm)	6' (1829m)	4 Power Receptacles, 1 Cable Bay	Anodized	EWCB-4R2B-NPSCBNCC	1312.68
			2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay		EWCB-4A2B-NPSCBNCC	2166.74
			2 Power Receptacles, 2 Cable Bays		EWCB-2R4B-NPSCBNCC	1312.68
			1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays		EWCB-2A4B-NPSCBNCC	1739.71
			3 Power Receptacles, 3 Data Ports		EWCB-3R3D-NPSCBNCC	1312.68
			2 Power Receptacles, 1 USB-A Charging, 3 Data Ports		EWCB-3A3D-NPSCBNCC	1739.71
			1 Power Receptacle, 2 USB-A Charging, 3 Data Ports		EWCB-3B3D-NPSCBNCC	2166.74
			6 Power Receptacles		EWCB-6RNN-NPSCBNCC	1312.68
			3 Power Receptacles, 3 USB-A Charging		EWCB-6ANN-NPSCBNCC	2593.77
3.25" (83mm)	12.6" (321mm)	6' (1829m)	4 Power Receptacles, 1 Cable Bay	Painted	EWCB-4R2B-NPSPBNCC	\$1377.52
			2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay		EWCB-4A2B-NPSPBNCC	2231.58
			2 Power Receptacles, 2 Cable Bays		EWCB-2R4B-NPSPBNCC	1377.52
			1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays		EWCB-2A4B-NPSPBNCC	1804.55
			3 Power Receptacles, 3 Data Ports		EWCB-3R3D-NPSPBNCC	1377.52
			2 Power Receptacles, 1 USB-A Charging, 3 Data Ports		EWCB-3A3D-NPSPBNCC	1804.55
			1 Power Receptacle, 2 USB-A Charging, 3 Data Ports		EWCB-3B3D-NPSPBNCC	2231.58
			6 Power Receptacles		EWCB-6RNN-NPSPBNCC	1377.52
			3 Power Receptacles, 3 USB-A Charging		EWCB-6ANN-NPSPBNCC	2658.61

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire


Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Clear Anodized	Black	4	1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSCBNCW	\$1765.63
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSCBNCW	2619.69
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSCBNCW	1338.60
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSCBNCW	1338.60
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSCBNCW	2192.66
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSCBNCW	1765.63
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSCBNCW	1338.60
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSCBNCW	1765.63
						4 Power Receptacles	EWCG-4RNN-NPSCBNCW	1338.60
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Clear Anodized	Black	6	1 Power Receptacle, 1 USB-A Charging, 2 Cable Bays	EWCG-2A4B-NPSCBNCW	\$1892.70
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSCBNCW	1892.70
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSCBNCW	1892.70
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSCBNCW	2319.73
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSCBNCW	2319.73
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSCBNCW	2746.76
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSCBNCW	2746.76
						1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSCBNCW	3173.79
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSCBNCW	1465.67
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSCBNCW	1465.67
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSCBNCW	1892.70
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSCBNCW	2319.73
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSCBNCW	1465.67
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSCBNCW	3173.79
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSCBNCW	2746.76
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSCBNCW	1892.70
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSCBNCW	2319.73
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSCBNCW	1892.70
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSCBNCW	2319.73
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSCBNCW	1465.67
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSCBNCW	1892.70
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSCBNCW	1465.67
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSCBNCW	2746.76
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSCBNCW	1892.70
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSCBNCW	1465.67
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSCBNCW	1465.67
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSCBNCW	2319.73
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSCBNCW	1465.67
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSCBNCW	1892.70
						6 Power Receptacles	EWCG-6RNN-NPSCBNCW	1465.67
3.25" (83mm)	9.6" (244mm)	12' (3658mm)	Painted	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EWCG-1R3E-NPSPBNCW	\$1403.44
						1 Power Receptacle, 1 USB-A Charging, 1 Cable Bay	EWCG-2A2B-NPSPBNCW	1830.47
						1 Power Receptacle, 3 USB-A Charging	EWCG-4ENN-NPSPBNCW	2684.53
						1 Power Receptacle, 3 Data Ports	EWCG-1R3D-NPSPBNCW	1403.44
						2 Power Receptacles, 1 Cable Bay	EWCG-2R2B-NPSPBNCW	1403.44
						2 Power Receptacles, 2 Data Port	EWCG-2R2D-NPSPBNCW	1403.44
						2 Power Receptacles, 2 USB-A Charging	EWCG-4ANN-NPSPBNCW	2257.50
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-3A1D-NPSPBNCW	1830.47
						3 Power Receptacles, 1 Data Port	EWCG-3R1D-NPSPBNCW	1403.44
						3 Power Receptacles, 1 USB-A Charging	EWCG-4CNN-NPSPBNCW	1830.47
						4 Power Receptacles	EWCG-4RNN-NPSPBNCW	1403.44

Electrical Components

Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
3.25" (83mm)	12.6" (321mm)	12' (3658mm)	Painted	Black	6	1 Power Receptacle, 2 Cable Bays	EWCG-2A4B-NPSPBNCW	\$1957.54
						1 Power Receptacle, 1 USB-A Charging, 2 Data Ports, 1 Cable Bay	EWCG-2A4E-NPSPBNCW	1957.54
						1 Power Receptacle, 1 USB-A Charging, 4 Data Ports	EWCG-2A4D-NPSPBNCW	1957.54
						1 Power Receptacle, 2 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3E3E-NPSPBNCW	2384.57
						1 Power Receptacle, 2 USB-A Charging, 3 Data Ports	EWCG-3E3D-NPSPBNCW	2384.57
						1 Power Receptacle, 3 USB-A Charging, 1 Cable Bay	EWCG-4E2B-NPSPBNCW	2811.60
						1 Power Receptacle, 3 USB-A Charging, 2 Data Ports	EWCG-4E2D-NPSPBNCW	2811.60
						1 Power Receptacle, 4 USB-A Charging, 1 Data Port	EWCG-5E1D-NPSPBNCW	3238.63
						2 Power Receptacles, 2 Cable Bays	EWCG-2R4B-NPSPBNCW	1530.51
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EWCG-2R4E-NPSPBNCW	1530.51
						2 Power Receptacles, 1 USB-A Charging, 1 Data Port, 1 Cable Bay	EWCG-3A3E-NPSPBNCW	1957.54
						2 Power Receptacles, 2 USB-A Charging, 1 Cable Bay	EWCG-4A2B-NPSPBNCW	2384.57
						2 Power Receptacles, 4 Data Ports	EWCG-2R4D-NPSPBNCW	1530.51
						2 Power Receptacles, 4 USB-A Charging	EWCG-6BNN-NPSPBNCW	3238.63
						2 Power Receptacles, 3 USB-A Charging, 1 Data Port	EWCG-5B1D-NPSPBNCW	2811.60
						2 Power Receptacles, 1 USB-A Charging, 3 Data Ports	EWCG-3A3D-NPSPBNCW	1957.54
						2 Power Receptacles, 2 USB-A Charging, 2 Data Ports	EWCG-4A2D-NPSPBNCW	2384.57
						3 Power Receptacles, 1 USB-A Charging, 2 Data Ports	EWCG-4C2D-NPSPBNCW	1957.54
						3 Power Receptacles, 2 USB-A Charging, 1 Data Port	EWCG-5A1D-NPSPBNCW	2384.57
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	EWCG-3R3E-NPSPBNCW	1530.51
						3 Power Receptacles, 1 USB-A Charging, 1 Cable Bay	EWCG-4C2B-NPSPBNCW	1957.54
						3 Power Receptacles, 3 Data Ports	EWCG-3R3D-NPSPBNCW	1530.51
						3 Power Receptacles, 3 USB-A Charging	EWCG-6ANN-NPSPBNCW	2811.60
						4 Power Receptacles, 1 USB-A Charging, 1 Data Port	EWCG-5C1D-NPSPBNCW	1957.54
						4 Power Receptacles, 1 Cable Bay	EWCG-4R2B-NPSPBNCW	1530.51
						4 Power Receptacles, 2 Data Ports	EWCG-4R2D-NPSPBNCW	1530.51
						4 Power Receptacles, 2 USB-A Charging	EWCG-6DNN-NPSPBNCW	2384.57
						5 Power Receptacles, 1 Data Port	EWCG-5R1D-NPSPBNCW	1530.51
						5 Power Receptacles, 1 USB-A Charging	EWCG-6CNN-NPSPBNCW	1957.54
						6 Power Receptacles	EWCG-6RNN-NPSPBNCW	1530.51

Flush Mounted — Round



- Includes power module with 2 ports configured with simplex outlets (NEMA-5-15R), USB charging port or data ports and mounting hardware.
- Power Modules specified with a data port includes a variety of data port adapters and blank covers, which accommodate most varieties of field supplied data/AV jacks.
- The Smart USB-A+C allows for the 20W to be transferred between the 2 ports. If the USB-A is being used, the full wattage is sent to the USB-A, and the same for the USB-C. If both are being used, the wattage is distributed to each port and the port drawing the most power will receive more watts than the one that is not.
- Corded power module with 15 amp - 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- Hardwire power module with 6'(1829mm) or 10'(3048mm) long flexible galvanized metal conduit.
- USB-A provides two 10W charging ports.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.

- 1) Product number.
- 2) Trim color.
TR-PM1 Silver
TR-PM2 Midnight Black
TR-PM3 Parchment


- Installs into a 3" diameter hole into surfaces with a maximum thickness of 1.5".
- Configuration and quantity of power and data ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components

Wireless Charging Module

Wireless Charging Module

EUWC-PFOB-12002



EUWC-PFOB
EUWC-PFOW
EUWC-HLOB
EUWC-HLOW



Features

- Includes power module with simplex outlet (NEMA-15R), two USB charging simplex and two charging Qi pads with soft touch plastic inserts and mounting hardware.
- 5 Watt Qi charging coil.
- Corded power module with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- Hardwired power module with 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of one 5V USB 2.0 style A outlet. 2 Amp (shared) charging capacity.
- Attaches to 1"(25mm) to 1.5"(38mm) thick surface with use of included mounting brackets.
- Color option of black or white plastic face.

Specification Tips

- **Not for use with 2"(51mm) thick tops.**
- Configuration and quantity of power and USB ports cannot be modified in the field.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Requires field cut 3"(76mm) diameter access hole for power cord/conduit routing.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Separately specified:
 - Horizontal and Vertical Wire Management


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Width	Depth	Cord Length	Housing Color	Configuration	Number	Price
Corded						
7.38"(187mm)	7"(178mm)	6'(1829mm)	Black	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PF0B-12002	983.71
			White	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PF0W-12002	983.71
7.38"(187mm)	7"(178mm)	12'(3658mm)	Black	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PL0B-12002	1061.20
			White	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-PL0W-12002	1061.20
Hardwire						
7.38"(187mm)	7"(178mm)	12'(3658mm)	Black	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-HL0B-12002	1158.32
			White	1 Power Receptacle, 2 USB Charging, 2 Charging Pad	EUWC-HL0W-12002	1158.32

Ergotron Keyboard Tray

	Description	Height Adjustment	Number	Price
Keyboard Tray with Mouse Pad  169BK  UKMCBK	11"(279mm) Track	0" Above/6" Below	169BK	\$570.88
	18.5"(457mm) Track	0" Above/6" Below	UKMCBK	574.01
Features - Includes: Keyboard tray with mouse pad and attachment hardware. - Keyboard tray includes integrated foam wrist rest. - Oval mouse extension pivots out from the right side. - Height adjustment range: Level with to 6"(152mm) below worksurface. - Tilt adjustment -20°/ +10° - Pans 360°. - Available with 11"(279mm) track or 18.5"(470mm) track. - Weight capacity: 10 lbs. - Black only. - TAA Compliant.		To Order, Specify: 1) Product number.		
Specification Tips - Keyboard tray extends 4"(102mm) from front of worksurface when retracted. 11"(279mm) or 18.5"(470mm) under surface depth required for track installation.				

Neo-Flex Keyboard Tray  97-582-009	Keyboard Tray	0" Above/6" Below	97-582-009	\$305.94
Features - Includes: Keyboard tray, arm, desk clamp, slide mechanism and mounting hardware. - Height adjustment range: Level with to 6"(152mm) below worksurface. - Tilt adjustment +15° - Fully retracts under worksurface when not in use. 26.9"(683mm)W x 8.9"(226mm)D keyboard trays allows room for keyboard and mouse. - Weight capacity: 3 lbs. - Keyboard tray extends approximately 9.25"(235mm) from front of surface. 15"(381mm) track. - Black only.		To Order, Specify: 1) Product number.		
Specification Tips - Clamps to front edge of worksurface with clamp and one screw or remove clamp and attach under worksurface with four screws. - Compatible with surfaces .75"(19mm) - 1.5"(25mm) thick. - For use on surfaces with minimum depth of 17".				


Ergotron CPU Holder

	Description	Number	Price
Small CPU Holder  80-063	Black	80-063-200	\$125.80
	White	80-063-216	125.80
	Features - Includes: One vertical steel CPU holder, mounting hardware and fasteners. - Mounts to any sturdy vertical surface. - CPU Holder is 6"(152mm)H x 10"(254mm)D. - Accommodates CPUs 1.4"(25mm) to 3.75"(76mm) wide. - Weight capacity: 50 lbs.		
		To Order, Specify: 1) Product number.	
Universal CPU Holder  97-468	Silver	97-468-202	\$166.10
	White	97-468-216	166.10
	Features - Includes: One vertical steel CPU holder, mounting hardware and fasteners. - Mounts to any sturdy vertical surface. - CPU Holder is 6.6"(152mm)H x 10"(254mm)D. - Accommodates CPUs 2"(51mm) - 8"(203mm) wide. - Weight capacity: 40 lbs.		
		To Order, Specify: 1) Product number.	
Cable CPU Holder  80-105-064	Grey/Silver	80-105-064	\$97.38
	Features - Includes: One size-adjustable CPU holder and hardware. - Mounts directly to wall or under worksurface. - Size adjusts from 9.4"(229mm) x 2.6"(51mm) to 18"(457mm) x 8.5"(203mm). - Unique security fasteners deter theft. - Weight capacity: 50 lbs.		
		To Order, Specify: 1) Product number.	

Ergotron Monitor Arms

HX Arm

Single Arm



45-475
45-478

Description	Number	Price
Desk Mount		
Polished Aluminum	45-475-026	\$758.42
White	45-475-216	758.42
Wall Mount		
Polished Aluminum	45-478-026	\$758.42
White	45-478-216	758.42

Features

- Includes: Adjustable height monitor arm, extension, monitor pivot, mounting hardware.
 - Desk mount includes desk clamp and grommet mount.
 - Wall mount includes mounting hardware.
- For use with screen 42”(1067mm) or smaller.
- Weight capacity 20-42 pounds.
- Height adjustment range is 11.5”(292mm).
- Tilts 70° up and 5° down from center.
- 180° rotation base stop.
- Pans 180°.
- Rotates 360°.
- Extends out up to 25”(635mm).
- Integrated cable management.
- One touch adjustment.


To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.4”(10mm)-2.5”(64mm) thick.
- Grommet mount attaches through surface holes 0.4”(10mm)-2”(51mm) wide and up to 2.25”(57mm) thick.
- For additional mounting options refer to page 145.

Dual Arm



45-476
45-479

Desk Mount		
Polished Aluminum	45-476-026	\$1234.71
White	45-476-216	1234.71
Wall Mount		
Polished Aluminum	45-479-026	\$1234.71
White	45-479-216	1234.71

Features

- Includes: Adjustable height monitor arm, extension, two monitor pivots, hinged bow, handle, mounting hardware.
 - Desk mount includes desk clamp and grommet mount.
 - Wall mount includes mounting hardware.
- For use with screen 32”(813mm) or smaller.
- Weight capacity is 5-17.5 pounds per screen. Maximum combined weight is 35 pounds.
- Height adjustment range is 11.5”(292mm).
- Tilts 70° up and 5° down from center.
- 180° rotation base stop.
- Pans 180° - Hinged bow allows monitors to pan from left to right independently.
- Rotates 360°.
- Extends out up to 24”(610mm).
- Quick release monitor.
- Integrated cable management.
- One touch adjustment.
- Handle allows for easy positioning of multiple monitors simultaneously.

To Order, Specify:



- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface 0.6”(15mm)-2.5”(64mm) thick.
- Grommet mount attaches through surface holes 0.4”(10mm)-2”(51mm) wide and up to 2.25”(57mm) thick.
- For additional mounting options refer to page 145.

Ergotron Monitor Arms


HX Triple Monitor Bow Kit

	Description	Number	Price
  98-009-026 98-009-216	Polished Aluminum	98-009-026	\$728.85
	White	98-009-216	728.85
Features - Includes: Triple monitor hinge bow, three monitor pivots, handle, monitor mounting hardware. - For use with screen 24"(610mm) or smaller. - Maximum weight capacity is 10.2 pounds per arm. Maximum combined weight is 30.6 pounds. - Tilts 70° up and 5° down from center. - Pans 180°. - Rotates 360°. - Extends out up to 24"(610mm). - Quick release monitor. - One touch adjustment. - Handle allows for easy positioning of multiple monitors simultaneously. To Order, Specify: - Product number.			
Specification Tip Attaches to HX single or dual monitor arm.			

Ergotron Monitor Arms

LX Desk Mount

Single Arm



45-241-026
45-490-216
45-241-224
45-295-026
45-537-216


Description	Number	Price
Single Arm		
Polished Aluminum	45-241-026	\$354.76
White	45-490-216	354.76
Matte Black	45-241-224	354.76
Single Arm — Tall Pole		
Polished Aluminum	45-295-026	\$466.53
White	45-537-216	466.53

- Features**
- Includes: Adjustable height monitor arm, pole, extension, desk clamp and grommet mount base (polished aluminum only).
 - Grommet mount base available on Polished Aluminum model only.
 - Standard pole length is 7”(178mm). Tall pole length is 13.25”(337mm).
 - Standard pole height for use with screen 32”(813mm) or smaller. Tall pole for use with screens 34”(864mm) or smaller.
 - Accommodates monitors from 7-25 pounds.
 - Height adjustment range is 13”(330mm) from installed height.
 - Tilts 70° up and 5° down from center.
 - Rotates 360°.
 - Extends LCD's out up to 25”(635mm).
 - Integrated cable management.
 - One touch adjustment.


To Order, Specify:
1) Product number.

- Specification Tips**
- Desk clamp mounts on worksurface 0.4”(10mm)-2.4”(61mm) thick.
 - Grommet mount attaches through surface holes 0.31”(8mm)-2”(51mm) wide and up to 3”(76mm) thick.
 - For additional mounting options refer to page 145.

Dual Arm



45-245-026
45-491-216
45-245-224



45-248-026
45-492-216
45-492-224

Side-by-Side		
Polished Aluminum	45-245-026	\$714.86
White	45-491-216	714.86
Matte Black	45-245-224	714.86
Stacking		
Polished Aluminum	45-248-026	\$714.86
White	45-492-216	714.86
Matte Black	45-492-224	714.86

- Features**
- Includes: Two adjustable height monitor arms, extensions, pole, grommet mount (polished aluminum only) and desk clamp.
 - Grommet mount base available on Polished Aluminum model only.
 - Screen size:
 - Side by Side application; screens 27”(686mm) or smaller.
 - Stacking application; screens 24”(610mm) or smaller. Screen height cannot exceed 14”(356mm) when stacking.
 - Accommodates monitors from 7-20 pounds per arm. Maximum combined weight is 40 pounds.
 - Height adjustment range is 13”(330mm).
 - Tilts 70° up and 5° down from center.
 - Pans 360°.
 - Rotates 360°.
 - Extends LCD's out up to 25”(635mm).
 - Integrated cable management.
 - One touch adjustment.


To Order, Specify:
1) Product number.

- Specification Tips**
- Desk clamp mounts on worksurface 0.4”(10mm)-2.4”(61mm) thick.
 - Grommet mounts attached through surface holes 0.31”(8mm)-2”(51mm) wide and up to 3”(76mm) thick.
 - For additional mounting options refer to page 145.

Ergotron Monitor Arm

LX Monitor Arm — Tall Pole

	Description	Number	Price
LX Dual Stacking Arm - Tall Pole Monitor Arm	Polished Aluminum	45-549-026	\$717.39
	White	45-509-216	717.39



45-549-026
45-509-216

Features

- Includes: Two adjustable height monitor arms, extensions, 22"(559mm) pole, grommet mount, desk clamp and mounting hardware.
- Screen size:
 - Side by Side application; screens 40"(1016mm) wide or smaller.
 - Stacking application; screens 21"(533mm) high or shorter.
- Accommodates monitors from 7-20 pounds per arm. maximum combined weight is 40 pounds.
- Height adjustment range is 13"(330mm).
- Tilts 70° up and 5° down from center.
- Pans 360°.
- Rotates 360°.
- Extends LCDs out up to 25"(635mm).
- Integrated cable management.
- One touch adjustment.

To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.4"(10mm) - 2.4"(61mm) thick.
- Grommet mount attaches through surface holes .31"(8mm) - 2"(51mm) wide and up to 3"(76mm) thick.
- A third or fourth display can be added by ordering the LX Arm, Extension and Collar Kit. When adding a third or fourth monitor the maximum weight capacity per arm is 11 pounds.
- When using LX Arm Extension and Collar Kit with 3 monitors side by side, maximum screen width is 20.7" (526mm). When using LX Arm Extension and Collar kit with 4 monitors side by side, maximum screen width is 13.7" (348mm).
- For additional mounting options refer to page 145.

Ergotron Monitor Arm

LX Sit-to-Stand Mount

Single Arm



45-360-026
45-384-026

Description	Number	Price
LD — Light Duty		
Polished Aluminum	45-360-026	\$612.90
HD — Heavy Duty		
Polished Aluminum	45-384-026	\$814.59

Features

- Includes: Adjustable height monitor arm, extension, desk clamp and grommet base.
- Screen size:
 - LD - Light Duty for use with screen 42”(1067mm) or smaller.
 - HD - Heavy Duty for use with screen 46”(1168mm) or smaller.
- Monitor weight:
 - LD - Light Duty 7-25 pounds.
 - HD - Heavy Duty 14-30 pounds.
- Height adjustment range is 20”(508mm).
- Tilts 70° up and 5° down from center.
- Pans 360°.
- Rotates 90°.
- Extends LCD's out up to 33”(838mm).
- Integrated cable management.
- One touch adjustment.
- Locking connections between arm, extension and base provides theft deterrence and prevent potential disconnections caused by jarring or impacts.

To Order, Specify:

- 1) Product number.


Specification Tips

- Desk clamp mounts on worksurface 0.8”(20mm)-2.6”(66mm) thick.
- Grommet mounts attached through surface holes 0.5”(13mm)-2.5”(64mm) wide and up to 2.25”(57mm) thick.
- For additional mounting options refer to page 145.

Ergotron Monitor Arm

LX Desk Dual Direct

	Description	Number	Price
Dual Direct Arm	Polished Aluminum	45-489-026	\$543.34
	White	45-489-216	543.34
	Matte Black	45-489-224	543.34



45-489

Features

- Includes: LX arm, extension, desk clamp, dual bow, two monitor pivots, pole and mounting hardware.
- For use with screens 25"(635mm) or smaller.
- Accommodates monitors from 2-11 pounds per monitor. Maximum combined weight is 22 pounds.
- Height adjustment range is 13"(330mm).
- Each monitor has individual tilt of 15° up and 15° down from center.
- Pans 360°.
- Rotates 360°.
- Extends LCD's out up to 24"(610mm).
- Integrated cable management.
- One touch adjustment.
- Move two monitors simultaneously.

To Order, Specify:

- 1) Product number.

Specification Tip

- Desk clamp mounts on worksurface 0.4"(10mm)-2.4"(61mm) thick.
- For additional mounting options refer to page 145.

Dual Direct Handle Kit

98-037-062

Polished Aluminum	98-037-062	\$118.82
-------------------	------------	-----------------

Features



- Includes: One handle and mounting hardware.
- For use with LX Dual Direct monitor arm.
- Allows repositioning of screens without touching the screen.

To Order, Specify:

- 1) Product number.




Ergotron Monitor Arm Accessories

For use with LX Monitor Arms

	Description	Number	Price
LX One-Stop Rotational Control Kit  97-774-003	Silver	97-774-003	\$34.20
	Features - Includes: Single rotation stop collar, stop post, and hardware. - Controls LX arm motion range to prevent extension arm from hitting the wall.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with LX Single Arm, LX Tall Pole Arm, LX Dual Stacking Arm, LX Dual Direct Arm and LX Dual Stacking Tall Pole arm. - Not compatible with LX Dual Side by Side Arms or LX Sit-Stand arms. - When used on LX Dual Stacking arm a quantity of two is needed.		
LX Two-Stop Rotational Control Kit  98-060-003	Silver	98-060-003	\$43.50
	Features - Includes: Dual rotation stop collar, two stop posts, and hardware. - Provides a fixed 180° stop to prevent LX arm extension from hitting the wall.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with LX Single Arm, LX Tall Pole Arm, LX Dual Stacking Arm, LX Dual Direct Arm and LX Dual Stacking Tall Pole arm. - Not compatible with LX Dual Side by Side Arms or LX Sit-Stand arms.		

Ergotron Monitor Arm Accessories


For use with LX Monitor Arms

	Description	Number	Price
LX Extension  45-289-026	Polished Aluminum	45-289-026	\$89.01
	Features - Includes: One extension. - Add additional pivot-point for additional flexibility. - Increases the reach of an LX arm by 9"(229mm). Specification Tip - Only one extension to be used per monitor arm.	To Order, Specify: 1) Product number.	
LX Sit-to-Stand Extension  45-362-026	Polished Aluminum	45-362-026	\$151.26
	Features - Includes: One sit-to-stand extension. - Add additional pivot-point for additional flexibility. - Increases the reach of an LX Sit-to-Stand arm by 11.7"(297mm). Specification Tip - Only one extension to be used per monitor arm.	To Order, Specify: 1) Product number.	
LX Pole Collar  97-844	Polished Aluminum	97-844	\$14.72
	Features - Includes: One collar and hardware. - Used to attach a second LX Sit-to-Stand Arm at any point of an installed base. - Reposition height on pole by loosening/tightening the collar's set screws.	To Order, Specify: 1) Product number.	
LX Arm, Extension and Collar Kit  97-940-026 98-130-216	Polished Aluminum	97-940-026	\$395.07
	White	98-130-216	395.07
	Features - Includes: LX arm, extension, collar and hardware. - Converts existing LX Tall Pole Arm to hold two monitors creating an LX Dual Stacking Arm configuration. - Attaches to pole of the desk mount base. - For use with screen 32"(813mm) or smaller. - Weight capacity is 7-20 pounds. - Height adjustment range is 13"(330mm). - Tilts 70° up and 5° down from center. - Pans 360°. - Rotates 360°. - Extends LCD's out up to 25"(635mm). - Integrated cable management. - One touch adjustment. Specification Tip - Recommended for use with LX Desk Mount LCD Arm, Tall Pole.	To Order, Specify: 1) Product number.	

Ergotron Monitor Arm

MXV Desk Mount

Single Arm



45-486

Description	Number	Price
Polished Aluminum	45-486-026	\$399.74
White	45-486-216	399.73
Matte Black	45-486-224	399.73

Features

- Includes: Fully assembled slim profile arm, two-piece desk clamp, and mounting hardware.
- For use with screen 34”(864mm) or smaller.
- Accommodates monitors from 7-20 pounds per arm.
- Height adjustment range is 13”(330mm).
- Tilts 90° backward and 90° forward.
- Rotates 360°.
- Pans 180° at base; 360° between extension and arm. Rotation stop on base can be disengaged at time of installation to increase range to a full 360°.
- Extends LCD monitor out 22.2”(559mm).
- Arm folds back over base into a compact retracted position; perfect for tucking under systems furniture storage shelves or cabinets in space constrained areas.
- Integrated cord management.
- One touch adjustment.


To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface .047”(0mm) - 1.25”(25mm) thick.
- Desk clamp has anti-rotation screws to prevent base from slipping.
- Grommet mount available; separately specified part 98-110.
- For additional mounting options refer to page 145.

Dual Arm



45-496

Polished Aluminum	45-496-026	\$776.81
White	45-496-216	776.82
Matte Black	45-496-224	776.82

Features

- Includes: Fully assembled slim profile dual arm, two-piece desk clamp, and mounting hardware.
- For use with screen 24”(610mm) or smaller. Screen size may affect adjustment capability.
- Accommodates monitors from 7-20 pounds.
- Height adjustment range is 13”(330mm).
- Tilts 90° backward and 90° forward.
- Rotates 360°.
- Pans 180° at base; 360° between extension and arm. Rotation stop on base can be disengaged at time of installation to increase range to a full 360°.
- Extends LCD monitor out 22.2”(559mm).
- Arm folds back over base into a compact retracted position; perfect for tucking under systems furniture storage shelves or cabinets in space constrained areas.
- Integrated cord management.
- One touch adjustment.

To Order, Specify:

- 1) Product number.

Specification Tips

- Desk clamp mounts on worksurface .047”(0mm) - 1.25”(25mm) thick.
- Desk clamp has anti-rotation screws to prevent base from slipping.
- Grommet mount available; separately specified part 98-111.
- For additional mounting options refer to page 145.


Ergotron Monitor Arms

MX Desk Mount

	Description	Number	Price
Single Arm  45-214-026	Polished Aluminum	45-214-026	\$460.80
	Features - Includes: Adjustable height monitor arm, desk clamp and grommet mount. - For use with screen 30"(762mm) or smaller. - Accommodates monitors from 14-30 pounds. - Height adjustment range is 5"(127mm). - Tilts 75° up and 5° down from center. - Rotates 90°. - Pans 360°. - Extends LCD's out up to 17"(432mm). - Integrated cable management. - One touch adjustment. To Order, Specify: - Product number.		
	Specification Tips - Desk clamp mounts on worksurface 0.4"(10mm)-2.5"(64mm) thick. - Grommet mounts attach through surface holes 0.31"(8mm)-2"(51mm) wide and up to 3"(76mm) thick.		


Ergotron Monitor Arm

Accessories

	Description	Number	Price
Dual Monitor and Handle Kit  97-783	Polished Aluminum/Black 97-783 Features - Includes: Monitor bow, two monitor pivots, handle and mounting hardware. - For use with screens 26"(660mm) or smaller. - Maximum weight capacity is 18 pounds per arm. - Maximum combined weight is 36 pounds. - Rotates 360°. - Arm in polished aluminum, bow and handle in black. Specification Tips - This product adds an additional 6 pounds to your mounting solution. Monitor arm's maximum weight capacity must be reduced by 6 pounds. - Attaches to mounts with four-hole interface of 50 x 50 mm or 100 x 100 mm.	To Order, Specify: 1) Product number.	\$243.02
Monitor Quick Release LCD Bracket  60-589-060	Black 60-589-060 Features - Includes: Bracket, screws and stand-offs. - For use with monitors less than 3"(76mm) thick. - Bracket weighs 1.2 pounds and is 0.5"(13mm) thick. Weight of the bracket needs to be considered when determining weight capacity of the monitor arm.	To Order, Specify: 1) Product number.	\$44.59


Ergotron Monitor Arm Accessories

Grommet Mount


	Description	Number	Price
 98-034	Grommet Mount for LX Single and Dual Direct Arms	98-034	\$24.18
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Direct Arm and the single monitor LX Desk Mount Arm (standard pole). - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick.	To Order, Specify: Product number.	
 98-035	Grommet Mount for LX Dual Arm	98-035	\$36.28
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Side-by-Side Arm and LX Dual Stacking Arm as well as Single Monitor LX Desk Mount Arm (tall pole). - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick.	To Order, Specify: Product number.	
 98-017	Grommet Mount for LX Arm on WorkFit-T/TL	Zinc Plated Steel 98-017	\$35.34
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with LX Dual Side-by-Side Arm and LX Dual Direct and LX Desk Mount Arm. - Mounts through surface .31"(8mm) - 2"(51mm) wide and 3"(76mm) thick. - Weight capacity: - LX Desk Mount Arm - 14 pounds - LX Dual Direct Arm - 4.8 pounds per monitor - LX Dual Side-by-Side Arm - 6 pounds per monitor - Weight capacity is limited when mounting LX arms on WorkFit T/TL.	To Order, Specify: Product number.	
 98-110	Grommet Mount for MXV Single Monitor Arm	98-110	\$23.97
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with MXV Single Monitor Arm. - Mounts through surface .31"(8mm) - 1.25"(32mm) wide and less than or equal to 1.3"(33mm) thick.	To Order, Specify: Product number.	
 98-111	Grommet Mount for MXV Dual Monitor Arm	98-111	\$36.59
	Feature - Includes: Grommet plate and attachment hardware. Specification Tips - Compatible with MXV Dual Monitor Arm. - Mounts through surface .31"(8mm) - 1.25"(32mm) wide and less than or equal to 1.3"(33mm) thick.	To Order, Specify: Product number.	

Ergotron WorkFit-A — Single Attached Sit-Stand Workstation


Description	Height	Depth	Width	Number	Price
LD — Light Duty with WorkSurface					
Polished Aluminum/Black	42.7"(1085mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-317-026	\$1177.68
LD — Light Duty with WorkSurface and Suspended Keyboard					
Polished Aluminum/Black	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-390-026	\$1233.92
HD — Heavy Duty with Worksurface and Suspended Keyboard					
Polished Aluminum/Black	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-391-026	\$1318.93



24-317-026
LD with Worksurface



24-390-026
LD with Suspended Keyboard



24-391-026
HD with Suspended Keyboard

Features

- Includes: Height-adjustment column, desk clamp, LCD pivot, keyboard tray, worksurface (when applicable) and hardware.
- Grommet mount included on models with suspended keyboard tray.
- Keyboard tray dimensions: 9.75"(248mm) D x 27"(686mm)W.
- Worksurface dimensions: 9.75"(248mm) D x 23"(584mm)W.
- Height adjustment range is 20"(508mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently from worksurface. Maximum LCD height adjustment is 25"(635mm).
- Tilts 30°.
- Pans 180°.
- Rotates 90°.
- In seated position, suspended keyboard tray can drop down approximately 4"(102mm) below desktop surface.
- Integrated cable management.
- Black with polished aluminum arm extension and base.

To Order, Specify:


- Product number.

- Specification Tips**
 - Desk clamp mounts on worksurface up to 31.5"(800mm) deep and 0.78"(29mm)-2.6"(66mm) thick.
 - Keyboard tray can be installed in three different positions: centered, offset right or offset left.


Description	Maximum Screen Size	Weight Capacity			
		Total	LCD	Keyboard Tray	Worksurface
LD with Worksurface	24"(610mm)	20 lbs.	5-15 lbs.	5 lbs.	5 lbs.
LD with Suspended Keyboard	24"(610mm)	20 lbs.	5-15 lbs.	5 lbs.	5 lbs.
HD with Suspended Keyboard	27"(686mm)	25 lbs.	10-20 lbs.	5 lbs.	5 lbs.

Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation

Description	Height	Depth	Width	Number	Price
With Worksurface	42.7"(1085mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-316-026	\$1295.37
With Worksurface and Suspended Keyboard	38.8"(986mm)	16.9"(429mm)- 43.7"(1110mm)	27"(686mm)	24-392-026	1347.76



24-316-026



24-392-026

Features

- Includes: Arm, two LCD pivots, worksurface, crossbow, keyboard tray, desk clamp and hardware.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 25 pounds
 - LCD - 4.5-10 pounds each.
 - Keyboard tray - 2 pounds
 - Worksurface - 5 pounds
- Keyboard tray dimension: 9.75"(248mm) D x 27"(686mm) W.
- In seated position, keyboard tray can drop down approximately 4"(102mm) below desktop surface.
- Worksurface dimension: 9.75"(248mm) D x 22.63"(575mm) W.
- Height adjustment range is 20"(508mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently from worksurface. Maximum LCD height adjustment is 25"(635mm).
- Pans 180°.
- Rotates 360°.
- Integrated cable management.
- Black with polished aluminum extension and base.


To Order, Specify:

- Product number.


Specification Tips

- Desk clamp mounts on worksurface up to 31.5"(800mm) deep and 0.5"(13mm) - 2.5(64mm) thick.
- Minimum weight capacity of 12 pounds to ensure proper operation.
- Keyboard tray can be installed in three different positions: centered, offset right or offset left.

Ergotron WorkFit-S — Single Attached Sit-Stand Workstation



33-350-200



33-351-200

Description	Height	Depth	Width	Number	Price
LD — Light Duty with WorkSurface					
Black	29.4(747mm)-35”(889mm)	16.3”(414mm)	27”(686mm)	33-350-200	\$1312.85
HD — Heavy Duty with Worksurface					
Black	29.4(747mm)-35”(889mm)	16.3”(414mm)	27”(686mm)	33-351-200	\$1486.12

Features

- Includes: Height-adjustment column, desk clamp, LCD pivot, keyboard tray, and worksurface when applicable.
- Keyboard tray dimensions:
 - With Worksurface - 9”(229mm) D x 27”(686mm) W.
- Worksurface dimensions: 15”(381mm) D x 23”(584mm) W.
- Height adjustment range is 18”(457mm) with LCD and keyboard tray in tandem. LCD's adjust 5”(127mm) independently. Maximum LCD height adjustment is 23”(584mm).
- Tilts 30°.
- Rotation: LD rotates 360°. HD rotates 90°.
- Keyboard tray tilts back 5°.

To Order, Specify:


- Product number.

Specification Tips


- Desk clamp mounts on front of worksurface 0.5”(13mm)-2.4”(61mm) thick.
- Height measured from desktop to lowest and highest positions.

Description	Maximum Screen Size	Weight Capacity			
		Total	LCD	Keyboard Tray	Worksurface
LD with Worksurface	24”(610mm)	24 lbs.	6-16 lbs.	5 lbs.	5 lbs.
HD with Worksurface	30”(762mm)	29 lbs.	16-28 lbs.	5 lbs.	5 lbs.

Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation



33-341-200

33-349-200
33-349-211

Description	Height	Depth	Width	Number	Price
Without Worksurface					
Black	29.4(747mm)-35"(889mm)	16.3"(414mm)	24"(610mm)	33-341-200	\$1073.50
With Worksurface					
Black	29.4(747mm)-35"(889mm)	16.3"(414mm)	27"(686mm)	33-349-200	\$1388.59
White	29.4(747mm)-35"(889mm)	16.3"(414mm)	27"(686mm)	33-349-211	1400.81

Features

- Includes: Height-adjustment column, desk clamp, crossbar, two LCD pivots, keyboard tray, and left/right mouse tray or worksurface when applicable.
- For use with screen 24"(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 31 pounds.
 - LCD - 6-14 pounds without worksurface. With worksurface LCD weight capacity 6-12 pounds..
 - Keyboard tray - 5 pounds.
 - Worksurface (when specified) - 5 pounds
- Keyboard tray dimensions:
 - Without Worksurface - 9.3"(236mm) D x 16.5"(419mm) W.
 - With Worksurface - 9"(229mm) D x 27"(686mm) W.
- Mouse tray available on without worksurface model only. May be installed on left or right side of keyboard tray. Dimensions: 7.9"(201mm) D x 7.5"(191mm) W.
- Worksurface dimensions: 15"(381mm) D x 23"(584mm) W.
- Height adjustment range is 18"(457mm) with LCD and keyboard tray in tandem. LCD's adjust 5"(127mm) independently. Maximum LCD height adjustment is 23"(584mm).
- Rotates 90°.
- Keyboard tray tilts back 5°.


To Order, Specify:

- Product number.

Specification Tips

- Desk clamp mounts on front of worksurface 0.5"(13mm)-2.4"(61mm) thick.
- Height measured from desktop to lowest and highest positions.

Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation



33-407-085
33-407-062

Description	Height	Depth	Width	Number	Price
Black	28.9(734mm)- 37”(940mm)	25.2”(640mm)	29.5”(749mm)	33-407-085	\$1626.87
White	28.9(734mm)- 37”(940mm)	25.2”(640mm)	29.5”(749mm)	33-407-062	1626.87

Features

- Includes: Height-adjustment column, crossbar, two LCD pivots, worksurface, one USB extension cable, two cable wraps and desk clamp.
- For use with screen 24”(610mm) or smaller.
- Maximum weight capacity:
 - Total capacity 25 pounds.
 - Monitor arm 3-11 pounds each.
 - Worksurface 5 pounds.
- Worksurface dimensions: 22”(559mm) D x 30”(762mm) W.
- Height adjustment range is 18”(457mm) with monitor and keyboard in tandem. Monitors lift independently 5”(127mm) additional.
- Tilts 35°.
- Rotates 360°.


To Order, Specify:

- 1) Product number.

Specification Tips



- Desk clamp attaches to rear of surfaces up to 2.5”(64mm) thick.
- Recommended for use on 30”(762mm)-36”(914mm) worksurfaces. Desks shorter than 30”(762mm) worksurface will extend beyond desktop edge. Desks deeper than 36”(914mm), worksurface will not extend to desktop edge.
- Height measured from desktop to lowest and highest positions.

Ergotron WorkFit-T — Desktop Sit-Stand Workstation

	Description	Depth	Width	Number	Price
	Black	25"(635mm)	35"(889mm)	33-397-085	\$1003.20
Features - Includes: One height adjustable workstation with keyboard tray. - For use with screen 30"(762mm) or smaller. - Maximum weight capacity: 10-35 pounds. - Keyboard tray dimensions are 25"(635mm) W x 9"(229mm) D. - Total height adjustment range is 15"(381mm). Monitor and keyboard move in tandem. - Keyboard tray sits 4.5"(114mm) below WorkFit worksurface. - Ships fully assembled. To Order, Specify: - Product number. Specification Tips - Fits on surfaces 24"(610mm) deep or larger including corner surfaces. - Monitor can be placed directly on the worksurface or monitor mount can be used; sold separately.					
33-397-085 33-397-062					

Ergotron WorkFit-TL — Desktop Sit-Stand Workstation

Description	Depth	Width	Number	Price
Black	27"(686mm)	37.5"(953mm)	33-406-085	\$1033.72
Black - TAA Compliant	27"(686mm)	37.5"(953mm)	33-418-085	1612.54



33-406-085
33-406-062
33-418-085

Features

- Includes: One height adjustable workstation with keyboard tray.
- TAA compliant version assembled in the USA in black only.
- For use with screen 30"(762mm) or smaller.
- Maximum weight capacity: 10-40 pounds.
- Keyboard tray dimensions are 27.5"(699mm) W x 11"(279mm) D.
- Total height adjustment range is 15"(381mm). Monitor and keyboard move in tandem.
- Keyboard tray sits 4.5"(114mm) below WorkFit worksurface.
- Ships fully assembled.


To Order, Specify:

- 1) Product number.

Specification Tips

- Fits on desks 24"(610mm) deep or larger.
- Monitor can be placed directly on the worksurface or monitor mount can be used; sold separately.

Ergotron WorkFit LX - Sit-Stand Desk Mount System



	Description	Number	Price
 45-405-026	Polished Aluminum	45-405-026	\$1552.24
	Features - Includes: Monitor arm, two extensions, keyboard arm and tray, slide-out mouse tray, pole, two pole collars, desk clamp, grommet mount, VESA brackets, wrist rest and hardware. - For use with screen 42"(1067mm) or smaller. - Maximum weight capacity: - Monitor arm 7-25 pounds. - Keyboard arm 5 pounds. - Keyboard tray dimensions: 8.9"(226mm) D x 18.3"(465mm) W. - Keyboard tray tilts back 5°. - Mouse tray dimensions: 8"(203mm) D x 8"(203mm) W. - Height adjustment range is 20"(508mm). - Side-to-Side movement range of 62"(1575mm). - Arm extension is 33"(838mm). - Tilts 75°. - Pans 360°. - Rotates 360°. - Mouse Tray may be installed on the left or right side. Specification Tips - Desk clamp attaches to rear edge up to 2.5"(64mm) thick. - Grommet mount attaches through hole 0.5"(13mm) to 2.5"(64mm) wide and up to 2.25"(57mm) thick.		

To Order, Specify:

- 1) Product number.



Ergotron WorkFit — Accessories

WorkFit-A

	Description	Number	Price
 97-692	Grommet Mount Polished Aluminum/Black	97-692	\$63.78
	Features - Includes one grommet mount. - For use with WorkFit-A. - Black pole and hardware with polished aluminum base.	To Order, Specify: 1) Product number.	
	Specification Tips - Attaches through surface hole 0.5”(13mm) to 2.5”(64mm) wide and up to 2.6”(66mm) thick. - For maximum support, screw should be centered through hole.		
 97-606	Conversion Kit Single HD to Dual Black	97-606	\$147.83
	Features - Includes: Crossbar, two monitor pivots and mounting hardware. - Converts WorkFit-A single HD workstation into a WorkFit Dual workstation. - For use with screens 24”(610mm) or smaller. - Pivots 360°. - LCD weight capacity is 6-14 pounds. - Total weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-A products. - Not for use with WorkFit-S.		




Ergotron WorkFit — Accessories

WorkFit-S

	Description	Height	Depth	Width	Number	Price
 97-581-019	Black	.25"(6mm)	15"(381mm)	23"(584mm)	97-581-019	\$221.84
	Features - Includes: Worksurface, mounting brackets and mounting hardware. - For use on WorkFit-S workstation. - Weight capacity is 5 pounds.					To Order, Specify: Product number.
	Specification Tips - Does not affect normal range of WorkFit S. - When added to WorkFit-S reduce total weight capacity by 6 pounds. - May not be used in conjunction with Tablet/Document Holder.					
 97-653	Black	.25"(6mm)	9"(229mm)	27"(686mm)	97-653	\$121.75
	Features - Includes: Keyboard tray and mounting hardware. - For use on WorkFit-S workstation. - Weight capacity is 5 pounds.					To Order, Specify: Product number.
	Specification Tips - Can be attached centered on the workstation or offset to the right or left using alternate mounting holes. - May be installed using only back mounting holes to increase distance between keyboard and monitor.					
 97-558-200	Black	10.7"(272mm)	1.5"(38mm)	7.25"(184mm)	97-558-200	\$74.12
	Features - Includes: document holder, handle and mounting hardware. - For use with WorkFit-S. - Maximum weight capacity: 2.2 pounds					To Order, Specify: Product number.
	Specification Tips - Installs in three different positions under laptop or displays. - Tablet/Document Holder may reduce WorkFit's 5"(127mm) independent height adjustment range for displays. - When added to the WorkFit-S, total weight capacity of workstation is reduced by 1 pound. - Not for use with WorkFit-S worksurface.					



Ergotron WorkFit — Accessories

WorkFit-A / WorkFit-S

	Description	Number	Price
Conversion Kit: Dual to LCD & Laptop	Black	97-617	\$151.08
	Features - Includes: Laptop tray, riser bracket, monitor pivot and mounting hardware. - Converts WorkFit-S or WorkFit-A Dual workstation into a WorkFit LCD and laptop workstation. - For use with screens 24”(610mm) or smaller. - Monitor tilts 30°. - Pans 180°. - Monitor rotates 360°. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tip Compatible with WorkFit-A or WorkFit-S workstation.		
Conversion Kit: LCD & Laptop to Dual	Black	97-616	\$88.16
	Features - Includes: Two monitor pivots and mounting hardware. - Converts WorkFit-S or WorkFit-A LCD & Laptop workstation into a Dual Workstation. - For use with screens 22”(559mm) or smaller. - Rotates 360°. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
Tall-User Kit for WorkFit Dual	Black	97-615	\$130.71
	Features - Includes: Two monitor pivots, two riser brackets and mounting hardware. - Converts WorkFit-S or WorkFit-A Dual display workstation to improve ergonomic height requirements of taller users. - For use with screens 24”(610mm) or smaller. - Maximum weight capacity: –Total capacity 28 pounds. –LCD – 6-14 pounds. - Rotates 360°. - Adds 30° of up/down tilt to displays. - Weight capacity is contingent on the WorkFit platform to which the kit is added.	To Order, Specify: 1) Product number.	
	Specification Tip Compatible with WorkFit-S and WorkFit-A. Also works with Dual Monitor Kit for WorkFit-T.		

Ergotron WorkFit — Accessories

WorkFit-A/WorkFit-S

	Description	Height	Depth	Width	Number	Price	
 97-897	Deep Keyboard Tray	Black	.25"(6mm)	11"(279mm)	27"(686mm)	97-897	\$148.76
	Features - Includes: Large single piece keyboard tray and mounting hardware. - Maximum weight capacity is 5 pounds.					To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S and WorkFit-A. - Installs centered or offset to the right or left side.						
 97-898	Corner Keyboard Tray	Black	.25"(6mm)	11"(279mm)	27"(686mm)	97-898	\$148.74
	Features - Includes: Corner single piece keyboard tray and mounting hardware. - Maximum weight capacity is 5 pounds.					To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S and WorkFit-A. - Installs centered or offset to the right or left side.						

To Order, Specify:




1) Product number.

To Order, Specify:


1) Product number.

Ergotron WorkFit — Accessories


WorkFit-T/WorkFit-TL

	Description	Number	Price
WorkFit Single LCD Monitor Kit  97-935-085 97-935-062	Black	97-935-085	\$248.26
	White	97-935-062	241.77
	Features - Includes: 5”(127mm) lift engine, one monitor pivot, dual bow, and hardware. - For use with screen 24”(610mm) or smaller. - Maximum weight capacity: 6-16 pounds. - Tilts 30°. - Rotates 360°. To Order, Specify: 1) Product number.		
	Specification Tips - Compatible with WorkFit-T and WorkFit-TL. - When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 28.4 pounds. - When added to the WorkFit-TL, overall capacity of the WorkFit-TL is decreased from 40 pounds to 33.4 pounds.		
WorkFit Dual Monitor Kit  97-934-085 97-934-062	Black	97-934-085	\$369.44
	White	97-934-062	363.95
	Features - Includes: 5”(127mm) lift engine, two monitor pivots, dual bow, and hardware. - For use with screen 24”(610mm) or smaller. - Maximum weight capacity: –Total weight 12-28 pounds. –LCD weight 6-14 pounds each. - Rotates 360°. To Order, Specify: 1) Product number.		
	Specification Tips - Compatible with WorkFit-T and WorkFit-TL. - When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 25.3 pounds. - When added to WorkFit-TL, overall capacity of the WorkFit TL is decreased from 40 pounds to 30.3 pounds.		
WorkFit LCD & Laptop Kit  97-933-085 97-933-062	Black	97-933-085	\$363.09
	White	97-933-062	370.63
	Features - Includes: 5”(127mm) lift engine, one monitor pivot, one laptop tray, dual bow, and hardware. - For use with screen 24”(610mm) or smaller. - Maximum weight capacity: 12-26 pounds. –LCD 6-16 pounds. –Laptop Tray 10 pounds. - Monitor tilts 30°. - Monitor rotates 360°. To Order, Specify: 1) Product number.		
	Specification Tips - Compatible with WorkFit-T and WorkFit-TL. - When added to the WorkFit-T, overall capacity of the WorkFit-T decreases from 35 pounds to 25 pounds. - When added to the WorkFit-TL, overall capacity of the WorkFit-TL decreases from 40 pounds to 30 pounds.		

Ergotron Monitor Arm Accessories

	Description	Number	Price
Dual Monitor Double-Hinged Bow  98-101-009	Black	98-101-009	\$141.61
	Features - Includes: Double-hinged bow and mounting hardware. - For use with screens 25"(635mm) or smaller. - Weight capacity is 6-14 pounds each. Capacity may vary depending on WorkFit capacity. - Pans 168° from front to back using monitors 18"(457mm) or smaller. Panning motion may be restricted when using screens 19"(483mm) - 25"(635mm) in size.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-A, WorkFit-S, WorkFit-SR dual workstations. - Pivots are not included. Use pivots from current workstation.		
Tall-User Kit for Single Display  97-845	Black	97-845	\$38.53
	Features - Includes: Bracket, recess spacer, and screws. - Raises monitor 4"(102mm) - 6"(152mm). - Screen size dependent on product to which it is attached.	To Order, Specify: 1) Product number.	
	Specification Tips - Compatible with WorkFit-S, WorkFit-A and WorkFit-T as well as any VESA mount where portrait/landscape adjustment is locked or not present. - Kit adds one pound to the mount weight. De-rate weight capacity of accompanying mount by one pound. - Monitor weight should never exceed 29 pounds.		

Ergotron WorkFit — Anti-Fatigue Floor Mat



97-620-060

Height	Depth	Width	Number	Price
6.25"(159mm)	24"(610mm)	36"(914mm)	97-620-060	\$499.95


- Features**
- Includes: One floor mat.
 - 0.625"(16mm) thick.
 - Custom blended medium density polyurethane foam.
 - High tear strength polyurethane outer membrane.
 - Black only.
 - TAA (Trade Agreements Act) compliant.

To Order, Specify:

1) Product number.

Ergotron Neo-Flex Laptop Cart

Height	Depth	Width	Number	Price
26.6"(676mm)-46.6"(1184mm)	22.8"(579mm)	17.5"(445mm)	24-205-214	\$1780.33



24-205-214
(power strip shown not included)


Features

- Includes: Integrated worksurface/keyboard tray with left/right mouse tray, scanner holder bracket, mouse holder, cable storage area, four dual casters (two locking), laptop security system, bracket for power strip and cable wrap.
- Compatible with most 12"(305mm)-17"(432mm) laptops. Maximum outside width of laptop is 18"(457mm).
- Maximum weight capacity is 15 pounds.
- Front handle on worksurface allows for easy mobility.
- 20"(508mm) height range adjustment allows for use from a seated or standing position.
- Worksurface dimensions 16.5"(419mm) W x 20.5"(521mm) D.
- Laptop cart standard in gray with 2 piece gray plastic worksurface.

To Order, Specify:


- 1) Product number.

Ergotron Teachwell® Mobile Digital Workspace

	Height	Depth	Width	Number	Price
	32"(813mm)-52"(1321mm)	24"(610mm)	31"(787mm)	24-220-055	\$1510.22
Features - Includes: Cart, integrated phenolic worksurface, seamless keyboard/mousing tray, cable management box, cable winding brackets, four dual casters (two locking). - Maximum weight capacity 38.5 pounds. - Worksurface height adjustment range: 32"(813mm)-52"(1321mm). Note: worksurface and keyboard tray adjust in tandem. - Worksurface dimensions: 31"(787mm) W x 21"(533mm) D. - Keyboard Tray: 26"(660mm) W x 9.4"(239mm) D stows under worksurface. Includes 5° back-tilt. - Cable management box interior: 13.4"(340mm) W x 5"(127mm) D x 3.4"(86mm) H. Provides storage for one standard six-outlet power strip, two power bricks and the associated cables. - Available in supplier graphite grey only. - Includes mechanical mounting holes to mount many major document camera models. Ordered separately. - Ships assembled.			To Order, Specify: 1) Product number.		

Ergotron LearnFit

	Description	Height	Depth	Width	Number	Price
LearnFit Desk	Sit-Stand	29"(737mm)-44"(1118mm)	22"(559mm)	24"(610mm)	24-547-003	\$913.36
	Standing	33"(838mm)-49"(1245mm)	22"(559mm)	24"(610mm)	24-481-003	913.28



24-547-003
24-481-003


Features

- Includes: One adjustable height desk with two locking and 2 non-locking casters and backpack hook.
- PrecisionHeight™ Technology allows for one-touch height adjustment.
- Worksurface includes built in cup holder, tablet stand pocket and pencil tray.
- Maximum weight capacity for desk surface is 15 pounds.
- Sit-Stand desk height range is 29"(737mm)-45"(1143mm). Adjustable Standing desk height range is 33"(838mm)-49"(1245mm).
- Standard with polished aluminum column and base with feathered gray laminate surface. Edgeband and cup holder/pencil tray standard in dark gray.

To Order, Specify:

- 1) Product number.

Storage Bin	Dark Gray	8"(203mm)	8"(203mm)	14.5"(368mm)	97-926-064	\$91.59
--------------------	-----------	-----------	-----------	--------------	------------	----------------



97-926-064

Features

- Includes: Molded plastic bins and mounting hardware.
- Sized to hold notebooks, folders and books.
- Smooth plastic surface.
- Maximum weight capacity is 8 pounds.
- Three separate compartments:
 - Enclosed, top-loaded on left side.
 - 3-sided, front-loaded on right side.
 - Smaller, 3-sided, front-loaded in center.


To Order, Specify:

- 1) Product number.


Specification Tips

- Compatible with LearnFit Adjustable Standing Desk
- Attaches at any height along the desk column.

Ergotron Zip 12 Charging


	Height	Depth	Width	Number	Price
	35.6"(904mm)	5.9"(150mm)	40.9"(1039mm)	DM12-1006-1	\$2372.05
Features - Includes: Cabinet, 6' power cord, key and wall mounting hardware. - Charges and secures up to 12 tablets or notebooks with screens up to 12"(305mm). - Show & Stow™ technology tilting tablet trays pull out to load/unload and automatically retract. - Sliding front access door. 12 receptacle outlet strip designed to work with oversized adapters. AC adapter maximum dimensions 4.1(104mm) H x 2"(51mm) W x 4"(102mm) D. - Individual device maximum weight 3 pounds. Total weight capacity 44.4 pounds. - Contains one 12V DC continuous operation cooling fan. - Uses AC adapters that come with each device. AC adapters not included. - Black with polished aluminum sliding door and laptop tray fronts. To Order, Specify: 1) Product number.					

Grommets

 WUAC-WSG Class CA – SIN 33721; Discount Group I	Outside Diameter	Height	Hole Size	Number	Price	
	3”(76mm)	1”(25mm)	2.75”(70mm)	WUAC-WSG	\$34.11	
	Features • Includes one grommet with removable cover. • Must be field-installed. • Available in black color only.			To Order, Specify: 1) Product number. (No finish specification required.)		
	Specification Tip • Works with top thickness 1” or greater.					
 WQAG Class PT – SIN 33721; Discount Group IX	Outside Diameter	Height	Hole Size	Number	Trim A	B
	3”(76mm)	1.125”(29mm)	2.75”(70mm)	WQAG-0303-PS	\$63.92	\$77.04
	3”(76mm)	2.0”(51mm)	2.75”(70mm)	WQAG-0303-PM	63.92	77.04
	Features • Includes one painted grommet with removable cover. • Must be field-installed.			To Order, Specify: 1) Product number. 2) Trim color.		
Specification Tip • Works with top thickness: –WQAG-0303-PS - 1.19” or greater –WQAG-0303-PM - 2.0” or greater						
 JAG-1 Class TA – GSA: Open Market	Outside Diameter	Height	Hole Size	Number	Price	
	2.0”(51mm)	.75”(19mm)	1.75”(44mm)	JAG-1	\$27.82	
	3.5”(89mm)	.75”(19mm)	3”(76mm)	JAG-2	\$32.09	
	Features • Includes one grommet with removable cover. • Must be field-installed. • Available in black color only.			To Order, Specify: 1) Product number. (No finish specification required.)		
Specification Tip • Works with top thickness 0.75” or greater.						
 JAG-2 Class TA – SIN 33721; Discount Group X	Outside Diameter	Height	Hole Size	Number	Trim A	B
	3”(76mm)	.72”(18mm)	2.75”(70mm)	TA01-0220	\$41.50	\$47.89
	Features • Includes one painted grommet. • Must be field-installed.			To Order, Specify: 1) Product number. 2) Trim color.		
	Specification Tip • Works with 0.75” top or greater.					

Grommets

Flip Top Unit — Hatch



EUG1

Finishes	Bezel Width	Bezel Depth	Flip Top Unit Cutout Code	Configuration	Number	Price
Anodized						
	5.24"(133mm)	4.375"(111mm)	A, B	2	EUG1-0000-G2NNNW	\$254.07
	8.31"(211mm)		F, V	4	EUG1-0000-G4NNNW	269.95
	11.25"(286mm)		J, K	6	EUG1-0000-G6NNNW	285.84
Black						
	5.24"(133mm)	4.375"(111mm)	A, B	2	EUG1-0000-G2NNNB	\$333.47
	8.31"(211mm)		F, V	4	EUG1-0000-G4NNNB	349.35
	11.25"(286mm)		J, K	6	EUG1-0000-G6NNNB	365.24

- Features**
- Includes one flip top unit hatch.
 - Hatch is flush mounted with spring release cover; 0.5"(13mm) gap between cover and bezel for cords.
 - Available in anodized or black finish.
 - Field installed.


- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

- Specification Tips**
- Specify for cord management as needed.
 - Order hatch to match cutouts specified for each table.

Information Display

Planes Easels

	Height	Depth	Width	Number	①	Trim A	B
Standard Easel	75"(1905mm)	28"(711mm)	45"(1143mm)	KAIE-0029-LJS	■ B	\$2080.70	\$2140.15



KAIE-0029

Features

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **One information board can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface/center board is 0.54"(13.7mm) thick with 1mm bright white edgeband and has a 31"(787mm) wide x 43"(1092mm) high writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 30"(762mm) wide x 1.375"(35mm) high x 3"(76mm) deep. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or
 - black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

- 1) Product number, including:

① Base Option:

- C** Caster
- G** Glide, add \$101.30 list


- 2) Frame trim color.

- 3) Caster/Glide base disc trim color:
 - Black – TR-F
 - Fog – TR-7
 - Light Platinum – TR-LPL

Information Display

Planes Easels

	Height	Depth	Width	Number	1	Trim A	B
Large Easel	75"(1905mm)	28"(711mm)	88"(2235mm)	KAIE-0072-LJS	B	\$2958.73	\$3018.18



KAIE-0072

Features

- Includes frame, and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **Two information boards can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pads.
- Writable surface/center board is 0.64"(16mm) thick with 1mm bright white edgeband and has a 74"(1880mm) wide x 43"(1092mm) high writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 73"(1854mm) wide x 1.375"(35mm) high x 3"(76mm) deep. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.


To Order, Specify:

- 1) Product number, including:
- 1 Base Option:**
- C** Caster
 - G** Glide, add **\$101.30** list
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

Information Display

Planes Boards and Accessories

	Height	Width	Number	Price
Information Boards	42"(1067mm)	40"(1016mm)	KAIB-0040-LJSNA	\$677.65



KAIB-0040

Features

- Includes one information board and attachment cleats.
- Markers and erasers separately specified.
- Laminate writable surface/information boards are 0.64"(16mm) thick with one usable side and 1mm bright white edgeband.
- Safety interlock prevents dislodgement from easels and horizontal wall rail.
- Lightweight construction – each board is approximately 19 pounds.
- Information board cleats and bumpers are light platinum.
- Ships assembled.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- **Planes information boards add 3"(76mm) to overall easel height.**
- Information board back cleats (2) fit over top rail of easel and lower bumpers (2) allow vertical alignment.
- The following Planes products are separately specified:
 - Standard Easel
 - Large Easel
 - Horizontal Wall Rail for Information Boards
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

Horizontal Wall Rail for Information Boards



KAIW-0096

	Width	Number	Trim A	B
	96"(2438mm)	KAIW-0096	\$1553.27	\$1612.72

Features

- Includes upper and lower rails, four wall cleats, two end caps and hardware.
- Lower rail also functions as a 2.25"(57mm) x 96"(2438mm) marker tray.
- 96"(2438mm) horizontal wall rail accommodates two information boards side-by-side.
- Rails can be cut down to accommodate desired width.
- Rail end caps and cleats are light platinum.
- Wall rails are mounted horizontally.
- Ships unassembled.


To Order, Specify:

- 1) Product number.
- 2) Trim color for rail.

Specification Tips

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**
- The following Planes products are separately specified:
 - Information Boards

Wall Cleat for Information Boards



KAIH-0000

Height	Depth	Width	Number	Price
3.5"(89mm)	1.5"(38mm)	1.75"(44mm)	KAIH-0000	\$111.11

Features

- Includes two cleats in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tip

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**


Information Display

Planes Boards and Accessories

		Number	Price
Horizontal Wall Rail End Caps		KAIC-0000	\$19.69
 KAIC-0000	Features - Includes two end caps in light platinum. - For use with the Planes information board horizontal wall rail in field modified application.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tip Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.		
		Number	Price
Y-Leg Bumper		TA01-0214	\$11.19
 TA01-0214	Description For use on 30"(762mm) deep top		
	Feature Includes 4 bumpers in light platinum, for easel Y-leg.	To Order, Specify: 1) Product number (No color specification required.)	
	Specification Tip Protects Y-leg tables when nested.		

Information Display – Planes Markerboard Accessories

	Description	Number	Price
Markerboard Accessories	Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	\$190.74
	Cleaner and Conditioner	7031-7001	227.73
	Spray Cleaner	7031-7002	69.51



7062-8001



7031-7002



7031-7001

Feature


- Recommended dry erase marker products to maintain, clean & condition markerboards.

To Order, Specify:

- 1) Product number
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Total Length with Switch	Watts	Number	Price
Adaptable LED Task Light - Stand-Alone	17"(432mm)	18.6"(472mm)	5.6	LUTN-0017-19ULDN	\$232.88
	31"(787mm)	32.6"(828mm)	10.3	LUTN-0031-19ULDN	264.38
	44"(1118mm)	45.6"(1158mm)	14.3	LUTN-0044-19ULDN	293.63



Features

- Includes 17"(mm), 31"(787mm) or 44"(1118mm) LED fixture, one on/off/dimmer pack, 18 watt power supply with black nine foot power cord, two adhesive cord managers and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).


Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- **Not intended for daisy chaining.**
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- Intended for use under shelf or cabinet.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Adaptable LED Task Light - Starter Kit	17"(432mm)	18.6"(472mm)	5.6	LUTT-0017-11ULDN	\$264.20
	31"(787mm)	32.6"(828mm)	10.3	LUTT-0031-11ULDN	295.70
	44"(1118mm)	45.6"(1158mm)	14.3	LUTT-0044-11ULDN	324.95



Features

- Includes LED fixture, one on/off/dimmer pack, 40 watt power supply with eleven foot power cord, two adhesive cord managers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).

Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- Refer to the Specification Guide or under the Adaptable LED Task Light - Add-on Kit for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Adaptable LED Task Light - Add-On Kit	17"(432mm)	5.6	LUTA-0017-1NULDN	\$196.11
	31"(787mm)	10.3	LUTA-0031-1NULDN	227.61
	44"(1118mm)	14.3	LUTA-0044-1NULDN	256.86



LUTA

**Features**

- Includes LED fixture, 18"(457mm) daisy chain cord, two adhesive cord managers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- Refer to the chart below for the total number of light fixtures that can be daisy chained together.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.


Acceptable Daisy Chain Light Combinations			
Daisy Chair Combinations	# of 17" Lights	# of 31" Lights	# of 44" Lights
Combination 1	1	1	1
Combination 2	1	1	0
Combination 3	1	2	0
Combination 4	1	0	1
Combination 5	1	0	0
Combination 6	2	1	0
Combination 7	2	0	1
Combination 8	2	0	0
Combination 9	3	1	0
Combination 10	3	0	0
Combination 11	4	0	0
Combination 12	0	1	1
Combination 14	0	2	0
Combination 15	0	3	0
Combination 17	0	0	2

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5 	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$349.36
Features - Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm). Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Not intended for daisy chaining. - Single touch on/off with continuous dimming from 15-100%. - Automatic shutoff after 10 hours. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications. To Order, Specify: 1) Product number. (No finish specification required.)				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6 	16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$ 480.38
	30.1"(765mm)	17.6	LUTS-0031-12ULD6	699.06
	43.7"(1110mm)	25.9	LUTS-0044-12ULD6	902.12
	57.4"(1458mm)	33.6	LUTS-0058-12ULD6	1120.80
Features - Includes LED fixture, 60 watt power supply with twelve foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm). Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. - Single touch on/off with continuous dimming from 15-100%. - Automatic shutoff after 10 hours. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications. To Order, Specify: 1) Product number. (No finish specification required.)				

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Reed Premier™	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$349.36
Add-On LED Task Light —	30.1"(765mm)	17.6	LUTD-0031-1NULDN	568.04
For Use with Reed Premier Starter	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	771.10
LED Task Lights	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	989.78



LUTD-0017-1NULDN

**Features**


- Includes LED fixture, 8"(203mm) and 30"(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Automatic shutoff after 10 hours.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Reed Premier™
Add-On Occupancy Sensor


LUTS-0000

**Features**

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7"(17.8mm); Width: 2.0"(51mm); Length: 2.3"(58mm).

Specification Tips



- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

LUTS-0000

\$393.08**To Order, Specify:**

- 1) Product number.
(No finish specification required.)


Lighting — Haworth

	Number	Price
Voyage without Occupancy Sensor	LUV1-0012-07 LC	\$757.65
 LUV1  Features • Includes base, adjustable arm fixture with LED light and 6'(182cm) removable cord. • Available in supplier silver, white or black. • Touch controls for On/Off switching and continuous 100-15% dimming. • Arm rotates 300°. • Base footprint: 6"(152mm) diameter. • Clamp mount can be used on horizontal surfaces from 0.90"(23mm) to 1.87"(47mm) thick. • Auto turn off after 10 hours of use. • Power consumption: 7W. • Color temperature 3500k. • Luminosity: 250 Lumens. • Color Rendition Index: 84 CRI. • 50K hour lifespan. • Cord length: 6'(182cm). Specification Tips • Minor assembly required. • For use with 120 volt 60 hertz electrical system. To Order, Specify: 1) Product number, including: 1 Attachment: F Freestanding G Clamp 2) Trim color. TR-11Black TR-12Silver TR-13White		
Voyage with Occupancy Sensor	LUV2-0012-07 LO	\$1114.21
 LUV2  Features • Includes base, adjustable arm fixture with LED light and 6'(182cm) removable cord. • Available in supplier silver, white or black. • Touch controls for On/Off switching and continuous 100-15% dimming. • Arm rotates 300°. • Base footprint: 6"(152mm) diameter. • Clamp mount can be used on horizontal surfaces from 0.90"(23mm) to 1.87"(47mm) thick. • Power consumption: 7W. • Color temperature 3500k. • Luminosity: 250 Lumens. • Color Rendition Index: 84 CRI. • 50K hour lifespan. • Cord length: 6'(182cm). Specification Tips • Minor assembly required. • For use with 120 volt 60 hertz electrical system. To Order, Specify: 1) Product number, including: 1 Attachment: F Freestanding G Clamp 2) Trim color. TR-11Black TR-12Silver TR-13White		

Lighting — Haworth Collection

Brazo

	Base Diameter	Model	Number	①	Price
Freestanding Lighting	8.5"(216mm)	Table Light	LBJ1-0026-19FLC		\$550.00
		Floor Light	LBJ2-0026-19FLC		650.00



LBJ1
Class PD

LBJ2

**Features**

- Includes base, adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White or Anodized Black finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Table light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- Table light overall height range with arm extended at 180° is 41"(1041mm).
- Floor light overall height range with arm extended at 180° is 74.75"(1899mm).

Specification Tips


- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White
B Anodized Black

Mounted Lighting

LBJ3
Class PD

LBJ4



	Grommet/Hole Diameter	Model	Number	① ②	Price
Mounted Lighting	3"(76mm)	Grommet Mounted Light	LBJ3-0026-19GLC		\$515.00
	1"(25mm)	Worksurface Mounted Light	LBJ4-0026-19GLC		515.00

Features

- Grommet Mount includes adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Worksurface Mount includes adjustable height fixture, 26.5"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White or Anodized Black finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- Overall height range with arm extended at 180° is 40"(1016mm).

Specification Tips

- **Grommet Mount Brazo requires a separately specified grommet.**
- Field drilling of surface required.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White
B Anodized Black

② Worksurface Thickness

- S** 1.19"(30mm)
M 2"(51mm)
Q 3"(76mm)

Grommet — For Use with Brazo Grommet Mounted Light Only

WQAG
Class PT

	Top Thickness	Number	Price
Grommet — For Use with Brazo Grommet Mounted Light Only	1.19"(30mm)	WQAG-0303-PSN	\$40.00
	2"(51mm)	WQAG-0303-PMN	40.00
	3"(76mm)	WQAG-0303-PQN	40.00

Feature

- Includes one 3"(76mm) diameter grommet without cover.

Specification Tips


- Specify grommet to match product top thickness.
- Requires a 2.75"(70mm) diameter field drilled hole.
- For use with Brazo Grommet Mounted Light only.

To Order, Specify:

- 1) Product number.
2) Trim color.
TR-TW Plaster
TR-LE Metallic Silver
TR-MC Metallic Champagne

Lighting — Haworth Collection


Circa

	Description	Number	Price
Table Light  LRT1-1408 	Table Light	LRT1-1408	\$550.00
	Grommet Mounted Light	LRT1-1408-G	550.00
	Features • Includes base, aluminum stem, lamp shade with LED flat panel light, polycarbonate lens assembly and 8’ fabric wrapped cord. • Grommet mounted base includes attachment hardware with grommet. • Base: 10”(254mm) diameter plastic with a steel insert and built-in USB charging port. • 12”(305mm) diameter flat panel lamp shade is plastic with a polycarbonate lens assembly. • Lamp shade rotates 360° and tilts 45° in two directions. • Stem 14”(356mm) high. • Features a LED light source with full range dim control. • 9 watts.		
	To Order, Specify: 1) Product number. 2) Trim color. - TR-R01 Graphite - TR-R02 White		
	Specification Tips • For use with 120 volt 60 hertz electrical system. • Minor assembly required.		

Lighting — Haworth Collection

Contour

Table Light



LCT1-1708



Description	Height	Depth	Width	Number	Price
Small Table Light					
Fabric Interior	17.5"(445mm)	6"(152mm)	12"(305mm)	LCT1-1708	\$475.00
Wood Interior	17.5"(445mm)	6"(152mm)	12"(305mm)	LCT1-1708	475.00
Large Table Light					
Fabric Interior	25"(635mm)	6"(152mm)	13"(330mm)	LCT2-2508	\$550.00
Wood Interior	25"(635mm)	6"(152mm)	13"(330mm)	LCT2-2508	550.00

Features

- Includes one aluminum body construction light with polycarbonate lens assembly, USB charging port and 8' fabric wrapped cord.
- Full range dim control for glare free, high output LED light.
- Base: Plastic with built-in USB charging port.
- Interior of light is lined with wood veneer or fabric.
- 8 watts.
- Available in the following colors:
 - Fabric Interior
 - Graphite Exterior, Coal Interior (TR-C04)
 - White Exterior, Pearl Interior (TR-C07)
 - Wood Interior
 - Graphite Exterior, Walnut Interior (TR-C05)
 - Graphite Exterior, White Oak Interior (TR-C06)
 - White Exterior, Walnut Interior (TR-C08)
 - White Exterior, White Oak Interior (TR-C09)

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- For use with 120 volt 60 hertz electrical system.

Floor Light



LCF1-6009



Fabric Interior	60"(1524mm)	8"(203mm)	13"(330mm)	LCF1-6009	\$825.00
Wood Interior	60"(1524mm)	8"(203mm)	13"(330mm)	LCF1-6009	825.00

Features

- Includes one aluminum body construction light with polycarbonate lens assembly, USB charging port and 9' fabric wrapped cord.
- Full range dim control for glare free, high output LED light.
- Base: Plastic with built-in USB charging port.
- Interior of light is lined with wood veneer or fabric.
- 21.5 watts.
- Available in the following colors:
 - Fabric Interior
 - Graphite Exterior, Coal Interior (TR-C04)
 - White Exterior, Pearl Interior (TR-C07)
 - Wood Interior
 - Graphite Exterior, Walnut Interior (TR-C05)
 - Graphite Exterior, White Oak Interior (TR-C06)
 - White Exterior, Walnut Interior (TR-C08)
 - White Exterior, White Oak Interior (TR-C09)

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tip

- For use with 120 volt 60 hertz electrical system.

Lighting — Haworth Collection

Giraffa

Table Light



HCPL-GFT1-13



Description	Height	Depth	Width	Number	Price
Standard Trim	13"(330mm)	2.25"(57mm)	7"(178mm)	HCPL-GFT1-13	\$325.00
Premium Trim				HCPL-GFT1-13	325.00

Features

- Includes one high output LED light with aluminum body and polycarbonate lens assembly, and 6’ fabric cord.
- Integrated touch switch control.
- Full range dimming built into the base.
- Light source rotates 360°.
- 4.6 watts.

To Order, Specify:



- 1) Product number.
- 2) Trim color.
TR-G01 Black
TR-G03 White

Specification Tip

- For use with 120 volt 60 hertz electrical system.


Lighting — Haworth Collection

LIM

	Base/Mount	Number	Price
Freestanding Lighting  Table Light with Block LLL1  Table Light with Pivot LLL2  Floor Light LLL3 	Table Light with Block	LLL1-0022-19FLC	\$500.00
	Table Light with Pivot	LLL2-0022-19FLC	500.00
	Floor Light	LLL3-0022-19FLC	475.00
Features - Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. - Features two-stage light control with 3.0 watt and 7.3 watt selection. - All lights use magnets to attach to base or brackets. Table Light with Block: - Available in Textured White, Textured Black and Brushed Aluminum. - Arm rotates around magnetic connection between base and light arm. - Adjustable height fixture range is 12"-15.75"(305mm-400mm) from desktop. - Base includes scratch-resistant bottom with cord management. - Base size: 6.63"(168mm) height, 3"(76mm) width, 3.5"(89mm) depth. Table Light with Pivot: - Available in Textured White and Textured Black. - Pivot rotates 360° around the base. - Arm rotates around magnetic connection between base and light arm. - Pivot light does not have adjustable height. - Base includes scratch-resistant bottom. - Base size: 5"(127mm) height, 4.5"(114mm) width, 5.5"(140mm) depth. Floor Light: - Available in Textured White and Textured Black. - Arm rotates around magnetic connection between base and light arm. - Adjustable height fixture range is 13"-50.75"(330mm-1289mm) from floor. - Base includes scratch-resistant bottom. - Base size: 38"(965mm) height, 9"(229mm) width, 9"(229mm) depth.			
To Order, Specify: - Product number. - Trim color: - Pivot/Floor available in: - TR-L2 Textured White - TR-L3 Textured Black - Block available in: - TR-L2 Textured White - TR-L3 Textured Black - TR-L1 Brushed Aluminum			
Specification Tips - For use with 120 volt 60 hertz electrical system. - Minor assembly required.			

Lighting — Haworth Collection





LIM

	Base/Mount	Average Height	Number	Price
Worksurface Mounted Lighting	Worksurface Mounted Light	18.5"(470mm)	LLC1-0022-19WLC	\$325.00
 Worksurface Mount LLC1 	Features • Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. • Under Shelf attachment bracket painted to compliment the LED light. • Features two-stage light control with 3.0 watt and 7.3 watt selection. • All lights use magnets to attach to base or brackets. • Worksurface Mount: –Available in Brushed Aluminum, Textured White, Textured Black. –Arm rotates at Under Worksurface attachment bracket. –Light does not have adjustable height. –Flat Bracket is scratch-resistant. –Mount includes a 11"(279mm) flat bracket with adhesive.		To Order, Specify: 1) Product number. 2) Trim color: - TR-L2 Textured White - TR-L3 Textured Black - TR-L1 Brushed Aluminum	
	Specification Tips • For use with 120 volt 60 hertz electrical system. • Minor assembly required.			

Lighting — Haworth Collection

LIM

	Base/Mount	Panel System	Number	Price
Mounted Lighting	Slat/Rail		LLM1-0023-19MLC	\$315.00
	Panel	for Compose	LLM2-0023-19MLCZ	\$315.00
		for UniGroup Too	LLM2-0023-19MLCE	\$315.00
	Under Shelf Proud		LLU2-0023-19ULC	\$315.00

Slat
LLM1Belong Rail
LLM1Panel
LLM2Under Shelf
LLU2

Features

- Includes base/mount, 23.25"(591mm) arm with LED light with a clear lens, nine foot removable silver tone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- Overall height ranges dependent on the mount.*
- All lights use magnets to attach to base or brackets.
- Slat:**
 - Available in Textured White and Textured Black.**
 - Rotates 180 degrees horizontally around the mount.
 - Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth slat tile.
 - Slat Tile Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth.
- Panel:**
 - Available in Textured White and Textured Black.**
 - Rotates 180 degrees horizontally around the mount.
 - Panel Mount can be adjusted within the panel slot profiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth Panel System.
 - Panel Mount Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth.
- Under Shelf Proud:**
 - Available in Brushed Aluminum, Textured White, Textured Black.**
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Can be used on: Adaptable Upper Storage.**
- Under Shelf attachment bracket painted to complement the LED light.

To Order, Specify:

- Product number.
- Trim color:
Slat/Panel mount available in:
TR-L2 Textured White
TR-L3 Textured Black
Under Shelf mount available in:
TR-L2 Textured White
TR-L3 Textured Black
TR-L1 Brushed Aluminum

Specification Tips

- For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

Lighting — Haworth Collection


LIM

	Base/Mount	Panel System	Units	Number	Price
LIM Hardware	Slat Mount Bracket		1	LLH1-0000	\$ 50.00
	Panel Mount Bracket	for Compose	1	LLH2-0000-Z	\$ 50.00
		for UniGroup Too	1	LLH2-0000-E	50.00
	Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$120.00
	Wire Management Clips		10	LLH6-0000	\$ 56.16
Features • Hardware for use with LIM lights to provide additional attachment. • Each bracket description correlates with the appropriate LIM light. Please specify accordingly. • For use if greater user adjustment is required. • Wire management clips are standard in White.			To Order, Specify: 1) Product number. 2) Trim color for brackets: TR-L2 Textured White TR-L3 Textured Black		
*Same brackets are used for Under Shelf Proud and Worksurface Mount LIM light applications.					

Lighting — Haworth Collection

Pixo

Table Light	Number	1	Trim A	B
	LUPT-0016-05FL		\$275.00	\$275.00



360°
360°
180°
LUPT



Features

- Includes base/mount with USB charging port, 16.5”(419mm) arm with LED light and 6’(182cm) attached cord.
- Available with optional integrated occupancy sensor.
- Available in supplier silver, white or black.
- Hi-low dim control.
- 360° arm rotation.
- 180° arm tilt.
- 360° shade rotation.
- USB port for charging cell phones.
- Advanced LED array eliminates multiple shadows.
- Power consumption: 6W.
- Color temperature: 3000K.
- Luminosity: 285 Lumens.
- Color Rendition Index: 90 CRI.
- 50K hour lifespan.
- Cord length: 6’(182cm).

Specification Tips

- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**

To Order, Specify:

1) Product number.

1 Occupancy Sensor:

☐ C No Occupancy Sensor

☐ O Occupancy Sensor, add **\$40.00** list

2) Trim color.

Table Light

TR-11	Black
TR-12	Silver
TR-13	White


Table Light with Occupancy Sensor Standard Trim

TR-11	Black
TR-12	Silver
TR-13	White

Lighting — Haworth Collection

Superlight

	Height	Depth	Width	Number	Price
Table Light	25.75"(645mm)	8"(203mm)	23.5"(597mm)	HCPL-SLT1-17	\$350.00



HCPL-SLT1-17

**Features**

- Includes one aluminum body with polycarbonate lens, steel base 9' cord and magnetic base pad.
- Ultra light, minimal frame.
- LED array with full range dim control.
- Lens rotates 90°.
- Joints have three axis rotation.
- Six hour energy saving auto-off timer.
- 8.6 watts.


Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-S10 Black
TR-S11 White
- 3) Base Pad
TR-S15 Charcoal
TR-S16 Chestnut
TR-S18 Mustard
TR-S17 Turquoise

Floor Light	57.5"(1460mm)	8"(203mm)	23.5"(597mm)	HCPL-SLF1-47	\$425.00
--------------------	---------------	-----------	--------------	--------------	-----------------



HCPL-SLF1-47

**Features**

- Includes one aluminum body with polycarbonate lens, steel base 9' cord and magnetic base pad.
- Slim ultra light, minimal frame.
- LED light with full range dim control.
- Lens rotates 90°.
- Joints have three axis rotation.
- Six hour energy saving auto-off timer.
- 8.6 watts.


Specification Tips

- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
TR-S10 Black
TR-S11 White
- 3) Base Pad
TR-S15 Charcoal
TR-S16 Chestnut
TR-S18 Mustard
TR-S17 Turquoise

Base Pads	Diameter	Number	Price
	8"(203mm)	HCPL-SLSV-4BP	\$64.00



HCPL-SLSV-4BP

Feature



- Includes set of four felt base pads, one each of four colors.


To Order, Specify:

- 1) Product number.


Lighting — Haworth Collection

Tube Top

	Description	Height	Depth	Width	Number	Price
Table Light	Small	14"(356mm)	4.5"(114mm)	9.5"(241mm)	HCPL-TTT1-14	\$195.00
	Large	27"(686mm)	9"(229mm)	18"(457mm)	HCPL-TTT3-27	600.00
 HCPL-TTT1-14  HCPL-TTT3-27  Features - Includes one polyester mesh shade, acrylic body and 6' fabric cord. - Fully dimmable LED light controlled by in-line rotary dimmer. 6 watts (small table light) 13 watts (large table light) Specification Tip - For use with 120 volt 60 hertz electrical system. To Order, Specify: - Product number. - Trim color. TR-T40 Charcoal Shade, Charcoal Body TR-T41 Silver Shade, Clear Body TR-T42 White Shade, Charcoal Body TR-T43 White Shade, Clear Body Additional colors for Small Table Light only: TR-T44 White Shade, Green Body TR-T45 White Shade, Cobalt Body TR-T46 White Shade, Hot Pink Body TR-T47 White Shade, Ruby Red Body TR-T48 White Shade, Sky Blue Body TR-T49 White Shade, Yellow Body						

Floor Light  HCPL-TTF1-60 	60"(1524mm)	9"(229mm)	18"(457mm)	HCPL-TTF1-60	\$1095.00
	Features • Includes one polyester mesh shade, acrylic body and 6’ fabric cord. • Fully dimmable LED light controlled by in-line rotary dimmer. • 13 watts. Specification Tip • For use with 120 volt 60 hertz electrical system.			To Order, Specify: 1) Product number. 2) Trim color. TR-T40 Charcoal Shade, Charcoal Body TR-T41 Silver Shade, Clear Body TR-T42 White Shade, Charcoal Body TR-T43 White Shade, Clear Body	

Lighting — Haworth Collection
UMA

	Number	Price
Audio Lantern	HCPL-UMT2-11	\$599.00
 HCPL-UMT2-11 	Features • Includes one battery powered light with polycarbonate lens, steel grille and silicone feet, two interchangeable leather handles (one grey and one tan) and storage bag. • Portable and rechargeable. – Battery Life - 8 hours – Charging time - up to 3.5 hours • Bluetooth connectivity provides 360° sound with touch sensitive volume control. • Intuitive full range light control dial adjusts warm dim LED technology. • Storage bag is cotton with a leather drawstring. • Light is 6”(152mm) in diameter at the base and 11”(279mm) high (leather handle adds 2.25”(57mm) to height.) • 4.2 watts (light), 12 watts (speakers). Specification Tip • For use with 120 volt 60 hertz electrical system.	To Order, Specify: 1) Product number.

Pip

Personal Laptop Table



STP-P26-TH

Height	Depth	Width	Number		Painted MDF	White Oak	Walnut
			①	②			
26"(660mm)	13"(330mm)	21.25"(540mm)	STP-	26-T	\$753.21	\$1368.83	\$1539.03

Features

- Includes table top, base and hardware.
- Top available in painted MDF or planked wood in White Oak or Walnut.
- Wood tops are designed to be unique using solid wood planks with a clear, low-gloss finish showing natural variation.
- Base: Painted aluminum support plate and column with painted steel base plate.
- Ships unassembled.

To Order, Specify:

1) Product number, including:

① Surface Material:

- P Painted MDF
- W Planked Wood


② Glide Type:

- H Hard Plastic
- F Felt

2) Top surface and color.
3) Base trim color.

Recycling Solutions

Height	Depth	Width	Number	Painted A	B
39.5"(1003mm)	18.75"(476mm)	48"(1219mm)	JRPY-3948-SJAN	\$5760.39	\$6076.96



JRPY-3948
Class FM – SIN 33721,
Discount Group XII


Features

- Includes:
 - Painted steel cabinet and top with three 11"(279mm) x 6"(152mm) openings.
 - Non-locking hinged doors
 - Clear acrylic overlay for top
 - 3 removable Rubbermaid recycle bins
- Acrylic top has specific cleaning requirements. Please follow cleaning guidelines found in Haworth's Care and Maintenance Standards.

To Order, Specify:

- Product number.
- Trim color.

Recycling/Trash Bin



KURB
Class YA – SIN 33721,
Discount Group XIII

Nominal Height	Nominal Depth	Nominal Width	Number	Price
9"(229mm)	12.5"(318mm)	6.5"(165mm)	KURB-0912	\$290.22

Features

- Includes one plastic bin with removable plastic divider.
- Can be suspended from hanging rails in X Series, A Series, Compose and Masters Series pedestals and lateral filing drawers.
- Recycling/Trash Bin can be easily removed from carriage or drawer body to dispose of waste contents.
- Not designed to be freestanding.
- Available in Snow only.
- The removable divider subdivides the space into nominal 4.25"(108mm) and 1.5"(38mm) sections.

To Order, Specify:

- Product number.
(No finish specification required.)


Specification Tip

- Cannot accommodate hanging files.


Storage Accessories

Lateral File Drawer Insert

Drawer Insert



KJFI-00XX-D



KFI-00XX-B

Description	Height	Depth	Width	Number	Price
Deluxe Drawer Insert					
	5"(127mm)	14"(356mm)	30"(762mm)	KJFI-0030-D	\$383.56
	5"(127mm)	14"(356mm)	36"(914mm)	KJFI-0036-D	410.69
	5"(127mm)	14"(356mm)	42"(1067mm)	KJFI-0042-D	437.82
Base Option Insert					
	5"(127mm)	14"(356mm)	30"(762mm)	KJFI-0030-B	\$294.89
	5"(127mm)	14"(356mm)	36"(914mm)	KJFI-0036-B	322.02
	5"(127mm)	14"(356mm)	42"(1067mm)	KJFI-0042-B	349.15

Features

- Includes drawer insert that subdivides a 12"(305mm)H lateral file drawer into two 6"(152mm) deep compartments.
- For use in X Series 12"(305mm)H lateral file drawers.**
- Drawer Insert is 5"(127mm) shallower than file drawer allowing the Drawer Insert to slide from front-to-back to access contents in the lower compartment.
- Deluxe Drawer Insert:
 - Includes: Drawer Insert, Drawer Liner, three dividers and one PDA Tray with ring subdivision.
 - Drawer Insert available in Rusty Red (TR-RR) or Smoke (TR-E).
- Base Option Insert:
 - Includes: Drawer insert only.
 - Available in black only.
- Drawer Insert and PDA Tray have cut outs/grommets to allow for low voltage cable routing. Lateral files can be modified in the field to accommodate routing of cables to access building power.
- PDA Tray, rings and dividers are plastic in Snow trim color.

To Order, Specify:

- Product number.
- Trim color (Deluxe Drawer Insert only)
 - TR-RR Rusty Red
 - TR-E Smoke

Specification Tips


- Drawer Insert cannot be used in lateral files that have full backs on the drawer body. (ex. Compose Storage, Master Series)
- Drawer Insert cannot be used in lateral files with individually locking drawers.
- Top lateral file drawer, or only file drawer, of an X Series combination unit will not accommodate a Drawer Insert; the remaining positions are able to accommodate the Drawer Insert.
- Top lateral file drawer in an X Series Lateral File with sliding or hinge doors cannot accommodate a Drawer Insert; the remaining positions are able to accommodate the Drawer Insert.
- Drawer Insert cannot be used in a drawer with a receding door.
- PDA Tray is designed to slide side-to-side along the Drawer Insert front and back panels allowing access to drawer contents below the PDA Tray.

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Storage Accessories

Lateral File Drawer Insert

	Number	Price
PDA Tray	KJTY-12	\$51.69



KJTY-12
GSA: SIN 33721;
Discount Group XIII

Features

- Includes one rectangular PDA tray, one small ring, and one large ring.
- PDA Tray:
 - Outside dimensions - 1.38”(35mm)H x 11.75”(298mm)W x 16.12”(409mm)L
 - Inside dimensions - 1.25”(32mm)H x 11.5”(292mm)W x 12.87”(327mm)L
- Small ring:
 - Outside dimensions - 1”(25mm)H x 5.55”(141mm)W x 5.55”(141mm)L
- Large ring:
 - Outside dimensions - 1”(25mm)H x 5.98”(152mm)W x 11.43”(290mm)L
- PDA Tray has cutouts to allow for low voltage cable management.
- PDA Tray and rings are plastic.
- Standard in Snow trim.


To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tips

- PDA Tray designed to be used with the Drawer Insert or as a stand alone accessory in X Series, Masters Series and Compose Storage file drawers.
- Designed to slide side-to-side along the Drawer Insert front and back panels, or hanging bars in file drawers, allowing access to drawer contents below the PDA Tray.
- Files cannot be hung in lateral file drawers when using the PDA Tray.

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Dividers	Height	Depth	Number	Price
	3.4”(86mm)	14.97”(390mm)	KDV-0000	\$47.49

KDV
GSA: Open Market


Features

- Includes set of three plastic dividers.
- Designed to be used with the Drawer Insert.
- Standard in Snow trim.

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

To Order, Specify:

1) Product number.
(No finish specification required.)

Personal Tray	Height	Depth	Width	Number	Price
	1.38”(35mm)	5.88”(149mm)	12.87”(327mm)	KJTY-10	\$44.01

KJTY-10
GSA: Open Market


Features

- Includes one rectangle plastic tray.
 - Outside dimensions: 1.38”(35mm)H x 5.88”(149mm)W x 12.87”(327mm)L
 - Inside dimensions: 1.25”(32mm)H x 5.63”(143mm)W x 11.5”(292mm)L
- Can be hung between the separately specified dividers of the Drawer Insert.
- Can be used as a freestanding accessory in X Series lateral files, X Series Pedestal, Masters Series Pedestal and Compose Storage Pedestal.
- Standard in Snow trim.

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

To Order, Specify:

1) Product number.
(No finish specification required.)

Pencil Tray	Height	Depth	Width	Number	Price
	1.25”(32mm)	5.5”(140mm)	16.3”(414mm)	KJTY-9	\$58.61

KJTY-9
GSA: SIN 33721;
Discount Group XIII

Features

- Includes one plastic tray.
- Suspends from sides of the Drawer Insert; X Series hanging bars; Masters Series 6”(152mm) drawer.
- Standard in Snow trim.


To Order, Specify:

1) Product number.
(No finish specification required.)

Specification Tip


- Files cannot be hung in X Series lateral file drawers when using the Pencil tray.


Wire Management

	Height	Width	Actual Length	Installed Length	Number	Price															
Cable Chain  EAAW-0000-H Class YA – SIN 33721, Discount Group XIII <tr><td></td><td>0.75”(19mm)</td><td>2.25”(58mm)</td><td>40”(1016mm)</td><td>36”(914mm)</td><td>EAAW-0000-H</td><td>\$318.20</td></tr> <tr><td colspan="7"> Features - Includes 36”(914mm) active length cable chain and mounting hardware. - Color black only. - Mounts to cable trough and underside of worksurface to contain power cords/data cables that are routed from the cable tray to the worksurface. To Order, Specify: 1) Product number. (No finish specification required.) </td></tr> <tr><td colspan="7"> Specification Tip - Holds up to three power cords and two data cables. </td></tr>		0.75”(19mm)	2.25”(58mm)	40”(1016mm)	36”(914mm)	EAAW-0000-H	\$318.20	Features - Includes 36”(914mm) active length cable chain and mounting hardware. - Color black only. - Mounts to cable trough and underside of worksurface to contain power cords/data cables that are routed from the cable tray to the worksurface. To Order, Specify: 1) Product number. (No finish specification required.)							Specification Tip Holds up to three power cords and two data cables.						
	0.75”(19mm)	2.25”(58mm)	40”(1016mm)	36”(914mm)	EAAW-0000-H	\$318.20															
Features - Includes 36”(914mm) active length cable chain and mounting hardware. - Color black only. - Mounts to cable trough and underside of worksurface to contain power cords/data cables that are routed from the cable tray to the worksurface. To Order, Specify: 1) Product number. (No finish specification required.)																					
Specification Tip Holds up to three power cords and two data cables.																					


	0.75”(19mm)	2.25”(58mm)	40”(1016mm)	36”(914mm)	EUAW-4000-V	\$407.19
Features - Includes grommet, grommet backer plate, cable chain, bracket to mount to adjacent table and mounting hardware. - Color black only. - Mounts to tile and underside of adjacent worksurface to contain power cords and data cables that are routed from inside Compose Connections panel to an adjacent worksurface. To Order, Specify: 1) Product number. (No finish specification required.)						
Specification Tip Holds up to three power cords and two data cables.						

Wire Management


	Length	Height	Width	Description	Number	Price
J-Channel  4TJC-72 Class TA – SIN 33721; Discount Group X	72”(1829mm)	4.25”(108mm)	2.75”(70mm)	Straight table	4TJC-72	\$274.30
Features - Includes J-Channel and mounting hardware. - Field-installed. - Provides wire management below table tops. - Attaches to the underside of the table top with screws. - J-channel to be field cut to length. - Available in black finish color only.				To Order, Specify: 1) Product number. (No finish specification required.)		


				EUAM-0000	\$89.13
Conduit Clamp  EUAM-0000 Class YA – SIN 33721 Discount Group XIII	Features - Includes 25 clamps and 25 screws. - For managing Power Tap cord or conduit under horizontal surfaces.			To Order, Specify: 1) Product number. (No finish specification required.)	


Wire Management Loop  NEH-8 Class YA – SIN 33721; Discount Group XIII	Width	Installed Height	Number	Price
	2.75”(70mm)	3.25”(83mm)	NEH-8	\$61.53
	Features - Includes box of eight wire management loops. - Manages and stores wires or cables through loops attached to horizontal surface. - Threaded top allows installation anywhere under horizontal surfaces in recommended 18”(457mm) intervals. - Wire management loop is 2”(51mm) in diameter with 3.1 sq. in.(2000mm²) of cross section area. - Standard in charcoal trim color only.			To Order, Specify: 1) Product number. (No finish specification required.)

Wire Manager Clips  TA01-0225 Class TA – SIN 33721; Discount Group X	Number	Price	
	TA01-0225	\$31.30	
	Features - Includes ten wire manager clips and screws. - Standard in black plastic. - Field installed.		
Specification Tip Specify for cord management as needed.		To Order, Specify: 1) Product number. (No finish specification required.)	

Wire Management


Wire Manager — Horizontal  EUAW-NH Class PT – SIN 33721; Discount Group IX	Length	Clips	Number	Price
	48”(1219mm)	2	EUAW-0048-NH	\$215.77
	72”(1829mm)	3	EUAW-0072-NH	323.64
	96”(2438mm)	3	EUAW-0096-NH	431.51
	120”(3048mm)	4	EUAW-00C0-NH	539.21
Features - Includes one wire manager and attachment clips. - Standard in light platinum. - Field installed. To Order, Specify: 1) Product number. (No finish specification required.)				
Specification Tip Manages and stores wire and cables under horizontal surfaces.				

Horizontal Wire Management  WUAW-PNH Class CA – SIN 33721; Discount Group I	Length	Depth	Number	Price
	15”(381mm)	2”(51mm)	WUAW-1500-PNH	\$247.38
	Features - Includes ten plastic wire managers and attachment hardware. - Manages and stores wires or cables under horizontal surface. - Standard in charcoal trim color only. To Order, Specify: 1) Product number. (No finish specification required.)			

Vertical Cable Guide  NECG-V Class FA – SIN 33721 Discount Group XI	Height	Depth	Width	Number	Price
	0.75”(19mm)	0.5”(13mm)	3”(76mm)	NECG-V	\$85.38
	Features - Includes package of twelve cable guides. - Manages communication cables. - Self-adhesive back attaches to the top or bottom of horizontal surface. - Standard in gray trim color only. To Order, Specify: 1) Product number. (No finish specification required.)				

Wire Management

	Depth	Width	Number	Price
Height Adjustable Table - Belong Horizontal	12"(305mm)	30"(762mm)	AKWN-1230-EUN	\$359.70



AKWN
Class TR01 – Open Market

Features

- Includes one PET (Polyethylene Terephthalate) cable manager, tray and attachment hardware.
- Available in two colors: Dusk and Mink.
- Ships unassembled.


Specification Tips

- Not for use with Compose Echo table.
- Not designed for use on Flip Top Tables (Planes or Jive).
- Use a low profile monitor arm bracket with the tray.
- Refer to Electrical Components Belong Wire Management Tray General Specifications
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) PET color.
PET-C1 Dusk
PET-C4 Mink

	Width	Number	Price
Wire Management Basket	18"(457mm)	TAWB-0918	\$180.24
	24"(610mm)	TAWB-0924	189.28
	36"(914mm)	TAWB-0936	207.29



TAWB
Class TA – GSA: Open Market

Features

- Includes one basket, four brackets and attachment hardware.
- Standard in black.
- Basket is 8.5"(203mm) deep x 3.5"(76mm) high. With mounting hardware overall height is 4.94"(102mm) and depth is 10.82"(254mm).
- Accessible from both sides.
- Basket detaches without tools.


Specification Tips

- Verify mounting clearance with table understructure.
- Separately specify covers.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Width	Number	Price
Basket Cover	18"(457mm)	TABC-0918	\$ 49.78
	24"(610mm)	TABC-0924	66.83
	36"(914mm)	TABC-0936	\$100.81



TABC
Class TA – GSA: Open Market

Feature

- Includes one painted cover.

Specification Tips


- Designed to be used with wire management basket. Up to two can be installed.
- Order to match wire management basket width.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Note: \$12.40 upcharge list for Metallic and Accent trim colors.

	For Use With	Height	Width	Number	Trim A	B
Vertical Wire Channel - Leg Attached	28" Frame	25.7"(635mm)	1.17"(25mm)	TYVW-2601-P	\$104.17	\$110.31
	40" Frame	37.7"(940mm)	1.17"(25mm)	TYVW-3801-P	\$109.57	\$118.51



TYVW
Class CL – GSA: Open Market

Feature

- Includes wire manager and attachment screws.


Specification Tips


- Order correct model for table height.
- Add additional Vertical Wire Channels if cord number exceeds three cords.
- Accommodates 2-3 cords/cables (depending on cable diameter) or one 0.5" Flexible Conduit.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Wire Management

	Length	Number	Price
Planes C-Leg Training Table Vertical Wire Manager	16"(406mm)	TA01-0228-F	\$57.91
 TA01-0228-F Class TA – SIN 33721; Discount Group X			
Features - Includes one plastic wire manager. - Standard in black. - Field installed.		To Order, Specify: 1) Product number. (No finish specification required.)	
Specification Tips - For use on Planes C-Leg Training Tables for wire management. - Snaps into top portion of C-leg base.			


UniGroup Too, UniGroup and PLACES Wire Manager	Height	Depth	Width	Number	Price
	72"(1829mm)	0.75"(19mm)	0.75"(19mm)	WC-6	\$44.31
	Features • Includes field-cuttable channel. • Guides wires or cables vertically. • Inserts into the panel side rail reveals. • Not available for use in the city of Los Angeles.			To Order, Specify: 1) Product number. 2) Trim color.	
	Specification Tip • For use with UniGroup Too, UniGroup and PLACES.				

WC-6

Class AA – SIN 33721;
Discount Group I

Work Tools — Mounting

Slat, Wall Mount



KUPY

Class CA – SIN 33721;
Discount Group I

Nominal Height	Width	Number	Trim A	B
16"(406mm)	18"(457mm)	KUPY-1618	\$391.66	\$398.93
	24"(610mm)	KUPY-1624	423.99	433.06
	30"(762mm)	KUPY-1630	456.32	467.19
	36"(914mm)	KUPY-1636	488.65	501.32
	42"(1067mm)	KUPY-1642	520.98	535.45
	48"(1219mm)	KUPY-1648	553.31	569.58
	54"(1372mm)	KUPY-1654	585.64	603.71
	60"(1524mm)	KUPY-1660	617.97	637.84

Features

- Includes slat tile & attachment brackets for structural wall.
- Belong and Jump Stuff work tools may be used; separately specified.

Specification Tips

- Designed to be used under wall mounted overhead storage units.
- Allows space for task light cord routing.
- **Not for use with wall track.**


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Work Tools — Mounting

Belong

Single Side



KUR1-0424-PZN

Height	Depth	Width	Number	Trim A	B
Compose					
4"(102mm)	1"(25mm)	24"(610mm)	KUR1-0424-PZN	\$224.31	\$243.37
		30"(762mm)	KUR1-0430-PZN	240.45	261.24
		36"(914mm)	KUR1-0436-PZN	256.59	279.11
		42"(1067mm)	KUR1-0442-PZN	272.73	296.98
		48"(1219mm)	KUR1-0448-PZN	288.87	314.85
		54"(1372mm)	KUR1-0454-PZN	305.01	332.72
		60"(1524mm)	KUR1-0460-PZN	437.28	466.72
UniGroup					
4"(102mm)	1"(25mm)	24"(610mm)	KUR1-0424-PEN	\$224.31	\$243.37
		30"(762mm)	KUR1-0430-PEN	240.45	261.24
		36"(914mm)	KUR1-0436-PEN	256.59	279.11
		42"(1067mm)	KUR1-0442-PEN	272.73	296.98
		48"(1219mm)	KUR1-0448-PEN	288.87	314.85
		54"(1372mm)	KUR1-0454-PEN	305.01	332.72
		60"(1524mm)	KUR1-0460-PEN	437.28	466.72

Features

- Includes one rail with panel attachment brackets.
- Mounts to panel side trim rails/connectors/slotted frame/wall track to support rail tools.
- Tool Rail is 0.625"(16mm) thick; brackets provide 0.375"(10mm) gap for cord management.
- Belong and Jump Stuff work tools may be used; separately specified.

To Order, Specify:

- 1) Product number.
- 2) Trim Color for rail/brackets (product line specific; refer to appropriate price list).


Specification Tips

- **Supports maximum load of 40 pounds of Paper Management evenly distributed.**
- Panel mounted rail may span one or more panels equivalent to rail width.
- Recommended mounting position is approximately 9"(229mm) above worksurface.
- Rail is for use with specific product lines: Compose® and UniGroup Too®.

Work Tools — Mounting

Belong

Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount



Rail Height	Width	Description	Number	Trim A	B
1.19" (30mm) Thick Top					
4" (102mm)	24" (610mm)	C-Clamp	KUR1-1224-CSN	\$424.64	\$443.70
	30" (762mm)		KUR1-1230-CSN	447.18	467.97
	36" (914mm)		KUR1-1236-CSN	469.72	492.24
	42" (1067mm)		KUR1-1242-CSN	492.26	516.51
	48" (1219mm)		KUR1-1248-CSN	514.80	540.78
	54" (1372mm)		KUR1-1254-CSN	537.34	565.05
	60" (1524mm)		KUR1-1260-CSN	676.01	705.45
2" (51mm) Thick Top					
4" (102mm)	24" (610mm)	C-Clamp	KUR1-1224-CMN	\$424.64	\$443.70
	30" (762mm)		KUR1-1230-CMN	447.18	467.97
	36" (914mm)		KUR1-1236-CMN	469.72	492.24
	42" (1067mm)		KUR1-1242-CMN	492.26	516.51
	48" (1219mm)		KUR1-1248-CMN	514.80	540.78
	54" (1372mm)		KUR1-1254-CMN	537.34	565.05
	60" (1524mm)		KUR1-1260-CMN	676.01	705.45
1.19" (30mm) Thick Top					
4" (102mm)	24" (610mm)	Thru-mount	KUR1-1224-TSN	\$424.64	\$443.70
	30" (762mm)		KUR1-1230-TSN	447.18	467.97
	36" (914mm)		KUR1-1236-TSN	469.72	492.24
	42" (1067mm)		KUR1-1242-TSN	492.26	516.51
	48" (1219mm)		KUR1-1248-TSN	514.80	540.78
	54" (1372mm)		KUR1-1254-TSN	537.34	565.05
	60" (1524mm)		KUR1-1260-TSN	676.01	705.45
2" (51mm) Thick Top					
4" (102mm)	24" (610mm)	Thru-mount	KUR1-1224-TMN	\$424.64	\$443.70
	30" (762mm)		KUR1-1230-TMN	447.18	467.97
	36" (914mm)		KUR1-1236-TMN	469.72	492.24
	42" (1067mm)		KUR1-1242-TMN	492.26	516.51
	48" (1219mm)		KUR1-1248-TMN	514.80	540.78
	54" (1372mm)		KUR1-1254-TMN	537.34	565.05
	60" (1524mm)		KUR1-1260-TMN	676.01	705.45

Features

- Includes one double sided rail with two posts, two rail end caps and attachment hardware.
- Mounts to horizontal surface to support rail tools.
- 1.19" (30mm) C-clamp Rail mounts on horizontal surfaces from 0.75" (19mm) to 1.75" (44mm) thick.
- Thru-mount Rail mounts on 1.19" (30mm) thick horizontal surfaces.
- Posts are 1.25" (32mm) thick.
- Belong and Jump Stuff work tools may be used; separately specified.
- Rail overall height above horizontal surface: 11.81" (300mm).
- Distance between rail bottom and top of horizontal surface: 7.44" (189mm).
- Ships unassembled.

Specification Tips

- Designed for single sided benching applications.
- Not designed to be used in front of panel mounted accessories (tackboard, markerboard).**
- Tool Rail supports a maximum load of 40 pounds evenly distributed on user side.
- If supporting two monitor arms (up to 13 pounds each); an additional C-clamp or thru-mount post is recommended.
- Rail may be installed off modular.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Thru-mount post can be attached flush to back edge of horizontal surface.
- C-clamp rail can be attached to panel mounted horizontal surface with notch or radius wireways without removing the horizontal surface.
- Under horizontal surface: 4" (102mm) of clearance is necessary between back of horizontal surface and adjacent component for clamp attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.

Note: No more than 6" (152mm) of rail can be extended beyond outside of support.


To Order, Specify:

- Product number.
- Trim color for rail/post.
- Trim color for rail end caps:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Work Tools — Mounting

Belong

Tool Rail — Single Post —
C-Clamp or Thru-mount



KUP1-0000-CSN

Post Height	Description	Number	Trim A	B
1.19"(30mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CSN	\$131.70	\$142.10
2"(51mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CMN	\$131.70	\$142.10
1.19"(30mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TSN	\$131.70	\$142.10
2"(51mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TMN	\$131.70	\$142.10

Features

- Includes one C-clamp or one Thru-mount Post and attachment hardware.
- Posts mount on horizontal surfaces 1.19"-2"(30mm-51mm) thick.
- Posts are 1.25"(32mm) thick.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Specification Tips

- Posts supports slide along rail bottom groove.
- For use with C-clamp or Thru-mount tool rail only.
- Monitor arm cannot be mounted in post position.
- Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.

Work Tools — Mounting

Belong

	Rail Height	Width	Number	Trim A	B
Tool Rail — Under Horizontal Surface Mount — L-Bracket 	4"(102mm)	24"(610mm)	KUR1-1224-USN	\$424.64	\$443.70
		30"(762mm)	KUR1-1230-USN	447.18	467.97
		36"(914mm)	KUR1-1236-USN	469.72	492.24
		42"(1067mm)	KUR1-1242-USN	492.26	516.51
		48"(1219mm)	KUR1-1248-USN	514.80	540.78
		54"(1372mm)	KUR1-1254-USN	537.34	565.05
		60"(1524mm)	KUR1-1260-USN	676.01	705.45
		66"(1676mm)	KUR1-1266-USN	714.09	746.99
		72"(1829mm)	KUR1-1272-USN	752.17	785.07
		78"(1981mm)	KUR1-1278-USN	790.25	824.88
		84"(2134mm)	KUR1-1284-USN	828.33	864.69
		90"(2286mm)	KUR1-1290-USN	866.41	904.50
		96"(2438mm)	KUR1-1296-USN	904.49	944.31

Features

- One double sided rail with two or three posts, two rail end caps and attachment brackets.
- Rails 66"-96" (1676mm-2438mm) include three posts.
- L-bracket mounts under 1.19"(30mm) thick horizontal surface to support rail tools on both sides.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Rail overall height above horizontal surface: 11.18"(284mm).
- Distance between rail bottom and top of horizontal surface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.




To Order, Specify:

- 1) Product number.
- 2) Trim color for rail/post.
- 3) Trim color for rail end caps:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Specification Tips

- **Rail with L-bracket or shared bracket mount can only be used in non-panel applications.**
- **Designed for single sided benching applications.**
- **Tool Rail supports a maximum load of 40 pounds (18.14kg) evenly distributed on user side or supports two monitor arms up to 13 pounds each; additional L-bracket mount post recommended.**
- For use with one base unit or back-to-back base units; L-Bracket Tool Rail is double sided to accommodate Belong work tool accessories on both sides.
- For back-to-back base unit applications, one or two L-Bracket tool rail(s) may be used:
 - One L-Bracket tool rail may be used between base units which results in an aesthetically unbalanced tool rail condition. Both users share a single tool rail. L-Brackets are attached to only one of the two back-to-back storage tops. (Note: KUR2-USN Under Worksurface Mount T-Bracket is not recommended for use with back-to-back base units due to installation issues.)
 - Two back-to-back L-Bracket tool rails may be used between base units for an aesthetically balanced tool rail condition.
 - For a single tool rail application, a 2.8"(71mm) deep filler panel may be used to fill gap between back-to-back units.
 - For two back-to-back tool rails, a 5.1"(130mm) deep filler panel may be used to fill gap between back-to-back base units.
- Tool Rail should be specified 6"(152mm) shorter than screen if both are specified.
- Can be installed off modular.
- Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and adjacent component for flat bracket attachment.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Posts mount flush to back edge of horizontal surface.


Note: No more than 6"(152mm) of rail can be extended beyond outside of support.



KUR1-1224-USN

Work Tools — Mounting

Belong


	Post Height	Number	Trim A	B
Tool Rail — Single Post — L-Bracket Mount	8.85"(225mm)	KUP1-0000-USN	\$131.70	\$142.10
	Features - Includes one under horizontal surface L-Bracket mount post and attachment hardware. - Post is 1.25"(32mm) thick.	To Order, Specify: 1) Product number. 2) Trim color.		
	Specification Tips - For use with under horizontal surface mount tool rail. - Single Support Post may interfere with central casting. - Monitor arm cannot be mounted in post position. - Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.			

KUP1-0000-USN

Work Tools — Mounting

Belong

Tool Rail — Single Sided Continuous Benching End



KUR1-1224-USE

Rail Height	Width	Description	Number	Trim A	B
4"(102mm)	24"(610mm)	End	KUR1-1224-USE	\$424.64	\$443.70
	30"(762mm)		KUR1-1230-USE	447.18	467.97
	36"(914mm)		KUR1-1236-USE	469.72	492.24
	42"(1067mm)		KUR1-1242-USE	492.26	516.51
	48"(1219mm)		KUR1-1248-USE	514.80	540.78
	54"(1372mm)		KUR1-1254-USE	537.34	565.05
	60"(1524mm)		KUR1-1260-USE	676.01	705.45
	66"(1676mm)		KUR1-1266-USE	714.09	746.99
	72"(1829mm)		KUR1-1272-USE	752.17	785.07
	78"(1981mm)		KUR1-1278-USE	790.25	824.88
	84"(2134mm)		KUR1-1284-USE	828.33	864.69
	90"(2286mm)		KUR1-1290-USE	866.41	904.50
	96"(2438mm)		KUR1-1296-USE	904.49	944.31

Features

- One single sided tool rail with one or two posts, one rail end cap and attachment brackets.
- Tool Rails 66"-96" includes two posts.
- Mounts under 1.19"(30mm) thick horizontal surface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above horizontal surface: 11.18"(284mm).
- Distance between tool rail bottom and top of horizontal surface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.
- 3) Trim color for tool rail end cap:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Specification Tips


- **Designed for Single Sided Continuous Benching or continuous storage applications only.**
- **For use with another tool rail end or internal tool rail; internal benching single post must be specified.**
- **Tool Rail supports maximum of 40 pounds(18.14kg) evenly distributed on one side.**
- **For continuous benching application, two monitor arms up to 13 pounds each side, requires additional post.**
- **Tool Rail should be specified 6" shorter than screen if both are specified.**
- Can be installed off modular.
- Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

Work Tools — Mounting

Belong

Tool Rail — Double-Sided
Continuous Benching End
Application Only



KUR2-1224-UBE

Rail Height	Width	Number	Price A	B
4"(102mm)	24"(610mm)	KUR2-1224-UBE	\$424.64	\$443.70
	30"(762mm)	KUR2-1230-UBE	447.18	467.97
	36"(914mm)	KUR2-1236-UBE	469.72	492.24
	42"(1067mm)	KUR2-1242-UBE	492.26	516.51
	48"(1219mm)	KUR2-1248-UBE	514.80	540.78
	54"(1372mm)	KUR2-1254-UBE	537.34	565.05
	60"(1524mm)	KUR2-1260-UBE	676.01	705.45
	66"(1676mm)	KUR2-1266-UBE	714.09	746.99
	72"(1829mm)	KUR2-1272-UBE	752.17	785.07
	78"(1981mm)	KUR2-1278-UBE	790.25	824.88
	84"(2134mm)	KUR2-1284-UBE	828.33	864.69
	90"(2286mm)	KUR2-1290-UBE	866.41	904.50
	96"(2438mm)	KUR2-1296-UBE	904.49	944.31

Features

- One double sided tool rail with one or two posts, one rail end cap and attachment brackets.
- Tool Rails 66"(1676mm)-96"(2438mm) include two posts.
- Mounts under 1.19"(30mm) thick worksurface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above worksurface: 11.18"(284mm).
- Distance between tool rail bottom and top of worksurface: 7.44"(189mm).
- Post is 1.25"(32mm) thick.
- Ships unassembled.

To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.
- 3) Trim color for tool rail end cap:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow


Specification Tips

- **Designed for Continuous Benching applications only.**
- **For use with another tool rail end or internal tool rail; internal benching single post must be specified.**
- **Tool Rail supports maximum of 40 pounds(18.14kg) evenly distributed on each side.**
- **For continuous benching application, two monitor arms up to 13 pounds each side, requires additional post.**
- **Tool Rail should be specified 6"(152mm) shorter than screen if both are specified.**
- **For back-to-back application, 1 or 2 monitors up to 13 grounds each side, requires additional post.**
- Can be installed off modular.
- Under worksurface: 4"(102mm) of clearance is necessary between back of worksurface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Posts mount centered within 3.65"(93mm) gap.
- Refer to Specification Guide for planning rules.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

Work Tools — Mounting

Belong

	Rail Height	Width	Description	Number	Trim A	B
Tool Rail — Internal Single Sided Continuous Benching Application  KUR1-1224-USI	4" (102mm)	24" (610mm)	Internal	KUR1-1224-USI	\$424.64	\$443.70
		30" (762mm)		KUR1-1230-USI	447.18	467.97
		36" (914mm)		KUR1-1236-USI	469.72	492.24
		42" (1067mm)		KUR1-1242-USI	492.26	516.51
		48" (1219mm)		KUR1-1248-USI	514.80	540.78
		54" (1372mm)		KUR1-1254-USI	537.34	565.05
		60" (1524mm)		KUR1-1260-USI	676.01	705.45
		66" (1676mm)		KUR1-1266-USI	714.09	746.99
		72" (1829mm)		KUR1-1272-USI	752.17	785.07
		78" (1981mm)		KUR1-1278-USI	790.25	824.88
		84" (2134mm)		KUR1-1284-USI	828.33	864.69
		90" (2286mm)		KUR1-1290-USI	866.41	904.50
		96" (2438mm)		KUR1-1296-USI	904.49	944.31

Features

- One single sided tool rail with one or two post and attachment brackets.
- Tool Rails 66" (1676mm)-96" (2438mm) includes two posts.
- Mounts on 1.19" (30mm) thick horizontal surface to support rail tools.
- Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
- Tool rail overall height above horizontal surface: 11.18" (284mm).
- Distance between tool rail bottom and top of horizontal surface: 7.44" (189mm).
- Post is 1.25" (32mm) thick.
- Ships unassembled.

Specification Tips

- **Designed for Single Sided Continuous Benching or continuous storage applications only.**
- **For use with two rail ends; Internal Benching single post must be specified.**
- **Tool Rail supports a maximum of 40 pounds (18.14kg) evenly distributed on one side.**
- **For use with benching application, 1 or 2 monitors up to 13 pounds each side, requires additional post.**
- Mounts into 0.25" (6mm) gap between shared block connectors or center attachment location on shared column.
- Under horizontal surface: 4" (102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.


To Order, Specify:

- 1) Product number.
- 2) Trim color for tool rail/post.

Work Tools — Mounting

Belong

Tool Rail — Internal Continuous Benching Application Only



KUR2-1224-UBI

Rail Height	Width	Description	Number	Trim A	B
4"(102mm)	24"(610mm)	Internal	KUR2-1224-UBI	\$424.64	\$443.70
	30"(762mm)		KUR2-1230-UBI	447.18	467.97
	36"(914mm)		KUR2-1236-UBI	469.72	492.24
	42"(1067mm)		KUR2-1242-UBI	492.26	516.51
	48"(1219mm)		KUR2-1248-UBI	514.80	540.78
	54"(1372mm)		KUR2-1254-UBI	537.34	565.05
	60"(1524mm)		KUR2-1260-UBI	676.01	705.45
	66"(1676mm)		KUR2-1266-UBI	714.09	746.99
	72"(1829mm)		KUR2-1272-UBI	752.17	785.07
	78"(1981mm)		KUR2-1278-UBI	790.25	824.88
	84"(2134mm)		KUR2-1284-UBI	828.33	864.69
	90"(2286mm)		KUR2-1290-UBI	866.41	904.50
	96"(2438mm)		KUR2-1296-UBI	904.49	944.31


- Features**
- One double sided tool rail with one or two post and attachment brackets.
 - Tool Rails 66"(1676mm)-96"(2438mm) includes two posts.
 - Mounts on 1.19"(30mm) thick horizontal surface to support rail tools.
 - Belong Work Tools or Jump Stuff Slat Pad Tools may be used; separately specified.
 - Tool rail overall height above horizontal surface: 11.18"(284mm).
 - Distance between tool rail bottom and top of horizontal surface: 7.44"(189mm).
 - Post is 1.25"(32mm) thick.
 - Ships unassembled.

- Specification Tips**
- **Designed for Continuous Benching and continuous storage applications only.**
 - **For use with two rail ends; Internal Benching single post must be specified.**
 - **Tool Rail supports a maximum of 40 pounds(18.14kg) evenly distributed.**
 - **Tool Rail should be specified 6" shorter than screen if both are specified.**
 - **For use with benching application, 1 or 2 monitors up to 13 pounds each side, requires additional post.**
 - Mounts into 0.25"(6mm) gap between shared block connectors or center attachment location on shared column.
 - Under horizontal surface: 4"(102mm) of clearance is necessary between back of horizontal surface and pedestal for flat bracket attachment.
 - Gap between screen and horizontal surface allows installation of Belong Tool Rail.
 - Utility tray provides clearance for installation of Belong Tool Rail.
 - Posts mount centered within 3.65"(93mm) gap.

Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color for tool rail/post.

Tool Rail — Single Post Internal/Benching



KUP2-0000-UBI

Post Height	Description	Number	Trim A	B
8.9"(226mm)	Internal	KUP2-0000-UBI	\$131.70	\$142.10



- Features**
- Includes one Internal position post and attachment hardware.
 - Post is 1.25"(32mm) thick.
- Specification Tips**
- For use with benching mount tool rail.
 - Mounts into 0.25"(6mm) gap between shared block connectors or center attachment location on shared column.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color.

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
Territory Screen — End-of Run	11.78"(299mm)	3"(76mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-ESN		\$224.41	\$234.59
				8.7 (3.9kg)	Without Slots	KUTS-1224-ENN		170.01	180.19
	11.78"(299mm)	3"(76mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-ESN		\$248.59	\$276.89
				8.7 (3.9kg)	Without Slots	KUTS-1230-ENN		194.19	222.49



KUTS-E

Features

- Includes one freestanding steel End-of-Run Territory Screen with double sided attachment material.
- End-of-Run Territory Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm).
- Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
- Supports maximum weight of 5 pounds (2.3kg) on side with ledge.
- Non-writable, magnetic surface.

To Order, Specify:

- Product number including:

1 Accessory Kit Option:



- A** Accessory Kit, add **\$59.49** list
- N** No Accessory Kit

- Trim color.

Specification Tips

- End-of-Run Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on ledge of End-of-Run Territory Screen.
- Hanging accessories should be mounted in ledge side of End-of-Run Territory Screen with slots.

Territory Screen — Shared	11.78"(299mm)	6"(152mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-SSN		\$241.38	\$251.56
				8.7 (3.9kg)	Without Slots	KUTS-1224-SNN		186.98	197.16
	11.78"(299mm)	6"(152mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-SSN		\$265.56	\$293.86
				8.7 (3.9kg)	Without Slots	KUTS-1230-SNN		211.16	239.46



KUTS-S

Features

- Includes one freestanding steel Shared Territory Screen with double sided attachment material.
- Shared Territory Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm).
- Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

To Order, Specify:

- Product number including:

1 Accessory Kit Option:

- A** Accessory Kit, add **\$59.49** list
- N** No Accessory Kit





- Trim color.

Specification Tips

- Shared Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on 11.8"(300mm) wide ledges of Shared Territory Screen.
- Hanging accessories may be mounted from either side of Shared Territory Screen with slots.

Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
Territory L-Screen     	Right-hand								
	11.78"(299mm)	10"(254mm)	23.75"(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSR		\$275.43	\$285.61
				11.9 (5.0kg)	Without Slots	KUTS-1224-LNR		221.03	231.21
	11.78"(299mm)	10"(254mm)	29.75"(756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSR		\$299.61	\$327.91
				11.9 (5.0kg)	Without Slots	KUTS-1230-LNR		245.21	273.51
	Left-hand								
	11.78"(299mm)	10"(254mm)	23.75"(603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSL		\$275.43	\$285.61
				11.9 (5.0kg)	Without Slots	KUTS-1224-LNL		221.03	231.21
	11.78"(299mm)	10"(254mm)	29.75"(756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSL		\$299.61	\$327.91
				11.9 (5.0kg)	Without Slots	KUTS-1230-LNL		245.21	273.51

Features

- Includes one freestanding steel Territory L- Screen with double sided attachment material.
- Territory L-Screen Options:
 - With Slots (S); without Slots (N).
 - With Accessory Kit (A) (square and rectangular trays with bud base).
 - Without Accessory Kit (N).
- Optional Slotted Territory L-Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths on 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm).
 - Middle Row: 10.28"(261mm) and 10.28"(261mm).
 - Bottom Row: 5.25"(133mm) and 15.31"(388mm).
 - Slot widths on 10"(254mm) portion: three rows of 8.25"(210mm).
- Slot Widths for 29.75"(762mm):
 - Top Row: 19.73"(501mm) and 6.83"(174mm).
 - Middle Row: 13.28"(337mm) and 13.28"(337mm).
 - Bottom Row: 6.83"(174mm) and 19.73"(501mm).
- Supports maximum weight of 5 pounds (2.3kg) on inside of Territory L-Screen.
- Non-writable, magnetic surface.

To Order, Specify:

1) Product number, including:

1 Accessory Kit Option:

- ☐ A Accessory Kit, add \$59.49 list
- ☐ N No Accessory Kit


2) Trim color.

Specification Tips

- Territory L-Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on ledge of Territory L-Screen.
- Hanging accessories should be mounted on inside of Territory L-Screen with slots.

Work Tools

Belong

Territory Screen —
Multi-material

SUTM

Height	Depth	Number	Fabric Grade		C	D	E	F	G
			A	B					
Fabric									
12"(305mm)	24"(610mm)	SUTM-1224-FU	\$549.67	\$559.88	\$571.13	\$583.39	\$595.68	\$612.04	\$622.23
	30"(762mm)	SUTM-1230-FU	577.50	591.95	607.85	625.20	642.57	665.69	680.14
Height	Depth	Number	Laminate						
			A	B					
Laminate									
12"(305mm)	24"(610mm)	SUTM-1224-DU	\$442.58	\$447.43					
	30"(762mm)	SUTM-1230-DU	452.44	\$458.11					
Height	Depth	Number	Price						
Markerboard									
12"(305mm)	24"(610mm)	SUTM-1224-MU	\$517.81						
	30"(762mm)	SUTM-1230-MU	527.67						
Height	Depth	Number	Wood Group						
			A	B					
Wood									
12"(305mm)	24"(610mm)	SUTM-1224-WU	\$960.56	\$1010.74					
	30"(762mm)	SUTM-1230-WU	983.01	1037.18					
Height	Width	Number	Glass						
			A	C					
Glass									
12"(305mm)	24"(610mm)	SUTM-1224-GU	\$615.59	\$643.91					
	30"(762mm)	SUTM-1230-GU	640.96	690.59					

Features

- Includes screen with drop-in base and double sided attachment material.
- Base dimensions: 2.25"(57mm) wide x 0.71"(18mm) high x 14"(356mm) long.
- The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.
- Field assembled.

Specification Tips

- Screen Thickness:
 - Fabric, laminate, markerboard and wood – 0.56"(14mm)
 - Laminate and wood – 0.56"(14mm)
 - Glass – 0.24"(6mm)
- Screen is 12.25"(311mm) above horizontal top.



To Order, Specify:

- Product number.
- Surface Colors Options:
 - Fabric:
 - Fabric Surface Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband trim color
 - Markerboard:
 - Product number
 - Wood:
 - Wood Finish Color
 - Glass:
 - Glass Finish
 - 9T-1C Clear (Grade A)
 - 9T-E21 Satin Etched (Grade C)
- Trim color for base.

Notes: \$3.24 upcharge list for Metallic and accent trim colors.
Premium laminate wood grain direction is vertical.

Work Tools

Belong



	Actual Height	Actual Depth	Actual Width	Weight Pounds	Number	Trim A	B
  KUTB	With Slots						
	12"(305mm)	0.67"(17mm)	18"(457mm)	7.1 (3.2kg)	KUTB-1218-S	\$228.03	\$233.45
			22.5"(572mm)	8.9 (4.0kg)	KUTB-1222-S	240.63	253.25
			27"(686mm)	10.6 (4.8kg)	KUTB-1227-S	256.38	278.00
			31.5"(800mm)	12.5 (5.7kg)	KUTB-1232-S	272.13	302.75
			36"(914mm)	14.2 (6.4kg)	KUTB-1236-S	284.73	322.55
	Without Slots						
	12"(305mm)	0.67"(17mm)	18"(457mm)	7.5 (3.4kg)	KUTB-1218-N	\$152.05	\$157.47
			22.5"(572mm)	9.4 (4.3kg)	KUTB-1222-N	164.65	177.27
			27"(686mm)	11.2 (5.1kg)	KUTB-1227-N	180.40	202.02
			31.5"(800mm)	13.1 (5.9kg)	KUTB-1232-N	196.15	226.77
			36"(914mm)	15.0 (6.8kg)	KUTB-1236-N	208.75	246.57

- Features**

 - Includes one steel Structural Screen Tile with or without slats and attachment hardware.
 - Supports maximum weights of:
 - 18"(457mm) - 10 pounds (4.5kg).
 - 22.5"(572mm) - 10 pounds (4.5kg).
 - 27"(686mm) - 15 pounds (6.8kg).
 - 31.5"(800mm) - 17 pounds (7.7kg).
 - 36"(914mm) - 20 pounds (9.0kg).
 - Non-writable, magnetic surface.
- To Order, Specify:**

 - 1) Product number.
 - 2) Trim color.

- Specification Tips**
- Designed for use on Belong Structural Screen (defaces screen) or structural building wall.
 - May be wall mounted to structural building wall if properly mounted;
 - Anchors are not provided, must be field supplied.
 - Cords cannot be passed behind the Structural Screen Tile.
 - Not for use with Wall Track.
 - For use with separately specified Belong or Jump Stuff work tools.

  KZTB	With Slots						
	7.87"(200mm)	1.36"(35mm)	24"(610mm)	4.8 (2.2kg)	KZTB-0824-S	\$203.47	\$219.69
			30"(762mm)	6.0 (2.7kg)	KZTB-0830-S	222.37	249.39
			36"(914mm)	7.1 (3.2kg)	KZTB-0836-S	241.27	279.09
			42"(1067mm)	8.2 (3.7kg)	KZTB-0842-S	260.17	308.79
			48"(1219mm)	9.3 (4.2kg)	KZTB-0848-S	279.07	338.49
	Without Slots						
	7.87"(200mm)	1.36"(35mm)	24"(610mm)	5.4 (2.4kg)	KZTB-0824-N	\$127.49	\$143.71
			30"(762mm)	6.6 (3.0kg)	KZTB-0830-N	146.39	173.41
			36"(914mm)	7.8 (3.5kg)	KZTB-0836-N	165.29	203.11
			42"(1067mm)	9.1 (4.1kg)	KZTB-0842-N	184.19	232.81
			48"(1219mm)	10.3 (4.7kg)	KZTB-0848-N	203.09	262.51

- Features**

 - Includes one steel external mount Systems Tile with or without slots with integrated attachment brackets for use with Compose Panel Frames with Tiles.
 - Supports maximum weights of:
 - 24"(610mm) - 15 pounds (6.8kg).
 - 30"(762mm) - 17 pounds (7.7kg).
 - 36"(914mm) - 17 pounds (7.7kg).
 - 42"(1067mm) - 20 pounds (9.0kg).
 - 48"(1219mm) - 20 pounds (9.0kg).
 - Non-writable, magnetic surface.
- To Order, Specify:**


 - 1) Product number.
 - 1) Trim color.

- Specification Tips**
- Designed for use with Compose Panel Frames with Tiles only.
 - Nominal height is 8"(203mm).
 - To be installed in panel frame slots on same width panel, a combination of panels equal to tile width.
 - Vertical panel frame face dimensions:
 - Panel frame/non-raceway cover = frame height minus 2"(51mm).
 - Panel frame with raceway cover = frame height minus 10"(254mm).
 - For use with separately specified Belong or Jump Stuff work tools.


Work Tools

Belong

	Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
Screen Rail	2.19"(56mm)	23.75"(603mm)	2.8 (1.3kg)	Single Sided	KUSR-0224-S	\$ 94.45	\$111.62
			2.8 (1.3kg)	Double Sided	KUSR-0224-D	111.62	128.79



Double Sided



Single Sided

KUSR

Features


- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19"(208mm) and 12.94"(329mm).
- Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg).
 - Double Sided: 5 pounds (2.3kg) each side.
- Non-writable, magnetic surface.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Specification Tips

- For use with separately specified Belong or Jump Stuff work tools.
- For use on top of fabric, laminate or wood Belong Screens.
- Not for use on Glass Screens, Structural L-screens or Territory Screens.

Open C Cubby

KUCU-0915-BNN



KUCU-1215-BNS


Height	Depth	Width	Description	Number	Trim A	B
9"(229mm)	10"(254mm)	15"(381mm)	No Slots	KUCU-0915-BNN	\$151.96	\$170.04
12"(305mm)	10"(254mm)	15"(381mm)	No Slots	KUCU-1215-BNN	159.21	177.29
12"(305mm)	10"(254mm)	15"(381mm)	With Slots	KUCU-1215-BNS	177.29	195.37

Features

- Includes one freestanding Open C Cubby.
- Freestanding Open C Cubby's are designed for supporting binders and books.
- Open C Cubby with slots allows use of Belong Work Tools or Jump Stuff Slat Pad work tools; separately specified.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Trays

KUAK

Description	Number	Price
Square Tray	KUAK-0000-NSN	\$184.61
Rectangular Tray	KUAK-0000-NNR	184.61

Features

- Includes one plastic tray.
- Sizes:
 - Square tray: 2.75"(70mm).
 - Rectangular tray: 2.75" x 5.5"(70mm x 140mm).
- Available in Beige (TR-R), Brownstone (TR-1R), Rusty Red (TR-RR) and Snow (TR-FM).

To Order, Specify:




- 1) Product number.
- 2) Trim finish.

Specification Tip

- Designed for use with the Base Tray, Territory Screen or as freestanding pieces.






Work Tools

Belong

	Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	Trim A	B
Base Tray	2.09"(53mm)	3.55"(90mm)	23.75"(603mm)	5.0 (2.3kg)	With Accessory Kit	KUBT-0224-A	\$472.70	\$490.09
					Without Accessory Kit	KUBT-0224-N	411.82	429.21
 KUBT GSA: Open Market Features - Includes one freestanding steel Base Tray with aluminum insert rail. - Base Tray is available with or without Accessory Kit. Specification Tips - Designed for use with L-Screen, Reference Shelf and Accessory Kit. - L-Screen and Reference Shelf slide into space between steel back and aluminum insert. - Base Tray accommodates one Reference Shelf and one L-Screen. - Accessory Kit is designed to sit on 2.84"(72mm) deep base tray ledge. To Order, Specify: - Product number. - Trim color.								
Desk Top L-Screen	11.87"(301mm)	10"(254mm)	23.75"(603mm)	9.7 (4.4kg)	Right-hand	KULS-0000-TR	\$166.54	\$183.71
					Left-hand	KULS-0000-TL	166.54	183.71
 Left-hand Right-hand KULS Features - Includes one steel Desk Top L-screen with semi-transparent plastic feet. - Non-writable, magnetic surface. - Desk Top L-Screen is handed. - Supports maximum weight of 5 pounds (2.3kg). Specification Tips - Designed for use with Base Tray or as freestanding. - Desk Top L-Screen may be used alone in Base Tray or with Reference Shelf. - Depth portion of L-Screen, when used adjacent to Reference Shelf, is the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge. - Width portion of Desk Top L-Screen may be positioned to fill Base Tray or a portion may overhang past end of Base Tray to accommodate Reference Shelf. To Order, Specify: - Product number. - Trim color.								
Desk Top Reference Shelf	12.03"(306mm)	4.25"(108mm)	14.5"(368mm)	8.1 (3.7kg)		KURS-0014-T	\$135.69	\$144.76
 KURS Features - Includes one steel desk Top Reference Shelf. - Desk Top Reference Shelf lip is 1"(25mm) deep with a 15 degree angle. - Includes a cutout for cord drop if used for charging of electronic devices. - Supports maximum weight of 5 pounds (2.3kg). - Non-writable, magnetic surface. Specification Tips - Desk Top Reference Shelf may not be used alone in Base Tray; must be used together with Desk Top L-Screen for support purposes. - Desk Top Reference Shelf is not freestanding. - Desk Top Reference Shelf adjacent to depth portion of L-Screen are the same width as Base Tray; width portion of L-Screen perpendicularly wraps around Base Tray ledge. - Desk Top Reference Shelf adjacent to width portion of L-Screen will overhang past end of Base Tray. To Order, Specify: - Product number. - Trim color.								

Work Tools


Belong

	Height	Depth	Width	Description	Number	Price
Paper Tray — Landscape	1.5"(38mm)	8.875"(225mm)	12.75"(324mm)	Slat — Document Tray	KUPT-0913-H	\$37.99
	2.5"(38mm)	8.875"(225mm)	12.75"(324mm)	Freestanding — Stacking Tray	KUPT-0913-F	45.24
  Features - Includes one plastic tray. - Slat document tray mounts on Belong rail, Belong slat tile and Compose slat tile. - Slat document tray supports maximum of one ream (5 pounds/2.3kg) of paper. - Freestanding stacking tray is freestanding and stacks 4 high. To Order, Specify: - Product number. - Trim color. - TR-R Beige - TR-1R Brownstone - TR-RR Rusty Red - TR-FM Snow Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very Seating chainset for Snow.						
Tool Cup	3.5"(90mm)	2.5"(38mm)	2.5"(38mm)		KUTC-0000-H	\$32.57
 Features - Includes one plastic tool cup. - Tool cup mounts on: —Belong rail —Belong slat tile —Open C Cubby with slots —Compose slat tile - Can also be used in freestanding applications. To Order, Specify: - Product number. - Trim color. - TR-R Beige - TR-1R Brownstone - TR-RR Rusty Red - TR-FM Snow Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very Seating chainset for Snow.						
Hanging Sorter	8.5"(216mm)	2.5"(64mm)	12.75"(324mm)		KUHS-0000-H	\$88.67
 Features - Includes one hanging sorter with two paper sorters. - Interior depth of each sorter is 1"(25mm). - Hanging sorter mounts on: —Belong rail —Belong slat tile —Open C Cubby with slots —Compose slat tile To Order, Specify: - Product number. - Trim color. - TR-R Beige - TR-1R Brownstone - TR-RR Rusty Red - TR-FM Snow Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very Seating chainset for Snow.						
Mini Shelf	1"(25mm)	4"(102mm)	8"(203mm)		KUSH-0408-H	\$32.57
 Features - Includes one plastic shelf. - Mini shelf mounts on: —Belong rail —Belong slat tile —Open C Cubby with slots —Compose slat tile To Order, Specify: - Product number. - Trim color. - TR-R Beige - TR-1R Brownstone - TR-RR Rusty Red - TR-FM Snow Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very Seating chainset for Snow.						

Work Tools

Belong

Blotter



KUBL-2030-FJ

Depth	Width	Edge	Number	Fabric Grade	
				D	E
19.7"(500mm)	29.5"(749mm)	3mm	KUBL-2030-FJ	\$738.13	\$779.96
19.7"(500mm)	35.4"(899mm)		KUBL-2036-FJ	756.29	801.75
23.6"(599mm)	35.4"(899mm)		KUBL-2436-FJ	774.75	823.54
19.7"(500mm)	29.5"(749mm)	Knife	KUBL-2030-FF	\$738.13	\$779.96
19.7"(500mm)	35.4"(899mm)		KUBL-2036-FF	756.29	801.75
23.6"(599mm)	35.4"(899mm)		KUBL-2436-FF	774.75	823.54

Features

- Includes one blotter with protective back.
- Specify blotter profile to match desking edge:
 - 3mm Edgeband
 - Knife edge
- Belong Blotter radius is 0.5"(13mm).


To Order, Specify:

- 1) Product number.
- 2) Fabric


Specification Tips

- 20"(508mm) deep blotter can be used on 24"(610mm) deep desking without hatch.
- 20"(508mm) deep blotter can be used on 30"(762mm) deep desking with hatch.
- 24"(610mm) deep blotter can be used on 36"(914mm) deep desking with hatch.


Reference Shelves



KURS-0010-H



KURS-0019-H



KURS-0012-B

Height	Width	Description	Number	Trim	
				A	B
11.25"(286mm)	9.875"(251mm)	Reference — Small	KURS-0010-H	\$ 90.45	\$ 99.52
			KURS-0019-H	135.69	144.76
9.875"(251mm)	11.625"(295mm)	Blotter Reference Shelf	KURS-0012-B	\$ 90.45	\$ 99.52

Features

- Includes one metal reference shelf
- Large and Small Reference shelves mount on:
 - Belong rail
 - Belong slat tile
 - Open C Cubby with slots
- Blotter Reference Shelf slides under blotter for support.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- In installed position large and small referencing shelves are 0.88"(22mm) high and 4.3"(109mm) deep.
- Reference shelf lip is 1.375"(35mm) deep.

Accessory Kit



KUAK

GSA: Open Market

	Number	Price
	KUAK-0000-BSR	\$182.63

Features

- Includes one square tray, one rectangular tray and bud vase with square base. All items are plastic.
- Sizes:
 - Square tray: 2.75"(70mm).
 - Rectangular tray: 2.75" x 5.5"(70mm x 140mm).
 - Bud Vase: 4"(102mm) tall, 0.75"(19mm) inside diameter, 2.75"(70mm) square base.
- Designed for use with the Base Tray, Territory Screen or as freestanding pieces.
- Standard in snow trim color.

To Order, Specify:


- 1) Product number.
(No finish specification required)

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very Seating chainset for Snow.

Work Tools

Jump Stuff

	Height	Depth	Width	Number	Trim A	B
Paper Sorter	9.25"(235mm)	11"(279mm)	9"-12"(229mm-305mm)	DTPR-3	\$110.74	\$114.62



DTPR-3


Features

- Includes three dividers, one shelf, and mounting bracket.
- Mounts on slat pad.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.

	Height	Depth	Width	Number	Price
Binder Bin	12.5"(318mm)	10.5"(267mm)	6.5"(165mm)	DTSB-3	\$83.54



DTSB-3


Features

- Mounts on slat pad. Can also be used in freestanding applications.
- Bin accommodates two 3"(76mm) thick binders.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

	Height	Depth	Width	Number	Laminate A	B
Mini Shelf	1.75"(44mm)	6.25"(159mm)	18"(457mm)	DMSP-18	\$170.16	\$183.75
			24"(610mm)	DMSP-24	177.94	191.53



DMSP


Features

- Includes shelf and brackets.
- Mounts on slat pad.
- Shelf thickness 0.75"(19mm)
- Designed for lightweight accessories.

To Order, Specify:

- 1) Product number.
- 2) Shelf trim color.
- 3) Edgeband color.
- 4) Trim color for brackets.

	Height	Depth	Width	Number	Trim A	B
Phone Shelf	2.5"(64mm)	11.25"(286mm)	9"(229mm)	DTPT-3	\$132.10	\$135.98



DTPT-3

Features

- Includes phone shelf and bracket.
- Mounts on slat pad at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.


To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.

Work Tools

Jump Stuff


	Height	Depth	Width	Number	Price
Letter Tray	2.5"(64mm)	12"(305mm)	10.5"(267mm)	DTLT-2	\$40.82



DTLT-2

Features	To Order, Specify:
Used in freestanding applications.	- Product number. - Translucent trim color.

	Height	Depth	Width	Description	Number	Price
Waste Bin	15.5"(394mm)	12"(305mm)	13"(330mm)	Translucent	DTRB-1	\$106.46




DTRB
GSA: Open Market

Features	To Order, Specify:
- Used in freestanding applications. - Five gallon capacity.	- Product number. - Translucent trim color. TR-LQ Frost

Work Tools

Magnetic Accessories

	Actual Height	Actual Width	Number	Price
Magnet Board	11"(279mm)	4"(102mm)	KUAM-0411	\$41.81
	18"(457mm)	5"(127mm)	KUAM-0518	83.62

**Features**


- Includes:
 - Magnetic dry-erase board
 - Three round magnets on 11"(279mm) high magnet board, two round magnets on 18"(457mm) high magnet board
 - One magnetic dry erase pen
 - Magnetic attachment strip for attachment to magnetic surfaces
 - Adhesive strip for attachment to non-magnetic surfaces
- Available in white (not matched to Haworth's color palette).

To Order, Specify:

- Product number.

Specification Tip

- Use on non-textured surfaces for best performance.

Magnet Hooks**Diameter**

1.5"(38mm)

Number

KUAH-0002

Price

\$40.16

Features

- Includes four 1.5"(38mm)-diameter magnetic hooks for holding personal items.
- Available in white (not matched to Haworth's color palette).

To Order, Specify:

- Product number.

Specification Tip

- Use on non-textured surfaces for best performance.

Magnet Hook**Diameter**

3"(76mm)

Number

KUAH-0003

Price

\$26.54

Features


- Includes one 3"(76mm)-diameter magnetic hook for holding personal items.
- Available in white (not matched to Haworth's color palette).

To Order, Specify:

- Product number.

Specification Tip

- Use on non-textured surfaces for best performance.

Round Peg Magnets**Depth**

0.375"(10mm)

Diameter

0.16"(4mm)

Number

KUAP-0000

Price

\$40.16

Features


- Includes eight round magnets and acrylic storage box.
- Available in chrome.

To Order, Specify:

- Product number.

Specification Tips

- Use on non-textured surfaces for best performance.
- Each magnet can hold up to eight sheets of letter-size paper.

Mirror**Actual Width**

3.125"(80mm)

Actual Length

4.375"(111mm)

Number

KUAR-0403

Price

\$28.42







Features

- Includes one acrylic mirror.
- Can be hung from a Belong magnetic hook, or placed in a Belong pouch (specified separately).

To Order, Specify:

- Product number.
(No color specification required.)


Workstation Accessories

	Height	Depth	Width	Number	Price
Shallow Drawer  DS-3 Class AA – GSA: Open Market	3"(76mm)	15.375"(391mm)	18.25"(464mm)	DS-3	\$152.04
Features - Shallow drawer has four compartments. - Drawer does not stack. - Available in charcoal or gray tone finish colors only.					
To Order, Specify: - Product number. - Trim color. TR-K Charcoal TR-G Gray Tone					
Steel Center Drawer  SCD-19 Class MA – SIN 33721; Discount Group II	2"(51mm)	17.5"(445mm)	19.125"(486mm)	SCD-19	\$446.02
Features - Includes mounting hardware. - Standard with lock. - Standard in charcoal finish color only.					
To Order, Specify: Product number. (No finish specification required.)					
Pencil + Drawer   KUDP-2420 Class YA – SIN 33721; Discount Group XIII	11"(279mm)	24"(610mm)	19.5"(495mm)	KUDP-2420	\$540.76
Features - Multi-purpose drawer provides organization, hanging filing along with laptop storage. - Knock-outs at rear of drawer provide electronic charging access while contents are locked. - Removable organizing tray. - Thin profile maximizes knee clearance under front of drawer. - Standard in black trim color with black locks. - Standard with lock (shipped separately); keyed-alike and master keying options available.					
Specification Tips - To be mounted below worksurfaces 24"(610mm) or deeper. Not for use with 24"(610mm) deep knife edge worksurface. - Pencil + drawer must be used adjacent to worksurface floor support when specified for use with panel system.					
To Order, Specify: Product number. (No finish specification required.)					
Pencil Drawer  JAC-18 Class FP – SIN 33721; Discount Group XII	1.625"(41mm)	19"(483mm)	18"(457mm)	JAC-18	\$111.79
Features - Includes black plastic drawer, slides, and mounting hardware. - Attaches under freestanding desks, returns, bridges, system convergent or rectangular worksurfaces.					
Specification Tip Do not install in area where cantilever bracket is installed.					
To Order, Specify: Product number. (No finish specification required.)					
Make-A-Corner  MAC-0001 Class AA – GSA: Open Market		21.125"(537mm)	26.125"(664mm)	MAC-0001	\$275.30
Features - Creates an angled edge between two (2) perpendicular regular worksurfaces. - Slides over the top of 1.19"(30mm) thick worksurfaces. - Accommodates an adjustable keyboard or mouse pad track (screws included).					
To Order, Specify: - Product number. - Non-metallic trim color.					

Work Tools

Jump Stuff


	Height	Depth	Width	Number	Price
Letter Tray	2.5"(64mm)	12"(305mm)	10.5"(267mm)	DTLT-2	\$40.82



DTLT-2

Features Used in freestanding applications.	To Order, Specify: - Product number. - Translucent trim color.
--	---

	Height	Depth	Width	Description	Number	Price
Waste Bin	15.5"(394mm)	12"(305mm)	13"(330mm)	Translucent	DTRB-1	\$106.46



DTRB
GSA: Open Market

Features - Used in freestanding applications. - Five gallon capacity.	To Order, Specify: - Product number. - Translucent trim color. TR-LQ Frost
--	---

Workstation Accessories

2/90 Sign Systems

2/90 Sign Systems is a recommended signage program for use with Haworth Systems. Signage options include ADA-compliant panel-mounted name signs, department signs, building directories, in/out boards, restroom and no smoking signs.

For inquiries, catalogs or orders, contact System 2/90 directly at 1-800-777-4310, fax (616) 656-4300, 5350 Corporate Grove Blvd SE, Grand Rapids, MI 49512.

Lock Programs

Specification Guidelines

Locking Components Shipping Format

Locking components in all Haworth systems, caseloads, files and storage furniture are shipped with the lock housings factory-installed in each unit ready to receive separate lock plug cores. Lock plugs are field installed by means of a control key. Lock plugs and keys will be shipped with random numbering unless they are specified "keyed-alike". Quantity of locks will match quantity required for locking components on the order.


HW Lock Program

All HW lock plugs and keys will be standard in a Master Lock Program. A Master Lock program allows for better management of the facility where one "Master Key" can be used by Facility Management to service all locking components within a facility. Individual offices can be keyed-alike and will receive single-key access specific to the locking components within that workstation. Multiple locks in credenza components should be keyed-alike for the convenience of single-key access. General storage or file areas may also be keyed-alike so that individuals may have access to shared department documents or supplies.

To order new products within a workstation keyed-alike, the specifier should select the number of locks within the workstation and specify LSET quantities through Orderline. CSET lock plug and keys are to key-alike existing product for reconfigurations.

On Site Lock Installation

One Control Key for installing the lock plug will be included with each incremental order unit of up to 200 locks. The control key is used to insert and remove the lock plug into the housing at the installation site. The control key cannot be used to remove a lock plug in the locked position from its housing. Additional control keys are available and should be considered for the convenience of installing locks in widely separated areas of a facility (see Keys Only, page 227).




Replacement Lock Plugs and Keys

To order replacement lock plugs and keys, use the appropriate service parts catalog number or CSETS.

Coding the Office Plan

Each lock location should be identified graphically on the plan by a dash mark. Encode your office floor plan by using your own coding system to identify each workstation or area that requires keyed-alike locks. Remember that some furniture will have more than one lock — a double pedestal desk, for instance. The coded floor plan with office identification numbers and lock quantities and color code will be required at the time of installation. The installer will be responsible for assignment of lock quantities based on this plan.



Lock Programs

HW Lock Program

HW Lock Program

The Haworth HW Lock Program is a Master Lock Program and offers the option to have workstations keyed-alike with 300 lock numbers. LSET keyed-alike lock plugs/keys are for new locking product orders only and are available at no charge.

For reconfiguration projects, there are CSET lock plugs and keys available at a nominal charge.

Work Sheet Preparation

Photocopy the HW Lock Work Sheet to assist in specifying locks. This work sheet is for your convenience and is not to be submitted with your purchase order.

Using the Coded Office Plan

Enter the workstation or area identification codes from the plan into the columns headed OFFICE NUMBER on the HW Lock work sheet. The work sheet can accommodate 100 location entries.

Specifying Keyed-Alike Lock Quantities and Colors

Using the plan, count the number of locking components in each workstation. Enter the number of locks under "QUANTITY" columns, taking into account the chrome or black finish, depending on lock finishes offered. When completed, each workstation should be assigned a quantity of LSETs. For file banks or storage areas requiring a larger quantity of the same lock numbers, specify LSET-999.

NO KEYED-ALIKE NOTE:
When no LSETS are specified, plugs and keys for the total number of locking components will be shipped automatically.

A Master Key will need to be separately specified.
Example:

Office Number	Quantity		LSET Number	Totals	
	Chrome	Black		Chrome	Black
A1	3		LSET-3	1	
A2	3		LSET-3	1	
A3	3		LSET-3	1	
A4		3	LSET-3		1
A5	4	3	LSET-3		1
			LSET-4	1	
A6	3		LSET-3	1	

Total the number of LSET quantities at the bottom of the work sheet. Transfer each total quantity to your Orderline or written purchase order.

When specifying Keyed-Alike (LSETS): LSETS must be ordered for the total number of locking components. Only the quantity of LSETS ordered will be shipped. We do not ship based upon number of locking components on order.

LSETS ordered in excess of quantities required for new locking product on the order may result in the order being place on hold.

As a final verification of quantity, review the plan carefully to be sure that all products with locks have been identified. Remember that desks, credenzas and storage units may have multiple locking components.

Line Item Entry

Transfer the data from the work sheet to your Orderline or written purchase order. Enter the appropriate LSET catalog numbers on your order, followed by finish option code -BP or -BL.

Example:

Quantity	Description
4	LSET-3, LR-BP
1	LSET-4, LR-BL
2	LSET-3, LR-BL

Order Processing and Packing Method




Figure 3.

Haworth will assign the lock numbers for all keyed-alike orders. Note: Specific key numbers cannot be requested.

Upon receipt of your keyed-alike order, Haworth will draw from our standard inventory of 300 lock numbers. Lock plugs will be shipped according to finish in sets per the quantity specified. HW locks and keys (Figure 3) will carry a stamped "HW" on one side with 1 through 300 on the other side as an indication of the "HW lock" program.

Order Changes

For Order Changes/Cancellations; refer to North American Terms of Sale.

HW LOCK WORK SHEET

PROJECT #: _____

[illegible]


CSET NUMBERS/TOTALS		
	Chrome	Black
CSET-1		
CSET-2		
CSET-3		
CSET-4		
CSET-5		
CSET-6		
CSET-7		
CSET-8		
CSET-9		
CSET-12		
CSET-30		
CSET-999		

RETAIN FOR YOUR RECORDS
DO NOT SUBMIT WITH ORDER

Lock Programs

HW Lock Plugs and Keys

HW Lock Plugs and Keys



Description	Number	Price
Order with new product orders only*		
1 Lock Plug and Key	LSET-1	N/C
2 Lock Plugs and Keys	LSET-2	N/C
3 Lock Plugs and Keys	LSET-3	N/C
4 Lock Plugs and Keys	LSET-4	N/C
5 Lock Plugs and Keys	LSET-5	N/C
6 Lock Plugs and Keys	LSET-6	N/C
7 Lock Plugs and Keys	LSET-7	N/C
8 Lock Plugs and Keys	LSET-8	N/C
9 Lock Plugs and Keys	LSET-9	N/C
10 Lock Plugs and Keys	LSET-10	N/C
11 Lock Plugs and Keys	LSET-11	N/C
12 Lock Plugs and Keys	LSET-12	N/C
30 Lock Plugs and Keys	LSET-30	N/C
Key all locks alike (quantities greater than 30)	LSET-999	N/C
Order for reconfiguration of existing product		
1 Lock Plug and Key	CSET-1	\$ 12.98
2 Lock Plugs and Keys	CSET-2	25.96
3 Lock Plugs and Keys	CSET-3	38.94
4 Lock Plugs and Keys	CSET-4	51.92
5 Lock Plugs and Keys	CSET-5	64.90
6 Lock Plugs and Keys	CSET-6	77.88
7 Lock Plugs and Keys	CSET-7	90.86
8 Lock Plugs and Keys	CSET-8	103.84
9 Lock Plugs and Keys	CSET-9	116.82
12 Lock Plugs and Keys	CSET-12	155.76
30 Lock Plugs and Keys	CSET-30	389.40
Key all locks alike (quantities greater than 30)	CSET-999	12.98

Features

- The Haworth HW Lock Program offers 300 lock numbers. LSET keyed-alike lock plugs/keys are for new locking product orders only and are available at no charge. LSET's ordered in excess of quantities required for new locking product on the order may result in order being placed on hold.
- For reconfiguration projects there are CSET lock plugs and keys available at a nominal charge.
- All lock plugs and keys with one LSET/CSET will ship with the same key number which is chosen at random.
- LSET-999 and CSET-999 are for quantities greater than 30 lock plugs and keys. Specify quantity of locks; locks are priced "per piece". Numbers will be the same for all locks and chosen at random.
- Haworth will assign key numbers from the inventory of 1 through 300.
- To order specific key numbers for replacement; refer to page 227.
- Master key available; separately specified.
- Keys are standard in nickel with black overmolded head; Locks plugs are available in chrome and black finishes.

To Order LSET, Specify:

- Product number.
- Lock plug finish color.
LX-BP Chrome
LX-BL Black


To Order CSET, Specify:

- Product number.
- Lock plug finish color.
LR-BP Chrome
LR-BL Black

Lock Programs

Keys

	Key Number Selection	Number	Price
HW Plugs and Keys	KY-001 through KY-300	HW-SVC	\$24.83




HW-SVC

Features

- Includes one lock plug and one key.
- Keys are standard in nickel with black overmolded head.
- Lock plugs are available in chrome or black finishes.
- One control key (CK-3) for installing lock plugs into lock housings is provided.
- The key number will print on one side of key and HW on other side.
- Lock plug will also show HW and key number (refer to illustrations).

To Order, Specify:

- 1) Product number.
- 2) Lock plug finish color.
LR-BP Chrome
LR-BL Black
- 3) Key number.

HW Replacement Keys

HWSK


Description	Quantity Included	Key Numbers Included	Number	Price
Includes one HW key; specify key number/quantity	1		HWSK-1	\$ 19.67
	50	1-50	HWSK-2	\$ 331.62
	50	51-100	HWSK-3	331.62
	50	101-150	HWSK-4	331.62
	50	151-200	HWSK-5	331.62
	50	201-250	HWSK-6	331.62
	50	251-300	HWSK-7	331.62
	300	1-300	HWSK-300	1760.49

Features

- Includes HW keys only.
- HWSK-1; order for specific HW key number replacement; Specify HW key number.
- HWSK-2 through HWSK-300; specific HW key number series included.

To Order, Specify:

- 1) Product number.
- 2) Key number (HWSK-1 only).
(No finish specification required.)

HW Master Key

HWMK-1

Description	Number	Price
Master key	HWMK-1	\$21.45

Features

- Includes one key.
- HWMK keys are silver with a red overmolded head.

Note: Master keys can only be used for HW Lock Program.**To Order, Specify:**

- 1) Product number.
(No finish specification required.)

HW Control Key

CK-3


Control key (no key number selection required)	CK-3	\$21.45
--	------	---------

Features

- A single control key is provided with each lock shipment.
- CK-3 control key can be used to remove HW lock plug in unlocked position only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

HW Key Blank

HWKB-1

Key Blank	HWKB-1	\$486.63
-----------	--------	----------

Features





- Includes 100 key blanks for use with HW Lock Program only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Lock Programs

Digital Locks

Digital Lock	Length	Width	Height	Number	Price
				①②③ HUDR- - - Y	
 HUDR-R	3.88"(98mm)	1"(25mm)	0.75"(19mm)		\$867.65
 HUDR-L					
 HUDR-B					
 HUDR-T					
Features - Includes: - Digital lock with 5-digit horizontal or vertical keypad and rotating lock knob - CR2032 3-volt lithium battery - Factory-assigned access code - Attachment hardware and spacer for metal and wood surfaces - Fits standard lock housings in all Haworth systems, caseworks, files and storage furniture. - Two software versions allow the lock to be programmed by individual users each time it's used, or by a facility manager for workstations where re-programming is infrequent. - Master codes can be created by facilities management to override factory-assigned access codes. - Factory or master codes provide manager access and enable re-programming. - Available in black or brushed chrome.					
Specification Tips - Digital lock installs on Haworth products and fits over existing lock bezel using the included spacer. - Optional control key fob can be specified separately to manage factory and/or master codes. - Not applicable on X Series Tug Pedestal. - User-Programmable (Locker Mode) user programs and codes into lock with each use. - Facility- Programmed (Station Mode) code programmed for user, same code each use.					
To Order, Specify: 1) Product number, including: ① Keypad Orientation - L Horizontal, knob left - R Horizontal, knob right - T Vertical, knob top - B Vertical, knob bottom ② Knob Rotation 090 90 degree 180 180 degree ③ Software Option - U User-programmable (Locker Mode) - F Facility-programmed (Station Mode) 2) Trim color for lock					

Digital Lock Control Key Fob	Number	Price
 HUDF-F	HUDF-F	\$788.72
Features - Includes one control key fob and CR2032 3-volt lithium battery. - Provides facility management of factory, master, and user codes, allowing management access and re-programming of digital locks (HUDR). - Stores an unlimited number of factory and master codes.		To Order, Specify: 1) Product number.
Specification Tip Each lock must be programmed to accept key fob before use.		

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
A Series									
Credenza w/Drawers & Doors	Drawer Front	•		•	•				
Active Components									
Security Drawer	Drawer Front				•				•
Suspended Pedestal - Open w/Box Drawer	Drawer Front				•				•
Suspended Pedestal - Box/File Drawers	Drawer Front	•			•	•			•
Suspended Ender - Open w/Box Drawer	Drawer Front				•				•
Suspended Ender - Box/File Drawer	Drawer Front	•			•	•			•
Adaptable Overhead Storage Unit									
Flipper & Single Slider			•	•	•				
Hinge			•	•					
Be_Hold Accessory Drawer									
Steel Drawer Front	Lower Right of Drawer Front				•				
Be_Hold Stationary Pedestals									
12 Wide w/Steel Drawer	Lower Right of Top Drawer				•				
12 Wide w/Hinged Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
12 Wide w/Hinged Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Box/File & Box/Box/File	Upper Right of Top Drawer	•			Q, W				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Suspended Pedestal									
w/Steel Drawer	Lower Right of Top Drawer				•				
Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Be_Hold Mobile Pedestal									
12 Wide w/Steel Drawer	Lower Right of Top Drawer				•				
12 Wide w/Hinged Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				
12 Wide w/Hinged Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Box/File & Box/Box/File	Upper Right of Top Drawer	•			Q, W				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Stationary Lateral Files									
Box/File & Box/Box/File, & Cubby/Box/File	Upper Right of Top Drawer	•			•				
Cubby/File, File/File, & File/File/File	Upper Right of Top Drawer	•			•				
Be_Hold Storage Cabinet									
1.5H Double Door	Upper Left of RH Door Front	N, W		•					
2H, & 3H Double Door	Upper Left of RH Door Front	•		•					
1.5H Door on LH Side (LH Unit)	Upper Right of Door Front	N, W			•				
2H, & 3H Door on LH Side (LH Unit)	Upper Right of Door Front	•			•				

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Be_Hold Storage Cabinet (cont')									
1.5H Door on RH Side (RH Unit)	Upper Left of Door Front	N, W		•					
2H, & 3H Door on RH Side (RH Unit)	Upper Left of Door Front	•		•					
Double Door 48.5	Middle Left of RH Door Front	N, W	•	•					
Double Door 57.5/65.5/73.5	Middle Left of RH Door Front	•	N, W	•					
Double Door 81.5	Middle Left of RH Door Front	•	•	•					
Door on RH Side (RH Unit) 48.5	Middle Left of Door Front	N, W	•	•					
Door on LH Side (LH Unit) 48.5	Middle Right of Door Front	N, W	•		•				
Door on RH Side (RH Unit) 57.5/65.5/73.5	Middle Left of Door Front	•	N, W	•					
Door on LH Side (LH Unit) 57.5/65.5/73.5	Middle Right of Door Front	•	N, W		•				
Door on RH Side (RH Unit) 81.5	Middle Left of Door Front	•	•	•					
Door on LH Side (LH Unit) 81.5	Middle Right of Door Front	•	•		•				
Be_Hold Credenza Units									
Box/File & Box/Box/File	Upper Right of Top Drawer	•			•				
File/File	Upper Right of Top Drawer	•			•				
Be_Hold Sliding Credenza Units									
1.5H, 2H, & 3H, Sliding Door Units	not available								
Be_Hold Overhead Storage Units									
Hinged Doors	Lower Left of RH Door Front		•	•					
Sliding Doors	not available								
Be_Hold Stack Storage Cabinet									
Double Door	Bottom Left of RH Door Front		•	•					
Door on LH Side (LH Unit)	Bottom Right of Door Front		•		•				
Door on RH Side (RH Unit)	Bottom Left of Door Front		•	•					
Be_Hold Personal Storage Tower									
3H Storage Door on RH Unit	Upper LH of Storage Door Front	N, W			•				
4H, 5H, & 6H Storage Door on RH Unit	Upper LH of Storage Door Front	•			•				
3H Storage Door on LH Unit	Upper RH of Storage Door Front	N, W		•					
4H, 5H, & 6H Storage Door on LH Unit	Upper RH of Storage Door Front	•		•					
Ped Drawer Box/Box/File	Upper Right of Top Drawer	•			Q, W				
Ped Drawer File/File	Upper Right of Top Drawer	•			•				
Be_Hold Personal Storage Tower w/Valet Door									
3H Valet Door on LH Side	Upper RH of Valet Door Front	N, W			•				
4H, 5H, & 6H Valet Door on LH Side	Upper RH of Valet Door Front	•			•				
3H Valet Door on RH Side	Upper LH of Valet Door Front	N, W		•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Be_Hold Personal Storage Tower w/Valet Door (cont')									
4H, 5H, & 6H Valet Door on RH Side	Upper LH of Valet Door Front	•		•					
Ped Drawer Box/Box/File	Upper Right of Top Drawer	•			Q, W				
Ped Drawer File/File	Upper Right of Top Drawer	•			•				
Be_Hold Wardrobe									
Door on RH Unit 41.5	Upper LH of Door Front	N, W		•					
Door on LH Unit 41.5	Upper RH of Door Front	N, W			•				
Door on RH Unit 48.5	Mid LH of Door Front	N, W	•	•					
Door on LH Unit 48.5	Mid RH of Door Front	N, W	•		•				
Door on RH Unit 57.5/65.5	Mid LH of Door Front	•	N, W	•					
Door on LH Unit 57.5/65.5	Mid RH of Door Front	•	N, W		•				
Shared Storage Wardrobe RH Door 41.5	Upper LH of Door Front	N, W		•					
Shared Storage Wardrobe LH Door 41.5	Upper RH of Door Front	N, W			•				
Shared Storage Wardrobe RH Door 48.5	Mid LH of Door Front	N, W	•	•					
Shared Storage Wardrobe LH Door 48.5	Mid RH of Door Front	N, W	•		•				
Shared Storage Wardrobe RH Door 57.5/65.5	Mid LH of Door Front	•	N, W	•					
Shared Storage Wardrobe LH Door 57.5/65.5	Mid RH of Door Front	•	N, W		•				
Beside Pantry									
Pantry Door, Left Side	Top Right	•						•	
Pantry Door, Right Side	Top Left	•							•
Compose Storage Lower Storage-Mobile Pedestals									
1.5H (Box/File)	Top Right	6, 7, 8, 9			6, 7, 8				
2H (Box/Box/File & File/File)	Top Right	6, 7, 8, 9			6, 7, 8				
Compose Pedestal									
1H (Box/Box)	Top Right	6, 7, 8, 9			6, 7, 8				
1.5H (Box/File)	Top Right	6, 7, 8, 9			6, 7, 8				
2H (Box/Box/File & File/File)	Top Right	6, 7, 8, 9			6, 7, 8				
Compose Lateral Files									
1H	Top Right					6, 7, 8, 9			6, 7, 8, 9
1.5H	Top Right	6, 7, 8, 9			6, 7, 8, 9				
2H	Top Right	6, 7, 8, 9			6, 7, 8, 9				
3H	Top Right	6, 7, 8, 9			6, 7, 8, 9				
Compose Open Shelf Lateral Files									
1.5H	Top Right					6, 7, 8, 9			6, 7, 8, 9
2H	Top Right					6, 7, 8, 9			6, 7, 8, 9

Note: Digital locks are not compatible with the Aluminum J Pull (K) on Compose.

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Compose Combination Units									
2H Left-Hand	Top Right	6, 7, 8, 9			6, 7, 8, 9				
2H Right-Hand	Top Right	6, 7, 8, 9			6, 7, 8, 9				
Compose Storage Units w/Doors									
1H	Top Left Corner of Right Door	6, 7, 8, 9		6, 7, 8, 9					
2H	Top Left Corner of Right Door	6, 7, 8, 9		6, 7, 8, 9					
3H	Top Left Corner of Right Door	6, 7, 8, 9		6, 7, 8, 9					
Compose Personal Storage Tower w/Side Bookcase									
Right-Hand	Top Right of BBF	6, 7, 8, 9			6, 7, 8				
Left-Hand	Top Right of BBF	6, 7, 8, 9			6, 7, 8				
Compose Personal Storage Tower w/Wardrobe — One Unit									
RH Wardrobe - Wardrobe Door	Left Edge of Door	6, 7, 8, 9	6, 7, 8, 9	6, 7, 8, 9					
RH Wardrobe - Storage Door	Bottom Right Corner of Door		6, 7, 8, 9		6, 7, 8, 9				
RH Wardrobe - BBF	Top Right of BBF	6, 7, 8, 9			6, 7, 8				
LH Wardrobe - Wardrobe Door	Right Edge of Door	6, 7, 8, 9	6, 7, 8, 9		6, 7, 8, 9				
LH Wardrobe - Storage Door	Bottom Left Corner of Door		6, 7, 8, 9	6, 7, 8, 9					
LH Wardrobe - BBF	Top Right of BBF	6, 7, 8, 9			6, 7, 8				
Compose Wardrobes									
Wardrobe - Right		6, 7, 8, 9	6, 7, 8, 9	6, 7, 8, 9					
Wardrobe - Left		6, 7, 8, 9	6, 7, 8, 9		6, 7, 8, 9				
Compose Full Height Doors Stack-on Storage									
1H Base Unit	Lower Left Corner of Right Door		6, 7, 8, 9	6, 7, 8, 9					
2H Base Unit	Lower Left Corner of Right Door		6, 7, 8, 9	6, 7, 8, 9					
Compose Partial Height Doors Stack-On Storage									
1H Base Unit	Lower Left Corner of Right Door		6, 7, 8, 9	6, 7, 8, 9					
2H Base Unit	Lower Left Corner of Right Door		6, 7, 8, 9	6, 7, 8, 9					
Masters Lower Storage Pedestals & Attached Lateral Files									
Attached Pedestal (Box/Box/File & File/File)	Upper Right Drawer Front	•			•				
Mobile Pedestal (Box/File)	Upper Right Drawer Front	•			•				
Attached Lateral File (1H, 1.5H & 2H)	Upper Right Drawer Front	•			•				
Masters Freestanding Lateral Files (3H, 4H, 5H & 6H)									
Freestanding Lateral File (Drawer 3H, 4H, 5H & 6H)	Upper Right Drawer Front (2nd Drawer from Bottom)	•			•				
Freestanding Lateral File (Upper Doors 5H & 6H only)	Lower Left of RH Door Front		•	•					

Note: Digital locks are not compatible with the Aluminum J Pull (K) on Compose.

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
Masters Lower 2-door Storage									
2H Lower Storage	Upper Left of RH Door Front	•		•					
3H Lower Storage	Middle Left of RH Door Front	•	•	•					
Masters Combination Units									
Doors	Lower Left of RH Door Front		•	•					
Drawers	Upper Right of Top Drawer Front	•			•				
Masters Wardrobe with Open Storage									
Door on LH Side (LH Unit)	Lower Mid RH of Door Front	•	•		•				
Door on RH Side (RH Unit)	Lower Mid LH of Door Front	•	•	•					
Masters Wardrobe with Closed Storage									
2-Door Unit	Lower Mid of RH Door Front	•	•	•					
Masters Personal Storage Tower with F/F & V									
Valet Door on LH Side	Lower Mid RH of Door Front	•	•		•				
Storage Door on RH Side	Lower LH of Door Front		•	•					
Valet Door on RH Side	Middle Left of Door Front	•	•	•					
Storage Door on LH Side	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Middle Drawer	•			•				
Masters Personal Storage Tower with F/F & Valet									
Valet Door on LH Side	Middle Right of Door Front	•	•		•				
Storage Door on RH Side	Lower LH of Door Front		•	•					
Valet Door on RH Side	Middle Left of Door Front	•	•	•					
Storage Door on LH Side	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Top Drawer	•			•				
Masters Storage Tower									
Storage Door on RH Unit	Lower LH of Door Front		•	•					
Storage Door on LH Unit	Lower RH of Door Front		•		•				
Ped Drawer (The Same Regardless of LH or RH Unit)	Upper Right of Top Drawer	•			•				
Masters Freestanding Wardrobe Tower									
Door on RH Unit	Lower Mid LH of Door Front	•	•	•					
Door on LH Unit	Lower Mid RH of Door Front	•	•		•				
Masters Credenza Units									
Pedestals or Lateral Files	Upper Right of Top Drawer	•			•				
Closed Storage Units	Upper Left of RH Door Front	•		•					
Masters Upper Storage									
Vertical Storage Units	Lower Left of RH Door Front		•	•					
Overhead Storage Units	Lower Left of RH Door Front		•	•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Digital Lock Applications

	Lock Location	HUDR-T180 Knob Top	HUDR-B180 Knob Bottom	HUDR-L180 Knob Left	HUDR-R180 Knob Right	HUDR-T090 Knob Top	HUDR-B090 Knob Bottom	HUDR-L090 Knob Left	HUDR-R090 Knob Right
X Series									
Attached, Suspended, Mobile Pedestals	Lockbar, Right-Hand				•				
	Lockbar, Left-Hand (individually locking only)			•					
Personal Storage Tower (2H and 3H only)	Top of Tower			•	•				
Personal Storage Tower Pedestal Section	Lockbar, Right-Hand				•				
	Lockbar, Left-Hand (individually locking only)			•					
Personal Storage Tower Valet Section	Valet Door, Right-Hand	•	•	•					
	Valet Door, Left-Hand	•	•		•				
Personal Storage Tower Storage Unit Section	Storage Door, Left-Hand	•	•		•				
	Storage Door, Right-Hand	•	•	•					
Locker, Group Locker, Cubby Locker	Left-Hand Door	•	•		•				
	Right-Hand Door	•	•	•					
Lateral File	Top of File			•	•				
	Drawer Front	•		•	•				
Combination Unit Drawer Section	Top of Unit			•	•				
Combination Unit Storage Unit Section	Storage Door, Left-Hand	•	•		•				
	Storage Door, Right-Hand	•	•	•					
Combination Unit Valet Section	Valet Door, Left-Hand	•	•		•				
	Valet Door, Right-Hand	•	•	•					
Storage Cabinet and Wardrobe	Top of Cabinet			•	•				
	Right-Hand Door	•	•	•					

Pull Options	
6	Patterns
7	Crescent
8	Linear
9	Classic

Pull Options	
F	Wood Finger Pull
K	Aluminum J-Pull
Q	Blade
W	Wing
N	No Pull

Lock Programs

Service Parts

Service Parts

Service parts for the SL, ML and MLP are available through www.EasyKeys.com; Haworth will not be supplying these products directly.

To order products, dealers must set up an account with Easy Keys.

Easy Key is offering discounts to Haworth dealers. To set-up an account, use the link provided on My Haworth - search Easy Keys.

After the account is set up, dealers can order product at the negotiated rate. For future orders, dealers can go directly to www.EasyKeys.com and log in. In order to receive the discounted pricing, dealers must log in with the username and password that was created while setting up the account.

Finish/Color Legend

Trim Grade A <u>Smooth</u> TR-R Beige TR-AK Chalk TR-K Charcoal TR-C1 Cocoa TR-J Graphite TR-G Gray Tone TR-AA Putty TR-E Smoke TR-PLS Smooth Plaster TR-FM Snow <u>Textured</u> TR-TG Grout TR-TF Pitch TR-TW Plaster <u>Translucents</u> TR-LQ Frost TR-LX Ice TR-LY Moon TR-LU Shadow Grade B <u>Smooth</u> TR-1C Accent Blue TR-1G Blue Jay TR-1R Brownstone TR-1N Night TR-1Q Park TR-RR Rusty Red TR-1M Sable TR-1J Sky Blue <u>Smooth Metallic</u> TR-MC Metallic Champagne TR-LE Metallic Silver <u>Textured Metallic</u> TR-HE Hellenic Lock Plugs LR-BL Black LR-BP Chrome	Laminate Grade A <u>Solid Color</u> H-34 Beige H-AK Chalk H-8J Charcoal H-3J Graphite H-62 Gray Tone H-WL Linen H-3P Platinum H-AA Putty H-3E Smoke <u>Patterned</u> H-P1 Linen Casual H-P2 Linen Classic H-P3 Linen Crisp H-P4 Linen Flax <u>Wood Grain</u> H-AE Maple H-AD Medium Cherry Grade B <u>Premium Wood Grain</u> H-KA Brazilwood H-KG Columbian Walnut H-KP Field Elm H-KN Grey Elm H-KM Landmark Wood H-KL Neo Walnut H-KC New Age Oak H-KR Phantom Ecru H-KS Phantom Pearl H-KD River Cherry H-KF Williamsburg Cherry	Edgeband <u>Solid Color</u> HP-34 Beige HP-AK Chalk HP-8J Charcoal HP-3J Graphite HP-62 Gray Tone HP-WL Linen HP-3P Platinum HP-AA Putty HP-3E Smoke <u>Patterned Edgeband</u> HP-P1 Linen Casual HP-P2 Linen Classic HP-P3 Linen Crisp HP-P4 Linen Flax <u>Wood Grain</u> HP-KA Brazilwood HP-KG Columbian Walnut HP-KP Field Elm HP-KN Grey Elm HP-KM Landmark Wood HP-AE Maple HP-AD Medium Cherry HP-KL Neo Walnut HP-KC New Age Oak HP-KR Phantom Ecru HP-KS Phantom Pearl HP-KD River Cherry HP-KF Williamsburg Cherry Planked Wood VH-W35 Walnut VB-W35 White Oak Painted MDF PW-R Beige PW-F Black PW-AK Chalk PW-G Gray Tone PW-PL Polar PW-RR Rusty Red PW-1J Sky Blue PW-SP Sparrow PW-SY Stormy PW-ST Straw PW-1H Terra PW-VA Vapor
---	--	---

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Trims:	
TR-1E	Accent Orange
TR-1F	Accent Red
TR-AR	Argent
TR-CTS	Chartreuse
TR-DM	Dark Bronze Metallic
TR-1H	Terra
TR-1K	Wren

Laminate:	
H-AM	Amber Cherry

Edgeband:	
HP-AM	Amber Cherry

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
169BK	Ergotron Keyboard Tray – Keyboard Tray with Mouse Pad	132
24-205-214	Ergotron Neo-Flex Laptop Cart – Ergotron Neo-Flex Laptop Cart	161
24-220-055	Ergotron Teachwell® Mobile Digital Workspace – Ergotron Teachwell® Mobile Digital Workspace	162
24-316-026	Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation	147
24-317-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	146
24-390-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	146
24-391-026	Ergotron WorkFit-A — Single Attached Sit-Stand Workstation – Ergotron WorkFit-A — Single Attached Sit-Stand Workstation	146
24-392-026	Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-A — Dual Attached Sit-Stand Workstation	147
24-481-003	Ergotron LearnFit – LearnFit Desk	163
24-547-003	Ergotron LearnFit – LearnFit Desk	163
33-341-200	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	149
33-349-200	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	149
33-349-211	Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-S — Dual Attached Sit-Stand Workstation	149
33-350-200	Ergotron WorkFit-S — Single Attached Sit-Stand Workstation – Ergotron WorkFit-S — Single Attached Sit-Stand Workstation	148
33-351-200	Ergotron WorkFit-S — Single Attached Sit-Stand Workstation – Ergotron WorkFit-S — Single Attached Sit-Stand Workstation	148
33-397-062	Ergotron WorkFit-T — Desktop Sit-Stand Workstation – Ergotron WorkFit-T — Desktop Sit-Stand Workstation	151
33-397-085	Ergotron WorkFit-T — Desktop Sit-Stand Workstation – Ergotron WorkFit-T — Desktop Sit-Stand Workstation	151
33-406-062	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	152
33-406-085	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	152
33-407-062	Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation	150
33-407-085	Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation – Ergotron WorkFit-SR — Dual Attached Sit-Stand Workstation	150
33-418-085	Ergotron WorkFit-TL — Desktop Sit-Stand Workstation – Ergotron WorkFit-TL — Desktop Sit-Stand Workstation	152
45-214-026	Ergotron Monitor Arms – Single Arm	143
45-241-026	Ergotron Monitor Arms – Single Arm	136
45-241-224	Ergotron Monitor Arms – Single Arm	136
45-245-026	Ergotron Monitor Arms – Dual Arm	136
45-245-224	Ergotron Monitor Arms – Dual Arm	136
45-248-026	Ergotron Monitor Arms – Dual Arm	136
45-289-026	Ergotron Monitor Arm Accessories – LX Extension	141
45-295-026	Ergotron Monitor Arms – Single Arm	136
45-360-026	Ergotron Monitor Arm – Single Arm	138
45-362-026	Ergotron Monitor Arm Accessories – LX Sit-to-Stand Extension	141
45-384-026	Ergotron Monitor Arm – Single Arm	138
45-405-026	Ergotron WorkFit LX - Sit-Stand Desk Mount System – Ergotron WorkFit LX - Sit-Stand Desk Mount System	153
45-475	Ergotron Monitor Arms – Single Arm	134
45-476	Ergotron Monitor Arms – Dual Arm	134
45-478	Ergotron Monitor Arms – Single Arm	134
45-479	Ergotron Monitor Arms – Dual Arm	134
45-486	Ergotron Monitor Arm – Single Arm	142
45-489	Ergotron Monitor Arm – Dual Direct Arm	139
45-490-216	Ergotron Monitor Arms – Single Arm	136
45-491-216	Ergotron Monitor Arms – Dual Arm	136
45-492-216	Ergotron Monitor Arms – Dual Arm	136
45-492-224	Ergotron Monitor Arms – Dual Arm	136
45-496	Ergotron Monitor Arm – Dual Arm	142
45-509-216	Ergotron Monitor Arm – LX Dual Stacking Arm - Tall Pole Monitor Arm	137
45-537-216	Ergotron Monitor Arms – Single Arm	136
45-549-026	Ergotron Monitor Arm – LX Dual Stacking Arm - Tall Pole Monitor Arm	137
4TJC-72	Wire Management – J-Channel	195
60-589-060	Ergotron Monitor Arm Accessories – Monitor Quick Release LCD Bracket	144
7031-7001	Information Display – Planes Markerboard Accessories – Markerboard Accessories	171

Index

Product Code	Product Description	Page
7031-7002	Information Display – Planes Markerboard Accessories – Markerboard Accessories	171
7062-8001	Information Display – Planes Markerboard Accessories – Markerboard Accessories	171
80-063	Ergotron CPU Holder – Small CPU Holder	133
80-105-064	Ergotron CPU Holder – Cable CPU Holder	133
97-468	Ergotron CPU Holder – Universal CPU Holder	133
97-558-200	Ergotron WorkFit — Accessories – Tablet/Document Holder	155
97-581-019	Ergotron WorkFit — Accessories – Worksurface	155
97-582-009	Ergotron Keyboard Tray – Neo-Flex Keyboard Tray	132
97-606	Ergotron WorkFit — Accessories – Conversion Kit Single HD to Dual	154
97-615	Ergotron WorkFit — Accessories – Tall-User Kit for WorkFit Dual	156
97-616	Ergotron WorkFit — Accessories – Conversion Kit: LCD & Laptop to Dual	156
97-617	Ergotron WorkFit — Accessories – Conversion Kit: Dual to LCD & Laptop	156
97-620-060	Ergotron WorkFit — Anti-Fatigue Floor Mat – Ergotron WorkFit — Anti-Fatigue Floor Mat	160
97-653	Ergotron WorkFit — Accessories – Large Keyboard Tray	155
97-692	Ergotron WorkFit — Accessories – Grommet Mount	154
97-774-003	Ergotron Monitor Arm Accessories – LX One-Stop Rotational Control Kit	140
97-783	Ergotron Monitor Arm – Dual Monitor and Handle Kit	144
97-844	Ergotron Monitor Arm Accessories – LX Pole Collar	141
97-845	Ergotron Monitor Arm Accessories – Tall-User Kit for Single Display	159
97-897	Ergotron WorkFit — Accessories – Deep Keyboard Tray	157
97-898	Ergotron WorkFit — Accessories – Corner Keyboard Tray	157
97-926-064	Ergotron LearnFit – Storage Bin	163
97-933-062	Ergotron WorkFit — Accessories – WorkFit LCD & Laptop Kit	158
97-933-085	Ergotron WorkFit — Accessories – WorkFit LCD & Laptop Kit	158
97-934-062	Ergotron WorkFit — Accessories – WorkFit Dual Monitor Kit	158
97-934-085	Ergotron WorkFit — Accessories – WorkFit Dual Monitor Kit	158
97-935-062	Ergotron WorkFit — Accessories – WorkFit Single LCD Monitor Kit	158
97-935-085	Ergotron WorkFit — Accessories – WorkFit Single LCD Monitor Kit	158
97-940-026	Ergotron Monitor Arm Accessories – LX Arm, Extension and Collar Kit	141
98-009-026	Ergotron Monitor Arms – HX Triple Monitor Bow Kit	135
98-009-216	Ergotron Monitor Arms – HX Triple Monitor Bow Kit	135
98-017	Ergotron Monitor Arm Accessories – Grommet Mount for LX Arm on WorkFit-T/TL	145
98-034	Ergotron Monitor Arm Accessories – Grommet Mount for LX Single and Dual Direct Arms	145
98-035	Ergotron Monitor Arm Accessories – Grommet Mount for LX Dual Arm	145
98-037-062	Ergotron Monitor Arm – Dual Direct Handle Kit	139
98-060-003	Ergotron Monitor Arm Accessories – LX Two-Stop Rotational Control Kit	140
98-101-009	Ergotron Monitor Arm Accessories – Dual Monitor Double- Hinged Bow	159
98-110	Ergotron Monitor Arm Accessories – Grommet Mount for MXV Single Monitor Arm	145
98-111	Ergotron Monitor Arm Accessories – Grommet Mount for MXV Dual Monitor Arm	145
98-130-216	Ergotron Monitor Arm Accessories – LX Arm, Extension and Collar Kit	141
AKWN	Wire Management – Height Adjustable Table - Belong Horizontal	197
CH-8	Workstation Accessories – UniGroup All-Purpose Hook	221
CK-3	Lock Programs – HW Control Key	227
DM12-1006-1	Ergotron Zip 12 Charging – Ergotron Zip 12 Charging	164
DMSP	Work Tools – Mini Shelf	217
DS-3	Workstation Accessories – Shallow Drawer	220
DTLT-2	Work Tools – Letter Tray	218
DTPR-3	Work Tools – Paper Sorter	217
DTPT-3	Work Tools – Phone Shelf	217
DTRB	Work Tools – Waste Bin	218
DTSB-3	Work Tools – Binder Bin	217
E2CH-8	Workstation Accessories – UniGroup Too All Purpose Hook	221
EAAW-0000-H	Wire Management – Cable Chain	194

Index

Product Code	Product Description	Page
EUA1-0610-PFC	Electrical Components – Hatch	30
EUA1-0610-PFN	Electrical Components – Hatch	30
EUA1-0610-PFT	Electrical Components – Hatch	30
EUAC	Electrical Components – Cord Management Cuff	26
EUAM-0000	Wire Management – Conduit Clamp	195
EUAW	Electrical Components – Mesh Cord Manager with Cuffs	26
EUAW-4000-V	Wire Management – Compose Connections Cable Chain	194
EUAW-NH	Wire Management – Wire Manager — Horizontal	196
EUB1-HL0B-2100	Electrical Components – Flush Mounted Power — Hardwire	105
EUB1-HL0B-2110	Electrical Components – Flush Mounted Power — Hardwire	105
EUB1-HL0B-2112	Electrical Components – Flush Mounted Power — Hardwire	105
EUB1-PL0B-2100	Electrical Components – Flush Mounted Power — Corded	101
EUB1-PL0B-2110	Electrical Components – Flush Mounted Power — Corded	101
EUB1-PL0B-2112	Electrical Components – Flush Mounted Power — Corded	101
EUB1-PL0B-4000	Electrical Components – Flush Mounted Power — Corded	101
EUB1-SF0B-2100	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	109
EUB1-SF0B-2110	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	109
EUB1-SF0B-2112	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	109
EUB1-SF0B-4000	Electrical Components – Flush Mounted Power — Spiral Cord for Height Adjustable	109
EUB1-SL0B-2100	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	112
EUB1-SL0B-2110	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	112
EUB1-SL0B-2112	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	112
EUB1-SL0B-4000	Electrical Components – Flush Mounted Power — Cord for Height Adjustable	112
EUB5	Electrical Components – Power Suite	22
EUBT	Electrical Components – Power Suite and Wire Management Tray Kit	24
EUC1-HF0P-200000	Electrical Components – Power, Data and USB	66
EUC1-HF0P-210010	Electrical Components – Power, Data and USB	66
EUC1-HF0P-311010	Electrical Components – Power, Data and USB	66
EUC1-PF0P-200000	Electrical Components – Power, Data and USB	58
EUC1-PF0P-210010	Electrical Components – Power, Data and USB	58
EUC1-PF0P-311010	Electrical Components – Power, Data and USB	58
EUC1-PF0P-400000	Electrical Components – Power, Data and USB	58
EUC2-HF0P-210010	Electrical Components – Power, Data and USB	70
EUC2-HF0P-311010	Electrical Components – Power, Data and USB	70
EUC2-PF0P-210010	Electrical Components – Power, Data and USB	62
EUC2-PF0P-311010	Electrical Components – Power, Data and USB	62
EUC2-PF0P-400000	Electrical Components – Power, Data and USB	62
EUC4	Electrical Components – Power Cube	22
EUCB	Electrical Components – Brackets	25
EUCN-PJ	Electrical Components – Collaborative Power Station	36
EUD1-HF0B-2010	Electrical Components – Enhanced Power Module — Hardwire	48
EUD1-HF0B-2110	Electrical Components – Enhanced Power Module — Hardwire	48
EUD1-HF0B-2112	Electrical Components – Enhanced Power Module — Hardwire	48
EUD1-PF0B-2010	Electrical Components – Enhanced Power Module — Corded	42
EUD1-PF0B-2110	Electrical Components – Enhanced Power Module — Corded	42
EUD1-PF0B-2112	Electrical Components – Enhanced Power Module — Corded	42
EUD1-PF0B-4000	Electrical Components – Enhanced Power Module — Corded	42
EUD1-SF0B-2110	Electrical Components – Enhanced Power Module — Spiral Corded — Height Adjustable	53
EUD1-SF0B-4000	Electrical Components – Enhanced Power Module — Spiral Corded — Height Adjustable	53
EUD1-SL0B-2110	Electrical Components – Enhanced Power Module — Cord for Height Adjustable	54
EUD1-SL0B-4000	Electrical Components – Enhanced Power Module — Cord for Height Adjustable	54
EUDB-0000-H	Electrical Components – Above Worksurface – Adjustable	55
EUDB-0000-N	Electrical Components – Above Worksurface – Adjustable	55

Index

Product Code	Product Description	Page
EUDB-0000-N	Electrical Components – Above Worksurface – Adjustable	.55
EUDB-0000-T	Electrical Components – Above Worksurface – Adjustable with Tackboard Offset	.56
EUDB-0000-U	Electrical Components – Under Worksurface – Fixed	.56
EUDB-0000-W	Electrical Components – Above Worksurface – Fixed	.56
EUDB-J	Electrical Components – For Use with X Series	.57
EUDX-3000-B	Electrical Components – Cables	.33
EUDX-H000-B	Electrical Components – Cables	.33
EUDX-U000-B	Electrical Components – Retrofit USB Charging Cable	.33
EUDX-V000-B	Electrical Components – Cables	.33
EUE1-000B	Electrical Components – Flip Top Unit — Non-Powered	.75
EUE1-1111W	Electrical Components – Power and Data	.74
EUE1-1331W	Electrical Components – Power and Data	.74
EUE1-1B01W	Electrical Components – Power and Data	.74
EUE1-C331W	Electrical Components – Power and Data	.74
EUE1-HF0B-1212	Electrical Components – Power, Data and USB	.89
EUE1-HF0B-2110	Electrical Components – Power, Data and USB	.89
EUE1-PF0B-1212	Electrical Components – Power, Data and USB	.77
EUE1-PF0B-2110	Electrical Components – Power, Data and USB	.77
EUE1-PF0B-4000	Electrical Components – Power, Data and USB	.77
EUE2-000B	Electrical Components – Flip Top Unit — Non-Powered	.75
EUE2-1331W	Electrical Components – Power and Data	.74
EUE2-C331W	Electrical Components – Power and Data	.74
EUE2-HF0B-1212	Electrical Components – Power, Data and USB	.95
EUE2-HF0B-2110	Electrical Components – Power, Data and USB	.95
EUE2-PF0B-1212	Electrical Components – Power, Data and USB	.83
EUE2-PF0B-2110	Electrical Components – Power, Data and USB	.83
EUE2-PF0B-4000	Electrical Components – Power, Data and USB	.83
EUET-0000-1M3N	Electrical Components – Power Tap — Corded Horizontal and Vertical	.29
EUET-0030-2M3N	Electrical Components – Power Tap — Horizontal	.27
EUET-0030-2M3N	Electrical Components – Power Tap — Vertical	.28
EUET-0030-3M3N	Electrical Components – Power Tap — Horizontal	.27
EUET-0030-3M3N	Electrical Components – Power Tap — Vertical	.28
EUET-0030-4M3N	Electrical Components – Power Tap — Horizontal	.27
EUET-0030-4M3N	Electrical Components – Power Tap — Vertical	.28
EUET-0030-CM3N	Electrical Components – Power Tap — Hardwire	.29
EUF1	Electrical Components – Classic Power Module	.34
EUFB-0000-AB	Electrical Components – Classic Power Module Bracket - Angled	.35
EUFB-0000-SB	Electrical Components – Classic Power Module Bracket - Vertical Bracket	.35
EUFB-0000-UB	Electrical Components – Classic Power Module Bracket - Under Surface	.35
EUG1	Grommets – Flip Top Unit — Hatch	.166
EUP1-HF	Electrical Components – Flush Mounted — Round	.130
EUP1-PF	Electrical Components – Flush Mounted — Round	.130
EUR1	Electrical Components – Plug Strip	.22
EURT-0000-N001CB	Electrical Components – Data Bezel	.32
EURT-0000-N001CW	Electrical Components – Data Bezel	.32
EURT-0000-N001SB	Electrical Components – Data Bezel	.32
EURT-0000-N001SW	Electrical Components – Data Bezel	.32
EURT-0072-1010	Electrical Components – Bezel Utility Module	.32
EURT-0072-1100	Electrical Components – Bezel Utility Module	.32
EUS1-HLOB	Electrical Components – Enhanced Power Module — Seamless	.38
EUS1-HLOW	Electrical Components – Enhanced Power Module — Seamless	.38
EUS1-PF0B	Electrical Components – Enhanced Power Module — Seamless	.38
EUS1-PF0W	Electrical Components – Enhanced Power Module — Seamless	.38

Index

Product Code	Product Description	Page
EUWC-HLOB	Electrical Components – Wireless Charging Module	131
EUWC-HLOW	Electrical Components – Wireless Charging Module	131
EUWC-PFOB	Electrical Components – Wireless Charging Module	131
EUWC-PFOW	Electrical Components – Wireless Charging Module	131
EUWT	Electrical Components – Wire Management Tray	24
EWCA	Electrical Components – 4-Port and 6-Port	118
EWCB	Electrical Components – 4-Port and 6-Port	118
EWCG-3A1D-NPSCBNCW	Electrical Components – Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire	126
EWCG-3A1D-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	122
EWCG-3A1D-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	124
EWCG-3A3E-NPSCBNCW	Electrical Components – Flush Mount Power Module with Sliding Door – 4-Port and 6-Port Narrow – Hardwire	126
EWCG-3A3E-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	122
EWCG-3A3E-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	124
EWCG-4RNN-NPSCBNSF	Electrical Components – Flush Mount Power Modular with Sliding Door — Spiral Corded – Height Adjustable	122
EWCG-4RNN-NPSCBNSL	Electrical Components – Flush Mount Power Modular with Sliding Door — Corded – Height Adjustable	124
HCH-0008	Workstation Accessories – PLACES All-Purpose Hook	221
HCH-0008-W	Workstation Accessories – PLACES All-Purpose Hook — For Low Profile Wood Top Cap Panels	221
HCPL-GFT1-13	Lighting — Haworth Collection – Table Light	180
HCPL-SLF1-47	Lighting — Haworth Collection – Floor Light	187
HCPL-SLSV-4BP	Lighting — Haworth Collection – Base Pads	187
HCPL-SLT1-17	Lighting — Haworth Collection – Table Light	187
HCPL-TTF1-60	Lighting — Haworth Collection – Floor Light	188
HCPL-TTT1-14	Lighting — Haworth Collection – Table Light	188
HCPL-TTT2-21	Lighting — Haworth Collection – Table Light	188
HCPL-TTT3-27	Lighting — Haworth Collection – Table Light	188
HCPL-UMT2-11	Lighting — Haworth Collection – Audio Lantern	189
HUDF-F	Lock Programs – Digital Lock Control Key Fob	228
HUDR-B	Lock Programs – Digital Lock	228
HUDR-L	Lock Programs – Digital Lock	228
HUDR-R	Lock Programs – Digital Lock	228
HUDR-T	Lock Programs – Digital Lock	228
HWKB-1	Lock Programs – HW Key Blank	227
HWMK-1	Lock Programs – HW Master Key	227
HWSK	Lock Programs – HW Replacement Keys	227
HW-SVC	Lock Programs – HW Plugs and Keys	227
JAC-18	Workstation Accessories – Pencil Drawer	220
JAG-1	Planes Accessories – Grommets	165
JAG-2	Planes Accessories – Grommets	165
JRPY-3948	Recycling Solutions	191
KAIB-0040	Information Display – Information Boards	169
KAIC-0000	Information Display – Horizontal Wall Rail End Caps	170
KAIE-0029	Information Display – Standard Easel	167
KAIE-0072	Information Display – Large Easel	168
KAIH-0000	Planes Information Display – Boards and Accessories – Wall Cleat for Information Boards	169
KAIW-0096	Planes Information Display – Boards and Accessories – Horizontal Wall Rail for Information Boards	169
KDV	Storage Accessories – Dividers	193
KFI-00XX-B	Storage Accessories – Drawer Insert	192
KJFI-00XX-D	Storage Accessories – Drawer Insert	192
KJTY-10	Storage Accessories – Personal Tray	193
KJTY-12	Storage Accessories – PDA Tray	193
KJTY-9	Storage Accessories – Pencil Tray	193
KUAH-0002	Work Tools – Magnet Hooks	219
KUAH-0003	Work Tools – Magnet Hook	219

Index

Product Code	Product Description	Page
KUAK	Work Tools – Accessory Kit	216
KUAK	Work Tools – Trays	213
KUAM-0411	Work Tools – Magnet Board	219
KUAM-0518	Work Tools – Magnet Board	219
KUAP-0000	Work Tools – Round Peg Magnets	219
KUAR-0403	Work Tools – Mirror	219
KUBL-2030-FJ	Work Tools – Blotter	216
KUBT	Work Tools – Base Tray	214
KUCU-0915-BNN	Work Tools – Open C Cubby	213
KUCU-1215-BNS	Work Tools – Open C Cubby	213
KUDP-2420	Workstation Accessories – Pencil + Drawer	220
KUHS-0000-H	Work Tools – Hanging Sorter	215
KULS	Work Tools – Desk Top L-Screen	214
KUP1-0000-CSN	Work Tools — Mounting – Tool Rail — Single Post — C-Clamp or Thru-mount	202
KUP1-0000-USN	Work Tools — Mounting – Tool Rail — Single Post — L-Bracket Mount	204
KUP2-0000-UBI	Work Tools — Mounting – Tool Rail — Single Post Internal/Benching	208
KUPT-0913-F	Work Tools – Paper Tray — Landscape	215
KUPT-0913-H	Work Tools – Paper Tray — Landscape	215
KUPY	Work Tools — Mounting – Slat, Wall Mount	199
KUR1-0424-PZN	Work Tools — Mounting	200
KUR1-1224-CSN	Work Tools — Mounting – Tool Rail — Horizontal Surface Mount C-Clamp or Thru-Mount	201
KUR1-1224-USE	Work Tools — Mounting – Tool Rail — Single Sided Continuous Benching End	205
KUR1-1224-USI	Work Tools — Mounting – Tool Rail — Internal Single Sided Continuous Benching Application	207
KUR1-1224-USN	Work Tools — Mounting – Tool Rail — Under Horizontal Surface Mount — L-Bracket	203
KUR2-1224-UBE	Work Tools — Mounting – Tool Rail — Double-Sided Continuous Benching End Application Only	206
KUR2-1224-UBI	Work Tools — Mounting – Tool Rail — Internal Continuous Benching Application Only	208
KURB	Recycling Solutions – Recycling/Trash Bin	191
KURS	Work Tools – Desk Top Reference Shelf	214
KURS-0010-H	Work Tools – Reference Shelves	216
KURS-0012-B	Work Tools – Reference Shelves	216
KURS-0019-H	Work Tools – Reference Shelves	216
KUSH-0408-H	Work Tools – Mini Shelf	215
KUSR	Work Tools – Screen Rail	213
KUTB	Work Tools – Structural Screen Tile	212
KUTC-0000-H	Work Tools – Tool Cup	215
KUTS-E	Work Tools – Territory Screen — End-of Run	209
KUTS-L	Work Tools – Territory Screen	210
KUTS-S	Work Tools – Territory Screen — Shared	209
KUWH-0202	Workstation Accessories – Bag Hook	221
KZTB	Work Tools – Belong Systems Tile — External Mount for use with Compose Panels	212
LBJ1	Lighting — Haworth Collection – Freestanding Lighting	177
LBJ2	Lighting — Haworth Collection – Freestanding Lighting	177
LBJ3	Lighting — Haworth Collection – Mounted Lighting	177
LBJ4	Lighting — Haworth Collection – Mounted Lighting	177
LCF1-6009	Lighting — Haworth Collection – Floor Light	179
LCT1-1708	Lighting — Haworth Collection – Table Light	179
LL31-2210-NFLC	Lighting — Haworth Collection – Table Light	185
LL32-2210-NGLC	Lighting — Haworth Collection – Grommet Mounted Light	185
LLC1	Lighting — Haworth Collection – Worksurface Mounted Lighting	182
LLL1	Lighting — Haworth Collection – Freestanding Lighting	181
LLL2	Lighting — Haworth Collection – Freestanding Lighting	181
LLL3	Lighting — Haworth Collection – Freestanding Lighting	181
LLM1	Lighting — Haworth Collection – Mounted Lighting	183

Index

Product Code	Product Description	Page
LLM1	Lighting — Haworth Collection — Mounted Lighting	183
LLM2	Lighting — Haworth Collection — Mounted Lighting	183
LLU2	Lighting — Haworth Collection — Mounted Lighting	183
LRF0-5208	Lighting — Haworth Collection — Floor Light	178
LRF1-5208	Lighting — Haworth Collection — Floor Light	178
LRT1-1408	Lighting — Haworth Collection — Table Light	178
LSET	Lock Programs — HW Lock Plugs and Keys	226
LUPT	Lighting — Haworth Collection — Table Light	186
LUTA	Lighting — Haworth — Adaptable LED Task Light - Add-On Kit	173
LUTD-0017-1NULDN	Lighting — Haworth — Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	175
LUTN	Lighting — Haworth — Adaptable LED Task Light - Stand-Alone	172
LUTS-0000	Lighting — Haworth — Reed Premier™ Add-On Occupancy Sensor	175
LUTS-0017-12ULD6	Lighting — Haworth — Reed Premier™ Starter LED Task Light	174
LUTS-0017-19ULD5	Lighting — Haworth — Reed Premier™ Stand-Alone LED Task Light	174
LUTT	Lighting — Haworth — Adaptable LED Task Light - Starter Kit	172
LUV1	Lighting — Haworth — Voyage without Occupancy Sensor	176
LUV2	Lighting — Haworth — Voyage with Occupancy Sensor	176
MAC-0001	Workstation Accessories — Make-A-Corner	220
NECG-V	Wire Management — Vertical Cable Guide	196
NEH-8	Wire Management — Wire Management Loop	195
QBFC_F	Belong Cushion Top — Cushion	21
SCD-19	Workstation Accessories — Steel Center Drawer	220
STP-P26-TH	Pip — Personal Laptop Table	190
SUTM	Work Tools — Territory Screen — Multi-material	211
TA01-0214	Planes Information Display — Boards and Accessories — Y-Leg Bumper	170
TA01-0220	Planes Accessories — Grommets	165
TA01-0225	Wire Management — Wire Manager Clips	195
TA01-0228-F	Wire Management — Planes C-Leg Training Table Vertical Wire Manager	198
TABC	Wire Management — Basket Cover	197
TAWB	Wire Management — Wire Management Basket	197
TYVW	Wire Management — Vertical Wire Channel - Leg Attached	197
UKMCBK	Ergotron Keyboard Tray — Keyboard Tray with Mouse Pad	132
VZAC-0000-H	Workstation Accessories — Compose All-Purpose Hook	221
VZAC-0000-P	Workstation Accessories — Compose All-Purpose Hook	221
VZAW-0000-V	Wire Management — Compose Task Light Cord Manager	198
WC-6	Wire Management — UniGroup Too, UniGroup and PLACES Wire Manager	198
WQAG	Lighting — Haworth Collection — Grommet — For Use with Brazo Grommet Mounted Light Only	177
WQAG	Planes Accessories — Grommets	165
WUAC-WSG	Planes Accessories — Grommets	165
WUAW-PNH	Wire Management — Horizontal Wire Management	196
ZUAP-0000-PAN	Electrical Components — Power Tap Bracket — Adjustable	30
ZUAP-0000-PFD	Electrical Components — Power Tap Bracket — Fixed	30
ZUAP-0000-PGH	Electrical Components — Power Tap Bracket with Grommet	31
ZUAP-0000-PUR	Electrical Components — Power Tap Bracket — Under Surface	31

Warranty

Ergotron branded products in this price list are covered exclusively by the warranty statement below.

All Ergotron® products will remain free of defects in material and workmanship for a period of five years from the date of receipt of the product, subject to any exclusions and limitations as set forth below.

Ten-year warranty on all LX and MX Ergotron Products, purchased on or after August 1, 2014

Zip Charging Systems: Lifetime material/workmanship; three years electrical components; one year cables (power/Ethernet)

Ten-year warranty on LearnFit Adjustable Standing Desk (24-481-003)

Three-year warranty on all Neo-Flex® Ergotron Products

Original Equipment Manufacturer (OEM) Products resold by Ergotron are warranted by the respective manufacturer

FURTHER EXCLUSIONS AND LIMITATIONS

These warranties do not cover product abuse, modification and failure to adhere to product instructions, improper operations and/or misuse. Ergotron is not responsible for damage arising from failure to follow instructions relating to the product's intended use. Ergotron is not responsible for injury or loss caused by or associated with the installation and/or use of equipment in any manner other than in strict conformance with the instructions set forth in its installation manuals, supplemental assembly and installation instruction sheets, technical bulletins and/or product literature. You will provide Ergotron immediate written notice of any personal injury resulting from the use of Ergotron products.

Ergotron does not warrant damages or defects to the Ergotron product under the following conditions: an Act of God, unauthorized service or repair of the Ergotron products, damage from electrical power problems, usage of parts or components not supplied by Ergotron, failure to follow product instructions and guidelines, unauthorized changes to the Ergotron product, shipping damage (other than original shipment from Ergotron), failure to perform preventative maintenance, or damage caused by peripherals or software or from other external sources.

EXCLUSIVE REMEDY

Warranty Repair: In the event that any Ergotron equipment becomes defective in material or workmanship during the warranty period, Ergotron will determine with you if the product defect is covered under warranty. Ergotron, at its sole discretion, may replace or repair the unit determined to be under warranty at a designated Ergotron location or at your location. The labor costs associated with the repair of the product may be the responsibility of Ergotron if determined to be under warranty. You must receive pre-approval by Ergotron for the labor costs prior to repair or replacement of warranty products. You must contact Ergotron to obtain a Return Material Authorization (RMA) number. An RMA number may be obtained by contacting Ergotron Customer Care online or by telephone within your specific region. Contact information is available to you on the Ergotron web site at www.ergotron.com. Performance of any repair or replacement on product under warranty does not renew or extend the warranty period.

Non-Warranty Repair: You may return a product for repair that is not covered by warranty only if you have received a preapproved RMA number from Ergotron Customer Care. Labor costs and freight charges associated with non-warranty repair will be the sole responsibility of the customer, reseller or installer/integrator. A standard repair fee, specific to the product, is charged for any product that is repaired outside of the warranty period. Repairs on products out of warranty also carry a 90-day warranty, effective the day that you receive the item after repair.

For products that are not covered under warranty, Ergotron offers you the following options:

You may upgrade to a newer, functionally equivalent product at a normal list price

Ergotron will return the product to you

You can request in writing that Ergotron appropriately dispose of the product for you. A fee may apply for this service as designated by local law

Non-Defective Products: You are notified if, after examining and testing a returned product, Ergotron concludes that the product is not defective. The product is returned to you and you would be responsible for the freight charges associated with the return.

WARRANTY DISCLAIMER

Except as expressly set forth in this Limited Warranty and to the greatest extent allowed by law, Ergotron makes no other representations, warranties or conditions, express or implied, including any implied representations, warranties or conditions of merchantability, fitness for a particular purpose, non-infringement, and noninterference. Ergotron does not warrant that your use of the Ergotron product will be uninterrupted or error free. Any implied warranties that may be imposed by law are limited in duration to the Limited Warranty period, to the greatest extent allowed by law. Some states or countries do not allow a limitation on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages for consumer products. In such states or countries, some exclusions or limitations of this Limited Warranty may not apply to you. This Limited Warranty is subject to change without notification.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

WARRANTY TRANSFERABILITY

This Limited Warranty is available only to the original end consumer and is non-transferable. For this warranty to be valid, the Ergotron product must have been purchased directly from an authorized distributor, reseller and/or authorized representative of Ergotron.

For additional information reference Ergotron.com or warranty inquiries contact Ergotron at 844-429-9678 or email haworth@Ergotron.com.

Ergotron Limited Warranty Terms and Conditions

©Ergotron Inc.

Effective Date: 1 June 2017

Content is subject to change without notification

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact OneTouch@Haworth.com or 1 877 429 6784.


Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1 877 429 6784.**

Effective: September 1, 2021

Ergotron WorkFit-Z Mini — Sit-Stand Desk Converter




33-458-917

- Features**
 - Includes: Desk converter with device slot and keyboard tray, leg covers, and cable ties.
 - For use with screen 24"(610mm) or smaller.
 - Maximum weight capacity: 25 pounds.
 - Offers 12.5"(318mm) of click-free/noise free vertical lift. Maximum height 17.9"(455mm).
 - Keyboard tray is 4.3"(109mm) below worksurface and moves in tandem with the worksurface.
 - Dimensions:
 - Worksurface: 15.8"(401mm)D X 31"(787mm)W
 - Keyboard Tray: 9.1"(231mm)D X 24.5"(622mm)W
 - Device Slot: 1.1"(28mm)D X 11"(279mm)W
 - Unit weighs 34.3 pounds.
 - Standard with dove grey woodgrain surface and black frame.
- To Order, Specify:**
 - 1) Product number.
- Specification Tips**
 - Fits on desk surfaces 22"(559mm)D or larger.
 - Routes cables and cords with through-holes at bottom of device slot and behind keyboard tray.

Description	Height	Depth	Width	Number	Price
Grey Woodgrain/Black	5.4"(137mm)-17.9"(455mm)	16.3"(414mm)	31"(787mm)	33-458-917	\$671.28

Ergotron WorkFit-TX — Standing Desk Converter



33-467-921

Features

- Includes: one height adjustable workstation with keyboard tray, cable management hardware and non-slip pads.
- For use with screen up to 30"(762mm).
- Maximum weight capacity: 40 pounds.
- Worksurface and keyboard tray adjust 17"(432mm) in tandem. Keyboard tray adjusts 3"(76mm) independently. Total adjustment range of 20"(508mm).
- Keyboard tray can be positioned as low as 3.5"(89mm) below worksurface.
- Dimensions:
Worksurface: 27"(686mm)D X 32"(813mm)W
Keyboard Tray: 8"(203mm)D X 28"(711mm)W
- Unit weighs 58.4 pounds.
- Standard in Black.

To Order, Specify:


- 1) Product number.

Specification Tips

- Fits on desk surfaces 24"(610mm)D or larger.
- Monitor can be placed directly on the worksurface or monitor mount can be used.
- Ships fully assembled.

Description	Height	Depth	Width	Number	Price
Black	19"(483mm)	27"(686mm)	32"(813mm)	33-467-921	\$1593.67

Ergotron WorkFit Corner — Standing Desk Converter



33-468-921


- Features**
 - Includes: one height adjustable workstation with keyboard tray, cable management hardware and non-slip pads.
 - For use with screen up to 30”(762mm).
 - Maximum weight capacity: 35 pounds (worksurface up to 30 lbs; keyboard up to 5 lbs).
 - Keyboard tray is positioned 4.5”(114mm) below worksurface.
 - Worksurface and keyboard tray adjust 15”(381mm) in tandem.
 - Dimensions:
 Worksurface: 23.6”(599mm)D X 44”(1118mm)W
 Keyboard Tray: 8.5”(216mm)D X 36”(914mm)W
 - Unit weighs 59 pounds.
 - Standard in Black.
- To Order, Specify:**
 - 1) Product number.

- Specification Tips**
 - Fits on desk surfaces 24”(610mm)D or larger.
 - Monitor can be placed directly on the worksurface or monitor mount can be used.
 - Ships fully assembled.

Description	Height	Depth	Width	Number	Price
Black	15”(381mm)	32”(813mm)	44”(1118mm)	33-468-921	\$1113.53

Ergotron Monitor Arm Accessories

Top Mount Low Profile C-Clamp



98-477
98-478

Feature

- Includes: One C-clamp and mounting hardware.

Specification Tips

- For use when installing current low-profile C-clamp monitor arm onto a different surface thickness.
- Cannot be used to retrofit monitor arms originally fitted with 2-piece clamps or grommet mounts.
- Compatible with LX Single and Dual Monitor Arms and MXV Monitor Arm.
- Requires open space of 0.8"(20mm) behind surface for installation.
- Part number is surface thickness and color specific; please plan according.


To Order, Specify:

- Product number.

Description	Number	Price
Surface Thickness 0.47"(12mm)-0.71"(18mm)		
White	98-477-216	\$69.84
Matte Black	98-477-224	69.84
Surface Thickness 0.71"(18mm)-0.98"(25mm)		
White	98-478-216	\$69.84
Matte Black	98-478-224	69.84

Ergotron Monitor Arm

MX Wall Mount — Heavy Duty



45-228-026

Features

- Includes: Arm with VESA adapter brackets, wall mount base and attachment hardware.
- For use with screen up to 42”(1067mm).
- Maximum weight capacity: 30 pounds.
- Height adjustment range is 5”(127mm).
- Tilts 75° up and 5° down.
- Rotates 90° and includes position lock.
- Pans 360°.
- Integrated cable management.
- One touch adjustment.

Specification Tips

- Recommended installation height:
Upper mounting hole of base should be placed no higher than 60”(1524mm) above floor.


To Order, Specify:

- 1) Product number.


Description	Number	Price
Polished Aluminum	45-228-026	\$522.00

Ergotron WorkFit-C

Single Monitor



24-215-085
24-216-085



24-214-085

Features

- Includes cart, LCD mount(s), integrated worksurface, stowable keyboard tray, cable storage box, CPU holder, four dual casters (two locking), hand brake system and cable-winding bracket.
- Maximum screen size is 24"(610mm).
- Height adjustment range is 20"(508mm) with worksurface and keyboard tray in tandem. LCD adjusts 5"(127mm) independently; maximum LCD height adjustment 25"(635mm).
- Dimensions:
Worksurface: 23"(584mm)D x 24"(610mm)W
Keyboard tray: 9.4"D x 26.3"W
- Keyboard tray stows under worksurface.
- CPUs attach to rear of cart. Holder capacity 40 pounds.
- Tilt: LD and HD tilt 30°. Dual monitors do not tilt.
- Rotation: LD and Dual rotates 360° and HD rotates 90°.

To Order, Specify:

- 1) Product number.


Specification Tips

Description	Maximum Screen Size	Weight Capacity			
		Total	LCD	Keyboard Tray	Worksurface
LD	27"(686mm)	24.9 lbs.	16 lbs.	2 lbs.	5 lbs.
HD	30"(762mm)	32.5 lbs.	28 lbs.	2 lbs.	5 lbs.
Dual	24"(610mm)	32.5 lbs.	28 lbs.	2 lbs.	5 lbs.


Description	Height	Depth	Width	Number	Price
Single LD — Light Duty					
Black & Grey	14"(356mm)-19"(483mm)	23"(584mm)	26.3"(668mm)	24-215-085	\$1904.76
Single LD — Heavy Duty					
Black & Grey	14"(356mm)-19"(483mm)	23"(584mm)	26.3"(668mm)	24-216-085	\$2253.97
Dual Mount					
Black & Grey	14"(356mm)-19"(483mm)	23"(584mm)	26.3"(668mm)	24-214-085	\$2317.46

Ergotron TRACE Monitor Mount


Single Monitor



TDS-MA-PA-251



Panel Clamp
TDS-MA-PA



Freestanding Clamp
TDS-MA-FS



Grommet Mount
TDS-MA-GR

Features

- Includes lift column, extension arms, cable management channel, pivot, base, VESA spacer, mounting option and hardware.
- Mounting options include panel clamp, slim profile freestanding clamp or grommet mount.
- For use with screen up to 38”(965mm).
- Maximum weight capacity is 21.5 pounds.
- Height adjustment range is 11”(279mm).
- Tilts 75° up and 5° down.
- Rotates 360°.
- Pans 240°.
- Extension/retraction motion range is 15”(381mm).
- Integrated cable management.
- One touch adjustment.

Specification Tips

- Panel clamp attaches to surface edge up to 2.55”(65mm) thick.
- Slim profile clamp attaches to surface edge 0.47”(12mm)-1.26”(32mm) thick.
- Grommet clamp attaches through surface hole 0.31”(8mm)-2”(51mm)W and up to 2.56”(65mm) thick.


To Order, Specify:

- 1) Product number.


Description	Number	Price
Panel Clamp		
White	TDS-MA-PA-251	\$992.06
Matte Black	TDS-MA-PA-224	992.06
Slim Profile Freestanding Clamp		
White	TDS-MA-FS-251	\$992.06
Matte Black	TDS-MA-FS-224	992.06
Grommet Mount		
White	TDS-MA-GR-251	\$992.06
Matte Black	TDS-MA-GR-224	992.06

Ergotron TRACE Monitor Mount

Dual Monitor




TDD-MA-PA



Panel Clamp
TDD-MA-PA



Freestanding Clamp
TDD-MA-FS



Grommet Mount
TDD-MA-GR

Features

- Includes lift column, extension arms, cable management channel, bow, two sliding pivots, base, VESA plates, mounting option and hardware.
- Mounting options include panel clamp, slim profile freestanding clamp or grommet mount.
- For use with screen up to 27"(686mm).
- Maximum weight capacity is 21.5 pounds total.
- Height adjustment range is 11"(279mm).
- Tilts 30° up and 5° down.
- Rotates 360°.
- Pans 240°.
- Extension/retraction motion range is 15"(381mm).
- Integrated cable management.
- One touch adjustment.

Specification Tips

- Panel clamp attaches to surface edge up to 2.55"(65mm) thick.
- Slim profile clamp attaches to surface edge 0.47"(12mm)-1.26"(32mm) thick.
- Grommet clamp attaches through surface hole 0.31"(8mm)-2"(51mm)W and up to 2.56"(65mm) thick.


To Order, Specify:

- 1) Product number.

Description	Number	Price
Panel Clamp		
White	TDD-MA-PA-251	\$1492.06
Matte Black	TDD-MA-PA-224	1492.06
Slim Profile Freestanding Clamp		
White	TDD-MA-FS-251	\$1492.06
Matte Black	TDD-MA-FS-224	1492.06
Grommet Mount		
White	TDD-MA-GR-251	\$1492.06
Matte Black	TDD-MA-GR-224	1492.06

Ergotron TRACE Accessories

Single Conversion Kit



47-109-224

Features


- Includes tilting pivot and attachment hardware.
- Converts TRACE dual monitor mount configuration into a single monitor set-up.
- For use with screen up to 38”(965mm).
- Maximum weight capacity: 25.6 pounds.
- Tilts 75° up and 5° down.
- Rotates 360°.
- Pans 240°.

To Order, Specify:

- 1) Product number.

Description	Number	Price
Matte Black	47-109-224	\$253.97

Dual Conversion Kit



47-110-224

Features

- Includes bow, handle, two pivots and mounting hardware.
- Converts TRACE single monitor mount configuration into a dual monitor set-up.
- For use with screen up to 26”(660mm).
- Maximum weight capacity: 17.4 pounds. Maximum weight of 8.7 lbs per pivot.
- Tilts 30° up and 5° down.
- Rotates 360°.
- Pans 240°.

To Order, Specify:

- 1) Product number.

Description	Number	Price
Matte Black	47-110-224	\$507.94