Installation Concepts



LINEAR CODE





Linear Code LRC46-25 Quantum


25cm x 1m ashlar half drop installation





BLOCK CODE






Block Code BKC152 Secret


25cm x 1m random ashlar installation






LINEAR CODE & BLOCK CODE





Linear Code LRC43 Misty




Block Code BKC43 Misty

25cm x 1m ashlar blended installation






LINEAR CODE & BLOCK CODE





Linear Code LRC43 Misty




Block Code BKC43 Misty


25cm x 1m herringbone 2 color installation






LINEAR CODE & BLOCK CODE





Linear Code LRC152 Secret



Block Code BKC152 Secret


25cm x 1m random ashlar hard edge installation




Shown with LVT Midtown Village 153 Logan




BLOCK CODE





Block Code BKC152-5 Key




Block Code BKC125-161 Watermark

25cm x 1m custom ashlar half drop installation





BLOCK CODE





Block Code BKC149 Portal

25cm x 1m ashlar random installation




25cm x 1m herringbone installation





BLOCK CODE





Block Code BKC149 Portal



Block Code BKC208 Link

25cm x 1m custom ashlar blended installation



25cm x 1m herringbone installation





LINEAR CODE





Linear Code LRC208 Link




Linear Code LRC203 Access

25cm x 1m herringbone with accent installation






LINEAR CODE






Linear Code LRC152 Secret



Linear Code LRC108 Node



Linear Code LRC13-5 Password

25cm x 1m herringbone blended installation





LINEAR CODE & BLOCK CODE





Linear Code LRC158-51 Platform



Block Code BKC158-51 Platform

25cm x 1m ashlar 2 color random installation





25cm x 1m herringbone installation






LINEAR CODE & BLOCK CODE





Block Code BKC217 Data



Linear Code
LRC126 Stream

25cm x 1m random ashlar installation



25cm x 1m monolithic installation





LINEAR CODE & BLOCK CODE





Linear Code LRC77-6-10 Proxy




Block Code BKC135 Binary

25cm x 1m custom ashlar blended installation



Milliken

BLOCK CODE





Block Code BKC97-149 Flow




Block Code BKC208 Link


25cm x 1m custom ashlar blended installation





LINEAR CODE





Linear Code LRC13-5 Password



Linear Code LRC203 Access




Linear Code LRC152 Secret


25cm x 1m ashlar 3 color hard edge installation





BLOCK CODE






Block Code BKC228 Skipjack



Block Code BKC108 Node



Block Code BKC200 Cipher


25cm x 1m ashlar 3 color hard edge installation



Shown with LVT Polished Concrete POL55



LINEAR CODE





Linear Code LRC108 Node

Shown with Password, Link, Proxy, Binary, Portal, Misty, Watermark, Tempest, Cipher & Skipjack.

25cm x 1m custom monolithic installation





Construction

Tufted, Textured Loop

Tile Size

25 cm x 1 m (9.8" x 39.4")

Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

Stain Repel / Stain Resist / Soil Release

StainSmart®

Tufted Face Weight $15 \text{ oz/yd}^2 (509 \text{ g/m}^2)$ **Finished Pile Height**

0.13" (3.3 mm)

Finished Pile Thickness 0.08" (2.03 mm)

Average Density 6,541

Standard Backing

PVC-Free Underscore™ ES Cushion Underscore™ is available with TractionBack®

Texture Appearance Retention Rating (TARR) Severe







Growing greener for over 100 years.

This product has a UL® Environment 3rd party verified Environmental Product Declaration(EPD). A copy of the EPD is available online at millikencarpet.com/epd and productguide.ulenvironment.com.

Customer Concierge 800.824.2246 | millikenfloors.com © 2017 Milliken & Company | Design © Milliken & Company | Made in the USA

Recommended Installation Method



PLANKS

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.