

Planning Guide ■
Tributaire™ Collection

January 2024

[illegible]

Tributaire Collection

Introduction

Tributaire Collection Statement of Line.....	5
--	---

Training Tables

Product Overview	7
Tables.....	8
Bases	8
Tabletops.....	9
Edge Styles	9
Tabletop Cutouts	9
Castes & Glides	10
Planning Guidelines.....	10
Base Height Options.....	10
Nesting Footprint Calculations.....	11
Undersurface Clearance	12
Ganging	13
Modesty Panels.....	15
Wire Management	17
Electrical	20
Electrical System Overview	20
Electrical Components	21
Pattern Electrical	22
Pattern Power Infeed Kits	24
Pattern Power Distribution Blocks.....	25
Pattern Table-to-Table Power Jumper Kits.....	26
Planning with Pattern Electrical.....	28
Sample Power Layouts.....	30
Dimensions.....	32
Fixed-Height Training Tables - Fixed-Top Base	32
Fixed-Height Training Tables - Nesting-Top Base.....	35
Fixed-Height Single-Circuit Training Tables - Fixed-Top Base....	39
Fixed-Height Single-Circuit Training Tables - Nesting-Top Base	42
Adjustable-Height Training Tables - Fixed-Top Base	45
Adjustable-Height Training Tables - Nesting-Top Base	46
Fixed-Height Collaborative Training Tables - Fixed-Top Base ..	48
Fixed-Height Collaborative Training Tables - Nesting-Top Base .	49

Statement of Line	50
Fixed-Height Training Tables - Fixed-Top Base	50
Fixed-Height Training Tables - Nesting-Top Base.....	51
Fixed-Height Single-Circuit Training Tables - Fixed-Top Base....	52
Fixed-Height Single-Circuit Training Tables - Nesting-Top Base.	52
Adjustable-Height Training Tables - Fixed-Top Base	53
Adjustable-Height Training Tables - Nesting-Top Base	53
Fixed-Height Collaborative Training Tables - Fixed-Top Base ..	53
Fixed-Height Collaborative Training Tables - Nesting-Top Base .	53

Post-Leg Tables

Product Overview	54
Tabletops.....	55
Edge Styles	55
Tabletop Cutouts	56
Castes & Glides	56
Planning Guidelines.....	57
Base Heights	57
Undersurface Clearance	57
Ganging	58
Modesty Panels.....	60
Wire Management	62
Electrical	65
Electrical System Overview	65
Electrical Components	66
Pattern Electrical	67
Pattern Power Infeed Kits	69
Pattern Power Distribution Blocks.....	70
Pattern Table-to-Table Power Jumper Kits.....	71
Planning with Pattern Electrical.....	73
Sample Power Layouts.....	75

Post-Leg Tables (cont.)

Dimensions	77
Rectangular Post-Leg Tables	77
Round Post-Leg Tables	89
Square Post-Leg Tables	91
Rounded Square Post-Leg Tables	95
Half-Rounded Square Post-Leg Tables	97
D-Shaped Post-Leg Tables	99
Sprocket Post-Leg Tables	101
Boat Post-Leg Tables	104
Pill Post-Leg Tables	108
Rectangular Single-Circuit Post-Leg Tables	112
Boat Single-Circuit Post-Leg Tables	124
Pill Single-Circuit Post-Leg Tables	128
Statement of Line	132
Rectangular Post-Leg Tables	132
Round Post-Leg Tables	133
Square Post-Leg Tables	133
Rounded Square Post-Leg Tables	133
Half-Rounded Square Post-Leg Tables	134
D-Shaped Post-Leg Tables	134
Sprocket Post-Leg Tables	134
Boat Post-Leg Tables	135
Pill Post-Leg Tables	135
Rectangular Single-Circuit Post-Leg Tables	136
Boat Single-Circuit Post-Leg Tables	137
Pill Single-Circuit Post-Leg Tables	137

Conference Tables

Product Overview	138
Tabletops	139
Edge Styles	139
Tabletop Cutouts	140
Bases	140
Glides	141
Wire Management	141
Electrical	142
Electrical System Overview	142
Electrical Components	142

Dimensions	143
Rectangular Conference Tables	143
Boat Conference Tables	147
Pill Conference Tables	151
Statement of Line	155
Rectangular Conference Tables	155
Boat Conference Tables	156
Pill Conference Tables	157

Café Tables

Product Overview	158
Tabletops	159
Edge Styles	159
Tabletop Cutouts	159
Casters & Glides	160
Electrical	161
Electrical System Overview	161
Electrical Components	162
Dimensions	163
Round X-Base Café Tables	163
Square X-Base Café Tables	163
Rounded Square X-Base Café Tables	164
Round C-Leg Base Café Tables	165
Square C-Leg Base Café Tables	166
Rounded Square C-Leg Base Café Tables	167
Statement of Line	168
Round X-Base Café Tables	168
Square X-Base Café Tables -	168
Rounded X-Base Square Café Tables	168
C-Leg Base Café Tables	168

Occasional Tables

Product Overview	169
Tabletops.....	170
Edge Styles	170
Tabletop Cutouts	171
Glides.....	171
Electrical	172
Electrical System Overview	172
Electrical Components	172
Dimensions.....	173
Round X-Base Occasional Tables.....	173
Square X-Base Occasional Tables.....	173
Rounded Square X-Base Occasional Tables	173
Rectangular C-Leg Base Occasional Tables.....	173
Boat C-Leg Base Occasional Tables	174
Pill C-Leg Base Occasional Tables	174
Statement of Line	174
X-Base Occasional Tables	174
C-Leg Base Occasional Tables	174

Nesting Screens

Product Overview	175
Screen Panel Inserts.....	176
Casters & Glides	177
Dimensions.....	178
Nesting Screen Sizes.....	178
Nesting Footprint Calculation.....	179
Statement of Line	180

Lecterns

Product Overview	181
Lectern Upright	181
Worktop & Support Platform.....	182
Casters & Telescopic Glides.....	182
Storage Cabinet.....	183
Accessories	182
Ganging	185
Modesty Panels.....	186
Wire Management	187

Electrical	187
Electrical System Overview	187
Electrical Components	187
Dimensions.....	188
Lecterns without Storage.....	188
Lecterns with Storage.....	189
Statement of Line	191
Lecterns without Storage.....	191
Lecterns with Storage.....	191

Monitor Stands, Storage Screens & Credenzas


Product Overview	192
Screen Insert Material & Combinations	193
Casters & Telescopic Glides.....	194
Storage Cabinet Front & Back Combinations	194
Storage Cabinet Features	195
Ganging	196
Wire Management	197
Electrical	198
Electrical System Overview	198
Electrical Components	198
Dimensions.....	199
Monitor Stand & Storage Screen.....	199
Credenza	199
Statement of Line	200
Monitor Stand	200
Storage Screen.....	203
Credenza	206

**Tirbutaire
Collection
Statement of Line**


Training Tables




Fixed-Height Training Tables
Fixed-Top Base



Fixed-Height Training Tables
Nesting-Top Base




Adjustable-Height Training Tables
Fixed-Top Base




Adjustable-Height Training Tables
Nesting-Top Base

Miscellaneous Tables




Post-Leg Tables



Conference Tables




Café Tables
X-Base



Café Tables
C-Leg Base




Occasional Tables
X-Base




Occasional Tables
C-Leg Base

**Tirbutaire
Collection
Statement of Line
(cont.)**


Complimentary Pieces




Nesting Screens



Lecterns



Monitor Stands &
Storage Screens



Credenza

Training Tables

Product Overview

Training Table Models


Tributaire training tables are available in fixed- and adjustable-height versions with fixed- or nesting-top bases:

- Fixed-height / fixed-top base.
- Fixed-height / nesting-top base.
- Pneumatic-adjustable height / fixed-top base.
- Pneumatic-adjustable height / nesting-top base.
- Screw-adjustable height / fixed-top base.
- Screw-adjustable height / nesting-top base.


Training Table Features

Tributaire table features can be configured or are standard, to include:

- A. Table height options (page 8).
- B. Base options (page 8).
- C. Tabletop shape & size (page 9).
- D. Tabletop laminate grades.
- E. Tabletop edge styles (page 9).
- F. Caster & glide options (page 10).
- G. Ganging (page 13).
- H. Modesty panel (page 15).
- I. Wire management (page 17).
- J. Power options (page 20).



(model TJHLA2460-KN shown)




(model TJHLA2460-KN shown)

	Fixed-Top Base		Nesting-Top Base	
	Fixed-Height Table	Adjustable-Height Table	Fixed-Height Table	Adjustable-Height Table
Base Height				
29", 36", 42" Fixed-Height Options	•		•	
Screw Adjustable-Height		•		•
Pneumatic Adjustable-Height		•		•
Tabletop Shape				
Rectangle	•	•	•	•
Round			•	
Half-Round			•	
Collaborative Rectangle	•*		•	
Features				
Castors or Glides	•	•	•	•
Pattern Electrical System	•*		•*	
Power Modules with 3-Prong Plug	•	•	•	•
Ganging	•*		•*	
Modesty Panels	•		•*	


*Feature is only available on certain models.

Tables

Fixed-Height Table: A solution that supports learning, creating a consistent design aesthetic throughout a space. Fixed bases come with T-leg design in three fixed height options: 29, 36, and 42" and are available with a fixed or nesting top.




Adjustable-Height Table: A T-leg solution that provides flexibility in table height with either pneumatic- or screw-adjustable options. Pneumatic adjustment is toolless and provides user control. Screw-adjustable requires tools and is usually facilities adjusted. Adjustable-height tables are available in fixed- or nesting-top.




Bases

Fixed-Top Base: A T-leg solution with either fixed-height or adjustable-height base in which the top remains static. This solution supports applications where tables are not stored in between use. This top option is available on both fixed-height and adjustable-height base options.



Nesting-Top Base: A solution that supports flexibility and reconfiguration within the space. T-leg tables with tops that rotate up to create a leg-within-leg nesting solution which decreases floor space needed for storage. This top option is available on both fixed-height and adjustable-height base options.




Tabletops

Tributaire training tabletops are offered in various shapes, sizes and features. Available features vary based on individual models.



Rectangular




Round




Half-Round

Edge Styles




**74P Edge
(74P)**




**Knife Edge
(KN)**

Tabletop Cutouts


Dean, Nacre, or Node grommets can be specified for use within corresponding cutouts.



Dean Tabletop Cutout



Nacre Tabletop Cutout




Node Tabletop Cutout


Casters & Telescopic Glides

Casters are 2.5" in diameter and are available in three color combinations: Black hub with Black tread and brake, Warm Grey hub with Warm Grey tread and brake, and also Cottonwood hub with Warm Grey tread and brake.


Adjustable glides are 2" in diameter and have a die cast aluminum post which matches the table base finish. Glides have a molded nylon body available in three standard colors: black, warm grey and cottonwood. The floor pad is a replaceable nylon pad. Glides offer 1.2" of adjustment.



Locking Caster



Non-Locking Caster




Telescopic Glide


Planning Guidelines

Fixed-Height Table Height Options

Tributaire training tables are offered in three fixed-height table height options (non-height adjustable). Multiple height options allow for tiered classrooms, while maintaining the option to be easily reconfigured. Varying heights offer clear lines of sight for all users.



29" Overall Table Height



36" Overall Table Height



42" Overall Table Height

Nesting Information

18" Deep Tabletops

Nesting Footprint Calculation: Overall Depth of a Row = 19.27" (1 table) + 8.10" (additional tables)

Examples: 2 tables: 19.28" (1 table) + 8.10" (1 table) = 27.38"
4 tables: 19.28" (1 table) + 8.10" (3 tables) = 43.58"

24-30" Deep Tabletops


Nesting Footprint Calculation: Overall Depth of a Row = 23.97" (1 table) + 8.10" (additional tables)

Examples: 2 tables: 23.97" (1 table) + 8.10" (1 table) = 32.07"
4 tables: 23.97" (1 table) + 8.10" (3 tables) = 48.27"

36" Deep Tabletops

Nesting Footprint Calculation: Overall Depth of a Row = 31.9" (1 table) + 8.10" (additional tables)

Examples: 2 tables: 31.90" (1 table) + 8.10" (1 table) = 40"
4 tables: 31.90" (1 table) + 8.10" (3 tables) = 56.20"



18" Deep Nesting Tables	
Number of Tables	Depth When Flipped Up
1	19.28"
2	27.38"
3	35.48"

24"-30" Deep Nesting Tables	
Number of Tables	Depth When Flipped Up
1	23.97"
2	32.07"
3	40.17"

36" Deep Nesting Tables	
Number of Tables	Depth When Flipped Up
1	31.92"
2	40"
3	48.10"

Table Height - Nesting-Top Base							
	Table Depth	Height When Flipped Up	Foot Base		Table Depth	Height When Flipped Up	Foot Base
TJHLA	18"	39.38"	18"	TJJLA	24"	42.30"	24"
TJHLA	24"	42.38"	24"	TJJLA	30"	45.30"	24"
TJHLA	30"	45.38"	24"	TJJLA	36"	48.30"	36"
TJHLA	36"	48.38"	36"	TJJMA	24"	49.30"	24"
TJHMA	24"	49.30"	24"	TJJMA	30"	52.30"	24"
TJHMA	30"	52.30"	24"	TJJNA	24"	55.30"	24"
TJHMA	36"	55.30"	36"	TJJNA	30"	58.30"	24"
TJHNA	24"	55.30"	24"	TJHQA	24"	42.30"-57.30"	24"
TJHNA	30"	58.30"	24"	TJHQA	30"	45.30"-60.30"	24"
TJHNA	36"	61.30"	36"	TJHPA	24"	42.20"-57.20"	24"
TJHLB	42"	51.40"		TJHPA	30"	45.20"-60.20"	24"
TJHLB	48"	51.40"		TJGLA	24"	42.38"	24"
TJHLQ	24"	44.70"		TJGLA	30"	45.38"	24"
TJHLQ	30"	47.60"		TJGLA	36"	48.38"	36"
TJHLQ	36"	50.70"					

Note: 902.4.2 Height Children + 902.3 Height Adults from 2010 ADA + ICC A117.1-2017.




ADA Compliance Shape: Minimum requirement for Knee and Toe Clearance per 2010 ADA and ICC A117.1.

Ganging

Ganging Mechanism: Swinging ganger hooks draw and secure tables together using under-mounted stationary pegs. Gangers are field installed and self-storing under the table when not in use. Tabletops are pre-drilled for placement of ganging pegs. After the installation of the ganger pegs, no tools are required to join tables together.


If a table is specified with the Pattern single-circuit electrical system, all necessary ganging components are automatically included with the table and required to be used. Ganging kits can also be ordered separately for all other non-pattern table models. One kit per table joint is required. Ganging kits not available for use with round or half-round shaped tabletops.

Sample Layout 1



**24" x 72" Rectangular Training Tables, Side-to-Side Configuration
(model TJJNA shown) (top view)**


Sample Layout 2



**24" x 72" Rectangular Training Tables, Back-to-Back Configuration
(model TJJNA shown) (top view)**


Ganging (cont.)

Sample Layout 3



30" x 60" and 30" x 72" Rectangular Training Tables, Enclosed Configuration
(model TJJNA shown) (top view)

Sample Layout 4



30" x 72" Rectangular Training Tables, U-Shaped Configuration
(model TJJNA shown) (top view)


Modesty Panels

Modesty panels are available in polyester felt or laminate.


- **Note:** Polyester felt and laminate modesty panels are available on select 29", 36", and 42" high tables.

Polyester Felt Modesty Panel

- Each PET modesty panel color has a coordinating modesty panel attachment bracket color.
- See the Product Color Options page in the Tributaire Collection Pricelist for color options offered.



**Fixed-Height Rectangular Training Table with
Polyester Felt Modesty Panel
(model TJHAA3060 shown)(back view)**




**Fixed-Height Rectangular Training Table with
Polyester Felt Modesty Panel
(model TJHAA3060 shown)(side view)**

Polyester Felt Modesty Panel Dimensions		
	Polyester Felt (Fixed Tables)	Polyester Felt (Nesting Tables)
A	9.25" for 29" & 36" high tables 15" for 42" high tables	9.25" for 29" & 36" high tables 15" for 42" high tables
B	Table Width, Less 1.5"	Table Width, Less 1.5"
C	1.04"	1.04" (18" Deep Tops) 1.04" (24" Deep Tops) 5.04" (30" Deep Tops) 8.04" (36" Deep Tops)


Modesty Panels (cont.)

Laminate Modesty Panel

- On fixed-top base tables, laminate modesty panels are fixed in place. On nesting-top base tables laminated modesty panels swing away when tables are nested.
- Laminate modesty panels are finished on both sides in customer selected laminate and include a matching 73P edge band.



Fixed-Height Rectangular Training Table with Laminate Modesty Panel (model TJHAA3060 shown)(back view)



Fixed-Height Rectangular Training Table with Laminate Modesty Panel (model TJHAA3060 shown)(side view)

Laminate Modesty Panel Dimensions		
	Laminate (Fixed Tables)	Laminate (Nesting Tables)
A	9.25" for 29" & 36" high tables 15" for 42" high tables	9.25" for 29" & 36" high tables 15" for 42" high tables
B	Table Width, Less 1.5"	Table Width, Less 1.5"
C	3.56"	1.36" (18" Deep Tops) 1.36" (24" Deep Tops) 8.36" (30" Deep Tops) 8.36" (36" Deep Tops)

Wire Management

Wire Trough

Wire trough keeps wires and electrical components enclosed. Wire trough allows Snap-In RPT modules for Pattern to snap onto one side while also having access to cables.

Under table Snap-In RPT modules for Pattern cutouts in the trough face towards the user side.





Note: Wire troughs are for training tables only and are not compatible with collaborative tables.

If Pattern components are included with the Tributaire table, under table wire trough is provided. Wire troughs must be ordered separately for power modules with 3-prong plug, if desired.





Tables with one tabletop cutout are provided with one wire trough. Conference tables with two tabletop cutouts are provided with two wire troughs. Wire troughs are available in four sizes, determined by the tabletop size and shape.

Tabletop Width	Number of Troughs and Trough Size	Number of Velcro Wire Managers
36"	1 x 18"	2
42", 48"	1 x 30"	2
54", 60"	1 x 42"	2
66", 72"	1 x 54"	2

A Wire Trough Width	B Center of Cutout to Trough Edge	Snap-In RPT Module Openings	Wire Access Openings
18"	7.75"	1	3
30"	2.85"	2	5
42"	2.85"	2	6
54"	2.85"	2	8





16" Wire Trough



52" Wire Trough

Wire Management (cont.)


Wire Trough (cont.)



Grommets

Metal grommets are available to fit Dean, Nacre and Node tabletop cutouts.

Grommets, modules and electrical components are field installed.



Wire Management (cont.)


Vertical Wire Manager

Vertical wire manager is included on tables specified with power modules with 3-prong plug, and with Pattern power infeed kits. Vertical wire manager can be ordered separately. Wire manager is color matched to table base.



Velcro Wire Manager

Velcro wire managers are included on table models that include Pattern single-circuit electrical. Vertical wire manager can be ordered separately.



Strain Relief Clip

Strain relief clips are included with table when power modules with 3-prong plugs are specified.




Electrical


Electrical System Overview

Two power options are available for Tributaire tables

- **Power Modules with 108" or 180" cord and 3-prong plug**
 - Recommended for minimal power needs.
 - Multiple power module styles available.
 - Corded modules with 3-prong plug must be plugged into a building receptacle.
- **Pattern Single-Circuit Electrical System (a multi-unit daisy chain, single-circuit power system)**
 - Pattern allows up to ten distribution blocks or 600" total length of jumpers to be powered by a power infeed.
 - Power infeeds can be placed anywhere within the system.
 - Multiple power module styles available.









Tributaire Training Tables with Power Modules for Pattern Single-Circuit Electrical



Tributaire Training Tables with Power Modules with 3-Prong Plug


Electrical Components

Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Dean In-Surface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C, 1 open port	1.94" x 7.3"	in surface
Dean In-Surface Grommet		N/A	1.94" x 7.3"	in surface
Dean Undersurface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C	N/A	below surface
Dubbel Undersurface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C	N/A	below surface
Nacre Pop-Up Module (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C, 1 open port	3" x 6.94"	in surface
Nacre Grommet		N/A	3" x 6.94"	in surface
Node (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		1 power outlet, 1 dual USB A+C	3" diameter	in surface
Node Grommet		N/A	3" diameter	in surface
Snap-In RPT (Available with Pattern Single-Circuit Electrical System only)		2 power outlets	N/A	in trough
Pattern Power Infeed Kit • Pattern Power Infeed • Pattern Power Jumper • White Pattern Power Distribution Block • Grey Pattern Power Distribution Block • Pattern Quick-Release Tool • Vertical Wire Manager		N/A	N/A	N/A
Pattern Table-to-Table Jumper Kit • Pattern Table-to-Table Power Jumper • Grey Pattern Power Distribution Block		N/A	N/A	N/A

Pattern Electrical



A non-sequential single-circuit electrical system used to provide power distribution which is ETL Listed to UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). Power infeed can be simply plugged into a building wall or floor receptacle; no electrician is needed.

- Pattern is a 15-amp system; however, continuous use should not exceed 80% draw. Only load 12 amps of draw if current is expected to continue for three or more hours at a time.
- Pattern power jumpers and Pattern power distribution blocks connect from table-to-table to carry power across multiple pieces of furniture.
- The total number of distribution blocks within the system shall not exceed ten per power infeed.
- The total length of jumpers (exclusive of the power infeed unit) is not to exceed 600" (50') from the infeed distribution block (in either direction).
- Wire troughs have cutout locations for the snap-in RPT (relocatable power tap) module(s) for Pattern. Reference "Wire Trough" on page 17.
- Pattern power infeed is compatible with ground fault interrupter (GFI/GFCI) and uninterruptured power supplies.
- Gangers and wire management devices are included. Tables must be mechanically connected together, with all Pattern power connections appropriately installed before connecting infeed to power source.
- When the desired table power pick is selected, all necessary components within the table will be provided. Excludes Pattern power infeed kits and Pattern table-to-table power jumper kits.



Pattern Electrical (cont.)


Available Tributaire Training Table Pattern Power Picks		
PMA1	(1) Nacre In-Surface Pop-Up for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMB1	(1) Dubbel Under-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMD1	(1) Dean In-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMO1	(1) Node In-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMU1	(1) Dean Undersurface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PSA1	(1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36" table widths only.
PSA2	(2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 42, 48, 54, 60, 66, 72" table widths only.
PSA3	(1) Dubbel Undersurface for Pattern + (1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36" table widths only.
PSA4	(1) Dubbel Undersurface for Pattern + (2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 42, 48, 54, 60, 66, 72" table widths only.
PSA5	(1) Dean Undersurface for Pattern + (1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36" table widths only.
PSA6	(1) Dean Undersurface for Pattern + (2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 42, 48, 54, 60, 66, 72" table widths only.






Pattern Electrical (cont.)

Pattern Power Infeed Kits


- Power infeed kit includes (1) white Pattern power distribution block, (1) grey Pattern power distribution block, (1) 12" Pattern power jumper, (1) 108" Pattern power infeed, (1) Pattern quick-release tool & (1) vertical wire manager.
- Kit counts towards two distribution blocks within a run of power (ten distribution blocks maximum per power infeed).
- Kit counts towards 12" jumper length (600" or 50' maximum per infeed in either direction).



- Pattern power infeed cords are 108" long.
 - Power infeed kits allow for reconfiguration and can be installed at the end of, or anywhere within a run, as long as the total length of jumpers from the power infeed (in either direction) does not exceed 600" (50').
 - Regardless of power infeed location, layout cannot exceed ten distribution blocks per infeed.
 - Power infeeds come with 90-degree angled plugs. Angled plugs make it easier to route the cords through tight corners and spaces eliminating stress placed on the power cord conductors and the strain relief.



- Pattern Quick-Release Tool
 - Pattern quick-release tool is a simple tool designed to help remove the power connector ends from the Pattern power distribution blocks if reconfiguration of the Pattern single-circuit electrical system is required.



Pattern Power Distribution Blocks

Pattern Electrical (cont.)

Pattern Power Distribution Blocks


Pattern power distribution blocks are required to connect and distribute power. Two types of distribution blocks are used, as illustrated below.

The two distribution block types (white and grey) are not specified separately. Both types are included with Pattern table-to-table power jumper kits, Pattern power infeed kits and when tables are ordered with power requiring internal Pattern power jumpers (three power modules per table).

The total number of power distribution blocks within the system shall not exceed ten per power infeed.


- **Grey Pattern Power Distribution Block**

- Supports two power modules, and two jumpers or one jumper and one power infeed.



- **White Pattern Power Distribution Block**


- Supports one power module, and three jumpers or two jumpers and one power infeed.




Pattern Electrical (cont.)


Pattern Table-to-Table Power Jumper Kit

- Pattern table-to-table power jumper kits are specified separately. Kits consist of Pattern power jumper in specified length and a grey Pattern power distribution block required to connect jumper to a power module. Internal Pattern power jumpers are included on tables when three power modules are specified (options PS2MB1GA1 & PS2MC1GA1).
- Below jumper recommendations are based on table size and allow for reconfiguration with excess cord being managed within wire troughs, and are not layout dependent.
- Jumper lengths (53", 75" and 101") are determined based on distance to attach to a previous distribution block.






Tables with Two Power Modules (PSA2 shown)



Tables with Two Power Modules (PSA4 shown)



Tables with Two Power Modules (PSA4 shown)

Pattern Electrical (cont.)

Planning with Pattern Electrical

1. Identify power requirements, confirm the number of modules and tables per layout.

Pattern is a 15-amp system; however, continuous use should not exceed 80% draw. Only load 12 amps of draw if current is expected to continue for three or more hours at a time.

Amp Draw Range by Item Type:

This chart shows the estimated amp draw for common devices. Be sure to calculate the necessary amperage needs for the space. Amp draw requirements will determine the number of power infeeds needed.

Item	Amp(s)	Item	Amp(s)	Item	Amp(s)
Bluetooth Speaker	0.1	Inkjet Printer	0.15	Refrigerator	6
Cell Phone Charger	1-2	Laptop	1	Scanner	3
Coffee Maker	10	Laser Printer	0.5	Space Heater	12
Computer Monitor	0.5	LED Task Light	0.08	Tablet	1-2
Copy Machine (Xerox)	20	Microwave	10	Tea Kettle	7-10
Cordless Drill Charger	2-3	Office Phone	0.1	Television 42"	1
Crock Pot	1-2	Paper Shredder	1.22	USB Charger	0.17
Desktop 3-D printer	5	Personal Fan	0.5	Vacuum	10
Desktop Computer	3	Projector	1.7		

Calculate Amps from Watts:

To calculate amps from watts, divide the watts by 120.

Example: 600 watts/120 = 5 amps

2. Confirm the number of table-to-table jumper kits and infeed kits required to power a table layout.

The table on the next page identifies maximum number of tables that can be planned per power infeed. Maximum amounts assume table layouts consist of the same table size and power configuration.

Training Tables

Table Shape	Table Width	Power Options	Number of Modules Per Table	# of Metal Grommets (Sized for Nacre)	Number of Troughs and Trough Size	# of Snap-In RPTs	# of Distribution Blocks Included with Table	Internal Jumper Length Included with Table	# of Velcro Wire Manager	Recommended Table-to-Table Power Jumper	Maximum # of Tables Per Infeed*	Total # of Modules on Max Table Run*
Rectangular	36"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	18"	0	0	0	2	53"	9	9
Rectangular	36"	psa1	1	1	18"	1	0	0	2	53"	9	9
Rectangular	36"	psa3, psa5	2	1	18"	1	0	0	2	53"	9	18
Rectangular	42"-48"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	30"	0	0	0	2	53"	9	9
Rectangular	42"-48"	psa2	2	1	30"	2	0	0	2	53"	9	18
Rectangular	42"-48"	psa4, psa6	3	1	30"	2	1	12"	2	53"	4	12
Rectangular	54"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	42"	0	0	0	2	53"	9	9
Rectangular	54"	psa2	2	1	42"	2	0	0	2	53"	9	18
Rectangular	54"	psa4, psa6	3	1	42"	2	1	12"	2	53"	4	12
Rectangular	60"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	42"	0	0	0	2	75"	8	8
Rectangular	60"	psa2	2	1	42"	2	0	0	2	75"	8	16
Rectangular	60"	psa4, psa6	3	1	42"	2	1	12"	2	75"	4	12
Rectangular	66"-72"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	54"	0	0	0	2	75"	8	8
Rectangular	66"-72"	psa2	2	1	54"	2	0	0	2	75"	8	16
Rectangular	66"-72"	psa4, psa6	3	1	54"	2	1	12"	2	75"	4	12

Note: Maximums assume layouts consist of the same table size and power configuration.

Fixed-Height Single Circuit Training Tables - Fixed-Top Base

Pattern Electrical (cont.)


Sample Power Layouts

Sample Layout 1

The following section provides different examples of typical Pillar tables with Pattern electrical configurations.

Note: The following configuration can be accomplished by routing the Pattern power jumper through the cord pass-through cutouts in the wire trough.


Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	3	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Fixed-Height Single Circuit Rectangular Training Table (30" x 60") with Nacre In-Surface Pop-Up Power Module
D	2	Tributaire Fixed-Height Single Circuit Rectangular Training Table (30" x 72") with Nacre In-Surface Pop-Up Power Module



Model TJJAA - 30" x 60" & 30" x 72" Fixed-Height Rectangular Training Table - Fixed-Top Base, Enclosed Configuration (PMA1-PMA2 shown)

Sample Layout 2

Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	1	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Fixed-Height Single Circuit Rectangular Training Table (30" x 72") with Dubbel Under-Surface Power Module and Two Snap-In RPT Modules




Model TJJAA - 30" x 72" Fixed-Height Rectangular Training Table - Fixed-Top Base, Side-to-Side Configuration (PSA4 shown)

Pattern Electrical (cont.)

Sample Power Layouts (cont.)


Sample Layout 3



Model TJJAA - 30" x 72" Fixed-Height Rectangular Training Table - Fixed-Top Base, U-Shaped Configuration (PMA1-PMA2 shown)

Sample Layout 4

Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	1	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Rectangular Table (30" x 72") with Dubbel Under-Surface Power Module and Two Snap-In RPT Modules






Model TJJAA - 30" x 72" Fixed-Height Rectangular Training Table - Fixed-Top Base, U-Shaped Configuration (PMA1-PMA2 shown)

DIMENSIONS

29" Fixed-Height Tributaire Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer- to-Floor	Stiffener(s)	Number of Legs
TJHAA1830	18"	30"	29"	22.15"	22.98"		2
TJHAA1836	18"	36"	29"	28.15"	22.98"		2
TJHAA1842	18"	42"	29"	34.15"	22.98"		2
TJHAA1848	18"	48"	29"	40.15"	22.98"		2
TJHAA1854	18"	54"	29"	46.15"	22.98"		2
TJHAA1860	18"	60"	29"	52.15"	22.98"		2
TJHAA1866	18"	66"	29"	58.15"	22.98"	•	2
TJHAA1872	18"	72"	29"	64.15"	22.98"	•	2
TJHAA2430	24"	30"	29"	22.15"	22.98"		2
TJHAA2436	24"	36"	29"	28.15"	22.98"		2
TJHAA2442	24"	42"	29"	34.15"	22.98"		2
TJHAA2448	24"	48"	29"	40.15"	22.98"		2
TJHAA2454	24"	54"	29"	46.15"	22.98"		2
TJHAA2460	24"	60"	29"	52.15"	22.98"		2
TJHAA2466	24"	66"	29"	58.15"	22.98"	•	2
TJHAA2472	24"	72"	29"	64.15"	22.98"	•	2
TJHAA3036	30"	36"	29"	28.15"	22.98"		2
TJHAA3042	30"	42"	29"	34.15"	22.98"		2
TJHAA3048	30"	48"	29"	40.15"	22.98"		2
TJHAA3054	30"	54"	29"	46.15"	22.98"		2
TJHAA3060	30"	60"	29"	52.15"	22.98"		2
TJHAA3066	30"	66"	29"	58.15"	22.98"	•	2
TJHAA3072	30"	72"	29"	64.15"	22.98"	•	2
TJHAA3636	36"	36"	29"	28.15"	22.98"		2
TJHAA3642	36"	42"	29"	34.15"	22.98"		2
TJHAA3648	36"	48"	29"	40.15"	22.98"		2
TJHAA3654	36"	54"	29"	46.15"	22.98"		2
TJHAA3660	36"	60"	29"	52.15"	22.98"		2
TJHAA3666	36"	66"	29"	58.15"	22.98"		2
TJHAA3672	36"	72"	29"	64.15"	22.98"		2


(model TJHAA3060/74P shown)




DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer- to-Floor	Stiffener(s)	Number of Legs
TJHBA1830	18"	30"	36"	22.15"	30"		2
TJHBA1836	18"	36"	36"	28.15"	30"		2
TJHBA1842	18"	42"	36"	34.15"	30"		2
TJHBA1848	18"	48"	36"	40.15"	30"		2
TJHBA1854	18"	54"	36"	46.15"	30"		2
TJHBA1860	18"	60"	36"	52.15"	30"		2
TJHBA1866	18"	66"	36"	58.15"	30"	•	2
TJHBA1872	18"	72"	36"	64.15"	30"	•	2
TJHBA2430	24"	30"	36"	22.15"	30"		2
TJHBA2436	24"	36"	36"	28.15"	30"		2
TJHBA2442	24"	42"	36"	34.15"	30"		2
TJHBA2448	24"	48"	36"	40.15"	30"		2
TJHBA2454	24"	54"	36"	46.15"	30"		2
TJHBA2460	24"	60"	36"	52.15"	30"		2
TJHBA2466	24"	66"	36"	58.15"	30"	•	2
TJHBA2472	24"	72"	36"	64.15"	30"	•	2
TJHBA3036	30"	36"	36"	28.15"	30"		2
TJHBA3042	30"	42"	36"	34.15"	30"		2
TJHBA3048	30"	48"	36"	40.15"	30"		2
TJHBA3054	30"	54"	36"	46.15"	30"		2
TJHBA3060	30"	60"	36"	52.15"	30"		2
TJHBA3066	30"	66"	36"	58.15"	30"	•	2
TJHBA3072	30"	72"	36"	64.15"	30"	•	2
TJHBA3636	36"	36"	36"	28.15"	30"		2
TJHBA3642	36"	42"	36"	34.15"	30"		2
TJHBA3648	36"	48"	36"	40.15"	30"		2
TJHBA3654	36"	54"	36"	46.15"	30"		2
TJHBA3660	36"	60"	36"	52.15"	30"		2
TJHBA3666	36"	66"	36"	58.15"	30"	•	2
TJHBA3672	36"	72"	36"	64.15"	30"	•	2


(model TJHBA3060/74P shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

42" Fixed-Height Tributaire Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	Stiffener(s)	Number of Legs
TJHCA1830	18"	30"	42"	22.15"	11.50"		2
TJHCA1836	18"	36"	42"	28.15"	11.50"		2
TJHCA1842	18"	42"	42"	34.15"	11.50"		2
TJHCA1848	18"	48"	42"	40.15"	11.50"		2
TJHCA1854	18"	54"	42"	46.15"	11.50"		2
TJHCA1860	18"	60"	42"	52.15"	11.50"		2
TJHCA1866	18"	66"	42"	58.15"	11.50"	•	2
TJHCA1872	18"	72"	42"	64.15"	11.50"	•	2
TJHCA2430	24"	30"	42"	22.15"	11.50"		2
TJHCA2436	24"	36"	42"	28.15"	11.50"		2
TJHCA2442	24"	42"	42"	34.15"	11.50"		2
TJHCA2448	24"	48"	42"	40.15"	11.50"		2
TJHCA2454	24"	54"	42"	46.15"	11.50"		2
TJHCA2460	24"	60"	42"	52.15"	11.50"		2
TJHCA2466	24"	66"	42"	58.15"	11.50"	•	2
TJHCA2472	24"	72"	42"	64.15"	11.50"	•	2
TJHCA3036	30"	36"	42"	28.15"	11.50"		2
TJHCA3042	30"	42"	42"	34.15"	11.50"		2
TJHCA3048	30"	48"	42"	40.15"	11.50"		2
TJHCA3054	30"	54"	42"	46.15"	11.50"		2
TJHCA3060	30"	60"	42"	52.15"	11.50"		2
TJHCA3066	30"	66"	42"	58.15"	11.50"	•	2
TJHCA3072	30"	72"	42"	64.15"	11.50"	•	2
TJHCA3636	36"	36"	42"	28.15"	11.50"		2
TJHCA3642	36"	42"	42"	34.15"	11.50"		2
TJHCA3648	36"	48"	42"	40.15"	11.50"		2
TJHCA3654	36"	54"	42"	46.15"	11.50"		2
TJHCA3660	36"	60"	42"	52.15"	11.50"		2
TJHCA3666	36"	66"	42"	58.15"	11.50"	•	2
TJHCA3672	36"	72"	42"	64.15"	11.50"	•	2


(model TJHCA3060/74P shown)



**DIMENSIONS
(cont.)**

29" Fixed-Height Tributaire Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	Stiffener(s)	Number of Legs
TJHLA1830	18"	30"	29"	39 ³ / ₈ "	22.15"	22.23"		2
TJHLA1836	18"	36"	29"	39 ³ / ₈ "	28.15"	22.23"		2
TJHLA1842	18"	42"	29"	39 ³ / ₈ "	28.15"	22.23"		2
TJHLA1848	18"	48"	29"	39 ³ / ₈ "	40.15"	22.23"		2
TJHLA1854	18"	54"	29"	39 ³ / ₈ "	40.15"	22.23"		2
TJHLA1860	18"	60"	29"	39 ³ / ₈ "	52.15"	22.23"		2
TJHLA1866	18"	66"	29"	39 ³ / ₈ "	52.15"	22.23"		2
TJHLA1872	18"	72"	29"	39 ³ / ₈ "	64.15"	22.23"	•	2
TJHLA2430	24"	30"	29"	42 ³ / ₈ "	22.15"	22.23"		2
TJHLA2436	24"	36"	29"	42 ³ / ₈ "	28.15"	22.23"		2
TJHLA2442	24"	42"	29"	42 ³ / ₈ "	28.15"	22.23"		2
TJHLA2448	24"	48"	29"	42 ³ / ₈ "	40.15"	22.23"		2
TJHLA2454	24"	54"	29"	42 ³ / ₈ "	40.15"	22.23"		2
TJHLA2460	24"	60"	29"	42 ³ / ₈ "	52.15"	22.23"		2
TJHLA2466	24"	66"	29"	42 ³ / ₈ "	52.15"	22.23"		2
TJHLA2472	24"	72"	29"	42 ³ / ₈ "	64.15"	22.23"	•	2
TJHLA3036	30"	36"	29"	45 ³ / ₈ "	28 ¹ / ₈ "	22.23"		2
TJHLA3042	30"	42"	29"	45 ³ / ₈ "	34 ¹ / ₈ "	22.23"		2
TJHLA3048	30"	48"	29"	45 ³ / ₈ "	40 ¹ / ₈ "	22.23"		2
TJHLA3054	30"	54"	29"	45 ³ / ₈ "	46 ¹ / ₈ "	22.23"		2
TJHLA3060	30"	60"	29"	45 ³ / ₈ "	52 ¹ / ₈ "	22.23"		2
TJHLA3066	30"	66"	29"	45 ³ / ₈ "	58 ¹ / ₈ "	22.23"		2
TJHLA3072	30"	72"	29"	45 ³ / ₈ "	64 ¹ / ₈ "	22.23"	•	2
TJHLA3636	36"	36"	29"	48 ³ / ₈ "	28 ¹ / ₈ "	22.23"		2
TJHLA3642	36"	42"	29"	48 ³ / ₈ "	34 ¹ / ₈ "	22.23"		2
TJHLA3648	36"	48"	29"	48 ³ / ₈ "	40 ¹ / ₈ "	22.23"		2
TJHLA3654	36"	54"	29"	48 ³ / ₈ "	46 ¹ / ₈ "	22.23"		2
TJHLA3660	36"	60"	29"	48 ³ / ₈ "	52 ¹ / ₈ "	22.23"		2
TJHLA3666	36"	66"	29"	48 ³ / ₈ "	58 ¹ / ₈ "	22.23"		2
TJHLA3672	36"	72"	29"	48 ³ / ₈ "	64 ¹ / ₈ "	22.23"	•	2


(model TJHLA3060/74P shown)



DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	Stiffener(s)	Number of Legs
TJHMA2430	24"	30"	36"	49.30"	22.15"	29.23"		2
TJHMA2436	24"	36"	36"	49.30"	28.15"	29.23"		2
TJHMA2442	24"	42"	36"	49.30"	28.15"	29.23"		2
TJHMA2448	24"	48"	36"	49.30"	40.15"	29.23"		2
TJHMA2454	24"	54"	36"	49.30"	40.15"	29.23"		2
TJHMA2460	24"	60"	36"	49.30"	52.15"	29.23"		2
TJHMA2466	24"	66"	36"	49.30"	52.15"	29.23"		2
TJHMA2472	24"	72"	36"	49.30"	64.15"	29.23"	•	2
TJHMA3036	30"	36"	36"	52.30"	28.15"	29.23"		2
TJHMA3042	30"	42"	36"	52.30"	28.15"	29.23"		2
TJHMA3048	30"	48"	36"	52.30"	40.15"	29.23"		2
TJHMA3054	30"	54"	36"	52.30"	40.15"	29.23"		2
TJHMA3060	30"	60"	36"	52.30"	52.15"	29.23"		2
TJHMA3066	30"	66"	36"	52.30"	52.15"	29.23"		2
TJHMA3072	30"	72"	36"	52.30"	64.15"	29.23"	•	2
TJHMA3636	36"	36"	36"	55.30"	28.15"	29.23"		2
TJHMA3642	36"	42"	36"	55.30"	28.15"	29.23"		2
TJHMA3648	36"	48"	36"	55.30"	40.15"	29.23"		2
TJHMA3654	36"	54"	36"	55.30"	40.15"	29.23"		2
TJHMA3660	36"	60"	36"	55.30"	52.15"	29.23"		2
TJHMA3666	36"	66"	36"	55.30"	52.15"	29.23"		2
TJHMA3672	36"	72"	36"	55.30"	64.15"	29.23"	•	2


(model TJHMA3060/74P shown)



**DIMENSIONS
(cont.)**

42" Fixed-Height Tributaire Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	Stiffener(s)	Number of Legs
TJHNA2430	24"	30"	42"	55.30"	22.15"	11.48"		2
TJHNA2436	24"	36"	42"	55.30"	28.15"	11.48"		2
TJHNA2442	24"	42"	42"	55.30"	28.15"	11.48"		2
TJHNA2448	24"	48"	42"	55.30"	40.15"	11.48"		2
TJHNA2454	24"	54"	42"	55.30"	40.15"	11.48"		2
TJHNA2460	24"	60"	42"	55.30"	52.15"	11.48"		2
TJHNA2466	24"	66"	42"	55.30"	52.15"	11.48"		2
TJHNA2472	24"	72"	42"	55.30"	64.15"	11.48"	•	2
TJHNA3036	30"	36"	42"	58.30"	28.15"	11.48"		2
TJHNA3042	30"	42"	42"	58.30"	28.15"	11.48"		2
TJHNA3048	30"	48"	42"	58.30"	40.15"	11.48"		2
TJHNA3054	30"	54"	42"	58.30"	40.15"	11.48"		2
TJHNA3060	30"	60"	42"	58.30"	52.15"	11.48"		2
TJHNA3066	30"	66"	42"	58.30"	52.15"	11.48"		2
TJHNA3072	30"	72"	42"	58.30"	64.15"	11.48"	•	2
TJHNA3636	36"	36"	42"	61.30"	28.15"	11.48"		2
TJHNA3642	36"	42"	42"	61.30"	28.15"	11.48"		2
TJHNA3648	36"	48"	42"	61.30"	40.15"	11.48"		2
TJHNA3654	36"	54"	42"	61.30"	40.15"	11.48"		2
TJHNA3660	36"	60"	42"	61.30"	52.15"	11.48"		2
TJHNA3666	36"	66"	42"	61.30"	52.15"	11.48"		2
TJHNA3672	36"	72"	42"	61.30"	64.15"	11.48"	•	2

(model TJHNA3060/74P shown)




DIMENSIONS

(cont.)


29" Fixed-Height Tributaire Round Training Tables - Nesting-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	Number of Legs
TJHLB42	42"	42"	29"	51.40"	28.20"	22.40"	2
TJHLB48	48"	48"	29"	51.40"	28.20"	22.40"	2

(model TJHLB48/74P shown)



29" Fixed-Height Tributaire Half-Round Training Tables - Nesting-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	Number of Legs
TJHLQ2448	24"	48"	29"	44.70"	28.15"	22.21"	2
TJHLQ3060	30"	60"	29"	47.60"	28.15"	22.21"	2
TJHLQ3672	36"	72"	29"	50.70"	40.15"	22.21"	2


(model TJHLQ3060/74P shown)




DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	F Wire Trough-to-Floor	Number of Legs
TJJAA2436	24"	36"	29"	28.15"	22.95"	25.12"	2
TJJAA2442	24"	42"	29"	34.15"	22.95"	25.12"	2
TJJAA2448	24"	48"	29"	40.15"	22.95"	25.12"	2
TJJAA2454	24"	54"	29"	46.15"	22.95"	25.12"	2
TJJAA2460	24"	60"	29"	52.15"	22.95"	25.12"	2
TJJAA2466	24"	66"	29"	58.15"	22.95"	25.12"	2
TJJAA2472	24"	72"	29"	64.15"	22.95"	25.12"	2
TJJAA3036	30"	36"	29"	28.15"	22.95"	25.12"	2
TJJAA3042	30"	42"	29"	34.15"	22.95"	25.12"	2
TJJAA3048	30"	48"	29"	40.15"	22.95"	25.12"	2
TJJAA3054	30"	54"	29"	46.15"	22.95"	25.12"	2
TJJAA3060	30"	60"	29"	52.15"	22.95"	25.12"	2
TJJAA3066	30"	66"	29"	58.15"	22.95"	25.12"	2
TJJAA3072	30"	72"	29"	64.15"	22.95"	25.12"	2
TJJAA3636	36"	36"	29"	28.15"	22.95"	25.12"	2
TJJAA3642	36"	42"	29"	34.15"	22.95"	25.12"	2
TJJAA3648	36"	48"	29"	40.15"	22.95"	25.12"	2
TJJAA3654	36"	54"	29"	46.15"	22.95"	25.12"	2
TJJAA3660	36"	60"	29"	52.15"	22.95"	25.12"	2
TJJAA3666	36"	66"	29"	58.15"	22.95"	25.12"	2
TJJAA3672	36"	72"	29"	64.15"	22.95"	25.12"	2


(model TJJAA3060/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	F Wire Trough-to-Floor	Number of Legs
TJJBA2436	24"	36"	36"	28.15"	29.96"	32.12"	2
TJJBA2442	24"	42"	36"	34.15"	29.96"	32.12"	2
TJJBA2448	24"	48"	36"	40.15"	29.96"	32.12"	2
TJJBA2454	24"	54"	36"	46.15"	29.96"	32.12"	2
TJJBA2460	24"	60"	36"	52.15"	29.96"	32.12"	2
TJJBA2466	24"	66"	36"	58.15"	29.96"	32.12"	2
TJJBA2472	24"	72"	36"	64.15"	29.96"	32.12"	2
TJJBA3036	30"	36"	36"	28.15"	29.96"	32.12"	2
TJJBA3042	30"	42"	36"	34.15"	29.96"	32.12"	2
TJJBA3048	30"	48"	36"	40.15"	29.96"	32.12"	2
TJJBA3054	30"	54"	36"	46.15"	29.96"	32.12"	2
TJJBA3060	30"	60"	36"	52.15"	29.96"	32.12"	2
TJJBA3066	30"	66"	36"	58.15"	29.96"	32.12"	2
TJJBA3072	30"	72"	36"	64.15"	29.96"	32.12"	2


(model TJJBA3060/74P shown)




**DIMENSIONS
(cont.)**

42" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	F Wire Trough-to-Floor	Number of Legs
TJJCA2436	24"	36"	42"	28.15"	11.46"	38.12"	2
TJJCA2442	24"	42"	42"	34.15"	11.46"	38.12"	2
TJJCA2448	24"	48"	42"	40.15"	11.46"	38.12"	2
TJJCA2454	24"	54"	42"	46.15"	11.46"	38.12"	2
TJJCA2460	24"	60"	42"	52.15"	11.46"	38.12"	2
TJJCA2466	24"	66"	42"	58.15"	11.46"	38.12"	2
TJJCA2472	24"	72"	42"	64.15"	11.46"	38.12"	2
TJJCA3036	30"	36"	42"	28.15"	11.46"	38.12"	2
TJJCA3042	30"	42"	42"	34.15"	11.46"	38.12"	2
TJJCA3048	30"	48"	42"	40.15"	11.46"	38.12"	2
TJJCA3054	30"	54"	42"	46.15"	11.46"	38.12"	2
TJJCA3060	30"	60"	42"	52.15"	11.46"	38.12"	2
TJJCA3066	30"	66"	42"	58.15"	11.46"	38.12"	2
TJJCA3072	30"	72"	42"	64.15"	11.46"	38.12"	2


(model TJJCA3060/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	G Wire Trough-to-Floor	Number of Legs
TJILA2436	24"	36"	29"	42.30"	28.15"	22.21"	25.12"	2
TJILA2442	24"	42"	29"	42.30"	28.15"	22.21"	25.12"	2
TJILA2448	24"	48"	29"	42.30"	40.15"	22.21"	25.12"	2
TJILA2454	24"	54"	29"	42.30"	40.15"	22.21"	25.12"	2
TJILA2460	24"	60"	29"	42.30"	52.15"	22.21"	25.12"	2
TJILA2466	24"	66"	29"	42.30"	52.15"	22.21"	25.12"	2
TJILA2472	24"	72"	29"	42.30"	64.15"	22.21"	25.12"	2
TJILA3036	30"	36"	29"	45.30"	28.15"	22.21"	25.12"	2
TJILA3042	30"	42"	29"	45.30"	28.15"	22.21"	25.12"	2
TJILA3048	30"	48"	29"	45.30"	40.15"	22.21"	25.12"	2
TJILA3054	30"	54"	29"	45.30"	40.15"	22.21"	25.12"	2
TJILA3060	30"	60"	29"	45.30"	52.15"	22.21"	25.12"	2
TJILA3066	30"	66"	29"	45.30"	52.15"	22.21"	25.12"	2
TJILA3072	30"	72"	29"	45.30"	64.15"	22.21"	25.12"	2
TJILA3636	36"	36"	29"	48.30"	28.15"	22.21"	25.12"	2
TJILA3642	36"	42"	29"	48.30"	28.15"	22.21"	25.12"	2
TJILA3648	36"	48"	29"	48.30"	40.15"	22.21"	25.12"	2
TJILA3654	36"	54"	29"	48.30"	40.15"	22.21"	25.12"	2
TJILA3660	36"	60"	29"	48.30"	52.15"	22.21"	25.12"	2
TJILA3666	36"	66"	29"	48.30"	52.15"	22.21"	25.12"	2
TJILA3672	36"	72"	29"	48.30"	64.15"	22.21"	25.12"	2


(model TJILA3060/74P shown)



DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	G Wire Trough-to-Floor	Number of Legs
TJJMA2436	24"	36"	36"	49.30"	28.15"	29.21"	32.12"	2
TJJMA2442	24"	42"	36"	49.30"	28.15"	29.21"	32.12"	2
TJJMA2448	24"	48"	36"	49.30"	40.15"	29.21"	32.12"	2
TJJMA2454	24"	54"	36"	49.30"	40.15"	29.21"	32.12"	2
TJJMA2460	24"	60"	36"	49.30"	52.15"	29.21"	32.12"	2
TJJMA2466	24"	66"	36"	49.30"	52.15"	29.21"	32.12"	2
TJJMA2472	24"	72"	36"	49.30"	64.15"	29.21"	32.12"	2
TJJMA3036	30"	36"	36"	52.30"	28.15"	29.21"	32.12"	2
TJJMA3042	30"	42"	36"	52.30"	28.15"	29.21"	32.12"	2
TJJMA3048	30"	48"	36"	52.30"	40.15"	29.21"	32.12"	2
TJJMA3054	30"	54"	36"	52.30"	40.15"	29.21"	32.12"	2
TJJMA3060	30"	60"	36"	52.30"	52.15"	29.21"	32.12"	2
TJJMA3066	30"	66"	36"	52.30"	52.15"	29.21"	32.12"	2
TJJMA3072	30"	72"	36"	52.30"	64.15"	29.21"	32.12"	2


(model TJJMA3060/74P shown)



DIMENSIONS
(cont.)

42" Fixed-Height Tributaire Single-Circuit Rectangular Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	G Wire Trough-to-Floor	Number of Legs
TJJNA2436	24"	36"	42"	55.30"	28.15"	11.46"	38.12"	2
TJJNA2442	24"	42"	42"	55.30"	28.15"	11.46"	38.12"	2
TJJNA2448	24"	48"	42"	55.30"	40.15"	11.46"	38.12"	2
TJJNA2454	24"	54"	42"	55.30"	40.15"	11.46"	38.12"	2
TJJNA2460	24"	60"	42"	55.30"	52.15"	11.46"	38.12"	2
TJJNA2466	24"	66"	42"	55.30"	52.15"	11.46"	38.12"	2
TJJNA2472	24"	72"	42"	55.30"	64.15"	11.46"	38.12"	2
TJJNA3036	30"	36"	42"	58.30"	28.15"	11.46"	38.12"	2
TJJNA3042	30"	42"	42"	58.30"	28.15"	11.46"	38.12"	2
TJJNA3048	30"	48"	42"	58.30"	40.15"	11.46"	38.12"	2
TJJNA3054	30"	54"	42"	58.30"	40.15"	11.46"	38.12"	2
TJJNA3060	30"	60"	42"	58.30"	52.15"	11.46"	38.12"	2
TJJNA3066	30"	66"	42"	58.30"	52.15"	11.46"	38.12"	2
TJJNA3072	30"	72"	42"	58.30"	64.15"	11.46"	38.12"	2


(model TJJNA3060/74P shown)




**DIMENSIONS
(cont.)**

Tributaire Rectangular Screw-Adjustable Height Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	F Wire Trough-to-Floor	Number of Legs
TJHFA2448	24"	48"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA2454	24"	54"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA2460	24"	60"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA2466	24"	66"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA2472	24"	72"	29"-44"	64.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA3048	30"	48"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA3054	30"	54"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA3060	30"	60"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA3066	30"	66"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHFA3072	30"	72"	29"-44"	64.15"	21.66"-36.66"	29.21"-40.21"	2


(model TJHFA3060/74P shown)



(front view)




(side view)




(bottom view)

Tributaire Rectangular Pneumatic-Adjustable Height Training Tables - Fixed-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	F Wire Trough-to-Floor	Number of Legs
TJHJA2448	24"	48"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA2454	24"	54"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA2460	24"	60"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA2466	24"	66"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA2472	24"	72"	29"-44"	64.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA3048	30"	48"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA3054	30"	54"	29"-44"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA3060	30"	60"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA3066	30"	66"	29"-44"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHJA3072	30"	72"	29"-44"	64.15"	21.66"-36.66"	29.21"-40.21"	2


(model TJHJA3060/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

Tributaire Rectangular Screw-Adjustable Height Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	G Wire Trough-to-Floor	Number of Legs
TJHQA2448	24"	48"	29"-44"	42.30"-57.30"	40.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA2454	24"	54"	29"-44"	42.30"-57.30"	40.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA2460	24"	60"	29"-44"	42.30"-57.30"	52.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA2466	24"	66"	29"-44"	42.30"-57.30"	52.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA2472	24"	72"	29"-44"	42.30"-57.30"	64.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA3048	30"	48"	29"-44"	45.30"-60.30"	40.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA3054	30"	54"	29"-44"	45.30"-60.30"	40.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA3060	30"	60"	29"-44"	45.30"-60.30"	52.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA3066	30"	66"	29"-44"	45.30"-60.30"	52.25"	21.66"-36.66"	29.21"-40.21"	2
TJHQA3072	30"	72"	29"-44"	45.30"-60.30"	64.25"	21.66"-36.66"	29.21"-40.21"	2


(model TJHQA3060/74P shown)



**DIMENSIONS
(cont.)**

Tributaire Rectangular Pneumatic-Adjustable Height Training Tables - Nesting-Top Base (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	E Space Between Legs	F Stringer-to-Floor	G Wire Trough-to-Floor	Number of Legs
TJHPA2448	24"	48"	29"-44"	42.20"-57.20"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA2454	24"	54"	29"-44"	42.20"-57.20"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA2460	24"	60"	29"-44"	42.20"-57.20"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA2466	24"	66"	29"-44"	42.20"-57.20"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA2472	24"	72"	29"-44"	42.20"-57.20"	64.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA3048	30"	48"	29"-44"	45.20"-60.20"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA3054	30"	54"	29"-44"	45.20"-60.20"	40.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA3060	30"	60"	29"-44"	45.20"-60.20"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA3066	30"	66"	29"-44"	45.20"-60.20"	52.15"	21.66"-36.66"	29.21"-40.21"	2
TJHPA3072	30"	72"	29"-44"	45.20"-60.20"	64.15"	21.66"-36.66"	29.21"-40.21"	2

(model TJHPA3060/74P shown)




DIMENSIONS

(cont.)

Tributaire Collaborative Training Tables - Fixed-Top Base (74P or KN edge)						
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Stringer-to-Floor	Number of Legs
TJGAA2460	24"	60"	29"	40.15"	23.20"	2
TJGAA2466	24"	66"	29"	40.15"	23.20"	2
TJGAA2472	24"	72"	29"	40.15"	23.20"	2
TJGAA2484	24"	84"	29"	52.15"	23.20"	2
TJGAA2496	24"	96"	29"	64.15"	23.20"	2
TJGAA3060	30"	60"	29"	40.15"	23.20"	2
TJGAA3066	30"	66"	29"	40.15"	23.20"	2
TJGAA3072	30"	72"	29"	40.15"	23.20"	2
TJGAA3084	30"	84"	29"	52.15"	23.20"	2
TJGAA3096	30"	96"	29"	64.15"	23.20"	2
TJGAA3660	36"	60"	29"	40.15"	23.20"	2
TJGAA3666	36"	66"	29"	40.15"	23.20"	2
TJGAA3672	36"	72"	29"	40.15"	23.20"	2
TJGAA3684	36"	84"	29"	52.15"	23.20"	2
TJGAA3696	36"	96"	29"	64.15"	23.20"	2


(model TJGAA3060/74P shown)



DIMENSIONS
(cont.)

Tributaire Collaborative Training Tables - Nesting-Top Base (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Nesting Height	D Space Between Legs	E Stringer-to-Floor	Number of Legs
TJGLA2460	24"	60"	29"	42 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA2466	24"	66"	29"	42 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA2472	24"	72"	29"	42 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA2484	24"	84"	29"	42 ³ / ₈ "	52 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA2496	24"	96"	29"	42 ³ / ₈ "	64 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3060	30"	60"	29"	45 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3066	30"	66"	29"	45 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3072	30"	72"	29"	45 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3084	30"	84"	29"	45 ³ / ₈ "	52 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3096	30"	96"	29"	45 ³ / ₈ "	64 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3660	36"	60"	29"	48 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3666	36"	66"	29"	48 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3672	36"	72"	29"	48 ³ / ₈ "	40 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3684	36"	84"	29"	48 ³ / ₈ "	52 ¹ / ₈ "	22 ³ / ₈ "	2
TJGLA3696	36"	96"	29"	48 ³ / ₈ "	64 ¹ / ₈ "	22 ³ / ₈ "	2

(model TJGLA3060/74P shown)




**STATEMENT OF
LINE**

Fixed-Height Training Tables - Fixed-Top Base




29" Fixed-Height
Fixed-Top Base

TJHAA1830	TJHAA2430	TJHAA3036	TJHAA3636
TJHAA1836	TJHAA2436	TJHAA3042	TJHAA3642
TJHAA1842	TJHAA2442	TJHAA3048	TJHAA3648
TJHAA1848	TJHAA2448	TJHAA3054	TJHAA3654
TJHAA1854	TJHAA2454	TJHAA3060	TJHAA3660
TJHAA1860	TJHAA2460	TJHAA3066	TJHAA3666
TJHAA1866	TJHAA2466	TJHAA3072	TJHAA3672
TJHAA1872	TJHAA2472		



36" Fixed-Height
Fixed-Top Base

TJHBA1830	TJHBA2430	TJHBA3036	TJHBA3636
TJHBA1836	TJHBA2436	TJHBA3042	TJHBA3642
TJHBA1842	TJHBA2442	TJHBA3048	TJHBA3648
TJHBA1848	TJHBA2448	TJHBA3054	TJHBA3654
TJHBA1854	TJHBA2454	TJHBA3060	TJHBA3660
TJHBA1860	TJHBA2460	TJHBA3066	TJHBA3666
TJHBA1866	TJHBA2466	TJHBA3072	TJHBA3672
TJHBA1872	TJHBA2472		



42" Fixed-Height
Fixed-Top Base

TJHCA1830	TJHCA2430	TJHCA3036	TJHCA3636
TJHCA1836	TJHCA2436	TJHCA3042	TJHCA3642
TJHCA1842	TJHCA2442	TJHCA3048	TJHCA3648
TJHCA1848	TJHCA2448	TJHCA3054	TJHCA3654
TJHCA1854	TJHCA2454	TJHCA3060	TJHCA3660
TJHCA1860	TJHCA2460	TJHCA3066	TJHCA3666
TJHCA1866	TJHCA2466	TJHCA3072	TJHCA3672
TJHCA1872	TJHCA2472		

**STATEMENT OF
LINE (cont.)**

Fixed-Height Training Tables - Nesting-Top Base




29" Fixed-Height
Nesting-Top Base

TJHLA1830	TJHLA2430	TJHLA3036	TJHLA3636
TJHLA1836	TJHLA2436	TJHLA3042	TJHLA3642
TJHLA1842	TJHLA2442	TJHLA3048	TJHLA3648
TJHLA1848	TJHLA2448	TJHLA3054	TJHLA3654
TJHLA1854	TJHLA2454	TJHLA3060	TJHLA3660
TJHLA1860	TJHLA2460	TJHLA3066	TJHLA3666
TJHLA1866	TJHLA2466	TJHLA3072	TJHLA3672
TJHLA1872	TJHLA2472		



36" Fixed-Height
Nesting-Top Base

TJHMA2430	TJHMA3036	TJHMA3636
TJHMA2436	TJHMA3042	TJHMA3642
TJHMA2442	TJHMA3048	TJHMA3648
TJHMA2448	TJHMA3054	TJHMA3654
TJHMA2454	TJHMA3060	TJHMA3660
TJHMA2460	TJHMA3066	TJHMA3666
TJHMA2466	TJHMA3072	TJHMA3672
TJHMA2472		



42" Fixed-Height
Nesting-Top Base

TJHNA2430	TJHNA3036	TJHNA3636
TJHNA2436	TJHNA3042	TJHNA3642
TJHNA2442	TJHNA3048	TJHNA3648
TJHNA2448	TJHNA3054	TJHNA3654
TJHNA2454	TJHNA3060	TJHNA3660
TJHNA2460	TJHNA3066	TJHNA3666
TJHNA2466	TJHNA3072	TJHNA3672
TJHNA2472		



29" Fixed-Height
Nesting-Top Base
Round

TJHLB42
TJHLB48



29" Fixed-Height
Nesting-Top Base
Half-Round

TJHLQ2448
TJHLQ3060
TJHLQ3672

**STATEMENT OF
LINE**

Fixed-Height Single-Circuit Training Tables - Fixed-Top Base




29" Fixed-Height
Fixed-Top Base

TJJA2436	TJJA3036	TJJA3636
TJJA2442	TJJA3042	TJJA3642
TJJA2448	TJJA3048	TJJA3648
TJJA2454	TJJA3054	TJJA3654
TJJA2460	TJJA3060	TJJA3660
TJJA2466	TJJA3066	TJJA3666
TJJA2472	TJJA3072	TJJA3672



36" Fixed-Height
Fixed-Top Base

TJJB2436	TJJB3036
TJJB2442	TJJB3042
TJJB2448	TJJB3048
TJJB2454	TJJB3054
TJJB2460	TJJB3060
TJJB2466	TJJB3066
TJJB2472	TJJB3072



42" Fixed-Height
Fixed-Top Base

TJJA2436	TJJA3036
TJJA2442	TJJA3042
TJJA2448	TJJA3048
TJJA2454	TJJA3054
TJJA2460	TJJA3060
TJJA2466	TJJA3066
TJJA2472	TJJA3072

Fixed-Height Single-Circuit Training Tables - Nesting-Top Base




29" Fixed-Height
Nesting-Top Base

TJJA2436	TJJA3036	TJJA3636
TJJA2442	TJJA3042	TJJA3642
TJJA2448	TJJA3048	TJJA3648
TJJA2454	TJJA3054	TJJA3654
TJJA2460	TJJA3060	TJJA3660
TJJA2466	TJJA3066	TJJA3666
TJJA2472	TJJA3072	TJJA3672



36" Fixed-Height
Nesting-Top Base

TJJA2436	TJJA3036
TJJA2442	TJJA3042
TJJA2448	TJJA3048
TJJA2454	TJJA3054
TJJA2460	TJJA3060
TJJA2466	TJJA3066
TJJA2472	TJJA3072



42" Fixed-Height
Nesting-Top Base

TJJA2436	TJJA3036
TJJA2442	TJJA3042
TJJA2448	TJJA3048
TJJA2454	TJJA3054
TJJA2460	TJJA3060
TJJA2466	TJJA3066
TJJA2472	TJJA3072

**STATEMENT OF
LINE (cont.)**

Adjustable-Height Training Tables - Fixed-Top Base



Screw-Adjustable Height
Fixed-Top Base

TJHFA2448	TJHFA3048
TJHFA2454	TJHFA3054
TJHFA2460	TJHFA3060
TJHFA2466	TJHFA3066
TJHFA2472	TJHFA3072



Pneumatic-Adjustable Height
Fixed-Top Base

TJHJA2448	TJHJA3048
TJHJA2454	TJHJA3054
TJHJA2460	TJHJA3060
TJHJA2466	TJHJA3066
TJHJA2472	TJHJA3072

Adjustable-Height Training Tables - Nesting-Top Base



Screw-Adjustable Height
Nesting-Top Base


TJHQA2436	TJHQA3048
TJHQA2442	TJHQA3054
TJHQA2448	TJHQA3060
TJHQA2454	TJHQA3066
TJHQA2460	TJHQA3072
TJHQA2466	
TJHQA2472	



Pneumatic-Adjustable Height
Nesting-Top Base

TJHPA2436	TJHPA3048
TJHPA2442	TJHPA3054
TJHPA2448	TJHPA3060
TJHPA2454	TJHPA3066
TJHPA2460	TJHPA3072
TJHPA2466	
TJHPA2472	

**Fixed-Height Collaborative Training Tables -
Fixed-Top Base**



29" Fixed-Height
Fixed-Top Base

TJGAA2460	TJGAA3060	TJGAA3660
TJGAA2466	TJGAA3066	TJGAA3666
TJGAA2472	TJGAA3072	TJGAA3672
TJGAA2484	TJGAA3084	TJGAA3684
TJGAA2496	TJGAA3096	TJGAA3696

**Fixed-Height Collaborative Training Tables -
Nesting-Top Base**



29" Fixed-Height
Nesting-Top Base

TJGLA2460	TJGLA3060	TJGLA3660
TJGLA2466	TJGLA3066	TJGLA3666
TJGLA2472	TJGLA3072	TJGLA3672
TJGLA2484	TJGLA3084	TJGLA3684
TJGLA2496	TJGLA3096	TJGLA3696

Post-Leg Tables


Product Overview

Simple post-leg table design supports various shapes and table heights, which support learning, conference, and cafe applications creating a consistent aesthetic throughout a space.

Post-Leg Table Features

Tributaire post-leg table features can be configured or are standard, to include:

- A. Number of Legs (page 54).
- B. Tabletop shape & size (page 55).
- C. Tabletop laminate grades.
- D. Tabletop edge styles (page 55).
- E. Caster & glide options (page 56).
- F. Ganging (page 58).
- G. Modesty panel (page 60).
- H. Wire management (page 62).
- I. Power options (page 65).



(model TJEA2460-KN shown)

Post-Leg Tables									
	Rectangular	Round	Square	Rounded Square	Half-Rounded Square	D-Shaped	Sprocket	Boat	Pill
Base Height									
29" H	•	•	•	•	•	•	•	•	•
36" H	•	•	•	•					
42" H	•	•	•	•					
Number of Legs									
3-Leg							•		
4-Leg	•	•	•	•	•	•		•	•
5-Leg			•						
6-Leg	•						•	•	•
Features									
Casters or Glides	•	•	•	•	•	•	•	•	•
Power Modules with 3-Prong Plug	•	•	•	•	•	•	•	•	•
Pattern Electrical System	•*							•*	•*
Ganging	•*				•				
Modesty Panels	•*								


*Feature is only available on certain models.

Tabletops

Tributaire post-leg tabletops are offered in various shapes, sizes and features. Available features vary based on individual models.




Rectangular




Round



Square




Rounded Square



Half-Rounded Square



D-Shaped



Sprocket




Boat




Pill

Edge Styles




**74P Edge
(74P)**




**Knife Edge
(KN)**

Tabletop Cutouts


Dean, Nacre, or Node grommets can be specified for use within corresponding cutouts.



Dean Tabletop Cutout



Nacre Tabletop Cutout




Node Tabletop Cutout

Casters & Glides


Casters are 2.5" in diameter and are available in three color combinations: Black hub with black tread and brake, Warm grey hub with warm grey tread and brake and also Cottonwood hub with warm grey tread and brake.

Glides are 1.5" in diameter, have black floor contact pads and 1/2" of adjustment.


Note: Casters and glides are not interchangeable on post-leg tables.



Locking Caster



Non-Locking Caster



Low Profile Glide

Planning Guidelines

Base Heights

Tributaire post-leg tables are offered in three base heights. This allows for tiered classrooms, while maintaining the ability to be easily reconfigured. Varying heights offer clear lines of sight for all users.

- 29" Overall Table Height
- 36" Overall Table Height
- 42" Overall Table Height



Undersurface Clearance

Note: 902.4.2 Height Children + 902.3 Height Adults from 2010 ADA + ICC A117.1-2017.




Illustration Represents ADA Block on 29" High Post-Leg Tables (model TJKAA2442 shown)(side view)


ADA Compliance Shape: Minimum requirement for Knee and Toe Clearance per 2010 ADA and ICC A117.1.

Ganging

Ganging Mechanism: Hook and peg combination draws and secures tables together. Gangers are field installed and self-storing under the table when not in use. Tabletops are pre-drilled for placement of ganging pegs. After installation of pegs, no tools are required to join tables together.


If table is specified with power modules for Pattern, two gangers, eight pegs and all mounting screws are included in the kit. Ganging kits are ordered separately for all other table models and include two gangers and six pegs per kit. One kit per table joint is required. Ganging kits not available for use with round, square, rounded square, sprocket, boat or pill shaped tops.

Sample Layout 1



**24" x 72" Rectangular Post-Leg Tables, Side-to-Side Configuration
(model TJKAA2472 shown) (top view)**


Sample Layout 2



**24" x 72" Rectangular Post-Leg Tables, Back-to-Back Configuration
(model TJKAA2472 shown) (top view)**


Ganging (cont.)

Sample Layout 3



**30" x 60" and 30" x 72" Rectangular Post-Leg Tables, Back-to-Back Configuration
(model TJKAA3060 & TJKAA3072 shown) (top view)**

Sample Layout 4



**30" x 72" Rectangular Post-Leg Tables, U-Shaped Configuration
(model TJKAA3072 shown) (top view)**


Modesty Panels

Optional modesty panels are available in polyester felt or laminate. Tabletops will have appropriate pre-drilled holes to accept the modesty panel.


- **Note:** Polyester felt and laminate modesty panels are available on select 29", 36", and 42" high tables.

Polyester Felt Modesty Panel

- Each polyester felt modesty panel color has a coordinating modesty panel attachment bracket color.



Rectangular Post-Leg Table with Polyester Felt Modesty Panel (back view)(30" x 60" shown)




Rectangular Post-Leg Table with Polyester Felt Modesty Panel (back view)(30" x 60" shown)

Polyester Felt Modesty Panel Dimensions	
	Polyester Felt (Fixed Tables)
A	9.25" for 29" high tables 15" for 36" & 42" high tables
B	Table Width, Less 1.5"
C	1.04"


Modesty Panels (cont.)

Laminate Modesty Panel

- Laminate modesty panels are finished on both sides and match the tabletop laminate and edge color specifications.
- Fixed laminate modesty panel brackets are always painted matte textured black.



**Rectangular Post-Leg Table with
Laminate Modesty Panel
(back view)(30" x 60" shown)**



**Rectangular Post-Leg Table with
Laminate Modesty Panel
(side view)(30" x 60" shown)**

Laminate Modesty Panel Dimensions	
	Laminate (Fixed Tables)
A	9.25" for 29" high tables 15" for 36" & 42" high tables
B	Table Width, Less 1.5"
C	3.56"

Wire Management

Wire Trough

Wire trough keeps wires and electrical components enclosed. Wire trough allows Snap-In RPT modules for Pattern to snap onto one side while also having access to cables.


Under table Snap-In RPT modules for Pattern cutouts in the trough face towards the user side.

Wire troughs are automatically included with all Tributaire table models that include Pattern Single Circuit Electrical. Wire troughs must be ordered separately for power modules with 3-prong plug, if desired.

Tables with one tabletop cutout are provided with one wire trough. Wire troughs are available in four sizes, determined by the tabletop size and shape.



Tabletop Width	Number of Troughs and Trough Size	Number of Velcro Wire Managers
36"	1 x 18"	2
42", 48"	1 x 30"	2
54", 60"	1 x 42"	2
66", 72"	1 x 54"	2

A Wire Trough Width	B Center of Cutout to Trough Edge	Snap-In RPT Module Openings	Wire Access Openings
18"	7.75"	1	3
30"	2.85"	2	5
42"	2.85"	2	6
54"	2.85"	2	8



Wire Management (cont.)


Wire Trough (cont.)




Grommets

Metal grommets are available to fit Dean, Nacre and Node tabletop cutouts.


Grommets, modules and electrical components are field installed.



Dean® Grommet
(1.94" x 7.3" cutout)



Nacre® Grommet
(3" x 6.94" cutout)



Node Grommet
(3" diameter cutout)

Wire Management (cont.)


Vertical Wire Manager

Vertical wire manager is included on tables specified with power modules with 3-prong plug, and with Pattern power infeed kits. Vertical wire manager can be ordered separately. Wire manager is color matched to table base.



Velcro Wire Manager

Velcro wire manager is included with table when power modules for Pattern are specified. Vertical wire manager can be ordered separately.



Strain Relief Clip

Strain relief clips are included with table when power modules with 3-prong plugs are specified.




Electrical


Electrical System Overview

Two power options are available for Tributaire tables

- **Power Modules with 108" or 180" cord and 3-prong plug**
 - Recommended for minimal power needs.
 - Multiple power module styles available.
 - Coded modules with 3-prong plug must be plugged into a building receptacle.
- **Pattern Single-Circuit Electrical System (a multi-unit daisy chain, power system)**
 - Pattern allows up to ten distribution blocks or 600" total length of jumpers to be powered by a power infeed.
 - Power infeeds can be placed anywhere within the system.
 - Multiple power module styles available.








Tributaire Post-Leg Tables with Power Modules for Pattern Single-Circuit Electrical



Tributaire Post-Leg Tables with Power Modules with 3-Prong Plug


Electrical Components

Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Dean In-Surface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C, 1 open port	1.94" x 7.3"	in surface
Dean In-Surface Grommet		N/A	1.94" x 7.3"	in surface
Dean Undersurface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C	N/A	below surface
Dubbel Undersurface (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C	N/A	below surface
Double Ellora B Module (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		4 power outlets, 2 dual USB A+C, 2 open port	7.88" x 9.75"	in surface
Nacre Pop-Up Module (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		2 power outlets, 1 dual USB A+C, 1 open port	3" x 6.94"	in surface
Nacre Grommet		N/A	3" x 6.94"	in surface
Node (Available with 3-prong plug or Pattern Single-Circuit Electrical System)		1 power outlet, 1 dual USB A+C	3" diameter	in surface
Node Grommet		N/A	3" diameter	in surface
Snap-In RPT (Available with Pattern Single-Circuit Electrical System only)		2 power outlets	N/A	in trough
Pattern Power Infeed Kit • Pattern Power Infeed • Pattern Power Jumper • White Pattern Power Distribution Block • Grey Pattern Power Distribution Block • Pattern Quick-Release Tool • Vertical Wire Manager		N/A	N/A	N/A
Pattern Table-to-Table Jumper Kit • Pattern Table-to-Table Power Jumper • Grey Pattern Power Distribution Block		N/A	N/A	N/A

Pattern Electrical



A non-sequential single-circuit electrical system used to provide power distribution which is ETL Listed to UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). Power infeed can be simply plugged into a building wall or floor receptacle; no electrician is needed.

- Pattern is a 15-amp system; however, continuous use should not exceed 80% draw. Only load 12 amps of draw if current is expected to continue for three or more hours at a time.
- Pattern power jumpers and Pattern power distribution blocks connect from table-to-table to carry power across multiple pieces of furniture.
- The total number of distribution blocks within the system shall not exceed ten per power infeed.
- The total length of jumpers (exclusive of the power infeed unit) is not to exceed 600" (50') from the infeed distribution block (in either direction).
- Wire troughs have cutout locations for the snap-in RPT (relocatable power tap) module(s) for Pattern. Reference "Wire Trough" on page 62.
- Pattern power infeed is compatible with ground fault interrupter (GFI/GFCI) and uninterrupted power supplies.
- Gangers and wire management devices are included. Tables must be mechanically connected together, with all Pattern power connections appropriately installed before connecting infeed to power source.
- When the desired table power pick is selected, all necessary components within the table will be provided. Excludes Pattern power infeed kits and Pattern table-to-table power jumper kits.



Pattern Electrical (cont.)


Available Tributaire Training Table Pattern Power Picks		
PMA1	(1) Nacre In-Surface Pop-Up for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMB1	(1) Dubbel Under-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMD1	(1) Dean In-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMO1	(1) Node In-Surface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMT1	(1) Double Ellora B In-Surface for Pattern	Available option for 42 x 72" and 48 x 72" tables only.
PMU1	(1) Dean Undersurface for Pattern	Available option for 36, 42, 48, 54, 60, 66, 72" table widths only.
PMA2	(2) Nacre In-Surface Pop-Up for Pattern	Available option for 84, 96" table widths only.
PMB2	(2) Dubbel Under-Surface for Pattern	Available option for 84, 96" table widths only.
PMD2	(2) Dean In-Surface for Pattern	Available option for 84, 96" table widths only.
PMO2	(2) Node In-Surface for Pattern	Available option for 84, 96" table widths only.
PMT2	(2) Double Ellora B In-Surface for Pattern	Available option for 84, 96" table widths only.
PMU2	(2) Dean Undersurface for Pattern	Available option for 84, 96" table widths only.
PSA1	(1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36, 42" table widths only.
PSA2	(2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 48, 54, 60, 66, 72" table widths only.
PSA3	(1) Dubbel Undersurface for Pattern + (1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36, 42" table widths only.
PSA4	(1) Dubbel Undersurface for Pattern + (2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 48, 54, 60, 66, 72" table widths only.
PSA5	(1) Dean Undersurface for Pattern + (1) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 36, 42" table widths only.
PSA6	(1) Dean Undersurface for Pattern + (2) Snap-In RPT for Pattern + (1) grommet (sized for Nacre module)	Available option for 48, 54, 60, 66, 72" table widths only.






Pattern Electrical (cont.)

Pattern Power Infeed Kits


- Power infeed kit includes (1) white Pattern power distribution block, (1) grey Pattern power distribution block, (1) 12" Pattern power jumper, (1) 108" Pattern power infeed, (1) Pattern quick-release tool & (1) vertical wire manager.
- Kit counts towards two distribution blocks within a run of power (ten distribution blocks maximum per infeed).
- Kit counts towards 12" jumper length (600" or 50' maximum per infeed in either direction).



- Pattern power infeed cords are 108" long.
 - Power infeed kits allow for reconfiguration and can be installed at the end of, or anywhere within a run, as long as the total length of jumpers from the power infeed (in either direction) does not exceed 600" (50').
 - Regardless of power infeed location, layout cannot exceed ten distribution blocks per infeed.
 - Power infeeds come with 90-degree angled plugs. Angled plugs make it easier to route the cords through tight corners and spaces eliminating stress placed on the power cord conductors and the strain relief.



- Pattern Quick-Release Tool
 - Pattern quick-release tool is a simple tool designed to help remove the power connector ends from the Pattern power distribution blocks if reconfiguration of the Pattern single-circuit electrical system is required.



Pattern Power Distribution Blocks

Pattern Electrical (cont.)

Pattern Power Distribution Blocks


Pattern power distribution blocks are required to connect and distribute power. Two types of distribution blocks are used, as illustrated below.

The two distribution block types (white and grey) are not specified separately. Both types are included with Pattern table-to-table power jumper kits, Pattern power infeed kits and when tables are ordered with power requiring internal Pattern power jumpers (three power modules per table).

The total number of power distribution blocks within the system shall not exceed ten per power infeed.


- **Grey Pattern Power Distribution Block**

- Supports two power modules, and two jumpers or one jumper and one infeed.



- **White Pattern Power Distribution Block**


- Supports one power module, and three jumpers or two jumpers and one infeed.




Pattern Electrical (cont.)

Pattern Table-to-Table Power Jumper Kit


- Pattern table-to-table power jumper kits are specified separately. Kits consist of Pattern power jumper in specified length and a grey Pattern power distribution block required to connect jumper to a power module. Internal Pattern power jumpers are included on tables when three power modules are specified (options PS2MB1GA1 & PS2MC1GA1).
- Below jumper recommendations are based on table size and allow for reconfiguration with excess cord being managed within wire troughs, and are not layout dependent.
- Jumper lengths (53", 75" and 101") are determined based on distance to attach to a previous distribution block.




Pattern Table-to-Table Power Jumper Kit



Tables with Two Power Modules (PSA2 shown)



Tables with Two Power Modules (PSA4 shown)



Tables with Two Power Modules (PSA4 shown)

Pattern Electrical (cont.)

Planning with Pattern Electrical

1. Identify power requirements, confirm the number of modules and tables per layout.

Pattern is a 15-amp system; however, continuous use should not exceed 80% draw. Only load 12 amps of draw if current is expected to continue for three or more hours at a time.

Amp Draw Range by Item Type:

This chart shows the estimated amp draw for common devices. Be sure to calculate the necessary amperage needs for the space. Amp draw requirements will determine the number of infeeds needed.

Item	Amp(s)	Item	Amp(s)	Item	Amp(s)
Bluetooth Speaker	0.1	Inkjet Printer	0.15	Refrigerator	6
Cell Phone Charger	1-2	Laptop	1	Scanner	3
Coffee Maker	10	Laser Printer	0.5	Space Heater	12
Computer Monitor	0.5	LED Task Light	0.08	Tablet	1-2
Copy Machine (Xerox)	20	Microwave	10	Tea Kettle	7-10
Cordless Drill Charger	2-3	Office Phone	0.1	Television 42"	1
Crock Pot	1-2	Paper Shredder	1.22	USB Charger	0.17
Desktop 3-D printer	5	Personal Fan	0.5	Vacuum	10
Desktop Computer	3	Projector	1.7		

Calculate Amps from Watts:

To calculate amps from watts, divide the watts by 120.

Example: 600 watts/120 = 5 amps

2. Confirm the number of table-to-table jumper kits and infeed kits required to power a table layout.

The table on the next page identifies maximum number of tables that can be planned per infeed. Maximum amounts assume table layouts consist of the same table size and power configuration.

■ Tributaire™ Collection - Post-Leg Tables

Planning Guide

Post-Leg Tables

Table Shape	Table Width	Power Options	Number of Modules Per Table	# of Metal Grommets (Sized for Nacre)	Number of Troughs and Trough Size	# of Snap-In RPTs	# of Distribution Blocks Included with Table	Internal Jumper Length Included with Table	# of Velcro Wire Manager	Recommended Table-to-Table Power Jumper	Maximum # of Tables Per Infeed*	Total # of Modules on Max Table Run*
Rectangular	36"-42"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	18"	0	0	0	2	53"	9	9
Rectangular	36"-42"	psa1	1	1	18"	1	0	0	2	53"	9	9
Rectangular	36"-42"	psa3, psa5	2	1	18"	1	0	0	2	53"	9	18
Rectangular	48"-54"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	30"	0	0	0	2	53"	9	9
Rectangular	48"-54"	psa2	2	1	30"	2	0	0	2	53"	9	18
Rectangular	48"-54"	psa4, psa6	3	1	30"	2	1	12"	2	53"	4	12
Rectangular	60"-66"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	42"	0	0	0	2	75"	8	8
Rectangular	60"-66"	psa2	2	1	42"	2	0	0	2	75"	8	16
Rectangular	60"-66"	psa4, psa6	3	1	42"	2	1	12"	2	75"	4	12
Rectangular	72"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	54"	0	0	0	2	75"	8	8
Rectangular	72"	psa2	2	1	54"	2	0	0	2	75"	8	16
Rectangular	72"	psa4, psa6	3	1	54"	2	1	12"	2	75"	4	12

Note: Maximums assume layouts consist of the same table size and power configuration.

Post-Leg Tables

Table Shape	Table Width	Power Options	Number of Modules Per Table	# of Metal Grommets (Sized for Nacre)	Number of Troughs and Trough Size	# of Snap-In RPTs	# of Distribution Blocks Included with Table	Internal Jumper Length Included with Table	# of Velcro Wire Manager	Recommended Table-to-Table Power Jumper	Maximum # of Tables Per Infeed*	Total # of Modules on Max Table Run*
Rectangular (4-Legs)	72"	pma1, pmb1, pmo1, pmu1, pmd1	1	0	0	0	0	0	2	75"	8	8
Rectangular (4-Legs)	72"	pmt1	2	0	0	0	0	0	2	75"	8	16
Rectangular (6-Legs)	84"-96"	psa2, pmb2, pmo2, pmu2	2	0	0	0	0	0	4	101"	4	8
Rectangular (6-Legs)	84"-96"	pmt2	4	0	0	0	1	12"	4	101"	4	16

Note: Maximums assume layouts consist of the same table size and power configuration.

Pattern Electrical (cont.)


Sample Power Layouts

Sample Layout 1

The following section provides different examples of typical Tributaire post-leg tables with Pattern configurations.

Note: The following configuration can be accomplished by routing the Pattern power jumper through the cord pass-through cutouts in the wire trough.


Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	3	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Single-Circuit Rectangular Post-Leg Table (30" x 60") with Nacre In-Surface Pop-Up Power Module
D	2	Tributaire Single-Circuit Rectangular Post-Leg Table (30" x 72") with Nacre In-Surface Pop-Up Power Module



Model TJKAA - 30" x 60" & 30" x 72" Rectangular Post-Leg Table, Enclosed Configuration (PMA1-PMA2 shown)

Sample Layout 2

Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	1	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Single-Circuit Rectangular Post-Leg Table (30" x 72") with Dubbel Under-Surface Power Module and Two Snap-In RPT Modules




Model TJKAA - 30" x 72" Rectangular Post-Leg Table, Side-to-Side Configuration (PSA4 shown)

Pattern Electrical (cont.)

Sample Power Layouts (cont.)


Sample Layout 2



Model TJKAA - 30" x 72" Rectangular Post-Leg Table, U-Shaped Configuration (PMA1-PMA2 shown)

Sample Layout 4

Item	Qty	Shown Components
A	1	Pattern Power Infeed Kit
B	1	Pattern Table-to-Table Power Jumper Kit
C	2	Tributaire Single-Circuit Rectangular Post-Leg Table (30" x 72") with Dubbel Under-Surface Power Module and Two Snap-In RPT Modules




Model TJKAA - 30" x 72" Rectangular Post-Leg Table, U-Shaped Configuration (PMA1-PMA2 shown)


DIMENSIONS

29" Fixed-Height Tributaire Rectangular Post-Leg Tables (4-legs) (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop- to-Floor	G Stiffener-to- Floor
TJEEA2436	24"	36"	29"	28.26"	16.26"	27.87"	N/A
TJEEA2442	24"	42"	29"	34.26"	16.26"	27.87"	N/A
TJEEA2448	24"	48"	29"	40.26"	16.26"	27.87"	N/A
TJEEA2454	24"	54"	29"	46.26"	16.26"	27.87"	N/A
TJEEA2460	24"	60"	29"	52.26"	16.26"	27.87"	27.20"
TJEEA2466	24"	66"	29"	58.26"	16.26"	27.87"	27.20"
TJEEA2472	24"	72"	29"	64.26"	16.26"	27.87"	27.20"
TJEEA3036	30"	36"	29"	28.26"	22.26"	27.87"	N/A
TJEEA3042	30"	42"	29"	34.26"	22.26"	27.87"	N/A
TJEEA3048	30"	48"	29"	40.26"	22.26"	27.87"	N/A
TJEEA3054	30"	54"	29"	46.26"	22.26"	27.87"	N/A
TJEEA3060	30"	60"	29"	52.26"	22.26"	27.87"	27.20"
TJEEA3066	30"	66"	29"	58.26"	22.26"	27.87"	27.20"
TJEEA3072	30"	72"	29"	64.26"	22.26"	27.87"	27.20"
TJEEA3642	36"	42"	29"	34.26"	28.26"	27.87"	N/A
TJEEA3648	36"	48"	29"	40.26"	28.26"	27.87"	N/A
TJEEA3654	36"	54"	29"	46.26"	28.26"	27.87"	N/A
TJEEA3660	36"	60"	29"	52.26"	28.26"	27.87"	27.20"
TJEEA3666	36"	66"	29"	58.26"	28.26"	27.87"	27.20"
TJEEA3672	36"	72"	29"	64.26"	28.26"	27.87"	27.20"
TJEEA4272	42"	72"	29"	64.26"	34.26"	27.87"	27.20"
TJEEA4872	48"	72"	29"	64 1/4"	40.26"	27.87"	27.20"


(model TJEEA3060/74P shown)



(front view)



(side view)




(bottom view)


DIMENSIONS

29" Fixed-Height Tributaire Rectangular Post-Leg Tables (4-legs) (KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor
TJEEA2436-KN	24"	36"	29"	28.26"	12.26"	27.87"	N/A
TJEEA2442-KN	24"	42"	29"	34.26"	12.26"	27.87"	N/A
TJEEA2448-KN	24"	48"	29"	40.26"	12.26"	27.87"	N/A
TJEEA2454-KN	24"	54"	29"	46.26"	12.26"	27.87"	N/A
TJEEA2460-KN	24"	60"	29"	52.26"	12.26"	27.87"	27.20"
TJEEA2466-KN	24"	66"	29"	58.26"	12.26"	27.87"	27.20"
TJEEA2472-KN	24"	72"	29"	64.26"	12.26"	27.87"	27.20"
TJEEA3036-KN	30"	36"	29"	28.26"	18.26"	27.87"	N/A
TJEEA3042-KN	30"	42"	29"	34.26"	18.26"	27.87"	N/A
TJEEA3048-KN	30"	48"	29"	40.26"	18.26"	27.87"	N/A
TJEEA3054-KN	30"	54"	29"	46.26"	18.26"	27.87"	N/A
TJEEA3060-KN	30"	60"	29"	52.26"	18.26"	27.87"	27.20"
TJEEA3066-KN	30"	66"	29"	58.26"	18.26"	27.87"	27.20"
TJEEA3072-KN	30"	72"	29"	64.26"	18.26"	27.87"	27.20"
TJEEA3642-KN	36"	42"	29"	34.26"	24.26"	27.87"	N/A
TJEEA3648-KN	36"	48"	29"	40.26"	24.26"	27.87"	N/A
TJEEA3654-KN	36"	54"	29"	46.26"	24.26"	27.87"	N/A
TJEEA3660-KN	36"	60"	29"	52.26"	24.26"	27.87"	27.20"
TJEEA3666-KN	36"	66"	29"	58.26"	24.26"	27.87"	27.20"
TJEEA3672-KN	36"	72"	29"	64.26"	24.26"	27.87"	27.20"
TJEEA4272-KN	42"	72"	29"	64.26"	30.26"	27.87"	27.20"
TJEEA4872-KN	48"	72"	29"	64 1/4"	36.26"	27.87"	27.20"


(model TJEEA3060/KN shown)



(front view)



(side view)




(bottom view)


DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEA3684	36"	84"	29"	76.25"	37.25"	28.25"	13.51"	27.87"
TJEA3696	36"	96"	29"	88.25"	43.25"	28.25"	13.51"	27.87"
TJEA4284	42"	84"	29"	76.25"	37.25"	34.25"	16.51"	27.87"
TJEA4296	42"	96"	29"	88.25"	43.25"	34.25"	16.51"	27.87"
TJEA4884	48"	84"	29"	76.25"	37.25"	40.25"	27.51"	27.87"
TJEA4896	48"	96"	29"	88.25"	43.25"	40.25"	27.51"	27.87"


(model TJEA3684/74P shown)



(front view)



(side view)





(bottom view)

DIMENSIONS
 (cont.)

29" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEA3684-KN	36"	84"	29"	72.25"	35.25"	24.25"	13.51"	27.87"
TJEA3696-KN	36"	96"	29"	84.25"	41.37"	24.25"	13.51"	27.87"
TJEA4284-KN	42"	84"	29"	72.25"	35.25"	30.25"	16.51"	27.87"
TJEA4296-KN	42"	96"	29"	84.25"	41.37"	30.25"	16.51"	27.87"
TJEA4884-KN	48"	84"	29"	72.25"	35.25"	36.25"	27.51"	27.87"
TJEA4896-KN	48"	96"	29"	84.25"	41.37"	36.25"	27.51"	27.87"


(model TJEA3684/KN shown)



DIMENSIONS
(cont.)


36" Fixed-Height Tributaire Rectangular Post-Leg Tables (4-legs) (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor
TJEB A2436	24"	36"	36"	28.26"	16.26"	34.87"	N/A
TJEB A2442	24"	42"	36"	34.26"	16.26"	34.87"	N/A
TJEB A2448	24"	48"	36"	40.26"	16.26"	34.87"	N/A
TJEB A2454	24"	54"	36"	46.26"	16.26"	34.87"	N/A
TJEB A2460	24"	60"	36"	52.26"	16.26"	34.87"	34.20"
TJEB A2466	24"	66"	36"	58.26"	16.26"	34.87"	34.20"
TJEB A2472	24"	72"	36"	64.26"	16.26"	34.87"	34.20"
TJEB A3036	30"	36"	36"	28.26"	22.26"	34.87"	N/A
TJEB A3042	30"	42"	36"	34.26"	22.26"	34.87"	N/A
TJEB A3048	30"	48"	36"	40.26"	22.26"	34.87"	N/A
TJEB A3054	30"	54"	36"	46.26"	22.26"	34.87"	N/A
TJEB A3060	30"	60"	36"	52.26"	22.26"	34.87"	34.20"
TJEB A3066	30"	66"	36"	58.26"	22.26"	34.87"	34.20"
TJEB A3072	30"	72"	36"	64.26"	22.26"	34.87"	34.20"
TJEB A3642	36"	42"	36"	34.26"	28.26"	34.87"	N/A
TJEB A3648	36"	48"	36"	40.26"	28.26"	34.87"	N/A
TJEB A3654	36"	54"	36"	46.26"	28.26"	34.87"	N/A
TJEB A3660	36"	60"	36"	52.26"	28.26"	34.87"	34.20"
TJEB A3666	36"	66"	36"	58.26"	28.26"	34.87"	34.20"
TJEB A3672	36"	72"	36"	64.26"	28.26"	34.87"	34.20"

(model TJEB A3060/74P shown)



(front view)


(side view)



(bottom view)



36" Fixed-Height Tributaire Rectangular Post-Leg Tables (4-legs) (KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop- to-Floor	G Stiffener- to-Floor
TJEB A2436-KN	24"	36"	36"	28.26"	12.26"	34.87"	N/A
TJEB A2442-KN	24"	42"	36"	34.26"	12.26"	34.87"	N/A
TJEB A2448-KN	24"	48"	36"	40.26"	12.26"	34.87"	N/A
TJEB A2454-KN	24"	54"	36"	46.26"	12.26"	34.87"	N/A
TJEB A2460-KN	24"	60"	36"	52.26"	12.26"	34.87"	34.20"
TJEB A2466-KN	24"	66"	36"	58.26"	12.26"	34.87"	34.20"
TJEB A2472-KN	24"	72"	36"	64.26"	12.26"	34.87"	34.20"
TJEB A3036-KN	30"	36"	36"	28.26"	18.26"	34.87"	N/A
TJEB A3042-KN	30"	42"	36"	34.26"	18.26"	34.87"	N/A
TJEB A3048-KN	30"	48"	36"	40.26"	18.26"	34.87"	N/A
TJEB A3054-KN	30"	54"	36"	46.26"	18.26"	34.87"	N/A
TJEB A3060-KN	30"	60"	36"	52.26"	18.26"	34.87"	34.20"
TJEB A3066-KN	30"	66"	36"	58.26"	18.26"	34.87"	34.20"
TJEB A3072-KN	30"	72"	36"	64.26"	18.26"	34.87"	34.20"
TJEB A3642-KN	36"	42"	36"	34.26"	24.26"	34.87"	N/A
TJEB A3648-KN	36"	48"	36"	40.26"	24.26"	34.87"	N/A
TJEB A3654-KN	36"	54"	36"	46.26"	24.26"	34.87"	N/A
TJEB A3660-KN	36"	60"	36"	52.26"	24.26"	34.87"	34.20"
TJEB A3666-KN	36"	66"	36"	58.26"	24.26"	34.87"	34.20"
TJEB A3672-KN	36"	72"	36"	64.26"	24.26"	34.87"	34.20"

(model TJEB A3060/KN shown)



36" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEBA3684	36"	84"	36"	76.26"	37.26"	28.26"	13.51"	34.87"
TJEBA3696	36"	96"	36"	88.26"	43.26"	28.26"	13.51"	34.87"


(model TJEBA3684/74P shown)



DIMENSIONS
 (cont.)



36" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEBA3684-KN	36"	84"	36"	72.25"	35.25"	24.25"	13.51"	34.87"
TJEBA3696-KN	36"	96"	36"	84.25"	41.25"	24.25"	13.51"	34.87"

(model TJEBA3684/KN shown)



42" Fixed-Height Tributaire Rectangular Post-Leg Tables (4-legs) (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor
TJECA2436	24"	36"	42"	28.26"	16.07"	40.87"	N/A
TJECA2442	24"	42"	42"	34.26"	16.07"	40.87"	N/A
TJECA2448	24"	48"	42"	40.26"	16.07"	40.87"	N/A
TJECA2454	24"	54"	42"	46.26"	16.07"	40.87"	N/A
TJECA2460	24"	60"	42"	52.26"	16.07"	40.87"	40.20"
TJECA2466	24"	66"	42"	58.26"	16.07"	40.87"	40.20"
TJECA2472	24"	72"	42"	64.26"	16.07"	40.87"	40.20"
TJECA3036	30"	36"	42"	28.26"	22.07"	40.87"	N/A
TJECA3042	30"	42"	42"	34.26"	22.07"	40.87"	N/A
TJECA3048	30"	48"	42"	40.26"	22.07"	40.87"	N/A
TJECA3054	30"	54"	42"	46.26"	22.07"	40.87"	N/A
TJECA3060	30"	60"	42"	52.26"	22.07"	40.87"	40.20"
TJECA3066	30"	66"	42"	58.26"	22.07"	40.87"	40.20"
TJECA3072	30"	72"	42"	64.26"	22.07"	40.87"	40.20"
TJECA3642	36"	42"	42"	34.26"	28.07"	40.87"	N/A
TJECA3648	36"	48"	42"	40.26"	28.07"	40.87"	N/A
TJECA3654	36"	54"	42"	46.26"	28.07"	40.87"	N/A
TJECA3660	36"	60"	42"	52.26"	28.07"	40.87"	40.20"
TJECA3666	36"	66"	42"	58.26"	28.07"	40.87"	40.20"
TJECA3672	36"	72"	42"	64.26"	28.07"	40.87"	40.20"


(model TJECA3060/74P shown)




DIMENSIONS
(cont.)

42" Fixed-Height Tribulaire Rectangular Post-Leg Tables (4-legs) (KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor
TJECA2436-KN	24"	36"	42"	28.26"	12.07"	40.87"	N/A
TJECA2442-KN	24"	42"	42"	34.26"	12.07"	40.87"	N/A
TJECA2448-KN	24"	48"	42"	40.26"	12.07"	40.87"	N/A
TJECA2454-KN	24"	54"	42"	46.26"	12.07"	40.87"	N/A
TJECA2460-KN	24"	60"	42"	52.26"	12.07"	40.87"	40.20"
TJECA2466-KN	24"	66"	42"	58.26"	12.07"	40.87"	40.20"
TJECA2472-KN	24"	72"	42"	64.26"	12.07"	40.87"	40.20"
TJECA3036-KN	30"	36"	42"	28.26"	18.07"	40.87"	N/A
TJECA3042-KN	30"	42"	42"	34.26"	18.07"	40.87"	N/A
TJECA3048-KN	30"	48"	42"	40.26"	18.07"	40.87"	N/A
TJECA3054-KN	30"	54"	42"	46.26"	18.07"	40.87"	N/A
TJECA3060-KN	30"	60"	42"	52.26"	18.07"	40.87"	40.20"
TJECA3066-KN	30"	66"	42"	58.26"	18.07"	40.87"	40.20"
TJECA3072-KN	30"	72"	42"	64.26"	18.07"	40.87"	40.20"
TJECA3642-KN	36"	42"	42"	34.26"	24.07"	40.87"	N/A
TJECA3648-KN	36"	48"	42"	40.26"	24.07"	40.87"	N/A
TJECA3654-KN	36"	54"	42"	46.26"	24.07"	40.87"	N/A
TJECA3660-KN	36"	60"	42"	52.26"	24.07"	40.87"	40.20"
TJECA3666-KN	36"	66"	42"	58.26"	24.07"	40.87"	40.20"
TJECA3672-KN	36"	72"	42"	64.26"	24.07"	40.87"	40.20"


(model TJECA3060/KN shown)



(front view)




(side view)




(bottom view)

42" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJECA3684	36"	84"	42"	76.26"	37.25"	28.07"	13.51"	40.87"
TJECA3696	36"	96"	42"	88.26"	43.25"	28.07"	13.51"	40.87"


(model TJECA3684/74P shown)



(front view)



(side view)





(bottom view)

DIMENSIONS
 (cont.)

42" Fixed-Height Tributaire Rectangular Post-Leg Tables (6-legs) (KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJECA3684-KN	36"	84"	42"	72.25"	35.25"	28.07"	13.51"	40.87"
TJECA3696-KN	36"	96"	42"	84.25"	41.25"	28.07"	13.51"	40.87"


(model TJECA3684/KN shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Round Post-Leg Tables (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Tabletop-to-Floor
TJEAB42	42"	42"	29"	22.31"	22.31"	7.09"	27.96"
TJEAB48	48"	48"	29"	26.55"	26.55"	7.97"	27.96"
TJEAB60	60"	60"	29"	35.04"	35.04"	9.72"	27.96"
TJEBB42	42"	42"	36"	22.31"	22.31"	7.09"	34.96"
TJEBB48	48"	48"	36"	26.55"	26.55"	7.97"	34.96"
TJEBB60	60"	60"	36"	35.04"	35.04"	9.72"	34.96"
TJECB42	42"	42"	42"	22.31"	22.31"	7.09"	40.96"
TJECB48	48"	48"	42"	26.55"	26.55"	7.97"	40.96"
TJECB60	60"	60"	42"	35.04"	35.04"	9.72"	40.96"


(model TJEAB48/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
 (cont.)

Fixed-Height Tributaire Round Post-Leg Tables (KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Tabletop-to-Floor
TJEAB42-KN	42"	42"	29"	19.48"	22.31"	8.50"	27.96"
TJEAB48-KN	48"	48"	29"	23.72"	26.55"	9.38"	27.96"
TJEAB60-KN	60"	60"	29"	32.31"	35.04"	11.14"	27.96"
TJEBB42-KN	42"	42"	36"	19.48"	22.31"	8.50"	34.96"
TJEBB48-KN	48"	48"	36"	23.72"	26.55"	9.38"	34.96"
TJEBB60-KN	60"	60"	36"	32.31"	35.04"	11.14"	34.96"
TJECB42-KN	42"	42"	42"	19.48"	22.31"	8.50"	40.96"
TJECB48-KN	48"	48"	42"	23.72"	26.55"	9.38"	40.96"
TJECB60-KN	60"	60"	42"	32.31"	35.04"	11.14"	40.96"


(model TJEAB48/KN shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Square Post-Leg Tables (4-legs) (74P edge)						
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor
TJEAC36	36"	36"	29"	28.26"	28.26"	27.96"
TJEAC42	42"	42"	29"	34.26"	34.26"	27.96"
TJEAC48	48"	48"	29"	40.26"	40.26"	27.96"
TJEB36	36"	36"	36"	28.26"	28.26"	34.96"
TJEB42	42"	42"	36"	34.26"	34.26"	34.96"
TJEB48	48"	48"	36"	40.26"	40.26"	34.96"
TJEC36	36"	36"	42"	28.26"	28.26"	40.96"
TJEC42	42"	42"	42"	34.26"	34.26"	40.96"
TJEC48	48"	48"	42"	40.26"	40.26"	40.96"


(model TJEAC48/74P shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
 (cont.)

Fixed-Height Tributaire Square Post-Leg Tables (4-legs) (KN edge)						
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor
TJEAC36-KN	36"	36"	29"	24.25"	24.25"	27.96"
TJEAC42-KN	42"	42"	29"	30.25"	30.25"	27.96"
TJEAC48-KN	48"	48"	29"	36.25"	36.25"	27.96"
TJEBC36-KN	36"	36"	36"	24.25"	24.25"	34.96"
TJEBC42-KN	42"	42"	36"	30.25"	30.25"	34.96"
TJEBC48-KN	48"	48"	36"	36.25"	36.25"	34.96"
TJECC36-KN	36"	36"	42"	24.25"	24.25"	40.96"
TJECC42-KN	42"	42"	42"	30.25"	30.25"	40.96"
TJECC48-KN	48"	48"	42"	36.25"	36.25"	40.96"


(model TJEAC48/KN shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Square Post-Leg Tables (5-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEAC60	60"	60"	29"	52.26"	28.26"	52.26"	28.46"	27.96"
TJEBC60	60"	60"	36"	52.26"	28.26"	52.26"	28.46"	34.96"
TJECC60	60"	60"	42"	52.26"	28.26"	52.26"	28.46"	40.96"


(model TJEBC60/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
 (cont.)

Fixed-Height Tributaire Square Post-Leg Tables (5-legs) (KN Edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJEAC60-KN	60"	60"	29"	48.25"	23.25"	48.25"	28.46"	27.96"
TJEBC60-KN	60"	60"	36"	48.25"	23.25"	48.25"	28.46"	34.96"
TJECC60-KN	60"	60"	42"	48.25"	23.25"	48.25"	28.46"	40.96"


(model TJEBC60/KN shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Rounded Square Post-Leg Tables (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Tabletop-to-Floor
TJEAR42	42"	42"	29"	27.49"	27.49"	4.50"	27.96"
TJEAR48	48"	48"	29"	33.13"	33.13"	4.68"	27.96"
TJEBR60	60"	60"	29"	44.61"	44.61"	4.96"	27.96"
TJEBR42	42"	42"	36"	27.49"	27.49"	4.50"	34.96"
TJEBR48	48"	48"	36"	33.13"	33.13"	4.68"	34.96"
TJEBR60	60"	60"	36"	44.61"	44.61"	4.96"	34.96"
TJECR42	42"	42"	42"	27.49"	27.49"	4.50"	40.96"
TJECR48	48"	48"	42"	33.13"	33.13"	4.68"	40.96"
TJECR60	60"	60"	42"	44.61"	44.61"	4.96"	40.96"


(model TJEAR48/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

Fixed-Height Tributaire Rounded Square Post-Leg Tables (KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Tabletop-to-Floor
TJEAR42-KN	42"	42"	29"	23.49"	23.49"	5.27"	27.96"
TJEAR48-KN	48"	48"	29"	29.13"	29.13"	5.32"	27.96"
TJEBR60-KN	60"	60"	29"	40.61"	40.61"	5.46"	27.96"
TJEBR42-KN	42"	42"	36"	23.49"	23.49"	5.27"	34.96"
TJEBR48-KN	48"	48"	36"	29.13"	29.13"	5.32"	34.96"
TJEBR60-KN	60"	60"	36"	40.61"	40.61"	5.46"	34.96"
TJECR42-KN	42"	42"	42"	23.49"	23.49"	5.27"	40.96"
TJECR48-KN	48"	48"	42"	29.13"	29.13"	5.32"	40.96"
TJECR60-KN	60"	60"	42"	40.61"	40.61"	5.46"	40.96"

(model TJEAR48/KN shown)




DIMENSIONS
(cont.)


Fixed-Height Tributaire Half-Rounded Square Post-Leg Tables (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Leg-to-Tabletop Edge
TJEAS5260	52"	60"	29"	25.32"	41.08"	48.06"	10.65"	5.62"	2.77"
TJEAS5284	52"	84"	29"	25.32"	41.08"	72.06"	10.65"	5.62"	2.77"

Model Number	J Tabletop-to-Floor	K Stiffener-to-Floor
TJEAS5260	27.75"	27.09"
TJEAS5284	27.75"	27.09"


(model TJEAS5260/74P shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Fixed-Height Tributaire Half-Rounded Square Post-Leg Tables (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Leg-to-Tabletop Edge
TJEAS5260-KN	52"	60"	29"	25.32"	41.08"	48.06"	10.65"	5.62"	2.77"
TJEAS5284-KN	52"	84"	29"	25.32"	41.08"	72.06"	10.65"	5.62"	2.77"

Model Number	J Tabletop-to-Floor	K Stiffener-to-Floor
TJEAS5260-KN	27.75"	27.09"
TJEAS5284-KN	27.75"	27.09"


(model TJEAS5260/KN shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire D-Shaped Post-Leg Tables (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Stiffener-to-Floor
TJEAD4260	42"	60"	29"	22.56"	34.25"	46.41"	7.18"	4.97"	N/A
TJEAD4272	42"	72"	29"	22.56"	34.25"	58.41"	7.18"	4.97"	27.29"
TJEAD4860	48"	60"	29"	26.80"	40.25"	45.53"	7.18"	4.97"	N/A
TJEAD4872	48"	72"	29"	26.80"	40.25"	57.53"	7.18"	4.97"	27.29"
TJEBD4260	42"	60"	29"	22.56"	34.25"	46.41"	6.97"	6.97"	N/A
TJEBD4272	42"	72"	29"	22.56"	34.25"	58.41"	7.85"	7.85"	27.29"
TJEBD4860	48"	60"	29"	26.80"	40.25"	45.53"	7.85"	7.85"	N/A
TJEBD4872	48"	72"	29"	26.80"	40.25"	57.53"	7.85"	7.85"	27.29"
TJECD4260	42"	60"	29"	22.56"	34.25"	46.41"	6.97"	6.97"	N/A
TJECD4272	42"	72"	29"	22.56"	34.25"	58.41"	7.85"	7.85"	27.29"
TJECD4860	48"	60"	29"	26.80"	40.25"	45.53"	7.85"	7.85"	N/A
TJECD4872	48"	72"	29"	26.80"	40.25"	57.53"	7.85"	7.85"	27.29"


(model TJEAD4272/74P shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
 (cont.)

Fixed-Height Tributaire D-Shaped Post-Leg Tables (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Stiffener-to-Floor
TJEAD4260-KN	42"	60"	29"	19.73"	30.25"	44.99"	6.38"	6.38"	N/A
TJEAD4272-KN	42"	72"	29"	19.73"	30.25"	56.99"	6.38"	6.38"	27.29"
TJEAD4860-KN	48"	60"	29"	23.97"	36.25"	44.11"	7.26"	7.26"	N/A
TJEAD4872-KN	48"	72"	29"	23.97"	36.25"	56.11"	7.26"	7.26"	27.29"
TJEBD4260-KN	42"	60"	29"	19.73"	30.25"	44.99"	8.38"	8.38"	N/A
TJEBD4272-KN	42"	72"	29"	19.73"	30.25"	56.99"	7.85"	7.85"	27.29"
TJEBD4860-KN	48"	60"	29"	23.97"	36.25"	44.11"	9.26"	9.26"	N/A
TJEBD4872-KN	48"	72"	29"	23.97"	36.25"	56.11"	9.26"	9.26"	27.29"
TJECD4260-KN	42"	60"	29"	19.73"	30.25"	44.99"	8.38"	8.38"	N/A
TJECD4272-KN	42"	72"	29"	19.73"	30.25"	56.99"	8.38"	8.38"	27.29"
TJECD4860-KN	48"	60"	29"	23.97"	36.25"	44.11"	9.26"	9.26"	N/A
TJECD4872-KN	48"	72"	29"	23.97"	36.25"	56.11"	7.85"	7.85"	27.29"




(model TJEAD4272/KN shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Sprocket Post-Leg Tables (3-legs) (74P edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Leg-to-Table Edge	F Leg-to-Table Edge	G Tabletop-to-Floor
TJEAG24L3	56.93"	49.30"	29"	29.75"	12.74"	10.63"	27.75"
TJEAG30L3	68.93"	59.69"	29"	35.28"	16.36"	13.86"	27.75"


(model TJEAG30L3/74P shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Sprocket Post-Leg Tables (6-legs) (74P edge)						
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor
TJEAG30L6	59.69"	59.69"	29"	35.08"	22.25"	27.71"




(model TJEAG30L6/74P shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Sprocket Post-Leg Tables (6-legs) (KN edge)						
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor
TJEAG30L6-KN	59.69"	59.69"	29"	37.08"	18.25"	27.71"


(model TJEAG30L6/KN shown)



DIMENSIONS
 (cont.)

Fixed-Height Tributaire Boat Post-Leg Tables (4-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJEAT3060	30"	60"	29"	32.69"	18.32"	10.90"	3.08"	27.84"	N/A
TJEAT3066	30"	66"	29"	38.69"	18.32"	10.90"	3.08"	27.84"	N/A
TJEAT3072	30"	72"	29"	44.69"	18.32"	10.90"	3.08"	27.84"	N/A
TJEAT3084	30"	84"	29"	56.69"	18.32"	10.90"	3.08"	27.84"	N/A
TJEAT3660	36"	60"	29"	32.69"	24.32"	10.90"	3.08"	27.84"	N/A
TJEAT3666	36"	66"	29"	38.69"	24.32"	10.90"	3.08"	27.84"	N/A
TJEAT3672	36"	72"	29"	44.69"	24.32"	10.90"	3.08"	27.84"	N/A
TJEAT3684	36"	84"	29"	56.69"	24.32"	10.90"	3.08"	27.84"	N/A
TJEAT4260	42"	60"	29"	32.69"	30.32"	10.90"	3.08"	27.84"	N/A
TJEAT4266	42"	66"	29"	38.69"	30.32"	10.90"	3.08"	27.84"	N/A
TJEAT4272	42"	72"	29"	44.69"	30.32"	10.90"	3.08"	27.84"	N/A
TJEAT4284	42"	84"	29"	56.69"	30.32"	10.90"	3.08"	27.84"	27.59"
TJEAT4860	48"	60"	29"	32.69"	36.32"	10.90"	3.08"	27.84"	N/A
TJEAT4866	48"	66"	29"	38.69"	36.32"	10.90"	3.08"	27.84"	N/A
TJEAT4872	48"	72"	29"	44.69"	36.32"	10.90"	3.08"	27.84"	N/A
TJEAT4884	48"	84"	29"	56.69"	36.32"	10.90"	3.08"	27.84"	27.59"


(model TJEAT4284/74P shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Boat Post-Leg Tables (4-legs) (KN Edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJEAT3060-KN	30"	60"	29"	36.69"	14.32"	8.90"	5.08"	27.84"	N/A
TJEAT3066-KN	30"	66"	29"	42.69"	14.32"	8.90"	5.08"	27.84"	N/A
TJEAT3072-KN	30"	72"	29"	48.69"	14.32"	8.90"	5.08"	27.84"	N/A
TJEAT3084-KN	30"	84"	29"	60.69"	14.32"	8.90"	5.08"	27.84"	N/A
TJEAT3660-KN	36"	60"	29"	36.69"	20.32"	8.90"	5.08"	27.84"	N/A
TJEAT3666-KN	36"	66"	29"	42.69"	20.32"	8.90"	5.08"	27.84"	N/A
TJEAT3672-KN	36"	72"	29"	48.69"	20.32"	8.90"	5.08"	27.84"	N/A
TJEAT3684-KN	36"	84"	29"	60.69"	20.32"	8.90"	5.08"	27.84"	N/A
TJEAT4260-KN	42"	60"	29"	36.69"	26.32"	8.90"	5.08"	27.84"	N/A
TJEAT4266-KN	42"	66"	29"	42.69"	26.32"	8.90"	5.08"	27.84"	N/A
TJEAT4272-KN	42"	72"	29"	48.69"	26.32"	8.90"	5.08"	27.84"	N/A
TJEAT4284-KN	42"	84"	29"	60.69"	26.32"	8.90"	5.08"	27.84"	27.59"
TJEAT4860-KN	48"	60"	29"	36.69"	32.32"	8.90"	5.08"	27.84"	N/A
TJEAT4866-KN	48"	66"	29"	42.69"	32.32"	8.90"	5.08"	27.84"	N/A
TJEAT4872-KN	48"	72"	29"	48.69"	32.32"	8.90"	5.08"	27.84"	N/A
TJEAT4884-KN	48"	84"	29"	60.69"	32.32"	8.90"	5.08"	27.84"	27.59"


(model TJEAT4284/KN shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
 (cont.)

Fixed-Height Tributaire Boat Post-Leg Tables (6-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJEAT3096	30"	96"	29"	68.69"	33 ⁷ / ₁₆ "	18.32"	10.90"	4.93"	27.84"
TJEAT3696	36"	96"	29"	68.69"	33 ⁷ / ₁₆ "	24.32"	10.90"	7.93"	27.84"
TJEAT4296	42"	96"	29"	68.69"	33 ⁷ / ₁₆ "	30.32"	10.90"	10.93"	27.84"
TJEAT4896	48"	96"	29"	68.69"	N/A	36.32"	10.90"	13.93"	27.84"



(model TJEAT3096/74P shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Boat Post-Leg Tables (6-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJEAT3096-KN	30"	96"	29"	72.69"	35.47"	14.32"	8.89"	4.93"	27.84"
TJEAT3696-KN	36"	96"	29"	72.69"	35.47"	20.32"	8.89"	7.93"	27.84"
TJEAT4296-KN	42"	96"	29"	72.69"	35.47"	26.32"	8.89"	10.93"	27.84"
TJEAT4896-KN	48"	96"	29"	72.69"	35.47"	32.32"	8.89"	13.93"	27.84"



(model TJEAT3096/KN shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Pill Post-Leg Tables (4-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJEAV3060	30"	60"	29"	32.82"	19.75"	11.83"	2.36"	28.05"	N/A
TJEAV3066	30"	66"	29"	36.82"	19.75"	11.83"	2.36"	28.05"	N/A
TJEAV3072	30"	72"	29"	42.82"	19.75"	11.83"	2.36"	28.05"	N/A
TJEAV3084	30"	84"	29"	54.82"	19.75"	11.83"	2.36"	28.05"	26.09"
TJEAV3660	36"	60"	29"	29.95"	23.92"	12.27"	3.28"	28.05"	N/A
TJEAV3666	36"	66"	29"	35.95"	23.92"	12.27"	3.28"	28.05"	N/A
TJEAV3672	36"	72"	29"	41.95"	23.92"	12.27"	3.28"	28.05"	N/A
TJEAV3684	36"	84"	29"	53.95"	23.92"	12.27"	3.28"	28.05"	26.09"
TJEAV4260	42"	60"	29"	28.86"	27.61"	12.58"	4.44"	28.05"	N/A
TJEAV4266	42"	66"	29"	35.32"	27.61"	12.58"	4.44"	28.05"	N/A
TJEAV4272	42"	72"	29"	41.32"	27.61"	12.58"	4.44"	28.05"	N/A
TJEAV4284	42"	84"	29"	53.32"	27.61"	12.58"	4.44"	28.05"	26.09"
TJEAV4860	48"	60"	29"	28.86"	30.96"	12.82"	5.76"	28.05"	N/A
TJEAV4866	48"	66"	29"	34.86"	30.96"	12.82"	5.76"	28.05"	N/A
TJEAV4872	48"	72"	29"	40.86"	30.96"	12.82"	5.76"	28.05"	N/A
TJEAV4884	48"	84"	29"	52.86"	30.96"	12.82"	5.76"	28.05"	26.09"



(model TJEAV4284/74P shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Pill Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJEAV3060-KN	30"	60"	29"	34.82"	15.75"	9.83"	4.36"	28.05"	N/A
TJEAV3066-KN	30"	66"	29"	40.82"	15.75"	9.83"	4.36"	28.05"	N/A
TJEAV3072-KN	30"	72"	29"	46.82"	15.75"	9.83"	4.36"	28.05"	N/A
TJEAV3084-KN	30"	84"	29"	54.82"	15.75"	9.83"	4.36"	28.05"	26.09"
TJEAV3660-KN	36"	60"	29"	33.95"	19.92"	10.27"	5.28"	28.05"	N/A
TJEAV3666-KN	36"	66"	29"	39.95"	19.92"	10.27"	5.28"	28.05"	N/A
TJEAV3672-KN	36"	72"	29"	41.95"	19.92"	10.27"	5.28"	28.05"	N/A
TJEAV3684-KN	36"	84"	29"	45.95"	19.92"	10.27"	5.28"	28.05"	26.09"
TJEAV4260-KN	42"	60"	29"	28.86"	23.61"	10.58"	6.44"	28.05"	N/A
TJEAV4266-KN	42"	66"	29"	33.32"	23.61"	10.58"	6.44"	28.05"	N/A
TJEAV4272-KN	42"	72"	29"	41.32"	23.61"	10.58"	6.44"	28.05"	N/A
TJEAV4284-KN	42"	84"	29"	45.32"	23.61"	10.58"	6.44"	28.05"	26.09"
TJEAV4860-KN	48"	60"	29"	32.86"	26.96"	10.82"	7.76"	28.05"	N/A
TJEAV4866-KN	48"	66"	29"	38.86"	26.96"	10.82"	7.76"	28.05"	N/A
TJEAV4872-KN	48"	72"	29"	44.86"	26.96"	10.82"	7.76"	28.05"	N/A
TJEAV4884-KN	48"	84"	29"	56.86"	26.96"	10.82"	7.76"	28.05"	26.09"


(model TJEAV4284/KN shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Pill Post-Leg Tables (6-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJEAV3096	30"	96"	29"	66.82"	32.53"	19.75"	11.83"	4.93"	27.84"
TJEAV3696	36"	96"	29"	65.95"	32.53"	23.92"	12.27"	7.93"	27.84"
TJEAV4296	42"	96"	29"	65.32"	32.53"	27.61"	12.58"	10.93"	27.84"
TJEAV4896	48"	96"	29"	64.86"	32.53"	30.96"	12.82"	13.93"	27.84"



(model TJEAV3096/74P shown)



DIMENSIONS
(cont.)

Fixed-Height Tributaire Pill Post-Leg Tables (6-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Table Edge	H Leg-to-Table Edge	I Tabletop-to-Floor
TJEAV3096-KN	30"	96"	29"	70.82"	34.53"	15.75"	9.83"	4.93"	27.84"
TJEAV3696-KN	36"	96"	29"	69.95"	34.10"	19.92"	10.27"	7.93"	27.84"
TJEAV4296-KN	42"	96"	29"	69.32"	33.78"	23.61"	10.58"	10.93"	27.84"
TJEAV4896-KN	48"	96"	29"	68.86"	33.55"	26.96"	10.81"	13.93"	27.84"


(model TJEAV3096/KN shown)




DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (4-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor	H Wiretrough-to-Floor
TJKAA2436	24"	36"	29"	28.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2442	24"	42"	29"	34.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2448	24"	48"	29"	40.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2454	24"	54"	29"	46.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2460	24"	60"	29"	52.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2466	24"	66"	29"	58.25"	16.25"	27.87"	27.20"	25.18"
TJKAA2472	24"	72"	29"	64.25"	16.25"	27.87"	27.20"	25.18"
TJKAA3036	30"	36"	29"	28.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3042	30"	42"	29"	34.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3048	30"	48"	29"	40.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3054	30"	54"	29"	46.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3060	30"	60"	29"	52.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3066	30"	66"	29"	58.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3072	30"	72"	29"	64.25"	22.25"	27.87"	27.20"	25.18"
TJKAA3642	36"	42"	29"	34.25"	28.25"	27.87"	27.20"	25.18"
TJKAA3648	36"	48"	29"	40.25"	28.25"	27.87"	27.20"	25.18"
TJKAA3654	36"	54"	29"	46.25"	28.25"	27.87"	27.20"	25.18"
TJKAA3660	36"	60"	29"	52.25"	28.25"	27.87"	27.20"	25.18"
TJKAA3666	36"	66"	29"	58.25"	28.25"	27.87"	27.20"	25.18"
TJKAA3672	36"	72"	29"	64.25"	28.25"	27.87"	27.20"	25.18"
TJKAA4272	42"	72"	29"	64.25"	34.25"	27.87"	27.20"	25.18"
TJKAA4872	48"	72"	29"	64.25"	40.25"	27.87"	27.20"	25.18"


(model TJKAA3060/74P shown)



(front view)



(side view)




(bottom view)


DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Leg-to-Tabletop Edge	H Stiffener-to-Floor	I Wiretrough-to-Floor
TJKAA2436-KN	24"	36"	29"	28.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2442-KN	24"	42"	29"	34.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2448-KN	24"	48"	29"	40.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2454-KN	24"	54"	29"	46.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2460-KN	24"	60"	29"	52.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2466-KN	24"	66"	29"	58.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA2472-KN	24"	72"	29"	64.25"	12.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3036-KN	30"	36"	29"	28.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3042-KN	30"	42"	29"	34.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3048-KN	30"	48"	29"	40.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3054-KN	30"	54"	29"	46.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3060-KN	30"	60"	29"	52.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3066-KN	30"	66"	29"	58.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3072-KN	30"	72"	29"	64.25"	18.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3642-KN	36"	42"	29"	34.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3648-KN	36"	48"	29"	40.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3654-KN	36"	54"	29"	46.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3660-KN	36"	60"	29"	52.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3666-KN	36"	66"	29"	58.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA3672-KN	36"	72"	29"	64.25"	24.25"	27.87"	3.11"	27.20"	25.18"
TJKAA4272-KN	42"	72"	29"	60.25"	30.25"	27.87"	3.11"	27.20"	25.18"
TJKAA4872-KN	48"	72"	29"	60.25"	36.25"	27.87"	3.11"	27.20"	25.18"


(model TJKAA3060/KN shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Space Between Legs	H Tabletop-to-Floor
TJKAA3684	36"	84"	29"	76.25"	37.25"	28.25"	13.51"	27.87"
TJKAA3696	36"	96"	29"	88.25"	43.25"	28.25"	13.51"	27.87"
TJKAA4284	42"	84"	29"	76.25"	37.25"	34.25"	17.39"	27.87"
TJKAA4296	42"	96"	29"	88.25"	43.25"	34.25"	17.39"	27.87"
TJKAA4884	48"	84"	29"	76.25"	37.25"	40.25"	20.39"	27.87"
TJKAA4896	48"	96"	29"	88.25"	43.25"	40.25"	20.39"	27.87"




(model TJKAA3684/74P shown)



DIMENSIONS
(cont.)

29" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (6-legs) (KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJKAA3684-KN	36"	84"	29"	76.25"	35.25"	24.25"	13.51"	27.20"
TJKAA3696-KN	36"	96"	29"	84.25"	41.25"	24.25"	13.51"	27.20"
TJKAA4284-KN	42"	84"	29"	76.25"	35.25"	30.25"	17.39"	27.20"
TJKAA4296-KN	42"	96"	29"	84.25"	41.25"	30.25"	17.39"	27.20"
TJKAA4884-KN	48"	84"	29"	76.25"	35.25"	36.25"	20.39"	27.20"
TJKAA4896-KN	48"	96"	29"	84.25"	41.25"	36.25"	20.39"	27.20"




(model TJKAA3684/KN shown)



DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (4-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor	H Wire Trough-to-Floor
TJKBA2436	24"	36"	36"	28.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2442	24"	42"	36"	34.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2448	24"	48"	36"	40.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2454	24"	54"	36"	46.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2460	24"	60"	36"	52.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2466	24"	66"	36"	58.25"	12.25"	34.87"	34.20"	32.18"
TJKBA2472	24"	72"	36"	64.25"	12.25"	34.87"	34.20"	32.18"
TJKBA3036	30"	36"	36"	28.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3042	30"	42"	36"	34.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3048	30"	48"	36"	40.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3054	30"	54"	36"	46.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3060	30"	60"	36"	52.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3066	30"	66"	36"	58.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3072	30"	72"	36"	64.25"	18.25"	34.87"	34.20"	32.18"
TJKBA3642	36"	42"	36"	34.25"	24.25"	34.87"	34.20"	32.18"
TJKBA3648	36"	48"	36"	40.25"	24.25"	34.87"	34.20"	32.18"
TJKBA3654	36"	54"	36"	46.25"	24.25"	34.87"	34.20"	32.18"
TJKBA3660	36"	60"	36"	52.25"	24.25"	34.87"	34.20"	32.18"
TJKBA3666	36"	66"	36"	58.25"	24.25"	34.87"	34.20"	32.18"
TJKBA3672	36"	72"	36"	64.25"	24.25"	34.87"	34.20"	32.18"




(model TJKBA3060/74P shown)



DIMENSIONS
(cont.)

36" Fixed-Height Tributaire Single-Circuit Rectangular Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Leg-to-Tabletop Edge	H Stiffener-to-Floor	I Wire Trough-to-Floor
TJKBA2436-KN	24"	36"	36"	28.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2442-KN	24"	42"	36"	34.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2448-KN	24"	48"	36"	40.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2454-KN	24"	54"	36"	46.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2460-KN	24"	60"	36"	52.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2466-KN	24"	66"	36"	58.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA2472-KN	24"	72"	36"	64.25"	12.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3036-KN	30"	36"	36"	28.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3042-KN	30"	42"	36"	34.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3048-KN	30"	48"	36"	40.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3054-KN	30"	54"	36"	46.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3060-KN	30"	60"	36"	52.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3066-KN	30"	66"	36"	58.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3072-KN	30"	72"	36"	64.25"	18.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3642-KN	36"	42"	36"	34.25"	24.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3648-KN	36"	48"	36"	40.25"	24.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3654-KN	36"	54"	36"	46.25"	24.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3660-KN	36"	60"	36"	52.25"	24.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3666-KN	36"	66"	36"	58.25"	24.25"	34.87"	3.11"	34.20"	32.18"
TJKBA3672-KN	36"	72"	36"	64.25"	24.25"	34.87"	3.11"	34.20"	32.18"


(model TJKBA3060/KN shown)



DIMENSIONS
 (cont.)


36" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJKBA3684	36"	84"	36"	76.25"	37.25"	28.25"	14.39"	34.87"
TJKBA3696	36"	96"	36"	88.25"	43.25"	28.25"	14.39"	34.87"

(model TJKBA3684/74P shown)




36" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (6-legs) (KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJKBA3684-KN	36"	84"	36"	52.25"	35.25"	24.25"	14.39"	34.87"
TJKBA3696-KN	36"	96"	36"	84.25"	41.25"	24.25"	14.39"	34.87"


(model TJKBA3684/KN shown)



(front view)



(side view)






(bottom view)

42" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (4-legs) (74P edge)

Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Stiffener-to-Floor	H Wire Trough-to-Floor
TJKCA2436	24"	36"	42"	28.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2442	24"	42"	42"	34.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2448	24"	48"	42"	40.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2454	24"	54"	42"	46.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2460	24"	60"	42"	52.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2466	24"	66"	42"	58.25"	16.25"	40.87"	40.20"	38.18"
TJKCA2472	24"	72"	42"	64.25"	16.25"	40.87"	40.20"	38.18"
TJKCA3036	30"	36"	42"	28.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3042	30"	42"	42"	34.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3048	30"	48"	42"	40.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3054	30"	54"	42"	46.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3060	30"	60"	42"	52.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3066	30"	66"	42"	58.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3072	30"	72"	42"	64.25"	22.25"	40.87"	40.20"	38.18"
TJKCA3642	36"	42"	42"	34.25"	28.25"	40.87"	40.20"	38.18"
TJKCA3648	36"	48"	42"	40.25"	28.25"	40.87"	40.20"	38.18"
TJKCA3654	36"	54"	42"	46.25"	28.25"	40.87"	40.20"	38.18"
TJKCA3660	36"	60"	42"	52.25"	28.25"	40.87"	40.20"	38.18"
TJKCA3666	36"	66"	42"	58.25"	28.25"	40.87"	40.20"	38.18"
TJKCA3672	36"	72"	42"	64.25"	28.25"	40.87"	40.20"	38.18"




(model TJKCA3060/74P shown)



**DIMENSIONS
(cont.)**


42" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Tabletop-to-Floor	G Leg-to-Tabletop-Edge	H Stiffener-to-Floor	I Wire Trough-to-Floor
TJKCA2436-KN	24"	36"	42"	28.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2442-KN	24"	42"	42"	34.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2448-KN	24"	48"	42"	40.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2454-KN	24"	54"	42"	46.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2460-KN	24"	60"	42"	52.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2466-KN	24"	66"	42"	58.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA2472-KN	24"	72"	42"	64.25"	12.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3036-KN	30"	36"	42"	28.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3042-KN	30"	42"	42"	34.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3048-KN	30"	48"	42"	40.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3054-KN	30"	54"	42"	46.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3060-KN	30"	60"	42"	52.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3066-KN	30"	66"	42"	58.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3072-KN	30"	72"	42"	64.25"	18.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3642-KN	36"	42"	42"	34.25"	24.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3648-KN	36"	48"	42"	40.25"	24.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3654-KN	36"	54"	42"	46.25"	24.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3660-KN	36"	60"	42"	52.25"	24.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3666-KN	36"	66"	42"	58.25"	24.25"	40.87"	3.11"	40.20"	38.18"
TJKCA3672-KN	36"	72"	42"	64.25"	24.25"	40.87"	3.11"	40.20"	38.18"

(model TJKCA3060/KN shown)



42" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (6-legs) (74P edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJKCA3684	36"	84"	42"	76.25"	37.25"	28.25"	14.39"	40.87"
TJKCA3696	36"	96"	42"	88.25"	43.25"	28.25"	14.39"	40.87"



(model TJKCA3684/74P shown)



42" Fixed-Height Tributaire Rectangular Single-Circuit Post-Leg Tables (6-legs) (KN edge)

Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJKCA3684-KN	36"	84"	42"	72.25"	35.25"	24.25"	14.39"	40.87"
TJKCA3696-KN	36"	96"	42"	84.25"	41.25"	24.25"	14.39"	40.87"


(model TJKCA3684/KN shown)



DIMENSIONS
(cont.)


Fixed-Height Tributaire Boat Single-Circuit Post-Leg Tables (4-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Table Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJKAT3684	36"	84"	29"	56.69"	24.32"	10.90"	3.08"	27.83"	27.16"
TJKAT4284	42"	84"	29"	56.69"	30.32"	10.90"	3.08"	27.83"	27.16"
TJKAT4884	48"	84"	29"	56.69"	36.32"	10.90"	3.08"	27.83"	27.16"

(model TJKAT4284/74P shown)




Fixed-Height Tributaire Single-Circuit Boat Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Table Edge	G Tabletop-to-Floor	H Tabletop-to-Floor	I Stiffener-to-Floor
TJKAT3684-KN	36"	84"	29"	60.69"	20.32"	10.90"	5.08"	27.83"	27.16"
TJKAT4284-KN	42"	84"	29"	60.69"	26.32"	10.90"	5.08"	27.83"	27.16"
TJKAT4884-KN	48"	84"	29"	60.69"	32.32"	10.90"	5.08"	27.83"	27.16"


(model TJKAT4284/KN shown)



(front view)



(side view)




(bottom view)

DIMENSIONS

(cont.)

Fixed-Height Tributaire Single-Circuit Boat Post-Leg Tables (6-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Table Edge	H Leg-to-Table Edge	I Tabletop-to-Floor
TJKAT3696	36"	96"	29"	68.69"	33.47"	24.32"	10.90"	3.08"	27.83"
TJKAT4296	42"	96"	29"	68.69"	33.47"	30.32"	10.90"	3.08"	27.83"
TJKAT4896	48"	96"	29"	68.69"	33.47"	36.32"	10.90"	3.08"	27.83"


(model TJKAT4296/74P shown)




DIMENSIONS
(cont.)

Fixed-Height Tributaire Single-Circuit Boat Post-Leg Tables (6-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJKAT3696-KN	36"	96"	29"	72.69"	33.47"	20.32"	11.06"	5.08"	27.83"
TJKAT4296-KN	42"	96"	29"	72.69"	33.47"	26.32"	14.06"	5.08"	27.83"
TJKAT4896-KN	48"	96"	29"	72.69"	33.47"	32.32"	17.06"	5.08"	27.83"


(model TJKAT4296/KN shown)



(front view)




(side view)



(bottom view)


Fixed-Height Tributaire Pill Single-Circuit Post-Leg Tables (4-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJKAV3084	30"	84"	29"	54.82"	19.75"	12.82"	2.36"	27.83"	27.16"
TJKAV3684	36"	84"	29"	53.95"	23.92"	12.82"	3.28"	27.83"	27.16"
TJKAV4284	42"	84"	29"	53.32"	27.61"	12.82"	4.44"	27.83"	27.16"
TJKAV4884	48"	84"	29"	52.86"	30.96"	12.82"	5.76"	27.83"	27.16"

(model TJKAV4284/74P shown)




Fixed-Height Tributaire Pill Single-Circuit Post-Leg Tables (4-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor	I Stiffener-to-Floor
TJKAV3084-KN	30"	84"	29"	58.82"	15.75"	12.82"	4.36"	27.83"	27.16"
TJKAV3684-KN	36"	84"	29"	57.95"	19.92"	12.82"	5.28"	27.83"	27.16"
TJKAV4284-KN	42"	84"	29"	57.32"	23.61"	12.82"	6.44"	27.83"	27.16"
TJKAV4884-KN	48"	84"	29"	56.86"	26.96"	12.82"	7.76"	27.83"	27.16"


(model TJKAV4284/KN shown)



(front view)




(side view)



(bottom view)



Fixed-Height Tributaire Pill Single-Circuit Post-Leg Tables (6-legs) (74P edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJKAV3096	30"	96"	29"	66.82"	32.53"	19.75"	10.82"	2.36"	27.83"
TJKAV3696	36"	96"	29"	65.95"	32.10"	23.92"	10.82"	3.28"	27.83"
TJKAV4296	42"	96"	29"	65.32"	31.78"	27.61"	10.82"	4.44"	27.83"
TJKAV4896	48"	96"	29"	64.86"	31.56"	30.96"	10.82"	5.76"	27.83"

(model TJKAV4296/74P shown)




Fixed-Height Tributaire Pill Single-Circuit Post-Leg Tables (6-legs) (KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJKAV3096-KN	30"	96"	29"	70.82"	34.53"	15.75"	10.82"	4.36"	27.83"
TJKAV3696-KN	36"	96"	29"	69.95"	34.10"	19.92"	10.82"	5.28"	27.83"
TJKAV4296-KN	42"	96"	29"	69.32"	33.78"	23.61"	10.82"	6.44"	27.83"
TJKAV4896-KN	48"	96"	29"	68.86"	33.55"	26.96"	10.82"	7.76"	27.83"

(model TJKAV4296/KN shown)




**STATEMENT OF
LINE**

Tributaire Post-Leg Rectangular Tables




29" Fixed-Height
Rectangle (4-legs)

TJEEA2436	TJEEA3036	TJEEA3642
TJEEA2442	TJEEA3042	TJEEA3648
TJEEA2448	TJEEA3048	TJEEA3654
TJEEA2454	TJEEA3054	TJEEA3660
TJEEA2460	TJEEA3060	TJEEA3666
TJEEA2466	TJEEA3066	TJEEA3672
TJEEA2472	TJEEA3072	TJEEA4272
		TJEEA4872




29" Fixed-Height
Rectangle (6-legs)

TJEEA3684	TJEEA4284	TJEEA4884
TJEEA3696	TJEEA4296	TJEEA4896




36" Fixed-Height
Rectangle (4-legs)

TJEBA2436	TJEBA3036	TJEBA3642
TJEBA2442	TJEBA3042	TJEBA3648
TJEBA2448	TJEBA3048	TJEBA3654
TJEBA2454	TJEBA3054	TJEBA3660
TJEBA2460	TJEBA3060	TJEBA3666
TJEBA2466	TJEBA3066	TJEBA3672
TJEBA2472	TJEBA3072	TJEBA3684
		TJEBA3696




36" Fixed-Height
Rectangle (6-legs)

TJEBA3684
TJEBA3696



42" Fixed-Height
Rectangle (4-legs)

TJECA2436	TJECA3036	TJECA3642
TJECA2442	TJECA3042	TJECA3648
TJECA2448	TJECA3048	TJECA3654
TJECA2454	TJECA3054	TJECA3660
TJECA2460	TJECA3060	TJECA3666
TJECA2466	TJECA3066	TJECA3672
TJECA2472	TJECA3072	TJECA3684
		TJECA3696



42" Fixed-Height
Rectangle (6-legs)

TJECA3684
TJECA3696

**STATEMENT OF
LINE (cont.)**

Tributaire Post-Leg Round Tables



29" Fixed-Height
Round
TJEAB42
TJEAB48
TJEAB60




36" Fixed-Height
Round
TJEBB42
TJEBB48
TJEBB60




42" Fixed-Height
Round
TJECB42
TJECB48
TJECB60


Tributaire Post-Leg Square Tables



29" Fixed-Height
Square
TJEAC36
TJEAC42
TJEAC48
TJEAC60



36" Fixed-Height
Square
TJECB36
TJECB42
TJECB48
TJECB60



42" Fixed-Height
Square
TJECC36
TJECC42
TJECC48
TJECC60

Tributaire Post-Leg Rounded Square Tables



29" Fixed-Height
Rounded Square
TJEAR42
TJEAR48
TJEAR60




36" Fixed-Height
Rounded Square
TJEER42
TJEER48
TJEER60



42" Fixed-Height
Rounded Square
TJEER42
TJEER48
TJEER60


**STATEMENT OF
LINE (cont.)**

Tributaire Post-Leg Half-Rounded Square Tables




29" Fixed-Height
Half-Rounded Square
TJEAS5260
TJEAS5272


Tributaire Post-Leg D-Shaped Tables



29" Fixed-Height
D-Shape
TJEAD4260
TJEAD4272
TJEAD4860
TJEAD4872




36" Fixed-Height
D-Shape
TJEBD4260
TJEBD4272
TJEBD4860
TJEBD4872



42" Fixed-Height
D-Shape
TJECD4260
TJECD4272
TJECD4860
TJECD4872

Tributaire Post-Leg Sprocket Tables




29" Fixed-Height
Sprocket (3-legs)
TJEAG24L3
TJEAG30L3



29" Fixed-Height
Sprocket (6-legs)
TJEAG30L6


**STATEMENT OF
LINE (cont.)**

Tributaire Post-Leg Boat Tables



29" Fixed-Height
Boat (4-legs)


TJEAT3060	TJEAT3660	TJEAT4260	TJEAT4860
TJEAT3066	TJEAT3666	TJEAT4266	TJEAT4866
TJEAT3072	TJEAT3672	TJEAT4272	TJEAT4872



29" Fixed-Height
Boat (6-legs)


TJEAT3084	TJEAT3684	TJEAT4284	TJEAT4884
TJEAT3096	TJEAT3696	TJEAT4296	TJEAT4896

Tributaire Post-Leg Pill Tables



29" Fixed-Height
Pill (4-legs)

TJEAV3060	TJEAV3660	TJEAV4260	TJEAV4860
TJEAV3066	TJEAV3666	TJEAV4266	TJEAV4866
TJEAV3072	TJEAV3672	TJEAV4272	TJEAV4872




29" Fixed-Height
Pill (6-legs)

TJEAV3084	TJEAV3684	TJEAV4284	TJEAV4884
TJEAV3096	TJEAV3696	TJEAV4296	TJEAV4896


**STATEMENT OF
LINE (cont.)**

Tributaire Post-Leg Single-Circuit Rectangular Tables




29" Fixed-Height
Rectangle (4-legs)

TJKAA2436	TJKAA3036	TJKAA3642
TJKAA2442	TJKAA3042	TJKAA3648
TJKAA2448	TJKAA3048	TJKAA3654
TJKAA2454	TJKAA3054	TJKAA3660
TJKAA2460	TJKAA3060	TJKAA3666
TJKAA2466	TJKAA3066	TJKAA3672
TJKAA2472	TJKAA3072	TJKAA4272
		TJKAA4872




29" Fixed-Height
Rectangle (6-legs)

TJKAA3684	TJKAA4284	TJKAA4884
TJKAA3696	TJKAA4296	TJKAA4896




36" Fixed-Height
Rectangle (4-legs)

TJKBA2436	TJKBA3036	TJKBA3642
TJKBA2442	TJKBA3042	TJKBA3648
TJKBA2448	TJKBA3048	TJKBA3654
TJKBA2454	TJKBA3054	TJKBA3660
TJKBA2460	TJKBA3060	TJKBA3666
TJKBA2466	TJKBA3066	TJKBA3672
TJKBA2472	TJKBA3072	




36" Fixed-Height
Rectangle (6-legs)

TJKBA3684
TJKBA3696



42" Fixed-Height
Rectangle (4-legs)

TJKCA2436	TJKCA3036	TJKCA3642
TJKCA2442	TJKCA3042	TJKCA3648
TJKCA2448	TJKCA3048	TJKCA3654
TJKCA2454	TJKCA3054	TJKCA3660
TJKCA2460	TJKCA3060	TJKCA3666
TJKCA2466	TJKCA3066	TJKCA3672
TJKCA2472	TJKCA3072	TJKCA3684
		TJKCA3696




42" Fixed-Height
Rectangle (6-legs)

TJKCA3684
TJKCA3696


**STATEMENT OF
LINE (cont.)**

Tributaire Post-Leg Single-Circuit Boat Tables



29" Fixed-Height
Boat (4-legs)


TJKAT3684 TJKAT4284 TJKAT4884



29" Fixed-Height
Boat (6-legs)


TJKAT3696 TJKAT4296 TJKAT4896

Tributaire Post-Leg Single-Circuit Pill Tables



29" Fixed-Height
Pill (4-legs)

TJKAV3084 TJKAV3684 TJKAV4284 TJKAV4884



29" Fixed-Height
Pill (6-legs)

TJKAV3096 TJKAV3696 TJKAV4296 TJKAV4896

Conference
Tables


Product Overview

An elegant C-Leg solution to support collaboration in both conference rooms or communal spaces.

Conference Table Features

Tributaire conference table features can be configured or are standard, to include:

- A. Number of Legs (page 138).
- B. Tabletop shape & size (page 139).
- C. Tabletop laminate grades.
- D. Tabletop edge styles (page 139).
- E. Glide options (page 141).
- F. Wire management (page 141).
- G. Power options (page 142).



(model TJBAA4272-KN shown)


Conference Tables			
	Rectangular	Boat	Pill
Base Height			
29" H	•	•	•
36" H			
42" H			
Number of Legs			
2-Leg	•	•	•
3-Leg	•	•	•
4-Leg	•	•	•
6-Leg	•	•	•
Features			
Low Profile Glides	•	•	•
Power Modules with 3-Prong Plug	•	•	•
Pattern Electrical System			
Ganging			
Modesty Panels			

Tabletops

Tributaire conference tabletops are offered in various shapes, sizes and features. Available features vary based on individual models.



Rectangular




Boat




Pill

Edge Styles




**74P Edge
(74P)**




**Knife Edge
(KN)**

Tabletop Cutouts


Dean, Double Ellora B, Nacre, or Node grommets can be specified for use within corresponding cutouts.




Dean Tabletop Cutout



Double Ellora B Tabletop Cutout



Nacre Tabletop Cutout




Node Tabletop Cutout


Note: Available options vary and are dependent on table model. All cutout styles are not available on all models.

Bases


Tributaire conference tabletops are offered in various shapes and base configurations, which support learning, idea sharing and collaboration.




2-Legs



3-Legs




4-Legs



6-Legs

Low Profile Glides

Low profile glides are 1.5" in diameter, have black floor contact pads and 1/2" of adjustment.




Low Profile Glide

Wire Management


Grommets

Metal grommets are available to fit Dean, Nacre and Node tabletop cutouts.


Grommets, modules and electrical components are field installed.



Dean® Grommet
(1.94" x 7.3" cutout)



Nacre® Grommet
(3" x 6.94" cutout)



Node Grommet
(3" diameter cutout)


Strain Relief Clip

Strain relief clips are included with table when power modules with 3-prong plugs are specified.









Electrical

Electrical System Overview



Tributaire Conference Table with Power Module with 3-Prong Plug


Electrical Components

Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Dean In-Surface (Available with 3-prong plug)		2 power outlets, 1 dual USB A+C, 1 open port	1.94" x 7.3"	in surface
Dean In-Surface Grommet		N/A	1.94" x 7.3"	in surface
Double Ellora B Module (Available with 3-prong plug)		4 power outlets, 2 dual USB A+C, 2 open port	7.88" x 9.75"	in surface
Nacre Pop-Up Module (Available with 3-prong plug)		2 power outlets, 1 dual USB A+C, 1 open port	3" x 6.94"	in surface
Nacre Grommet		N/A	3" x 6.94"	in surface
Node (Available with 3-prong plug)		1 power outlet, 1 dual USB A+C	3" diameter	in surface
Node Grommet		N/A	3" diameter	in surface


DIMENSIONS

Tributaire Rectangular Conference Tables (2-legs) (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Leg-to-Tabletop Edge	F Leg-to-Tabletop Edge	G Tabletop-to-Floor
TJBAA4260	42"	60"	29"	14.88"	19.84"	13.58"	27.74"
TJBAA4272	42"	72"	29"	26.88"	19.84"	13.58"	27.74"
TJBAA4284	42"	84"	29"	38.88"	19.84"	13.58"	27.74"
TJBAA4860	48"	60"	29"	14.88"	19.84"	16.58"	27.74"
TJBAA4872	48"	72"	29"	26.88"	19.84"	16.58"	27.74"
TJBAA4884	48"	84"	29"	38.88"	19.84"	16.58"	27.74"
TJBAA6060	60"	60"	29"	14.88"	19.84"	19.08"	27.74"
TJBAA6072	60"	72"	29"	26.88"	19.84"	19.08"	27.74"
TJBAA6084	60"	84"	29"	38.88"	19.84"	19.08"	27.74"


(model TJBAA4872 shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Tributaire Rectangular Conference Tables (3-legs) (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJBAA4296	42"	96"	29"	50.89"	24.57"	19.84"	13.58"	27.74"
TJBAA42120	42"	120"	29"	74.47"	36.36"	19.84"	13.58"	27.74"
TJBAA42132	42"	132"	29"	86.47"	42.36"	20.05"	13.58"	27.74"
TJBAA42144	42"	144"	29"	98.47"	48.36"	20.05"	13.58"	27.74"
TJBAA4896	48"	96"	29"	50.89"	24.57"	19.84"	16.58"	27.74"
TJBAA48120	48"	120"	29"	74.47"	36.36"	20.05"	16.58"	27.74"
TJBAA48132	48"	132"	29"	86.47"	42.36"	20.05"	16.58"	27.74"
TJBAA48144	48"	144"	29"	98.47"	48.36"	20.05"	16.58"	27.74"
TJBAA6096	60"	96"	29"	50.89"	24.57"	19.84"	19.08"	27.74"
TJBAA60120	60"	120"	29"	74.47"	36.36"	20.05"	19.08"	27.74"
TJBAA60132	60"	132"	29"	86.47"	42.36"	20.05"	19.08"	27.74"
TJBAA60144	60"	144"	29"	98.47"	48.36"	20.05"	19.08"	27.74"


(model TJBAA48120 shown)




**DIMENSIONS
(cont.)**

Tributaire Rectangular Conference Tables (4-legs) (74P or KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJBAA42156	42"	156"	29"	112.47"	36.36"	36.29"	19.03"	13.58"	27.74"
TJBAA42168	42"	168"	29"	124.51"	36.36"	48.29"	19.03"	13.58"	27.74"
TJBAA42192	42"	192"	29"	148.51"	42.37"	60.25"	19.03"	13.58"	27.74"
TJBAA48156	48"	156"	29"	112.47"	36.36"	36.29"	19.03"	16.58"	27.74"
TJBAA48168	48"	168"	29"	124.51"	36.36"	48.29"	19.03"	16.58"	27.74"
TJBAA48192	48"	192"	29"	148.51"	42.37"	60.25"	19.03"	16.58"	27.74"
TJBAA60156	60"	156"	29"	112.47"	36.36"	36.29"	19.03"	19.08"	27.74"
TJBAA60168	60"	168"	29"	124.51"	36.36"	48.29"	19.03"	19.08"	27.74"
TJBAA60192	60"	192"	29"	148.51"	42.37"	60.25"	19.03"	19.08"	27.74"


(model TJBAA48156 shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Tributaire Rectangular Conference Tables (6-legs) (74P or KN edge)					
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs
TJBAA42240	42"	240"	29"	193.59"	42.36"
TJBAA48240	48"	240"	29"	193.59"	42.36"
TJBAA60240	60"	240"	29"	193.59"	42.36"

Model Number	F Space Between Legs	G Space Between Legs	H Leg-to-Tabletop Edge	I Leg-to-Tabletop Edge	J Tabletop-to-Floor
TJBAA42240	36.28"	29.29"	20.48"	13.58"	27.74"
TJBAA48240	36.28"	29.29"	20.48"	16.58"	27.74"
TJBAA60240	36.28"	29.29"	20.48"	19.08"	27.74"




(model TJBAA48240 shown)



DIMENSIONS
(cont.)

Tributaire Boat Conference Tables (2-legs) (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Leg-to- Tabletop Edge	F Leg-to- Tabletop Edge	G Tabletop- to-Floor
TJBAT4260	42"	60"	29"	14.88"	19.84"	13.58"	27.74"
TJBAT4272	42"	72"	29"	26.88"	19.84"	13.58"	27.74"
TJBAT4284	42"	84"	29"	38.88"	19.84"	13.58"	27.74"
TJBAT4860	48"	60"	29"	14.88"	19.84"	16.58"	27.74"
TJBAT4872	48"	72"	29"	26.88"	19.84"	16.58"	27.74"
TJBAT4884	48"	84"	29"	38.88"	19.84"	16.58"	27.74"
TJBAT6060	60"	60"	29"	14.88"	19.84"	19.08"	27.74"
TJBAT6072	60"	72"	29"	26.88"	19.84"	19.08"	27.74"
TJBAT6084	60"	84"	29"	38.88"	19.84"	19.08"	27.74"




(model TJBAT4872 shown)



DIMENSIONS
(cont.)

Tributaire Boat Conference Tables (3-legs) (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJBAT4296	42"	96"	29"	50.46"	24.35"	20.05"	13.58"	27.74"
TJBAT42120	42"	120"	29"	74.46"	36.35"	20.05"	13.58"	27.74"
TJBAT42132	42"	132"	29"	86.46"	42.35"	20.05"	13.58"	27.74"
TJBAT42144	42"	144"	29"	98.46"	48.35"	20.05"	13.58"	27.74"
TJBAT4896	48"	96"	29"	50.88"	24.56"	19.84"	16.58"	27.74"
TJBAT48120	48"	120"	29"	74.46"	36.35"	20.05"	16.58"	27.74"
TJBAT48132	48"	132"	29"	86.46"	42.35"	20.05"	16.58"	27.74"
TJBAT48144	48"	144"	29"	98.46"	48.35"	20.05"	16.58"	27.74"
TJBAT6096	60"	96"	29"	50.88"	24.56"	19.84"	19.08"	27.74"
TJBAT60120	60"	120"	29"	74.46"	36.35"	20.05"	19.08"	27.74"
TJBAT60132	60"	132"	29"	86.46"	42.35"	20.05"	19.08"	27.74"
TJBAT60144	60"	144"	29"	98.46"	48.35"	20.05"	19.08"	27.74"


(model TJBAT48120 shown)




DIMENSIONS
(cont.)

Tributaire Boat Conference Tables (4-legs) (74P or KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJBAT42156	42"	156"	29"	112.51"	36.35"	36.29"	19.03"	13.58"	27.74"
TJBAT42168	42"	168"	29"	124.51"	36.35"	48.29"	19.03"	13.58"	27.74"
TJBAT42192	42"	192"	29"	148.51"	42.37"	60.25"	19.03"	13.58"	27.74"
TJBAT48156	48"	156"	29"	112.51"	36.35"	36.29"	19.03"	16.58"	27.74"
TJBAT48168	48"	168"	29"	124.51"	36.35"	48.29"	19.03"	16.58"	27.74"
TJBAT48192	48"	192"	29"	148.51"	42.37"	60.25"	19.03"	16.58"	27.74"
TJBAT60156	60"	156"	29"	112.51"	36.35"	36.29"	19.03"	19.08"	27.74"
TJBAT60168	60"	168"	29"	124.51"	36.35"	48.29"	19.03"	19.08"	27.74"
TJBAT60192	60"	192"	29"	148.51"	42.37"	60.25"	19.03"	19.08"	27.74"


(model TJBAT48156 shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Tributaire Boat Conference Tables (6-legs) (74P or KN edge)					
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs
TJBAT42240	42"	240"	29"	193.59"	42.36"
TJBAT48240	48"	240"	29"	193.59"	42.36"
TJBAT60240	60"	240"	29"	193.59"	42.36"

Model Number	F Space Between Legs	G Space Between Legs	H Leg-to-Tabletop Edge	I Leg-to-Tabletop Edge	J Tabletop-to-Floor
TJBAT42240	36.28"	29.29"	20.49"	13.58"	27.74"
TJBAT48240	36.28"	29.29"	20.49"	16.58"	27.74"
TJBAT60240	36.28"	29.29"	20.49"	19.08"	27.74"


(model TJBAT48240 shown)




DIMENSIONS
(cont.)

Tributaire Pill Conference Tables (2-legs) (74P or KN edge)							
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Leg-to- Tabletop Edge	F Leg-to- Tabletop Edge	G Tabletop- to-Floor
TJBAV4260	42"	60"	29"	14.88"	19.84"	13.58"	27.74"
TJBAV4272	42"	72"	29"	26.88"	19.84"	13.58"	27.74"
TJBAV4284	42"	84"	29"	38.88"	19.84"	13.58"	27.74"
TJBAV4860	48"	60"	29"	14.88"	19.84"	16.58"	27.74"
TJBAV4872	48"	72"	29"	26.88"	19.84"	16.58"	27.74"
TJBAV4884	48"	84"	29"	38.88"	19.84"	16.58"	27.74"
TJBAV6060	60"	60"	29"	14.88"	19.84"	19.08"	27.74"
TJBAV6072	60"	72"	29"	26.88"	19.84"	19.08"	27.74"
TJBAV6084	60"	84"	29"	38.88"	19.84"	19.08"	27.74"


(model TJBAV4872 shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Tributaire Pill Conference Tables (3-legs) (74P or KN edge)								
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Leg-to-Tabletop Edge	G Leg-to-Tabletop Edge	H Tabletop-to-Floor
TJBAV4296	42"	96"	29"	50.89"	24.56"	19.84"	13.58"	27.74"
TJBAV42120	42"	120"	29"	74.47"	36.35"	20.05"	13.58"	27.74"
TJBAV42132	42"	132"	29"	86.47"	42.35"	20.05"	13.58"	27.74"
TJBAV42144	42"	144"	29"	98.47"	48.35"	20.05"	13.58"	27.74"
TJBAV4896	48"	96"	29"	50.89"	24.56"	19.84"	16.58"	27.74"
TJBAV48120	48"	120"	29"	74.47"	36.35"	20.05"	16.58"	27.74"
TJBAV48132	48"	132"	29"	86.47"	42.35"	20.05"	16.58"	27.74"
TJBAV48144	48"	144"	29"	98.47"	48.35"	20.05"	16.58"	27.74"
TJBAV6096	60"	96"	29"	50.89"	24.56"	19.84"	19.08"	27.74"
TJBAV60120	60"	120"	29"	74.47"	36.35"	20.05"	19.08"	27.74"
TJBAV60132	60"	132"	29"	86.47"	42.35"	20.05"	19.08"	27.74"
TJBAV60144	60"	144"	29"	98.47"	48.35"	20.05"	19.08"	27.74"


(model TJBAV48120 shown)




**DIMENSIONS
(cont.)**

Tributaire Pill Conference Tables (4-legs) (74P or KN edge)									
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs	F Space Between Legs	G Leg-to-Tabletop Edge	H Leg-to-Tabletop Edge	I Tabletop-to-Floor
TJBAV42156	42"	156"	29"	112.50"	36.35"	36.29"	19.03"	13.58"	27.74"
TJBAV42168	42"	168"	29"	124.50"	36.35"	48.29"	19.03"	13.58"	27.74"
TJBAV42192	42"	192"	29"	148.50"	42.37"	60.25"	19.03"	13.58"	27.74"
TJBAV48156	48"	156"	29"	112.50"	36.35"	36.29"	19.03"	16.58"	27.74"
TJBAV48168	48"	168"	29"	124.50"	36.35"	48.29"	19.03"	16.58"	27.74"
TJBAV48192	48"	192"	29"	148.50"	42.37"	60.25"	19.03"	16.58"	27.74"
TJBAV60156	60"	156"	29"	112.50"	36.35"	36.29"	19.03"	19.08"	27.74"
TJBAV60168	60"	168"	29"	124.50"	36.35"	48.29"	19.03"	19.08"	27.74"
TJBAV60192	60"	192"	29"	148.50"	42.37"	60.25"	19.03"	19.08"	27.74"


(model TJBAV48156 shown)



(front view)



(side view)




(bottom view)

DIMENSIONS
(cont.)

Tributaire Pill Conference Tables (6-legs) (74P or KN edge)					
Model Number	A Table Depth	B Table Width	C Table Height	D Space Between Legs	E Space Between Legs
TJBAV42240	42"	240"	29"	193.58"	42.36"
TJBAV48240	48"	240"	29"	193.58"	42.36"
TJBAV60240	60"	240"	29"	193.58"	42.36"


Model Number	F Space Between Legs	G Space Between Legs	H Leg-to- Tabletop Edge	I Leg-to- Tabletop Edge	J Tabletop- to-Floor
TJBAV42240	36.28"	29.29"	20.49"	13.58"	27.74"
TJBAV48240	36.28"	29.29"	20.49"	16.58"	27.74"
TJBAV60240	36.28"	29.29"	20.49"	19.08"	27.74"

(model TJBAV48240 shown)




STATEMENT OF LINE

Tributaire Rectangular Conference Tables




Rectangle
(2-legs)

TJBAA4260	TJBAA4860	TJBAA6060
TJBAA4272	TJBAA4872	TJBAA6072
TJBAA4284	TJBAA4884	TJBAA6084




Rectangle
(3-legs)

TJBAA4296	TJBAA4896	TJBAA6096
TJBAA42120	TJBAA48120	TJBAA60120
TJBAA42132	TJBAA48132	TJBAA60132
TJBAA42144	TJBAA48144	TJBAA60144



Rectangle
(4-legs)

TJBAA42156	TJBAA48156	TJBAA60156
TJBAA42168	TJBAA48168	TJBAA60168
TJBAA42192	TJBAA48192	TJBAA60192




Rectangle
(6-legs)

TJBAA42240	TJBAA48240	TJBAA60240
------------	------------	------------


**STATEMENT OF
LINE (cont.)**

Tributaire Boat Conference Tables




Boat
(2-legs)

TJBAT4260	TJBAT4860	TJBAT6060
TJBAT4272	TJBAT4872	TJBAT6072
TJBAT4284	TJBAT4884	TJBAT6084




Boat
(3-legs)

TJBAT4296	TJBAT4896	TJBAT6096
TJBAT42120	TJBAT48120	TJBAT60120
TJBAT42132	TJBAT48132	TJBAT60132
TJBAT42144	TJBAT48144	TJBAT60144



Boat
(4-legs)

TJBAT42156	TJBAT48156	TJBAT60156
TJBAT42168	TJBAT48168	TJBAT60168
TJBAT42192	TJBAT48192	TJBAT60192




Boat
(6-legs)

TJBAT42240	TJBAT48240	TJBAT60240
------------	------------	------------


STATEMENT OF
LINE (cont.)

Tributaire Pill Conference Tables




Pill
(2-legs)

TJBAV4260	TJBAV4860	TJBAV6060
TJBAV4272	TJBAV4872	TJBAV6072
TJBAV4284	TJBAV4884	TJBAV6084




Pill
(3-legs)

TJBAV4296	TJBAV4896	TJBAV6096
TJBAV42120	TJBAV48120	TJBAV60120
TJBAV42132	TJBAV48132	TJBAV60132
TJBAV42144	TJBAV48144	TJBAV60144



Pill
(4-legs)

TJBAV42156	TJBAV48156	TJBAV60156
TJBAV42168	TJBAV48168	TJBAV60168
TJBAV42192	TJBAV48192	TJBAV60192



Pill
(6-legs)

TJBAV42240	TJBAV48240	TJBAV60240
------------	------------	------------

Café Tables

Product Overview

Café Table Models

Café tables are available with an X-base or C-Leg base:

X-Base

X-Base tables provide each user with equal personal space and equivalent status preventing a "head of table". These tables are great for collaborative spaces.


C-Leg Base

C-Base tables provide each user with equal personal space and equivalent status preventing a "head of table". These tables are great for collaborative spaces.


Café Table Features

Café table features can be configured or are standard, to include:

- A. Tabletop shape & size (page 159).
- B. Tabletop laminate grades.
- C. Tabletop edge styles (page 159).
- D. Caster & glide options (page 160).
- E. Wire management (page 160).
- F. Power options (page 161).



(model TJCAB30 shown)




(model TJFAB48 shown)

Café Tables		
	X-Base	C-Leg
Base Height		
29" H	•	•
36" H	•	
42" H	•	
Top Shapes		
Round	•	•
Square	•	•
Rounded Square	•	•
Features		
Casters		•
Low Profile Glides	•	•
Power Modules with 3-Prong Plug	•*	•
Pattern Electrical System		
Ganging		
Modesty Panels		

*Feature is only available on certain models.

Tabletops


Tributaire café tabletops are offered in various shapes, sizes and features. Available features vary based on individual models.



Round




Square




Rounded Square

Edge Styles




**74P Edge
(74P)**




**Knife Edge
(KN)**

Tabletop Cutouts


Dean, Nacre, or Node grommets can be specified for use within corresponding cutouts.



Dean Tabletop Cutout



Nacre Tabletop Cutout




Node Tabletop Cutout


Casters & Low Profile Glides

Casters are 2.5" in diameter and are available in three color combinations: Black hub with black tread and brake, Warm grey hub with warm grey tread and brake and also Cottonwood hub with warm grey tread and brake. Available on C-leg base café tables.


Glides are 1.5" in diameter, have black floor contact pads and 1/2" of adjustment. Available on X-base and C-leg base café tables.



Locking Caster



Non-Locking Caster




Low Profile Glide

Wire Management


Grommets

Metal grommets are available to fit Dean, Nacre and Node tabletop cutouts.

Grommets, modules and electrical components are field installed.



Dean® Grommet
(1.94" x 7.3" cutout)




Nacre® Grommet
(3" x 6.94" cutout)




Node Grommet
(3" diameter cutout)

Electrical

Electrical System Overview







Tributaire X-Base Café Table with Power Module with 3-Prong Plug



Tributaire C-Leg Café Table with Power Module with 3-Prong Plug


Electrical Components

Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Dean In-Surface (Available with 3-prong plug)		2 power outlets, 1 dual USB A+C, 1 open port	1.94" x 7.3"	in surface
Dean In-Surface Grommet		N/A	1.94" x 7.3"	in surface
Nacre Pop-Up Module (Available with 3-prong plug)		2 power outlets, 1 dual USB A+C, 1 open port	3" x 6.94"	in surface
Nacre Grommet		N/A	3" x 6.94"	in surface
Node (Available with 3-prong plug)		1 power outlet, 1 dual USB A+C	3" diameter	in surface
Node Grommet		N/A	3" diameter	in surface


DIMENSIONS

Tributaire Round X-Base Café Tables			
Model Number	A Table Depth	B Table Width	C Table Height
TJCAB30	30"	30"	29"
TJCAB36	36"	36"	29"
TJCBB30	30"	30"	36"
TJCBB36	36"	36"	36"
TJCCB30	30"	30"	42"
TJCCB36	36"	36"	42"


(model TJCAB36 shown)



(front view)




(side view)




(bottom view)

Tributaire Square X-Base Café Tables			
Model Number	A Table Depth	B Table Width	C Table Height
TJCAC30	30"	30"	29"
TJCAC36	36"	36"	29"
TJCAC42	42"	42"	29"
TJCBC30	30"	30"	36"
TJCBC36	36"	36"	36"
TJCBC42	42"	42"	36"
TJCCC30	30"	30"	42"
TJCCC36	36"	36"	42"
TJCCC42	42"	42"	42"


(model TJCAC36 shown)



(front view)



(side view)






(bottom view)

DIMENSIONS
(cont.)

Tributaire Rounded Square X-Base Café Tables			
Model Number	A Table Depth	B Table Width	C Table Height
TJCAR30	30"	30"	29"
TJCAR36	36"	36"	29"
TJCAR42	42"	42"	29"
TJCBR30	30"	30"	36"
TJCBR36	36"	36"	36"
TJCBR42	42"	42"	36"
TJCCR30	30"	30"	42"
TJCCR36	36"	36"	42"
TJCCR42	42"	42"	42"




(model TJCAR36 shown)



DIMENSIONS
(cont.)

Tributaire Round C-Leg Café Tables				
Model Number	A Table Depth	B Table Width	C Table Height	D Leg-to-Table Edge
TJFAB48	48"	48"	29"	18.50"
TJFAB60	60"	60"	29"	18.50"


(model TJFAB60 shown)




DIMENSIONS
(cont.)

Tributaire Square C-Leg Café Tables				
Model Number	A Table Depth	B Table Width	C Table Height	D Leg-to-Table Edge
TJFAC48	48"	48"	29"	19.08"
TJFAC60	60"	60"	29"	19.08"


(model TJFAC60 shown)



(front view)



(side view)




(bottom view)


DIMENSIONS
(cont.)

Tributaire Rounded Square C-Leg Café Tables				
Model Number	A Table Depth	B Table Width	C Table Height	D Leg-to-Table Edge
TJFAR48	48"	48"	29"	18.50"
TJFAR60	60"	60"	29"	19.08"


(model TJFAR60 shown)



(front view)



(side view)



(bottom view)

**STATEMENT OF
LINE**

Tributaire Round X-Base Café Tables



29" Fixed-Height
X-Base, Round
TJCAB30
TJCAB36



29" Fixed-Height
X-Base, Round
TJCBB30
TJCBB36



42" Fixed-Height
X-Base, Round
TJCCB30
TJCCB36

Tributaire Square X-Base Café Tables



29" Fixed-Height
X-Base, Square
TJCAC30
TJCAC36
TJCAC42



36" Fixed-Height
X-Base, Square
TJCBC30
TJCBC36
TJCBC42



42" Fixed-Height
X-Base, Square
TJCCC30
TJCCC36
TJCCC42

Tributaire Rounded Square X-Base Café Tables



29" Fixed-Height
X-Base, Rounded Square
TJCAR30
TJCAR36
TJCAR42




36" Fixed-Height
X-Base, Rounded Square
TJCBR30
TJCBR36
TJCBR42




42" Fixed-Height
X-Base, Rounded Square
TJCCR30
TJCCR36
TJCCR42

Tributaire C-Leg Café Tables



29" Fixed-Height
C-Leg, Round
TJFB48
TJFB60



29" Fixed-Height
C-Leg, Square
TJFAC48
TJFAC60



29" Fixed-Height
C-Leg, Rounded Square
TJFAR48
TJFAR60

Occasional
Tables

Product Overview

Occasional Table Models

Occasional tables are available with an X-base or C-Leg base:

End Table (X-base)

End tables (X-base tables) provide each user with equal personal space and equivalent status preventing a "head of table". These tables are great for collaborative spaces.


Coffee Table (C-leg base)

Coffee Table (C-leg base) is the perfect height to be used in lounge applications.


Café Table Features

Café table features can be configured or are standard, to include:

- A. Tabletop shape & size (page 169).
- B. Tabletop laminate grades.
- C. Tabletop edge styles (page 170).
- D. Caster & glide options (page 171).
- E. Wire management (page 171).
- F. Power options (page 172).



(model TJCYB30 shown)




(model TJFXV2448 shown)

Occasional Tables		
	End Table (X-base)	Coffee Table (C-leg base)
Base Height		
14" H		•
17" H	•	
18" H		•
20" H	•	
Top Shapes		
Round	•	
Square	•	
Rounded Square	•	
Rectangular		•
Boat		•
Pill		•
Features		
Casters		
Low Profile Glides	•	•
Power Modules with 3-Prong Plug	•*	•
Pattern Electrical System		
Ganging		
Modesty Panels		

*Feature is only available on certain models.

Tabletops


Tributaire occasional tabletops are offered in various shapes, sizes and features. Available features vary based on individual models.




Round




Square



Rounded Square



Rectangular




Boat




Pill

Edge Styles



74P Edge
(74P)




Knife Edge
(KN)

Tabletops

Tabletop Cutouts


Node grommets can be specified for use within corresponding cutouts.



Node Tabletop Cutout

Low Profile Glides

Low profile glides are 1.5" in diameter, have black floor contact pads and 1/2" of adjustment.




Low Profile Glide

Wire Management

Grommets

Metal grommets are available to fit Dean, Nacre and Node tabletop cutouts.


Grommets, modules and electrical components are field installed.




**Node Grommet
(3" diameter cutout)**

Electrical

Electrical System Overview



Tributaire End Table with Power Module with 3-Prong Plug




Tributaire Coffee Table with Power Module with 3-Prong Plug

Electrical Components


Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Node (Available with 3-prong plug)		1 power outlet, 1 dual USB A+C	3" diameter	in surface
Node Grommet		N/A	3" diameter	in surface

DIMENSIONS


Tributaire Round X-Base End Tables




Tributaire Square X-Base End Tables



Tributaire Round Square X-Base End Tables






Tributaire Rectangular C-Leg Base Coffee Tables






DIMENSIONS
(cont.)

Tributaire Boat C-Leg Base Coffee Tables



Tributaire Pill C-Leg Base Coffee Tables





**STATEMENT OF
LINE**

Tributaire X-Base End Tables



Tributaire C-Leg Base Coffee Tables




Nesting Screens

Product Overview

Nesting Screen Features

Nesting screen features can be configured or are standard, to include:

- A. Nesting screen sizes (page 180).
- B. Screen material & combinations (page 175).
- C. Caster & glide options (page 177).
- D. Accessories (page 177).




Nesting Screen Material Combinations			
	PET Felt	Fabric	Markerboard
PET Felt	•		•
Fabric		•	
Markerboard			•

Screen Panel Inserts


Screen panel inserts are available in four finishes, approximately 1/2" finished thickness:

- **Model TJNMB**
 - Dry-erase magnetic steel, on both sides of the screen, consisting of .017" thick white finish steel adhered to a medium density fiber board core.
- **Model TJNMP**
 - Dry-erase magnetic steel side, one side of the screen, consisting of .017" thick white finish steel glued to a medium density fiber board core. The other side of the screen, with 1/2" thick PET felt glued to the steel on the other side. PET comes in standard KI colors per KI felt color addendum.
- **Model TJNPF**
 - PET felt only, in standard KI colors per felt color addendum.
- **Model TJNFA**
 - Fabric style in any approved KI fabric. Fabric is glued to a pin-able low density fiber board core. Fabric is "railroad direction" (horizontal).




Fabric Wrap Panels


Fabric roll railroad direction.
Fabric is glued on each side of the panel insert and trimmed flush. All trimming edges are covered by the panel framing.




PET Felt Screen Insert



Fabric Screen Insert



Markerboard Screen Insert




**Markerboard & PET Felt
Screen Insert Combination**


Casters & Telescopic Glides

Casters are 2.5" in diameter and are available in three color combinations: Black hub with black tread and brake, Warm grey hub with warm grey tread and brake and also Cottonwood hub with warm grey tread and brake.


Telescopic glides are 2" in diameter and have a die cast aluminum post which is finished to match the base finish. The adjustable glide has a molded nylon body available in three standard colors: black, warm grey and cottonwood. The floor pad is a replaceable nylon pad. Glides offer 1.2" of adjustment.



Locking Caster



Non-Locking Caster




Glide


Accessories

PET Magnetic Tiles


PET magnetic tiles are offered in various shapes and sizes.




PET Felt Shape - Pill



PET Felt Shape - Round



PET Felt Shape - Rounded Square




PET Felt Shape - Square

DIMENSIONS

Nesting Screen Sizes
 Nesting Screens are available in the following overall dimensional sizes (width x height):

Nesting Screens								
Model Size	Screen Size	A Overall Depth	B Overall Width	C Overall Height	D Screen Depth	E Screen Width	F Screen Height	G Screen Insert Width
24" x 54"	22.5" x 41"	17.60"	28.27"	54"	1.62"	24.06"	40.87"	22.56"
24" x 66"	22.5" x 53"	17.60"	28.27"	66"	1.62"	24.06"	52.87"	22.56"
24" x 72"	22.5" x 59"	17.60"	28.27"	72"	1.62"	24.06"	58.87"	22.56"
30" x 54"	28.5" x 41"	17.60"	34.27"	54"	1.62"	30.06"	40.87"	28.56"
30" x 66"	28.5" x 53"	17.60"	34.27"	66"	1.62"	30.06"	52.87"	28.56"
30" x 72"	28.5" x 59"	17.60"	34.27"	72"	1.62"	30.06"	58.87"	28.56"
36" x 54"	34.5" x 41"	17.60"	40.27"	54"	1.62"	36.06"	40.87"	34.56"
36" x 66"	35.5" x 53"	17.60"	40.27"	66"	1.62"	36.06"	52.87"	34.56"
36" x 72"	34.5" x 59"	17.60"	40.27"	72"	1.62"	36.06"	58.87"	34.56"
42" x 54"	40.5" x 41"	17.60"	46.27"	54"	1.62"	42.06"	40.87"	40.56"
42" x 66"	40.5" x 53"	17.60"	46.27"	66"	1.62"	42.06"	52.87"	40.56"
42" x 72"	40.5" x 59"	17.60"	46.27"	72"	1.62"	42.06"	58.87"	40.56"
48" x 54"	46.5" x 41"	17.60"	52.27"	54"	1.62"	48.06"	40.87"	46.56"
48" x 66"	46.5" x 53"	17.60"	52.27"	66"	1.62"	48.06"	52.87"	46.56"
48" x 72"	46.5" x 59"	17.60"	52.27"	72"	1.62"	48.06"	58.87"	46.56"

(model TJNPF3672 shown)




DIMENSIONS
(cont.)

Nesting Screens Configuration Dimensions

The nesting screen feet are cast in right and left handed orientations to allow nesting of the screens where two screens equals 24" of nesting depth. Each additional screen adds approximately 6".


Nesting Footprint Calculation: Overall Depth of a Row = 18" for the first screen plus 6" for each additional screen.
Examples: 2 screens: $18" + (6" \times 1) = 24"$
 4 screens: $18" + (6" \times 3) = 36"$



Nesting Screens Footprint Examples	
Number of Screens	Overall Depth of Nested Row
1	18"
2	24"
3	30"
4	36"
5+	Add 6" for each additional screen


**STATEMENT OF
LINE**

Tributaire Nesting Screens




PET Felt Insert

TJNPF2454	TJNPF2466	TJNPF2472
TJNPF3054	TJNPF3066	TJNPF3072
TJNPF3654	TJNPF3666	TJNPF3672
TJNPF4254	TJNPF4266	TJNPF4272
TJNPF4854	TJNPF4866	TJNPF4872




Fabric Insert

TJNFA2454	TJNFA2466	TJNFA2472
TJNFA3054	TJNFA3066	TJNFA3072
TJNFA3654	TJNFA3666	TJNFA3672
TJNFA4254	TJNFA4266	TJNFA4272
TJNFA4854	TJNFA4866	TJNFA4872



Markerboard Insert

TJNMB2454	TJNMB2466	TJNMB2472
TJNMB3054	TJNMB3066	TJNMB3072
TJNMB3654	TJNMB3666	TJNMB3672
TJNMB4254	TJNMB4266	TJNMB4272
TJNMB4854	TJNMB4866	TJNMB4872



Markerboard or PET Felt Insert

TJNMP2454	TJNMP2466	TJNMP2472
TJNMP3054	TJNMP3066	TJNMP3072
TJNMP3654	TJNMP3666	TJNMP3672
TJNMP4254	TJNMP4266	TJNMP4272
TJNMP4854	TJNMP4866	TJNMP4872

Lecterns

Product Overview

Lectern Models

Tributaire Lecterns are available in fixed- and adjustable-height versions:


- Fixed-Height
- Pneumatic-Adjustable Height
- Screw-Adjustable Height

All models are optionally configured with storage.

Lectern Features

Tributaire Lectern features can be configured or are standard, to include:


- A. Lectern upright (see page 181).
- B. Lectern worktop & support platform (see page 182).
- C. Caster & glide options (see page 182).
- D. Storage cabinet (see page 183).
- E. Adjustable Shelf (see page 183).
- F. Adjustable 110° full overlap steel hinges (see page 183).
- G. Lock (see page 183).
- H. Ganging (see page 185).
- I. Modest Panel (see page 186).
- J. Wire Management (see page 187).
- K. Power Options (see page 187).




The storage cabinet contains an adjustable shelf for electronic equipment. Shelf is vertically adjustable within a 5" range, allowing for a maximum vertical height of 10½" above or below the shelf within the cabinet. Available internal cabinet space without the shelf is 19¼" W x 15½" H x 15½" D. The cabinet contains a worksurface grommet on the top and a cabinet cut-out at the bottom to allow for wire management from the podium surface, down into the cabinet for electronic equipment, then out through the cut-out at bottom of the cabinet as needed.

Lectern Upright


Tributaire Lecterns are available in fixed- and adjustable-height versions:



Fixed-Height Upright




Screw-Adjustable Height




Pneumatic-Adjustable Height

Worktop & Support Platform


The worktop is adjusted by hand from flat to 12 degrees angled. A book stop provides for book or device retention in the angled position.



Worktop & Support Platform



Worktop (flat)




Worktop (raised 12°)


Casters & Telescopic Glides

Casters are 2.5" in diameter and are available in three color combinations: Black hub with Black tread and brake, Warm Grey hub with Warm Grey tread and brake, and also Cottonwood hub with Warm Grey tread and brake.


Telescopic glides are 2" in diameter and have a die cast aluminum post which matches the table base finish. Glides have a molded nylon body available in three standard colors: black, warm grey and cottonwood. The floor pad is a replaceable nylon pad. Glides offer 1.2" of adjustment.



Locking Caster



Non-Locking Caster



Telescopic Glide

Storage Cabinet

Adjustable Shelf


Adjustable shelf in the cabinet compartment allows for 5" for vertical height adjustment.

Cabinet Door Hinges


Each cabinet door has two steel hinges that each have a 110-degree full-overlap swing.

Locks


Cabinets may be configured optionally with a keyed lock to secure both doors.




Storage Cabinet




Adjustable Shelf



Cabinet Door Hinges



Storage Cabinet Door with Lock



Door without Lock

Accessories

Lectern with Storage Bag Hook

A bag hook may be secured to the opening on the side of the lectern storage cabinet.

Support Platform Bag Hook


A bag hook may be secured to the vertical support column. Ideal use for lecterns without storage.

Cupholder


Cupholder can pivot fully underneath the support platform, or be extended out when in use.

Lectern-to-Table Ganging Kit


Proceed to "Ganging" section on the next page for more information.




Lectern with Storage Bag Hook



Support Platform Bag Hook



Cupholder



Lectern-to-Table Ganger Kit

Ganging

The ganging kit consists of two steel hooks and two nylon ganging blocks which secure a post-leg table and lectern together. Ganging kit is field installed. One hook secures to each side of the lectern through an upper opening at each side of the storage cabinet. One nylon ganging block is secured to the underside of a post-leg table at each side. Lifting up on the edge of a ganging table and lowering the nylon ganging block into the steel ganging hook of the lectern allows the two pieces to be fully ganged together.






Table-to-Lectern Ganger Kit


24" x 48" Rectangular Post-Leg Table & Lectern with Storage, Side-to-Side Configuration (model TJLFS & TJEAA2448 shown)

Sample Layout 1



24" x 48" Rectangular Post-Leg Table & Lectern with Storage, Side-to-Side Configuration (model TJLFS & TJEAA2448 shown) (top view)


Sample Layout 2




24" x 48" Rectangular Post-Leg Table & Lectern with Storage, Side-to-Side Configuration (model TJLFS & TJEAA2448 shown) (top view)

Modesty Panels

Modesty panels are available in two styles:



**Modesty Panel for Lectern
with Storage**




**Modesty Panel for Lectern
without Storage**

Modesty Panel Types


Modesty panels are available in two types:

PET Felt Modesty Panels:
Felt PET is 1/2" thick in select KI colors.



**PET Felt
Modesty Panel**

High-Pressure Laminate Modesty Panels:
HPL is 1/2" thick and laminated on both side, and includes a 73P edge band, in standard KI colors.




**High-Pressure Laminate
Modesty Panel**

Wire Management

Grommets


Grommets, modules and electrical components are field installed.



Lectern Access Grommet
(2.80" x 3.79" cutout)

Electrical

Electrical System Overview




Tributaire Lectern with Power Module with 3-Prong Plug

Electrical Components


Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Mini-Tap (Available with 3-prong plug)		1 power outlet, 1 dual USB A+C	N/A	below surface

DIMENSIONS


Tributaire Lectern, Fixed-Height



Tributaire Lectern, Screw-Adjustable Height




Tributaire Lectern, Pneumatic-Adjustable Height




**DIMENSIONS
(cont.)**

Tributaire Lectern with Storage, Fixed-Height




Tributaire Lectern with Storage, Screw-Adjustable Height




DIMENSIONS
(cont.)

Tributaire Lectern with Storage, Pneumatic-Adjustable Height




**STATEMENT OF
LINE**


Tributaire Lecterns without Storage



Fixed-Height
No Storage
TJLFN1922




Screw Adjustable-Height
No Storage
TJLSN1922




Pneumatic Adjustable-Height
No Storage
TJLPN1922


Tributaire Lecterns with Storage



Fixed-Height
with Storage
TJLFS1922



Screw Adjustable-Height
with Storage
TJLSS1922



Pneumatic Adjustable-Height
with Storage
TJLPS1922

Monitor Stands,
Storage Screens,
& Credenzas


Product Overview

Monitor Stand, Storage Screen, & Credenza Features


Tributaire monitor stand, storage screen and credenza features can be configured or are standard, to include:

- A. Monitor mount screen (page 192).
- B. Screen material & combinations (page 193).
- C. Caster & glide options (page194).
- D. Storage cabinet front & back combinations (page 194).
- E Adjustable shelves (page 195).
- F. Adjustable 110° full overlap steel hinges (page 195).
- G. Locks (page 195).
- H. Ganging (page 196).
- I. Wire management (page 197).
- J. Power options (page 198).


Monitor Stands, Storage Screens & Credenzas			
	Monitor Stand	Storage Screen	Credenza
Screen Material & Combinations			
No Panel	(back)	(back)	(front) (back)
Monitor Mount	(front)		
Laminated Panel	(back)		
PET Felt Panel	(back)	(front) (back)	
Fabric Panel	(back)	(front) (back)	
Makerboard Panel	(back)	(front) (back)	
Cabinet Door Combinations			
Front and Back Doors with Ganging	•	•	
Front and Back Doors with No Ganging	•	•	
Front Doors Only with Ganging	•	•	
Front Doors Only with No Ganging	•	•	•
Cabinet Features			
Lock	•	•	•
Power	•	•	•
Casters	•	•	•
Glides	•	•	•



(model TJMMM2252/DPG shown)



(model TJSFA2252/SPN shown)



(model TJCR2252 shown)

Screen Insert Material & Combinations

Monitor stand screen inserts are available in four finishes: laminated, PET felt, fabric, & markerboard. Storage screen inserts are available in three finishes: PET felt, fabric, & markerboard. Dual screen storage screens are available with a combination of one markerboard insert and one PET felt insert.

Laminate Insert

Constructed with a front surface of .030" thick high-pressure laminate (HPL) in any KI laminate color per the Product Color Options page in the Tributaire Collection pricelist. Back side is of black .030" thick high-pressure laminate. Both surfaces are glued to a medium-density fiberboard (MDF) core.

Markerboard Insert

Dry-erase magnetic steel insert front surface consists of .017" thick, white-finish steel. Back surface is a black, powder-coat painted .017" thick steel backer sheet. Both surfaces are glued to a medium-density fiberboard (MDF) core.

Monitor Stand Insert


Constructed with a front surface of .030" thick high-pressure laminate (HPL) in any KI laminate color per the Product Color Options page in the Tributaire Collection pricelist. Back side is of black .030" thick high-pressure laminate. Both surfaces are glued to a medium-density fiberboard (MDF) core. Insert includes a central oblong passage for routing cables. Durable construction for installation of video monitors via customer supplied and customer installed monitor and mounting brackets. Construction allows for 100 pounds maximum monitor weight. Other storage screen models are not designed for monitor installation.

PET Felt Insert

PET felt material is 1/2" thick front to back, available in standard KI colors per the Product Color Options page in the Tributaire Collection pricelist.


Fabric Insert

Fabric style in any approved KI fabric, glued to both sides of a pin-able, 1/2" thick low-density fiberboard (LDF) core. Fabric is oriented "railroad" (horizontal) direction.




Fabric Wrap Panels


Fabric roll railroad direction. Fabric is glued on each side and trimmed flush. All trimming edges are covered by the panel framing.




Monitor Stand Insert




Laminate Insert



PET Felt Insert



Fabric Insert




Markerboard Insert


Casters & Telescopic Glides

Casters are 2.5" in diameter and are available in three color combinations: Black hub with Black tread and brake, Warm Grey hub with Warm Grey tread and brake, and also Cottonwood hub with Warm Grey tread and brake.


Telescopic glides are 2" in diameter and have a die cast aluminum post which matches the table base finish. Glides have a molded nylon body available in three standard colors: black, warm grey and cottonwood. The floor pad is a replaceable nylon pad. Glides offer 1.2" of adjustment.



Locking Caster



Non-Locking Caster




Telescopic Glide


Storage Cabinet Front & Back Combinations

Cabinet Doors

Each cabinet is configured for either two or four hinge-mounted doors. One-sided cabinets have two doors. Two-sided cabinets have four doors. Cabinets may be configured for either non-ganging on both sides or ganging on one, and non-ganging on the other cabinet side. Ganging cabinet sides are designed to gang to an optional post leg table. Non-ganging door sides are hinged to swing open at the center, while ganging doors are hinged centrally and swing open at each cabinet end. Ganging cabinet doors, when closed leave an opening above each door for installed gangers.



Cabinet Doors - (non-ganging side)



Cabinet Doors - (ganging side)

Storage Cabinet Features


Adjustable Shelves

Adjustable shelving in two compartments allow 5" vertical height adjustment.


- 10½" H max. available height with shelf.
- 15⅞" H max. available height without shelf.
- 21" W max.
- 20½" D max.

Cabinet Door Hinges

All cabinet doors feature 110 full overlap swing, soft close hinges.




Adjustable Shelves




Cabinet Door Hinges

Locks


All cabinet doors may be optionally configured with keyed locks.




Cabinet Doors with Locks - (non-ganging side)



Cabinet Doors with Locks - (ganging side)



Cabinet Doors with No Locks - (non-ganging side)




Cabinet Doors with No Locks - (ganging side)

Ganging


Swinging ganger hooks draw and secure table and monitor stand or storage screen together using under-mounted stationary pegs. Gangers are field installed and self-storing inside the cabinet when not in use. Tabletops and cabinets are pre-drilled for placement of ganging pegs. After the installation of the ganging pegs, no tools are required to join table and monitor stand or storage screen together.

Sample Layout 1



**52" x 60" Half-Rounded Square Post-Leg Table & Monitor Stand/Storage Screen
(model TJEASS5260 & TJMFA2252 shown) (top view)**

Sample Layout 2



**52" x 84" Half-Rounded Square Post-Leg Table & Monitor Stand/Storage Screen
(model TJEASS5284 & TJMFA2252 shown) (top view)**

Wire Management

Cabinet Top Cutout

Only available on monitor stand units.

Plenum


Cabinet includes a central front-to-back and top-to-bottom open plenum for storage of, and aid in routing cords and cables. Plenums have two upper and two lower horizontal wire pass throughs to allow cords and cables to be routed on either level of the adjustable shelves.

Cabinet Underside Cutouts


Only available on monitor stand or storage screen units that have two-sided cabinets.

Cabinet Wire Pass Through


Only available on monitor stand or storage screen units that have one-sided cabinets.




Cabinet Top Cutout



Plenum Horizontal Wire Pass Throughs




Cabinet Underside Cutouts



Cabinet Wire Pass Through


Electrical

Electrical System Overview




Tributaire Monitor Stand or Storage Screen with Power Module with 3-Prong Plug

Electrical Components


Electrical Components				
Power Options	Visual	Module Configuration	Tabletop Cutout Dimensions	Mounting Location
Quad-Tap (Available with 3-prong plug)		4 power outlet	N/A	below surface

DIMENSIONS


Tributaire Monitor Stand or Storage Screen with No Rear Panel



Tributaire Monitor Stand or Storage Screen with Rear Panel




Tributaire Credenza




**STATEMENT OF
LINE**

Tributaire Monitor Stands - Single Panel (no ganging)



No Rear Panel
TJMNP2252/SPN


Tributaire Monitor Stands - Single Panel (ganging)




No Rear Panel
TJMNP2252/SPG

STATEMENT OF
LINE (cont.)


Tributaire Monitor Stands - Dual Panels (no ganging)




Laminated Monitor Mount
Rear Panel
TJMMM2252




Laminated Rear Panel
No Monitor Mount
TJMLA2252



PET Felt Rear Panel
TJMPF2252




Fabric Rear Panel
TJMFA2252




Markerboard Rear Panel
TJMMB2252

**STATEMENT OF
LINE (cont.)**


Tributaire Monitor Stands - Dual Panels (ganging)




Laminated Monitor Mount
Rear Panel
TJMMM2252/DPG




Laminated Rear Panel
No Monitor Mount
TJMLA2252/DPG



PET Felt Rear Panel
TJMPF2252/DPG




Fabric Rear Panel
TJMFA2252/DPN




Markerboard Rear Panel
TJMMB2252/DPG

**STATEMENT OF
LINE (cont.)**


Tributaire Storage Screens - Single Panel (no ganging)



PET Felt Panel
TJSPF2252/SPN




Fabric Panel
TJSFA2252/SPN




Markerboard Panel
TJSMB2252/SPN

**STATEMENT OF
LINE (cont.)**


Tributaire Storage Screens - Single Panel (ganging)



PET Felt Panel
TJSPF2252/SPG




Fabric Panel
TJSFA2252/SPG




Markerboard Panel
TJSMB2252/SPG

**STATEMENT OF
LINE (cont.)**


Tributaire Monitor Stands - Dual Panels (no ganging)




PET Felt Panels
TJSPF2252



Fabric Panels
TJSFA2252




Markerboard Panels
TJSMB2252




Markerboard & PET Felt Panels
TJSMP2252

**STATEMENT OF
LINE (cont.)**


Tributaire Monitor Stands - Dual Panels (ganging)




PET Felt Panels
TJSPF2252/DPG



Fabric Panels
TJSFA2252/DPG




Markerboard Panel
TJSMB2252/DPG



Markerboard & PET Felt Panels
TJSMP2252/DPG

Tributaire Credenza



TJCR2252

KI
1330 Bellevue Street
Green Bay, Wisconsin 54302
1-800-424-2432
www.ki.com

KI is a registered trademark
of Krueger International, Inc.

© 2024 Krueger International, Inc.
All Rights Reserved
Code KI-PG-000039/KI/PDF/0124

