

Planning Guide ■
Orenda™ Casegoods Collection

February 2024

[illegible]

Orenda Casegoods

Introduction

Orenda Casegoods Collection Statement of Line	4
Orenda Casegoods Collection Overview	11

Desking

Product Overview	15
Statement of Line	15
Double Pedestal Desks	15
Single Pedestal Desks	16

Desk Shells

Product Overview	17
Statement of Line	17
Corner Modules	17
Rectangle Desk Shells	18
Extended Rectangle Desk Shells	19
Extended Bow Front Desk Shells	19

Returns

Product Overview	20
Statement of Line	20
Single Pedestal Returns	20
No Pedestal Returns	21

Bridges

Product Overview	22
Statement of Line	22
Bridges	22

Credenzas

Product Overview	23
Statement of Line	23
Single Pedestal Credenzas	23
Double Pedestal Credenzas	23
Lateral File Credenzas	24
Storage Credenzas	24

Aluminum Frame Tables

Product Overview	25
Statement of Line	26
Rectangular Aluminum Frame Tables	26
Rectangular Aluminum Frame Returns	26
Aluminum Frame Y-Tables	26
Aluminum Frame Y>Returns	27
Aluminum Frame Ellipse Tables	27

Tabletops

Product Overview	28
Statement of Line	29
Tabletops Only for Toggle Bases	29
D-Shaped Tabletops	30
P-Shaped Tabletops	31

Overhead Storage

Product Overview	32
Planning Guidelines	32
Statement of Line	33
Surface-Mounted Overhead Open Shelf	33
Surface-Mounted Overhead with Laminate Hinged Doors	33
Surface-Mounted Overhead with Aluminum Framed Hinged Doors & Frosted Acrylic Panels	33
Surface-Mounted Overhead with Laminate Sliding Door	34
Wall-Mounted Overhead Open Shelf	34
Wall-Mounted Overhead with Laminate Hinged Doors	34
Wall Mounted Overhead with Aluminum Framed Sliding Door & Frosted Acrylic Panels	34
Wall-Mounted Overhead with Laminate Sliding Door	35
Wall-Mounted Overhead with Aluminum Framed Sliding Door & Frosted Acrylic Panel	35
Surface-Mounted Stack-On Bookcase	35

Under Desk Storage

Product Overview	36
Statement of Line	36
Under Desk Hanging Pedestal Files	36
Under Desk Full-Height Pedestal Files	36
Under Desk Lateral Files	36
Under Desk Storage Cabinets	36

Freestanding Storage

Product Overview	37
Statement of Line	38
Mobile Pedestal Files	38
Storage Cabinets	38
Storage & File Cabinets	38
Lateral Files	38
Storage Towers	39
Corner Bookcases	40
Bookcases	40
High-Density Storage Cabinets	41

Accessories

Product Overview	42
Planning Guidelines	43
Statement of Line	44
Filing Bars	44
Desktop Acrylic Screens	44
Paper Organizers	44
Surface Grommets	44
Wire Management	45
Keyed-Alike Lock Core Sets with Keys	45
Tackboards	45
Overhead LED Task Lights	45

Reception Workstations

Product Overview	46
Statement of Line	47
Reception Workstations	47
Reception Workstation Returns	48
Reception Gallery	49
Reception Gallery Returns	49

Complimentary Furniture


Product Overview	50
Statement of Line	51
Lecterns	51
Occasional Tables	51
Mobile Service Carts	51
Markerboards	51

Conference Tables


Product Overview	52
Statement of Line	53
Round Tables	53
Square Tables	53
Laminate Base Tables	53
Aluminum Frame Base Tables	62

Orenda
Casegoods
Collection
Statement of Line


Desks




Rectangular Top
Double Pedestal Desks



Bow Front Top
Double Pedestal Desks




Rectangular Top
Single Pedestal Desks




Bow Front Top
Single Pedestal Desks


Desk Shells




Corner Modules



Rectangular Top




Extended
Rectangle Top




Extended
Bow Front Top

Returns



Single Pedestal




No Pedestal

Note: The indicated grain direction changes 90° on tops and panels longer than 60".


Orenda
Casegoods
Collection
Statement of Line
(cont.)

Bridges




Bridges


Credenzas




Single Pedestal



Double Pedestal




Lateral File




Storage


Aluminum Table Frames




Rectangle Top




Return
Rectangle Top



Y-Shaped Top



Return
Y-Shaped Top




Ellipse-Shaped Top


Note: The indicated grain direction changes 90° on tops and panels longer than 60".

Orenda
Casegoods
Collection
Statement of Line
(cont.)


Tabletops




Tabletops Only for Toggle Bases




D-Shaped Suspended Top




D-Shaped Suspended Top
Half-Height Modesty Panel




D-Shaped Top with End Panel




D-Shaped Top with End Panel
Half-Height Modesty Panel



P-Shaped Suspended Top



P-Shaped Top with End Panel
Half-Height Modesty Panel




P-Shaped Top with End Panel


Note: The indicated grain direction changes 90° on tops and panels longer than 60".

Orenda
Caseloads
Collection
Statement of Line
(cont.)


Surface-Mounted Overhead Storage




Open Shelf




With Laminate Hinged Doors




Aluminum Framed Hinged Doors
with Frosted Acrylic Panels



Laminate
Sliding Doors




Aluminum Framed Sliding Door
with Frosted Acrylic Panel




Wall-Mounted
Open Shelf


Wall-Mounted Overhead Storage




Wall-Mounted with
Laminate Hinged Doors



Wall-Mounted
Aluminum Framed Hinged Doors
with Frosted Acrylic Panels



Wall-Mounted
Laminate Sliding Door




Wall Mounted Sliding
Aluminum Framed Sliding Door
with Frosted Acrylic Panel

Note: The indicated grain direction changes 90° on tops and panels longer than 60".


Orenda
Casegoods
Collection
Statement of Line
(cont.)

Surface-Mounted Bookcase Storage




Stack-On


Under Desk Storage




Hanging Pedestal File



Full Height Pedestal File




Lateral File




Storage Cabinet


Freestanding Storage




Mobile Pedestal File




Storage Cabinet




Storage & File Cabinet




Lateral Files




Storage Towers



Corner Bookcases




Bookcases



High-Density
Storage Cabinet


Accessories



Filing Bars




Grommets



Wire Management



Lock Sets



Desktop Screens



Paper Organizers




Tackboards




Overhead LED Task Lights

Orenda
Casegoods
Collection
Statement of Line
(cont.)


Reception Workstations




Laminate
Rectangular Reception Counter




Laminate
Bow Front Reception Counter




Laminate with
Upper Open Compartment Storage
Rectangular Reception Counter




Laminate with
Upper Open Compartment Storage
Bow Front Reception Counter




Aluminum Frame
Rectangular Reception Counter




Laminate
Returns with Pedestals




Laminate
No Pedestal Returns



Reception Gallery
Rectangular Top



Reception Gallery
Bow Front Top




Reception Gallery Returns


Note: The indicated grain direction changes 90° on tops and panels longer than 60".

Orenda
Casegoods
Collection
Statement of Line
(cont.)


Complimentary Furniture




Lectern



Occasional Tables




Mobile Service Carts




Markerboards

Aluminum Frame Tables




Round Tables




Square Tables


Conference Tables




Laminate Base
Rectangular Top




Laminate Base
Racetrack-Shaped Top




Laminate Base
Boat-Shaped Top



Aluminum Frame Base
Rectangular Top



Aluminum Frame Base
Racetrack-Shaped Top



Aluminum Frame Base
Boat-Shaped Top

Note: The indicated grain direction changes 90° on tops and panels longer than 60".

Orenda Casegoods Collection Overview

General Overview

Orenda is a laminate casegoods collection which adds a stylish environment to any workspace. Warm wood grains offers a timeless look while solid finishes and metal accents provide a more contemporary aesthetic. Laminates can be mixed and matched to create a two-toned look. The Orenda collection includes desks, desk shells, returns, bridges, credenzas, aluminum frame tables, overhead storage, bookcase storage, under desk storage, freestanding storage, reception workstations, conference tables and various accessories.

Construction

Worksurfaces, tabletops and end panels are constructed of thermally-fused laminate (TFL) over a 1" particle-board core and include edge banding. Conference tabletops are constructed of TFL over either a 1" or 1.5" particle-board core and include edge banding. Exposed vertical surfaces are wood grain or solid laminate in color. Laminate surfaces offer lasting beauty, superior resistance to normal wear, and easy maintenance. Flat edge banding thickness is 1.5 mm ABS. A laser is used to melt a portion of the banding, fusing it to the board and creating a seamless look. Edge banding coordinates in color with the laminate finish. Inner cabinet panel surfaces may be unfinished, may be finished in various colors, and may not include edge banding. Adjustable glides on units account for uneven floors and keep surfaces level.

Most units ship pre-assembled and ready to configure, unless otherwise noted. Product shipped ready to configure will have most hardware and fittings pre-attached for quick and easy installation.

End Panels

Full-height end panels are standard on most units. Recessed end panels are available options on desk shells, extended corner desk shells, and corner units.

Modesty Panels

Modesty panels, constructed of TFL are primarily full-height, from worksurface to the floor. Partial-height modesty panels are 13.75" high on aluminum-frame Y-tables, aluminum-frame ellipse tables, D-shaped and P-shaped tops. Partial-height modesty panels are 11.81" high on bridge surfaces. Select models offer a no-back, no modesty panel option.

Box Drawer Construction

Pedestals cabinet box drawers feature five-sided drawer construction. Drawer sides and slides are 16" deep. Slide suspensions are full-extension, of ball bearing construction for smooth operation and have a 100 lb load capacity.

File Drawer Construction

Pedestal and lateral file drawers feature five-sided drawer construction. Drawer sides and slides are 16" deep. Slide suspensions are full-extension with over-travel, are of ball bearing construction for smooth operation and have a 150 lb load capacity. No file suspension bars are included and must be ordered separately.

Overhead Storage

Overhead storage is available in five different cabinet styles: open, laminate hinged doors, aluminum framed hinged doors with acrylic frosted panels, laminate sliding door, or aluminum framed sliding door with frosted acrylic panel. Desktop and wall-mounted overheads each have an internal height clearance of 18¹/₄". Surface-mounted overheads are secured to tops using foam-core double-sided tape, have an under-shelf clearance of 22³/₄" and have a 2" diameter cut-out in the back for cable management. Task lights are available for installation to overhead storage, and must be ordered separately. Wall-mounted overheads include hanging cleat and instructions, mounting hardware is customer supplied.

Overhead Storage Doors

Anodized aluminum frame doors have a frosted acrylic center panel. Laminate panel doors are constructed of thermally-fused laminate over a particle-board core and include edge banding. Hinges are concealed, are 120-degree swing for laminate doors and 135-degree swing for aluminum-framed doors.

Desktop Screens

Desktop screens are constructed of ¹/₄" thick frosted acrylic, offered as either 12" or 18" high. Die-cast surface-mounted attachment brackets hold the screen in place. Brackets are secured from underneath using screws through the desk surface.

Tackboards

Tackboards are constructed using ³/₄" industrial insulation board, with fabric on the front and a coating on the back for protection.

Grommets


Grommet is a circular surface mounted grommet constructed of plastic. Grommets (black color only) are installed into units at standard grommet hole locations at the factory. Grommet hole is 2³/₄" diameter. Grommet kits may be ordered separately for non-standard grommet locations and are field installed.

Orenda
Casegoods
Collection
Overview (cont.)


Tables and Metal leg options
Post legs are 6" in diameter and painted black. All other leg profiles are finished in anodized aluminum.

Pulls
Four pull options are available:


Cubic Pulls
Anodized aluminum.



Pedestal




Lateral File




Storage Cabinet


Integrated Pulls
Constructed into the fronts of doors and drawers: black plastic.



Pedestal




Lateral File




Storage Cabinet


Straight Pulls
Painted silver.



Pedestal




Lateral File




Storage Cabinet


Waterfall Pulls
Painted silver.



Pedestal



Lateral File



Storage Cabinet


**Orenda
Casegoods
Collection
Overview (cont.)**

Power Modules

Dean In-Surface Power Module

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one available opening for various optional data ports. The module can be adapted to fit various brands of data jacks using the data tree, which ships with Dean in-surface power module. Data connectors are not supplied with the module and are purchased by the customer. The Dean In-Surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. The power module is secured to the worksurface with screws from the underside of the table. The module has a molded plastic faceplate with steel trim and an aluminum housing. The Dean In-Surface power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed.

Cord length is 10' with a 3-prong plug. Color is Black.



Dean In-Surface Power
Module with 3-Prong Plug


Key Options

All Cores and Keys must be order separately. Storage units are specified with the following lock options below:

- NL - No Lock - no hole for lock core
- WL - Locking - comes with hole and no lock core (ordered separately with kits).

Keyed-Alike Lock Kits (option one)

Determine the number of lock cores needed per area and specify the appropriate kit. Lock sets are sold separately and are field installed.



Keyed Alike Kits

Conference Tables

Rectangle, racetrack and boat-shaped tops are offered with either laminate or aluminum frame bases.


Orenda
Casegoods
Collection
Overview (cont.)

Filing Hardware
Filing bars are available for use in all pedestals and lateral filing drawers. Two bars per specification. Front-to-back filling for legal size paper is not available in 15" drawers. No file suspension bars are included and must be ordered separately.


**Filing Letter-Size Paper
Left/Right**



Side-to-Side Filing Bar
for 15" Drawer




Side-to-Side Filing Bar
for 30" Drawer




Side-to-Side Filing Bar
for 36" Drawer


**Filing Letter-Size Paper
Front/Back**



No Filing Bar
for 15" Drawer




Front-to-Back Filing Bars
for 30" Drawer




Front-to-Back Filing Bars
for 36" Drawer


**Filing Legal-Size Paper
Left/Right**



No Filing Bar
for 15" Drawer




No Filing Bar
for 30" Drawer




No Filing Bar
for 36" Drawer

**Filing Legal-Size Paper
Front/Back**



Front-to-Back Filing Bar
for 30" Drawer



Front-to-Back Filing Bars
for 36" Drawer

Desks



Product Overview

Double & Single Pedestal Desks

- Bow front tops have an additional 6" depth at the most bowed-out point.
- Recessed, full-height modesty panel.
 - 30" deep desks - with modesty panel recessed 2.5".
 - 36" deep desks - with modesty panel recessed 8.3".
 - 42" deep desks - with modesty panel recessed 14" (from center of curve).
- No grommets are standard on units. If desired, specify grommet accessory for install in the field.
- Optional lock opening is located on the front face of pedestal drawer. One lock opening per pedestal.
- No filing bars are included. Must order separately.
- Units are freestanding.



Statement of Line

Double Pedestal Desks





Rectangular Top
Left Pedestal Box/Box/File
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDPRUU3060 AKDPRUU3672
AKDPRUU3066 AKDPRUU3684
AKDPRUU3072





Rectangular Top
Left Pedestal File/File
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDPRFU3060 AKDPRFU3672
AKDPRFU3066 AKDPRFU3684
AKDPRFU3072



Bow Front Top
Left Pedestal Box/Box/File
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDPBUU3666 AKDPBUU4272
AKDPBUU4284





Bow Front Top
Left Pedestal File/File
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDPBFU3666 AKDPBFU4272
AKDPBFU4284



Statement of Line
(cont.)

Single Pedestal Desks





Rectangular Top
Left Pedestal Box/Box/File
Full-Height Modesty Panel

AKDRSUN3048 AKDRSUN3672
AKDRSUN3054 AKDRSUN3684
AKDRSUN3060
AKDRSUN3066
AKDRSUN3072





Rectangular Top
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDRSNU3048 AKDRSNU3672
AKDRSNU3054 AKDRSNU3684
AKDRSNU3060
AKDRSNU3066
AKDRSNU3072



Bow Front Top
Left Pedestal Box/Box/File
Full-Height Modesty Panel

AKDSBUN3666 AKDSBUN4272
AKDSBUN4284



Bow Front Top
Right Pedestal Box/Box/File
Full-Height Modesty Panel

AKDSBNU3666 AKDSBNU4284
AKDSBNU4272

Desks Shells

Product Overview

Corner Modules

- Flush, full-height modesty panel.
- Grommet located in corner cutout location on the top.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.

Desk Shells - Rectangular (recessed back panel)

- Recessed, full-height back panel.
 - 30" deep desk rectangular shell - with back panel recessed 2.5".
 - 36" deep desk rectangular shell - with back panel recessed 8.3".
- No grommets are standard on units. If desired, specify grommet accessory for install in the field.
- Optional lock opening is located on the front face of pedestal drawer. One lock opening per pedestal.
- Full and recessed end panels are field interchangeable.
- Units are freestanding if two full end panels are specified. Units cannot be freestanding if a recessed end panel is specified.
- Ganging brackets and mounting hardware are included if a recessed end panel is specified.

Desk Shells - Rectangular (flush back panel)

- Flush, full-height back panel.
- Grommet located in the center cutout location on the top.
- Full and recessed end panels are field interchangeable.
- Units are freestanding if two full end panels are specified. Unit cannot be freestanding if a recessed end panel is specified.
- Ganging brackets and mounting hardware are included if a recessed end panel is specified.

Desk Shells - Extended Rectangular


- Flush, full-height back panel.
- Grommet located in corner cutout location on the top.
- Units are freestanding if two full end panels are specified. Unit cannot be freestanding if a recessed end panel is specified.
- Ganging brackets and mounting hardware are included if a recessed end panel is specified.

Desk Shells - Extended Rectangular (bow front)

- Bow front tops have an additional 6" depth at the most bowed-out point.
- Recessed, full-height back panel.
 - 48" deep desk rectangular shell - with back panel recessed 14".
- Grommet located in corner cutout location on the top.
- Units are freestanding.


Statement of Line

Corner Modules



Curved Front

AKDSCS18363618	AKDSCS24424224	AKDSCS24484824
AKDSCS20363620	AKDSCS24424230	AKDSCS24484830
AKDSCS24363624	AKDSCS30424224	AKDSCS30484824
	AKDSCS30424230	AKDSCS30484830




Straight Front

AKDSCZ18363618	AKDSCZ24424224	AKDSCZ24484824
AKDSCZ20363620	AKDSCZ24424230	AKDSCZ24484830
AKDSCZ24363624	AKDSCZ30424224	AKDSCZ30484824
	AKDSCZ30424230	AKDSCZ30484830

Statement of Line
(cont.)

Desk Shells - Rectangular Top



Recessed Back Panel
Two Full End Panels


AKDSRMA3024 AKDSRMA3660
AKDSRMA3030 AKDSRMA3666
AKDSRMA3036 AKDSRMA3672
AKDSRMA3042
AKDSRMA3048
AKDSRMA3054
AKDSRMA3060
AKDSRMA3066
AKDSRMA3072

Recessed Back Panel
One Full End Panel

AKDSRMB3024 AKDSRMB3660
AKDSRMB3030 AKDSRMB3666
AKDSRMB3036 AKDSRMB3672
AKDSRMB3042
AKDSRMB3048
AKDSRMB3054
AKDSRMB3060
AKDSRMB3066
AKDSRMB3072

Flush Back Panel
Two Full End Panels

AKDSRA2024 AKDSRA2424 AKDSRA3024
AKDSRA2030 AKDSRA2430 AKDSRA3030
AKDSRA2036 AKDSRA2436 AKDSRA3036
AKDSRA2042 AKDSRA2442 AKDSRA3042
AKDSRA2048 AKDSRA2448 AKDSRA3048
AKDSRA2054 AKDSRA2454 AKDSRA3054
AKDSRA2060 AKDSRA2460 AKDSRA3060
AKDSRA2066 AKDSRA2466 AKDSRA3066
AKDSRA2072 AKDSRA2472 AKDSRA3072



Flush Back Panel
One Full End Panel


AKDSRB2024 AKDSRB2424 AKDSRB3024
AKDSRB2030 AKDSRB2430 AKDSRB3030
AKDSRB2036 AKDSRB2436 AKDSRB3036
AKDSRB2042 AKDSRB2442 AKDSRB3042
AKDSRB2048 AKDSRB2448 AKDSRB3048
AKDSRB2054 AKDSRB2454 AKDSRB3054
AKDSRB2060 AKDSRB2460 AKDSRB3060
AKDSRB2066 AKDSRB2466 AKDSRB3066
AKDSRB2072 AKDSRB2472 AKDSRB3072

Flush Back Panel
Two Recessed End Panels

AKDSRC2024 AKDSRC2424 AKDSRC3024
AKDSRC2030 AKDSRC2430 AKDSRC3030
AKDSRC2036 AKDSRC2436 AKDSRC3036
AKDSRC2042 AKDSRC2442 AKDSRC3042
AKDSRC2048 AKDSRC2448 AKDSRC3048
AKDSRC2054 AKDSRC2454 AKDSRC3054
AKDSRC2060 AKDSRC2460 AKDSRC3060
AKDSRC2066 AKDSRC2466 AKDSRC3066
AKDSRC2072 AKDSRC2472 AKDSRC3072


Statement of Line
(cont.)

Desk Shells - Extended Rectangular Top




Extended Right Full End Panel

AKDERRA366020	AKDERRA366620	AKDERRA367220
AKDERRA366024	AKDERRA366624	AKDERRA367224
AKDERRA366030	AKDERRA366630	AKDERRA367230




Extended Right Recessed End Panel

AKDERRB366020	AKDERRB366620	AKDERRB367220
AKDERRB366024	AKDERRB366624	AKDERRB367224
AKDERRB366030	AKDERRB366630	AKDERRB367230



Extended Left Full End Panel


AKDERLA366020	AKDERLA366620	AKDERLA367220
AKDERLA366024	AKDERLA366624	AKDERLA367224
AKDERLA366030	AKDERLA366630	AKDERLA367230



Extended Left Recessed End Panel


AKDERLB366020	AKDERLB366620	AKDERLB367220
AKDERLB366024	AKDERLB366624	AKDERLB367224
AKDERLB366030	AKDERLB366630	AKDERLB367230

Desk Shells - Extended Bow Front Top



Extended Right
Straight Cutaway

AKDEBR486620	AKDEBR487220	AKDEBR487820
AKDEBR486624	AKDEBR487224	AKDEBR487824
AKDEBR486630	AKDEBR487230	AKDEBR487830



Extended Left
Straight Cutaway

AKDEBL486620	AKDEBL487220	AKDEBL487820
AKDEBL486624	AKDEBL487224	AKDEBL487824
AKDEBL486630	AKDEBL487230	AKDEBL487830

Returns

Product Overview

Single Pedestal Returns

- Flush, full-height back panel or no back panel.
- Grommet located in the center cutout location on the top.
- Optional lock opening is located on the front face of pedestal drawer.
- No filing bars are included. Must order separately.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.

No Pedestal Returns

- Flush, full-height back panel.
- Grommet located in the center cutout location on the top.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.


Statement of Line

Single Pedestal Returns



Full Back Panel
Left Pedestal Box/Box/File

- | | |
|-------------|-------------|
| AKRPDUB2030 | AKRPDUB2430 |
| AKRPDUB2036 | AKRPDUB2436 |
| AKRPDUB2042 | AKRPDUB2442 |
| AKRPDUB2048 | AKRPDUB2448 |
| AKRPDUB2054 | AKRPDUB2454 |
| AKRPDUB2060 | AKRPDUB2460 |




Full Back Panel
Right Pedestal Box/Box/File

- | | |
|-------------|-------------|
| AKRPDBU2030 | AKRPDBU2430 |
| AKRPDBU2036 | AKRPDBU2436 |
| AKRPDBU2042 | AKRPDBU2442 |
| AKRPDBU2048 | AKRPDBU2448 |
| AKRPDBU2054 | AKRPDBU2454 |
| AKRPDBU2060 | AKRPDBU2460 |




No Back Panel
Left Pedestal Box/Box/File

- | | |
|-------------|-------------|
| AKRPDU02030 | AKRPDU02430 |
| AKRPDU02036 | AKRPDU02436 |
| AKRPDU02042 | AKRPDU02442 |
| AKRPDU02048 | AKRPDU02448 |
| AKRPDU02054 | AKRPDU02454 |
| AKRPDU02060 | AKRPDU02460 |




No Back Panel
Right Pedestal Box/Box/File

- | | |
|-------------|-------------|
| AKRPDOU2030 | AKRPDOU2430 |
| AKRPDOU2036 | AKRPDOU2436 |
| AKRPDOU2042 | AKRPDOU2442 |
| AKRPDOU2048 | AKRPDOU2448 |
| AKRPDOU2054 | AKRPDOU2454 |
| AKRPDOU2060 | AKRPDOU2460 |



Full Back Panel
Left Pedestal File/File

- | | |
|-------------|-------------|
| AKRPDFB2030 | AKRPDFB2430 |
| AKRPDFB2036 | AKRPDFB2436 |
| AKRPDFB2042 | AKRPDFB2442 |
| AKRPDFB2048 | AKRPDFB2448 |
| AKRPDFB2054 | AKRPDFB2454 |
| AKRPDFB2060 | AKRPDFB2460 |




Full Back Panel
Right Pedestal Box/Box/File

- | | |
|-------------|-------------|
| AKRPDBF2030 | AKRPDBF2430 |
| AKRPDBF2036 | AKRPDBF2436 |
| AKRPDBF2042 | AKRPDBF2442 |
| AKRPDBF2048 | AKRPDBF2448 |
| AKRPDBF2054 | AKRPDBF2454 |
| AKRPDBF2060 | AKRPDBF2460 |


Statement of Line

Single Pedestal Returns (cont.)



No Back Panel
Left Pedestal File/File

AKRPDFO2030	AKRPDFO2430
AKRPDFO2036	AKRPDFO2436
AKRPDFO2042	AKRPDFO2442
AKRPDFO2048	AKRPDFO2448
AKRPDFO2054	AKRPDFO2454
AKRPDFO2060	AKRPDFO2460




No Back Panel
Right Pedestal File/File

AKRPDOF2030	AKRPDOF2430
AKRPDOF2036	AKRPDOF2436
AKRPDOF2042	AKRPDOF2442
AKRPDOF2048	AKRPDOF2448
AKRPDOF2054	AKRPDOF2454
AKRPDOF2060	AKRPDOF2460


Statement of Line
(cont.)

No Pedestal Returns



Full Back Panel
No Pedestal

AKRNPDB2030	AKRNPDB2430
AKRNPDB2036	AKRNPDB2436
AKRNPDB2042	AKRNPDB2442
AKRNPDB2048	AKRNPDB2448
AKRNPDB2054	AKRNPDB2454
AKRNPDB2060	AKRNPDB2460



Full Back Panel
No Pedestal

AKRNPBN2030	AKRNPBN2430
AKRNPBN2036	AKRNPBN2436
AKRNPBN2042	AKRNPBN2442
AKRNPBN2048	AKRNPBN2448
AKRNPBN2054	AKRNPBN2454
AKRNPBN2060	AKRNPBN2460


Bridges

Product Overview

- Bridges**
- Full-height back panel.
 - Grommet located in corner cutout location on the top.
 - Units cannot be freestanding.
 - Ganging brackets and mounting hardware are included.

Statement of Line

Bridges



Bridge

AKBRGB2030	AKBRGB2430
AKBRGB2036	AKBRGB2436
AKBRGB2042	AKBRGB2442
AKBRGB2048	AKBRGB2448
AKBRGB2054	AKBRGB2454
AKBRGB2060	AKBRGB2460

Credenzas


Product Overview

Credenzas

- Flush, full-height modesty panel.
- No grommets on standard. If desired, specify grommet accessory for install in the field.
- Optional lock opening is located on the front face of pedestal drawer and/or cabinet door.
- Units are freestanding.
- No filing bars are included. Must order separately.


Statement of Line

Single Pedestal Credenzas




Left Pedestal Box/File

AKCPSBFN2060 AKCPSBFN2460
AKCPSBFN2066 AKCPSBFN2466
AKCPSBFN2072 AKCPSBFN2472




Right Pedestal Box/File

AKCPSNBF2060 AKCPSNBF2460
AKCPSNBF2066 AKCPSNBF2466
AKCPSNBF2072 AKCPSNBF2472




Left Pedestal Box/Box/File

AKCPSSUN2060 AKCPSSUN2460
AKCPSSUN2066 AKCPSSUN2466
AKCPSSUN2072 AKCPSSUN2472




Right Pedestal Box/Box/File

AKCPSNU2060 AKCPSNU2460
AKCPSNU2066 AKCPSNU2466
AKCPSNU2072 AKCPSNU2472



Left Pedestal File/File


AKCPSFN2060 AKCPSFN2460
AKCPSFN2066 AKCPSFN2466
AKCPSFN2072 AKCPSFN2472



Right Pedestal File/File

AKCPSNF2060 AKCPSNF2460
AKCPSNF2066 AKCPSNF2466
AKCPSNF2072 AKCPSNF2472

Double Pedestal Credenzas




Left Pedestal Box/Box/File
Right Pedestal Box/Box/File

AKCPDUU2060 AKCPDUU2460
AKCPDUU2066 AKCPDUU2466
AKCPDUU2072 AKCPDUU2472


Statement of Line
(cont.)

Lateral File Credenzas



Left Lateral File


AKCLFL2060 AKCLFL2460
AKCLFL2066 AKCLFL2466
AKCLFL2072 AKCLFL2472



Right Lateral File


AKCLFR2060 AKCLFR2460
AKCLFR2066 AKCLFR2466
AKCLFR2072 AKCLFR2472

Storage Credenzas




Double Lateral File

AKCLSLL2060 AKCLSLL2460
AKCLSLL2072 AKCLSLL2472




Left Lateral File
Right Doors

AKCLSLS2060 AKCLSLS2460
AKCLSLS2072 AKCLSLS2472



Left Doors
Right Lateral File

AKCLSSL2060 AKCLSSL2460
AKCLSSL2072 AKCLSSL2472



Double Doors

AKCLSSS2060 AKCLSSS2460
AKCLSSS2072 AKCLSSS2472

Aluminum Frame Tables

Product Overview

Aluminum Frame Tables - Rectangular Top

- Anodized aluminum legs and frame.
- No grommet.
- Recessed, 14" tall partial-height laminate modesty panel.
 - 24" deep aluminum frame table - with modesty panel recessed 2.5".
 - 30" deep aluminum frame table - with modesty panel recessed 2.5".
 - 36" deep aluminum frame table - with modesty panel recessed 8.3".
- Partial-height end panels.
- Units are freestanding.

Aluminum Frame Returns - Rectangular Top

- Anodized aluminum legs and frame.
- No grommet.
- Recessed, 14" tall partial-height laminate modesty panel.
 - 24" deep aluminum frame table - with modesty panel recessed 8.3".
 - 30" deep aluminum frame table - with modesty panel recessed 8.3".
- Partial-height end panel.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware is included.

Aluminum Frame Tables - Y-Shaped Top

- Anodized aluminum legs and frame.
- Grommet located in the center cutout location on the top.
- Recessed, 14" tall partial-height laminate modesty panel.
 - 36" deep aluminum frame Y-table - with modesty panel recessed 8.3".
- Full-height end panels.
- Units are freestanding.

Aluminum Frame Returns - Y-Shaped Top



- Anodized aluminum legs and frame.
- 24.72" tall full-height back panel.
 - 36" deep aluminum frame table - with modesty panel recessed 8.3".
- Units cannot be freestanding.
- Ganging brackets and mounting hardware is included.

Aluminum Frame Tables - Ellipse-Shaped Top

- Anodized aluminum legs and frame.
- Grommet located in the center cutout location on the top.
- Recessed, 13.75" tall partial-height laminate modesty panel.
 - 48" deep aluminum frame ellipse table - with modesty panel recessed 9.5".
- Full-height end panels.
- Units are freestanding.



Statement of Line

Aluminum Frame Tables - Rectangular Top





AKATR2442	AKATR3042	AKATR3660
AKATR2448	AKATR3048	AKATR3672
AKATR2454	AKATR3054	
AKATR2460	AKATR3060	
AKATR2472	AKATR3072	

Aluminum Frame Returns - Rectangular Top



Right Return



AKARR2442	AKARR3042
AKARR2448	AKARR3048
AKARR2454	AKARR3054
AKARR2460	AKARR3060



Left Return



AKARL2442	AKARL3042
AKARL2448	AKARL3048
AKARL2454	AKARL3054
AKARL2460	AKARL3060

Aluminum Frame Tables - Y-Shaped Top



Right Back Panel



AKATYR3660
AKATYR3666
AKATYR3672





Left Back Panel

AKATYL3660
AKATYL3666
AKATYL3672

Aluminum Frame Returns - Y-Shaped Top





Right Return
AKARYR3660
AKARYR3666
AKARYR3672





Left Return
AKARYL3660
AKARYL3666
AKARYL3672

Aluminum Frame Tables - Ellipse-Shaped Top



Right
AKATER4860
AKATER4866
AKATER4872



Left
AKATEL4860
AKATEL4866
AKATEL4872

Tabletops

Product Overview

Tabletops for Toggle

- Tabletop and optional modesty panel only. Toggle C-base or T-base ordered separately.
- Tabletop dimensions downsized 1.5" in width and 0.5" in depth to prevent pinch points.
- Tabletop grommet options:
 - G: Grommet Center Rear
 - N: No Grommet
- 12" tall, partial-height modesty panel.

Suspended D-Shaped Tops

- No grommet.
- 6" diameter, black post-leg.
- Adjustable glide.
- Recessed, 13.75" tall partial-height modesty panel.
 - 24" deep D-tops - with modesty panel recessed 7.85".
 - 30" deep D-tops - with modesty panel recessed 7.85".
 - 36" deep D-tops - with modesty panel recessed 7.85".
- Units cannot be freestanding.
- Ganging brackets and mounting hardware is included.

D-Shaped Tops with End Panel

- Grommet located in the center cutout location on the top.
- 6" diameter, black post-leg.
- Adjustable glide.
- Recessed, 13.75" tall partial-height modesty panel.
 - 24" deep D-tops - with modesty panel recessed 7.85".
 - 30" deep D-tops - with modesty panel recessed 7.85".
 - 36" deep D-tops - with modesty panel recessed 7.85".
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.

Suspended P-Shaped Tops


- No grommet.
- 6" diameter, black post-leg.
- Adjustable glide.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.

P-Shaped Tops with End Panel

- Grommet located in the center cutout location on the top.
- 6" diameter, black post-leg.
- Adjustable glide.
- Recessed, 13.75" tall partial-height modesty panel.
 - 30" deep D-tops - with modesty panel recessed 20.35".
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.


Statement of Line

Tabletops for Toggle




Tabletop Only for
Toggle T-Base

AKTOGT2448	AKTOGT3048
AKTOGT2460	AKTOGT3060
AKTOGT2472	AKTOGT3072




Tabletop Only for
Toggle C-Base

AKTOGC2448	AKTOGC3048
AKTOGC2460	AKTOGC3060
AKTOGC2472	AKTOGC3072



Tabletop & Modesty Panel for
Toggle T-Base

AKTOGTM2448	AKTOGTM3048
AKTOGTM2460	AKTOGTM3060
AKTOGTM2472	AKTOGTM3072




Tabletop & Modesty Panel for
Toggle C-Base


AKTOGCM2448	AKTOGCM3048
AKTOGCM2460	AKTOGCM3060
AKTOGCM2472	AKTOGCM3072

**Statement of Line
(cont.)**

Suspended D-Shaped Tops




AKTDS2448 AKTDS3060 AKTDS3672
AKTDS2454 AKTDS3066
AKTDS2460 AKTDS3072
AKTDS2466



Right Partial-Height Modesty Panel


AKTDSRM2448 AKTDSRM3060 AKTDSRM3672
AKTDSRM2454 AKTDSRM3066
AKTDSRM2460 AKTDSRM3072
AKTDSRM2466



Left Partial-Height Modesty Panel


AKTDSLM2448 AKTDSLM3060 AKTDSLM3672
AKTDSLM2454 AKTDSLM3066
AKTDSLM2460 AKTDSLM3072
AKTDSLM2466

D-Shaped Tops with End Panel





Right Support

AKTDER2448 AKTDER3060 AKTDER3672
AKTDER2454 AKTDER3066
AKTDER2460 AKTDER3072
AKTDER2466





Left Support

AKTDEL2448 AKTDEL3060 AKTDEL3672
AKTDEL2454 AKTDEL3066
AKTDEL2460 AKTDEL3072
AKTDEL2466



Right Partial-Height Modesty Panel

AKTDERM2448 AKTDERM3060 AKTDERM3672
AKTDERM2454 AKTDERM3066
AKTDERM2460 AKTDERM3072
AKTDERM2466




Left Partial-Height Modesty Panel


AKTDELM2448 AKTDELM3060 AKTDELM3672
AKTDELM2454 AKTDELM3066
AKTDELM2460 AKTDELM3072
AKTDELM2466

**Statement of Line
(cont.)**

Suspended P-Shaped Tops




P-Top Right
AKTPSR3060
AKTPSR3066
AKTPSR3072




P-Top Left
AKTPSL3060
AKTPSL3066
AKTPSL3072


P-Shaped Tops with End Panel




Right Support
AKTPER3060
AKTPER3066
AKTPER3072



Left Support
AKTPEL3060
AKTPEL3066
AKTPEL3072



Right Partial-Height Modesty Panel
AKTPERM3060
AKTPERM3066
AKTPERM3072



Left Partial-Height Modesty Panel
AKTPELM3060
AKTPELM3066
AKTPELM3072

Overhead Storage

Product Overview

Surface-Mounted Overhead Storage

- 18¹/₄" internal cabinet height clearance.
- 22³/₄" under shelf clearance.
- Black grommet for cord management.

Surface-Mounted Overhead Open Shelf

- Non-locking.

Surface-Mounted Overhead with Laminate Hinged Doors

- Locks located on the front face of every other overhead door.

Surface-Mounted Overhead with Aluminum Framed Hinged Doors & Frosted Acrylic Panels

- Framed doors are anodized aluminum.
- Panels are frosted acrylic.
- Non-locking.

Surface-Mounted Overhead with Laminate Sliding Door

- Non-locking.

Surface-Mounted Overhead with Aluminum Framed Sliding Door & Frosted Acrylic Panel

- Framed door is anodized aluminum.
- Panel is frosted acrylic.
- Non-locking.

Wall-Mounted Overhead Storages

- Hanging cleat included, additional mounting hardware is customer supplied. A qualified installer should determine and perform the appropriate installation process for the specific wall condition.
- 18¹/₄" internal cabinet height clearance.

Wall-Mounted Overhead Open Shelf

- Non-locking.

Wall-Mounted Overhead with Laminate Hinged Doors

- Locks located on the front face of every other overhead door.

Wall-Mounted Overhead with Aluminum Framed Sliding Doors & Frosted Acrylic Panels

- Framed doors are anodized aluminum.
- Panels are frosted acrylic.
- Non-locking.

Wall-Mounted Overhead with Laminate Sliding Door

- Non-locking.

Wall-Mounted Overhead with Aluminum Framed Sliding Door & Frosted Acrylic Panel

- Framed door is anodized aluminum.
- Panel is frosted acrylic.
- Non-locking.

Surface-Mounted Desktop Stack-On Bookcase

- Includes two adjustable-height shelves.


Planning Guidelines

Surface-Mounted Overhead Storage

- Surface-mounted overhead storage can span across any surface as long as there is support underneath the overheads side upright. Support can be a full laminate end panel or post-leg which transfers the load directly to the floor.


Statement of Line

Surface-Mounted Overheads with Open Shelf



Open Shelf


AKS002443
AKS003043
AKS003643
AKS004243



Open Shelf with Divider


AKS004843
AKS005443
AKS006043
AKS006643
AKS007243

Surface-Mounted Overheads with Laminate Hinged Doors




Two Laminate Hinged Doors

AKSOC2443
AKSOC3043
AKSOC3643
AKSOC4243



Three Laminate Hinged Doors


AKSOC4843
AKSOC5443



Four Laminate Hinged Doors

AKSOC6043
AKSOC6643
AKSOC7243

Surface-Mounted Overheads with Aluminum Framed Hinged Doors & Frosted Acrylic Panels




Four Aluminum Framed Hinged Doors
with Frosted Acrylic Panels

AKSOF6043
AKSOF6643
AKSOF7243


Statement of Line
(cont.)

Surface-Mounted Overheads with Sliding Door



Laminate Sliding Door


AKSOL4843
AKSOL5443
AKSOL6043
AKSOL6643
AKSOL7243



Aluminum Framed Sliding Door
with Frosted Acrylic Panel


AKSOS4843
AKSOS5443
AKSOS6043
AKSOS6643
AKSOS7243

Wall-Mounted Overheads Open Shelf



Open Shelf


AKSWO2443
AKSWO3043
AKSWO3643
AKSWO4243



Open Shelf


AKSWO4843
AKSWO5443
AKSWO6043
AKSWO6643
AKSWO7243

Wall-Mounted Overheads with Laminate Hinged Doors




Two Laminate Hinged Doors

AKSWC2443
AKSWC3043
AKSWC3643
AKSWC4243



Three Laminate Hinged Doors


AKSWC4843
AKSWC5443



Four Laminate Hinged Doors

AKSWC6043
AKSWC6643
AKSWC7243

Wall-Mounted Overhead with Aluminum Framed Hinged Doors & Frosted Acrylic Panels




Four Aluminum Framed Doors
with Frosted Acrylic Panels

AKSWF6043
AKSWF6643
AKSWF7243

**Statement of Line
(cont.)**


Wall-Mounted Overheads with Laminate Sliding Door



Laminate Sliding Door

AKSWL4843
AKSWL5443
AKSWL6043
AKSWL6643
AKSWL7243


Wall-Mounted Overheads with Aluminum Framed Sliding Door & Frosted Acrylic Panel



Aluminum Framed Sliding Door
with Acrylic Framed Panel

AKWS4843
AKWS5443
AKWS6043
AKWS6643
AKWS7243

Surface-Mounted Stack-On Bookcases



Stack-On Bookcase

AKSOB301643
AKSOB361643

Under Desk Storage

Product Overview

Under Desk Storage - Pedestal Files

- Optional lock opening is located on the front face of pedestal drawer.
- To be installed under any desk or return.
- No filing bars are included. Must order separately.

Under Desk Storage - Lateral Files & Cabinets

- Optional lock opening is located on the front face of lateral drawer or cabinet door.
- To be installed under any desk or return.
- No filing bars are included. Must order separately.

Under Desk Storage - Lateral Files & Cabinets

- Optional lock opening is located on the front face of lateral drawer or cabinet door.
- One full-width adjustable shelf.
- To be installed under any desk or return.
- No filing bars are included. Must order separately.


Statement of Line

Under Desk Hanging Pedestal Files




Box/File
AKSUH151919

Under Desk Full-Height Pedestal Files



Box/Box/File
AKSUPU151928




File/File
AKSUPF151928

Under Desk Lateral Files



Two Drawer
AKSUL301928
AKSUL361928

Under Desk Storage Cabinets



Two Cabinet Doors
AKSUS301928
AKSUS361928

Freestanding Storage

Product Overview

Mobile Pedestal Files

- Optional lock opening is located on the front face of pedestal drawer.
- Locking casters on the front user side of the pedestal.
- No filing bars are included. Must order separately.

Storage Cabinets

- Optional lock opening is located on the front face of cabinet door.
- One adjustable shelf.

Storage & File Cabinets

- Optional lock opening is located on the front face of cabinet door and drawer.
- One full-width adjustable shelf.
- No filing bars are included. Must order separately.

Lateral Files

- Optional lock opening is located on the front face of lateral drawer.
- No filing bars are included. Must order separately.

Storage Towers

- One fixed-shelf (available on storage towers with wardrobe units).
- Four adjustable-shelves (not available on storage towers with wardrobe units).
- Optional lock opening is located on the front face of door.
- Storage towers with wardrobe include a hanging pole.
 - Storage tower wardrobes with one hinged door, contain a 10.25" coat rod on the wardrobe side of the unit.
 - Storage tower wardrobes with two hinged doors, contain a 33.34" coat rod.
- Storage towers with wardrobe and two laminate doors is a dual function unit, where the shelves can be removed to use the coat rod.

Storage Towers with Lateral File - Laminate Doors

- Optional lock opening is located on the front face of storage tower door and lateral file drawer.
- Two adjustable shelves.
- No filing bars are included. Must order separately.

Storage Towers with Lateral File - Aluminum Framed Doors with Acrylic Panels

- Optional lock opening is located only on the front face of lateral file drawer.
- Two adjustable shelves.

Bookcases

- Corner bookcases:
 - 29" high corner bookcase - one fixed shelf.
 - 72" high corner bookcase - three fixed shelves.
- Bookcases:
 - 29" high corner bookcase - one adjustable shelf.
 - 48" high corner bookcase - two adjustable shelves.
 - 72" high corner bookcase - one fixed and three adjustable shelves.

High-Density Storage Cabinet


- Optional lock opening is located on the front face of cabinet door.
- Pull-out door.
- Compartment with door and adjustable shelf.

Statement of Line

Mobile Pedestal File




Box/File
AKSFP151922




Box/Box/File
AKSFP151928

Storage Cabinet Freestanding




AKSFS302029
AKSFS362029
AKSFS302429
AKSFS362429

Storage & File Cabinet Freestanding




Left Door
Right File/File
AKSFC362029
AKSFC362429


Lateral Files Freestanding



Two Drawers
AKSFD302029
AKSFD362029




Three Drawers
AKSFE302044
AKSFE362044



Four Drawers
AKSFF302058
AKSFF362058


**Statement of Line
(cont.)**

Storage Towers




Storage with
Four Adjustable Shelves
Laminate Door - Right Hinged

AKSFTSR242072
AKSFTSR242472




Storage with
Four Adjustable Shelves
Laminate Door - Left Hinged

AKSFTSL242072
AKSFTSL242472




Storage with Four Adjustable Shelves
Wardrobe with One Fixed Shelf
Laminate Door - Right Hinged

AKSFTBR242072
AKSFTBR242472




Storage with Four Adjustable Shelves
Wardrobe with One Fixed Shelf
Laminate Door - Left Hinged

AKSFTBL242072
AKSFTBL242472




Storage with Three Adjustable Shelves
& One Fixed Shelf
Two Laminate Hinged Doors

AKSFTS362072
AKSFTS362472



Storage/Wardrobe with Three Adjustable Shelves
& One Fixed Shelf with coat hanger
Two Laminate Hinged Doors

AKSFTB362072
AKSFTB362472




Wardrobe with One Fixed Shelf
& Coat Rod
Two Laminate Hinged Doors

AKSFTW362072
AKSFTW362472


Statement of Line
(cont.)

Storage Towers with Lateral Files - Laminate
Doors & Drawers




Laminate Hinged Doors
Laminate Lateral Drawers
AKSFL302072 AKSFL362072
AKSFL302472 AKSFL362472

Storage Towers with Lateral Files - Aluminum
Framed Cabinet Doors with Frosted Acrylic Panels &
Lateral File




Aluminum Framed Hinged Doors
Frosted Acrylic Panels
Laminate Lateral Drawers
AKSFR362072
AKSFR362472


Corner Bookcases




Right Bookcase
AKSFNCR202029
AKSFNCR242429



Left Bookcase
AKSFNCL202029
AKSFNCL242429




Right Bookcase
Three Adjustable Shelves
AKSFNCR202072
AKSFNCR242472




Left Bookcase
Three Adjustable Shelves
AKSFNCL202072
AKSFNCL242472


Bookcases



29" High Bookcase
AKSFB241429
AKSFB301429
AKSFB361429




48" High Bookcase
AKSFB241448
AKSFB301448
AKSFB361448




72" High Bookcase
AKSFB241472
AKSFB301472
AKSFB361472

Statement of Line
(cont.)


High-Density Storage Cabinets




Left High-Density
Storage Cabinet
12" Wide
AKSFHL241248
AKSFHL301248



Right High-Density
Storage Cabinet
12" Wide
AKSFHR241248
AKSFHR301248



Left High-Density
Storage Cabinet
15" Wide
AKSFHL241548
AKSFHL301548



Right High-Density
Storage Cabinet
15" Wide
AKSFHR241548
AKSFHR301548

Accessories

Product Overview

Filing Bars

- Filing bars are available in different sizes for use in all pedestals and lateral filing drawers, but must be order separately. Two of the same bars are included per specification.
- Field installed.

Circular Grommet


- Black plastic.
- Field installed.
- 2³/₄" in diameter.

Wire Management Channel

- Field installed.

Key Alike Lock Sets

- Field installed.
 - Determine the number of lock cores needed per area and specify the appropriate kit. Lock sets are sold separately and are field installed.



Desktop Acrylic Screens

- 21"-45" wide screens - two brackets included.
- 51"-69" wide screens - three brackets included.
- Brackets available in black or silver.

Tackboards

- Attached to a horizontal load bar (supplied), with removable mounting brackets.
- For use with surface-mounted overhead storage.

Overhead LED Task Lights

- Attaches to the bottom of overhead storage cabinets or shelving.
- Task lights are specified by the cabinet width to which they are attached. Reference "Overhead LED Task Light Size Chart" on the next page.
- Slim profile, mounts easily via magnets or screw-in bracket.
- Attachment hardware included.
- Touch-and-hold dimmability, with last-state memory.
- Silver anodized aluminum body/black plastic end caps.
- Includes two cord managers.

Overhead LED Task Lights - Starter Units

- Daisy chain with adder units.
- 9' power supply cord.

Overhead LED Task Lights - Starter Units

- Daisy chain with adder units.
- 11' power supply cord.
- Reference "Overhead LED Task Light Interlinking Combination Chart" on the next page for optimal performance of daisy chained fixtures.

Overhead LED Task Lights - Adder Units

- Daisy chain with starter units.
- 18" jumper cord connects to starter unit.
- Does not include power supply cord; must purchase starter unit with power supply cord.
- Controlled by the on/off/dimmer of the starter unit.
- Reference "Overhead LED Task Light Interlinking Combination Chart" on the next page for optimal performance of daisy chained fixtures.

Planning Guidelines

Overhead LED Task Lights

Interlinking is the process of powering multiple LED fixtures together with a single 16-watt transformer/power supply of a starter unit. The LED interlink process utilizes master control only, therefore each LED fixture in the interlinked string is controlled from the starter unit fixture.

- Interlink multiple fixtures together with 18" interconnected cords, included on adder unit fixtures.
- Refer to "Overhead LED Task Light Interlinking Combination Chart" below for optimal performance of interlinked fixtures.
- Cannot interlink with any other product family.

Overhead LED Task Light Size Chart	
Cabinet Width	Task Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

Overhead LED Task Light Interlinking Combination Chart			
# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

Statement of Line

Filing Bars




Front-to-Back Filing Bar
AKPFAFTB




Side-to-Side Filing Bar
AKPFA016
AKPFA030
AKPFA036


Desktop Acrylic Screens




12" High Frosted Acrylic Screens
AKPSA2112
AKPSA2712
AKPSA3312
AKPSA3912
AKPSA4512
AKPSA5112



12" High Frosted Acrylic Screens
AKPSA5712
AKPSA6312
AKPSA6912



18" High Frosted Acrylic Screens
AKPSA2118
AKPSA2718
AKPSA3318
AKPSA3918
AKPSA4518
AKPSA5118



18" High Frosted Acrylic Screens
AKPSA5712
AKPSA6312
AKPSA6912

Paper Organizer



AKPPA171417


Surface Grommet



AKPGRBL

Statement of Line
(cont.)

Wire Management



Keyed-Alike Lock Core Sets with Keys




- AKPKYS1
- AKPKYS2
- AKPKYS3
- AKPKYS4
- AKPKYS5
- AKPKYS6

Tackboards



Tackboard for Overheads

- AKPTKE34
- AKPTKE40
- AKPTKE46
- AKPTKE52
- AKPTKE58
- AKPTKE64
- AKPTKE70



Wall Mount Tackboards

- AKPTKM36
- AKPTKM42
- AKPTKM48
- AKPTKM54
- AKPTKM60
- AKPTKM66
- AKPTKM72

Overhead LED Task Lights




Overhead LED Task Light
Single Unit

- LEDTK.12.SGL.GN
- LEDTK.17.SGL.GN
- LEDTK.31.SGL.GN
- LEDTK.44.SGL.GN



Overhead LED Task Light
Starter Unit

- LEDTK.12.DCPGN
- LEDTK.17.DCPGN
- LEDTK.31.DCPGN
- LEDTK.44.DCPGN



Overhead LED Task Light
Adder Unit

- LEDTK.12.DCA.GN
- LEDTK.17.DCA.GN
- LEDTK.31.DCA.GN
- LEDTK.44.DCA.GN

Reception Workstations

Product Overview

Reception Workstations

- Laminate faced worksurface, drawers, reception counter, back panel and end panels.
- Two grommets, one in each back corner cutout location on the top.
- Optional lock opening is located on the front face of pedestal drawer.
- No filing bars are included. Must order separately.
- Reception counter included:
 - 30" deep reception workstation, rectangular - includes 12" deep reception counter.
 - 33" deep reception workstation, bow front - includes 15" deep reception counter.

Reception Workstations with Laminate Upper Open Compartment Storage

- Two grommets, one in each back corner cutout location on the top.
- Optional lock opening is located on the front face of pedestal drawer.
- No filing bars are included. Must order separately.
- Reception counter included:
 - 30" deep reception workstation, rectangular - includes 12" deep reception counter.
 - 33" deep reception workstation, bow front - includes 15" deep reception counter.
- Open compartment above pedestal.

Reception Workstations with Aluminum Frame Front

- Two grommets, one in each back corner cutout location on the top.
- Optional lock opening is located on the front face of pedestal drawer.
- No filing bars are included. Must order separately.
- Reception counter included:
 - 30" deep reception workstation, rectangular - includes 12" deep reception counter.
 - 33" deep reception workstation, bow front - includes 15" deep reception counter.
- Full-height modesty panel.
- Anodized aluminum frame.

Reception Workstation Returns with Pedestals

- Grommet located in the center cutout location on the top.
- Optional lock opening is located on the front face of pedestal drawer.
- No filing bars are included. Must order separately.
- Units cannot be freestanding.
- Ganging brackets and mounting hardware are included.

Reception Gallery for Reception Workstations


- Attaches to top of desk shell.
- Reception gallery:
 - Rectangular - 12" deep reception gallery.
 - Bow Front - 15" deep reception gallery.

Reception Gallery Returns for Reception Workstations


- 12" deep reception counter included.

Statement of Line


Reception Workstations - Laminate




Rectangular Reception Counter
Left Pedestal Box/Box/File
AKERLL723043



Rectangular Reception Counter
Right Pedestal Box/Box/File
AKERLR723043




Bow Front Reception Counter
Left Pedestal Box/Box/File
AKEBL723343




Bow Front Reception Counter
Right Pedestal Box/Box/File
AKEBLR723343


Reception Workstations - Laminate with Upper Open Compartment Storage




Rectangular Reception Counter
Left Pedestal Box/Box/File
AKELSL723043



Rectangular Reception Counter
Right Pedestal Box/Box/File
AKELSR723043




Bow Front Reception Counter
Left Pedestal Box/Box/File
AKELBL723343




Bow Front Reception Counter
Right Pedestal Box/Box/File
AKELBR723343

**Statement of Line
(cont.)**


Reception Workstations - Aluminum Frame




Rectangular Reception Counter
Left Pedestal Box/Box/File
AKEARL723043



Rectangular Reception Counter
Right Pedestal Box/Box/File
AKEARR723043




Bow Front Reception Counter
Left Pedestal Box/Box/File
AKEABL723343




Bow Front Reception Counter
Right Pedestal Box/Box/File
AKEABR723343

Reception Workstations Returns with Pedestal - Laminate




Left Pedestal Box/Box/File
AKERPL422443
AKERPL482443




Right Pedestal Box/Box/File
AKERPR422443
AKERPR482443

Reception Workstations Returns with No Pedestal - Laminate




Right Return
AKERNL422443
AKERNL482443



Left Return
AKERNR422443
AKERNR482443


Statement of Line
(cont.)

Reception Gallery for Reception Workstations




Rectangular Reception Counter

AKEGR241214
AKEGR301214
AKEGR361214
AKEGR421214
AKEGR481214
AKEGR541214
AKEGR601214
AKEGR661214
AKEGR721214




Bow Front Reception Counter

AKEGB241214
AKEGB301214
AKEGB361214
AKEGB421214
AKEGB481214
AKEGB541214
AKEGB601214
AKEGB661214
AKEGB721214




Rectangular Gallery Left Return

AKEGEL602414 AKEGEL603014
AKEGEL662414 AKEGEL663014
AKEGEL722414 AKEGEL723014




Rectangular Gallery Right Return

AKEGER602414 AKEGER603014
AKEGER662414 AKEGER663014
AKEGER722414 AKEGER723014



Extended Corner Gallery Left Return

AKEGEL664214
AKEGEL724214



Extended Corner Gallery Right Return

AKEGER664214
AKEGER724214

**Complimentary
Furniture**

Product Overview

Lectern

- One fixed and one adjustable shelf.
- Cable access provided.
- Two locking- and two non-locking casters.

Mobile Service Cart - 20" Wide

- Optional lock opening is located on the front face of drawer.
- One lock
- Two locking- and two non-locking casters.
- One full-width slide out shelf
- One full-width adjustable shelf.
- No filing bars are included. Must order separately.

Mobile Service Cart - 36" Wide

- Optional lock opening is located on the front face of each drawer.
- Two locks.
- Two locking- and two non-locking casters.
- One full-width slide out shelf.
- One full-width adjustable shelf.
- No filing bars are included. Must order separately.

Sliding Markerboard


- Wall-mounted.
- Non-magnetic laminate markerboard surface.
- Mounting hardware customer supplied. A qualified installer should determine and perform the appropriate installation process for the specific wall conditions.

Mobile Markerboard

- Non-magnetic laminate markerboard surface.


Statement of Line

Lectern




AKMLE242042

Occasional Tables



Square

AKMOT242418
AKMOT303018



Rectangular


AKMOT244816

Mobile Service Carts



20" Wide


AKMSC202136



36" Wide


AKMSC362136

Sliding Markerboard



AKMSB6048

Mobile Markerboard



AKMMB422865

Conference Tables

Product Overview

Round & Square Tops - Aluminum Frame

- Anodized aluminum legs and frame.

Conference Tables - Laminate Bases

- Offered in 1" or 1.5" thick tabletops.
- Laminate stringer matches color of panel legs.
- Conference tables 120" or longer consist of two-piece tabletops.
- Tabletop shapes consist of rectangular, racetrack and boat.
- Conference tables 144" long include a center third laminate leg.
- Units with power modules include one or two Dean In-Surface power modules with 3-prong plug. Cord length is 10'.
- Power module cords enter through the side opening at the top of the laminate leg, route down inside the leg, and exit out the opening at the bottom of the leg.

Conference Tables - Aluminum Frame Bases

- Offered in 1" thick tabletops.
- Anodized aluminum legs and frame.
- Conference tables 120" or longer consist of two-piece tabletops.
- Tabletop shapes consist of rectangular, racetrack and boat.
- Conference tables 144" long include a center third laminate panel leg.
- Units with power modules include one or two Dean In-Surface power modules with 3-prong plug. Cord length is 10'.
- If the conference table is 144" long, power module cords enter through the side opening at the top of the laminate leg, route down inside the leg, and exit out the opening at the bottom of the leg.


Statement of Line

Round Table - Aluminum Frame




Round Top
AKLAR4229
AKLAR4829

Square Table - Aluminum Frame




Square Top
AKLAS424229
AKLAS484829


Conference Tables - Laminate Base




Rectangular Top
1" Tabletop Thickness
No Power
AKLLRN723629



Rectangular Top
1" Tabletop Thickness
No Power
AKLLRN844829
AKLLRN964829




Rectangular Top
1" Tabletop Thickness
No Power
AKLLRN1204829




Rectangular Top
1" Tabletop Thickness
No Power
AKLLRN1444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLLR1723629




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLLR1844829
AKLLR1964829




Rectangular Top
1" Tabletop Thickness
No Power
AKLLR11204829




Rectangular Top
1" Tabletop Thickness
No Power
AKLLR11444829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLLR2723629



Rectangular Top
1" Tabletop Thickness
Two Power Module
AKLLR2844829
AKLLR2964829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLLR21204829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLLR21444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Rectangular Top
1½" Tabletop Thickness
No Power
AKLLR5N723629




Rectangular Top
1½" Tabletop Thickness
No Power
AKLLR5N844829
AKLLR5N964829




Rectangular Top
1½" Tabletop Thickness
No Power
AKLLR5N1204829




Rectangular Top
1½" Tabletop Thickness
No Power
AKLLR5N1444829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLLR51723629



Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLLR51844829
AKLLR51964829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLLR511204829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLLR511444829

**Statement of Line
(cont.)**


Conference Tables - Laminate Base (cont.)




Rectangular Top
1½" Tabletop Thickness
Two Power Modules
AKLLR52723629




Rectangular Top
1½" Tabletop Thickness
Two Power Modules
AKLLR52844829
AKLLR52964829




Rectangular Top
1½" Tabletop Thickness
Two Power Modules
AKLLR521204829




Rectangular Top
1½" Tabletop Thickness
Two Power Modules
AKLLR521444829




Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLLAN723629



Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLLAN844829
AKLLAN964829



Racetrack-Shaped Top
1" Tabletop Thickness
No Power Module
AKLLAN1204829




Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLLAN1444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLA1723629




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLA1844829
AKLLA1964829




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLA11204829




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLA11444829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLA2723629



Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLA2844829
AKLLA2964829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLA21204829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLA21444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLLA5N723629



Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLLA5N844829
AKLLA5N964829




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power Module
AKLLA5N1204829




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLLA5N1444829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLA51723629



Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLA51844829
AKLLA51964829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLA511204829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLA511444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLA52723629




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLA52844829
AKLLA52964829




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLA521204829




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLA521444829




Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLLRN723629



Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLLBN844829
AKLLBN964829




Boat-Shaped Top
1" Tabletop Thickness
No Power Module
AKLLBN1204829




Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLLBN1444829

**Statement of Line
(cont.)**


Conference Tables - Laminate Base (cont.)




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLB1723629




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLB1844829
AKLLB1964829




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLB11204829




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLLB11444829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLB2723629



Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLB2844829
AKLLB2964829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLB21204829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLLB21444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLLB5N723629




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLLB5N844829
AKLLB5N964829




Boat-Shaped Top
1½" Tabletop Thickness
No Power Module
AKLLB5N1204829




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLLB5N1444829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLB51723629



Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLB51844829
AKLLB51964829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLB511204829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLLB511444829

Statement of Line
(cont.)


Conference Tables - Laminate Base (cont.)




Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLB52723629



Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLB52844829
AKLLB52964829




Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLB521204829




Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLLB521444829


Conference Tables - Aluminum Frame Base




Rectangular Top
1" Tabletop Thickness
No Power
AKLRAN723629



Rectangular Top
1" Tabletop Thickness
No Power
AKLRAN844829
AKLRAN964829




Rectangular Top
1" Tabletop Thickness
No Power
AKLRAN1204829




Rectangular Top
1" Tabletop Thickness
No Power
AKLRAN1444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLRA1723629




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLRA1844829
AKLRA1964829




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLRA11204829




Rectangular Top
1" Tabletop Thickness
One Power Module
AKLRA11444829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLRA2723629



Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLRA2844829
AKLRA2964829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLRA21204829




Rectangular Top
1" Tabletop Thickness
Two Power Modules
AKLRA21444829

**Statement of Line
(cont.)**


Conference Tables - Aluminum Frame Base (cont.)




Rectangular Top
1½" Tabletop Thickness
No Power
AKLRA5N723629




Rectangular Top
1½" Tabletop Thickness
No Power
AKLRA5N844829
AKLLRA5N964829




Rectangular Top
1½" Tabletop Thickness
No Power
AKLRA5N1204829




Rectangular Top
1½" Tabletop Thickness
No Power
AKLRA5N1444829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLRA51723629



Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLRA51844829
AKLRA51964829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLRA511204829




Rectangular Top
1½" Tabletop Thickness
One Power Module
AKLRA511444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Rectangular Top
1 1/2" Tabletop Thickness
Two Power Modules
AKLRA52723629




Rectangular Top
1 1/2" Tabletop Thickness
Two Power Modules
AKLRA52844829
AKLRA52964829




Rectangular Top
1 1/2" Tabletop Thickness
Two Power Modules
AKLRA521204829




Rectangular Top
1 1/2" Tabletop Thickness
Two Power Modules
AKLRA521444829




Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLAAN723629



Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLAAN844829
AKLAAN964829



Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLAAN1204829



Racetrack-Shaped Top
1" Tabletop Thickness
No Power
AKLAAN1444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAA1723629




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAA1844829
AKLAA1964829




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAA11204829




Racetrack-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAA11444829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAA2723629



Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAA2844829
AKLAA2964829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAA21204829




Racetrack-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAA21444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLAA5N723629




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLAA5N844829
AKLAA5N964829




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLAA5N1204829




Racetrack-Shaped Top
1½" Tabletop Thickness
No Power
AKLAA5N1444829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAA51723629



Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAA51844829
AKLAA51964829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAA511204829




Racetrack-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAA511444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAA52723629




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAA52844829
AKLAA52964829




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAA521204829




Racetrack-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAA521444829




Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLABN723629



Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLABN844829
AKLABN964829




Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLABN1204829




Boat-Shaped Top
1" Tabletop Thickness
No Power
AKLABN1444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAB1723629




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAB1844829
AKLAB1964829




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKLAB11204829




Boat-Shaped Top
1" Tabletop Thickness
One Power Module
AKI AR11444829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAB2723629



Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAB2844829
AKLAB2964829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAB21204829




Boat-Shaped Top
1" Tabletop Thickness
Two Power Modules
AKLAB21444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLAB5N723629




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLAB5N844829
AKLAB5N964829




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLAB5N1204829




Boat-Shaped Top
1½" Tabletop Thickness
No Power
AKLAB5N1444829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAB51723629



Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAB51844829
AKLAB51964829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAB511204829




Boat-Shaped Top
1½" Tabletop Thickness
One Power Module
AKLAB511444829

Statement of Line
(cont.)


Conference Tables - Aluminum Frame Base (cont.)




Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAB52723629



Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAB52844829
AKLAB52964829



Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAB521204829



Boat-Shaped Top
1½" Tabletop Thickness
Two Power Modules
AKLAB521444829

KI
1330 Bellevue Street
Green Bay, Wisconsin 54302
1-800-424-2432
www.ki.com

KI is a registered trademark
of Krueger International, Inc.

© 2024 Krueger International, Inc.
All Rights Reserved
Code KI-PG-000041/KI/PDF/0224

