

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

**Date of Preparation**  
Jun 29, 2023

11 00 [1803]

**PRODUCT NUMBER**

F92W00228

**PRODUCT NAME**

F92W00228 MIL-PRF-22750G T3 HIGH SOLIDS EPOXY TOPCOAT ENHANCED CORROSION DIRECT TO METAL APPLICATION WHITE 27875

**MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS CO.  
101 W. Prospect Avenue  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

**Hazard Category (for SARA 311.312)**

F92W00228 = | Acute | Chronic | Fire |

**Product Weight**

13.71 lb/gal

**Specific Gravity**

1.65

**FLASH POINT**

50 °F PMCC

**Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	11	13
Acetone 67-64-1	N	Y	N	N	9	20
t-Butyl Acetate 540-88-5	N	Y	N	N	6	12

**Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Zinc (as Zn)	N	Y	Y	N	5	
Zinc Compound	N	N	Y	N	9	

### Volatile Organic Compounds - U.S. EPA / Canada

	F92W00228	
	LB/Gal	g/L
Coating Density	13.71	1643
	By wt	By vol
Total Volatiles	26.4%	44.6%
Federally exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	10.8%	13.3%
Acetone	9.4%	19.5%
T-Butyl Acetate	6.2%	11.8%
Organic Volatiles	0.0%	0.0%
Percent Non-Volatile	73.6%	55.4%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	0
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.06**

### Volatile Organic Compounds - California

	F92W00228	
	LB/Gal	g/L
Coating Density	13.71	1643
	By wt	By vol
Total Volatiles	26.4%	44.6%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	10.8%	13.3%
Acetone	9.4%	19.5%
Organic Volatiles	6.2%	11.8%
Percent Non-Volatile	73.6%	55.4%
VOC Content	LB/Gal	g/L
Total	0.84	101
Less exempt solvents	1.25	150
Of solids	1.52	182
Of solids	0.08 lb/lb	0.08 kg/kg
	By wt	
By wt LVP-VOC	6.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.05**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	F92W00228	
	LB/Gal	g/L
Coating Density	13.71	1643
	By wt	By vol
Total Volatiles	26.4%	44.6%
Exempt solvents		
Water	0.0%	0.0%
P-Chlorobenzotrifluoride	10.8%	13.3%
Acetone	9.4%	19.5%
Organic Volatiles	6.2%	11.8%
Percent Non-Volatile	73.6%	55.4%
VOC Content	LB/Gal	g/L
Total	0.84	101
Less exempt solvents	1.25	150
Of solids	1.52	182
Of solids	0.08 lb/lb	0.08 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	F92W00228	
	By wt	By vol
Total Volatiles	26.4%	44.6%
VOC Content	LB/Gal	g/L
Total	3.61	433

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	F92W00228	
	By wt	By vol
Total Volatiles	26.4%	44.6%
VOC Content	LB/Gal	g/L
Total	3.61	433

**Volatile Organic Compounds - Mexico**

	F92W00228	
	LB/Gal	g/L
Coating Density	13.71	1643
	By wt	By vol
Total Volatiles	26.4%	44.6%
Exempt solvents		
Water	0.0%	0.0%
Acetone	9.4%	19.5%
Organic Volatiles	17.0%	25.1%
Percent Non-Volatile	73.6%	55.4%
VOC Content	LB/Gal	g/L
Total	2.32	279
Less exempt solvents	2.89	346
Of solids	4.20	504
Of solids	0.23 lb/lb	0.23 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F92W00228	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

### Air Quality Data

**Density of Organic Solvent Blend**

8.10 lb/gal

**Photochemically Reactive**

No

### Additional Regulatory Information

**US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.