ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 31, 2023

10 00 [2932]

PRODUCT NUMBER

GP3561A74

PRODUCT NAME

Resuflor™ 3561 Epoxy Resin Glaze (Part A), Classic Red

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

GP3561A74 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT9.56 lb/gal1.15178 °F PMCC

AS MIXED (as per product data sheet): catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduced

AS MIXED

Product WeightSpecific GravityFLASH POINT9.29 lb/gal1.12-3 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone	N	v	N	N	E	7
67-64-1	IN .	Ţ	IN	IN .	5	1

Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone	N	V	N	N	4	5
67-64-1	IN	1	IV.	I V	†	5
Diethylenetriamine	N	N	N	N	3	4
111-40-0	'`	' "	1.4		ا	T

Non-Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
4,4'-Isopropylidenediphenol 80-05-7	N	N	Υ	N	2	2

Volatile Organic Compounds - U.S. EPA / Canada

	GP3561A74		AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduced		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.56	1145	9.29	1112	
	By wt	By vol	By wt	By vol	
Total Volatiles	4.8%	7.0%	7.0%	9.1%	
Federally exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone	4.6%	6.7%	3.8%	5.4%	
Organic Volatiles	0.2%	0.3%	3.2%	3.8%	
Percent Non-Volatile	95.2%	93.0%	93.0%	90.9%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.02	2	0.29	35	
Less exempt solvents	0.02	2	0.31	37	
Of solids	0.02	2	0.32	39	
Of solids	0.00 lb/lb	0.00 kg/kg	0.03 lb/lb	0.03 kg/kg	
	By wt		By wt		
By wt LVP-VOC	0.2%		3.2%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.02**AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.41**

Volatile Organic Compounds - California

	GP3	561A74	AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduced		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.56	1145	9.29	1112	
	By wt	By vol	By wt	By vol	
Total Volatiles	4.8%	7.0%	7.0%	9.1%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone	4.6%	6.7%	3.8%	5.4%	
Organic Volatiles	0.2%	0.3%	3.2%	3.8%	
Percent Non-Volatile	95.2%	93.0%	93.0%	90.9%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.02	2	0.29	35	
Less exempt solvents	0.02	2	0.31	37	
Of solids	0.02	2	0.32	39	
Of solids	0.00 lb/lb	0.00 kg/kg	0.03 lb/lb	0.03 kg/kg	
	By wt		By wt		
By wt LVP-VOC	0.2%	•	3.2%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.02**AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.48**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	GP3	561A74	AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduced		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.56	1145	9.29	1112	
	By wt	By vol	By wt	By vol	
Total Volatiles	4.8%	7.0%	7.0%	9.1%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone	4.6%	6.7%	3.8%	5.4%	
Organic Volatiles	0.2%	0.3%	3.2%	3.8%	
Percent Non-Volatile	95.2%	93.0%	93.0%	90.9%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.02	2	0.29	35	
Less exempt solvents	0.02	2	0.31	37	
Of solids	0.02	2	0.32	39	
Of solids	0.00 lb/lb	0.00 kg/kg	0.03 lb/lb	0.03 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	GP3561A74		P3561A74 AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduce			
	By wt	By vol	By wt	By vol		
Total Volatiles	5.3%	7.6%	7.4%	9.6%		
VOC Content	LB/Gal	g/L	LB/Gal	g/L		
Total	0.50	60	0.68	82		

Volatile Organic Compounds - EU Directive 2010/75/EU

	GP3561A74		GP3561A74 AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unred			
	By wt	By vol	By wt	By vol		
Total Volatiles	4.8%	7.0%	7.0%	9.1%		
VOC Content	LB/Gal	g/L	LB/Gal	g/L		
Total	0.46	55	0.65	78		

Volatile Organic Compounds - Mexico

	GP3	561A74	AS MIXED catalyzed 4 part GP3561A74 to 1 part GP3561B02 (fast catalyst); unreduced		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.56	1145	9.29	1112	
	By wt	By vol	By wt	By vol	
Total Volatiles	4.8%	7.0%	7.0%	9.1%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone	4.6%	6.7%	3.8%	5.4%	
Organic Volatiles	0.2%	0.3%	3.2%	3.8%	
Percent Non-Volatile	95.2%	93.0%	93.0%	90.9%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.02	2	0.29	35	
Less exempt solvents	0.02	2	0.31	37	
Of solids	0.02	2	0.32	39	
Of solids	0.00 lb/lb	0.00 kg/kg	0.03 lb/lb	0.03 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	GP35	61A74		MIXED t GP3561B02 (fast catalyst); unreduced
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.00	0.000	0.00	0.000
Of solids	0.00	0.000	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.59 lb/gal

Photochemically Reactive

Nο

Density of Organic Solvent Blend AS MIXED

7.14 lb/gal

Photochemically Reactive AS MIXED

Nο

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.