

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Aug 31, 2022

08 00 [2380]

## PRODUCT NUMBER

GP3462A53

## PRODUCT NAME

Resufloor™ Aqua 3462 Water-Based Epoxy (Part A), Charcoal

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

GP3462A53 = | Acute | Chronic |

## Product Weight

10.10 lb/gal

## Specific Gravity

1.22

## FLASH POINT

> 200 °F PMCC

## AS MIXED (as per product data sheet): CATALYZED

## AS MIXED

## Product Weight

9.76 lb/gal

## Specific Gravity

1.17

## FLASH POINT

N.A.

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Propoxyethanol 2807-30-9	N	N	Y - Glycol Ethers (SARA)	Y - Glycol Ethers (HAPS)	4	5
Water 7732-18-5	N	N	N	N	38	47

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	4	
Glycol Ethers (HAPS)	N	N	N	Y	4	

## Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Propoxyethanol 2807-30-9	N	N	Y - Glycol Ethers (SARA)	Y - Glycol Ethers (HAPS)	3	4
Water 7732-18-5	N	N	N	N	39	45

## Regulated Compounds AS MIXED

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	3	
Glycol Ethers (HAPS)	N	N	N	Y	3	

**Volatile Organic Compounds - U.S. EPA / Canada**

	GP3462A53		AS MIXED CATALYZED	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	10.10	1210	9.76	1169
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	42.8%	50.3%
Federally exempt solvents				
Water	38.3%	46.6%	39.0%	45.5%
Organic Volatiles	3.8%	5.0%	3.8%	4.8%
Percent Non-Volatile	57.9%	48.4%	57.2%	49.7%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.37	45	0.36	44
Less exempt solvents	0.71	85	0.67	81
Of solids	0.78	94	0.74	88
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg
	By wt		By wt	
By wt LVP-VOC	3.7%		3.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.12**

AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.16**

**Volatile Organic Compounds - California**

	GP3462A53		AS MIXED CATALYZED	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	10.10	1210	9.76	1169
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	42.8%	50.3%
Exempt solvents				
Water	38.3%	46.6%	39.0%	45.5%
Organic Volatiles	3.8%	5.0%	3.8%	4.8%
Percent Non-Volatile	57.9%	48.4%	57.2%	49.7%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.37	45	0.36	44
Less exempt solvents	0.71	85	0.67	81
Of solids	0.78	94	0.74	88
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg
	By wt		By wt	
By wt LVP-VOC	3.7%		3.6%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.12**

AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.12**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	GP3462A53		AS MIXED CATALYZED	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	10.10	1210	9.76	1169
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	42.8%	50.3%
Exempt solvents				
Water	38.3%	46.6%	39.0%	45.5%
Organic Volatiles	3.8%	5.0%	3.8%	4.8%
Percent Non-Volatile	57.9%	48.4%	57.2%	49.7%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.37	45	0.36	44
Less exempt solvents	0.71	85	0.67	81
Of solids	0.78	94	0.74	88
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	GP3462A53		AS MIXED CATALYZED	
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	44.0%	51.7%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.38	45	0.48	57

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	GP3462A53		AS MIXED CATALYZED	
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	42.8%	50.3%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.38	45	0.36	44

**Volatile Organic Compounds - Mexico**

	GP3462A53		AS MIXED CATALYZED	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	10.10	1210	9.76	1169
	By wt	By vol	By wt	By vol
Total Volatiles	42.1%	51.6%	42.8%	50.3%
Exempt solvents				
Water	38.3%	46.6%	39.0%	45.5%
Organic Volatiles	3.8%	5.0%	3.8%	4.8%
Percent Non-Volatile	57.9%	48.4%	57.2%	49.7%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.38	45	0.37	44
Less exempt solvents	0.71	85	0.67	81
Of solids	0.78	94	0.74	89
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	GP3462A53		AS MIXED CATALYZED	
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.37	0.044	0.27	0.033
Of solids	0.76	0.091	0.55	0.067
Of solids	0.06 lb/lb	0.06 kg/kg	0.04 lb/lb	0.04 kg/kg

### Air Quality Data

**Density of Organic Solvent Blend**

7.61 lb/gal

**Photochemically Reactive**

No

**Density of Organic Solvent Blend AS MIXED**

7.74 lb/gal

**Photochemically Reactive AS MIXED**

No

### Additional Regulatory Information

**US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

**US EPA TSCA: AS MIXED**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against: AS MIXED**

Not Applicable

### Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.