

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
Feb 24, 2024

14 00 [0554]

## PRODUCT NUMBER

GP3746B02

## PRODUCT NAME

Resufloor™ 3746 High Performance Epoxy (Part B), Fast Cure Hardener

## MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY  
101 W. Prospect Avenue  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

GP3746B02 = | Acute | Chronic |

## Product Weight

8.31 lb/gal

## Specific Gravity

1.00

## FLASH POINT

> 200 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Phenylmethanol 100-51-6	N	N	N	N	27	26
Methylpentate Diamine 15520-10-2	N	N	N	N	5	6

## Volatile Organic Compounds - U.S. EPA / Canada

	GP3746B02	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	32.6%	32.1%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	32.6%	32.1%
Percent Non-Volatile	67.4%	67.9%
VOC Content	LB/Gal	g/L
Total	2.71	324
Less exempt solvents	2.71	324
Of solids	3.99	478
Of solids	0.48 lb/lb	0.48 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 7.18

**Volatile Organic Compounds - California**

	GP3746B02	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	32.6%	32.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	32.6%	32.1%
Percent Non-Volatile	67.4%	67.9%
VOC Content	LB/Gal	g/L
Total	2.71	324
Less exempt solvents	2.71	324
Of solids	3.99	478
Of solids	0.48 lb/lb	0.48 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.99**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	GP3746B02	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	32.6%	32.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	32.6%	32.1%
Percent Non-Volatile	67.4%	67.9%
VOC Content	LB/Gal	g/L
Total	2.71	324
Less exempt solvents	2.71	324
Of solids	3.99	478
Of solids	0.48 lb/lb	0.48 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	GP3746B02	
	By wt	By vol
Total Volatiles	35.0%	34.5%
VOC Content	LB/Gal	g/L
Total	2.91	348

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	GP3746B02	
	By wt	By vol
Total Volatiles	32.6%	32.1%
VOC Content	LB/Gal	g/L
Total	2.71	324

### Volatile Organic Compounds - Mexico

	GP3746B02	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	32.6%	32.1%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	32.6%	32.1%
Percent Non-Volatile	67.4%	67.9%
VOC Content	LB/Gal	g/L
Total	2.71	324
Less exempt solvents	2.71	324
Of solids	3.99	478
Of solids	0.48 lb/lb	0.48 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	GP3746B02	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

### Air Quality Data

#### Density of Organic Solvent Blend

8.44 lb/gal

#### Photochemically Reactive

No

### Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.