### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Oct 31, 2023

03 00 [1183]

## **PRODUCT NUMBER**

GP4850A68

### **PRODUCT NAME**

Elladur™ 4850 Polyaspartic SS (Part A), Bright Yellow

### **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

GP4850A68 = | Acute | Chronic |

 Product Weight
 Specific Gravity
 FLASH POINT

 9.24 lb/gal
 1.11
 > 200 °F PMCC

AS MIXED (as per product data sheet): as catalyzed 2:1 with GP4850B01, reduced 10% with Acetone

**AS MIXED** 

Product WeightSpecific GravityFLASH POINT8.99 lb/gal1.081 °F TCC

# **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Methoxymethylethoxypropanol Acetate 88917-22-0	N	N	N	N	3	4
Diethyl Fumarate 623-91-6	N	N	N	N	3	3

### **Volatile Ingredients AS MIXED**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Acetone 67-64-1	N	Υ	N	N	9	13
Methoxymethylethoxypropanol Acetate 88917-22-0	N	N	N	N	2	2
Diethyl Fumarate 623-91-6	N	N	N	N	2	2

## Volatile Organic Compounds - U.S. EPA / Canada

	GP4	850A68	AS MIXED as catalyzed 2:1 with GP4850B01, reduced 10% with Acetone		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.24	1107	8.99	1077	
	By wt	By vol	By wt	By vol	
Total Volatiles	7.1%	8.0%	13.9%	17.8%	
Federally exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone			9.5%	12.9%	
Organic Volatiles	7.1%	8.0%	4.4%	4.8%	
Percent Non-Volatile	92.9%	92.0%	86.1%	82.2%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.65	78	0.39	47	
Less exempt solvents	0.65	78	0.45	54	
Of solids	0.71	85	0.48	58	
Of solids	0.07 lb/lb	0.07 kg/kg	0.05 lb/lb	0.05 kg/kg	
	By wt		By wt		
By wt LVP-VOC	3.9%		2.4%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.39**AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.90** 

## **Volatile Organic Compounds - California**

	GP4	850A68	AS MIXED as catalyzed 2:1 with GP4850B01, reduced 10% with Acetone		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.24	1107	8.99	1077	
	By wt	By vol	By wt	By vol	
Total Volatiles	7.1%	8.0%	13.9%	17.8%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone			9.5%	12.9%	
Organic Volatiles	7.1%	8.0%	4.4%	4.8%	
Percent Non-Volatile	92.9%	92.0%	86.1%	82.2%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.65	78	0.39	47	
Less exempt solvents	0.65	78	0.45	54	
Of solids	0.71	85	0.48	58	
Of solids	0.07 lb/lb	0.07 kg/kg	0.05 lb/lb	0.05 kg/kg	
	By wt		By wt		
By wt LVP-VOC	3.9%	•	2.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.40**AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.28** 

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	GP4	850A68	AS MIXED as catalyzed 2:1 with GP4850B01, reduced 10% with Acetone		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.24	1107	8.99	1077	
	By wt	By vol	By wt	By vol	
Total Volatiles	7.1%	8.0%	13.9%	17.8%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone			9.5%	12.9%	
Organic Volatiles	7.1%	8.0%	4.4%	4.8%	
Percent Non-Volatile	92.9%	92.0%	86.1%	82.2%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.65	78	0.39	47	
Less exempt solvents	0.65	78	0.45	54	
Of solids	0.71	85	0.48	58	
Of solids	0.07 lb/lb	0.07 kg/kg	0.05 lb/lb	0.05 kg/kg	

## Volatile Organic Compounds - EU Directive 2004/42/EC

	GP4850A68			MIXED B01, reduced 10% with Acetone
	By wt	By vol	By wt	By vol
Total Volatiles	11.9%	13.0%	16.9%	20.8%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.09	131	1.51	181

# Volatile Organic Compounds - EU Directive 2010/75/EU

	GP4850A68			MIXED B01, reduced 10% with Acetone	
	By wt	By vol	By wt B		
Total Volatiles	3.9%	4.3%	11.9%	15.5%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.36	43	1.07	128	

# **Volatile Organic Compounds - Mexico**

	GP4	850A68	AS MIXED as catalyzed 2:1 with GP4850B01, reduced 10% with Acetone		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.24	1107	8.99	1077	
	By wt	By vol	By wt	By vol	
Total Volatiles	7.1%	8.0%	13.9%	17.8%	
Exempt solvents					
Water	0.0%	0.0%	0.0%	0.0%	
Acetone			9.5%	12.9%	
Organic Volatiles	7.1%	8.0%	4.4%	4.8%	
Percent Non-Volatile	92.9%	92.0%	86.1%	82.2%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.65	78	0.39	47	
Less exempt solvents	0.65	78	0.45	54	
Of solids	0.71	85	0.48	58	
Of solids	0.07 lb/lb	0.07 kg/kg	0.05 lb/lb	0.05 kg/kg	

# Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	GP4850A68			MIXED B01, reduced 10% with Acetone
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.00	0.000	0.00	0.000
Of solids	0.00	0.000	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg	0.00 lb/lb	0.00 kg/kg

## **Air Quality Data**

**Density of Organic Solvent Blend** 

8.26 lb/gal

**Photochemically Reactive** 

Yes

**Density of Organic Solvent Blend AS MIXED** 

7.04 lb/gal

**Photochemically Reactive AS MIXED** 

Nο

# **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.