ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Dec 1, 2023

16 00 [3353]

PRODUCT NUMBER

B65W191

PRODUCT NAME

2K Waterbased Anti-Graffiti Coating, Extra White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

B65W191 = | Acute | Chronic |

Product WeightSpecific GravityFLASH POINT9.69 lb/gal1.17200 °F PMCC

AS MIXED (as per product data sheet): Catalyzed B65W00191 3:1 with B65V00190, max red. 10pct R8K10

AS MIXED

Product WeightSpecific GravityFLASH POINT9.54 lb/gal1.15N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Water 7732-18-5	N	N	N	N	49	58

Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-(2-Butoxyethoxy)-ethanol 112-34-5	N	N	Y - Glycol Ethers (SARA)	Y - Glycol Ethers (HAPS)	2	2
Water 7732-18-5	N	N	N	N	40	46

Regulated Compounds AS MIXED

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Υ	N	2	
Glycol Ethers (HAPS)	N	N	N	Υ	2	

Volatile Organic Compounds - U.S. EPA / Canada

	B65	5W191	AS MIXED Catalyzed B65W00191 3:1 with B65V00190, max red. 10pct R8K10		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1161	9.54	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	52.6%	62.3%	44.3%	51.6%	
Federally exempt solvents					
Water	49.3%	58.1%	40.1%	46.5%	
Acetone	0.2%	0.4%	0.2%	0.3%	
Organic Volatiles	3.1%	3.8%	4.0%	4.8%	
Percent Non-Volatile	47.4%	37.7%	55.7%	48.4%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.29	35	0.38	46	
Less exempt solvents	0.72	86	0.72	86	
Of solids	0.79	95	0.79	94	
Of solids	0.06 lb/lb	0.06 kg/kg	0.07 lb/lb	0.07 kg/kg	
	By wt		By wt		
By wt LVP-VOC	1.8%		1.3%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.08**AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.10**

Volatile Organic Compounds - California

	B69	5W191	AS MIXED Catalyzed B65W00191 3:1 with B65V00190, max red. 10pct R8K10		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1161	9.54	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	52.6%	62.3%	44.3%	51.6%	
Exempt solvents					
Water	49.3%	58.1%	40.1%	46.5%	
Acetone	0.2%	0.4%	0.2%	0.3%	
Organic Volatiles	3.1%	3.8%	4.0%	4.8%	
Percent Non-Volatile	47.4%	37.7%	55.7%	48.4%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.29	35	0.38	46	
Less exempt solvents	0.72	86	0.72	86	
Of solids	0.79	95	0.79	94	
Of solids	0.06 lb/lb	0.06 kg/kg	0.07 lb/lb	0.07 kg/kg	
	By wt		By wt		
By wt LVP-VOC	1.8%		1.3%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.08**AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.10**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	B69	5W191	AS MIXED Catalyzed B65W00191 3:1 with B65V00190, max red. 10pct R8K1		
	LB/Gal	g/L	LB/Gal		
Coating Density	9.69	1161	9.54	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	52.6%	62.3%	44.3%	51.6%	
Exempt solvents					
Water	49.3%	58.1%	40.1%	46.5%	
Acetone	0.2%	0.4%	0.2%	0.3%	
Organic Volatiles	3.1%	3.8%	4.0%	4.8%	
Percent Non-Volatile	47.4%	37.7%	55.7%	48.4%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.29	35	0.38	46	
Less exempt solvents	0.72	86	0.72	86	
Of solids	0.79	95	0.79	94	
Of solids	0.06 lb/lb	0.06 kg/kg	0.07 lb/lb	0.07 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	B65W191			IXED 65V00190, max red. 10pct R8K10
	By wt	By vol	By wt	By vol
Total Volatiles	52.6%	62.2%	44.3%	51.5%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.31	38	0.39	47

Volatile Organic Compounds - EU Directive 2010/75/EU

B65V		V191		IXED 65V00190, max red. 10pct R8K10
	By wt	By vol	By wt	By vol
Total Volatiles	52.3%	61.9%	42.2%	49.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.29	34	0.19	23

Volatile Organic Compounds - Mexico

	B65	5W191	AS MIXED Catalyzed B65W00191 3:1 with B65V00190, max red. 10pct R8K10		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1161	9.54	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	52.6%	62.3%	44.3%	51.6%	
Exempt solvents					
Water	49.3%	58.1%	40.1%	46.5%	
Acetone	0.2%	0.4%	0.2%	0.3%	
Organic Volatiles	3.1%	3.8%	4.0%	4.8%	
Percent Non-Volatile	47.4%	37.7%	55.7%	48.4%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.29	35	0.38	46	
Less exempt solvents	0.72	86	0.72	86	
Of solids	0.79	95	0.79	95	
Of solids	0.06 lb/lb	0.06 kg/kg	0.07 lb/lb	0.07 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	B65	W191		MIXED B65V00190, max red. 10pct R8K10
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.00	0.000	0.00	0.000
Of solids	0.00	0.000	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.83 lb/gal

Photochemically Reactive

Nο

Density of Organic Solvent Blend AS MIXED

7.87 lb/gal

Photochemically Reactive AS MIXED

Nο

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.