## **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Jan 5, 2024

18 00 [0054]

## **PRODUCT NUMBER**

B65W195

## **PRODUCT NAME**

2K Waterbased Anti-Graffiti Coating, Extra White

## **MANUFACTURER'S NAME**

THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

B65W195 = | Acute | Chronic |

Product WeightSpecific GravityFLASH POINT9.69 lb/gal1.17200 °F PMCC

AS MIXED (as per product data sheet): CATALYZED 3 PARTS B65W00195 TO 1 PART B65V195

**AS MIXED** 

Product WeightSpecific GravityFLASH POINT9.53 lb/gal1.15N.A.

## **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Water 7732-18-5	N	N	N	N	52	61

## **Volatile Ingredients AS MIXED**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-(2-Butoxyethoxy)-ethanol 112-34-5	N	N	Y - Glycol Ethers (SARA)	Y - Glycol Ethers (HAPS)	2	2
Water 7732-18-5	N	N	N	N	42	48

## **Regulated Compounds AS MIXED**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Υ	N	2	
Glycol Ethers (HAPS)	N	N	N	Υ	2	

## Volatile Organic Compounds - U.S. EPA / Canada

	B65	5W195	AS MIXED CATALYZED 3 PARTS B65W00195 TO 1 PART B65V199		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1160	9.53	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	54.6%	64.3%	45.7%	52.9%	
Federally exempt solvents					
Water	51.8%	60.8%	41.8%	48.2%	
Acetone	0.1%	0.2%			
Organic Volatiles	2.7%	3.3%	3.8%	4.5%	
Percent Non-Volatile	45.4%	35.7%	54.3%	47.1%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.26	31	0.35	43	
Less exempt solvents	0.67	81	0.69	83	
Of solids	0.73	88	0.76	91	
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg	
	By wt		By wt		
By wt LVP-VOC	1.5%		1.1%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.07**AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.10** 

## **Volatile Organic Compounds - California**

	B69	5W195	AS MIXED CATALYZED 3 PARTS B65W00195 TO 1 PART		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1160	9.53	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	54.6%	64.3%	45.7%	52.9%	
Exempt solvents					
Water	51.8%	60.8%	41.8%	48.2%	
Acetone	0.1%	0.2%			
Organic Volatiles	2.7%	3.3%	3.8%	4.5%	
Percent Non-Volatile	45.4%	35.7%	54.3%	47.1%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.26	31	0.35	43	
Less exempt solvents	0.67	81	0.69	83	
Of solids	0.73	88	0.76	91	
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg	
	By wt		By wt		
By wt LVP-VOC	1.5%		1.1%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.07**AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.09** 

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	B69	5W195	_	MIXED 65W00195 TO 1 PART B65V195
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	9.69	1160	9.53	1142
	By wt	By vol	By wt	By vol
Total Volatiles	54.6%	64.3%	45.7%	52.9%
Exempt solvents				
Water	51.8%	60.8%	41.8%	48.2%
Acetone	0.1%	0.2%		
Organic Volatiles	2.7%	3.3%	3.8%	4.5%
Percent Non-Volatile	45.4%	35.7%	54.3%	47.1%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.26	31	0.35	43
Less exempt solvents	0.67	81	0.69	83
Of solids	0.73	88	0.76	91
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg

## Volatile Organic Compounds - EU Directive 2004/42/EC

	B65W195			IIXED W00195 TO 1 PART B65V195
	By wt	By vol	By wt	By vol
Total Volatiles	54.6%	64.3%	45.7%	52.9%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.27	32	0.36	43

# **Volatile Organic Compounds - EU Directive 2010/75/EU**

	B65V	V195	AS M CATALYZED 3 PARTS B65V	IXED V00195 TO 1 PART B65V195
	By wt	By vol	By wt	By vol
Total Volatiles	54.3%	63.9%	43.6%	50.4%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	0.24	29	0.16	20

# **Volatile Organic Compounds - Mexico**

	B69	5W195	AS MIXED CATALYZED 3 PARTS B65W00195 TO 1 PART B65V1		
	LB/Gal	g/L	LB/Gal	g/L	
Coating Density	9.69	1160	9.53	1142	
	By wt	By vol	By wt	By vol	
Total Volatiles	54.6%	64.3%	45.7%	52.9%	
Exempt solvents					
Water	51.8%	60.8%	41.8%	48.2%	
Acetone	0.1%	0.2%			
Organic Volatiles	2.7%	3.3%	3.8%	4.5%	
Percent Non-Volatile	45.4%	35.7%	54.3%	47.1%	
VOC Content	LB/Gal	g/L	LB/Gal	g/L	
Total	0.26	31	0.35	43	
Less exempt solvents	0.67	81	0.69	83	
Of solids	0.73	88	0.76	91	
Of solids	0.06 lb/lb	0.06 kg/kg	0.06 lb/lb	0.06 kg/kg	

# Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	B65	W195		MIXED 6W00195 TO 1 PART B65V195
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.00	0.000	0.00	0.000
Of solids	0.00	0.000	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg	0.00 lb/lb	0.00 kg/kg

# **Air Quality Data**

**Density of Organic Solvent Blend** 

7.95 lb/gal

**Photochemically Reactive** 

Nο

**Density of Organic Solvent Blend AS MIXED** 

7.93 lb/gal

**Photochemically Reactive AS MIXED** 

Nο

# **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.