

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Mar 11, 2022

14 00 [0137]

PRODUCT NUMBER

B42W400

PRODUCT NAME

KEM CATI-COAT® HS Epoxy Filler/Sealer (Part A), Off White

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

B42W400 = | Acute | Chronic | Fire |

Product Weight

14.78 lb/gal

Specific Gravity

1.78

FLASH POINT

102 °F TCC

AS MIXED (as per product data sheet): xxx

AS MIXED

Product Weight

14.72 lb/gal

Specific Gravity

1.77

FLASH POINT

92 °F TCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	2	5
Cumene 98-82-8	N	Y	Y	Y	0.1	< 1
Trimethylbenzene 25551-13-7	N	N	N	N	1	2
1-Methoxy-2-propanol 107-98-2	N	N	N	N	6	12

Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
Light Aromatic Hydrocarbons 64742-95-6	N	N	N	N	2	5
Cumene 98-82-8	N	Y	Y	Y	0.1	< 1
Trimethylbenzene 25551-13-7	N	N	N	N	1	3
1-Methoxy-2-propanol 107-98-2	N	N	N	N	5	9

Volatile Organic Compounds - U.S. EPA / Canada

	B42W400		AS MIXED xxx	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	14.78	1771	14.72	1763
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
Federally exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	11.3%	22.5%	10.6%	21.0%
Percent Non-Volatile	88.7%	77.5%	89.4%	79.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186
Less exempt solvents	1.67	200	1.55	186
Of solids	2.15	258	1.97	236
Of solids	0.12 lb/lb	0.12 kg/kg	0.11 lb/lb	0.11 kg/kg
	By wt		By wt	
By wt LVP-VOC	11.3%		10.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.55**

AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.55**

Volatile Organic Compounds - California

	B42W400		AS MIXED xxx	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	14.78	1771	14.72	1763
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	11.3%	22.5%	10.6%	21.0%
Percent Non-Volatile	88.7%	77.5%	89.4%	79.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186
Less exempt solvents	1.67	200	1.55	186
Of solids	2.15	258	1.97	236
Of solids	0.12 lb/lb	0.12 kg/kg	0.11 lb/lb	0.11 kg/kg
	By wt		By wt	
By wt LVP-VOC	11.3%		10.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.54**

AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.55**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	B42W400		AS MIXED xxx	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	14.78	1771	14.72	1763
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	11.3%	22.5%	10.6%	21.0%
Percent Non-Volatile	88.7%	77.5%	89.4%	79.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186
Less exempt solvents	1.67	200	1.55	186
Of solids	2.15	258	1.97	236
Of solids	0.12 lb/lb	0.12 kg/kg	0.11 lb/lb	0.11 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	B42W400		AS MIXED xxx	
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186

Volatile Organic Compounds - EU Directive 2010/75/EU

	B42W400		AS MIXED xxx	
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186

Volatile Organic Compounds - Mexico

	B42W400		AS MIXED xxx	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	14.78	1771	14.72	1763
	By wt	By vol	By wt	By vol
Total Volatiles	11.3%	22.5%	10.6%	21.0%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	11.3%	22.5%	10.6%	21.0%
Percent Non-Volatile	88.7%	77.5%	89.4%	79.0%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	1.67	200	1.55	186
Less exempt solvents	1.67	200	1.55	186
Of solids	2.15	258	1.97	236
Of solids	0.12 lb/lb	0.12 kg/kg	0.11 lb/lb	0.11 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	B42W400		AS MIXED xxx	
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	0.04	0.004	0.04	0.005
Of solids	0.05	0.006	0.05	0.006
Of solids	0.00 lb/lb	0.00 kg/kg	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.44 lb/gal

Photochemically Reactive

Yes

Density of Organic Solvent Blend AS MIXED

7.40 lb/gal

Photochemically Reactive AS MIXED

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

US EPA TSCA: AS MIXED

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against: AS MIXED

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.