



10.02.23
PRICE LIST

CASEGOODS



GENERAL INFORMATION

Follow Link

Terms & Conditions	
Warranty	
Sustainability	
ANSI/BIFMA Testing	
Asset Tag Locations	
Surface Materials Reference Guide	
Intellectual Property	
Quick Delivery Program	4

CASEGOODS

Arrowood™ Laminate	5
Arrowood™ Veneer	19
Barrington®	41
Escalade®	63
Renegade™	85
Roosevelt™	131
Tessera®	143

WALL RAIL SOLUTION

Exhibit™	275
----------	-----

BOOKCASES

FILES

TOSS™ ACCENT PILLOWS

WEDGES AND CUSHIONS

ACCESSORIES

COM YARDAGE REQUIREMENTS

REVISION SUMMARY

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.



Specific models from the following series are available on Quick Delivery:

Arrowood Laminate	Escalade
Arrowood Veneer	Roosevelt
Barrington	

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellations for Quick Delivery orders. The Quick Delivery orders must contain only Quick Delivery models - submit a separate order for any products that are not included in the program. Remember that the time to complete the order is based on business days and does not include weekends or holidays. The day your order is placed with National counts as day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 20? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

ARROWOOD

LAMINATE

Product Specifications	6
Product Options	7
L Arrangements	8
U Arrangements	9
Product Pages	10

ARROWOOD - LAMINATE

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- ¾ and full pedestal options
- ½" thick modesty panels
- Full height modesty panels on all full pedestal units and bridge units
- ¾ height modesty panels on all ¾ pedestal units
- 1" thick end panels
- Standard leveling glides
- Modesty panels have horizontal grain unless otherwise noted

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT


- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (See accessory pages)

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk	12½"	17"	3½"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
Box Drawer—Executive Return	12½"	17"	3½"	N/A
File Drawer—Executive Return	12½"	17"	9½"	Letter
Box Drawer—Credenza	15½"	17"	3½"	N/A
File Drawer—Credenza	15½"	17"	9½"	Legal
Lateral File Drawer—Lateral File	31½"	15"	9½"	Letter, Legal, EDP

- All file drawers file letter, legal and EDP side-to-side


DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

LAMINATES

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
IM	Brighton
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Black Plastic

G13LR	Left & Right
G13C	Center



Round Grommet
Plastic

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Grommets:	Included on highbacks, bridges and returns
Locking:	Random black cores
Finish:	Must specify Amber (MC) or Cordovan (CW)

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

ARROWOOD - LAMINATE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

793 Acorn	CL Caramel	YO Monterey
AD Almond	CW Cordovan	NM Natural
MC Amber	HN2 Honey 2	PB Portobello
AC2 Autumn 2	DW Judicial	792 Sable
IM Brighton	MH Mocha	TF Truffle

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL 	21N8572LLFL 84¾D x 71¾W	\$ 3824
	consists of	
	21N3672DRFL1 Right Pedestal Desk	2375
	21N2449RLEFL2 Left Pedestal Return	1449
	21N7972LLFL 78¾D x 71¾W	\$ 3755
	consists of	
	21N3672DRFL1 Right Pedestal Desk	2375
	21N2443RLEFL2 Left Pedestal Return	1380
	21N7966LLFL 78¾D x 66W	\$ 3668
	consists of	
	21N3066DRFL1 Right Pedestal Desk	2219
	21N2449RLEFL2 Left Pedestal Return	1449
	21N7366LLFL 72¾D x 66W	\$ 3599
	consists of	
	21N3066DRFL1 Right Pedestal Desk	2219
	21N2443RLEFL2 Left Pedestal Return	1380

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL 	21N8572LRFL 84¾D x 71¾W	\$ 3824
	consists of	
	21N3672DLFL1 Left Pedestal Desk	2375
	21N2449RREFL2 Right Pedestal Return	1449
	21N7972LRFL 78¾D x 71¾W	\$ 3755
	consists of	
	21N3672DLFL1 Left Pedestal Desk	2375
	21N2443RREFL2 Right Pedestal Return	1380
	21N7966LRFL 78¾D x 66W	\$ 3668
	consists of	
	21N3066DLFL1 Left Pedestal Desk	2219
	21N2449RREFL2 Right Pedestal Return	1449
	21N7366LRFL 72¾D x 66W	\$ 3599
	consists of	
	21N3066DLFL1 Left Pedestal Desk	2219
	21N2443RREFL2 Right Pedestal Return	1380

LEFT L-CONFIGURATION ¾ PEDESTAL 	Q21N8572LLQL 84¾D x 71¾W	\$ 2960
	21N8572LLQL 84¾D x 71¾W	\$ 2960
	consists of	
	21N3672DRQL3 Right Pedestal Desk	1813
	21N2449RLEQL3 Left Pedestal Return	1147
	Q21N7972LLQL 78¾D x 71¾W	\$ 2889
	21N7972LLQL 78¾D x 71¾W	\$ 2889
	consists of	
	21N3672DRQL3 Right Pedestal Desk	1813
	21N2443RLEQL3 Left Pedestal Return	1076
	21N7966LLQL 78¾D x 66W	\$ 2809
	consists of	
	21N3066DRQL3 Right Pedestal Desk	1662
	21N2449RLEQL3 Left Pedestal Return	1147
	21N7366LLQL 72¾D x 66W	\$ 2738
	consists of	
	21N3066DRQL3 Right Pedestal Desk	1662
	21N2443RLEQL3 Left Pedestal Return	1076

RIGHT L-CONFIGURATION ¾ PEDESTAL 	Q21N8572LRQL 84¾D x 71¾W	\$ 2960
	21N8572LRQL 84¾D x 71¾W	\$ 2960
	consists of	
	21N3672DLQL3 Left Pedestal Desk	1813
	21N2449RREQL3 Right Pedestal Return	1147
	Q21N7972LRQL 78¾D x 71¾W	\$ 2889
	21N7972LRQL 78¾D x 71¾W	\$ 2889
	consists of	
	21N3672DLQL3 Left Pedestal Desk	1813
	21N2443RREQL3 Right Pedestal Return	1076
	21N7966LRQL 78¾D x 66W	\$ 2809
	consists of	
	21N3066DLQL3 Left Pedestal Desk	1662
	21N2449RREQL3 Right Pedestal Return	1147
	21N7366LRQL 72¾D x 66W	\$ 2738
	consists of	
	21N3066DLQL3 Left Pedestal Desk	1662
	21N2443RREQL3 Right Pedestal Return	1076

LAMINATE - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

793 Acorn	CL Caramel	YO Monterey
AD Almond	CW Cordovan	NM Natural
MC Amber	HN2 Honey 2	PB Portobello
AC2 Autumn 2	DW Judicial	792 Sable
IM Brighton	MH Mocha	TF Truffle

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL 	21N10872ULFL 107¼D x 71¾W	\$ 5002
	consists of	
	21N3672DRFL1 Right Pedestal Desk	2375
	21N2448BEFL Bridge	629
	21N2472CLFL2 Left Pedestal Credenza	1998
	21N10472ULFL 104D x 71¾W	\$ 4969
	consists of	
	21N3672DRFL1 Right Pedestal Desk	2375
	21N2445BEFL Bridge	596
	21N2472CLFL2 Left Pedestal Credenza	1998
	21N10266ULFL 101¼D x 66W	\$ 4773
	consists of	
	21N3066DRFL1 Right Pedestal Desk	2219
	21N2448BEFL Bridge	629
	21N2466CLFL2 Left Pedestal Credenza	1925
	21N9866ULFL 98D x 66W	\$ 4740
	consists of	
	21N3066DRFL1 Right Pedestal Desk	2219
	21N2445BEFL Bridge	596
	21N2466CLFL2 Left Pedestal Credenza	1925

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT U-CONFIGURATION FULL PEDESTAL 	21N10872URFL 107¼D x 71¾W	\$ 5002
	consists of	
	21N3672DLFL1 Left Pedestal Desk	2375
	21N2448BEFL Bridge	629
	21N2472CRFL2 Right Pedestal Credenza	1998
	21N10472URFL 104D x 71¾W	\$ 4969
	consists of	
	21N3672DLFL1 Left Pedestal Desk	2375
	21N2445BEFL Bridge	596
	21N2472CRFL2 Right Pedestal Credenza	1998
	21N10266URFL 101¼D x 66W	\$ 4773
	consists of	
	21N3066DLFL1 Left Pedestal Desk	2219
	21N2448BEFL Bridge	629
	21N2466CRFL2 Right Pedestal Credenza	1925
	21N9866URFL 98D x 66W	\$ 4740
	consists of	
	21N3066DLFL1 Left Pedestal Desk	2219
	21N2445BEFL Bridge	596
	21N2466CRFL2 Right Pedestal Credenza	1925

LEFT U-CONFIGURATION ¾ PEDESTAL 	Q21N10872ULQL 107¼D x 71¾W	\$ 4028
	21N10872ULQL 107¼D x 71¾W	\$ 4028
	consists of	
	21N3672DRQL3 Right Pedestal Desk	1813
	21N2448BEFL Bridge	629
	21N2472CLQL3 Left Pedestal Credenza	1586
	Q21N10472ULQL 104D x 71¾W	\$ 3995
	21N10472ULQL 104D x 71¾W	\$ 3995
	consists of	
	21N3672DRQL3 Right Pedestal Desk	1813
	21N2445BEFL Bridge	596
	21N2472CLQL3 Left Pedestal Credenza	1586
	21N10266ULQL 101¼D x 66W	\$ 3813
	consists of	
	21N3066DRQL3 Right Pedestal Desk	1662
	21N2448BEFL Bridge	629
	21N2466CLQL3 Left Pedestal Credenza	1522
	21N9866ULQL 98D x 66W	\$ 3780
	consists of	
	21N3066DRQL3 Right Pedestal Desk	1662
	21N2445BEFL Bridge	596
	21N2466CLQL3 Left Pedestal Credenza	1522

RIGHT U-CONFIGURATION ¾ PEDESTAL 	Q21N10872URQL 107¼D x 71¾W	\$ 4028
	21N10872URQL 107¼D x 71¾W	\$ 4028
	consists of	
	21N3672DLQL3 Left Pedestal Desk	1813
	21N2448BEFL Bridge	629
	21N2472CRQL3 Right Pedestal Credenza	1586
	Q21N10472URQL 104D x 71¾W	\$ 3995
	21N10472URQL 104D x 71¾W	\$ 3995
	consists of	
	21N3672DLQL3 Left Pedestal Desk	1813
	21N2445BEFL Bridge	596
	21N2472CRQL3 Right Pedestal Credenza	1586
	21N10266URQL 101¼D x 66W	\$ 3813
	consists of	
	21N3066DLQL3 Left Pedestal Desk	1662
	21N2448BEFL Bridge	629
	21N2466CRQL3 Right Pedestal Credenza	1522
	21N9866URQL 98D x 66W	\$ 3780
	consists of	
	21N3066DLQL3 Left Pedestal Desk	1662
	21N2445BEFL Bridge	596
	21N2466CRQL3 Right Pedestal Credenza	1522

ARROWOOD - LAMINATE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:


21N3672DDFL8 G13LR KRB AC2

- See page 7 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	21N3672DDFL8	\$ 2779	35¼	71¼	29½	12¾	39½	341 lbs.	57.4
	21N3666DDFL8	2687	35¼	66	29½	12¾	34¾	285 lbs.	52.3
	21N3066DDFL8	\$ 2561	29¾	66	29½	6¾	34¾	277 lbs.	47.0
	21N3060DDFL8	2442	29¾	59¾	29½	6¾	27½	247 lbs.	41.5
	• Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

DOUBLE PEDESTAL DESK ¾ PEDESTAL 	Q21N3672DDQL3	\$ 2177	35¾	71¾	29½	12¾	39½	320 lbs.	57.4
	21N3672DDQL3	2177	35¾	71¾	29½	12¾	39½	320 lbs.	57.4
	21N3666DDQL3	2107	35¾	66	29½	12¾	34¾	285 lbs.	52.3
	21N3066DDQL3	\$ 1926	29¾	66	29½	5¾	34¾	277 lbs.	47.0
	21N3060DDQL3	1842	29¾	59¾	29½	5¾	28	231 lbs.	41.5
• Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

			LEFT PEDESTAL					RIGHT PEDESTAL				
			D	W	H	A	KW	D	W	H	A	KW
SINGLE PEDESTAL DESK FULL PEDESTAL 	21N3672DLFL1	21N3672DRFL1	\$ 2375	35¾	71¾	29½	12¾	30¾	291 lbs.	57.4		
	21N3666DLFL1	21N3666DRFL1	2297	35¾	66	29½	12¾	26¾	250 lbs.	52.3		
	21N3066DLFL1	21N3066DRFL1	\$ 2219	29¾	66	29½	6¾	25½	230 lbs.	45.3		
	• Not recommended as a freestanding unit due to routing in the rim • Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

			LEFT PEDESTAL					RIGHT PEDESTAL				
			D	W	H	A	KW	D	W	H	A	KW
FREESTANDING SINGLE PEDESTAL DESK FULL PEDESTAL 	21N3672DLFFL1	21N3672DRFFL1	\$ 2375	35¾	71¾	29½	12¾	55¾	291 lbs.	57.4		
	21N3666DLFFL1	21N3666DRFFL1	2297	35¾	66	29½	12¾	49¾	250 lbs.	52.3		
	21N3066DLFFL1	21N3066DRFFL1	\$ 2219	29¾	66	29½	6¾	49¾	230 lbs.	45.3		
	21N3060DLFFL1	21N3060DRFFL1	2144	29¾	59¾	29½	6¾	43¾	215 lbs.	42.0		
	• Freestanding use only; cannot be used with a bridge or other connecting components • Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N3672DULL HN2

- See page 7 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL	D	W	H				
SINGLE PEDESTAL DESK ¾ PEDESTAL  Left shown	Q21N3672DLQL3	Q21N3672DRQL3	\$ 1813	35¾	71¾	29½	12½	30¾	276 lbs. 57.4
	21N3672DLQL3	21N3672DRQL3	1813	35¾	71¾	29½	12½	30¾	276 lbs. 57.4
	21N3666DLQL3	21N3666DRQL3	1754	35¾	66	29½	12½	26¾	250 lbs. 52.3
	21N3066DLQL3	21N3066DRQL3	\$ 1662	29¾	66	29½	6¾	25¾	218 lbs. 45.3
	• Not recommended as a freestanding unit due to routing in the rim • Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
FREESTANDING SINGLE PEDESTAL DESK ¾ PEDESTAL  Left shown	21N3672DLQFL3	21N3672DRQFL3	\$ 1813	35¾	71¾	29½	12½	55¾	276 lbs. 57.4
	21N3666DLQFL3	21N3666DRQFL3	1754	35¾	66	29½	12½	49¾	250 lbs. 52.3
	21N3066DLQFL3	21N3066DRQFL3	\$ 1662	29¾	66	29½	6¾	49¾	218 lbs. 45.3
	21N3060DLQFL3	21N3060DRQFL3	1553	29¾	59¾	29½	6¾	43¾	215 lbs. 42.0
	• Freestanding use only; cannot be used with a bridge or other connecting components • Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
U-SHAPED DESK  Left shown	LEFT U	RIGHT U							
	21N3672DULL	21N3672DURL	\$ 1695	35¾	71¾	29½	—	30¾	143 lbs. 5.3
U-SHAPED DESK WITH MODESTY  Left shown	LEFT U	RIGHT U							
	21N3672DULFL	21N3672DURFL	\$ 2176	35¾	71¾	29½	—	30¾	152 lbs. 6.1
SUPPORT BASES 	DI	H							
	NAC0428SFRNB	Metal	\$ 294	4	—	27¾	—	—	10 lbs. 1.0
• Adjustable glide standard • Specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional upper and lower (CUL) wire management cutout • For use with U-Shaped desks									

ARROWOOD - LAMINATE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBERS:


21N3737CFSL G13C HN2
21N2449RLEQL3 G13C KS1B MH

- See page 7 for all options available in Arrowood Laminate


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CORNER UNIT	21N3737CFSL	\$ 1497	37 $\frac{3}{4}$	37 $\frac{3}{4}$	29 $\frac{1}{2}$	—	17	135 lbs.	5.9
	• Not recommended as a freestanding unit due to routing in the rim • Some assembly required • Unit can be attached to bridge or return • Grommet (G13C) available								




TRANSACTION COUNTER DESK UNIT	21N1569TCL	\$ 726	14 $\frac{3}{4}$	69	15 $\frac{1}{16}$	—	—	61 lbs.	2.4
	21N1563TCL	683	14 $\frac{3}{4}$	63	15 $\frac{1}{16}$	—	—	58 lbs.	2.2
	• Transaction surface spans over the desk only • Some assembly required • 1569 transaction counter to be used with 36 x 72 single ped desk • 1563 transaction counter to be used with 30 x 66 single ped desk								




TRANSACTION COUNTER L UNIT	21N6981TCL	\$ 1076	80 $\frac{7}{32}$	69	15 $\frac{1}{16}$	—	—	87 lbs.	3.3
	21N6375TCL	1030	74 $\frac{7}{32}$	63	15 $\frac{1}{16}$	—	—	81 lbs.	3.0
	• Some assembly required • 6981 transaction counter to be used with 36 x 72 single ped desk and 2449 return • 6375 transaction counter to be used with 30 x 66 single ped desk and 2449 return • Non-handed. Can be placed L or R in field								



RETURN FULL PEDESTAL	LEFT PEDESTAL	RIGHT PEDESTAL							
	21N2464RLEFL2	21N2464RREFL2	\$ 1521	23 $\frac{3}{4}$	64	29 $\frac{1}{2}$	—	47 $\frac{1}{4}$	180 lbs. 30.0
	21N2449RLEFL2	21N2449RREFL2	1449	23 $\frac{3}{4}$	49	29 $\frac{1}{2}$	—	31 $\frac{7}{32}$	160 lbs. 28.7
	21N2443RLEFL2	21N2443RREFL2	1380	23 $\frac{3}{4}$	43	29 $\frac{1}{2}$	—	26 $\frac{7}{32}$	150 lbs. 25.9
	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a full modesty panel • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Left shown

RETURN $\frac{3}{4}$ PEDESTAL	LEFT PEDESTAL	RIGHT PEDESTAL							
	21N2464RLEQL3	21N2464RREQL3	\$ 1207	23 $\frac{3}{4}$	64	29 $\frac{1}{2}$	—	47 $\frac{1}{4}$	180 lbs. 30.0
	Q21N2449RLEQL3	Q21N2449RREQL3	1147	23 $\frac{3}{4}$	49	29 $\frac{1}{2}$	—	31 $\frac{7}{32}$	142 lbs. 28.7
	21N2449RLEQL3	21N2449RREQL3	1147	23 $\frac{3}{4}$	49	29 $\frac{1}{2}$	—	31 $\frac{7}{32}$	142 lbs. 28.7
	Q21N2443RLEQL3	Q21N2443RREQL3	1076	23 $\frac{3}{4}$	43	29 $\frac{1}{2}$	—	26 $\frac{7}{32}$	133 lbs. 25.9
	21N2443RLEQL3	21N2443RREQL3	1076	23 $\frac{3}{4}$	43	29 $\frac{1}{2}$	—	26 $\frac{7}{32}$	133 lbs. 25.9
	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a $\frac{3}{4}$ modesty panel • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Left shown



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N2472CSFL2 G13LR KRB AC2

- See page 7 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
BRIDGE 	Q21N2448BEFL	\$ 629	23¾	47¾	29½	—	47¾	76 lbs.	3.9	
	21N2448BEFL	629	23¾	47¾	29½	—	47¾	76 lbs.	3.9	
	Q21N2445BEFL	596	23¾	44½	29½	—	44½	67 lbs.	3.5	
	21N2445BEFL	596	23¾	44½	29½	—	44½	67 lbs.	3.5	
	• Some assembly required • Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Grommet (G13C) available									
STORAGE CREDENZA FULL PEDESTAL 	21N2472CSFL2	\$ 2829	23¾	71¾	29½	—	—	346 lbs.	40.6	
	21N2466CSFL2	2771	23¾	66	29½	—	—	334 lbs.	37.5	
	• Features a standard adjustable shelf • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
STORAGE CREDENZA ¾ PEDESTAL 	21N2472CSQL3	\$ 2222	23¾	71¾	29½	—	—	296 lbs.	40.6	
	21N2466CSQL3	2163	23¾	66	29½	—	—	296 lbs.	37.5	
	• Features a standard adjustable shelf • Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
KNEESPACE CREDENZA FULL PEDESTAL 	21N2472CKFL2	\$ 2481	23¾	71¾	29½	—	33½	279 lbs.	40.6	
	21N2466CKFL2	2414	23¾	66	29½	—	28 ¹⁵ / ₁₆	267 lbs.	37.5	
	21N2460CKFL2	2256	23¾	59¾	29½	—	28¾	256 lbs.	33.7	
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
KNEESPACE CREDENZA ¾ PEDESTAL 	21N2472CKQL3	\$ 1876	23¾	71¾	29½	—	33½	239 lbs.	40.6	
	21N2466CKQL3	1813	23¾	66	29½	—	28 ¹⁵ / ₁₆	227 lbs.	37.5	
	21N2460CKQL3	1695	23¾	59¾	29½	—	28¾	220 lbs.	33.7	
	• Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N2472CLFFL6 G13LR KS2B AC2

- See page 7 for all options available in Arrowood Laminate


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING SINGLE PEDESTAL CREDENZA FULL PEDESTAL—LATERAL FILE	LEFT PEDESTAL	RIGHT PEDESTAL								
	21N2472CLFFL6	21N2472CRFFL6	\$ 2233	23 $\frac{3}{4}$	71 $\frac{1}{4}$	29 $\frac{1}{2}$	—	35%	279 lbs.	40.6
	21N2466CLFFL6	21N2466CRFFL6	2172	23 $\frac{3}{4}$	66	29 $\frac{1}{2}$	—	29 $\frac{3}{16}$	267 lbs.	37.5



Right shown

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Freestanding use only; cannot be used with a bridge or other connecting components
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

HIGHBACK ORGANIZER



LAMINATE DOORS

21N8136HBHL	\$ 1866	14 $\frac{3}{4}$	80 $\frac{3}{4}$	36 $\frac{3}{16}$	—	—	240 lbs.	42.0
21N7536HBHL	1798	14 $\frac{3}{4}$	74 $\frac{3}{4}$	36 $\frac{3}{16}$	—	—	230 lbs.	38.0
Q21N6936HBHL	1729	14 $\frac{3}{4}$	69	36 $\frac{3}{16}$	—	—	220 lbs.	25.8
21N6936HBHL	1729	14 $\frac{3}{4}$	69	36 $\frac{3}{16}$	—	—	220 lbs.	25.8
21N6336HBHL	1662	14 $\frac{3}{4}$	63	36 $\frac{3}{16}$	—	—	173 lbs.	23.6
21N5736HBHL	1592	14 $\frac{3}{4}$	57 $\frac{3}{16}$	36 $\frac{3}{16}$	—	—	148 lbs.	22.0

- Highback organizer features (4) side hinged doors and full back panels with cord management
- For tack board models, see pages 403-408
- Not for use in open plan applications due to open pin holes in backs
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - LAMINATE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Laminate

SAMPLE MODEL NUMBER:

21N2436LFF4L KRB AC2

- See page 7 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
	D	W	H	A	KW							
OVERHEAD CABINET WALL MOUNT 	LAMINATE DOORS											
	21N3017SOHML	TFL	\$	808	14¾	29¾	17	—	—	89 lbs.	8.3	
	Q21N3617SOHML	TFL		892	14¾	35¾	17	—	—	100 lbs.	9.7	
	21N3617SOHML	TFL		892	14¾	35¾	17	—	—	100 lbs.	9.7	
	• Flat edge detail • Inside dimensions of 21N3017SOHML are 12¾" deep, 28¾" wide and 12¾" high • Inside dimensions of 21N3617SOHML are 12¾" deep, 34¾" wide and 12¾" high • Wall mount bracket, for attachment to wall, is included • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
SINGLE STORAGE CABINET/WARDROBE 	LEFT HINGED		RIGHT HINGED									
	21N1866VSWHLL	21N1866VSWHRL	Laminate Top	\$	2546	23¾	18	65¾	—	—	160 lbs.	23.6
	Inside Dimensions					18½ ₂	16½ ₂	61½ ₂	—	—	—	—
	• Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves • Removable coat rod is standard • Unit has an unfinished back • Specify laminate only											
	Left shown											
LATERAL FILE 2 DRAWER 	Q21N2436LFF2L	\$	1449	23¾	35¾	29½	—	—	184 lbs.	17.7		
	21N2436LFF2L		1449	23¾	35¾	29½	—	—	184 lbs.	17.7		
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											
LATERAL FILE 3 DRAWER 	21N2436LFF3L	\$	2361	23¾	35¾	44½	—	—	210 lbs.	30.0		
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
LATERAL FILE 4 DRAWER 	21N2436LFF4L	\$	3276	23¾	35¾	58¾	—	—	291 lbs.	40.2		
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Laminate

SAMPLE MODEL NUMBER:

21N3365BCOFL TF

- See page 7 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
			D	W	H	A	KW					
	BOOKCASE	Q21N3365BCOFL	\$	1306	13	33	65 ⁷ / ₁₆	—	—	135 lbs.	27.4	
		21N3365BCOFL		1306	13	33	65 ⁷ / ₁₆	—	—	135 lbs.	27.4	
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back											
	BOOKCASE	21N3353BCOFL	\$	1131	13	33	53	—	—	92 lbs.	22.4	
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable											
	BOOKCASE SET-ON	Q21N3336BCOL	\$	920	13	33	36 ³ / ₁₆	—	—	85 lbs.	15.8	
		21N3336BCOL		920	13	33	36 ³ / ₁₆	—	—	85 lbs.	15.8	
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back											
	SQUARE TABLE TOP	30" SQUARE	1 ¹ / ₁₆ " TOP THICKNESS									
		21N3030SQL	Laminate	\$	674	30	30	1 ¹ / ₁₆	—	—	33 lbs.	2.0
		36" SQUARE										
		21N3636SQL		\$	790	36	36	1 ¹ / ₁₆	—	—	42 lbs.	2.4
		42" SQUARE										
		21N4242SQL		\$	1133	42	42	1 ¹ / ₁₆	—	—	58 lbs.	3.2
		48" SQUARE										
		21N4848SQL		\$	1555	48	48	1 ¹ / ₁₆	—	—	76 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List for applicable bases • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge											

ARROWOOD - LAMINATE

ARROWOOD

VENEER

Product Specifications	20
Product Options	21
L Arrangements	22, 24
U Arrangements	23, 25
Product Pages	26

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{3}{16}$ " veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full and $\frac{3}{4}$ pedestal options
- $\frac{3}{4}$ modesty panels on HPL top $\frac{3}{4}$ pedestal only. Other versions have full modesty panels
- $\frac{3}{4}$ " thick modesty panels
- 1 $\frac{1}{16}$ " thick end panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Standard leveling glides
- Grain direction runs vertical on all modesty panels

DRAWERS


- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are $\frac{1}{2}$ " thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (see accessory pages)



LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Desk	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Return	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Return	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza				
21 x 72	15 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
21 x 66	15 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Credenza				
21 x 72	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
21 x 66	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
Lateral File Drawer—Lateral File	31 $\frac{1}{32}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side


DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

- MC Amber Cherry
- AC Autumn Cherry
- IM Brighton Maple
- CL Caramel Maple
- CW Cordovan Walnut
- HN Honey Maple
- DW Judicial Walnut
- MH Mocha Cherry
- NM Natural Maple
- TF Truffle Cherry

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

- G13LR Left & Right
- G13C Center



Round Grommet Plastic

LOCKING

KEY RANDOM

- KRB Black
- KRS Silver

KEY SPECIFIC

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Mitered
- Grommets: Included on bridges, returns and credenzas
- Locking: Random black cores
- Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

ARROWOOD - VENEER L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

MC Amber	CW Cordovan	NM Natural
AC Autumn	HN Honey	TF Truffle
IM Brighton	DW Judicial	
CL Caramel	MH Mocha	

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N8872LLFW 87½D x 71¼W	\$ 6634
	31N8872LLFW 87½D x 71¼W	\$ 6634
	consists of	
	31N3672DRFW1 Right Pedestal Desk	3873
	31N2452RLEFW2 Left Pedestal Return	2761
	Q31N8072LLFW 79½D x 71¼W	\$ 6476
	31N8072LLFW 79½D x 71¼W	\$ 6476
	consists of	
	31N3672DRFW1 Right Pedestal Desk	3873
	31N2444RLEFW2 Left Pedestal Return	2603
	31N8266LLFW 81½D x 66W	\$ 6296
	consists of	
	31N3066DRFW1 Right Pedestal Desk	3535
	31N2452RLEFW2 Left Pedestal Return	2761
	31N7466LLFW 73½D x 66W	\$ 6138
	consists of	
	31N3066DRFW1 Right Pedestal Desk	3535
	31N2444RLEFW2 Left Pedestal Return	2603

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N8872LRFW 87½D x 71¼W	\$ 6634
	31N8872LRFW 87½D x 71¼W	\$ 6634
	consists of	
	31N3672DLFW1 Left Pedestal Desk	3873
	31N2452RREFW2 Right Pedestal Return	2761
	Q31N8072LRFW 79½D x 71¼W	\$ 6476
	31N8072LRFW 79½D x 71¼W	\$ 6476
	consists of	
	31N3672DLFW1 Left Pedestal Desk	3873
	31N2444RREFW2 Right Pedestal Return	2603
	31N8266LRFW 81½D x 66W	\$ 6296
	consists of	
	31N3066DLFW1 Left Pedestal Desk	3535
	31N2452RREFW2 Right Pedestal Return	2761
	31N7466LRFW 73½D x 66W	\$ 6138
	consists of	
	31N3066DLFW1 Left Pedestal Desk	3535
	31N2444RREFW2 Right Pedestal Return	2603

LEFT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N8872LLFLW 87½D x 71¼W	\$ 6071
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	3590
	31N2452RLEFLW2 Left Pedestal Return	2481
	31N8072LLFLW 79½D x 71¼W	\$ 5912
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	3590
	31N2444RLEFLW2 Left Pedestal Return	2322
	31N8266LLFLW 81½D x 66W	\$ 5735
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	3254
	31N2452RLEFLW2 Left Pedestal Return	2481
	31N7466LLFLW 73½D x 66W	\$ 5576
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	3254
	31N2444RLEFLW2 Left Pedestal Return	2322

RIGHT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N8872LRFW 87½D x 71¼W	\$ 6071
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	3590
	31N2452RREFLW2 Right Pedestal Return	2481
	31N8072LRFW 79½D x 71¼W	\$ 5912
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	3590
	31N2444RREFLW2 Right Pedestal Return	2322
	31N8266LRFW 81½D x 66W	\$ 5735
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	3254
	31N2452RREFLW2 Right Pedestal Return	2481
	31N7466LRFW 73½D x 66W	\$ 5576
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	3254
	31N2444RREFLW2 Right Pedestal Return	2322

VENEER - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

MC Amber	CW Cordovan	NM Natural
AC Autumn	HN Honey	TF Truffle
IM Brighton	DW Judicial	
CL Caramel	MH Mocha	

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N10872ULFW 107½D x 71¾W	\$ 7739
	31N10872ULFW 107½D x 71¾W	\$ 7739
	consists of	
	31N3672DRFW1 Right Pedestal Desk	3873
	31N2451BEFW Bridge	822
	31N2172CLFW2 Left Pedestal Credenza	3044
	Q31N10272ULFW 101½D x 71¾W	\$ 7673
	31N10272ULFW 101½D x 71¾W	\$ 7673
	consists of	
	31N3672DRFW1 Right Pedestal Desk	3873
	31N2445BEFW Bridge	756
	31N2172CLFW2 Left Pedestal Credenza	3044
	31N10266ULFW 101½D x 66W	\$ 7324
	consists of	
	31N3066DRFW1 Right Pedestal Desk	3535
	31N2451BEFW Bridge	822
	31N2166CLFW2 Left Pedestal Credenza	2967
	31N9666ULFW 95½D x 66W	\$ 7258
	consists of	
	31N3066DRFW1 Right Pedestal Desk	3535
	31N2445BEFW Bridge	756
	31N2166CLFW2 Left Pedestal Credenza	2967

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT U-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N10872URFW 107½D x 71¾W	\$ 7739
	31N10872URFW 107½D x 71¾W	\$ 7739
	consists of	
	31N3672DLFW1 Left Pedestal Desk	3873
	31N2451BEFW Bridge	822
	31N2172CRFW2 Right Pedestal Credenza	3044
	Q31N10272URFW 101½D x 71¾W	\$ 7673
	31N10272URFW 101½D x 71¾W	\$ 7673
	consists of	
	31N3672DLFW1 Left Pedestal Desk	3873
	31N2445BEFW Bridge	756
	31N2172CRFW2 Right Pedestal Credenza	3044
	31N10266URFW 101½D x 66W	\$ 7324
	consists of	
	31N3066DLFW1 Left Pedestal Desk	3535
	31N2451BEFW Bridge	822
	31N2166CRFW2 Right Pedestal Credenza	2967
	31N9666URFW 95½D x 66W	\$ 7258
	consists of	
	31N3066DLFW1 Left Pedestal Desk	3535
	31N2445BEFW Bridge	756
	31N2166CRFW2 Right Pedestal Credenza	2967

LEFT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N10872ULFLW 107½D x 71¾W	\$ 7061
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	3590
	31N2451BEFLW Bridge	710
	31N2172CLFLW2 Left Pedestal Credenza	2761
	31N10272ULFLW 101½D x 71¾W	\$ 7000
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	3590
	31N2445BEFLW Bridge	649
	31N2172CLFLW2 Left Pedestal Credenza	2761
	31N10266ULFLW 101½D x 66W	\$ 6664
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	3254
	31N2451BEFLW Bridge	710
	31N2166CLFLW2 Left Pedestal Credenza	2700
	31N9666ULFLW 95½D x 66W	\$ 6603
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	3254
	31N2445BEFLW Bridge	649
	31N2166CLFLW2 Left Pedestal Credenza	2700

RIGHT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N10872URFLW 107½D x 71¾W	\$ 7061
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	3590
	31N2451BEFLW Bridge	710
	31N2172CRFLW2 Right Pedestal Credenza	2761
	31N10272URFLW 101½D x 71¾W	\$ 7000
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	3590
	31N2445BEFLW Bridge	649
	31N2172CRFLW2 Right Pedestal Credenza	2761
	31N10266URFLW 101½D x 66W	\$ 6664
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	3254
	31N2451BEFLW Bridge	710
	31N2166CRFLW2 Right Pedestal Credenza	2700
	31N9666URFLW 95½D x 66W	\$ 6603
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	3254
	31N2445BEFLW Bridge	649
	31N2166CRFLW2 Right Pedestal Credenza	2700

ARROWOOD - VENEER L ARRANGEMENTS





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

MC Amber	CW Cordovan	NM Natural
AC Autumn	HN Honey	TF Truffle
IM Brighton	DW Judicial	
CL Caramel	MH Mocha	

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N8872LLYW 87½D x 71¾W	\$ 6071	RIGHT L-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N8872LRYW 87½D x 71¾W	\$ 6071
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	3590		31N3672DLYW3 Left Pedestal Desk	3590
	31N2452RLEYW3 Left Pedestal Return	2481		31N2452RREYW3 Right Pedestal Return	2481
	31N8072LLYW 79½D x 71¾W	\$ 5912		31N8072LRYW 79½D x 71¾W	\$ 5912
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	3590		31N3672DLYW3 Left Pedestal Desk	3590
	31N2444RLEYW3 Left Pedestal Return	2322		31N2444RREYW3 Right Pedestal Return	2322
	31N8266LLYW 81½D x 66W	\$ 5735		31N8266LRYW 81½D x 66W	\$ 5735
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	3254		31N3066DLYW3 Left Pedestal Desk	3254
	31N2452RLEYW3 Left Pedestal Return	2481		31N2452RREYW3 Right Pedestal Return	2481
	31N7466LLYW 73½D x 66W	\$ 5576		31N7466LRYW 73½D x 66W	\$ 5576
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	3254		31N3066DLYW3 Left Pedestal Desk	3254
	31N2444RLEYW3 Left Pedestal Return	2322		31N2444RREYW3 Right Pedestal Return	2322
LEFT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N8872LLQLW 87½D x 71¾W	\$ 5237	RIGHT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N8872LRQLW 87½D x 71¾W	\$ 5237
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	3028		31N3672DLQLW3 Left Pedestal Desk	3028
	31N2452RLEQLW3 Left Pedestal Return	2209		31N2452RREQLW3 Right Pedestal Return	2209
	31N8072LLQLW 79½D x 71¾W	\$ 5078		31N8072LRQLW 79½D x 71¾W	\$ 5078
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	3028		31N3672DLQLW3 Left Pedestal Desk	3028
	31N2444RLEQLW3 Left Pedestal Return	2050		31N2444RREQLW3 Right Pedestal Return	2050
	31N8266LLQLW 81½D x 66W	\$ 4917		31N8266LRQLW 81½D x 66W	\$ 4917
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	2708		31N3066DLQLW3 Left Pedestal Desk	2708
	31N2452RLEQLW3 Left Pedestal Return	2209		31N2452RREQLW3 Right Pedestal Return	2209
	31N7466LLQLW 73½D x 66W	\$ 4758		31N7466LRQLW 73½D x 66W	\$ 4758
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	2708		31N3066DLQLW3 Left Pedestal Desk	2708
	31N2444RLEQLW3 Left Pedestal Return	2050		31N2444RREQLW3 Right Pedestal Return	2050

VENEER - ARROWOOD U ARRANGEMENTS





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

MC Amber	CW Cordovan	NM Natural
AC Autumn	HN Honey	TF Truffle
IM Brighton	DW Judicial	
CL Caramel	MH Mocha	

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N10872ULYW 107¼D x 71¾W	\$ 7173	RIGHT U-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N10872URYW 107¼D x 71¾W	\$ 7173
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	3590		31N3672DLYW3 Left Pedestal Desk	3590
	31N2451BEFW Bridge	822		31N2451BEFW Bridge	822
	31N2172CLYW3 Left Pedestal Credenza	2761		31N2172CRYW3 Right Pedestal Credenza	2761
	31N10272ULYW 101¼D x 71¾W	\$ 7107		31N10272URYW 101¼D x 71¾W	\$ 7107
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	3590		31N3672DLYW3 Left Pedestal Desk	3590
	31N2445BEFW Bridge	756		31N2445BEFW Bridge	756
	31N2172CLYW3 Left Pedestal Credenza	2761		31N2172CRYW3 Right Pedestal Credenza	2761
	31N10266ULYW 101¼D x 66W	\$ 6776		31N10266URYW 101¼D x 66W	\$ 6776
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	3254		31N3066DLYW3 Left Pedestal Desk	3254
	31N2451BEFW Bridge	822		31N2451BEFW Bridge	822
	31N2166CLYW3 Left Pedestal Credenza	2700		31N2166CRYW3 Right Pedestal Credenza	2700
	31N9666ULYW 95¼D x 66W	\$ 6710		31N9666URYW 95¼D x 66W	\$ 6710
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	3254		31N3066DLYW3 Left Pedestal Desk	3254
	31N2445BEFW Bridge	756		31N2445BEFW Bridge	756
	31N2166CLYW3 Left Pedestal Credenza	2700		31N2166CRYW3 Right Pedestal Credenza	2700
LEFT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N10872ULQLW 107¼D x 71¾W	\$ 6205	RIGHT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N10872URQLW 107¼D x 71¾W	\$ 6205
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	3028		31N3672DLQLW3 Left Pedestal Desk	3028
	31N2451BEFLW Bridge	710		31N2451BEFLW Bridge	710
	31N2172CLQLW3 Left Pedestal Credenza	2467		31N2172CRQLW3 Right Pedestal Credenza	2467
	31N10272ULQLW 101¼D x 71¾W	\$ 6144		31N10272URQLW 101¼D x 71¾W	\$ 6144
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	3028		31N3672DLQLW3 Left Pedestal Desk	3028
	31N2445BEFLW Bridge	649		31N2445BEFLW Bridge	649
	31N2172CLQLW3 Left Pedestal Credenza	2467		31N2172CRQLW3 Right Pedestal Credenza	2467
	31N10266ULQLW 101¼D x 66W	\$ 5817		31N10266URQLW 101¼D x 66W	\$ 5817
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	2708		31N3066DLQLW3 Left Pedestal Desk	2708
	31N2451BEFLW Bridge	710		31N2451BEFLW Bridge	710
	31N2166CLQLW3 Left Pedestal Credenza	2399		31N2166CRQLW3 Right Pedestal Credenza	2399
	31N9666ULQLW 95¼D x 66W	\$ 5756		31N9666URQLW 95¼D x 66W	\$ 5756
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	2708		31N3066DLQLW3 Left Pedestal Desk	2708
	31N2445BEFLW Bridge	649		31N2445BEFLW Bridge	649
	31N2166CLQLW3 Left Pedestal Credenza	2399		31N2166CRQLW3 Right Pedestal Credenza	2399

ARROWOOD - VENEER



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N3672DDFW8 X KRB CW
31N3672DDFLW8 G13LR KS2B CW

• See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL 	31N3672DDFAW8 Wood Top	\$ 5527	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	317 lbs.	57.4
	31N3672DDFALW8 HPL Top	5056	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	317 lbs.	57.4
	31N3666DDFAW8 Wood Top	\$ 5306	35¾	66	29½	10%	34¾	285 lbs.	52.3
	31N3666DDFALW8 HPL Top	4852	35¾	66	29½	10%	34¾	285 lbs.	52.3
	• Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL 	31N3672DDYAW3 Wood Top	\$ 4965	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	291 lbs.	57.4
	31N3672DDQALW3 HPL Top	4527	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	291 lbs.	57.4
	31N3666DDYAW3 Wood Top	\$ 4768	35¾	66	29½	10%	34¾	280 lbs.	52.3
	31N3666DDQALW3 HPL Top	4344	35¾	66	29½	10%	34¾	280 lbs.	52.3
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
DOUBLE PEDESTAL DESK FULL PEDESTAL 	Q31N3672DDFW8 Wood Top	\$ 4527	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	361 lbs.	57.4
	31N3672DDFW8 Wood Top	4527	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	361 lbs.	57.4
	31N3672DDFLW8 HPL Top	3960	35¾	71¾	29½	10%	39½ ¹¹ / ₁₆	361 lbs.	57.4
	31N3666DDFW8 Wood Top	\$ 4344	35¾	66	29½	10%	34¾	285 lbs.	52.3
	31N3666DDFLW8 HPL Top	3803	35¾	66	29½	10%	34¾	285 lbs.	52.3
	31N3066DDFW8 Wood Top	\$ 4248	29¾	66	29½	4%	34¾	277 lbs.	47.0
	31N3066DDFLW8 HPL Top	3666	29¾	66	29½	4%	34¾	277 lbs.	47.0
	31N3060DDFW8 Wood Top	\$ 4085	29¾	59¾	29½	4%	27½ ¹¹ / ₁₆	261 lbs.	41.5
	31N3060DDFLW8 HPL Top	3527	29¾	59¾	29½	4%	27½ ¹¹ / ₁₆	261 lbs.	41.5
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								


TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish


SAMPLE MODEL NUMBER:

31N3672DDYW3 X KRB CW

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
DOUBLE PEDESTAL DESK ¾ PEDESTAL 	31N3672DDYW3	Wood Top	\$ 3960	35¾	71¾	29½	10%	39½ ₆	325 lbs.	57.4
	31N3672DDQLW3	HPL Top	3402	35¾	71¾	29½	10%	39½ ₆	325 lbs.	57.4
	31N3666DDYW3	Wood Top	\$ 3803	35¾	66	29½	10%	34¾	285 lbs.	52.3
	31N3666DDQLW3	HPL Top	3266	35¾	66	29½	10%	34¾	285 lbs.	52.3
	31N3066DDYW3	Wood Top	\$ 3666	29¾	66	29½	4%	34¾	277 lbs.	47.0
	31N3066DDQLW3	HPL Top	3125	29¾	66	29½	4%	34¾	277 lbs.	47.0
	31N3060DDYW3	Wood Top	\$ 3527	29¾	59¾	29½	4%	27½ ₆	235 lbs.	41.5
	31N3060DDQLW3	HPL Top	3005	29¾	59¾	29½	4%	27½ ₆	235 lbs.	41.5
• Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										


**SINGLE PEDESTAL DESK
ARC TOP—FULL PEDESTAL**



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
31N3672DLFAW1	31N3672DRFAW1	Wood Top	\$ 4874	35¾	71¾	29½	10%	32½	267 lbs.	57.4
31N3672DLFALW1	31N3672DRFALW1	HPL Top	4750	35¾	71¾	29½	10%	32½	267 lbs.	57.4
• Not recommended as a freestanding unit due to routing in the rim • Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										


**FREESTANDING
SINGLE PEDESTAL DESK
ARC TOP—FULL PEDESTAL**



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
31N3672DLFFAW1	31N3672DRFFAW1	Wood Top	\$ 4874	35¾	71¾	29½	10%	54½	267 lbs.	57.4
31N3672DLFFALW1	31N3672DRFFALW1	HPL Top	4750	35¾	71¾	29½	10%	54½	267 lbs.	57.4
• Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components										

**SINGLE PEDESTAL DESK
ARC TOP—¾ PEDESTAL**



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL									
31N3672DLYAW3	31N3672DRYAW3	Wood Top	\$ 4593	35¾	71¾	29½	10%	32½	247 lbs.	57.4
31N3672DLQALW3	31N3672DRQALW3	HPL Top	4168	35¾	71¾	29½	10%	32½	247 lbs.	57.4
• Not recommended as a freestanding unit due to routing in the rim • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

ARROWOOD - VENEER



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N3672DRFW1 X KS1B CW
31N3672DRFLW1 G13LR KRB CW

• See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET			
FREESTANDING SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL  Right shown	LEFT PEDESTAL	RIGHT PEDESTAL										
	31N3672DLYFAW3	31N3672DRYFAW3	Wood Top	\$	4593	35¾	71¾	29½	10%	54⅞	247 lbs.	57.4
	31N3672DLQFALW3	31N3672DRQFALW3	HPL Top		4168	35¾	71¾	29½	10%	54⅞	247 lbs.	57.4
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components											
SINGLE PEDESTAL DESK FULL PEDESTAL  Left shown	LEFT PEDESTAL	RIGHT PEDESTAL										
	Q31N3672DLFW1	Q31N3672DRFW1	Wood Top	\$	3873	35¾	71¾	29½	10%	32⅞	311 lbs.	57.4
	31N3672DLFW1	31N3672DRFW1	Wood Top		3873	35¾	71¾	29½	10%	32⅞	311 lbs.	57.4
	31N3672DLFLW1	31N3672DRFLW1	HPL Top		3590	35¾	71¾	29½	10%	32⅞	311 lbs.	57.4
	31N3666DLFW1	31N3666DRFW1	Wood Top	\$	3715	35¾	66	29½	10%	26⅞	250 lbs.	52.3
	31N3666DLFLW1	31N3666DRFLW1	HPL Top		3447	35¾	66	29½	10%	26⅞	250 lbs.	52.3
	31N3066DLFW1	31N3066DRFW1	Wood Top	\$	3535	29¾	66	29½	4⅞	26⅞	246 lbs.	45.3
	31N3066DLFLW1	31N3066DRFLW1	HPL Top		3254	29¾	66	29½	4⅞	26⅞	246 lbs.	45.3
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												
FREESTANDING SINGLE PEDESTAL DESK FULL PEDESTAL  Left shown	LEFT PEDESTAL	RIGHT PEDESTAL										
	31N3672DLFFW1	31N3672DRFFW1	Wood Top	\$	3873	35¾	71¾	29½	10%	54⅞	311 lbs.	57.4
	31N3672DLFFLW1	31N3672DRFFLW1	HPL Top		3590	35¾	71¾	29½	10%	54⅞	311 lbs.	57.4
	31N3666DLFFW1	31N3666DRFFW1	Wood Top	\$	3715	35¾	66	29½	10%	49⅞	250 lbs.	52.3
	31N3666DLFFLW1	31N3666DRFFLW1	HPL Top		3447	35¾	66	29½	10%	49⅞	250 lbs.	52.3
	31N3066DLFFW1	31N3066DRFFW1	Wood Top	\$	3535	29¾	66	29½	4⅞	49⅞	246 lbs.	45.3
	31N3066DLFFLW1	31N3066DRFFLW1	HPL Top		3254	29¾	66	29½	4⅞	49⅞	246 lbs.	45.3
	31N3060DLFFW1	31N3060DRFFW1	Wood Top	\$	3391	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0
	31N3060DLFFLW1	31N3060DRFFLW1	HPL Top		3122	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0
• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components												


TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish


SAMPLE MODEL NUMBERS:

31N3672DULW CW
31N3672DULFW CW

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
	LEFT PEDESTAL	RIGHT PEDESTAL				D	W	H	A	KW		
 Left shown	31N3672DLYW3	31N3672DRYW3	Wood Top	\$	3590	35¾	71¾	29½	10%	32½	281 lbs.	57.4
	31N3672DLQLW3	31N3672DRQLW3	HPL Top		3028	35¾	71¾	29½	10%	32½	281 lbs.	57.4
	31N3666DLYW3	31N3666DRYW3	Wood Top	\$	3447	35¾	66	29½	10%	26½	250 lbs.	52.3
	31N3666DLQLW3	31N3666DRQLW3	HPL Top		2908	35¾	66	29½	10%	26½	250 lbs.	52.3
	31N3066DLYW3	31N3066DRYW3	Wood Top	\$	3254	29¾	66	29½	4%	26½	222 lbs.	45.3
	31N3066DLQLW3	31N3066DRQLW3	HPL Top		2708	29¾	66	29½	4%	26½	222 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											


FREESTANDING SINGLE PEDESTAL DESK
¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL											
31N3672DLYFW3	31N3672DRYFW3	Wood Top	\$	3590	35¾	71¾	29½	10%	54½	281 lbs.	57.4	
31N3672DLQLW3	31N3672DRQLW3	HPL Top		3028	35¾	71¾	29½	10%	54½	281 lbs.	57.4	
31N3666DLYFW3	31N3666DRYFW3	Wood Top	\$	3447	35¾	66	29½	10%	49½	250 lbs.	52.3	
31N3666DLQLW3	31N3666DRQLW3	HPL Top		2908	35¾	66	29½	10%	49½	250 lbs.	52.3	
31N3066DLYFW3	31N3066DRYFW3	Wood Top	\$	3254	29¾	66	29½	4%	49½	222 lbs.	45.3	
31N3066DLQLW3	31N3066DRQLW3	HPL Top		2708	29¾	66	29½	4%	49½	222 lbs.	45.3	
31N3060DLYFW3	31N3060DRYFW3	Wood Top	\$	3122	29¾	59¾	29½	4%	42¾	215 lbs.	42.0	
31N3060DLQLW3	31N3060DRQLW3	HPL Top		2599	29¾	59¾	29½	4%	42¾	215 lbs.	42.0	
• Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components												


U-SHAPED DESK



Left shown

LEFT U	RIGHT U											
31N3672DULW	31N3672DURW	Wood Top	\$	3258	35¾	71¾	29½	½	30¾	139 lbs.	5.9	
31N3672DULLW	31N3672DURLW	HPL Top		3003	35¾	71¾	29½	½	30¾	143 lbs.	5.9	
• Not recommended as a freestanding unit due to routing in the rim • Must specify support base; see page 11 • Grommets not available												

U-SHAPED DESK WITH MODESTY



Left shown

LEFT U	RIGHT U											
31N3672DULFW	31N3672DURFW	Wood Top	\$	3881	35¾	71¾	29½	½	30¾	161 lbs.	5.9	
31N3672DULFLW	31N3672DURFLW	HPL Top		3633	35¾	71¾	29½	½	30¾	165 lbs.	5.9	
• Not recommended as a freestanding unit due to routing in the rim • Must specify support base; see page 11 • Grommets not available												

ARROWOOD - VENEER




TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N3636CFSW X CW

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
 	SUPPORT BASE			DI	H						
	NAC0428SFRNB	Metal	\$ 294	4	—	27¾	—			10 lbs.	1.0
	NAC2804SFBW	Wood	793	4	—	27¾	—			6 lbs.	1.0
				D	W	H	A	KW			
	NAC2812SHB	Wood Half	\$ 993	6	11¾	27¾	—	—	13 lbs.	2.6	
• Adjustable glide standard • Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Metal base, optional upper and lower (CUL) wire management cutout • Wood base, specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordovan (CW), Honey (HN), Judicial (DW), Mocha (MH), Natural (NM), Truffle (TF)											
	CORNER UNIT			36	36	29½	⅞	17	122 lbs.	5.2	
	31N3636CFSW	Wood Top	\$ 2501	36	36	29½	⅞	17	117 lbs.	5.2	
	31N3636CFSLW	HPL Top	2360	• Not recommended as a freestanding unit due to routing in the rim • Unit can be attached to bridge, return or multi-file return only • Some assembly required • Grain direction runs diagonal on worksurface • Grommet (G13C) available							
	TRANSACTION COUNTER DESK UNIT			14 ²⁵ / ₃₂	69 ⁵ / ₃₂	15 ³ / ₁₆	—	—	73 lbs.	2.4	
	31N1569TCW	Wood Top	\$ 1226	14 ²⁵ / ₃₂	69 ⁵ / ₃₂	15 ³ / ₁₆	—	—	73 lbs.	2.4	
	31N1569TCLW	HPL Top	1126								
	31N1563TCW	Wood Top	\$ 1102	14 ²⁵ / ₃₂	63 ³ / ₃₂	15 ³ / ₁₆	—	—	67 lbs.	2.2	
	31N1563TCLW	HPL Top	999	14 ²⁵ / ₃₂	63 ³ / ₃₂	15 ³ / ₁₆	—	—	67 lbs.	2.2	
• Transaction surface spans over the desk only • Some assembly required • 1569 transaction counter to be used with 36 x 72 single ped desk • 1563 transaction counter to be used with 30 x 66 single ped desk											
	TRANSACTION COUNTER L UNIT			82½	69½	15 ³ / ₁₆	—	—	101 lbs.	3.3	
	31N6983TCW	Wood Top	\$ 1755	82½	69½	15 ³ / ₁₆	—	—	101 lbs.	3.3	
	31N6983TCLW	HPL Top	1605								
	31N6377TCW	Wood Top	\$ 1626	76½	63½	15 ³ / ₁₆	—	—	84 lbs.	3.1	
	31N6377TCLW	HPL Top	1477	76½	63½	15 ³ / ₁₆	—	—	84 lbs.	3.1	
• Some assembly required • 6983 transaction counter to be used with 36 x 72 single ped desk and 2452 return • 6377 transaction counter to be used with 30 x 66 single ped desk and 2452 return											



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Finish


SAMPLE MODEL NUMBER:

31N2452RLEFW2 X KS1B MC

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A			
RETURN FULL PEDESTAL  Left shown	31N2464RLEFW2	31N2464RREFW2 Wood Top	\$ 2873	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
	31N2464RLEFLW2	31N2464RREFLW2 HPL Top	2580	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
	Q31N2452RLEFW2	Q31N2452RREFW2 Wood Top	\$ 2761	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
	31N2452RLEFW2	31N2452RREFW2 Wood Top	2761	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
	31N2452RLEFLW2	31N2452RREFLW2 HPL Top	2481	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
	Q31N2444RLEFW2	Q31N2444RREFW2 Wood Top	\$ 2603	23¾	43¾	29½	⅞	26%	156 lbs.	25.9
	31N2444RLEFW2	31N2444RREFW2 Wood Top	2603	23¾	43¾	29½	⅞	26%	156 lbs.	25.9
	31N2444RLEFLW2	31N2444RREFLW2 HPL Top	2322	23¾	43¾	29½	⅞	26%	156 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN ¾ PEDESTAL  Right shown	31N2464RLEYW3	31N2464RREYW3 Wood Top	\$ 2580	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
	31N2464RLEQLW3	31N2464RREQLW3 HPL Top	2297	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
	31N2452RLEYW3	31N2452RREYW3 Wood Top	\$ 2481	23¾	51¾	29½	⅞	34%	151 lbs.	30.1
	31N2452RLEQLW3	31N2452RREQLW3 HPL Top	2209	23¾	51¾	29½	⅞	34%	151 lbs.	30.1
	31N2444RLEYW3	31N2444RREYW3 Wood Top	\$ 2322	23¾	43¾	29½	⅞	26%	139 lbs.	25.9
	31N2444RLEQLW3	31N2444RREQLW3 HPL Top	2050	23¾	43¾	29½	⅞	26%	139 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN MULTI-FILE  Left shown	31N2472RLEFW10	31N2472RREFW10 Wood Top	\$ 3851	23¾	71¾	29½	⅞	35	197 lbs.	40.6
	31N2472RLEFLW10	31N2472RREFLW10 HPL Top	3571	23¾	71¾	29½	⅞	35	197 lbs.	40.6
	• Unit can be attached to corner unit, single pedestal desk or U-Shaped desk only • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

ARROWOOD - VENEER



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N2451BEFW X CL
31N2451BEFLW MC

• See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BRIDGE 	Q31N2451BEFW Wood Top	\$ 822	23¾	50½	29½	¼	48	81 lbs.	3.1
	31N2451BEFW Wood Top	822	23¾	50½	29½	¼	48	81 lbs.	3.1
	31N2451BEFLW HPL Top	710	23¾	50½	29½	¼	48	79 lbs.	3.1
	Q31N2445BEFW Wood Top	\$ 756	23¾	44½	29½	⅙	39½	71 lbs.	2.8
	31N2445BEFW Wood Top	756	23¾	44½	29½	⅙	39½	71 lbs.	2.8
	31N2445BEFLW HPL Top	649	23¾	44½	29½	⅙	39½	74 lbs.	2.8
	• Some assembly required • Grain direction runs front-to-back on worksurface • Grommet (G13C) available								
	Q31N2172CSFW2 Wood Top	\$ 4281	21	71¾	29½	⅙	—	309 lbs.	36.4
	31N2172CSFW2 Wood Top	4281	21	71¾	29½	⅙	—	309 lbs.	36.4
STORAGE CREENZA FULL PEDESTAL 	31N2172CSFLW2 HPL Top	3719	21	71¾	29½	⅙	—	309 lbs.	36.4
	31N2166CSFW2 Wood Top	\$ 3876	21	66	29½	⅙	—	307 lbs.	33.6
	31N2166CSFLW2 HPL Top	3316	21	66	29½	⅙	—	307 lbs.	33.6
	• 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) • 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	31N2172CSYW3 Wood Top	\$ 3719	21	71¾	29½	⅙	—	279 lbs.	36.4
	31N2172CSQLW3 HPL Top	3442	21	71¾	29½	⅙	—	279 lbs.	36.4
	31N2166CSYW3 Wood Top	\$ 3316	21	66	29½	⅙	—	257 lbs.	33.6
	31N2166CSQLW3 HPL Top	2999	21	66	29½	⅙	—	257 lbs.	33.6
	• 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) • 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
STORAGE CREENZA ¾ PEDESTAL 	31N2472CBVW Wood	\$ 6189	22 ²⁵ / ₃₂	71 ¹³ / ₁₆	34 ¹⁵ / ₁₆	—	—	309 lbs.	36.4
	31N2472CBVLW Laminate/Wood	6189	22 ²⁵ / ₃₂	71 ¹³ / ₁₆	34 ¹⁵ / ₁₆	—	—	309 lbs.	36.4
	• 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) • Inside dimension of each storage section is 21" deep x 34½" wide x 23¾" high • Unfinished back panel • Cutouts in back panel for venting • Grommet (G13LR) available • Rim on front and sides of model • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
ENTERTAINMENT CREENZA 									



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Finish


SAMPLE MODEL NUMBER:

31N2172CLFW2 G13LR KRB MH

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
KNEESPACE CREDENZA FULL PEDESTAL 	Q31N2172CKFW2 Wood Top	\$ 4187	21	71¾	29½	⅞	34%	252 lbs.	36.4
	31N2172CKFW2 Wood Top	4187	21	71¾	29½	⅞	34%	252 lbs.	36.4
	31N2172CKFLW2 HPL Top	3624	21	71¾	29½	⅞	34%	252 lbs.	36.4
	31N2166CKFW2 Wood Top	\$ 3782	21	66	29½	⅞	28%	240 lbs.	33.6
	31N2166CKFLW2 HPL Top	3222	21	66	29½	⅞	28%	240 lbs.	33.6
	31N2160CKFW2 Wood Top	\$ 3632	21	59¾	29½	⅞	27%	256 lbs.	33.0
	31N2160CKFLW2 HPL Top	3093	21	59¾	29½	⅞	27%	256 lbs.	33.0
	• Standard wire management centered in the modesty panel and 1¼" from the top • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

KNEESPACE CREDENZA ¾ PEDESTAL 	31N2172CKYW3 Wood Top	\$ 3624	21	71¾	29½	⅞	34%	212 lbs.	36.4
	31N2172CKQLW3 HPL Top	3339	21	71¾	29½	⅞	34%	212 lbs.	36.4
	31N2166CKYW3 Wood Top	\$ 3222	21	66	29½	⅞	28%	200 lbs.	33.6
	31N2166CKQLW3 HPL Top	2902	21	66	29½	⅞	28%	200 lbs.	33.6
	31N2160CKYW3 Wood Top	\$ 3093	21	59¾	29½	⅞	27%	190 lbs.	33.0
	31N2160CKQLW3 HPL Top	2785	21	59¾	29½	⅞	27%	190 lbs.	33.0
	• Standard wire management centered in the modesty panel and 1¼" from the top • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

SINGLE PEDESTAL CREDENZA FULL PEDESTAL  Left shown	LEFT PEDESTAL		RIGHT PEDESTAL								
	Q31N2172CLFW2	Q31N2172CRFW2	Wood Top	\$ 3044	21	71¾	29½	⅞	29¾	232 lbs.	36.4
	31N2172CLFW2	31N2172CRFW2	Wood Top	3044	21	71¾	29½	⅞	29¾	232 lbs.	36.4
	31N2172CLFLW2	31N2172CRFLW2	HPL Top	2761	21	71¾	29½	⅞	29¾	232 lbs.	36.4
	31N2166CLFW2	31N2166CRFW2	Wood Top	\$ 2967	21	66	29½	⅞	23¾	200 lbs.	33.6
	31N2166CLFLW2	31N2166CRFLW2	HPL Top	2700	21	66	29½	⅞	23¾	200 lbs.	33.6
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

Left shown

TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N2172CRFW6 X KS2B MH


- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE PEDESTAL CREDENZA LATERAL FILE	LEFT PEDESTAL	RIGHT PEDESTAL							
	31N2172CLFW6	31N2172CRFW6 Wood Top	\$ 3379	21	71¾	29½	⅞	12⅞	252 lbs. 36.4
	31N2172CLFLW6	31N2172CRFLW6 HPL Top	3100	21	71¾	29½	⅞	12⅞	252 lbs. 36.4
	31N2166CLFW6	31N2166CRFW6 Wood Top	\$ 3185	21	66	29½	⅞	6¾	241 lbs. 33.6
	31N2166CLFLW6	31N2166CRFLW6 HPL Top	2898	21	66	29½	⅞	6¾	241 lbs. 33.6
	• Not recommended as a freestanding unit due to routing in the rim • Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								



Left shown


FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

LEFT PEDESTAL				RIGHT PEDESTAL						
31N2172CLFFW6	31N2172CRFFW6	Wood Top	\$ 3379	21	71¾	29½	⅞	35⅞	252 lbs.	36.4
31N2172CLFFLW6	31N2172CRFFLW6	HPL Top	3100	21	71¾	29½	⅞	35⅞	252 lbs.	36.4
31N2166CLFFW6	31N2166CRFFW6	Wood Top	\$ 3185	21	66	29½	⅞	29⅞	241 lbs.	33.6
31N2166CLFFLW6	31N2166CRFFLW6	HPL Top	2898	21	66	29½	⅞	29⅞	241 lbs.	33.6
• To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor • Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Freestanding use only; cannot be used with a bridge or other connecting components										


SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
31N2472CLFW10	31N2472CRFW10	Wood Top	\$ 4138	23¾	71¾	29½	⅞	12⅞	279 lbs.	40.6
31N2472CLFLW10	31N2472CRFLW10	HPL Top	3876	23¾	71¾	29½	⅞	12⅞	279 lbs.	40.6
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
31N2472CLFFW10	31N2472CRFFW10	Wood Top	\$ 4138	23¾	71¾	29½	⅞	35⅞	279 lbs.	40.6
31N2472CLFFLW10	31N2472CRFFLW10	HPL Top	3876	23¾	71¾	29½	⅞	35⅞	279 lbs.	40.6
• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Freestanding use only; cannot be used with a bridge or other connecting components										

ARROWOOD - VENEER



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish


SAMPLE MODEL NUMBERS:

31N7236HBHW KRB MC
31N2136LFF2W KRB MC

• See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HIGHBACK ORGANIZER 	WOOD DOORS								
	31N8636HBHW	\$ 3452	14 3/4	83 1/2	36	1/16	—	250 lbs.	45.0
	31N8036HBHW	3342	14 3/4	77 1/2	36	1/16	—	240 lbs.	42.0
	31N7836HBHW	3239	14 3/4	75 1/2	36	1/16	—	230 lbs.	38.0
	Q31N7236HBHW	3142	14 3/4	69	36	1/16	—	181 lbs.	34.9
	31N7236HBHW	3142	14 3/4	69	36	1/16	—	181 lbs.	34.9
	31N6636HBHW	3046	14 3/4	63	36	1/16	—	165 lbs.	32.1
	31N6036HBHW	2948	14 3/4	57 1/16	36	1/16	—	148 lbs.	25.0
• Highback organizer features (4) side hinged doors, full back panels with cord management • Features a laminate (LPL) top • For tack board models, see pages 403-407 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Unit has an unfinished back									

OVERHEAD CABINET WALL MOUNT



WOOD DOORS									
Q31N3618SOHMMW	Wood Top	\$ 1541	14 3/4	35 3/8	17 1/2	—	—	101 lbs.	9.7
31N3618SOHMMW	Wood Top	1541	14 3/4	35 3/8	17 1/2	—	—	101 lbs.	9.7
31N3018SOHMMW	Wood Top	1414	14 3/4	29 3/8	17 1/2	—	—	86 lbs.	7.9
• Cabinet has flat edge detail • Wall mount bracket, for attachment to wall, is included • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 403-407 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

SINGLE STORAGE CABINET/WARDROBE



Left shown

LEFT HINGED		RIGHT HINGED							
31N1866VSWHLW	31N1866VSWHRW	Wood Top	\$ 3326	21	18 1/2	65 1/2	—	—	160 lbs. 23.6
Inside Dimensions				18 1/2	16 1/2	61 1/2	—	—	—
• Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves • Removable coat rod is standard • Specify finish only • Unit features a semi-finished back									

LATERAL FILE 2 DRAWER



Q31N2136LFF2W	Wood Top	\$ 2264	21	35 1/2	29 1/2	—	—	193 lbs.	15.6
31N2136LFF2W	Wood Top	2264	21	35 1/2	29 1/2	—	—	193 lbs.	15.6
31N2136LFF2LW	HPL Top	2176	21	35 1/2	29 1/2	—	—	201 lbs.	15.6
• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Unit features a semi-finished back									

LATERAL FILE 3 DRAWER



31N2136LFF3W	Wood Top	\$ 2936	21	36 1/16	43 3/8	—	—	210 lbs.	30.0
31N2136LFF3LW	HPL Top	2861	21	36 1/16	43 3/8	—	—	210 lbs.	30.0
• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish

SAMPLE MODEL NUMBERS:

31N2040MGLW AC

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE 4 DRAWER 	31N2136LFF4W Wood Top	\$ 3697	21	36 $\frac{3}{16}$	57 $\frac{7}{16}$	—	—	291 lbs.	40.2
	31N2136LFF4LW HPL Top	3649	21	36 $\frac{3}{16}$	57 $\frac{7}{16}$	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
BOOKCASE SET-ON 	Q31N3238BCOW Wood Top	\$ 1477	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	1477	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelf is adjustable								
BOOKCASE 	Q31N3266BCOFW Wood Top	\$ 2134	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	2134	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
BOOKCASE 	31N3253BCOFW Wood Top	\$ 1670	13	31 $\frac{1}{2}$	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
MAGAZINE TABLE PANEL LEGS 	31N2040MGLW HPL Top	\$ 1095	19 $\frac{3}{4}$	39 $\frac{3}{8}$	16	$\frac{1}{4}$	—	67 lbs.	12.2

ARROWOOD - VENEER



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N2424ENLW CW

- See page 21 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
END TABLE PANEL LEGS 	31N2424ENLW HPL Top	\$ 996	23¾	23½	19	¼	—	63 lbs.	11.0
MAGAZINE TABLE TURNED LEGS 	Q31N2040MGPLW HPL Top	\$ 1586	19 ²⁵ / ₃₂	39 ²⁵ / ₃₂	17 ³ / ₁₆	—	—	42 lbs.	3.0
	31N2040MGPLW HPL Top	1586	19 ²⁵ / ₃₂	39 ²⁵ / ₃₂	17 ³ / ₁₆	—	—	42 lbs.	3.0
	• Some assembly required								
END TABLE TURNED LEGS 	Q31N2424ENPLW HPL Top	\$ 1484	23 ²⁵ / ₃₂	23 ²⁵ / ₃₂	20 ¹ / ₁₆	—	—	33 lbs.	2.2
	31N2424ENPLW HPL Top	1484	23 ²⁵ / ₃₂	23 ²⁵ / ₃₂	20 ¹ / ₁₆	—	—	33 lbs.	2.2
	• Some assembly required								
SQUARE TABLE TOP 1¹/₁₆" THICK 	30" SQUARE	1¹/₁₆" TOP THICKNESS							
	31NN3030SQW Wood	\$ 1460	30	30	1 ¹ / ₁₆	—	—	33 lbs.	2.0
	31NN3030SQLW Laminate/Wood	1460	30	30	1 ¹ / ₁₆	—	—	33 lbs.	2.0
	36" SQUARE								
	31NN3636SQW Wood	\$ 1719	36	36	1 ¹ / ₁₆	—	—	45 lbs.	2.4
	31NN3636SQLW Laminate/Wood	1719	36	36	1 ¹ / ₁₆	—	—	45 lbs.	2.4
	42" SQUARE								
	31NN4242SQW Wood	\$ 1926	42	42	1 ¹ / ₁₆	—	—	61 lbs.	3.2
	31NN4242SQLW Laminate/Wood	1926	42	42	1 ¹ / ₁₆	—	—	61 lbs.	3.2
	48" SQUARE								
	31NN4848SQW Wood	\$ 2143	48	48	1 ¹ / ₁₆	—	—	79 lbs.	4.2
	31NN4848SQLW Laminate/Wood	2143	48	48	1 ¹ / ₁₆	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List for applicable bases • See Tables Price List for coordinating conference table tops • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge								

TO ORDER, SPECIFY:


1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N3030SQW G10C CW

- See page 21 for all options available in Arrowood Veneer

SQUARE TABLE TOP
1 1/16" THICK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE		1 1/16" TOP THICKNESS	D	W	H				
31N3030SQW	Wood	\$ 1301	30	30	1 1/16	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	1301	30	30	1 1/16	—	—	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	\$ 1531	36	36	1 1/16	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	1531	36	36	1 1/16	—	—	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	\$ 1740	42	42	1 1/16	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1740	42	42	1 1/16	—	—	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	\$ 1957	48	48	1 1/16	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1957	48	48	1 1/16	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

BARRINGTON

Product Specifications	42
Product Options	43
L Arrangements	44
U Arrangements	45
Product Pages	46
Wall Units	58
Ganging Unit Typicals	61



PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" bookmatched veneer or HPL (high pressure laminate)
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

MOLDING AND PULLS

- Solid wood, mitered, overlay moldings on modesty panel and end panels of desks
- 3 pull styles available

DRAWERS


- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets available in predetermined locations
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers



LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381
- Highbacks, bookcases and wardrobes use a brass lock (keyed random 1-5) with a non-removable/changeable lock core when the Provincial or Classic pulls are ordered
- Highbacks, bookcases and wardrobes use a black lock (keyed random 1-5) with a non-removable/changeable lock core when Verona pull is ordered

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Dictation Slide	13½"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¼"	17"	2⅞"	N/A
Box Drawer	12½"	17"	3⅞"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
File Drawer—Return and Credenza	15½"	17"	9½"	Legal
File Drawer—Lateral File	30½"	15"	9½"	Letter/Letter, Letter/Legal, or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side


DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter


WOOD FINISHES

CW	Cordovan Walnut
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Walnut
TW	Tribeca Walnut
TF	Truffle Walnut
UW	Urban Walnut

RIM PROFILE




PULLS/KNOBS




Provincial (80)

80AB Brass
(Boring Pattern 76mm)



Classic (81)

81AB Brass
(Boring Pattern 76mm)



Verona (85)


85AB Brass
85CN Classic Nickel
(Boring Pattern 160mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13C Center



Round Grommet
Plastic

LOCKING

KEY RANDOM

KRB Black

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS2B	Black, 2 locks per unit
KS3B	Black, 3 locks per unit
KS4B	Black, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Traditional
Pull:	Classic 81AB Brass
Grommets:	Included on bridges and returns
Locking:	Random black cores
Finish:	Cordovan (CW)

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

BARRINGTON L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





ARRANGEMENTS INCLUDE:

- Classic, Brass pulls
- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW Cordovan MH Mocha TF Truffle
DW Judicial TW Tribeca UW Urban
MW Midtown



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION WOOD TOP 	Q50N8672LLFW	85¼D x 71¾W	\$ 8169	RIGHT L-CONFIGURATION WOOD TOP 	Q50N8672LRFW	85¼D x 71¾W	\$ 8169
	50N8672LLFW	85¼D x 71¾W	\$ 8169		50N8672LRFW	85¼D x 71¾W	\$ 8169
	consists of				consists of		
	50N3672DRFW1	Right Pedestal Desk	4619		50N3672DLFW1	Left Pedestal Desk	4619
	50N2450RLEFW2	Left Pedestal Return	3550		50N2450RREFW2	Right Pedestal Return	3550
	50N8066LLFW	79¼D x 66W	\$ 8038		50N8066LRFW	79¼D x 66W	\$ 8038
	consists of				consists of		
	50N3066DRFW1	Right Pedestal Desk	4488		50N3066DLFW1	Left Pedestal Desk	4488
	50N2450RLEFW2	Left Pedestal Return	3550		50N2450RREFW2	Right Pedestal Return	3550
LEFT L-CONFIGURATION LAMINATE TOP 	50N8672LLFW	85¼D x 71¾W	\$ 8169	RIGHT L-CONFIGURATION LAMINATE TOP 	50N8672LRFW	85¼D x 71¾W	\$ 8169
	consists of				consists of		
	50N3672DRFLW1	Right Pedestal Desk	4619		50N3672DLFLW1	Left Pedestal Desk	4619
	50N2450RLEFLW2	Left Pedestal Return	3550		50N2450RREFLW2	Right Pedestal Return	3550
	50N8066LLFW	79¼D x 66W	\$ 8038		50N8066LRFW	79¼D x 66W	\$ 8038
	consists of				consists of		
	50N3066DRFLW1	Right Pedestal Desk	4488		50N3066DLFLW1	Left Pedestal Desk	4488
	50N2450RLEFLW2	Left Pedestal Return	3550		50N2450RREFLW2	Right Pedestal Return	3550

BARRINGTON U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:


- Classic, Brass pulls
- Center grommet in bridge
- Random black lock cores
- Must specify finish


TO ORDER, SPECIFY FINISH:


CW Cordovan MH Mocha TF Truffle
DW Judicial TW Tribeca UW Urban
MW Midtown




Classic, Brass pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION WOOD TOP 	Q50N10772ULFW 106¾D x 71¾W	\$ 9454
	50N10772ULFW 106¾D x 71¾W	\$ 9454
	consists of	
	50N3672DRFW1 Right Pedestal Desk	4619
	50N2450BEFW Bridge	1241
	50N2172CLFW2 Left Pedestal Credenza	3594
	Q50N9972ULFW 98¾D x 71¾W	\$ 9389
	50N9972ULFW 98¾D x 71¾W	\$ 9389
	consists of	
	50N3672DRFW1 Right Pedestal Desk	4619
	50N2442BEFW Bridge	1176
	50N2172CLFW2 Left Pedestal Credenza	3594
	50N10266ULFW 101¾D x 66W	\$ 8832
	consists of	
	50N3066DRFW1 Right Pedestal Desk	4488
	50N2450BEFW Bridge	1241
	50N2166CLFW2 Left Pedestal Credenza	3103
	50N9366ULFW 92¾D x 66W	\$ 8767
	consists of	
	50N3066DRFW1 Right Pedestal Desk	4488
	50N2442BEFW Bridge	1176
	50N2166CLFW2 Left Pedestal Credenza	3103

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT U-CONFIGURATION WOOD TOP 	Q50N10772URFW 106¾D x 71¾W	\$ 9454
	50N10772URFW 106¾D x 71¾W	\$ 9454
	consists of	
	50N3672DLFW1 Left Pedestal Desk	4619
	50N2450BEFW Bridge	1241
	50N2172CRFW2 Right Pedestal Credenza	3594
	Q50N9972URFW 98¾D x 71¾W	\$ 9389
	50N9972URFW 98¾D x 71¾W	\$ 9389
	consists of	
	50N3672DLFW1 Left Pedestal Desk	4619
	50N2442BEFW Bridge	1176
	50N2172CRFW2 Right Pedestal Credenza	3594
	50N10266URFW 101¾D x 66W	\$ 8832
	consists of	
	50N3066DLFW1 Left Pedestal Desk	4488
	50N2450BEFW Bridge	1241
	50N2166CRFW2 Right Pedestal Credenza	3103
	50N9366URFW 92¾D x 66W	\$ 8767
	consists of	
	50N3066DLFW1 Left Pedestal Desk	4488
	50N2442BEFW Bridge	1176
	50N2166CRFW2 Right Pedestal Credenza	3103

LEFT U-CONFIGURATION LAMINATE TOP 	50N10772ULFLW 106¾D x 71¾W	\$ 9454
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	4619
	50N2450BEFLW Bridge	1241
	50N2172CLFLW2 Left Pedestal Credenza	3594
	50N9972ULFLW 98¾D x 71¾W	\$ 9389
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	4619
	50N2442BEFLW Bridge	1176
	50N2172CLFLW2 Left Pedestal Credenza	3594
	50N10266ULFLW 101¾D x 66W	\$ 8832
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	4488
	50N2450BEFLW Bridge	1241
	50N2166CLFLW2 Left Pedestal Credenza	3103
	50N9366ULFLW 92¾D x 66W	\$ 8767
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	4488
	50N2442BEFLW Bridge	1176
	50N2166CLFLW2 Left Pedestal Credenza	3103

RIGHT U-CONFIGURATION LAMINATE TOP 	50N10772URFLW 106¾D x 71¾W	\$ 9454
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	4619
	50N2450BEFLW Bridge	1241
	50N2172CRFLW2 Right Pedestal Credenza	3594
	50N9972URFLW 98¾D x 71¾W	\$ 9389
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	4619
	50N2442BEFLW Bridge	1176
	50N2172CRFLW2 Right Pedestal Credenza	3594
	50N10266URFLW 101¾D x 66W	\$ 8832
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	4488
	50N2450BEFLW Bridge	1241
	50N2166CRFLW2 Right Pedestal Credenza	3103
	50N9366URFLW 92¾D x 66W	\$ 8767
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	4488
	50N2442BEFLW Bridge	1176
	50N2166CRFLW2 Right Pedestal Credenza	3103

BARRINGTON



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3672DDFW8 80AB KRB MH

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	D	W	H	A	KW	WEIGHT	FEET				
DOUBLE PEDESTAL DESK 	Q50N3672DDFW8	Wood Top	\$ 5423	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	50N3672DDFW8	Wood Top	5423	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	50N3672DDFLW8	HPL Top	5423	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	50N3066DDFW8	Wood Top	\$ 5054	29¾	66	29½	1¾	25⅜ ₁₆	285 lbs.	45.3	
	50N3066DDFLW8	HPL Top	5054	29¾	66	29½	1¾	25⅜ ₁₆	285 lbs.	45.3	
• Desk chassis measures 62½" • The user side overhang is 1" • Comes with center drawer and dictation slide • Grommet option not available • Random lock core (KRB) and specified lock core (KS3B) available											
CHIPPENDALE TABLE DESK 	50N3672DTW	Wood Top	\$ 3320	35¾	71¾	29½	—	—	129 lbs.	10.7	
	50N3672DTLW	HPL Top	3320	35¾	71¾	29½	—	—	129 lbs.	10.7	
	• Comes with center drawer • Grommet option not available • Some assembly required										
QUEEN ANNE TABLE DESK 	50N3672DTQW	Wood Top	\$ 4437	35¾	71¾	29½	—	—	130 lbs.	10.7	
	50N3672DTQLW	HPL Top	4437	35¾	71¾	29½	—	—	129 lbs.	10.7	
	• Comes with center drawer • Grommet option not available • Some assembly required										
SINGLE PEDESTAL DESK 	LEFT PEDESTAL		RIGHT PEDESTAL								
	Q50N3672DLFW1	Q50N3672DRFW1	Wood Top	\$ 4619	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	50N3672DLFW1	50N3672DRFW1	Wood Top	4619	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	50N3672DLFLW1	50N3672DRFLW1	HPL Top	4619	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	50N3066DLFW1	50N3066DRFW1	Wood Top	\$ 4488	29¾	66	29½	1¾	25⅜ ₁₆	245 lbs.	45.3
50N3066DLFLW1	50N3066DRFLW1	HPL Top	4488	29¾	66	29½	1¾	25⅜ ₁₆	245 lbs.	45.3	
• Not recommended as a freestanding unit due to routing in the rim • Comes with center drawer and dictation slide • Grommet option not available • Random lock core (KRB) and specified lock core (KS2B) available											



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

50N2450RLEFW2 81AB X KRB MH

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
			D	W	H	A	KW					
 Left shown	RECEPTION DESK											
	LEFT PEDESTAL											
	RIGHT PEDESTAL											
	50N3072DTLFW1	50N3072DTRFW1	Wood Top	\$	6453	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9
	50N3072DTLFLW1	50N3072DTRFLW1	HPL Top		6453	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9
	• Must be used with reception return • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
 Right shown	RECEPTION RETURN											
	LEFT											
	RIGHT											
	50N2451RTLW2	50N2451RTRW2	Wood Top	\$	4114	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1
	50N2451RTLW2	50N2451RTRLW2	HPL Top		4114	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1
	• Must be used with reception desk • Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
												
RETURN 	LEFT PEDESTAL											
	RIGHT PEDESTAL											
	Q50N2450RLEFW2	Q50N2450RREFW2	Wood Top	\$	3550	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
	50N2450RLEFW2	50N2450RREFW2	Wood Top		3550	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
	50N2450RLEFLW2	50N2450RREFLW2	HPL Top		3550	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
CORNER UNIT 	50N3636CFSW	Wood Top	\$	3099	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2	
	50N3636CFSLW	HPL Top		3099	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2	
	• Not recommended as a freestanding unit due to routing in the rim • Unit should be attached to bridge and return • Some assembly required • Grain direction runs diagonal on worksurface • Grommet (G13C) available											

BARRINGTON

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Grommet Option
- Locking
- Finish

SAMPLE MODEL NUMBERS:

50N2450BEFW X MH
50N2172CBW 80AB KRB MH
50N2172CBLW 80AB KRB MH

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BRIDGE 	Q50N2450BEFW Wood Top	\$ 1241	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFW Wood Top	1241	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFLW HPL Top	1241	23¾	50	29½	—	50	72 lbs.	3.0
	Q50N2442BEFW Wood Top	\$ 1176	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFW Wood Top	1176	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFLW HPL Top	1176	23¾	42	29½	—	42	65 lbs.	2.6
- Some assembly required - Grain direction runs front-to-back on worksurface - Grommet (G13C) available									
STORAGE CREENZA 	Q50N2172CSFW2 Wood Top	\$ 5158	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFW2 Wood Top	5158	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFLW2 HPL Top	5158	21	71¾	29½	—	—	340 lbs.	36.4
	- Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick - Grommet option not available - Random lock core (KRB) and specified lock core (KS2B) available								
STORAGE CREENZA GANGING 	50N2169CSFW2C Wood Top	\$ 5158	21	69½	29½	—	—	269 lbs.	30.7
	50N2169CSFLW2C HPL Top	5158	21	69½	29½	—	—	269 lbs.	30.7
	- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals - Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick - Grommet option not available - Random lock core (KRB) and specified lock core (KS2B) available								
BUFFET CREENZA 	50N2172CBW Wood	\$ 5977	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW Laminate/Wood	5977	21	71¾	34½	—	—	379 lbs.	42.9
	- Center storage section features an adjustable shelf - Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high - Locking featured on doors only - Unfinished back panel - Grommet option not available - Random lock core (KRB) and specified lock core (KS1B) available								
ENTERTAINMENT CREENZA 	50N2172CBVW Wood	\$ 6085	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLVW Laminate/Wood	6085	21	71¾	34½	—	—	379 lbs.	42.9
	- Center storage section features an adjustable shelf - Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high - Locking featured on doors only - Cutouts in back panel for venting - Unfinished back panel - Grommet (G13C) available - Random lock core (KRB) and specified lock core (KS1B) available								

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


- Model Number
- Pull Option
- Locking
- Finish

SAMPLE MODEL NUMBER:

50N2172CLFW6 81AB KRB DW


- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE CREDENZA	50N2172CFFW Wood Top	\$ 5158	21	71¾	29½	—	—	333 lbs.	36.4
	50N2172CFFLW HPL Top	5158	21	71¾	29½	—	—	333 lbs.	36.4



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS4B) available


KNEESPACE CREDENZA



Q50N2172CKFW2 Wood Top	\$ 4987	21	71¾	29½	—	33%	234 lbs.	36.4
50N2172CKFW2 Wood Top	4987	21	71¾	29½	—	33%	234 lbs.	36.4
50N2172CKFLW2 HPL Top	4987	21	71¾	29½	—	33%	234 lbs.	36.4
50N2166CKFW2 Wood Top	\$ 4641	21	65¾	29½	—	27%	175 lbs.	33.6
50N2166CKFLW2 HPL Top	4641	21	65¾	29½	—	27%	175 lbs.	33.6

- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available


KNEESPACE CREDENZA GANGING



50N2169CKFW2C Wood Top	\$ 4987	21	69½	29½	—	33%	221 lbs.	30.7
50N2169CKFLW2C HPL Top	4987	21	69½	29½	—	33%	221 lbs.	30.7
50N2163CKFW2C Wood Top	\$ 4641	21	63½	29½	—	27%	175 lbs.	33.1
50N2163CKFLW2C HPL Top	4641	21	63½	29½	—	27%	175 lbs.	33.1

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA LATERAL FILE




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
50N2172CLFW6	50N2172CRFW6 Wood Top	\$ 3776	21	71¾	29½	—	10%	234 lbs.	36.4
50N2172CLFLW6	50N2172CRFLW6 HPL Top	3776	21	71¾	29½	—	10%	234 lbs.	36.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA FILE/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
Q50N2172CLFW2	Q50N2172CRFW2 Wood Top	\$ 3594	21	71¾	29½	—	28%	195 lbs.	36.4
50N2172CLFW2	50N2172CRFW2 Wood Top	3594	21	71¾	29½	—	28%	195 lbs.	36.4
50N2172CLFLW2	50N2172CRFLW2 HPL Top	3594	21	71¾	29½	—	28%	195 lbs.	36.4
50N2166CLFW2	50N2166CRFW2 Wood Top	\$ 3103	21	65¾	29½	—	22%	155 lbs.	33.6
50N2166CLFLW2	50N2166CRFLW2 HPL Top	3103	21	65¾	29½	—	22%	155 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB) and specified lock core (KS1B) available
- Grommet option not available

BARRINGTON



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N7236HBHW 80AB MH





- See page 43 for all options available in Barrington

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
HIGHBACK ORGANIZER								
36" HIGH								
Q50N7236HBHW	\$ 3649	14¾	71¾	36	—	—	177 lbs.	36.2
50N7236HBHW	3649	14¾	71¾	36	—	—	177 lbs.	36.2
50N6636HBHW	3464	14¾	66	36	—	—	156 lbs.	29.6

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 404
- For tack board models, see pages 403-408
- Random lock core is factory installed

HIGHBACK ORGANIZER								
49" HIGH								
50N7149HBHRW	Grille Doors	\$ 6661	16	71½	49½	—	—	246 lbs. 49.0
50N7149HBHGW	Glass Doors	6661	16	71½	49½	—	—	246 lbs. 49.0
50N7149HBHW	Wood Doors	6661	16	71½	49½	—	—	246 lbs. 49.0
50N6649HBHRW	Grille Doors	\$ 6477	16	66	49½	—	—	213 lbs. 42.0
50N6649HBHGW	Glass Doors	6477	16	66	49½	—	—	213 lbs. 42.0
50N6649HBHW	Wood Doors	6477	16	66	49½	—	—	213 lbs. 42.0

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 404
- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- For tack board models, see pages 403-408
- Random lock core is factory installed





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N7129SOHMMW 81AB CW

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
OVERHEAD CABINET WALL MOUNT 	18" HIGH								
	Q50N7218SOHMMW Wood Door	\$ 4225	14¾	71¾	18	—	—	150 lbs.	25.1
	50N7218SOHMMW Wood Door	4225	14¾	71¾	18	—	—	150 lbs.	25.1
	50N6618SOHMMW Wood Door	3951	14¾	66	18	—	—	117 lbs.	16.2
	• It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • Wall mount bracket is included with unit • For tack board models, see pages 403-408 • Random lock core is factory installed • Unit has an unfinished back								
OVERHEAD CABINET WALL MOUNT   	29" HIGH								
	50N7129SOHMMW Wood Door	\$ 6324	16	71¾	29	—	—	182 lbs.	29.0
	50N7129SOHMRW Grille Door	6324	16	71¾	29	—	—	182 lbs.	29.0
	50N7129SOHMGW Glass Door	6324	16	71¾	29	—	—	182 lbs.	29.0
	50N6629SOHMMW Wood Door	\$ 6139	16	66	29	—	—	172 lbs.	27.0
	50N6629SOHMRW Grille Door	6139	16	66	29	—	—	172 lbs.	27.0
	50N6629SOHMGW Glass Door	6139	16	66	29	—	—	172 lbs.	27.0
	• Unit features a veneer shelf inside each door • Grille, glass and wood doors have a framed feature • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • Wall mount bracket is included with unit • For tack board models, see pages 403-408 • Random lock core is factory installed • Unit has an unfinished back								

BARRINGTON

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Locking
- Finish

SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB CW

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE 2 DRAWER 	Q50N2137LFF2W Wood Top	\$ 2953	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	2953	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	2953	21	37¼	29½	—	—	123 lbs.	15.6
	- Front-to-back filing is standard with lateral files; 4 rods per drawer are included - Lateral file has an unfinished back - Random lock core (KRB) and specified lock core (KS2B) available								
LATERAL FILE 3 DRAWER 	50N2137LFF3W Wood Top	\$ 3951	21½	37¼	43½	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	3951	21½	37¼	43½	—	—	190 lbs.	24.0
	- Front-to-back filing is standard with lateral files; 4 rods per drawer are included - Lateral file has an unfinished back - Random lock core (KRB) and specified lock core (KS1B) available								
LATERAL FILE 4 DRAWER 	50N2137LFF4W Wood Top	\$ 4950	21	37¼	55½	—	—	236 lbs.	29.4
	- Front-to-back filing is standard with lateral files; 4 rods per drawer are included - Lateral file has an unfinished back - Random lock core (KRB) and specified lock core (KS1B) available								
WARDROBE 	50N3778VHHW Wood Doors	\$ 4462	23½	37	78	—	—	250 lbs.	48.6
	- Wardrobe has unfinished back - Removable coat rod is standard; positioned on left side of wardrobe - Features 3 adjustable shelves and 1 fixed - Random lock core is factory installed								
WARDROBE GANGING 	50N3778VHHWC Wood Doors	\$ 4462	23½	37	78	—	—	250 lbs.	48.6
	- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals - Wardrobe has unfinished back - Removable coat rod is standard; positioned on left side of wardrobe - Base molding on 3 sides of unit to allow for ganging - Features 3 adjustable shelves and 1 fixed - Random lock core is factory installed - Ganging wardrobe can only be ganged with ganging bookcase listed on page 53								

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Finish

SAMPLE MODEL NUMBER:

50N1974VSWHLW 81AB MH

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
 Left shown	WARDROBE/STORAGE CABINET	LEFT HINGED	RIGHT HINGED		D	W	H				
		50N1974VSWHLW	50N1974VSWHRW	Wood Doors	\$ 3678	21	19 ⁷ / ₁₆	74	—	—	160 lbs. 26.7
		• Wardrobe has unfinished back • Removable coat rod is standard • Features 3 adjustable shelves and 1 fixed • Random lock core is factory installed									
 Left shown	WARDROBE/STORAGE CABINET GANGING	LEFT HINGED	RIGHT HINGED		D	W	H				
		50N1974VSWHLWC	50N1974VSWHRWC	Wood Doors	\$ 3678	21	18 ¹ / ₂	74	—	—	160 lbs. 26.7
		• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals • Wardrobe has unfinished back • Removable coat rod is standard • Features 3 adjustable shelves and 1 fixed • Base molding on 2 sides of unit to allow for ganging • Random lock core is factory installed • Ganging wardrobe/storage cabinet can only be used with ganging credenzas on pages 48-49, 49" highback organizers on page 50, and 29" overhead cabinets on page 51									
 Left shown	BOOKCASE GANGING	LEFT GANGING	RIGHT GANGING		D	W	H				
		50N1974BCOLWC	50N1974BCORWC		\$ 2468	14 ¹ / ₂	18 ¹ / ₂	74	—	—	150 lbs. 26.7
		• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals • Shaded shelves are adjustable • Base molding on 2 sides of unit to allow for ganging • Bookcase has an unfinished back									
	BOOKCASE	Q50N3436BCOW	Bookcase	\$ 1842	12 ³ / ₄	33 ¹ / ₂	35 ³ / ₄	—	—	76 lbs. 17.2	
		50N3436BCOW	Bookcase	1842	12 ³ / ₄	33 ¹ / ₂	35 ³ / ₄	—	—	76 lbs. 17.2	
		Q50N1436CPCFW	Cornice Frame	415	14 ¹ / ₈	35 ³ / ₄	1 ¹ / ₈	—	—	18 lbs. 0.6	
		50N1436CPCFW	Cornice Frame	415	14 ¹ / ₈	35 ³ / ₄	1 ¹ / ₈	—	—	18 lbs. 0.6	
		Q50N1435CPBW	Base	329	13 ³ / ₈	34 ³ / ₄	3 ³ / ₄	—	—	18 lbs. 1.6	
		50N1435CPBW	Base	329	13 ³ / ₈	34 ³ / ₄	3 ³ / ₄	—	—	18 lbs. 1.6	
		• Bookcase components are shipped separately • Bookcase shelves measure 31³/₄" long and hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • For set-on surface use, only the bookcase and the cornice frame need to be ordered									

BARRINGTON



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:


50N3452BCHGW 80AB CW

- See page 43 for all options available in Barrington

BOOKCASE	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	DOUBLE BOOKCASE	\$ 5215	14½	69¾	56½	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1951	14½	33½	51¼	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	824	14½	69¾	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	489	13¾	68¾	3¼	—	—	29 lbs.	3.0
• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable									

	SINGLE BOOKCASE	\$ 2695	14½	35¾	56½	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	329	13¾	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	329	13¾	34¾	3¼	—	—	18 lbs.	1.6
• Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable									

BOOKCASE WITH GLASS DOORS




DOUBLE BOOKCASE

\$ 7213

50N3452BCHGW	Bookcase (each—order 2)	2950	14½	69¾	56½	—	—	361 lbs.	39.4
50N1469CPCFW	Cornice Frame	824	12¼	33½	51¼	—	—	151 lbs.	17.6
50N1468CPBW	Base	489	14½	69¾	1½	—	—	30 lbs.	1.2
			13¾	68¾	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed



SINGLE BOOKCASE			\$ 3694						
50N3452BCHGW	Bookcase	2950	14½	35¾	56½	—	—	187 lbs.	19.8
Q50N1436CPCFW	Cornice Frame	415	12¼	33½	51¼	—	—	151 lbs.	17.6
50N1436CPCFW	Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	329	14½	35¾	1½	—	—	18 lbs.	0.6
50N1435CPBW	Base	329	13¾	34¾	3¼	—	—	18 lbs.	1.6
• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Random lock core is factory installed									



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Finish

SAMPLE MODEL NUMBER:

50N3452BCHRW 81AB TF

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BOOKCASE WITH GRILLE DOORS 	DOUBLE BOOKCASE	\$ 7471	14½	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHRW Bookcase (each—order 2)	3079	12¼	33½	51¼	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	824	14½	69¼	1¾	—	—	30 lbs.	1.2
	50N1468CPBW Base	489	13¾	68¾	3¾	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Random lock core is factory installed								
	SINGLE BOOKCASE	\$ 3823	14½	35¼	56½	—	—	187 lbs.	19.8
	50N3452BCHRW Bookcase	3079	12¼	33½	51¼	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	415	14½	35¼	1¾	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	415	14½	35¼	1¾	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	329	13¾	34¾	3¾	—	—	18 lbs.	1.6
	50N1435CPBW Base	329	13¾	34¾	3¾	—	—	18 lbs.	1.6
	• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Random lock core is factory installed								

BARRINGTON



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBERS:

50N2424ENW MH
50N2040MGQW MH

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MAGAZINE TABLE 	Q50N2040MGW	Wood Top	\$ 1529	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	50N2040MGW	Wood Top	1529	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	50N2040MGLW	HPL Top	1326	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	46 lbs.	3.0
	• Some assembly required • HPL top tables have veneer legs/bases									
END TABLE 	Q50N2424ENW	Wood Top	\$ 1345	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	50N2424ENW	Wood Top	1345	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	50N2424ENLW	HPL Top	1180	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	• Some assembly required • HPL top tables have veneer legs/bases									
QUEEN ANNE MAGAZINE TABLE 	50N2040MGQW	Wood Top	\$ 2108	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	36 lbs.	3.0
	• Some assembly required									
QUEEN ANNE END TABLE 	50N2424ENQW	Wood Top	\$ 1986	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	32 lbs.	3.3
	• Some assembly required									

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish


SAMPLE MODEL NUMBER:

50NN30RDW G10C CW

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TABLE TOP 	30" ROUND	1 1/8" TOP THICKNESS		DI		H				
	50NN30RDW	Wood	\$ 1924	30	—	1 1/8	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1924	30	—	1 1/8	—	—	33 lbs.	2.0
	36" ROUND									
	50NN36RDW	Wood	\$ 2266	36	—	1 1/8	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	2266	36	—	1 1/8	—	—	45 lbs.	2.4
	42" ROUND									
	50NN42RDW	Wood	\$ 2476	42	—	1 1/8	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	2476	42	—	1 1/8	—	—	61 lbs.	3.2
	48" ROUND									
	50NN48RDW	Wood	\$ 3061	48	—	1 1/8	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	3061	48	—	1 1/8	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SQUARE TABLE TOP 	30" SQUARE	1 1/8" TOP THICKNESS								
	50NN3030SQW	Wood	\$ 1924	30	30	1 1/8	—	—	33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1924	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	50NN3636SQW	Wood	\$ 2266	36	36	1 1/8	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	2266	36	36	1 1/8	—	—	45 lbs.	2.4
	42" SQUARE									
	50NN4242SQW	Wood	\$ 2476	42	42	1 1/8	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	2476	42	42	1 1/8	—	—	61 lbs.	3.2
	48" SQUARE									
	50NN4848SQW	Wood	\$ 3061	48	48	1 1/8	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	3061	48	48	1 1/8	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

50N3452BCOFW MH
50N1931BEXW MH

- See page 43 for all options available in Barrington

WALL UNIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		\$12,892	D	W	H	A	KW		
Q50N3452BCOFW	Bookcase (each-order 2)	1951	21	101½	82½	32½	—	622 lbs.	78.7
50N3452BCOFW	Bookcase (each-order 2)	1951	12¼	33½	51¼	32½	—	92 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	21	37¼	29½	32½	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	21	37¼	29½	32½	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1160	14½	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXW	Bridge	726	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOOW	Open storage unit	1198	12¼	32¼	24¼	32½	—	56 lbs.	9.5
WALL UNIT—HPL TOP		\$12,892	D	W	H	A	KW		
Q50N3452BCOFW	Bookcase (each-order 2)	1951	21	101½	82½	32½	—	552 lbs.	78.7
50N3452BCOFW	Bookcase (each-order 2)	1951	12¼	33½	51¼	32½	—	92 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2953	21	37¼	29½	32½	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1160	14½	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	726	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOOW	Open storage unit	1198	12¼	32¼	24¼	32½	—	56 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files

WALL UNIT WITH GLASS DOORS



WALL UNIT—WOOD TOP			\$13,692						
50N3452BCHGW	Bookcase (each-order 2)	2950	21	101½	82⅞	32⅞	—	612 lbs.	69.2
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	12¼	33½	51¼	32⅞	—	115 lbs.	17.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	21	37¼	29½	32⅞	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1160	21	37¼	29½	32⅞	—	158 lbs.	15.6
50N1931BEXW	Bridge	726	14⅞	101½	1⅞	32⅞	—	45 lbs.	1.7
			18¼	30½	1⅞	32⅞	—	21 lbs.	1.1
WALL UNIT—HPL TOP			\$13,692						
50N3452BCHGW	Bookcase (each-order 2)	2950	21	101½	82⅞	32⅞	—	614 lbs.	69.2
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2953	12¼	33½	51¼	32⅞	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2953	21	37¼	29½	32⅞	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1160	14⅞	101½	1⅞	32⅞	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	726	18¼	30½	1⅞	32⅞	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3452BCHRW 80AB KRB DW

- See page 43 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	WALL UNIT—WOOD TOP	\$13,950	21	101½	82¾	32¾	—	684 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	3079	12¾	33¾	51¾	32¾	—	151 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	2953	18¾	37¾	1¾	32¾	—	158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	2953	18¾	37¾	1¾	32¾	—	158 lbs.	15.6
	50N14102CPCFW Cornice Frame	1160	14¾	101½	1¾	32¾	—	45 lbs.	1.7
	50N1931BEXW Bridge	726	18¾	30½	1¾	32¾	—	21 lbs.	1.1
	WALL UNIT—HPL TOP	\$13,950	21	101½	82¾	32¾	—	614 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	3079	12¾	33¾	51¾	32¾	—	151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	2953	21	37¾	29½	32¾	—	123 lbs.	15.6
	50N14102CPCFW Cornice Frame	1160	14¾	101½	1¾	32¾	—	45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	726	18¾	30½	1¾	32¾	—	21 lbs.	1.1
• Must order (2) bookcases and (2) lateral files for wall unit • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase features veneer shelves; adjustable shelves shown as shaded • Units have an unfinished back • Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases									

WALL UNIT WITH GLASS DOORS AND CLOSED STORAGE UNITS



	WALL UNIT—WOOD TOP	\$15,868	21	101½	82¾	32¾	—	751 lbs.	78.7
	50N3452BCHGW Bookcase (each-order 2)	2950	12¾	33¾	51¾	32¾	—	151 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	2953	21	37¾	29½	32¾	—	158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	2953	21	37¾	29½	32¾	—	158 lbs.	15.6
	50N14102CPCFW Cornice Frame	1160	14¾	101½	1¾	32¾	—	45 lbs.	1.7
	50N1931BEXW Bridge	726	18¾	30½	1¾	32¾	—	21 lbs.	1.1
	50N3225SOHGW Storage Unit	2176	12¾	32¾	24¾	32¾	—	67 lbs.	9.5
	WALL UNIT—HPL TOP	\$15,868	21	101½	82¾	32¾	—	681 lbs.	78.7
	50N3452BCHGW Bookcase (each-order 2)	2950	12¾	33¾	51¾	32¾	—	151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	2953	21	37¾	29½	32¾	—	123 lbs.	15.6
	50N14102CPCFW Cornice Frame	1160	14¾	101½	1¾	32¾	—	45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	726	18¾	30½	1¾	32¾	—	21 lbs.	1.1
	50N3225SOHGW Storage Unit	2176	12¾	32¾	24¾	32¾	—	67 lbs.	9.5
	• Must order (2) bookcases and (2) lateral files for wall unit • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase features veneer shelves; adjustable shelves shown as shaded • Units have an unfinished back • Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit								

BARRINGTON



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3452BCHRW 80AB KRB DW

- See page 43 for all options available in Barrington


WALL UNIT WITH GRILLE DOORS AND CLOSED STORAGE UNITS




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		\$16,214	D	W	H	A	KW		
50N3452BCHRW	Bookcase (each-order 2)	3079	21	101½	82½	32½	—	751 lbs.	79.7
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	12¼	33½	51¼	32½	—	151 lbs.	17.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2953	21	37¼	29½	32½	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1160	21	37¼	29½	32½	—	158 lbs.	15.6
50N1931BEXW	Bridge	726	14½	101½	1¾	32½	—	45 lbs.	1.7
50N3225SOHRW	Storage Unit	2264	18¾	30½	1¾	32½	—	21 lbs.	1.1
WALL UNIT—HPL TOP		\$16,214	12¼	32¼	24¼	32½	—	67 lbs.	9.5
50N3452BCHRW	Bookcase (each-order 2)	3079	21	101½	82½	32½	—	681 lbs.	78.7
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2953	12¼	33½	51¼	32½	—	151 lbs.	17.6
50N14102CPCFW	Cornice Frame	1160	21	37¼	29½	32½	—	123 lbs.	15.6
50N1931BEXLW	Bridge/HPL Top	726	14½	101½	1¾	32½	—	45 lbs.	1.7
50N3225SOHRW	Storage Unit	2264	18¾	30½	1¾	32½	—	21 lbs.	1.1
			12¼	32¼	24¼	32½	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit


BARRINGTON GANGING UNIT TYPICALS



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 3678
50N1974VSWHRWC	Single Wardrobe Right Ganging	3678
50N7149HBHW	Highback Organizer	6661
50N2169CSFW2C	Storage Credenza Ganging	5158
TOTAL		\$19,175



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 3678
50N1974VSWHRWC	Single Wardrobe Right Ganging	3678
50N2169CKFW2C	Kneespace Credenza Ganging	4987
50N7149HBHW	Highback Organizer	6661
TOTAL		\$19,004



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974BCOLWC	Single Bookcase Left Ganging	\$ 2468
50N1974BCORWC	Single Bookcase Right Ganging	2468
50N3778VHHWC	Wardrobe Ganging	4462
TOTAL		\$ 9398

ESCALADE

Product Specifications	64
Product Options	65
L Arrangements	66
U Arrangements	67
Product Pages	68
Ganging Wall Units	73

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" combined veneer worksurface and mitered wood rim
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1½" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Mitered wood base detail

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSION


- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

DRAWER PULLS

- Satin Nickel drawer pulls and knobs

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)



LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381

ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer - 30x66 Single Ped Desks	12⅞"	17"	3⅞"	N/A
File Drawer - 30x66 Single Ped Desks	12⅞"	17"	9⅞"	Letter
Box Drawer - All Other Desks	15⅞"	17"	3⅞"	N/A
File Drawer - All Other Desks	15⅞"	17"	9⅞"	Legal
Box Drawer - Return	12⅞"	17"	3⅞"	N/A
File Drawer - Return	12⅞"	17"	9⅞"	Letter
Lateral Drawer - Return	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15⅞"	15"	3⅞"	N/A
File Drawer - Credenza	15⅞"	15"	9⅞"	Legal
Lateral Drawer - Credenza	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal, Legal/Letter/EDP
30" Center Drawer	20⅞"	15"	1½"	N/A
36" Center Drawer	26⅞"	15"	1½"	N/A
Keyboard Drawer	26"	15¼"	2¼"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side


WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

METAL COLORS


462	Cinder
503	Satin Nickel Metallic

RIM PROFILE



Tribeca

PULLS



Fluid (79)


79SN Satin Nickel
(Boring Pattern 64mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G1LR	Left & Right
G1C	Center



Round Grommet
Plastic

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Pull:	Fluid (79)
Grommets:	Included on bridges, returns and credenzas (does not include storage credenza)
Locking:	Random black cores
Finish:	Must specify Amber (MC) or Cordovan (CW)

ESCALADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Fluid, Satin Nickel pulls
- Left and right grommets in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

MC Amber	HN Honey	NM Natural
AC Autumn	TM Huntington	SC Sedona
IM Brighton	DW Judicial	TW Tribeca
CL Caramel	MW Midtown	TF Truffle
CC Cordoba	MH Mocha	UW Urban
CW Cordovan		



Fluid, Satin Nickel pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION WOOD TOP 	QECN8573LLFW 84½D x 72½W	\$ 9245
	ECN8573LLFW 84½D x 72½W	\$ 9245
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	5264
	ECN2548RLEFW2 Left Pedestal Return	3981
	QECN7973LLFW 78½D x 72½W	\$ 9171
	ECN7973LLFW 78½D x 72½W	\$ 9171
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	5264
	ECN2542RLEFW2 Left Pedestal Return	3907
	ECN7967LLFW 78½D x 66½W	\$ 9047
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	5066
	ECN2548RLEFW2 Left Pedestal Return	3981
	ECN7367LLFW 72½D x 66½W	\$ 8973
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	5066
	ECN2542RLEFW2 Left Pedestal Return	3907

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT L-CONFIGURATION WOOD TOP 	QECN8573LRFW 84½D x 72½W	\$ 9245
	ECN8573LRFW 84½D x 72½W	\$ 9245
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	5264
	ECN2548RREFW2 Right Pedestal Return	3981
	QECN7973LRFW 78½D x 72½W	\$ 9171
	ECN7973LRFW 78½D x 72½W	\$ 9171
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	5264
	ECN2542RREFW2 Right Pedestal Return	3907
	ECN7967LRFW 78½D x 66½W	\$ 9047
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	5066
	ECN2548RREFW2 Right Pedestal Return	3981
	ECN7367LRFW 72½D x 66½W	\$ 8973
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	5066
	ECN2542RREFW2 Right Pedestal Return	3907

ESCALADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Fluid, Satin Nickel pulls
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:


MC Amber	HN Honey	NM Natural
AC Autumn	TM Huntington	SC Sedona
IM Brighton	DW Judicial	TW Tribeca
CL Caramel	MW Midtown	TF Truffle
CC Cordoba	MH Mocha	UW Urban
CW Cordovan		



Fluid, Satin Nickel pulls

U-CONFIGURATIONS


LEFT U-CONFIGURATION WOOD TOP



MODEL NO./DESCRIPTION	LIST PRICE
QECN10773ULFW 106% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11478
ECN10773ULFW 106% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11478
consists of	
ECN3673DRFBW1 Right Pedestal Desk	5264
ECN2548BEFW Bridge	1794
ECN2273CLFW2 Left Pedestal Credenza	4420
QECN10173ULFW 100% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11424
ECN10173ULFW 100% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11424
consists of	
ECN3673DRFBW1 Right Pedestal Desk	5264
ECN2542BEFW Bridge	1740
ECN2273CLFW2 Left Pedestal Credenza	4420
ECN10167ULFW 100% $\frac{1}{2}$ D x 66 $\frac{1}{2}$ W	\$ 11215
consists of	
ECN3067DRFBW1 Right Pedestal Desk	5066
ECN2548BEFW Bridge	1794
ECN2267CLFW2 Left Pedestal Credenza	4355
ECN9567ULFW 94% $\frac{1}{2}$ D x 66 $\frac{1}{2}$ W	\$ 11161
consists of	
ECN3067DRFBW1 Right Pedestal Desk	5066
ECN2542BEFW Bridge	1740
ECN2267CLFW2 Left Pedestal Credenza	4355

U-CONFIGURATIONS

RIGHT U-CONFIGURATION WOOD TOP




MODEL NO./DESCRIPTION	LIST PRICE
QECN10773URFW 106% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11478
ECN10773URFW 106% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11478
consists of	
ECN3673DLFBW1 Left Pedestal Desk	5264
ECN2548BEFW Bridge	1794
ECN2273CRFW2 Right Pedestal Credenza	4420
QECN10173URFW 100% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11424
ECN10173URFW 100% $\frac{1}{2}$ D x 72 $\frac{1}{2}$ W	\$ 11424
consists of	
ECN3673DLFBW1 Left Pedestal Desk	5264
ECN2542BEFW Bridge	1740
ECN2273CRFW2 Right Pedestal Credenza	4420
ECN10167URFW 100% $\frac{1}{2}$ D x 66 $\frac{1}{2}$ W	\$ 11215
consists of	
ECN3067DLFBW1 Left Pedestal Desk	5066
ECN2548BEFW Bridge	1794
ECN2267CRFW2 Right Pedestal Credenza	4355
ECN9567URFW 94% $\frac{1}{2}$ D x 66 $\frac{1}{2}$ W	\$ 11161
consists of	
ECN3067DLFBW1 Left Pedestal Desk	5066
ECN2542BEFW Bridge	1740
ECN2267CRFW2 Right Pedestal Credenza	4355

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN3673DDFBW8 79SN X KRB MH


- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
DOUBLE PEDESTAL DESK ARC TOP	ECN3673DDFBW8	\$ 7098	35 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6"	34 $\frac{3}{16}$ "	320 lbs.	57.4
	ECN3667DDFBW8	6958	35 $\frac{1}{16}$ "	66 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6"	25 $\frac{7}{8}$ "	305 lbs.	53.0




- Depth of arc top is 35 $\frac{1}{16}$ " at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK	QECN3673DDFBW8	\$ 5818	36 $\frac{3}{4}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	34 $\frac{3}{16}$ "	361 lbs.	57.4
	ECN3673DDFBW8	5818	36 $\frac{3}{4}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	34 $\frac{3}{16}$ "	361 lbs.	57.4
	ECN3667DDFBW8	5701	35 $\frac{1}{16}$ "	66 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	25 $\frac{7}{8}$ "	325 lbs.	53.0
	ECN3067DDFBW8	\$ 5601	30 $\frac{3}{4}$ "	66 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	25 $\frac{7}{8}$ "	285 lbs.	45.3
	ECN3061DDFBW8	5490	30 $\frac{3}{4}$ "	60 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	25 $\frac{7}{8}$ "	270 lbs.	42.0




- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TABLE DESK ARC TOP	ECN3673DTAW	\$ 5237	35 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6"	—	140 lbs.	13.9
-------------------------------	-------------	---------	---------------------	--------------------	--------------------	----	---	----------	------



- Unit features a functional, non-locking drawer
- Height to the bottom of the rail from the floor is 25"
- Some assembly required
- Grommets not available


	LEFT PEDESTAL	RIGHT PEDESTAL							
	MODEL NO.	MODEL NO.	LIST PRICE	D	W	H	A	KW	
SINGLE PEDESTAL DESK ARC TOP	ECN3673DLFBAW1	ECN3673DRFBAW1	\$ 6105	35 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6"	27 $\frac{3}{4}$ "	267 lbs. 57.4



Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc top is 35 $\frac{1}{16}$ " at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	LEFT PEDESTAL	RIGHT PEDESTAL							
	MODEL NO.	MODEL NO.	LIST PRICE	D	W	H	A	KW	
FREESTANDING SINGLE PEDESTAL DESK ARC TOP	ECN3673DLFFBAW1	ECN3673DRFFBAW1	\$ 6105	35 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6"	50 $\frac{1}{16}$ "	267 lbs. 57.4



Right shown

- Depth of arc top is 35 $\frac{1}{16}$ " at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color

SAMPLE MODEL NUMBERS:


ECN3672DULW 79SN MH
ECN3672DULFW 79SN MH 462

- See page 65 for all options available in Escalade

 Left shown	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW					
	LEFT PEDESTAL		RIGHT PEDESTAL							
	QECN3673DLFBW1	QECN3673DRFBW1	\$ 5264	36¼	72½	29½	—	27¾	311 lbs.	57.4
	ECN3673DLFBW1	ECN3673DRFBW1	5264	36¼	72½	29½	—	27¾	311 lbs.	57.4
ECN3667DLFBW1	ECN3667DRFBW1	5159	36¼	66½	29½	—	24¼	290 lbs.	49.0	
ECN3067DLFBW1	ECN3067DRFBW1	\$ 5066	30¾	66½	29½	—	24¼	245 lbs.	45.3	
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


FREESTANDING SINGLE PEDESTAL DESK



LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3673DLFFBW1	ECN3673DRFFBW1	\$ 5264	36¼	72½	29½	—	50⅞	311 lbs.	57.4
ECN3667DLFFBW1	ECN3667DRFFBW1	5159	36¼	66½	29½	—	50⅞	290 lbs.	49.0
ECN3067DLFFBW1	ECN3067DRFFBW1	\$ 5066	30¾	66½	29½	—	47	245 lbs.	45.3
ECN3061DLFFBW1	ECN3061DRFFBW1	4963	30¾	60%	29½	—	41⅞	230 lbs.	42.0

- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

U-SHAPED DESK




Left shown


LEFT U	RIGHT U		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3672DULW	ECN3672DURW	\$ 4297	36	72¼	29½	17%	27⅓⅞	155 lbs.	13.9
ECN3672DULFW	ECN3672DURFW w/modesty	4819	36	72¼	29½	17%	27⅓⅞	175 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see page 11 for support base options
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

P-SHAPED DESK



Left shown



Right shown w/modesty

LEFT P	RIGHT P		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3672DPLW	ECN3672DPRW	\$ 4529	36	72¼	29½	11%	27⅓⅞	145 lbs.	13.9
ECN3672DPLFW	ECN3672DPRFW w/modesty	5108	36	72¼	29½	11%	27⅓⅞	165 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see page 11 for support base options
- "P" faces approach side for conferencing use
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color


SAMPLE MODEL NUMBER:

- ECN2548RLEFW1 79SN G1LR KRB NM
- See page 65 for all options available in Escalade

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	SUPPORT BASE			DI	H					
	NAC0428SFRNB	Metal	\$ 294	4	—	27¾	—	—	10 lbs.	1.0
	NAC2804SFBW	Wood	793	4	—	27¾	—	—	10 lbs.	1.0
				D	W	H	A	KW		
	NAC2812SHB	Wood Half	\$ 993	6	11⅞	27¾	—	—	13 lbs.	2.6

- Adjustable glide standard
- Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordoba (CC), Cordovan (CW), Honey (HN), Huntington (TM), Judicial (DW), Midtown (MW), Mocha (MH), Natural (NM), Sedona (SC), Tribeca (TW), Truffle (TF), Urban (UW)


CORNER UNIT



ECN3636CFSW	\$ 3380	36¾	36¾	29½	—	—	75 lbs.	29.5
-------------	---------	-----	-----	-----	---	---	---------	------

- Not recommended as a freestanding unit due to routing in the rim
- Unit can be attached to bridge and return
- Front edge is 16¾
- Grain direction runs diagonally
- Grommet (G1C) available

RECEPTION DESK/RETURN




RECEPTION DESK		LIST PRICE	RIGHT PEDESTAL					
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	
ECN3276DTLFW1	ECN3276DTRFW1	\$ 7245	32¾	75½	43¾	—	28¾	325 lbs. 67.0

- Must be used with reception return
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RECEPTION RETURN		LIST PRICE	RIGHT PEDESTAL					
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	
ECN2550RTLW2	ECN2550RTRW2	\$ 4822	25¾	49¾	41¾	—	29¾	195 lbs. 37.4

- Not recommended as a freestanding unit due to routing in the rim
- Must be used with reception desk
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN BOX/BOX/FILE



Right shown

		LIST PRICE	RIGHT PEDESTAL					
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	
ECN2548RLEFW1	ECN2548RREFW1	\$ 3981	25¾	48¾	29½	—	28¾	147 lbs. 29.0
ECN2542RLEFW1	ECN2542RREFW1	3907	25¾	42¾	29½	—	22¾	137 lbs. 25.9

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2273CBW 79SN KRB TF

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL	D	W	H				
RETURN FILE/FILE  Left shown	QECN2548RLEFW2	QECN2548RREFW2	\$ 3981	25¼	48¼	29½	—	28⅞	147 lbs. 29.0
	ECN2548RLEFW2	ECN2548RREFW2	3981	25¼	48¼	29½	—	28⅞	147 lbs. 29.0
	QECN2542RLEFW2	QECN2542RREFW2	3907	25¼	42¼	29½	—	22⅞	137 lbs. 25.9
	ECN2542RLEFW2	ECN2542RREFW2	3907	25¼	42¼	29½	—	22⅞	137 lbs. 25.9
	• Grain direction on worksurface runs front-to-back • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
RETURN MULTI-FILE  Right shown	ECN2572RLEFW10	ECN2572RREFW10	\$ 5288	25¼	72¼	29½	—	33%	197 lbs. 41.7
	• Grain direction on worksurface runs front-to-back • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
BRIDGE 	QECN2548BEFW	\$ 1794	24⅞	48⅞	29½	—	—	85 lbs.	3.4
	ECN2548BEFW	1794	24⅞	48⅞	29½	—	—	85 lbs.	3.4
	QECN2542BEFW	1740	24⅞	42⅞	29½	—	—	75 lbs.	3.0
	ECN2542BEFW	1740	24⅞	42⅞	29½	—	—	75 lbs.	3.0
• Some assembly required • Grain direction on worksurface runs front-to-back • Grommet (G1C) available									
BUFFET CREDENZA 	ECN2273CBW	Wood	\$ 6970	22¼	72½	35⅞	—	—	380 lbs. 45.2
	• Rim and base molding on front and sides of model • Center 2 doors lock • Unit features 3 standard adjustable shelves • Unit features a functional, non-locking drawer • Grommet option not available • Inside dimension of center storage section is 19¼" deep x 33¼" wide x 25¼" high • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
ENTERTAINMENT CREDENZA 	ECN2273CBVW	Wood	\$ 6970	22¼	72½	35⅞	—	—	380 lbs. 45.2
	• Rim and base molding on front and sides of model • Center 2 doors lock • Unit features 3 standard adjustable shelves • Unit features a functional, non-locking drawer • Cutouts in back panel for venting • Grommet (G1C) available • Inside dimension of center storage section is 19¼" deep x 33¼" wide x 25¼" high • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish






SAMPLE MODEL NUMBERS:

ECN2273CSFW2 79SN KRB CL
ECN2271CSFW2C 79SN KRB CL

- See page 65 for all options available in Escalade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE CREDENZA 	QEEN2273CSFW2	\$ 6027	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2273CSFW2	6027	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2267CSFW2	5627	22 $\frac{1}{4}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	329 lbs.	34.9
	• Storage credenza features a standard adjustable shelf • Standard center drawer, non-locking • Rim and base molding detail on 3 sides of unit • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
STORAGE CREDENZA GANGING 	ECN2271CSFW2C	\$ 6027	22 $\frac{1}{4}$	70 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2265CSFW2C	5627	22 $\frac{1}{4}$	64 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	329 lbs.	34.9
	• Storage credenza features a standard adjustable shelf • Standard center drawer, non-locking • Rim and base molding detail on front edge only to allow for ganging • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
LATERAL FILE CREDENZA 	ECN2273CFFW	\$ 6299	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	334 lbs.	37.8
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Rim and base molding on 3 sides of unit • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
LATERAL FILE CREDENZA GANGING 	ECN2271CFFWC	\$ 6299	22 $\frac{1}{4}$	70 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	334 lbs.	37.8
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Rim and base molding detail on front edge only to allow for ganging • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
KNEESPACE CREDENZA 	QEEN2273CKFW2	\$ 5358	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	234 lbs.	37.8
	ECN2273CKFW2	5358	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	234 lbs.	37.8
	ECN2267CKFW2	5040	22 $\frac{1}{4}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	28 $\frac{3}{16}$	223 lbs.	34.9
	ECN2261CKFW2	4714	22 $\frac{1}{4}$	60 $\frac{1}{8}$	29 $\frac{1}{2}$	—	27 $\frac{7}{8}$	215 lbs.	31.0
	• Rim and base molding on 3 sides of unit • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples


TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:


ECN2272CLFW1C 79SN G1LR KRB CL
 • See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
KNEESPACE CREDENZA GANGING	ECN2271CKFW2C	\$ 5358	22¼	70½	29½	—	34¾	234 lbs.	37.8
	ECN2265CKFW2C	5040	22¼	64½	29½	—	28¾	223 lbs.	34.9
	ECN2259CKFW2C	4714	22¼	58½	29½	—	27¾	215 lbs.	31.0



- Rim and base molding on front and inside kneespace only to allow for ganging
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
ECN2273CLFW1	ECN2273CRFW1	\$ 4420	22¼	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW1	ECN2267CRFW1	4355	22¼	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
ECN2273CLFFW1	ECN2273CRFFW1	\$ 4420	22¼	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW1	ECN2267CRFFW1	4355	22¼	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW1	ECN2261CRFFW1	4269	22¼	60¾	29½	—	38	175 lbs.	30.0

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
ECN2272CLFW1C	ECN2272CRFW1C	\$ 4420	22¼	71½	29½	—	27¾	195 lbs.	37.8
ECN2266CLFW1C	ECN2266CRFW1C	4355	22¼	65½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish


SAMPLE MODEL NUMBER:

ECN2266CLFW2C 79SN X KRB CL


- See page 65 for all options available in Escalade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
 Right shown	QECN2273CLFW2	QECN2273CRFW2	\$ 4420	22¼	72½	29½	—	27¼	195 lbs.	37.8
	ECN2273CLFW2	ECN2273CRFW2	4420	22¼	72½	29½	—	27¼	195 lbs.	37.8
	ECN2267CLFW2	ECN2267CRFW2	4355	22¼	66½	29½	—	21¾	184 lbs.	34.9
	• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on 3 sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									


FREESTANDING SINGLE PEDESTAL CREDENZA FILE/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFFW2	ECN2273CRFFW2	\$ 4420	22¼	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW2	ECN2267CRFFW2	4355	22¼	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW2	ECN2261CRFFW2	4269	22¼	60½	29½	—	38	175 lbs.	30.0
• Rim and base molding detail on 3 sides of unit • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components									


SINGLE PEDESTAL CREDENZA FILE/FILE GANGING



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2272CLFW2C	ECN2272CRFW2C	\$	4420	22¼	71½	29½	—	27¼	195 lbs.	37.8
ECN2266CLFW2C	ECN2266CRFW2C		4355	22¼	65½	29½	—	21¼	184 lbs.	34.9
• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on 2 sides of unit to allow for ganging • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

SINGLE PEDESTAL CREDENZA LATERAL FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFW6	ECN2273CRFW6	\$ 5176	22¼	72½	29½	—	9¼	235 lbs.	37.8
ECN2267CLFW6	ECN2267CRFW6	4817	22¼	66½	29½	—	3¼	224 lbs.	34.9
• Not recommended as a freestanding unit due to routing in the rim • Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Rim and base molding detail on 3 sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples

TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

ECN2273CLFW10 79SN X KRB CL
ECN2272CLFW10C 79SN X KRB CW

- See page 65 for all options available in Escalade


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE	LEFT PEDESTAL								
	ECN2273CLFFW6 ECN2273CRFFW6	\$ 5176	22¼	72½	29½	—	32⅞	235 lbs.	37.8
	ECN2267CLFFW6 ECN2267CRFFW6	4817	22¼	66½	29½	—	26⅞	224 lbs.	34.9



Right shown

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA LATERAL FILE GANGING




Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2272CLFW6C	ECN2272CRFW6C	\$	5176	22¼	71½	29½	—	9¾	235 lbs.	37.8
ECN2266CLFW6C	ECN2266CRFW6C		4817	22¼	65½	29½	—	3¾	224 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA MULTI-FILE




Right shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2273CLFW10	ECN2273CRFW10	\$	5420	22¼	72½	29%	—	9¾	235 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE




Right shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2273CLFFW10	ECN2273CRFFW10	\$	5420	22¼	72½	29%	—	32⅞	235 lbs.	37.8

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA MULTI-FILE GANGING



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2272CLFW10C	ECN2272CRFW10C	\$	5420	22¼	71½	29½	—	9¾	235 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ESCALADE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN8450HBHPW 79SN KRB MH

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
HIGHBACK ORGANIZER  	WOOD DOORS										
	ECN8450HBHPW	\$ 5963	15½	83¾	50⅞	—	—	250 lbs.	55.0		
	ECN7850HBHPW	5733	15½	77¾	50⅞	—	—	225 lbs.	50.0		
	QECN7250HBHPW	5516	15½	72	50⅞	—	—	200 lbs.	41.7		
	ECN7250HBHPW	5516	15½	72	50⅞	—	—	200 lbs.	41.7		
	ECN6650HBHPW	5303	15½	66	50⅞	—	—	180 lbs.	38.5		
	ECN6050HBHPW	5093	15½	60	50⅞	—	—	170 lbs.	35.0		
	GLASS DOORS										
	ECN8450HBHPGW	\$ 6225	15½	83¾	50⅞	—	—	250 lbs.	55.0		
	ECN7850HBHPGW	5986	15½	77¾	50⅞	—	—	225 lbs.	50.0		
	ECN7250HBHPGW	5757	15½	72	50⅞	—	—	200 lbs.	41.7		
	ECN6650HBHPGW	5538	15½	66	50⅞	—	—	180 lbs.	38.5		
	ECN6050HBHPGW	5363	15½	60	50⅞	—	—	170 lbs.	35.0		
• Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management • Under shelf clearance is 20¼ • Center 2 doors lock • For tack board models, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
SMALL OFFICE HIGHBACK ORGANIZER 	ECN8442HBHPGW	\$ 5053	15½	83¾	41⅞	—	—	245 lbs.	53.0		
	ECN7842HBHPGW	4857	15½	77¾	41⅞	—	—	220 lbs.	48.0		
	ECN7242HBHPGW	4673	15½	72	41⅞	—	—	190 lbs.	35.9		
	ECN6642HBHPGW	4468	15½	66	41⅞	—	—	170 lbs.	32.1		
	ECN6042HBHPGW	4293	15½	60	41⅞	—	—	165 lbs.	30.0		
	• Unit features (2) side hinged doors, full back panel with a grommet for cord management • 84"/78" models feature a divider panel in the center of the open shelves • Center shelf is fixed; upper shelf is adjustable • Small office highback organizer cannot be used in a ganging application • Under door clearance is 12⅞ • Under shelf clearance is 20¼ • Both doors lock • For tack board models, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
OVERHEAD CABINET WALL MOUNT  	WOOD DOORS										
	QECN7230SOHMMW	\$ 5171	15½	72	29⅞	—	—	150 lbs.	25.1		
	ECN7230SOHMMW	5171	15½	72	29⅞	—	—	150 lbs.	25.1		
	ECN6630SOHMMW	4968	15½	66	29⅞	—	—	140 lbs.	23.2		
	GLASS DOORS										
	ECN7230SOHMGW	\$ 5411	15½	72	29⅞	—	—	150 lbs.	25.1		
	ECN6630SOHMGW	5207	15½	66	29⅞	—	—	140 lbs.	23.2		
	• Wall mount cabinets must be secured by a minimum of 2 solid attachment points on a load bearing wall • Wall mount bracket is included with unit • Center 2 doors lock • For tack board models, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN38PFHW 79SN KRB CW

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE 2 DRAWER 	QECN2238LFF2W	\$ 3642	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	155 lbs.	17.8
	ECN2238LFF2W	3642	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	155 lbs.	17.8
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE 3 DRAWER 	ECN2238LFF3W	\$ 4584	22 $\frac{3}{4}$	38 $\frac{3}{16}$	41 $\frac{13}{16}$	—	—	265 lbs.	30.0
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE 4 DRAWER 	ECN2238LFF4W	\$ 5527	22 $\frac{3}{4}$	38 $\frac{3}{16}$	54 $\frac{1}{2}$	—	—	265 lbs.	32.9
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
DOUBLE DOOR UNIT 	ECN2238PFHW	\$ 3443	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	140 lbs.	17.8
	• Unit features a single adjustable shelf • Unit features a functional, non-locking drawer • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
ENTERTAINMENT CABINET 	ECN3879VVHW Wood	\$ 7856	23 $\frac{7}{16}$	38 $\frac{3}{16}$	78 $\frac{1}{2}$	—	—	340 lbs.	48.9
	• Unit features 170° hinges on top 2 doors • Back of unit has standard grommets for cord management and for ventilation • Unit features an adjustable shelf in both the upper and lower sections • Interior dimensions for upper section 20$\frac{13}{16}$" D, 34$\frac{1}{4}$" W, 47$\frac{1}{2}$" H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
ENTERTAINMENT CABINET GANGING 	ECN3879VVHWC	\$ 7856	23 $\frac{7}{16}$	38 $\frac{3}{16}$	78 $\frac{1}{2}$	—	—	340 lbs.	48.9
	• For use with side open bookcase - ganging only • Unit features 170° hinges on top 2 doors • Back of unit has standard grommets for cord management and for ventilation • Unit features an adjustable shelf in both the upper and lower sections • Interior dimensions for upper section 20$\frac{13}{16}$" D, 34$\frac{1}{4}$" W, 47$\frac{1}{2}$" H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

ESCALADE

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN3871BCOFW CW

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT	RIGHT	D	W	H	A	KW		
SIDE BOOKCASE - OPEN GANGING 	ECN2071BCOLWC	ECN2071BCORWC	\$ 2618	15¼	19½	70⅝	—	—	155 lbs. 17.7
	• For use with entertainment cabinet - ganging only • Shaded shelves are adjustable • Specify finish only								
	Left shown								
DOUBLE WARDROBE 	ECN3879VHHW		\$ 7304	23⅞	38⅞	78½	—	—	340 lbs. 48.9
	• Shaded shelves are adjustable • Removable coat rod is standard, positioned on left side of wardrobe • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
STORAGE - FILE/FILE CABINET GANGING 	ECN2071VHL2WC	ECN2071VHR2WC	\$ 4738	23⅞	20⅞	70⅝	—	—	200 lbs. 23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	Right shown								
WARDROBE/STORAGE CABINET GANGING 	ECN2071VSWHLWC	ECN2071VSWHRWC	\$ 4578	23⅞	20⅞	70⅝	—	—	175 lbs. 23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Removable coat rod is standard • Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	Right shown								
BOOKCASE - OPEN 	QECN3871BCOFW		\$ 3781	15¼	38⅞	70⅝	—	—	190 lbs. 31.3
	ECN3871BCOFW		3781	15¼	38⅞	70⅝	—	—	190 lbs. 31.3
	ECN3857BCOFW		3410	15¼	38⅞	57⅝	—	—	150 lbs. 25.4
	• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • 58" bookcase has 2 adjustable shelves and a finished top panel • Specify finish only								

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 73 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Locking
- Finish

SAMPLE MODEL NUMBER:

ECN3871BCOHFW 79SN KRB MH

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT	RIGHT	D	W	H				
BOOKCASE - OPEN GANGING  Left shown	ECN3771BCOLWC	ECN3771BCORWC	\$ 3781	15½	37½	70½	—	190 lbs.	31.3
	ECN3757BCOLWC	ECN3757BCORWC	3410	15½	37½	57½	—	150 lbs.	25.4
	- Shaded shelves are adjustable - User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase - Cornice and base detail on 2 sides of unit 58" bookcase has 2 adjustable shelves and a finished top panel - Specify finish only								
BOOKCASE - STORAGE 	ECN3871BCOHFW		\$ 4535	15½	38½	70½	—	210 lbs.	31.3
	ECN3857BCOHFW		4215	15½	38½	57½	—	170 lbs.	25.4
	- Shaded shelves are adjustable - Bookcase has an unfinished back - Cornice and base detail on 3 sides of unit 58" bookcase has 1 adjustable shelf and a finished top panel - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
BOOKCASE - STORAGE GANGING  Left shown	ECN3771BCOHFLWC	ECN3771BCOHFRWC	\$ 4535	15½	37½	70½	—	210 lbs.	31.3
	ECN3757BCOHFLWC	ECN3757BCOHFRWC	4215	15½	37½	57½	—	170 lbs.	25.4
	- Shaded shelves are adjustable - User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase - Cornice and base detail on 2 sides of unit 58" bookcase has 1 adjustable shelf and a finished top panel - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
BOOKCASE - SET ON  	WOOD DOORS								
	QECN3750BCHW		\$ 4308	15½	37½	50½	—	130 lbs.	22.5
	ECN3750BCHW		4308	15½	37½	50½	—	130 lbs.	22.5
	GLASS DOORS								
DOUBLE BOOKCASE - SET ON GLASS DOORS 	ECN3750BCHGW		\$ 4496	15½	37½	50½	—	130 lbs.	22.5
	- Shaded shelves are adjustable - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	ECN7250BCHGW		\$ 7856	15½	72	50½	—	260 lbs.	41.7
	ECN6650BCHGW		7564	15½	66	50½	—	250 lbs.	38.5
	- Shaded shelves are adjustable - Center doors lock - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

ESCALADE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

ECN2040MGW MH
NAC3639VBL TF

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MOBILE UTILITY CART 	ECN2238MUCW	Wood	\$ 3503	22¾	38⅞	35⅛	—	—	145 lbs.	24.7
	• Can function as a service cart, overhead projector stand or TV cabinet • Unit features a single adjustable shelf • 4 dual wheel non-locking casters are standard • Grommet (G1C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
MAGAZINE TABLE 	QECN2040MGW		\$ 2190	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW		2190	19¾	39¾	18	—	—	70 lbs.	4.3
END TABLE 	QECN2424ENW		\$ 2055	23⅜	23⅜	24	—	—	40 lbs.	3.9
	ECN2424ENW		2055	23⅜	23⅜	24	—	—	40 lbs.	3.9
CONSOLE TABLE 	ECN1948CSW		\$ 2447	18⅞	48	28½	—	—	40 lbs.	4.9
	• Rim detail on 3 sides of unit									
VISUAL BOARD TOP 	ECN0637CPCFW		\$ 780	5¾	37⅞	3⅛	—	—	35 lbs.	1.1
	ECN0643CPCFW		901	5¾	43⅞	3⅛	—	—	40 lbs.	1.3
				• ECN0637CPCFW fits on top of NAC3639VBW • ECN0643CPCFW fits on top of NAC4239VBW						
VISUAL BOARD 	WOOD									
	NAC3639VBW	36"	\$ 2829	4⅞	35⅞	39⅛	—	—	65 lbs.	5.9
	NAC4239VBW	42"	3643	4⅞	41⅞	39⅛	—	—	82 lbs.	7.1
	LAMINATE									
	NAC3639VBL	36"	\$ 2335	4⅞	35⅞	39⅛	—	—	65 lbs.	5.9
	NAC4239VBL	42"	2707	4⅞	41⅞	39⅛	—	—	82 lbs.	7.1
				• All installation hardware included • Frame of visual board is black • Tackable black textile covers inside door panels • A set of 4 dry erase markers and an eraser are standard • Marker board is not magnetic • Doors only open to 165°, not flat						

PRODUCT SPECIFICATIONS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

ECN1733KDFW TF

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
KEYBOARD DRAWER 	QECN1733KDFW	\$ 674	16 ²⁵ / ₃₂	33 ³ / ₈	3 ³ / ₁₆	—	—	20 lbs.	2.1
	ECN1733KDFW	674	16 ²⁵ / ₃₂	33 ³ / ₈	3 ³ / ₁₆	—	—	20 lbs.	2.1
	• Use on 72" double pedestal desk, 72" kneespace credenza, and bridge • When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK • Specify finish only								
CENTER DRAWER 	QECN1733CDW	\$ 557	16 ²⁵ / ₃₂	33 ³ / ₈	2 ¹ / ₂	—	—	20 lbs.	2.1
	ECN1733CDW	557	16 ²⁵ / ₃₂	33 ³ / ₈	2 ¹ / ₂	—	—	20 lbs.	2.1
	QECN1727CDW	528	16 ²⁵ / ₃₂	27 ¹ / ₁₆	2 ¹ / ₂	—	—	15 lbs.	1.9
	ECN1727CDW	528	16 ²⁵ / ₃₂	27 ¹ / ₁₆	2 ¹ / ₂	—	—	15 lbs.	1.9
	ECN1724CDW	518	16 ²⁵ / ₃₂	24	2 ¹ / ₂	—	—	13 lbs.	1.0
	• Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza • Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk • Use ECN1724CDW on 30" x 66" single pedestal desk • When using a wood center drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK • Specify finish only								
KEYBOARD/DRAWER MOUNTING KIT 	NAC0802KMK	\$ 103	8	2	3/4	—	—	3 lbs.	0.3
	• Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit • Specify model number only								

ESCALADE

PRODUCT SPECIFICATIONS




- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Grommet Option
- Locking
- Finish

SAMPLE MODEL NUMBER:

- ECN2271CKFW2C 79SN G1LR KRB TF
- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
WALL UNIT GANGING 	GANGING WALL UNIT	\$20,271							
	ECN2271CKFW2C Kneespace Cred.—Ganging	5358	22¼	72½	29½	—	—	234 lbs.	37.8
	ECN2071VSWHLWC Wardrobe Right—Ganging	4578	23¾	20¾	70¼	—	—	175 lbs.	23.8
	ECN2071VSWHRWC Wardrobe Left—Ganging	4578	23¾	20¾	70¼	—	—	175 lbs.	23.8
	ECN7250HBHPGW Highback Organizer—Glass Doors	5757	15½	72	29¾	—	—	200 lbs.	41.7
EXECUTIVE UNIT GANGING 	GANGING EXECUTIVE UNIT	\$21,387							
	ECN3673DLFBW1 Single Pedestal Desk	5264	36¼	72½	29½	—	49¼	311 lbs.	57.4
	ECN2548BEFW 48" Bridge	1794	24¼	48¼	29½	—	48¼	85 lbs.	3.4
	ECN2272CRFW1C Single Ped. Cred.—Ganging	4420	22¼	71½	29½	—	49¼	195 lbs.	37.8
	ECN7230SOHWW Wall Mount Cabinet—Wood Doors	5171	15½	72	29¾	—	—	150 lbs.	25.1
	ECN2071VHR2WC Storage Cabinet—Ganging	4738	23¾	20¾	70¼	—	—	200 lbs.	23.8
ENTERTAINMENT WALL UNIT GANGING 	GANGING ENTERTAINMENT WALL UNIT	\$13,092							
	ECN3879VVHWC TV/VCR Cabinet—Ganging	7856	23¾	38¾	78½	—	—	340 lbs.	48.9
	ECN2071BCORWC Open Bookcase—Ganging	2618	15¼	19½	70¼	—	—	155 lbs.	17.7
	ECN2071BCOLWC Open Bookcase—Ganging	2618	15¼	19½	70¼	—	—	155 lbs.	17.7

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish


SAMPLE MODEL NUMBER:

ECN30RD G10C MH

- See page 65 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TABLE TOP 	30" ROUND	1$\frac{1}{16}$" TOP THICKNESS		DI	H					
	ECN30RDW	Wood	\$ 2165	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" ROUND									
	ECN36RDW	Wood	\$ 2550	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	42" ROUND									
	ECN42RDW	Wood	\$ 2873	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	74 lbs.	4.0
	48" ROUND									
	ECN48RDW	Wood	\$ 3529	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	94 lbs.	5.1

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SQUARE TABLE TOP 	30" SQUARE	1$\frac{1}{16}$" TOP THICKNESS								
	ECN3030SQW	Wood	\$ 2165	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" SQUARE									
	ECN3636SQW	Wood	\$ 2550	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	42" SQUARE									
	ECN4242SQW	Wood	\$ 2873	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
	48" SQUARE									
	ECN4848SQW	Wood	\$ 3529	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

RENEGADE

Product Specifications	86
Product Options	87
Drawer Specifications	89
Grommet and Grommet Cutout Location Options	90
Thought Starters	91
L Arrangements	93
U Arrangements	95
Product Pages	97

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are 1½" TFL (thermally fused laminate) or 1¾" HPL (high pressure laminate)
- Worksurfaces feature a 3mm softened vinyl rim that matches the worksurface laminate
- Grain direction runs left-to-right unless noted (assembled bridges and returns woodgrain runs front-to-back)

CHASSIS CONSTRUCTION

- TFL (thermally fused laminate) chassis fastened by screws, quick assembly fasteners and hardwood cleats
- ¾" thick full modesty panels
- 1½" thick end panels
- Standard leveling glides
- Vertical grain direction unless noted (any modesty of 60" wide or wider will have horizontal grain direction)
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Shell based units will be shipped unassembled, units are shipped with quick assembly fasteners for easy assembly in the field
- Shell chassis available in worksurface and box/file heights
- Back panels are fully finished unless noted

LINKABLE SHELLS AND FREESTANDING SHELLS

- Freestanding shells have 2 full end panels; pedestals can be added
- Freestanding shells can also be attached to a return or linkable shell to create a size or shape to fit your workspace
- Linkable shells come with either 1 full end panel and 1 narrow end panel or 2 narrow end panels
- Linkable shells with 1 full end panel and 1 narrow end panel allow you to attach additional linkables to the narrow end panel side and run the length you need to fit your workspace
- Linkable shells with 2 narrow panels allow you to attach to both ends of your linkable shell and run the length you need to fit your workspace
- Support panels are required for any worksurface span over 48" that is not supported
- All shells are shipped KD (knock down)

HIGHBACK ORGANIZERS, WALL MOUNTS AND SET-ON BOOKCASE DOORS

- Laminate, frosted resin or no doors
- Resin doors have aluminum frames available in Cinder or Platinum Metallic
- Resin is ½" thick, 1-sided

PEDESTALS

- Full, 3-quarter lower height and mobile pedestal options
- Mobile pedestals available with and without cushion
- Standard wire management on pedestal ends allow for routing wires

DRAWERS


- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 89

DRAWER PULLS

- 3 pull styles: Integrated, Level and Beam
- Level and Beam pulls available in Cinder, Concrete, Iron and Platinum Metallic

DRAWER SUSPENSIONS

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensure long lasting operation



FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 89 for complete filing details

CORD MANAGEMENT

- Round black grommets are optional in worksurface and end panels
- Standard in highback organizers
- When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells
- Grommet cutouts are available in worksurface for power option that is ordered separately
- Refer to page 90 for grommet locations

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you are done

CUSTOMER SPECIFIED LAMINATE

- Cannot use CSL (customer specified laminate) due to rim profile

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WORKSURFACE LAMINATE

WOODGRAIN LAMINATE

793	Acorn	KN	Kona
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CL	Caramel	PB	Portobello
CI	Chai	792	Sable
CW	Cordovan	SK	Skyline
HN2	Honey 2	TF	Truffle
DW	Judicial	WL	Willow

• CSL not available

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
419	Wallaby

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CHASSIS LAMINATE

WOODGRAIN LAMINATE

793	Acorn	YO	Monterey
AD	Almond	NM	Natural
ADH	Almond Horizontal	PC	Porcini
MC	Amber	PT	Portico
AC2	Autumn 2	PTH	Portico Horizontal
BZ	Brazilwood	PB	Portobello
IM	Brighton	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CW	Cordovan	SK	Skyline
HN2	Honey 2	SKH	Skyline Horizontal
DW	Judicial	TF	Truffle
KN	Kona	WL	Willow
MH	Mocha		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
419	Wallaby


GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

METAL COLORS


462	Cinder
501	Platinum Metallic

RIM PROFILE




Softened Vinyl

PULL OPTIONS




Integrated (86)



Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic (Boring Pattern 128mm)



Level (88)

88MB	Cinder
88CC	Concrete
88IR	Iron
88PL	Platinum Metallic (Boring Pattern 128mm)

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

GROMMET AND CUTOUT OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Worksurface Grommet, Black Plastic

\$41 list for each grommet

- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1A Left, Right & Center

• Reference page 90 for grommet locations



Round End Panel Grommet, Black Plastic

\$41 list for each grommet


- GE1L Left
- GE1R Right
- GE1LR Left & Right



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G17L Left
- CUT-G17R Right
- CUT-G17LR Left & Right
- CUT-G17C Center
- CUT-G17A All



• Reference page 90 for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 388 pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 388 pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 388 pricing and details

NOTE: Interlink IQ units are available in the Accessories section



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

- Pull: Integrated pull (86)
- Grommets: Returns, bridges and kneespace credenzas have center grommets on worksurface. Storage and single pedestal credenzas will have left and right grommets on worksurface.
- Locking: Random black cores
- Finish: Specify MC, CW or 478 as worksurface/chassis combinations

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desks	Box	11 ¹⁵ / ₁₆ "	17"	2"	Letter filing front-to-back or side-to-side
All double and single pedestals, all sizes	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Returns	Box	11 ¹⁵ / ₁₆ "	17"	2"	Letter filing front-to-back or side-to-side
All returns	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Credenzas	Box	14 ¹⁵ / ₁₆ "	17"	2"	Letter, legal and EDP side-to-side filing
All double and single pedestals, all sizes	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Single pedestal lateral file credenza	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral Files	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet	Box	14 ¹⁵ / ₁₆ "	17"	2"	Letter, legal and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Component Pedestals	Box	14 ¹⁵ / ₁₆ "	17"	2"	Letter, legal and EDP side-to-side filing
20 x 18, 23 x 18, 29 x 18	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Component Pedestals	Box	11 ¹⁵ / ₁₆ "	17"	2"	Letter filing front-to-back or side-to-side
20 x 15, 23 x 15, 29 x 15	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Mobile Pedestals	Box	11 ¹⁵ / ₁₆ "	17"	2"	Letter filing front-to-back or side-to-side
23 x 15	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side


GROMMET AND GROMMET CUTOUT LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 88 for grommet options.


Grommets are also available for field installation; see page 88.

- If specifying a grommet in the center location of a shell unit, be sure there is clearance under the grommet opening so as not to conflict with undersurface components. $\frac{7}{8}$ " clearance required on TFL tops and $\frac{13}{16}$ " clearance required on HPL tops.
- When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells.
- Half-moon grommet is centered at top of modesty panel.

End panel grommet location:



Desk




Credenzas, Shells and Returns


Worksurface grommet locations:

Excluding the J-Desk, distance to the center of the grommet is the same for the G1 round grommet or the CUT-G17 option.


Excluding the J-Desk, the same locations are available for the round grommet and the cutout option.




Arc Desks




30" and 36" Desks




Corner Units




P-Desk (left desk shown)




U-Desk




J-Desk (right desk shown)



Corner Extended Unit (right unit shown)



Credenzas, Bridges, Shells, Linkable Shells and Returns




Round Grommet

• Configurations feature 1 size only; additional sizes available


Create "L" Unit - then add
undersurface pedestals or support
panels as needed




75N3072DSFL - Shell Freestanding



75N3072DSFL - Shell Freestanding
75N2448RSRL - Return Shell



75N3072DSFL - Shell Freestanding
75N2448RSRL - Return Shell
75N1228SSL - Support Panel




• Configurations feature 1 size only; additional sizes available


Create "U" Unit - then add
undersurface pedestals or support
panels as needed




75N3072DSFL - Shell Freestanding



75N3072DSFL - Shell Freestanding
75N2448BSFJL - Linkable Shell




75N3072DSFL - Shell Freestanding
75N2448BSFJL - Linkable Shell
75N2472CSHF29L - Shell Freestanding




• Configurations feature 1 size only; additional sizes available


Create Extended Corner "L" Unit
with Linkable - then add
undersurface pedestals or support
panels as needed



75N3672CFEL2L - Extended Corner



75N3672CFEL2L - Extended Corner
75N2472RSRFJL - Linkable Shell




RENEGADE LINKABLES - THOUGHT STARTERS

• Configurations feature 1 size only; additional sizes available

Create "L" Unit with Overlapping Surfaces - then add undersurface pedestals or support panels as needed




75N2472CSHF22L - Box/File Height Freestanding Shell



75N2472CSHF22L - Box/File Height Freestanding Shell

75N2472CSHHL29L - Freestanding Shell with Box/File Height End Panel




• Configurations feature 1 size only; additional sizes available

Create "L" Unit with Overlapping U-Shaped Desk Worksurface - then add undersurface pedestals or support panels as needed




75N2472CSHF22L - Box/File Height Freestanding Shell



75N2472CSHF22L - Box/File Height Freestanding Shell

75N3672DUHL - U-Shaped Desk with Box/File Height End Panel



Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL 	Q75N8572LLFL 84%D x 72W	\$ 3720
	75N8572LLFL 84%D x 72W	\$ 3720
	consists of	
	75N3672DRF1L Right Pedestal Desk	2130
	75N2448RLF2L Left Pedestal Return	1590
	Q75N7972LLFL 78%D x 72W	\$ 3655
	75N7972LLFL 78%D x 72W	\$ 3655
	consists of	
	75N3672DRF1L Right Pedestal Desk	2130
	75N2442RLF2L Left Pedestal Return	1525
	75N7966LLFL 78%D x 66W	\$ 3654
	consists of	
	75N3066DRF1L Right Pedestal Desk	2064
	75N2448RLF2L Left Pedestal Return	1590
	75N7366LLFL 72%D x 66W	\$ 3589
	consists of	
	75N3066DRF1L Right Pedestal Desk	2064
	75N2442RLF2L Left Pedestal Return	1525

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL 	Q75N8572LRFL 84%D x 72W	\$ 3720
	75N8572LRFL 84%D x 72W	\$ 3720
	consists of	
	75N3672DLF1L Left Pedestal Desk	2130
	75N2448RRF2L Right Pedestal Return	1590
	Q75N7972LRFL 78%D x 72W	\$ 3655
	75N7972LRFL 78%D x 72W	\$ 3655
	consists of	
	75N3672DLF1L Left Pedestal Desk	2130
	75N2442RRF2L Right Pedestal Return	1525
	75N7966LRFL 78%D x 66W	\$ 3654
	consists of	
	75N3066DLF1L Left Pedestal Desk	2064
	75N2448RRF2L Right Pedestal Return	1590
	75N7366LRFL 72%D x 66W	\$ 3589
	consists of	
	75N3066DLF1L Left Pedestal Desk	2064
	75N2442RRF2L Right Pedestal Return	1525

RENEGADE L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT L-CONFIGURATION ¾ PEDESTAL 	Q75N8572LLYL 84%D x 72W	\$ 3211
	75N8572LLYL 84%D x 72W	\$ 3211
	consists of	
	75N3672DRY3L Right Pedestal Desk	1833
	75N2448RLY3L Left Pedestal Return	1378
	Q75N7972LLYL 78%D x 72W	\$ 3143
	75N7972LLYL 78%D x 72W	\$ 3143
	consists of	
	75N3672DRY3L Right Pedestal Desk	1833
	75N2442RLY3L Left Pedestal Return	1310
	75N7966LLYL 78%D x 66W	\$ 2962
	consists of	
	75N3066DRY3L Right Pedestal Desk	1584
	75N2448RLY3L Left Pedestal Return	1378
	75N7366LLYL 72%D x 66W	\$ 2894
	consists of	
	75N3066DRY3L Right Pedestal Desk	1584
	75N2442RLY3L Left Pedestal Return	1310

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
RIGHT L-CONFIGURATION ¾ PEDESTAL 	Q75N8572LRYL 84%D x 72W	\$ 3211
	75N8572LRYL 84%D x 72W	\$ 3211
	consists of	
	75N3672DLY3L Left Pedestal Desk	1833
	75N2448RRY3L Right Pedestal Return	1378
	Q75N7972LRYL 78%D x 72W	\$ 3143
	75N7972LRYL 78%D x 72W	\$ 3143
	consists of	
	75N3672DLY3L Left Pedestal Desk	1833
	75N2442RRY3L Right Pedestal Return	1310
	75N7966LRYL 78%D x 66W	\$ 2962
	consists of	
	75N3066DLY3L Left Pedestal Desk	1584
	75N2448RRY3L Right Pedestal Return	1378
	75N7366LRYL 72%D x 66W	\$ 2894
	consists of	
	75N3066DLY3L Left Pedestal Desk	1584
	75N2442RRY3L Right Pedestal Return	1310

L-CONFIGURATION	MODEL NO./DESCRIPTION	LIST PRICE
U-SHAPED DESK WITH BOX/FILE HEIGHT CREDENZA 	75N11072LHL 110D x 71 1/4W	\$ 4244
	consists of	
	75N3072DUHL U Desk w/B/F Panel	1113
	75N24110CSHF22L Credenza	1521
	75N233622PUBL B/F Pedestal	1316
	NAC0428SFRNB Support Base	294
	• Unit can be assembled in left or right configuration	

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL 	Q75N10972ULFL 108%D x 72W	\$ 5088	RIGHT U-CONFIGURATION FULL PEDESTAL 	Q75N10972URFL 108%D x 72W	\$ 5088
	75N10972ULFL 108%D x 72W	\$ 5088		75N10972URFL 108%D x 72W	\$ 5088
	consists of			consists of	
	75N3672DRF1L Right Pedestal Desk	2130		75N3672DLF1L Left Pedestal Desk	2130
	75N2448BEFL Bridge	746		75N2448BEFL Bridge	746
	75N2472CLF2L Left Pedestal Credenza	2212		75N2472CRF2L Right Pedestal Credenza	2212
	Q75N10372ULFL 102%D x 72W	\$ 5033		Q75N10372URFL 102%D x 72W	\$ 5033
	75N10372ULFL 102%D x 72W	\$ 5033		75N10372URFL 102%D x 72W	\$ 5033
	consists of			consists of	
	75N3672DRF1L Right Pedestal Desk	2130		75N3672DLF1L Left Pedestal Desk	2130
	75N2442BEFL Bridge	691		75N2442BEFL Bridge	691
	75N2472CLF2L Left Pedestal Credenza	2212		75N2472CRF2L Right Pedestal Credenza	2212
	75N10366ULFL 102%D x 66W	\$ 4956		75N10366URFL 102%D x 66W	\$ 4956
	consists of			consists of	
	75N3066DRF1L Right Pedestal Desk	2064		75N3066DLF1L Left Pedestal Desk	2064
	75N2448BEFL Bridge	746		75N2448BEFL Bridge	746
	75N2466CLF2L Left Pedestal Credenza	2146		75N2466CRF2L Right Pedestal Credenza	2146
	75N9766ULFL 96%D x 66W	\$ 4901		75N9766URFL 96%D x 66W	\$ 4901
	consists of			consists of	
	75N3066DRF1L Right Pedestal Desk	2064		75N3066DLF1L Left Pedestal Desk	2064
	75N2442BEFL Bridge	691		75N2442BEFL Bridge	691
	75N2466CLF2L Left Pedestal Credenza	2146		75N2466CRF2L Right Pedestal Credenza	2146

RENEGADE U ARRANGEMENTS



Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION ¾ PEDESTAL 	Q75N10972ULYL 108½D x 72W	\$ 4522	RIGHT U-CONFIGURATION ¾ PEDESTAL 	Q75N10972URYL 108½D x 72W	\$ 4522
	75N10972ULYL 108½D x 72W	\$ 4522		75N10972URYL 108½D x 72W	\$ 4522
	consists of			consists of	
	75N3672DRY3L Right Pedestal Desk	1833		75N3672DLY3L Left Pedestal Desk	1833
	75N2448BEFL Bridge	746		75N2448BEFL Bridge	746
	75N2472CLY3L Left Pedestal Credenza	1943		75N2472CRY3L Right Pedestal Credenza	1943
	Q75N10372ULYL 102½D x 72W	\$ 4467		Q75N10372URYL 102½D x 72W	\$ 4467
	75N10372ULYL 102½D x 72W	\$ 4467		75N10372URYL 102½D x 72W	\$ 4467
	consists of			consists of	
	75N3672DRY3L Right Pedestal Desk	1833		75N3672DLY3L Left Pedestal Desk	1833
	75N2442BEFL Bridge	691		75N2442BEFL Bridge	691
	75N2472CLY3L Left Pedestal Credenza	1943		75N2472CRY3L Right Pedestal Credenza	1943
	75N10366ULYL 102½D x 66W	\$ 4216		75N10366URYL 102½D x 66W	\$ 4216
	consists of			consists of	
	75N3066DRY3L Right Pedestal Desk	1584		75N3066DLY3L Left Pedestal Desk	1584
	75N2448BEFL Bridge	746		75N2448BEFL Bridge	746
	75N2466CLY3L Left Pedestal Credenza	1886		75N2466CRY3L Right Pedestal Credenza	1886
	75N9766ULYL 96½D x 66W	\$ 4161		75N9766URYL 96½D x 66W	\$ 4161
	consists of			consists of	
	75N3066DRY3L Right Pedestal Desk	1584		75N3066DLY3L Left Pedestal Desk	1584
	75N2442BEFL Bridge	691		75N2442BEFL Bridge	691
	75N2466CLY3L Left Pedestal Credenza	1886		75N2466CRY3L Right Pedestal Credenza	1886

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N3672DDY3L MC
75N3672DDF8L 86 X X KRB MC MC

- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL	75N3672DDFA8L TFL Top	\$ 3208	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	6 ³ / ₁₆	33 ³ / ₄	317 lbs.	56.3
	75N3672DDFA8P HPL Top	3853	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	33 ³ / ₄	317 lbs.	56.3
• Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side • Top overhangs 6" at center • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL	75N3672DDYA3L TFL Top	\$ 2609	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	6 ³ / ₁₆	33 ³ / ₄	317 lbs.	56.3
	75N3672DDYA3P HPL Top	3134	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	33 ³ / ₄	317 lbs.	56.3
• Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side • Top overhangs 6" at center • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
DOUBLE PEDESTAL DESK FULL PEDESTAL	Q75N3672DDF8L TFL Top	\$ 2789	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	6 ³ / ₁₆	33 ³ / ₄	361 lbs.	56.3
	75N3672DDF8L TFL Top	2789	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	6 ³ / ₁₆	33 ³ / ₄	361 lbs.	56.3
	75N3672DDF8P HPL Top	3350	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	33 ³ / ₄	361 lbs.	56.3
	75N3066DDF8L TFL Top	\$ 2733	30 ³ / ₁₆	66	28 ⁷ / ₈	6 ³ / ₁₆	33 ³ / ₄	285 lbs.	44.4
	75N3066DDF8P HPL Top	3276	30 ³ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	33 ³ / ₄	285 lbs.	44.4
	75N3060DDF8L TFL Top	\$ 2546	30 ³ / ₁₆	60	28 ⁷ / ₈	6 ³ / ₁₆	27 ⁷ / ₁₆	261 lbs.	40.7
	75N3060DDF8P HPL Top	3055	30 ³ / ₁₆	60	28 ¹ / ₁₆	6 ³ / ₁₆	27 ⁷ / ₁₆	261 lbs.	40.7
	• 3672 desk has 30" deep pedestals • 3066 and 3060 desks have 24" deep pedestals • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Grommet
- End Panel Grommet
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBER:

75N3672DDY3L 87PL G1L GE1L KRB MC MC


- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations


DOUBLE PEDESTAL DESK ¾ PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
Q75N3672DDY3L TFL Top	\$ 2191	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	6 $\frac{3}{16}$	33 $\frac{3}{4}$	361 lbs.	56.3
75N3672DDY3L TFL Top	2191	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	6 $\frac{3}{16}$	33 $\frac{3}{4}$	361 lbs.	56.3
75N3672DDY3P HPL Top	2631	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{15}{16}$	6 $\frac{3}{16}$	33 $\frac{3}{4}$	361 lbs.	56.3
75N3066DDY3L TFL Top	\$ 2131	30 $\frac{1}{16}$	66	28 $\frac{7}{8}$	6 $\frac{3}{16}$	33 $\frac{3}{4}$	285 lbs.	44.4
75N3066DDY3P HPL Top	2556	30 $\frac{1}{16}$	66	28 $\frac{15}{16}$	6 $\frac{3}{16}$	33 $\frac{3}{4}$	285 lbs.	44.4
75N3060DDY3L TFL Top	\$ 1951	30 $\frac{1}{16}$	60	28 $\frac{7}{8}$	6 $\frac{3}{16}$	27 $\frac{7}{16}$	261 lbs.	40.7
75N3060DDY3P HPL Top	2336	30 $\frac{1}{16}$	60	28 $\frac{15}{16}$	6 $\frac{3}{16}$	27 $\frac{7}{16}$	261 lbs.	40.7

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL




Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
75N3672DLFA1L	75N3672DRFA1L	TFL Top	\$ 2553	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	6 ³ / ₁₆	51 ¹ / ₂	267 lbs.	56.3
75N3672DLFA1P	75N3672DRFA1P	HPL Top	3066	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹⁵ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	267 lbs.	56.3

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
75N3672DLYA3L	75N3672DRYA3L	TFL Top	\$ 2238	36⅛	71⅛	28⅞	6⅜	51½	267 lbs.	56.3
75N3672DLYA3P	75N3672DRYA3P	HPL Top	2686	36⅛	71⅛	28⅞	6⅜	51½	267 lbs.	56.3

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Grommet
- End Panel Grommet
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N3672DLF1L MC
75N3672DLF1L 87PL G1R GE1R KRB 480 480


- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

SINGLE PEDESTAL DESK FULL PEDESTAL




Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
LEFT PEDESTAL	RIGHT PEDESTAL							
Q75N3672DLF1L	Q75N3672DRF1L TFL Top	\$ 2130	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3672DLF1L	75N3672DRF1L TFL Top	2130	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3672DLF1P	75N3672DRF1P HPL Top	2555	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3066DLF1L	75N3066DRF1L TFL Top	\$ 2064	30 ³ / ₁₆	66	28 ³ / ₁₆	6 ³ / ₁₆	48 ¹ / ₂	245 lbs. 44.4
75N3066DLF1P	75N3066DRF1P HPL Top	2474	30 ³ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	48 ¹ / ₂	245 lbs. 44.4
75N3060DLF1L	75N3060DRF1L TFL Top	\$ 1869	30 ³ / ₁₆	60	28 ³ / ₁₆	6 ³ / ₁₆	42 ¹ / ₁₆	221 lbs. 40.7
75N3060DLF1P	75N3060DRF1P HPL Top	2246	30 ³ / ₁₆	60	28 ¹ / ₁₆	6 ³ / ₁₆	42 ¹ / ₁₆	221 lbs. 40.7
75N3048DLF1L	75N3048DRF1L TFL Top	\$ 1650	30 ³ / ₁₆	48	28 ³ / ₁₆	6 ³ / ₁₆	30 ³ / ₁₆	191 lbs. 29.5
75N3048DLF1P	75N3048DRF1P HPL Top	1978	30 ³ / ₁₆	48	28 ¹ / ₁₆	6 ³ / ₁₆	30 ³ / ₁₆	191 lbs. 29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
LEFT PEDESTAL	RIGHT PEDESTAL							
Q75N3672DLY3L	Q75N3672DRY3L TFL Top	\$ 1833	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3672DLY3L	75N3672DRY3L TFL Top	1833	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3672DLY3P	75N3672DRY3P HPL Top	2195	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	51 ¹ / ₂	311 lbs. 56.3
75N3066DLY3L	75N3066DRY3L TFL Top	\$ 1584	30 ³ / ₁₆	66	28 ³ / ₁₆	6 ³ / ₁₆	48 ¹ / ₂	245 lbs. 44.4
75N3066DLY3P	75N3066DRY3P HPL Top	1900	30 ³ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	48 ¹ / ₂	245 lbs. 44.4
75N3060DLY3L	75N3060DRY3L TFL Top	\$ 1578	30 ³ / ₁₆	60	28 ³ / ₁₆	6 ³ / ₁₆	42 ¹ / ₁₆	221 lbs. 40.7
75N3060DLY3P	75N3060DRY3P HPL Top	1893	30 ³ / ₁₆	60	28 ¹ / ₁₆	6 ³ / ₁₆	42 ¹ / ₁₆	221 lbs. 40.7
75N3048DLY3L	75N3048DRY3L TFL Top	\$ 1417	30 ³ / ₁₆	48	28 ³ / ₁₆	6 ³ / ₁₆	30 ³ / ₁₆	191 lbs. 29.5
75N3048DLY3P	75N3048DRY3P HPL Top	1700	30 ³ / ₁₆	48	28 ¹ / ₁₆	6 ³ / ₁₆	30 ³ / ₁₆	191 lbs. 29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N3672DUL G1L MH MH

- See pages 87-88 for all options available in Renegade

U-SHAPED DESK WORKSURFACE HEIGHT END PANEL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
75N3672DUL TFL Top	\$ 1162	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	135 lbs.	8.7
75N3672DUP HPL Top	1393	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	8.7
75N3072DUL TFL Top	\$ 1113	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	130 lbs.	8.5
75N3072DUP HPL Top	1339	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	8.5
75N3066DUL TFL Top	\$ 1058	30 ¹ / ₁₆	66	28 ⁷ / ₁₆	—	—	100 lbs.	6.3
75N3066DUP HPL Top	1268	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	100 lbs.	6.3
75N3060DUL TFL Top	\$ 1010	30 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	—	95 lbs.	6.3
75N3060DUP HPL Top	1213	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	95 lbs.	6.3
75N2466DUL TFL Top	\$ 936	24	66	28 ⁷ / ₁₆	—	—	95 lbs.	6.3
75N2466DUP HPL Top	1123	24	66	28 ¹ / ₁₆	—	—	95 lbs.	6.3
75N2460DUL TFL Top	\$ 890	24	60	28 ⁷ / ₁₆	—	—	90 lbs.	6.3
75N2460DUP HPL Top	1069	24	60	28 ¹ / ₁₆	—	—	90 lbs.	6.3
75N2448DUL TFL Top	\$ 846	24	48	28 ⁷ / ₁₆	—	—	85 lbs.	6.0
75N2448DUP HPL Top	1012	24	48	28 ¹ / ₁₆	—	—	85 lbs.	6.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 11 for models
- Some assembly required

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

SAMPLE MODEL NUMBER:


75N3672DUFL X MH MH

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
U-SHAPED DESK BOX/FILE HEIGHT END PANEL 	75N3672DUHL TFL Top	\$ 1162	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	135 lbs.	8.7
	75N3672DUHP HPL Top	1393	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	8.7
	75N3072DUHL TFL Top	\$ 1113	30 ³ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	130 lbs.	8.5
	75N3072DUHP HPL Top	1339	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	8.5
	75N3066DUHL TFL Top	\$ 1058	30 ³ / ₁₆	66	28 ⁷ / ₈	—	—	100 lbs.	6.3
	75N3066DUHP HPL Top	1268	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	100 lbs.	6.3
	75N3060DUHL TFL Top	\$ 1010	30 ³ / ₁₆	60	28 ⁷ / ₈	—	—	95 lbs.	6.3
	75N3060DUHP HPL Top	1213	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	95 lbs.	6.3
	75N2466DUHL TFL Top	\$ 936	24	66	28 ⁷ / ₈	—	—	95 lbs.	6.3
	75N2466DUHP HPL Top	1123	24	66	28 ¹ / ₁₆	—	—	95 lbs.	6.3
	75N2460DUHL TFL Top	\$ 890	24	60	28 ⁷ / ₈	—	—	90 lbs.	6.3
	75N2460DUHP HPL Top	1069	24	60	28 ¹ / ₁₆	—	—	90 lbs.	6.3

- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell
- Box/File height end panel is 5¹/₈" H
- Support base must be ordered separately; see page 11 for models
- Some assembly required

**U-SHAPED DESK
WITH MODESTY PANEL**



75N3672DUFL TFL Top	\$ 1382	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	14 ¹ / ₁₆	—	155 lbs.	8.6
75N3672DUFP HPL Top	1661	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	155 lbs.	8.6
75N3066DUFL TFL Top	\$ 1337	30 ³ / ₁₆	66	28 ⁷ / ₈	14 ¹ / ₁₆	—	120 lbs.	6.5
75N3066DUFP HPL Top	1605	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
75N3060DUFL TFL Top	\$ 1268	30 ³ / ₁₆	60	28 ⁷ / ₈	14 ¹ / ₁₆	—	115 lbs.	6.5
75N3060DUFP HPL Top	1525	30 ³ / ₁₆	60	28 ¹ / ₁₆	14 ¹ / ₁₆	—	115 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 11 for models
- Some assembly required

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

- Model Number
- Grommet
- Worksurface Laminate
- Chassis Laminate


SAMPLE MODEL NUMBERS:

75N3072DPLL X 405 MH
75N3072DPLFL G1R 419 MC

- See pages 87-88 for all options available in Renegade


P-SHAPED DESK WORKSURFACE HEIGHT END PANEL	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC			
	LEFT P	RIGHT P		D	W	H	A	KW	WEIGHT	FEET		
 Left shown	75N3072DPLL	75N3072DPRL	TFL Top	\$	1355	30 ³ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	110 lbs.	9.3
	75N3072DPLP	75N3072DPRP	HPL Top		1624	30 ³ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	—	—	110 lbs.	9.3
	75N3066DPLL	75N3066DPRL	TFL Top	\$	1309	30 ³ / ₁₆	66	28 ⁷ / ₁₆	—	—	100 lbs.	8.8
	75N3066DPLP	75N3066DPRP	HPL Top		1570	30 ³ / ₁₆	66	28 ³ / ₁₆	—	—	100 lbs.	8.8
	75N3060DPLL	75N3060DPRL	TFL Top	\$	1254	30 ³ / ₁₆	60	28 ⁷ / ₁₆	—	—	94 lbs.	8.0
	75N3060DPLP	75N3060DPRP	HPL Top		1503	30 ³ / ₁₆	60	28 ³ / ₁₆	—	—	94 lbs.	8.0
	• Not recommended as a freestanding unit • Support base must be ordered separately; see page 11 for models • Some assembly required • Only grommet options (G1R and CUT-G17R) available on left P • Only grommet options (G1L and CUT-G17L) available on right P											

P-SHAPED DESK BOX/FILE HEIGHT END PANEL



LEFT P	RIGHT P									
75N3072DPHLL	75N3072DPHRL	TFL Top	\$	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{16}$	—	—	110 lbs.	9.3
75N3072DPHLP	75N3072DPHRP	HPL Top		30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$	—	—	110 lbs.	9.3
75N3066DPHLL	75N3066DPHRL	TFL Top	\$	30 $\frac{3}{16}$	66	28 $\frac{7}{16}$	—	—	100 lbs.	8.8
75N3066DPHLP	75N3066DPHRP	HPL Top		30 $\frac{3}{16}$	66	28 $\frac{3}{16}$	—	—	100 lbs.	8.8
75N3060DPHLL	75N3060DPHRL	TFL Top	\$	30 $\frac{3}{16}$	60	28 $\frac{7}{16}$	—	—	94 lbs.	8.0
75N3060DPHLP	75N3060DPHRP	HPL Top		30 $\frac{3}{16}$	60	28 $\frac{3}{16}$	—	—	94 lbs.	8.0
- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell - Box/File height end panel is 5$\frac{1}{2}$" H - Support base must be ordered separately; see page 11 for models - Some assembly required - Only grommet options (G1R and CUT-G17R) available on left P - Only grommet options (G1L and CUT-G17L) available on right P										

P-SHAPED DESK WITH MODESTY PANEL



LEFT P	RIGHT P									
75N3072DPLFL	75N3072DPRFL	TFL Top	\$	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{16}$	14 $\frac{1}{16}$	—	130 lbs.	8.8
75N3072DPLFP	75N3072DPRFP	HPL Top		30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$	14 $\frac{1}{16}$	—	130 lbs.	8.8
75N3066DPLFL	75N3066DPRFL	TFL Top	\$	30 $\frac{3}{16}$	66	28 $\frac{7}{16}$	14 $\frac{1}{16}$	—	125 lbs.	8.5
75N3066DPLFP	75N3066DPRFP	HPL Top		30 $\frac{3}{16}$	66	28 $\frac{3}{16}$	14 $\frac{1}{16}$	—	125 lbs.	8.5
75N3060DPLFL	75N3060DPRFL	TFL Top	\$	30 $\frac{3}{16}$	60	28 $\frac{7}{16}$	14 $\frac{1}{16}$	—	115 lbs.	8.0
75N3060DPLFP	75N3060DPRFP	HPL Top		30 $\frac{3}{16}$	60	28 $\frac{3}{16}$	14 $\frac{1}{16}$	—	115 lbs.	8.0
- Not recommended as a freestanding unit - Support base must be ordered separately; see page 11 for models - Some assembly required - Only grommet options (G1R and CUT-G17R) available on left P - Only grommet options (G1L and CUT-G17L) available on right P										

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List



TO ORDER, SPECIFY:

- Model Number
- Grommet
- End Panel Grommet
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBERS:

75N4272DJLEL X 461 MC
75N4242CFS2L G1C TF 462

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
J-SHAPED DESK WORKSURFACE HEIGHT END PANEL  Left shown	LEFT J	RIGHT J			D	W	H	A	KW		
	75N4272DJLEL	75N4272DJREL	TFL Top	\$ 1411	42	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	—	104 lbs.	11.5
	75N4272DJLEP	75N4272DJREP	HPL Top	1691	42	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	—	104 lbs.	11.5
	• Not recommended as a freestanding unit • Support base must be ordered separately; see page 11 for models • Some assembly required • Only grommet options (G1R and CUT-G17R) available on left J • Only grommet options (G1L and CUT-G17L) available on right J • Intended to hook up to a 21" deep unit										
CORNER UNIT 	75N4242CFS2L	TFL Top	\$ 1302	42 ¹ / ₁₆	42 ¹ / ₁₆	28 ⁷ / ₈	—	—	145 lbs.	6.0	
	75N4242CFS2P	HPL Top	1561	42 ¹ / ₁₆	42 ¹ / ₁₆	28 ⁷ / ₈	—	—	145 lbs.	6.0	
	• Intended to hook up to a 24" deep worksurface • Not intended to be used as a freestanding unit • Only grommet options (G1C and CUT-G17C) available • End panel grommets not available • 25¹/₁₆" from point-to-point on user side • Assembly required										
	75N4242CFS1L	TFL Top	\$ 1261	42 ¹ / ₁₆	42 ¹ / ₁₆	28 ⁷ / ₈	—	—	145 lbs.	6.0	
	75N4242CFS1P	HPL Top	1514	42 ¹ / ₁₆	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	—	—	145 lbs.	6.0	
	75N3636CFS1L	TFL Top	\$ 1118	36 ¹ / ₁₆	36 ¹ / ₁₆	28 ⁷ / ₈	—	—	125 lbs.	5.5	
75N3636CFS1P	HPL Top	1343	36 ¹ / ₁₆	36 ¹ / ₁₆	28 ¹⁵ / ₁₆	—	—	125 lbs.	5.5		
• Intended to hook up to a 21" deep worksurface • Not intended to be used as a freestanding unit • Only grommet options (G1C and CUT-G17C) available • End panel grommets not available • 29³/₄" from point-to-point on user side of 4242 • 21¹/₁₆" from point-to-point on user side of 3636 • Assembly required											

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

- Model Number
- Grommet
- End Panel Grommet
- Worksurface Laminate
- Chassis Laminate


SAMPLE MODEL NUMBERS:

75N3666CFEL2P G1A GE1L TF TF
75N3672CFENL2L G1L TF TF

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT EXTENDED	RIGHT EXTENDED		D	W	H	A	KW	WEIGHT	FEET
EXTENDED CORNER UNIT FULL END PANEL/ NARROW END PANEL  Left shown	75N3672CFEL2L	75N3672CFER2L TFL Top	\$ 1553	35 ¹ / ₁₆	72	28 ⁷ / ₈	—	—	165 lbs.	8.0
	75N3672CFEL2P	75N3672CFER2P HPL Top	1859	35 ¹ / ₁₆	72	28 ¹⁵ / ₁₆	—	—	165 lbs.	8.0
	75N3666CFEL2L	75N3666CFER2L TFL Top	\$ 1521	35 ¹ / ₁₆	66	28 ⁷ / ₈	—	—	158 lbs.	7.0
	75N3666CFEL2P	75N3666CFER2P HPL Top	1825	35 ¹ / ₁₆	66	28 ¹⁵ / ₁₆	—	—	158 lbs.	7.0
	- Intended to hook up to a 24" deep worksurface - Not intended to be used as a freestanding unit - End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units - Unit features 1 full end panel on the extended side and 1 narrow support panel on the corner unit side - Unit features undersurface corner shelf for added storage - Assembly required									
	75N3672CFEL1L	75N3672CFER1L TFL Top	\$ 1479	35 ¹ / ₁₆	72	28 ⁷ / ₈	—	—	165 lbs.	8.0
	75N3672CFEL1P	75N3672CFER1P HPL Top	1776	35 ¹ / ₁₆	72	28 ¹⁵ / ₁₆	—	—	165 lbs.	8.0
	75N3666CFEL1L	75N3666CFER1L TFL Top	\$ 1447	35 ¹ / ₁₆	66	28 ⁷ / ₈	—	—	158 lbs.	7.0
	75N3666CFEL1P	75N3666CFER1P HPL Top	1735	35 ¹ / ₁₆	66	28 ¹⁵ / ₁₆	—	—	158 lbs.	7.0
	- Intended to hook up to a 21" deep worksurface - Not intended to be used as a freestanding unit - End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units - Unit features 1 full end panel on the extended side and 1 narrow support panel on the corner unit side - Unit features undersurface corner shelf for added storage - Assembly required									

EXTENDED CORNER UNIT NARROW END PANEL/ NARROW END PANEL



Left shown

	LEFT EXTENDED	RIGHT EXTENDED								
75N3672CFENL2L	75N3672CFENR2L TFL Top	\$ 1502	35 ¹ / ₁₆	72	28 ⁷ / ₈	—	—	165 lbs.	8.0	
75N3672CFENL2P	75N3672CFENR2P HPL Top	1801	35 ¹ / ₁₆	72	28 ¹⁵ / ₁₆	—	—	165 lbs.	8.0	
75N3666CFENL2L	75N3666CFENR2L TFL Top	\$ 1469	35 ¹ / ₁₆	66	28 ⁷ / ₈	—	—	158 lbs.	7.0	
75N3666CFENL2P	75N3666CFENR2P HPL Top	1762	35 ¹ / ₁₆	66	28 ¹⁵ / ₁₆	—	—	158 lbs.	7.0	
- Intended to hook up to a 24" deep worksurface - Not intended to be used as a freestanding unit; must have linkable shell attached to both sides - Unit comes with 2 narrow support panels - End panel grommets not available - Unit features undersurface corner shelf for added storage - Assembly required										
75N3672CFENL1L	75N3672CFENR1L TFL Top	\$ 1460	35 ¹ / ₁₆	72	28 ⁷ / ₈	—	—	165 lbs.	8.0	
75N3672CFENL1P	75N3672CFENR1P HPL Top	1748	35 ¹ / ₁₆	72	28 ¹⁵ / ₁₆	—	—	165 lbs.	8.0	
75N3666CFENL1L	75N3666CFENR1L TFL Top	\$ 1427	35 ¹ / ₁₆	66	28 ⁷ / ₈	—	—	158 lbs.	7.0	
75N3666CFENL1P	75N3666CFENR1P HPL Top	1714	35 ¹ / ₁₆	66	28 ¹⁵ / ₁₆	—	—	158 lbs.	7.0	
- Intended to hook up to a 21" deep worksurface - Not intended to be used as a freestanding unit; must have linkable shell attached to both sides - Unit comes with 2 narrow support panels - End panel grommets not available - Unit features undersurface corner shelf for added storage - Assembly required										

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2573DSTFL X PB PB


- See pages 87-88 for all options available in Renegade

</



- Includes reception counter; counter is 15 $\frac{1}{2}$ " D
- Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available
- End panel grommets not available
- Unit is non handed; can be used left or right to configure as a reception desk L-station or as a desk and credenza on a reception U-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 121-122
- Assembly required
- Worksurface dimensions 24 $\frac{1}{4}$ " D, 69 $\frac{1}{2}$ " W
- For tack board options, see pages 403-408


RECEPTION BRIDGE



75N2568BSTFL TFL Top	\$ 850	24 $\frac{3}{8}$	67 $\frac{3}{8}$	41 $\frac{1}{2}$	—	48	260 lbs.	7.0
75N2568BSTFP HPL Top	1019	24 $\frac{3}{8}$	67 $\frac{3}{8}$	41 $\frac{1}{2}$	—	48	260 lbs.	7.0

- Includes reception counter; counter is 15 $\frac{1}{2}$ " D
- Specify reception bridge with 2 reception main shells to configure a U-station
- Only grommet options (G1C and CUT-G17C) available
- Assembly required
- Worksurface dimensions 23 $\frac{3}{4}$ " D, 48" W
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 403-408

RECEPTION RETURN SHELL



Left shown

LEFT RETURN		RIGHT RETURN								
75N2550RSTFL TFL Top	\$ 1343	75N2550RSTFRL	TFL Top	24 $\frac{3}{8}$	50 $\frac{3}{8}$	40 $\frac{3}{8}$	—	48	175 lbs.	6.0
75N2550RSTFLP HPL Top	1613	75N2550RSTFRP	HPL Top	24 $\frac{3}{8}$	50 $\frac{3}{8}$	40 $\frac{3}{8}$	—	48	175 lbs.	6.0

- Use with reception main shell to configure a reception L-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 121-122
- End panel grommets not available
- Assembly required
- Woodgrain on worksurfaces runs front-to-back

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2448RLF2L MC
 75N2448RLF2L 88MB X X KRB 405 TF
 Q75N2448RLY3L MC
 75N2448RLY3L 88MB G1L GE1L KS1B MC MC


- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

RETURN FILE/FILE FULL PEDESTAL




Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED CUBIC	
					D	W	H	A	KW	WEIGHT	FEET
LEFT RETURN		RIGHT RETURN									
Q75N2448RLF2L	Q75N2448RRF2L	TFL Top		\$ 1590	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2448RLF2L	75N2448RRF2L	TFL Top		1549	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2448RLF2P	75N2448RRF2P	HPL Top		1857	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
Q75N2442RLF2L	Q75N2442RRF2L	TFL Top		\$ 1525	24	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2442RLF2L	75N2442RRF2L	TFL Top		1484	24	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2442RLF2P	75N2442RRF2P	HPL Top		1781	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2148RLF2L	75N2148RRF2L	TFL Top		\$ 1475	21	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2148RLF2P	75N2148RRF2P	HPL Top		1774	21	48 ¹ / ₁₆	28 ¹ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2142RLF2L	75N2142RRF2L	TFL Top		\$ 1437	21	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2142RLF2P	75N2142RRF2P	HPL Top		1728	21	42 ¹ / ₁₆	28 ¹ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN BOX/FILE ¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED CUBIC	
					D	W	H	A	KW	WEIGHT	FEET
LEFT RETURN		RIGHT RETURN									
Q75N2448RLY3L	Q75N2448RRY3L	TFL Top		\$ 1378	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2448RLY3L	75N2448RRY3L	TFL Top		1337	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2448RLY3P	75N2448RRY3P	HPL Top		1605	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
Q75N2442RLY3L	Q75N2442RRY3L	TFL Top		\$ 1310	24	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2442RLY3L	75N2442RRY3L	TFL Top		1269	24	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2442RLY3P	75N2442RRY3P	HPL Top		1526	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2148RLY3L	75N2148RRY3L	TFL Top		\$ 1261	21	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2148RLY3P	75N2148RRY3P	HPL Top		1514	21	48 ¹ / ₁₆	28 ¹ / ₁₆	—	31 ¹ / ₁₆	175 lbs.	27.6
75N2142RLY3L	75N2142RRY3L	TFL Top		\$ 1225	21	42 ¹ / ₁₆	28 ⁷ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5
75N2142RLY3P	75N2142RRY3P	HPL Top		1470	21	42 ¹ / ₁₆	28 ¹ / ₁₆	—	25 ¹ / ₁₆	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS


- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2448RSLL G1C GE1L MH MH
 • See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RETURN SHELL  Left shown	LEFT RETURN	RIGHT RETURN								
	75N2448RSLL	75N2448RSRL	TFL Top \$ 929	24	48 ³ / ₁₆	28 ⁷ / ₈	—	—	92 lbs.	4.3
	75N2448RSLP	75N2448RSRP	HPL Top 1112	24	48 ³ / ₁₆	28 ¹⁵ / ₁₆	—	—	92 lbs.	4.3
	75N2442RSLL	75N2442RSRL	TFL Top \$ 849	24	42 ³ / ₁₆	28 ⁷ / ₈	—	—	82 lbs.	3.8
	75N2442RSLP	75N2442RSRP	HPL Top 1017	24	42 ³ / ₁₆	28 ¹⁵ / ₁₆	—	—	82 lbs.	3.8
	75N2148RSLL	75N2148RSRL	TFL Top \$ 835	21	48 ³ / ₁₆	28 ⁷ / ₈	—	—	86 lbs.	4.3
	75N2148RSLP	75N2148RSRP	HPL Top 1001	21	48 ³ / ₁₆	28 ¹⁵ / ₁₆	—	—	86 lbs.	4.3
	75N2142RSLL	75N2142RSRL	TFL Top \$ 770	21	42 ³ / ₁₆	28 ⁷ / ₈	—	—	75 lbs.	3.8
	75N2142RSLP	75N2142RSRP	HPL Top 922	21	42 ³ / ₁₆	28 ¹⁵ / ₁₆	—	—	75 lbs.	3.8

- Assembly required
- End panel grommet GE1L available on left units and GE1R available on right units
- Woodgrain on worksurfaces runs front-to-back

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Grommet


SAMPLE MODEL NUMBERS:

Q75N2448BEFL MC
75N2442BEFP G1C CW CW

- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
BRIDGE 	Q75N2448BEFL	TFL Top	\$ 746	24	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	80 lbs.	4.1
	75N2448BEFL	TFL Top	705	24	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	80 lbs.	4.1
	75N2448BEFP	HPL Top	848	24	48 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	80 lbs.	4.1
	Q75N2442BEFL	TFL Top	\$ 691	24	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	72 lbs.	3.7
	75N2442BEFL	TFL Top	650	24	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	72 lbs.	3.7
	75N2442BEFP	HPL Top	781	24	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	72 lbs.	3.7
	75N2436BEFL	TFL Top	\$ 576	24	36	28 $\frac{7}{8}$	—	—	69 lbs.	3.5
	75N2436BEFP	HPL Top	691	24	36	28 $\frac{15}{16}$	—	—	69 lbs.	3.5
	75N2148BEFL	TFL Top	\$ 636	21	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	80 lbs.	4.1
	75N2148BEFP	HPL Top	761	21	48 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	80 lbs.	4.1
	75N2142BEFL	TFL Top	\$ 568	21	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	72 lbs.	3.7
	75N2142BEFP	HPL Top	681	21	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	72 lbs.	3.7
	75N2136BEFL	TFL Top	\$ 555	21	36	28 $\frac{7}{8}$	—	—	69 lbs.	3.5
	75N2136BEFP	HPL Top	666	21	36	28 $\frac{15}{16}$	—	—	69 lbs.	3.5

- Assembly required
- Only grommet options (G1C and CUT-G17C) available
- Woodgrain on worksurfaces runs front-to-back

PRODUCT SPECIFICATIONS


- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Grommet
- End Panel Grommet
- Locking
- Worksurface Laminate
- Chassis Laminate




SAMPLE MODEL NUMBER:

75N2472CSF2L 86 G1C G1LR KS3B MH MH
 • See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE CREDENZA FULL PEDESTAL 	Q75N2472CSF2L TFL Top	\$ 2985	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2472CSF2L TFL Top	2903	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2472CSF2P HPL Top	3594	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	346 lbs.	39.8
	75N2466CSF2L TFL Top	\$ 2839	24	66	28 ⁷ / ₈	—	—	334 lbs.	32.7
	75N2466CSF2P HPL Top	3402	24	66	28 ¹ / ₁₆	—	—	334 lbs.	32.7
	75N2172CSF2L TFL Top	\$ 2816	21	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2172CSF2P HPL Top	3380	21	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	346 lbs.	39.8
	75N2166CSF2L TFL Top	\$ 2582	21	66	28 ⁷ / ₈	—	—	334 lbs.	32.7
	75N2166CSF2P HPL Top	3100	21	66	28 ¹ / ₁₆	—	—	334 lbs.	32.7
	• 72" unit features an adjustable shelf (14" deep, 33 ³ / ₈ " wide, and 3/4" thick) • 66" unit features an adjustable shelf (14" deep, 27 ⁷ / ₈ " wide, and 3/4" thick) • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								
STORAGE CREDENZA 3/4 PEDESTAL 	Q75N2472CSY3L TFL Top	\$ 2796	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2472CSY3L TFL Top	2714	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2472CSY3P HPL Top	3371	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	346 lbs.	39.8
	75N2466CSY3L TFL Top	\$ 2546	24	66	28 ⁷ / ₈	—	—	334 lbs.	32.7
	75N2466CSY3P HPL Top	3055	24	66	28 ¹ / ₁₆	—	—	334 lbs.	32.7
	75N2172CSY3L TFL Top	\$ 2534	21	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	346 lbs.	39.8
	75N2172CSY3P HPL Top	3036	21	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	346 lbs.	39.8
	75N2166CSY3L TFL Top	\$ 2377	21	66	28 ⁷ / ₈	—	—	334 lbs.	32.7
	75N2166CSY3P HPL Top	2850	21	66	28 ¹ / ₁₆	—	—	334 lbs.	32.7
	• 72" unit features an adjustable shelf (14" deep, 33 ³ / ₈ " wide, and 3/4" thick) • 66" unit features an adjustable shelf (14" deep, 27 ⁷ / ₈ " wide, and 3/4" thick) • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								
BUFFET CREDENZA 	75N2472CBL TFL Top	\$ 3772	24	71 ¹ / ₁₆	35	—	—	346 lbs.	39.8
	75N2472CBP HPL Top	4531	24	71 ¹ / ₁₆	35 ¹ / ₁₆	—	—	346 lbs.	39.8
• Grommet not available • Interior dimensions of each storage section are 21 ¹ / ₄ " D, 34 ¹ / ₂ " W, 24 ³ / ₄ " H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Storage doors feature a standard pull with the integrated pull option									

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate




SAMPLE MODEL NUMBERS:

- Q75N2472CKF2L MC
75N2474CSF6L 87CC X X KRB PB PB
- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
LATERAL FILE CREDENZA 	75N2474CFF6L TFL Top	\$ 3150	24	74	28 $\frac{7}{8}$	—	—	346 lbs.	39.8
	75N2474CFF6P HPL Top	3772	24	74	28 $\frac{1}{2}$	—	—	346 lbs.	39.8
	75N2174CFF6L TFL Top	\$ 3083	21	74	28 $\frac{7}{8}$	—	—	346 lbs.	39.8
	75N2174CFF6P HPL Top	3701	21	74	28 $\frac{1}{2}$	—	—	346 lbs.	39.8
	• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available								
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
STORAGE CREDENZA LATERAL FILE/DOUBLE DOOR 	75N2474CSF6L TFL Top	\$ 2881	24	74	28 $\frac{7}{8}$	—	—	346 lbs.	39.8
	75N2474CSF6P HPL Top	3459	24	74	28 $\frac{1}{2}$	—	—	346 lbs.	39.8
	75N2174CSF6L TFL Top	\$ 2816	21	74	28 $\frac{7}{8}$	—	—	346 lbs.	39.8
	75N2174CSF6P HPL Top	3380	21	74	28 $\frac{1}{2}$	—	—	346 lbs.	39.8
	• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available								
	• Features 1 adjustable shelf								
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
KNEESPACE CREDENZA FULL PEDESTAL 	Q75N2472CKF2L TFL Top	\$ 2732	24	71 $\frac{1}{2}$	28 $\frac{7}{8}$	—	33 $\frac{1}{2}$	279 lbs.	39.8
	75N2472CKF2L TFL Top	2691	24	71 $\frac{1}{2}$	28 $\frac{7}{8}$	—	33 $\frac{1}{2}$	279 lbs.	39.8
	75N2472CKF2P HPL Top	3284	24	71 $\frac{1}{2}$	28 $\frac{1}{2}$	—	33 $\frac{1}{2}$	279 lbs.	39.8
	75N2466CKF2L TFL Top	\$ 2625	24	66	28 $\frac{7}{8}$	—	33 $\frac{1}{2}$	267 lbs.	32.7
	75N2466CKF2P HPL Top	3152	24	66	28 $\frac{1}{2}$	—	33 $\frac{1}{2}$	267 lbs.	32.7
	75N2460CKF2L TFL Top	\$ 2617	24	60	28 $\frac{7}{8}$	—	27 $\frac{7}{8}$	256 lbs.	33.7
	75N2460CKF2P HPL Top	3140	24	60	28 $\frac{1}{2}$	—	27 $\frac{7}{8}$	256 lbs.	33.7
	75N2172CKF2L TFL Top	\$ 2609	21	71 $\frac{1}{2}$	28 $\frac{7}{8}$	—	33 $\frac{1}{2}$	279 lbs.	39.8
	75N2172CKF2P HPL Top	3134	21	71 $\frac{1}{2}$	28 $\frac{1}{2}$	—	33 $\frac{1}{2}$	279 lbs.	39.8
	75N2166CKF2L TFL Top	\$ 2583	21	66	28 $\frac{7}{8}$	—	33 $\frac{1}{2}$	267 lbs.	32.7
	75N2166CKF2P HPL Top	3102	21	66	28 $\frac{1}{2}$	—	33 $\frac{1}{2}$	267 lbs.	32.7
	75N2160CKF2L TFL Top	\$ 2572	21	60	28 $\frac{7}{8}$	—	27 $\frac{7}{8}$	256 lbs.	33.7
	75N2160CKF2P HPL Top	3085	21	60	28 $\frac{1}{2}$	—	27 $\frac{7}{8}$	256 lbs.	33.7
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CKY3L 86 X X KRS MC MC


- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

KNEESPACE CREDENZA ¾ PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
Q75N2472CKY3L TFL Top	\$ 2240	24	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	33 ¹ / ₂	279 lbs.	39.8
75N2472CKY3L TFL Top	2199	24	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	33 ¹ / ₂	279 lbs.	39.8
75N2472CKY3P HPL Top	2699	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	33 ¹ / ₂	279 lbs.	39.8
75N2466CKY3L TFL Top	\$ 2137	24	66	28 ⁷ / ₈	—	33 ¹ / ₂	267 lbs.	32.7
75N2466CKY3P HPL Top	2565	24	66	28 ¹⁵ / ₁₆	—	33 ¹ / ₂	267 lbs.	32.7
75N2460CKY3L TFL Top	\$ 2050	24	60	28 ⁷ / ₈	—	27 ⁷ / ₁₆	256 lbs.	33.7
75N2460CKY3P HPL Top	2461	24	60	28 ¹⁵ / ₁₆	—	27 ⁷ / ₁₆	256 lbs.	33.7
75N2172CKY3L TFL Top	\$ 2014	21	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	33 ¹ / ₂	279 lbs.	39.8
75N2172CKY3P HPL Top	2415	21	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	33 ¹ / ₂	279 lbs.	39.8
75N2166CKY3L TFL Top	\$ 1984	21	66	28 ⁷ / ₈	—	33 ¹ / ₂	267 lbs.	32.7
75N2166CKY3P HPL Top	2379	21	66	28 ¹⁵ / ₁₆	—	33 ¹ / ₂	267 lbs.	32.7
75N2160CKY3L TFL Top	\$ 1936	21	60	28 ⁷ / ₈	—	27 ⁷ / ₁₆	256 lbs.	33.7
75N2160CKY3P HPL Top	2320	21	60	28 ¹⁵ / ₁₆	—	27 ⁷ / ₁₆	256 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Grommet
- End Panel Grommet
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBERS:


- Q75N2472CLF2L MC
75N2472CLF2L 88PL X X KRB MH MH
- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

SINGLE PEDESTAL CREDENZA FILE/FILE FULL PEDESTAL



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL				D	W	H	A	KW		
Q75N2472CLF2L	Q75N2472CRF2L	TFL Top	\$	2212	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2472CLF2L	75N2472CRF2L	TFL Top		2130	24	71 ¹ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2472CLF2P	75N2472CRF2P	HPL Top		2670	24	71 ¹ / ₁₆	28 ³ / ₁₆	—	51 ¹ / ₂	239 lbs.	39.8
75N2466CLF2L	75N2466CRF2L	TFL Top	\$	2064	24	66	28 ⁷ / ₈	—	48 ¹ / ₂	227 lbs.	32.7
75N2466CLF2P	75N2466CRF2P	HPL Top		2474	24	66	28 ³ / ₁₆	—	48 ¹ / ₂	227 lbs.	32.7
75N2460CLF2L	75N2460CRF2L	TFL Top	\$	2023	24	60	28 ⁷ / ₈	—	42 ¹ / ₂	216 lbs.	33.7
75N2460CLF2P	75N2460CRF2P	HPL Top		2426	24	60	28 ³ / ₁₆	—	42 ¹ / ₂	216 lbs.	33.7
75N2172CLF2L	75N2172CRF2L	TFL Top	\$	1869	21	71 ¹ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2172CLF2P	75N2172CRF2P	HPL Top		2246	21	71 ¹ / ₁₆	28 ³ / ₁₆	—	51 ¹ / ₂	239 lbs.	39.8
75N2166CLF2L	75N2166CRF2L	TFL Top	\$	1840	21	66	28 ⁷ / ₈	—	48 ¹ / ₂	227 lbs.	32.7
75N2166CLF2P	75N2166CRF2P	HPL Top		2206	21	66	28 ³ / ₁₆	—	48 ¹ / ₂	227 lbs.	32.7
75N2160CLF2L	75N2160CRF2L	TFL Top	\$	1790	21	60	28 ⁷ / ₈	—	42 ¹ / ₂	216 lbs.	33.7
75N2160CLF2P	75N2160CRF2P	HPL Top		2145	21	60	28 ³ / ₁₆	—	42 ¹ / ₂	216 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS


- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Grommet
- End Panel Grommet
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBER:


75N2472CLY3L 87MB G1C X KRB MH MH
 • See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

SINGLE PEDESTAL CREDENZA BOX/FILE ¾ PEDESTAL




Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL				D	W	H	A	KW		
Q75N2472CLY3L	Q75N2472CRY3L	TFL Top	\$	1943	24	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2472CLY3L	75N2472CRY3L	TFL Top		1861	24	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2472CLY3P	75N2472CRY3P	HPL Top		2354	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	51 ¹ / ₂	239 lbs.	39.8
75N2466CLY3L	75N2466CRY3L	TFL Top	\$	1804	24	66	28 ⁷ / ₈	—	48 ¹ / ₂	227 lbs.	32.7
75N2466CLY3P	75N2466CRY3P	HPL Top		2163	24	66	28 ¹⁵ / ₁₆	—	48 ¹ / ₂	227 lbs.	32.7
75N2460CLY3L	75N2460CRY3L	TFL Top	\$	1763	24	60	28 ⁷ / ₈	—	42 ¹ / ₂	216 lbs.	33.7
75N2460CLY3P	75N2460CRY3P	HPL Top		2118	24	60	28 ¹⁵ / ₁₆	—	42 ¹ / ₂	216 lbs.	33.7
75N2172CLY3L	75N2172CRY3L	TFL Top	\$	1679	21	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	51 ¹ / ₂	239 lbs.	39.8
75N2172CLY3P	75N2172CRY3P	HPL Top		2016	21	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	51 ¹ / ₂	239 lbs.	39.8
75N2166CLY3L	75N2166CRY3L	TFL Top	\$	1658	21	66	28 ⁷ / ₈	—	48 ¹ / ₂	227 lbs.	32.7
75N2166CLY3P	75N2166CRY3P	HPL Top		1990	21	66	28 ¹⁵ / ₁₆	—	48 ¹ / ₂	227 lbs.	32.7
75N2160CLY3L	75N2160CRY3L	TFL Top	\$	1604	21	60	28 ⁷ / ₈	—	42 ¹ / ₂	216 lbs.	33.7
75N2160CLY3P	75N2160CRY3P	HPL Top		1919	21	60	28 ¹⁵ / ₁₆	—	42 ¹ / ₂	216 lbs.	33.7
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N2472CLF6L	75N2472CRF6L	TFL Top	\$ 2526	24	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	33 ³ / ₁₆	279 lbs.	39.8
75N2472CLF6P	75N2472CRF6P	HPL Top	3032	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	33 ³ / ₁₆	279 lbs.	39.8
75N2466CLF6L	75N2466CRF6L	TFL Top	\$ 2487	24	66	28 ⁷ / ₈	—	31 ¹ / ₄	267 lbs.	32.7
75N2466CLF6P	75N2466CRF6P	HPL Top	2984	24	66	28 ¹⁵ / ₁₆	—	31 ¹ / ₄	267 lbs.	32.7
75N2172CLF6L	75N2172CRF6L	TFL Top	\$ 2465	21	71 ¹⁵ / ₁₆	28 ⁷ / ₈	—	33 ³ / ₁₆	279 lbs.	39.8
75N2172CLF6P	75N2172CRF6P	HPL Top	2958	21	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	—	33 ³ / ₁₆	279 lbs.	39.8
75N2166CLF6L	75N2166CRF6L	TFL Top	\$ 2296	21	66	28 ⁷ / ₈	—	31 ¹ / ₄	267 lbs.	32.7
75N2166CLF6P	75N2166CRF6P	HPL Top	2753	21	66	28 ¹⁵ / ₁₆	—	31 ¹ / ₄	267 lbs.	32.7

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CSHF29L G1C GE1R MC MC

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SHELL FREESTANDING WORKSURFACE HEIGHT FULL END PANELS	75N3072DSFL	TFL Top	\$ 1232	30 ³ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	150 lbs.	4.7
	75N3072DSFP	HPL Top	1477	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	150 lbs.	4.7
	75N3066DSFL	TFL Top	\$ 1191	30 ³ / ₁₆	66	28 ⁷ / ₁₆	—	—	138 lbs.	4.3
	75N3066DSFP	HPL Top	1427	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	138 lbs.	4.3
	75N3060DSFL	TFL Top	\$ 1122	30 ³ / ₁₆	60	28 ⁷ / ₁₆	—	—	126 lbs.	4.0
	75N3060DSFP	HPL Top	1347	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	126 lbs.	4.0
	75N3048DSFL	TFL Top	\$ 1017	30 ³ / ₁₆	48	28 ⁷ / ₁₆	—	—	111 lbs.	3.3
	75N3048DSFP	HPL Top	1222	30 ³ / ₁₆	48	28 ¹ / ₁₆	—	—	111 lbs.	3.3
	75N3042DSFL	TFL Top	\$ 977	30 ³ / ₁₆	42	28 ⁷ / ₁₆	—	—	101 lbs.	3.0
	75N3042DSFP	HPL Top	1176	30 ³ / ₁₆	42	28 ¹ / ₁₆	—	—	101 lbs.	3.0
	75N3036DSFL	TFL Top	\$ 913	30 ³ / ₁₆	36	28 ⁷ / ₁₆	—	—	92 lbs.	2.8
	75N3036DSFP	HPL Top	1095	30 ³ / ₁₆	36	28 ¹ / ₁₆	—	—	92 lbs.	2.8
	75N2472CSHF29L	TFL Top	\$ 1120	24	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	130 lbs.	4.7
	75N2472CSHF29P	HPL Top	1345	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	4.7
	75N2466CSHF29L	TFL Top	\$ 1096	24	66	28 ⁷ / ₁₆	—	—	118 lbs.	4.3
	75N2466CSHF29P	HPL Top	1312	24	66	28 ¹ / ₁₆	—	—	118 lbs.	4.3
	75N2460CSHF29L	TFL Top	\$ 1017	24	60	28 ⁷ / ₁₆	—	—	106 lbs.	4.0
	75N2460CSHF29P	HPL Top	1222	24	60	28 ¹ / ₁₆	—	—	106 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2-36" undersurface units under a shell, you must specify shells on page 120

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate


SAMPLE MODEL NUMBER:

75N2436CSH F29L G1C GE1R MC MC

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SHELL FREESTANDING WORKSURFACE HEIGHT FULL END PANELS (CONTINUED)	75N2448CSHF29L	TFL Top	\$ 913	24	48	28 $\frac{3}{8}$	—	—	91 lbs.	3.3
	75N2448CSHF29P	HPL Top	1095	24	48	28 $\frac{3}{8}$	—	—	91 lbs.	3.3
	75N2442CSHF29L	TFL Top	\$ 877	24	42	28 $\frac{3}{8}$	—	—	81 lbs.	3.0
	75N2442CSHF29P	HPL Top	1049	24	42	28 $\frac{3}{8}$	—	—	81 lbs.	3.0
	75N2436CSHF29L	TFL Top	\$ 808	24	36	28 $\frac{3}{8}$	—	—	72 lbs.	2.8
	75N2436CSHF29P	HPL Top	966	24	36	28 $\frac{3}{8}$	—	—	72 lbs.	2.8
	75N2172CSHF29L	TFL Top	\$ 1045	21	71 $\frac{1}{8}$	28 $\frac{3}{8}$	—	—	130 lbs.	4.7
	75N2172CSHF29P	HPL Top	1257	21	71 $\frac{1}{8}$	28 $\frac{3}{8}$	—	—	130 lbs.	4.7
	75N2166CSHF29L	TFL Top	\$ 1022	21	66	28 $\frac{3}{8}$	—	—	118 lbs.	4.3
	75N2166CSHF29P	HPL Top	1225	21	66	28 $\frac{3}{8}$	—	—	118 lbs.	4.3
	75N2160CSHF29L	TFL Top	\$ 939	21	60	28 $\frac{3}{8}$	—	—	106 lbs.	4.0
	75N2160CSHF29P	HPL Top	1131	21	60	28 $\frac{3}{8}$	—	—	106 lbs.	4.0
	75N2148CSHF29L	TFL Top	\$ 837	21	48	28 $\frac{3}{8}$	—	—	91 lbs.	3.3
	75N2148CSHF29P	HPL Top	1004	21	48	28 $\frac{3}{8}$	—	—	91 lbs.	3.3
	75N2142CSHF29L	TFL Top	\$ 799	21	42	28 $\frac{3}{8}$	—	—	81 lbs.	3.0
	75N2142CSHF29P	HPL Top	961	21	42	28 $\frac{3}{8}$	—	—	81 lbs.	3.0
	75N2136CSHF29L	TFL Top	\$ 733	21	36	28 $\frac{3}{8}$	—	—	72 lbs.	2.8
	75N2136CSHF29P	HPL Top	881	21	36	28 $\frac{3}{8}$	—	—	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2'-36" undersurface units under a shell, you must specify shells on page 120



RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

- Model Number
- Grommet
- End Panel Grommet
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBERS:


75N2472CSHF22L X X 480 HN
75N2472CSHHL29L G1L GE1L TF TF

- See pages 87-88 for all options available in Renegade

SHELL FREESTANDING WORKSURFACE HEIGHT BOX/FILE HEIGHT END PANEL	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT	RIGHT		D	W	H	A	KW	WEIGHT	FEET
	75N2472CSHHL29L	75N2472CSHHR29L TFL Top	\$ 1120	24	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	—	—	120 lbs.	4.7
	75N2472CSHHL29P	75N2472CSHHR29P HPL Top	1345	24	71 $\frac{1}{16}$ "	28 $\frac{15}{16}$ "	—	—	120 lbs.	4.7
	75N2466CSHHL29L	75N2466CSHHR29L TFL Top	\$ 1096	24	66	28 $\frac{7}{8}$ "	—	—	108 lbs.	4.3
	75N2466CSHHL29P	75N2466CSHHR29P HPL Top	1312	24	66	28 $\frac{15}{16}$ "	—	—	108 lbs.	4.3
	75N2460CSHHL29L	75N2460CSHHR29L TFL Top	\$ 1017	24	60	28 $\frac{7}{8}$ "	—	—	96 lbs.	4.0
	75N2460CSHHL29P	75N2460CSHHR29P HPL Top	1222	24	60	28 $\frac{15}{16}$ "	—	—	96 lbs.	4.0
	75N2172CSHHL29L	75N2172CSHHR29L TFL Top	\$ 1045	21	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	—	—	120 lbs.	4.7
	75N2172CSHHL29P	75N2172CSHHR29P HPL Top	1257	21	71 $\frac{1}{16}$ "	28 $\frac{15}{16}$ "	—	—	120 lbs.	4.7
	75N2166CSHHL29L	75N2166CSHHR29L TFL Top	\$ 1022	21	66	28 $\frac{7}{8}$ "	—	—	108 lbs.	4.3
	75N2166CSHHL29P	75N2166CSHHR29P HPL Top	1225	21	66	28 $\frac{15}{16}$ "	—	—	108 lbs.	4.3
	75N2160CSHHL29L	75N2160CSHHR29L TFL Top	\$ 939	21	60	28 $\frac{7}{8}$ "	—	—	96 lbs.	4.0
	75N2160CSHHL29P	75N2160CSHHR29P HPL Top	1131	21	60	28 $\frac{15}{16}$ "	—	—	96 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Unit is not freestanding and must be used with any box/file height freestanding shell or credenza shell
- Box/file height end panel is 5 $\frac{1}{8}$ " H

SHELL FREESTANDING BOX/FILE HEIGHT



75N2472CSHF22L	TFL Top	\$ 935	24	71 $\frac{1}{16}$ "	22 $\frac{3}{16}$ "	—	—	120 lbs.	4.7
75N2472CSHF22P	HPL Top	1122	24	71 $\frac{1}{16}$ "	22 $\frac{3}{8}$ "	—	—	120 lbs.	4.7
75N2466CSHF22L	TFL Top	\$ 911	24	66	22 $\frac{3}{16}$ "	—	—	108 lbs.	4.3
75N2466CSHF22P	HPL Top	1091	24	66	22 $\frac{3}{8}$ "	—	—	108 lbs.	4.3
75N2460CSHF22L	TFL Top	\$ 830	24	60	22 $\frac{3}{16}$ "	—	—	96 lbs.	4.0
75N2460CSHF22P	HPL Top	999	24	60	22 $\frac{3}{8}$ "	—	—	96 lbs.	4.0
75N2172CSHF22L	TFL Top	\$ 859	21	71 $\frac{1}{16}$ "	22 $\frac{3}{16}$ "	—	—	120 lbs.	4.7
75N2172CSHF22P	HPL Top	1033	21	71 $\frac{1}{16}$ "	22 $\frac{3}{8}$ "	—	—	120 lbs.	4.7
75N2166CSHF22L	TFL Top	\$ 835	21	66	22 $\frac{3}{16}$ "	—	—	108 lbs.	4.3
75N2166CSHF22P	HPL Top	1001	21	66	22 $\frac{3}{8}$ "	—	—	108 lbs.	4.3
75N2160CSHF22L	TFL Top	\$ 757	21	60	22 $\frac{3}{16}$ "	—	—	96 lbs.	4.0
75N2160CSHF22P	HPL Top	911	21	60	22 $\frac{3}{8}$ "	—	—	96 lbs.	4.0

- Assembly required; support panel (75N1221SSL) required when kneespace area is greater than 48"
- Box/file height is 22 $\frac{3}{16}$ " H or 22 $\frac{3}{8}$ " H
- When assembling 2-36" undersurface units under a shell, you must specify shells on page 120

PRODUCT SPECIFICATIONS


- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472RSRFJL G1L G1R CW CW
 • See pages 87-88 for all options available in Renegade

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW			
 Left shown	LEFT SHELL	RIGHT SHELL										
	75N2472RSLFJL	75N2472RSRFJL	TFL Top	\$	1078	24	71 ¹ / ₁₆	28 ³ / ₈	—	—	130 lbs.	4.7
	75N2472RSLFJP	75N2472RSRFJP	HPL Top		1302	24	71 ¹ / ₁₆	28 ³ / ₁₆	—	—	130 lbs.	4.7
	75N2466RSLFJL	75N2466RSRFJL	TFL Top	\$	1057	24	66	28 ³ / ₈	—	—	118 lbs.	4.3
	75N2466RSLFJP	75N2466RSRFJP	HPL Top		1267	24	66	28 ³ / ₁₆	—	—	118 lbs.	4.3
	75N2460RSLFJL	75N2460RSRFJL	TFL Top	\$	973	24	60	28 ³ / ₈	—	—	106 lbs.	4.0
	75N2460RSLFJP	75N2460RSRFJP	HPL Top		1171	24	60	28 ³ / ₁₆	—	—	106 lbs.	4.0
	75N2448RSLFJL	75N2448RSRFJL	TFL Top	\$	874	24	48	28 ³ / ₈	—	—	91 lbs.	3.3
	75N2448RSLFJP	75N2448RSRFJP	HPL Top		1044	24	48	28 ³ / ₁₆	—	—	91 lbs.	3.3
	75N2442RSLFJL	75N2442RSRFJL	TFL Top	\$	833	24	42	28 ³ / ₈	—	—	81 lbs.	3.0
	75N2442RSLFJP	75N2442RSRFJP	HPL Top		1000	24	42	28 ³ / ₁₆	—	—	81 lbs.	3.0
	75N2436RSLFJL	75N2436RSRFJL	TFL Top	\$	769	24	36	28 ³ / ₈	—	—	72 lbs.	2.8
	75N2436RSLFJP	75N2436RSRFJP	HPL Top		919	24	36	28 ³ / ₁₆	—	—	72 lbs.	2.8
	75N2430RSLFJL	75N2430RSRFJL	TFL Top	\$	711	24	30	28 ³ / ₈	—	—	66 lbs.	2.6
	75N2430RSLFJP	75N2430RSRFJP	HPL Top		852	24	30	28 ³ / ₁₆	—	—	66 lbs.	2.6
	75N2172RSLFJL	75N2172RSRFJL	TFL Top	\$	1005	21	71 ¹ / ₁₆	28 ³ / ₈	—	—	130 lbs.	4.7
	75N2172RSLFJP	75N2172RSRFJP	HPL Top		1207	21	71 ¹ / ₁₆	28 ³ / ₁₆	—	—	130 lbs.	4.7
	75N2166RSLFJL	75N2166RSRFJL	TFL Top	\$	1000	21	66	28 ³ / ₈	—	—	118 lbs.	4.3
	75N2166RSLFJP	75N2166RSRFJP	HPL Top		1200	21	66	28 ³ / ₁₆	—	—	118 lbs.	4.3

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with 1 full panel and 1 narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

- Model Number
- Grommet
- End Panel Grommet
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBER:

75N2160RSLFJL X X 403 403

- See pages 87-88 for all options available in Renegade

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET				
LINKABLE SHELL (CONTINUED)					LEFT SHELL	RIGHT SHELL				D	W	H	A	KW		
 Left shown	75N2160RSLFJL	75N2160RSRFJL	TFL Top	\$	901	21	60	28 $\frac{7}{8}$	—	—	106 lbs.	4.0				
	75N2160RSLFJP	75N2160RSRFJP	HPL Top		1078	21	60	28 $\frac{15}{16}$	—	—	106 lbs.	4.0				
	75N2148RSLFJL	75N2148RSRFJL	TFL Top	\$	796	21	48	28 $\frac{7}{8}$	—	—	91 lbs.	3.3				
	75N2148RSLFJP	75N2148RSRFJP	HPL Top		958	21	48	28 $\frac{15}{16}$	—	—	91 lbs.	3.3				
	75N2142RSLFJL	75N2142RSRFJL	TFL Top	\$	759	21	42	28 $\frac{7}{8}$	—	—	81 lbs.	3.0				
	75N2142RSLFJP	75N2142RSRFJP	HPL Top		913	21	42	28 $\frac{15}{16}$	—	—	81 lbs.	3.0				
	75N2136RSLFJL	75N2136RSRFJL	TFL Top	\$	692	21	36	28 $\frac{7}{8}$	—	—	72 lbs.	2.8				
	75N2136RSLFJP	75N2136RSRFJP	HPL Top		830	21	36	28 $\frac{15}{16}$	—	—	72 lbs.	2.8				
	75N2130RSLFJL	75N2130RSRFJL	TFL Top	\$	639	21	30	28 $\frac{7}{8}$	—	—	66 lbs.	2.6				
	75N2130RSLFJP	75N2130RSRFJP	HPL Top		769	21	30	28 $\frac{15}{16}$	—	—	66 lbs.	2.6				

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with 1 full panel and 1 narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2148BSFJL G1C 440 462

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
LINKABLE SHELL WITH NARROW/NARROW PANELS	75N2472BSFJL	TFL Top	\$ 1040	24	71 ¹ / ₁₆	22 ⁷ / ₈	—	—	130 lbs.	4.7
	75N2472BSFJP	HPL Top	1249	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	4.7
	75N2466BSFJL	TFL Top	\$ 1016	24	66	28 ⁷ / ₈	—	—	118 lbs.	4.3
	75N2466BSFJP	HPL Top	1215	24	66	28 ¹ / ₁₆	—	—	118 lbs.	4.3
	75N2460BSFJL	TFL Top	\$ 935	24	60	28 ⁷ / ₈	—	—	106 lbs.	4.0
	75N2460BSFJP	HPL Top	1122	24	60	28 ¹ / ₁₆	—	—	106 lbs.	4.0
	75N2448BSFJL	TFL Top	\$ 830	24	48	28 ⁷ / ₈	—	—	91 lbs.	3.3
	75N2448BSFJP	HPL Top	996	24	48	28 ¹ / ₁₆	—	—	91 lbs.	3.3
	75N2442BSFJL	TFL Top	\$ 793	24	42	28 ⁷ / ₈	—	—	81 lbs.	3.0
	75N2442BSFJP	HPL Top	956	24	42	28 ¹ / ₁₆	—	—	81 lbs.	3.0
	75N2436BSFJL	TFL Top	\$ 726	24	36	28 ⁷ / ₈	—	—	72 lbs.	2.8
	75N2436BSFJP	HPL Top	870	24	36	28 ¹ / ₁₆	—	—	72 lbs.	2.8
	75N2172BSFJL	TFL Top	\$ 965	21	71 ¹ / ₁₆	28 ⁷ / ₈	—	—	130 lbs.	4.7
	75N2172BSFJP	HPL Top	1160	21	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	4.7
	75N2166BSFJL	TFL Top	\$ 938	21	66	28 ⁷ / ₈	—	—	118 lbs.	4.3
	75N2166BSFJP	HPL Top	1128	21	66	28 ¹ / ₁₆	—	—	118 lbs.	4.3
	75N2160BSFJL	TFL Top	\$ 859	21	60	28 ⁷ / ₈	—	—	106 lbs.	4.0
	75N2160BSFJP	HPL Top	1033	21	60	28 ¹ / ₁₆	—	—	106 lbs.	4.0
	75N2148BSFJL	TFL Top	\$ 757	21	48	28 ⁷ / ₈	—	—	91 lbs.	3.3
	75N2148BSFJP	HPL Top	911	21	48	28 ¹ / ₁₆	—	—	91 lbs.	3.3
	75N2142BSFJL	TFL Top	\$ 683	21	42	28 ⁷ / ₈	—	—	81 lbs.	3.0
	75N2142BSFJP	HPL Top	822	21	42	28 ¹ / ₁₆	—	—	81 lbs.	3.0
	75N2136BSFJL	TFL Top	\$ 650	21	36	28 ⁷ / ₈	—	—	72 lbs.	2.8
	75N2136BSFJP	HPL Top	781	21	36	28 ¹ / ₁₆	—	—	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Linkable shell features 2 narrow support panels
- Not a freestanding unit

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- Refer to pages 91-92 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate


SAMPLE MODEL NUMBERS:

75N2474CSHF29L X X 461 461
75N1228SSL MH

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
CREDENZA SHELL WORKSURFACE HEIGHT 	75N24110CSHF29L TFL Top	\$ 1706	24	110	28 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N24110CSHF29P HPL Top	2049	24	110	28 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N21110CSHF29L TFL Top	\$ 1630	21	110	28 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N21110CSHF29P HPL Top	1957	21	110	28 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N2474CSHF29L TFL Top	\$ 1169	24	74	28 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2474CSHF29P HPL Top	1402	24	74	28 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2174CSHF29L TFL Top	\$ 1095	21	74	28 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2174CSHF29P HPL Top	1311	21	74	28 $\frac{1}{16}$	—	—	130 lbs.	4.7
	• 74" credenza shell accommodates 2-36" wide undersurface units, 1-36" and 2-18" wide undersurface units, or 4-18" wide undersurface units • 110" credenza shell accommodates 3-36" wide undersurface units, 1-36" and 4-18" wide undersurface units, 4-18" wide undersurface units, or 2-36" and 2-18" wide undersurface units • Use with worksurface height units • G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96" • Assembly required								

CREDENZA SHELL BOX/FILE HEIGHT 	75N24110CSHF22L TFL Top	\$ 1521	24	110	22 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N24110CSHF22P HPL Top	1825	24	110	22 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N21110CSHF22L TFL Top	\$ 1447	21	110	22 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N21110CSHF22P HPL Top	1735	21	110	22 $\frac{1}{16}$	—	—	260 lbs.	7.8
	75N2474CSHF22L TFL Top	\$ 985	24	74	22 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2474CSHF22P HPL Top	1178	24	74	22 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2174CSHF22L TFL Top	\$ 909	21	74	22 $\frac{1}{16}$	—	—	130 lbs.	4.7
	75N2174CSHF22P HPL Top	1088	21	74	22 $\frac{1}{16}$	—	—	130 lbs.	4.7
	• 74" credenza shell accommodates 2-36" wide undersurface units • 110" credenza shell accommodates 3-36" wide undersurface units • Use with box/file height units • G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96" • Assembly required								

SUPPORT PANEL 	75N1228SSL	\$ 172	11 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	15 lbs.	0.8
	75N1221SSL	148	11 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	15 lbs.	0.8
	• To be used on any shell that has over 48" of unsupported worksurface • Specify chassis laminate only								

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N291829PUBBF 86 KS1B 480


- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SHELL PEDESTAL UNDERSURFACE BOX/BOX/FILE 	75N291829PUBBF	\$ 1235	28 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231829PUBBF	1155	22 $\frac{1}{2}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201829PUBBF	1083	19 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	75N291529PUBBF	\$ 1171	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231529PUBBF	1091	22 $\frac{1}{2}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201529PUBBF	1010	19 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SHELL PEDESTAL UNDERSURFACE FILE/FILE 	75N291829PUFF	\$ 1235	28 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231829PUFF	1155	22 $\frac{1}{2}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201829PUFF	1083	19 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	75N291529PUFF	\$ 1171	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231529PUFF	1091	22 $\frac{1}{2}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201529PUFF	1010	19 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SHELL PEDESTAL UNDERSURFACE BOX/FILE SUSPENDED 	75N2918PUBF	\$ 987	28 $\frac{7}{8}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	70 lbs.	7.8
	75N2318PUBF	897	22 $\frac{1}{2}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	50 lbs.	7.0
	75N2018PUBF	863	19 $\frac{7}{8}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	40 lbs.	6.5
	75N2915PUBF	\$ 913	28 $\frac{7}{8}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	70 lbs.	7.8
	75N2315PUBF	825	22 $\frac{1}{2}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	50 lbs.	7.0
	75N2015PUBF	792	19 $\frac{7}{8}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	40 lbs.	6.5

- Tops and backs are open; to be suspended in freestanding or linkable shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

2 DRAWER LATERAL FILE UNDERSURFACE 	75N233629LFM2	\$ 1389	22 $\frac{1}{2}$	35 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
	75N203629LFM2	1351	19 $\frac{7}{8}$	35 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	100 lbs.	19.5

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N233629PUOS TF


- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SHELL PEDESTAL BOX/LATERAL FILE	75N233622PUBL	\$ 1316	22 ¹³ / ₁₆	35 ⁵ / ₈	22 ⁵ / ₈	—	—	120 lbs.	20.4
	75N203622PUBL	1280	19 ⁷ / ₈	35 ⁵ / ₈	22 ⁵ / ₈	—	—	100 lbs.	19.5



- Tops and backs are open; to be used with box/file height shells or box/file height credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MULTI-FILE STORAGE CABINET UNDERSURFACE



Left shown


FILE DRAWER ON LEFT

FILE DRAWER ON RIGHT

75N233629PU11	75N233629PU10	\$ 2518	22 ¹³ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
75N203629PU11	75N203629PU10	2479	19 ⁷ / ₈	35 ⁵ / ₈	27 ³ / ₄	—	—	100 lbs.	19.5

- To be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MIXED STORAGE CABINET UNDERSURFACE



Left shown


OPEN STORAGE ON LEFT

OPEN STORAGE ON RIGHT

75N233629PU33	75N233629PU32	\$ 1851	22 ¹³ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
75N203629PU33	75N203629PU32	1706	19 ⁷ / ₈	35 ⁵ / ₈	27 ³ / ₄	—	—	100 lbs.	19.5

- To be used with shells or credenza shells
- Interior dimensions of open storage are 16³/₄" W, 12" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


SHELL PEDESTAL DOUBLE DOOR UNIT



75N233629PUH	\$ 1035	22 ¹³ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	110 lbs.	20.4
75N203629PUH	1000	19 ⁷ / ₈	35 ⁵ / ₈	27 ³ / ₄	—	—	90 lbs.	19.5

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


OPEN UNDERSURFACE BOOKCASE WORKSURFACE HEIGHT



75N233629PUOS	\$ 929	22 ¹³ / ₁₆	35 ⁵ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
75N203629PUOS	886	19 ⁷ / ₈	35 ⁵ / ₈	27 ³ / ₄	—	—	70 lbs.	19.5

- Shelf is adjustable
- To be used with shells or credenza shells
- Do not specify pull

OPEN UNDERSURFACE BOOKCASE BOX/FILE HEIGHT



75N233622PUOS	\$ 929	22 ¹³ / ₁₆	35 ⁵ / ₈	22 ⁵ / ₈	—	—	90 lbs.	20.4
75N203622PUOS	886	19 ⁷ / ₈	35 ⁵ / ₈	22 ⁵ / ₈	—	—	70 lbs.	19.5

- Shelf is adjustable
- To be used with box/file height shells or box/file height credenza shells
- Do not specify pull

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color
4. Chassis Laminate

SAMPLE MODEL NUMBERS:





Q75N7238HBH MC
75N7238HBH KRB MC
75N7238HBHG 462 PB

- See pages 87-88 for all options available in Renegade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER LAMINATE DOORS 	Q75N7238HBH	\$ 1827	14¾	71⅜	38⅝	—	—	179 lbs.	37.0
	75N7238HBH	1827	14¾	71⅜	38⅝	—	—	179 lbs.	37.0
	75N6638HBH	1722	14¾	65⅜	38⅝	—	—	164 lbs.	34.1
	75N6038HBH	1599	14¾	59⅜	38⅝	—	—	148 lbs.	31.3
	75N4838HBH	1374	14¾	47⅞	38⅝	—	—	126 lbs.	25.6
	• Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48" • Full back panels with cord management • An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support • For tack board options, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
HIGHBACK ORGANIZER FROSTED RESIN DOORS 	75N7238HBHG	\$ 2307	14¾	71⅜	38⅝	—	—	179 lbs.	37.0
	75N6638HBHG	2198	14¾	65⅜	38⅝	—	—	164 lbs.	34.1
	75N6038HBHG	2078	14¾	59⅜	38⅝	—	—	148 lbs.	31.3
	75N4838HBHG	1853	14¾	47⅞	38⅝	—	—	126 lbs.	25.6
	• Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48" • Full back panels with cord management • An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support • For tack board options, see pages 403-408								
HIGHBACK ORGANIZER NO DOORS 	75N7238HBE	\$ 1439	14	71⅜	38⅝	—	—	179 lbs.	37.0
	75N6638HBE	1375	14	65⅜	38⅝	—	—	164 lbs.	34.1
	75N6038HBE	1268	14	59⅜	38⅝	—	—	148 lbs.	31.3
	75N4838HBE	1005	14	47⅞	38⅝	—	—	126 lbs.	25.6
	• Full back panels with cord management • An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support • For tack board options, see pages 403-408								
OVERHEAD STORAGE CABINET LAMINATE DOORS - WALL MOUNT 	75N4818SOHM	\$ 1160	14¾	47⅞	18⅞	—	—	120 lbs.	13.4
	75N4218SOHM	1111	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
	Q75N3618SOHM	1028	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	75N3618SOHM	1028	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	75N3018SOHM	937	14¾	29⅞	18⅞	—	—	64 lbs.	6.4
	• Wall mount bracket is included • Cabinets have a full height back panel • 30" and 36" units have 2 doors; 42" and 48" have 3 doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • Specify chassis laminate only • For tack board options, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Wall mount overheads can be utilized with DIRT antler extrusion; see page 124								

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color
4. Chassis Laminate

SAMPLE MODEL NUMBER:


- 75N3018SOHMG 462 HN
- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET FROSTED RESIN DOORS - WALL MOUNT	75N4818SOHMG	\$ 1640	14 $\frac{3}{4}$	47 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	120 lbs.	13.4
	75N4218SOHMG	1590	14 $\frac{3}{4}$	41 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	100 lbs.	11.1
	75N3618SOHMG	1509	14 $\frac{3}{4}$	35 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	76 lbs.	7.7
	75N3018SOHMG	1420	14 $\frac{3}{4}$	29 $\frac{1}{2}$	18 $\frac{1}{8}$	—	—	64 lbs.	6.4




- Wall mount bracket is included
- Cabinets have a full height back panel
- 30" and 36" units have 2 doors; 42" and 48" have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Aluminum door frames
- For tack board options, see pages 403-408
- Wall mount overheads can be utilized with DIRT antler extrusion; see below

OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT



Center Divider Panel shown



No Divider Panel shown

CENTER DIVIDER PANEL


75N4818SOEM	\$ 819	14	47 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	120 lbs.	13.4
75N4218SOEM	808	14	41 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	100 lbs.	11.1

DIVIDER PANEL

75N3618SOEM	\$ 711	14	35 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	76 lbs.	7.7
75N3018SOEM	663	14	29 $\frac{1}{2}$	18 $\frac{1}{8}$	—	—	64 lbs.	6.4

- Wall mount bracket is included
- Cabinets have a full height back panel
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify chassis laminate only
- For tack board options, see pages 403-408
- Wall mount overheads can be utilized with DIRT antler extrusion; see below

DIRTT OVERHEAD MOUNTING KITS



NAC48OK	For 48" Overhead	\$ 263	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC42OK	For 42" Overhead	253	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC36OK	For 36" Overhead	244	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC30OK	For 30" Overhead	225	1	6	1 $\frac{1}{8}$	—	—	5 lbs.	1.5

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations





TO ORDER, SPECIFY:

- Model Number
- Pull
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2436LFF2L MC
75N2436LFF2L 86 KS1B TF TF
75N2436LFM4 86 KS1B TF

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2 DRAWER LATERAL FILE FREESTANDING 	Q75N2436LFF2L TFL Top	\$ 1570	24	36 ¹ / ₁₆	28 ⁷ / ₈	—	—	155 lbs.	22.2
	75N2436LFF2L TFL Top	1570	24	36 ¹ / ₁₆	28 ⁷ / ₈	—	—	155 lbs.	22.2
	75N2436LFF2P HPL Top	1887	24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
	75N2136LFF2L TFL Top	\$ 1531	21	36 ¹ / ₁₆	28 ⁷ / ₈	—	—	155 lbs.	22.2
	75N2136LFF2P HPL Top	1840	21	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
	- Interlock mechanism allows only 1 drawer to be open at a time - Top of unit is finished with softened vinyl rim - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
3 DRAWER LATERAL FILE FREESTANDING 	75N2436LFM3	\$ 2790	24	36 ¹ / ₁₆	40 ¹ / ₁₆	—	—	210 lbs.	30.0
	75N2136LFM3	2737	21	36 ¹ / ₁₆	40 ¹ / ₁₆	—	—	210 lbs.	30.0
	- Interlock mechanism allows only 1 drawer to be open at a time - Top of unit is finished with flat edge detail - Can be used with components tops to complete the unit or bank 2 or 3 files together - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
4 DRAWER LATERAL FILE FREESTANDING 	Q75N2436LFM4	\$ 3258	24	36 ¹ / ₁₆	52 ¹ / ₁₆	—	—	265 lbs.	33.4
	75N2436LFM4	3258	24	36 ¹ / ₁₆	52 ¹ / ₁₆	—	—	265 lbs.	33.4
	75N2136LFM4	3202	21	36 ¹ / ₁₆	52 ¹ / ₁₆	—	—	265 lbs.	33.4
	- Interlock mechanism allows only 1 drawer to be open at a time - Top of unit is finished with flat edge detail - Can be used with components tops to complete the unit or bank 2 or 3 files together - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
COMPONENT TOPS FOR 3 AND 4 DRAWER LATERAL FILES 	75N24108CPTL TFL Top	\$ 862	24	108	1 ¹ / ₂	—	—	96 lbs.	4.1
	75N24108CPTP HPL Top	1034	24	108	1 ¹ / ₂	—	—	96 lbs.	4.1
	75N21108CPTL TFL Top	\$ 801	21	108	1 ¹ / ₂	—	—	96 lbs.	4.1
	75N21108CPTP HPL Top	962	21	108	1 ¹ / ₂	—	—	96 lbs.	4.1
	75N2472CPTL TFL Top	\$ 536	24	71 ¹ / ₁₆	1 ¹ / ₂	—	—	81 lbs.	3.3
	75N2472CPTP HPL Top	642	24	71 ¹ / ₁₆	1 ¹ / ₂	—	—	81 lbs.	3.3
	75N2172CPTL TFL Top	\$ 501	21	71 ¹ / ₁₆	1 ¹ / ₂	—	—	81 lbs.	3.3
	75N2172CPTP HPL Top	600	21	71 ¹ / ₁₆	1 ¹ / ₂	—	—	81 lbs.	3.3
	- Component tops to be used on 3 or 4 high lateral files to complete a single unit or bank 2 to 3 units together - G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"								

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 90 for grommet locations and page 88 for grommet options and upcharges
- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

- Model Number
- Pull
- Locking
- Worksurface Laminate
- Chassis Laminate

SAMPLE MODEL NUMBER:


75N2436PF33P 87CC KRB PT PT

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COMPONENT TOPS FOR 3 AND 4 DRAWER LATERAL FILES (CONTINUED)	75N2436CPTL TFL Top	\$ 310	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2436CPTP HPL Top	372	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2136CPTL TFL Top	\$ 279	21	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2136CPTP HPL Top	333	21	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8

- Component tops to be used on 3 or 4 high lateral files to complete a single unit or bank 2 to 3 units together


DOUBLE DOOR UNIT FREESTANDING



75N2436PFHL TFL Top	\$ 1238	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	130 lbs.	22.2
75N2436PFHP HPL Top	1487	24	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2
75N2136PFHL TFL Top	\$ 1200	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	130 lbs.	22.2
75N2136PFHP HPL Top	1439	21	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MIXED STORAGE CABINET FREESTANDING




Left shown

OPEN STORAGE ON LEFT		OPEN STORAGE ON RIGHT							
75N2436PF33L	75N2436PF32L	TFL Top	\$ 1896	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs. 22.2
75N2436PF33P	75N2436PF32P	HPL Top	2277	24	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	155 lbs. 22.2
75N2136PF33L	75N2136PF32L	TFL Top	\$ 1754	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs. 22.2
75N2136PF33P	75N2136PF32P	HPL Top	2105	21	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	155 lbs. 22.2

- Interior dimensions of open storage are 16 $\frac{3}{4}$ " W, 12" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MULTI-FILE STORAGE CABINET FREESTANDING



Left shown

FILE DRAWER ON LEFT		FILE DRAWER ON RIGHT							
75N2436PF11L	75N2436PF10L	TFL Top	\$ 2581	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs. 22.2
75N2436PF11P	75N2436PF10P	HPL Top	3099	24	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	155 lbs. 22.2
75N2136PF11L	75N2136PF10L	TFL Top	\$ 2542	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs. 22.2
75N2136PF11P	75N2136PF10P	HPL Top	3049	21	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	155 lbs. 22.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N243668VHH KS1B 462

- See pages 87-88 for all options available in Renegade


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
STORAGE/WARDROBE WITH FILE/FILE PEDESTAL	75N242468VHHL2	75N242468VHHR2	\$ 2551	23 ³ / ₁₆	24	66 ⁷ / ₈	—	—	213 lbs.	27.0
	75N212468VHHL2	75N212468VHHR2	2403	20 ¹ / ₁₆	24	66 ⁷ / ₈	—	—	193 lbs.	22.3
	• Removable coat rod is standard • Storage cabinet contains 2 adjustable shelves • Interior dimensions of wardrobe are 5" W, 19" D, 64¹/₂" H • Interior dimensions of storage are 16¹/₄" W, 19" D, 38¹/₂" H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									



Left shown

- Removable coat rod is standard
- Storage cabinet contains 2 adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64 $\frac{1}{2}$ " H
- Interior dimensions of storage are 16 $\frac{3}{4}$ " W, 19" D, 38 $\frac{1}{2}$ " H
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL





LEFT HINGED	RIGHT HINGED								
75N242468VBWHL2	75N242468VBWHR2	\$ 2833	23 $\frac{1}{16}$ "	24"	66 $\frac{1}{2}$ "	—	—	213 lbs.	27.0
75N212468VBWHL2	75N212468VBWHR2	2681	20 $\frac{1}{16}$ "	24"	66 $\frac{1}{2}$ "	—	—	193 lbs.	22.3

- Removable coat rod is standard
- Bookcase contains 2 adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64 $\frac{1}{8}$ " H
- Interior dimensions of storage are 16 $\frac{1}{4}$ " W, 19" D, 38 $\frac{1}{8}$ " H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Linear Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

Left shown

- Removable coat rod is standard
- Bookcase contains 2 adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64 $\frac{1}{2}$ " H
- Interior dimensions of storage are 16 $\frac{3}{4}$ " W, 19" D, 38 $\frac{1}{2}$ " H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

STORAGE/LATERAL FILE CABINET 	75N243668VHF2	\$ 3112	23 $\frac{1}{16}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	273 lbs.	33.0
	75N213668VHF2	2925	20 $\frac{1}{16}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	250 lbs.	29.0
	• 2 adjustable shelves are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

DOUBLE DOOR WARDROBE 	75N243668VHH	\$ 3447	23 $\frac{1}{16}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	160 lbs.	48.6
	75N213668VHH	2984	20 $\frac{1}{16}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	150 lbs.	43.0
	• Coat rod standard • Specify chassis laminate only • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW or 478 as worksurface/chassis combinations

TO ORDER, SPECIFY:

- Model Number
- Pull
- Locking
- Chassis Laminate


SAMPLE MODEL NUMBERS:

Q75N3668BCOF MC
75N3638BCO HN

- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		


DOUBLE DOOR STORAGE CABINET



75N243668VSH	\$ 3186	23 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	160 lbs.	48.6
75N213668VSH	2790	20 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	150 lbs.	43.0

- Shaded shelves are adjustable
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WARDROBE/STORAGE CABINET




Left shown

LEFT HINGED	RIGHT HINGED							
75N241868VSWHL	75N241868VSWHR	\$ 1745	23 $\frac{1}{16}$ "	17 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	160 lbs. 26.7
75N211868VSWHL	75N211868VSWHR	1534	20 $\frac{1}{16}$ "	17 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	160 lbs. 26.7

- Shaded shelves are adjustable
- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod is standard
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less


FREESTANDING BOOKCASE



Q75N3668BCOF	\$ 1207	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	188 lbs.	31.6
75N3668BCOF	1207	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	66 $\frac{1}{8}$ "	—	—	188 lbs.	31.6
75N3653BCOF	1065	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	52 $\frac{1}{16}$ "	—	—	140 lbs.	26.7
75N3640BCOF	919	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	40 $\frac{1}{16}$ "	—	—	112 lbs.	20.6

- Specify chassis laminate only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

SET-ON BOOKCASE



Q75N3638BCO	\$ 801	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	38	—	—	100 lbs.	20.6
75N3638BCO	801	13 $\frac{1}{16}$ "	35 $\frac{1}{16}$ "	38	—	—	100 lbs.	20.6

- Specify chassis laminate only
- Shaded shelves are adjustable

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Door Frame Color
5. Chassis Laminate

SAMPLE MODEL NUMBERS:


75N2315PMBFC 87MB KS1B 2 20101 405
75N3638BCHG 462 405

- See pages 87-88 for all options available in Renegade


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
SET-ON BOOKCASE FROSTED RESIN DOORS	75N3638BCHG	\$ 1662	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	—	100 lbs.	20.6
	• Shaded shelves are adjustable • Specify door frame color and chassis laminate only • Aluminum door frames									




SET-ON BOOKCASE LAMINATE DOORS	75N3638BCH	\$ 867	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	—	100 lbs.	20.6
	• Shaded shelves are adjustable • Specify chassis laminate only • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									



MOBILE PEDESTAL	75N2315PMBF	\$ 1105	22 ¹ / ₁₆	15 ¹ / ₂	21 ¹ / ₂	—	—	—	76 lbs.	8.7
	• 4 double wheel non-locking casters standard • Maximum weight unit can hold is 300 pounds • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									



MOBILE PEDESTAL
CUSHION TOP



GRADE / LIST PRICE

	1	2/COM	3/COL	4	5	6	7
75N2315PMBFC	\$ 1105	1135	1149	1171	1195	1236	1291

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1156	1187	1211	1237	1265	1295	1320	1351	1381	1413
	K	L	M	N	O	P	Q	R	S	T
\$	1460	1558	1619	1650	1682	1713	1745	1776	1807	1838

DIMENSIONS

Depth	22 ¹ / ₁₆	Height	23	Weight	78
Width	15 ¹ / ₂			Cubic Ft.	9.2

- 4 double wheel non-locking casters standard
- Refer to the Surface Materials Reference Guide for available seating textile options
- Maximum weight unit can hold is 300 pounds
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 371-408 for accessories
- Worksurface laminate and vinyl rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Laminate

SAMPLE MODEL NUMBERS:

- 75N60WSHRL CUT-G17C PB
- See pages 87-88 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
HALF ROUND WORKSURFACE 	75N60WSHRL	TFL Top	\$ 523	30	60	1½	—	—	69 lbs.	2.8
	75N60WSHRP	HPL Top	629	30	60	1¾	—	—	69 lbs.	2.8
	75N48WSHRL	TFL Top	\$ 437	24	48½	1½	—	—	57 lbs.	2.3
	75N48WSHRP	HPL Top	524	24	48½	1¾	—	—	57 lbs.	2.3
	75N42WSHRL	TFL Top	\$ 383	24	42	1½	—	—	50 lbs.	2.0
	75N42WSHRP	HPL Top	460	24	42	1¾	—	—	50 lbs.	2.0
	• Specify grommet and worksurface laminate only									
	• Support base must be ordered separately; see below for support base options									

SUPPORT BASE



NAC0428SFRNB	Metal	\$ 294	4	—	27¾	—	10 lbs.	1.0
• Adjustable glide standard • Specify paint colors: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel metallic (503) • Optional upper and lower (CUL) wire management cutout								

ROOSEVELT

Product Specifications	132
Product Options	133
L Arrangements	134
U Arrangements	135
Product Pages	136

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" veneer or 1" TFL (thermally fused laminate) worksurface
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

MOLDING

- Solid wood, mitered, overlay moldings optional on modesty panels of desks only (excluding reception desk)

PULLS

- Available with 1 pull: Scroll with matching knob for highbacks and wardrobes
- Available in 2 colors: Antique Brass or Classic Nickel

DRAWERS


- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets available in predetermined locations for an additional upcharge
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers
- Wire management cutout included on inside pedestal panel for routing of wires from pedestal to kneespace area when grommet is featured on surface



LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked at the factory and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Dictation Slide	13½"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¾"	17"	2⅞"	N/A
Box Drawer	12½"	17"	3⅞"	N/A
File Drawer – Desk	12½"	17"	9½"	Letter
File Drawer – Return and Credenza	15½"	17"	9½"	Legal
File Drawer – Lateral File	30½"	15"	9½"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side


WOOD FINISHES

CW	Cordovan Walnut
DW	Judicial Walnut
MH	Mocha Walnut
TF	Truffle Walnut

MOLDING (DESKS ONLY)

M	Molding
X	No molding

RIM PROFILE



PULL/KNOB



Scroll (82)

82AB	Antique Brass
82CN	Classic Nickel

(Boring Pattern 102mm)


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$41 list for each grommet

G13C	Center
G13LR	Left & Right



Round Grommet
Plastic

LOCKING

KEY RANDOM

KRB	Black
-----	-------

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS2B	Black, 2 locks per unit
KS3B	Black, 3 locks per unit
KS4B	Black, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile: Traditional

Molding: Included on desks only

Pull: Scroll 82AB Antique Brass

Grommets: Included on bridges, returns and credenzas

Locking: Random black cores

Finish: Cordovan (CW)

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

ROOSEVELT L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW Cordovan MH Mocha
DW Judicial TF Truffle



Scroll, Antique Brass pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION WOOD TOP 	51N8672LLFW	85¾D x 71¾W	\$ 6838	RIGHT L-CONFIGURATION WOOD TOP 	51N8672LRFW	85¾D x 71¾W	\$ 6838
	consists of				consists of		
	51N3672DRFW1	Right Pedestal Desk	3943		51N3672DLFW1	Left Pedestal Desk	3943
	51N2450RLEFW2	Left Pedestal Return	2895		51N2450RREFW2	Right Pedestal Return	2895
	51N8066LLFW	79¾D x 66W	\$ 6433		51N8066LRFW	79¾D x 66W	\$ 6433
LEFT L-CONFIGURATION LAMINATE TOP 	Q51N8672LLFLW	85¾D x 71¾W	\$ 6348	RIGHT L-CONFIGURATION LAMINATE TOP 	Q51N8672LRFLW	85¾D x 71¾W	\$ 6348
	51N8672LLFLW	85¾D x 71¾W	\$ 6348		51N8672LRFLW	85¾D x 71¾W	\$ 6348
	consists of				consists of		
	51N3672DRFLW1	Right Pedestal Desk	3651		51N3672DLFLW1	Left Pedestal Desk	3651
	51N2450RLEFLW2	Left Pedestal Return	2697		51N2450RREFLW2	Right Pedestal Return	2697
LEFT L-CONFIGURATION LAMINATE TOP 	51N8066LLFLW	79¾D x 66W	\$ 5960	RIGHT L-CONFIGURATION LAMINATE TOP 	51N8066LRFLW	79¾D x 66W	\$ 5960
	consists of				consists of		
	51N3066DRFLW1	Right Pedestal Desk	3263		51N3066DLFLW1	Left Pedestal Desk	3263
	51N2450RLEFLW2	Left Pedestal Return	2697		51N2450RREFLW2	Right Pedestal Return	2697

ROOSEVELT U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW Cordovan MH Mocha
DW Judicial TF Truffle



Scroll, Antique Brass pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
LEFT U-CONFIGURATION WOOD TOP 	51N10772ULFW 106¾D x 71¾W	\$ 8780	RIGHT U-CONFIGURATION WOOD TOP 	51N10772URFW 106¾D x 71¾W	\$ 8780
	consists of			consists of	
	51N3672DRFW1 Right Pedestal Desk	3943		51N3672DLFW1 Left Pedestal Desk	3943
	51N2450BEFW Bridge	1298		51N2450BEFW Bridge	1298
	51N2172CLFW2 Left Pedestal Credenza	3539		51N2172CRFW2 Right Pedestal Credenza	3539
	51N9972ULFW 98¾D x 71¾W	\$ 8705		51N9972URFW 98¾D x 71¾W	\$ 8705
	consists of			consists of	
	51N3672DRFW1 Right Pedestal Desk	3943		51N3672DLFW1 Left Pedestal Desk	3943
	51N2442BEFW Bridge	1223		51N2442BEFW Bridge	1223
	51N2172CLFW2 Left Pedestal Credenza	3539		51N2172CRFW2 Right Pedestal Credenza	3539
	51N10166ULFW 100¾D x 66W	\$ 7872		51N10166URFW 100¾D x 66W	\$ 7872
	consists of			consists of	
	51N3066DRFW1 Right Pedestal Desk	3538		51N3066DLFW1 Left Pedestal Desk	3538
	51N2450BEFW Bridge	1298		51N2450BEFW Bridge	1298
	51N2166CLFW2 Left Pedestal Credenza	3036		51N2166CRFW2 Right Pedestal Credenza	3036
	51N9366ULFW 92¾D x 66W	\$ 7797		51N9366URFW 92¾D x 66W	\$ 7797
	consists of			consists of	
	51N3066DRFW1 Right Pedestal Desk	3538		51N3066DLFW1 Left Pedestal Desk	3538
	51N2442BEFW Bridge	1223		51N2442BEFW Bridge	1223
	51N2166CLFW2 Left Pedestal Credenza	3036		51N2166CRFW2 Right Pedestal Credenza	3036
LEFT U-CONFIGURATION LAMINATE TOP 	Q51N10772ULFLW 106¾D x 71¾W	\$ 8148	RIGHT U-CONFIGURATION LAMINATE TOP 	Q51N10772URFLW 106¾D x 71¾W	\$ 8148
	51N10772ULFLW 106¾D x 71¾W	\$ 8148		51N10772URFLW 106¾D x 71¾W	\$ 8148
	consists of			consists of	
	51N3672DRFLW1 Right Pedestal Desk	3651		51N3672DLFLW1 Left Pedestal Desk	3651
	51N2450BEFLW Bridge	1249		51N2450BEFLW Bridge	1249
	51N2172CLFLW2 Left Pedestal Credenza	3248		51N2172CRFLW2 Right Pedestal Credenza	3248
	Q51N9972ULFLW 98¾D x 71¾W	\$ 8075		Q51N9972URFLW 98¾D x 71¾W	\$ 8075
	51N9972ULFLW 98¾D x 71¾W	\$ 8075		51N9972URFLW 98¾D x 71¾W	\$ 8075
	consists of			consists of	
	51N3672DRFLW1 Right Pedestal Desk	3651		51N3672DLFLW1 Left Pedestal Desk	3651
	51N2442BEFLW Bridge	1176		51N2442BEFLW Bridge	1176
	51N2172CLFLW2 Left Pedestal Credenza	3248		51N2172CRFLW2 Right Pedestal Credenza	3248
	51N10166ULFLW 100¾D x 66W	\$ 7223		51N10166URFLW 100¾D x 66W	\$ 7223
	consists of			consists of	
	51N3066DRFLW1 Right Pedestal Desk	3263		51N3066DLFLW1 Left Pedestal Desk	3263
	51N2450BEFLW Bridge	1249		51N2450BEFLW Bridge	1249
	51N2166CLFLW2 Left Pedestal Credenza	2711		51N2166CRFLW2 Right Pedestal Credenza	2711
	51N9366ULFLW 92¾D x 66W	\$ 7150		51N9366URFLW 92¾D x 66W	\$ 7150
	consists of			consists of	
	51N3066DRFLW1 Right Pedestal Desk	3263		51N3066DLFLW1 Left Pedestal Desk	3263
	51N2442BEFLW Bridge	1176		51N2442BEFLW Bridge	1176
	51N2166CLFLW2 Left Pedestal Credenza	2711		51N2166CRFLW2 Right Pedestal Credenza	2711

ROOSEVELT

PRODUCT SPECIFICATIONS

- Specify and add \$41 list for EACH grommet



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

- Model Number
- Molding
- Pull Option
- Grommet Option
- Locking
- Finish

SAMPLE MODEL NUMBERS:

51N3672DDFW8 M 82AB G13LR KS3B MH
51N3672DTW 82AB MH

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC		
	D	W	H	A	KW	WEIGHT	FEET				
DOUBLE PEDESTAL DESK   Desk with optional molding	51N3672DDFW8	Wood Top	\$ 4203	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	Q51N3672DDFLW8	Laminate Top	4031	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	51N3672DDFLW8	Laminate Top	4031	35¾	71¾	29½	7¾	32%	362 lbs.	57.4	
	51N3066DDFW8	Wood Top	\$ 4111	29¾	66	29½	1¾	25⅓%	285 lbs.	45.3	
	51N3066DDFLW8	Laminate Top	3930	29¾	66	29½	1¾	25⅓%	285 lbs.	45.3	
• The user side overhang is 1 • Locking center drawer and dictation slide included with unit • Grommet (G13LR) available • Optional molding on approach side • Line art shown with optional molding • Quick Delivery model includes molding • Random lock core (KRB) and specified lock core (KS3B) available											
CHIPPENDALE TABLE DESK 	51N3672DTW	Wood Top	\$ 3142	35¾	71¾	29½	—	—	129 lbs.	10.7	
	51N3672DTLW	Laminate Top	2946	35¾	71¾	29½	—	—	129 lbs.	10.7	
• Do not specify molding or grommet options • Non-locking center drawer included with unit • Some assembly required											
SINGLE PEDESTAL DESK 	LEFT PEDESTAL		RIGHT PEDESTAL								
	51N3672DLFW1	51N3672DRFW1	Wood Top	\$ 3943	35¾	71¾	29½	7¾	31½	311 lbs.	57.4
	Q51N3672DLFLW1	Q51N3672DRFLW1	Laminate Top	3651	35¾	71¾	29½	7¾	31½	311 lbs.	57.4
	51N3672DLFLW1	51N3672DRFLW1	Laminate Top	3651	35¾	71¾	29½	7¾	31½	311 lbs.	57.4
	51N3066DLFW1	51N3066DRFW1	Wood Top	\$ 3538	29¾	66	29½	1¾	25⅓%	245 lbs.	45.3
51N3066DLFLW1	51N3066DRFLW1	Laminate Top	3263	29¾	66	29½	1¾	25⅓%	245 lbs.	45.3	
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Optional molding on approach side • Quick Delivery model includes molding • Random lock core (KRB) and specified lock core (KS2B) available											

PRODUCT SPECIFICATIONS

- Specify and add \$41 list for EACH grommet



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

51N2450RLEFW2 82AB X KRB MH

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
	D	W	H	A	KW							
 Left Reception Desk  Right Reception Desk  Right shown	RECEPTION DESK											
	LEFT PEDESTAL		RIGHT PEDESTAL									
	51N3072DTLFW1	51N3072DTRFW1	Wood Top	\$	5800	30 $\frac{7}{32}$	71 $\frac{3}{4}$	43 $\frac{3}{16}$	—	—	530 lbs.	69.9
	51N3072DTLFLW1	51N3072DTRFLW1	Laminate Top		5520	30 $\frac{7}{32}$	71 $\frac{3}{4}$	43 $\frac{3}{16}$	—	—	530 lbs.	69.9
	• Must be used with reception return • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
	RECEPTION RETURN											
	LEFT		RIGHT									
	51N2451RTLW2	51N2451RTRW2	Wood Top	\$	3875	23 $\frac{3}{16}$	50 $\frac{1}{4}$	42	—	—	300 lbs.	43.1
	51N2451RTLLW2	51N2451RTRLW2	Laminate Top		3731	23 $\frac{3}{16}$	50 $\frac{1}{4}$	42	—	—	300 lbs.	43.1
	• Must be used with reception desk • Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
RETURN		LEFT PEDESTAL		RIGHT PEDESTAL								
 Right shown	51N2450RLEFW2	51N2450RREFW2	Wood Top	\$	2854	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{16}$	159 lbs.	29.7
	Q51N2450RLEFLW2	Q51N2450RREFLW2	Laminate Top		2697	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{16}$	159 lbs.	29.7
	51N2450RLEFLW2	51N2450RREFLW2	Laminate Top		2656	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{16}$	159 lbs.	29.7
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available											
CORNER UNIT		51N3636CFSW	Wood Top	\$	2218	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2
	51N3636CFSLW	Laminate Top		2031	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2	
	• Not recommended as a freestanding unit due to routing in the rim • Unit must be attached to bridge and/or return • Some assembly required • Grain direction runs diagonal on worksurface • Grommet (G13C) available											

PRODUCT SPECIFICATIONS

- Specify and add \$41 list for EACH grommet



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Grommet Option
- Locking
- Finish

SAMPLE MODEL NUMBER:


51N2172CFFW 82AB G13LR KRB DW

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BRIDGE 	51N2450BEFW Wood Top	\$ 1257	23¾	50	29½	—	50	78 lbs.	3.0
	Q51N2450BEFLW Laminate Top	1249	23¾	50	29½	—	50	72 lbs.	3.0
	51N2450BEFLW Laminate Top	1208	23¾	50	29½	—	50	72 lbs.	3.0
	51N2442BEFW Wood Top	\$ 1182	23¾	42	29½	—	42	71 lbs.	2.6
	Q51N2442BEFLW Laminate Top	1176	23¾	42	29½	—	42	65 lbs.	2.6
	51N2442BEFLW Laminate Top	1135	23¾	42	29½	—	42	65 lbs.	2.6

- Do not specify pull
- Grommet (G13C) available
- Some assembly required
- Grain direction runs front-to-back on worksurface


STORAGE CREDENZA



51N2172CSFW2 Wood Top	\$ 4255	21	71¾	29½	—	—	340 lbs.	36.4
Q51N2172CSFLW2 Laminate Top	4025	21	71¾	29½	—	—	340 lbs.	36.4
51N2172CSFLW2 Laminate Top	3943	21	71¾	29½	—	—	340 lbs.	36.4

- Features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available


LATERAL FILE CREDENZA



51N2172CFFW Wood Top	\$ 4255	21	71¾	29½	—	—	333 lbs.	36.4
51N2172CFFLW Laminate Top	3943	21	71¾	29½	—	—	333 lbs.	36.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS4B) available

KNEESPACE CREDENZA



51N2172CKFW2 Wood Top	\$ 3842	21	71¾	29½	—	33¾	234 lbs.	36.4
Q51N2172CKFLW2 Laminate Top	3570	21	71¾	29½	—	33¾	234 lbs.	36.4
51N2172CKFLW2 Laminate Top	3529	21	71¾	29½	—	33¾	234 lbs.	36.4

51N2166CKFW2 Wood Top	\$ 3491	21	65¾	29½	—	27¾	175 lbs.	24.5
51N2166CKFLW2 Laminate Top	3330	21	65¾	29½	—	27¾	175 lbs.	24.5

- Features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13C center grommet
- Random lock core (KRB) and specified lock core (KS2B) available

PRODUCT SPECIFICATIONS

- Specify and add \$41 list for EACH grommet



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


- Model Number
- Pull Option
- Grommet Option
- Locking
- Finish

SAMPLE MODEL NUMBERS:

51N2172CLFW6 82CN X KRB DW
 51N7236HBHW 82CN KRB DW
 51N3618SOHMMW 82CN KRB CW

- See page 133 for all options available in Roosevelt


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET			
			D	W	H	A			KW		
	LEFT PEDESTAL	RIGHT PEDESTAL									
	51N2172CLFW6	51N2172CRFW6	Wood Top	\$ 3555	21	71¾	29½	—	10% ₁₆	234 lbs.	36.4
	51N2172CLFLW6	51N2172CRFLW6	Laminate Top	3361	21	71¾	29½	—	10% ₁₆	234 lbs.	36.4
	• Not recommended as a freestanding unit due to routing in the rim • Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB) and specified lock core (KS2B) available										



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA FILE/FILE




Left shown

LEFT PEDESTAL				RIGHT PEDESTAL						
51N2172CLFW2	51N2172CRFW2	Wood Top	\$ 3457	21	71¾	29½	—	28%	195 lbs.	36.4
Q51N2172CLFLW2	Q51N2172CRFLW2	Laminate Top	3248	21	71¾	29½	—	28%	195 lbs.	36.4
51N2172CLFLW2	51N2172CRFLW2	Laminate Top	3166	21	71¾	29½	—	28%	195 lbs.	36.4
51N2166CLFW2	51N2166CRFW2	Wood Top	\$ 2954	21	65¾	29½	—	22%	155 lbs.	24.5
51N2166CLFLW2	51N2166CRFLW2	Laminate Top	2629	21	65¾	29½	—	22%	155 lbs.	24.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13LR left and right grommets
- Random lock core (KRB) and specified lock core (KS1B) available


HIGHBACK ORGANIZER



36" HIGH									
Q51N7236HBHW	Wood Doors	\$	3651	14¾	71¾	36	—	—	177 lbs. 36.2
51N7236HBHW	Wood Doors		3651	14¾	71¾	36	—	—	177 lbs. 36.2
51N6636HBHW	Wood Doors	\$	3458	14¾	65¾	36	—	—	150 lbs. 30.1
• Specify pull and finish only • Highback organizer features (4) side hinged doors, full back panel with cord management • For tack board models, see pages 403-408 • Random lock core (KRB) and specified lock core (KS1B) available									

- Specify pull and finish only
- Highback organizer features (4) side hinged doors, full back panel with cord management
- For tack board models, see pages 403-408
- Random lock core (KRB) and specified lock core (KS1B) available

OVERHEAD CABINET WALL MOUNT



18" HIGH									
Q51N3618SOHMMW	Wood Doors	\$ 1778	14½	35 ²⁹ / ₃₂	17 ⁷ / ₈	—	—	76 lbs.	7.7
51N3618SOHMMW	Wood Doors	1778	14½	35 ²⁹ / ₃₂	17 ⁷ / ₈	—	—	76 lbs.	7.7
51N3018SOHMMW	Wood Doors	1654	14½	29 ⁷ / ₈	17 ⁷ / ₈	—	—	64 lbs.	6.4

- Units feature (2) side hinged doors
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket, for attachment to wall, is included
- For tack board models, see pages 403-408
- Random lock core (KRB) and specified lock core (KS1B) available

ROOSEVELT



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

51N3778VHHW 82CN KRB CW

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
LATERAL FILE 2 DRAWER	51N2137LFF2W Wood Top	\$ 2814	21	37¼	29½	—	—		158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	2714	21	37¼	29½	—	—		123 lbs.	15.6
	51N2137LFF2LW Laminate Top	2714	21	37¼	29½	—	—		123 lbs.	15.6



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available

LATERAL FILE 3 DRAWER	51N2137LFF3W Wood Top	\$ 3868	21½	37¼	43½	—	—		190 lbs.	24.0
	51N2137LFF3LW Laminate Top	3770	21½	37¼	43½	—	—		190 lbs.	24.0




- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

LATERAL FILE 4 DRAWER	51N2137LFF4W Wood Top	\$ 4785	21	37¼	55½	—	—		236 lbs.	29.4
----------------------------------	-----------------------	---------	----	-----	-----	---	---	--	----------	------




- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

WARDROBE	51N3778VHHW Wood Doors	\$ 4396	23½	37	78	—	—		250 lbs.	48.6
-----------------	------------------------	---------	-----	----	----	---	---	--	----------	------



- Removable coat rod is standard; positioned on left side of wardrobe
- Features 4 adjustable laminate shelves
- Random lock core (KRB) and specified lock core (KS2B) available

DOUBLE BOOKCASE	DOUBLE BOOKCASE	\$ 5198	14%	69¼	56½	—	—		243 lbs.	39.4
	Q51N3452BCOFW Bookcase (each—order 2)	1953	12¼	33½	51¼	—	—		92 lbs.	17.6
	51N3452BCOFW Bookcase (each—order 2)	1953	12¼	33½	51¼	—	—		92 lbs.	17.6
	51N1469CPCFW Cornice Frame	814	14%	69¼	1¾	—	—		30 lbs.	1.2
	51N1468CPBW Base	478	13%	68¼	3¼	—	—		29 lbs.	3.0



- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Finish


SAMPLE MODEL NUMBERS:

51N3452BCOFW MH
51N1436CPCFW MH
51N1435CPBW MH

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
	SINGLE BOOKCASE	\$ 2674	14 $\frac{1}{8}$	35 $\frac{3}{4}$	56 $\frac{1}{2}$	—	—	—	128 lbs.	19.8
	Q51N3452BCOFW Bookcase	1953	12 $\frac{1}{4}$	33 $\frac{1}{2}$	51 $\frac{1}{4}$	—	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase	1953	12 $\frac{1}{4}$	33 $\frac{1}{2}$	51 $\frac{1}{4}$	—	—	—	92 lbs.	17.6
	Q51N1436CPCFW Cornice Frame	406	14 $\frac{1}{8}$	35 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	406	14 $\frac{1}{8}$	35 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	315	13 $\frac{3}{8}$	34 $\frac{3}{4}$	3 $\frac{3}{4}$	—	—	—	18 lbs.	1.6
	51N1435CPBW Base	315	13 $\frac{3}{8}$	34 $\frac{3}{4}$	3 $\frac{3}{4}$	—	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31 $\frac{3}{4}$ " long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

	SINGLE BOOKCASE	\$ 2560	14 $\frac{1}{8}$	35 $\frac{3}{4}$	40 $\frac{1}{8}$	—	—	—	112 lbs.	19.8
	Q51N3436BCOFW Bookcase	1839	12 $\frac{1}{4}$	33 $\frac{1}{2}$	35 $\frac{3}{4}$	—	—	—	76 lbs.	17.2
	51N3436BCOFW Bookcase	1839	12 $\frac{1}{4}$	33 $\frac{1}{2}$	35 $\frac{3}{4}$	—	—	—	76 lbs.	17.2
	Q51N1436CPCFW Cornice Frame	406	14 $\frac{1}{8}$	35 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	406	14 $\frac{1}{8}$	35 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	315	13 $\frac{3}{8}$	34 $\frac{3}{4}$	3 $\frac{3}{4}$	—	—	—	18 lbs.	1.6
	51N1435CPBW Base	315	13 $\frac{3}{8}$	34 $\frac{3}{4}$	3 $\frac{3}{4}$	—	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31 $\frac{3}{4}$ " long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable

ROOSEVELT



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

51N2424ENW MH

- See page 133 for all options available in Roosevelt

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MAGAZINE TABLE 	51N2040MGW	Wood Top	\$ 1522	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	Q51N2040MGLW	Laminate Top	1309	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	51N2040MGLW	Laminate Top	1309	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	46 lbs.	3.0
	• Some assembly required • Laminate top tables have veneer legs/base									
END TABLE 	51N2424ENW	Wood Top	\$ 1309	23 $\frac{3}{4}$	39 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	Q51N2424ENLW	Laminate Top	1165	23 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	38 lbs.	2.8
	51N2424ENLW	Laminate Top	1165	23 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	38 lbs.	2.8
	• Some assembly required • Laminate top tables have veneer legs/base									

TESSERA

Product Specifications	144
Product Options	147
Grommet Location Options - Worksurfaces	150
Grommet Location Options for Conference Tops	151
Drawer Specifications	155
Thought Starters	156
Product Pages	162

TESSERA PRODUCT SPECIFICATIONS

WORKSURFACE

- Veneer surfaces are 1 $\frac{3}{8}$ " and feature a 3mm wood rim
- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate)
- Rims are available in 3mm softened profile
- Grain direction runs left-to-right unless otherwise noted
- CSL not available

PEDESTAL RECESSED FAÇADE

- Flat profile in veneer or laminate that matches the chassis material
- Recessed façade is 1 $\frac{3}{8}$ " thick on top of pedestal

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1 $\frac{3}{8}$ " thick, modesty panels are $\frac{3}{4}$ " thick
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate modesty panels have vertical grain direction unless noted
- Any laminate modesty over 60" will be horizontal grain direction
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Laminate height adjustable desks without wire manager have horizontal grain on outer shroud
- Laminate height adjustable desks with wire manager have vertical grain on outer shroud
- Laminate height adjustable single side (has wire manager standard) will have vertical grain on outer shroud
- Back panels are fully finished unless noted

PEDESTALS/UNDERSURFACE STORAGE

- Full height options available
- Unfinished backs; can be finished with full overlay modesty panels, ped back panels or if a ped is against a wall and a back panel is not used, a filler strip can be used
- Backs of pedestals on pages 173-175 are unfinished. They should be used against a wall
- The bookcases back on the height adjustable single side desks are unfinished. They should be used against a wall

CREDENZA FOOT

- Beech veneer foot available in finish or paint options

SLIDING ACCENT DOORS

- Available in veneer, laminate, and white back painted glass

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are $\frac{1}{2}$ " thick white vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 155

DRAWER PULLS

- Available in 1 pull style, refer to page 147 for pull style and colors

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 155 for complete filing details

CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Refer to page 150 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal
- Leather strap can hold wires and attach to a leg in Florence colors Almond Biscotti, Terra, Mezza Luna, and Struzzo
- Leather sleeve with zipper in 3 heights: standard, bar, counter for housing cords in Florence colors Almond Biscotti, Terra, Mezza Luna and Struzzo

LOCKING

- Optional locking
- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 381
- Locking for sliding doors is located on the side of the unit

PLANNING TIPS

- Wall panels can be mounted at any height but reference page 156 for Application Guidelines
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations

HEIGHT ADJUSTABLE DESKS

- Height adjustable customer range: 28 $\frac{1}{2}$ "-45"
- Wood, laminate, or wood with laminate accent options
- Wood models are all wood with no accent colors
- Laminate models are all laminate with an accent option for the inner shroud/modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the inner shroud and modesty panel
- Inner shroud is only seen in "up" position on 60", 66", and 72" wide models
- Metal legs visible on 78" and 84" wide models when in the "up" position
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 85 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78 $\frac{3}{4}$ " length
- On models with wire management the wire management is installed inside inner leg
- Modesty panel options include: full flush, full breakfront, $\frac{1}{2}$ height flush, $\frac{1}{2}$ height breakfront

ADJUSTABLE HEIGHT DESK AND RETURN "L" UNIT

- "L" Unit Height Adjustable has 3 columns with a range of 27"-43½"
- Models are sold as desks and returns to make up an "L" unit and the entire unit raises and lowers together
- "L" Unit Height Adjustable will have a modesty panel for the desk and return that is inset 1½" from edge of desk and 3½" from floor and will raise with the top. No inner/out shroud so the leg will be exposed when top is raised
- All desk and return models to make an "L" unit have wire management access
- Wood models are all wood with no accent colors
- Laminate models are all laminate with an accent option for the modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the modesty panel.
- "L" return units do not have an inner shroud
- "L" Unit Height Adjustable maximum load should not exceed 100 lbs on both surfaces combined

ADJUSTABLE HEIGHT DESK SHELL WITH SINGLE SIDE SHROUDED BOOKCASE

- Single Side Shroud with Bookcase including one concealed leg within bookcase
- Wood models are all wood with no accent colors. Laminate models are all laminate with an accent option for the inner shroud/modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the inner shroud/modesty panel
- Specify box/file height component pedestals to work with a Single Side Shroud with Bookcase model
- Single Side Shroud with Bookcase model determined if "L" or "R" by user side where bookcase is located
- Modesty panels available to make Single Side Shroud with Bookcase with components an open plan application. Leg is exposed when Single Side Shroud with Bookcase model is raised
- Single Side Shroud with Bookcase models comes with a modesty panel but optional if used
- Overall dimensions of desk are undersized to allow for pinch points

VERTICAL STORAGE FILLER STRIP

- For use when vertical storage units are specified with the Single Side Height Adjustable Desk and the Tessera wall. Specify a filler strip to fill in the 3" gap between the back of the vertical storage unit and the architectural wall; 2½" length and 74½" tall

WALL PANELS

- Wood or LPL laminate options; vertical grain direction on wall panels with the exception of horizontal grain laminates
- Available in wood, laminate, HPL laminate, concrete veneer, stone veneer
- Back mounted LED light kits are available for use on wall panels
- Wall panels can be mounted at any height; see mounting application guidelines
- Wall mount brackets for attachment to architectural walls are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Adjustable universal TV wall mount bracket included; adjusts to allow installation of most 32" to 80" flat panel televisions; TV can cross over multiple panels. Restriction is 120 lbs weight limit
- VESA mounting compliant; black powder coat; ships separately
- Reference page 156 for Mounting Application Guidelines
- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads can be hung on panels
- Wall panel backs are pre-bored for shelf attachment in the field
- See assembly instructions for suggested drill bits for shelf installation

SHELVES

- Wood or HPL laminate grain direction is horizontal (left-to-right)
- Shelves are 10" deep; ¾" thick; and are available in nineteen lengths
- Shelves are mounted to wall panels; mounting brackets included; must be same size or smaller than overall width of wall panel
- Different lengths of shelves can be mounted horizontally in 12" increments on wall panels
- 59" H wall panels allow up to (4) rows of shelves; 52" H wall panels allow up to (3) rows of shelves; 46"W wall panels allow up to (3) rows of shelves


SHELVING WEIGHT LIMIT GUIDELINES

- Each shelf has a maximum weight limit; reference price list for additional information

18" W shelf: 25 lbs.	72" W shelf: 125 lbs.
20" W shelf: 35 lbs.	78" W shelf: 135 lbs.
24" W shelf: 45 lbs.	84" W shelf: 145 lbs.
30" W shelf: 55 lbs.	90" W shelf: 155 lbs.
36" W shelf: 65 lbs.	96" W shelf: 165 lbs.
42" W shelf: 75 lbs.	102" W shelf: 175 lbs.
48" W shelf: 85 lbs.	108" W shelf: 185 lbs.
54" W shelf: 95 lbs.	114" W shelf: 195 lbs.
60" W shelf: 105 lbs.	120" W shelf: 205 lbs.
66" W shelf: 115 lbs.	

RAILOADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board.

**COMPONENTS**

- Component models will ship bulk packed when applicable

ANGLED DISPLAY SHELVES

- Below are the weight limits for the angled shelves at different lengths

Angled Shelf Length (in.)	Weight Limit (lbs.)
18	27 lbs.
24	36 lbs.
30	45 lbs.
36	54 lbs.
48	72 lbs.
54	81 lbs.
60	90 lbs.
66	99 lbs.
72	108 lbs.

LED LIGHT KITS

- LED light kits can be added to back side of wall panels
- Light multi-driver (NACLTM) must be used when ganging together two LED light kits; sold separately

LIGHT KIT 1

- For use with larger wall panels
- Includes (2) LED light strip spools, (1) LED driver, (2) leads, (1) rocker switch, (3) corner connectors, and (2) splice
- Lights all 4 sides of wall panels that are 120" W x 52" H down to 48" W x 52" H
- Lights 3 sides of wall panels that are 120" W x 52" H down to 90" W x 52" H

LIGHT KIT 2

- For use with smaller wall panels
- Includes (1) light spool, (1) driver, (1) lead, (1) rocker switch, (2) corner connectors, and (2) splice
- Lights all 4 sides of wall panels that are 42" W x 52" H and smaller

5MM SPOOL OF LIGHTS

- Order when additional lights are needed but an additional LED light kit is not required

LEGS

- Tapered wood legs
- Contrasting leg option available in Designer White (405), Cinder (462), Platinum Metallic (501), and Satin Nickel Metallic (503) paint
- Conference table will have apron rail match leg paint color

BENCHES (STANDARD HEIGHT)

- Available in wood and laminate wood grain finishes, solid laminate colors
- Legs and apron rail will match and can be specified different from the top
- Upholstered options available
- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (1 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

PULL OPTIONS



Mosaic (92)

92MB	Cinder
92CC	Concrete
92WH	Designer White
92IR	Iron
92PL	Platinum Metallic
92SN	Satin Nickel Metallic

GANGING

L	Left
R	Right
LR	Left and Right


GROMMET OPTIONS—WORKSURFACE

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17A	Left, Right & Center




- Reference page 150 for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 388 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 388 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 388 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

GROMMET OPTIONS – CONFERENCE

If no grommet is desired, specify an X (No Grommet)

Round Grommet Option, Black

\$103 list upcharge per grommet location


- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End

- Reference page 150 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 386 for pricing and details




98KG40AELPGBK, 98KG40AELPGLG,
98KG40AELPGWH, NACG10BELPGB, and
NACG10BELPGW
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference page 152 for cutout locations of CUT-G15

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G17C Center
- CUT-G17E End
- CUT-G17LR Left & Right
- CUT-G17A All
- CUT-G17CE Center, End




- Reference page 153 for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)




NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)

- Reference page 388 for pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

- CUT-G23C Center
- CUT-G23E End
- CUT-G23LR Left, Right
- CUT-G23A All
- CUT-G23CE Center, End



- Reference page 154 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 394 for pricing and details

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

X	No locking
KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit
KS5B	Black, 5 locks per unit
KS5S	Silver, 5 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 381 for Key Specific model numbers.

LEG FINISH/ PAINT OPTIONS

793	Acorn	NM	Natural
AD	Almond	PC	Porcini
MC	Amber	PT	Portico
AC	Autumn	PB	Portobello
BZ	Brazilwood	792	Sable
IM	Brighton	SC	Sedona
CO	Canyon	SK	Skyline
CL	Caramel	TW	Tribeca
CI	Chai	TF	Truffle
CC	Cordoba	NW	Tuscan
CW	Cordovan	UW	Urban
DF	Driftwood	WL	Willow
HN	Honey	462	Cinder
TM	Huntington	423	Concrete
DW	Judicial	405	Designer White
KN	Kona	463	Iron
MW	Midtown	501	Platinum Metallic
MH	Mocha	503	Satin Nickel Metallic
YO	Monterey		

ADJUSTABLE HEIGHT LEG PAINT

462	Cinder
501	Platinum Metallic

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Cherry
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Cherry
MW	Midtown Cherry
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Cherry
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Cherry

LAMINATES

WOODGRAIN LAMINATE*

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

*Not available on the accent sliding door of the laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

TACK BOARD VERTICAL TEXTILES

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

CONCRETE (WALL PANELS ONLY)

90	Grey Concrete
----	---------------

STONE (WALL PANELS ONLY)

40	Bianca Carrara Marble
41	Nero Marquina Marble
43	Turkish Silver Travertine

HPL PATTERN LAMINATES (WALL PANELS ONLY)

Grade A	
821	Elemental Concrete
Grade C	
827	Black Fusion
826	Calacatta Marble
825	Jet Sequoia
Grade C	is 30% upcharge

GROMMET LOCATION OPTIONS—WORKSURFACE


Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 147 for options.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components
- Center grommet not recommended with breakfront modesty
- 24" pedestals not to be used with a 30" worksurface when specifying grommets

Worksurface grommet locations:


The distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.

The same locations are available for the round or racetrack grommet.




36" deep Worksurfaces

- G17 cut is 11 1/16" off the back surface




30", 24" and 20" deep Worksurfaces


- G17 cut is 6" off the back surface



**Round Grommet
Plastic**



**Racetrack Grommet
Zinc**



G17 Cutout Option

For component pedestals and worksurfaces on pages 173-175 to be used with the single side height adjustable desks on page 171. When building a low height credenza, the chart below indicates if/when a "center" grommet could be specified. These units are ganged with a common top when using multiple pedestals. The floating top design dictates grommet options.

The "checks" and "x"s represent whether a center grommet could or should not be selected, respectively.

Worksurface Model Pedestal Width Configuration

	30	15-15
59N1830WSSL	✓	✗
59N1830WSSW	✓	✗

	36	18-18
59N1836WSSL	✓	✗
59N1836WSSW	✓	✗

	30-18	15-18-15	15-15-18
59N1848WSSL	✓	✓	✓
59N1848WSSW	✓	✓	✓


	36-18	18-18-18
59N1854WSSL	✓	✓
59N1854WSSW	✓	✓

	30-30	15-15-15-15	15-30-15	15-15-30
59N1860WSSL	✗	✗	✓	✗
59N1860WSSW	✗	✗	✓	✗

	36-36	18-18-18-18	18-36-18	18-18-36
59N1872WSSL	✗	✗	✓	✗
59N1872WSSW	✗	✗	✓	✗

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired
- G10 Round Grommet



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)															
	72"				84"				96"				108"			
G10C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	36"	—	—	—	41 ¹⁵ / ₁₆ "	—	—	—	47 ¹⁵ / ₁₆ "	—	—	—	53 ¹⁵ / ₁₆ "	—	—
G10E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	—	—	—	20 ⁷ / ₈ "	—	—	—	23 ⁷ / ₈ "	—	—	—	26 ⁷ / ₈ "	—	—	—
G10LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	—	—	54 ¹³ / ₁₆ "	20 ⁷ / ₈ "	—	—	63 ¹³ / ₁₆ "	23 ⁷ / ₈ "	—	—	72 ¹³ / ₁₆ "	26 ⁷ / ₈ "	—	—	81 ³ / ₄ "
G10A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	36"	—	54 ¹³ / ₁₆ "	20 ⁷ / ₈ "	41 ¹⁵ / ₁₆ "	—	63 ¹³ / ₁₆ "	23 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	—	72 ¹³ / ₁₆ "	26 ⁷ / ₈ "	53 ¹⁵ / ₁₆ "	—	81 ³ / ₄ "
G10CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	36"	—	—	20 ⁷ / ₈ "	41 ¹⁵ / ₁₆ "	—	—	23 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	—	—	26 ⁷ / ₈ "	53 ¹⁵ / ₁₆ "	—	—

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

CUT-G15 option







TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
G15C CENTER	—	36"	—	—	—	41 15⁄16"	—	—	—	47 15⁄16"	—	—	—	53 15⁄16"	—	—	—	59 15⁄16"	—	—
G15E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 1⁄8"	—	—	—	18 3⁄8"	—	—	—	21 1⁄8"	—	—	—	24 1⁄8"	—	—	—	27 1⁄8"	—	—	—
G15LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 1⁄8"	—	—	56 1⁄16"	18 3⁄8"	—	—	65 1⁄16"	21 1⁄8"	—	—	74 1⁄16"	24 1⁄8"	—	—	83 1⁄4"	27 1⁄8"	—	—	92 1⁄4"
G15A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 1⁄8"	36"	—	56 1⁄16"	18 3⁄8"	41 15⁄16"	—	65 1⁄16"	21 1⁄8"	47 15⁄16"	—	74 1⁄16"	24 1⁄8"	53 15⁄16"	—	83 1⁄4"	27 1⁄8"	59 15⁄16"	—	92 1⁄4"
G15CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 1⁄8"	36"	—	—	18 3⁄8"	41 15⁄16"	—	—	21 1⁄8"	47 15⁄16"	—	—	24 1⁄8"	53 15⁄16"	—	—	27 1⁄8"	59 15⁄16"	—	—

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)
- CUT-G17 option



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)															
	72"				84"				96"				108"			
G17C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—	—	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	—	44"	51 $\frac{1}{8}$ "	—	—	50"	57 $\frac{1}{8}$ "	—
G17E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	—	—	—	6"	—	—	—	6"	—	—	—	6"	—	—	—
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	—	—	66"	6"	—	—	77 $\frac{1}{16}$ "	6"	—	—	89 $\frac{1}{16}$ "	6"	—	—	101 $\frac{1}{8}$ "
G17A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	66"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	77 $\frac{1}{16}$ "	6"	44"	51 $\frac{1}{8}$ "	89 $\frac{1}{16}$ "	6"	50"	57 $\frac{1}{8}$ "	101 $\frac{1}{8}$ "
G17CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	6"	44"	51 $\frac{1}{8}$ "	—	6"	50"	57 $\frac{1}{8}$ "	—

TESSERA

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
G23C CENTER	—	36"	—	—	—	41 15/16"	—	—	—	47 15/16"	—	—	—	53 15/16"	—	—	—	59 15/16"	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G23E END	16 15/16"	—	—	—	19 15/16"	—	—	—	22 15/16"	—	—	—	25 5/8"	—	—	—	28 5/8"	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G23LR LEFT, RIGHT	16 15/16"	—	—	55 5/8"	19 15/16"	—	—	64 3/4"	22 15/16"	—	—	73 3/4"	25 5/8"	—	—	82 1/4"	28 5/8"	—	—	91 15/16"
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G23A ALL	16 15/16"	36"	—	55 5/8"	19 15/16"	41 15/16"	—	64 3/4"	22 15/16"	47 15/16"	—	73 3/4"	25 5/8"	53 15/16"	—	82 1/4"	28 5/8"	59 15/16"	—	91 15/16"
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G23CE CENTER, END	16 15/16"	36"	—	—	19 15/16"	41 15/16"	—	—	22 15/16"	47 15/16"	—	—	25 5/8"	53 15/16"	—	—	28 5/8"	59 15/16"	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Double Pedestal Desk 36x84	Box File	14 ¹⁵ / ₁₆ 14 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Double Pedestal Desk 36x72, 30x72, 30x66, 30x60	Box File	11 ¹⁵ / ₁₆ 11 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Desk 36x84	Box File	14 ¹⁵ / ₁₆ 14 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Desk 36x72, 30x72, 30x66	Box File	11 ¹⁵ / ₁₆ 11 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Return 24x60, 24x48, 24x42	Box File	11 ¹⁵ / ₁₆ 11 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Lateral File 36" wide	Lateral File	32 ¹⁵ / ₁₆	17	9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Lateral File 30" wide	Lateral File	26 ¹⁵ / ₁₆	17	9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Component Pedestals 35x18, 29x18, 23x18, 18x18	Box File	14 ¹⁵ / ₁₆ 14 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Component Pedestals 35x15, 29x15, 23x15, 18x15	Box File	11 ¹⁵ / ₁₆ 11 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Credenzas 24x72, 24x66, 24x60	Box File	14 ¹⁵ / ₁₆ 14 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x90, 24x60 (2 drawer models)	Box Lateral File	26 ¹⁵ / ₁₆ 26 ¹⁵ / ₁₆	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x72, 24x48	Box File	20 ⁷ / ₈ 20 ⁷ / ₈	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x60 (3 drawer models)	Box File	16 ⁷ / ₈ 16 ⁷ / ₈	17 17	2 ¹ / ₂ 9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x30	Lateral	26 ⁷ / ₈	17	9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x24	File	20 ³ / ₄	17	9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x24	File	16 ³ / ₁₆	17	9 ³ / ₈	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back

WALL PANEL AND OVERHEAD MOUNTING APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Tessera wall panels and overheads. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs
- Selection and purchase of the proper attachment fasteners is the responsibility of the installer

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/200 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Minimum width of attachment to a wall is 16" mounted to studs 16" apart

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
<i>Steel Studs</i> (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
<i>Wood Studs</i> (1/4" to 1/2" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
<i>Solid Masonry</i>	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
<i>Masonry Block</i>	
Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Dimensional loss should be considered when space planning for components
- In fixed wall applications, choose your insert height based on your specific application or height of corresponding vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

TESSERA

PNL RATINGS

PANEL WIDTH (ALL HEIGHTS) (IN.)	LOAD RATING (LAM/VENEER PANELS) (LBS.)	LOAD RATING (STONE PANELS) (LBS.)
24"	237	217
30"	368	343
36"	499	470
42"	631	597
48"	618	579
54"	750	706
60"	738	688

- Load rating weights are only supported when using National Office Furniture recommended fasteners for installation of Wall panels

LOADING FORMULAS

TEMPLATE						
WALL PANEL MOUNTED ITEM	UNIT WEIGHT (SEE WEIGHTS LISTED WITH MODEL)	+	WEIGHT CAPACITY OF SELECTED UNIT (SEE ABOVE)	X	WEIGHT SUPPORT RATIO (SEE EXHIBIT A)	= SUPPORTED WEIGHT
UNIT 1		+		X		=
UNIT 2		+		X		=
UNIT 3		+		X		=
UNIT 4		+		X		=
UNIT 5		+		X		=
ETC.		+		X		=

						SUM OF SUPPORTED WEIGHTS
						PANEL RATING

						SUM OF SUPPORTED WEIGHTS
						APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING

EXAMPLE (LEFT WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT
59N48SHL	20.0	+	85	X	1.0	=	105.0
59N120SHL	39.7	+	205	X	0.2	=	48.9
59N7224SOS3ML	156.0	+	413.3	X	0.7	=	379.6

							533.5
						48" LAM	_____
							618.25

							533.5

							84.7

							SUM OF SUPPORTED WEIGHTS
							PANEL RATING
							SUM OF SUPPORTED WEIGHTS
							APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING

TESSERA - THOUGHT STARTERS

EXAMPLE (MIDDLE WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT
59N120SHL	39.69	+	205.00	X	0.40	=	97.88
59N7224SOS3ML	156.00	+	413.35	X	0.33	=	189.78
							287.66
48" LAM							618.25
							287.66
							330.59

SUM OF
SUPPORTED WEIGHTS

PANEL RATING

SUM OF
SUPPORTED WEIGHTS

APPROVED COMBINATION
IF TOTAL WEIGHT IS LESS
THAN PANEL RATING

EXAMPLE (RIGHT WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT
59N2412SO01ML	24.00	+	115.07	X	1.00	=	139.07
59N2412SO01ML	24.00	+	115.07	X	1.00	=	139.07
59N120SHL	39.69	+	205.00	X	0.40	=	97.88
							376.01
48" LAM							618.25
							376.01
							242.24


SUM OF
SUPPORTED WEIGHTS

PANEL RATING


SUM OF
SUPPORTED WEIGHTS

APPROVED COMBINATION
IF TOTAL WEIGHT IS LESS
THAN PANEL RATING

EXHIBIT A






TACK BOARD AND MARKER BOARD





- Tack & Marker board thought starters when also using shelves




TESSERA - THOUGHT STARTERS




- Vertical storage units are available in 2 heights: 75" and 53" high
- Overheads are available in 3 heights: 24", 18", and 12" and can be mounted to the wall panels or directly to the architectural wall
- When using credenzas with wall panels and vertical storage; 46" height wall panels work with full height credenzas




- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads hung on the panels
- When using credenzas with wall panels and vertical storage; 52" height wall panels work with mid-height credenzas



- When using credenzas with wall panels and vertical storage; 59" height wall panels work with bench credenzas



- Credenzas are available in 3 different heights (full, mid, bench)
- Wall panels are available in 3 different heights (59", 52", and 46") and widths of 60"-24" in 6" increments
- 59" height wall panels allow 4 rows of shelves and 52" and 46" allow 3 rows of shelves
- Shelves are available in lengths of 120"-18" in 6" increments
- Different lengths of shelves can be mounted on the wall panel in 12" increments, one shelf may span across multiple walls to reduce seams
- Wall panels and shelves are sold separately
- Shelves are shipped with brackets to change shelves on the wall panels



To avoid gaps in the floating top design the spacer block must be specified by layout on the worksurfaces and on the bookcase that comes with the desk.

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DSFALW G11MBLR 461 TF
59N3672DSFAL G11MBLR 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ADJUSTABLE HEIGHT FULL FLUSH MODESTY DESK SHELL  	59N3672DSFAW	Wood	\$ 9094	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2
	59N3672DSFALW	Wood/Laminate Modesty	9367	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2
	59N3672DSFAL	Laminate	7784	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2
	59N3072DSFAW	Wood	\$ 8983	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1
	59N3072DSFALW	Wood/Laminate Modesty	9257	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1
	59N3072DSFAL	Laminate	7675	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1
	59N3066DSFAW	Wood	\$ 7855	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5
	59N3066DSFALW	Wood/Laminate Modesty	8092	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5
	59N3066DSFAL	Laminate	6692	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5
	59N3060DSFAW	Wood	\$ 7747	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.9
	59N3060DSFALW	Wood/Laminate Modesty	7981	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.9
	59N3060DSFAL	Laminate	6583	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.9

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DSFBAW G11MBLR 461 TF
59N3672DSFBAL G11MBLR 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY  	59N3672DSFBAW	Wood	\$ 9094	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DSFBALW	Wood/Laminate Modesty	9367	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DSFBAL	Laminate	7784	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3072DSFBAW	Wood	\$ 8983	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DSFBALW	Wood/Laminate Modesty	9257	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DSFBAL	Laminate	7675	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3066DSFBAW	Wood	\$ 7855	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DSFBALW	Wood/Laminate Modesty	8092	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DSFBAL	Laminate	6692	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3060DSFBAW	Wood	\$ 7747	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DSFBALW	Wood/Laminate Modesty	7981	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DSFBAL	Laminate	6583	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DS3ALW G11MBLR 461 TF
59N3672DS3AL G11MBLR 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ADJUSTABLE HEIGHT DESK SHELL 1/3 HEIGHT FLUSH MODESTY	59N3672DS3AW	Wood	\$ 8932	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DS3ALW	Wood/Laminate Modesty	9207	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DS3AL	Laminate	7625	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3072DS3AW	Wood	\$ 8824	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DS3ALW	Wood/Laminate Modesty	9098	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DS3AL	Laminate	7514	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3066DS3AW	Wood	\$ 7697	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DS3ALW	Wood/Laminate Modesty	7934	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DS3AL	Laminate	6532	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3060DS3AW	Wood	\$ 7586	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DS3ALW	Wood/Laminate Modesty	7818	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DS3AL	Laminate	6423	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8



- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DS3BALW G11MBLR 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ADJUSTABLE HEIGHT DESK SHELL ½ HEIGHT BREAKFRONT MODESTY 	59N3672DS3BAW	Wood	\$ 8932	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DS3BALW	Wood/Laminate Modesty	9207	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3672DS3BAL	Laminate	7625	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	347 lbs.	55.2
	59N3072DS3BAW	Wood	\$ 8824	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DS3BALW	Wood/Laminate Modesty	9098	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3072DS3BAL	Laminate	7514	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	300 lbs.	47.1
	59N3066DS3BAW	Wood	\$ 7697	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DS3BALW	Wood/Laminate Modesty	7934	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3066DS3BAL	Laminate	6532	30 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	277 lbs.	43.5
	59N3060DS3BAW	Wood	\$ 7586	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DS3BALW	Wood/Laminate Modesty	7818	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8
	59N3060DS3BAL	Laminate	6423	30 ³ / ₁₆	60	28 ¹ / ₁₆	—	—	263 lbs.	29.8

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DSFA1LW G11MBLR 462 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ADJUSTABLE HEIGHT FULL FLUSH MODESTY DESK SHELL WITH WIRE MANAGER  78" and 84" Desks	59N3684DSFA1W	Wood	\$ 12345	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	375 lbs.	60.5
	59N3684DSFA1LW	Wood/Laminate Modesty	12614	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	375 lbs.	60.5
	59N3684DSFA1L	Laminate	11032	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	375 lbs.	60.5
	59N3678DSFA1W	Wood	\$ 11354	36 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	350 lbs.	56.4
	59N3678DSFA1LW	Wood/Laminate Modesty	11625	36 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	350 lbs.	56.4
	59N3678DSFA1L	Laminate	10044	36 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	350 lbs.	56.4
	59N3672DSFA1W	Wood	\$ 9943	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	352 lbs.	55.2
	59N3672DSFA1LW	Wood/Laminate Modesty	10213	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	352 lbs.	55.2
	59N3672DSFA1L	Laminate	8630	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	352 lbs.	55.2
	59N3084DSFA1W	Wood	\$ 12230	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	360 lbs.	51.7
	59N3084DSFA1LW	Wood/Laminate Modesty	12505	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	360 lbs.	51.7
	59N3084DSFA1L	Laminate	10922	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	360 lbs.	51.7
	59N3078DSFA1W	Wood	\$ 11242	30 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	325 lbs.	48.2
 60", 66", and 72" Desks	59N3078DSFA1LW	Wood/Laminate Modesty	11516	30 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	325 lbs.	48.2
	59N3078DSFA1L	Laminate	9933	30 ¹ / ₁₆	77 ¹ / ₁₆	28 ¹ / ₁₆	—	—	325 lbs.	48.2
	59N3072DSFA1W	Wood	\$ 9831	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	305 lbs.	47.1
	59N3072DSFA1LW	Wood/Laminate Modesty	10105	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	305 lbs.	47.1
	59N3072DSFA1L	Laminate	8521	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	305 lbs.	47.1
	59N3066DSFA1W	Wood	\$ 8702	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	282 lbs.	43.5
	59N3066DSFA1LW	Wood/Laminate Modesty	8938	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	282 lbs.	43.5
	59N3066DSFA1L	Laminate	7541	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	282 lbs.	43.5
	59N3060DSFA1W	Wood	\$ 8594	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	268 lbs.	39.9
	59N3060DSFA1LW	Wood/Laminate Modesty	8828	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	268 lbs.	39.9
	59N3060DSFA1L	Laminate	7431	30 ¹ / ₁₆	60	28 ¹ / ₁₆	—	—	268 lbs.	39.9

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:


59N3672DSFBA1L G11MBLR 462 461 TF

- See pages 147-149 for all options available in Tessler

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H	A							
ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY WITH WIRE MANAGER	59N3684DSFBA1W Wood		\$ 12345	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	375 lbs.	60.5
	59N3684DSFBA1LW Wood/Laminate Modesty		12614	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	375 lbs.	60.5
	59N3684DSFBA1L Laminate		11032	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	375 lbs.	60.5
	59N3678DSFBA1W Wood		\$ 11354	36 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	350 lbs.	56.4
	59N3678DSFBA1LW Wood/Laminate Modesty		11625	36 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	350 lbs.	56.4
	59N3678DSFBA1L Laminate		10044	36 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	350 lbs.	56.4
	59N3672DSFBA1W Wood		\$ 9943	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	352 lbs.	55.2
	59N3672DSFBA1LW Wood/Laminate Modesty		10213	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	352 lbs.	55.2
	59N3672DSFBA1L Laminate		8630	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	352 lbs.	55.2
	59N3084DSFBA1W Wood		\$ 12230	30 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	360 lbs.	51.7
	59N3084DSFBA1LW Wood/Laminate Modesty		12505	30 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	360 lbs.	51.7
	59N3084DSFBA1L Laminate		10922	30 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	360 lbs.	51.7
	59N3078DSFBA1W Wood		\$ 11242	30 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	325 lbs.	48.2
	59N3078DSFBA1LW Wood/Laminate Modesty		11516	30 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	325 lbs.	48.2
	59N3078DSFBA1L Laminate		9933	30 $\frac{1}{16}$	77 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	325 lbs.	48.2
	59N3072DSFBA1W Wood		\$ 9831	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	305 lbs.	47.1
	59N3072DSFBA1LW Wood/Laminate Modesty		10105	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	305 lbs.	47.1
	59N3072DSFBA1L Laminate		8521	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	—	305 lbs.	47.1
	59N3066DSFBA1W Wood		\$ 8702	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	—	282 lbs.	43.5
	59N3066DSFBA1LW Wood/Laminate Modesty		8938	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	—	282 lbs.	43.5
	59N3066DSFBA1L Laminate		7541	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	—	282 lbs.	43.5
	59N3060DSFBA1W Wood		\$ 8594	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	—	268 lbs.	39.9
	59N3060DSFBA1LW Wood/Laminate Modesty		8828	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	—	268 lbs.	39.9
	59N3060DSFBA1L Laminate		7431	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	—	268 lbs.	39.9



78" and 84" Desks



60", 66", and 72" Desks

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DS3A1LW G11MBLR 462 461 TF
59N3672DS3A1L G11MBLR 462 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ADJUSTABLE HEIGHT DESK SHELL ½ HEIGHT FLUSH MODESTY WITH WIRE MANAGER  78" and 84" Desks	59N3684DS3A1W	Wood	\$ 12181	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3684DS3A1LW	Wood/Laminate Modesty	12456	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3684DS3A1L	Laminate	10872	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3678DS3A1W	Wood	\$ 11194	36⅞	77⅞	28⅞	—	—	350 lbs.	56.4
	59N3678DS3A1LW	Wood/Laminate Modesty	11467	36⅞	77⅞	28⅞	—	—	350 lbs.	56.4
	59N3678DS3A1L	Laminate	9883	36⅞	77⅞	28⅞	—	—	350 lbs.	56.4
	59N3672DS3A1W	Wood	\$ 9779	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3672DS3A1LW	Wood/Laminate Modesty	10055	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3672DS3A1L	Laminate	8471	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3084DS3A1W	Wood	\$ 12073	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
	59N3084DS3A1LW	Wood/Laminate Modesty	12348	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
	59N3084DS3A1L	Laminate	10764	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
 60", 66", and 72" Desks	59N3078DS3A1W	Wood	\$ 11083	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3078DS3A1LW	Wood/Laminate Modesty	11359	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3078DS3A1L	Laminate	9775	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3072DS3A1W	Wood	\$ 9671	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3072DS3A1LW	Wood/Laminate Modesty	9947	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3072DS3A1L	Laminate	8362	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3066DS3A1W	Wood	\$ 8545	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3066DS3A1LW	Wood/Laminate Modesty	8781	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3066DS3A1L	Laminate	7380	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3060DS3A1W	Wood	\$ 8434	30⅞	60	28⅞	—	—	268 lbs.	39.9
	59N3060DS3A1LW	Wood/Laminate Modesty	8666	30⅞	60	28⅞	—	—	268 lbs.	39.9
	59N3060DS3A1L	Laminate	7270	30⅞	60	28⅞	—	—	268 lbs.	39.9

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DS3BA1LW G11MBLR 462 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT DESK SHELL ½ HEIGHT BREAKFRONT MODESTY WITH WIRE MANAGER  78" and 84" Desks	59N3684DS3BA1W Wood	\$ 12181	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3684DS3BA1LW Wood/Laminate Modesty	12456	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3684DS3BA1L Laminate	10872	36⅞	83⅞	28⅞	—	—	375 lbs.	60.5
	59N3678DS3BA1W Wood	\$ 11194	36⅞	77⅞	28⅞	—	—	325 lbs.	56.4
	59N3678DS3BA1LW Wood/Laminate Modesty	11467	36⅞	77⅞	28⅞	—	—	325 lbs.	56.4
	59N3678DS3BA1L Laminate	9883	36⅞	77⅞	28⅞	—	—	325 lbs.	56.4
	59N3672DS3BA1W Wood	\$ 9779	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3672DS3BA1LW Wood/Laminate Modesty	10055	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3672DS3BA1L Laminate	8471	36⅞	71⅞	28⅞	—	—	352 lbs.	55.2
	59N3084DS3BA1W Wood	\$ 12073	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
	59N3084DS3BA1LW Wood/Laminate Modesty	12348	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
	59N3084DS3BA1L Laminate	10764	30⅞	83⅞	28⅞	—	—	360 lbs.	51.7
 60", 66", and 72" Desks	59N3078DS3BA1W Wood	\$ 11083	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3078DS3BA1LW Wood/Laminate Modesty	11359	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3078DS3BA1L Laminate	9775	30⅞	77⅞	28⅞	—	—	325 lbs.	48.2
	59N3072DS3BA1W Wood	\$ 9671	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3072DS3BA1LW Wood/Laminate Modesty	9947	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3072DS3BA1L Laminate	8362	30⅞	71⅞	28⅞	—	—	305 lbs.	47.1
	59N3066DS3BA1W Wood	\$ 8545	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3066DS3BA1LW Wood/Laminate Modesty	8781	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3066DS3BA1L Laminate	7380	30⅞	66	28⅞	—	—	282 lbs.	43.5
	59N3060DS3BA1W Wood	\$ 8434	30⅞	60	28⅞	—	—	268 lbs.	39.9
	59N3060DS3BA1LW Wood/Laminate Modesty	8666	30⅞	60	28⅞	—	—	268 lbs.	39.9
	59N3060DS3BA1L Laminate	7270	30⅞	60	28⅞	—	—	268 lbs.	39.9

- Reference pages 144-146 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3072DSFLA1W X AC
59N3072DSFLA1LW G1L 462 TF
59N3072DSFLA1L G1R 461 PB


- See pages 147-149 for all options available in Tessera

ADJUSTABLE HEIGHT
DESK AND RETURN
"L" UNIT




Desk shown (user side)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
DESK									
59N3084DSFLA1W	Wood	\$ 12650	30 $\frac{1}{16}$	83 $\frac{13}{16}$	27 $\frac{1}{16}$	—	—	360 lbs.	51.7
59N3084DSFLA1LW	Wood/Laminate Modesty	13001	30 $\frac{1}{16}$	83 $\frac{13}{16}$	27 $\frac{1}{16}$	—	—	360 lbs.	51.7
59N3084DSFLA1L	Laminate	11050	30 $\frac{1}{16}$	83 $\frac{13}{16}$	27 $\frac{1}{16}$	—	—	360 lbs.	51.7
59N3078DSFLA1W	Wood	\$ 11523	30 $\frac{1}{16}$	77 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	325 lbs.	48.2
59N3078DSFLA1LW	Wood/Laminate Modesty	11835	30 $\frac{1}{16}$	77 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	325 lbs.	48.2
59N3078DSFLA1L	Laminate	10069	30 $\frac{1}{16}$	77 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	325 lbs.	48.2
59N3072DSFLA1W	Wood	\$ 10396	30 $\frac{1}{16}$	71 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	300 lbs.	44.8
59N3072DSFLA1LW	Wood/Laminate Modesty	10670	30 $\frac{1}{16}$	71 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	300 lbs.	44.8
59N3072DSFLA1L	Laminate	9087	30 $\frac{1}{16}$	71 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—	300 lbs.	44.8
59N3066DSFLA1W	Wood	\$ 9197	30 $\frac{1}{16}$	66	27 $\frac{1}{16}$	—	—	277 lbs.	41.3
59N3066DSFLA1LW	Wood/Laminate Modesty	9434	30 $\frac{1}{16}$	66	27 $\frac{1}{16}$	—	—	277 lbs.	41.3
59N3066DSFLA1L	Laminate	8036	30 $\frac{1}{16}$	66	27 $\frac{1}{16}$	—	—	277 lbs.	41.3
59N3060DSFLA1W	Wood	\$ 9019	30 $\frac{1}{16}$	60	27 $\frac{1}{16}$	—	—	263 lbs.	37.8
59N3060DSFLA1LW	Wood/Laminate Modesty	9251	30 $\frac{1}{16}$	60	27 $\frac{1}{16}$	—	—	263 lbs.	37.8
59N3060DSFLA1L	Laminate	7854	30 $\frac{1}{16}$	60	27 $\frac{1}{16}$	—	—	263 lbs.	37.8
RETURN									
LEFT			RIGHT						
59N2454RSFLALW	59N2454RSFLARW	Wood	\$ 7323	24	53 $\frac{3}{8}$	27 $\frac{1}{16}$	—	—	240 lbs. 33.0
59N2454RSFLALLW	59N2454RSFLARLW	Wood/Lam	7556	24	53 $\frac{3}{8}$	27 $\frac{1}{16}$	—	—	240 lbs. 33.0
59N2454RSFLALL	59N2454RSFLARL	Laminate	6159	24	53 $\frac{3}{8}$	27 $\frac{1}{16}$	—	—	240 lbs. 33.0
59N2448RSFLALW	59N2448RSFLARW	Wood	\$ 7217	24	47 $\frac{7}{8}$	27 $\frac{1}{16}$	—	—	225 lbs. 30.2
59N2448RSFLALLW	59N2448RSFLARLW	Wood/Lam	7450	24	47 $\frac{7}{8}$	27 $\frac{1}{16}$	—	—	225 lbs. 30.2
59N2448RSFLALL	59N2448RSFLARL	Laminate	6053	24	47 $\frac{7}{8}$	27 $\frac{1}{16}$	—	—	225 lbs. 30.2
59N2442RSFLALW	59N2442RSFLARW	Wood	\$ 7111	24	41 $\frac{1}{8}$	27 $\frac{1}{16}$	—	—	200 lbs. 27.3
59N2442RSFLALLW	59N2442RSFLARLW	Wood/Lam	7345	24	41 $\frac{1}{8}$	27 $\frac{1}{16}$	—	—	200 lbs. 27.3
59N2442RSFLALL	59N2442RSFLARL	Laminate	5947	24	41 $\frac{1}{8}$	27 $\frac{1}{16}$	—	—	200 lbs. 27.3



Left return shown (user side)



Desk and right return shown (user side)

- Reference pages 144-146 for product specifications
- Wood/laminate units feature a wood top and shroud, and a laminate modesty panel
- Grain direction on a wood model modesty will be vertical; laminate modesties will be horizontal
- Wire manager will be on the right, can be moved to the other side in field if other side is preferred
- Modesty will ship unassembled
- Control pad will ship on the right side of desk, however, it can be moved to the left when using a right return
- Control pad has 2 position memory
- Does not have a floating top design
- Height adjustable L units will be 27 $\frac{1}{16}$ " from worksurface to floor and 3 $\frac{3}{8}$ " from bottom of modesty to floor in the lowest position
- Height adjustable L units will adjust to a maximum height of 43 $\frac{3}{4}$ "
- Desks and returns for "L" units do NOT have an inner shroud. The only accent is the modesty panel
- Return (L/R) is determined by side with shroud
- Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501)

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Wire manager location with leg that lowers into bookcase
- Back of bookcase not finished



TO ORDER, SPECIFY:


1. Model Number
2. Bookcase Ganging (adjustable height desk shell models only)
3. Grommet
4. Paint
5. Laminate Bookcase Top (laminate models)
6. Laminate Bookcase Chassis (laminate models)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:


59N3672DSNLAL L G1R 462 461 PB PB 461

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT DESK AND RETURN "L" UNIT (CONTINUED)  Left return shown (user side)  Desk and right return shown (user side)	RETURN LEFT	RIGHT											
	59N2436RSFLALW	59N2436RSFLARW	Wood	\$	7005	24	35 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		180 lbs.	24.4
	59N2436RSFLALLW	59N2436RSFLARLW	Wood/Lam		7239	24	35 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		180 lbs.	24.4
	59N2436RSFLALL	59N2436RSFLARL	Laminate		5842	24	35 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		180 lbs.	24.4
	59N2430RSFLALW	59N2430RSFLARW	Wood	\$	6899	24	29 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		160 lbs.	21.6
	59N2430RSFLALLW	59N2430RSFLARLW	Wood/Lam		7133	24	29 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		160 lbs.	21.6
	59N2430RSFLALL	59N2430RSFLARL	Laminate		5736	24	29 $\frac{1}{16}$	27 $\frac{1}{16}$	—	—		160 lbs.	21.6
	• Reference pages 144-146 for product specifications • Wood/laminate units feature a wood top and shroud, and a laminate modesty panel • Grain direction on a wood model modesty will be vertical; laminate modesties will be horizontal • Wire manager will be on the right, can be moved to the other side in field if other side is preferred • Modesty will ship unassembled • Control pad will ship on the right side of desk, however, it can be moved to the left when using a right return • Control pad has 2 position memory • Does not have a floating top design • Height adjustable L units will be 27$\frac{3}{8}$" from worksurface to floor and 3$\frac{3}{4}$" from bottom of modesty to floor in the lowest position • Height adjustable L units will adjust to a maximum height of 43$\frac{3}{4}$" • Desks and returns for "L" units do NOT have an inner shroud. The only accent is the modesty panel • Return (L/R) is determined by side with shroud • Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501)												

ADJUSTABLE HEIGHT DESK SHELL SINGLE SIDE SHROUD WITH BOOKCASE


Left shown, approach



Right shown, approach

	LEFT	RIGHT									
59N3672DSNLAW	59N3672DSNRAW	Wood	\$ 9094	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2	
59N3672DSNLALW	59N3672DSNRALW	Wood/Lam	9367	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2	
59N3672DSNLAL	59N3672DSNRAL	Laminate	7784	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	347 lbs.	55.2	
59N3072DSNLAW	59N3072DSNRAW	Wood	\$ 8983	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1	
59N3072DSNLALW	59N3072DSNRALW	Wood/Lam	9257	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1	
59N3072DSNLAL	59N3072DSNRAL	Laminate	7675	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1	
59N3066DSNLAW	59N3066DSNRAW	Wood	\$ 7855	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5	
59N3066DSNLALW	59N3066DSNRALW	Wood/Lam	8092	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5	
59N3066DSNLAL	59N3066DSNRAL	Laminate	6692	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	277 lbs.	43.5	
59N3060DSNLAW	59N3060DSNRAW	Wood	\$ 7747	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.8	
59N3060DSNLALW	59N3060DSNRALW	Wood/Lam	7981	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.8	
59N3060DSNLAL	59N3060DSNRAL	Laminate	6583	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	263 lbs.	39.8	

- Wire manager will always be on the bookcase side of the unit
- Height adjustable single side (L or R indicates side leg lowers into bookcase)
- The leg that lowers into bookcase will be exposed when raised; specify paint color Cinder (462) or Platinum Metallic (501)
- Modesty panel approx. 3" high and only intended to finish the approach side when in the down position
- Laminate accent consists of lower shroud and modesty
- This wall application (backs not finished) can create an "L" or "T" design when combining pedestal on pages 173-175 and component tops on page 179
- Modesty panels can be specified for open plan application. See pages 177-178
- Must specify if bookcase will be ganged to the left, right, both or none (L, R, LR, X)
- Laminate units must specify laminate color for bookcase top, bookcase chassis, accent (lower shroud modesty), and laminate color for surface and outer shroud
- Floating top design on the bookcase (not desk)
- Overall dimensions listed above, however top undersized to allow for pinch points: 36" tops are 34", 30" tops are 28", 72" tops are 71", 66" tops are 65", and 60" tops are 59"

TESSERA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05PCONB

• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
				D	W	H			WEIGHT	FEET
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS	NAC05PCONB	Black	\$ 253	2½	5½	1	—	—	3 lbs.	0.1
	• Will allow 4 position programmable option and digital readout. • To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard									



TESSERA

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 150 for grommet options


TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminite units)
6. Laminate Color (laminite units)
7. Veneer Color (wood units)


SAMPLE MODEL NUMBERS:

59N183622PUOSW R 92PL X MC
59N183622PUOSL R 92PL KRS 478 MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PEDESTAL - UNDERSURFACE OPEN SHELF BOOKCASE 	59N183622PUOSW Wood	\$ 2258	16%	35%	20½	—	—	62 lbs.	11.0
	59N183622PUOSL Laminate	1320	16%	35%	20½	—	—	62 lbs.	11.0
	59N183022PUOSW Wood	\$ 2177	16%	30	20½	—	—	55 lbs.	9.0
	59N183022PUOSL Laminate	1283	16%	30	20½	—	—	55 lbs.	9.0
• Must specify 18" deep top. See page 179 • Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T" • See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk • Only use the worksurface tops on page 179 to create the correct spacing for the floating top design • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal									

PEDESTAL - UNDERSURFACE DOUBLE DOORS 	59N183622PUHW Wood	\$ 2482	17%	35%	20½	—	—	73 lbs.	11.0
	59N183622PUHL Laminate	1437	17%	35%	20½	—	—	73 lbs.	11.0
	59N183022PUHW Wood	\$ 2267	17%	30	20½	—	—	64 lbs.	10.0
	59N183022PUHL Laminate	1371	17%	30	20½	—	—	64 lbs.	10.0
• Must specify 18" deep top. See page 179 • Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T" • See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk • Only use the worksurface tops on page 179 to create the correct spacing for the floating top design • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

PEDESTAL - UNDERSURFACE BOX/LATERAL FILE 	59N183622PUBLW Wood	\$ 2599	17%	35%	20½	—	—	156 lbs.	11.0
	59N183622PUBLL Laminate	1538	17%	35%	20½	—	—	156 lbs.	11.0
	59N183022PUBLW Wood	\$ 2415	17%	30	20½	—	—	130 lbs.	10.0
	59N183022PUBLL Laminate	1503	17%	30	20½	—	—	130 lbs.	10.0
• Must specify 18" deep top. See page 179 • Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T" • See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk • Only use the worksurface tops on page 179 to create the correct spacing for the floating top design • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 150 for grommet options

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminite units)
6. Laminate Color (laminite units)
7. Veneer Color (wood units)

SAMPLE MODEL NUMBERS:

59N183622PUQLW R 92PL X MC
59N183622PUOLL R 92PL KRS 478 MC


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/ FILE	59N181822PUBFW	Wood	\$ 2098	17½	18	20½	—	—	78 lbs.	7.0
	59N181822PUBFL	Laminate	1396	17½	18	20½	—	—	78 lbs.	7.0
	59N181522PUBFW	Wood	\$ 1991	17½	15	20½	—	—	67 lbs.	6.0
	59N181522PUBFL	Laminate	1324	17½	15	20½	—	—	67 lbs.	6.0




- Must specify 18" deep top. See page 179
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 179 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PEDESTAL - UNDERSURFACE OPEN/LATERAL	59N183622PUQLW	Wood	\$ 2000	17½	35%	20½	—	—	156 lbs.	11.0
	59N183622PUOLL	Laminate	1320	17½	35%	20½	—	—	156 lbs.	11.0
	59N183022PUQLW	Wood	\$ 1930	17½	30	20½	—	—	130 lbs.	10.0
	59N183022PUOLL	Laminate	1283	17½	30	20½	—	—	130 lbs.	10.0



- Must specify 18" deep top. See page 179
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 179 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PEDESTAL - UNDERSURFACE FULL DRAWER FRONT BOX/LATERAL FILE	59N183622PUFW38	Wood	\$ 2599	17½	35%	20½	—	—	158 lbs.	11.0
	59N183622PUFL38	Laminate	1538	17½	35%	20½	—	—	158 lbs.	11.0
	59N183022PUFW38	Wood	\$ 2415	17½	30	20½	—	—	132 lbs.	10.0
	59N183022PUFL38	Laminate	1503	17½	30	20½	—	—	132 lbs.	10.0



- Must specify 18" deep top. See page 179
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 179 to create the correct spacing for the floating top design
- Box/lateral configuration behind full drawer
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 150 for grommet options

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminite units)
6. Laminate Color (laminite units)
7. Veneer Color (wood units)

SAMPLE MODEL NUMBERS:

59N181822PUFW38 R 92PL X MC
59N181822PUFL38 R 92PL KRS 478 MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE FULL DRAWER FRONT BOX/FILE	59N181822PUFW38	Wood	\$ 2219	17½	18	20½	—	—	79 lbs.	7.0
	59N181822PUFL38	Laminate	1364	17½	18	20½	—	—	79 lbs.	7.0
	59N181522PUFW38	Wood	\$ 2219	17½	15	20½	—	—	66 lbs.	6.0
	59N181522PUFL38	Laminate	1364	17½	15	20½	—	—	66 lbs.	6.0



- Must specify 18" deep top. See page 179
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 150 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 179 to create the correct spacing for the floating top design
- Box/file configuration behind full drawer
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

TESSERA

PRODUCT SPECIFICATIONS

- Filler strips are shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N0322CPFS2W CW
• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FILLER STRIP BOX/FILE HEIGHT	59N22CPFSW	Wood	\$ 128	¾	2½	19½	—	—	3 lbs.	0.1
	59N22CPFSL	Laminate	98	¾	2½	19½	—	—	3 lbs.	0.1

- For use when specifying a pedestal positioned against an architectural wall and no modesty is used. Specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- Specify wood or laminate

FILLER STRIP BOX/FILE HEIGHT	59N0322CPFS2W	Wood	\$ 136	¾	3½	22½	—	—	3 lbs.	0.1
	59N0322CPFS2L	Laminate	104	¾	3½	22½	—	—	3 lbs.	0.1

- For use when specifying a pedestal positioned against a Tessera wall and no modesty. Specify a filler strip to fill the 3" gap between the pedestal and the architectural wall
- Specify wood or laminate

FILLER STRIP VERTICAL STORAGE HEIGHT	59N0375CPFS2W	Wood	\$ 359	¾	2½	74½	—	—	15 lbs.	0.3
	59N0375CPFS2L	Laminate	323	¾	2½	74½	—	—	15 lbs.	0.3

- For use when vertical storage units are specified with the Single Side Height Adjustable Desk and the Tessera wall. Specify a filler strip to fill in
- Specify wood or laminate

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:


- Model Number
- Laminate Color (laminate models)
- Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N1820MPL MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS 	59N7220MPW	Wood	\$ 605	¾	71⅝	19⅞			48 lbs.	1.9
	59N7220MPL	Laminate	324	¾	71⅝	19⅞			48 lbs.	1.9
	59N6620MPW	Wood	\$ 563	¾	65⅞	19⅞			45 lbs.	1.8
	59N6620MPL	Laminate	304	¾	65⅞	19⅞			45 lbs.	1.8
	59N6020MPW	Wood	\$ 519	¾	59⅞	19⅞			43 lbs.	1.6
	59N6020MPL	Laminate	272	¾	59⅞	19⅞			43 lbs.	1.6
	59N5420MPW	Wood	\$ 485	¾	53⅞	19⅞			40 lbs.	1.5
	59N5420MPL	Laminate	267	¾	53⅞	19⅞			40 lbs.	1.5
	59N4820MPW	Wood	\$ 434	¾	47⅞	19⅞			38 lbs.	1.3
	59N4820MPL	Laminate	255	¾	47⅞	19⅞			38 lbs.	1.3
	59N3620MPW	Wood	\$ 385	¾	35⅞	19⅞			24 lbs.	1.0
	59N3620MPL	Laminate	210	¾	35⅞	19⅞			24 lbs.	1.0
	59N3020MPW	Wood	\$ 339	¾	29⅞	19⅞			21 lbs.	0.9
	59N3020MPL	Laminate	182	¾	29⅞	19⅞			21 lbs.	0.9
	59N1820MPW	Wood	\$ 280	¾	17⅞	19⅞			20 lbs.	0.6
	59N1820MPL	Laminate	153	¾	17⅞	19⅞			20 lbs.	0.6
	59N1520MPW	Wood	\$ 280	¾	14⅞	19⅞			15 lbs.	0.5
	59N1520MPL	Laminate	153	¾	14⅞	19⅞			15 lbs.	0.5
	• Any laminate modesty over 60" will be horizontal grain direction									

**MODESTY PANEL
FOR USE WITH UNDERSURFACE
18" DEEP PEDESTALS**


59N72A20MPL	Laminate	\$ 324				—	—	48 lbs.	3.7
59N66A20MPL	Laminate	304				—	—	44 lbs.	3.4
59N60A20MPL	Laminate	272				—	—	42 lbs.	3.1

- For use when 2 or more laminate pedestals are ganged together under a common top
- Any laminate modesty over 60" will be horizontal grain direction

TESSERA

PRODUCT SPECIFICATIONS


- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:


- Model Number
- Laminate Color

SAMPLE MODEL NUMBER:

- 59N1820MPVL MC
- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS 	59N6020MPVL	\$ 272	¾	59 ¹¹ / ₁₆	19 ⁷ / ₈			43 lbs.	1.6
	59N5420MPVL	267	¾	53 ¹¹ / ₁₆	19 ⁷ / ₈			40 lbs.	1.5
	59N4820MPVL	255	¾	47 ¹¹ / ₁₆	19 ⁷ / ₈			38 lbs.	1.3
	59N3620MPVL	210	¾	35 ¹¹ / ₁₆	19 ⁷ / ₈			24 lbs.	1.0
	59N3020MPVL	182	¾	29 ¹¹ / ₁₆	19 ⁷ / ₈			21 lbs.	0.9
	59N1820MPVL	153	¾	17 ¹³ / ₁₆	19 ⁷ / ₈			20 lbs.	0.6
	59N1520MPVL	153	¾	14 ¹³ / ₁₆	19 ⁷ / ₈			15 lbs.	0.5

- Grain direction runs vertically

MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS 	59N60A20MPVL	\$ 272				—	—	42 lbs.	3.1
---	--------------	--------	--	--	--	---	---	---------	-----

- For use when 2 or more laminate pedestals are ganged together under a common top
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)


SAMPLE MODEL NUMBER:

59N1872WSSL TF

- See pages 147-149 for all options available in Tessler

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH	59N1872WSSW Wood	\$ 1302	18 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	63 lbs.	3.2
	59N1872WSSL Laminate	720	18 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	63 lbs.	3.2
	59N1866WSSW Wood	\$ 1258	18 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	75 lbs.	2.5
	59N1866WSSL Laminate	680	18 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	75 lbs.	2.5
	59N1860WSSW Wood	\$ 1234	18 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.7
	59N1860WSSL Laminate	653	18 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.7
	59N1854WSSW Wood	\$ 1210	18 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	59N1854WSSL Laminate	596	18 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	59N1848WSSW Wood	\$ 1191	18 $\frac{3}{8}$	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.2
	59N1848WSSL Laminate	550	18 $\frac{3}{8}$	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.2
	59N1836WSSW Wood	\$ 1119	18 $\frac{3}{8}$	36 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	37 lbs.	1.7
	59N1836WSSL Laminate	479	18 $\frac{3}{8}$	36 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	37 lbs.	1.7
	59N1830WSSW Wood	\$ 1097	18 $\frac{3}{8}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	30 lbs.	1.5
	59N1830WSSL Laminate	446	18 $\frac{3}{8}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	30 lbs.	1.5
	59N1818WSSW Wood	\$ 1067	18 $\frac{3}{8}$	18 $\frac{3}{8}$	1 $\frac{3}{16}$	—	—	55 lbs.	0.9
	59N1818WSSL Laminate	417	18 $\frac{3}{8}$	18 $\frac{3}{8}$	1 $\frac{3}{16}$	—	—	55 lbs.	0.9
	59N1815WSSW Wood	\$ 1067	18 $\frac{3}{8}$	15 $\frac{3}{8}$	1 $\frac{3}{16}$	—	—	50 lbs.	0.8
	59N1815WSSL Laminate	417	18 $\frac{3}{8}$	15 $\frac{3}{8}$	1 $\frac{3}{16}$	—	—	50 lbs.	0.8

- For use with 18" deep pedestals on pages 173-175, used with single side height adjustable desk to form an "L" or a "T" design

RECTANGULAR WORKSURFACE
18" DEPTH

59N18A72WSSL Laminate	\$ 720	63 lbs.	2.3
59N18A66WSSL Laminate	680	61 lbs.	2.2
59N18A60WSSL Laminate	653	56 lbs.	2.0

- For use when 2 or more laminate pedestals are ganged together under a common top
- For use with 18" deep pedestals on pages 173-175, used with single side height adjustable desk to form an "L" or a "T" design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Wire manager location with leg that lowers into bookcase
- Back of bookcase not finished



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Front (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DDFFW8 92MB X KRB TF
59N3672DDFFL8 92IR X KRB 405 792

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WORKSURFACE TO WALL MOUNTING BRACKET 	59N16BKT Metal	\$ 43	1	16	1	—	—	2 lbs.	0.1
	• For use when mounting a worksurface to an architectural wall; can be used in place of an end support panel • 2 brackets are required for 36" deep worksurfaces								
DOUBLE PEDESTAL DESK RECESSED MODESTY 	59N3684DDFFW8 Wood	\$ 6075	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	47 $\frac{3}{16}$	374 lbs.	60.0
	59N3684DDFFL8 Laminate	3671	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	47 $\frac{3}{16}$	374 lbs.	60.0
	59N3672DDFFW8 Wood	\$ 5770	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	347 lbs.	55.2
	59N3672DDFFL8 Laminate	3395	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	347 lbs.	55.2
	59N3072DDFFW8 Wood	\$ 5653	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	300 lbs.	47.1
	59N3072DDFFL8 Laminate	3373	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	300 lbs.	47.1
	59N3066DDFFW8 Wood	\$ 5538	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	277 lbs.	43.5
	59N3066DDFFL8 Laminate	3260	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	6 $\frac{1}{16}$	35 $\frac{5}{8}$	277 lbs.	43.5
	59N3060DDFFW8 Wood	\$ 5271	30 $\frac{3}{16}$	60	28 $\frac{1}{16}$	6 $\frac{1}{16}$	29 $\frac{1}{16}$	263 lbs.	39.9
	59N3060DDFFL8 Laminate	3137	30 $\frac{3}{16}$	60	28 $\frac{1}{16}$	6 $\frac{1}{16}$	29 $\frac{1}{16}$	263 lbs.	39.9
	• 3672 desk has 30" deep pedestals • 3066 and 3060 desks have 24" deep pedestals • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Recessed façade on pedestals creates a 1$\frac{1}{16}$" gap between the worksurface and modesty panel to show the recessed façade on the pedestals • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • Floating top design								

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:


59N3684DDFBFW8 92MB X KRB TF
59N3684DDFBFL8 92MB X KRB TF TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
DOUBLE PEDESTAL DESK BREAKFRONT MODESTY  	59N3684DDFBFW8 Wood	\$ 6228	36 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	47 $\frac{3}{16}$ "	374 lbs.	60.0
	59N3684DDFBFL8 Laminate	3810	36 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	47 $\frac{3}{16}$ "	374 lbs.	60.0
	59N3672DDFBFW8 Wood	\$ 5925	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	347 lbs.	55.2
	59N3672DDFBFL8 Laminate	3534	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	347 lbs.	55.2
	59N3072DDFBFW8 Wood	\$ 5803	30 $\frac{3}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	300 lbs.	47.1
	59N3072DDFBFL8 Laminate	3512	30 $\frac{3}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	300 lbs.	47.1
	59N3066DDFBFW8 Wood	\$ 5690	30 $\frac{3}{16}$ "	66"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	277 lbs.	43.5
	59N3066DDFBFL8 Laminate	3399	30 $\frac{3}{16}$ "	66"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	277 lbs.	43.5
	59N3060DDFBFW8 Wood	\$ 5423	30 $\frac{3}{16}$ "	60"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	263 lbs.	39.9
	59N3060DDFBFL8 Laminate	3275	30 $\frac{3}{16}$ "	60"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	263 lbs.	39.9
	• 3684 and 3672 desks have 35" deep pedestals • 3066 and 3060 desks have 30" deep pedestals • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Modesty inset • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • Floating top design								

SINGLE PEDESTAL DESK
RECESSED MODESTY

Left shown



LEFT PEDESTAL		RIGHT PEDESTAL								
59N3684DLFFW1	59N3684DRFFW1	Wood	\$ 5248	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	314 lbs.	60.0
59N3684DLFFL1	59N3684DRFFL1	Laminate	3245	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	314 lbs.	60.0
59N3672DLFFW1	59N3672DRFFW1	Wood	\$ 4943	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	287 lbs.	55.2
59N3672DLFFL1	59N3672DRFFL1	Laminate	2964	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	287 lbs.	55.2
59N3072DLFFW1	59N3072DRFFW1	Wood	\$ 4748	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	251 lbs.	47.1
59N3072DLFFL1	59N3072DRFFL1	Laminate	2954	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	251 lbs.	47.1
59N3066DLFFW1	59N3066DRFFW1	Wood	\$ 4633	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	232 lbs.	43.5
59N3066DLFFL1	59N3066DRFFL1	Laminate	2841	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	6 $\frac{3}{16}$	—	232 lbs.	43.5
• 3684 and 3672 desks have 30" deep pedestal • 3066 desk has 24" deep pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Recessed façade on pedestals creates a 1$\frac{1}{16}$" gap between the worksurface and modesty panel to show the recessed façade on the pedestal • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • For model alignment, it is recommended to be used only with Tessera models that have the floating top design • Floating top design										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)


SAMPLE MODEL NUMBERS:

59N3684DRFBFW1 92MB X KRB TF
59N3684DRFBFL1 92MB X KRB 478 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	WEIGHT	FEET
SINGLE PEDESTAL DESK BREAKFRONT MODESTY  Left shown 	59N3684DLFBFW1	59N3684DRFBFW1 Wood	\$ 5400	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	314 lbs.	60.0
	59N3684DLFBFL1	59N3684DRFBFL1 Laminate	3383	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	314 lbs.	60.0
	59N3672DLFBFW1	59N3672DRFBFW1 Wood	\$ 4943	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	287 lbs.	55.2
	59N3672DLFBFL1	59N3672DRFBFL1 Laminate	2964	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	287 lbs.	55.2
	59N3072DLFBFW1	59N3072DRFBFW1 Wood	\$ 4748	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	251 lbs.	47.1
	59N3072DLFBFL1	59N3072DRFBFL1 Laminate	2954	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	251 lbs.	47.1
	59N3066DLFBFW1	59N3066DRFBFW1 Wood	\$ 4633	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	232 lbs.	43.5
	59N3066DLFBFL1	59N3066DRFBFL1 Laminate	2841	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	232 lbs.	43.5
	• 3684 and 3672 desks have 35" deep pedestal • 3066 desk has 30" deep pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Modesty inset • Recessed façade on pedestals creates a 1$\frac{3}{16}$" gap between the worksurface and modesty panel to show the recessed façade on the pedestals • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • For model alignment, it is recommended to be used only with Tessera models that have the floating top design • Floating top design									

RETURN BOX/BOX/FILE



	LEFT RETURN	RIGHT RETURN								
59N2460RLEFFW1	59N2460RREFFW1 Wood	\$ 3389	24	60	28 $\frac{1}{16}$	$\frac{1}{16}$	44	180 lbs.	33.0	
59N2460RLEFFL1	59N2460RREFFL1 Laminate	1893	24	60	28 $\frac{1}{16}$	$\frac{1}{16}$	44	180 lbs.	33.0	
59N2448RLEFFW1	59N2448RREFFW1 Wood	\$ 3351	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	33	160 lbs.	27.0	
59N2448RLEFFL1	59N2448RREFFL1 Laminate	1859	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	33	160 lbs.	27.0	
59N2442RLEFFW1	59N2442RREFFW1 Wood	\$ 3217	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	27	140 lbs.	24.0	
59N2442RLEFFL1	59N2442RREFFL1 Laminate	1781	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	27	140 lbs.	24.0	
• Grain direction runs front-to-back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Recessed façade on pedestals creates a 1$\frac{3}{16}$" gap between the worksurface and modesty panel to show the recessed façade on the pedestal • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • For model alignment, it is recommended to be used only with Tessera models that have a floating top design										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:


59N2460RLEFFW2 92MB X KRB TF
59N2460RLEFFL2 92MB X KRB TF TF

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
RETURN FILE/FILE  Left shown	LEFT RETURN		RIGHT RETURN			D	W	H	A	KW		
	59N2460RLEFFW2	59N2460RREFFW2	Wood	\$	3389	24	60	28 ¹ / ₁₆	¹ / ₁₆	44	180 lbs.	33.0
	59N2460RLEFFL2	59N2460RREFFL2	Laminate		1893	24	60	28 ¹ / ₁₆	¹ / ₁₆	44	180 lbs.	33.0
	59N2448RLEFFW2	59N2448RREFFW2	Wood	\$	3351	24	48 ³ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	33	160 lbs.	27.0
	59N2448RLEFFL2	59N2448RREFFL2	Laminate		1859	24	48 ³ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	33	160 lbs.	27.0
	59N2442RLEFFW2	59N2442RREFFW2	Wood	\$	3217	24	42 ³ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	27	140 lbs.	24.0
	59N2442RLEFFL2	59N2442RREFFL2	Laminate		1781	24	42 ³ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	27	140 lbs.	24.0


- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a $\frac{1}{16}$ " gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- For model alignment, it is recommended to be used only with Tessera models that have a floating top design

BRIDGE



59N2448BEFFW	Wood	\$	1258	24	48 $\frac{3}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	3.4
59N2448BEFFL	Laminate		695	24	48 $\frac{3}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	3.4
59N2442BEFFW	Wood	\$	1185	24	42 $\frac{3}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.1
59N2442BEFFL	Laminate		627	24	42 $\frac{3}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.1

- Some assembly required
- Grain direction runs front-to-back
- $\frac{1}{16}$ " gap between the modesty and worksurface
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- For model alignment, it is recommended to be used only with Tessera models that have a floating top design

SINGLE PEDESTAL CREDENZA
FILE/FILE

Right shown

LEFT PEDESTAL				RIGHT PEDESTAL											
59N2472CLFFW2	59N2472CRFFW2	Wood	\$	3997	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	295 lbs.	39.0				
59N2472CLFFL2	59N2472CRFFL2	Laminate		2597	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	295 lbs.	39.0				
59N2466CLFFW2	59N2466CRFFW2	Wood	\$	3928	24	66	28 ¹ / ₁₆	—	—	265 lbs.	35.0				
59N2466CLFFL2	59N2466CRFFL2	Laminate		2484	24	66	28 ¹ / ₁₆	—	—	265 lbs.	35.0				
59N2460CLFFW2	59N2460CRFFW2	Wood	\$	3854	24	60	28 ¹ / ₁₆	—	—	250 lbs.	33.0				
59N2460CLFFL2	59N2460CRFFL2	Laminate		2438	24	60	28 ¹ / ₁₆	—	—	250 lbs.	33.0				

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2472CKFL2 92MB X KRB 478 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
KNEESPACE CREDENZA FILE/FILE 	59N2472CKFW2 Wood	\$ 5450	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	295 lbs.	39.0
	59N2472CKFL2 Laminate	3545	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	295 lbs.	39.0
	59N2466CKFW2 Wood	\$ 5085	24	66	28 ¹ / ₁₆	—	—	265 lbs.	36.1
	59N2466CKFL2 Laminate	3136	24	66	28 ¹ / ₁₆	—	—	265 lbs.	36.1
	59N2460CKFW2 Wood	\$ 5011	24	60	28 ¹ / ₁₆	—	—	250 lbs.	33.0
	59N2460CKFL2 Laminate	3089	24	60	28 ¹ / ₁₆	—	—	250 lbs.	33.0
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction								
	59N3696DSTFW Wood	\$ 5189	36	95 ⁷ / ₈	28 ¹ / ₁₆	—	—	332 lbs.	72.2
	59N3696DSTFL Laminate	3802	36	95 ⁷ / ₈	28 ¹ / ₁₆	—	—	332 lbs.	72.2
	59N3690DSTFW Wood	\$ 5061	36	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	313 lbs.	68.0
	59N3690DSTFL Laminate	3709	36	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	313 lbs.	68.0
	59N3684DSTFW Wood	\$ 4931	36	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	293 lbs.	63.7
	59N3684DSTFL Laminate	3620	36	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	293 lbs.	63.7
RECEPTION DESK MAIN SHELL  	59N3672DSTFW Wood	\$ 4672	36	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	254 lbs.	55.2
	59N3672DSTFL Laminate	3442	36	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	254 lbs.	55.2
	59N3096DSTFW Wood	\$ 5062	30 ¹ / ₁₆	95 ⁷ / ₈	28 ¹ / ₁₆	—	—	284 lbs.	61.7
	59N3096DSTFL Laminate	3688	30 ¹ / ₁₆	95 ⁷ / ₈	28 ¹ / ₁₆	—	—	284 lbs.	61.7
	• Do not specify pull or locking option • Unit is non-handed; can be used left or right to configure a U-station • Undersurface pedestals can be ordered for storage; see pages 247-252 • Main shell can be used with the reception return or reception bridge to create U and L configurations • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • Reception does not have a floating top design • Some assembly required. Desk shell ships in two boxes								

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks




TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Drawer/Door Fronts (laminate models)
4. Laminate Color (laminate models)
5. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3090DSTFL X TF

- See pages 147-149 for all options available in Tessler

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECEPTION DESK MAIN SHELL (CONTINUED)  	59N3090DSTFW Wood	\$ 4932	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	267 lbs.	58.0
	59N3090DSTFL Laminate	3595	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	267 lbs.	58.0
	59N3084DSTFW Wood	\$ 4804	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	250 lbs.	54.4
	59N3084DSTFL Laminate	3507	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	250 lbs.	54.4
	59N3072DSTFW Wood	\$ 4544	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	217 lbs.	47.1
	59N3072DSTFL Laminate	3328	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	217 lbs.	47.1
	59N2496DSTFW Wood	\$ 4933	24	95 ⁷ / ₁₆	28 ¹ / ₁₆	—	—	236 lbs.	51.2
	59N2496DSTFL Laminate	3571	24	95 ⁷ / ₁₆	28 ¹ / ₁₆	—	—	236 lbs.	51.2
	59N2490DSTFW Wood	\$ 4805	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	221 lbs.	48.1
	59N2490DSTFL Laminate	3481	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	221 lbs.	48.1
	59N2484DSTFW Wood	\$ 4674	24	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	208 lbs.	45.1
	59N2484DSTFL Laminate	3391	24	83 ¹ / ₁₆	28 ¹ / ₁₆	—	—	208 lbs.	45.1
	59N2472DSTFW Wood	\$ 4416	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	69 ¹ / ₂	180 lbs.	39.1
	59N2472DSTFL Laminate	3213	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	69 ¹ / ₂	180 lbs.	39.1
	• Do not specify pull or locking option • Unit is non-handed; can be used left or right to configure a U-station • Undersurface pedestals can be ordered for storage; see pages 247-252 • Main shell can be used with the reception return or reception bridge to create U and L configurations • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Any laminate modesty over 60" will be horizontal grain direction • Reception does not have a floating top design • Some assembly required. Desk shell ships in two boxes								
RECEPTION BRIDGE 	59N2460BSTFW Wood	\$ 1363	24	60	28 ¹ / ₁₆	—	—	82 lbs.	4.2
	59N2460BSTFL Laminate	950	24	60	28 ¹ / ₁₆	—	—	82 lbs.	4.2
	59N2448BSTFW Wood	\$ 1185	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	80 lbs.	3.4
	59N2448BSTFL Laminate	678	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	80 lbs.	3.4
	59N2442BSTFW Wood	\$ 1132	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	—	76 lbs.	3.1
	59N2442BSTFL Laminate	625	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	—	76 lbs.	3.1
	• Do not specify pull or locking option • Grain direction runs front-to-back on worksurface • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified • Reception does not have a floating top design								

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)


SAMPLE MODEL NUMBER:

59N8436SMTSLDW 92MB KRB TF TF


- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
RECEPTION RETURN						D	W	H	A	KW		
 Left shown	LEFT RETURN		RIGHT RETURN									
	59N2460RSTFLW	59N2460RSTFRW	Wood		\$ 2145	24	60	28 ¹ / ₁₆	—	—	175 lbs.	33.0
	59N2460RSTFLL	59N2460RSTFRL	Laminate		1850	24	60	28 ¹ / ₁₆	—	—	175 lbs.	33.0
	59N2448RSTFLW	59N2448RSTFRW	Wood		\$ 2031	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	100 lbs.	19.0
	59N2448RSTFLL	59N2448RSTFRL	Laminate		1776	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	100 lbs.	19.0
• Use with a main shell to make a reception L-station • Undersurface pedestals can be ordered for storage; see pages 247-252 • Grain direction runs front-to-back on worksurface • Reception does not have a floating top design												


RECEPTION SET-ON SLIDING DOOR




Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

WOOD UNIT

59N8436SMTSLDW	Left Reception/Double Doors	\$	4179	15%	83 ¹ / ₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSRDW	Right Reception/Double Doors		4179	15%	83 ¹ / ₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSCDW	Center Reception/Double Doors		4179	15%	83 ¹ / ₁₆	36	—	—	419 lbs.	38.7
59N7836SMTSLDW	Left Reception/Double Doors	\$	4065	15%	77 ¹ / ₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSRDW	Right Reception/Double Doors		4065	15%	77 ¹ / ₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSCDW	Center Reception/Double Doors		4065	15%	71 ¹ / ₁₆	36	—	—	391 lbs.	36.1
59N7236SMTSLDW	Left Reception/Double Doors	\$	3951	15%	71 ¹ / ₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSRDW	Right Reception/Double Doors		3951	15%	71 ¹ / ₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSCDW	Center Reception/Double Doors		3951	15%	71 ¹ / ₁₆	36	—	—	363 lbs.	33.5
59N6036SMTSLLW	Left Reception/Left Door	\$	3714	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRW	Left Reception/Right Door		3714	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLW	Right Reception/Left Door		3714	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRW	Right Reception/Right Door		3714	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLW	Center, Left Door		3714	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRW	Center, Right Door		3714	15%	60	36	—	—	306 lbs.	28.3

- Accent panel can be attached to set-on sliding door unit
- 1¹/₁₆" thick top
- Features 1 accent sliding door
- For tack board options, see pages 403-408
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6036SMTSLRLW 92MB KRB 488 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
	WOOD UNIT (CONTINUED)		D	W	H						
	59N4836SMTSLW	Left Reception/Left Door	\$	3486	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSLRW	Left Reception/Right Door		3486	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSRLW	Right Reception/Left Door		3486	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSRRW	Right Reception/Right Door		3486	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSCLW	Center, Left Door		3486	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSCRW	Center, Right Door		3486	15½	48⅞	36	—	—	250 lbs.	23.1
	LAMINATE DOORS/WOOD CHASSIS										
	59N8436SMTSLDLW	Left Reception/Double Doors	\$	4291	15½	83⅞	36	—	—	419 lbs.	38.7
	59N8436SMTSRDLW	Right Reception/Double Doors		4291	15½	83⅞	36	—	—	419 lbs.	38.7
	59N8436SMTSCDLW	Center Reception/Double Doors		4291	15½	83⅞	36	—	—	419 lbs.	38.7
	59N7836SMTSLDLW	Left Reception/Double Doors	\$	4177	15½	77⅞	36	—	—	391 lbs.	36.1
	59N7836SMTSRDLW	Right Reception/Double Doors		4177	15½	77⅞	36	—	—	391 lbs.	36.1
	59N7836SMTSCDLW	Center Reception/Double Doors		4177	15½	77⅞	36	—	—	391 lbs.	36.1
	59N7236SMTSLDLW	Left Reception/Double Doors	\$	4062	15½	71⅞	36	—	—	363 lbs.	33.5
	59N7236SMTSRDLW	Right Reception/Double Doors		4062	15½	71⅞	36	—	—	363 lbs.	33.5
	59N7236SMTSCDLW	Center Reception/Double Doors		4062	15½	71⅞	36	—	—	363 lbs.	33.5
	59N6036SMTSLLLW	Left Reception/Left Door	\$	3825	15½	60	36	—	—	306 lbs.	28.3
	59N6036SMTSLRLW	Left Reception/Right Door		3825	15½	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRLW	Right Reception/Left Door		3825	15½	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRRW	Right Reception/Right Door		3825	15½	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCLW	Center, Left Door		3825	15½	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCRLW	Center, Right Door		3825	15½	60	36	—	—	306 lbs.	28.3
	59N4836SMTSLLLW	Left Reception/Left Door	\$	3596	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSLRLW	Left Reception/Right Door		3596	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSRLW	Right Reception/Left Door		3596	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSRRW	Right Reception/Right Door		3596	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSCLW	Center, Left Door		3596	15½	48⅞	36	—	—	250 lbs.	23.1
	59N4836SMTSCRLW	Center, Right Door		3596	15½	48⅞	36	—	—	250 lbs.	23.1
• Accent panel can be attached to set-on sliding door unit • 1½" thick top • Features 1 accent sliding door • For tack board options, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84" • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"											

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N8436SMTSLDL 92MB KRB AC2 AD

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECEPTION SET-ON SLIDING DOOR (CONTINUED)	LAMINATE UNIT								
	59N8436SMTSLDL Left Reception/Double Doors	\$ 2843	15%	83 ¹ / ₁₆ "	36	—	—	419 lbs.	38.7
	59N8436SMTSRDL Right Reception/Double Doors	2843	15%	83 ¹ / ₁₆ "	36	—	—	419 lbs.	38.7
	59N8436SMTSCDL Center Reception/Double Doors	2843	15%	83 ¹ / ₁₆ "	36	—	—	419 lbs.	38.7
	59N7836SMTSLDL Left Reception/Double Doors	\$ 2730	15%	77 ¹ / ₁₆ "	36	—	—	391 lbs.	36.1
	59N7836SMTSRDL Right Reception/Double Doors	2730	15%	77 ¹ / ₁₆ "	36	—	—	391 lbs.	36.1
	59N7836SMTSCDL Center Reception/Double Doors	2730	15%	77 ¹ / ₁₆ "	36	—	—	391 lbs.	36.1
	59N7236SMTSLDL Left Reception/Double Doors	\$ 2614	15%	71 ¹ / ₁₆ "	36	—	—	363 lbs.	33.5
	59N7236SMTSRDL Right Reception/Double Doors	2614	15%	71 ¹ / ₁₆ "	36	—	—	363 lbs.	33.5
	59N7236SMTSCDL Center Reception/Double Doors	2614	15%	71 ¹ / ₁₆ "	36	—	—	363 lbs.	33.5
	59N6036SMTSLLL Left Reception/Left Door	\$ 2378	15%	60	36	—	—	306 lbs.	28.3
	59N6036SMTSLRL Left Reception/Right Door	2378	15%	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRLL Right Reception/Left Door	2378	15%	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRRL Right Reception/Right Door	2378	15%	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCLL Center, Left Door	2378	15%	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCRL Center, Right Door	2378	15%	60	36	—	—	306 lbs.	28.3
	59N4836SMTSLLL Left Reception/Left Door	\$ 2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1
	59N4836SMTSLRL Left Reception/Right Door	2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1
	59N4836SMTSRLL Right Reception/Left Door	2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1
	59N4836SMTSRRL Right Reception/Right Door	2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1
	59N4836SMTSCLL Center, Left Door	2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1
	59N4836SMTSCRL Center, Right Door	2149	15%	48 ³ / ₁₆ "	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1³/₁₆" thick top
- Features 1 accent sliding door
- For tack board options, see pages 403-408
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS





- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECEPTION SET-ON SLIDING DOOR (CONTINUED) 	59N8436SMTSLDGW Left Reception/Double Doors	\$ 5015	15 $\frac{3}{8}$	83 $\frac{1}{8}$	36	—	—	419 lbs.	38.7
	59N8436SMTSRDGW Right Reception/Double Doors	5015	15 $\frac{3}{8}$	83 $\frac{1}{8}$	36	—	—	419 lbs.	38.7
	59N8436SMTSCDGW Center Reception/Double Doors	5015	15 $\frac{3}{8}$	83 $\frac{1}{8}$	36	—	—	419 lbs.	38.7
	59N7836SMTSLDGW Left Reception/Double Doors	\$ 4876	15 $\frac{3}{8}$	77 $\frac{1}{8}$	36	—	—	391 lbs.	36.1
	59N7836SMTSRDGW Right Reception/Double Doors	4876	15 $\frac{3}{8}$	77 $\frac{1}{8}$	36	—	—	391 lbs.	36.1
	59N7836SMTSCDGW Center Reception/Double Doors	4876	15 $\frac{3}{8}$	77 $\frac{1}{8}$	36	—	—	391 lbs.	36.1
	59N7236SMTSLDGW Left Reception/Double Doors	\$ 4739	15 $\frac{3}{8}$	71 $\frac{1}{8}$	36	—	—	363 lbs.	33.5
	59N7236SMTSRDGW Right Reception/Double Doors	4739	15 $\frac{3}{8}$	71 $\frac{1}{8}$	36	—	—	363 lbs.	33.5
	59N7236SMTSCDGW Center Reception/Double Doors	4739	15 $\frac{3}{8}$	71 $\frac{1}{8}$	36	—	—	363 lbs.	33.5
	59N6036SMTSLLGW Left Reception/Left Door	\$ 4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N6036SMTSLRGW Left Reception/Right Door	4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRLGW Right Reception/Left Door	4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRRGW Right Reception/Right Door	4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCLGW Center, Left Door	4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCRGW Center, Right Door	4456	14 $\frac{3}{4}$	60	36	—	—	306 lbs.	28.3
	59N4836SMTSLLGW Left Reception/Left Door	\$ 4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
	59N4836SMTSLRGW Left Reception/Right Door	4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
	59N4836SMTSRLGW Right Reception/Left Door	4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
	59N4836SMTSRRGW Right Reception/Right Door	4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
	59N4836SMTSCLGW Center, Left Door	4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
	59N4836SMTSCRGW Center, Right Door	4183	15 $\frac{3}{8}$	48 $\frac{3}{8}$	36	—	—	250 lbs.	23.1
• Accent panel can be attached to set-on sliding door unit • 1$\frac{1}{8}$" thick top • Features 1 accent sliding door • No pull on glass doors • For tack board options, see pages 403-408 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84" • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"									

PRODUCT SPECIFICATIONS





- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECEPTION SET-ON SLIDING DOOR (CONTINUED)	GLASS DOORS/LAMINATE CHASSIS								
	59N8436SMTSLDGL Left Reception/Double Doors	\$ 3697	15½"	83½"	36"	—	—	419 lbs.	38.7
	59N8436SMTSRDGL Right Reception/Double Doors	3697	15½"	83½"	36"	—	—	419 lbs.	38.7
	59N8436SMTSCDGL Center Reception/Double Doors	3697	15½"	83½"	36"	—	—	419 lbs.	38.7
	59N7836SMTSLDGL Left Reception/Double Doors	\$ 3547	15½"	77½"	36"	—	—	391 lbs.	36.1
	59N7836SMTSRDGL Right Reception/Double Doors	3547	15½"	77½"	36"	—	—	391 lbs.	36.1
	59N7836SMTSCDGL Center Reception/Double Doors	3547	15½"	77½"	36"	—	—	391 lbs.	36.1
	59N7236SMTSLDGL Left Reception/Double Doors	\$ 3399	15½"	71½"	36"	—	—	363 lbs.	33.5
	59N7236SMTSRDGL Right Reception/Double Doors	3399	15½"	71½"	36"	—	—	363 lbs.	33.5
	59N7236SMTSCDGL Center Reception/Double Doors	3399	15½"	71½"	36"	—	—	363 lbs.	33.5
	59N6036SMTSLGL Left Reception/Left Door	\$ 3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N6036SMTSLRGL Left Reception/Right Door	3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N6036SMTSRLGL Right Reception/Left Door	3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N6036SMTSRRGL Right Reception/Right Door	3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N6036SMTSCLGL Center, Left Door	3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N6036SMTSCRGL Center, Right Door	3092	14¾"	60"	36"	—	—	306 lbs.	28.3
	59N4836SMTSLGL Left Reception/Left Door	\$ 2795	15½"	48½"	36"	—	—	250 lbs.	23.1
	59N4836SMTSLRGL Left Reception/Right Door	2795	15½"	48½"	36"	—	—	250 lbs.	23.1
	59N4836SMTSRLGL Right Reception/Left Door	2795	15½"	48½"	36"	—	—	250 lbs.	23.1
	59N4836SMTSRRGL Right Reception/Right Door	2795	15½"	48½"	36"	—	—	250 lbs.	23.1
	59N4836SMTSCLGL Center, Left Door	2795	15½"	48½"	36"	—	—	250 lbs.	23.1
	59N4836SMTSCRGL Center, Right Door	2795	15½"	48½"	36"	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1½" thick top
- Features 1 accent sliding door
- No pull on glass doors
- For tack board options, see pages 403-408
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to pages 371-408 for accessories
- Refer to page 155 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N4825SMTAL 488

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECEPTION ACCENT PANEL 	59N7225SMTAW	Wood	\$ 1639	12	71 ¹ / ₁₆	26 ³ / ₁₆	—	—	133 lbs.	7.4
	59N7225SMTAL	Laminate	1333	12	71 ¹ / ₁₆	26 ³ / ₁₆	—	—	133 lbs.	7.4
	59N6625SMTAW	Wood	\$ 1601	12	66	26 ³ / ₁₆	—	—	124 lbs.	6.9
	59N6625SMTAL	Laminate	1295	12	66	26 ³ / ₁₆	—	—	124 lbs.	6.9
	59N6025SMTAW	Wood	\$ 1563	12	60	26 ³ / ₁₆	—	—	113 lbs.	6.3
	59N6025SMTAL	Laminate	1258	12	60	26 ³ / ₁₆	—	—	113 lbs.	6.3
	59N4825SMTAW	Wood	\$ 1485	12	48	26 ³ / ₁₆	—	—	92 lbs.	5.1
	59N4825SMTAL	Laminate	1180	12	48	26 ³ / ₁₆	—	—	92 lbs.	5.1
	59N3625SMTAW	Wood	\$ 1411	12	36 ³ / ₁₆	26 ³ / ₁₆	—	—	72 lbs.	4.0
	59N3625SMTAL	Laminate	1105	12	36 ³ / ₁₆	26 ³ / ₁₆	—	—	72 lbs.	4.0

- 1³/₁₆" thick top
- Accent panel can be used on top of the reception set-on sliding door unit
- 1³/₁₆" spacer under the accent panel
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal grain direction

PRODUCT SPECIFICATIONS

- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have a vertical grain on the wall insert


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Accent Laminate (sliding doors)
7. Drawer/Door Fronts (laminate)
8. Laminate Color (laminate models)
9. Veneer Finish (wood)

SAMPLE MODEL NUMBER:

59N2460CVWLS3L34 92CC X KRB 423 462 AD AD
• See pages 147-149 for all options available in Tessera

MEDIA MID CREDENZA
FOOTED
3-DRAWER



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
		D	W	H			WEIGHT	FEET
59N2472CVWLS3GW34 Glass/Wood	\$ 14005	23 ¹ / ₁₆	71 ¹ / ₁₆	66 ⁷ / ₈	—	—	189 lbs.	43.0
59N2472CVWLS3GL34 Glass/Laminate	12371	23 ¹ / ₁₆	71 ¹ / ₁₆	66 ⁷ / ₈	—	—	189 lbs.	43.0
59N2472CVWLS3W34 Wood	11853	23 ¹ / ₁₆	71 ¹ / ₁₆	66 ⁷ / ₈	—	—	189 lbs.	43.0
59N2472CVWLS3LW34 Laminate/Wood	12223	23 ¹ / ₁₆	71 ¹ / ₁₆	66 ⁷ / ₈	—	—	189 lbs.	43.0
59N2472CVWLS3L34 Laminate	8665	23 ¹ / ₁₆	71 ¹ / ₁₆	66 ⁷ / ₈	—	—	189 lbs.	43.0
59N2460CVWLS3GW34 Glass/Wood	\$ 13910	23 ¹ / ₁₆		66 ⁷ / ₈	—	—	179 lbs.	39.0
59N2460CVWLS3GL34 Glass/Laminate	12272	23 ¹ / ₁₆		66 ⁷ / ₈	—	—	179 lbs.	39.0
59N2460CVWLS3W34 Wood	11776	23 ¹ / ₁₆		66 ⁷ / ₈	—	—	179 lbs.	39.0
59N2460CVWLS3LW34 Laminate/Wood	12144	23 ¹ / ₁₆		66 ⁷ / ₈	—	—	179 lbs.	39.0
59N2460CVWLS3L34 Laminate	8585	23 ¹ / ₁₆		66 ⁷ / ₈	—	—	179 lbs.	39.0

- Veneer model walls grain direction will be vertical
- Laminate model walls grain direction will be horizontal
- Backs fully finished. TV mounts only on approach
- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware
- TV mount included; ships separately
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- Maximum TV weight is 120 lbs.
- Unit ships unassembled
- Grommets available in left, center, and right locations

PRODUCT SPECIFICATIONS


- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have a vertical grain on the wall insert

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Accent Laminate (sliding doors)
7. Drawer/Door Fronts (laminate)
8. Laminate Color (laminate models)
9. Veneer Finish (wood)

SAMPLE MODEL NUMBERS:

- 59N2460CVWLSL2W34 92CC X KRB
 59N2460CVWLSL2LW34 92CC X KRB 423 462 AD
- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	DOOR ON LEFT	DOOR ON RIGHT		D	W	H	A	KW	WEIGHT	FEET
MEDIA MID CREDENZA FOOTED 2-DRAWER 	59N2460CVWLSL2GW34	59N2460CVWLSR2GW34	Glass/Wood	\$	13910	23 ¹ / ₁₆	66 ¹ / ₁₆	—	—	179 lbs. 39.0
	59N2460CVWLSL2GL34	59N2460CVWLSR2GL34	Glass/Lam		12272	23 ¹ / ₁₆	66 ¹ / ₁₆	—	—	179 lbs. 39.0
	59N2460CVWLSL2W34	59N2460CVWLSR2W34	Wood		11776	23 ¹ / ₁₆	66 ¹ / ₁₆	—	—	179 lbs. 39.0
	59N2460CVWLSL2LW34	59N2460CVWLSR2LW34	Lam/Wood		12144	23 ¹ / ₁₆	66 ¹ / ₁₆	—	—	179 lbs. 39.0
	59N2460CVWLSL2L34	59N2460CVWLSR2L34	Laminate		8585	23 ¹ / ₁₆	66 ¹ / ₁₆	—	—	179 lbs. 39.0
	59N2448CVWLSL2GW34	59N2448CVWLSR2GW34	Glass/Wood	\$	13280	23 ¹ / ₁₆	48 ¹ / ₁₆	66 ¹ / ₁₆	—	— 147 lbs. 29.7
	59N2448CVWLSL2GL34	59N2448CVWLSR2GL34	Glass/Lam		10590	23 ¹ / ₁₆	48 ¹ / ₁₆	66 ¹ / ₁₆	—	— 147 lbs. 29.7
	59N2448CVWLSL2W34	59N2448CVWLSR2W34	Wood		11030	23 ¹ / ₁₆	48 ¹ / ₁₆	66 ¹ / ₁₆	—	— 147 lbs. 29.7
	59N2448CVWLSL2LW34	59N2448CVWLSR2LW34	Lam/Wood		11354	23 ¹ / ₁₆	48 ¹ / ₁₆	66 ¹ / ₁₆	—	— 147 lbs. 29.7
	59N2448CVWLSL2L34	59N2448CVWLSR2L34	Laminate		8431	23 ¹ / ₁₆	48 ¹ / ₁₆	66 ¹ / ₁₆	—	— 147 lbs. 29.7
• Veneer model walls; grain direction will be vertical • Laminate model walls; grain direction will be vertical except horizontal laminates • Backs fully finished. TV mounts only on approach • Features 1 sliding door • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • No pull on glass doors • Bottom drawers do not include filing hardware • TV mount included; ships separately • Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat • Maximum TV weight is 120 lbs. • Unit ships unassembled • Grommets available in left and right locations										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminated models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminated models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2490CSS3LW34 92PL G11PLC KR5S 488 MH
• See pages 147-149 for all options available in Tessera

FULL CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
59N2490CSS3GW34	Glass/Wood	\$ 7578	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.3
59N2490CSS3GL34	Glass/Laminate	6732	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.3
59N2490CSS3W34	Wood	6315	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.3
59N2490CSS3LW34	Laminate/Wood	6504	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.3
59N2490CSS3L34	Laminate	5179	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.3
59N2484CSS3GW34	Glass/Wood	\$ 7508	24		28 ¹ / ₁₆	—	—	275 lbs.	45.3
59N2484CSS3GL34	Glass/Laminate	6630	24		28 ¹ / ₁₆	—	—	275 lbs.	45.3
59N2484CSS3W34	Wood	6253	24		28 ¹ / ₁₆	—	—	275 lbs.	45.3
59N2484CSS3LW34	Laminate/Wood	6440	24		28 ¹ / ₁₆	—	—	275 lbs.	45.3
59N2484CSS3L34	Laminate	5117	24		28 ¹ / ₁₆	—	—	275 lbs.	45.3
59N2478CSS3GW34	Glass/Wood	\$ 7360	24		28 ¹ / ₁₆	—	—	250 lbs.	42.3
59N2478CSS3GL34	Glass/Laminate	6483	24		28 ¹ / ₁₆	—	—	250 lbs.	42.3
59N2478CSS3W34	Wood	6131	24		28 ¹ / ₁₆	—	—	250 lbs.	42.3
59N2478CSS3LW34	Laminate/Wood	6317	24		28 ¹ / ₁₆	—	—	250 lbs.	42.3
59N2478CSS3L34	Laminate	4996	24		28 ¹ / ₁₆	—	—	250 lbs.	42.3
59N2472CSS3GW34	Glass/Wood	\$ 7213	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
59N2472CSS3GL34	Glass/Laminate	6336	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
59N2472CSS3W34	Wood	6009	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
59N2472CSS3LW34	Laminate/Wood	6189	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
59N2472CSS3L34	Laminate	4874	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
59N2466CSS3GW34	Glass/Wood	\$ 7194	24	66	28 ³ / ₄	—	—	230 lbs.	36.2
59N2466CSS3GL34	Glass/Laminate	6312	24	66	28 ³ / ₄	—	—	230 lbs.	36.2
59N2466CSS3W34	Wood	5996	24	66	28 ³ / ₄	—	—	230 lbs.	36.2
59N2466CSS3LW34	Laminate/Wood	6176	24	66	28 ³ / ₄	—	—	230 lbs.	36.2
59N2466CSS3L34	Laminate	4861	24	66	28 ³ / ₄	—	—	230 lbs.	36.2
59N2460CSS3GW34	Glass/Wood	\$ 7119	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2
59N2460CSS3GL34	Glass/Laminate	6238	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2
59N2460CSS3W34	Wood	5934	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2
59N2460CSS3LW34	Laminate/Wood	6111	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2
59N2460CSS3L34	Laminate	4797	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing
- Grommets available in left, center, and right locations

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminated models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminated models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2430CS1L34 92PL G11PLC KR1S 488 792

- See pages 147-149 for all options available in Tessaera

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
 Right shown	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT										
	59N2460CSSL2GW34	59N2460CSSR2GW34	Glass/Wood	\$ 7119	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2	
	59N2460CSSL2GL34	59N2460CSSR2GL34	Glass/Lam	6238	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2	
	59N2460CSSL2W34	59N2460CSSR2W34	Wood	5934	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2	
	59N2460CSSL2LW34	59N2460CSSR2LW34	Lam/Wood	6111	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2	
	59N2460CSSL2L34	59N2460CSSR2L34	Laminate	4797	24	60	28 ¹ / ₁₆	—	—	225 lbs.	33.2	
	59N2454CSSL2GW34	59N2454CSSR2GW34	Glass/Wood	\$ 7046	24		28 ¹ / ₁₆	—	—	210 lbs.	30.1	
	59N2454CSSL2GL34	59N2454CSSR2GL34	Glass/Lam	5860	24		28 ¹ / ₁₆	—	—	210 lbs.	30.1	
	59N2454CSSL2W34	59N2454CSSR2W34	Wood	4735	24		28 ¹ / ₁₆	—	—	210 lbs.	30.1	
	59N2454CSSL2LW34	59N2454CSSR2LW34	Lam/Wood	6047	24		28 ¹ / ₁₆	—	—	210 lbs.	30.1	
	59N2454CSSL2L34	59N2454CSSR2L34	Laminate	4735	24		28 ¹ / ₁₆	—	—	210 lbs.	30.1	
	59N2448CSSL2GW34	59N2448CSSR2GW34	Glass/Wood	\$ 6940	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1	
	59N2448CSSL2GL34	59N2448CSSR2GL34	Glass/Lam	6039	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1	
	59N2448CSSL2W34	59N2448CSSR2W34	Wood	5781	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1	
	59N2448CSSL2LW34	59N2448CSSR2LW34	Lam/Wood	5955	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1	
59N2448CSSL2L34	59N2448CSSR2L34	Laminate	4646	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1		
• Center grommet location not available • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • Features 1 accent sliding door • No pull on glass doors • Bottom drawer features letter or legal, side-to-side, or front-to-back filing • Grommets available in left and right locations												

FULL CREDENZA	59N2436CS1W34	Wood	\$ 3834	24	36	28 ³ / ₄	—	—	115 lbs.	21.0	
	59N2436CS1L34	Laminate	2331	24	36	28 ³ / ₄	—	—	115 lbs.	21.0	
	59N2430CS1W34	Wood	\$ 3537	24	30 ³ / ₁₆	28 ¹ / ₁₆	—	—	90 lbs.	18.0	
	59N2430CS1L34	Laminate	2183	24	30 ³ / ₁₆	28 ¹ / ₁₆	—	—	90 lbs.	18.0	
	59N2424CS1W34	Wood	\$ 3492	24	24	28 ¹ / ₁₆	—	—	75 lbs.	15.0	
	59N2424CS1L34	Laminate	2137	24	24	28 ¹ / ₁₆	—	—	75 lbs.	15.0	
	59N2420CS1W34	Wood	\$ 3463	24	20	28 ¹ / ₁₆	—	—	65 lbs.	12.9	
	59N2420CS1L34	Laminate	2105	24	20	28 ¹ / ₁₆	—	—	65 lbs.	12.9	
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Bottom drawer features letter or legal, side-to-side, or front-to-back filing • Grommet available in center only											

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Accent Laminate Color (sliding doors)
8. Laminate Color (laminate models)
9. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

- 59N2490CSLS3W34 92PL G1A KRS 501 792
- See pages 147-149 for all options available in Tessera

MID-CREDENZA
FOOTED BASE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
59N2490CSLS3GW34 Glass/Wood	\$ 7719	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	38.7
59N2490CSLS3GL34 Glass/Laminate	6857	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	38.7
59N2490CSLS3W34 Wood	6433	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	38.7
59N2490CSLS3LW34 Laminate/Wood	6623	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	38.7
59N2490CSLS3L34 Laminate	5276	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	38.7
59N2484CSLS3GW34 Glass/Wood	\$ 7568	24		28 ¹ / ₁₆	—	—	250 lbs.	36.3
59N2484CSLS3GL34 Glass/Laminate	6674	24		28 ¹ / ₁₆	—	—	250 lbs.	36.3
59N2484CSLS3W34 Wood	6303	24		28 ¹ / ₁₆	—	—	250 lbs.	36.3
59N2484CSLS3LW34 Laminate/Wood	6494	24		28 ¹ / ₁₆	—	—	250 lbs.	36.3
59N2484CSLS3L34 Laminate	5148	24		28 ¹ / ₁₆	—	—	250 lbs.	36.3
59N2478CSLS3GW34 Glass/Wood	\$ 7495	24		28 ¹ / ₁₆	—	—	225 lbs.	33.8
59N2478CSLS3GL34 Glass/Laminate	6601	24		28 ¹ / ₁₆	—	—	225 lbs.	33.8
59N2478CSLS3W34 Wood	6242	24		28 ¹ / ₁₆	—	—	225 lbs.	33.8
59N2478CSLS3LW34 Laminate/Wood	6430	24		28 ¹ / ₁₆	—	—	225 lbs.	33.8
59N2478CSLS3L34 Laminate	5085	24		28 ¹ / ₁₆	—	—	225 lbs.	33.8
59N2472CSLS3GW34 Glass/Wood	\$ 7348	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	169 lbs.	31.4
59N2472CSLS3GL34 Glass/Laminate	6453	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	169 lbs.	31.4
59N2472CSLS3W34 Wood	6120	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	169 lbs.	31.4
59N2472CSLS3LW34 Laminate/Wood	6303	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	169 lbs.	31.4
59N2472CSLS3L34 Laminate	4965	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	169 lbs.	31.4
59N2466CSLS3GW34 Glass/Wood	\$ 7326	24	66	28 ¹ / ₁₆	—	—	200 lbs.	29.0
59N2466CSLS3GL34 Glass/Laminate	6427	24	66	28 ¹ / ₁₆	—	—	200 lbs.	29.0
59N2466CSLS3W34 Wood	6106	24	66	28 ¹ / ₁₆	—	—	200 lbs.	29.0
59N2466CSLS3LW34 Laminate/Wood	6289	24	66	28 ¹ / ₁₆	—	—	200 lbs.	29.0
59N2466CSLS3L34 Laminate	4949	24	66	28 ¹ / ₁₆	—	—	200 lbs.	29.0
59N2460CSLS3GW34 Glass/Wood	\$ 7252	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
59N2460CSLS3GL34 Glass/Laminate	6353	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
59N2460CSLS3W34 Wood	6043	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
59N2460CSLS3LW34 Laminate/Wood	6226	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
59N2460CSLS3L34 Laminate	4886	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware
- Grommets available in left, center, and right locations

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Accent Laminate Color (sliding doors)
8. Laminate Color (laminate models)
9. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2460CSLSR2L34 92PL G1LR KRS 501 792 792 461 792

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
 Right shown	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT									
	59N2460CSLSL2GW34	59N2460CSLSR2GW34	Glass/Wood	\$ 7252	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
	59N2460CSLSL2GL34	59N2460CSLSR2GL34	Glass/Lam	6353	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
	59N2460CSLSL2W34	59N2460CSLSR2W34	Wood	6043	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
	59N2460CSLSL2LW34	59N2460CSLSR2LW34	Lam/Wood	6226	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
	59N2460CSLSL2L34	59N2460CSLSR2L34	Laminate	4886	24	60	28 ¹ / ₁₆	—	—	179 lbs.	26.5
	59N2454CSLSL2GW34	59N2454CSLSR2GW34	Glass/Wood	\$ 7178	24	54	28 ¹ / ₁₆	—	—	150 lbs.	24.1
	59N2454CSLSL2GL34	59N2454CSLSR2GL34	Glass/Lam	6280	24	54	28 ¹ / ₁₆	—	—	150 lbs.	24.1
	59N2454CSLSL2W34	59N2454CSLSR2W34	Wood	5982	24	54	28 ¹ / ₁₆	—	—	150 lbs.	24.1
	59N2454CSLSL2LW34	59N2454CSLSR2LW34	Lam/Wood	6161	24	54	28 ¹ / ₁₆	—	—	150 lbs.	24.1
	59N2454CSLSL2L34	59N2454CSLSR2L34	Laminate	4823	24	54	28 ¹ / ₁₆	—	—	150 lbs.	24.1
	59N2448CSLSL2GW34	59N2448CSLSR2GW34	Glass/Wood	\$ 7066	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	147 lbs.	21.7
	59N2448CSLSL2GL34	59N2448CSLSR2GL34	Glass/Lam	6151	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	147 lbs.	21.7
	59N2448CSLSL2W34	59N2448CSLSR2W34	Wood	5889	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	147 lbs.	21.7
	59N2448CSLSL2LW34	59N2448CSLSR2LW34	Lam/Wood	6064	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	147 lbs.	21.7
59N2448CSLSL2L34	59N2448CSLSR2L34	Laminate	4732	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	147 lbs.	21.7	
• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • Features 1 accent sliding door • No pull on glass doors • Bottom drawers do not include filing hardware • Grommets available in left and right locations											
	59N2436CSL1W34	Wood	\$ 3939	24	36	28 ¹ / ₁₆	—	—	115 lbs.	16.8	
	59N2436CSL1L34	Laminate	2414	24	36	28 ¹ / ₁₆	—	—	115 lbs.	16.8	
	59N2430CSL1W34	Wood	\$ 3641	24	30 ³ / ₁₆	28 ¹ / ₁₆	—	—	72 lbs.	14.4	
	59N2430CSL1L34	Laminate	2267	24	30 ³ / ₁₆	28 ¹ / ₁₆	—	—	72 lbs.	14.4	
	59N2424CSL1W34	Wood	\$ 3595	24	24	28 ¹ / ₁₆	—	—	60 lbs.	12.0	
	59N2424CSL1L34	Laminate	2219	24	24	28 ¹ / ₁₆	—	—	60 lbs.	12.0	
59N2420CSL1W34	Wood	\$ 3564	24	20	28 ¹ / ₁₆	—	—	52 lbs.	10.3		
59N2420CSL1L34	Laminate	2189	24	20	28 ¹ / ₁₆	—	—	52 lbs.	10.3		
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Bottom drawers do not include filing hardware • Grommet available in center only											

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N249023CSS3W34 92PL X KRS 792

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MID-CREDENZA	59N249023CSS3GW34 Glass/Wood	\$ 7351	24	89 ¹⁵ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
	59N249023CSS3GL34 Glass/Laminate	6533	24	89 ¹⁵ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
	59N249023CSS3W34 Wood	6126	24	89 ¹⁵ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
	59N249023CSS3LW34 Laminate/Wood	6309	24	89 ¹⁵ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
	59N249023CSS3L34 Laminate	5023	24	89 ¹⁵ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
	59N248423CSS3GW34 Glass/Wood	\$ 7218	24		22 ³ / ₄	—	—	250 lbs.	36.3
	59N248423CSS3GL34 Glass/Laminate	6368	24		22 ³ / ₄	—	—	250 lbs.	36.3
	59N248423CSS3W34 Wood	6014	24		22 ³ / ₄	—	—	250 lbs.	36.3
	59N248423CSS3LW34 Laminate/Wood	6192	24		22 ³ / ₄	—	—	250 lbs.	36.3
	59N248423CSS3L34 Laminate	4913	24		22 ³ / ₄	—	—	250 lbs.	36.3
	59N247823CSS3GW34 Glass/Wood	\$ 7144	24		22 ³ / ₄	—	—	225 lbs.	33.8
	59N247823CSS3GL34 Glass/Laminate	6295	24		22 ³ / ₄	—	—	225 lbs.	33.8
	59N247823CSS3W34 Wood	5951	24		22 ³ / ₄	—	—	225 lbs.	33.8
	59N247823CSS3LW34 Laminate/Wood	6130	24		22 ³ / ₄	—	—	225 lbs.	33.8
	59N247823CSS3L34 Laminate	4848	24		22 ³ / ₄	—	—	225 lbs.	33.8
	59N247223CSS3GW34 Glass/Wood	\$ 6998	24	71 ¹⁵ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
	59N247223CSS3GL34 Glass/Laminate	6148	24	71 ¹⁵ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
	59N247223CSS3W34 Wood	5831	24	71 ¹⁵ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
	59N247223CSS3LW34 Laminate/Wood	6003	24	71 ¹⁵ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
	59N247223CSS3L34 Laminate	4728	24	71 ¹⁵ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
	59N246623CSS3GW34 Glass/Wood	\$ 6980	24		22 ³ / ₄	—	—	200 lbs.	29.0
	59N246623CSS3GL34 Glass/Laminate	6125	24		22 ³ / ₄	—	—	200 lbs.	29.0
	59N246623CSS3W34 Wood	5818	24		22 ³ / ₄	—	—	200 lbs.	29.0
	59N246623CSS3LW34 Laminate/Wood	5992	24		22 ³ / ₄	—	—	200 lbs.	29.0
	59N246623CSS3L34 Laminate	4717	24		22 ³ / ₄	—	—	200 lbs.	29.0
	59N246023CSS3GW34 Glass/Wood	\$ 6906	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
	59N246023CSS3GL34 Glass/Laminate	6051	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
	59N246023CSS3W34 Wood	5756	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
	59N246023CSS3LW34 Laminate/Wood	5929	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
	59N246023CSS3L34 Laminate	4656	24	60	22 ³ / ₄	—	—	143 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware
- Grommets available in left, center, and right locations

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N243023CS1W34 92PL X KRS 792
59N243023CS1L34 92IR X KRB 461 MH

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
MID-CREDENZA  Right shown	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT										
	59N246023CSSL2GW34	59N246023CSSR2GW34	Glass/Wood	\$ 6906	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2GL34	59N246023CSSR2GL34	Glass/Lam	6051	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2W34	59N246023CSSR2W34	Wood	5756	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2LW34	59N246023CSSR2LW34	Lam/Wood	5929	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2L34	59N246023CSSR2L34	Laminate	4656	24	60	22¾	—	—	143 lbs.	26.5	
	59N245423CSSL2GW34	59N245423CSSR2GW34	Glass/Wood	\$ 6833	24	54	22¾	—	—	150 lbs.	24.1	
	59N245423CSSL2GL34	59N245423CSSR2GL34	Glass/Lam	5977	24	54	22¾	—	—	150 lbs.	24.1	
	59N245423CSSL2W34	59N245423CSSR2W34	Wood	5692	24	54	22¾	—	—	150 lbs.	24.1	
	59N245423CSSL2LW34	59N245423CSSR2LW34	Lam/Wood	5865	24	54	22¾	—	—	150 lbs.	24.1	
	59N245423CSSL2L34	59N245423CSSR2L34	Laminate	4593	24	54	22¾	—	—	150 lbs.	24.1	
	59N244823CSSL2GW34	59N244823CSSR2GW34	Glass/Wood	\$ 6729	24	48⅞	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2GL34	59N244823CSSR2GL34	Glass/Lam	5858	24	48⅞	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2W34	59N244823CSSR2W34	Wood	5608	24	48⅞	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2LW34	59N244823CSSR2LW34	Lam/Wood	5776	24	48⅞	22¾	—	—	117 lbs.	21.7	
59N244823CSSL2L34	59N244823CSSR2L34	Laminate	4508	24	48⅞	22¾	—	—	117 lbs.	21.7		
• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • Features 1 accent sliding door • No pull on glass doors • Bottom drawers do not include filing hardware • Grommets available in left and right locations												

MID-CREDENZA 	59N243623CS1W34	Wood	\$ 3663	24		22¾	—	—	115 lbs.	16.8	
	59N243623CS1L34	Laminate	2195	24		22¾	—	—	115 lbs.	16.8	
	59N243023CS1W34	Wood	\$ 3367	24	30⅞	22¾	—	—	72 lbs.	14.4	
	59N243023CS1L34	Laminate	2048	24	30⅞	22¾	—	—	72 lbs.	14.4	
	59N242423CS1W34	Wood	\$ 3321	24	24	22¾	—	—	60 lbs.	12.0	
	59N242423CS1L34	Laminate	2001	24	24	22¾	—	—	60 lbs.	12.0	
	59N242023CS1W34	Wood	\$ 3293	24	20	22¾	—	—	52 lbs.	10.3	
59N242023CS1L34	Laminate	1971	24	20	22¾	—	—	52 lbs.	10.3		
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Bottom drawers do not include filing hardware • Grommet available in center only											

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities



TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490CS3W36 92PL X KRS MC
59N2490CS3L36 92PL X KRS 462 462

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE)  	59N2490CS3W36	Wood	\$ 6629	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.5
	59N2490CS3L36	Laminate	5438	24	89 ¹ / ₁₆	28 ¹ / ₁₆	—	—	261 lbs.	48.5
	59N2484CS3W36	Wood	\$ 6551	24	84	28 ³ / ₄	—	—	250 lbs.	45.3
	59N2484CS3L36	Laminate	5361	24	84	28 ³ / ₄	—	—	250 lbs.	45.3
	59N2478CS3W36	Wood	\$ 6431	24		28 ¹ / ₁₆	—	—	225 lbs.	42.3
	59N2478CS3L36	Laminate	5241	24		28 ¹ / ₁₆	—	—	225 lbs.	42.3
	59N2472CS3W36	Wood	\$ 6310	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
	59N2472CS3L36	Laminate	5118	24	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	211 lbs.	39.2
	59N2466CS3W36	Wood	\$ 6294	24		28 ¹ / ₁₆	—	—	200 lbs.	36.2
	59N2466CS3L36	Laminate	5099	24		28 ¹ / ₁₆	—	—	200 lbs.	36.2
	59N2460CS3W36	Wood	\$ 6230	24	60	28 ¹ / ₁₆	—	—	179 lbs.	33.2
	59N2460CS3L36	Laminate	5038	24	60	28 ¹ / ₁₆	—	—	179 lbs.	33.2
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Full drawer front units feature a box/box/file drawer configuration behind the full front • Grommets available in left, center, and right locations									

FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE) 	59N2460CS2W36	Wood	\$ 6230	24	60	28 ¹ / ₁₆	—	—	179 lbs.	33.2
	59N2460CS2L36	Laminate	5038	24	60	28 ¹ / ₁₆	—	—	179 lbs.	33.2
	59N2454CS2W36	Wood	\$ 6168	24	54	28 ³ / ₄	—	—	150 lbs.	30.1
	59N2454CS2L36	Laminate	4975	24	54	28 ³ / ₄	—	—	150 lbs.	30.1
	59N2448CS2W36	Wood	\$ 6071	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1
	59N2448CS2L36	Laminate	4876	24	48 ³ / ₁₆	28 ¹ / ₁₆	—	—	185 lbs.	27.1
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Full drawer front units feature a box/box/file drawer configuration behind the full front • Grommets available in left and right locations									

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities



TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490CSL3W38 92PL X KRS 462 MC
59N2490CSL3L38 92PL X KRS 462 405

- See pages 147-149 for all options available in Tessler

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE)  	59N2490CSL3W38 Wood	\$ 6755	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	38.7
	59N2490CSL3L38 Laminate	5539	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	38.7
	59N2484CSL3W38 Wood	\$ 6671	24		28 $\frac{1}{16}$	—	—	250 lbs.	36.3
	59N2484CSL3L38 Laminate	5454	24		28 $\frac{1}{16}$	—	—	250 lbs.	36.3
	59N2478CSL3W38 Wood	\$ 6549	24		28 $\frac{1}{16}$	—	—	225 lbs.	33.8
	59N2478CSL3L38 Laminate	5334	24		28 $\frac{1}{16}$	—	—	225 lbs.	33.8
	59N2472CSL3W38 Wood	\$ 6428	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	212 lbs.	31.4
	59N2472CSL3L38 Laminate	5214	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	212 lbs.	31.4
	59N2466CSL3W38 Wood	\$ 6408	24		28 $\frac{1}{16}$	—	—	200 lbs.	29.0
	59N2466CSL3L38 Laminate	5193	24		28 $\frac{1}{16}$	—	—	200 lbs.	29.0
	59N2460CSL3W38 Wood	\$ 6346	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5
	59N2460CSL3L38 Laminate	5132	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Full drawer front units feature a box/file drawer configuration behind the full front • Grommets available in left, center, and right locations								

MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE) 	59N2460CSL2W38 Wood	\$ 6346	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5
	59N2460CSL2L38 Laminate	5132	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5
	59N2454CSL2W38 Wood	\$ 6284	24	54	28 $\frac{1}{16}$	—	—	150 lbs.	24.1
	59N2454CSL2L38 Laminate	5071	24	54	28 $\frac{1}{16}$	—	—	150 lbs.	24.1
	59N2448CSL2W38 Wood	\$ 6183	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	147 lbs.	21.7
	59N2448CSL2L38 Laminate	4970	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	147 lbs.	21.7
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Full drawer front units feature a box/file drawer configuration behind the full front • Grommets available in left and right locations								

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N249023CS3W38 92PL G1LR KRB CW
59N249023CS3L38 92PL X KRS 461 PB

- See pages 147-149 for all options available in Tessera


MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
59N249023CS3W38 Wood	\$ 6433	24	89 ¹ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
59N249023CS3L38 Laminate	5276	24	89 ¹ / ₁₆	22 ³ / ₄	—	—	209 lbs.	38.7
59N248423CS3W38 Wood	\$ 6364	24		22 ³ / ₄	—	—	250 lbs.	36.3
59N248423CS3L38 Laminate	5207	24		22 ³ / ₄	—	—	250 lbs.	36.3
59N247823CS3W38 Wood	\$ 6242	24		22 ³ / ₄	—	—	225 lbs.	33.8
59N247823CS3L38 Laminate	5085	24		22 ³ / ₄	—	—	225 lbs.	33.8
59N247223CS3W38 Wood	\$ 6120	24	71 ¹ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
59N247223CS3L38 Laminate	4965	24	71 ¹ / ₁₆	22 ³ / ₄	—	—	169 lbs.	31.4
59N246623CS3W38 Wood	\$ 6106	24		22 ³ / ₄	—	—	200 lbs.	29.0
59N246623CS3L38 Laminate	4949	24		22 ³ / ₄	—	—	200 lbs.	29.0
59N246023CS3W38 Wood	\$ 6043	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
59N246023CS3L38 Laminate	4886	24	60	22 ³ / ₄	—	—	143 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Full drawer front units feature a box/file drawer configuration behind the full front
- Grommets available in left, center, and right locations

MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)



59N246023CS2W38 Wood	\$ 6043	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
59N246023CS2L38 Laminate	4886	24	60	22 ³ / ₄	—	—	143 lbs.	26.5
59N245423CS2W38 Wood	\$ 5982	24	54	22 ³ / ₄	—	—	150 lbs.	24.1
59N245423CS2L38 Laminate	4823	24	54	22 ³ / ₄	—	—	150 lbs.	24.1
59N244823CS2W38 Wood	\$ 5889	24	48 ³ / ₁₆	22 ³ / ₄	—	—	117 lbs.	21.7
59N244823CS2L38 Laminate	4732	24	48 ³ / ₁₆	22 ³ / ₄	—	—	117 lbs.	21.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/file drawer configuration behind the full front
- Grommets available in left and right locations

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490BNF3W 92IR KRB PB
59N2490BNF3L 92IR KRB 461 PB

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BENCH CREDENZA (FILE/FILE/FILE STORAGE) 	59N2490BNF3W	Wood	\$ 5630	24	90	15¾	—	—	255 lbs.	22.8
	59N2490BNF3L	Laminate	4173	24	90	15¾	—	—	255 lbs.	22.8
	59N2484BNF3W	Wood	\$ 5513	24	84	15¾	—	—	235 lbs.	21.8
	59N2484BNF3L	Laminate	4158	24	84	15¾	—	—	235 lbs.	21.8
	59N2478BNF3W	Wood	\$ 5490	24	78	15¾	—	—	225 lbs.	20.8
	59N2478BNF3L	Laminate	4112	24	78	15¾	—	—	225 lbs.	20.8
	59N2472BNF3W	Wood	\$ 5392	24	72	15¾	—	—	210 lbs.	19.8
	59N2472BNF3L	Laminate	4053	24	72	15¾	—	—	210 lbs.	19.8
	59N2460BNF3W	Wood	\$ 5315	24	60	15¾	—	—	175 lbs.	18.8
	59N2460BNF3L	Laminate	3975	24	60	15¾	—	—	175 lbs.	18.8
	• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370									

BENCH CREDENZA (FILE/FILE/FILE STORAGE) 	59N1890BNF3W	Wood	\$ 5630	18½	90	15¾	—	—	225 lbs.	21.9
	59N1890BNF3L	Laminate	4173	18½	90	15¾	—	—	225 lbs.	21.9
	59N1884BNF3W	Wood	\$ 5513	18½	84	15¾	—	—	210 lbs.	19.0
	59N1884BNF3L	Laminate	4158	18½	84	15¾	—	—	210 lbs.	19.0
	59N1878BNF3W	Wood	\$ 5490	18½	78	15¾	—	—	200 lbs.	18.4
	59N1878BNF3L	Laminate	4112	18½	78	15¾	—	—	200 lbs.	18.4
	59N1872BNF3W	Wood	\$ 5392	18½	72	15¾	—	—	190 lbs.	17.8
	59N1872BNF3L	Laminate	4053	18½	72	15¾	—	—	190 lbs.	17.8
	59N1866BNF3W	Wood	\$ 5340	18½	66	15¾	—	—	175 lbs.	16.5
	59N1866BNF3L	Laminate	4001	18½	66	15¾	—	—	175 lbs.	16.5
	59N1860BNF3W	Wood	\$ 5315	18½	60	15¾	—	—	169 lbs.	15.0
	59N1860BNF3L	Laminate	3975	18½	60	15¾	—	—	169 lbs.	15.0
	• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370									

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N1854BNF2W 92IR KRB PB
59N1854BNF2L 92IR KRB 461 PB
59N2436BNF1W 92PL KRS R MH

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BENCH CREDENZA (FILE/FILE STORAGE) 	59N2460BNF2W Wood	\$ 5093	24	60	15¾	—	—	180 lbs.	18.8
	59N2460BNF2L Laminate	3751	24	60	15¾	—	—	180 lbs.	18.8
	59N2454BNF2W Wood	\$ 4983	24	54	15¾	—	—	170 lbs.	17.1
	59N2454BNF2L Laminate	3641	24	54	15¾	—	—	170 lbs.	17.1
	59N2448BNF2W Wood	\$ 4872	24	48	15¾	—	—	120 lbs.	15.4
	59N2448BNF2L Laminate	3535	24	48	15¾	—	—	120 lbs.	15.4
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370								
	59N1860BNF2W Wood	\$ 5093	18¾	60	15¾	—	—	150 lbs.	15.0
	59N1860BNF2L Laminate	3751	18¾	60	15¾	—	—	150 lbs.	15.0
	59N1854BNF2W Wood	\$ 4983	18¾	54	15¾	—	—	145 lbs.	13.7
BENCH CREDENZA (FILE/FILE STORAGE) 	59N1854BNF2L Laminate	3641	18¾	54	15¾	—	—	145 lbs.	13.7
	59N1848BNF2W Wood	\$ 4872	18¾	48	15¾	—	—	95 lbs.	12.3
	59N1848BNF2L Laminate	3535	18¾	48	15¾	—	—	95 lbs.	12.3
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370								
	59N2436BNF1W Wood	\$ 3159	24	36	15¾	—	—	80 lbs.	11.9
	59N2436BNF1L Laminate	1704	24	36	15¾	—	—	80 lbs.	11.9
	59N2430BNF1W Wood	\$ 3033	24	30	15¾	—	—	70 lbs.	10.2
	59N2430BNF1L Laminate	1623	24	30	15¾	—	—	70 lbs.	10.2
	59N2424BNF1W Wood	\$ 2973	24	24	15¾	—	—	58 lbs.	8.5
	59N2424BNF1L Laminate	1563	24	24	15¾	—	—	58 lbs.	8.5
BENCH CREDENZA (CUBBY STORAGE) 	59N2420BNF1W Wood	\$ 2944	24	20	15¾	—	—	63 lbs.	7.3
	59N2420BNF1L Laminate	1531	24	20	15¾	—	—	63 lbs.	7.3
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Bottom drawer features letter or legal, side-to-side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370								

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490BNOF3W 92MB KS2B CW
59N2490BNOF3L 92MB KS1B 417 MC

- See pages 147-149 for all options available in Tessler

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
BENCH CREDENZA (CUBBY STORAGE) 	59N1836BNF1W	Wood	\$ 3159	18½	36	15¾	—	—	70 lbs.	10.2
	59N1836BNF1L	Laminate	1704	18½	36	15¾	—	—	70 lbs.	10.2
	59N1830BNF1W	Wood	\$ 3033	18½	30	15¾	—	—	65 lbs.	8.5
	59N1830BNF1L	Laminate	1623	18½	30	15¾	—	—	65 lbs.	8.5
	59N1824BNF1W	Wood	\$ 2973	18½	24	15¾	—	—	63 lbs.	7.4
	59N1824BNF1L	Laminate	1563	18½	24	15¾	—	—	63 lbs.	7.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	• Drawer features letter or legal, side to side, or front-to-back filing									
	• Cushions for bench credenzas can be found on pages 356-370									
BENCH CREDENZA (CUBBY STORAGE) 	59N2490BNOF3W	Wood	\$ 5205	24	89½	15¾	—	—	243 lbs.	27.4
	59N2490BNOF3L	Laminate	4020	24	89½	15¾	—	—	243 lbs.	27.4
	59N2472BNOF3W	Wood	\$ 5084	24	71½	15¾	—	—	200 lbs.	22.3
	59N2472BNOF3L	Laminate	3898	24	71½	15¾	—	—	200 lbs.	22.3
	59N2460BNOF3W	Wood	\$ 5009	24	60	15¾	—	—	169 lbs.	18.8
	59N2460BNOF3L	Laminate	3820	24	60	15¾	—	—	169 lbs.	18.8
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
	• Bottom drawer features letter or legal, side-to-side, or front-to-back filing									
	• Cushions for bench credenzas can be found on pages 356-370									

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)


SAMPLE MODEL NUMBERS:

59N1890BNOF3W 92MB KS2B CW
59N1890BNOF3L 92MB KS1B 417 MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
BENCH CREDENZA (FILE/CUBBY/FILE STORAGE) 	59N1890BNOF3W	Wood	\$ 5205	18½	89½	15¼	—	—	200 lbs.	21.9
	59N1890BNOF3L	Laminate	4019	18½	89½	15¼	—	—	200 lbs.	21.9
	59N1884BNOF3W	Wood	\$ 5162	18½	83½	15¼	—	—	195 lbs.	21.1
	59N1884BNOF3L	Laminate	3975	18½	83½	15¼	—	—	195 lbs.	21.1
	59N1878BNOF3W	Wood	\$ 5122	18½	77½	15¼	—	—	190 lbs.	20.5
	59N1878BNOF3L	Laminate	3936	18½	77½	15¼	—	—	190 lbs.	20.5
	59N1872BNOF3W	Wood	\$ 5084	18½	71½	15¼	—	—	185 lbs.	19.8
	59N1872BNOF3L	Laminate	3898	18½	71½	15¼	—	—	185 lbs.	19.8
	59N1866BNOF3W	Wood	\$ 5035	18½	66	15¼	—	—	180 lbs.	19.2
	59N1866BNOF3L	Laminate	3848	18½	66	15¼	—	—	180 lbs.	19.2
	59N1860BNOF3W	Wood	\$ 5009	18½	60	15¼	—	—	175 lbs.	18.8
	59N1860BNOF3L	Laminate	3820	18½	60	15¼	—	—	175 lbs.	18.8
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370									


BENCH CREDENZA (FILE STORAGE/ CUBBY STORAGE)



Left shown

DRAWER ON LEFT		DRAWER ON RIGHT								
59N2460BNOFL2W	59N2460BNOFR2W	Wood	\$ 4787	24	60	15¼	—	—	169 lbs.	18.8
59N2460BNOFL2L	59N2460BNOFR2L	Laminate	3599	24	60	15¼	—	—	169 lbs.	18.8
59N2448BNOFL2W	59N2448BNOFR2W	Wood	\$ 4564	24	48½	15¼	—	—	105 lbs.	15.4
59N2448BNOFL2L	59N2448BNOFR2L	Laminate	3376	24	48½	15¼	—	—	105 lbs.	15.4
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Bottom drawer features letter or legal, side-to-side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370										

BENCH CREDENZA (FILE/CUBBY STORAGE)



Left shown

DRAWER ON LEFT		DRAWER ON RIGHT								
59N1860BNOFL2W	59N1860BNOFR2W	Wood	\$ 4787	18½	60	15¼	—	—	160 lbs.	18.8
59N1860BNOFL2L	59N1860BNOFR2L	Laminate	3599	18½	60	15¼	—	—	160 lbs.	18.8
59N1854BNOFL2W	59N1854BNOFR2W	Wood	\$ 4675	18½	54	15¼	—	—	150 lbs.	17.8
59N1854BNOFL2L	59N1854BNOFR2L	Laminate	3487	18½	54	15¼	—	—	150 lbs.	17.8
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Drawer features letter or legal, side to side, or front-to-back filing • Cushions for bench credenzas can be found on pages 356-370										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 147-149 for options
- Refer to page 155 for filing capabilities




TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N1820BNO1L MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BENCH CREDENZA (OPEN CUBBY STORAGE) 	59N1890BNO3W Wood	\$ 4872	18	89 $\frac{1}{16}$	15 $\frac{3}{4}$	—	—	197 lbs.	21.9
	59N1890BNO3L Laminate	3838	18	89 $\frac{1}{16}$	15 $\frac{3}{4}$	—	—	197 lbs.	21.9
	59N1872BNO3W Wood	\$ 4748	18	71 $\frac{1}{16}$	15 $\frac{3}{4}$	—	—	160 lbs.	17.8
	59N1872BNO3L Laminate	3714	18	71 $\frac{1}{16}$	15 $\frac{3}{4}$	—	—	160 lbs.	17.8
	59N1860BNO3W Wood	\$ 4672	18	60	15 $\frac{3}{4}$	—	—	135 lbs.	15.0
	59N1860BNO3L Laminate	3638	18	60	15 $\frac{3}{4}$	—	—	135 lbs.	15.0
	• Cushions for bench credenzas can be found on pages 356-370								
	59N1860BNO2W Wood	\$ 4672	18	60	15 $\frac{3}{4}$	—	—	129 lbs.	15.0
	59N1860BNO2L Laminate	3638	18	60	15 $\frac{3}{4}$	—	—	129 lbs.	15.0
	59N1848BNO2W Wood	\$ 4443	18	48 $\frac{7}{16}$	15 $\frac{3}{4}$	—	—	112 lbs.	13.0
BENCH CREDENZA (OPEN CUBBY STORAGE) 	59N1848BNO2L Laminate	3410	18	48 $\frac{7}{16}$	15 $\frac{3}{4}$	—	—	112 lbs.	13.0
	• Cushions for bench credenzas can be found on pages 356-370								
	59N1836BNO1W Wood	\$ 2787	18	36	15 $\frac{3}{4}$	—	—	65 lbs.	10.2
	59N1836BNO1L Laminate	1502	18	36	15 $\frac{3}{4}$	—	—	65 lbs.	10.2
BENCH CREDENZA (OPEN CUBBY STORAGE) 	59N1830BNO1W Wood	\$ 2699	18	30	15 $\frac{3}{4}$	—	—	69 lbs.	11.0
	59N1830BNO1L Laminate	1440	18	30	15 $\frac{3}{4}$	—	—	69 lbs.	11.0
	59N1824BNO1W Wood	\$ 2636	18	24	15 $\frac{3}{4}$	—	—	56 lbs.	9.0
	59N1824BNO1L Laminate	1379	18	24	15 $\frac{3}{4}$	—	—	56 lbs.	9.0
	59N1820BNO1W Wood	\$ 2605	18	20	15 $\frac{3}{4}$	—	—	50 lbs.	8.0
	59N1820BNO1L Laminate	1318	18	20	15 $\frac{3}{4}$	—	—	50 lbs.	8.0
	• Cushions for bench credenzas can be found on pages 356-370								

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N6059WPL 792

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW						
WALL PANEL 	59" HIGH WALL PANELS										
	59N6059WPW	Wood	\$ 2483	2¾	60	59	—	—	90 lbs.	8.6	
	59N6059WPL	Laminate	1321	2¾	60	59	—	—	90 lbs.	8.6	
	59N6059WPHL	HPL	1691	2¾	60	59	—	—	230 lbs.	8.6	
	59N6059WPMB	HPL Marker Board	2400	2¾	60	59	—	—	98 lbs.	8.6	
	59N5459WPW	Wood	\$ 2104	2¾	54	59	—	—	85 lbs.	7.8	
	59N5459WPL	Laminate	1179	2¾	54	59	—	—	85 lbs.	7.8	
	59N5459WPHL	HPL	1607	2¾	54	59	—	—	146 lbs.	7.8	
	59N5459WPMB	HPL Marker Board	2182	2¾	54	59	—	—	98 lbs.	7.8	
	59N4859WPW	Wood	\$ 1782	2¾	48	59	—	—	83 lbs.	7.0	
	59N4859WPL	Laminate	1052	2¾	48	59	—	—	83 lbs.	7.0	
	59N4859WPHL	HPL	1492	2¾	48	59	—	—	132 lbs.	7.0	
	59N4859WPMB	HPL Marker Board	1984	2¾	48	59	—	—	83 lbs.	7.0	
	59N4259WPW	Wood	\$ 1694	2¾	42	59	—	—	68 lbs.	6.2	
	59N4259WPL	Laminate	962	2¾	42	59	—	—	68 lbs.	6.2	
	59N4259WPHL	HPL	1346	2¾	42	59	—	—	175 lbs.	6.2	
	59N4259WPMB	HPL Marker Board	1840	2¾	42	59	—	—	68 lbs.	6.2	
	59N3659WPW	Wood	\$ 1601	2¾	36	59	—	—	55 lbs.	5.4	
	59N3659WPL	Laminate	868	2¾	36	59	—	—	55 lbs.	5.4	
	59N3659WPHL	HPL	1232	2¾	36	59	—	—	138 lbs.	5.4	
	59N3659WPMB	HPL Marker Board	1541	2¾	36	59	—	—	53 lbs.	5.4	
	59N3059WPW	Wood	\$ 1509	2¾	30	59	—	—	53 lbs.	4.6	
	59N3059WPL	Laminate	779	2¾	30	59	—	—	53 lbs.	4.6	
	59N3059WPHL	HPL	1088	2¾	30	59	—	—	175 lbs.	4.6	
	59N3059WPMB	HPL Marker Board	1324	2¾	30	59	—	—	43 lbs.	4.6	
	59N2459WPW	Wood	\$ 1417	2¾	24	59	—	—	45 lbs.	3.9	
	59N2459WPL	Laminate	687	2¾	24	59	—	—	45 lbs.	3.9	
	59N2459WPHL	HPL	972	2¾	24	59	—	—	142 lbs.	3.9	
	59N2459WPMB	HPL Marker Board	1224	2¾	24	59	—	—	45 lbs.	3.9	

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 224-232 for shelf sizes
- Back mounted LED light kits are available on page 266
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N6052WPL 792

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
WALL PANEL (CONTINUED) 	52" HIGH WALL PANELS									
	59N6052WPW	Wood	\$ 2070	2¾	60	52	—	—	88 lbs.	7.7
	59N6052WPL	Laminate	1101	2¾	60	52	—	—	88 lbs.	7.7
	59N6052WPHL	HPL	1544	2¾	60	52	—	—	217 lbs.	7.7
	59N6052WPMB	HPL Marker Board	2204	2¾	60	52	—	—	95 lbs.	7.7
	59N5452WPW	Wood	\$ 1753	2¾	54	52	—	—	83 lbs.	7.0
	59N5452WPL	Laminate	984	2¾	54	52	—	—	83 lbs	7.0
	59N5452WPHL	HPL	1430	2¾	54	52	—	—	188 lbs.	7.0
	59N5452WPMB	HPL Marker Board	1835	2¾	54	52	—	—	93 lbs.	7.0
	59N4852WPW	Wood	\$ 1485	2¾	48	52	—	—	78 lbs.	6.2
	59N4852WPL	Laminate	877	2¾	48	52	—	—	78 lbs.	6.2
	59N4852WPHL	HPL	1314	2¾	48	52	—	—	200 lbs.	6.2
	59N4852WPMB	HPL Marker Board	1469	2¾	48	52	—	—	78 lbs.	6.2
	59N4252WPW	Wood	\$ 1411	2¾	42	52	—	—	63 lbs.	5.5
	59N4252WPL	Laminate	801	2¾	42	52	—	—	63 lbs.	5.5
	59N4252WPHL	HPL	1201	2¾	42	52	—	—	163 lbs.	5.5
	59N4252WPMB	HPL Marker Board	1393	2¾	42	52	—	—	63 lbs.	5.5
	59N3652WPW	Wood	\$ 1333	2¾	36	52	—	—	48 lbs.	4.8
	59N3652WPL	Laminate	723	2¾	36	52	—	—	48 lbs.	4.8
	59N3652WPHL	HPL	1087	2¾	36	52	—	—	125 lbs.	4.8
	59N3652WPMB	HPL Marker Board	1169	2¾	36	52	—	—	48 lbs.	4.8
	59N3052WPW	Wood	\$ 1258	2¾	30	52	—	—	48 lbs.	4.1
	59N3052WPL	Laminate	649	2¾	30	52	—	—	48 lbs.	4.1
	59N3052WPHL	HPL	972	2¾	30	52	—	—	164 lbs.	4.1
	59N3052WPMB	HPL Marker Board	1019	2¾	30	52	—	—	48 lbs.	4.1
	59N2452WPW	Wood	\$ 1180	2¾	24	52	—	—	40 lbs.	3.4
	59N2452WPL	Laminate	571	2¾	24	52	—	—	40 lbs.	3.4
	59N2452WPHL	HPL	857	2¾	24	52	—	—	131 lbs.	3.4
	59N2452WPMB	HPL Marker Board	939	2¾	24	52	—	—	40 lbs.	3.4

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 224-232 for shelf sizes
- Back mounted LED light kits are available on page 266
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N6046WPL 792

- See pages 147-149 for all options available in Tessera

WALL PANEL
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
46" HIGH WALL PANELS										
59N6046WPW	Wood	\$ 2040	2¾	60	45⅜	—	—	90 lbs.	6.8	
59N6046WPL	Laminate	1072	2¾	60	45⅜	—	—	90 lbs.	6.8	
59N6046WPHL	HPL	1513	2¾	60	45⅜	—	—	203 lbs.	6.8	
59N6046WPMB	HPL Marker Board	2171	2¾	60	45⅜	—	—	90 lbs.	6.8	
59N5446WPW	Wood	\$ 1729	2¾	54	45⅜	—	—	85 lbs.	6.2	
59N5446WPL	Laminate	958	2¾	54	45⅜	—	—	85 lbs.	6.2	
59N5446WPHL	HPL	1397	2¾	54	45⅜	—	—	174 lbs.	6.2	
59N5446WPMB	HPL Marker Board	1809	2¾	54	45⅜	—	—	85 lbs.	6.2	
59N4846WPW	Wood	\$ 1465	2¾	48	45⅜	—	—	68 lbs.	5.6	
59N4846WPL	Laminate	853	2¾	48	45⅜	—	—	68 lbs.	5.6	
59N4846WPHL	HPL	1282	2¾	48	45⅜	—	—	188 lbs.	5.6	
59N4846WPMB	HPL Marker Board	1447	2¾	48	45⅜	—	—	68 lbs.	5.6	
59N4246WPW	Wood	\$ 1386	2¾	42	45⅜	—	—	56 lbs.	4.9	
59N4246WPL	Laminate	777	2¾	42	45⅜	—	—	56 lbs.	4.9	
59N4246WPHL	HPL	1167	2¾	42	45⅜	—	—	150 lbs.	4.9	
59N4246WPMB	HPL Marker Board	1369	2¾	42	45⅜	—	—	56 lbs.	4.9	
59N3646WPW	Wood	\$ 1311	2¾	36	45⅜	—	—	43 lbs.	4.3	
59N3646WPL	Laminate	702	2¾	36	45⅜	—	—	43 lbs.	4.3	
59N3646WPHL	HPL	1052	2¾	36	45⅜	—	—	183 lbs.	4.3	
59N3646WPMB	HPL Marker Board	1145	2¾	36	45⅜	—	—	43 lbs.	4.3	
59N3046WPW	Wood	\$ 1234	2¾	30	45⅜	—	—	43 lbs.	3.7	
59N3046WPL	Laminate	625	2¾	30	45⅜	—	—	43 lbs.	3.7	
59N3046WPHL	HPL	936	2¾	30	45⅜	—	—	153 lbs.	3.7	
59N3046WPMB	HPL Marker Board	994	2¾	30	45⅜	—	—	43 lbs.	3.7	
59N2446WPW	Wood	\$ 1158	2¾	24	45⅜	—	—	36 lbs.	3.1	
59N2446WPL	Laminate	548	2¾	24	45⅜	—	—	36 lbs.	3.1	
59N2446WPHL	HPL	824	2¾	24	45⅜	—	—	120 lbs.	3.1	
59N2446WPMB	HPL Marker Board	920	2¾	24	45⅜	—	—	36 lbs.	3.1	

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 224-232 for shelf sizes
- Back mounted LED light kits are available on page 266
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Concrete Color

SAMPLE MODEL NUMBER:

59N3652WPC 90

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			CARTONED CUBIC			
				D	W	H	A	KW	WEIGHT	FEET
CONCRETE WALL PANEL										
59" HIGH WALL PANELS										
59N6059WPC	Concrete	\$	10638	2¾	60	59	—	—	142 lbs.	8.6
59N5459WPC	Concrete		8509	2¾	54	59	—	—	128 lbs.	7.8
59N4859WPC	Concrete		6807	2¾	48	59	—	—	113 lbs.	7.0
59N4259WPC	Concrete		6436	2¾	42	59	—	—	99 lbs.	6.2
59N3659WPC	Concrete		5993	2¾	36	59	—	—	85 lbs.	5.4
59N3059WPC	Concrete		5474	2¾	30	59	—	—	71 lbs.	4.6
59N2459WPC	Concrete		4957	2¾	24	59	—	—	57 lbs.	3.9
52" HIGH WALL PANELS										
59N6052WPC	Concrete	\$	10074	2¾	60	52	—	—	125 lbs.	7.7
59N5452WPC	Concrete		8190	2¾	54	52	—	—	113 lbs.	7.0
59N4852WPC	Concrete		6659	2¾	48	52	—	—	100 lbs.	6.2
59N4252WPC	Concrete		6289	2¾	42	52	—	—	88 lbs.	5.5
59N3652WPC	Concrete		5845	2¾	36	52	—	—	75 lbs.	4.8
59N3052WPC	Concrete		5327	2¾	30	52	—	—	63 lbs.	4.1
59N2452WPC	Concrete		4810	2¾	24	52	—	—	50 lbs.	3.4
46" HIGH WALL PANELS										
59N6046WPC	Concrete	\$	9850	2¾	60	45⅝	—	—	111 lbs.	6.8
59N5446WPC	Concrete		8008	2¾	54	45⅝	—	—	100 lbs.	6.2
59N4846WPC	Concrete		6512	2¾	48	45⅝	—	—	89 lbs.	5.6
59N4246WPC	Concrete		6141	2¾	42	45⅝	—	—	78 lbs.	4.9
59N3646WPC	Concrete		5697	2¾	36	45⅝	—	—	67 lbs.	4.3
59N3046WPC	Concrete		5179	2¾	30	45⅝	—	—	56 lbs.	3.7
59N2446WPC	Concrete		4661	2¾	24	45⅝	—	—	45 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 224-232 for shelf sizes
- Back mounted LED light kits are available on page 266
- Sliding shelves can only be used with 52" tall wall panels
- Concrete Wall Panels will be shipped crated

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Stone Color

SAMPLE MODEL NUMBER:

59N4846WPN 43

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
STONE WALL PANEL 	59" HIGH WALL PANELS									
	59N6059WPN	Stone	\$ 13111	2¾	60	59	—	—	244 lbs.	8.6
	59N5459WPN	Stone	11402	2¾	54	59	—	—	227 lbs.	7.8
	59N4859WPN	Stone	9914	2¾	48	59	—	—	210 lbs.	7.0
	59N4259WPN	Stone	9506	2¾	42	59	—	—	193 lbs.	6.2
	59N3659WPN	Stone	8991	2¾	36	59	—	—	176 lbs.	5.4
	59N3059WPN	Stone	8398	2¾	30	59	—	—	159 lbs.	4.6
	59N2459WPN	Stone	7805	2¾	24	59	—	—	143 lbs.	3.9
	52" HIGH WALL PANELS									
	59N6052WPN	Stone	\$ 12916	2¾	60	52	—	—	225 lbs.	7.7
	59N5452WPN	Stone	11232	2¾	54	52	—	—	209 lbs.	7.0
	59N4852WPN	Stone	9766	2¾	48	52	—	—	194 lbs.	6.2
	59N4252WPN	Stone	9359	2¾	42	52	—	—	180 lbs.	5.5
	59N3652WPN	Stone	8842	2¾	36	52	—	—	165 lbs.	4.8
	59N3052WPN	Stone	8250	2¾	30	52	—	—	149 lbs.	4.1
	59N2452WPN	Stone	7658	2¾	24	52	—	—	135 lbs.	3.4
	46" HIGH WALL PANELS									
	59N6046WPN	Stone	\$ 12723	2¾	60	45⅜	—	—	207 lbs.	6.8
	59N5446WPN	Stone	11060	2¾	54	45⅜	—	—	194 lbs.	6.2
	59N4846WPN	Stone	9618	2¾	48	45⅜	—	—	181 lbs.	5.6
	59N4246WPN	Stone	9212	2¾	42	45⅜	—	—	167 lbs.	4.9
	59N3646WPN	Stone	8693	2¾	36	45⅜	—	—	154 lbs.	4.3
	59N3046WPN	Stone	8102	2¾	30	45⅜	—	—	141 lbs.	3.7
	59N2446WPN	Stone	7509	2¾	24	45⅜	—	—	128 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 224-232 for shelf sizes
- Back mounted LED light kits are available on page 266
- Sliding shelves can only be used with 52" tall wall panels
- Stone Wall Panels will be shipped crated

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N4859MWPL 417

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
TV WALL PANEL 	59" HIGH WALL PANELS									
	59N6059MWPW	Wood	\$ 3032	2¾	60	59	—	—	98 lbs.	8.6
	59N6059MWPL	Laminate	1878	2¾	60	59	—	—	98 lbs.	8.6
	59N6059MWPHL	HPL	2409	2¾	60	59	—	—	230 lbs.	8.6
	59N5459MWPW	Wood	\$ 2569	2¾	54	59	—	—	85 lbs.	7.8
	59N5459MWPL	Laminate	1675	2¾	54	59	—	—	85 lbs.	7.8
	59N5459MWPHL	HPL	2293	2¾	54	59	—	—	146 lbs.	7.8
	59N4859MWPW	Wood	\$ 2333	2¾	48	59	—	—	83 lbs.	7.0
	59N4859MWPL	Laminate	1601	2¾	48	59	—	—	83 lbs.	7.0
	59N4859MWPHL	HPL	2178	2¾	48	59	—	—	132 lbs.	7.0
	59N4259MWPW	Wood	\$ 2288	2¾	42	59	—	—	68 lbs.	6.2
	59N4259MWPL	Laminate	1556	2¾	42	59	—	—	68 lbs.	6.2
	59N4259MWPHL	HPL	2030	2¾	42	59	—	—	175 lbs.	6.2
	59N3659MWPW	Wood	\$ 2016	2¾	36	59	—	—	55 lbs.	5.4
	59N3659MWPL	Laminate	1345	2¾	36	59	—	—	55 lbs.	5.4
	59N3659MWPHL	HPL	1916	2¾	36	59	—	—	138 lbs.	5.4
	59N3059MWPW	Wood	\$ 1934	2¾	30	59	—	—	53 lbs.	4.6
59N3059MWPL	Laminate	1265	2¾	30	59	—	—	53 lbs.	4.6	
59N3059MWPHL	HPL	1771	2¾	30	59	—	—	175 lbs.	4.6	
59N2459MWPW	Wood	\$ 1853	2¾	24	59	—	—	45 lbs.	3.9	
59N2459MWPL	Laminate	1181	2¾	24	59	—	—	45 lbs.	3.9	
59N2459MWPHL	HPL	1656	2¾	24	59	—	—	142 lbs.	3.9	

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 266
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N4852MWPL 417

- See pages 147-149 for all options available in Tessera

TV WALL PANEL
(CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
52" HIGH WALL PANELS										
59N6052MWPW	Wood	\$	2569	2¾	60	52	—	—	95 lbs.	7.7
59N6052MWPL	Laminate		1675	2¾	60	52	—	—	95 lbs.	7.7
59N6052MWPHL	HPL		2232	2¾	60	52	—	—	217 lbs.	7.7
59N5452MWPW	Wood	\$	2177	2¾	54	52	—	—	83 lbs.	7.0
59N5452MWPL	Laminate		1495	2¾	54	52	—	—	83 lbs.	7.0
59N5452MWPHL	HPL		2115	2¾	54	52	—	—	188 lbs.	7.0
59N4852MWPW	Wood	\$	1945	2¾	48	52	—	—	78 lbs.	6.2
59N4852MWPL	Laminate		1333	2¾	48	52	—	—	78 lbs.	6.2
59N4852MWPHL	HPL		2000	2¾	48	52	—	—	200 lbs.	6.2
59N4252MWPW	Wood	\$	1908	2¾	42	52	—	—	63 lbs.	5.5
59N4252MWPL	Laminate		1295	2¾	42	52	—	—	63 lbs.	5.5
59N4252MWPHL	HPL		1885	2¾	42	52	—	—	163 lbs.	5.5
59N3652MWPW	Wood	\$	1833	2¾	36	52	—	—	48 lbs.	4.8
59N3652MWPL	Laminate		1223	2¾	36	52	—	—	48 lbs.	4.8
59N3652MWPHL	HPL		1771	2¾	36	52	—	—	125 lbs.	4.8
59N3052MWPW	Wood	\$	1757	2¾	30	52	—	—	48 lbs.	4.1
59N3052MWPL	Laminate		1147	2¾	30	52	—	—	48 lbs.	4.1
59N3052MWPHL	HPL		1656	2¾	30	52	—	—	164 lbs.	4.1
59N2452MWPW	Wood	\$	1685	2¾	24	52	—	—	40 lbs.	3.4
59N2452MWPL	Laminate		1074	2¾	24	52	—	—	40 lbs.	3.4
59N2452MWPHL	HPL		1539	2¾	24	52	—	—	131 lbs.	3.4

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 266
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBER:

59N4846MWPL 417

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
TV WALL PANEL (CONTINUED) 	46" HIGH WALL PANELS									
	59N6046MWPW	Wood	\$ 2675	2¾	60	45⅜	—	—	90 lbs.	6.8
	59N6046MWPL	Laminate	1647	2¾	60	45⅜	—	—	90 lbs.	6.8
	59N6046MWPHL	HPL	2197	2¾	60	45⅜	—	—	203 lbs.	6.8
	59N5446MWPW	Wood	\$ 2267	2¾	54	45⅜	—	—	85 lbs.	6.2
	59N5446MWPL	Laminate	1470	2¾	54	45⅜	—	—	85 lbs.	6.2
	59N5446MWPHL	HPL	2083	2¾	54	45⅜	—	—	174 lbs.	6.2
	59N4846MWPW	Wood	\$ 1921	2¾	48	45⅜	—	—	68 lbs.	5.6
	59N4846MWPL	Laminate	1311	2¾	48	45⅜	—	—	68 lbs.	5.6
	59N4846MWPHL	HPL	1966	2¾	48	45⅜	—	—	188 lbs.	5.6
	59N4246MWPW	Wood	\$ 1884	2¾	42	45⅜	—	—	56 lbs.	4.9
	59N4246MWPL	Laminate	1275	2¾	42	45⅜	—	—	56 lbs.	4.9
	59N4246MWPHL	HPL	1851	2¾	42	45⅜	—	—	203 lbs.	6.8
	59N3646MWPW	Wood	\$ 1810	2¾	36	45⅜	—	—	43 lbs.	4.3
	59N3646MWPL	Laminate	1200	2¾	36	45⅜	—	—	43 lbs.	4.3
	59N3646MWPHL	HPL	1736	2¾	36	45⅜	—	—	203 lbs.	6.8
	59N3046MWPW	Wood	\$ 1736	2¾	30	45⅜	—	—	43 lbs.	3.7
59N3046MWPL	Laminate	1126	2¾	30	45⅜	—	—	43 lbs.	3.7	
59N3046MWPHL	HPL	1621	2¾	30	45⅜	—	—	203 lbs.	6.8	
59N2446MWPW	Wood	\$ 1662	2¾	24	45⅜	—	—	36 lbs.	3.1	
59N2446MWPL	Laminate	1052	2¾	24	45⅜	—	—	36 lbs.	3.1	
59N2446MWPHL	HPL	1505	2¾	24	45⅜	—	—	203 lbs.	6.8	

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 266
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Concrete Color

SAMPLE MODEL NUMBER:

- 59N6059MWPC 90
- See pages 147-149 for all options available in Tessera

TV WALL PANEL
CONCRETE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
59" HIGH WALL PANELS									
59N6059MWPC	Concrete	\$ 11073	2¾"	60	59	—	—	217 lbs.	8.6
59N5459MWPC	Concrete	8946	2¾"	54	59	—	—	200 lbs.	7.8
59N4859MWPC	Concrete	7244	2¾"	48	59	—	—	186 lbs.	7.0
59N4259MWPC	Concrete	6873	2¾"	42	59	—	—	203 lbs.	6.2
59N3659MWPC	Concrete	6430	2¾"	36	59	—	—	188 lbs.	5.4
59N3059MWPC	Concrete	5912	2¾"	30	59	—	—	175 lbs.	4.6
59N2459MWPC	Concrete	5394	2¾"	24	59	—	—	188 lbs.	3.9
52" HIGH WALL PANELS									
59N6052MWPC	Concrete	\$ 10512	2¾"	60	52	—	—	175 lbs.	7.7
59N5452MWPC	Concrete	8444	2¾"	54	52	—	—	164 lbs.	7.0
59N4852MWPC	Concrete	7095	2¾"	48	52	—	—	174 lbs.	6.2
59N4252MWPC	Concrete	6578	2¾"	42	52	—	—	163 lbs.	5.5
59N3652MWPC	Concrete	6283	2¾"	36	52	—	—	153 lbs.	4.8
59N3052MWPC	Concrete	5765	2¾"	30	52	—	—	160 lbs.	4.1
59N2452MWPC	Concrete	5246	2¾"	24	52	—	—	150 lbs.	3.4
46" HIGH WALL PANELS									
59N6046MWPC	Concrete	\$ 10287	2¾"	60	46	—	—	142 lbs.	6.8
59N5446MWPC	Concrete	8444	2¾"	54	46	—	—	146 lbs.	6.2
59N4846MWPC	Concrete	6947	2¾"	48	46	—	—	138 lbs.	5.6
59N4246MWPC	Concrete	6578	2¾"	42	46	—	—	131 lbs.	4.9
59N3646MWPC	Concrete	6133	2¾"	36	46	—	—	132 lbs.	4.3
59N3046MWPC	Concrete	5617	2¾"	30	46	—	—	125 lbs.	3.7
59N2446MWPC	Concrete	5097	2¾"	24	46	—	—	120 lbs.	3.1

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 266
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- Concrete Wall Panels will be shipped crated


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBER:

NAC5447WPTBA A 8600

- See pages 147-149 for all options available in Tessera

		MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			CARTONED		CUBIC	
						D	W	H	A	KW	WEIGHT	FEET	
ADD ON TACK BOARD		TACK BOARDS FOR USE WITH 59" HIGH WALL PANELS											
				GRADE AA	GRADE A	GRADE B/COM							
		NAC6047WPTBA	Railroad	\$ 820	\$ 864	\$ 947	½	60	46%	—	—	25 lbs.	10.0
		NAC6032WPTBA	Railroad	727	771	854	½	60	31½	—	—	25 lbs.	10.0
		NAC6017WPTBA	Railroad	510	554	637	½	60	16%	—	—	25 lbs.	10.0
		NAC5447WPTBA	Railroad	\$ 750	\$ 790	\$ 867	½	54	46%	—	—	20 lbs.	8.2
		NAC5432WPTBA	Railroad	659	699	776	½	54	31½	—	—	20 lbs.	8.2
		NAC5417WPTBA	Railroad	442	482	559	½	54	16%	—	—	20 lbs.	8.2
		NAC4847WPTBA	Railroad	\$ 681	\$ 716	\$ 782	½	48	46%	—	—	16 lbs.	6.6
		NAC4832WPTBA	Railroad	589	624	690	½	48	31½	—	—	16 lbs.	6.6
		NAC4817WPTBA	Railroad	371	406	472	½	48	16%	—	—	16 lbs.	6.6
		NAC4247WPTBA	Railroad	\$ 624	\$ 659	\$ 725	½	41⅞	46%	—	—	13 lbs.	5.2
		NAC4232WPTBA	Railroad	535	570	636	½	41⅞	31½	—	—	13 lbs.	5.2
		NAC4217WPTBA	Railroad	331	366	432	½	41⅞	16%	—	—	13 lbs.	5.2
		NAC3647WPTBA	Railroad	\$ 588	\$ 617	\$ 672	½	36	46%	—	—	10 lbs.	3.9
		NAC3632WPTBA	Railroad	494	523	578	½	36	31½	—	—	10 lbs.	3.9
		NAC3617WPTBA	Railroad	318	347	402	½	36	16%	—	—	10 lbs.	3.9
		NAC3047WPTBA	Railroad	\$ 517	\$ 540	\$ 584	½	30	46%	—	—	7 lbs.	2.8
		NAC3032WPTBA	Railroad	436	459	503	½	30	31½	—	—	7 lbs.	2.8
		NAC3017WPTBA	Railroad	286	309	353	½	30	16%	—	—	7 lbs.	2.8
		NAC2447WPTBA	Railroad	\$ 459	\$ 482	\$ 526	½	24	46%	—	—	5 lbs.	1.9
		NAC2432WPTBA	Railroad	384	407	451	½	24	31½	—	—	5 lbs.	1.9
		NAC2417WPTBA	Railroad	250	273	317	½	24	16%	—	—	5 lbs.	1.9

- Attachment hardware included to attach to Tessera Wall
- Can be mounted to an architectural wall, hardware not included
- Tack boards can be field scribed


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBER:

NAC5440WPTBA A 8600

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
ADD ON TACK BOARD (CONTINUED) 	TACK BOARDS FOR USE WITH 52" HIGH WALL PANELS												
			GRADE AA	GRADE A	GRADE B/COM								
	NAC6040WPTBA	Railroad	\$ 777	\$ 821	\$ 904	½	60	39%	—	—	25 lbs.	10.0	
	NAC6025WPTBA	Railroad	582	626	709	½	60	24½	—	—	25 lbs.	10.0	
	NAC5440WPTBA	Railroad	\$ 706	\$ 746	\$ 823	½	54	39%	—	—	20 lbs.	8.2	
	NAC5425WPTBA	Railroad	513	553	630	½	54	24½	—	—	20 lbs.	8.2	
	NAC4840WPTBA	Railroad	\$ 639	\$ 674	\$ 740	½	48	39%	—	—	16 lbs.	6.6	
	NAC4825WPTBA	Railroad	443	478	544	½	48	24½	—	—	16 lbs.	6.6	
	NAC4240WPTBA	Railroad	\$ 597	\$ 632	\$ 698	½	41 ¹⁵ / ₁₆	39%	—	—	13 lbs.	5.2	
	NAC4225WPTBA	Railroad	410	445	511	½	41 ¹⁵ / ₁₆	24½	—	—	13 lbs.	5.2	
	NAC3640WPTBA	Railroad	\$ 534	\$ 563	\$ 618	½	36	39%	—	—	10 lbs.	3.9	
	NAC3625WPTBA	Railroad	377	406	461	½	36	24½	—	—	10 lbs.	3.9	
NAC3040WPTBA	Railroad	\$ 489	\$ 512	\$ 556	½	30	39%	—	—	7 lbs.	2.8		
NAC3025WPTBA	Railroad	335	358	402	½	30	24½	—	—	7 lbs.	2.8		
NAC2440WPTBA	Railroad	\$ 418	\$ 441	\$ 485	½	24	39%	—	—	5 lbs.	1.9		
NAC2425WPTBA	Railroad	295	318	362	½	24	24½	—	—	5 lbs.	1.9		
• Attachment hardware included to attach to Tessera Wall • Can be mounted to an architectural wall, hardware not included • Tack boards can be field scribed													


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBER:

NAC5434WPTBA A 8600

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION		LIST PRICE				DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW						
ADD ON TACK BOARD (CONTINUED) 	TACK BOARDS FOR USE WITH 46" HIGH WALL PANELS											
			GRADE AA	GRADE A	GRADE B/ COM							
	NAC6034WPTBA	Railroad	\$ 751	\$ 795	\$ 878	½	60	33½	—	—	25 lbs.	10.0
	NAC6019WPTBA	Railroad	534	578	661	½	60	18%	—	—	25 lbs.	10.0
	NAC5434WPTBA	Railroad	\$ 681	\$ 721	\$ 798	½	54	33½	—	—	20 lbs.	8.2
	NAC5419WPTBA	Railroad	464	504	581	½	54	18%	—	—	20 lbs.	8.2
	NAC4834WPTBA	Railroad	\$ 613	\$ 648	\$ 714	½	48	33½	—	—	16 lbs.	6.6
	NAC4819WPTBA	Railroad	396	431	497	½	48	18%	—	—	16 lbs.	6.6
	NAC4234WPTBA	Railroad	\$ 543	\$ 578	\$ 644	½	41½	33½	—	—	13 lbs.	5.2
	NAC4219WPTBA	Railroad	356	391	457	½	41½	18%	—	—	13 lbs.	5.2
	NAC3634WPTBA	Railroad	\$ 512	\$ 541	\$ 596	½	36	33½	—	—	10 lbs.	3.9
	NAC3619WPTBA	Railroad	324	353	408	½	36	18%	—	—	10 lbs.	3.9
	NAC3034WPTBA	Railroad	\$ 442	\$ 465	\$ 509	½	30	33½	—	—	7 lbs.	2.8
NAC3019WPTBA	Railroad	283	306	350	½	30	18%	—	—	7 lbs.	2.8	
NAC2434WPTBA	Railroad	\$ 387	\$ 410	\$ 454	½	24	33½	—	—	5 lbs.	1.9	
NAC2419WPTBA	Railroad	262	285	329	½	24	18%	—	—	5 lbs.	1.9	

- Attachment hardware included to attach to Tessera Wall
- Can be mounted to an architectural wall, hardware not included
- Tack boards can be field scribed


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBER:

NAC6029WPTBA A 8600

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADD ON TACK BOARD (CONTINUED)	TACK BOARDS FOR USE BETWEEN SHELVES ON WALL PANELS											
			GRADE AA	GRADE A	GRADE B/ COM							
	NAC6029WPTBA	Railroad	\$ 698	\$ 742	\$ 825	½	60	28½	—	—	25 lbs.	10.0
	NAC6013WPTBA	Railroad	478	522	605	½	60	13	—	—	25 lbs.	10.0
	NAC5429WPTBA	Railroad	\$ 627	\$ 667	\$ 744	½	54	28½	—	—	20 lbs.	8.2
	NAC5413WPTBA	Railroad	409	449	526	½	54	13	—	—	20 lbs.	8.2
	NAC4829WPTBA	Railroad	\$ 560	\$ 595	\$ 661	½	48	28½	—	—	16 lbs.	6.6
	NAC4813WPTBA	Railroad	340	375	441	½	48	13	—	—	16 lbs.	6.6
	NAC4229WPTBA	Railroad	\$ 522	\$ 557	\$ 623	½	41 ¹⁵ / ₁₆	28½	—	—	13 lbs.	5.2
	NAC4213WPTBA	Railroad	304	339	405	½	41 ¹⁵ / ₁₆	13	—	—	13 lbs.	5.2
	NAC3629WPTBA	Railroad	\$ 493	\$ 522	\$ 577	½	36	28½	—	—	10 lbs.	3.9
	NAC3613WPTBA	Railroad	290	319	374	½	36	13	—	—	10 lbs.	3.9
	NAC3029WPTBA	Railroad	\$ 410	\$ 433	\$ 477	½	30	28½	—	—	7 lbs.	2.8
	NAC3013WPTBA	Railroad	261	284	328	½	30	13	—	—	7 lbs.	2.8
	NAC2429WPTBA	Railroad	\$ 358	\$ 381	\$ 425	½	24	28½	—	—	5 lbs.	1.9
	NAC2413WPTBA	Railroad	240	263	307	½	24	13	—	—	5 lbs.	1.9
• Attachment hardware included to attach to Tessera Wall • Can be mounted to an architectural wall, hardware not included • Tack boards can be field scribed												

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NAC6032WPBPG

• See pages 147-149 for all options available in Tessera

ADD ON WHITE
BACKPAINTED GLASS
MAGNETIC



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
BACKPAINTED GLASS FOR USE WITH 59" HIGH WALL PANELS									
NAC6047WPBPG	Glass	\$ 4380	½	60	46%	—	—	115 lbs.	9.1
NAC6032WPBPG	Glass	2969	½	60	31½	—	—	80 lbs.	7.6
NAC6017WPBPG	Glass	1736	½	60	16%	—	—	50 lbs.	6.7
NAC5447WPBPG	Glass	\$ 4305	½	54	46%	—	—	102 lbs.	9.1
NAC5432WPBPG	Glass	2895	½	54	31½	—	—	78 lbs.	6.5
NAC5417WPBPG	Glass	1662	½	54	16%	—	—	41 lbs.	5.3
NAC4847WPBPG	Glass	\$ 4232	½	48	46%	—	—	92 lbs.	7.5
NAC4832WPBPG	Glass	2821	½	48	31½	—	—	63 lbs.	5.9
NAC4817WPBPG	Glass	1588	½	48	16%	—	—	40 lbs.	5.3
NAC4247WPBPG	Glass	\$ 3703	½	41⅞	46%	—	—	83 lbs.	7.5
NAC4232WPBPG	Glass	2468	½	41⅞	31½	—	—	57 lbs.	5.9
NAC4217WPBPG	Glass	1389	½	41⅞	16%	—	—	34 lbs.	4.3
NAC3647WPBPG	Glass	\$ 3173	½	36	46%	—	—	69 lbs.	5.9
NAC3632WPBPG	Glass	2115	½	36	31½	—	—	47 lbs.	4.7
NAC3617WPBPG	Glass	1189	½	36	16%	—	—	28 lbs.	3.4
NAC3047WPBPG	Glass	\$ 2647	½	30	46%	—	—	60 lbs.	5.9
NAC3032WPBPG	Glass	1765	½	30	31½	—	—	45 lbs.	5.9
NAC3017WPBPG	Glass	992	½	30	16%	—	—	24 lbs.	3.4
NAC2447WPBPG	Glass	\$ 2115	½	24	46%	—	—	51 lbs.	5.9
NAC2432WPBPG	Glass	1411	½	24	31½	—	—	32 lbs.	3.4
NAC2417WPBPG	Glass	851	½	24	16%	—	—	19 lbs.	2.5

- Hardware included to attach to Tessera Wall
- Can be mounted to an architectural wall, hardware not included

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NAC6040WPBPG

• See pages 147-149 for all options available in Tessera

ADD ON WHITE
BACKPAINTED GLASS
MAGNETIC (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BACKPAINTED GLASS FOR USE WITH 52" HIGH WALL PANELS									
NAC6040WPBPG	Glass	\$ 3673	½	60	39½	—	—	100 lbs.	9.1
NAC6025WPBPG	Glass	2440	½	60	24½	—	—	65 lbs.	6.7
NAC5440WPBPG	Glass	\$ 3600	½	54	39½	—	—	88 lbs.	8.1
NAC5425WPBPG	Glass	2368	½	54	24½	—	—	55 lbs.	5.3
NAC4840WPBPG	Glass	\$ 3526	½	48	39½	—	—	80 lbs.	7.5
NAC4825WPBPG	Glass	2292	½	48	24½	—	—	54 lbs.	5.9
NAC4240WPBPG	Glass	\$ 3085	½	41½	39½	—	—	73 lbs.	7.5
NAC4225WPBPG	Glass	2005	½	41½	24½	—	—	44 lbs.	4.3
NAC3640WPBPG	Glass	\$ 2647	½	36	39½	—	—	60 lbs.	5.9
NAC3625WPBPG	Glass	1719	½	36	24½	—	—	39 lbs.	4.3
NAC3040WPBPG	Glass	\$ 2206	½	30	39½	—	—	53 lbs.	5.9
NAC3025WPBPG	Glass	1432	½	30	24½	—	—	34 lbs.	4.3
NAC2440WPBPG	Glass	\$ 1765	½	24	39½	—	—	40 lbs.	4.3
NAC2425WPBPG	Glass	1146	½	24	24½	—	—	27 lbs.	3.4
BACKPAINTED GLASS FOR USE WITH 46" HIGH WALL PANELS									
NAC6034WPBPG	Glass	\$ 3146	½	60	33½	—	—	84 lbs.	7.6
NAC6019WPBPG	Glass	1913	½	60	18½	—	—	54 lbs.	6.7
NAC5434WPBPG	Glass	\$ 3071	½	54	33½	—	—	82 lbs.	6.5
NAC5419WPBPG	Glass	1839	½	54	18½	—	—	45 lbs.	5.3
NAC4834WPBPG	Glass	\$ 2998	½	48	33½	—	—	66 lbs.	5.9
NAC4819WPBPG	Glass	1765	½	48	18½	—	—	43 lbs.	5.3
NAC4234WPBPG	Glass	\$ 2624	½	41½	33½	—	—	60 lbs.	5.9
NAC4219WPBPG	Glass	1543	½	41½	18½	—	—	35 lbs.	4.0
NAC3634WPBPG	Glass	\$ 2247	½	36	33½	—	—	50 lbs.	4.7
NAC3619WPBPG	Glass	1323	½	36	18½	—	—	30 lbs.	3.4
NAC3034WPBPG	Glass	\$ 1876	½	30	33½	—	—	43 lbs.	4.7
NAC3019WPBPG	Glass	1102	½	30	18½	—	—	26 lbs.	3.4
NAC2434WPBPG	Glass	\$ 1500	½	24	33½	—	—	33 lbs.	3.4
NAC2419WPBPG	Glass	881	½	24	18½	—	—	20 lbs.	2.5

- Hardware included to attach to Tessera Wall
- Can be mounted to an architectural wall, hardware not included

TESSERA

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

59N120SHW TF
59N120SHL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SHELF	59N120SHW	Wood	\$ 1333	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	90 lbs.	4.7
	59N120SHL	Laminate	877	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	90 lbs.	4.7
	59N114SHW	Wood	\$ 1304	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	81 lbs.	4.5
	59N114SHL	Laminate	848	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	81 lbs.	4.5
	59N108SHW	Wood	\$ 1273	10	107 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.2
	59N108SHL	Laminate	816	10	107 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.2
	59N102SHW	Wood	\$ 1242	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	66 lbs.	4.0
	59N102SHL	Laminate	784	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	66 lbs.	4.0
	59N96SHW	Wood	\$ 1212	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	38 lbs.	3.8
	59N96SHL	Laminate	755	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	38 lbs.	3.8
	59N90SHW	Wood	\$ 1180	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	36 lbs.	3.6
	59N90SHL	Laminate	723	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	36 lbs.	3.6
	59N84SHW	Wood	\$ 1151	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	33 lbs.	3.3
	59N84SHL	Laminate	694	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	33 lbs.	3.3
	59N78SHW	Wood	\$ 1120	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	31 lbs.	3.1
	59N78SHL	Laminate	663	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	31 lbs.	3.1
	59N72SHW	Wood	\$ 1089	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N72SHL	Laminate	632	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N66SHW	Wood	\$ 1061	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	27 lbs.	2.7
	59N66SHL	Laminate	602	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	27 lbs.	2.7

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"



PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Finish (wood models)


SAMPLE MODEL NUMBERS:

59N60SHW TF
59N60SHL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SHELF (CONTINUED)	59N60SHW	Wood	\$ 1030	10	59 ¹ / ₁₆	1 ¹ / ₁₆	—	—	25 lbs.	2.5
	59N60SHL	Laminate	571	10	59 ¹ / ₁₆	1 ¹ / ₁₆	—	—	25 lbs.	2.5
	59N54SHW	Wood	\$ 999	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	22 lbs.	2.2
	59N54SHL	Laminate	542	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	22 lbs.	2.2
	59N48SHW	Wood	\$ 966	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	59N48SHL	Laminate	511	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	59N42SHW	Wood	\$ 936	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	18 lbs.	1.8
	59N42SHL	Laminate	479	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	18 lbs.	1.8
	59N36SHW	Wood	\$ 908	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	16 lbs.	1.6
	59N36SHL	Laminate	450	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	16 lbs.	1.6
	59N30SHW	Wood	\$ 877	10	29 ¹ / ₁₆	1 ¹ / ₁₆	—	—	13 lbs.	1.3
	59N30SHL	Laminate	418	10	29 ¹ / ₁₆	1 ¹ / ₁₆	—	—	13 lbs.	1.3
	59N24SHW	Wood	\$ 848	10	23 ¹ / ₁₆	1 ¹ / ₁₆	—	—	11 lbs.	1.1
	59N24SHL	Laminate	389	10	23 ¹ / ₁₆	1 ¹ / ₁₆	—	—	11 lbs.	1.1
	59N20SHW	Wood	\$ 819	10	20	1 ¹ / ₁₆	—	—	10 lbs.	1.2
	59N20SHL	Laminate	363	10	20	1 ¹ / ₁₆	—	—	10 lbs.	1.2
	59N18SHW	Wood	\$ 792	10	18	1 ¹ / ₁₆	—	—	9 lbs.	1.1
	59N18SHL	Laminate	336	10	18	1 ¹ / ₁₆	—	—	9 lbs.	1.1

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves



PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

59N120SHTW TF
59N120SHTL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
LIGHTED SHELF	59N120SHTW	Wood	\$ 1714	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	90 lbs.	4.7
	59N120SHTL	Laminate	1258	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	90 lbs.	4.7
	59N114SHTW	Wood	\$ 1685	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	81 lbs.	4.5
	59N114SHTL	Laminate	1226	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	81 lbs.	4.5
	59N108SHTW	Wood	\$ 1656	10	109 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.2
	59N108SHTL	Laminate	1198	10	109 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.2
	59N102SHTW	Wood	\$ 1623	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	66 lbs.	4.0
	59N102SHTL	Laminate	1167	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	66 lbs.	4.0
	59N96SHTW	Wood	\$ 1592	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	38 lbs.	3.8
	59N96SHTL	Laminate	1136	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	38 lbs.	3.8
	59N90SHTW	Wood	\$ 1563	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	36 lbs.	3.6
	59N90SHTL	Laminate	1105	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	36 lbs.	3.6
	59N84SHTW	Wood	\$ 1531	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	33 lbs.	3.3
	59N84SHTL	Laminate	1074	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	33 lbs.	3.3
	59N78SHTW	Wood	\$ 1503	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	31 lbs.	3.1
	59N78SHTL	Laminate	1043	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	31 lbs.	3.1
	59N72SHTW	Wood	\$ 1471	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N72SHTL	Laminate	1012	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N66SHTW	Wood	\$ 1440	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	27 lbs.	2.7
	59N66SHTL	Laminate	984	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	27 lbs.	2.7

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 266
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"



PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Finish (wood models)


SAMPLE MODEL NUMBERS:

59N60SHTW TF
59N60SHTL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
LIGHTED SHELF (CONTINUED)	59N60SHTW	Wood	\$ 1411	10	59 ¹ / ₁₆	1 ¹ / ₁₆	—	—	25 lbs.	2.5
	59N60SHTL	Laminate	954	10	59 ¹ / ₁₆	1 ¹ / ₁₆	—	—	25 lbs.	2.5
	59N54SHTW	Wood	\$ 1379	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	22 lbs.	2.2
	59N54SHTL	Laminate	922	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	22 lbs.	2.2
	59N48SHTW	Wood	\$ 1348	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	59N48SHTL	Laminate	893	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	59N42SHTW	Wood	\$ 1318	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	18 lbs.	1.8
	59N42SHTL	Laminate	860	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	18 lbs.	1.8
	59N36SHTW	Wood	\$ 1288	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	16 lbs.	1.6
	59N36SHTL	Laminate	828	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	16 lbs.	1.6
	59N30SHTW	Wood	\$ 1258	10	29 ¹ / ₁₆	1 ¹ / ₁₆	—	—	13 lbs.	1.3
	59N30SHTL	Laminate	801	10	29 ¹ / ₁₆	1 ¹ / ₁₆	—	—	13 lbs.	1.3
	59N24SHTW	Wood	\$ 1226	10	23 ¹ / ₁₆	1 ¹ / ₁₆	—	—	11 lbs.	1.1
	59N24SHTL	Laminate	770	10	23 ¹ / ₁₆	1 ¹ / ₁₆	—	—	11 lbs.	1.1
	59N20SHTW	Wood	\$ 1114	10	20	1 ¹ / ₁₆	—	—	10 lbs.	1.2
	59N20SHTL	Laminate	659	10	20	1 ¹ / ₁₆	—	—	10 lbs.	1.2
	59N18SHTW	Wood	\$ 1089	10	18	1 ¹ / ₁₆	—	—	9 lbs.	1.1
	59N18SHTL	Laminate	632	10	18	1 ¹ / ₁₆	—	—	9 lbs.	1.1

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" shelf panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTAK3 must be ordered separately to turn on the shelf kits; reference page 266



PRODUCT SPECIFICATIONS

- Each angled shelf has a maximum weight limit: 18" - 27 lbs. and 9 lbs. per 6" (ex: 72" - 108 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

59N72SHAW TF
59N72SHAL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ANGLED SHELF	59N72SHAW	Wood	\$ 1808	9¾	71⅞	12¾			65 lbs.	5.9
	59N72SHAL	Laminate	1260	9¾	71⅞	12¾			65 lbs.	5.9
	59N66SHAW	Wood	\$ 1778	9¾	66⅞	12¾			60 lbs.	5.5
	59N66SHAL	Laminate	1232	9¾	66⅞	12¾			60 lbs.	5.5
	59N60SHAW	Wood	\$ 1746	9¾	59⅞	12¾			55 lbs.	5.0
	59N60SHAL	Laminate	1200	9¾	59⅞	12¾			55 lbs.	5.0
	59N54SHAW	Wood	\$ 1717	9¾	53⅞	12¾			50 lbs.	4.6
	59N54SHAL	Laminate	1171	9¾	53⅞	12¾			50 lbs.	4.6
	59N48SHAW	Wood	\$ 1686	9¾	47⅞	12¾			45 lbs.	4.1
	59N48SHAL	Laminate	1140	9¾	47⅞	12¾			45 lbs.	4.1
	59N42SHAW	Wood	\$ 1656	9¾	41⅞	12¾			40 lbs.	3.7
	59N42SHAL	Laminate	1109	9¾	41⅞	12¾			40 lbs.	3.7
	59N36SHAW	Wood	\$ 1624	9¾	35⅞	12¾			35 lbs.	3.2
	59N36SHAL	Laminate	1077	9¾	35⅞	12¾			35 lbs.	3.2
	59N30SHAW	Wood	\$ 1593	9¾	29⅞	12¾			30 lbs.	2.8
	59N30SHAL	Laminate	1045	9¾	29⅞	12¾			30 lbs.	2.8
	59N24SHAW	Wood	\$ 1564	9¾	23⅞	12¾			25 lbs.	2.3
	59N24SHAL	Laminate	1019	9¾	23⅞	12¾			25 lbs.	2.3
	59N20SHAW	Wood	\$ 1538	9¾	19⅞	12¾			22 lbs.	2.0
	59N20SHAL	Laminate	992	9¾	19⅞	12¾			22 lbs.	2.0
	59N18SHAW	Wood	\$ 1534	9¾	17⅞	12¾			20 lbs.	1.9
	59N18SHAL	Laminate	989	9¾	17⅞	12¾			20 lbs.	1.9

- Display space is 11½"
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 36" and 36" wall panels use an 72" shelf. Do not use two 36" shelves)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Angled shelves are at a 45 degree angle



PRODUCT SPECIFICATIONS

- Each angled shelf has a maximum weight limit: 18" - 27 lbs. and 9 lbs. per 6" (ex: 72" - 108 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Finish (wood models)

SAMPLE MODEL NUMBERS:

59N72SHATW TF
59N66SHATL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
LIGHTED ANGLED SHELF	59N72SHATW	Wood	\$ 2103	9¾	71⅞	12¾			65 lbs.	5.9
	59N72SHATL	Laminate	1556	9¾	71⅞	12¾			65 lbs.	5.9
	59N66SHATW	Wood	\$ 2073	9¾	66⅞	12¾			60 lbs.	5.5
	59N66SHATL	Laminate	1527	9¾	66⅞	12¾			60 lbs.	5.5
	59N60SHATW	Wood	\$ 2041	9¾	59⅞	12¾			55 lbs.	5.0
	59N60SHATL	Laminate	1496	9¾	59⅞	12¾			55 lbs.	5.0
	59N54SHATW	Wood	\$ 2014	9¾	53⅞	12¾			50 lbs.	4.6
	59N54SHATL	Laminate	1468	9¾	53⅞	12¾			50 lbs.	4.6
	59N48SHATW	Wood	\$ 1982	9¾	47⅞	12¾			45 lbs.	4.1
	59N48SHATL	Laminate	1435	9¾	47⅞	12¾			45 lbs.	4.1
	59N42SHATW	Wood	\$ 1951	9¾	41⅞	12¾			40 lbs.	3.7
	59N42SHATL	Laminate	1404	9¾	41⅞	12¾			40 lbs.	3.7
	59N36SHATW	Wood	\$ 1921	9¾	35⅞	12¾			35 lbs.	3.2
	59N36SHATL	Laminate	1374	9¾	35⅞	12¾			35 lbs.	3.2
	59N30SHATW	Wood	\$ 1890	9¾	29⅞	12¾			30 lbs.	2.8
	59N30SHATL	Laminate	1344	9¾	29⅞	12¾			30 lbs.	2.8
	59N24SHATW	Wood	\$ 1859	9¾	23⅞	12¾			25 lbs.	2.3
	59N24SHATL	Laminate	1314	9¾	23⅞	12¾			25 lbs.	2.3
	59N20SHATW	Wood	\$ 1834	9¾	19⅞	12¾			22 lbs.	2.0
	59N20SHATL	Laminate	1288	9¾	19⅞	12¾			22 lbs.	2.0
	59N18SHATW	Wood	\$ 1830	9¾	17⅞	12¾			20 lbs.	1.9
	59N18SHATL	Laminate	1284	9¾	17⅞	12¾			20 lbs.	1.9

- Display space is 11½"
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 36" and 36" wall panels use an 72" shelf. Do not use two 36" shelves)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Angled shelves are at a 45 degree angle
- LED light strips are recessed on the bottom side of the shelf
- NACLTAK3 must be ordered separately to turn on the shelf kits; reference page 266

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

59N120SHSKW MH
59N120SHSKL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SLIDING SHELF SET	59N120SHSKW	Wood	\$ 2287	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	6.0
	59N120SHSKL	Laminate	1827	10	119 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	6.0
	59N114SHSKW	Wood	\$ 2255	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	162 lbs.	5.7
	59N114SHSKL	Laminate	1806	10	113 ³ / ₁₆	1 ³ / ₁₆	—	—	162 lbs.	5.7
	59N108SHSKW	Wood	\$ 2225	10	107 ¹ / ₁₆	1 ³ / ₁₆	—	—	146 lbs.	5.5
	59N108SHSKL	Laminate	1780	10	107 ¹ / ₁₆	1 ³ / ₁₆	—	—	146 lbs.	5.5
	59N102SHSKW	Wood	\$ 2195	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	131 lbs.	5.2
	59N102SHSKL	Laminate	1755	10	101 ¹ / ₁₆	1 ³ / ₁₆	—	—	131 lbs.	5.2
	59N96SHSKW	Wood	\$ 2165	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	49 lbs.	4.9
	59N96SHSKL	Laminate	1731	10	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	49 lbs.	4.9
	59N90SHSKW	Wood	\$ 2134	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	46 lbs.	4.6
	59N90SHSKL	Laminate	1708	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	46 lbs.	4.6
	59N84SHSKW	Wood	\$ 2103	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	43 lbs.	4.3
	59N84SHSKL	Laminate	1681	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	43 lbs.	4.3
	59N78SHSKW	Wood	\$ 2073	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	40 lbs.	4.0
	59N78SHSKL	Laminate	1660	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	40 lbs.	4.0
	59N72SHSKW	Wood	\$ 2041	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	37 lbs.	3.7
	59N72SHSKL	Laminate	1634	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	37 lbs.	3.7
	59N66SHSKW	Wood	\$ 2014	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	3.4
	59N66SHSKL	Laminate	1610	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	3.4
	59N60SHSKW	Wood	\$ 1982	10	59 ¹ / ₁₆	1 ³ / ₁₆	—	—	32 lbs.	3.2
	59N60SHSKL	Laminate	1586	10	59 ¹ / ₁₆	1 ³ / ₁₆	—	—	32 lbs.	3.2

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 233
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"



PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels


TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Finish (wood models)


SAMPLE MODEL NUMBERS:

59N54SHSKW MH
59N54SHSKL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SLIDING SHELF SET (CONTINUED) 	59N54SHSKW	Wood	\$ 1951	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	29 lbs.	2.9
	59N54SHSKL	Laminate	1561	10	53 ¹ / ₁₆	1 ¹ / ₁₆	—	—	29 lbs.	2.9
	59N48SHSKW	Wood	\$ 1921	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	26 lbs.	2.6
	59N48SHSKL	Laminate	1537	10	47 ¹ / ₁₆	1 ¹ / ₁₆	—	—	26 lbs.	2.6
	59N42SHSKW	Wood	\$ 1890	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	23 lbs.	2.3
	59N42SHSKL	Laminate	1513	10	41 ¹ / ₁₆	1 ¹ / ₁₆	—	—	23 lbs.	2.3
	59N36SHSKW	Wood	\$ 1859	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	59N36SHSKL	Laminate	1486	10	35 ¹ / ₁₆	1 ¹ / ₁₆	—	—	20 lbs.	2.0
	- Shelves are 10" deep - Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf) - The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves - Sliding shelf set can only be used with 52" wall panels - Sliding door panels are ordered separately; reference page 233									
	59N120SHSTW	Wood	\$ 2669	10	119 ⁹ / ₁₆	1 ¹ / ₁₆	—	—	180 lbs.	6.0
	59N120SHSTL	Laminate	2211	10	119 ⁹ / ₁₆	1 ¹ / ₁₆	—	—	180 lbs.	6.0
	59N114SHSTW	Wood	\$ 2636	10	113 ³ / ₁₆	1 ¹ / ₁₆	—	—	162 lbs.	5.7
	59N114SHSTL	Laminate	2186	10	113 ³ / ₁₆	1 ¹ / ₁₆	—	—	162 lbs.	5.7
	59N108SHSTW	Wood	\$ 2605	10	107 ⁷ / ₁₆	1 ¹ / ₁₆	—	—	146 lbs.	5.5
	59N108SHSTL	Laminate	2162	10	107 ⁷ / ₁₆	1 ¹ / ₁₆	—	—	146 lbs.	5.5

LIGHTED SLIDING SHELF SET

	59N120SHSTW	Wood	\$ 2669	10	119 ⁹ / ₁₆	1 ¹ / ₁₆	—	—	180 lbs.	6.0
	59N120SHSTL	Laminate	2211	10	119 ⁹ / ₁₆	1 ¹ / ₁₆	—	—	180 lbs.	6.0
	59N114SHSTW	Wood	\$ 2636	10	113 ³ / ₁₆	1 ¹ / ₁₆	—	—	162 lbs.	5.7
	59N114SHSTL	Laminate	2186	10	113 ³ / ₁₆	1 ¹ / ₁₆	—	—	162 lbs.	5.7
	59N108SHSTW	Wood	\$ 2605	10	107 ⁷ / ₁₆	1 ¹ / ₁₆	—	—	146 lbs.	5.5
	59N108SHSTL	Laminate	2162	10	107 ⁷ / ₁₆	1 ¹ / ₁₆	—	—	146 lbs.	5.5
	59N102SHSTW	Wood	\$ 2576	10	101 ¹ / ₁₆	1 ¹ / ₁₆	—	—	131 lbs.	5.2
	59N102SHSTL	Laminate	2137	10	101 ¹ / ₁₆	1 ¹ / ₁₆	—	—	131 lbs.	5.2
	59N96SHSTW	Wood	\$ 2546	10	95 ¹ / ₁₆	1 ¹ / ₁₆	—	—	49 lbs.	4.9
	59N96SHSTL	Laminate	2112	10	95 ¹ / ₁₆	1 ¹ / ₁₆	—	—	49 lbs.	4.9
	- Shelves are 10" deep - Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf) - The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves - LED light strips are recessed on the bottom side of the shelf - NACLTAKA3 must be ordered separately to turn on the shelf kits; reference page 266 - Sliding shelf set can only be used with 52" wall panels - Sliding door panels are ordered separately; reference page 233 - G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"									

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

59N90SHSTW TF
59N90SHSTL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
LIGHTED SLIDING SHELF SET (CONTINUED)	59N90SHSTW	Wood	\$ 2516	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	46 lbs.	4.6
	59N90SHSTL	Laminate	2087	10	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	46 lbs.	4.6
	59N84SHSTW	Wood	\$ 2484	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	43 lbs.	4.3
	59N84SHSTL	Laminate	2064	10	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	43 lbs.	4.3
	59N78SHSTW	Wood	\$ 2453	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	40 lbs.	4.0
	59N78SHSTL	Laminate	2039	10	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	40 lbs.	4.0
	59N72SHSTW	Wood	\$ 2425	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	37 lbs.	3.7
	59N72SHSTL	Laminate	2016	10	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	37 lbs.	3.7
	59N66SHSTW	Wood	\$ 2392	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	3.4
	59N66SHSTL	Laminate	1991	10	65 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	3.4
	59N60SHSTW	Wood	\$ 2363	10	59 ¹ / ₁₆	1 ³ / ₁₆	—	—	32 lbs.	3.2
	59N60SHSTL	Laminate	1966	10	59 ¹ / ₁₆	1 ³ / ₁₆	—	—	32 lbs.	3.2
	59N54SHSTW	Wood	\$ 2333	10	53 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N54SHSTL	Laminate	1942	10	53 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	2.9
	59N48SHSTW	Wood	\$ 2301	10	47 ¹ / ₁₆	1 ³ / ₁₆	—	—	26 lbs.	2.6
	59N48SHSTL	Laminate	1918	10	47 ¹ / ₁₆	1 ³ / ₁₆	—	—	26 lbs.	2.6
	59N42SHSTW	Wood	\$ 2270	10	41 ¹ / ₁₆	1 ³ / ₁₆	—	—	23 lbs.	2.3
	59N42SHSTL	Laminate	1892	10	41 ¹ / ₁₆	1 ³ / ₁₆	—	—	23 lbs.	2.3
	59N36SHSTW	Wood	\$ 2241	10	35 ¹ / ₁₆	1 ³ / ₁₆	—	—	20 lbs.	2.0
	59N36SHSTL	Laminate	1869	10	35 ¹ / ₁₆	1 ³ / ₁₆	—	—	20 lbs.	2.0

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 266
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 233





TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N5138DR3SW CW
59N5138DR3SL 488
59N3038DR1SL 462

• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	3 SLIDING DOOR SET										
	59N5138DR3SG	Glass	\$	4115	1	51	37	—	—	89 lbs.	3.7
	59N5138DR3SW	Wood		2059	1	51	37	—	—	89 lbs.	3.7
	59N5138DR3SL	Laminate		915	1	51	37	—	—	89 lbs.	3.7
	59N5138DR3SMB	HPL Marker Board		1506	1	51	37	—	—	89 lbs.	3.6
	• Brackets included to gang doors if needed										
	2 SLIDING DOOR SET										
	59N6038DR2SG	Glass	\$	3796	1	60 ³ / ₁₆	37	—	—	144 lbs.	4.0
	59N6038DR2SW	Wood		2229	1	60 ³ / ₁₆	37	—	—	144 lbs.	4.0
	59N6038DR2SL	Laminate		1232	1	60 ³ / ₁₆	37	—	—	144 lbs.	4.0
	59N6038DR2SMB	HPL Marker Board		1527	1	60 ³ / ₁₆	37	—	—	72 lbs.	4.0
	59N4838DR2SG	Glass	\$	3048	1	48	37	—	—	75 lbs.	6.6
	59N4838DR2SW	Wood		1676	1	48	37	—	—	75 lbs.	6.6
	59N4838DR2SL	Laminate		915	1	48	37	—	—	75 lbs.	6.6
	59N4838DR2SMB	HPL Marker Board		1210	1	48 ³ / ₁₆	37	—	—	75 lbs.	3.3
	59N3438DR2SG	Glass	\$	2743	1	34	37	—	—	50 lbs.	2.5
	59N3438DR2SW	Wood		1372	1	34	37	—	—	50 lbs.	2.5
	59N3438DR2SL	Laminate		609	1	34	37	—	—	50 lbs.	2.5
	59N3438DR2SMB	HPL Marker Board		904	1	34 ³ / ₁₆	37	—	—	50 lbs.	2.5
	• Sliding roller hardware included										
	• Doors will only work with the sliding shelf sets and 52" wall panels										
		1 SLIDING DOOR									
59N3038DR1SG		Glass	\$	1934	1	30	37	—	—	72 lbs.	2.3
59N3038DR1SW		Wood		1188	1	30	37	—	—	72 lbs.	2.3
59N3038DR1SL		Laminate		763	1	30	37	—	—	72 lbs.	2.3
59N3038DR1SMB		HPL Marker Board		1061	1	30	37	—	—	72 lbs.	2.3
59N2438DR1SG		Glass	\$	1601	1	24	37	—	—	66 lbs.	3.3
59N2438DR1SW		Wood		915	1	24	37	—	—	66 lbs.	3.3
59N2438DR1SL		Laminate		535	1	24	37	—	—	66 lbs.	3.3
59N2438DR1SMB		HPL Marker Board		828	1	24	37	—	—	66 lbs.	2.0
59N1738DR1SG		Glass	\$	1372	1	17	37	—	—	30 lbs.	1.5
59N1738DR1SW		Wood		687	1	17	37	—	—	30 lbs.	1.5
59N1738DR1SL	Laminate		305	1	17	37	—	—	30 lbs.	1.5	
59N1738DR1SMB	HPL Marker Board		600	1	17	37	—	—	30 lbs.	1.5	
• Sliding roller hardware included											
• Doors will only work with the sliding shelf sets and 52" wall panels											

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9024SOS3MGW 92MB KRB CW
59N6024SOSL2ML 92MB KRB 488 CW CW

- See pages 147-149 for all options available in Tessera


OVERHEAD WALL MOUNT WITH FILING



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
59N9024SOS3MGW Glass/Wood	\$ 5297	14%	89 ¹ / ₁₆	24	—	—	162 lbs.	28.3
59N9024SOS3MGL Glass/Laminate	3798	14%	89 ¹ / ₁₆	24	—	—	162 lbs.	28.3
59N9024SOS3MW Wood	4075	15 ¹ / ₄	89 ¹ / ₁₆	24	—	—	162 lbs.	28.3
59N9024SOS3MLW Laminate/Wood	4195	15 ¹ / ₄	89 ¹ / ₁₆	24	—	—	162 lbs.	28.3
59N9024SOS3ML Laminate	2710	15 ¹ / ₄	89 ¹ / ₁₆	24	—	—	162 lbs.	28.3
59N7224SOS3MGW Glass/Wood	\$ 4580	14%	71 ¹ / ₁₆	24	—	—	131 lbs.	22.9
59N7224SOS3MGL Glass/Laminate	3207	14%	71 ¹ / ₁₆	24	—	—	131 lbs.	22.9
59N7224SOS3MW Wood	3818	15 ¹ / ₄	71 ¹ / ₁₆	24	—	—	131 lbs.	22.9
59N7224SOS3MLW Laminate/Wood	3933	15 ¹ / ₄	71 ¹ / ₁₆	24	—	—	131 lbs.	22.9
59N7224SOS3ML Laminate	2468	15 ¹ / ₄	71 ¹ / ₁₆	24	—	—	131 lbs.	22.9
59N6024SOS3MGW Glass/Wood	\$ 4275	14%	60	24	—	—	110 lbs.	19.4
59N6024SOS3MGL Glass/Laminate	2892	14%	60	24	—	—	110 lbs.	19.4
59N6024SOS3MW Wood	3561	15 ¹ / ₄	60	24	—	—	110 lbs.	19.4
59N6024SOS3MLW Laminate/Wood	3668	15 ¹ / ₄	60	24	—	—	110 lbs.	19.4
59N6024SOS3ML Laminate	2225	15 ¹ / ₄	60	24	—	—	110 lbs.	19.4

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options to put behind the sliding doors, see pages 403-408
- Letter filing front-to-back only
- The two bottom panels are considered fronts, and can be selected separately from the chassis. The sliding doors are selected separately using the accent sliding door laminate option

OVERHEAD WALL MOUNT WITH FILING



Left shown

LEFT		RIGHT										
59N6024SOSL2MGW	59N6024SOSR2MGW	Glass/Wood	\$	4275	14%	60	24	—	—	105 lbs.	19.4	
59N6024SOSL2MGL	59N6024SOSR2MGL	Glass/Lam		2892	14%	60	24	—	—	105 lbs.	19.4	
59N6024SOSL2MW	59N6024SOSR2MW	Wood		3561	15¼	60	24	—	—	105 lbs.	19.4	
59N6024SOSL2MLW	59N6024SOSR2MLW	Lam/Wood		3668	15¼	60	24	—	—	105 lbs.	19.4	
59N6024SOSL2ML	59N6024SOSR2ML	Laminate		2225	15¼	60	24	—	—	105 lbs.	19.4	
59N4824SOSL2MGW	59N4824SOSR2MGW	Glass/Wood	\$	3968	14%	48⅞	24	—	—	89 lbs.	15.8	
59N4824SOSL2MGL	59N4824SOSR2MGL	Glass/Lam		2576	14%	48⅞	24	—	—	89 lbs.	15.8	
59N4824SOSL2MW	59N4824SOSR2MW	Wood		3306	15¼	48⅞	24	—	—	89 lbs.	15.8	
59N4824SOSL2MLW	59N4824SOSR2MLW	Lam/Wood		3405	15¼	48⅞	24	—	—	89 lbs.	15.8	
59N4824SOSL2ML	59N4824SOSR2ML	Laminate		1982	15¼	48⅞	24	—	—	89 lbs.	15.8	

- Left or right designates where the sliding door is in the locked position
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Letter filing front-to-back only
- The two bottom panels are considered fronts, and can be selected separately from the chassis. The sliding doors are selected separately using the accent sliding door laminate option

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9018SOS3ML 92MB KS2B 488 461 CW
 59N6018SOS3MW 92MB KS1B CW

- See pages 147-149 for all options available in Tessera

OVERHEAD BINDER STORAGE
WALL MOUNT

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
59N9018SOS3MGW Glass/Wood	\$ 4327	14 $\frac{1}{2}$ "	89 $\frac{1}{2}$ "	18	—	—	126 lbs.	22.1
59N9018SOS3MGL Glass/Laminate	3101	14 $\frac{1}{2}$ "	89 $\frac{1}{2}$ "	18	—	—	126 lbs.	22.1
59N9018SOS3MW Wood	3330	15 $\frac{1}{4}$ "	89 $\frac{1}{2}$ "	18	—	—	126 lbs.	22.1
59N9018SOS3MLW Laminate/Wood	3430	15 $\frac{1}{4}$ "	89 $\frac{1}{2}$ "	18	—	—	126 lbs.	22.1
59N9018SOS3ML Laminate	2217	15 $\frac{1}{4}$ "	89 $\frac{1}{2}$ "	18	—	—	126 lbs.	22.1
59N8418SOS3MGW Glass/Wood	\$ 4100	14 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	18	—	—	120 lbs.	20.7
59N8418SOS3MGL Glass/Laminate	2926	14 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	18	—	—	120 lbs.	20.7
59N8418SOS3MW Wood	3281	15 $\frac{1}{4}$ "	83 $\frac{1}{2}$ "	18	—	—	120 lbs.	20.7
59N8418SOS3MLW Laminate/Wood	3375	15 $\frac{1}{4}$ "	83 $\frac{1}{2}$ "	18	—	—	120 lbs.	20.7
59N8418SOS3ML Laminate	2166	15 $\frac{1}{4}$ "	83 $\frac{1}{2}$ "	18	—	—	115 lbs.	20.7
59N7818SOS3MGW Glass/Wood	\$ 3874	14 $\frac{1}{2}$ "	77 $\frac{1}{2}$ "	18	—	—	115 lbs.	19.4
59N7818SOS3MGL Glass/Laminate	2751	14 $\frac{1}{2}$ "	77 $\frac{1}{2}$ "	18	—	—	115 lbs.	19.4
59N7818SOS3MW Wood	3228	15 $\frac{1}{4}$ "	77 $\frac{1}{2}$ "	18	—	—	115 lbs.	19.4
59N7818SOS3MLW Laminate/Wood	3320	15 $\frac{1}{4}$ "	77 $\frac{1}{2}$ "	18	—	—	115 lbs.	19.4
59N7818SOS3ML Laminate	2115	15 $\frac{1}{4}$ "	77 $\frac{1}{2}$ "	18	—	—	115 lbs.	19.4
59N7218SOS3MGW Glass/Wood	\$ 3743	14 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	18	—	—	103 lbs.	18.0
59N7218SOS3MGL Glass/Laminate	2623	14 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	18	—	—	103 lbs.	18.0
59N7218SOS3MW Wood	3119	15 $\frac{1}{4}$ "	71 $\frac{1}{2}$ "	18	—	—	103 lbs.	18.0
59N7218SOS3MLW Laminate/Wood	3213	15 $\frac{1}{4}$ "	71 $\frac{1}{2}$ "	18	—	—	103 lbs.	18.0
59N7218SOS3ML Laminate	2018	15 $\frac{1}{4}$ "	71 $\frac{1}{2}$ "	18	—	—	103 lbs.	18.0
59N6618SOS3MGW Glass/Wood	\$ 3621	14 $\frac{1}{2}$ "	65 $\frac{1}{2}$ "	18	—	—	95 lbs.	16.6
59N6618SOS3MGL Glass/Laminate	2492	14 $\frac{1}{2}$ "	65 $\frac{1}{2}$ "	18	—	—	95 lbs.	16.6
59N6618SOS3MW Wood	3020	15 $\frac{1}{4}$ "	65 $\frac{1}{2}$ "	18	—	—	95 lbs.	16.6
59N6618SOS3MLW Laminate/Wood	3106	15 $\frac{1}{4}$ "	65 $\frac{1}{2}$ "	18	—	—	95 lbs.	16.6
59N6618SOS3ML Laminate	1918	15 $\frac{1}{4}$ "	65 $\frac{1}{2}$ "	18	—	—	95 lbs.	16.6
59N6018SOS3MGW Glass/Wood	\$ 3492	14 $\frac{1}{2}$ "	60	18	—	—	86 lbs.	15.2
59N6018SOS3MGL Glass/Laminate	2363	14 $\frac{1}{2}$ "	60	18	—	—	86 lbs.	15.2
59N6018SOS3MW Wood	2911	15 $\frac{1}{4}$ "	60	18	—	—	86 lbs.	15.2
59N6018SOS3MLW Laminate/Wood	2998	15 $\frac{1}{4}$ "	60	18	—	—	86 lbs.	15.2
59N6018SOS3ML Laminate	1817	15 $\frac{1}{4}$ "	60	18	—	—	86 lbs.	15.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6018SOSR2MW 92MB KS1B CW

- See pages 147-149 for all options available in Tessera

OVERHEAD BINDER
STORAGE
WALL MOUNT

Right shown

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
LEFT	RIGHT									
59N6018SOSL2MGW	59N6018SOSR2MGW	Glass/Wood	\$ 3492	14%	60	18	—	—	81 lbs.	15.2
59N6018SOSL2MGL	59N6018SOSR2MGL	Glass/Lam	2363	14%	60	18	—	—	81 lbs.	15.2
59N6018SOSL2MW	59N6018SOSR2MW	Wood	2911	15%	60	18	—	—	81 lbs.	15.2
59N6018SOSL2MLW	59N6018SOSR2MLW	Lam/Wood	2998	15%	60	18	—	—	81 lbs.	15.2
59N6018SOSL2ML	59N6018SOSR2ML	Laminate	1817	15%	60	18	—	—	81 lbs.	15.2
59N5418SOSL2MGW	59N5418SOSR2MGW	Glass/Wood	\$ 3364	14%	53 3/4	18	—	—	80 lbs.	13.8
59N5418SOSL2MGL	59N5418SOSR2MGL	Glass/Lam	2234	14%	53 3/4	18	—	—	80 lbs.	13.8
59N5418SOSL2MW	59N5418SOSR2MW	Wood	2803	15%	53 3/4	18	—	—	80 lbs.	13.8
59N5418SOSL2MLW	59N5418SOSR2MLW	Lam/Wood	2890	15%	53 3/4	18	—	—	80 lbs.	13.8
59N5418SOSL2ML	59N5418SOSR2ML	Laminate	1719	15%	53 3/4	18	—	—	80 lbs.	13.8
59N4818SOSL2MGW	59N4818SOSR2MGW	Glass/Wood	\$ 3242	14%	48 3/16	18	—	—	70 lbs.	12.4
59N4818SOSL2MGL	59N4818SOSR2MGL	Glass/Lam	2104	14%	48 3/16	18	—	—	70 lbs.	12.4
59N4818SOSL2MW	59N4818SOSR2MW	Wood	2701	15%	48 3/16	18	—	—	70 lbs.	12.4
59N4818SOSL2MLW	59N4818SOSR2MLW	Lam/Wood	2782	15%	48 3/16	18	—	—	70 lbs.	12.4
59N4818SOSL2ML	59N4818SOSR2ML	Laminate	1619	15%	48 3/16	18	—	—	70 lbs.	12.4
59N4218SOSL2MGW	59N4218SOSR2MGW	Glass/Wood	\$ 3115	14%	41 3/4	18	—	—	60 lbs.	11.0
59N4218SOSL2MGL	59N4218SOSR2MGL	Glass/Lam	1975	14%	41 3/4	18	—	—	60 lbs.	11.0
59N4218SOSL2MW	59N4218SOSR2MW	Wood	2594	15%	41 3/4	18	—	—	60 lbs.	11.0
59N4218SOSL2MLW	59N4218SOSR2MLW	Lam/Wood	2674	15%	41 3/4	18	—	—	60 lbs.	11.0
59N4218SOSL2ML	59N4218SOSR2ML	Laminate	1520	15%	41 3/4	18	—	—	60 lbs.	11.0

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS


- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

- 59N3618S001MW MC
59N3618S001ML AC2
- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD BINDER STORAGE - OPEN WALL MOUNT 	59N3618S001MW	Wood	\$ 2447	13%		18	—	—	45 lbs.	10.7
	59N3618S001ML	Laminate	1379	13%		18	—	—	45 lbs.	10.7
	59N3018S001MW	Wood	\$ 2340	13%	30%	18	—	—	58 lbs.	9.2
	59N3018S001ML	Laminate	1280	13%	30%	18	—	—	58 lbs.	9.2
	59N2418S001MW	Wood	\$ 2278	13%	24	18	—	—	48 lbs.	7.6
	59N2418S001ML	Laminate	1220	13%	24	18	—	—	48 lbs.	7.6
	59N2018S001MW	Wood	\$ 2243	13%	20	18	—	—	41 lbs.	6.6
	59N2018S001ML	Laminate	1182	13%	20	18	—	—	41 lbs.	6.6
	• Specify finish or laminate only									
	• Wall mount bracket for attachment to architectural wall or wall panel is included									
	• It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)									

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9012SOS3MW 92MB KRB TF
59N9012SOS3ML 92MB KRB 461 TF

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
OVERHEAD STORAGE WALL MOUNT	59N9012SOS3MGW	Glass/Wood	\$ 4112	14%	89 ¹ / ₁₆	11½	—	—	86 lbs.	15.5
	59N9012SOS3MGL	Glass/Laminate	3013	14%	89 ¹ / ₁₆	11½	—	—	86 lbs.	15.5
	59N9012SOS3MW	Wood	3162	15¼	89 ¹ / ₁₆	11½	—	—	86 lbs.	15.5
	59N9012SOS3MLW	Laminate/Wood	3259	15¼	89 ¹ / ₁₆	11½	—	—	86 lbs.	15.5
	59N9012SOS3ML	Laminate	2152	15¼	89 ¹ / ₁₆	11½	—	—	86 lbs.	15.5
	59N8412SOS3MGW	Glass/Wood	\$ 3775	14%	83 ¹ / ₁₆	11½	—	—	80 lbs.	14.5
	59N8412SOS3MGL	Glass/Laminate	2712	14%	83 ¹ / ₁₆	11½	—	—	80 lbs.	14.5
	59N8412SOS3MW	Wood	3009	15¼	83 ¹ / ₁₆	11½	—	—	80 lbs.	14.5
	59N8412SOS3MLW	Laminate/Wood	3097	15¼	83 ¹ / ₁₆	11½	—	—	80 lbs.	14.5
	59N8412SOS3ML	Laminate	2004	15¼	83 ¹ / ₁₆	11½	—	—	80 lbs.	14.5
	59N7812SOS3MGW	Glass/Wood	\$ 3547	14%	77 ¹ / ₁₆	11½	—	—	75 lbs.	13.6
	59N7812SOS3MGL	Glass/Laminate	2538	14%	77 ¹ / ₁₆	11½	—	—	75 lbs.	13.6
	59N7812SOS3MW	Wood	2956	15¼	77 ¹ / ₁₆	11½	—	—	75 lbs.	13.6
	59N7812SOS3MLW	Laminate/Wood	3043	15¼	77 ¹ / ₁₆	11½	—	—	75 lbs.	13.6
	59N7812SOS3ML	Laminate	1955	15¼	77 ¹ / ₁₆	11½	—	—	75 lbs.	13.6
	59N7212SOS3MGW	Glass/Wood	\$ 3418	14%	71 ¹ / ₁₆	11½	—	—	72 lbs.	12.6
	59N7212SOS3MGL	Glass/Laminate	2409	14%	71 ¹ / ₁₆	11½	—	—	72 lbs.	12.6
	59N7212SOS3MW	Wood	2848	15¼	71 ¹ / ₁₆	11½	—	—	72 lbs.	12.6
	59N7212SOS3MLW	Laminate/Wood	2933	15¼	71 ¹ / ₁₆	11½	—	—	72 lbs.	12.6
	59N7212SOS3ML	Laminate	1856	15¼	71 ¹ / ₁₆	11½	—	—	72 lbs.	12.6
	59N6612SOS3MGW	Glass/Wood	\$ 3295	14%	65 ¹ / ₁₆	11½	—	—	70 lbs.	11.6
	59N6612SOS3MGL	Glass/Laminate	2280	14%	65 ¹ / ₁₆	11½	—	—	70 lbs.	11.6
	59N6612SOS3MW	Wood	2746	15¼	65 ¹ / ₁₆	11½	—	—	70 lbs.	11.6
	59N6612SOS3MLW	Laminate/Wood	2825	15¼	65 ¹ / ₁₆	11½	—	—	70 lbs.	11.6
	59N6612SOS3ML	Laminate	1754	15¼	65 ¹ / ₁₆	11½	—	—	70 lbs.	11.6
	59N6012SOS3MGW	Glass/Wood	\$ 3168	14%	60	11½	—	—	65 lbs.	10.6
	59N6012SOS3MGL	Glass/Laminate	2152	14%	60	11½	—	—	65 lbs.	10.6
	59N6012SOS3MW	Wood	2639	15¼	60	11½	—	—	65 lbs.	10.6
	59N6012SOS3MLW	Laminate/Wood	2719	15¼	60	11½	—	—	65 lbs.	10.6
	59N6012SOS3ML	Laminate	1657	15¼	60	11½	—	—	65 lbs.	10.6

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminated models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6024SOSL2ML 92MB KRB 488 CW


- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED	
						D	W	H	A	KW	WEIGHT	FEET
	LEFT	RIGHT										
	59N6012SOSL2MGW	59N6012SOSR2MGW	Glass/Wood	\$	3168	14%	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MGL	59N6012SOSR2MGL	Glass/Lam		2152	14%	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MW	59N6012SOSR2MW	Wood		2639	15¼	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MLW	59N6012SOSR2MLW	Lam/Wood		2719	15¼	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2ML	59N6012SOSR2ML	Laminate		1657	15¼	60	11½	—	—	60 lbs.	10.6
	59N5412SOSL2MGW	59N5412SOSR2MGW	Glass/Wood	\$	3037	14%	53¾	11½	—	—	62 lbs.	9.7
	59N5412SOSL2MGL	59N5412SOSR2MGL	Glass/Lam		2024	14%	53¾	11½	—	—	62 lbs.	9.7
	59N5412SOSL2MW	59N5412SOSR2MW	Wood		2531	15¼	53¾	11½	—	—	62 lbs.	9.7
59N5412SOSL2MLW	59N5412SOSR2MLW	Lam/Wood		2612	15¼	53¾	11½	—	—	62 lbs.	9.7	
59N5412SOSL2ML	59N5412SOSR2ML	Laminate		1556	15¼	53¾	11½	—	—	62 lbs.	9.7	
59N4812SOSL2MGW	59N4812SOSR2MGW	Glass/Wood	\$	2916	14%	48¾	11½	—	—	49 lbs.	8.7	
59N4812SOSL2MGL	59N4812SOSR2MGL	Glass/Lam		1892	14%	48¾	11½	—	—	49 lbs.	8.7	
59N4812SOSL2MW	59N4812SOSR2MW	Wood		2432	15¼	48¾	11½	—	—	49 lbs.	8.7	
59N4812SOSL2MLW	59N4812SOSR2MLW	Lam/Wood		2502	15¼	48¾	11½	—	—	49 lbs.	8.7	
59N4812SOSL2ML	59N4812SOSR2ML	Laminate		1457	15¼	48¾	11½	—	—	49 lbs.	8.7	
59N4212SOSL2MGW	59N4212SOSR2MGW	Glass/Wood	\$	2786	14%	41¾	11½	—	—	45 lbs.	7.7	
59N4212SOSL2MGL	59N4212SOSR2MGL	Glass/Lam		1765	14%	41¾	11½	—	—	45 lbs.	7.7	
59N4212SOSL2MW	59N4212SOSR2MW	Wood		2323	15¼	41¾	11½	—	—	45 lbs.	7.7	
59N4212SOSL2MLW	59N4212SOSR2MLW	Lam/Wood		2395	15¼	41¾	11½	—	—	45 lbs.	7.7	
59N4212SOSL2ML	59N4212SOSR2ML	Laminate		1359	15¼	41¾	11½	—	—	45 lbs.	7.7	

Right shown

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

OVERHEAD STORAGE WALL MOUNT



Right shown

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3612S001MW MC
59N3612S001ML AC2

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD STORAGE - OPEN WALL MOUNT 	59N3612S001MW	Wood	\$ 1215	13%		11½	—	—	40 lbs.	7.6
	59N3612S001ML	Laminate	706	13%		11½	—	—	40 lbs.	7.6
	59N3012S001MW	Wood	\$ 1109	13%	30%	11½	—	—	41 lbs.	6.6
	59N3012S001ML	Laminate	607	13%	30%	11½	—	—	41 lbs.	6.6
	59N2412S001MW	Wood	\$ 1044	13%	24	11½	—	—	34 lbs.	5.5
	59N2412S001ML	Laminate	550	13%	24	11½	—	—	34 lbs.	5.5
	59N2012S001MW	Wood	\$ 1010	13%	20	11½	—	—	30 lbs.	4.8
	59N2012S001ML	Laminate	521	13%	20	11½	—	—	30 lbs.	4.8

- Specify finish or laminate only
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see pages 263-265 for support options
- Refer to pages 371-408 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672WSSW G11PLA MC
59N3672WSSL G11PLA MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 36" DEPTH 	59N3672WSSW Wood	\$ 1466	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	5.2
	59N3672WSSL Laminate	997	36 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	5.2
	59N3666WSSW Wood	\$ 1442	36 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	4.8
	59N3666WSSL Laminate	972	36 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	4.8
	59N3660WSSW Wood	\$ 1418	36 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	5.2
	59N3660WSSL Laminate	952	36 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	5.2
	• For use with 29" deep component pedestals or support bases • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 264								
	59N3072WSSW Wood	\$ 1208	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	59N3072WSSL Laminate	740	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	59N3066WSSW Wood	\$ 1164	30 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
	59N3066WSSL Laminate	678	30 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
	59N3060WSSW Wood	\$ 1137	30 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4
	59N3060WSSL Laminate	618	30 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4

**RECTANGULAR WORKSURFACE
30" DEPTH**


59N3072WSSW Wood	\$ 1208	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
59N3072WSSL Laminate	740	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
59N3066WSSW Wood	\$ 1164	30 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
59N3066WSSL Laminate	678	30 $\frac{3}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
59N3060WSSW Wood	\$ 1137	30 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4
59N3060WSSL Laminate	618	30 $\frac{3}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4
• For use with 23" or 29" deep pedestals or support bases • Worksurfaces up to 72" wide can be used for table desking applications • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 264								

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see pages 263-265 for support options
- Refer to pages 371-408 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2472WSSW G11PLA MA
59N2472WSSL G11PLA MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEPTH 	59N2472WSSW Wood	\$ 1077	24	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	85 lbs.	3.5
	59N2472WSSL Laminate	618	24	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	85 lbs.	3.5
	59N2466WSSW Wood	\$ 1039	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.3
	59N2466WSSL Laminate	573	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.3
	59N2460WSSW Wood	\$ 1008	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	3.0
	59N2460WSSL Laminate	544	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	3.0
	59N2436WSSW Wood	\$ 884	24	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	63 lbs.	1.8
	59N2436WSSL Laminate	357	24	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	63 lbs.	1.8
	59N2430WSSW Wood	\$ 859	24	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	61 lbs.	1.5
	59N2430WSSL Laminate	320	24	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	61 lbs.	1.5

- For use with 23" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 264

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see pages 263-265 for support options
- Refer to pages 371-408 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2460WSSVW G11PLA MC
59N2460WSSVL G11PLA MC

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
RECTANGULAR WORKSURFACE 24" DEPTH 	59N2460WSSVW Wood	\$ 1008	24	60	1 $\frac{3}{8}$	—	—		76 lbs.	3.0
	59N2460WSSVL Laminate	544	24	60	1 $\frac{3}{8}$	—	—		76 lbs.	3.0
	59N2436WSSVW Wood	\$ 884	24	36 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		63 lbs.	1.8
	59N2436WSSVL Laminate	357	24	36 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		63 lbs.	1.8
	59N2430WSSVW Wood	\$ 859	24	30 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		61 lbs.	1.5
	59N2430WSSVL Laminate	320	24	30 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		61 lbs.	1.5
	• Grain direction runs front-to-back • For use with 23" deep pedestals or support bases • Worksurfaces up to 72" wide can be used for table desking applications • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 264									

RECTANGULAR WORKSURFACE
20" DEPTH


59N2072WSSW Wood	\$ 1045	20	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		73 lbs.	2.9
59N2072WSSL Laminate	585	20	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—		73 lbs.	2.9
59N2066WSSW Wood	\$ 1007	20	66	1 $\frac{3}{8}$	—	—		68 lbs.	2.7
59N2066WSSL Laminate	542	20	66	1 $\frac{3}{8}$	—	—		68 lbs.	2.7
59N2060WSSW Wood	\$ 975	20	60	1 $\frac{3}{8}$	—	—		60 lbs.	2.4
59N2060WSSL Laminate	511	20	60	1 $\frac{3}{8}$	—	—		60 lbs.	2.4
• For use with 18" support "U" base see the Caseloads Book 2 Price List when attaching to a Tessera Wall for alignment with overheads to keep a particular sight line. See image for an example of angle legs (as shown) • Grain direction runs front-to-back • Worksurfaces up to 72" wide can be used for table desking applications • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 264									



PRODUCT SPECIFICATIONS



- Worksurfaces shipped with appropriate hardware
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 150 for grommet locations and page 147 for grommet options and upcharge
- Unsupported 1¾" worksurface spans should not exceed 48"; see pages 263-265 for support options
- Refer to pages 371-408 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2060WSSVW X CW
• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECTANGULAR WORKSURFACE 20" DEPTH 	59N2060WSSVW	Wood	\$ 975	20	60	1¾"	—	—	60 lbs.	2.4
	59N2060WSSVL	Laminate	511	20	60	1¾"	—	—	60 lbs.	2.4
	• Grain direction runs front-to-back									
WORKSURFACE TO WALL MOUNTING BRACKET 	59N16BKT	Metal	\$ 43	1	16	1	—	—	2 lbs.	0.1
	• For use when mounting a worksurface to an architectural wall; can be used in place of an end support panel									
	• 2 brackets are required for 36" deep worksurfaces									

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available






TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2315PMBBFW 92MB KRB CW

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FREESTANDING PEDESTAL - FILE/FILE 	59N2415PFFFW Wood	\$ 2013	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	28 $\frac{7}{8}$ "	—	—	83 lbs.	11.4
	59N2415PFFFL Laminate	1324	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	28 $\frac{7}{8}$ "	—	—	83 lbs.	11.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
FREESTANDING PEDESTAL - BOX/BOX/FILE 	59N2415PFBFW Wood	\$ 2013	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	28 $\frac{7}{8}$ "	—	—	83 lbs.	11.4
	59N2415PFBFL Laminate	1324	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	28 $\frac{7}{8}$ "	—	—	83 lbs.	11.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL WITH TOP - FILE/FILE 	59N2315PMFFW Wood	\$ 2525	22 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	25 $\frac{1}{8}$ "	—	—	70 lbs.	9.9
	59N2315PMFFL Laminate	1597	22 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	25 $\frac{1}{8}$ "	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL WITH TOP - BOX/BOX/FILE 	59N2315PMBFW Wood	\$ 2525	22 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	25 $\frac{1}{8}$ "	—	—	70 lbs.	9.9
	59N2315PMBFL Laminate	1597	22 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	25 $\frac{1}{8}$ "	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL WITH TOP - BOX/FILE 	59N2315PMBFW Wood	\$ 2616	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	22 $\frac{3}{16}$ "	—	—	70 lbs.	9.9
	59N2315PMBFL Laminate	1564	23 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	22 $\frac{3}{16}$ "	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

TESSERA

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Textile Grade/Color
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)


SAMPLE MODEL NUMBER:

59N2315PMBFCL 92MB KRB 2 20020 461 CW

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION

MOBILE PEDESTAL WITH CUSHION TOP - BOX/FILE



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
59N2315PMBFCW	Wood	\$	2369	2399	2413	2435	2459	2500	2555

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2420	2451	2475	2501	2529	2559	2584	2615	2645	2677
	K	L	M	N	O	P	Q	R	S	T
\$	2724	2822	2883	2914	2946	2977	3009	3040	3071	3102

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
59N2315PMBFCL	Wood/Laminate	\$	1537	1567	1581	1603	1627	1668	1723

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1588	1619	1643	1669	1697	1727	1752	1783	1813	1845
	K	L	M	N	O	P	Q	R	S	T
\$	1892	1990	2051	2082	2114	2145	2177	2208	2239	2270

DIMENSIONS

Depth	22 ¹ / ₁₆	Height	23 ¹ / ₁₆	Weight	65
Width	15 ³ / ₁₆			Cubic Ft.	9.2

- Specify textile grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Refer to the Surface Materials Reference Guide for available seating textile options

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminite models)
6. Laminate Color (laminite models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518PUFW2 L 92PL KRS CL


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PEDESTAL - UNDERSURFACE FILE/FILE - 35" DEEP	59N3518PUFW2 Wood	\$ 2360	34 $\frac{3}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3518PUFL2 Laminate	1492	34 $\frac{3}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3515PUFW2 Wood	\$ 2233	34 $\frac{3}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2
	59N3515PUFL2 Laminate	1411	34 $\frac{3}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2




- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - 29" DEEP	59N2918PUFW2 Wood	\$ 2225	28 $\frac{3}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2918PUFL2 Laminate	1270	28 $\frac{3}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2915PUFW2 Wood	\$ 2098	28 $\frac{3}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1
	59N2915PUFL2 Laminate	1200	28 $\frac{3}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - 23" DEEP	59N2318PUFW2 Wood	\$ 2086	22 $\frac{1}{2}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2318PUFL2 Laminate	1197	22 $\frac{1}{2}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2315PUFW2 Wood	\$ 1972	22 $\frac{1}{2}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0
	59N2315PUFL2 Laminate	1122	22 $\frac{1}{2}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended


TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminite models)
6. Laminate Color (laminite models)
7. Veneer Finish (wood models)


SAMPLE MODEL NUMBER:

59N3518PUFL1 R 92PL KRS CL 405

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 35" DEEP 	59N3518PUFW1	Wood	\$ 2360	34 $\frac{3}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3518PUFL1	Laminate	1492	34 $\frac{3}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3515PUFW1	Wood	\$ 2233	34 $\frac{3}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2
	59N3515PUFL1	Laminate	1411	34 $\frac{3}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Façade spacer can be reconfigured to allow for RH or LH applications • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal										

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 29" DEEP 	59N2918PUFW1	Wood	\$ 2225	28 $\frac{3}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2918PUFL1	Laminate	1270	28 $\frac{3}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2915PUFW1	Wood	\$ 2098	28 $\frac{3}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1
	59N2915PUFL1	Laminate	1197	28 $\frac{3}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Façade spacer can be reconfigured to allow for RH or LH applications • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal										

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 23" DEEP 	59N2318PUFW1	Wood	\$ 2086	22 $\frac{1}{16}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2318PUFL1	Laminate	1197	22 $\frac{1}{16}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2315PUFW1	Wood	\$ 1972	22 $\frac{1}{16}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0
	59N2315PUFL1	Laminate	1122	22 $\frac{1}{16}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Façade spacer can be reconfigured to allow for RH or LH applications • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal										

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminite models)
6. Laminate Color (laminite models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW37 R 92PL KRS CL
59N3518PUFL37 LR 92PL KRS 478 MC


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 35" DEEP	59N3518PUFW37 Wood	\$ 2399	34 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3518PUFL37 Laminate	1530	34 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3515PUFW37 Wood	\$ 2270	34 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2
	59N3515PUFL37 Laminate	1449	34 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2




- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 29" DEEP	59N2918PUFW37 Wood	\$ 2265	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2918PUFL37 Laminate	1305	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2915PUFW37 Wood	\$ 2136	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1
	59N2915PUFL37 Laminate	1234	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 23" DEEP	59N2318PUFW37 Wood	\$ 2126	22 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2318PUFL37 Laminate	1231	22 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2315PUFW37 Wood	\$ 2014	22 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	59N2315PUFL37 Laminate	1157	22 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminite models)
6. Laminate Color (laminite models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW36 R 92PL KRS CL
59N3518PUFL36 LR 92PL KRS 478 MC


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 35" DEEP	59N3518PUFW36	Wood	\$ 2399	34 $\frac{7}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3518PUFL36	Laminite	1530	34 $\frac{7}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3
	59N3515PUFW36	Wood	\$ 2270	34 $\frac{7}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2
	59N3515PUFL36	Laminite	1449	34 $\frac{7}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2




- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 29" DEEP	59N2918PUFW36	Wood	\$ 2265	28 $\frac{7}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2918PUFL36	Laminite	1305	28 $\frac{7}{8}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0
	59N2915PUFW36	Wood	\$ 2136	28 $\frac{7}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1
	59N2915PUFL36	Laminite	1231	28 $\frac{7}{8}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 23" DEEP	59N2318PUFW36	Wood	\$ 2126	22 $\frac{1}{16}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2318PUFL36	Laminite	1231	22 $\frac{1}{16}$	17 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5
	59N2315PUFW36	Wood	\$ 2014	22 $\frac{1}{16}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0
	59N2315PUFL36	Laminite	1157	22 $\frac{1}{16}$	14 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:


1. Model Number
2. Ganging
3. Pull
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW39 LR 92PL CL
59N3518PUFL39 R 92PL 478 CW


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 35" DEEP	59N3518PUFW39 Wood	\$ 2399	34 $\frac{3}{8}$	18	27 $\frac{1}{16}$	—	—	105 lbs.	16.3
	59N3518PUFL39 Laminate	1530	34 $\frac{3}{8}$	18	27 $\frac{1}{16}$	—	—	105 lbs.	16.3
	59N3515PUFW39 Wood	\$ 2270	34 $\frac{3}{8}$	15	27 $\frac{1}{16}$	—	—	93 lbs.	14.2
	59N3515PUFL39 Laminate	1449	34 $\frac{3}{8}$	15	27 $\frac{1}{16}$	—	—	93 lbs.	14.2




- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 29" DEEP	59N2918PUFW39 Wood	\$ 2265	28 $\frac{3}{8}$	18	27 $\frac{1}{16}$	—	—	95 lbs.	14.0
	59N2918PUFL39 Laminate	1305	28 $\frac{3}{8}$	18	27 $\frac{1}{16}$	—	—	95 lbs.	14.0
	59N2915PUFW39 Wood	\$ 2136	28 $\frac{3}{8}$	15	27 $\frac{1}{16}$	—	—	88 lbs.	12.1
	59N2915PUFL39 Laminate	1234	28 $\frac{3}{8}$	15	27 $\frac{1}{16}$	—	—	88 lbs.	12.1



- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 23" DEEP	59N2318PUFW39 Wood	\$ 2126	22 $\frac{1}{16}$	18	27 $\frac{1}{16}$	—	—	81 lbs.	11.5
	59N2318PUFL39 Laminate	1231	22 $\frac{1}{16}$	18	27 $\frac{1}{16}$	—	—	81 lbs.	11.5
	59N2315PUFW39 Wood	\$ 2014	22 $\frac{1}{16}$	15	27 $\frac{1}{16}$	—	—	70 lbs.	10.0
	59N2315PUFL39 Laminate	1157	22 $\frac{1}{16}$	15	27 $\frac{1}{16}$	—	—	70 lbs.	10.0



- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518SESFRW CL

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
SUPPORT PEDESTAL	LEFT	RIGHT		D	W	H	A	KW				
 Left shown	59N3518SESFLW	59N3518SESFRW	Wood	\$	1539	35 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	108 lbs.	16.7
	59N3518SESFLL	59N3518SESFRL	Laminate		1120	35 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	108 lbs.	16.7
	59N3515SESFLW	59N3515SESFRW	Wood	\$	1456	35 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	14.5
	59N3515SESFLL	59N3515SESFRL	Laminate		1061	35 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	14.5
	59N2918SESFLW	59N2918SESFRW	Wood	\$	1449	28 ⁷ / ₈	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	14.2
	59N2918SESFLL	59N2918SESFRL	Laminate		1057	28 ⁷ / ₈	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	14.2
	59N2915SESFLW	59N2915SESFRW	Wood	\$	1366	28 ⁷ / ₈	14 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	12.4
	59N2915SESFLL	59N2915SESFRL	Laminate		994	28 ⁷ / ₈	14 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	12.4
	59N2318SESFLW	59N2318SESFRW	Wood	\$	1358	22 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	82 lbs.	11.7
	59N2318SESFLL	59N2318SESFRL	Laminate		988	22 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	82 lbs.	11.7
	59N2315SESFLW	59N2315SESFRW	Wood	\$	1283	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	72 lbs.	10.2
	59N2315SESFLL	59N2315SESFRL	Laminate		932	22 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	72 lbs.	10.2
• Standard with 1 fixed shelf • Specify component worksurfaces and backs to finish as needed • For use when creating single pedestal desks from components • Not intended for use in a freestanding application • Specify finish or laminate color only • Spacer blocks standard on pedestals and same color as pedestal • Must specify ganging option for correct placement of spacer blocks (L, R, or LR) • Line art indicates cord management through spacer block and top of pedestal												

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminated models)
6. Laminate Color (laminated models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N242475VSOWSRL 92PL KRS 488 792

- See pages 147-149 for all options available in Tessera

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WARDROBE/BOOKCASE FULL HEIGHT		LEFT	RIGHT			D	W	H	A	KW		
		59N242475VSOWSLGW	59N242475VSOWSRGW	Glass/Wood	\$ 7513	24½	24½	75	—	—	282 lbs.	35.7
		59N242475VSOWSLGL	59N242475VSOWSRGL	Glass/Lam	4827	24½	24½	75	—	—	282 lbs.	35.7
		59N242475VSOWSLW	59N242475VSOWSRW	Wood	6009	24½	24½	75	—	—	282 lbs.	35.7
		59N242475VSOWSLLW	59N242475VSOWSRLW	Lam/Wood	6189	24½	24½	75	—	—	282 lbs.	35.7
		59N242475VSOWSLL	59N242475VSOWSRL	Laminate	3577	24½	24½	75	—	—	282 lbs.	35.7
	Right shown	59N182475VSOWSLGW	59N182475VSOWSRGW	Glass/Wood	\$ 7284	18½	24½	75	—	—	90 lbs.	27.7
		59N182475VSOWSLGL	59N182475VSOWSRGL	Glass/Lam	4621	18½	24½	75	—	—	90 lbs.	27.7
		59N182475VSOWSLW	59N182475VSOWSRW	Wood	5781	18½	24½	75	—	—	90 lbs.	27.7
		59N182475VSOWSLLW	59N182475VSOWSRLW	Lam/Wood	5955	18½	24½	75	—	—	90 lbs.	27.7
		59N182475VSOWSLL	59N182475VSOWSRL	Laminate	3367	18½	24½	75	—	—	90 lbs.	27.7
	Right shown	59N242453VSOWSLGW	59N242453VSOWSRGW	Glass/Wood	\$ 6601	24½	24½	53	—	—	204 lbs.	25.9
		59N242453VSOWSLGL	59N242453VSOWSRGL	Glass/Lam	4247	24½	24½	53	—	—	204 lbs.	25.9
		59N242453VSOWSLW	59N242453VSOWSRW	Wood	5281	24½	24½	53	—	—	204 lbs.	25.9
		59N242453VSOWSLLW	59N242453VSOWSRLW	Lam/Wood	5439	24½	24½	53	—	—	204 lbs.	25.9
		59N242453VSOWSLL	59N242453VSOWSRL	Laminate	3146	24½	24½	53	—	—	204 lbs.	25.9
		59N182453VSOWSLGW	59N182453VSOWSRGW	Glass/Wood	\$ 6372	18½	24½	53	—	—	80 lbs.	20.1
		59N182453VSOWSLGL	59N182453VSOWSRGL	Glass/Lam	4041	18½	24½	53	—	—	80 lbs.	20.1
		59N182453VSOWSLW	59N182453VSOWSRW	Wood	5053	18½	24½	53	—	—	80 lbs.	20.1
		59N182453VSOWSLLW	59N182453VSOWSRLW	Lam/Wood	5203	18½	24½	53	—	—	80 lbs.	20.1
		59N182453VSOWSLL	59N182453VSOWSRL	Laminate	2937	18½	24½	53	—	—	80 lbs.	20.1

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 sliding door
- No pull on glass doors
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section; 1 lower section)
- 53" high wardrobes include 2 coat hooks and 1 shelf (lower section)

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N242475VWHLW 92PL KRS 792
59N242475VWHRL 92PL KRS 792 792


- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
WARDROBE FULL HEIGHT	LEFT	RIGHT										
	59N242475VWHLW	59N242475VWHRW Wood	\$ 4361	24½	24½	75	—	—			282 lbs.	35.7
	59N242475VWHLL	59N242475VWHRL Laminate	2335	24½	24½	75	—	—			282 lbs.	35.7
	59N242453VWHLW	59N242453VWHRW Wood	\$ 3856	24½	24½	53	—	—			204 lbs.	25.9
	59N242453VWHLL	59N242453VWHRL Laminate	2088	24½	24½	53	—	—			204 lbs.	25.9
	59N241875VWHLW	59N241875VWHRW Wood	\$ 4056	24½	18½	75	—	—			180 lbs.	28.3
	59N241875VWHLL	59N241875VWHRL Laminate	2059	24½	18½	75	—	—			180 lbs.	28.3
	59N241853VWHLW	59N241853VWHRW Wood	\$ 3554	24½	18½	53	—	—			123 lbs.	20.5
	59N241853VWHLL	59N241853VWHRL Laminate	1813	24½	18½	53	—	—			123 lbs.	20.5

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 hinged door
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section; 1 lower section)
- 53" high wardrobes include 2 coat hooks and 1 shelf (lower section)



Right shown



Right shown

TESSERA

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back
- Side access wardrobes have fully finished backs

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)


SAMPLE MODEL NUMBERS:

59N242453VWOW MH
59N242453VWOL NM

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WARDROBE FULL HEIGHT OPEN WITH SIDE ACCESS	59N242475VWOW	Wood	\$ 4249	24	23 ¹³ / ₁₆	74 ¹ / ₂	—	—	250 lbs.	33.7
	59N242475VWOL	Laminate	2224	24	23 ¹³ / ₁₆	74 ¹ / ₂	—	—	250 lbs.	33.7
	59N242453VWOW	Wood	\$ 3746	24	23 ¹³ / ₁₆	52 ¹ / ₈	—	—	200 lbs.	24.4
	59N242453VWOL	Laminate	1979	24	23 ¹³ / ₁₆	52 ¹ / ₈	—	—	200 lbs.	24.4
	59N241875VWOW	Wood	\$ 3945	24	17 ¹⁵ / ₁₆	74 ¹ / ₂	—	—	180 lbs.	26.7
	59N241875VWOL	Laminate	1948	24	17 ¹⁵ / ₁₆	74 ¹ / ₂	—	—	180 lbs.	26.7
	59N241853VWOW	Wood	\$ 3442	24	17 ¹⁵ / ₁₆	52 ¹ / ₈	—	—	123 lbs.	19.3
	59N241853VWOL	Laminate	1702	24	17 ¹⁵ / ₁₆	52 ¹ / ₈	—	—	123 lbs.	19.3
	59N182475VWOW	Wood	\$ 3945	17 ¹⁵ / ₁₆	24	74 ¹ / ₂	—	—	90 lbs.	25.9
	59N182475VWOL	Laminate	1948	17 ¹⁵ / ₁₆	24	74 ¹ / ₂	—	—	90 lbs.	25.9
	59N182453VWOW	Wood	\$ 3442	17 ¹⁵ / ₁₆	24	52 ¹ / ₈	—	—	80 lbs.	18.8
	59N182453VWOL	Laminate	1702	17 ¹⁵ / ₁₆	24	52 ¹ / ₈	—	—	80 lbs.	18.8
	59N181875VWOW	Wood	\$ 3834	17 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	74 ¹ / ₂	—	—	70 lbs.	20.5
	59N181875VWOL	Laminate	1838	17 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	74 ¹ / ₂	—	—	70 lbs.	20.5
	59N181853VWOW	Wood	\$ 3332	17 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	52 ¹ / ₈	—	—	65 lbs.	14.9
	59N181853VWOL	Laminate	1590	17 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	52 ¹ / ₈	—	—	65 lbs.	14.9

- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section, 1 lower section)
- 59" high wardrobes include 2 coat hooks and 1 shelf (lower section)



PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2436LFF2W 92PL KRS PT
59N2436LFF2L 92PL KRS 478

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE 2 DRAWER 	59N2436LFF2W Wood	\$ 3562	24	36 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	121 lbs.	21.0
	59N2436LFF2L Laminate	2137	24	36 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	121 lbs.	21.0
	59N2430LFF2W Wood	\$ 3387	24	30 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	104 lbs.	18.0
	59N2430LFF2L Laminate	2030	24	30 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	104 lbs.	18.0
	• Interlock mechanism allows only 1 drawer to be open at a time • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Do not specify grommet								
LATERAL FILE - UNDERSURFACE 2 DRAWER 	59N2336LFU2FW Wood	\$ 2657	22 $\frac{1}{16}$	35 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
	59N2336LFU2FL Laminate	1348	22 $\frac{1}{16}$	35 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
	59N2330LFU2FW Wood	\$ 2449	22 $\frac{1}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	101 lbs.	17.4
	59N2330LFU2FL Laminate	1312	22 $\frac{1}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	101 lbs.	17.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE - MODULAR 3 DRAWER 	59N2436LFM3W Wood	\$ 4793	23 $\frac{1}{16}$	35 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
	59N2436LFM3L Laminate	2811	23 $\frac{1}{16}$	35 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
	59N2430LFM3W Wood	\$ 4552	23 $\frac{1}{16}$	29 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
	59N2430LFM3L Laminate	2649	23 $\frac{1}{16}$	29 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE - MODULAR 4 DRAWER 	59N2436LFM4W Wood	\$ 5571	23 $\frac{1}{16}$	35 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
	59N2436LFM4L Laminate	3245	23 $\frac{1}{16}$	35 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
	59N2430LFM4W Wood	\$ 5290	23 $\frac{1}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
	59N2430LFM4L Laminate	3048	23 $\frac{1}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

PRODUCT SPECIFICATIONS



- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3627MPW CW
• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY/BACK PANEL LATERAL FILE 	59N3627MPW	Wood	\$ 563	¾	35¾	26⅞	—	—	24 lbs.	2.1
	59N3627MPL	Laminate	252	¾	35¾	26⅞	—	—	24 lbs.	2.1
	59N3027MPW	Wood	\$ 518	¾	29¾	26⅞	—	—	21 lbs.	1.8
	59N3027MPL	Laminate	224	¾	29¾	26⅞	—	—	21 lbs.	1.8
	• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									
MODESTY/BACK PANEL LATERAL FILE 	59N3627MPVL	Laminate	\$ 252	¾	35¾	26⅞	—	—	24 lbs.	2.1
	59N3027MPVL	Laminate	224	¾	29¾	26⅞	—	—	21 lbs.	1.8
	• Grain direction runs vertically									

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- 27" modesty panels are used as support bases

TO ORDER, SPECIFY:


- Model Number
- Laminate Color (laminate models)
- Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:


59N6927MPW CL
59N6927MPL 478

- See pages 147-149 for all options available in Tessera


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 1 SUPPORT BASE 	59N6927MPW	Wood	\$ 762	¾"	68½"	27"	—	—	31 lbs.	2.6
	59N6927MPL	Laminate	392	¾"	68½"	27"	—	—	31 lbs.	2.6
	59N6327MPW	Wood	\$ 717	¾"	62½"	27"	—	—	24 lbs.	2.0
	59N6327MPL	Laminate	372	¾"	62½"	27"	—	—	30 lbs.	2.5
	59N5727MPW	Wood	\$ 675	¾"	56½"	27"	—	—	16 lbs.	1.5
	59N5727MPL	Laminate	342	¾"	56½"	27"	—	—	23 lbs.	2.0
- Modesty panel is mounted on the inside of the base leg - Modesty panel is used with 1 slab base or support base U-style and the other side is mounted to the wall - Reference pages 264-265 for support bases - Reference pages 180 and 244 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall - Any laminate modesty over 60" will be horizontal grain direction										

MODESTY PANEL
WORKSURFACE HEIGHT FOR
USE WITH 1 SUPPORT BASE


59N5727MPVL	Laminate	\$ 342	¾"	56½"	27"	—	—	23 lbs.	2.0
- Grain direction runs vertically - Modesty panel is mounted on the inside of the base leg - Modesty panel is used with 1 slab base or support base U-style and the other side is mounted to the wall - Reference pages 264-265 for support bases - Reference pages 180 and 244 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall									

MODESTY PANEL
WORKSURFACE HEIGHT FOR
USE WITH 2 SUPPORT BASES


59N6527MPW	Wood	\$ 762	¾"	65"	27"	—	—	31 lbs.	2.6
59N6527MPL	Laminate	393	¾"	65"	27"	—	—	31 lbs.	2.6
59N5927MPW	Wood	\$ 717	¾"	59"	27"	—	—	23 lbs.	2.0
59N5927MPL	Laminate	363	¾"	59"	27"	—	—	23 lbs.	2.0
59N5327MPW	Wood	\$ 650	¾"	53½"	27"	—	—	21 lbs.	1.8
59N5327MPL	Laminate	342	¾"	53½"	27"	—	—	21 lbs.	1.8
- Modesty panel is used with 2 slab bases or metal U bases - Reference pages 264-265 for support bases - Modesty panel is mounted between the base legs									

MODESTY PANEL
WORKSURFACE HEIGHT FOR
USE WITH 2 SUPPORT BASES


59N5927MPVL	Laminate	\$ 363	¾"	59"	27"	—	—	23 lbs.	2.0
59N5327MPVL	Laminate	342	¾"	53½"	27"	—	—	21 lbs.	1.8
- Grain direction runs vertically - Modesty panel is used with 2 slab bases or metal U bases - Reference pages 264-265 for support bases - Modesty panel is mounted between the base legs									

TESSERA

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N7226MPW CL
59N7226MPL 478

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT	59N7226MPW	Wood	\$ 783	¾	71⅞	26	—	—	44 lbs.	3.9
	59N7226MPL	Laminate	414	¾	71⅞	26	—	—	44 lbs.	3.9
	59N6626MPW	Wood	\$ 740	¾	65⅞	26	—	—	41 lbs.	3.6
	59N6626MPL	Laminate	393	¾	65⅞	26	—	—	41 lbs.	3.6
	59N6026MPW	Wood	\$ 695	¾	59⅞	26	—	—	38 lbs.	3.3
	59N6026MPL	Laminate	363	¾	59⅞	26	—	—	38 lbs.	3.3

- Full overlay modesty to be used on worksurface height storage
- Modesty height allows a 1⅝" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Any laminate modesty over 60" will be horizontal grain direction

MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT	59N6026MPVL	Laminate	\$ 363	¾	59⅞	26	—	—	38 lbs.	3.3
--	-------------	----------	--------	---	-----	----	---	---	---------	-----

- Grain direction runs vertically
- Full overlay modesty to be used on worksurface height storage
- Modesty height allows a 1⅝" gap between the modesty and worksurface to show the recessed façade on the pedestals

MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT	59N6026MPKW	Wood	\$ 695	¾	59⅞	26	—	—	38 lbs.	3.3
	59N6026MPKL	Laminate	363	¾	59⅞	26	—	—	38 lbs.	3.3
	59N4826MPKW	Wood	\$ 608	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4826MPKL	Laminate	320	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4226MPKW	Wood	\$ 589	¾	41⅞	26	—	—	29 lbs.	2.4
	59N4226MPKL	Laminate	284	¾	41⅞	26	—	—	29 lbs.	2.4

59N3626MPKW	Wood	\$ 564	¾	35⅞	26	—	—	24 lbs.	2.1
59N3626MPKL	Laminate	252	¾	35⅞	26	—	—	24 lbs.	2.1
59N3026MPKW	Wood	\$ 518	¾	29⅞	26	—	—	21 lbs.	1.8
59N3026MPKL	Laminate	225	¾	29⅞	26	—	—	21 lbs.	1.8

- Grain direction runs vertically
- Modesty height allows a 1⅝" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:


- Model Number
- Laminate Color (laminate models)
- Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:


59N6913MPW CL
59N6913MPL 478

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT	59N6026MPKVL Laminate	\$ 363	¾	59⅞	26	—	—	38 lbs.	3.3
	59N4826MPKVL Laminate	320	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4226MPKVL Laminate	284	¾	41⅞	26	—	—	29 lbs.	2.4
	59N3626MPKVL Laminate	252	¾	35⅞	26	—	—	24 lbs.	2.1
	59N3026MPKVL Laminate	225	¾	29⅞	26	—	—	21 lbs.	1.8




- Grain direction runs vertically
- Modesty height allows a 1⅞" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet

**MODESTY PANEL
PARTIAL HEIGHT
FOR SINGLE PEDESTAL UNIT**


59N6913MPW Wood	\$ 639	¾	68⅞	13	—	—	12 lbs.	1.1
59N6913MPL Laminate	348	¾	68⅞	13	—	—	12 lbs.	1.1
59N5713MPW Wood	\$ 564	¾	56⅞	13	—	—	12 lbs.	1.1
59N5713MPL Laminate	298	¾	56⅞	13	—	—	12 lbs.	1.1
59N5113MPW Wood	\$ 503	¾	50⅞	13	—	—	11 lbs.	1.0
59N5113MPL Laminate	272	¾	50⅞	13	—	—	11 lbs.	1.0
59N4513MPW Wood	\$ 479	¾	44¾	13	—	—	10 lbs.	0.9
59N4513MPL Laminate	251	¾	44¾	13	—	—	10 lbs.	0.9
59N3913MPW Wood	\$ 454	¾	38¾	13	—	—	10 lbs.	0.9
59N3913MPL Laminate	222	¾	38¾	13	—	—	10 lbs.	0.9
59N3313MPW Wood	\$ 441	¾	32¾	13	—	—	8 lbs.	0.7
59N3313MPL Laminate	199	¾	32¾	13	—	—	8 lbs.	0.7

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Used in conjunction with 1 15" pedestal

**MODESTY PANEL
PARTIAL HEIGHT
FOR SINGLE PEDESTAL UNIT**


59N5713MPVL Laminate	\$ 298	¾	56⅞	13	—	—	12 lbs.	1.1
59N5113MPVL Laminate	272	¾	50⅞	13	—	—	11 lbs.	1.0
59N4513MPVL Laminate	251	¾	44¾	13	—	—	10 lbs.	0.9
59N3913MPVL Laminate	222	¾	38¾	13	—	—	10 lbs.	0.8
59N3313MPVL Laminate	199	¾	32¾	13	—	—	8 lbs.	0.7

- Grain direction runs vertically
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Used in conjunction with 1 15" pedestal

TESSERA

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

- Model Number
- Laminate Color (laminate models)
- Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:


59N6013MPW CL
59N6013MPL 478

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT 	59N6013MPW	Wood	\$ 567	¾	59%	13	—	—	13 lbs.	1.2
	59N6013MPL	Laminate	320	¾	59%	13	—	—	13 lbs.	1.2
	59N5413MPW	Wood	\$ 519	¾	53%	13	—	—	12 lbs.	1.1
	59N5413MPL	Laminate	293	¾	53%	13	—	—	12 lbs.	1.1
	59N4813MPW	Wood	\$ 494	¾	47%	13	—	—	11 lbs.	1.0
	59N4813MPL	Laminate	263	¾	47%	13	—	—	11 lbs.	1.0
	59N4213MPW	Wood	\$ 469	¾	41%	13	—	—	10 lbs.	0.9
	59N4213MPL	Laminate	237	¾	41%	13	—	—	10 lbs.	0.9
	59N3613MPW	Wood	\$ 449	¾	35 ¹ / ₁₆	13	—	—	8 lbs.	0.7
	59N3613MPL	Laminate	207	¾	35 ¹ / ₁₆	13	—	—	8 lbs.	0.7
	59N3013MPW	Wood	\$ 425	¾	29 ¹ / ₁₆	13	—	—	7 lbs.	0.6
	59N3013MPL	Laminate	182	¾	29 ¹ / ₁₆	13	—	—	7 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area

MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT



59N6013MPVL	Laminate	\$ 320	¾	59%	13	—	—	13 lbs.	1.2
59N5413MPVL	Laminate	293	¾	53%	13	—	—	12 lbs.	1.1
59N4813MPVL	Laminate	263	¾	47%	13	—	—	11 lbs.	1.0
59N4213MPVL	Laminate	237	¾	41%	13	—	—	10 lbs.	0.9
59N3613MPVL	Laminate	207	¾	35 ¹ / ₁₆	13	—	—	8 lbs.	0.7
59N3013MPVL	Laminate	182	¾	29 ¹ / ₁₆	13	—	—	7 lbs.	0.6

- Grain direction runs vertically
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware
- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell




TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N1827MPW CL
59N1827MPL 478

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY/BACK PANEL PEDESTAL 	59N1827MPW	Wood	\$ 496	¾	17⅞	26	—	—	14 lbs.	1.1
	59N1827MPL	Laminate	191	¾	17⅞	26	—	—	14 lbs.	1.1
	59N1527MPW	Wood	\$ 488	¾	14⅞	26	—	—	13 lbs.	1.0
	59N1527MPL	Laminate	168	¾	14⅞	26	—	—	13 lbs.	1.0
MODESTY/BACK PANEL PEDESTAL 	59N1827MPVL	Laminate	\$ 228	¾	17⅞	26	—	—	14 lbs.	1.1
	59N1527MPVL	Laminate	207	¾	14⅞	26	—	—	13 lbs.	1.0
• Grain direction runs vertically										
END PANEL (WORKSURFACE HEIGHT) 	59N3528EPW	Wood	\$ 750	35⅞	1⅞	27¾	—	—	35 lbs.	1.9
	59N3528EPL	Laminate	411	35⅞	1⅞	27¾	—	—	35 lbs.	1.9
	59N2928EPW	Wood	\$ 679	29⅞	1⅞	27¾	—	—	30 lbs.	1.7
	59N2928EPL	Laminate	354	29⅞	1⅞	27¾	—	—	30 lbs.	1.7
	59N2328EPW	Wood	\$ 660	22⅞	1⅞	27¾	—	—	25 lbs.	1.3
	59N2328EPL	Laminate	321	22⅞	1⅞	27¾	—	—	25 lbs.	1.3
	59N1728EPW	Wood	\$ 618	17⅞	1⅞	27¾	—	—	23 lbs.	1.1
	59N1728EPL	Laminate	301	17⅞	1⅞	27¾	—	—	23 lbs.	1.1
• End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modesty panels are recommended when building a shell unit										
FILLER STRIP WORKSURFACE HEIGHT 	59N28CPFSW	Wood	\$ 148	¾	2⅞	27⅞	—	—	5 lbs.	1.4
	59N28CPFSL	Laminate	117	¾	2⅞	27⅞	—	—	5 lbs.	1.4
• When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths										
SUPPORT PANEL (WORKSURFACE HEIGHT) 	59N1228SSW	Wood	\$ 456	11⅞	1⅞	27¾	—	—	15 lbs.	0.8
	59N1228SSL	Laminate	168	11⅞	1⅞	27¾	—	—	15 lbs.	0.8
• For use as added support										

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware
- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)




SAMPLE MODEL NUMBERS:

59N3628PNBW CL
59N3628PNBL 478

- See pages 147-149 for all options available in Tessera



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT PANEL U-STYLE 	NAC1228UBC Concrete	\$ 567	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBB Cinder	567	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBI Iron	567	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBS Platinum Metallic	567	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBN Satin Nickel Metallic	567	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBH Designer White	567	1½	12	28	—	—	12 lbs.	3.1
	• For use as added support • Adjustable glides are standard • Specify model number only • Metal mounting plate attached to support panel								
UNDERSURFACE SUPPORT RAIL (WORKSURFACE) 	QNAC0248SUR	\$ 274	2¾	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2¾	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	235	2¾	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2¾	36	1	—	—	3 lbs.	0.3
	• Specify model number only • Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1½" worksurface and greater than 60" on a 1¾" worksurface • Specify the 36" model to be used up to 66" worksurfaces • Specify the 48" model to be used up to 72" worksurfaces • Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces • Rails are bulk packed per order. The pack may contain both sizes of rails								
SLAB BASE 	59N3628PNBW Wood	\$ 880	1¾	36	27½	—	—	37 lbs.	2.0
	59N3628PNBL Laminate	705	1¾	36	27½	—	—	37 lbs.	2.0
	59N3028PNBW Wood	\$ 843	1¾	30	27½	—	—	31 lbs.	1.7
	59N3028PNBL Laminate	675	1¾	30	27½	—	—	31 lbs.	1.7
	59N2428PNBW Wood	\$ 804	1¾	24	27½	—	—	28 lbs.	1.5
	59N2428PNBL Laminate	644	1¾	24	27½	—	—	28 lbs.	1.5
	59N2028PNBW Wood	\$ 766	1¾	20	27½	—	—	24 lbs.	1.3
	59N2028PNBL Laminate	613	1¾	20	27½	—	—	24 lbs.	1.3
	• For use with a Tessera component worksurface								

PRODUCT SPECIFICATIONS

- Hardware sent with legs
- See Casegoods Book 2 Price List for optional "U" base to be used as support for 20" depth worksurfaces (see example on page 243 in Tessera)




TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminated models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N0228ABW 501
59N3005SEPW CL

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SLANT LEG TAPER BASE	59N0228ABW	Wood	\$ 1827	1½	3	27½	—	—	30 lbs.	1.3
	59N0229ABW	Wood	1827	1½	3	28½	—	—		
	• Select finish or paint color • Leg width is 3" at the top and tapers down to 1½" at the bottom • Comes as a set of 2 • Intended for use with worksurfaces that are 36" x 72" and smaller • Specify 29" high leg when using 2 worksurfaces on top of each other									
CREDENZA BRIDGE SUPPORT	59N3005SEPW	Wood	\$ 580	29½	1¾	4¾	—	—	18 lbs.	0.8
	59N3005SEPL	Laminate	267	29½	1¾	4¾	—	—	18 lbs.	0.8
	59N2405SEPW	Wood	\$ 539	23½	1¾	4¾	—	—	16 lbs.	0.7
	59N2405SEPL	Laminate	222	23½	1¾	4¾	—	—	16 lbs.	0.7
	59N2005SEPW	Wood	\$ 502	19½	1¾	4¾	—	—	11 lbs.	0.7
	59N2005SEPL	Laminate	207	19½	1¾	4¾	—	—	11 lbs.	0.7
	• Some assembly required • Specify with worksurfaces when overlapping 23" height credenza storage, sits on storage and supports overlapping worksurfaces • Not to be used with modesty panels									
BENCH BRIDGE SUPPORT	59N3013SEPW	Wood	\$ 598	29½	1¾	12¾	—	—	27 lbs.	1.2
	59N3013SEPL	Laminate	283	29½	1¾	12¾	—	—	27 lbs.	1.2
	59N2413SEPW	Wood	\$ 554	23½	1¾	12¾	—	—	22 lbs.	1.0
	59N2413SEPL	Laminate	238	23½	1¾	12¾	—	—	22 lbs.	1.0
	59N2013SEPW	Wood	\$ 519	19½	1¾	12¾	—	—	14 lbs.	0.9
	59N2013SEPL	Laminate	219	19½	1¾	12¾	—	—	14 lbs.	0.9
	• Some assembly required • Specify with worksurfaces when overlapping bench credenza storage, sits on storage and supports overlapping worksurfaces • Not to be used with modesty panels									

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC18TLDBPUS

• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		

ELEMENT LED DESKTOP LIGHT

NAC18TLDBPUS Task Light w/Desktop Base, Plug/USB, Silver

\$ 1401

14

—


14

—

—

3 lbs.

0.7



- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT

NAC18TLDBUH Task Light w/Desktop Base, USB, white

\$ 784

11½

7½

18¾

—

—

10 lbs.

1.2




- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed

LED LIGHT KITS


NACLTKA1 Light Kit 1 (for larger walls) \$ 1228

NACLTKA2 Light Kit 2 (for smaller walls) 731


NACLTKA3 Light Kit 3 (for shelf only, to turn on) 202



Light strip



LED driver



Rocker switch

- LED light kits can be added to the back side of the wall panels
- Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice
- Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice
- Kit 2 will work for any reception size
- Kit 3 includes 1 driver and 1 rocker switch
- Kit 3 driver has 6 ports where up to 6 shelves can be linked together in one driver. It will be dependent upon the location of the shelves and the driver and the limitations of the length of the cord how many shelves can be plugged into one driver
- Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall
- Kit 1 will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall
- Kit 2 will accommodate all sizes smaller than what requires Kit 1
- Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed
- Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2
- The driver 12v lead cable is 78¾"
- The 2 prong US power cord that comes with the light is 78¾"
- The rocker switch cable is 72"

NACLTMDD Light Multi-Driver (used when ganging together 2 kits) \$ 46

- Required when ganging 2 light kits together

NACLTSPLA 5m Spool of Lights \$ 487

- Additional light strip when an additional light kit is not needed

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Leather Color

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008
• See pages 147-149 for all options available in Tessera

WIRE MANAGEMENT LEATHER STRAP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
			DI	H						
	NAC06WMSTF	\$ 88	1¼	6					5 lbs.	0.5
	• Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo • Sold in a quantity of 1									



WIRE MANAGEMENT
LEATHER SLEEVE



NAC28WMSLF	For Worksurface Height	\$ 208	28
NAC34WMSLF	For Counter Height	222	34
NAC40WMSLF	For Bar Height	237	40
• Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo • Sold in quantity of 1			

TESSERA

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box






TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N24ENRDW 501 MH
59N24ENRDLW 501 MH

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TESSERA END TABLE  	ROUND								
	59N24ENRDW Wood	\$ 2382	24	24	23¾	—	—	83 lbs.	14.2
	59N24ENRDLW Laminate	2029	24	24	23¾	—	—	83 lbs.	14.2
	SQUARE								
	59N2424ENSQW Wood	\$ 2546	24	24	23¾	—	—	55 lbs.	14.2
	59N2424ENSQW Laminate	2190	24	24	23¾	—	—	55 lbs.	14.2
	• No grommet cutouts available • 1¾" thick top								
TESSERA COFFEE TABLE  	ROUND								
	59N36MGRDW Wood	\$ 2772	36¾	36¾	16¾	—	—	55 lbs.	21.6
	59N36MGRDLW Laminate	2415	36¾	36¾	16¾	—	—	55 lbs.	21.6
	SQUARE								
	59N3636MGSQW Wood	\$ 2932	36¾	36¾	16¾	—	—	65 lbs.	21.6
	59N3636MGSQW Laminate	2578	36¾	36¾	16¾	—	—	65 lbs.	21.6
	• No grommet cutouts available • 1¾" thick top								
TESSERA MAGAZINE TABLE 	59N2448MGW Wood	\$ 2772	24	48	16¾	—	—	77 lbs.	19.7
	59N2448MGLW Laminate	2415	24	48	16¾	—	—	77 lbs.	19.7
	• No grommet cutouts available • 1¾" thick top								

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See pages 271-272 for coordinating benches


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N6012029TRTW X 501 MH
59N6012029TRLW X 501 MH

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CONFERENCE TABLE WORKSURFACE HEIGHT	59N6012029TRTW	Wood	\$ 9492	60	120	28½	—	—	309 lbs.	25.2
	59N6012029TRLW	Laminate	9072	60	120	28½	—	—	309 lbs.	25.2
	59N6010829TRTW	Wood	\$ 9401	60	108	28½	—	—	281 lbs.	22.8
	59N6010829TRLW	Laminate	8529	60	108	28½	—	—	281 lbs.	22.8
	59N609629TRTW	Wood	\$ 9180	60	96	28½	—	—	252 lbs.	20.4
	59N609629TRLW	Laminate	8354	60	96	28½	—	—	252 lbs.	20.4
	59N608429TRTW	Wood	\$ 7129	60	84	28½	—	—	222 lbs.	18.0
	59N608429TRLW	Laminate	6296	60	84	28½	—	—	222 lbs.	18.0
	59N607229TRTW	Wood	\$ 6922	60	72	28½	—	—	194 lbs.	15.6
	59N607229TRLW	Laminate	5990	60	72	28½	—	—	194 lbs.	15.6
	59N5412029TRTW	Wood	\$ 9062	54	120	28½	—	—	283 lbs.	22.9
	59N5412029TRLW	Laminate	8688	54	120	28½	—	—	283 lbs.	22.9
	59N5410829TRTW	Wood	\$ 8983	54	108	28½	—	—	257 lbs.	20.7
	59N5410829TRLW	Laminate	8203	54	108	28½	—	—	257 lbs.	20.7
	59N549629TRTW	Wood	\$ 8784	54	96	28½	—	—	230 lbs.	18.5
	59N549629TRLW	Laminate	8046	54	96	28½	—	—	230 lbs.	18.5
	59N548429TRTW	Wood	\$ 6757	54	84	28½	—	—	202 lbs.	16.4
	59N548429TRLW	Laminate	6014	54	84	28½	—	—	202 lbs.	16.4
	59N547229TRTW	Wood	\$ 6572	54	72	28½	—	—	176 lbs.	14.2
	59N547229TRLW	Laminate	5740	54	72	28½	—	—	176 lbs.	14.2
• Regulation ping pong size 60"x108" • Apron rail color will match specified leg color • 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs • See wire managers page 267 • See grommets page 150										

TESSERA

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See pages 271-272 for coordinating benches


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812029TRTW X 501 PT
59N4812029TRLW X 501 PT

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CONFERENCE TABLE WORKSURFACE HEIGHT 	59N4812029TRTW	Wood	\$ 8679	48	120	28½	—	—	258 lbs.	20.6
	59N4812029TRLW	Laminate	8346	48	120	28½	—	—	258 lbs.	20.6
	59N4810829TRTW	Wood	\$ 8609	48	108	28½	—	—	233 lbs.	18.7
	59N4810829TRLW	Laminate	7910	48	108	28½	—	—	233 lbs.	18.7
	59N489629TRTW	Wood	\$ 8432	48	96	28½	—	—	208 lbs.	16.7
	59N489629TRLW	Laminate	7773	48	96	28½	—	—	208 lbs.	16.7
	59N488429TRTW	Wood	\$ 6426	48	84	28½	—	—	183 lbs.	14.7
	59N488429TRLW	Laminate	5762	48	84	28½	—	—	183 lbs.	14.7
	59N487229TRTW	Wood	\$ 6260	48	72	28½	—	—	157 lbs.	12.8
	59N487229TRLW	Laminate	5517	48	72	28½	—	—	157 lbs.	12.8
	59N4212029TRTW	Wood	\$ 8442	42	120	28½	—	—	228 lbs.	18.4
	59N4212029TRLW	Laminate	7598	42	120	28½	—	—	228 lbs.	18.4
	59N4210829TRTW	Wood	\$ 8275	42	108	28½	—	—	206 lbs.	16.6
	59N4210829TRLW	Laminate	7477	42	108	28½	—	—	206 lbs.	16.6
	59N429629TRTW	Wood	\$ 8115	42	96	28½	—	—	184 lbs.	14.4
	59N429629TRLW	Laminate	7365	42	96	28½	—	—	184 lbs.	14.4
	59N428429TRTW	Wood	\$ 6130	42	84	28½	—	—	161 lbs.	13.1
	59N428429TRLW	Laminate	5423	42	84	28½	—	—	161 lbs.	13.1
	59N427229TRTW	Wood	\$ 5982	42	72	28½	—	—	139 lbs.	11.4
	59N427229TRLW	Laminate	5318	42	72	28½	—	—	139 lbs.	11.4

• Regulation ping pong size 60"x108"
 • Apron rail color will match specified leg color
 • 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
 • See wire managers page 267
 • See grommets page 150

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same carton

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Textile Grade/Color
4. Wood or Laminate Color

SAMPLE MODEL NUMBER:

59N1872BN1F 501 L8 82008

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED CUBIC	
					D	W	H	A	KW	WEIGHT	FEET
BENCH	59N1872BN1W	Wood	\$ 3552		18½	72	17½	—	—	69 lbs.	5.2
	59N1872BN1L	Laminate	3477		18½	72	17½	—	—	69 lbs.	5.2
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
	59N1872BN1F	Textile	\$ 3773	3831	3858	3899	3946	4026	4131	4631	4791



ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3871	3931	3978	4027	4082	4139	4187	4247	4306	4367
	K	L	M	N	O	P	Q	R	S	T
\$	4458	4647	4763	4824	4885	4946	5007	5066	5127	5186

59N1860BN1W	Wood	\$ 3256		18½	60	17½	—	—	62 lbs.	4.4
59N1860BN1L	Laminate	3181		18½	60	17½	—	—	62 lbs.	4.4
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1860BN1F	Textile	\$ 3477	3535	3562	3603	3650	3730	3835	4335	4495

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3575	3635	3682	3731	3786	3843	3891	3951	4010	4071
	K	L	M	N	O	P	Q	R	S	T
\$	4162	4351	4467	4528	4589	4650	4711	4770	4831	4890

59N1854BN1W	Wood	\$ 2959		18½	54	17½	—	—	55 lbs.	4.0
59N1854BN1L	Laminate	2885		18½	54	17½	—	—	55 lbs.	4.0
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1854BN1F	Textile	\$ 3181	3239	3266	3307	3354	3434	3539	4039	4199

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3279	3339	3386	3435	3490	3547	3595	3655	3714	3775
	K	L	M	N	O	P	Q	R	S	T
\$	3866	4055	4171	4232	4293	4354	4415	4474	4535	4594

- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (2 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)
- Apron rail color will match specified leg color
- Refer to the Surface Materials Reference Guide for available seating textile options

TESSERA

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same carton


TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Textile Grade/Color
4. Wood or Laminate Color

SAMPLE MODEL NUMBER:

59N1848BN1F 501 L8 82008
• See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION					LIST	DIMENSIONS			CARTONED	CUBIC		
						PRICE	D	W	H			A	KW
 BENCH (CONTINUED)	59N1848BN1W	Wood				\$ 2812	18½	48	17½	—	—	49 lbs.	3.6
	59N1848BN1L	Laminate				2738	18½	48	17½	—	—	49 lbs.	3.6
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8		
	59N1848BN1F	Textile	\$ 3033	3062	3075	3096	3119	3159	3212	3462	3542		



ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3082	3112	3135	3160	3187	3216	3240	3270	3299	3330
	K	L	M	N	O	P	Q	R	S	T
\$	3375	3470	3528	3559	3589	3619	3650	3679	3710	3739

59N1842BN1W	Wood			\$ 2664	18½	42	17½	—	—	42 lbs.	3.2
59N1842BN1L	Laminate			2590	18½	42	17½	—	—	42 lbs.	3.2
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
59N1842BN1F	Textile	\$ 2885	2914	2927	2948	2971	3011	3064	3314	3394	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2934	2964	2987	3012	3039	3068	3092	3122	3151	3182
	K	L	M	N	O	P	Q	R	S	T
\$	3227	3322	3380	3411	3441	3471	3502	3531	3562	3591

- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (2 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)
- Apron rail color will match specified leg color
- Refer to the Surface Materials Reference Guide for available seating textile options

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See pages 271-272 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812041TRTW X 501 PT
59N4812041TRLW X 501 PT

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
CONFERENCE TABLE BAR HEIGHT	59N4812041TRTW	Wood	\$ 14582	48	119%	41			561 lbs.	20.6
	59N4812041TRLW	Laminate	14019	48	119%	41			561 lbs.	20.6
	59N4810841TRTW	Wood	\$ 14464	48	107%	41			525 lbs.	22.3
	59N4810841TRLW	Laminate	13291	48	107%	41			525 lbs.	22.3
	59N489641TRTW	Wood	\$ 14166	48	95%	41			488 lbs.	20.4
	59N489641TRLW	Laminate	13059	48	95%	41			488 lbs.	20.4
	59N488441TRTW	Wood	\$ 10797	48	84	41			452 lbs.	14.7
	59N488441TRLW	Laminate	9679	48	84	41			452 lbs.	14.7
	59N487241TRTW	Wood	\$ 10516	48	72	41			416 lbs.	12.8
	59N487241TRLW	Laminate	9270	48	72	41			416 lbs.	12.8
	59N4212041TRTW	Wood	\$ 14183	42	119%	41			527 lbs.	18.4
	59N4212041TRLW	Laminate	12766	42	119%	41			527 lbs.	18.4
	59N4210841TRTW	Wood	\$ 13904	42	107%	41			494 lbs.	19.9
	59N4210841TRLW	Laminate	12563	42	107%	41			494 lbs.	19.9
	59N429641TRTW	Wood	\$ 13636	42	95%	41			460 lbs.	18.1
	59N429641TRLW	Laminate	12375	42	95%	41			460 lbs.	18.1
	59N428441TRTW	Wood	\$ 10299	42	84	41			424 lbs.	13.1
	59N428441TRLW	Laminate	9111	42	84	41			424 lbs.	13.1
	59N427241TRTW	Wood	\$ 10051	42	72	41			400 lbs.	11.4
	59N427241TRLW	Laminate	8937	42	72	41			400 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See page 267.
- If specifying G17 grommet, a braided cord is available. See Tables price list.
- See wire managers page 267
- See grommets page 150

TESSERA

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See pages 271-272 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812035TRTW X 501 PT
59N4812035TRLW X 501 PT

- See pages 147-149 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CONFERENCE TABLE COUNTER HEIGHT	59N4812035TRTW	Wood	\$ 13883	48	119%	34 ¹ / ₁₆			514 lbs.	20.6
	59N4812035TRLW	Laminate	13351	48	119%	34 ¹ / ₁₆			514 lbs.	20.6
	59N4810835TRTW	Wood	\$ 13773	48	107%	34 ¹ / ₁₆			481 lbs.	18.7
	59N4810835TRLW	Laminate	12658	48	107%	34 ¹ / ₁₆			481 lbs.	18.7
	59N489635TRTW	Wood	\$ 13491	48	95%	34 ¹ / ₁₆			446 lbs.	20.4
	59N489635TRLW	Laminate	12438	48	95%	34 ¹ / ₁₆			446 lbs.	20.4
	59N488435TRTW	Wood	\$ 10282	48	84	34 ¹ / ₁₆			414 lbs.	14.7
	59N488435TRLW	Laminate	9217	48	84	34 ¹ / ₁₆			414 lbs.	14.7
	59N487235TRTW	Wood	\$ 10016	48	72	34 ¹ / ₁₆			400 lbs.	12.8
	59N487235TRLW	Laminate	8827	48	72	34 ¹ / ₁₆			400 lbs.	12.8
	59N4212035TRTW	Wood	\$ 13507	42	119%	34 ¹ / ₁₆			482 lbs.	18.4
	59N4212035TRLW	Laminate	12157	42	119%	34 ¹ / ₁₆			482 lbs.	18.4
	59N4210835TRTW	Wood	\$ 13241	42	107%	34 ¹ / ₁₆			451 lbs.	16.6
	59N4210835TRLW	Laminate	11962	42	107%	34 ¹ / ₁₆			451 lbs.	16.6
	59N429635TRTW	Wood	\$ 12986	42	95%	34 ¹ / ₁₆			419 lbs.	18.1
	59N429635TRLW	Laminate	11785	42	95%	34 ¹ / ₁₆			419 lbs.	18.1
	59N428435TRTW	Wood	\$ 9808	42	84	34 ¹ / ₁₆			387 lbs.	13.1
	59N428435TRLW	Laminate	8678	42	84	34 ¹ / ₁₆			387 lbs.	13.1
	59N427235TRTW	Wood	\$ 9572	42	72	34 ¹ / ₁₆			320 lbs.	11.4
	59N427235TRLW	Laminate	8510	42	72	34 ¹ / ₁₆			320 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See page 267.
- If specifying G17 grommet, a braided cord is available. See Tables price list.
- See wire managers page 267
- See grommets page 150

EXHIBIT

WALL RAIL SOLUTION

Product Specifications	276
Production Options	277
Product Overview	279
Application Guidelines	280
Product Pages	281

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE


- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible vinyl trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in textile, see page 277 for textile options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer and laminate organizer shelf inserts

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or textile
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

WORK TOOLS (METAL)

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush
G2006	Brick Red
G2003	Chive
G2002	Dark Blue
G2008	Eucalyptus
G2012	Ginkgo
G2007	Lavender Ash

END TRIM/END CAP PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

G2001	Moon Beam
G2010	Naval
G2013	Olive Branch
G2011	Rustic Sun
G2005	Sangria
G2009	Tidewater


TACK BOARD INSERT/TRIM CHANNEL VERTICAL TEXTILE OPTIONS

Grade AA Lea	Grade A Compose Crossroads Dune Fusion Infuse	Merge Mykel Plinth Repetition Tapestry	Grade B Frenzied Fuse Linen Lyko	Pact Prose Savile
			COM (Grade B)	

EXHIBIT TV MOUNT INSERT OPTIONS

TS	Single TV Mount, Front
TD	Dual TV Mount, Front (\$998 list upcharge)

EXHIBIT COMPONENTS



SH6 ORGANIZER SHELF HEIGHT 36"/37"/48"/49" HIGH MODELS

- A Align with 13H Overhead
- B Align with 18H Overhead
- C Align with 30H Overhead*
- *48"/49" high models only
- D Align with SH1 top shelf

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CONFIGURATION OPTIONS - EXHIBIT

WOOD FINISHES
(ORGANIZER SHELF
INSERT)

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS
(ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
ADH	Almond Horizontal
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PTH	Portico Horizontal*
PB	Portobello
PBH	Portobello Horizontal
792	Sable
792H	Sable Horizontal
SC	Sedona
SK	Skyline*
SKH	Skyline Horizontal*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS


- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/200 of the span for walls with brittle finishes and 1/100 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer


Type and Size	Description
Steel Studs (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Wood Studs (1/4" to 1/2" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
Solid Masonry	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
Masonry Block	
Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered - Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical - Exhibit wall rail extends 1/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space - Select worksurfaces and inserts can be field scribed to fit space - In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface	

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 323-325

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	WALL RAIL AND FACEPLATE										
	11N72EXFP2	Set of 2	\$	392	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of 2		563	¾	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of 1	\$	226	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of 1		312	¾	144	1¾	—	—	12 lbs.	1.4
• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets • Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • Faceplates must be used when using an insert											

EXHIBIT WALL RAIL



11N72EXP1	1 Rail/No faceplate	\$	137	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate		199	¾	144	1½	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

- See pages 277-278 for all options available in Exhibit

		LIST PRICE			DIMENSIONS					CARTONED WEIGHT		CUBIC FEET		
MODEL NO./DESCRIPTION					D	W	H	A	KW					
TACK BOARD INSERTS 	34"H TACK BOARD INSERTS			GRADE AA	GRADE A	GRADE B/COM								
	11N1834TBA	\$	301	\$	330	\$	385	1/2	18	34 1/2	—	—	3 lbs.	0.5
	11N2434TBA		317		346		401	1/2	24	34 1/2	—	—	4 lbs.	0.6
	11N3034TBA		376		405		460	1/2	30	34 1/2	—	—	5 lbs.	0.8
	11N3634TBA		389		424		490	1/2	36	34 1/2	—	—	6 lbs.	0.9
	11N4234TBA		399		434		500	1/2	42	34 1/2	—	—	7 lbs.	1.0
	11N4834TBA		426		466		543	1/2	48	34 1/2	—	—	8 lbs.	1.2
	11N5434TBA		483		529		617	1/2	54	34 1/2	—	—	9 lbs.	1.3
	11N6034TBA		487		533		621	1/2	60	34 1/2	—	—	10 lbs.	1.4
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS													
36"H TACK BOARD INSERTS														
11N1836TBA	\$	323	\$	352	\$	407	1/2	18	36 1/2	—	—	3 lbs.	0.5	
11N2436TBA		341		370		425	1/2	24	36 1/2	—	—	4 lbs.	0.6	
11N3036TBA		399		428		483	1/2	30	36 1/2	—	—	5 lbs.	0.8	
11N3636TBA		417		452		518	1/2	36	36 1/2	—	—	6 lbs.	0.9	
11N4236TBA		430		465		531	1/2	42	36 1/2	—	—	7 lbs.	1.0	
11N4836TBA		454		494		571	1/2	48	36 1/2	—	—	8 lbs.	1.2	
11N5436TBA		516		562		650	1/2	54	36 1/2	—	—	9 lbs.	1.3	
11N6036TBA		519		565		653	1/2	60	36 1/2	—	—	10 lbs.	1.4	
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS														
37"H TACK BOARD INSERTS														
11N1837TBA	\$	323	\$	352	\$	407	1/2	18	37	—	—	3 lbs.	0.5	
11N2437TBA		341		370		425	1/2	24	37	—	—	4 lbs.	0.6	
11N3037TBA		399		428		483	1/2	30	37	—	—	5 lbs.	0.8	
11N3637TBA		417		452		518	1/2	36	37	—	—	6 lbs.	0.9	
11N4237TBA		430		465		531	1/2	42	37	—	—	7 lbs.	1.0	
11N4837TBA		454		494		571	1/2	48	37	—	—	8 lbs.	1.2	
11N5437TBA		516		562		650	1/2	54	37	—	—	9 lbs.	1.3	
11N6037TBA		519		565		653	1/2	60	37	—	—	10 lbs.	1.4	
• 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded														

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TACK BOARD INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 79" HIGH WVN MODELS								
	48"H TACK BOARD INSERTS								
				GRADE AA	GRADE A	GRADE B/COM			
	11N1848TBA	\$ 370		\$ 405	\$ 471	½	18	48½	— — 4 lbs. 1.2
	11N2448TBA	386		421	487	½	24	48½	— — 5 lbs. 1.3
	11N3048TBA	457		492	558	½	30	48½	— — 6 lbs. 1.7
	11N3648TBA	465		500	566	½	36	48½	— — 7 lbs. 2.0
	11N4248TBA	485		520	586	½	42	48½	— — 8 lbs. 2.3
	11N4848TBA	503		543	620	½	48	48½	— — 9 lbs. 2.7
	11N5448TBA	573		619	707	½	54	48½	— — 10 lbs. 3.0
	11N6048TBA	578		624	712	½	60	48½	— — 11 lbs. 3.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS								
	49"H TACK BOARD INSERTS								
	11N1849TBA	\$ 370		\$ 405	\$ 471	½	18	48½	— — 4 lbs. 1.2
	11N2449TBA	386		421	487	½	24	48½	— — 5 lbs. 1.3
	11N3049TBA	457		492	558	½	30	48½	— — 6 lbs. 1.7
	11N3649TBA	465		500	566	½	36	48½	— — 7 lbs. 2.0
	11N4249TBA	485		520	586	½	42	48½	— — 8 lbs. 2.3
	11N4849TBA	503		543	620	½	48	48½	— — 9 lbs. 2.7
	11N5449TBA	573		619	707	½	54	48½	— — 10 lbs. 3.0
	11N6049TBA	578		624	712	½	60	48½	— — 11 lbs. 3.3
	• 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded								

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

11N2434MB

- See pages 277-278 for all options available in Exhibit

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
		D	W	H	A	KW								
MARKER BOARD INSERTS 	34"H MARKER BOARD INSERTS													
	HPL					PORCELAIN								
	11N2434MB	\$	616		11N2434MB2P	\$	937	½	24	34½	—	—	14 lbs.	0.6
	11N3034MB		618		11N3034MB2P		947	½	30	34½	—	—	18 lbs.	0.8
	11N3634MB		692		11N3634MB2P		1042	½	36	34½	—	—	22 lbs.	0.9
	11N4234MB		745		11N4234MB2P		1043	½	42	34½	—	—	25 lbs.	1.0
	11N4834MB		911		11N4834MB2P		1337	½	48	34½	—	—	29 lbs.	1.2
	11N5434MB		913		11N5434MB2P		1345	½	54	34½	—	—	32 lbs.	1.3
	11N6034MB		915		11N6034MB2P		1357	½	60	34½	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H MARKER BOARD INSERTS

HPL			PORCELAIN						
11N2436MB	\$ 639		11N2436MB2P	\$ 963	1/2	24	36 1/2	—	14 lbs. 0.6
11N3036MB	641		11N3036MB2P	965	1/2	30	36 1/2	—	18 lbs. 0.8
11N3636MB	718		11N3636MB2P	1069	1/2	36	36 1/2	—	22 lbs. 0.9
11N4236MB	771		11N4236MB2P	1072	1/2	42	36 1/2	—	25 lbs. 1.0
11N4836MB	937		11N4836MB2P	1366	1/2	48	36 1/2	—	29 lbs. 1.2
11N5436MB	939		11N5436MB2P	1374	1/2	54	36 1/2	—	32 lbs. 1.3
11N6036MB	949		11N6036MB2P	1386	1/2	60	36 1/2	—	36 lbs. 1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H MARKER BOARD INSERTS

HPL			PORCELAIN						
11N2437MB	\$ 639		11N2437MB2P	\$ 963	1/2	24	37	—	14 lbs. 0.6
11N3037MB	641		11N3037MB2P	965	1/2	30	37	—	18 lbs. 0.8
11N3637MB	718		11N3637MB2P	1069	1/2	36	37	—	22 lbs. 0.9
11N4237MB	771		11N4237MB2P	1072	1/2	42	37	—	25 lbs. 1.0
11N4837MB	937		11N4837MB2P	1366	1/2	48	37	—	29 lbs. 1.2
11N5437MB	939		11N5437MB2P	1374	1/2	54	37	—	32 lbs. 1.3
11N6037MB	949		11N6037MB2P	1386	1/2	60	37	—	36 lbs. 1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

- See pages 277-278 for all options available in Exhibit

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
D	W	H	A	KW						
MARKER BOARD INSERTS (CONTINUED)										
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
48"H MARKER BOARD INSERTS										
HPL			PORCELAIN							
11N2448MB	\$ 746	11N2448MB2P	\$ 1110	½	24	48%	—	—	16 lbs.	1.3
11N3048MB	747	11N3048MB2P	1112	½	30	48%	—	—	20 lbs.	1.7
11N3648MB	833	11N3648MB2P	1234	½	36	48%	—	—	24 lbs.	2.0
11N4248MB	904	11N4248MB2P	1329	½	42	48%	—	—	27 lbs.	2.3
11N4848MB	1095	11N4848MB2P	1582	½	48	48%	—	—	31 lbs.	2.7
11N5448MB	1100	11N5448MB2P	1830	½	54	48%	—	—	34 lbs.	3.0
11N6048MB	1109	11N6048MB2P	1972	½	60	48%	—	—	38 lbs.	3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS										
49"H MARKER BOARD INSERTS										
HPL			PORCELAIN							
11N2449MB	\$ 746	11N2449MB2P	\$ 1110	½	24	48⅓%	—	—	16 lbs.	1.3
11N3049MB	747	11N3049MB2P	1112	½	30	48⅓%	—	—	20 lbs.	1.7
11N3649MB	833	11N3649MB2P	1234	½	36	48⅓%	—	—	24 lbs.	2.0
11N4249MB	904	11N4249MB2P	1329	½	42	48⅓%	—	—	27 lbs.	2.3
11N4849MB	1095	11N4849MB2P	1582	½	48	48⅓%	—	—	31 lbs.	2.7
11N5449MB	1100	11N5449MB2P	1830	½	54	48⅓%	—	—	34 lbs.	3.0
11N6049MB	1109	11N6049MB2P	1972	½	60	48⅓%	—	—	38 lbs.	3.3
• HPL marker board inserts can be field scribed • Additional trim channels should be specified separately if additional inserts are created • Porcelain marker board inserts are magnetic • Porcelain marker board inserts are double sided • Specify model number only • 2 trim channels included with each marker board insert in white to match board • Marker board inserts available in white only										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	SLAT WALL INSERTS								
	34"H FULL SLAT								
	11N2434SW	\$ 1598	1/2	24	34 1/2	—	—	45 lbs.	1.2
	11N3034SW	1607	1/2	30	34 1/2	—	—	57 lbs.	1.4
	11N3634SW	1838	1/2	36	34 1/2	—	—	69 lbs.	1.7
	11N4234SW	1839	1/2	42	34 1/2	—	—	79 lbs.	2.0
	11N4834SW	2039	1/2	48	34 1/2	—	—	91 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H FULL SLAT

11N2436SW	\$ 1621	1/2	24	36 1/2	—	—	48 lbs.	1.2
11N3036SW	1630	1/2	30	36 1/2	—	—	60 lbs.	1.4
11N3636SW	1858	1/2	36	36 1/2	—	—	72 lbs.	1.7
11N4236SW	1860	1/2	42	36 1/2	—	—	82 lbs.	2.0
11N4836SW	2070	1/2	48	36 1/2	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H FULL SLAT

11N2437SW	\$ 1621	1/2	24	37	—	—	48 lbs.	1.2
11N3037SW	1630	1/2	30	37	—	—	60 lbs.	1.4
11N3637SW	1858	1/2	36	37	—	—	72 lbs.	1.7
11N4237SW	1860	1/2	42	37	—	—	82 lbs.	2.0
11N4837SW	2070	1/2	48	37	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS

48"H FULL SLAT

11N2448SW	\$ 1912	1/2	24	48 3/4	—	—	63 lbs.	1.6
11N3048SW	1922	1/2	30	48 3/4	—	—	80 lbs.	1.9
11N3648SW	2196	1/2	36	48 3/4	—	—	97 lbs.	2.0
11N4248SW	2198	1/2	42	48 3/4	—	—	111 lbs.	2.2
11N4848SW	2442	1/2	48	48 3/4	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
SLAT WALL INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H FULL SLAT									
	11N2449SW	\$ 1912	½	24	48 ¹³ / ₁₆	—	—	63 lbs.	1.6	
	11N3049SW	1922	½	30	48 ¹³ / ₁₆	—	—	80 lbs.	1.9	
	11N3649SW	2196	½	36	48 ¹³ / ₁₆	—	—	97 lbs.	2.0	
	11N4249SW	2198	½	42	48 ¹³ / ₁₆	—	—	111 lbs.	2.2	
	11N4849SW	2442	½	48	48 ¹³ / ₁₆	—	—	128 lbs.	2.5	
• 2 trim channels included with each slat wall insert in corresponding color to match slat • Slat wall insert requires the use of trim channels and mounting bracket included with the model • Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBFA A 8600 501

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
SLAT WALL INSERTS COMBO SLAT/TACK 	23"H SLAT WITH 11"H TACK										
	TEXTILE TRIM	PAINTED TRIM									
			RAILROAD	GRADE AA	GRADE A	GRADE B/COM					
	11N2434SWTBFA	11N2434SWTBPA	Railroad	\$ 1431	\$ 1448	\$ 1481	½	24	34½	—	32 lbs. 1.2
	11N3034SWTBFA	11N3034SWTBPA	Railroad	1430	1451	1492	½	30	34½	—	41 lbs. 1.4
	11N3634SWTBFA	11N3634SWTBPA	Railroad	1632	1657	1704	½	36	34½	—	50 lbs. 1.7
	23"H SLAT WITH 13"H TACK										
	TEXTILE TRIM	PAINTED TRIM									
			RAILROAD	GRADE AA	GRADE A	GRADE B/COM					
	11N2436SWTBFA	11N2436SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	36½	—	35 lbs. 1.2
	11N3036SWTBFA	11N3036SWTBPA	Railroad	1455	1476	1517	½	30	36½	—	44 lbs. 1.4
	11N3636SWTBFA	11N3636SWTBPA	Railroad	1655	1680	1727	½	36	36½	—	53 lbs. 1.7
	23"H SLAT WITH 14"H TACK										
	TEXTILE TRIM	PAINTED TRIM									
			RAILROAD	GRADE AA	GRADE A	GRADE B/COM					
	11N2437SWTBFA	11N2437SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	37	—	35 lbs. 1.2
	11N3037SWTBFA	11N3037SWTBPA	Railroad	1455	1476	1517	½	30	37	—	44 lbs. 1.4
	11N3637SWTBFA	11N3637SWTBPA	Railroad	1655	1680	1727	½	36	37	—	53 lbs. 1.7
	23"H SLAT WITH 25"H TACK										
	TEXTILE TRIM	PAINTED TRIM									
			RAILROAD	GRADE AA	GRADE A	GRADE B/COM					
	11N2448SWTBFA	11N2448SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48½	—	45 lbs. 1.4
	11N3048SWTBFA	11N3048SWTBPA	Railroad	1719	1740	1781	½	30	48½	—	58 lbs. 1.7
	11N3648SWTBFA	11N3648SWTBPA	Railroad	1958	1983	2030	½	36	48½	—	71 lbs. 2.1
	23"H SLAT WITH 25"H TACK										
	TEXTILE TRIM	PAINTED TRIM									
			RAILROAD	GRADE AA	GRADE A	GRADE B/COM					
	11N4248SWTBFA	11N4248SWTBPA	Railroad	1957	1986	2041	½	42	48½	—	83 lbs. 2.5
	11N4848SWTBFA	11N4848SWTBPA	Railroad	2173	2206	2268	½	48	48½	—	96 lbs. 2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBFA A 8600 501

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
								D	W	H	A		
SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	23"H SLAT WITH 26"H TACK			GRADE		GRADE	GRADE						
	TEXTILE TRIM	PAINTED TRIM		AA	A	B/COM							
	11N2449SWTBFA	11N2449SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48⅜	—	—	45 lbs.	1.4
	11N3049SWTBFA	11N3049SWTBPA	Railroad	1719	1740	1781	½	30	48⅜	—	—	58 lbs.	1.7
	11N3649SWTBFA	11N3649SWTBPA	Railroad	1958	1983	2030	½	36	48⅜	—	—	71 lbs.	2.1
	11N4249SWTBFA	11N4249SWTBPA	Railroad	1957	1986	2041	½	42	48⅜	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2173	2206	2268	½	48	48⅜	—	—	96 lbs.	2.9	

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 326-329
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW						
	34"H ORGANIZER SHELF INSERTS										
	11N3634SH1W	Wood	\$ 2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1LW	Laminate Shelves, Wood Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1L	Laminate	1838	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1WL	Wood Shelves, Laminate Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N4234SH1W	Wood	\$ 2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1LW	Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1L	Laminate	1839	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1WL	Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4834SH1W	Wood	\$ 2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1LW	Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1L	Laminate	2039	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1WL	Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N5434SH1W	Wood	\$ 3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1LW	Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1L	Laminate	2243	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1WL	Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N6034SH1W	Wood	\$ 3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1LW	Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1L	Laminate	2469	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1WL	Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH2W Wood	\$ 2659	10½	35⅝	34⅝	—	—	47 lbs.	3.1
	11N3634SH2LW Laminate Shelves, Wood Wall	2659	10½	35⅝	34⅝	—	—	47 lbs.	3.1
	11N3634SH2L Laminate	1838	10½	35⅝	34⅝	—	—	47 lbs.	3.1
	11N3634SH2WL Wood Shelves, Laminate Wall	2659	10½	35⅝	34⅝	—	—	47 lbs.	3.1
	11N4234SH2W Wood	\$ 2660	10½	41⅞	34⅝	—	—	53 lbs.	3.3
	11N4234SH2LW Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅝	—	—	53 lbs.	3.3
	11N4234SH2L Laminate	1839	10½	41⅞	34⅝	—	—	53 lbs.	3.3
	11N4234SH2WL Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅝	—	—	53 lbs.	3.3
	11N4834SH2W Wood	\$ 2958	10½	47⅞	34⅝	—	—	58 lbs.	3.5
	11N4834SH2LW Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅝	—	—	58 lbs.	3.5
	11N4834SH2L Laminate	2039	10½	47⅞	34⅝	—	—	58 lbs.	3.5
	11N4834SH2WL Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅝	—	—	58 lbs.	3.5
	11N5434SH2W Wood	\$ 3256	10½	53⅞	34⅝	—	—	64 lbs.	3.5
	11N5434SH2LW Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅝	—	—	64 lbs.	3.5
	11N5434SH2L Laminate	2243	10½	53⅞	34⅝	—	—	64 lbs.	3.5
	11N5434SH2WL Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅝	—	—	64 lbs.	3.5
	11N6034SH2W Wood	\$ 3581	10½	59⅞	34⅝	—	—	71 lbs.	3.9
	11N6034SH2LW Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅝	—	—	71 lbs.	3.9
	11N6034SH2L Laminate	2469	10½	59⅞	34⅝	—	—	71 lbs.	3.9
	11N6034SH2WL Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅝	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W MH
11N3634SH3LW 462 CW
11N3634SH3L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH3W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH3W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH3W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH3W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH3W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH4W Wood	\$ 2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4LW Laminate Shelves, Wood Wall	2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4L Laminate	1595	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4WL Wood Shelves, Laminate Wall	2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N4234SH4W Wood	\$ 2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4LW Laminate Shelves, Wood Wall	2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4L Laminate	1598	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4WL Wood Shelves, Laminate Wall	2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4834SH4W Wood	\$ 2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4LW Laminate Shelves, Wood Wall	2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4L Laminate	1776	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4WL Wood Shelves, Laminate Wall	2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N5434SH4W Wood	\$ 2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4LW Laminate Shelves, Wood Wall	2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4L Laminate	1953	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4WL Wood Shelves, Laminate Wall	2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N6034SH4W Wood	\$ 3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4LW Laminate Shelves, Wood Wall	3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4L Laminate	2149	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4WL Wood Shelves, Laminate Wall	3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W MH
11N3634SH6LW 462 CW
11N3634SH6L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH6W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH6W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH6W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH6W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH6W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH1W MH
11N3636SH1LW 462 CW
11N3636SH1L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS										
	36"H ORGANIZER SHELF INSERTS										
	11N3636SH1W	Wood	\$	2699	10½	35½	36	—	—	51 lbs.	3.4
	11N3636SH1LW	Laminate Shelves, Wood Wall		2699	10½	35½	36	—	—	51 lbs.	3.4
	11N3636SH1L	Laminate		1858	10½	35½	36	—	—	51 lbs.	3.4
	11N3636SH1WL	Wood Shelves, Laminate Wall		2699	10½	35½	36	—	—	51 lbs.	3.4
	11N4236SH1W	Wood	\$	2703	10½	41½	36	—	—	57 lbs.	3.6
	11N4236SH1LW	Laminate Shelves, Wood Wall		2703	10½	41½	36	—	—	57 lbs.	3.6
	11N4236SH1L	Laminate		1860	10½	41½	36	—	—	57 lbs.	3.6
	11N4236SH1WL	Wood Shelves, Laminate Wall		2703	10½	41½	36	—	—	57 lbs.	3.6
	11N4836SH1W	Wood	\$	3002	10½	47½	36	—	—	62 lbs.	3.9
	11N4836SH1LW	Laminate Shelves, Wood Wall		3002	10½	47½	36	—	—	62 lbs.	3.9
	11N4836SH1L	Laminate		2070	10½	47½	36	—	—	62 lbs.	3.9
	11N4836SH1WL	Wood Shelves, Laminate Wall		3002	10½	47½	36	—	—	62 lbs.	3.9
	11N5436SH1W	Wood	\$	3301	10½	53	36	—	—	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall		3301	10½	53	36	—	—	68 lbs.	4.1	
11N5436SH1L	Laminate		2277	10½	53	36	—	—	68 lbs.	4.1	
11N5436SH1WL	Wood Shelves, Laminate Wall		3301	10½	53	36	—	—	68 lbs.	4.1	
11N6036SH1W	Wood	\$	3633	10½	59½	36	—	—	74 lbs.	4.3	
11N6036SH1LW	Laminate Shelves, Wood Wall		3633	10½	59½	36	—	—	74 lbs.	4.3	
11N6036SH1L	Laminate		2505	10½	59½	36	—	—	74 lbs.	4.3	
11N6036SH1WL	Wood Shelves, Laminate Wall		3633	10½	59½	36	—	—	74 lbs.	4.3	
• Some assembly required • 34", 36" and 37" high shelf inserts have 3 shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH2W MH
11N3636SH2LW 462 CW
11N3636SH2L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH2W	Wood	\$ 2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2LW	Laminate Shelves, Wood Wall	2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2L	Laminate	1858	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2WL	Wood Shelves, Laminate Wall	2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N4236SH2W	Wood	\$ 2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2LW	Laminate Shelves, Wood Wall	2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2L	Laminate	1860	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2WL	Wood Shelves, Laminate Wall	2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4836SH2W	Wood	\$ 3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2LW	Laminate Shelves, Wood Wall	3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2L	Laminate	2070	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2WL	Wood Shelves, Laminate Wall	3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N5436SH2W	Wood	\$ 3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2LW	Laminate Shelves, Wood Wall	3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2L	Laminate	2277	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2WL	Wood Shelves, Laminate Wall	3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N6036SH2W	Wood	\$ 3633	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2LW	Laminate Shelves, Wood Wall	3633	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2L	Laminate	2505	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2WL	Wood Shelves, Laminate Wall	3633	10½	59½	36½	—	—	74 lbs.	4.3



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3636SH3W	Wood	\$	2292	10½	35⅞	36⅞	—	—	43 lbs.	3.5
	11N3636SH3LW	Laminate Shelves, Wood Wall		2292	10½	35⅞	36⅞	—	—	43 lbs.	3.5
	11N3636SH3L	Laminate		1581	10½	35⅞	36⅞	—	—	43 lbs.	3.5
	11N3636SH3WL	Wood Shelves, Laminate Wall		2292	10½	35⅞	36⅞	—	—	43 lbs.	3.5
	11N4236SH3W	Wood	\$	2297	10½	41⅞	36⅞	—	—	49 lbs.	4.1
	11N4236SH3LW	Laminate Shelves, Wood Wall		2297	10½	41⅞	36⅞	—	—	49 lbs.	4.1
	11N4236SH3L	Laminate		1584	10½	41⅞	36⅞	—	—	49 lbs.	4.1
	11N4236SH3WL	Wood Shelves, Laminate Wall		2297	10½	41⅞	36⅞	—	—	49 lbs.	4.1
	11N4836SH3W	Wood	\$	2551	10½	47⅞	36⅞	—	—	56 lbs.	4.6
	11N4836SH3LW	Laminate Shelves, Wood Wall		2551	10½	47⅞	36⅞	—	—	56 lbs.	4.6
	11N4836SH3L	Laminate		1759	10½	47⅞	36⅞	—	—	56 lbs.	4.6
	11N4836SH3WL	Wood Shelves, Laminate Wall		2551	10½	47⅞	36⅞	—	—	56 lbs.	4.6
11N5436SH3W	Wood	\$	2808	10½	53⅞	36⅞	—	—	63 lbs.	5.1	
11N5436SH3LW	Laminate Shelves, Wood Wall		2808	10½	53⅞	36⅞	—	—	63 lbs.	5.1	
11N5436SH3L	Laminate		1936	10½	53⅞	36⅞	—	—	63 lbs.	5.1	
11N5436SH3WL	Wood Shelves, Laminate Wall		2808	10½	53⅞	36⅞	—	—	63 lbs.	5.1	
11N6036SH3W	Wood	\$	3086	10½	59⅞	36⅞	—	—	69 lbs.	5.6	
11N6036SH3LW	Laminate Shelves, Wood Wall		3086	10½	59⅞	36⅞	—	—	69 lbs.	5.6	
11N6036SH3L	Laminate		2130	10½	59⅞	36⅞	—	—	69 lbs.	5.6	
11N6036SH3WL	Wood Shelves, Laminate Wall		3086	10½	59⅞	36⅞	—	—	69 lbs.	5.6	
 • Some assembly required • "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH4W MH
11N3636SH4LW 462 CW
11N3636SH4L 405 478

- See pages 277-278 for all options available in Exhibit



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH4W	Wood	\$ 2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4LW	Laminate Shelves, Wood Wall	2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4L	Laminate	1619	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4WL	Wood Shelves, Laminate Wall	2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N4236SH4W	Wood	\$ 2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4LW	Laminate Shelves, Wood Wall	2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4L	Laminate	1622	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4WL	Wood Shelves, Laminate Wall	2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4836SH4W	Wood	\$ 2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4LW	Laminate Shelves, Wood Wall	2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4L	Laminate	1801	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4WL	Wood Shelves, Laminate Wall	2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N5436SH4W	Wood	\$ 2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4LW	Laminate Shelves, Wood Wall	2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4L	Laminate	1984	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4WL	Wood Shelves, Laminate Wall	2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N6036SH4W	Wood	\$ 3161	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4LW	Laminate Shelves, Wood Wall	3161	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4L	Laminate	2179	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4WL	Wood Shelves, Laminate Wall	3161	10½	59½	36½	—	—	85 lbs.	5.6



- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS										
	36"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3636SH6W	Wood	\$ 2292	10½	35½	36½	—	—	43 lbs.	3.5	
	11N3636SH6LW	Laminate Shelves, Wood Wall	2292	10½	35½	36½	—	—	43 lbs.	3.5	
	11N3636SH6L	Laminate	1581	10½	35½	36½	—	—	43 lbs.	3.5	
	11N3636SH6WL	Wood Shelves, Laminate Wall	2292	10½	35½	36½	—	—	49 lbs.	3.5	
	11N4236SH6W	Wood	\$ 2297	10½	41½	36½	—	—	49 lbs.	4.1	
	11N4236SH6LW	Laminate Shelves, Wood Wall	2297	10½	41½	36½	—	—	49 lbs.	4.1	
	11N4236SH6L	Laminate	1584	10½	41½	36½	—	—	49 lbs.	4.1	
	11N4236SH6WL	Wood Shelves, Laminate Wall	2297	10½	41½	36½	—	—	49 lbs.	4.1	
	11N4836SH6W	Wood	\$ 2551	10½	47½	36½	—	—	56 lbs.	4.6	
	11N4836SH6LW	Laminate Shelves, Wood Wall	2551	10½	47½	36½	—	—	56 lbs.	4.6	
	11N4836SH6L	Laminate	1759	10½	47½	36½	—	—	56 lbs.	4.6	
	11N4836SH6WL	Wood Shelves, Laminate Wall	2551	10½	47½	36½	—	—	56 lbs.	4.6	
	11N5436SH6W	Wood	\$ 2808	10½	53½	36½	—	—	63 lbs.	5.1	
	11N5436SH6LW	Laminate Shelves, Wood Wall	2808	10½	53½	36½	—	—	63 lbs.	5.1	
	11N5436SH6L	Laminate	1936	10½	53½	36½	—	—	63 lbs.	5.1	
11N5436SH6WL	Wood Shelves, Laminate Wall	2808	10½	53½	36½	—	—	63 lbs.	5.1		
	11N6036SH6W	Wood	\$ 3086	10½	59½	36½	—	—	69 lbs.	5.6	
	11N6036SH6LW	Laminate Shelves, Wood Wall	3086	10½	59½	36½	—	—	69 lbs.	5.6	
	11N6036SH6L	Laminate	2130	10½	59½	36½	—	—	69 lbs.	5.6	
	11N6036SH6WL	Wood Shelves, Laminate Wall	3086	10½	59½	36½	—	—	69 lbs.	5.6	

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3637SH1W MH
11N3637SH1LW 462 CW
11N3637SH1L 405 478

- See pages 277-278 for all options available in Exhibit



ORGANIZER SHELF INSERTS (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS										
	11N3637SH1W Wood	\$ 2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1LW Laminate Shelves, Wood Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1L Laminate	1858	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1WL Wood Shelves, Laminate Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N4237SH1W Wood	\$ 2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1LW Laminate Shelves, Wood Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1L Laminate	1860	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1WL Wood Shelves, Laminate Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4837SH1W Wood	\$ 3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1LW Laminate Shelves, Wood Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1L Laminate	2070	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1WL Wood Shelves, Laminate Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N5437SH1W Wood	\$ 3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1LW Laminate Shelves, Wood Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1L Laminate	2277	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1WL Wood Shelves, Laminate Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N6037SH1W Wood	\$ 3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1LW Laminate Shelves, Wood Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1L Laminate	2505	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1WL Wood Shelves, Laminate Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	



- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W MH
11N3637SH3LW 462 CW
11N3637SH3L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH3W	Wood	\$ 2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3LW	Laminate Shelves, Wood Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3L	Laminate	1581	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3WL	Wood Shelves, Laminate Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N4237SH3W	Wood	\$ 2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3LW	Laminate Shelves, Wood Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3L	Laminate	1584	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3WL	Wood Shelves, Laminate Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4837SH3W	Wood	\$ 2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3LW	Laminate Shelves, Wood Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3L	Laminate	1759	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3WL	Wood Shelves, Laminate Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N5437SH3W	Wood	\$ 2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3LW	Laminate Shelves, Wood Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3L	Laminate	1936	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3WL	Wood Shelves, Laminate Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N6037SH3W	Wood	\$ 3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3LW	Laminate Shelves, Wood Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3L	Laminate	2130	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3WL	Wood Shelves, Laminate Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
11N3637SH4LW 462 CW
11N3637SH4L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3637SH4W Wood	\$ 2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4LW Laminate Shelves, Wood Wall	2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4L Laminate	1619	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4WL Wood Shelves, Laminate Wall	2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N4237SH4W Wood	\$ 2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4LW Laminate Shelves, Wood Wall	2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4L Laminate	1622	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4WL Wood Shelves, Laminate Wall	2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4837SH4W Wood	\$ 2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4LW Laminate Shelves, Wood Wall	2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4L Laminate	1801	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4WL Wood Shelves, Laminate Wall	2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N5437SH4W Wood	\$ 2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4LW Laminate Shelves, Wood Wall	2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4L Laminate	1984	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4WL Wood Shelves, Laminate Wall	2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N6037SH4W Wood	\$ 3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4LW Laminate Shelves, Wood Wall	3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4L Laminate	2179	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4WL Wood Shelves, Laminate Wall	3161	10½	59⅞	37	—	—	85 lbs.	5.7
	- Some assembly required "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves - The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves - Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves - Each horizontal shelf has a 50 lb. maximum limit								



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH6W	Wood	\$ 2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6LW	Laminate Shelves, Wood Wall	2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6L	Laminate	1581	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6WL	Wood Shelves, Laminate Wall	2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N4237SH6W	Wood	\$ 2297	10½	41⅝	37	—	—	50 lbs.	4.1
	11N4237SH6LW	Laminate Shelves, Wood Wall	2297	10½	41⅝	37	—	—	50 lbs.	4.1
	11N4237SH6L	Laminate	1584	10½	41⅝	37	—	—	50 lbs.	4.1
	11N4237SH6WL	Wood Shelves, Laminate Wall	2297	10½	41⅝	37	—	—	50 lbs.	4.1
	11N4837SH6W	Wood	\$ 2551	10½	47⅝	37	—	—	56 lbs.	4.6
	11N4837SH6LW	Laminate Shelves, Wood Wall	2551	10½	47⅝	37	—	—	56 lbs.	4.6
	11N4837SH6L	Laminate	1759	10½	47⅝	37	—	—	56 lbs.	4.6
	11N4837SH6WL	Wood Shelves, Laminate Wall	2551	10½	47⅝	37	—	—	56 lbs.	4.6
	11N5437SH6W	Wood	\$ 2808	10½	53⅝	37	—	—	63 lbs.	5.1
	11N5437SH6LW	Laminate Shelves, Wood Wall	2808	10½	53⅝	37	—	—	63 lbs.	5.1
	11N5437SH6L	Laminate	1936	10½	53⅝	37	—	—	63 lbs.	5.1
	11N5437SH6WL	Wood Shelves, Laminate Wall	2808	10½	53⅝	37	—	—	63 lbs.	5.1
	11N6037SH6W	Wood	\$ 3086	10½	59⅝	37	—	—	70 lbs.	5.7
	11N6037SH6LW	Laminate Shelves, Wood Wall	3086	10½	59⅝	37	—	—	70 lbs.	5.7
	11N6037SH6L	Laminate	2130	10½	59⅝	37	—	—	70 lbs.	5.7
	11N6037SH6WL	Wood Shelves, Laminate Wall	3086	10½	59⅝	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS										
	11N3648SH1W	Wood	\$	3186	10½	35⅞	48¾	—	—	69 lbs.	5.0
	11N3648SH1LW	Laminate Shelves, Wood Wall		3186	10½	35⅞	48¾	—	—	69 lbs.	5.0
	11N3648SH1L	Laminate		2196	10½	35⅞	48¾	—	—	69 lbs.	5.0
	11N3648SH1WL	Wood Shelves, Laminate Wall		3186	10½	35⅞	48¾	—	—	69 lbs.	5.0
	11N4248SH1W	Wood	\$	3191	10½	41⅞	48¾	—	—	77 lbs.	5.2
	11N4248SH1LW	Laminate Shelves, Wood Wall		3191	10½	41⅞	48¾	—	—	77 lbs.	5.2
	11N4248SH1L	Laminate		2198	10½	41⅞	48¾	—	—	77 lbs.	5.2
	11N4248SH1WL	Wood Shelves, Laminate Wall		3191	10½	41⅞	48¾	—	—	77 lbs.	5.2
	11N4848SH1W	Wood	\$	3542	10½	47⅞	48¾	—	—	85 lbs.	5.5
	11N4848SH1LW	Laminate Shelves, Wood Wall		3542	10½	47⅞	48¾	—	—	85 lbs.	5.5
	11N4848SH1L	Laminate		2442	10½	47⅞	48¾	—	—	85 lbs.	5.5
	11N4848SH1WL	Wood Shelves, Laminate Wall		3542	10½	47⅞	48¾	—	—	85 lbs.	5.5
	11N5448SH1W	Wood	\$	3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1LW	Laminate Shelves, Wood Wall		3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1L	Laminate		2687	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1WL	Wood Shelves, Laminate Wall		3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N6048SH1W	Wood	\$	4285	10½	59⅞	48¾	—	—	101 lbs.	6.1
	11N6048SH1LW	Laminate Shelves, Wood Wall		4285	10½	59⅞	48¾	—	—	101 lbs.	6.1
	11N6048SH1L	Laminate		2955	10½	59⅞	48¾	—	—	101 lbs.	6.1
	11N6048SH1WL	Wood Shelves, Laminate Wall		4285	10½	59⅞	48¾	—	—	101 lbs.	6.1
• Some assembly required • 48" and 49" high shelf inserts have 5 shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											





EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W MH
11N3648SH2LW 462 CW
11N3648SH2L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH2W	Wood	\$ 3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2LW	Laminate Shelves, Wood Wall	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2L	Laminate	2196	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2WL	Wood Shelves, Laminate Wall	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4248SH2W	Wood	\$ 3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2LW	Laminate Shelves, Wood Wall	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2L	Laminate	2198	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2WL	Wood Shelves, Laminate Wall	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4848SH2W	Wood	\$ 3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2LW	Laminate Shelves, Wood Wall	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2L	Laminate	2442	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2WL	Wood Shelves, Laminate Wall	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
11N5448SH2W	Wood	\$ 3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2LW	Laminate Shelves, Wood Wall	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2L	Laminate	2687	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2WL	Wood Shelves, Laminate Wall	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6048SH2W	Wood	\$ 4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2LW	Laminate Shelves, Wood Wall	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2L	Laminate	2955	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2WL	Wood Shelves, Laminate Wall	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

- See pages 277-278 for all options available in Exhibit



ORGANIZER SHELF INSERTS (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH3W Wood	\$ 2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH3LW Laminate Shelves, Wood Wall	2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH3L Laminate	1864	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH3WL Wood Shelves, Laminate Wall	2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N4248SH3W Wood	\$ 2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH3LW Laminate Shelves, Wood Wall	2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH3L Laminate	1869	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH3WL Wood Shelves, Laminate Wall	2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4848SH3W Wood	\$ 3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH3LW Laminate Shelves, Wood Wall	3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH3L Laminate	2075	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH3WL Wood Shelves, Laminate Wall	3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N5448SH3W Wood	\$ 3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH3LW Laminate Shelves, Wood Wall	3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH3L Laminate	2284	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH3WL Wood Shelves, Laminate Wall	3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N6048SH3W Wood	\$ 3641	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH3LW Laminate Shelves, Wood Wall	3641	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH3L Laminate	2513	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH3WL Wood Shelves, Laminate Wall	3641	10½	59½	48½	—	—	86 lbs.	7.2



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W MH
11N3648SH4LW 462 CW
11N3648SH4L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH4W	Wood	\$ 2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4L	Laminate	1912	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N4248SH4W	Wood	\$ 2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4L	Laminate	1914	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4848SH4W	Wood	\$ 3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4L	Laminate	2126	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N5448SH4W	Wood	\$ 3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4L	Laminate	2337	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N6048SH4W	Wood	\$ 3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4L	Laminate	2572	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH5W	Wood	\$	2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5LW	Laminate Shelves, Wood Wall		2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5L	Laminate		1975	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5WL	Wood Shelves, Laminate Wall		2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N4248SH5W	Wood	\$	2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2
	11N4248SH5LW	Laminate Shelves, Wood Wall		2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2
	11N4248SH5L	Laminate		1978	10½	41⅞	48⅝	—	—	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall		2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2	
11N4848SH5W	Wood	\$	3188	10½	47⅞	48⅝	—	—	92 lbs.	5.9	
11N4848SH5LW	Laminate Shelves, Wood Wall		3188	10½	47⅞	48⅝	—	—	92 lbs.	5.9	
11N4848SH5L	Laminate		2197	10½	47⅞	48⅝	—	—	92 lbs.	5.9	
11N4848SH5WL	Wood Shelves, Laminate Wall		3188	10½	47⅞	48⅝	—	—	92 lbs.	5.9	
11N5448SH5W	Wood	\$	3508	10½	53⅞	48⅝	—	—	104 lbs.	6.5	
11N5448SH5LW	Laminate Shelves, Wood Wall		3508	10½	53⅞	48⅝	—	—	104 lbs.	6.5	
11N5448SH5L	Laminate		2416	10½	53⅞	48⅝	—	—	104 lbs.	6.5	
11N5448SH5WL	Wood Shelves, Laminate Wall		3508	10½	53⅞	48⅝	—	—	104 lbs.	6.5	
11N6048SH5W	Wood	\$	3856	10½	59⅞	48⅝	—	—	115 lbs.	7.2	
11N6048SH5LW	Laminate Shelves, Wood Wall		3856	10½	59⅞	48⅝	—	—	115 lbs.	7.2	
11N6048SH5L	Laminate		2659	10½	59⅞	48⅝	—	—	115 lbs.	7.2	
11N6048SH5WL	Wood Shelves, Laminate Wall		3856	10½	59⅞	48⅝	—	—	115 lbs.	7.2	
• Some assembly required • "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W B MH
11N3648SH6LW A 462 CW
11N3648SH6L B 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
 ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH6W	Wood	\$ 2707	10½	35⅝	48⅝	—	—	53 lbs.	4.5
	11N3648SH6LW	Laminate Shelves, Wood Wall	2707	10½	35⅝	48⅝	—	—	53 lbs.	4.5
	11N3648SH6L	Laminate	1864	10½	35⅝	48⅝	—	—	53 lbs.	4.5
	11N3648SH6WL	Wood Shelves, Laminate Wall	2707	10½	35⅝	48⅝	—	—	53 lbs.	4.5
	11N4248SH6W	Wood	\$ 2710	10½	41⅝	48⅝	—	—	61 lbs.	5.2
	11N4248SH6LW	Laminate Shelves, Wood Wall	2710	10½	41⅝	48⅝	—	—	61 lbs.	5.2
	11N4248SH6L	Laminate	1869	10½	41⅝	48⅝	—	—	61 lbs.	5.2
	11N4248SH6WL	Wood Shelves, Laminate Wall	2710	10½	41⅝	48⅝	—	—	61 lbs.	5.2
	11N4848SH6W	Wood	\$ 3011	10½	47⅝	48⅝	—	—	69 lbs.	5.9
	11N4848SH6LW	Laminate Shelves, Wood Wall	3011	10½	47⅝	48⅝	—	—	69 lbs.	5.9
	11N4848SH6L	Laminate	2075	10½	47⅝	48⅝	—	—	69 lbs.	5.9
	11N4848SH6WL	Wood Shelves, Laminate Wall	3011	10½	47⅝	48⅝	—	—	69 lbs.	5.9
	11N5448SH6W	Wood	\$ 3316	10½	53⅝	48⅝	—	—	77 lbs.	6.5
	11N5448SH6LW	Laminate Shelves, Wood Wall	3316	10½	53⅝	48⅝	—	—	77 lbs.	6.5
	11N5448SH6L	Laminate	2284	10½	53⅝	48⅝	—	—	77 lbs.	6.5
	11N5448SH6WL	Wood Shelves, Laminate Wall	3316	10½	53⅝	48⅝	—	—	77 lbs.	6.5
	11N6048SH6W	Wood	\$ 3641	10½	59⅝	48⅝	—	—	86 lbs.	7.2
	11N6048SH6LW	Laminate Shelves, Wood Wall	3641	10½	59⅝	48⅝	—	—	86 lbs.	7.2
	11N6048SH6L	Laminate	2513	10½	59⅝	48⅝	—	—	86 lbs.	7.2
	11N6048SH6WL	Wood Shelves, Laminate Wall	3641	10½	59⅝	48⅝	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH7W	Wood	\$	2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH7LW	Laminate Shelves, Wood Wall		2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH7L	Laminate		1912	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH7WL	Wood Shelves, Laminate Wall		2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N4248SH7W	Wood	\$	2776	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4248SH7LW	Laminate Shelves, Wood Wall		2776	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4248SH7L	Laminate		1914	10½	41⅞	48¾	—	—	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall		2776	10½	41⅞	48¾	—	—	71 lbs.	5.2	
</											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH1W MH
11N3649SH1LW 462 CW
11N3649SH1L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS										
	11N3649SH1W	Wood	\$	3186	10½	35½	48½	—	—	69 lbs.	5.0
	11N3649SH1LW	Laminate Shelves, Wood Wall		3186	10½	35½	48½	—	—	69 lbs.	5.0
	11N3649SH1L	Laminate		2196	10½	35½	48½	—	—	69 lbs.	5.0
	11N3649SH1WL	Wood Shelves, Laminate Wall		3186	10½	35½	48½	—	—	69 lbs.	5.0
	11N4249SH1W	Wood	\$	3191	10½	41½	48½	—	—	77 lbs.	5.2
	11N4249SH1LW	Laminate Shelves, Wood Wall		3191	10½	41½	48½	—	—	77 lbs.	5.2
	11N4249SH1L	Laminate		2198	10½	41½	48½	—	—	77 lbs.	5.2
	11N4249SH1WL	Wood Shelves, Laminate Wall		3191	10½	41½	48½	—	—	77 lbs.	5.2
	11N4849SH1W	Wood	\$	3542	10½	47½	48½	—	—	85 lbs.	5.5
	11N4849SH1LW	Laminate Shelves, Wood Wall		3542	10½	47½	48½	—	—	85 lbs.	5.5
	11N4849SH1L	Laminate		2442	10½	47½	48½	—	—	85 lbs.	5.5
	11N4849SH1WL	Wood Shelves, Laminate Wall		3542	10½	47½	48½	—	—	85 lbs.	5.5
	11N5449SH1W	Wood	\$	3900	10½	53½	48½	—	—	93 lbs.	5.8
	11N5449SH1LW	Laminate Shelves, Wood Wall		3900	10½	53½	48½	—	—	93 lbs.	5.8
	11N5449SH1L	Laminate		2687	10½	53½	48½	—	—	93 lbs.	5.8
	11N5449SH1WL	Wood Shelves, Laminate Wall		3900	10½	53½	48½	—	—	93 lbs.	5.8
	11N6049SH1W	Wood	\$	4285	10½	59½	48½	—	—	101 lbs.	6.1
	11N6049SH1LW	Laminate Shelves, Wood Wall		4285	10½	59½	48½	—	—	101 lbs.	6.1
	11N6049SH1L	Laminate		2955	10½	59½	48½	—	—	101 lbs.	6.1
	11N6049SH1WL	Wood Shelves, Laminate Wall		4285	10½	59½	48½	—	—	101 lbs.	6.1



- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS										
	49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH2W	Wood	\$	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2LW	Laminate Shelves, Wood Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2L	Laminate		2196	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2WL	Wood Shelves, Laminate Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4249SH2W	Wood	\$	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249SH2LW	Laminate Shelves, Wood Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249SH2L	Laminate		2198	10½	41⅞	48⅞	—	—	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2	
		</									

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

1. Model Number
2. Finish

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

11N3649SH3W	MH	
11N3649SH3LW	462	CW
11N3649SH3L	405	478

- See pages 277-278 for all options available in Exhibit

ORGANIZER SHELF INSERTS
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS										
49"H ORGANIZER SHELF INSERTS (CONTINUED)										
11N3649SH3W	Wood	\$ 2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6	
11N3649SH3LW	Laminate Shelves, Wood Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6	
11N3649SH3L	Laminate	1864	10½	35⅞	48⅜	—	—	53 lbs.	4.6	
11N3649SH3WL	Wood Shelves, Laminate Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6	
11N4249SH3W	Wood	\$ 2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2	
11N4249SH3LW	Laminate Shelves, Wood Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2	
11N4249SH3L	Laminate	1869	10½	41⅞	48⅜	—	—	61 lbs.	5.2	
11N4249SH3WL	Wood Shelves, Laminate Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2	
11N4849SH3W	Wood	\$ 3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9	
11N4849SH3LW	Laminate Shelves, Wood Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9	
11N4849SH3L	Laminate	2075	10½	47⅞	48⅜	—	—	69 lbs.	5.9	
11N4849SH3WL	Wood Shelves, Laminate Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9	
11N5449SH3W	Wood	\$ 3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N5449SH3LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N5449SH3L	Laminate	2284	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N5449SH3WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N6049SH3W	Wood	\$ 3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH3LW	Laminate Shelves, Wood Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH3L	Laminate	2513	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH3WL	Wood Shelves, Laminate Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W MH
11N3649SH5LW 462 CW
11N3649SH5L 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH5W	Wood	\$ 2869	10½	35½	48⅓	—	—	69 lbs.	4.6
	11N3649SH5LW	Laminate Shelves, Wood Wall	2869	10½	35½	48⅓	—	—	69 lbs.	4.6
	11N3649SH5L	Laminate	1975	10½	35½	48⅓	—	—	69 lbs.	4.6
	11N3649SH5WL	Wood Shelves, Laminate Wall	2869	10½	35½	48⅓	—	—	69 lbs.	4.6
	11N4249SH5W	Wood	\$ 2874	10½	41⅓	48⅓	—	—	81 lbs.	5.2
	11N4249SH5LW	Laminate Shelves, Wood Wall	2874	10½	41⅓	48⅓	—	—	81 lbs.	5.2
	11N4249SH5L	Laminate	1978	10½	41⅓	48⅓	—	—	81 lbs.	5.2
	11N4249SH5WL	Wood Shelves, Laminate Wall	2874	10½	41⅓	48⅓	—	—	81 lbs.	5.2
	11N4849SH5W	Wood	\$ 3188	10½	47⅓	48⅓	—	—	93 lbs.	5.9
	11N4849SH5LW	Laminate Shelves, Wood Wall	3188	10½	47⅓	48⅓	—	—	93 lbs.	5.9
	11N4849SH5L	Laminate	2197	10½	47⅓	48⅓	—	—	93 lbs.	5.9
	11N4849SH5WL	Wood Shelves, Laminate Wall	3188	10½	47⅓	48⅓	—	—	93 lbs.	5.9
	11N5449SH5W	Wood	\$ 3508	10½	53½	48⅓	—	—	104 lbs.	6.6
	11N5449SH5LW	Laminate Shelves, Wood Wall	3508	10½	53½	48⅓	—	—	104 lbs.	6.6
	11N5449SH5L	Laminate	2416	10½	53½	48⅓	—	—	104 lbs.	6.6
	11N5449SH5WL	Wood Shelves, Laminate Wall	3508	10½	53½	48⅓	—	—	104 lbs.	6.6
	11N6049SH5W	Wood	\$ 3856	10½	59⅓	48⅓	—	—	116 lbs.	7.2
	11N6049SH5LW	Laminate Shelves, Wood Wall	3856	10½	59⅓	48⅓	—	—	116 lbs.	7.2
	11N6049SH5L	Laminate	2659	10½	59⅓	48⅓	—	—	116 lbs.	7.2
	11N6049SH5WL	Wood Shelves, Laminate Wall	3856	10½	59⅓	48⅓	—	—	116 lbs.	7.2



- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	49"H ORGANIZER SHELF INSERTS (CONTINUED)												
	11N3649SH6W	Wood	\$ 2707	10½	35⅜	48⅜	—	—				53 lbs.	4.6
	11N3649SH6LW	Laminate Shelves, Wood Wall	2707	10½	35⅜	48⅜	—	—				53 lbs.	4.6
	11N3649SH6L	Laminate	1864	10½	35⅜	48⅜	—	—				53 lbs.	4.6
	11N3649SH6WL	Wood Shelves, Laminate Wall	2707	10½	35⅜	48⅜	—	—				53 lbs.	4.6
	11N4249SH6W	Wood	\$ 2710	10½	41⅜	48⅜	—	—				61 lbs.	5.2
	11N4249SH6LW	Laminate Shelves, Wood Wall	2710	10½	41⅜	48⅜	—	—				61 lbs.	5.2
	11N4249SH6L	Laminate	1869	10½	41⅜	48⅜	—	—				61 lbs.	5.2
	11N4249SH6WL	Wood Shelves, Laminate Wall	2710	10½	41⅜	48⅜	—	—				61 lbs.	5.2
	11N4849SH6W	Wood	\$ 3011	10½	47⅜	48⅜	—	—				69 lbs.	5.9
	11N4849SH6LW	Laminate Shelves, Wood Wall	3011	10½	47⅜	48⅜	—	—				69 lbs.	5.9
	11N4849SH6L	Laminate	2075	10½	47⅜	48⅜	—	—				69 lbs.	5.9
	11N4849SH6WL	Wood Shelves, Laminate Wall	3011	10½	47⅜	48⅜	—	—				69 lbs.	5.9
	11N5449SH6W	Wood	\$ 3316	10½	53⅞	48⅜	—	—				78 lbs.	6.6
	11N5449SH6LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—				78 lbs.	6.6
	11N5449SH6L	Laminate	2284	10½	53⅞	48⅜	—	—				78 lbs.	6.6
	11N5449SH6WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—				78 lbs.	6.6
	11N6049SH6W	Wood	\$ 3641	10½	59⅜	48⅜	—	—				86 lbs.	7.2
	11N6049SH6LW	Laminate Shelves, Wood Wall	3641	10½	59⅜	48⅜	—	—				86 lbs.	7.2
	11N6049SH6L	Laminate	2513	10½	59⅜	48⅜	—	—				86 lbs.	7.2
	11N6049SH6WL	Wood Shelves, Laminate Wall	3641	10½	59⅜	48⅜	—	—				86 lbs.	7.2
• Some assembly required • "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit													

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3649SH7W MH
11N3649SH7LW 462 CW
11N3649SH7L 405 478

- See pages 277-278 for all options available in Exhibit



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH7W	Wood	\$ 2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7L	Laminate	1912	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N4249SH7W	Wood	\$ 2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7L	Laminate	1914	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4849SH7W	Wood	\$ 3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7L	Laminate	2126	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N5449SH7W	Wood	\$ 3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7L	Laminate	2337	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N6049SH7W	Wood	\$ 3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7L	Laminate	2572	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit





TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
LAMINATE INSERT 	11N3634WINL	\$ 497	10½	35½	34½	—	—		41 lbs.	3.3
	11N3636WINL	541	10½	35½	36½	—	—		43 lbs.	3.5
	11N3637WINL	541	10½	35½	37	—	—		43 lbs.	3.6
	11N3648WINL	633	10½	35½	48½	—	—		53 lbs.	4.5
	11N3649WINL	633	10½	35½	48½	—	—		53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX 	NAC1205WGV1 Steel	\$ 121	3½	11½	4¾	—	—		1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX 	NAC1210WGV2 Steel	\$ 165	3½	11½	9½	—	—		1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX 	NAC1219WGV4 Steel	\$ 236	3½	11½	19	—	—		1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER 	NAC0407USD1	\$ 818	4¾	6	11	—	—		2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color (Veneer/Laminate insert only)
- Textile Grade (Textile insert only)
- Textile Color (Textile insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
  (only 60" models) <td colspan="11">34"H TV MOUNT EXHIBIT INSERTS</td>	34"H TV MOUNT EXHIBIT INSERTS										
	11N3634TVW	Wood	\$ 2829	½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634TVL	Laminate	2026	½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N4234TVW	Wood	\$ 2833	½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234TVL	Laminate	2027	½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4834TVW	Wood	\$ 3117	½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834TVL	Laminate	2225	½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N5434TVW	Wood	\$ 3403	½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434TVL	Laminate	2426	½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N6034TVW	Wood	\$ 3720	½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034TVL	Laminate	2643	½	59⅞	34⅞	—	—	71 lbs.	3.9	

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS

11N3636TVW Wood	\$ 2863	½	35⅞	36⅞	—	—	51 lbs.	3.4
11N3636TVL Laminate	2051	½	35⅞	36⅞	—	—	51 lbs.	3.4
11N4236TVW Wood	\$ 2870	½	41⅞	36⅞	—	—	57 lbs.	3.6
11N4236TVL Laminate	2055	½	41⅞	36⅞	—	—	57 lbs.	3.6
11N4836TVW Wood	\$ 3159	½	47⅞	36⅞	—	—	62 lbs.	3.9
11N4836TVL Laminate	2255	½	47⅞	36⅞	—	—	62 lbs.	3.9
11N5436TVW Wood	\$ 3448	½	53⅞	36⅞	—	—	68 lbs.	4.1
11N5436TVL Laminate	2456	½	53⅞	36⅞	—	—	68 lbs.	4.1
11N6036TVW Wood	\$ 3771	½	59⅞	36⅞	—	—	74 lbs.	4.3
11N6036TVL Laminate	2677	½	59⅞	36⅞	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
TV MOUNT EXHIBIT INSERTS (CONTINUED)   (only 60" models)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
	11N3637TVW	Wood	\$ 2863	½	35⅞	37	—	—	51 lbs.	3.4
	11N3637TVL	Laminate	2051	½	35⅞	37	—	—	51 lbs.	3.4
	11N4237TVW	Wood	\$ 2870	½	41⅞	37	—	—	57 lbs.	3.6
	11N4237TVL	Laminate	2055	½	41⅞	37	—	—	57 lbs.	3.6
	11N4837TVW	Wood	\$ 3159	½	47⅞	37	—	—	62 lbs.	3.9
	11N4837TVL	Laminate	2255	½	47⅞	37	—	—	62 lbs.	3.9
	11N5437TVW	Wood	\$ 3448	½	53⅞	37	—	—	68 lbs.	4.1
	11N5437TVL	Laminate	2456	½	53⅞	37	—	—	68 lbs.	4.1
	11N6037TVW	Wood	\$ 3771	½	59⅞	37	—	—	74 lbs.	4.3
	11N6037TVL	Laminate	2677	½	59⅞	37	—	—	74 lbs.	4.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	\$ 3337	½	35⅞	48⅞	—	—	69 lbs.	5.0	
11N3648TVL	Laminate	2378	½	35⅞	48⅞	—	—	69 lbs.	5.0	
11N4248TVW	Wood	\$ 3341	½	41⅞	48⅞	—	—	77 lbs.	5.2	
11N4248TVL	Laminate	2380	½	41⅞	48⅞	—	—	77 lbs.	5.2	
11N4848TVW	Wood	\$ 3685	½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N4848TVL	Laminate	2617	½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N5448TVW	Wood	\$ 4029	½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448TVL	Laminate	2852	½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6048TVW	Wood	\$ 4406	½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048TVL	Laminate	3115	½	59⅞	48⅞	—	—	101 lbs.	6.1	
• TV mount included; some assembly required; VESA mounting compliant • Maximum TV weight is 120 lbs. • Optional single or dual TV mount on 60" inserts										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 323
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

- See pages 277-278 for all options available in Exhibit



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
TV MOUNT EXHIBIT INSERTS (CONTINUED)   (only 60" models)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H TV MOUNT EXHIBIT INSERTS									
	11N3649TVW	Wood	\$ 3337	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	2378	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4249TVW	Wood	\$ 3341	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	2380	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4849TVW	Wood	\$ 3685	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	2617	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$ 4029	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	2852	½	53⅞	48⅞	—	—	93 lbs.	5.8
11N6049TVW	Wood	\$ 4406	½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6049TVL	Laminate	3115	½	59⅞	48⅞	—	—	101 lbs.	6.1	
• TV mount included; some assembly required; VESA mounting compliant • Maximum TV weight is 120 lbs. • Optional single or dual TV mount on 60" inserts										

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER



11N0615WMVW Wood	\$ 489	1½	5⅞	15⅞	—	—	8 lbs.	0.6
11N0615WMVL Laminate	327	1½	5⅞	15⅞	—	—	8 lbs.	0.6
- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables - When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager								

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
	FOR USE WITH 34"H INSERTS								
	11N37ETP	Powder Coated	\$ 108	1 1/16	1 1/2	37 1/8	—	—	1 lbs. 0.2
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS								
	11N39ETP	Powder Coated	\$ 113	1 1/16	1 1/2	39 1/16	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS								
	11N40ETP	Powder Coated	\$ 113	1 1/16	1 1/2	39 7/8	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS								
	11N51ETP	Powder Coated	\$ 129	1 1/16	1 1/2	51 1/4	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS								
	11N52ETP	Powder Coated	\$ 129	1 1/16	1 1/2	51 1/16	—	—	1 lbs. 0.4
	- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed - Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail								

VERTICAL CABLE MANAGER



	11N20WMV	Black Plastic	\$	42											
	11N20WMVFA	Textile, Railroad	\$	52	\$	58	\$	69	1	1	20	—	—	1 lbs.	0.5
	- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached - Textile will be railroaded														
				GRADE AA	GRADE A	GRADE B/COM									
	11N31WMV	Black Plastic	\$	55					1	1	31	—	—	2 lbs.	0.6
	11N31WMVFA	Textile, Railroad	\$	64	\$	70	\$	81	1	1	31	—	—	2 lbs.	0.6
	- For use with 48" or 49" inserts when a single height cabinet is attached - Textile will be railroaded														

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Textile Grade
4. Textile Color

SAMPLE MODEL NUMBERS:

- 11N34TCF B 25413
11N01ETP 501
- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SINGLE END CAP	11N01ETP	\$ 49	½	1½	1½	—	—	1 lbs.	0.3
 • Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail • End caps are sold individually • End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) • Exhibit end caps can also be used behind overheads or when used with a worksurface									

TEXTILE WRAPPED TRIM CHANNELS



34"H TRIM CHANNELS

		GRADE AA		GRADE A		GRADE B/COM			
11N34TCFA	Textile, Railroad	\$	61	\$	67	\$	78	½	¾
								34½	—
								—	—
								1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Textile, Railroad	\$	63	\$	69	\$	80	½	¾
								36½	—
								—	—
								1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Textile, Railroad	\$	63	\$	69	\$	80	½	¾
								37	—
								—	—
								1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Textile, Railroad	\$	71	\$	77	\$	88	½	¾
								48½	—
								—	—
								1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Textile, Railroad	\$	71	\$	77	\$	88	½	¾
								48½	—
								—	—
								1 lbs.	0.3

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Textile will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Wood/Laminate Finish


SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
	PAINTED TRIM CHANNELS								
	34"H TRIM CHANNELS								
	11N34TCP	Powder Coated	\$ 55	½	¾	34½	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	36"H TRIM CHANNELS								
	11N36TCP	Powder Coated	\$ 60	½	¾	36½	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS								
	37"H TRIM CHANNELS								
	11N37TCP	Powder Coated	\$ 60	½	¾	37	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	48"H TRIM CHANNELS								
	11N48TCP	Powder Coated	\$ 70	½	¾	48½	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS								
	49"H TRIM CHANNELS								
	11N49TCP	Powder Coated	\$ 70	½	¾	49½	—	—	1 lbs. 0.3
	- Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered								

WORKSURFACE MOUNTING BRACKET




11NBRS	Single Bracket	\$ 21	2	3	½	—	—	1 lbs. 0.3
- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail - Standard in anodized aluminum - Specify model number only								

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT



11NCPFSW	Wood	\$ 72	1	3	27¼	—	—	3 lbs. 1.0
11NCPFSL	Laminate	37	1	3	27¼	—	—	3 lbs. 1.0
- For use with Exhibit mounted overheads when an insert is not used behind the overhead - Must be field scribed for 18" and 13" high overhead models - Specify solid/woodgrain/Gallery laminate or wood finish								

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts





TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462
• See pages 277-278 for all options available in Exhibit

METAL
WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SHELF 	NAC0924SHM	Powder Coated	\$ 147	9%	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	165	9%	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	182	9%	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	206	9%	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	222	9%	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	\$ 132	11%	17	2¼	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	\$ 182	1%	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	\$ 112	1%	15%	7¼	—	—	4 lbs.	1.1
SLANT SORTER 	NAC1212SSM	Polished Aluminum Dividers	\$ 132	11¼	12	7¼	—	—	4 lbs.	1.1
MARKER HOLDER 	NACMRHM		\$ 128	2½ ₁₆	6½ ₁₆	4	—	—	1 lbs.	0.1
BINDER SHELF 	NAC0905SHBM		\$ 81	9%	5	8¾	—	—	3 lbs.	0.5

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 277-278 for all options available in Exhibit

METAL
WORK TOOLS

PENCIL TRAY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
NAC0510PTB	\$ 99	5	10	1		—	—	1 lbs.	0.1

- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- NACCP
- See pages 277-278 for all options available in Exhibit

PLASTIC
WORK TOOLS

PENCIL CUP




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
NACCP	Black Plastic	\$ 55	½	4	4	—	—	1 lbs.	0.4
NACCP C	Clear Plastic	55	½	4	4	—	—	1 lbs.	0.4

• Holds pencils, pens, rulers, etc.

- Holds pencils, pens, rulers, etc.


LEGAL PAPER TRAY



NAC1115SPT	Black Plastic	\$ 81	10½	15	2	—	—	1 lbs.	0.1
NAC1115SPT C	Clear Plastic	81	10½	15	2	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



NAC1010AT	Black Plastic	\$ 72	10	9½	2	—	—	1 lbs.	0.2
NAC1010AT C	Clear Plastic	72	10	9½	2	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



NACSS	Black Plastic	\$ 85	12½	7	7½	—	—	1 lbs.	0.2
NACSS C	Clear Plastic	85	12½	7	7½	—	—	1 lbs.	0.2

- Holds folders, papers, etc.

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 277-278 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB	Black	\$ 823	29½	2½	13⅞	—	—	—	12 lbs.	2.7
	NACMA1SFS	Silver	823	29½	2½	13⅞	—	—	—	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements— Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements— Grommet Mount	N/A (slat wall mount only)

BOOKCASES

Product Pages

332

BOOKCASES









Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Finish

SAMPLE MODEL NUMBERS:

21N3365BCOFL HN2
31N3266BCOFW NM

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ARROWOOD LAMINATE BOOKCASE	Q21N3365BCOFL	\$ 1306	13	33	65 $\frac{7}{16}$	—	—	135 lbs.	27.4
	21N3365BCOFL	1306	13	33	65 $\frac{7}{16}$	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 5								
ARROWOOD LAMINATE BOOKCASE	21N3353BCOFL	\$ 1131	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 5								
ARROWOOD LAMINATE BOOKCASE SET-ON	Q21N3336BCOL	\$ 920	13	33	36 $\frac{3}{16}$	—	—	85 lbs.	15.8
	21N3336BCOL	920	13	33	36 $\frac{3}{16}$	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 5								
ARROWOOD VENEER BOOKCASE	Q31N3266BCOFW Wood Top	\$ 2134	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	2134	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 19								
ARROWOOD VENEER BOOKCASE	31N3253BCOFW Wood Top	\$ 1670	13	31 $\frac{1}{2}$	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 19								
ARROWOOD VENEER BOOKCASE SET-ON	Q31N3238BCOW Wood Top	\$ 1477	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	1477	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelf is adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 19								




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

50N3452BCOFW MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BARRINGTON BOOKCASE 	DOUBLE BOOKCASE	\$ 5215	14½	69½	56½	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	824	14½	69½	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	489	13½	68½	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41								

BARRINGTON BOOKCASE 	SINGLE BOOKCASE	\$ 2695	14½	35¾	56½	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1951	12¼	33½	51¼	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	329	13½	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	329	13½	34¾	3¼	—	—	18 lbs.	1.6
• Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41									

BARRINGTON BOOKCASE SET-ON 	Q50N3436BCOW Bookcase	\$ 1842	12¼	33½	35¾	—	—	76 lbs.	17.2
	50N3436BCOW Bookcase	1842	12¼	33½	35¾	—	—	76 lbs.	17.2
	Q50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	415	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	329	13½	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	329	13½	34¾	3¼	—	—	18 lbs.	1.6
• Bookcase components are shipped separately • Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • For set-on surface use, only the bookcase and the cornice frame need to be ordered • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41									

BOOKCASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBERS:

50N3452BCHRW 80AB MH
50N3452BCHGW 80AB DW

BARRINGTON BOOKCASE WITH GRILLE DOORS



MODEL NO./DESCRIPTION


DOUBLE BOOKCASE

MODEL NO./DESCRIPTION	LIST PRICE
50N3452BCHRW Bookcase (each—order 2)	\$ 7471
50N1469CPCFW Cornice Frame	3079
50N1468CPBW Base	824
	489

DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H				
14½	69½	56½	—	—	361 lbs.	39.4
12¼	33½	51¼	—	—	151 lbs.	17.6
14½	69½	1½	—	—	30 lbs.	1.2
13%	68¼	3¼	—	—	29 lbs.	3.0

- Must order 2 bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON BOOKCASE WITH GRILLE DOORS




SINGLE BOOKCASE

MODEL NO./DESCRIPTION	LIST PRICE
50N3452BCHRW Bookcase	\$ 3823
Q50N1436CPCFW Cornice Frame	3079
50N1436CPCFW Cornice Frame	415
Q50N1435CPBW Base	415
50N1435CPBW Base	329
	329

DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H				
14½	35¼	56½	—	—	187 lbs.	19.8
12¼	33½	51¼	—	—	151 lbs.	17.6
14½	35¼	1½	—	—	18 lbs.	0.6
14½	35¼	1½	—	—	18 lbs.	0.6
13%	34¼	3¼	—	—	18 lbs.	1.6
13%	34¼	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON BOOKCASE WITH GLASS DOORS




DOUBLE BOOKCASE

MODEL NO./DESCRIPTION	LIST PRICE
50N3452BCHGW Bookcase (each—order 2)	\$ 7213
50N1469CPCFW Cornice Frame	2950
50N1468CPBW Base	824
	489

DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H				
14½	69½	56½	—	—	361 lbs.	39.4
12¼	33½	51¼	—	—	151 lbs.	17.6
14½	69½	1½	—	—	30 lbs.	1.2
13%	68¼	3¼	—	—	29 lbs.	3.0

- Must order 2 bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON BOOKCASE WITH GLASS DOORS



SINGLE BOOKCASE

MODEL NO./DESCRIPTION	LIST PRICE
50N3452BCHGW Bookcase	\$ 3694
Q50N1436CPCFW Cornice Frame	2950
50N1436CPCFW Cornice Frame	415
Q50N1435CPBW Base	415
50N1435CPBW Base	329
	329

DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H				
14½	35¼	56½	—	—	187 lbs.	19.8
12¼	33½	51¼	—	—	151 lbs.	17.6
14½	35¼	1½	—	—	18 lbs.	0.6
14½	35¼	1½	—	—	18 lbs.	0.6
13%	34¼	3¼	—	—	18 lbs.	1.6
13%	34¼	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

ECN3871BCOFW DW
ECN3871BCOHFW 79SN KRB TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
ESCALADE BOOKCASE - OPEN	QECN3871BCOFW	\$ 3781	15½	38¾	70½	—	—		190 lbs.	31.3
	ECN3871BCOFW	3781	15½	38¾	70½	—	—		190 lbs.	31.3
• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63										
ESCALADE BOOKCASE - OPEN	ECN3857BCOFW	\$ 3410	15½	38¾	57½	—	—		150 lbs.	25.4
• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63										
ESCALADE BOOKCASE - STORAGE	ECN3871BCOHFW	\$ 4535	15½	38¾	70½	—	—		210 lbs.	31.3
• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63										
ESCALADE BOOKCASE - STORAGE	ECN3857BCOHFW	\$ 4215	15½	38¾	57½	—	—		170 lbs.	25.4
• Shaded shelf is adjustable • Bookcase has an unfinished back • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63										
ESCALADE BOOKCASE - SET ON	WOOD DOORS									
	QECN3750BCHW	\$ 4308	15½	37¾	50¾	—	—		130 lbs.	22.5
	ECN3750BCHW	4308	15½	37¾	50¾	—	—		130 lbs.	22.5
ESCALADE BOOKCASE - SET ON	GLASS DOORS									
	ECN3750BCHGW	\$ 4496	15½	37¾	50¾	—	—		130 lbs.	22.5
• Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63										

BOOKCASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBERS:

51N3452BCOFW TF
51N1435CPBW TF



ROOSEVELT DOUBLE BOOKCASE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
DOUBLE BOOKCASE	\$ 5198	14½	69¾	56½	—	—	243 lbs.	39.4
Q51N3452BCOFW Bookcase (each—order 2)	1953	12¼	33½	51¼	—	—	92 lbs.	17.6
51N3452BCOFW Bookcase (each—order 2)	1953	12¼	33½	51¼	—	—	92 lbs.	17.6
51N1469CPCFW Cornice Frame	814	14½	69¾	1½	—	—	30 lbs.	1.2
51N1468CPBW Base	478	13¾	68¾	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

ROOSEVELT SINGLE BOOKCASE



SINGLE BOOKCASE	\$ 2674	14½	35¾	56½	—	—	128 lbs.	19.8
Q51N3452BCOFW Bookcase	1953	12¼	33½	51¼	—	—	92 lbs.	17.6
51N3452BCOFW Bookcase	1953	12¼	33½	51¼	—	—	92 lbs.	17.6
Q51N1436CPCFW Cornice Frame	406	14½	35¾	1½	—	—	18 lbs.	0.6
51N1436CPCFW Cornice Frame	406	14½	35¾	1½	—	—	18 lbs.	0.6
Q51N1435CPBW Base	315	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW Base	315	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

SINGLE BOOKCASE	\$ 2650	14½	35¾	40½	—	—	112 lbs.	19.4
Q51N3436BCOFW Bookcase	1839	12¼	33½	35¾	—	—	76 lbs.	17.2
51N3436BCOFW Bookcase	1839	12¼	33½	35¾	—	—	76 lbs.	17.2
Q51N1436CPCFW Cornice Frame	406	14½	35¾	1½	—	—	18 lbs.	0.6
51N1436CPCFW Cornice Frame	406	14½	35¾	1½	—	—	18 lbs.	0.6
Q51N1435CPBW Base	315	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW Base	315	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

FILES

Product Pages 338



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Laminate

SAMPLE MODEL NUMBER:

21N2436LFF2L KRB HN2

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ARROWOOD LAMINATE LATERAL FILE 2 DRAWER	Q21N2436LFF2L	\$ 1449	23¾	35¾	29½	—	—	184 lbs.	17.7
	21N2436LFF2L	1449	23¾	35¾	29½	—	—	184 lbs.	17.7



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back
- Reference Arrowwood Laminate series for detailed product information, laminates and entire Arrowwood Laminate offering starting on page 5

ARROWOOD LAMINATE LATERAL FILE 3 DRAWER	21N2436LFF3L	\$ 2361	23¾	35¾	44½	—	—	210 lbs.	30.0



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowwood Laminate series for detailed product information, laminates and entire Arrowwood Laminate offering starting on page 5

ARROWOOD LAMINATE LATERAL FILE 4 DRAWER	21N2436LFF4L	\$ 3276	23¾	35¾	58¾	—	—	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowwood Laminate series for detailed product information, laminates and entire Arrowwood Laminate offering starting on page 5



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish

SAMPLE MODEL NUMBER:

31N2136LFF2W KRB DW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ARROWOOD VENEER LATERAL FILE 2 DRAWER	Q31N2136LFF2W Wood Top	\$ 2264	21	35½	29½	—	—	193 lbs.	15.6
	31N2136LFF2W Wood Top	2264	21	35½	29½	—	—	193 lbs.	15.6
	31N2136LFF2LW HPL Top	2176	21	35½	29½	—	—	201 lbs.	15.6




- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Arrowwood Veneer for detailed product information, finishes and entire Arrowwood Veneer offering starting on page 19

ARROWOOD VENEER LATERAL FILE 3 DRAWER	31N2136LFF3W Wood Top	\$ 2936	21	36½	43%	—	—	210 lbs.	30.0
	31N2136LFF3LW HPL Top	2861	21	36½	43%	—	—	210 lbs.	30.0



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowwood Veneer for detailed product information, finishes and entire Arrowwood Veneer offering starting on page 19

ARROWOOD VENEER LATERAL FILE 4 DRAWER	31N2136LFF4W Wood Top	\$ 3697	21	36½	57½	—	—	291 lbs.	40.2
	31N2136LFF4LW HPL Top	3649	21	36½	57½	—	—	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowwood Veneer for detailed product information, finishes and entire Arrowwood Veneer offering starting on page 19



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BARRINGTON LATERAL FILE 2 DRAWER	Q50N2137LFF2W Wood Top	\$ 2953	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	2953	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	2953	21	37¼	29½	—	—	123 lbs.	15.6




- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON LATERAL FILE 3 DRAWER	50N2137LFF3W Wood Top	\$ 3951	21½	37¼	43½	—	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	3951	21½	37¼	43½	—	—	—	190 lbs.	24.0



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON LATERAL FILE 4 DRAWER	50N2137LFF4W Wood Top	\$ 4950	21	37¼	55½	—	—	—	236 lbs.	29.4
---	-----------------------	---------	----	-----	-----	---	---	---	----------	------



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

ECN2238LFF3W 79SN KRB DW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ESCALADE LATERAL FILE 2 DRAWER	QECN2238LFF2W	\$ 3642	22¼	38⅞	29½	—	—	155 lbs.	17.8
	ECN2238LFF2W	3642	22¼	38⅞	29½	—	—	155 lbs.	17.8
• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63									
ESCALADE LATERAL FILE 3 DRAWER	ECN2238LFF3W	\$ 4584	22¼	38⅞	41⅞	—	—	210 lbs.	30.0
• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63									
ESCALADE LATERAL FILE 4 DRAWER	ECN2238LFF4W	\$ 5527	22¼	38⅞	54½	—	—	265 lbs.	32.9
• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63									





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

51N2137LFF2W 82AB KRB CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ROOSEVELT LATERAL FILE 2 DRAWER	51N2137LFF2W Wood Top	\$ 2814	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	2714	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW Laminate Top	2714	21	37¼	29½	—	—	123 lbs.	15.6



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

ROOSEVELT LATERAL FILE 3 DRAWER	51N2137LFF3W Wood Top	\$ 3868	21½	37¼	43⅞	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	3770	21½	37¼	43⅞	—	—	190 lbs.	24.0



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

ROOSEVELT LATERAL FILE 4 DRAWER	51N2137LFF4W Wood Top	\$ 4785	21	37¼	55½	—	—	236 lbs.	29.4
--	-----------------------	---------	----	-----	-----	---	---	----------	------



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:





1. Model Number
2. Pull
3. Locking
4. Paint

- See Casegoods Book 2 for all options available in WaveWorks Metal

SAMPLE MODEL NUMBER:

WW1842LFF2M 5 KRB 462

WAVEWORKS METAL LATERAL FILE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WW1842LFF2M 2 Drawer	\$ 1544	18	42	27 $\frac{3}{4}$	—	—	121 lbs.	16.4
QWW1836LFF2M 2 Drawer	1430	18	36	27 $\frac{3}{4}$	—	—	113 lbs.	14.2
WW1836LFF2M 2 Drawer	1430	18	36	27 $\frac{3}{4}$	—	—	113 lbs.	14.2
WW1830LFF2M 2 Drawer	1311	18	30	27 $\frac{3}{4}$	—	—	100 lbs.	12.0
WW36CW2M Counterweight	217	1 $\frac{1}{2}$	23 $\frac{3}{4}$	11 $\frac{1}{2}$	—	—	37 lbs.	0.1

- Counterweight must be used unless ganging multiple lateral file units

WW1842LFF3M 3 Drawer	\$ 1910	18	42	39 $\frac{3}{16}$	—	—	164 lbs.	23.0
WW1836LFF3M 3 Drawer	1755	18	36	39 $\frac{3}{16}$	—	—	146 lbs.	19.9
WW1830LFF3M 3 Drawer	1542	18	30	39 $\frac{3}{16}$	—	—	128 lbs.	16.8
WW36CW2M Counterweight	217	1 $\frac{1}{2}$	23 $\frac{3}{4}$	11 $\frac{1}{2}$	—	—	37 lbs.	0.1

- Counterweight must be used unless ganging multiple lateral file units

WW1842LFF4M 4 Drawer	\$ 2423	18	42	51 $\frac{1}{2}$	—	—	191 lbs.	29.5
QWW1836LFF4M 4 Drawer	2147	18	36	51 $\frac{1}{2}$	—	—	169 lbs.	25.6
WW1836LFF4M 4 Drawer	2147	18	36	51 $\frac{1}{2}$	—	—	169 lbs.	25.6
WW1830LFF4M 4 Drawer	1901	18	30	51 $\frac{1}{2}$	—	—	148 lbs.	21.7
WW36CW2M Counterweight	217	1 $\frac{1}{2}$	23 $\frac{3}{4}$	11 $\frac{1}{2}$	—	—	37 lbs.	0.1

- Counterweight must be used unless ganging multiple lateral file units

WW1842LFF5M 5 Drawer	\$ 3067	18	42	64 $\frac{1}{2}$	—	—	212 lbs.	36.8
WW1836LFF5M 5 Drawer	2801	18	36	64 $\frac{1}{2}$	—	—	187 lbs.	31.9
WW1830LFF5M 5 Drawer	2556	18	30	64 $\frac{1}{2}$	—	—	162 lbs.	26.9
WW36CW2M Counterweight	217	1 $\frac{1}{2}$	23 $\frac{3}{4}$	11 $\frac{1}{2}$	—	—	37 lbs.	0.1

- Counterweight must be used unless ganging multiple lateral file units

WW1842LFF5DM 5 Drawer with Recessed Door	\$ 2803	18	42	64 $\frac{1}{2}$	—	—	212 lbs.	36.8
WW1836LFF5DM 5 Drawer with Recessed Door	2803	18	36	64 $\frac{1}{2}$	—	—	187 lbs.	31.9
WW1830LFF5DM 5 Drawer with Recessed Door	2803	18	30	64 $\frac{1}{2}$	—	—	162 lbs.	26.9
WW36CW2M Counterweight	217	1 $\frac{1}{2}$	23 $\frac{3}{4}$	11 $\frac{1}{2}$	—	—	37 lbs.	0.1

- Counterweight must be used unless ganging multiple lateral file units

- Drawer fronts are picture framed
- File drawers accommodate side-to-side letter/legal filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware in Casegoods Book 2
- Counterweight must be ordered separately; specify model only
- Knockouts are standard to allow for ganging side-by-side
- File cannot be moved loaded
- Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Pulls must be field installed for freestanding lateral files
- Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering in Casegoods Book 2

TOSS ACCENT PILLOWS WEDGES AND CUSHIONS

ACCENT PILLOWS

Product Specifications	346
Textiles and Options	347
Contrasting Textiles Specifications	348
Product Pages	349

WEDGES AND CUSHIONS

Product Specifications	356
Textiles and Options	357
Product Pages	358

TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS 10 SERIES

CONSTRUCTION

SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

RELAXED TOSS PILLOWS

- Relaxed pillow insert has a light, soft fill that is blended from poly fibers, providing a more relaxed pillow aesthetic. It's a perfect complement to our residentially inspired lounge collection, Collette

CLASSIC TOSS PILLOWS

- Classic pillow insert has a heavier, firm fill that is blended from poly fibers, providing a more structured pillow aesthetic for commercial environments

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting textile available on all models



TEXTILES

Grade 1	Cali	Grade 2	Bliss	Grade 4	Connect Four
	Entwine		Brilliant		Masquerade
	Input		COM		
	Melange		Dolce	Grade 5	Mode
	Ridge		Dorset	Grade 6	Essence/Ultraleather
	Vessel		Intuition		
		Grade 3	Pixie	Grade 7	Brisa
			Sedona		Brisa Distressed
			Stancil		Silica
			Strand		Silica Etch
					Tottori
			COL	Grade L7	Davenport
			Silvertex	Grade L8	Florence

FILL INSERT

F1 Classic
F2 Relaxed


*Not available on bolster

TO ORDER CONTRASTING TEXTILE, SPECIFY

TOSS ACCENT PILLOWS



Bolster page 349

1. Model Number plus "X"
2. Upholstery Textile Grade Number/Cover Number
3. Accent Textile Grade Number/Cover Number
4. Piping Textile Grade Number/Cover Number





Square Pillow page 350

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Textile Grade Number/Cover Number
4. Back Textile Grade Number/Cover Number
5. Accent Textile Grade Number/Cover Number
6. Piping Textile Grade Number/Cover Number



Rectangle Pillow page 353

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Textile Grade Number/Cover Number
4. Back Textile Grade Number/Cover Number
5. Accent Textile Grade Number/Cover Number
6. Piping Textile Grade Number/Cover Number





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PBL1806 2 20020
• See pages 347 for textiles

BOLSTER



Standard Model



With Piping

DIMENSIONS

Weight 3.5
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PBL1806X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow

TOSS ACCENT PILLOWS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PSQ1414 F2 2 20020

- See pages 347 for textiles

MODEL NO./DESCRIPTION

SQUARE PILLOW



Standard Model



With Button

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1414	14x14	\$	171	193	203	219	237	267	308	498	559
N10PSQ1414	14x14		171	193	203	219	237	267	308	498	559

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	208	231	249	268	289	311	329	352	374	397
	K	L	M	N	O	P	Q	R	S	T
\$	432	504	549	572	595	618	641	664	687	710

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414B	14x14 Button	\$	206	228	238	254	272	302	343	533	594

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	243	266	284	303	324	346	364	387	409	432
	K	L	M	N	O	P	Q	R	S	T
\$	467	539	584	607	630	653	676	699	722	745

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414P	14x14 Piping	\$	236	261	273	291	312	347	393	611	681

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	279	305	326	347	371	396	417	443	469	496
	K	L	M	N	O	P	Q	R	S	T
\$	536	618	669	696	723	749	776	802	828	854

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414BP	14x14 Button & Piping	\$	253	278	290	308	329	364	410	628	698

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	296	322	343	364	388	413	434	460	486	513
	K	L	M	N	O	P	Q	R	S	T
\$	553	635	686	713	740	766	793	819	845	871

DIMENSIONS

Weight 3.5
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1414X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color

SAMPLE MODEL NUMBER:

N10PSQ1616 F2 2 20020

- See pages 347 for textiles

MODEL NO./DESCRIPTION**SQUARE PILLOW**

Standard Model



With Button

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1616	16x16	\$ 210	235	247	265	286	321	367	585	655
N10PSQ1616	16x16	210	235	247	265	286	321	367	585	655

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	253	279	300	321	345	370	391	417	443	470
	K	L	M	N	O	P	Q	R	S	T
\$	510	592	643	670	697	723	750	776	802	828

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616B	16x16 Button	\$ 244	269	281	299	320	355	401	619	689

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	287	313	334	355	379	404	425	451	477	504
	K	L	M	N	O	P	Q	R	S	T
\$	544	626	677	704	731	757	784	810	836	862

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616P	16x16 Piping	\$ 274	301	314	333	355	393	442	676	751

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	320	348	370	393	419	446	468	496	524	552
	K	L	M	N	O	P	Q	R	S	T
\$	595	684	738	767	795	824	852	880	909	936

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616BP	16x16 Button & Piping	\$ 294	321	334	353	375	413	462	696	771

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	340	368	390	413	439	466	488	516	544	572
	K	L	M	N	O	P	Q	R	S	T
\$	615	704	758	787	815	844	872	900	929	956

DIMENSIONS

Weight 3.75
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1616X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PSQ1818 F2 2 20020

- See pages 347 for textiles

MODEL NO./DESCRIPTION

SQUARE PILLOW



Standard Model



With Button

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1818	18x18	\$	248	275	288	307	329	367	416	650	725
N10PSQ1818	18x18		248	275	288	307	329	367	416	650	725

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	294	322	344	367	393	420	442	470	498	526
	K	L	M	N	O	P	Q	R	S	T
\$	569	658	712	741	769	798	826	854	883	910

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818B	18x18 Button	\$	281	308	321	340	362	400	449	683	758

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	327	355	377	400	426	453	475	503	531	559
	K	L	M	N	O	P	Q	R	S	T
\$	602	691	745	774	802	831	859	887	916	943

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818P	18x18 Piping	\$	312	341	354	375	398	438	491	741	821

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	361	391	414	439	466	495	519	549	578	609
	K	L	M	N	O	P	Q	R	S	T
\$	654	749	807	838	868	898	929	958	989	1018

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818BP	18x18 Button & Piping	\$	331	360	373	394	417	457	510	760	840

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	380	410	433	458	485	514	538	568	597	628
	K	L	M	N	O	P	Q	R	S	T
\$	673	768	826	857	887	917	948	977	1008	1037

DIMENSIONS

Weight 4.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1818PX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PRT1508 F2 2 20020

- See pages 347 for textiles

MODEL NO./DESCRIPTION**RECTANGLE PILLOW**

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)**GRADE / LIST PRICE**

		1	2/COM	3/COL	4	5	6	7	L7	L8
Q	N10PRT1508 15x8	\$ 188	202	209	220	231	251	278	402	442
N	10PRT1508 15x8	188	202	209	220	231	251	278	402	442

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	212	228	239	252	265	280	292	306	321	336
	K	L	M	N	O	P	Q	R	S	T
\$	359	406	436	451	466	481	496	511	526	541

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N	10PRT1508L 15x8 Stripe Left	\$ 206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N	10PRT1508R 15x8 Stripe Right	\$ 206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS


TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

- N10PRT1508BR F2 2 20020
- See pages 347 for textiles

MODEL NO./DESCRIPTION

RECTANGLE PILLOW
(CONTINUED)

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508C	15x8 Stripe Center	\$	206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508P	15x8 Piping	\$	219	237	246	259	273	298	331	487	537

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	250	269	283	299	316	334	349	367	386	405
	K	L	M	N	O	P	Q	R	S	T
\$	433	492	529	548	567	586	605	623	642	661

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508LP	15x8 Piping & Stripe Left	\$	236	254	263	276	290	315	348	504	554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422
	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508PX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Textile Grade/Color

SAMPLE MODEL NUMBER:


N10PRT1508RP F2 2 20020

- See pages 347 for textiles


MODEL NO./DESCRIPTION

RECTANGLE PILLOW
(CONTINUED)

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508RP	15x8 Piping & Stripe Right	\$	236	254	263	276	290	315	348	504 554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422

	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508CP	15x8 Piping & Stripe Center	\$	236	254	263	276	290	315	348	504 554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422

	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508RPX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

WEDGES AND CUSHIONS


WEDGE AND CUSHIONS PRODUCT SPECIFICATIONS

CONSTRUCTION
WEDGE

- Features high grade polyurethane foam with a ½" structural base for stability
- Contrasting textile available

CUSHIONS

- 1 ¾" high grade polyurethane foam covers a ¾" solid base panel
- Tufted models available and feature ¾" round buttons
- Features non-skid pad
- May be used on select occasional tables, casegoods, and storage to create impromptu seating



TEXTILES

Grade 1	Cali Entwine Input Melange Ridge Vessel	Grade 2	Bliss Brilliant COM Dolce Dorset Intuition Pixie Sedona Stancil Strand	Grade 4	Connect Four Masquerade
				Grade 5	Mode
				Grade 6	Essence/Ultraleather
				Grade 7	Brisa Brisa Distressed Silica Silica Etch Tottori
		Grade 3	COL Silververtex	Grade L7	Davenport
				Grade L8	Florence

WEDGES AND CUSHIONS


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

N10PWD1816 2 20020
• See pages 357 for textiles

WEDGE



MODEL NO./DESCRIPTION		GRADE / LIST PRICE										
			1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD1816	18W Wedge	\$	530	562	578	601	627	672	732	1012	1102	
		ALLIANCE GRADE / LIST PRICE										
			A	B	C	D	E	F	G	H	I	J
		\$	585	619	645	673	704	736	763	796	830	864
			K	L	M	N	O	P	Q	R	S	T
		\$	915	1021	1087	1121	1156	1190	1224	1257	1291	1325
		GRADE / LIST PRICE										
			1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD2116	21W Wedge	\$	573	613	631	660	692	747	819	1163	1273	
		ALLIANCE GRADE / LIST PRICE										
			A	B	C	D	E	F	G	H	I	J
		\$	640	682	714	748	785	825	858	899	939	981
			K	L	M	N	O	P	Q	R	S	T
		\$	1044	1174	1254	1296	1338	1379	1421	1462	1504	1544
		GRADE / LIST PRICE										
			1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD2416	24W Wedge	\$	613	656	677	708	743	803	882	1256	1376	
		ALLIANCE GRADE / LIST PRICE										
			A	B	C	D	E	F	G	H	I	J
		\$	686	732	767	804	845	888	924	968	1013	1058
			K	L	M	N	O	P	Q	R	S	T
		\$	1127	1268	1356	1401	1447	1493	1538	1583	1628	1673
DIMENSIONS												
N10PWD1816			N10PWD2116			N10PWD2416						
Weight		6.5	Weight		7.0	Weight		7.5				
Cubic Ft.		4.3	Cubic Ft.		4.3	Cubic Ft.		4.3				
• Contrasting textile option – specify X (i.e., N10PWD1816X); see above. For list pricing, use your electronic specification tool or contact customer service												

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


- NAC3636CUSH 2 20020
- See pages 357 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC3636CUSH	\$	913	971	998	1039	1086	1166	1271	1771	1931

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1011	1071	1118	1167	1222	1279	1327	1387	1446	1507

	K	L	M	N	O	P	Q	R	S	T
\$	1598	1787	1903	1964	2025	2086	2147	2206	2267	2326

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC36CUSH	\$	874	924	948	985	1025	1095	1188	1624	1764

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	959	1013	1053	1097	1144	1195	1237	1288	1340	1393

	K	L	M	N	O	P	Q	R	S	T
\$	1473	1638	1741	1794	1847	1900	1953	2005	2058	2110

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2828CUSH	\$	833	880	902	936	973	1038	1124	1530	1660

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	912	962	999	1040	1084	1131	1170	1218	1266	1315

	K	L	M	N	O	P	Q	R	S	T
\$	1389	1543	1638	1687	1737	1786	1835	1883	1933	1981

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2727CUSH	\$	792	835	856	887	922	982	1061	1435	1555

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	865	911	946	983	1024	1067	1103	1147	1192	1237

	K	L	M	N	O	P	Q	R	S	T
\$	1306	1447	1535	1580	1626	1672	1717	1762	1807	1852

DIMENSIONS

NAC3636CUSH

Depth	36
Width	36
Weight	30
Cubic Ft.	3.3

NAC36CUSH

Depth	36
Width	36
Weight	24
Cubic Ft.	3.3

NAC2828CUSH

Depth	28
Width	28
Weight	17
Cubic Ft.	3.3

NAC2727CUSH

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC2552CUSH 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2552CUSH	\$	985	1050	1080	1127	1179	1269	1388	1950	2130

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1095	1163	1215	1271	1332	1397	1451	1518	1584	1653
		K	L	M	N	O	P	Q	R	S	T
\$		1755	1968	2099	2168	2236	2304	2373	2439	2508	2574

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2472CUSH	\$	1165	1241	1276	1331	1392	1497	1635	2291	2501

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1293	1373	1434	1499	1570	1646	1709	1787	1864	1944
		K	L	M	N	O	P	Q	R	S	T
\$		2064	2312	2465	2545	2625	2704	2784	2862	2942	3019

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2460CUSH	\$	1016	1092	1127	1182	1243	1348	1486	2142	2352

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1144	1224	1285	1350	1421	1497	1560	1638	1715	1795
		K	L	M	N	O	P	Q	R	S	T
\$		1915	2163	2316	2396	2476	2555	2635	2713	2793	2870

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2448CUSH	\$	811	854	875	906	941	1001	1080	1454	1574

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		884	930	965	1002	1043	1086	1122	1166	1211	1256
		K	L	M	N	O	P	Q	R	S	T
\$		1325	1466	1554	1599	1645	1691	1736	1781	1826	1871

DIMENSIONS

NAC2552CUSH

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

NAC2472CUSH

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

NAC2460CUSH

Depth	24
Width	60
Weight	31
Cubic Ft.	3.8

NAC2448CUSH

Depth	24
Width	48
Weight	24
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


- NAC2440CUSH 2 20020
- See pages 357 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2440CUSH	\$	761	804	825	856	891	951	1030	1404	1524

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	834	880	915	952	993	1036	1072	1116	1161	1206

	K	L	M	N	O	P	Q	R	S	T
\$	1275	1416	1504	1549	1595	1641	1686	1731	1776	1821

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2436CUSH	\$	443	486	507	538	573	633	712	1086	1206

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	516	562	597	634	675	718	754	798	843	888

	K	L	M	N	O	P	Q	R	S	T
\$	957	1098	1186	1231	1277	1323	1368	1413	1458	1503

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2430CUSH	\$	417	460	481	512	547	607	686	1060	1180

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	490	536	571	608	649	692	728	772	817	862

	K	L	M	N	O	P	Q	R	S	T
\$	931	1072	1160	1205	1251	1297	1342	1387	1432	1477

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2424CUSH	\$	391	420	433	454	477	517	570	820	900

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	440	470	493	518	545	574	598	628	657	688

	K	L	M	N	O	P	Q	R	S	T
\$	733	828	886	917	947	977	1008	1037	1068	1097

DIMENSIONS

NAC2440CUSH

Depth	24
Width	40
Weight	21
Cubic Ft.	2.6

NAC2436CUSH

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

NAC2430CUSH

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

NAC2424CUSH

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC24CUSH 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC24CUSH	\$	611	647	664	690	719	769	835	1147	1247

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		672	710	739	770	804	840	870	907	944	982
		K	L	M	N	O	P	Q	R	S	T
\$		1039	1157	1230	1268	1306	1344	1382	1419	1457	1494

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2024CUSH	\$	414	443	456	477	500	540	593	843	923

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		463	493	516	541	568	597	621	651	680	711
		K	L	M	N	O	P	Q	R	S	T
\$		756	851	909	940	970	1000	1031	1060	1091	1120

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1872CUSH	\$	958	1019	1048	1092	1142	1227	1339	1869	2039

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1062	1126	1176	1228	1286	1347	1398	1461	1524	1589
		K	L	M	N	O	P	Q	R	S	T
\$		1686	1886	2010	2075	2140	2204	2269	2332	2396	2459

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1860CUSH	\$	837	895	922	963	1010	1090	1195	1695	1855

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		935	995	1042	1091	1146	1203	1251	1311	1370	1431
		K	L	M	N	O	P	Q	R	S	T
\$		1522	1711	1827	1888	1949	2010	2071	2130	2191	2250

DIMENSIONS

NAC24CUSH

Depth	24
Width	24
Weight	10
Cubic Ft.	2.0

NAC2024CUSH

Depth	20
Width	24
Weight	11
Cubic Ft.	2.0

NAC1872CUSH

Depth	18
Width	72
Weight	29
Cubic Ft.	3.8

NAC1860CUSH

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


- NAC1848CUSH 2 20020
- See pages 357 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1848CUSH	\$	666	702	719	745	774	824	890	1202	1302

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	727	765	794	825	859	895	925	962	999	1037

	K	L	M	N	O	P	Q	R	S	T
\$	1094	1212	1285	1323	1361	1399	1437	1474	1512	1549

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1840CUSH	\$	619	651	667	690	716	761	821	1101	1191

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	674	708	734	762	793	825	852	885	919	953

	K	L	M	N	O	P	Q	R	S	T
\$	1004	1110	1176	1210	1245	1279	1313	1346	1380	1414

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1836CUSH	\$	443	483	501	530	562	617	689	1033	1143

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	510	552	584	618	655	695	728	769	809	851

	K	L	M	N	O	P	Q	R	S	T
\$	914	1044	1124	1166	1208	1249	1291	1332	1374	1414

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1830CUSH	\$	417	449	465	488	514	559	619	899	989

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	472	506	532	560	591	623	650	683	717	751

	K	L	M	N	O	P	Q	R	S	T
\$	802	908	974	1008	1043	1077	1111	1144	1178	1212

DIMENSIONS

NAC1848CUSH

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

NAC1840CUSH

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

NAC1836CUSH

Depth	18
Width	36
Weight	15
Cubic Ft.	1.9

NAC1830CUSH

Depth	18
Width	30
Weight	12.5
Cubic Ft.	1.9

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC1824CUSH 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION


CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1824CUSH	\$	391	416	428	446	467	502	548	766	836

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	434	460	481	502	526	551	572	598	624	651

	K	L	M	N	O	P	Q	R	S	T
\$	691	773	824	851	878	904	931	957	983	1009

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1820CUSH	\$	381	403	413	428	446	476	515	703	763

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	418	440	458	476	497	518	536	559	581	604

	K	L	M	N	O	P	Q	R	S	T
\$	638	709	752	775	798	821	844	866	889	911

DIMENSIONS

NAC1824CUSH

Depth	18
Width	24
Weight	10
Cubic Ft.	1.9

NAC1820CUSH

Depth	18
Width	20
Weight	9
Cubic Ft.	1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


NAC3636CUSHT 2 20020

- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE

20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC3636CUSHT	\$	1363	1421	1448	1489	1536	1616	1721	2221	2381

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1461	1521	1568	1617	1672	1729	1777	1837	1896	1957

		K	L	M	N	O	P	Q	R	S	T
\$		2048	2237	2353	2414	2475	2536	2597	2656	2717	2776

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC36CUSHT	\$	1309	1359	1383	1420	1460	1530	1623	2059	2199

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1394	1448	1488	1532	1579	1630	1672	1723	1775	1828

		K	L	M	N	O	P	Q	R	S	T
\$		1908	2073	2176	2229	2282	2335	2388	2440	2493	2545

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2828CUSHT	\$	1254	1301	1323	1357	1394	1459	1545	1951	2081

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1333	1383	1420	1461	1505	1552	1591	1639	1687	1736

		K	L	M	N	O	P	Q	R	S	T
\$		1810	1964	2059	2108	2158	2207	2256	2304	2354	2402

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2727CUSHT	\$	1205	1248	1269	1300	1335	1395	1474	1848	1968

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1278	1324	1359	1396	1437	1480	1516	1560	1605	1650

		K	L	M	N	O	P	Q	R	S	T
\$		1719	1860	1948	1993	2039	2085	2130	2175	2220	2265

DIMENSIONS

NAC3636CUSHT

Depth	36
Width	36
Weight	30
Cubic Ft.	3.3

NAC36CUSHT

Depth	36
Width	36
Weight	24
Cubic Ft.	3.3

NAC2828CUSHT

Depth	28
Width	28
Weight	17
Cubic Ft.	3.3

NAC2727CUSHT

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC2552CUSHT 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2552CUSHT	\$	1506	1571	1601	1648	1700	1790	1909	2471	2651

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1616	1684	1736	1792	1853	1918	1972	2039	2105	2174
		K	L	M	N	O	P	Q	R	S	T
\$		2276	2489	2620	2689	2757	2825	2894	2960	3029	3095

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2472CUSHT	\$	1553	1629	1664	1719	1780	1885	2023	2679	2889

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1681	1761	1822	1887	1958	2034	2097	2175	2252	2332
		K	L	M	N	O	P	Q	R	S	T
\$		2452	2700	2853	2933	3013	3092	3172	3250	3330	3407

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2460CUSHT	\$	1386	1462	1497	1552	1613	1718	1856	2512	2722

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1514	1594	1655	1720	1791	1867	1930	2008	2085	2165
		K	L	M	N	O	P	Q	R	S	T
\$		2285	2533	2686	2766	2846	2925	3005	3083	3163	3240

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2448CUSHT	\$	1214	1257	1278	1309	1344	1404	1483	1857	1977

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1287	1333	1368	1405	1446	1489	1525	1569	1614	1659
		K	L	M	N	O	P	Q	R	S	T
\$		1728	1869	1957	2002	2048	2094	2139	2184	2229	2274

DIMENSIONS

NAC2552CUSHT

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

NAC2472CUSHT

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

NAC2460CUSHT

Depth	24
Width	60
Weight	31
Cubic Ft.	3.8

NAC2448CUSHT

Depth	24
Width	48
Weight	24
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC2440CUSHT 2 20020

- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2440CUSHT	\$	1143	1186	1207	1238	1273	1333	1412	1786	1906

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1216	1262	1297	1334	1375	1418	1454	1498	1543	1588

	K	L	M	N	O	P	Q	R	S	T
\$	1657	1798	1886	1931	1977	2023	2068	2113	2158	2203

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2436CUSHT	\$	698	741	762	793	828	888	967	1341	1461

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	771	817	852	889	930	973	1009	1053	1098	1143

	K	L	M	N	O	P	Q	R	S	T
\$	1212	1353	1441	1486	1532	1578	1623	1668	1713	1758

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2430CUSHT	\$	666	709	730	761	796	856	935	1309	1429

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	739	785	820	857	898	941	977	1021	1066	1111

	K	L	M	N	O	P	Q	R	S	T
\$	1180	1321	1409	1454	1500	1546	1591	1636	1681	1726

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2424CUSHT	\$	642	671	684	705	728	768	821	1071	1151

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	691	721	744	769	796	825	849	879	908	939

	K	L	M	N	O	P	Q	R	S	T
\$	984	1079	1137	1168	1198	1228	1259	1288	1319	1348

DIMENSIONS

NAC2440CUSHT

Depth	24
Width	40
Weight	21
Cubic Ft.	2.6

NAC2436CUSHT

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

NAC2430CUSHT

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

NAC2424CUSHT

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC24CUSHT 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC24CUSHT	\$	913	949	966	992	1021	1071	1137	1449	1549

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		974	1012	1041	1072	1106	1142	1172	1209	1246	1284
		K	L	M	N	O	P	Q	R	S	T
\$		1341	1459	1532	1570	1608	1646	1684	1721	1759	1796

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2024CUSHT	\$	619	648	661	682	705	745	798	1048	1128

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		668	698	721	746	773	802	826	856	885	916
		K	L	M	N	O	P	Q	R	S	T
\$		961	1056	1114	1145	1175	1205	1236	1265	1296	1325

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1872CUSHT	\$	1427	1488	1517	1561	1611	1696	1808	2338	2508

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1531	1595	1645	1697	1755	1816	1867	1930	1993	2058
		K	L	M	N	O	P	Q	R	S	T
\$		2155	2355	2479	2544	2609	2673	2738	2801	2865	2928

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1860CUSHT	\$	1228	1286	1313	1354	1401	1481	1586	2086	2246

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1326	1386	1433	1482	1537	1594	1642	1702	1761	1822
		K	L	M	N	O	P	Q	R	S	T
\$		1913	2102	2218	2279	2340	2401	2462	2521	2582	2641

DIMENSIONS

NAC24CUSHT

Depth	24
Width	24
Weight	10
Cubic Ft.	2.0

NAC2024CUSHT

Depth	20
Width	24
Weight	11
Cubic Ft.	2.0

NAC1872CUSHT

Depth	18
Width	72
Weight	29
Cubic Ft.	3.8

NAC1860CUSHT

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC1848CUSHT 2 20020

- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1848CUSHT	\$	1032	1068	1085	1111	1140	1190	1256	1568	1668

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1093	1131	1160	1191	1225	1261	1291	1328	1365	1403

	K	L	M	N	O	P	Q	R	S	T
\$	1460	1578	1651	1689	1727	1765	1803	1840	1878	1915

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1840CUSHT	\$	935	967	983	1006	1032	1077	1137	1417	1507

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	990	1024	1050	1078	1109	1141	1168	1201	1235	1269

	K	L	M	N	O	P	Q	R	S	T
\$	1320	1426	1492	1526	1561	1595	1629	1662	1696	1730

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1836CUSHT	\$	698	738	756	785	817	872	944	1288	1398

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	765	807	839	873	910	950	983	1024	1064	1106

	K	L	M	N	O	P	Q	R	S	T
\$	1169	1299	1379	1421	1463	1504	1546	1587	1629	1669

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1830CUSHT	\$	666	698	714	737	763	808	868	1148	1238

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	721	755	781	809	840	872	899	932	966	1000

	K	L	M	N	O	P	Q	R	S	T
\$	1051	1157	1223	1257	1292	1326	1360	1393	1427	1461

DIMENSIONS

NAC1848CUSHT

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

NAC1840CUSHT

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

NAC1836CUSHT

Depth	18
Width	36
Weight	15
Cubic Ft.	1.9

NAC1830CUSHT

Depth	18
Width	30
Weight	12.5
Cubic Ft.	1.9

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC1824CUSHT 2 20020


- See pages 357 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1824CUSHT	\$	642	667	679	697	718	753	799	1017	1087

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	685	711	732	753	777	802	823	849	875	902

	K	L	M	N	O	P	Q	R	S	T
\$	942	1024	1075	1102	1129	1155	1182	1208	1234	1260

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1820CUSHT	\$	585	607	617	632	650	680	719	907	967

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	622	644	662	680	701	722	740	763	785	808

	K	L	M	N	O	P	Q	R	S	T
\$	842	913	956	979	1002	1025	1048	1070	1093	1115

DIMENSIONS

NAC1824CUSHT

Depth	18
Width	24
Weight	10
Cubic Ft.	1.9

NAC1820CUSHT

Depth	18
Width	20
Weight	9
Cubic Ft.	1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

ACCESSORIES

Product Specifications	372
Product Options	373
Application Matrix	374
Product Pages	376

POWER/DATA ELECTRICAL SPECIFICATIONS

HEARTH

- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS

- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO

- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between ½" (12.7mm) – 2⅜" (71mm).
- UL Listed

FINISH

WOOD CENTER DRAWER

AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
IM	Brighton	NM	Natural
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN	Honey	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial		

PERSONAL PULL-UP TABLE

793	Acorn	KN	Kona
AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
BZ	Brazilwood	NM	Natural
IM	Brighton	PC	Porcini
CO	Canyon	PT	Portico
CL	Caramel	PB	Portobello
CI	Chai	792	Sable
462	Cinder	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
405	Designer White	TF	Truffle
DF	Driftwood	NW	Tuscan
HN	Honey	UW	Urban
TM	Huntington	WL	Willow
DW	Judicial		

LAMINATE

Center Drawer, Personal Pull-up Table, Vertical Pigeon Hole Storage

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal*	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal*
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal*
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal*
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal*
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

*Not available on Personal Pull-Up Table

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
492H	Cinder Linear Horizontal*	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
491H	Designer White Linear Horizontal*		

*Not available on Personal Pull-Up Table

GALLERY LAMINATE


Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

TACK BOARD VERTICAL TEXTILES OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ACCESSORIES

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NAC1706KK3	Basic Adjustable Keyboard Kit
B	NACC1824CDW	Wood Center Drawer	L	NACMA1GMB	Flexible Single Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NACMA1GMS	Flexible Single Monitor Arm
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1322SL1	Metal Corner Sleeve
E	NAC1211DO	Deluxe Organizer	O	NAC1322SL2	Metal Corner Sleeve
G	NAC1922CD	Plastic Center Drawer	P	NAC1222SL	Metal Corner Sleeve
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit	Q	NAC1424KT	Keyboard Tray
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit	S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit			

• Hinged Modesty models cannot use center drawer or keyboard kits

	ARROWOOD	BARRINGTON	ESCALADE
DOUBLE PEDESTAL DESKS			
36" x 72"	A,B,C,D,E,G,H,I,J,K,L,M,Q,S	D,E,L,M	A,B,C,D,E,G,H,I,J,K,L,M,Q,S
30" x 66"	A,B,C,D,E,G,L,M,Q	D,E,L,M	C,D,E,G,L,M,Q
30" x 60"			
SINGLE PEDESTAL DESKS			
36" x 72"	A,B,C,D,E,G,H,I,J,K,L,M,Q,S	D,E,L,M,N	A,B,C,E,G,H,I,J,K,L,M,P,Q,S
30" x 66"	D,E,L,M,O	D,E,L,M,N	D,E,L,M,O
U-UNITS AND P-UNITS			
without modesty panel	H,I,J,K,L,M,O,S		A,B,C,G,H,I,J,K,L,M,P,Q,S
with modesty panel	L,M,O		L,M,P
RECEPTION DESK		A,B,C,D,G,L,M,N,Q	A,B,C,G,H,I,J,K,L,M,P,Q,S
RECEPTION RETURN			A,B,C,G,L,M,PQ
RETURNS			
File/File 24" x 50", 25" x 53"	A,B,C,G,L,M,O,Q	A,B,C,G,L,M,N,Q	
File/File 24" x 48", 25" x 45"			A,B,C,G,L,M,PQ
File/File 24" x 42"	A,B,C,G,L,M,O,Q		L,M,P
Box/Box/File 24" x 50", 25" x 53"	A,B,C,D,E,G,L,M,O,Q		
Box/Box/File 24" x 48"			A,B,C,D,E,G,L,M,PQ
Box/Box/File 24" x 42", 25" x 45"	A,B,C,D,E,G,L,M,O,Q		D,E,L,M,P
Multi-File 24" x 72", 24" x 60"	A,B,C,D,E,G,L,M,O,Q		A,B,C,E,G,L,M,PQ
Lateral File 24" x 60"			
CORNER UNITS			
36" x 36"	L,M	L,M	
42" x 42"			
BRIDGES			
24" x 48"	A,B,C,G,L,M,O,Q	A,B,C,G,L,M,N,Q	G,L,M,P
24" x 42"	A,B,C,G,L,M,O,Q	A,B,C,G,L,M,N,Q	G,L,M,P
CREDENZAS			
File/File 72"		A,B,C,G,L,M,N,Q	B,C,G,L,M,N
File/File 66"			L,M,N
File/File 60"			
Lateral File 72"		L,M,N	L,M,N
Lateral File 66"			L,M,N
Kneespace 72"		A,B,C,G,L,M,Q	B,C,G,L,M
Kneespace 66"			B,C,G,L,M
SHELL BASED DESK			
SHELL BASED RETURN, BRIDGE, CREDENZA			

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NAC1706KK3	Basic Adjustable Keyboard Kit
B	NACC1824CDW	Wood Center Drawer	L	NACMA1GMB	Flexible Single Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NACMA1GMS	Flexible Single Monitor Arm
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1322SL1	Metal Corner Sleeve
E	NAC1211DO	Deluxe Organizer	O	NAC1322SL2	Metal Corner Sleeve
G	NAC1922CD	Plastic Center Drawer	P	NAC1222SL	Metal Corner Sleeve
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit	Q	NAC1424KT	Keyboard Tray
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit	S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit			

• Hinged Modesty models cannot use center drawer or keyboard kits

	RENEGADE	ROOSEVELT
DOUBLE PEDESTAL DESKS		
36" x 72"	C,E,G,L,M,Q	D,E,L,M
30" x 66"	C,D,E,G,L,M,Q	D,E,L,M
30" x 60"		D,E,L,M
SINGLE PEDESTAL DESKS		
36" x 72"	C,E,G,L,M,Q	D,E,L,M,N
30" x 66"	C,D,E,G,L,M,Q,Q	D,E,L,M,N
U-UNITS AND P-UNITS		
without modesty panel	C,G,H,J,K,L,M,O,Q,S	
with modesty panel	L,M,O	
RECEPTION DESK		A,B,C,D,G,L,M,N,Q
RECEPTION RETURN		
RETURNS		
File/File 24" x 50", 25" x 53"	C,D,G,L,M,Q,Q	A,B,C,G,L,M,N,Q
File/File 24" x 48", 25" x 45"	C,D,G,L,M,Q,Q	
File/File 24" x 42"	C,D,G,L,M,Q,Q	
Box/Box/File 24" x 50", 25" x 53"		
Box/Box/File 24" x 48"		
Box/Box/File 24" x 42", 25" x 45"		
Multi-File 24" x 72", 24" x 60"		
Lateral File 24" x 60"		
CORNER UNITS		
36" x 36"	L,M	L,M
42" x 42"	H,I,J,K,L,M,S	
BRIDGES		
24" x 48"	C,G,H,J,K,L,M,O,Q,S	A,B,C,G,L,M,N,Q
24" x 42"	C,G,H,J,K,L,M,O,Q,S	A,B,C,G,L,M,N,Q
CREDENZAS		
File/File 72"	C,G,L,M,Q,Q	A,B,C,G,L,M,N,Q
File/File 66"	C,G,L,M,Q,Q	
File/File 60"	L,M,O	
Lateral File 72"		L,M,N
Lateral File 66"		
Kneespace 72"	C,G,L,M,Q	A,B,C,G,L,M,Q
Kneespace 66"	C,G,L,M,Q	
SHELL BASED DESK		
SHELL BASED RETURN, BRIDGE, CREDENZA		

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood only)
3. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

NAC2421CDL 405
NAC1824CDW MC
NAC0613ST

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
WOOD CENTER DRAWER 	QNAC2124CDW	Wood	\$ 359	21	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	NAC2124CDW	Wood	359	21	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	QNAC1824CDW	Wood	238	18	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	NAC1824CDW	Wood	238	18	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
• Drawer extends 10" from worksurface and measures 2$\frac{3}{4}$" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are solid ash										
LAMINATE CENTER DRAWER 	QNAC2421CDL	Laminate	\$ 207	20	24	2 $\frac{3}{4}$	—	—	12 lbs.	1.0
	NAC2421CDL	Laminate	207	20	24	2 $\frac{3}{4}$	—	—	12 lbs.	1.0
KEYBOARD TRAY 	NAC1424KT	Black Metal	\$ 253	14	25 $\frac{1}{2}$	1 $\frac{1}{4}$	—	—	10 lbs.	1.3
	• Keyboard height can range from 2$\frac{1}{2}$" to 3$\frac{1}{2}$" in $\frac{7}{32}$" increments • Tray is 24" wide									
BOX DRAWER CONVENIENCE TRAY 	NAC0613ST	Black Plastic	\$ 37	5 $\frac{1}{2}$	12 $\frac{1}{2}$	$\frac{1}{2}$	—	—	1 lbs.	0.1
	• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals									
PLASTIC CENTER DRAWER 	NAC1922CD	Black Plastic	\$ 105	19 $\frac{1}{16}$	22	2	—	—	5 lbs.	0.5
	• Individual compartments neatly organize pens, pencils, paper clips, etc.									

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1706KK1

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
INTUITIVE ADJUSTABLE KEYBOARD KIT 	NAC1706KK1 17" Arm—Black	\$ 993	17	28½	6	—	—	18 lbs.	1.1
	NAC2208KK1 21¾" Arm—Black	1096	21¾	28½	8	—	—	21 lbs.	1.1
	• Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray • Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface • Arm tilts and moves up and down • 360° swivel • Width of keyboard kit includes mouse tray • Mouse tray can be moved to support right or left-handed users • Mouse tray has tilt adjustment and fence to protect mouse from falling • ANSI/HFES compliant								
ERGONOMIC ADJUSTABLE KEYBOARD KIT 	NAC1706KK2 17" Arm—Black	\$ 858	17	28½	6	—	—	17 lbs.	1.1
	• Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray • Tray adjusts from -15° to 15° and slides in and out under worksurface • Arm tilts and moves up and down • 360° swivel • Width of keyboard kit includes mouse tray • Mouse tray can be moved to support right or left-handed users • Mouse tray has tilt adjustment and fence to protect mouse from falling • ANSI/HFES compliant								
BASIC ADJUSTABLE KEYBOARD KIT 	NAC1706KK3 17" Arm—Black	\$ 700	17	28½	6	—	—	14 lbs.	1.4
	• Includes keyboard mechanism, clamp, wrist pad, and mouse tray • Kit to be used with keyboard • Simultaneous tilt and height adjustment • 360° swivel • Swivel mouse tray can be moved to support right or left-handed users • ANSI/HFES compliant								
SIT-TO-STAND ADJUSTABLE KEYBOARD KIT 	NAC2319KKS1	\$ 1096	23	28½	10¾	—	—	21 lbs.	1.1
	• Black • Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¾" above surface) • Tray adjusts from -10° to +15° • ANSI/HFES compliant								
KEYBOARD/DRAWER MOUNTING KIT 	NAC0802KMK Escalade	\$ 103	8	2	¾	—	—	5 lbs.	0.1
	• Must be used with adjustable keyboard kits, center drawers and keyboard drawers when attaching to Escalade units								

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories

TO ORDER, SPECIFY:

- Model Number







SAMPLE MODEL NUMBER:

NACMA1GMB

- See page 373 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNT 	NACMA1GFB	Black	\$ 665	30¼	6½	12½	—	—	10.5 lbs.	1.4
	NACMA1GFS	Silver	665	30¼	6½	12½	—	—	10.5 lbs.	1.4
	- Attachment method via bolt through grommet - Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
SINGLE MONITOR ARM GROMMET MOUNT 	NACMA1GTS	Silver	\$ 665	30¼	6½	12½	—	—	12 lbs.	1.4
	- Attachment method via bolt through grommet - Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm 20 lbs. load capacity - Not recommended to turn the monitor arms away from the user side - Monitor arm is TAA compliant.									
FLEXIBLE SINGLE MONITOR ARM CLAMP MOUNT 	NACMA1CFB	Black	\$ 665	30¼	6½	12½	—	—	12 lbs.	1.4
	NACMA1CFS	Silver	665	30¼	6½	12½	—	—	12 lbs.	1.4
	- Not recommended for use with knife edge tops - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
FLEXIBLE DUAL MONITOR ARM GROMMET MOUNT 	NACMA2GFB	Black	\$ 1261	30¼	6½	12½	—	—	14 lbs.	1.4
	NACMA2GFS	Silver	1261	30¼	6½	12½	—	—	14 lbs.	1.4
	- Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
FLEXIBLE DUAL MONITOR ARM CLAMP MOUNT 	NACMA2CFB	Black	\$ 1261	30¼	6½	12½	—	—	15.5 lbs.	1.4
	NACMA2CFS	Silver	1261	30¼	6½	12½	—	—	15.5 lbs.	1.4
	- Not recommended for use with knife edge tops - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
TRIPLE MOUNT MONITOR ARM KIT 	NACMA3KFB	Black	\$ 253	6	2½	5¼	—	—	4 lbs.	0.4
	NACMA3KFS	Silver	253	6	2½	5¼	—	—	4 lbs.	0.4
	Add onto Flexible Dual Monitor Arm pole to add a third monitor									

MONITOR ARM INFORMATION

NATIONAL MODEL	NACMA1BFS	NACMA1GFB/S	NACMA1CFB/S	NACMA2GFB/S	NACMA2CFB/S	NACMA3KFB/S
DESCRIPTION	Single monitor arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	Add on triple mount ball joint
MONITOR ROTATION	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape
MONITOR EXTENSION	4" - 21½"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	fixed at 5½"
MONITOR TILT ADJUSTMENT	+ 80° / - 15°	+ 80° / - 15°	+ 80° / - 15°	+ 80° / - 15°	+ 80° / - 15°	+ or - 25°
HORIZONTAL MONITOR PIVOT	180°	180°	180°	180°	180°	+ or - 30°
ARM ROTATION	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	N/A
ARM HEIGHT ADJUSTMENT	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	Limits manual adjustment to 3" for all arms
POLE HEIGHT (FROM TOP OF WORK OF WORKSURFACE)	N/A	13¼"	13¼"	13¼"	13¼"	N/A
MONITOR WEIGHT CAPACITY	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5
MOUNTING OPTION	Fixed Height Beam Mount	grommet	desk clamp	grommet	desk clamp	N/A
MAXIMUM WIDTH PER MONITOR	N/A	N/A	N/A	36"	36"	21"
MAXIMUM HEIGHT CLEARANCE CENTER OF MOUNT TO MOUNTING SURFACE	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"
WORKSURFACE REQUIREMENTS	N/A	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	N/A

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories

TO ORDER, SPECIFY:

- Model Number





SAMPLE MODEL NUMBER:

NACMAKSS

- See page 373 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
METAL CORNER SLEEVE 	NAC1322SL1	Black Metal	\$ 176	13	22	1½	—	—	5 lbs.	0.3
	NAC1322SL2	Black Metal	176	13	22	1½	—	—	5 lbs.	0.3
	NAC1222SL	Black Metal	226	11½	22	1½	—	—	5 lbs.	0.6
	- NAC1322SL1 is applicable to Barrington and Roosevelt - NAC1322SL2 is applicable to Arrowood Laminate, Arrowood Veneer, Epic, Renegade and WaveWorks 1½" - NAC1222SL is applicable to Escalade and WaveWorks 1½" - Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use									
CPU HOLDER 	NACPUH	Black	\$ 460	9¾	9¾	18¾	—	—	10 lbs.	0.9
	- Vertically mounts to underside of workstation - Self-locking ratchet style storage device - Teflon glide storage - Height adjustable 14½" to 22½" - Width adjustable 3½" to 9" - Track mounting plate is 17" deep 360° swivel - Supports up to 85 lbs.									
FLAT PANEL WALL MOUNT KIT 	15NTVMAS	Black	\$ 499	15¾-47¾		15¾-31¾	—	—	25 lbs.	2.0
	- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel - Must mount onto an architectural wall - Black powder coat - VESA mounting compliant									
PERSONAL MARKER BOARD 	NAC1214MBL	Laminate	\$ 202	¾	12	14	—	—	lbs.	
	- High gloss, white laminate marker board - Marker board and hooks sold separately - Hooks to attach to bottom of worksurface to hang marker boards									

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC02HKS

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	¾	½	1¾	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	1¾	3¼	2½	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards • Cannot be used on knife rim tops								
SPECIFIC LOCK CORES AND KEYS 	NCCB_ _ _ Lock Core and Key, Black	\$ 29	—	—	—	—	—	1 lbs.	0.1
	NCCB_ _ _S Lock Core and Key, Silver	29	—	—	—	—	—	1 lbs.	0.1
	• _ _ _Specify key number 001 through 200 for black • _ _ _Specify key number 001 through 200 for silver • A change key must be specified separately to change lock cores • All casegoods product indicating locking will be shipped with random locking • Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU								
	NCCBCK Change Key	\$ 25	—	—	—	—	—	1 lbs.	0.01
	NCCBMK Master Key	25	—	—	—	—	—	1 lbs.	0.01
	• Master Key will open all locks 001-200								
REED LED LINEAR TASK LIGHT 	NAC17TLL Single/Starter Unit	\$ 393	2	17	¾	—	—	1 lbs.	0.20
	NAC31TLL Single/Starter Unit	564	2	31	¾	—	—	2 lbs.	0.25
	NAC44TLL Single/Starter Unit	732	2	44	¾	—	—	2 lbs.	0.30
	NAC17TLLA Adder Unit (Interconnect)	\$ 380	2	17	¾	—	—	2 lbs.	0.20
	NAC31TLLA Adder Unit (Interconnect)	546	2	31	¾	—	—	2 lbs.	0.25
	NAC44TLLA Adder Unit (Interconnect)	715	2	44	¾	—	—	3 lbs.	0.30
	NACTLSEN Modular Occupancy Sensor	\$ 262	—	—	—	—	—	1 lbs.	0.10
	• Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs • 60 W power supply • Metal trough reflector with diffuser lens • Soft touch switching with instant on to fade away off • Automatic time out (after 10 hours) • Clear anodized aluminum with white color end caps • Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of 2 adhesive cord managers • Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers								

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBERS:

NAC18TLDBPUS
NACLTKA1

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELEMENT LED DESKTOP LIGHT	NAC18TLDBPUS Task Light w/Desktop Base, Plug/USB, Silver	\$ 1401	14	—	14	—	—	3 lbs.	0.7




- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT	NAC18TLDBUH Task Light w/Desktop Base, USB, White	\$ 784	11½	7½	18¾	—	—	10 lbs.	1.2
---------------------------------------	---	--------	-----	----	-----	---	---	---------	-----




- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed


LED LIGHT KITS	NACLTKA1 Light Kit 1 (for larger walls)	\$ 1228							
	NACLTKA2 Light Kit 2 (for smaller walls)	731							
	NACLTKA3 Light Kit 3 (for shelf only, to turn on)	202							



Light strip



LED driver



Rocker switch

- LED light kits can be added to the back side of the wall panels
- Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice
- Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice
- Kit 2 will work for any reception size
- Kit 3 includes 1 driver and 1 rocker switch
- Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall
- Kit 1 will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall
- Kit 2 will accommodate all sizes smaller than what requires Kit 1
- Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed
- Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2


NACLTMD	Light Multi-Driver (used when ganging together 2 kits)	\$ 46							
---------	--	-------	--	--	--	--	--	--	--

- Required when ganging 2 light kits together

NACLTSPA	5m Spool of Lights	\$ 487							
----------	--------------------	--------	--	--	--	--	--	--	--

- Additional light strip when an additional light kit is not needed

REVO DESKTOP LIGHT	NAC1406TLDB1S Silver	\$ 735			14½	—	—	8.31 lbs.	1.82
	NAC1406TLDB1B Black	735			14½	—	—	8.31 lbs.	1.82
	NAC1406TLDB1W White	735			14½	—	—	8.31 lbs.	1.82



- 108" power cord
- ETL Listed

VOYAGE DESKTOP LIGHT	NAC1408TLDB1S Silver	\$ 735			14½	—	—	8.31 lbs.	1.82
	NAC1408TLDB1B Black	735			14½	—	—	8.31 lbs.	1.82
	NAC1408TLDB1W White	735			14½	—	—	8.31 lbs.	1.82



- 108" power cord
- ETL Listed

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1211DO

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
DELUXE DRAWER ORGANIZER										
	NAC1211DO	Black	\$ 200	11¾	10¾	1¾	—	—	3 lbs.	0.6
	• Black plastic • Features compartments for storing post-its, paper clips, pens, pencils, etc. • Drawer expands to 16" wide									
WASTE CONTAINER										
	NAC1721WBSK	Chrome	\$ 399	13	16½	21	—	—	6 lbs.	2.6
	• Concealed, pivoting waste container • For use in buffet or double door storage credenza									
PERSONAL PULL-UP TABLE										
	10N1622RTPUW	Wood	\$ 1514	13¾	22	28½	—	—	32 lbs.	9.25
	10N1622RTPUL	Laminate	1514	13¾	22	28½	—	—	32 lbs.	9.25
	• 50 lb. weight limit • Specify metal finish Cinder (462), Concrete (423), Iron (463),Platinum Metallic (501) or Satin Nickel Metallic (503) • Veneer species is maple									
PERSONAL PULL-UP TABLE										
	10N1120RTPU2SS	White Marble	\$ 1067	11	20	25	—	—	30 lbs.	5.00
	10N1620RTPU2SB	Black Marble	1067	16	20	25	—	—	30 lbs.	6.95
	• White Marble model has a Platinum Metallic base; Black Marble model has a Cinder base • 10N1620RTPU2SB top material is Porcelain with pattern Nero Marquina • 10N1120RTPU2SS top material is Natural Marble species of Bianco Crown Marble • Specify model number only									
										
White Marble										
										
Black Marble										

White Marble

Black Marble

ACCESSORIES

PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls and Exhibit slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- NACCP
- See page 373 for all options available in Accessories

PLASTIC
WORK TOOLS


PENCIL CUP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACCP Black Plastic	\$ 55	½	4	4	—	—	1 lbs.	0.4
NACPC Clear Plastic	55	½	4	4	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.

LEGAL PAPER TRAY



NAC1115SPT Black Plastic	\$ 81	10½	15	2	—	—	1 lbs.	0.1
NAC1115SPTC Clear Plastic	81	10½	15	2	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



NAC1010AT Black Plastic	\$ 72	10	9½	2	—	—	1 lbs.	0.2
NAC1010ATC Clear Plastic	72	10	9½	2	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



NACSS Black Plastic	\$ 85	12½	7	7½	—	—	1 lbs.	0.2
NACSSC Clear Plastic	85	12½	7	7½	—	—	1 lbs.	0.2

- Holds folders, papers, etc.

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

98K03ELPG2MTBBK

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
UNDERSURFACE POWER/DATA 	98K03ELPG2MTBBK		\$ 392	3	3	1½	—	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 power outlet and 1 dual USB A/C port • Mounts under surface • 72" power cord included										
CONVENIENCE OUTLET 	NAC0902EL5C	Black	\$ 305	13	22	1½	—	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL Listed										
POWER TOWER 	NAC25ELPTB	Black	\$ 3170	16¼	16¼	25½	—	—	—	68 lbs.	6.5
	NAC25ELPTH	White	3170	16¼	16¼	25½	—	—	—	68 lbs.	6.5
	NAC25ELPTS	Silver	3170	16¼	16¼	25½	—	—	—	68 lbs.	6.5
	• Available in gloss black or silver with black faceplates, or gloss white with white faceplates • Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided • 108" 15 amp power cord included • Circuit breaker located in the bottom of the tower for overload protection • 6 rubber feet prevent sliding and provide ¾" floor clearance • Tri-core design allows for 360° power access • 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired										
GARCIA 	NAC03ELPG2GABW	White	\$ 434	4	2¾	1½	—	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	434	4	2¾	1½	—	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	434	4	2¾	1½	—	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A+C										
WILLOW 	98K04ELPG2WLAWA	Walnut with black braided cord	\$ 453	4	3¾	2¼	—	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABK	Black with black braided cord	453	4	3¾	2¼	—	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABE	Beech with Teal braided cord	453	4	3¾	2¼	—	—	—	2.18 lbs.	0.17
	• 108" cord • Includes 1 Power, 1 dual USB A/C port • Tamper resistant										

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

NACG1

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
GROMMET 	NACG1	Black	\$ 46	2 1/4	—	1 1/16	—	—	1 lbs.	0.1
	• Field installable									
FLEXI GROMMET 	NACG2	Black	\$ 46	2 1/4	—	1 1/16	—	—	1 lbs.	0.1
	• Field installable									
ROUND GROMMET (G10) 	NACG10EL	Electrical Grommet	\$ 642	4 1/4	4 1/4	5	—	—	2 lbs.	0.12
	NACG10	Grommet	104	4 1/4	4 1/4	1 1/4	—	—	1 lbs.	0.12
MOIRÉ, G10 POWER/USB GROMMET 	98KG40AELPGBK	Black	\$ 600				—	—	1.7 lbs.	0.24
	98KG40AELPGWH	White	600				—	—	1.7 lbs.	0.24
	98KG40AELPGLG	Light Grey	600				—	—	1.7 lbs.	0.24
	2 power, 2 dual USB A/C, 2.0 amps - Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord - Fits in G10 grommet hole diameter 3" - Adjust to thickness from 1 3/16" - 1 1/8" - UL Listed									
MOIRÉ, G10 POWER GROMMET 	NACG10BELPGB	Black	\$ 384				—	—	1.7 lbs.	0.24
	NACG10BELPGW	White	384				—	—	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	384				—	—	1.7 lbs.	0.24
	4 power - Black, 6 ft, 15 amp plugged cord with built in circuit breaker - Black cord on black and light grey, white cord on white - Fits in G10 grommet hole diameter 3" - Adjust to thickness from 1 3/16" - 1 1/8" - UL Listed									
TRIPPEL 	98K08ELPG3TRAWH	White	\$ 449	3 3/4	7 1/4	3 3/4	—	—	2 lbs.	0.13
	98K08ELPG3TRABK	Black	449	3 3/4	7 1/4	3 3/4	—	—	2 lbs.	0.13
	98K08ELPG3TRALG	Fog	449	3 3/4	7 1/4	3 3/4	—	—	2 lbs.	0.13
	- Set on surface unit - Included 2 power and 1 dual USB A/C - Tamper resistant - Features Qi wireless charging									

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG12BELPGB

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PIVOTING POWER GROMMET (MHO-B) (G12B)  NACG12BELPGB	NACG12BELPGB	Black	\$ 893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGS	Silver	893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGW	White	893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELHCB	Hardwire, Black	\$ 893	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	893	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	893	4%	8%	1½	—	—	3 lbs.	0.2
• 2 power outlets and 2 USB-A + C ports • Units are powder coated										
PIVOTING POWER GROMMET (MHO-B) (G12C)  NACG12CELPGB	NACG12CELPGB	Black	\$ 618	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELPGS	Silver	618	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELPGW	White	618	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELHCB	Hardwire, Black	\$ 618	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12CELHCS	Hardwire, Silver	618	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12CELHCW	Hardwire, White	618	4%	8%	1½	—	—	3 lbs.	0.2
• 4 power outlets with 72" circuit breaker cord • Units are powder coated										

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
1 TOUCH PIVOTING POWER GROMMET (G17A) 	NACG17AELPGB	Black	\$ 472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	\$ 497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	497	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 2 power outlets • Units are powder coated										
1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	\$ 485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	\$ 585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	585	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated										
1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	\$ 466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	\$ 491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	491	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet • Units are powder coated										

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPD1Q18B

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17A)  NACG17AELPD2IQKS  NACG17AELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17AELPD2IQKB Set of 8, Black	\$ 3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKS Set of 8, Silver	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKW Set of 8, White	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17AELPD2IQB Interlink Grommet, Black	\$ 484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQS Interlink Grommet, Silver	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQW Interlink Grommet, White	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 392-393								

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPD1Q18B

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
 NACG17BELPD2IQKS	FULL SET OF 8 UNITS										
	NACG17BELPD2IQKB	Set of 8, Black	\$	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKS	Set of 8, Silver		5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKW	Set of 8, White		5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug										
 NACG17BELPD2IQB	INTERLINK GROMMETS										
	NACG17BELPD2IQB	Interlink Grommet, Black	\$	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQS	Interlink Grommet, Silver		676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQW	Interlink Grommet, White		676	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately										
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER										
	NACEL2IQBB	Interlink IQ smart box w/starter plug	\$	733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J	Interlink IQ Jumper-60"		163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ	Transitional Jumper		171	—	60	—	—	—	3 lbs.	0.15
 NACEL2IQ60J	• Must order smart box with plug separately										
	• UL Recognized										
	• Non-sequential "Daisy chain" solution										
	• Interlink IQ system must begin with a smart box with plug (or full set)										
	• Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"										
	• Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)										
	• Jumpers count as one connection (maximum of 8)										
	• The Interlink IQ system is ONLY plugged. This system cannot be hardwired										
	• Units are powder coated										
	• Built-in status indicator: green means go, red light indicates too many units										
	• See charts on pages 392-393										

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17C)  NACG17CELPD2IQKS  NACG17CELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17CELPD2IQKB Set of 8, Black	\$ 3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKS Set of 8, Silver	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKW Set of 8, White	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17CELPD2IQB Interlink Grommet, Black	\$ 456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQS Interlink Grommet, Silver	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQW Interlink Grommet, White	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 392-393								

Configuration of IQ System for 72" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units

5 Power Units

4 Power Units

3 Power Units

2 Power Units

Item	Qty
Smart Box	1
Grommet	6
Jumper	2

Item	Qty
Smart Box	1
Grommet	5
Jumper	2

Item	Qty
Smart Box	1
Grommet	4
Jumper	1

Item	Qty
Smart Box	1
Grommet	3
Jumper	1

Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for 66" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units

5 Power Units

4 Power Units

3 Power Units

2 Power Units

Item	Qty
Smart Box	1
Grommet	6
Jumper	1


Item	Qty
Smart Box	1
Grommet	5
Jumper	1

Item	Qty
Smart Box	1
Grommet	4
Jumper	1


Item	Qty
Smart Box	1
Grommet	3

Item	Qty
Smart Box	1
Grommet	2


Configuration of IQ System for 60" WaveWorks Training Tables - Max of 8 IQ Units per run




Item	Qty
Smart Box	1
Grommet	8




Item	Qty
Smart Box	1
Grommet	7




Item	Qty
Smart Box	1
Grommet	6




Item	Qty
Smart Box	1
Grommet	5



Item	Qty
Smart Box	1
Grommet	4



Item	Qty
Smart Box	1
Grommet	3



Item	Qty
Smart Box	1
Grommet	2

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:


NACG23ELB

- See page 373 for all options available in Accessories


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
POWER GROMMET (G23)	NACG23ELB	Black	\$ 683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB	Black/Hardwire	\$ 761	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS	Silver/Hardwire	761	2½	4½	3¼	—	—	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	\$ 777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	\$ 777	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLS1	Silver - G23, Hardwire/Modular Connect	777	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	\$ 816	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	816	2½	4½	3¼	—	—	2.3 lbs.	0.4


- 60" jumper included with each daisy link add-on unit
- Units are powder coated

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	\$ 284	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	432				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	509				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated


NODE POWER GROMMET (G33)



98KG33AELPGBK	Black	\$ 435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGSV	Silver	435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGWH	White	435	4	4	3½	—	—	1 lbs.	0.2

- For use with Maneuver gear, shield, and 120° tables when CUT-G33 option is specified
- 1 power and 1 dual USB A/C port

POWER STRIP



NAC0902EL6PS	Black	\$ 106	1½	9½	1¼	—	—	lbs.	
--------------	-------	--------	----	----	----	---	---	------	--

- 120" Cord
- Includes 6 power

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories




TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC07ELPG4BUAB

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BURELÉ, POWER, CLAMP MOUNT 	NAC07ELPG4BUAB	Black	\$ 454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	454				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 4 power outlets • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • UL Listed									
BURELÉ, POWER/USB, CLAMP MOUNT 	98K07ELPG4BUBBK	Black	\$ 762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBWH	White	762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBLG	Light Grey	762				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 2 power, 1 dual USB A/C, 2.0 amp, 1 single USB-C -18 Watt • Black, 6 ft 15 amp plugged power cord • UL Listed									
TULLY 	NAC06ELPG3TUAW	White	\$ 637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	• 120" braided cord • Includes 2 USB-A, 1 USB-C and Power									

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04ELPG2DEAB

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
				D	W	H			WEIGHT	FEET
DEAN, 2 PORT, POWER, CLAMP MOUNT 	NAC04ELPG2DEAB	Black	\$ 408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAW	White	408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAG	Light Grey	408				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 2 PORT, POWER/USB, CLAMP MOUNT 	98K04ELPG2DEBBK	Black	\$ 422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBWH	White	422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBLG	Light Grey	422				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 1 power, 1 dual USB A/C 2.0 amp • Black, 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER, CLAMP MOUNT 	NAC06ELPG3DEAB	Black	\$ 416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAW	White	416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAG	Light Grey	416				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 3 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER/USB, CLAMP MOUNT 	NAC06ELPG3DEBB	Black	\$ 554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBW	White	554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBG	Light Grey	554				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90° • Black, 6 ft, 15 amp plugged power cord • UL Listed									
HITCH, BATTERY-POWERED 	98K04ELPG4HTABK	Black	\$ 732				—	—	1.7 lbs.	0.24
	98K04ELPG4HTAWH	White	732				—	—	1.7 lbs.	0.24
	• Freestanding and portable • 2 USB-A and 1 USB-C • 1 LED battery indicator light • Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps • The unit is not UL Listed • The power pack is UL Listed • 11.6 amp hours, 20 watt power supply • Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground									

PRODUCT SPECIFICATION

• See page 372 for these accessories





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05ELPG2HRAC

• See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HEARTH 	NAC05ELPG2HRAC	\$ 677	5 $\frac{3}{8}$	3 $\frac{3}{4}$	5 $\frac{3}{8}$	—	—	3 lbs.	0.31
	- Includes 1 power, 1 Dual USB-A 108" power cord - Handmolded concrete body with a wood base detail - Features a solid brass braided cord - UL Listed								
SIDEKICK 	NAC29ELPG2SKAG Heather Gray Felt	\$ 529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC Camel Felt	529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	- Felt sofa arm overlay - Includes 1 power, 1 Dual USB-A, and felt pocket - Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk 108" power cord - UL Listed								
APPARATUS 	NAC05ELPG2APAB Black	\$ 400	3 $\frac{1}{8}$	4 $\frac{1}{16}$	2	—	—	lbs.	
	NAC05ELPG2APAW White	400	3 $\frac{1}{8}$	4 $\frac{1}{16}$	2	—	—	lbs.	
	- Includes 1 power, 1 Dual USB-A 108" power cord - Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware - ETL and UL Listed								
ASHLEY DUO 	98K06ELPG3ADABK Black	\$ 469	3 $\frac{3}{8}$	5 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	lbs.	
	98K06ELPG3ADAWH White	469	3 $\frac{3}{8}$	5 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	lbs.	
	- Includes 2 power, 1 dual USB A/C port 72" power cord - Must have at least 5$\frac{1}{2}$" of clearance under surface at point of application to be able to mount - Clamp mount; Unit will fit on worksurface thicknesses $\frac{1}{2}$"-2$\frac{1}{16}$" - UL Listed								

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 374-375 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC30WMV

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
VERTICAL WIRE MANAGER 	NAC30WMV	\$ 312	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables								
WIRE MANAGER 	NAC17WM Black Plastic	\$ 37	2¼	16¼	1¾	—	—	1 lbs.	0.1
	• Wire manager is made of plastic and attaches with Velcro® • Wire manager can be used on any unit to route cords								
HORIZONTAL UNDERSURFACE WIRE MANAGER 	NAC30WMH Black Plastic (Set of 6)	\$ 132	3	29½	1½	—	—	1 lbs.	0.1
	• Wire manager can be used on any unit to route cords								
MARKER BOARD 	NAC3048MBW	\$ 639	¾	47¾	30	—	—	35 lbs.	1.4
	• Installation hardware included								
VERTICAL PIGEON HOLE STORAGE 	NAC1420SMCW Wood	\$ 1112	12	14	19¾	—	—	13 lbs.	0.9
	NAC1420SMCL Laminate	527	12	14	19¾	—	—	13 lbs.	0.9
	• Assembly required • 3 fixed shelves on unit • Specify chassis laminate or finish only • Utilize under Epic, Renegade and WaveWorks highback organizers; sits on worksurface • When using with tack board, see page 403 for applicable tack board that will properly fit in space								


TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSP 1 1677 462

- See page 373 for all options available in Accessories

**PRIVACY SCREEN
SET-ON SURFACE
RECTANGULAR, RESIN**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
¼" RESIN THICKNESS							
30"H	GRADE 1						
NAC7230PVSP	\$ 1786	¼	72	30	—	—	
NAC6630PVSP	1771	¼	66	30	—	—	
NAC6030PVSP	1753	¼	60	30	—	—	
NAC5430PVSP	1607	¼	54	30	—	—	
NAC4830PVSP	964	¼	48	30	—	—	
NAC4230PVSP	953	¼	42	30	—	—	
NAC3630PVSP	851	¼	36	30	—	—	
NAC3030PVSP	817	¼	30	30	—	—	
NAC2730PVSP	665	¼	27	30	—	—	
NAC2430PVSP	648	¼	24	30	—	—	
NAC2130PVSP	614	¼	21	30	—	—	
24" HIGH							
NAC7224PVSP	\$ 1273	¼	72	24	—	—	
NAC6624PVSP	1259	¼	66	24	—	—	
NAC6024PVSP	1243	¼	60	24	—	—	
NAC5424PVSP	1193	¼	54	24	—	—	
NAC4824PVSP	990	¼	48	24	—	—	
NAC4224PVSP	788	¼	42	24	—	—	
NAC3624PVSP	695	¼	36	24	—	—	
NAC3024PVSP	678	¼	30	24	—	—	
NAC2724PVSP	564	¼	27	24	—	—	
NAC2424PVSP	553	¼	24	24	—	—	
NAC2124PVSP	499	¼	21	24	—	—	
18" HIGH							
NAC7218PVSP	\$ 842	¼	72	18	—	—	24 lbs. 2.9
NAC6618PVSP	824	¼	66	18	—	—	22 lbs. 2.6
NAC6018PVSP	808	¼	60	18	—	—	19 lbs. 2.4
NAC5418PVSP	759	¼	54	18	—	—	17 lbs. 2.2
NAC4818PVSP	616	¼	48	18	—	—	16 lbs. 2.0
NAC4218PVSP	610	¼	42	18	—	—	14 lbs. 1.8
NAC3618PVSP	529	¼	36	18	—	—	12 lbs. 1.6
NAC3018PVSP	499	¼	30	18	—	—	10 lbs. 1.3
NAC2718PVSP	461	¼	27	18	—	—	9 lbs. 1.2
NAC2418PVSP	450	¼	24	18	—	—	8 lbs. 1.1
NAC2118PVSP	431	¼	21	18	—	—	7 lbs. 1.0

- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- Specify resin grade and color: Grade 1 Clear (1377) or Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are ¼" thick dual sided resin
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Medium complexity – 4 minutes, 2 people

ACCESSORIES


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7218PVS2PFA A 8600 423

- See page 373 for all options available in Accessories

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW			
PRIVACY SCREEN SET-ON SURFACE RECTANGULAR, TEXTILE 	NAC7218PVS2PFA	Railroad	\$ 1933	\$ 1985	\$ 2084	1½	72	18	—	—	24 lbs.	2.9
	NAC6618PVS2PFA	Railroad	\$ 1813	\$ 1859	\$ 1947	1½	66	18	—	—	22 lbs.	2.6
	NAC6018PVS2PFA	Railroad	\$ 1692	\$ 1738	\$ 1826	1½	60	18	—	—	19 lbs.	2.4
	NAC5418PVS2PFA	Railroad	\$ 1576	\$ 1616	\$ 1693	1½	54	18	—	—	17 lbs.	2.2
	NAC4818PVS2PFA	Railroad	\$ 1467	\$ 1502	\$ 1568	1½	48	18	—	—	16 lbs.	2.0
	NAC4218PVS2PFA	Railroad	\$ 1331	\$ 1366	\$ 1432	1½	42	18	—	—	14 lbs.	1.8
	NAC3618PVS2PFA	Railroad	\$ 1218	\$ 1247	\$ 1302	1½	36	18	—	—	12 lbs.	1.6
	NAC3018PVS2PFA	Railroad	\$ 1093	\$ 1122	\$ 1177	1½	30	18	—	—	10 lbs.	1.3
	NAC2718PVS2PFA	Railroad	\$ 1041	\$ 1064	\$ 1108	1½	27	18	—	—	9 lbs.	1.2
	NAC2418PVS2PFA	Railroad	\$ 966	\$ 989	\$ 1033	1½	24	18	—	—	8 lbs.	1.1
	NAC2118PVS2PFA	Railroad	\$ 919	\$ 936	\$ 969	1½	21	18	—	—	7 lbs.	1.0

- Specify tack textile grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 1 1/8" thick tackable textile
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- Not intended to create a continuous screen by placing models end to end

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Resin Grade/Color
- 3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSTP 2 2877 501
• See page 373 for all options available in Accessories

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
		D	W	H	A			KW	
PRIVACY SCREEN SET-ON SURFACE TAPERED, RESIN 	GRADE 1								
	NAC7218PVSTP	\$ 1187	3/16	72	18	—	—	24 lbs.	2.9
	NAC6618PVSTP	1130	3/16	66	18	—	—	22 lbs.	2.6
	NAC6018PVSTP	1071	3/16	60	18	—	—	19 lbs.	2.4
	NAC5418PVSTP	1012	3/16	54	18	—	—	17 lbs.	2.2
	NAC4818PVSTP	958	3/16	48	18	—	—	16 lbs.	2.0
	NAC4218PVSTP	897	3/16	42	18	—	—	14 lbs.	1.8
	NAC3618PVSTP	837	3/16	36	18	—	—	12 lbs.	1.6
	NAC3018PVSTP	777	3/16	30	18	—	—	10 lbs.	1.3
	NAC2718PVSTP	748	3/16	27	18	—	—	9 lbs.	1.2
	NAC2418PVSTP	717	3/16	24	18	—	—	8 lbs.	1.1
	NAC2118PVSTP	689	3/16	21	18	—	—	7 lbs.	1.0

PRIVACY SCREEN
SET-ON SURFACE
TAPERED, RESIN



- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units

ACCESSORIES





TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBER:

10N1867FDSHL PB PB
NAC1205WGV1

- See page 373 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
	FREESTANDING KIOSK	10N1867FDSHL Laminate	\$ 1423	13 ¹ / ₁₆	17 ¹ / ₁₆	66 ¹ / ₁₆	—	—		73 lbs.	19.7
		• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back									
	SINGLE WIRE GLOVE BOX	NAC1205WGV1 Steel	\$ 121	3 ¹ / ₁₆	11 ¹ / ₁₆	4 ¹ / ₁₆	—	—		1 lbs.	1.38
		• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
	DOUBLE WIRE GLOVE BOX	NAC1210WGV2 Steel	\$ 165	3 ¹ / ₁₆	11 ¹ / ₁₆	9 ¹ / ₁₆	—	—		1 lbs.	2.7
		• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
	QUAD WIRE GLOVE BOX	NAC1219WGV4 Steel	\$ 236	3 ¹ / ₁₆	11 ¹ / ₁₆	19	—	—		1 lbs.	5.2
		• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
	AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1	\$ 818	4 ¹ / ₁₆	6	11	—	—		2.2 lbs.	8.1
		• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

HIGHBACK,
OVERHEAD OR
RECEPTION
MODEL NO.

APPLICABLE
TACK BOARD

RENEGADE

75N7238HB_	NAC7019TBRA
75N6638HB_	NAC6419TBRA
75N6038HB_	NAC5819TBRA
75N4838HB_	NAC4619TBRA
75N4818SO_	NAC4819TBRA
75N4218SO_	NAC4219TBRA
75N3618SO_	NAC3619TBRA
75N3018SO_	NAC3019TBRA
75N2573DSTF_	NAC2211TBDA2
75N2568BSTF_	NAC4811TBDA

HIGHBACK OR
OVERHEAD
MODEL NO.

APPLICABLE
TACK BOARD
1 PIGEON HOLE
STORAGE

APPLICABLE
TACK BOARD
2 PIGEON HOLE
STORAGE

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

RENEGADE

75N7238HB_	NAC5619TBRA	NAC4219TBRA
75N6638HB_	NAC5019TBRA	NAC3619TBRA
75N6038HB_	NAC4419TBRA	NAC3019TBRA
75N4838HB_	NAC3219TBRA	NAC1819TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

ACCESSORIES

APPLICABLE TACK BOARD

NAC8117TBRA
NAC7517TBRA
NAC7317TBRA
NAC5417TBRA
NAC5417TBRA
NAC6617TBRA
NAC6714TBDA
NAC6714TBDA
NAC6017TBRA
NAC6114TBDA
NAC6114TBDA
NAC3618TBRA
NAC3018TBRA
NAC6714TBDA
NAC6714TBDA
NAC6114TBDA
NAC6114TBDA
NAC7917TBRA
NAC7317TBRA
NAC6714TBDA
NAC6617TBRA
NAC6114TBDA
NAC6017TBRA
NAC5517TBRA
NAC5517TBRA
NAC3618TBRA
NAC3018TBRA
NAC6714TBDA
4NAC6114TBDA

NAC6717TBRA
NAC6917TBRA
NAC6617TBRA
NAC6919TBRA
NAC6117TBRA
NAC6117TBRA
NAC6319TBRA
NAC6317TBRA
NAC6813TBDA
NAC6813TBDA
NAC6813TBDA
NAC6813TBDA

APPLICABLE TACK BOARD

NAC8020TBRA
NAC8020TBRA
NAC7420TBRA
NAC7420TBRA
NAC6920TBRA
N/A
NAC7019TBRA
NAC6320TBRA
N/A
NAC6419TBRA
NAC5720TBRA
NAC5720TBRA
NAC5720TBRA
NAC5720TBRA
NAC7212TBDA
NAC7212TBDA

NAC6717TBRA
NAC6117TBRA
NAC3617TBRA
NAC6813TBDA
NAC6813TBDA
NAC6813TBDA
NAC6813TBDA
NAC3017TBRA

**APPLICABLE
TACK BOARD**

59N9024SOS3MGW	NAC2811TBRA
59N9024SOS3MGL	NAC2811TBRA
59N9024SOS3MW	NAC2811TBRA
59N9024SOS3MLW	NAC2811TBRA
59N9024SOS3ML	NAC2811TBRA
59N7224SOS3MGW	NAC2211TBRA
59N7224SOS3MGL	NAC2211TBRA
59N7224SOS3MW	NAC2211TBRA
59N7224SOS3MLW	NAC2211TBRA
59N7224SOS3ML	NAC2211TBRA
59N6024SOS3MGW	NAC1811TBRA
59N6024SOS3MGL	NAC1811TBRA
59N6024SOS3MW	NAC1811TBRA
59N6024SOS3MLW	NAC1811TBRA
59N6024SOS3ML	NAC1811TBRA
59N6036SMTSLW	NAC2811TBRA
59N6036SMTSLRW	NAC2811TBRA
59N6036SMTSRLW	NAC2811TBRA
59N6036SMTSRRW	NAC2811TBRA
59N6036SMTSCLW	NAC2811TBRA
59N6036SMTSCRW	NAC2811TBRA
59N6036SMTSLLW	NAC2811TBRA
59N6036SMTSLRLW	NAC2811TBRA
59N6036SMTSRLW	NAC2811TBRA
59N6036SMTSRRW	NAC2811TBRA
59N6036SMTSCLW	NAC2811TBRA
59N6036SMTSCLW	NAC2811TBRA
59N6036SMTSLL	NAC2811TBRA
59N6036SMTSLRL	NAC2811TBRA
59N6036SMTSRL	NAC2811TBRA
59N6036SMTSRR	NAC2811TBRA
59N6036SMTSCL	NAC2811TBRA
59N6036SMTSCL	NAC2811TBRA
59N6036SMTSLGW	NAC2811TBRA
59N6036SMTSLGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSCLGW	NAC2811TBRA
59N6036SMTSCRGW	NAC2811TBRA
59N6036SMTSLGL	NAC2811TBRA
59N6036SMTSLGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSCLGL	NAC2811TBRA
59N6036SMTSCLGL	NAC2811TBRA

404



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC8819TBRA A 3705

- See page 373 for all options available in Accessories

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
 Front view	20" HIGH		GRADE AA	GRADE A	GRADE B/COM							
	NAC8020TBRA	Railroad	\$ 712	\$ 765	\$ 866	½	80¾	20¼	—	—	26 lbs.	1.5
	NAC7420TBRA	Railroad	705	756	852	½	74¼	20¼	—	—	25 lbs.	1.4
	QNAC6920TBRA_---	Railroad	643	691	784	½	68¾	20¼	—	—	24 lbs.	1.3
	NAC6920TBRA	Railroad	643	691	784	½	68¾	20¼	—	—	24 lbs.	1.3
	NAC6320TBRA	Railroad	604	648	731	½	62¾	20¼	—	—	22 lbs.	1.4
	NAC5720TBRA	Railroad	573	612	687	½	56½	20¼	—	—	20 lbs.	1.1
19" HIGH												
NAC8819TBRA	Railroad	\$ 734	\$ 794	\$ 908	½	88¾	19½	—	—	31 lbs.	2.0	
NAC8219TBRA	Railroad	693	748	854	½	82¾	19½	—	—	29 lbs.	1.9	
NAC7619TBRA	Railroad	652	704	803	½	76¾	19½	—	—	26 lbs.	1.7	
NAC7419TBRA	Railroad	640	691	787	½	74¾	19½	—	—	24 lbs.	1.5	
NAC7219TBRA	Railroad	625	676	772	½	71¾	19½	—	—	25 lbs.	1.6	
QNAC7019TBRA_---	Railroad	627	675	768	½	70¾	19½	—	—	25 lbs.	1.6	
NAC7019TBRA	Railroad	627	675	768	½	70¾	19½	—	—	25 lbs.	1.6	
NAC6919TBRA	Railroad	626	674	767	½	68¾	19½	—	—	23 lbs.	1.5	
NAC6819TBRA	Railroad	623	669	757	½	68¾	19½	—	—	22 lbs.	1.4	
NAC6719TBRA	Railroad	621	667	755	½	66¾	19½	—	—	24 lbs.	1.5	
NAC6619TBRA	Railroad	620	666	754	½	65¾	19½	—	—	23 lbs.	1.5	
NAC6419TBRA	Railroad	596	640	723	½	64¾	19½	—	—	22 lbs.	1.5	
NAC6319TBRA	Railroad	586	630	713	½	63¾	19½	—	—	21 lbs.	1.4	
NAC6219TBRA	Railroad	571	615	698	½	62¾	19½	—	—	20 lbs.	1.3	
NAC6119TBRA	Railroad	565	609	692	½	61¾	19½	—	—	21 lbs.	1.4	
NAC6019TBRA	Railroad	555	599	682	½	59¾	19½	—	—	21 lbs.	1.4	
NAC5819TBRA	Railroad	552	592	669	½	58¾	19½	—	—	20 lbs.	1.3	
NAC5619TBRA	Railroad	543	583	660	½	56¾	19½	—	—	18 lbs.	1.2	
NAC5419TBRA	Railroad	540	580	657	½	54¾	19½	—	—	17 lbs.	1.3	
NAC5219TBRA	Railroad	535	575	652	½	52¾	19½	—	—	18 lbs.	1.2	
NAC5019TBRA	Railroad	534	569	635	½	50¾	19½	—	—	16 lbs.	1.1	
• For use with highback organizers or overhead cabinets • Tack board is unfinished on back • Gap provided between spacer blocks to provide cord management • Hardware included to attach to either a highback organizer or an architectural wall. • Textile will be railroaded • Reference tack board applicability on pages 403-404												

TACK BOARDS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC4919TBRA A 3705

- See page 373 for all options available in Accessories

MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
TACK BOARD (CONTINUED)		19" HIGH CONT.		GRADE AA	GRADE A	GRADE B/COM		D	W	H	A	KW			
 Front view	NAC4919TBRA	Railroad	\$	530	\$	565	\$	631	½	49⅞	19½	—	—	18 lbs.	1.2
	NAC4819TBRA	Railroad		528		563		629	½	47⅞	19½	—	—	17 lbs.	1.1
	NAC4619TBRA	Railroad		514		549		615	½	46⅞	19½	—	—	16 lbs.	1.1
	NAC4419TBRA	Railroad		503		538		604	½	44⅞	19½	—	—	14 lbs.	1.0
	NAC4219TBRA	Railroad		491		526		592	½	41⅞	19½	—	—	15 lbs.	1.0
	NAC3819TBRA	Railroad		460		495		561	½	38⅞	19½	—	—	12 lbs.	0.8
	QNAC3619TBRA	Railroad		445		474		529	½	35⅞	19½	—	—	13 lbs.	0.9
	NAC3619TBRA	Railroad		445		474		529	½	35⅞	19½	—	—	13 lbs.	0.9
	NAC3519TBRA	Railroad		439		468		523	½	35⅞	19½	—	—	12 lbs.	0.8
	NAC3219TBRA	Railroad		422		445		489	½	32⅞	19½	—	—	11 lbs.	0.7
	QNAC3019TBRA	Railroad		413		436		480	½	29⅞	19½	—	—	11 lbs.	0.7
	NAC3019TBRA	Railroad		413		436		480	½	29⅞	19½	—	—	11 lbs.	0.7
	NAC1819TBRA	Railroad		332		349		382	½	18⅞	19½	—	—	7 lbs.	0.4
	18" HIGH														
NAC3618TBRA	Railroad	\$	445	\$	474	\$	529	½	35⅞	18⅞	—	—	12 lbs.	0.8	
NAC3018TBRA	Railroad		413		436		480	½	29⅞	18⅞	—	—	10 lbs.	0.7	
17" HIGH															
NAC8117TBRA	Railroad	\$	672	\$	727	\$	833	½	80⅞	16⅞	—	—	26 lbs.	1.5	
NAC7917TBRA	Railroad		672		725		826	½	78⅞	16⅞	—	—	25 lbs.	1.5	
NAC7517TBRA	Railroad		633		684		780	½	74⅞	16⅞	—	—	25 lbs.	1.4	
NAC7317TBRA	Railroad		631		679		772	½	72⅞	16⅞	—	—	24 lbs.	1.4	
QNAC6917TBRA_ _ _ _	Railroad		626		674		767	½	69⅞	17⅞	—	—	22 lbs.	1.4	
NAC6917TBRA	Railroad		626		674		767	½	69⅞	17⅞	—	—	22 lbs.	1.4	
QNAC6717TBRA_ _ _ _	Railroad		621		667		755	½	67⅞	16⅞	—	—	21 lbs.	1.4	
NAC6717TBRA	Railroad		621		667		755	½	67⅞	16⅞	—	—	21 lbs.	1.4	
QNAC6617TBRA_ _ _ _	Railroad		620		666		754	½	66⅞	16⅞	—	—	20 lbs.	1.4	
NAC6617TBRA	Railroad		620		666		754	½	66⅞	16⅞	—	—	20 lbs.	1.4	
NAC6317TBRA	Railroad		586		630		713	½	63⅞	17⅞	—	—	20 lbs.	1.3	
NAC6117TBRA	Railroad		565		609		692	½	61⅞	16⅞	—	—	19 lbs.	1.3	
NAC6017TBRA	Railroad		555		599		682	½	60⅞	16⅞	—	—	19 lbs.	1.2	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Textile will be railroaded
- Reference tack board applicability on pages 403-404



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC8416TBRA A 3705

- See page 373 for all options available in Accessories

TACK BOARD (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
 Front view	17" HIGH CONT.									
	NAC5517TBRA	Railroad	\$ 489							
	NAC5417TBRA	Railroad	564							
	NAC3617TBRA	Railroad	445							
	NAC3017TBRA	Railroad	413							
16" HIGH										
	NAC8416TBRA	Railroad	\$ 599							
	NAC7616TBRA	Railroad	579							
	NAC6916TBRA	Railroad	533							
	QAC6816TBRA	Railroad	519							
	NAC6816TBRA	Railroad	519							
	NAC6316TBRA	Railroad	490							
	NAC6216TBRA	Railroad	467							
	NAC5716TBRA	Railroad	470							
	NAC5616TBRA	Railroad	469							
	NAC4516TBRA	Railroad	417							
	NAC3916TBRA	Railroad	371							
		• For use with highback organizers or overhead cabinets • Tack board is unfinished on back • Gap provided between spacer blocks to provide cord management • Hardware included to attach to either a highback organizer or an architectural wall. • Textile will be railroaded • Reference tack board applicability on pages 403-404								
11" HIGH										
	NAC2811TBRA	Railroad	\$ 374							
	NAC2211TBRA	Railroad	334							
	NAC1811TBRA	Railroad	301							
		• For use with Tessera wall mount credenzas and reception storage								

TACK BOARDS


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC7014TBDA A 3705

- See page 373 for all options available in Accessories

RECEPTION TACK BOARD	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC				
			D	W	H	A	KW	WEIGHT	FEET						
 Front view	14" HIGH		GRADE AA		GRADE A	GRADE B/ COM									
	NAC7015TBDA	Railroad	\$	528	\$	580	\$	679	½	70%	14½	—	—	16 lbs.	1.5
	NAC6415TBDA	Railroad		488		534		622	½	64%	14½	—	—	14 lbs.	1.5
	13" HIGH														
	NAC7014TBDA	Railroad	\$	528	\$	580	\$	679	½	69%	13%	—	—	15 lbs.	1.5
	NAC6714TBDA	Railroad		531		577		665	½	67%	13%	—	—	15 lbs.	1.5
	NAC6414TBDA	Railroad		488		534		622	½	64%	13%	—	—	14 lbs.	1.5
	NAC6114TBDA	Railroad		465		511		599	½	61%	13%	—	—	14 lbs.	1.0
	NAC6713TBDA	Railroad		519		565		653	½	67%	13%	—	—	15 lbs.	1.5
	12" HIGH														
	NAC6813TBDA	Railroad	\$	519	\$	565	\$	653	½	68	12 ⁹ / ₁₆	—	—	15 lbs.	1.5
	NAC7212TBDA	Railroad		528		580		679	½	71¾	12 ⁵ / ₁₆	—	—	16 lbs.	1.5
	NAC6912TBDA	Railroad		535		581		669	½	69%	12	—	—	15 lbs.	1.5
	11" HIGH														
	NAC6011TBDA	Railroad	\$	461	\$	507	\$	595	½	59%	11¼	—	—	14 lbs.	1.0
	NAC5711TBDA	Railroad		468		508		585	½	57 ⁹ / ₁₆	11¼	—	—	12 lbs.	1.0
	NAC4811TBDA	Railroad		413		448		514	½	47 ³ / ₁₆	11¼	—	—	10 lbs.	1.0
	10" HIGH														
	NAC6010TBDA	Railroad	\$	461	\$	507	\$	595	½	59%	10%	—	—	14 lbs.	1.0
	NAC5710TBDA	Railroad		468		508		585	½	57 ⁹ / ₁₆	10%	—	—	12 lbs.	1.0
	NAC4810TBDA	Railroad		413		448		514	½	47 ³ / ₁₆	10%	—	—	10 lbs.	1.0

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Textile will be railroaded
- Reference tack board applicability on pages 403-404

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL	11" VERTICAL	18" VERTICAL	
			X	X	X	
			4" HORIZONTAL	11" HORIZONTAL	18" HORIZONTAL	
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						

BOX/FILE HEIGHT STORAGE CUSHIONS

NAC1820CUSH, NAC1820CUSHT	0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT	0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT	0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT	1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT	1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT	1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT	1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT	1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT	0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT	0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT	0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT	1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT	1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT	1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT	1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT	2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT	2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT	1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT	1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT	1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT	1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT	1.70	2.10	2.60	4.10	33

TOSS ACCENT PILLOWS

N10PBL1806	0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	6
	Accent	0.30	0.30	0.50	3
N10PBL1806P		0.60	0.70	0.70	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	6
	Piping	0.10	0.10	0.10	2
	Accent	0.30	0.30	0.50	3
N10PSQ1414		0.60	0.70	0.70	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	6
	Back	0.60	0.70	0.70	6
N10PSQ1414P		0.70	0.70	0.70	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	6
	Back	0.60	0.70	0.70	6
	Piping	0.10	0.10	0.10	2
N10PSQ1414B		0.60	0.70	0.70	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	6
	Back	0.60	0.70	0.70	6
	Accent	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	6
	Back	0.60	0.70	0.70	6
	Piping	0.10	0.10	0.10	2
	Accent	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	7
	Back	0.70	0.80	1.10	7
N10PSQ1616P		0.70	1.10	2.00	14

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
		OR	4" VERTICAL	11" VERTICAL	18" VERTICAL	
		SOLID	X 4" HORIZONTAL	X 11" HORIZONTAL	X 18" HORIZONTAL	
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
		OR	4" VERTICAL	11" VERTICAL	18" VERTICAL	
		SOLID	4" HORIZONTAL	11" HORIZONTAL	18" HORIZONTAL	
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						
WEDGES						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
MOBILE PEDS						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	
TESSERA						
59N1872BN1F		1.50	1.80	2.80	4.60	30
59N1860BN1F		1.50	1.80	2.80	4.60	29
59N1854BN1F		1.50	1.80	2.80	4.60	29
59N1848BN1F		0.90	1.20	1.90	3.00	17
59N1842BN1F		0.90	1.20	1.90	3.00	17

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25

TACKABLE	YARDAGE
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4249TBA	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5436TBA	2.00
11N5437TBA	2.00
11N5448TBA	2.00
11N5449TBA	2.00
11N6034TBA	2.00
11N6036TBA	2.00
11N6037TBA	2.00
11N6048TBA	2.00
11N6049TBA	2.00
26N2411SWTBA	0.80
26N2411TBA	0.80
26N2432TBA	0.80
26N2439TBA	0.80
26N3011SWTBA	1.00
26N3011TBA	1.00
26N3032TBA	1.00
26N3039TBA	1.00
26N3611SWTBA	1.10
26N3611TBA	1.10
26N3632TBA	1.10
26N3639TBA	1.20
26N4211SWTBA	1.30
26N4211TBA	1.30
26N4232TBA	1.30
26N4239TBA	1.30
26N4811SWTBA	1.50

TACKABLE	YARDAGE
26N4811TBA	1.50
26N4832TBA	1.50
26N4839TBA	1.50
26N5411SWTBA	1.60
26N5411TBA	1.60
26N5432TBA	1.70
26N5439TBA	1.70
26N6011SWTBA	1.80
26N6011TBA	1.80
26N6032TBA	1.80
26N6039TBA	1.80
26N6611SWTBA	2.00
26N6611TBA	2.00
26N6632TBA	2.00
26N6639TBA	2.00
26N7211SWTBA	2.10
26N7211TBA	2.10
26N7232TBA	2.20
26N7239TBA	2.20
NAC1811TBRA	1.00
NAC1819TBRA	0.75
NAC1819TBRA	0.75
NAC2211TBDA2	0.75
NAC2211TBRA	1.00
NAC2811TBRA	1.00
NAC3017TBRA	1.00
NAC3018TBRA	1.00
NAC3019TBRA	1.00
NAC3019TBRA	1.00
NAC3219TBRA	1.00
NAC3220TBM	0.70
NAC3220TBMA	1.00
NAC3519TBRA	1.25
NAC3617TBRA	1.25
NAC3618TBRA	1.25
NAC3619TBRA	1.25
NAC3619TBRA	1.25
NAC3819TBRA	1.50
NAC3820TBM	0.70
NAC3820TBMA	1.20
NAC3916TBRA	1.50
NAC4219TBRA	1.50
NAC4219TBRA	1.50
NAC4419TBRA	1.50
NAC4420TBM	0.70
NAC4420TBMA	1.40
NAC4516TBRA	1.50
NAC4619TBRA	1.50
NAC4810TBDA	1.50
NAC4811TBDA	1.50
NAC4819TBRA	1.50
NAC4819TBRA	1.50
NAC4919TBRA	1.50
NAC5019TBRA	1.50
NAC5219TBRA	1.75
NAC5417TBRA	1.60
NAC5419TBRA	1.75

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC5517TBRA	1.60
NAC5616TBRA	1.70
NAC5619TBRA	1.75
NAC5620TBM	N/A
NAC5620TBMA	1.70
NAC5710TBDA	1.75
NAC5711TBDA	1.75
NAC5716TBRA	1.75
NAC5720TBRA	1.70
NAC5819TBRA	1.75
NAC6010TBDA	2.00
NAC6011TBDA	2.00
NAC6017TBRA	2.00
NAC6019TBRA	2.00
NAC6019TBSA	2.00
NAC6114TBDA	2.00
NAC6117TBRA	2.00
NAC6119TBRA	2.00
NAC6216TBRA	2.00
NAC6219TBRA	2.00
NAC6316TBRA	2.00
NAC6317TBRA	2.00
NAC6319TBRA	2.00
NAC6320TBRA	2.00
NAC6414TBDA	2.00
NAC6415TBDA	2.00
NAC6419TBRA	2.00
NAC6617TBRA	2.00
NAC6619TBRA	2.00
NAC6619TBSA	2.00
NAC6713TBDA	2.00
NAC6714TBDA	2.00
NAC6717TBRA	2.00
NAC6719TBRA	2.00
NAC6813TBDA	2.00
NAC6816TBRA	2.00
NAC6819TBRA	2.00
NAC6820TBMA	2.10
NAC6912TBDA	2.00
NAC6916TBRA	2.25
NAC6917TBRA	2.25
NAC6919TBRA	2.25
NAC6920TBRA	2.25
NAC7014TBDA	2.25
NAC7015TBDA	2.25
NAC7019TBRA	2.25
NAC7212TBDA	2.25
NAC7219TBRA	2.25
NAC7219TBSA	2.25
NAC7317TBRA	2.10
NAC7419TBRA	2.25
NAC7420TBRA	2.20
NAC7517TBRA	2.20
NAC7616TBRA	2.20
NAC7619TBRA	2.25

TACKABLE	YARDAGE
NAC7917TBRA	2.30
NAC8020TBRA	2.30
NAC8117TBRA	2.40
NAC8219TBRA	2.50
NAC8416TBRA	2.50
NAC8819TBRA	2.75
NAC2132PVMC2PFA	1.50
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPF	1.50
71N5118PVBPF	2.00
71N5718PVBPF	2.00
71N6318PVBPF	2.00
71N6918PVBPF	2.50
71N4623PVC	1.50
71N5223PVC	2.00
71N5823PVC	2.00
71N6423PVC	2.00
71N7023PVC	2.50
71N3824PVBPF	1.50
71N4424PVBPF	1.50
71N5024PVBPF	2.00
71N5624PVBPF	2.00
71N6224PVBPF	2.00

03.18.24

GLOBAL

Grade 1 Spark and Zig Zag seating textiles have been discontinued and removed from the price list

TESSERA

G15A 1 Touch Double Pivoting Power Grommet (M2X-B) has been discontinued and removed from the price list

ACCESSORIES

Garcia, models NAC03ELPG2GAAB, NAC03ELPG2GAAG, NAC03ELPG2GAA, have been discontinued and removed from the price list

Hitch model NAC04ELPG4HTAG has been discontinued and removed from the price list

G12A Pivoting Power Grommet (MHO-B) has been discontinued and removed from the price list

02.19.24

ESCALADE

This series has been added back into the price list and is available to order.

TESSERA

Clarified that tackboards can be mounted to an architectural wall, hardware not included

TESSERA AND ACCESSORIES

Electrical models have been updated

12.15.23

GLOBAL

(Arrowood Laminate, Arrowood Veneer, Barrington, Renegade, Roosevelt) MPK-4, Set of 4 Casters has been discontinued

Vertical Textiles Basket, Meander, and Universe will be discontinued as of 12.31.23 and have been removed from this price list

Drawer Suspension Warranty information has been removed from the Product Specifications page, please reference Warranty Link

Epicenter series will be discontinued as of 12.31.23 and all mentions have been removed from this price list

ARROWOOD LAMINATE

Printer/Telephone Stand, model 21N2430PTL, has been discontinued

ARROWOOD VENEER

Printer/Telephone Stand, model 31N2430PTLW, has been discontinued

BARRINGTON

Printer/Telephone Stand, models 50N2430PTW and 50N2430PTLW, have been discontinued

Telephone Stand, models 50N2421PTHW and 50N2421PTHLW, have been discontinued

Traditional Visual Board, model 50N4240VBW, has been discontinued

Keyboard Drawer, model 50N1531KDFW, has been discontinued

ESCALADE

Escalade series is being discontinued as of 12.31.2023 and has been removed from this price list

RENEGADE

Printer/Telephone Stand, models 75N2430PTL and 75N2430PTP, have been discontinued discontinued

ROOSEVELT

Printer/Telephone Stand, models 51N2430PTW and 51N2430PTLW, have been discontinued

Keyboard Drawer, model 51N1531KDFW, has been discontinued

TOSS ACCENT PILLOWS, WEDGES, AND CUSIONS

Seating Textiles Phrase and Reef Pro have been discontinued

ACCESSORIES

Added Set-On Screens from RETURN TO WORK which has been disbanded

08.28.23

GLOBAL

Pricing has been updated throughout the price list; pricing date is 10.02.23

Grade AA Panel Fabric Lea has been added

REVISION SUMMARY

05.22.23

TESSERA

Grommet location options clarified on credenza models

ACCESSORIES

Keyboard tray/mouse pad model NAC1924KTM has been discontinued

Axil M Blue Tooth Speaker power/data center models NAC08ELPG3AXB, NAC08ELPG3AXS, NAC08ELPG3AXW have been discontinued

03.13.23

GLOBAL

Midtown designator is MW

GENERAL INFORMATION

The Intellectual Property information has been removed from the General Information and is now accessible through a link in the Table of Contents

02.06.23

SURFACE MATERIALS

Changes made to Surface Materials sections due to Harmonization of Laminate, Wood and Vertical Textiles where applicable

Seating textiles Echo, Orbit, Connect Four colorways Clementine and Coffee Bean, Input colorways Pine, Mint, and Flame, Strand colorway Fudge have been discontinued

ARROWOOD LAMINATE

The following models have been discontinued and removed from price list:

- Arc desks, Multi-file credenzas, Quick Delivery Storage and Kneespace credenzas

ACCESSORIES

The following models are no longer available and have been removed from the price list:

- NAC1624CT Black Carousel Tray
- NAC03WM Undersurface Wire Manager
- NAC29ELPG4VEAB Vesta Set-On Floor, Battery-Powered Black/Dark Grey and NAC29ELPG4VEAW Vesta Set-On Floor, Battery-Powered White/Light Grey

COM YARDAGE REQUIREMENTS

Added information if repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required

11.18.22

ACCESSORIES

The following bullet was added to Double Hook NAC03HKD:

- Cannot be used on knife rim tops

10.31.22

TESSERA

Composite Wall Panels are no longer available and have been removed from the price list

ACCESSORIES

Personal Pull-Up Tables with marble top: 50 lb weight limit bullet was removed

10.03.22

GLOBAL

Pricing has been updated throughout the price list

The following models are no longer available and have been removed from the price list:

- NACPH Black Plastic Phone Holder
- NACPHC Clear Plastic Phone Holder
- NACBS Black Plastic Binder Shelf
- 10N3372MBFCHB Cinder Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHS Platinum Metallic Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHN Satin Nickel Metallic Universal Mobile Marker Board Flip Chart Holder

08.15.22

GLOBAL

Price list will no longer include an Index

GENERAL INFORMATION

The following pages have been removed from the General Information and are now accessible through a link in the Table of Contents:

- Terms & Conditions
- Warranty
- Sustainability
- ANSI/BIFMA Testing
- Asset Tag Locations

The following Echo Grade 4 colors are no longer available:

- 41101 Natural
- 41104 Lichen
- 41105 Jute
- 41106 Seaport
- 41107 Limestone

EXHIBIT AND ACCESSORIES

Dune (Grade A) 8606 Pebble is no longer available as a tack board textile option

07.15.22

EXHIBIT AND ACCESSORIES

Repetition (Grade A) 3715 Almond is no longer available as a tack board textile option

06.15.22

BARRINGTON

Grommet option not available bullet was added to desks and credenzas

05.16.22

RENEGADE

Added Gallery Laminate bullet to credenza shells and component tops for 3 and 4 drawer lateral files

TESSERA

4 Position Programmable Memory Control bullet updated

04.15.22

GENERAL INFORMATION

Panel textile COM flammability bullets updated

ACCESSORIES

Reception tack board depth has been updated to ½". Tack board does not include a gap for cord management

NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE 800.482.1717
WEB KIMBALLINTERNATIONAL.COM

NPL122