



12

10.02.23
PRICE LIST

CASEGOODS

GENERAL INFORMATION
Follow Link

Terms & Conditions	
Warranty	
Sustainability	
ANSI/BIFMA Testing	
Asset Tag Locations	
Surface Materials Reference Guide	
Intellectual Property	
Quick Delivery Program	4

ALLOY™ CASEGOODS 5

EPIC® CASEGOODS 75

Product Specifications	76
Configuration Options	77
Grommet Location Options	81
Guidelines/General Information	82
Drawer Specifications	82
Assembled	83
Assembled Units	83
Components	131
Component Units	132

LOCHLYN® 187

Product Specifications	188
Options	189
Metal Frames	194

NAVIYD™ 251

Product Specifications	252
Product Planning Information	253
Options	255
Factory Installed Grommet Options	256
Factory Installed Cutout	257
Table Bases and Worksurfaces	258
Configured Desks	266
Accessories	278
Modesty Panels	279
Privacy Screens	280

WAVEWORKS® CASEGOODS 281

Product Specifications	282
Configuration Options	284
Grommet Location Options	289
Guidelines/General Information	290
Drawer Specifications	290
Assembled	291
EZ Arrangements	291
Assembled Units	293
Components	381
Component Units	404

WAVEWORKS® METAL CASEGOODS 475

Product Specifications	476
Configuration Options	477
Specification Tips	479
Height Adjust Table Suspended Pedestal	479
Island Worksurface Tips	479
Modesty Panels	480
Electronic Locks	481
Metals Planning Guide	482
Metal Arrangement Models	486
Metal Units	496

WALL RAIL SOLUTION 519

Exhibit™	519
Product Specifications	520
Options	521
Wall Rail	525
Tack Board Inserts	526
Marker Board Inserts	528
Slat Wall/Slat Wall Combo Inserts	530
Shelf Inserts	534
TV Mount Inserts	564
End Trims/Trim Channels	567
Work Tools	570

BASES AND SUPPORT 575

Span Between Table Legs	576
Base Requirements	577
"L" Adjustable Height Bases	610
"L" Worksurfaces	614

TOSS™ ACCENT PILLOWS 625

WEDGES AND CUSHIONS 636

ACCESSORIES 651

Screens	680

COM YARDAGE REQUIREMENTS 731

REVISION SUMMARY 737

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.



Specific models from the following series are available on Quick Delivery:

Alloy	Bases and Support
Epic	Toss
WaveWorks	Accessories

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellations for Quick Delivery orders. The Quick Delivery orders must contain only Quick Delivery models - submit a separate order for any products that are not included in the program. Remember that the time to complete the order is based on business days and does not include weekends or holidays. The day your order is placed with National counts as day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 20? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

ALLOY

BENCHING

Product Specifications	6
Product Options	9
Fixed Height Base Sizing	13
Adjustable Height Base Sizing	14
Electrical	15
Thought Starters	16
Product Pages	37

ALLOY

ALLOY PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1½" HPL (high pressure laminate) or 1½" TFL (thermally fused laminate), and feature a softened 3mm vinyl rim
- Refer to page 9 for rim profiles and colors
- Grain direction runs left-to-right
- Always sold with base

HEIGHT ADJUSTABLE BASES WITH POWERED PHASE 3 SYSTEM

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- All hardware and electrical included
- Electrical included with powered units. Phase 3 system; 3-circuit/5-wire system. UL Listed in full compliance with National Electric Code (NEC). 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single user power, and has 2 receptacles per user. No more than 12 duplexes / 20 amp circuit. Phase 3 system is rated at 20 amps. The duplex receptacles are rated at 15 amp. The wiring consists of 5 wires: 3 hot, 1 neutral, and 1 ground. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Items included with this model: base, worksurfaces, center beam, wire management trough, and electrical
- Double sided units can be ganged together or used as freestanding units
- Single sided units have both ganging and non-ganging models
- Single sided ganging can gang to single or double ganging models
- Ganging kits are sold separately
- Alloy adjustable height powered bases can be plugged into themselves. This will take up 1 of the power outlets in the unit automatically
- Only Underwriters' Laboratory (UL) or Canadian Standards Association (CSA) listed electrical components are used in electrical devices and are so labeled. The customer is responsible for the proper application of products to the local codes under which installation must be made

HEIGHT ADJUSTABLE BASES (DOUBLE SIDED, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base and worksurfaces
- Double sided units can be ganged together or used as freestanding units
- Ganging kits are sold separately

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, GANGING, POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, beam wire management trough, electrical, and feet
- Ganging kits to gang to single or double sided units sold separately
- Alloy adjustable height powered bases can be plugged into themselves. This will use 1 of the power outlets in the unit

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, GANGING, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, beam, and feet
- Ganging kits to gang to single or double sided units sold separately

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, NON-GANGING, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, and feet

HEIGHT ADJUSTABLE FEET

- Single sided, freestanding or single sided, ganging - feet must be used and are included with unit
- If ganging single sided to double sided, with double sided on each side of the single, no foot is required, however, if the single sided unit is at the end of the run, the foot is required
- Feet are not included in double sided models, but can be ordered separately

FIXED HEIGHT BASES WITH POWERED PHASE 3 SYSTEM

- Adjustable glides are standard
- Some assembly required
- All hardware and electrical included
- Electrical included with powered units. Phase 3 system; 3-circuit/5-wire system. UL Listed in full compliance with National Electric Code (NEC). 1, 2, or 3 circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. No more than 12 duplexes/ 20 amp circuit. Phase 3 system is rated at 20 amps. The duplex receptacles are rated at 15 amp. The system supports 3 circuits; 1, 2, 3, or hardwire circuits. The customer must order the coordinating duplex receptacles when wiring to the number of circuits needed. The wiring consists of 5 wires: 3 hot, 1 neutral, and 1 ground. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Items included with this model: base, worksurfaces, center beam, wire management trough, and electrical
- Only Underwriters' Laboratory (UL) or Canadian Standards Association (CSA) listed electrical components are used in electrical devices and are so labeled. The customer is responsible for the proper application of products to the local codes under which installation must be made
- Double sided units can be ganged with a "start", "mid", and "end" or as freestanding
- Single sided units have both ganging and non-ganging models
- Single sided ganging can gang to single or double freestanding, "start", or "end" units
- Ganging kits are sold separately
- Wire management cutout (2½") is standard on fixed height powered models
- No other grommet options available on these models

FIXED HEIGHT BASES (SINGLE SIDED, GANGING, POWERED)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base, worksurfaces, beam, wire management trough, and electrical
- Ganging kits to gang to single sided, double sided freestanding, "start", or "end" must be ordered separately
- Wire management cutout (2½") is standard on fixed height powered models
- No other grommet options available on these models

FIXED HEIGHT BASES (SINGLE SIDED, GANGING, NON-POWERED)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base, worksurfaces, and beam
- Ganging kits to gang to single sided, double sided freestanding, "start", or "end" must be ordered separately

FIXED HEIGHT BASES (NON-POWERED, NON-GANGING)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base and worksurface

FLOOR POWER ENTRY POLE

- Can be used on adjustable, fixed single, or double sided bases
- Attaches to underside of beam, used to conceal power in-feed and data cables
- Non-supporting and can enter at either end or in between benches at the connection point

CEILING POWER/DATA POLE

- Routes power and data from ceiling access to Alloy units
- Electrical not included in power pole
- Do not recommend cutting in the field
- Must be used on an end of a run
- Fixed height base model and adjustable height base model available
- 132" length
- An optional 288" power entry whip ordered separately

TACKABLE PRIVACY SCREEN - EDGE MOUNTED

- Privacy screens are 7/8" thick dual sided textile
- Privacy screen holders are 12 gauge steel
- Privacy screens are not intended to be stand alone units
- For use with Alloy height adjustable units and single fixed units
- Screen extends 18" above the surface and 3 1/2" below the surface

TACKABLE PRIVACY SCREEN - BEAM MOUNTED

- Privacy screens are 7/8" thick dual sided textile
- Privacy screens are not intended to be stand alone units
- For use with height adjustable and fixed height benching units
- Screen extends 18" above the surface

RESIN PRIVACY SCREEN

- For fixed models only
- Mounts in track on beam
- Track available in Designer White, Cinder, or Platinum Metallic
- Screens are 3/8" thick
- 13" high and 18" high options

MONITOR ARM - BEAM MOUNTED

- Features 4D adjustment; adjusting in and out, up and down, swiveling left and right, and tilting back and forward
- Dynamic arm has integrated cable management
- Single monitor arm supports 1 monitor up to 5.5 lbs. - 15.5 lbs.
- VESA plates are 100mm x 100mm standard. The standard VESA plates are not compatible with Apple monitors
- Monitor arm is only available in Fixed Height beam mounted application
- Maximum of 2 beam mounted arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180°) for stability purposes
- Monitor arms are not to extend past the worksurface (not to extend beyond 180°) for stability.
- Monitor arms not to be turned away from user
- Monitor should always be kept above worksurface

MONITOR ARM - GROMMET MOUNTED

- Attachment method via bolt through grommet
- MFlex pole available w/ single arm or dual arms
- Fixed/ dynamic arm
- Pole height from the top of worksurface is 13 3/4"; Monitor rotation - port/landscape; Monitor extension 4" - 21 1/8" and tilt adjustment + 80/ - 15°; 10" dynamic, 6 1/2" Manual
- 5.5 lbs. minimum - 15.5 lbs. maximum weight capacity per monitor
- Monitor arms are not to extend past the worksurface (not to extend beyond 180°) for stability.
- Monitor arms not to be turned away from user

VERTICAL WIRE MANAGER

- Flexible nylon; available in black, white, and silver
- Can be used on powered adjustable height double sided bases
- Attaches to underside of worksurfaces; used to conceal power and data cables

ADJUSTABLE HEIGHT SINGLE SIDED BASE VERTICAL WIRE MANAGER

- Flexible nylon; available in black, white, and silver
- Can be used with adjustable height single sided bases to conceal wires to the floor
- Attaches to underside of worksurfaces; used to conceal power and data cables

DATA CUTOUTS

- Data jack covers and blanks not provided by National
- There is 1 data and 2 electrical cutouts per side in the horizontal wire manager
- Recommended use with Leviton Quickport® Decora® Inserts
- Decora inserts accept all Quickport snap-in modules

INSERTS

<https://www.leviton.com/en/search-results#q=quickport%20decora%20insert&t=All&sort=relevancy>

- Black inserts:
80414-W – White QuickPort Decora Multimedia Insert
80414-GY – Grey QuickPort Decora Multimedia Insert
80414-E – Black QuickPort Decora Multimedia Insert
- 1 port inserts:
41641-W – White QuickPort Decora Multimedia Insert
41641-GY – Grey QuickPort Decora Multimedia Insert
41641-E – Black QuickPort Decora Multimedia Insert
- 2 port inserts (most common):
41642-W – White QuickPort Decora Multimedia Insert
41642-GY – Grey QuickPort Decora Multimedia Insert
41642-E – Black QuickPort Decora Multimedia Insert

ETHERNET PORTS

- http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=39138&minisite=10251
- Any connector under this category will work

AV PORTS

- http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=67286&minisite=10251
- Any connector under this category will work

FIBER PORTS

- http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=39161&minisite=10251
- Any connector under this category will work

ALLOY METAL STORAGE

PRODUCT SPECIFICATIONS

PEDESTALS AND MOBILE PEDESTALS

- Leveling glides with 1¾" of adjustment featured on all units except mobile pedestals
- Powder coated paint
- Counterweights included
- Mobile pedestals with cushions have a weight limit of 200 lbs. max

DRAWERS

- ⅝" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

DRAWER PULLS

- Available in 3 styles, refer to page 9 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted

DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers

FILING

- See filing capabilities below

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 660


CONSTRUCTION VERTICAL STORAGE

- 2¼" glide adjustment
- Units made of 18-gauge cold-rolled steel
- Backs and sides finished
- Drawer bottoms not intended to be used as main support for storage items
- Wardrobe has 2 coat hooks and an adjustable shelf with ½" of adjustment
- All locker models have 3 lockers
- 42" tall units intended to match Alloy units with privacy panels (13")
- 53" tall units intended to match Alloy units with privacy panels (23") and to other WaveWorks storage units

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawers (24" depth models)	12⅜"	20"	3⅝"	N/A
File Drawers (24" depth models)	12⅜"	20"	10⅜"	Letter front-to-back
Box Drawers (18" depth models)	12⅜"	15⅝"	3⅝"	N/A
File Drawers (18" depth models)	12⅜"	15⅝"	10⅜"	Letter front-to-back

RAILOADED TACK BOARD


- Shaded rectangle portrays a railroaded tack board.



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RIM PROFILE OPTIONS



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

METAL CHASSIS PAINT COLORS

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.

PULL OPTIONS



Integrated (5)



Beam (87)

87MB	Cinder
87CC	Concrete
81IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic (Boring Pattern 128mm)



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic (Boring Pattern 128mm)



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ALLOY - CONFIGURATION OPTIONS

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris
• Pattern laminates not available on TFL models	

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BEAM PAINT COLOR

23	Black
22	Silver

BASE PAINT COLOR

23	Black
22	Silver

TEXTILE PRIVACY SCREEN
HOLDER PAINT COLOR

23	Black
22	Silver

PRIVACY SCREEN VERTICAL TEXTILE OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzier
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

PRIVACY SCREEN RESIN
OPTIONS

Grade 1	
1677	Frosted

RESIN PRIVACY SCREEN
HOLDER PAINT COLOR

462	Cinder
405	Designer White
501	Platinum Metallic



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Black Nylon

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center



- Reference below for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**




**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

- Reference page 68 pricing and details




**NACG17AELPD2IQKB, NACG17AELPD2IQKS,
NACG17AELPD2IQKB, NACG17AELPD2IQB,
NACG17AELPD2IQS, and NACG17AELPD2IQW
(Sold Separately)**

- Reference page 69 for pricing and details



**NACG17BELPD2IQKB, NACG17BELPD2IQKS,
NACG17BELPD2IQKW, NACG17BELPD2IQB,
NACG17BELPD2IQS, and NACG17BELPD2IQW
(Sold Separately)**

- Reference page 70 for pricing and details




**NACG17CELPD2IQKB, NACG17CELPD2IQKS,
NACG17CELPD2IQKW, NACG17CELPD2IQB,
NACG17CELPD2IQS, and NACG17CELPD2IQW
(Sold Separately)**

- Reference page 71 for pricing and details




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ALLOY - CONFIGURATION OPTIONS



- Grommet options are available on adjustable height powered, adjustable height non-powered, and fixed height non-powered
- For double tables, the grommet location consists of the same grommets on both surfaces (upcharge will reflect double grommets)



- Wire management cutout standard on fixed height powered models. No other grommet options available on these models

METAL SPACER CUTOUT OPTIONS

If no cutout is desired, specify an X (No Cutout)

\$41 list for each cutout

- CT1 Cutout, for Adjustable Height
CT2 Cutout, for Fixed Height


CIRCUIT OPTIONS (POWERED MODELS ONLY)

- 1 Circuit 1
2 Circuit 2
3 Circuit 3
H Hardwire (Chicago Code)
81 8-wire, Circuit 1
82 8-wire, Circuit 2
83 8-wire, Circuit 3
84 8-wire, Circuit 4

\$696 list upcharge for the 4 circuit/8 wire option


DOUBLE SIDED FREESTANDING UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"


NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

SINGLE SIDED FREESTANDING UNITS


POWERED PHASE 3 BEAM GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"


DOUBLE SIDED STARTER UNITS

POWERED PHASE 3 CENTER BEAM




48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"


NON-POWERED, GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"


DOUBLE SIDED MID UNITS

POWERED PHASE 3 CENTER BEAM




48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"


NON-POWERED, NON-GANGING (NO CENTER BEAM)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"


DOUBLE SIDED END UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM




48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

ALLOY - FIXED HEIGHT BASE SIZING


DOUBLE SIDED GANGING OR FREESTANDING UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"


NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"


SINGLE SIDED FREESTANDING UNITS

POWERED PHASE 3 BEAM GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"


NON-POWERED, GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NOTE: Power will always be in these units strictly for the "height adjustability."

NON-POWERED, NON-GANGING (NO CENTER BEAM)




24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"


NOTE: Power will always be in these units strictly for the "height adjustability."

- Electrical included with powered units are a Phase 3 system; 5-wire/3-circuit system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Power entry whips are available in 72", 144" and 288" long and must be ordered separately. The power entry whip has a modular connector at 1 end, attached to a flexible metal conduit with exposed wiring at the other end which is hardwired to the building power. Power entry whips may connect at the end of a run or anywhere within the run, providing power in 1 or both directions
- Jumpers must be ordered separately and are used to connect power between benches
- Duplex receptacles are labeled as to the specific circuit they are connected to: I, II, and III



5 WIRE/3-CIRCUIT CIRCUIT ARRANGEMENT



Power Receptacle



8 WIRE/4-CIRCUIT CIRCUIT ARRANGEMENT



- The maximum amount of duplexes that can be used on 1 power entry whip is 12 duplexes per-circuit
- Each double unit has 4 duplexes (2 per side)
- Each single unit has 2 duplexes (per user)


ALLOY - THOUGHT STARTERS

ADJUSTABLE HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



6 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	\$ 5684	3	\$17,052
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	2	\$ 148
	Total				\$17,200

**Image shown above

10 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	\$ 5684	5	\$28,420
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	4	\$ 296
	Total				\$28,716

12 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	\$ 5684	6	\$34,104
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	5	\$ 370
	Total				\$34,474


- Each adjustable height double sided unit must be plugged in separately
- Center beam mounted and edge mounted privacy screens can be ordered separately
- Grommet mounted monitor arms can be ordered separately
- Non-powered double sided adjustable height units ship with the base, top, and center beam support
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- NOTE: Power will always be in these units strictly for the "height adjustability"

ADJUSTABLE HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



3 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N2460AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	\$ 2978	3	\$ 8,934
	71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	2	\$ 706
	Total				\$ 9,640

6 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N2460AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	\$ 2978	6	\$17,868
	71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	5	\$ 1,765
	Total				\$19,633

**Image shown above

- Each adjustable height single sided unit must be plugged in separately
- Beam mounted and edge mounted privacy screens can be ordered separately
- Non-powered single sided adjustable height units ship with the base, top, beam, and feet
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Powered single sided ganging models available
- Feet must be used
- Ganging bracket/cover kit must be ordered separately
- NOTE: Power will always be in these units strictly for the "height adjustability"


ALLOY - THOUGHT STARTERS

ADJUSTABLE HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	\$ 6983	3	\$20,949
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	2	\$ 148
71N40VWM23	Vertical Wire Manager	\$ 205	6	\$ 1,230
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	2	\$ 178
71N7023PVC PFA	Edge Mounted Privacy Screen - Railroad, Grade A	\$ 1183	6	\$ 7,098

**Image shown above

Total \$29,760

10 USER STATION


PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	\$ 6983	5	\$34,915
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	4	\$ 296
71N40VWM23	Vertical Wire Manager	\$ 205	10	\$ 2,050
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	4	\$ 356
71N7023PVC PFA	Edge Mounted Privacy Screen - Railroad, Grade A	\$ 1183	10	\$11,830

Total \$49,604

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided adjustable height units ship with the base, top, center beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together

ADJUSTABLE HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	\$ 6983	6	\$41,898
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	5	\$ 370
71N40VWM23	Vertical Wire Manager	\$ 205	12	\$ 2,460
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	5	\$ 445
71N7023PVCFA	Edge Mounted Privacy Screen - Railroad, Grade A	\$ 1183	12	\$14,196
			Total	\$59,526

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided adjustable height units ship with the base, top, center beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together


ALLOY - THOUGHT STARTERS

ADJUSTABLE HEIGHT - POWERED SINGLE SIDED PHASE 3 BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units are used as freestanding models or can be ganged together to create a run of units. These can gang to single ganging or double units.

Ganging kits must be ordered separately.



3 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	\$ 3800	3	\$11,400
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	2	\$ 706
71N40VWM23	Vertical Wire Manager	\$ 205	3	\$ 615
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	2	\$ 178
Total				\$13,056

**Image shown above


6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	\$ 3800	6	\$22,800
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	5	\$ 1,765
71N40VWM23	Vertical Wire Manager	\$ 205	6	\$ 1,230
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	5	\$ 445
Total				\$26,397

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided adjustable height units ship with the base, top, beam support, horizontal wire manager, electrical, and feet
- Each worksurface is sized 1 1/2" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Feet must be used
- Ganging bracket/cover kit must be ordered separately

ADJUSTABLE HEIGHT - POWERED SINGLE SIDED PHASE 3 BEAM, GANGING (CONTINUED)

The overall number of units ganged is only limited based on electrical and floor space.

**12 USER STATION**

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2448AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	\$ 3602	12	\$43,224
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	11	\$ 3,883
71N40VWM23	Vertical Wire Manager	\$ 205	12	\$ 2,460
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	11	\$ 979
			Total	\$50,703


- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided adjustable height units ship with the base, top, beam, horizontal wire manager, electrical, and feet
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Ganging bracket/cover kit must be ordered separately
- Feet must be used

ALLOY - THOUGHT STARTERS

FIXED HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run.



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	\$ 2915	1	\$ 2,915
71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	\$ 2671	1	\$ 2,671
71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	\$ 2671	1	\$ 2,671
			Total	\$ 8,257

**Image shown above


10 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	\$ 2915	1	\$ 2,915
71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	\$ 2671	3	\$ 8,013
71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	\$ 2671	1	\$ 2,671
			Total	\$13,599

- Non-powered double fixed height units ship with the base, top, and center beam support
- Center beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

FIXED HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



12 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	\$ 2915	1	\$ 2,915
	71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	\$ 2671	4	\$10,684
	71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	\$ 2671	1	\$ 2,671
	Total				\$16,270

- Non-powered double fixed height units ship with the base, top, and center beam support
- Center beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout


ALLOY - THOUGHT STARTERS

FIXED HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units. These can gang to single ganging or start, end and double freestanding units.

Ganging kits must be ordered separately.



3 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	\$ 1689	3	\$ 5,067
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	2	\$ 232
			Total	\$ 5,299

**Image shown above


6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	\$ 1689	6	\$10,134
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	5	\$ 580
			Total	\$10,714

- Non-powered single fixed height units ship with the base, top, and beam
- Ganging bracket/cover kit must be ordered separately
- Beam mounted privacy screens can be ordered separately
- Beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

FIXED HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.



12 USER STATION	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
	71N2448FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	\$ 1559	12	\$18,708
	71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	11	\$ 1,276
	71N4813PVDP	Privacy Screen, Rectangular - Resin, Grade 1	\$ 795	12	\$ 9,540
				Total	\$29,524


- Non-powered single sided fixed height units ship with the base, top, and beam
- Ganging bracket/cover kit must be ordered separately
- Beam mounted privacy screens can be ordered separately
- Beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

ALLOY - THOUGHT STARTERS

FIXED HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run.



4 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	\$ 4013	1	\$ 4,013
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	\$ 3766	1	\$ 3,766
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	1	\$ 89
71N6918PVBPFPA	Beam Mounted Privacy Screen - Railroad, Grade A	\$ 1150	2	\$ 2,300
Total				\$10,325

**Image shown above


8 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	\$ 4013	1	\$ 4,013
71N6072FB2PMLL	Fixed Height Base, Double, Powered, Mid - TFL Top	\$ 3766	2	\$ 7,532
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	\$ 3766	1	\$ 3,766
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	3	\$ 267
71N6918PVBPFPA	Beam Mounted Privacy Screen - Railroad, Grade A	\$ 1150	4	\$ 4,600
Total				\$20,335

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided fixed height units ship with the base, top, center beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

FIXED HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	\$ 4013	1	\$ 4,013
71N6072FB2PMLL	Fixed Height Base, Double, Powered, Mid - TFL Top	\$ 3766	4	\$15,064
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	\$ 3766	1	\$ 3,766
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	5	\$ 445
71N6918PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	\$ 1150	6	\$ 6,900
			Total	\$30,345

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided fixed height units ship with the base, top, center beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical


ALLOY - THOUGHT STARTERS

FIXED HEIGHT - POWERED SINGLE SIDED PHASE 3 CENTER BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units are used as freestanding or can be ganged together to create a run of units. These can gang to single ganging or start, end and double freestanding units.

Ganging kits must be ordered separately.



4 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	\$ 2314	4	\$ 9,256
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	3	\$ 348
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	3	\$ 267
71N6013PVDP	Beam Mounted Privacy Screen - Rectangular - Resin, Grade 1	\$ 891	4	\$ 3,564
Total				\$13,592

5 USER STATION


PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	\$ 2314	5	\$11,570
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	4	\$ 464
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	4	\$ 356
71N6013PVDP	Beam Mounted Privacy Screen - Rectangular - Resin, Grade 1	\$ 891	5	\$ 4,455
Total				\$17,002

**Image shown above

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided fixed height units ship with the base, top, beam, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical
- Ganging bracket/cover kit must be ordered separately

FIXED HEIGHT - POWERED SINGLE SIDED PHASE 3 CENTER BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.




12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2448FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	\$ 2188	12	\$26,256
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	11	\$ 1,276
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	11	\$ 979
			Total	\$28,668

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided fixed height units ship with the base, top, beam, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical
- Ganging bracket/cover kit must be ordered separately

ALLOY - THOUGHT STARTERS ADJUSTABLE AND FIXED COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.



ADJUSTABLE

13 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N4848AB2PGLL	Adjustable Height Base, Double, Powered - TFL Top	\$ 4634	5	\$23,170
71N2448AB1PGLL	Adjustable Height Base, Single, Powered - TFL Top	\$ 3602	3	\$10,806
71N22ELJ	22" Ganging Jumper	\$ 89	7	\$ 623
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N3824PVBPFPA	Beam Mounted Privacy Screen - Railroad, Grade A	\$ 984	5	\$ 4,920
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	2	\$ 148
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	5	\$ 1,765
71N24FT23	Height Adjustable Feet, Black	\$ 182	10	\$ 1,820
			Total	\$43,409

FIXED

11 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N4848FB2PFL	Fixed Height Base, Double, Powered, Freestanding, Ganging - TFL Top	\$ 2964	1	\$ 2,964
71N4848FB2PSLL	Fixed Height Base, Double, Starter, Ganging - TFL Top	\$ 2964	1	\$ 2,964
71N4848FB2PMLL	Fixed Height Base, Double, Mid, Ganging - TFL Top	\$ 2718	1	\$ 2,718
71N4848FB2PELL	Fixed Height Base, Double, End, Ganging - TFL Top	\$ 2718	1	\$ 2,718
71N2448FB1PGLL	Fixed Height Base, Single, Powered, Ganging - TFL Top	\$ 2188	3	\$ 6,564
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	4	\$ 464
71N4818PVDP	Privacy Screen, Rectangular - Resin, Grade 1	\$ 946	7	\$ 6,622
71N22ELJ	22" Ganging Jumper	\$ 89	6	\$ 534
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
			Total	\$25,705


ADJUSTABLE HEIGHT - NON-POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Double sided and single sided ganging units can be ganged together to create a run of units.

Ganging kits must be ordered separately.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	\$ 5684	2	\$11,368
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	3	\$ 1,059
71N3072AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	\$ 3424	2	\$ 6,848
71N5823PVCPPFA	Edge Mounted Privacy Screen - Railroad, Grade A	\$ 1085	4	\$ 4,340
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	1	\$ 74
			Total	\$23,689

- Each adjustable height unit must be plugged in separately
- Privacy screens can be ordered separately
- Grommet mounted monitor arms can be ordered separately
- Non-powered adjustable height units ship with the base, top, and beam support
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When single sided adjustable units are ganged next to double sided, feet are optional. If a single sided adjustable unit is located on an end of a run, however, feet must be used on the single units
- Feet come standard on single sided units
- Feet are optional on double sided units and must be ordered separately
- NOTE: Power will always be in these units strictly for the "height adjustability"

ALLOY - THOUGHT STARTERS


ADJUSTABLE HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Double sided and single sided ganging units can be ganged together to create a run of units.

Ganging kits must be ordered separately.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



6 USER STATION


PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	\$ 6983	2	\$13,966
71N40VWM23	Vertical Wire Manager	\$ 205	6	\$ 1,230
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	3	\$ 267
71N3072AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	\$ 4246	2	\$ 8,492
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	3	\$ 1,059
Total				\$25,171

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered adjustable height units ship with the base, top, beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When a single sided adjustable height unit is on an end of a run, the feet must be used. Feet come standard with all single sided adjustable units
- Feet are optional on double sided units and must be ordered separately

ADJUSTABLE HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



9 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	\$ 6983	3	\$20,949
71N3072AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	\$ 4246	3	\$12,738
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	\$ 74	1	\$ 74
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	\$ 353	4	\$ 1,412
71N40VWM23	Vertical Wire Manager	\$ 205	9	\$ 1,845
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	5	\$ 445
71N7023PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	\$ 1183	9	\$10,647
			Total	\$48,267

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per unit. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered adjustable height units ship with the base, top, beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When single sided units are not on an end of a run, feet are optional


ALLOY - THOUGHT STARTERS

FIXED HEIGHT - NON-POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



10 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	\$ 2915	1	\$ 2,915
71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	\$ 2671	2	\$ 5,342
71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	\$ 2671	1	\$ 2,671
71N3072FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	\$ 1948	2	\$ 3,896
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	2	\$ 232
			Total	\$15,056


- Non-powered fixed height units ship with the base, top, and beam support
- Beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 11 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Single sided units can gang to a Fixed Start, End, or Freestanding unit
- Ganging bracket/cover kit must be ordered separately

FIXED HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Starter, Ganging - TFL Top	\$ 4013	1	\$ 4,013
71N6072FB2PELL	Fixed Height Base, Double, End, Ganging - TFL Top	\$ 3766	1	\$ 3,766
71N3072FB1PGLL	Fixed Height Base, Single, Powered - TFL Top	\$ 2573	2	\$ 5,146
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	2	\$ 232
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	3	\$ 267
71N7213PVDP	Beam Mounted Privacy Screen-Rectangular - Resin, Grade 1	\$ 982	4	\$ 3,928
			Total	\$17,509

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered fixed height units ship with the base, top, beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical


ALLOY - THOUGHT STARTERS

FIXED HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



9 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6060FB2PFL	Fixed Height Base, Double, Powered, Freestanding - TFL Top	\$ 3582	3	\$10,746
71N3060FB1PGL	Fixed Height Base, Single, Powered - TFL Top	\$ 2431	3	\$ 7,293
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	\$ 116	4	\$ 464
71N72ELE	Power Entry Whip Hardwire	\$ 157	1	\$ 157
71N22ELJ	22" Ganging Jumper	\$ 89	5	\$ 445
71N5718PVBPA	Beam Mounted Privacy Screen - Railroad, Grade A	\$ 1053	3	\$ 3,159
			Total	\$22,264

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered fixed height units ship with the base, top, beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PFL VMC 1 405 22 23

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
POWERED PHASE 3 CENTER BEAM
FREESTANDING BASE**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
71N6072FB2PFL	HPL	\$ 4322	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		34.8
71N6072FB2PFL	TFL	4013	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		34.8
71N6066FB2PFL	HPL	\$ 4083	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—		34.6
71N6066FB2PFL	TFL	3796	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—		34.6
71N6060FB2PFL	HPL	\$ 3838	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—		34.3
71N6060FB2PFL	TFL	3582	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—		34.3
71N6054FB2PFL	HPL	\$ 3620	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—		33.6
71N6054FB2PFL	TFL	3380	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—		33.6
71N6048FB2PFL	HPL	\$ 3417	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		33.3
71N6048FB2PFL	TFL	3199	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		33.3
71N4872FB2PFL	HPL	\$ 3955	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		26.2
71N4872FB2PFL	TFL	3699	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		26.2
71N4866FB2PFL	HPL	\$ 3755	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—		26.0
71N4866FB2PFL	TFL	3511	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—		26.0
71N4860FB2PFL	HPL	\$ 3573	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—		25.7
71N4860FB2PFL	TFL	3345	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—		25.7
71N4854FB2PFL	HPL	\$ 3336	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—		25.0
71N4854FB2PFL	TFL	3134	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—		25.0
71N4848FB2PFL	HPL	\$ 3145	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		24.7
71N4848FB2PFL	TFL	2964	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		24.7

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NFL VMC X MC 22 23

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
NON-POWERED CENTER BEAM
FREESTANDING BASE**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N6072FB2NFL HPL	\$ 3227	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		33.1
71N6072FB2NFL TFL	2915	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		33.1
71N6066FB2NFL HPL	\$ 3045	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		32.7
71N6066FB2NFL TFL	2757	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		32.7
71N6060FB2NFL HPL	\$ 2858	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		32.3
71N6060FB2NFL TFL	2600	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		32.3
71N6054FB2NFL HPL	\$ 2701	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		31.4
71N6054FB2NFL TFL	2460	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		31.4
71N6048FB2NFL HPL	\$ 2536	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		31.1
71N6048FB2NFL TFL	2318	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		31.1
71N4872FB2NFL HPL	\$ 2862	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		27.3
71N4872FB2NFL TFL	2603	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		27.3
71N4866FB2NFL HPL	\$ 2713	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		27.0
71N4866FB2NFL TFL	2474	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		27.0
71N4860FB2NFL HPL	\$ 2595	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		26.6
71N4860FB2NFL TFL	2367	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		26.6
71N4854FB2NFL HPL	\$ 2414	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		25.8
71N4854FB2NFL TFL	2211	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		25.8
71N4848FB2NFL HPL	\$ 2266	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		25.5
71N4848FB2NFL TFL	2085	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		25.5

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PSL VMC 1 405 22 22

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
POWERED PHASE 3 CENTER BEAM
STARTER BASE**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N6072FB2PSL HPL	\$ 4322	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		65.1
71N6072FB2PSLL TFL	4013	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		65.1
71N6066FB2PSL HPL	\$ 4083	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		64.9
71N6066FB2PSLL TFL	3796	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		64.9
71N6060FB2PSL HPL	\$ 3838	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		64.6
71N6060FB2PSLL TFL	3582	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		64.6
71N6054FB2PSL HPL	\$ 3620	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		63.9
71N6054FB2PSLL TFL	3380	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		63.9
71N6048FB2PSL HPL	\$ 3417	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{7}{8}$	—	—		63.6
71N6048FB2PSLL TFL	3199	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{7}{8}$	—	—		63.6
71N4872FB2PSL HPL	\$ 3955	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		49.5
71N4872FB2PSLL TFL	3699	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		49.5
71N4866FB2PSL HPL	\$ 3711	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		49.3
71N4866FB2PSLL TFL	3511	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		49.3
71N4860FB2PSL HPL	\$ 3573	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		49.0
71N4860FB2PSLL TFL	3345	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		49.0
71N4854FB2PSL HPL	\$ 3336	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		48.3
71N4854FB2PSLL TFL	3134	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		48.3
71N4848FB2PSL HPL	\$ 3145	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{7}{8}$	—	—		48.0
71N4848FB2PSLL TFL	2964	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{7}{8}$	—	—		48.0

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NSL VMC X MC 22 22

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
NON-POWERED CENTER BEAM
STARTER BASE**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N6072FB2NSL HPL	\$ 3227	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		63.4
71N6072FB2NSLL TFL	2915	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		63.4
71N6066FB2NSL HPL	\$ 3045	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		63.0
71N6066FB2NSLL TFL	2757	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		63.0
71N6060FB2NSL HPL	\$ 2858	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		62.6
71N6060FB2NSLL TFL	2600	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		62.6
71N6054FB2NSL HPL	\$ 2701	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		61.7
71N6054FB2NSLL TFL	2460	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		61.7
71N6048FB2NSL HPL	\$ 2536	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		61.4
71N6048FB2NSLL TFL	2318	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		61.4
71N4872FB2NSL HPL	\$ 2862	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		50.6
71N4872FB2NSLL TFL	2603	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		50.6
71N4866FB2NSL HPL	\$ 2713	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		50.3
71N4866FB2NSLL TFL	2474	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		50.3
71N4860FB2NSL HPL	\$ 2595	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		49.9
71N4860FB2NSLL TFL	2367	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		49.9
71N4854FB2NSL HPL	\$ 2414	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		49.1
71N4854FB2NSLL TFL	2211	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		49.1
71N4848FB2NSL HPL	\$ 2266	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		48.8
71N4848FB2NSLL TFL	2085	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		48.8

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PML VMC 1 461 22 22

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
POWERED PHASE 3 CENTER BEAM
MID BASE**


MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC
				D	W	H	A	KW	WEIGHT FEET
71N6072FB2PML	HPL		\$ 4076	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—	39.5
71N6072FB2PMLL	TFL		3766	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—	39.5
71N6066FB2PML	HPL		\$ 3836	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—	39.3
71N6066FB2PMLL	TFL		3547	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—	39.3
71N6060FB2PML	HPL		\$ 3592	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—	39.0
71N6060FB2PMLL	TFL		3335	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—	39.0
71N6054FB2PML	HPL		\$ 3375	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—	38.2
71N6054FB2PMLL	TFL		3134	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—	38.2
71N6048FB2PML	HPL		\$ 3171	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—	37.9
71N6048FB2PMLL	TFL		2951	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—	37.9
71N4872FB2PML	HPL		\$ 3708	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—	29.0
71N4872FB2PMLL	TFL		3452	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—	29.0
71N4866FB2PML	HPL		\$ 3505	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—	28.8
71N4866FB2PMLL	TFL		3265	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—	28.8
71N4860FB2PML	HPL		\$ 3326	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—	28.5
71N4860FB2PMLL	TFL		3101	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—	28.5
71N4854FB2PML	HPL		\$ 3088	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—	27.7
71N4854FB2PMLL	TFL		2890	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—	27.7
71N4848FB2PML	HPL		\$ 2899	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—	27.4
71N4848FB2PMLL	TFL		2718	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—	27.4

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NML VMC X MC 22 22

- See pages 9-10 for all options available in Alloy

**FIXED HEIGHT DOUBLE
NON-POWERED CENTER BEAM
MID BASE**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N6072FB2NML HPL	\$ 2979	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		37.7
71N6072FB2NMLL TFL	2671	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		37.7
71N6066FB2NML HPL	\$ 2795	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		37.3
71N6066FB2NMLL TFL	2511	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		37.3
71N6060FB2NML HPL	\$ 2612	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		36.9
71N6060FB2NMLL TFL	2356	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		36.9
71N6054FB2NML HPL	\$ 2454	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		36.0
71N6054FB2NMLL TFL	2211	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		36.0
71N6048FB2NML HPL	\$ 2289	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		35.7
71N6048FB2NMLL TFL	2069	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		35.7
71N4872FB2NML HPL	\$ 2615	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		30.1
71N4872FB2NMLL TFL	2359	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		30.1
71N4866FB2NML HPL	\$ 2469	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		29.8
71N4866FB2NMLL TFL	2227	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		29.8
71N4860FB2NML HPL	\$ 2348	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		29.4
71N4860FB2NMLL TFL	2121	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		29.4
71N4854FB2NML HPL	\$ 2165	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		28.5
71N4854FB2NMLL TFL	1965	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		28.5
71N4848FB2NML HPL	\$ 2022	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		28.2
71N4848FB2NMLL TFL	1838	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		28.2

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PEL VMC 1 461 22 22

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FIXED HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM END BASE	71N6072FB2PEL	HPL	\$ 4076	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		34.8
	71N6072FB2PELL	TFL	3766	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		34.8
	71N6066FB2PEL	HPL	\$ 3836	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—		34.6
	71N6066FB2PELL	TFL	3547	60 $\frac{3}{16}$	66	28 $\frac{5}{8}$	—	—		34.6
	71N6060FB2PEL	HPL	\$ 3592	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—		34.3
	71N6060FB2PELL	TFL	3335	60 $\frac{3}{16}$	60	28 $\frac{5}{8}$	—	—		34.3
	71N6054FB2PEL	HPL	\$ 3375	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—		33.6
	71N6054FB2PELL	TFL	3134	60 $\frac{3}{16}$	54	28 $\frac{5}{8}$	—	—		33.6
	71N6048FB2PEL	HPL	\$ 3171	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		33.3
	71N6048FB2PELL	TFL	2951	60 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		33.3
	71N4872FB2PEL	HPL	\$ 3708	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		26.2
	71N4872FB2PELL	TFL	3452	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{5}{8}$	—	—		26.2
	71N4866FB2PEL	HPL	\$ 3505	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—		26.0
	71N4866FB2PELL	TFL	3265	47 $\frac{1}{16}$	66	28 $\frac{5}{8}$	—	—		26.0
	71N4860FB2PEL	HPL	\$ 3326	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—		25.7
	71N4860FB2PELL	TFL	3101	47 $\frac{1}{16}$	60	28 $\frac{5}{8}$	—	—		25.7
	71N4854FB2PEL	HPL	\$ 3088	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—		25.0
	71N4854FB2PELL	TFL	2890	47 $\frac{1}{16}$	54	28 $\frac{5}{8}$	—	—		25.0
	71N4848FB2PEL	HPL	\$ 2899	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		24.7
	71N4848FB2PELL	TFL	2718	47 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{5}{8}$	—	—		24.7

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NEL VMC X MC 22 22

- See pages 9-10 for all options available in Alloy

FIXED HEIGHT DOUBLE
NON-POWERED CENTER BEAM
END BASE

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N6072FB2NEL HPL	\$ 2979	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		33.1
71N6072FB2NELL TFL	2671	60 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		33.1
71N6066FB2NEL HPL	\$ 2795	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		32.7
71N6066FB2NELL TFL	2511	60 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—		32.7
71N6060FB2NEL HPL	\$ 2612	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		32.3
71N6060FB2NELL TFL	2356	60 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—		32.3
71N6054FB2NEL HPL	\$ 2454	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		31.4
71N6054FB2NELL TFL	2211	60 $\frac{3}{16}$	54	28 $\frac{7}{8}$	—	—		31.4
71N6048FB2NEL HPL	\$ 2289	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		31.1
71N6048FB2NELL TFL	2069	60 $\frac{3}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		31.1
71N4872FB2NEL HPL	\$ 2615	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		27.3
71N4872FB2NELL TFL	2359	47 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		27.3
71N4866FB2NEL HPL	\$ 2469	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		27.0
71N4866FB2NELL TFL	2227	47 $\frac{1}{16}$	66	28 $\frac{7}{8}$	—	—		27.0
71N4860FB2NEL HPL	\$ 2348	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		26.6
71N4860FB2NELL TFL	2121	47 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—		26.6
71N4854FB2NEL HPL	\$ 2165	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		25.8
71N4854FB2NELL TFL	1965	47 $\frac{1}{16}$	54	28 $\frac{7}{8}$	—	—		25.8
71N4848FB2NEL HPL	\$ 2022	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		25.5
71N4848FB2NELL TFL	1838	47 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—		25.5

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color


SAMPLE MODEL NUMBER:

71N3072FB1PGL VMC 1 MC 22 22


- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FIXED HEIGHT SINGLE POWERED, GANGING FREESTANDING BASE	71N3072FB1PGL	HPL	\$ 2726	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3072FB1PGLL	TFL	2573	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3066FB1PGL	HPL	\$ 2643	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3066FB1PGLL	TFL	2500	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3060FB1PGL	HPL	\$ 2559	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3060FB1PGLL	TFL	2431	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3054FB1PGL	HPL	\$ 2488	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3054FB1PGLL	TFL	2368	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3048FB1PGL	HPL	\$ 2415	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N3048FB1PGLL	TFL	2307	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N2472FB1PGL	HPL	\$ 2545	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2472FB1PGLL	TFL	2416	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2466FB1PGL	HPL	\$ 2478	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2466FB1PGLL	TFL	2359	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2460FB1PGL	HPL	\$ 2426	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2460FB1PGLL	TFL	2314	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2454FB1PGL	HPL	\$ 2344	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2454FB1PGLL	TFL	2245	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2448FB1PGL	HPL	\$ 2278	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9
	71N2448FB1PGLL	TFL	2188	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9

- Ability to gang to single ganging, double freestanding, or double start/end
- Grommet option not available
- Maximum of 2 beam mounted monitor arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180°) for stability purposes



Front View



Back View

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color


SAMPLE MODEL NUMBER:

71N3072FB1NGL VMC G1C MC 22 22


- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FIXED HEIGHT SINGLE NON-POWERED, GANGING FREESTANDING BASE	71N3072FB1NGL	HPL	\$ 2099	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3072FB1NGLL	TFL	1948	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3066FB1NGL	HPL	\$ 2017	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3066FB1NGLL	TFL	1874	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3060FB1NGL	HPL	\$ 1930	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3060FB1NGLL	TFL	1805	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3054FB1NGL	HPL	\$ 1861	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3054FB1NGLL	TFL	1742	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3048FB1NGL	HPL	\$ 1787	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N3048FB1NGLL	TFL	1680	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N2472FB1NGL	HPL	\$ 1919	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2472FB1NGLL	TFL	1789	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2466FB1NGL	HPL	\$ 1850	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2466FB1NGLL	TFL	1731	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2460FB1NGL	HPL	\$ 1801	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2460FB1NGLL	TFL	1689	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2454FB1NGL	HPL	\$ 1718	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2454FB1NGLL	TFL	1617	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2448FB1NGL	HPL	\$ 1652	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9
	71N2448FB1NGLL	TFL	1559	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9

- Ability to gang to single ganging, double freestanding, or double start/end
- Grommet options available in worksurface
- Maximum of 2 beam mounted monitor arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180°) for stability purposes



Front View



Back View

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- Model Number
- Rim
- Grommet
- Laminate
- Beam Paint (when applicable)
- Paint Color

SAMPLE MODEL NUMBER:

71N3072FB1NFL VMC G1C MC 22 22

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FIXED HEIGHT SINGLE NON-POWERED, NON-GANGING FREESTANDING BASE	71N3072FB1NFL	HPL	\$ 1474	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3072FB1NFL	TFL	1318	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		19.6
	71N3066FB1NFL	HPL	\$ 1388	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3066FB1NFL	TFL	1246	30 $\frac{1}{16}$	66	28 $\frac{3}{8}$	—	—		19.4
	71N3060FB1NFL	HPL	\$ 1306	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	Q71N3060FB1NFL	TFL	1175	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3060FB1NFL	TFL	1175	30 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—		19.0
	71N3054FB1NFL	HPL	\$ 1236	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3054FB1NFL	TFL	1115	30 $\frac{1}{16}$	54	28 $\frac{3}{8}$	—	—		18.1
	71N3048FB1NFL	HPL	\$ 1162	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N3048FB1NFL	TFL	1054	30 $\frac{1}{16}$	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		17.8
	71N2472FB1NFL	HPL	\$ 1291	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2472FB1NFL	TFL	1164	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—		16.4
	71N2466FB1NFL	HPL	\$ 1227	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2466FB1NFL	TFL	1104	24	66	28 $\frac{3}{8}$	—	—		16.2
	71N2460FB1NFL	HPL	\$ 1173	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2460FB1NFL	TFL	1060	24	60	28 $\frac{3}{8}$	—	—		15.9
	71N2454FB1NFL	HPL	\$ 1090	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2454FB1NFL	TFL	990	24	54	28 $\frac{3}{8}$	—	—		15.1
	71N2448FB1NFL	HPL	\$ 1025	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9
	Q71N2448FB1NFL	TFL	935	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9
	71N2448FB1NFL	TFL	935	24	48 $\frac{3}{16}$	28 $\frac{3}{8}$	—	—		14.9

- Grommet options available in worksurface

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


- Model Number
- Rim
- Grommet
- Circuit
- Laminate
- Beam Paint (when applicable)
- Paint Color

SAMPLE MODEL NUMBER:

71N4848AB2PGL VMC X 1 MC 22 22

- See pages 9-10 for all options available in Alloy

ADJUSTABLE HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM GANGING BASE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
71N6072AB2PGL HPL	\$ 7294	60 $\frac{3}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	16.8
Q71N6072AB2PGLL TFL	6983	60 $\frac{3}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	16.8
71N6072AB2PGLL TFL	6983	60 $\frac{3}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	16.8
71N6066AB2PGL HPL	\$ 6886	60 $\frac{3}{16}$	64 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	16.3
71N6066AB2PGLL TFL	6597	60 $\frac{3}{16}$	64 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	16.3
71N6060AB2PGL HPL	\$ 6481	60 $\frac{3}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.7
71N6060AB2PGLL TFL	6225	60 $\frac{3}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.7
71N6054AB2PGL HPL	\$ 6116	60 $\frac{3}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.6
71N6054AB2PGLL TFL	5874	60 $\frac{3}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.6
71N6048AB2PGL HPL	\$ 5761	60 $\frac{3}{16}$	46 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.0
71N6048AB2PGLL TFL	5544	60 $\frac{3}{16}$	46 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.0
71N4872AB2PGL HPL	\$ 6089	47 $\frac{15}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.8
71N4872AB2PGLL TFL	5832	47 $\frac{15}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.8
71N4866AB2PGL HPL	\$ 5760	47 $\frac{15}{16}$	64 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.3
71N4866AB2PGLL TFL	5520	47 $\frac{15}{16}$	64 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	15.3
71N4860AB2PGL HPL	\$ 5467	47 $\frac{15}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.8
71N4860AB2PGLL TFL	5241	47 $\frac{15}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	14.8
71N4854AB2PGL HPL	\$ 5118	47 $\frac{15}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	13.7
71N4854AB2PGLL TFL	4919	47 $\frac{15}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	13.7
71N4848AB2PGL HPL	\$ 4818	47 $\frac{15}{16}$	46 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	13.2
71N4848AB2PGLL TFL	4634	47 $\frac{15}{16}$	46 $\frac{5}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	—	13.2

- Adjustable glides
- 48" deep models have (2) 22.5" deep worksurfaces and 60" deep models have (2) 28.5" deep worksurfaces to create a 3" gap
- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N6072AB2NGL VMC G1C MC 22 22

- See pages 9-10 for all options available in Alloy

**ADJUSTABLE HEIGHT DOUBLE
NON-POWERED CENTER BEAM
GANGING BASE**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
71N6072AB2NGL HPL	\$ 5990	60 $\frac{3}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.9
71N6072AB2NGLL TFL	5684	60 $\frac{3}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.9
71N6066AB2NGL HPL	\$ 5645	60 $\frac{3}{16}$	64 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.5
71N6066AB2NGLL TFL	5358	60 $\frac{3}{16}$	64 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.5
71N6060AB2NGL HPL	\$ 5305	60 $\frac{3}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.1
71N6060AB2NGLL TFL	5048	60 $\frac{3}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		14.1
71N6054AB2NGL HPL	\$ 5005	60 $\frac{3}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.1
71N6054AB2NGLL TFL	4765	60 $\frac{3}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.1
71N6048AB2NGL HPL	\$ 4703	60 $\frac{3}{16}$	46 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
71N6048AB2NGLL TFL	4487	60 $\frac{3}{16}$	46 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
71N4872AB2NGL HPL	\$ 4734	47 $\frac{15}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.9
71N4872AB2NGLL TFL	4476	47 $\frac{15}{16}$	70 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.9
71N4866AB2NGL HPL	\$ 4468	47 $\frac{15}{16}$	64 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
71N4866AB2NGLL TFL	4229	47 $\frac{15}{16}$	64 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
71N4860AB2NGL HPL	\$ 4242	47 $\frac{15}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
71N4860AB2NGLL TFL	4015	47 $\frac{15}{16}$	58 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
71N4854AB2NGL HPL	\$ 3955	47 $\frac{15}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
71N4854AB2NGLL TFL	3757	47 $\frac{15}{16}$	52 $\frac{1}{2}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
71N4848AB2NGL HPL	\$ 3714	47 $\frac{15}{16}$	46 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.9
71N4848AB2NGLL TFL	3535	47 $\frac{15}{16}$	46 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.9

- Adjustable glides
- 48" deep models have (2) 22.5" deep worksurfaces and 60" deep models have (2) 28.5" deep worksurfaces to create a 3" gap
- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

- Model Number
- Rim
- Grommet
- Circuit
- Laminate
- Beam Paint (when applicable)
- Paint Color

SAMPLE MODEL NUMBER:


71N3072AB1PGL G1C H MC 22 22

- See pages 9-10 for all options available in Alloy


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
ADJUSTABLE HEIGHT SINGLE POWERED, GANGING FREESTANDING BASE	71N3072AB1PGL	HPL	\$ 4399	28 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.8	
	71N3072AB1PGLL	TFL	4246	28 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.8	
	71N3066AB1PGL	HPL	\$ 4272	28 $\frac{3}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.5	
	71N3066AB1PGLL	TFL	4131	28 $\frac{3}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.5	
	71N3060AB1PGL	HPL	\$ 4151	28 $\frac{3}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.2	
	71N3060AB1PGLL	TFL	4021	28 $\frac{3}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	13.2	
	71N3054AB1PGL	HPL	\$ 4041	28 $\frac{3}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.3	
	71N3054AB1PGLL	TFL	3919	28 $\frac{3}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.3	
	71N3048AB1PGL	HPL	\$ 3926	28 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.0	
	71N3048AB1PGLL	TFL	3819	28 $\frac{3}{16}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.0	
	71N2472AB1PGL	HPL	\$ 4105	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.7	
	71N2472AB1PGLL	TFL	3980	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.7	
	71N2466AB1PGL	HPL	\$ 4001	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.5	
	71N2466AB1PGLL	TFL	3882	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.5	
	71N2460AB1PGL	HPL	\$ 3912	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.2	
	Q71N2460AB1PGLL	TFL	3800	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.2	
	71N2460AB1PGLL	TFL	3800	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	12.2	
	71N2454AB1PGL	HPL	\$ 3796	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	11.4	
	71N2454AB1PGLL	TFL	3694	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	11.4	
	71N2448AB1PGL	HPL	\$ 3692	22 $\frac{1}{2}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	11.1	
	71N2448AB1PGLL	TFL	3602	22 $\frac{1}{2}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—	11.1	

- Can gang to single ganging or double units
- Grommet options available in worksurface

ADJUSTABLE HEIGHT SINGLE POWERED, GANGING FREESTANDING BASE



Front View



Back View

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color


SAMPLE MODEL NUMBER:

71N3072AB1NGL VMC G1C MC 22 22


- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
ADJUSTABLE HEIGHT SINGLE NON-POWERED, GANGING FREESTANDING BASE	71N3072AB1NGL	HPL	\$ 3576	28 $\frac{7}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.8
	71N3072AB1NGLL	TFL	3424	28 $\frac{7}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.8
	71N3066AB1NGL	HPL	\$ 3452	28 $\frac{7}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
	71N3066AB1NGLL	TFL	3308	28 $\frac{7}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
	71N3060AB1NGL	HPL	\$ 3327	28 $\frac{7}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
	71N3060AB1NGLL	TFL	3199	28 $\frac{7}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
	71N3054AB1NGL	HPL	\$ 3219	28 $\frac{7}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.3
	71N3054AB1NGLL	TFL	3095	28 $\frac{7}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.3
	71N3048AB1NGL	HPL	\$ 3104	28 $\frac{7}{16}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.0
	71N3048AB1NGLL	TFL	2999	28 $\frac{7}{16}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.0
	71N2472AB1NGL	HPL	\$ 3284	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
	71N2472AB1NGLL	TFL	3156	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
	71N2466AB1NGL	HPL	\$ 3179	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.5
	71N2466AB1NGLL	TFL	3059	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.5
	71N2460AB1NGL	HPL	\$ 3089	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
	71N2460AB1NGLL	TFL	2978	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
	71N2454AB1NGL	HPL	\$ 2973	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.4
	71N2454AB1NGLL	TFL	2869	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.4
	71N2448AB1NGL	HPL	\$ 2868	22 $\frac{1}{2}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.1
	71N2448AB1NGLL	TFL	2780	22 $\frac{1}{2}$	48 $\frac{3}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.1

- Can gang to single ganging or double units
- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface



Front View



Back View

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


- Model Number
- Rim
- Grommet
- Laminate
- Beam Paint (when applicable)
- Paint Color

SAMPLE MODEL NUMBER:

71N3072AB1NFL VMC G1C MC 22

- See pages 9-10 for all options available in Alloy

ADJUSTABLE HEIGHT SINGLE NON-POWERED, NON-GANGING FREESTANDING BASE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
71N3072AB1NFL HPL	\$ 2872	28 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.8
Q71N3072AB1NFL TFL	2718	28 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.8
71N3072AB1NFL TFL	2718	28 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.8
71N3066AB1NFL HPL	\$ 2748	28 $\frac{1}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
71N3066AB1NFL TFL	2603	28 $\frac{1}{16}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.5
71N3060AB1NFL HPL	\$ 2623	28 $\frac{1}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
71N3060AB1NFL TFL	2494	28 $\frac{1}{16}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		13.2
71N3054AB1NFL HPL	\$ 2512	28 $\frac{1}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.3
71N3054AB1NFL TFL	2391	28 $\frac{1}{16}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.3
71N3048AB1NFL HPL	\$ 2400	28 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.0
71N3048AB1NFL TFL	2292	28 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.0
71N2472AB1NFL HPL	\$ 2577	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
71N2472AB1NFL TFL	2451	22 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.7
71N2466AB1NFL HPL	\$ 2474	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.5
71N2466AB1NFL TFL	2356	22 $\frac{1}{2}$	66	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.5
71N2460AB1NFL HPL	\$ 2385	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
71N2460AB1NFL TFL	2272	22 $\frac{1}{2}$	60	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		12.2
71N2454AB1NFL HPL	\$ 2267	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.4
71N2454AB1NFL TFL	2165	22 $\frac{1}{2}$	54	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.4
71N2448AB1NFL HPL	\$ 2164	22 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.1
71N2448AB1NFL TFL	2073	22 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{2}$ -44 $\frac{1}{2}$	—	—		11.1

- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface


TO ORDER, SPECIFY:


1. Model Number
2. Laminate Color
3. Paint

SAMPLE MODEL NUMBER:

71N6046EPAL 462 23

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
END PANEL ADJUSTABLE  Double width  Single width	71N6046EPAL	Double Width	\$ 901	1 $\frac{3}{8}$ "	60	46	—	—	59 lbs.	5.9
	71N4846EPAL	Double Width	863	1 $\frac{3}{8}$ "	48	46	—	—	47 lbs.	4.3
	71N2946EPAL	Single Width	\$ 549	1 $\frac{3}{8}$ "	29	46	—	—	29 lbs.	3.1
	71N2346EPAL	Single Width	510	1 $\frac{3}{8}$ "	23	46	—	—	23 lbs.	2.5
	• For non-ganging models									
	SINGLE WIDTH LEFT		SINGLE WIDTH RIGHT							
	71N3246EPAL	71N3246EPRAL	\$ 549	1 $\frac{3}{8}$ "	32	46	—	—	30 lbs.	3.4
	71N2646EPAL	71N2646EPRAL	510	1 $\frac{3}{8}$ "	26	46	—	—	25 lbs.	2.8
	• Single ganging models are handed due to construction of these models									
	• End panels 48" deep and 60" deep match double sided units • Panels 23" deep and 29" deep will match single non-powered units • Panels 26" deep and 32" deep will match single powered units • Vertical grain is standard, horizontal grain is optional • Specify laminate color and paint color									

END PANEL FIXED  Double width  Single width	71N6046EPFL	Double Width	\$ 665	1 $\frac{3}{8}$ "	60	46	—	—	59 lbs.	5.9
	71N4846EPFL	Double Width	627	1 $\frac{3}{8}$ "	48	46	—	—	47 lbs.	4.8
	71N3246EPFL	Single Width	\$ 313	1 $\frac{3}{8}$ "	32	46	—	—	31 lbs.	3.0
	71N3046EPFL	Single Width	313	1 $\frac{3}{8}$ "	30	46	—	—	30 lbs.	2.9
	71N2646EPFL	Single Width	275	1 $\frac{3}{8}$ "	26	46	—	—	25 lbs.	2.8
	71N2446EPFL	Single Width	275	1 $\frac{3}{8}$ "	24	46	—	—	24 lbs.	2.4
	• End panels 48" deep and 60" deep match double sided units • Panels 24" deep and 30" deep will match single non-powered units • Panels 26" deep and 32" deep will match single powered units • Vertical grain is standard, horizontal grain is optional • Specify laminate color only									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Textile Grade/Color
(mobile cushion pedestal only)
5. Paint

SAMPLE MODEL NUMBER:

71N2315PMBFCM 5 KRB 2 20003 405

- See pages 9-10 for all options available in Alloy

MODEL NO./DESCRIPTION

MOBILE PEDESTAL -
CUSHION TOP
BOX/FILE 23" DEEP

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
71N2315PMBFCM	\$	964	994	1008	1030	1054	1095	1150


ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1015	1046	1070	1096	1124	1154	1179	1210	1240	1272
	K	L	M	N	O	P	Q	R	S	T
\$	1319	1417	1478	1509	1541	1572	1604	1635	1666	1697

DIMENSIONS

Depth	22¾	Height	22¾	Weight	85
Width	14⅝			Cubic Ft.	9.4

- Unit can be placed under Alloy fixed height desks
- Unit can be placed under an adjustable height 60" double depth Alloy desk
- Not intended to be used under an adjustable height 48" deep Alloy desk
- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL -
CUSHION TOP
BOX/FILE 23" DEEP
WITH PULL

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
71N2315PMBFC2M	\$	1058	1088	1102	1124	1148	1189	1244

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1109	1140	1164	1190	1218	1248	1273	1304	1334	1366
	K	L	M	N	O	P	Q	R	S	T
\$	1413	1511	1572	1603	1635	1666	1698	1729	1760	1791

DIMENSIONS

Depth	22¾	Height	23¾	Weight	90
Width	14⅝			Cubic Ft.	9.4

- Unit can be placed under Alloy fixed height desks
- Unit can be placed under an adjustable height 60" double depth Alloy desk
- Not intended to be used under an adjustable height 48" deep Alloy desk
- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ALLOY

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

71N1815PMBFM 7MB KRB 461

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE PEDESTAL - METAL TOP BOX/FILE 24" DEEP 	71N2415PMBFM • Unit can be placed under Alloy fixed height desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available	\$ 1292	24	14 ¹⁵ / ₁₆	22 ⁵ / ₈	—	—	90 lbs.	7.0
MOBILE PEDESTAL - METAL TOP BOX/FILE 18" DEEP 	71N1815PMBFM • Unit can be placed under Alloy fixed height desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available	\$ 1254	18 ³ / ₄	14 ¹⁵ / ₁₆	22 ⁵ / ₈	—	—	80 lbs.	5.4
MOBILE PEDESTAL - METAL TOP BOX/BOX/FILE 23" DEEP 	71N2415PMBBFM • Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available	\$ 1135	22 ³ / ₄	15	27	—	—	90 lbs.	7.5

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

71N1815PMBBFM 7MB KRB 461

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MOBILE PEDESTAL - METAL TOP BOX/BOX/FILE 18" DEEP 	71N1815PMBBFM	\$ 1096	18¾	15	27	—	—	82 lbs.	6.3
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP FILE/FILE 24" DEEP 	71N2415PMFFM	\$ 1019	22¾	15	27	—	—	90 lbs.	7.5
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP FILE/FILE 18" DEEP 	71N1815PMFFM	\$ 980	18¾	15	27	—	—	82 lbs.	6.3
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

ALLOY

PRODUCT SPECIFICATIONS

- Storage units shipped with appropriate hardware

TO ORDER, SPECIFY:

- Model Number
- Pull
- Locking
- Paint

SAMPLE MODEL NUMBER:

71N1554VHL1M 7MB KRB 461

- See pages 9-10 for all options available in Alloy

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
STORAGE CABINET WITH BOX/BOX/FILE PEDESTAL							
LEFT							
RIGHT							
71N1554VHL1M	\$ 1834	23 $\frac{3}{8}$	14 $\frac{1}{16}$	53 $\frac{3}{8}$	—	120 lbs.	15.2


- Features 1 removable shelf
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available



Right shown

STORAGE/WARDROBE WITH BOX/BOX/FILE PEDESTAL							
LEFT							
RIGHT							
71N2454VHHL1M	\$ 2448	23 $\frac{3}{8}$	24	53 $\frac{3}{8}$	—	145 lbs.	22.9


- Features 1 removable shelf
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- 1 coat hook is standard



Right shown

WARDROBE/STORAGE CABINET							
LEFT							
RIGHT							
71N1554VWHLM	\$ 1804	23 $\frac{3}{8}$	14 $\frac{1}{16}$	53 $\frac{3}{8}$	—	85 lbs.	15.2
71N1542VWHLM	\$ 1686	23 $\frac{3}{8}$	14 $\frac{1}{16}$	42 $\frac{1}{16}$	—	72 lbs.	11.9


- 2 coat hooks are standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Metal adjustable shelf



Right shown

PERSONAL STORAGE LOCKER							
LEFT							
RIGHT							
71N1554VPLLM	\$ 2194	23 $\frac{3}{8}$	14 $\frac{1}{16}$	53 $\frac{3}{8}$	—	85 lbs.	15.2
71N1542VPLLM	\$ 2115	23 $\frac{3}{8}$	14 $\frac{1}{16}$	42 $\frac{1}{16}$	—	109 lbs.	11.9

- 3 lockers per unit
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available



Right shown

PRODUCT SPECIFICATIONS

- Storage units shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

- Model Number
- Cutout (spacers only)
- Paint

SAMPLE MODEL NUMBER:

71N1554VSSPM CT1 461

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SPACERS 	71N2454VSSPM	\$ 746	12	24	54 $\frac{1}{16}$	—	—	12 lbs.	2.7
	71N1554VSSPM	705	12	15	54 $\frac{1}{16}$	—	—	12 lbs.	2.4
	71N1542VSSPM	665	12	15	42 $\frac{3}{16}$	—	—	10 lbs.	2.0
	- Utilize to close space between back of storage in back to back utilization - Non-handed - Wire management cutout optional for passing electrical								
DOUBLE SIDED HEIGHT ADJUSTABLE GANGING BRACKET/COVER 	71NGBK23 Black	\$ 74	7	8 $\frac{3}{8}$	2 $\frac{3}{4}$	—	—	2 lbs.	0.8
	71NGBK22 Silver	74	7	8 $\frac{3}{8}$	2 $\frac{3}{4}$	—	—	2 lbs.	0.8
	Ganging bracket is used to connect double adjustable height bases only								
SINGLE SIDED GANGING KITS ADJUSTABLE 	71NGBSA23 Black	\$ 353	6	7	2 $\frac{3}{4}$	—	—	1 lbs.	0.02
	71NGBSA22 Silver	353	6	7	2 $\frac{3}{4}$	—	—	1 lbs.	0.02
SINGLE SIDED GANGING KITS FIXED 	71NGBSF23 Black	\$ 116	6	$\frac{1}{8}$	2 $\frac{3}{4}$	—	—	1 lbs.	0.1
	71NGBSF22 Silver	116	6	$\frac{1}{8}$	2 $\frac{3}{4}$	—	—	1 lbs.	0.1
SINGLE SIDED END CAPS FIXED  	71N03ECP23 Black	\$ 107	3	$\frac{1}{8}$	2 $\frac{3}{4}$	—	—	0.5 lbs.	0.1
	71N03ECP22 Silver	107	3	$\frac{1}{8}$	2 $\frac{3}{4}$	—	—	0.5 lbs.	0.1
	- Fixed single sided ganging models only - Comes in a set of 2 (1 for each end) - To cap off the end of a single sided ganging model to an end panel or storage								

ALLOY

ALLOY

TO ORDER, SPECIFY:


1. Model Number
2. Cutout (spacers only)
3. Paint

SAMPLE MODEL NUMBER:


71NGBDMA23 CT1 461

- See pages 9-10 for all options available in Alloy


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MID SUPPORT PANEL DOUBLE SIDED HEIGHT ADJUSTABLE GANGING BRACKET/COVER	71NGBDMA23	Black	\$ 74	8%	10%	2%	—	—	2 lbs.	0.8
	71NGBDMA22	Silver	74	8%	10%	2%	—	—	2 lbs.	0.8



MID SUPPORT PANEL SINGLE SIDED GANGING KITS ADJUSTABLE	71NGBSMA23	Black	\$ 353	6	10%	2%	—	—	1 lbs.	0.02
	71NGBSMA22	Silver	353	6	10%	2%	—	—	1 lbs.	0.02



MID SUPPORT SINGLE SIDED GANGING KITS FIXED	71NGBSMF23	Black	\$ 116	6%	5%	2%	—	—	1 lbs.	0.02
	71NGBSMF22	Silver	116	6%	5%	2%	—	—	1 lbs.	0.02



BENCHING



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N30FT23

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
HEIGHT ADJUSTABLE ADD-ON FOOT SET 	71N30FT23	Black	\$ 205	26¾	3¾	1¾	—	—		3.5
	71N30FT22	Silver	205	26¾	3¾	1¾	—	—		3.5
	71N24FT23	Black	\$ 182	21¾	3¾	1¾	—	—		3.5
	71N24FT22	Silver	182	21¾	3¾	1¾	—	—		3.5
	• Add-on foot can be added to the double adjustable height bases for aesthetics • Specify 2 sets per double sided unit									
POWER ENTRY KIT PHASE 3 NYC HARDWARE 	NAC72ELEK3NH	72"	\$ 546						5 lbs.	0.38
	NAC66ELEK3NH	66"	530						5 lbs.	0.38
	NAC60ELEK3NH	60"	514						5 lbs.	0.38
	NAC54ELEK3NH	54"	501						4.5 lbs.	0.38
	NAC48ELEK3NH	48"	486						4.5 lbs.	0.38
	• Lengths vary on size needed									
8-WIRE NYC INFEEDES	NAC72ELEK8NH	72"	\$ 600						5 lbs.	0.38
	NAC66ELEK8NH	66"	584						5 lbs.	0.38
	NAC60ELEK8NH	60"	570						5 lbs.	0.38
	NAC54ELEK8NH	54"	554						4.5 lbs.	0.38
	NAC48ELEK8NH	48"	546						4.5 lbs.	0.38
	• Lengths vary on size needed									
POWER WHIP 	71N288ELE	Power Entry Whip Hardwire	\$ 454	1¾	288	2	—	—	5 lbs.	0.5
	71N144ELE	Power Entry Whip Hardwire	\$ 263	1¾	144	2	—	—	4 lbs.	0.4
	71N144ELE8	Power Entry Whip Hardwire/8 Wire - 4 Circuits	368	1¾	144	2	—	—	4 lbs.	0.4
	71N72ELE	Power Entry Whip Hardwire	\$ 157	1¾	72	2	—	—	2 lbs.	0.3
	71N72ELE8	Power Entry Whip Hardwire/8 Wire - 4 Circuits	239	1¾	72	2	—	—	2 lbs.	0.3
	• See page 15 for additional information									

ALLOY



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N94ELJ

• See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
JUMPER 	71N94ELJ Jumper	\$ 281	¾"	94	2	—	—	4 lbs.	0.3
	71N94ELJ8 Jumper for 8 Wire - 4 Circuit	313	¾"	94	2	—	—	4 lbs.	0.3
	71N84ELJ Jumper	\$ 262	¾"	84	2	—	—	4 lbs.	0.3
	71N84ELJ8 Jumper for 8 Wire - 4 Circuit	293	¾"	84	2	—	—	4 lbs.	0.3
	71N79ELJ Jumper	\$ 248	¾"	79	2	—	—	4 lbs.	0.3
	71N79ELJ8 Jumper for 8 Wire - 4 Circuit	279	¾"	79	2	—	—	4 lbs.	0.3
	71N69ELJ Jumper	\$ 219	¾"	69	2	—	—	3 lbs.	0.3
	71N69ELJ8 Jumper for 8 Wire - 4 Circuit	249	¾"	69	2	—	—	3 lbs.	0.3
	71N54ELJ Jumper	\$ 169	¾"	54	2	—	—	3 lbs.	0.3
	71N54ELJ8 Jumper for 8 Wire - 4 Circuit	201	¾"	54	2	—	—	3 lbs.	0.3
	71N48ELJ Jumper	\$ 161	¾"	48	2	—	—	3 lbs.	0.3
	71N48ELJ8 Jumper for 8 Wire - 4 Circuit	193	¾"	48	2	—	—	3 lbs.	0.3
	71N24ELJ Jumper	\$ 89	¾"	24	2	—	—	1 lbs.	0.01
	71N24ELJ8 Jumper for 8 Wire - 4 Circuit	144	¾"	24	2	—	—	1 lbs.	0.01
	71N22ELJ Jumper	\$ 89	¾"	22	2	—	—	1 lbs.	0.1
	71N22ELJ8 Jumper for 8 Wire - 4 Circuit	144	¾"	22	2	—	—	1 lbs.	0.1

- Connects power between 2 ganged double units
- See page 15 for additional information
- Jumper size for fixed height with 24" wide storage (no spacer) - 94"
- Jumper size for fixed height with 15" wide storage (no spacer) - 84"
- Jumper size for adjustable height with 24" wide storage (no spacer) - 79"
- Jumper size for adjustable height with 15" wide storage (no spacer) - 69"
- Jumper size for either fixed or adjustable height with 24" spacer with wire management cutout - 54"
- Jumper size for either fixed or adjustable height with 15" spacer with wire management cutout - 48"
- Jumper size to connect between powered units when using the mid support panels- 24"

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

71N132ELCA 501

- See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CEILING POWER/DATA POLE	71N132ELCA Adjustable	\$ 523	2½	2½	132	—	—	13 lbs.	1.0
	71N132ELCF Fixed	523	2½	2½	132	—	—	13 lbs.	1.0

- Used only on ends or end of run
- 462 Cinder, 501 Platinum Metallic
- Features a trim cap to finish off connection to Alloy
- Utilize for electrical from ceilings
- Powered Entry Whip specified separately
- Does not include electrical



Adjustable



Fixed

FLOOR POWER ENTRY POLE	71N21ELC Power Entry Pole - Adjustable	\$ 421	4½	2½	20¾	—	—		0.4
	71N27ELC Power Entry Pole - Fixed	421	4½	2½	26¾	—	—		0.5

- Specify paint color; available in silver or black
- Can be used with adjustable or fixed powered Alloy
- Attaches to underside of beam; used to conceal power in-feed and data cables
- Non-supportive



ALLOY



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N40VWM23

• See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
VERTICAL WIRE MANAGER	71N40VWM23	Black	\$ 205	1	2	40	—	—		3.5
	71N40VWM22	Silver	205	1	2	40	—	—		3.5

• Can be used with adjustable powered Alloy



ADJUSTABLE HEIGHT SINGLE BASE VERTICAL WIRE MANAGER	71N46VWM23	Black	\$ 222	1	2	46	—	—		3.5
	71N46VWM22	Silver	222	1	2	46	—	—		3.5

• Can be used with adjustable height single bases to conceal wires to the floor



PRODUCT SPECIFICATIONS

- Beam mounted and edge mounted privacy screens cannot be used on the same unit
- Edge mounted privacy screen cannot be used on fixed height double depth bases

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Paint Color

SAMPLE MODEL NUMBER:

71N6224PVBPF A B 25422 22

- See pages 9-10 for all options available in Alloy



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
						D	W	H				
ADJUSTABLE HEIGHT BEAM MOUNTED PRIVACY SCREEN 		GRADE AA	GRADE A	GRADE B/ COM								
	71N6224PVBPFA	For 72" Railroad	\$ 1137	\$ 1183	\$ 1271	1⅜	61⅞	23%	—	—	11 lbs.	4.2
	71N5624PVBPFA	For 66" Railroad	1088	1134	1222	1⅜	55⅞	23%	—	—	10 lbs.	3.8
	71N5024PVBPFA	For 60" Railroad	1039	1085	1173	1⅜	49⅞	23%	—	—	9 lbs.	3.5
	71N4424PVBPFA	For 54" Railroad	1001	1036	1102	1⅜	43⅞	23%	—	—	8 lbs.	3.1
	71N3824PVBPFA	For 48" Railroad	949	984	1050	1⅜	37⅞	23%	—	—	7 lbs.	2.7
• Privacy screens are tackable textile • Privacy screen holders are made of 12-gauge steel • Only 1 beam mounted screen can be used between users												

**ADJUSTABLE HEIGHT
EDGE MOUNTED
PRIVACY SCREEN**


		GRADE AA	GRADE A	GRADE B/COM								
	Q71N7023PVC PFA	For 72" Railroad		\$ 1183		1 1/16"	70 7/16"	23 3/8"	—	—	11 lbs.	4.5
	71N7023PVC PFA	For 72" Railroad	1125	1183	1293	1 1/16"	70 7/16"	23 3/8"	—	—	11 lbs.	4.5
	71N6423PVC PFA	For 66" Railroad	1088	1134	1222	1 1/16"	64 3/16"	23 3/8"	—	—	10 lbs.	4.1
	71N5823PVC PFA	For 60" Railroad	1039	1085	1173	1 1/16"	58 3/8"	23 3/8"	—	—	9 lbs.	3.7
	71N5223PVC PFA	For 54" Railroad	990	1036	1124	1 1/16"	52 3/8"	23 3/8"	—	—	8 lbs.	3.4
	71N4623PVC PFA	For 48" Railroad	949	984	1050	1 1/16"	46 3/8"	23 3/8"	—	—	7 lbs.	3.0
• Privacy screens are tackable textile • Grommet cutouts will need to be selected in the worksurface to route cables below the surface when edge mount screens are being used												

**FIXED HEIGHT
BEAM MOUNTED
PRIVACY SCREEN**


		GRADE AA	GRADE A	GRADE B/COM								
	71N6918PVBPF A	For 72" Railroad	\$ 1092	\$ 1150	\$ 1260	1 1/16"	69	18	—	—	9 lbs.	3.7
	71N6318PVBPF A	For 66" Railroad	1055	1101	1189	1 1/16"	63	18	—	—	8 lbs.	3.4
	71N5718PVBPF A	For 60" Railroad	1007	1053	1141	1 1/16"	57	18	—	—	7 lbs.	3.1
	71N5118PVBPF A	For 54" Railroad	959	1005	1093	1 1/16"	51	18	—	—	7 lbs.	2.8
	71N4518PVBPF A	For 48" Railroad	918	953	1019	1 1/16"	45 7/16"	18	—	—	6 lbs.	2.5
• Privacy screens are tackable textile • Only 1 beam mounted screen can be used between users												

ALLOY

PRODUCT SPECIFICATIONS

- Beam mounted and edge mounted privacy screens cannot be used on the same unit

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

SAMPLE MODEL NUMBER:

71N7213PVDP 3 3377 462

- See pages 9-10 for all options available in Alloy

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
13" PRIVACY SCREEN RECTANGULAR, RESIN	GRADE 1							
71N7213PVDP	\$ 982	$\frac{3}{16}$	72	13 $\frac{3}{8}$	—	—	24 lbs.	1.0
71N6613PVDP	935	$\frac{3}{16}$	66	13 $\frac{3}{8}$	—	—	22 lbs.	0.9
71N6013PVDP	891	$\frac{3}{16}$	59 $\frac{13}{16}$	13 $\frac{3}{8}$	—	—	19 lbs.	0.8
71N5413PVDP	839	$\frac{3}{16}$	53 $\frac{3}{8}$	13 $\frac{3}{8}$	—	—	17 lbs.	0.7
71N4813PVDP	795	$\frac{3}{16}$	47 $\frac{7}{8}$	13 $\frac{3}{8}$	—	—	16 lbs.	1.0

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are $\frac{3}{16}$ " thick resin

13" PRIVACY SCREEN TAPERED, RESIN	GRADE 1							
71N7213PVDTP	\$ 982	$\frac{3}{16}$	72	13 $\frac{3}{8}$	—	—	24 lbs.	1.0
71N6613PVDTP	935	$\frac{3}{16}$	66	13 $\frac{3}{8}$	—	—	22 lbs.	0.9
71N6013PVDTP	891	$\frac{3}{16}$	59 $\frac{13}{16}$	13 $\frac{3}{8}$	—	—	19 lbs.	0.8
71N5413PVDTP	839	$\frac{3}{16}$	53 $\frac{3}{8}$	13 $\frac{3}{8}$	—	—	17 lbs.	0.7
71N4813PVDTP	795	$\frac{3}{16}$	47 $\frac{7}{8}$	13 $\frac{3}{8}$	—	—	16 lbs.	1.0

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are $\frac{3}{16}$ " thick resin

18" PRIVACY SCREEN RECTANGULAR, RESIN	GRADE 1							
71N7218PVDP	\$ 1173	$\frac{3}{16}$	72	18	—	—		
71N6618PVDP	1118	$\frac{3}{16}$	66	18	—	—		
71N6018PVDP	1059	$\frac{3}{16}$	59 $\frac{13}{16}$	18	—	—		
71N5418PVDP	1005	$\frac{3}{16}$	53 $\frac{3}{8}$	18	—	—		
71N4818PVDP	946	$\frac{3}{16}$	47 $\frac{7}{8}$	18	—	—		

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are $\frac{3}{16}$ " thick resin

18" PRIVACY SCREEN TAPERED, RESIN	GRADE 1							
71N7218PVDTP	\$ 1173	$\frac{3}{16}$	72	18	—	—		
71N6618PVDTP	1118	$\frac{3}{16}$	66	18	—	—		
71N6018PVDTP	1059	$\frac{3}{16}$	59 $\frac{13}{16}$	18	—	—		
71N5418PVDTP	1005	$\frac{3}{16}$	53 $\frac{3}{8}$	18	—	—		
71N4818PVDTP	946	$\frac{3}{16}$	47 $\frac{7}{8}$	18	—	—		

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are $\frac{3}{16}$ " thick resin



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMA1BMS

• See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CENTER BEAM MOUNTED MONITOR ARM 	NACMA1BFS Silver	\$ 736	20¾	4½	18¾	—	—	8 lbs.	1.1
	• Used on fixed height bases only • 360° arm rotation not available in most applications • See page 658 for Monitor Arm Information								
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNTED 	NACMA1GFB Black	\$ 665	30¾	6½	12½	—	—	10.5 lbs.	1.4
	NACMA1GFS Silver	665	30¾	6½	12½	—	—	10.5 lbs.	1.4
SINGLE MONITOR ARM GROMMET MOUNT 	• 360° arm rotation not available in most applications • See page 658 for Monitor Arm Information								
	NACMA1GTS Silver	\$ 665	30¾	6½	12½	—	—	12 lbs.	1.4
FLEXIBLE DUAL MONITOR ARM GROMMET MOUNTED 	• Attachment method via bolt through grommet • Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel • Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • 20 lbs. load capacity • Not recommended to turn the monitor arms away from the user side • Monitor arm is TAA compliant.								
	NACMA2GFB Black	\$ 1261	30¾	6½	12½	—	—	14 lbs.	1.4
TRIPLE MOUNTED MONITOR ARM KIT 	NACMA2GFS Silver	1261	30¾	6½	12½	—	—	14 lbs.	1.4
	• 360° arm rotation not available in most applications • See page 658 for Monitor Arm Information								
TRIPLE MOUNTED MONITOR ARM KIT 	NACMA3KFB Black	\$ 253	6	2½	5¼	—	—	4 lbs.	0.4
	NACMA3KFS Silver	253	6	2½	5¼	—	—	4 lbs.	0.4
	• Add onto Flexible Dual Monitor Arm pole to add a third monitor • 360° arm rotation not available in most applications • See page 658 for Monitor Arm Information								

ALLOY

ALLOY

BENCHING


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPGB

• See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
1 TOUCH PIVOTING POWER GROMMET (G17A) 	NACG17AELPGB	Black	\$ 472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	\$ 497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	497	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 2 power outlets • Units are powder coated • See the Tables Price List for details										
1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	\$ 485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	\$ 585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	585	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated • See the Tables Price List for details										
1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	\$ 466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	\$ 491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	491	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet • Units are powder coated • See the Tables Price List for details										






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPD1Q18B

• See pages 9-10 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17A)  NACG17AELPD2IQKS  NACG17AELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17AELPD2IQKB Set of 8, Black	\$ 3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKS Set of 8, Silver	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKW Set of 8, White	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17AELPD2IQB Interlink Grommet, Black	\$ 484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQS Interlink Grommet, Silver	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQW Interlink Grommet, White	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 72-73								

ALLOY

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:


NACG17BELPDIQ18B

• See pages 9-10 for all options available in Alloy


INTERLINK IQ SYSTEM (G17B)




NACG17BELPD2IQKS




NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION

FULL SET OF 8 UNITS

NACG17BELPD2IQKB	Set of 8, Black	\$ 5284
NACG17BELPD2IQKS	Set of 8, Silver	5284
NACG17BELPD2IQKW	Set of 8, White	5284

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17BELPD2IQB	Interlink Grommet, Black	\$ 676
NACG17BELPD2IQS	Interlink Grommet, Silver	676
NACG17BELPD2IQW	Interlink Grommet, White	676

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733
NACEL2IQ60J	Interlink IQ Jumper-60"	163
NACEL2IQ60TJ	Transitional Jumper	171

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 72-73

LIST PRICE DIMENSIONS A KW CARTONED CUBIC WEIGHT FEET

4 1/4"	5 1/4"	2 1/2"	—	—	19 lbs.	1.55
4 1/4"	5 1/4"	2 1/2"	—	—	19 lbs.	1.55
4 1/4"	5 1/4"	2 1/2"	—	—	19 lbs.	1.55

4 1/4"	5 1/4"	2 1/2"	—	—	3 lbs.	0.15
4 1/4"	5 1/4"	2 1/2"	—	—	3 lbs.	0.15
4 1/4"	5 1/4"	2 1/2"	—	—	3 lbs.	0.15

—	120	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:


NACG17CELPDIQ18B

• See pages 9-10 for all options available in Alloy


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17C)  NACG17CELPD2IQKS  NACG17CELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17CELPD2IQKB Set of 8, Black	\$ 3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKS Set of 8, Silver	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKW Set of 8, White	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17CELPD2IQB Interlink Grommet, Black	\$ 456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQS Interlink Grommet, Silver	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQW Interlink Grommet, White	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 72-73								

ALLOY

Configuration of IQ System for Fixed Height Non-Powered Center Beam 72" Tables- Max of 6 IQ Units per run




Configuration of IQ System for Fixed Height Non-Powered Center Beam 66" Tables- Max of 6 IQ Units per run



*Quantity shown is per side. Quantity would be duplicated for a double sided application.


Configuration of IQ System for Fixed Height Non-Powered Center Beam 60" Tables-
Max of 6 IQ Units per run

8 Power Units




Item	Qty
Smart Box	1
Grommet	8

7 Power Units




Item	Qty
Smart Box	1
Grommet	7

6 Power Units




Item	Qty
Smart Box	1
Grommet	6

5 Power Units




Item	Qty
Smart Box	1
Grommet	5

4 Power Units




Item	Qty
Smart Box	1
Grommet	4

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

BACK

ALLOY

ALLOY

BENCHING

EPIC

Product Specifications	76
Configuration Options	77
Grommet Location Options	81
Guidelines/General Information	82
Drawer Specifications	82
Assembled Units	83

EPIC

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are sized on 6" increments for easy planning
- Laminate surfaces are 1½" HPL (high pressure laminate), and feature a 3mm vinyl or wood rim or a knife rim profile
- All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning
- 1 sided knife rim surfaces are recommended when using in a bridge, return, or credenza style application
- 2 sided knife rim surfaces recommended when using as a desking surface
- Refer to page 77 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted
- Size modifications available at no upcharge; many Epic component worksurfaces can be cut down in ½" increments. See component section for specific models

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Footed-base design features 2½" tall cast foot, 1½" tall steel façade rail and adjustable leveling glides as standard on all casegoods
- End panels and support panels are 1½" thick, modesty panels are ¾" thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Back panels are fully finished unless noted

SHELVES

- Shelves on open bookcases will be veneer, when ordering a veneer bookcase
- Shelves in doored units will always be laminate; doors on bookcases and above worksurface units come standard with touch latch
- Shelves are ¾" thick

PEDESTALS

- Full, lower height or mobile options available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 82

DRAWER PULLS

- 4 pull styles: Laguna, Level, Waterfall, Horizon
- Available in Cinder, Concrete, Iron, Platinum Metallic and Satin Nickel Metallic

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 82 for complete filing details

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- When worksurface grommets are ordered, half-moon grommets in modesty panels and extended radius grommets in pedestal end panels will come standard in all bridges, credenzas and returns
- Round grommets optional on component end panels
- Half-moon grommet optional on component modesty panels
- Extended radius grommet optional on end panels of component pedestals
- Wire manager worksurfaces have a flexible vinyl trough that allows cords and cables to be routed along the back edge and sides of worksurfaces of all bridges, credenzas and returns
- Refer to page 79 for available grommet/wire manager colors
- Refer to page 81 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements; see page 675 for options


LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 660


COMPONENTS

- Component models will ship bulk packed when applicable


RIM PROFILE OPTIONS



Softened Vinyl (V)



Knife (K)



Softened Wood (F)

RIM PROFILES

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

WIRE MANAGER FILLER CAP COLORS & RECOMMENDATIONS

462	Cinder	450	Fog	425	Shadow
440	Cloud	461	Graphite	460	Storm
405	Designer White	443	Pavestone	419	Wallaby

NOTE: 403 Chamois not available. Recommended to use 443 Pavestone.
 485 Dark Chocolate not available. Recommended to use 462 Cinder.
 478 Platinum Grey not available. Recommended to use 440 Cloud.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

EPIC - CONFIGURATION OPTIONS

WOOD FINISHES

AD	Almond Straight Grain	DW	Judicial Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CL	Caramel Maple	PB	Portobello Straight Grain
CW	Cordovan Walnut	792	Sable Straight Grain
HN	Honey Maple	TF	Truffle Cherry

LAMINATE WORKSURFACES/ OCCASIONAL TABLES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	488	Frosty White
492	Cinder Linear	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
450	Fog		

PATTERN LAMINATE*

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

*Not available on occasional tables

• CSL available on worksurfaces

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler
M = 0 Connecting Worksurface Flat Brackets	
E = 2 Connecting Worksurface Flat Brackets	
F = 4 Connecting Worksurface Flat Brackets	

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

METAL SLIDING DOOR COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

METAL SHELF COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

RESIN COLORS

Grade 1	
1677	Frosted

FOOT COLORS

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic


DOOR TRACK PAINT COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic


• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


PULL OPTIONS

**Laguna (76)**


76MB Cinder
76CC Concrete
76IR Iron
76PL Platinum Metallic
76SN Satin Nickel Metallic
(Boring Pattern 128mm)

**Level (88)**

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)

**Waterfall (89)**

89MB Cinder
89CC Concrete
89IR Iron
89PL Platinum Metallic
89SN Satin Nickel Metallic
(Boring Pattern 96mm)

**Horizon (91)**

91MB Cinder
91CC Concrete
91IR Iron
91PL Platinum Metallic
91SN Satin Nickel Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic


\$41 list for each grommet

G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1LC Left & Center
G1RC Right & Center
G1A Left, Right & Center

**Racetrack Grommet, Cinder**


\$46 list for each grommet

G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBLC Left & Center
G11MBRC Right & Center
G11MBA Left, Right & Center

**Cutout Option for 1 Touch Pivoting Power Grommet**


\$41 list upcharge per cutout location

CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center

**Racetrack Grommet, Satin Nickel Metallic**


\$46 list for each grommet

G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNLC Left & Center
G11SNRC Right & Center
G11SNA Left, Right & Center


**Racetrack Grommet, Platinum Metallic**

\$46 list for each grommet

G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLLC Left & Center
G11PLRC Right & Center
G11PLA Left, Right & Center



- Reference page 81 for cutout locations of CUT-G17

**NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)**

- Reference page 667 for pricing and details

OCCASIONAL TABLE GROMMET OPTIONS

Surface Grommet Option

If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 1 Touch Pivoting Power Grommet
CUT-G17C Cutout only for G17 1 Touch Pivoting Power Grommet
CUT-G23C Cutout only for G23 Power Grommet

Side Grommet Option

If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

PEDESTAL GROMMET

If no grommet is desired, specify an X

G22 Extended Radius (\$41 list)

MODESTY GROMMET

If no grommet is desired, specify an X

G21 Half Moon (\$41 list)

END PANEL GROMMET


If no grommet is desired, specify an X

GE1L Round, Black, Left (\$41 list)
GE1R Round, Black, Right (\$41 list)


SET-ON SURFACE OVERHEAD SUPPORTS (STANCHIONS)

O2L-462 O Support, 2 Long, Cinder
O2S-462 O Support, 2 Short, Cinder
O1L1S-462 O Support, 1 Long, 1 Short, Cinder
O2L-501 O Support, 2 Long, Platinum
O2S-501 O Support, 2 Short, Platinum
O1L1S-501 O Support, 1 Long, 1 Short, Platinum
O2L-503 O Support, 2 Long, Satin Nickel
O2S-503 O Support, 2 Short, Satin Nickel
O1L1S-503 O Support, 1 Long, 1 Short, Satin Nickel

U2L-462 U Support, 2 Long, Cinder
U2S-462 U Support, 2 Short, Cinder
U1L1S-462 U Support, 1 Long, 1 Short, Cinder
U2L-501 U Support, 2 Long, Platinum
U2S-501 U Support, 2 Short, Platinum
U1L1S-501 U Support, 1 Long, 1 Short, Platinum
U2L-503 U Support, 2 Long, Satin Nickel
U2S-503 U Support, 2 Short, Satin Nickel
U1L1S-503 U Support, 1 Long, 1 Short, Satin Nickel

**NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)**

- Reference page 667 for pricing and details

**NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)**

- Reference page 667 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

EPIC - CONFIGURATION OPTIONS

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)


Specify locations and color option
Comes attached to worksurface
\$52 list for each location

Locations:

D1B	Back	\$52 list
D1L	Left	\$52 list
D1R	Right	\$52 list
D1LR	Left & Right	\$104 list
D1BL	Back & Left	\$104 list
D1BR	Back & Right	\$104 list

Sample Option Selections:

D1B425	Wire Manager on Back in Shadow, \$52 list
D1BL403	Wire Manager on Back and Left in Chamois, \$104 list



Colors:

403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.

GROMMET LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 79 for options.


Round grommets are also available for field installation; see page 665.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components


Worksurface grommet locations:

Excluding the corner unit, distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.


Excluding the J-Desk and the corner unit, the same locations are available for the round or racetrack grommet and the cutout option.




30" and 36" deep Worksurfaces




18" and 24" deep Worksurfaces




U-Shaped Desk




U-Shaped / P-Shaped Worksurface




Corner Worksurface




Corner Units




Extended U-Shaped Worksurface




Extended Corner Worksurface




P-Shaped Desk




Round Grommet
Plastic




Racetrack Grommet
Zinc



End Panel



Pedestal



Modesty Panel

EPIC - GUIDELINES/GENERAL INFORMATION

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desk—Recessed Modesty Panel 36 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 66, 30 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Credenzas 24 x 66, 24 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	15"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Vertical Storage Cabinet 18 x 68	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestal 17 x 18	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ " 12 ¹ / ₃₂ "	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing side-to-side Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Component Pedestals 17 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ " 12 ¹ / ₃₂ "	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side
Mobile Pedestals 23 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side EDP and legal filing side-to-side

- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Knife rim locations on desks: user and approach sides (indicated by K2)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DDFL8 V405 89MB G1LR KS2B FR462 TF 405 TF

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	SOFTENED RIM										
	25N3672DDFW8	Wood	\$	6001	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	35 ⁷ / ₈	361 lbs.	56.3
	25N3672DDFL8	Laminate		3877	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	35 ⁷ / ₈	361 lbs.	56.3
	25N3066DDFW8	Wood	\$	5758	30 ³ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	35 ⁷ / ₈	285 lbs.	44.4
	25N3066DDFL8	Laminate		3724	30 ³ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	35 ⁷ / ₈	285 lbs.	44.4
	25N3060DDFW8	Wood	\$	5481	30 ³ / ₁₆	60	28 ¹ / ₁₆	6 ³ / ₁₆	29 ¹ / ₁₆	261 lbs.	40.7
	25N3060DDFL8	Laminate		3586	30 ³ / ₁₆	60	28 ¹ / ₁₆	6 ³ / ₁₆	29 ¹ / ₁₆	261 lbs.	40.7
	KNIFE RIM										
	25N3972DDFW8K2	Wood	\$	6459	39 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	7 ¹ / ₁₆	35 ⁷ / ₈	361 lbs.	61.9
	25N3972DDFL8K2	Laminate		4450	39 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	7 ¹ / ₁₆	35 ⁷ / ₈	361 lbs.	61.9
25N3366DDFW8K2	Wood	\$	6118	33 ³ / ₁₆	66	28 ¹ / ₁₆	7 ¹ / ₁₆	35 ⁷ / ₈	285 lbs.	48.8	
25N3366DDFL8K2	Laminate		4111	33 ³ / ₁₆	66	28 ¹ / ₁₆	7 ¹ / ₁₆	35 ⁷ / ₈	285 lbs.	48.8	
25N3360DDFW8K2	Wood	\$	5835	33 ³ / ₁₆	60	28 ¹ / ₁₆	7 ¹ / ₁₆	29 ¹ / ₁₆	261 lbs.	44.8	
25N3360DDFL8K2	Laminate		3938	33 ³ / ₁₆	60	28 ¹ / ₁₆	7 ¹ / ₁₆	29 ¹ / ₁₆	261 lbs.	44.8	
• 3672 and 3972 desks have 30" deep pedestals • 3066, 3060, 3366 and 3360 desks have 24" deep pedestals • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Knife rim locations on desks: user and approach sides (indicated by K2)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DLFW1 V405 89MB G1LR KS2B FR462 TF 405 TF

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED CUBIC	
						D	W	H	A	KW	WEIGHT	FEET
 Left shown	SOFTENED RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK									
	25N3672DLFW1	25N3672DRFW1	Wood	\$	5142	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	311 lbs.	56.3
	25N3672DLFL1	25N3672DRFL1	Laminate		3388	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	311 lbs.	56.3
	25N3066DLFW1	25N3066DRFW1	Wood	\$	4818	30 ¹ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	245 lbs.	44.4
	25N3066DLFL1	25N3066DRFL1	Laminate		3245	30 ¹ / ₁₆	66	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	245 lbs.	44.4
	KNIFE RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK									
	25N3972DLFW1K2	25N3972DRFW1K2	Wood	\$	5596	39 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	7 ¹ / ₁₆	52 ¹ / ₁₆	311 lbs.	61.9
	25N3972DLFL1K2	25N3972DRFL1K2	Laminate		3961	39 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	7 ¹ / ₁₆	52 ¹ / ₁₆	311 lbs.	61.9
25N3366DLFW1K2	25N3366DRFW1K2	Wood	\$	5182	33 ¹ / ₁₆	66	28 ¹ / ₁₆	7 ¹ / ₁₆	52 ¹ / ₁₆	245 lbs.	48.8	
25N3366DLFL1K2	25N3366DRFL1K2	Laminate		3632	33 ¹ / ₁₆	66	28 ¹ / ₁₆	7 ¹ / ₁₆	52 ¹ / ₁₆	245 lbs.	48.8	

- 3672 and 3972 desks have 30" deep pedestal
- 3066 and 3366 desks have 24" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DURW V G11SN FR503 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H	A								
U-SHAPED DESK  Left shown	SOFTENED RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK									
	25N3672DULW	25N3672DURW	Wood	\$	3156	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	145 lbs.	8.8
	25N3672DULL	25N3672DURL	Laminate		1864	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	145 lbs.	8.8
	25N3072DULW	25N3072DURW	Wood	\$	2986	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	8.5
	25N3072DULL	25N3072DURL	Laminate		1581	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	8.5
	25N3066DULW	25N3066DURW	Wood	\$	2813	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	100 lbs.	6.3
	25N3066DULL	25N3066DURL	Laminate		1295	30 ¹ / ₁₆	66	28 ¹ / ₁₆	—	—	100 lbs.	6.3
	KNIFE RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK									
	25N3974DULWK2	25N3974DURWK2	Wood	\$	3797	39 ¹ / ₁₆	73 ¹ / ₁₆	28 ¹ / ₁₆	—	—	145 lbs.	9.7
	25N3974DULLK2	25N3974DURLK2	Laminate		2510	39 ¹ / ₁₆	73 ¹ / ₁₆	28 ¹ / ₁₆	—	—	145 lbs.	9.7
	25N3374DULWK2	25N3374DURWK2	Wood	\$	3545	33 ¹ / ₁₆	73 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	9.4
	25N3374DULLK2	25N3374DURLK2	Laminate		2074	33 ¹ / ₁₆	73 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	9.4
	25N3368DULWK2	25N3368DURWK2	Wood	\$	3341	33 ¹ / ₁₆	67 ¹ / ₂	28 ¹ / ₁₆	—	—	100 lbs.	6.9
	25N3368DULLK2	25N3368DURLK2	Laminate		1735	33 ¹ / ₁₆	67 ¹ / ₂	28 ¹ / ₁₆	—	—	100 lbs.	6.9
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 575-606 for support base options • Some assembly required												

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3974DULFLK2 K461 G1R FR462 461 461

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
U-SHAPED DESK WITH MODESTY PANEL  Right shown	SOFTENED RIM LEFT PEDESTAL DESK										
	25N3672DULFW	25N3672DURFW	Wood	\$ 4097	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	25N3672DULFL	25N3672DURFL	Laminate	2444	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	RIGHT PEDESTAL DESK										
	25N3072DULFW	25N3072DURFW	Wood	\$ 3785	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	25N3072DULFL	25N3072DURFL	Laminate	2155	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	KNIFE RIM LEFT PEDESTAL DESK										
	25N3066DULFW	25N3066DURFW	Wood	\$ 3480	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	25N3066DULFL	25N3066DURFL	Laminate	1861	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	RIGHT PEDESTAL DESK										
	25N3974DULFWK2	25N3974DURFWK2	Wood	\$ 4735	39 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	165 lbs.	9.8
	25N3974DULFLK2	25N3974DURFLK2	Laminate	3085	39 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	165 lbs.	9.8
ASSEMBLED	25N3374DULFWK2	25N3374DURFWK2	Wood	\$ 4349	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	150 lbs.	9.5
	25N3374DULFLK2	25N3374DURFLK2	Laminate	2651	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	150 lbs.	9.5
	25N3368DULFWK2	25N3368DURFWK2	Wood	\$ 4011	33 ³ / ₁₆	67 ¹ / ₂	28 ¹ / ₁₆	16 ³ / ₁₆	—	120 lbs.	7.2
	25N3368DULFLK2	25N3368DURFLK2	Laminate	2304	33 ³ / ₁₆	67 ¹ / ₂	28 ¹ / ₁₆	16 ³ / ₁₆	—	120 lbs.	7.2

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 575-606 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-Shaped desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3072DPRW V X FR501 MC
25N3072DPRFW V X FR501 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
P-SHAPED DESK  Left shown	SOFTENED RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK								
	25N3072DPLW	25N3072DPRW	Wood	\$ 3301	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	110 lbs.	6.9
	25N3072DPLL	25N3072DPRL	Laminate	1962	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	—	—	110 lbs.	6.9
	KNIFE RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK								
	25N3374DPLWK2	25N3374DPRWK2	Wood	\$ 3972	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	—	—	110 lbs.	6.9
	25N3374DPLLK2	25N3374DPRLK2	Laminate	2813	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	—	—	110 lbs.	6.9
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 575-606 for support base options; some assembly required											
P-SHAPED DESK WITH MODESTY PANEL  Left shown	SOFTENED RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK								
	25N3072DPLFW	25N3072DPRFW	Wood	\$ 4101	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	130 lbs.	8.8
	25N3072DPLFL	25N3072DPRFL	Laminate	2474	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	130 lbs.	8.8
	KNIFE RIM LEFT PEDESTAL DESK		RIGHT PEDESTAL DESK								
	25N3374DPLFWK2	25N3374DPRFWK2	Wood	\$ 4769	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	130 lbs.	9.7
	25N3374DPLFLK2	25N3374DPRFLK2	Laminate	3326	33 ³ / ₁₆	73 ³ / ₁₆	28 ¹ / ₁₆	16 ³ / ₁₆	—	130 lbs.	9.7
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 575-606 for support base options • Some assembly required											

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

25N2448RLEFW1 V 89MB G1LR KS1B FR462 CL
25N2448RLEFW2 V 89MB G1LR KS1B FR462 CL

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
 Left shown	SOFTENED RIM LEFT PEDESTAL RETURN		RIGHT PEDESTAL RETURN								
	25N2448RLEFW1	25N2448RREFW1	Wood	\$ 3482	24	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	33	175 lbs.	27.6
	25N2448RLEFL1	25N2448RREFL1	Laminate	2125	24	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	33	175 lbs.	27.6
	25N2442RLEFW1	25N2442RREFW1	Wood	\$ 3343	24	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	27	166 lbs.	24.5
	25N2442RLEFL1	25N2442RREFL1	Laminate	2035	24	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	27	166 lbs.	24.5
	KNIFE RIM LEFT PEDESTAL RETURN		RIGHT PEDESTAL RETURN								
	25N2648RLEFW1K1	25N2648RREFW1K1	Wood	\$ 3781	25 ¹ / ₂	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	33	175 lbs.	30.4
	25N2648RLEFL1K1	25N2648RREFL1K1	Laminate	2372	25 ¹ / ₂	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	33	175 lbs.	30.4
25N2642RLEFW1K1	25N2642RREFW1K1	Wood	\$ 3632	25 ¹ / ₂	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	27	166 lbs.	27.0	
25N2642RLEFL1K1	25N2642RREFL1K1	Laminate	2262	25 ¹ / ₂	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	27	166 lbs.	27.0	
• Grain direction runs front-to-back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

RETURN FILE/FILE



Left shown

SOFTENED RIM LEFT PEDESTAL RETURN		RIGHT PEDESTAL RETURN										
25N2448RLEFW2	25N2448RREFW2	Wood	\$	3482	24	48 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	33	175 lbs.	27.6	
25N2448RLEFL2	25N2448RREFL2	Laminate		2125	24	48 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	33	175 lbs.	27.6	
25N2442RLEFW2	25N2442RREFW2	Wood	\$	3343	24	42 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	27	166 lbs.	24.5	
25N2442RLEFL2	25N2442RREFL2	Laminate		2035	24	42 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	27	166 lbs.	24.5	
KNIFE RIM LEFT PEDESTAL RETURN		RIGHT PEDESTAL RETURN										
25N2648RLEFW2K1	25N2648RREFW2K1	Wood	\$	3781	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	33	175 lbs.	30.4	
25N2648RLEFL2K1	25N2648RREFL2K1	Laminate		2372	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	33	175 lbs.	30.4	
25N2642RLEFW2K1	25N2642RREFW2K1	Wood	\$	3632	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	27	166 lbs.	27.0	
25N2642RLEFL2K1	25N2642RREFL2K1	Laminate		2262	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	$\frac{1}{16}$	27	166 lbs.	27.0	
• Grain direction runs front-to-back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N2448BEFW	V	G1C	CW
25N2448BEFW	V	G1C	CW
25N26488BEFHLK1	KNM	X	461 NM
25N2648BEFLK1	KNM	X	461 NM

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE 	SOFTENED RIM								
	25N2448BEFW	Wood \$ 1306	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.1
	25N2448BEFL	Laminate 793	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.1
	25N2442BEFW	Wood \$ 1232	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.7
	25N2442BEFL	Laminate 717	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.7
	KNIFE RIM								
	25N2648BEFWK1	Wood \$ 1606	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.5
	25N2648BEFLK1	Laminate 1042	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.5
BRIDGE WITH HINGED MODESTY 									
	25N2642BEFWK1	Wood \$ 1519	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	4.1
	25N2642BEFLK1	Laminate 938	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	4.1
	• Some assembly required • Grain direction runs front-to-back								
	SOFTENED RIM								
	25N2448BEFW	Wood \$ 1406	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.1
	25N2448BEFHL	Laminate 890	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.1
	25N2442BEFW	Wood \$ 1329	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.7
	25N2442BEFHL	Laminate 819	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	3.7
	KNIFE RIM								
	25N2648BEFWK1	Wood \$ 1704	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.5
	25N2648BEFHLK1	Laminate 1140	25 $\frac{1}{2}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	80 lbs.	4.5
	25N2642BEFWK1	Wood \$ 1615	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	4.1
	25N2642BEFHLK1	Laminate 1042	25 $\frac{1}{2}$	42 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{1}{16}$	—	72 lbs.	4.1
	• Some assembly required • Unit has flexible grommet in modesty for cord management • Modesty is hinged for access to cords • Grain direction runs front-to-back								

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CSFL VMH 89PL G1LR KS3S FR501 461 MH MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	SOFTENED RIM									
	25N2472CSFW	Wood	\$ 6185	24	71 ¹ / ₁₆	28 ¹ / ₁₆	³ / ₁₆	—	346 lbs.	39.8
	25N2472CSFL	Laminate	4925	24	71 ¹ / ₁₆	28 ¹ / ₁₆	³ / ₁₆	—	346 lbs.	39.8
	25N2466CSFW	Wood	\$ 5808	24	66	28 ¹ / ₁₆	³ / ₁₆	—	334 lbs.	32.7
	25N2466CSFL	Laminate	4737	24	66	28 ¹ / ₁₆	³ / ₁₆	—	334 lbs.	32.7
	25N2460CSFW	Wood	\$ 5649	24	60	28 ¹ / ₁₆	³ / ₁₆	—	318 lbs.	28.9
	25N2460CSFL	Laminate	4649	24	60	28 ¹ / ₁₆	³ / ₁₆	—	318 lbs.	28.9
	KNIFE RIM									
	25N2672CSFWK1	Wood	\$ 6523	25 ¹ / ₂	71 ¹ / ₁₆	28 ¹ / ₁₆	³ / ₁₆	—	346 lbs.	43.8
	25N2672CSFLK1	Laminate	5279	25 ¹ / ₂	71 ¹ / ₁₆	28 ¹ / ₁₆	³ / ₁₆	—	346 lbs.	43.8
25N2666CSFWK1	Wood	\$ 6130	25 ¹ / ₂	66	28 ¹ / ₁₆	³ / ₁₆	—	334 lbs.	36.0	
25N2666CSFLK1	Laminate	5065	25 ¹ / ₂	66	28 ¹ / ₁₆	³ / ₁₆	—	334 lbs.	36.0	
25N2660CSFWK1	Wood	\$ 5961	25 ¹ / ₂	60	28 ¹ / ₁₆	³ / ₁₆	—	318 lbs.	31.8	
25N2660CSFLK1	Laminate	4958	25 ¹ / ₂	60	28 ¹ / ₁₆	³ / ₁₆	—	318 lbs.	31.8	
• 72" credenza features an adjustable shelf (20% deep x 34³/₁₆ wide) • 66" credenza features an adjustable shelf (20% deep x 28³/₁₆ wide) • 60" credenza features an adjustable shelf (20% deep x 22³/₁₆ wide) • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available										

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CVMSL VMH 89PL G1LR KS3S FR501 461 MH MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
MEDIA STORAGE CREDENZA 	SOFTENED RIM										
	72"—1½" TOP THICKNESS										
	25NN2472CVMSW	Wood	\$	9902	24	72	35⅞	—	—	383 lbs.	36.3
	25NN2472CVMSL	Laminate		8731	24	72	35⅞	—	—	383 lbs.	36.3
	60"—1½" TOP THICKNESS										
	25NN2460CVMSW	Wood	\$	9592	24	60	35⅞	—	—	325 lbs.	28.9
	25NN2460CVMSL	Laminate		8412	24	60	35⅞	—	—	325 lbs.	28.9
	48"—1½" TOP THICKNESS										
	25NN2448CVMSW	Wood	\$	9275	24	48⅞	35⅞	—	—	290 lbs.	24.7
	25NN2448CVMSL	Laminate		8101	24	48⅞	35⅞	—	—	290 lbs.	24.7
	KNIFE RIM										
	72"—1½" TOP THICKNESS										
	25NN2672CVMSWK1	Wood	\$	10308	25½	72	35⅞	—	—	383 lbs.	36.3
	25NN2672CVMSLK1	Laminate		9198	25½	72	35⅞	—	—	383 lbs.	36.3
	60"—1½" TOP THICKNESS										
	25NN2660CVMSWK1	Wood	\$	9968	25½	60	35⅞	—	—	325 lbs.	28.9
	25NN2660CVMSLK1	Laminate		8836	25½	60	35⅞	—	—	325 lbs.	28.9
	48"—1½" TOP THICKNESS										
	25NN2648CVMSWK1	Wood	\$	9641	25½	48⅞	35⅞	—	—	290 lbs.	24.7
	25NN2648CVMSLK1	Laminate		8461	25½	48⅞	35⅞	—	—	290 lbs.	24.7
	• Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors • Back panel is not fully finished and includes cutouts for venting • Rim profile on front only, 1½" top thickness • Matching wood grommets in end panels for wire access • Features an adjustable shelf • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CBVL VMH 89PL G1LR KS2S FR501 461 MH MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ENTERTAINMENT CREDENZA 	SOFTENED RIM								
	1¹/₆" TOP THICKNESS								
	25NN2472CBVW Wood	\$ 7807	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	25NN2472CBVL Laminate	6377	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	1¹/₆" TOP THICKNESS								
	25N2472CBVW Wood	\$ 6962	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	25N2472CBVL Laminate	5685	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	KNIFE RIM								
	1¹/₆" TOP THICKNESS								
	25NN2672CBVWK1 Wood	\$ 8213	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
ASSEMBLED	25NN2672CBVLK1 Laminate	6845	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	1¹/₆" TOP THICKNESS								
	25N2672CBVWK1 Wood	\$ 7305	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
	25N2672CBVLK1 Laminate	6041	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7

• Back panel is not fully finished and includes cutouts for venting
 • Rim profile on front only
 • Features an adjustable shelf
 • Inside dimension of each storage section is 21¹/₄" deep x 34¹/₂" wide x 24³/₄" high
 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

25NN2472CBL VMH 89PL G1LR KS2S FR501 461 MH MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BUFFET CREDENZA 	SOFTENED RIM								
	1$\frac{1}{8}$" TOP THICKNESS								
	25NN2472CBW Wood	\$ 7668	24	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	25NN2472CBL Laminate	6263	24	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	1$\frac{3}{8}$" TOP THICKNESS								
	25N2472CBW Wood	\$ 6838	24	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	25N2472CBL Laminate	5584	24	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	KNIFE RIM								
	1$\frac{1}{8}$" TOP THICKNESS								
	25NN2672CBWK1 Wood	\$ 8067	25 $\frac{1}{2}$	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	25NN2672CBLK1 Laminate	6723	25 $\frac{1}{2}$	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	1$\frac{3}{8}$" TOP THICKNESS								
	25N2672CBWK1 Wood	\$ 7174	25 $\frac{1}{2}$	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
	25N2672CBLK1 Laminate	5934	25 $\frac{1}{2}$	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	381 lbs.	46.7
• Grommet option not available • Features an adjustable shelf behind each set of doors • Rim profile on front only • Features a fully finished back • Inside dimension of each storage section is 21$\frac{1}{4}$" deep x 34$\frac{1}{2}$" wide x 24$\frac{3}{4}$" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

LATERAL FILE CREDENZA



SOFTENED RIM									
25N2472CFFW Wood	\$ 6585	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	346 lbs.	39.8	
25N2472CFFL Laminate	4300	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	346 lbs.	39.8	
KNIFE RIM									
25N2672CFFWK1 Wood	\$ 6924	25 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	346 lbs.	43.8	
25N2672CFFLK1 Laminate	4656	25 $\frac{1}{2}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	346 lbs.	43.8	
• Rim profile on front only • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front									

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CKFW2 V 89SN G11SNC KRS FR503 TF

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
	SOFTENED RIM									
	25N2472CKFW2	Wood	\$ 5502	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	279 lbs.	39.8
	25N2472CKFL2	Laminate	3727	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	279 lbs.	39.8
	25N2466CKFW2	Wood	\$ 5062	24	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	267 lbs.	32.7
	25N2466CKFL2	Laminate	3556	24	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	267 lbs.	32.7
	25N2460CKFW2	Wood	\$ 4899	24	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	29 ¹⁵ / ₁₆	256 lbs.	28.9
	25N2460CKFL2	Laminate	3498	24	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	29 ¹⁵ / ₁₆	256 lbs.	28.9
	KNIFE RIM									
	25N2672CKFW2K1	Wood	\$ 5839	25½	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	279 lbs.	43.8
	25N2672CKFL2K1	Laminate	4080	25½	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	279 lbs.	43.8
25N2666CKFW2K1	Wood	\$ 5385	25½	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	267 lbs.	36.0	
25N2666CKFL2K1	Laminate	3884	25½	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	35 ⁷ / ₈	267 lbs.	36.0	
25N2660CKFW2K1	Wood	\$ 5218	25½	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	29 ¹⁵ / ₁₆	256 lbs.	31.8	
25N2660CKFL2K1	Laminate	3807	25½	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	29 ¹⁵ / ₁₆	256 lbs.	31.8	
• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CLFW2 V 89SN G11SNC KRS FR503 TF

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW			
SINGLE PEDESTAL CREDENZA FILE/FILE  Left shown	FILE/FILE											
	SOFTENED RIM											
	LEFT PEDESTAL	RIGHT PEDESTAL										
	25N2472CLFW2	25N2472CRFW2	Wood	\$	4157	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	239 lbs.	39.8
	25N2472CLFL2	25N2472CRFL2	Laminate		2965	24	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	239 lbs.	39.8
	25N2466CLFW2	25N2466CRFW2	Wood	\$	4085	24	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	227 lbs.	32.7
	25N2466CLFL2	25N2466CRFL2	Laminate		2840	24	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	227 lbs.	32.7
	25N2460CLFW2	25N2460CRFW2	Wood	\$	4010	24	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	43 ¹¹ / ₁₆	216 lbs.	28.9
	25N2460CLFL2	25N2460CRFL2	Laminate		2783	24	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	43 ¹¹ / ₁₆	216 lbs.	28.9
	FILE/FILE											
	KNIFE RIM											
	LEFT PEDESTAL	RIGHT PEDESTAL										
	25N2672CLFW2K1	25N2672CRFW2K1	Wood	\$	4493	25½	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	239 lbs.	43.8
25N2672CLFL2K1	25N2672CRFL2K1	Laminate		3320	25½	71 ¹⁵ / ₁₆	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	239 lbs.	43.8	
25N2666CLFW2K1	25N2666CRFW2K1	Wood	\$	4410	25½	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	227 lbs.	36.0	
25N2666CLFL2K1	25N2666CRFL2K1	Laminate		3164	25½	66	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	52 ¹¹ / ₁₆	227 lbs.	36.0	
25N2660CLFW2K1	25N2660CRFW2K1	Wood	\$	4324	25½	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	43 ¹¹ / ₁₆	216 lbs.	31.8	
25N2660CLFL2K1	25N2660CRFL2K1	Laminate		3094	25½	60	28 ¹⁵ / ₁₆	3 ⁷ / ₁₆	43 ¹¹ / ₁₆	216 lbs.	31.8	

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)


TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CLFL6 V478 88MB G1R KS1B FR462 478 405 478

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
 Left shown	LATERAL FILE SOFTENED RIM LEFT PEDESTAL		RIGHT PEDESTAL								
	25N2472CLFW6	25N2472CRFW6	Wood	\$ 4980	24	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	39.8
	25N2472CLFL6	25N2472CRFL6	Laminate	3245	24	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	39.8
	LATERAL FILE KNIFE RIM LEFT PEDESTAL		RIGHT PEDESTAL								
	25N2672CLFW6K1	25N2672CRFW6K1	Wood	\$ 5316	25½	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	43.8
	25N2672CLFL6K1	25N2672CRFL6K1	Laminate	3594	25½	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	43.8
• To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

**SINGLE PEDESTAL CREDENZA
MULTI-FILE**


Left shown

**MULTI-FILE
SOFTENED RIM
LEFT PEDESTAL**
RIGHT PEDESTAL

25N2472CLFW12	25N2472CRFW12	Wood	\$	5220
25N2472CLFL12	25N2472CRFL12	Laminate		3727

24	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	39.8
24	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	39.8

**MULTI-FILE
KNIFE RIM
LEFT PEDESTAL**
RIGHT PEDESTAL

25N2672CLFW12K1	25N2672CRFW12K1	Wood	\$	5553
25N2672CLFL12K1	25N2672CRFL12K1	Laminate		4080

25 ¹ / ₂	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	43.8
25 ¹ / ₂	71 ¹ / ₁₆	28 ¹ / ₁₆	3 ¹ / ₁₆	34 ³ / ₄	279 lbs.	43.8

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Refer to pages 651-729 for accessories
- Refer to page 82 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 81 for grommet locations and page 79 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

1. Model Number
2. Rim Profile
3. Vinyl Rim Color
(laminated models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/
Laminate Chassis Color

• See pages 77-80 for all options available in Epic



NATIONAL OFFICE FURNITURE—CASEGOODS 2 PRICING DATE 10.02.23 | REV. DATE 12.15.23 97

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 78 for options
- Tops of highback units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Drawer/Door Laminate Color/Veneer Finish
4. Chassis Laminate Color/Veneer Finish

SAMPLE MODEL NUMBER:

25N8438HBHL KRB 405 CW

- See pages 77-80 for all options available in Epic

HIGHBACK ORGANIZER
HINGED DOORS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
25N8438HBHW	Wood	\$ 4192	14¾	83¾	38	—	—	210 lbs.	42.6
25N8438HBHL	Laminate	2064	14¾	83¾	38	—	—	210 lbs.	42.6
25N7838HBHW	Wood	\$ 3987	14¾	77⅜	38	—	—	194 lbs.	39.8
25N7838HBHL	Laminate	1972	14¾	77⅜	38	—	—	194 lbs.	39.8
25N7238HBHW	Wood	\$ 3776	14¾	71⅜	38	—	—	179 lbs.	37.0
25N7238HBHL	Laminate	1851	14¾	71⅜	38	—	—	179 lbs.	37.0
25N6638HBHW	Wood	\$ 3572	14¾	65⅜	38	—	—	164 lbs.	34.1
25N6638HBHL	Laminate	1726	14¾	65⅜	38	—	—	164 lbs.	34.1
25N6038HBHW	Wood	\$ 3371	14¾	59⅜	38	—	—	148 lbs.	31.3
25N6038HBHL	Laminate	1599	14¾	59⅜	38	—	—	148 lbs.	31.3
25N4838HBHW	Wood	\$ 3109	14¾	47⅞	38	—	—	126 lbs.	25.6
25N4838HBHL	Laminate	1480	14¾	47⅞	38	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 722-729
- All highbacks except 48" have 4 doors; 48" has 3 doors
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 78 for options
- Tops of highback units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N8438HBSAL 1 1677 CW 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
HIGHBACK ORGANIZER SLIDING DOORS 	RESIN DOORS		GRADE 1							
	25N8438HBSAW	Wood	\$ 7254	14 $\frac{3}{4}$	83 $\frac{3}{4}$	38	—	—	210 lbs.	42.6
	25N8438HBSAL	Laminate	3202	14 $\frac{3}{4}$	83 $\frac{3}{4}$	38	—	—	210 lbs.	42.6
	25N7838HBSAW	Wood	\$ 6859	14 $\frac{3}{4}$	77 $\frac{1}{16}$	38	—	—	194 lbs.	39.8
	25N7838HBSAL	Laminate	3034	14 $\frac{3}{4}$	77 $\frac{1}{16}$	38	—	—	194 lbs.	39.8
	25N7238HBSAW	Wood	\$ 6464	14 $\frac{3}{4}$	71 $\frac{1}{16}$	38	—	—	179 lbs.	37.0
	25N7238HBSAL	Laminate	2799	14 $\frac{3}{4}$	71 $\frac{1}{16}$	38	—	—	179 lbs.	37.0
	25N6638HBSAW	Wood	\$ 6074	14 $\frac{3}{4}$	65 $\frac{1}{16}$	38	—	—	164 lbs.	34.1
	25N6638HBSAL	Laminate	2555	14 $\frac{3}{4}$	65 $\frac{1}{16}$	38	—	—	164 lbs.	34.1
	25N6038HBSAW	Wood	\$ 5740	14 $\frac{3}{4}$	59 $\frac{1}{16}$	38	—	—	148 lbs.	31.3
	25N6038HBSAL	Laminate	2374	14 $\frac{3}{4}$	59 $\frac{1}{16}$	38	—	—	148 lbs.	31.3
	25N4838HBSAW	Wood	\$ 5427	14 $\frac{3}{4}$	47 $\frac{7}{8}$	38	—	—	126 lbs.	25.6
	25N4838HBSAL	Laminate	2320	14 $\frac{3}{4}$	47 $\frac{7}{8}$	38	—	—	126 lbs.	25.6
	• Not intended for use on table desking • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers • For tack board options, see pages 722-729 • All highbacks except 48" have 4 doors; 48" has 2 sliding doors									

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 78 for options
- Tops of highback units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N8438HBSML 501 MH 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
HIGHBACK ORGANIZER SLIDING DOORS (CONTINUED) 	METAL DOORS										
	25N8438HBSMW	Wood	\$	7254	14¾	83¾	38	—	—	210 lbs.	42.6
	25N8438HBSML	Laminate		3202	14¾	83¾	38	—	—	210 lbs.	42.6
	25N7838HBSMW	Wood	\$	6859	14¾	77⅜	38	—	—	194 lbs.	39.8
	25N7838HBSML	Laminate		3034	14¾	77⅜	38	—	—	194 lbs.	39.8
	25N7238HBSMW	Wood	\$	6464	14¾	71⅜	38	—	—	179 lbs.	37.0
	25N7238HBSML	Laminate		2799	14¾	71⅜	38	—	—	179 lbs.	37.0
	25N6638HBSMW	Wood	\$	6074	14¾	65⅜	38	—	—	164 lbs.	34.1
	25N6638HBSML	Laminate		2555	14¾	65⅜	38	—	—	164 lbs.	34.1
	25N6038HBSMW	Wood	\$	5740	14¾	59⅜	38	—	—	148 lbs.	31.3
	25N6038HBSML	Laminate		2374	14¾	59⅜	38	—	—	148 lbs.	31.3
	25N4838HBSMW	Wood	\$	5427	14¾	47⅞	38	—	—	126 lbs.	25.6
	25N4838HBSML	Laminate		2320	14¾	47⅞	38	—	—	126 lbs.	25.6

- Not intended for use on table deskings
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 722-729
- All highbacks except 48" have 4 doors; 48" has 2 sliding doors

PRODUCT SPECIFICATIONS

- Wood and laminate chassis available; refer to page 78 for options
- Tops of highback units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

25N8438HBEW MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
HIGHBACK ORGANIZER NO DOORS	25N8438HBEW	Wood	\$ 3818	13 ¹ / ₁₆	83 ³ / ₄	38	—	—	—	210 lbs.	42.6
	25N8438HBEL	Laminate	1685	13 ¹ / ₁₆	83 ³ / ₄	38	—	—	—	210 lbs.	42.6
	25N7838HBEW	Wood	\$ 3610	13 ¹ / ₁₆	77 ¹ / ₁₆	38	—	—	—	194 lbs.	39.8
	25N7838HBEL	Laminate	1598	13 ¹ / ₁₆	77 ¹ / ₁₆	38	—	—	—	194 lbs.	39.8
	25N7238HBEW	Wood	\$ 3402	13 ¹ / ₁₆	71 ¹ / ₁₆	38	—	—	—	179 lbs.	37.0
	25N7238HBEL	Laminate	1474	13 ¹ / ₁₆	71 ¹ / ₁₆	38	—	—	—	179 lbs.	37.0
	25N6638HBEW	Wood	\$ 3198	13 ¹ / ₁₆	65 ¹ / ₁₆	38	—	—	—	164 lbs.	34.1
	25N6638HBEL	Laminate	1345	13 ¹ / ₁₆	65 ¹ / ₁₆	38	—	—	—	164 lbs.	34.1
	25N6038HBEW	Wood	\$ 2994	13 ¹ / ₁₆	59 ¹ / ₁₆	38	—	—	—	148 lbs.	31.3
	25N6038HBEL	Laminate	1249	13 ¹ / ₁₆	59 ¹ / ₁₆	38	—	—	—	148 lbs.	31.3
	25N4838HBEW	Wood	\$ 2881	13 ¹ / ₁₆	47 ⁷ / ₈	38	—	—	—	126 lbs.	25.6
	25N4838HBEL	Laminate	1222	13 ¹ / ₁₆	47 ⁷ / ₈	38	—	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Specify chassis only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 722-729



EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Hinged doors are adjustable
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOHML KRS 480 TF 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD STORAGE CABINET HINGED DOORS WALL MOUNT 	18" HIGH									
	25N4818SOHMW	Wood	\$ 2007	14¾	47⅞	18⅝	—	—	115 lbs.	11.8
	25N4818SOHML	Laminate	1215	14¾	47⅞	18⅝	—	—	115 lbs.	11.8
	25N4218SOHMW	Wood	\$ 1925	14¾	41⅞	18⅝	—	—	100 lbs.	11.1
	25N4218SOHML	Laminate	1132	14¾	41⅞	18⅝	—	—	100 lbs.	11.1
	25N3618SOHMW	Wood	\$ 1839	14¾	35⅞	18⅝	—	—	76 lbs.	7.7
	25N3618SOHML	Laminate	1051	14¾	35⅞	18⅝	—	—	76 lbs.	7.7
	25N3018SOHMW	Wood	\$ 1743	14¾	29⅞	18⅝	—	—	64 lbs.	6.4
	25N3018SOHML	Laminate	962	14¾	29⅞	18⅝	—	—	64 lbs.	6.4
	13" HIGH									
	25N4813SOHMW	Wood	\$ 1810	14¾	47⅞	13⅝	—	—	105 lbs.	8.9
	25N4813SOHML	Laminate	1096	14¾	47⅞	13⅝	—	—	105 lbs.	8.9
	25N4213SOHMW	Wood	\$ 1730	14¾	41⅞	13⅝	—	—	90 lbs.	8.3
25N4213SOHML	Laminate	1022	14¾	41⅞	13⅝	—	—	90 lbs.	8.3	
25N3613SOHMW	Wood	\$ 1652	14¾	35⅞	13⅝	—	—	66 lbs.	5.8	
25N3613SOHML	Laminate	948	14¾	35⅞	13⅝	—	—	66 lbs.	5.8	
25N3013SOHMW	Wood	\$ 1566	14¾	29⅞	13⅝	—	—	54 lbs.	4.8	
25N3013SOHML	Laminate	863	14¾	29⅞	13⅝	—	—	54 lbs.	4.8	

- Wall mount bracket, for attachment to wall, is included
- 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 722-729
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Wall mount overheads can be utilized with DIRT antler extrusion; see page 106

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSMAL 1 1677 TF 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET SLIDING DOORS WALL MOUNT 	RESIN DOORS 18" HIGH	GRADE 1							
	25N4818SOSMAW Wood	\$ 3819	14¾	47⅞	18⅞	—	—	115 lbs.	11.8
	25N4818SOSMAL Laminate	2310	14¾	47⅞	18⅞	—	—	115 lbs.	11.8
	25N4218SOSMAW Wood	\$ 3657	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
	25N4218SOSMAL Laminate	2154	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
	25N3618SOSMAW Wood	\$ 3491	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	25N3618SOSMAL Laminate	1998	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	25N3018SOSMAW Wood	\$ 3309	14¾	29⅞	18⅞	—	—	64 lbs.	6.4
	25N3018SOSMAL Laminate	1830	14¾	29⅞	18⅞	—	—	64 lbs.	6.4
	13" HIGH								
	25N4813SOSMAW Wood	\$ 3439	14¾	47⅞	13⅞	—	—	105 lbs.	8.9
	25N4813SOSMAL Laminate	2078	14¾	47⅞	13⅞	—	—	105 lbs.	8.9
	25N4213SOSMAW Wood	\$ 3292	14¾	41⅞	13⅞	—	—	90 lbs.	8.3
	25N4213SOSMAL Laminate	1939	14¾	41⅞	13⅞	—	—	90 lbs.	8.3
	25N3613SOSMAW Wood	\$ 3142	14¾	35⅞	13⅞	—	—	66 lbs.	5.8
	25N3613SOSMAL Laminate	1798	14¾	35⅞	13⅞	—	—	66 lbs.	5.8
	25N3013SOSMAW Wood	\$ 2980	14¾	29⅞	13⅞	—	—	54 lbs.	4.8
	25N3013SOSMAL Laminate	1644	14¾	29⅞	13⅞	—	—	54 lbs.	4.8
	• Wall mount bracket, for attachment to wall, is included • Cabinets have 2 sliding doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs) • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106								

EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSMMW 501 TF 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET SLIDING DOORS WALL MOUNT (CONTINUED) 	METAL DOORS 18" HIGH								
	25N4818SOSMMW Wood	\$ 3819	14¾	47¾	18¾	—	—	115 lbs.	11.8
	25N4818SOSMML Laminate	2310	14¾	47¾	18¾	—	—	115 lbs.	11.8
	25N4218SOSMMW Wood	\$ 3657	14¾	41¾	18¾	—	—	100 lbs.	11.1
	25N4218SOSMML Laminate	2154	14¾	41¾	18¾	—	—	100 lbs.	11.1
	25N3618SOSMMW Wood	\$ 3491	14¾	35¾	18¾	—	—	76 lbs.	7.7
	25N3618SOSMML Laminate	1998	14¾	35¾	18¾	—	—	76 lbs.	7.7
	25N3018SOSMMW Wood	\$ 3309	14¾	29½	18¾	—	—	64 lbs.	6.4
	25N3018SOSMML Laminate	1830	14¾	29½	18¾	—	—	64 lbs.	6.4
	13" HIGH								
	25N4813SOSMMW Wood	\$ 3439	14¾	47¾	13¾	—	—	105 lbs.	8.9
	25N4813SOSMML Laminate	2078	14¾	47¾	13¾	—	—	105 lbs.	8.9
	25N4213SOSMMW Wood	\$ 3292	14¾	41¾	13¾	—	—	90 lbs.	8.3
	25N4213SOSMML Laminate	1939	14¾	41¾	13¾	—	—	90 lbs.	8.3
	25N3613SOSMMW Wood	\$ 3142	14¾	35¾	13¾	—	—	66 lbs.	5.8
	25N3613SOSMML Laminate	1798	14¾	35¾	13¾	—	—	66 lbs.	5.8
	25N3013SOSMMW Wood	\$ 2980	14¾	29½	13¾	—	—	54 lbs.	4.8
	25N3013SOSMML Laminate	1644	14¾	29½	13¾	—	—	54 lbs.	4.8

- Wall mount bracket, for attachment to wall, is included
- Cabinets have 2 sliding doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- For tack board options, see pages 722-729
- Wall mount overheads can be utilized with DIRT antler extrusion; see page 106

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOEMW 501 TF 501

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD STORAGE CABINET NO DOORS WALL MOUNT 	18" HIGH									
	25N4818SOEMW	Wood	\$ 2007	13 ³ / ₁₆	47 ⁷ / ₈	18 ³ / ₈	—	—	90 lbs.	11.8
	25N4818SOEML	Laminate	1215	13 ³ / ₁₆	47 ⁷ / ₈	18 ³ / ₈	—	—	90 lbs.	11.8
	25N4218SOEMW	Wood	\$ 1925	13 ³ / ₁₆	41 ⁷ / ₈	18 ³ / ₈	—	—	80 lbs.	11.1
	25N4218SOEML	Laminate	1132	13 ³ / ₁₆	41 ⁷ / ₈	18 ³ / ₈	—	—	80 lbs.	11.1
	25N3618SOEMW	Wood	\$ 1839	13 ³ / ₁₆	35 ⁷ / ₈	18 ³ / ₈	—	—	70 lbs.	7.7
	25N3618SOEML	Laminate	1051	13 ³ / ₁₆	35 ⁷ / ₈	18 ³ / ₈	—	—	70 lbs.	7.7
	25N3018SOEMW	Wood	\$ 1743	13 ³ / ₁₆	29 ³ / ₁₆	18 ³ / ₈	—	—	60 lbs.	6.4
	25N3018SOEML	Laminate	962	13 ³ / ₁₆	29 ³ / ₁₆	18 ³ / ₈	—	—	60 lbs.	6.4
	13" HIGH									
	25N4813SOEMW	Wood	\$ 1810	13 ³ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	80 lbs.	8.9
	25N4813SOEML	Laminate	1096	13 ³ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	80 lbs.	8.9
	25N4213SOEMW	Wood	\$ 1730	13 ³ / ₁₆	41 ⁷ / ₈	13 ³ / ₈	—	—	70 lbs.	8.3
	25N4213SOEML	Laminate	1022	13 ³ / ₁₆	41 ⁷ / ₈	13 ³ / ₈	—	—	70 lbs.	8.3
25N3613SOEMW	Wood	\$ 1652	13 ³ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	60 lbs.	5.8	
25N3613SOEML	Laminate	948	13 ³ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	60 lbs.	5.8	
25N3013SOEMW	Wood	\$ 1566	13 ³ / ₁₆	29 ³ / ₁₆	13 ³ / ₈	—	—	50 lbs.	4.8	
25N3013SOEML	Laminate	863	13 ³ / ₁₆	29 ³ / ₁₆	13 ³ / ₈	—	—	50 lbs.	4.8	
• Specify chassis only • Wall mount bracket, for attachment to wall, is included • Cabinets are open and do not have doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs) • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106										

EPIC

PRODUCT SPECIFICATIONS

- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NAC480K

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
DIRTT OVERHEAD MOUNTING KITS	NAC480K For 48" Overhead	\$ 263	1	6	1 $\frac{1}{4}$	—	—	8 lbs.	2.0
	NAC420K For 42" Overhead	253	1	6	1 $\frac{1}{4}$	—	—	8 lbs.	2.0
	NAC360K For 36" Overhead	244	1	6	1 $\frac{1}{4}$	—	—	8 lbs.	2.0
	NAC300K For 30" Overhead	225	1	6	1 $\frac{1}{4}$	—	—	5 lbs.	1.5



- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Hinged doors are adjustable
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOHTL KS2B 478 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
OVERHEAD STORAGE CABINET HINGED DOORS EXHIBIT MOUNT 	18" HIGH										
	25N4818SOHTW	Wood	\$	2007	14¾	47⅞	18⅝	—	—	115 lbs.	11.8
	25N4818SOHTL	Laminate		1215	14¾	47⅞	18⅝	—	—	115 lbs.	11.8
	25N4218SOHTW	Wood	\$	1925	14¾	41⅞	18⅝	—	—	100 lbs.	11.1
	25N4218SOHTL	Laminate		1132	14¾	41⅞	18⅝	—	—	100 lbs.	11.1
	25N3618SOHTW	Wood	\$	1839	14¾	35⅞	18⅝	—	—	76 lbs.	7.7
	25N3618SOHTL	Laminate		1051	14¾	35⅞	18⅝	—	—	76 lbs.	7.7
	25N3018SOHTW	Wood	\$	1743	14¾	29⅝⅙	18⅝	—	—	64 lbs.	6.4
	25N3018SOHTL	Laminate		962	14¾	29⅝⅙	18⅝	—	—	64 lbs.	6.4
	13" HIGH										
	25N4813SOHTW	Wood	\$	1810	14¾	47⅞	13⅝	—	—	105 lbs.	8.9
	25N4813SOHTL	Laminate		1096	14¾	47⅞	13⅝	—	—	105 lbs.	8.9
	25N4213SOHTW	Wood	\$	1730	14¾	41⅞	13⅝	—	—	90 lbs.	8.3
	25N4213SOHTL	Laminate		1022	14¾	41⅞	13⅝	—	—	90 lbs.	8.3
	25N3613SOHTW	Wood	\$	1652	14¾	35⅞	13⅝	—	—	66 lbs.	5.8
	25N3613SOHTL	Laminate		948	14¾	35⅞	13⅝	—	—	66 lbs.	5.8
	25N3013SOHTW	Wood	\$	1566	14¾	29⅝⅙	13⅝	—	—	54 lbs.	4.8
25N3013SOHTL	Laminate		863	14¾	29⅝⅙	13⅝	—	—	54 lbs.	4.8	

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- See page 525 for Exhibit Wall Rail and Filler Strip
- 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Random lock core (KRB, KRS) and specified lock core available 30" and 36" (KS1B, KS1S) and 42" and 48" (KS2B, KS2S)
- Cannot be used with DIRT overhead mounting kits

EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSTAW 2 2877 TF 501

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
OVERHEAD STORAGE CABINET SLIDING DOORS EXHIBIT MOUNT 	RESIN DOORS		GRADE 1							
	18" HIGH									
	25N4818SOSTAW	Wood	\$ 3819	14¾	47¾	18¾	—	—	115 lbs.	11.8
	25N4818SOSTAL	Laminate	2310	14¾	47¾	18¾	—	—	115 lbs.	11.8
	25N4218SOSTAW	Wood	\$ 3657	14¾	41¾	18¾	—	—	100 lbs.	11.1
	25N4218SOSTAL	Laminate	2154	14¾	41¾	18¾	—	—	100 lbs.	11.1
	25N3618SOSTAW	Wood	\$ 3491	14¾	35¾	18¾	—	—	76 lbs.	7.7
	25N3618SOSTAL	Laminate	1998	14¾	35¾	18¾	—	—	76 lbs.	7.7
	25N3018SOSTAW	Wood	\$ 3309	14¾	29½	18¾	—	—	64 lbs.	6.4
	25N3018SOSTAL	Laminate	1830	14¾	29½	18¾	—	—	64 lbs.	6.4
	13" HIGH									
	25N4813SOSTAW	Wood	\$ 3439	14¾	47¾	13¾	—	—	105 lbs.	8.9
	25N4813SOSTAL	Laminate	2078	14¾	47¾	13¾	—	—	105 lbs.	8.9
	25N4213SOSTAW	Wood	\$ 3292	14¾	41¾	13¾	—	—	90 lbs.	8.3
	25N4213SOSTAL	Laminate	1939	14¾	41¾	13¾	—	—	90 lbs.	8.3
25N3613SOSTAW	Wood	\$ 3142	14¾	35¾	13¾	—	—	66 lbs.	5.8	
25N3613SOSTAL	Laminate	1798	14¾	35¾	13¾	—	—	66 lbs.	5.8	
25N3013SOSTAW	Wood	\$ 2980	14¾	29½	13¾	—	—	54 lbs.	4.8	
25N3013SOSTAL	Laminate	1644	14¾	29½	13¾	—	—	54 lbs.	4.8	

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- Cabinets have 2 sliding doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 525 for Exhibit Wall Rail and Filler Strip
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Cannot be used with DIRT overhead mounting kits

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 78 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSTML 462 CL 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
OVERHEAD STORAGE CABINET SLIDING DOORS EXHIBIT MOUNT (CONTINUED) 	METAL DOORS									
	18" HIGH									
	25N4818SOSTMW	Wood	\$ 3819	14¾	47⅞	18⅞	—	—	115 lbs.	11.8
	25N4818SOSTML	Laminate	2310	14¾	47⅞	18⅞	—	—	115 lbs.	11.8
	25N4218SOSTMW	Wood	\$ 3657	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
	25N4218SOSTML	Laminate	2154	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
	25N3618SOSTMW	Wood	\$ 3491	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	25N3618SOSTML	Laminate	1998	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
	25N3018SOSTMW	Wood	\$ 3309	14¾	29⅞	18⅞	—	—	64 lbs.	6.4
	25N3018SOSTML	Laminate	1830	14¾	29⅞	18⅞	—	—	64 lbs.	6.4
	13" HIGH									
	25N4813SOSTMW	Wood	\$ 3439	14¾	47⅞	13⅞	—	—	105 lbs.	8.9
	25N4813SOSTML	Laminate	2078	14¾	47⅞	13⅞	—	—	105 lbs.	8.9
	25N4213SOSTMW	Wood	\$ 3292	14¾	41⅞	13⅞	—	—	90 lbs.	8.3
	25N4213SOSTML	Laminate	1939	14¾	41⅞	13⅞	—	—	90 lbs.	8.3
	25N3613SOSTMW	Wood	\$ 3142	14¾	35⅞	13⅞	—	—	66 lbs.	5.8
	25N3613SOSTML	Laminate	1798	14¾	35⅞	13⅞	—	—	66 lbs.	5.8
	25N3013SOSTMW	Wood	\$ 2980	14¾	29⅞	13⅞	—	—	54 lbs.	4.8
	25N3013SOSTML	Laminate	1644	14¾	29⅞	13⅞	—	—	54 lbs.	4.8
	• Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately • Cabinets have 2 sliding doors • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 525 for Exhibit Wall Rail and Filler Strip • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets • Cannot be used with DIRT overhead mounting kits									

EPIC

PRODUCT SPECIFICATIONS

- Exhibit mount overheads available, see pages 107-110
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N4818SOETW CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD STORAGE CABINET NO DOORS EXHIBIT MOUNT 	18" HIGH									
	25N4818SOETW	Wood	\$ 2007	13 ¹ / ₁₆	47 ⁷ / ₈	18 ³ / ₈	—	—	90 lbs.	11.8
	25N4818SOETL	Laminate	1215	13 ¹ / ₁₆	47 ⁷ / ₈	18 ³ / ₈	—	—	90 lbs.	11.8
	25N4218SOETW	Wood	\$ 1925	13 ¹ / ₁₆	41 ¹ / ₈	18 ³ / ₈	—	—	80 lbs.	11.1
	25N4218SOETL	Laminate	1132	13 ¹ / ₁₆	41 ¹ / ₈	18 ³ / ₈	—	—	80 lbs.	11.1
	25N3618SOETW	Wood	\$ 1839	13 ¹ / ₁₆	35 ⁷ / ₈	18 ³ / ₈	—	—	70 lbs.	7.7
	25N3618SOETL	Laminate	1051	13 ¹ / ₁₆	35 ⁷ / ₈	18 ³ / ₈	—	—	70 lbs.	7.7
	25N3018SOETW	Wood	\$ 1743	13 ¹ / ₁₆	29 ¹ / ₁₆	18 ³ / ₈	—	—	60 lbs.	6.4
	25N3018SOETL	Laminate	962	13 ¹ / ₁₆	29 ¹ / ₁₆	18 ³ / ₈	—	—	60 lbs.	6.4
	13" HIGH									
	25N4813SOETW	Wood	\$ 1810	13 ¹ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	80 lbs.	8.9
	25N4813SOETL	Laminate	1096	13 ¹ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	80 lbs.	8.9
	25N4213SOETW	Wood	\$ 1730	13 ¹ / ₁₆	41 ¹ / ₈	13 ³ / ₈	—	—	70 lbs.	8.3
25N4213SOETL	Laminate	1022	13 ¹ / ₁₆	41 ¹ / ₈	13 ³ / ₈	—	—	70 lbs.	8.3	
25N3613SOETW	Wood	\$ 1652	13 ¹ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	60 lbs.	5.8	
25N3613SOETL	Laminate	948	13 ¹ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	60 lbs.	5.8	
25N3013SOETW	Wood	\$ 1566	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₈	—	—	50 lbs.	4.8	
25N3013SOETL	Laminate	863	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₈	—	—	50 lbs.	4.8	

- Specify chassis only
- Exhibit mount bracket is included, Exhibit Wall Rail must be ordered separately
- Cabinets are open and do not have doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Cannot be used with DIRT overhead mounting kits

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of the Exhibit rail in line
- Exhibit mount overheads available, see pages 107-110
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed




TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBERS:

11NCPFSL 461
25N4805SMCM 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
	D	W	H							
	WALL RAIL									
	11N72EXP1	1 Rail/No faceplate	\$ 137	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	199	¾	144	1¾	—	—	12 lbs.	1.4
	• Includes 1 wall rail and 2 alignment brackets • Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert									
	FILLER STRIP KIT EXHIBIT MOUNT									
	11NCPFSW	Wood	\$ 72	1	3	27¼	—	—	3 lbs.	1.0
	11NCPFSL	Laminate	37	1	3	27¼	—	—	3 lbs.	1.0
	• For use with Exhibit mounted overheads when an insert is not used behind the overhead • Must be field scribed for 18" and 13" high overhead models • Specify solid/woodgrain/Gallery laminate or wood finish									
	METAL STORAGE CUBBY									
	25N4805SMCM		\$ 459	13 ¹⁵ / ₁₆	47 ⁷ / ₈	4¾	—	—	24 lbs.	1.8
	25N4205SMCM		434	13 ¹⁵ / ₁₆	41 ¹ / ₈	4¾	—	—	22 lbs.	1.6
	25N3605SMCM		410	13 ¹⁵ / ₁₆	35 ¹ / ₈	4¾	—	—	20 lbs.	1.4
	25N3005SMCM		382	13 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	4¾	—	—	19 lbs.	1.1
• Storage cubby has a removable tray and is ideal for organizational storage • Storage cubby can be added to the underside of any 13" high wall mount or Exhibit mount overhead • When added to a 13" overhead, bottom storage cubby will align with the bottom of an 18" overhead unit • Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) paint color • See page 661 for magnetic mount LED strip light • Storage cubby can be added to the underside of the set-on surface overheads listed on pages 112-115; cubby size needs to be smaller than the overhead size due to the stanchions; Ex: 48" cubby with a 60" overhead, 42" cubby with a 48" overhead										

EPIC

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 79 for details on how to specify



TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBERS:

25N4813SOSFAL O2L-462 2 2977 MC 462
 25N4813SOSFML U2S-462 503 MC 503

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET SLIDING DOORS SET-ON SURFACE  Shown with O supports  Shown with U supports	RESIN DOORS		GRADE 1							
	25N6013SOSFAW	Wood	\$ 4177	14¾	59½	13¾	—	—	90 lbs.	8.9
	25N6013SOSFAL	Laminate	2651	14¾	59½	13¾	—	—	90 lbs.	8.9
	25N4813SOSFAW	Wood	\$ 3659	14¾	47¾	13¾	—	—	81 lbs.	8.3
	25N4813SOSFAL	Laminate	2303	14¾	47¾	13¾	—	—	81 lbs.	8.3
	25N4213SOSFAW	Wood	\$ 3509	14¾	41¾	13¾	—	—	70 lbs.	7.8
	25N4213SOSFAL	Laminate	2161	14¾	41¾	13¾	—	—	70 lbs.	7.8
	25N3613SOSFAW	Wood	\$ 3364	14¾	35¾	13¾	—	—	53 lbs.	5.4
	25N3613SOSFAL	Laminate	2020	14¾	35¾	13¾	—	—	53 lbs.	5.4
25N3013SOSFAW	Wood	\$ 3202	14¾	29½	13¾	—	—	45 lbs.	4.5	
25N3013SOSFAL	Laminate	1864	14¾	29½	13¾	—	—	45 lbs.	4.5	
METAL DOORS		LIST PRICE								
25N6013SOSFMW	Wood	\$ 4177	14¾	59½	13¾	—	—	90 lbs.	8.9	
25N6013SOSFML	Laminate	2651	14¾	59½	13¾	—	—	90 lbs.	8.9	
25N4813SOSFMW	Wood	\$ 3659	14¾	47¾	13¾	—	—	81 lbs.	8.3	
25N4813SOSFML	Laminate	2303	14¾	47¾	13¾	—	—	81 lbs.	8.3	
25N4213SOSFMW	Wood	\$ 3509	14¾	41¾	13¾	—	—	70 lbs.	7.8	
25N4213SOSFML	Laminate	2161	14¾	41¾	13¾	—	—	70 lbs.	7.8	
25N3613SOSFMW	Wood	\$ 3364	14¾	35¾	13¾	—	—	53 lbs.	5.4	
25N3613SOSFML	Laminate	2020	14¾	35¾	13¾	—	—	53 lbs.	5.4	
25N3013SOSFMW	Wood	\$ 3202	14¾	29½	13¾	—	—	45 lbs.	4.5	
25N3013SOSFML	Laminate	1864	14¾	29½	13¾	—	—	45 lbs.	4.5	

- Overhead supports included, see page 79 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- Cabinets have 2 sliding doors; some assembly required
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 111
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 79 for details on how to specify



TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N6013SOEFL U2S-462 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
OVERHEAD STORAGE CABINET NO DOORS SET-ON SURFACE  Shown with O supports  Shown with U supports	25N6013SOEFW	Wood	\$ 2301	13⅞	59⅞	13⅞	—	—	90 lbs.	8.9
	25N6013SOEFL	Laminate	1517	13⅞	59⅞	13⅞	—	—	90 lbs.	8.9
	25N4813SOEFW	Wood	\$ 2029	13⅞	47⅞	13⅞	—	—	63 lbs.	8.3
	25N4813SOEFL	Laminate	1318	13⅞	47⅞	13⅞	—	—	63 lbs.	8.3
	25N4213SOEFW	Wood	\$ 1952	13⅞	41⅞	13⅞	—	—	56 lbs.	7.8
	25N4213SOEFL	Laminate	1245	13⅞	41⅞	13⅞	—	—	56 lbs.	7.8
	25N3613SOEFW	Wood	\$ 1877	13⅞	35⅞	13⅞	—	—	49 lbs.	5.4
	25N3613SOEFL	Laminate	1169	13⅞	35⅞	13⅞	—	—	49 lbs.	5.4
	25N3013SOEFW	Wood	\$ 1786	13⅞	29⅞	13⅞	—	—	42 lbs.	4.5
	25N3013SOEFL	Laminate	1088	13⅞	29⅞	13⅞	—	—	42 lbs.	4.5
	• Overhead supports included, see page 79 for proper ordering • Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 111 • Some assembly required • Short overhead supports are 5¼" H and long overhead supports are 10½" H									

EPIC

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 79 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N6013SOSSFRMW U2L-501 501 MH 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE	RESIN DOORS/WOOD CHASSIS									
	LEFT CABINET	RIGHT CABINET	GRADE 1							
	25N6013SOSSFLAW	25N6013SOSSFRAW	\$ 4372	13 ¹ / ₁₆	59 ¹ / ₁₆	13 ³ / ₈	—	—	84 lbs.	8.9
	25N4813SOSSFLAW	25N4813SOSSFRAW	3831	13 ¹ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	63 lbs.	8.3
	25N4213SOSSFLAW	25N4213SOSSFRAW	3672	13 ¹ / ₁₆	41 ⁷ / ₈	13 ³ / ₈	—	—	56 lbs.	7.8
	25N3613SOSSFLAW	25N3613SOSSFRAW	3522	13 ¹ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	49 lbs.	5.4
OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE	25N3013SOSSFLAW	25N3013SOSSFRAW	3345	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₈	—	—	42 lbs.	4.5
	RESIN DOORS/LAMINATE CHASSIS									
	LEFT CABINET	RIGHT CABINET								
	25N6013SOSSFLAL	25N6013SOSSFRAL	\$ 2735	13 ¹ / ₁₆	59 ¹ / ₁₆	13 ³ / ₈	—	—	84 lbs.	8.9
	25N4813SOSSFLAL	25N4813SOSSFRAL	2408	13 ¹ / ₁₆	47 ⁷ / ₈	13 ³ / ₈	—	—	63 lbs.	8.3
	25N4213SOSSFLAL	25N4213SOSSFRAL	2256	13 ¹ / ₁₆	41 ⁷ / ₈	13 ³ / ₈	—	—	56 lbs.	7.8
OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE	25N3613SOSSFLAL	25N3613SOSSFRAL	2109	13 ¹ / ₁₆	35 ⁷ / ₈	13 ³ / ₈	—	—	49 lbs.	5.4
	25N3013SOSSFLAL	25N3013SOSSFRAL	1952	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₈	—	—	42 lbs.	4.5
	METAL DOORS		LIST PRICE							
	LEFT CABINET	RIGHT CABINET								
	25N6013SOSSFLMW	25N6013SOSSFRMW Wood	\$ 4372	14 ³ / ₈	59 ¹ / ₁₆	13 ³ / ₈	—	—	90 lbs.	8.9
	25N6013SOSSFLML	25N6013SOSSFRML Laminate	2735	14 ³ / ₈	59 ¹ / ₁₆	13 ³ / ₈	—	—	90 lbs.	8.9
OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE	25N4813SOSSFLMW	25N4813SOSSFRMW Wood	\$ 3831	14 ³ / ₈	47 ⁷ / ₈	13 ³ / ₈	—	—	81 lbs.	8.3
	25N4813SOSSFLML	25N4813SOSSFRML Laminate	2408	14 ³ / ₈	47 ⁷ / ₈	13 ³ / ₈	—	—	81 lbs.	8.3
	25N4213SOSSFLMW	25N4213SOSSFRMW Wood	\$ 3672	14 ³ / ₈	41 ⁷ / ₈	13 ³ / ₈	—	—	70 lbs.	7.8
	25N4213SOSSFLML	25N4213SOSSFRML Laminate	2256	14 ³ / ₈	41 ⁷ / ₈	13 ³ / ₈	—	—	70 lbs.	7.8
	25N3613SOSSFLMW	25N3613SOSSFRMW Wood	\$ 3522	14 ³ / ₈	35 ⁷ / ₈	13 ³ / ₈	—	—	53 lbs.	5.4
	25N3613SOSSFLML	25N3613SOSSFRML Laminate	2109	14 ³ / ₈	35 ⁷ / ₈	13 ³ / ₈	—	—	53 lbs.	5.4
OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE	25N3013SOSSFLMW	25N3013SOSSFRMW Wood	\$ 3345	14 ³ / ₈	29 ¹ / ₁₆	13 ³ / ₈	—	—	45 lbs.	4.5
	25N3013SOSSFLML	25N3013SOSSFRML Laminate	1952	14 ³ / ₈	29 ¹ / ₁₆	13 ³ / ₈	—	—	45 lbs.	4.5

- Overhead supports included, see page 79 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- Cabinets have 1 sliding door per side
- Each user has access to half the width and the full depth of the cabinet
- For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 111
- Some assembly required
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 79 for details on how to specify



TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N6013SOESFRW 02L-501 1 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
				D	W	H						
OVERHEAD SHARED STORAGE CABINET NO DOORS SET-ON SURFACE  Right shown with O supports  Right shown with U supports	LEFT CABINET		RIGHT CABINET									
	25N6013SOESFLW	25N6013SOESFRW	Wood	\$	2408	13 ¹ / ₁₆	59 ¹ / ₁₆	13 ³ / ₁₆	—	—	84 lbs.	8.9
	25N6013SOESFLL	25N6013SOESFRL	Laminate		1547	13 ¹ / ₁₆	59 ¹ / ₁₆	13 ³ / ₁₆	—	—	84 lbs.	8.9
	25N4813SOESFLW	25N4813SOESFRW	Wood	\$	2119	13 ¹ / ₁₆	47 ⁷ / ₁₆	13 ³ / ₁₆	—	—	63 lbs.	8.3
	25N4813SOESFLL	25N4813SOESFRL	Laminate		1374	13 ¹ / ₁₆	47 ⁷ / ₁₆	13 ³ / ₁₆	—	—	63 lbs.	8.3
	25N4213SOESFLW	25N4213SOESFRW	Wood	\$	2040	13 ¹ / ₁₆	41 ⁷ / ₁₆	13 ³ / ₁₆	—	—	56 lbs.	7.8
	25N4213SOESFLL	25N4213SOESFRL	Laminate		1295	13 ¹ / ₁₆	41 ⁷ / ₁₆	13 ³ / ₁₆	—	—	56 lbs.	7.8
	25N3613SOESFLW	25N3613SOESFRW	Wood	\$	1957	13 ¹ / ₁₆	35 ⁷ / ₁₆	13 ³ / ₁₆	—	—	49 lbs.	5.4
25N3613SOESFLL	25N3613SOESFRL	Laminate		1215	13 ¹ / ₁₆	35 ⁷ / ₁₆	13 ³ / ₁₆	—	—	49 lbs.	5.4	
25N3013SOESFLW	25N3013SOESFRW	Wood	\$	1866	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₁₆	—	—	42 lbs.	4.5	
25N3013SOESFLL	25N3013SOESFRL	Laminate		1131	13 ¹ / ₁₆	29 ¹ / ₁₆	13 ³ / ₁₆	—	—	42 lbs.	4.5	
• Overhead supports included, see page 79 for proper ordering • Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface • Each user has access to half the width and the full depth of the cabinet • For additional paper management, reference page 675 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 111 • Some assembly required • Short overhead supports are 5¼" H and long overhead supports are 10½" H												

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436LFF2W V 76MB KS1B FR462 AC
 • See pages 77-80 for all options available in Epic

LATERAL FILE
2 DRAWER

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

SOFTENED RIM

25N2436LFF2W	Wood	\$ 3704	24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
25N2436LFF2L	Laminate	2442	24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
25N2430LFF2W	Wood	\$ 3522	24	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	18.9
25N2430LFF2L	Laminate	2321	24	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	18.9

KNIFE RIM

25N2636LFF2WK1	Wood	\$ 3981	25 ¹ / ₂	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
25N2636LFF2LK1	Laminate	2647	25 ¹ / ₂	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	155 lbs.	22.2
25N2630LFF2WK1	Wood	\$ 3785	25 ¹ / ₂	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	18.9
25N2630LFF2LK1	Laminate	2525	25 ¹ / ₂	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	135 lbs.	18.9

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

LATERAL FILE
3 DRAWER

SOFTENED RIM

25N2436LFF3W	Wood	\$ 4996	24	36 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	210 lbs.	30.0
25N2436LFF3L	Laminate	3295	24	36 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	210 lbs.	30.0
25N2430LFF3W	Wood	\$ 4745	24	30 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	185 lbs.	25.5
25N2430LFF3L	Laminate	3130	24	30 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	185 lbs.	25.5

KNIFE RIM

25N2636LFF3WK1	Wood	\$ 5269	25 ¹ / ₂	36 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	210 lbs.	30.0
25N2636LFF3LK1	Laminate	3499	25 ¹ / ₂	36 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	210 lbs.	30.0
25N2630LFF3WK1	Wood	\$ 5014	25 ¹ / ₂	30 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	185 lbs.	25.5
25N2630LFF3LK1	Laminate	3334	25 ¹ / ₂	30 ¹ / ₁₆	41 ⁷ / ₁₆	—	—	185 lbs.	25.5

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

- 25N2436LFF4W V 76MB KS1B FR462 AC
 25N2436PF33L V419 76MB KS1B FR462 419 461 419
- See pages 77-80 for all options available in Epic

LATERAL FILE
4 DRAWER

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

SOFTENED RIM

25N2436LFF4W	Wood	\$ 5967
25N2436LFF4L	Laminate	3776
25N2430LFF4W	Wood	\$ 5666
25N2430LFF4L	Laminate	3589

24	36 ¹ / ₁₆	54 ¹ / ₁₆	—	—	265 lbs.	33.4
24	36 ¹ / ₁₆	54 ¹ / ₁₆	—	—	265 lbs.	33.4
24	30 ¹ / ₁₆	54 ¹ / ₁₆	—	—	235 lbs.	28.4
24	30 ¹ / ₁₆	54 ¹ / ₁₆	—	—	235 lbs.	28.4


KNIFE RIM

25N2636LFF4WK1	Wood	\$ 6242
25N2636LFF4LK1	Laminate	3981
25N2630LFF4WK1	Wood	\$ 5936
25N2630LFF4LK1	Laminate	3797

25½	36 ¹ / ₁₆	54 ¹ / ₁₆	—	—	265 lbs.	33.4
25½	36 ¹ / ₁₆	54 ¹ / ₁₆	—	—	265 lbs.	33.4
25½	30 ¹ / ₁₆	54 ¹ / ₁₆	—	—	235 lbs.	28.4
25½	30 ¹ / ₁₆	54 ¹ / ₁₆	—	—	235 lbs.	28.4

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

MIXED STORAGE CABINET



Left shown

SOFTENED RIM
OPEN STORAGE
ON LEFTOPEN STORAGE
ON RIGHT

25N2436PF33W	25N2436PF32W	Wood	\$ 4230
25N2436PF33L	25N2436PF32L	Laminate	2716
25N2430PF33W	25N2430PF32W	Wood	\$ 4019
25N2430PF33L	25N2430PF32L	Laminate	2581

24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	22.2
24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	22.2
24	30 ¹ / ₁₆	29 ¹ / ₁₆	—	—	120 lbs.	18.9
24	30 ¹ / ₁₆	29 ¹ / ₁₆	—	—	120 lbs.	18.9

KNIFE RIM
OPEN STORAGE
ON LEFTOPEN STORAGE
ON RIGHT

25N2636PF33WK1	25N2636PF32WK1	Wood	\$ 4508
25N2636PF33LK1	25N2636PF32LK1	Laminate	2921
25N2630PF33WK1	25N2630PF32WK1	Wood	\$ 4289
25N2630PF33LK1	25N2630PF32LK1	Laminate	2763

25½	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	22.2
25½	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—	130 lbs.	22.2
25½	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	120 lbs.	18.9
25½	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—	120 lbs.	18.9

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436PF11W V 88SN KRS FR503 TF

- See pages 77-80 for all options available in Epic

MULTI-FILE
STORAGE CABINET

Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
SOFTENED RIM FILE DRAWER ON LEFT		FILE DRAWER ON RIGHT			D	W	H	A	KW		
25N2436PF11W	25N2436PF10W	Wood		\$ 4974	24	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2
25N2436PF11L	25N2436PF10L	Laminate		3467	24	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2
25N2430PF11W	25N2430PF10W	Wood		\$ 4725	24	30 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	120 lbs.	18.9
25N2430PF11L	25N2430PF10L	Laminate		3294	24	30 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	120 lbs.	18.9
KNIFE RIM FILE DRAWER ON LEFT		FILE DRAWER ON RIGHT									
25N2636PF11WK1	25N2636PF10WK1	Wood		\$ 5249	25 $\frac{1}{2}$	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2
25N2636PF11LK1	25N2636PF10LK1	Laminate		3668	25 $\frac{1}{2}$	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	130 lbs.	22.2
25N2630PF11WK1	25N2630PF10WK1	Wood		\$ 4994	25 $\frac{1}{2}$	30 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	120 lbs.	18.9
25N2630PF11LK1	25N2630PF10LK1	Laminate		3475	25 $\frac{1}{2}$	30 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	120 lbs.	18.9

- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

25N2436PFHW V 88SN KRS FR503 TF

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	SOFTENED RIM												
	25N2436PFHW	Wood	\$	3545	24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—			130 lbs.	22.2
	25N2436PFHL	Laminate		2068	24	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—			130 lbs.	22.2
	25N2430PFHW	Wood	\$	3369	24	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—			120 lbs.	18.9
	25N2430PFHL	Laminate		1962	24	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—			120 lbs.	18.9
	KNIFE RIM												
	25N2636PFHWK1	Wood	\$	3819	25 ¹ / ₂	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—			130 lbs.	22.2
	25N2636PFHLK1	Laminate		2268	25 ¹ / ₂	36 ¹ / ₁₆	28 ¹ / ₁₆	—	—			130 lbs.	22.2
	25N2630PFHWK1	Wood	\$	3638	25 ¹ / ₂	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—			120 lbs.	18.9
25N2630PFHLK1	Laminate		2166	25 ¹ / ₂	30 ¹ / ₁₆	28 ¹ / ₁₆	—	—			120 lbs.	18.9	
• 1 adjustable shelf behind hinged doors • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available													

FREESTANDING BOX/FILE



SOFTENED RIM											
25N3015PFBFW	Wood	\$	2789	29 ¹ / ₁₆	15%	22%	—	—	86 lbs.	10.9	
25N3015PFBFL	Laminate		1772	29 ¹ / ₁₆	15%	22%	—	—	86 lbs.	10.9	
25N2415PFBFW	Wood	\$	2719	24	15%	22%	—	—	76 lbs.	8.7	
25N2415PFBFL	Laminate		1696	24	15%	22%	—	—	76 lbs.	8.7	
KNIFE RIM											
25N3215PFBFWK1	Wood	\$	2926	31 ¹ / ₁₆	15%	22%	—	—	86 lbs.	10.9	
25N3215PFBFLK1	Laminate		1866	31 ¹ / ₁₆	15%	22%	—	—	86 lbs.	10.9	
25N2615PFBFWK1	Wood	\$	2851	25 ¹ / ₂	15%	22%	—	—	76 lbs.	8.7	
25N2615PFBFLK1	Laminate		1787	25 ¹ / ₂	15%	22%	—	—	76 lbs.	8.7	
• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N1867VSWHLW 89SN KRS FR503 CW


- See pages 77-80 for all options available in Epic

WARDROBE/
STORAGE CABINET
SINGLE DOOR

Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
LEFT HINGED	RIGHT HINGED		D	W	H	A	KW	WEIGHT	FEET
25N1867VSWHLW	25N1867VSWHRW	Wood \$ 4099	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	160 lbs.	26.7
25N1867VSWHLL	25N1867VSWHRL	Laminate 2320	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	160 lbs.	26.7
25N1853VSWHLW	25N1853VSWHRW	Wood \$ 3770	23 ³ / ₁₆	17 ¹ / ₁₆	52 ¹ / ₁₆	—	—	151 lbs.	21.4
25N1853VSWHLL	25N1853VSWHRL	Laminate 2133	23 ³ / ₁₆	17 ¹ / ₁₆	52 ¹ / ₁₆	—	—	151 lbs.	21.4
25N1840VSWHLW	25N1840VSWHRW	Wood \$ 3276	23 ³ / ₁₆	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	142 lbs.	16.7
25N1840VSWHLL	25N1840VSWHRL	Laminate 1854	23 ³ / ₁₆	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	142 lbs.	16.7

- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod standard
- 67 model has 3 adjustable shelves and 1 fixed shelf
- 53 model has 2 adjustable shelves and 1 fixed shelf
- 40 model has 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

MEDIA STORAGE TOWER
SINGLE DOOR

Left shown

LEFT HINGED	RIGHT HINGED	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
LEFT HINGED	RIGHT HINGED		D	W	H	A	KW	WEIGHT	FEET
25NN1880VSHLW	25NN1880VSHRW	Wood \$ 5069	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₄	—	—	197 lbs.	31.0
25NN1880VSHLL	25NN1880VSHRL	Laminate 3009	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₄	—	—	197 lbs.	31.0

- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS


- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2467VHHL2W 89SN KRS FR503 CW
 • See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
	LEFT UNIT		RIGHT UNIT			D	W	H	A	KW		
	25N2467VHHL2W	25N2467VHHR2W	Wood	\$	5781	23 ³ / ₁₆	24	66 ⁷ / ₈	—	—	213 lbs.	27.0
	25N2467VHHL2L	25N2467VHHR2L	Laminate		3709	23 ³ / ₁₆	24	66 ⁷ / ₈	—	—	213 lbs.	27.0
	25N2453VHHL2W	25N2453VHHR2W	Wood	\$	5320	23 ³ / ₁₆	24	52 ¹ / ₁₆	—	—	201 lbs.	21.6
	25N2453VHHL2L	25N2453VHHR2L	Laminate		3417	23 ³ / ₁₆	24	52 ¹ / ₁₆	—	—	201 lbs.	21.6
	25N2440VHHL2W	25N2440VHHR2W	Wood	\$	4626	23 ³ / ₁₆	24	40 ³ / ₁₆	—	—	189 lbs.	16.8
	25N2440VHHL2L	25N2440VHHR2L	Laminate		2969	23 ³ / ₁₆	24	40 ³ / ₁₆	—	—	189 lbs.	16.8
	• Removable coat rod is standard • 67 model has 2 adjustable shelves and 1 fixed shelf • 53 model has 1 adjustable shelf and 1 fixed shelf • 40 model has 1 fixed shelf • Pedestal is 15" wide • Wardrobe door is 8³/₈" wide, interior width is 8¹/₂" • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less											
25N2440VHHL2L Lefts shown												

STORAGE FRONT BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL



LEFT HINGED		RIGHT HINGED									
25N2467VBWOL2W	25N2467VBWOR2W	Wood	\$	6090	23 ³ / ₁₆	24	66 ⁷ / ₈	—	—	213 lbs.	27.0
25N2467VBWOL2L	25N2467VBWOR2L	Laminate		4026	23 ³ / ₁₆	24	66 ⁷ / ₈	—	—	213 lbs.	27.0
25N2453VBWOL2W	25N2453VBWOR2W	Wood	\$	5601	23 ³ / ₁₆	24	52 ¹ / ₁₆	—	—	201 lbs.	21.6
25N2453VBWOL2L	25N2453VBWOR2L	Laminate		3702	23 ³ / ₁₆	24	52 ¹ / ₁₆	—	—	201 lbs.	21.6
25N2440VBWOL2W	25N2440VBWOR2W	Wood	\$	4873	23 ³ / ₁₆	24	40 ³ / ₁₆	—	—	189 lbs.	16.8
25N2440VBWOL2L	25N2440VBWOR2L	Laminate		3221	23 ³ / ₁₆	24	40 ³ / ₁₆	—	—	189 lbs.	16.8
• Removable coat rod is standard • 67 model has 2 adjustable shelves and 1 fixed shelf • 53 model has 1 adjustable shelf and 1 fixed shelf • 40 model has 1 fixed shelf • Pedestal is 15" wide • Wardrobe door is 8³/₈" wide, interior width is 8¹/₂" • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Wardrobe door features a standard pull • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less											

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2467VBWHL2L 89PL KRS FR501 CW CW


- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT HINGED	RIGHT HINGED			D	W	H	A	KW	WEIGHT	FEET
STORAGE SIDE BOOKCASE/WARDROBE WITH FILE/FILE  25N2467VBWHL2L  25N2440VBWHL2L Lefts shown	25N2467VBWHL2W	25N2467VBWHR2W	Wood	\$ 6090	23 $\frac{3}{16}$ "	24"	66 $\frac{7}{8}$ "	—	—	213 lbs.	27.0
	25N2467VBWHL2L	25N2467VBWHR2L	Laminate	4026	23 $\frac{3}{16}$ "	24"	66 $\frac{7}{8}$ "	—	—	213 lbs.	27.0
	25N2453VBWHL2W	25N2453VBWHR2W	Wood	\$ 5601	23 $\frac{3}{16}$ "	24"	52 $\frac{1}{16}$ "	—	—	201 lbs.	21.6
	25N2453VBWHL2L	25N2453VBWHR2L	Laminate	3702	23 $\frac{3}{16}$ "	24"	52 $\frac{1}{16}$ "	—	—	201 lbs.	21.6
	25N2440VBWHL2W	25N2440VBWHR2W	Wood	\$ 4873	23 $\frac{3}{16}$ "	24"	40 $\frac{3}{16}$ "	—	—	189 lbs.	16.8
	25N2440VBWHL2L	25N2440VBWHR2L	Laminate	3221	23 $\frac{3}{16}$ "	24"	40 $\frac{3}{16}$ "	—	—	189 lbs.	16.8
	• Removable coat rod is standard • 67 model has 2 adjustable shelves and 1 fixed shelf • 53 model has 1 adjustable shelf and 1 fixed shelf • 40 model has 1 fixed shelf • Pedestal is 15" wide • Wardrobe door is 8$\frac{3}{4}$" wide, interior width is 8$\frac{1}{2}$" • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Wardrobe door features a standard pull • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less										


STORAGE SIDE BOOKCASE WITH FILE/FILE PEDESTAL

LEFT UNIT

RIGHT UNIT



25N1867VBL2L

25N1840VBL2W
Lefts shown

25N1867VBL2W	25N1867VBR2W	Wood	\$ 4463	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	66 $\frac{7}{8}$ "	—	—	160 lbs.	26.7
25N1867VBL2L	25N1867VBR2L	Laminate	2643	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	66 $\frac{7}{8}$ "	—	—	160 lbs.	26.7
25N1853VBL2W	25N1853VBR2W	Wood	\$ 4110	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	52 $\frac{1}{16}$ "	—	—	151 lbs.	21.4
25N1853VBL2L	25N1853VBR2L	Laminate	2432	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	52 $\frac{1}{16}$ "	—	—	151 lbs.	21.4
25N1840VBL2W	25N1840VBR2W	Wood	\$ 3572	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	40 $\frac{3}{16}$ "	—	—	142 lbs.	16.7
25N1840VBL2L	25N1840VBR2L	Laminate	2118	23 $\frac{3}{16}$ "	17 $\frac{1}{2}$ "	40 $\frac{3}{16}$ "	—	—	142 lbs.	16.7

- 67 model has 2 adjustable shelves
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3667VWHW KRS FR501 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW						
STORAGE FRONT BOOKCASE WITH FILE/FILE PEDESTAL  25N1867VB2L  25N1840VB2L	25N1867VB2W	Wood	\$	4463	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	160 lbs.	26.7
	25N1867VB2L	Laminate		2643	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	160 lbs.	26.7
	25N1853VB2W	Wood	\$	4110	23 ³ / ₁₆	17 ¹ / ₁₆	52 ¹ / ₁₆	—	—	151 lbs.	21.4
	25N1853VB2L	Laminate		2432	23 ³ / ₁₆	17 ¹ / ₁₆	52 ¹ / ₁₆	—	—	151 lbs.	21.4
	25N1840VB2W	Wood	\$	3572	23 ³ / ₁₆	17 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	142 lbs.	16.7
	25N1840VB2L	Laminate		2118	23 ³ / ₁₆	17 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	142 lbs.	16.7
	• 67 model has 2 adjustable shelves and 1 fixed shelf • 53 model has 1 adjustable shelf and 1 fixed shelf • 40 model has 1 fixed shelf • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less										
WARDROBE CABINET DOUBLE DOOR  25N3667VWHL  25N3040VWHL	25N3667VWHW	Wood	\$	7495	23 ³ / ₁₆	35 ⁷ / ₈	66 ⁷ / ₈	—	—	160 lbs.	48.6
	25N3667VWHL	Laminate		3928	23 ³ / ₁₆	35 ⁷ / ₈	66 ⁷ / ₈	—	—	160 lbs.	48.6
	25N3653VWHW	Wood	\$	6893	23 ³ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	151 lbs.	38.9
	25N3653VWHL	Laminate		3616	23 ³ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	151 lbs.	38.9
	25N3640VWHW	Wood	\$	5995	23 ³ / ₁₆	35 ⁷ / ₈	40 ⁵ / ₁₆	—	—	142 lbs.	30.3
	25N3640VWHL	Laminate		3143	23 ³ / ₁₆	35 ⁷ / ₈	40 ⁵ / ₁₆	—	—	142 lbs.	30.3
	25N3067VWHW	Wood	\$	7117	23 ³ / ₁₆	29 ¹ / ₁₆	66 ⁷ / ₈	—	—	155 lbs.	41.3
	25N3067VWHL	Laminate		3737	23 ³ / ₁₆	29 ¹ / ₁₆	66 ⁷ / ₈	—	—	155 lbs.	41.3
	25N3053VWHW	Wood	\$	6549	23 ³ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	146 lbs.	33.0
	25N3053VWHL	Laminate		3437	23 ³ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	146 lbs.	33.0
	25N3040VWHW	Wood	\$	5696	23 ³ / ₁₆	29 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	137 lbs.	25.7
	25N3040VWHL	Laminate		2988	23 ³ / ₁₆	29 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	137 lbs.	25.7
	• Coat rod standard • 67 models have 1 fixed shelf • 53 and 40 models have 1 adjustable shelf • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less										

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Foot Color
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3667VHHL KS1B FR462 CW CW
25N3667VHHW KS1B FR462 CW

- See pages 77-80 for all options available in Epic

**WARDROBE/
STORAGE CABINET
DOUBLE DOOR**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H								
25N3667VHHW	Wood	\$ 8191	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	—	160 lbs.	48.6
25N3667VHHL	Laminate	4636	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	—	160 lbs.	48.6
25N3653VHHW	Wood	\$ 7539	23 $\frac{3}{16}$	35 $\frac{5}{8}$	52 $\frac{1}{16}$	—	—	—	151 lbs.	38.9
25N3653VHHL	Laminate	4266	23 $\frac{3}{16}$	35 $\frac{5}{8}$	52 $\frac{1}{16}$	—	—	—	151 lbs.	38.9
25N3640VHHW	Wood	\$ 6555	23 $\frac{3}{16}$	35 $\frac{5}{8}$	40 $\frac{3}{16}$	—	—	—	142 lbs.	30.3
25N3640VHHL	Laminate	3706	23 $\frac{3}{16}$	35 $\frac{5}{8}$	40 $\frac{3}{16}$	—	—	—	142 lbs.	30.3
25N3067VHHW	Wood	\$ 7781	23 $\frac{3}{16}$	29 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	155 lbs.	41.3
25N3067VHHL	Laminate	4404	23 $\frac{3}{16}$	29 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	155 lbs.	41.3
25N3053VHHW	Wood	\$ 7163	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	—	146 lbs.	33.0
25N3053VHHL	Laminate	4049	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	—	146 lbs.	33.0
25N3040VHHW	Wood	\$ 6227	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{3}{16}$	—	—	—	137 lbs.	25.7
25N3040VHHL	Laminate	3525	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{3}{16}$	—	—	—	137 lbs.	25.7

- Coat rod standard
- 67 models have 3 adjustable shelves and 1 fixed shelf
- 53 models have 2 adjustable shelves and 1 fixed shelf
- 40 models have 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Foot Color
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3667VSHL KS1B FR462 CW CW
25N3667VSHW KS1B FR462 CW

- See pages 77-80 for all options available in Epic

DOUBLE DOOR
STORAGE CABINET

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
25N3667VSHW	Wood		\$ 7495	23 $\frac{3}{16}$	35 $\frac{7}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	48.6
25N3667VSHL	Laminate		3928	23 $\frac{3}{16}$	35 $\frac{7}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	48.6
25N3653VSHW	Wood		\$ 6893	23 $\frac{3}{16}$	35 $\frac{7}{8}$	52 $\frac{1}{16}$	—	—	151 lbs.	38.9
25N3653VSHL	Laminate		3616	23 $\frac{3}{16}$	35 $\frac{7}{8}$	52 $\frac{1}{16}$	—	—	151 lbs.	38.9
25N3640VSHW	Wood		\$ 5995	23 $\frac{3}{16}$	35 $\frac{7}{8}$	40 $\frac{3}{16}$	—	—	142 lbs.	30.3
25N3640VSHL	Laminate		3143	23 $\frac{3}{16}$	35 $\frac{7}{8}$	40 $\frac{3}{16}$	—	—	142 lbs.	30.3
25N3067VSHW	Wood		\$ 7117	23 $\frac{3}{16}$	29 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	155 lbs.	41.3
25N3067VSHL	Laminate		3737	23 $\frac{3}{16}$	29 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	155 lbs.	41.3
25N3053VSHW	Wood		\$ 6549	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	146 lbs.	33.0
25N3053VSHL	Laminate		3437	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	146 lbs.	33.0
25N3040VSHW	Wood		\$ 5696	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{3}{16}$	—	—	137 lbs.	25.7
25N3040VSHL	Laminate		2988	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{3}{16}$	—	—	137 lbs.	25.7

- Units include shelves from top to bottom
- 67 models have 3 adjustable shelves and 1 fixed shelf
- 53 models have 2 adjustable shelves and 1 fixed shelf
- 40 models have 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

25N3667VHF2L KS2B 76MB FR462 NM NM


- See pages 77-80 for all options available in Epic



	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
STORAGE/LATERAL FILE CABINET	25N3667VHF2W	Wood	\$ 7606	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	66 $\frac{7}{16}$ "	—	—	160 lbs.	48.6
	25N3667VHF2L	Laminate	3994	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	66 $\frac{7}{16}$ "	—	—	160 lbs.	48.6
	25N3667VHF2L									
	25N3667VHF2L									
25N3667VHF2L	25N3653VHF2W	Wood	\$ 6998	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	52 $\frac{1}{16}$ "	—	—	151 lbs.	38.9
	25N3653VHF2L	Laminate	3677	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	52 $\frac{1}{16}$ "	—	—	151 lbs.	38.9
	25N3640VHF2W	Wood	\$ 6081	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	40 $\frac{5}{16}$ "	—	—	142 lbs.	30.3
	25N3640VHF2L	Laminate	3195	23 $\frac{3}{16}$ "	35 $\frac{5}{16}$ "	40 $\frac{5}{16}$ "	—	—	142 lbs.	30.3
25N3040VHF2L	25N3067VHF2W	Wood	\$ 7224	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	66 $\frac{7}{16}$ "	—	—	155 lbs.	41.3
	25N3067VHF2L	Laminate	3798	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	66 $\frac{7}{16}$ "	—	—	155 lbs.	41.3
	25N3053VHF2W	Wood	\$ 6648	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	52 $\frac{1}{16}$ "	—	—	146 lbs.	33.0
	25N3053VHF2L	Laminate	3491	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	52 $\frac{1}{16}$ "	—	—	146 lbs.	33.0
	25N3040VHF2W	Wood	\$ 5776	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	40 $\frac{5}{16}$ "	—	—	137 lbs.	25.7
	25N3040VHF2L	Laminate	3036	23 $\frac{3}{16}$ "	29 $\frac{1}{16}$ "	40 $\frac{5}{16}$ "	—	—	137 lbs.	25.7
• 67 has 2 adjustable shelves and 1 fixed shelf • 53 has 1 adjustable shelf and 1 fixed shelf • 40 has 1 fixed shelf • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less										

STORAGE CABINET WITH FILE/FILE PEDESTAL



25N1867VHL2L

25N1840VHR2L
Rights shown

		LEFT HINGED		RIGHT HINGED						
		25N1867VHL2W	25N1867VHR2W	Wood	\$ 4207	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	66 $\frac{7}{16}$ "	—	—
		25N1867VHL2L	25N1867VHR2L	Laminate	2382	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	66 $\frac{7}{16}$ "	—	—
		25N1853VHL2W	25N1853VHR2W	Wood	\$ 3874	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	52 $\frac{1}{16}$ "	—	—
		25N1853VHL2L	25N1853VHR2L	Laminate	2191	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	52 $\frac{1}{16}$ "	—	—
		25N1840VHL2W	25N1840VHR2W	Wood	\$ 3368	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	40 $\frac{5}{16}$ "	—	—
		25N1840VHL2L	25N1840VHR2L	Laminate	1910	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	40 $\frac{5}{16}$ "	—	—
• 67 has 2 adjustable shelves and 1 fixed shelf • 53 has 1 adjustable shelf and 1 fixed shelf • 40 has 1 fixed shelf • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less										

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options





TO ORDER, SPECIFY:

1. Model Number
2. Foot Color
3. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3667BCOFW FR462 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
OPEN BOOKCASE 4 SHELF 	25N3667BCOFW Wood	\$ 2920	13 ¹ / ₁₆	35 ⁷ / ₈	66 ⁷ / ₈	—	—	—	188 lbs.	31.6
	25N3667BCOFL Laminate	1450	13 ¹ / ₁₆	35 ⁷ / ₈	66 ⁷ / ₈	—	—	—	188 lbs.	31.6
	25N3067BCOFW Wood	\$ 2771	13 ¹ / ₁₆	29 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	173 lbs.	26.9
	25N3067BCOFL Laminate	1378	13 ¹ / ₁₆	29 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	173 lbs.	26.9
	• Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Cinder Linear Horizontal (402H), Designer White Linear Horizontal (401H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									
	25N3653BCOFW Wood	\$ 2677	13 ¹ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	—	140 lbs.	26.7
	25N3653BCOFL Laminate	1311	13 ¹ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	—	140 lbs.	26.7
	25N3053BCOFW Wood	\$ 2542	13 ¹ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	—	125 lbs.	22.7
OPEN BOOKCASE 3 SHELF 	25N3053BCOFL Laminate	1247	13 ¹ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	—	125 lbs.	22.7
	• Shaded shelves are adjustable • Not intended for use as set-on surface storage									
	25N3640BCOFW Wood	\$ 2274	13 ¹ / ₁₆	35 ⁷ / ₈	40 ¹ / ₁₆	—	—	—	112 lbs.	20.6
	25N3640BCOFL Laminate	1145	13 ¹ / ₁₆	35 ⁷ / ₈	40 ¹ / ₁₆	—	—	—	112 lbs.	20.6
	25N3040BCOFW Wood	\$ 2162	13 ¹ / ₁₆	29 ¹ / ₁₆	40 ¹ / ₁₆	—	—	—	97 lbs.	17.5
	25N3040BCOFL Laminate	1088	13 ¹ / ₁₆	29 ¹ / ₁₆	40 ¹ / ₁₆	—	—	—	97 lbs.	17.5
	• Shaded shelf is adjustable • Not intended for use as set-on surface storage									
	25N3628BCOFW Wood	\$ 1990	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
OPEN BOOKCASE 2 SHELF 	25N3628BCOFL Laminate	985	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3028BCOFW Wood	\$ 1887	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
	25N3028BCOFL Laminate	932	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
	• Shaded shelf is adjustable • Not intended for use as set-on surface storage									
	25N3628BCOFW Wood	\$ 1990	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3628BCOFL Laminate	985	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3028BCOFW Wood	\$ 1887	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
	25N3028BCOFL Laminate	932	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
OPEN BOOKCASE 1 SHELF 	25N3628BCOFW Wood	\$ 1990	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3628BCOFL Laminate	985	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3028BCOFW Wood	\$ 1887	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
	25N3028BCOFL Laminate	932	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6
	• Shaded shelf is adjustable • Not intended for use as set-on surface storage									
	25N3628BCOFW Wood	\$ 1990	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3628BCOFL Laminate	985	13 ¹ / ₁₆	35 ⁷ / ₈	27 ¹ / ₁₆	—	—	—	75 lbs.	13.7
	25N3028BCOFW Wood	\$ 1887	13 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	—	60 lbs.	11.6

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3638BCHL KRB 461 NM
25N2315PMBFL 88MB KRB 461 CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED CUBIC	
				D	W	H				WEIGHT	FEET
BOOKCASE WITH DOORS SET-ON SURFACE 	25N3638BCHW	Wood	\$ 1845	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	—	110 lbs.	19.9
	25N3638BCHL	Laminate	967	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	—	110 lbs.	19.9
	25N3038BCHW	Wood	\$ 1706	14 $\frac{3}{4}$	29 $\frac{1}{16}$	38	—	—	—	94 lbs.	17.1
	25N3038BCHL	Laminate	857	14 $\frac{3}{4}$	29 $\frac{1}{16}$	38	—	—	—	94 lbs.	17.1
	• Not intended for use on table desking • Cabinet features 2 adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
	25N3638BCOW	Wood	\$ 1668	13 $\frac{1}{16}$	35 $\frac{5}{8}$	38	—	—	—	100 lbs.	20.6
	25N3638BCOL	Laminate	897	13 $\frac{1}{16}$	35 $\frac{5}{8}$	38	—	—	—	100 lbs.	20.6
	25N3038BCOW	Wood	\$ 1531	13 $\frac{1}{16}$	29 $\frac{1}{16}$	38	—	—	—	85 lbs.	16.8
OPEN BOOKCASE SET-ON SURFACE 	25N3038BCOL	Laminate	812	13 $\frac{1}{16}$	29 $\frac{1}{16}$	38	—	—	—	85 lbs.	16.8
	• Shaded shelves are adjustable										
	25N2315PMBFW	Wood	\$ 2789	23 $\frac{1}{16}$	15 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	—	76 lbs.	8.7
	25N2315PMBFL	Laminate	1579	23 $\frac{1}{16}$	15 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	—	76 lbs.	8.7
	• 4 double wheel non-locking casters standard • Maximum weight unit can hold is 300 pounds • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
MOBILE PEDESTAL BOX/FILE WITH TOP 											

EPIC

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood and laminate drawers and chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 82 for filing capabilities


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2315PMBFCL 88MB KRB 2 20020 NM NM

- See pages 77-80 for all options available in Epic

MOBILE PEDESTAL BOX/FILE
CUSHION TOP

MODEL NO./DESCRIPTION

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
25N2315PMBFCW	Wood	\$	2463	2493	2507	2529	2553	2594	2649

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2514	2545	2569	2595	2623	2653	2678	2709	2739	2771
	K	L	M	N	O	P	Q	R	S	T
\$	2818	2916	2977	3008	3040	3071	3103	3134	3165	3196

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
25N2315PMBFCL	Laminate	\$	1552	1582	1596	1618	1642	1683	1738

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1603	1634	1658	1684	1712	1742	1767	1798	1828	1860
	K	L	M	N	O	P	Q	R	S	T
\$	1907	2005	2066	2097	2129	2160	2192	2223	2254	2285

DIMENSIONS

Depth	22 ¹ / ₈	Height	23	Weight	78
Width	15 ¹ / ₈			Cubic Ft.	9.2

- 4 double wheel non-locking casters standard
- Maximum weight unit can hold is 300 pounds
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify textile grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate chassis available; refer to page 78 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Paint Color



SAMPLE MODEL NUMBER:

25N2424ENW X X 462 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC END TABLE	25N2424ENW Wood	\$ 2273	24	24	18½	—	—	55 lbs.	12.6
	25N2424ENL Laminate	1971	24	24	18½	—	—	55 lbs.	12.6



- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 666-671 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List



Optional Surface and Side Grommet Locations

EPIC MAGAZINE TABLE	25N2448MGW Wood	\$ 2434	24	48	14¾	—	—	77 lbs.	19.1
	25N2448MGL Laminate	2143	24	48	14¾	—	—	77 lbs.	19.1



- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 666-671 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List



Optional Surface and Side Grommet Locations

EPIC COFFEE TABLE	25N3636MGW Wood	\$ 2534	36	36	14⅞	—	—	65 lbs.	19.1
	25N3636MGL Laminate	2243	36	36	14⅞	—	—	65 lbs.	19.1

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 666-671 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List



Optional Surface and Side Grommet Locations

EPIC

ASSEMBLED

EPIC

COMPONENTS

Component Units

132

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3984WSSLK2 E K405 G11MBLR D1B403 X X 807

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 36" DEPTH 	SOFTENED RIM								
	25N3684WSSW Wood	\$ 1789	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	117 lbs.	4.0
	25N3684WSSL Laminate	1218	36 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	117 lbs.	4.0
	25N3678WSSW Wood	\$ 1658	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	108 lbs.	4.0
	25N3678WSSL Laminate	1126	36 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	108 lbs.	4.0
	25N3672WSSW Wood	\$ 1525	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	100 lbs.	4.0
	25N3672WSSL Laminate	1035	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	100 lbs.	4.0
	KNIFE RIM								
	25N3884WSSWK1 Wood	\$ 2331	37 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	4.2
	25N3884WSSLK1 Laminate	1891	37 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	4.2
	25N3878WSSWK1 Wood	\$ 2156	37 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	111 lbs.	4.2
	25N3878WSSLK1 Laminate	1744	37 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	111 lbs.	4.2
	25N3872WSSWK1 Wood	\$ 1986	37 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	103 lbs.	4.2
	25N3872WSSLK1 Laminate	1608	37 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	103 lbs.	4.2
	25N3984WSSWK2 Wood	\$ 2331	39 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	4.4
	25N3984WSSLK2 Laminate	1891	39 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	4.4
	25N3978WSSWK2 Wood	\$ 2156	39 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	117 lbs.	4.4
	25N3978WSSLK2 Laminate	1744	39 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	117 lbs.	4.4
	25N3972WSSWK2 Wood	\$ 1986	39 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	108 lbs.	4.4
	25N3972WSSLK2 Laminate	1608	39 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	108 lbs.	4.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBER:

25N3096WSSL M V405 G11MBLR X X 83½ 807

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 30" DEPTH 	SOFTENED RIM								
	25N3096WSSW Wood	\$ 1658	30⅞	95⅞	1⅞	—	—	111 lbs.	4.0
	25N3096WSSL Laminate	1019	30⅞	95⅞	1⅞	—	—	111 lbs.	4.0
	25N3090WSSW Wood	\$ 1592	30⅞	89⅞	1⅞	—	—	104 lbs.	3.9
	25N3090WSSL Laminate	987	30⅞	89⅞	1⅞	—	—	104 lbs.	3.9
	25N3084WSSW Wood	\$ 1525	30⅞	83⅞	1⅞	—	—	97 lbs.	3.7
	25N3084WSSL Laminate	949	30⅞	83⅞	1⅞	—	—	97 lbs.	3.7
	25N3078WSSW Wood	\$ 1389	30⅞	77⅞	1⅞	—	—	90 lbs.	3.6
	25N3078WSSL Laminate	853	30⅞	77⅞	1⅞	—	—	90 lbs.	3.6
	25N3072WSSW Wood	\$ 1257	30⅞	71⅞	1⅞	—	—	83 lbs.	3.5
	25N3072WSSL Laminate	769	30⅞	71⅞	1⅞	—	—	83 lbs.	3.5
	25N3066WSSW Wood	\$ 1209	30⅞	66	1⅞	—	—	76 lbs.	3.4
	25N3066WSSL Laminate	705	30⅞	66	1⅞	—	—	76 lbs.	3.4
	25N3060WSSW Wood	\$ 1181	30⅞	60	1⅞	—	—	69 lbs.	3.3
	25N3060WSSL Laminate	642	30⅞	60	1⅞	—	—	69 lbs.	3.3
	25N3054WSSW Wood	\$ 1155	30⅞	54	1⅞	—	—	63 lbs.	3.0
	25N3054WSSL Laminate	591	30⅞	54	1⅞	—	—	63 lbs.	3.0
	25N3048WSSW Wood	\$ 1131	30⅞	48⅞	1⅞	—	—	56 lbs.	2.7
	25N3048WSSL Laminate	539	30⅞	48⅞	1⅞	—	—	56 lbs.	2.7

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ⅞" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3278WSSSLK1 M K478 G1A X X X 478

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) 	KNIFE RIM								
	25N3296WSSWK1 Wood	\$ 2156	31 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	119 lbs.	4.2
	25N3296WSSSLK1 Laminate	1579	31 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	119 lbs.	4.2
	25N3290WSSWK1 Wood	\$ 2069	31 $\frac{1}{16}$ "	89 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	111 lbs.	4.1
	25N3290WSSSLK1 Laminate	1525	31 $\frac{1}{16}$ "	89 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	111 lbs.	4.1
	25N3284WSSWK1 Wood	\$ 1986	31 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	104 lbs.	3.9
	25N3284WSSSLK1 Laminate	1469	31 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	104 lbs.	3.9
	25N3278WSSWK1 Wood	\$ 1808	31 $\frac{1}{16}$ "	77 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	96 lbs.	3.8
	25N3278WSSSLK1 Laminate	1323	31 $\frac{1}{16}$ "	77 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	96 lbs.	3.8
	25N3272WSSWK1 Wood	\$ 1632	31 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	89 lbs.	3.7
	25N3272WSSSLK1 Laminate	1191	31 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	89 lbs.	3.7
	25N3266WSSWK1 Wood	\$ 1570	31 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	82 lbs.	3.6
	25N3266WSSSLK1 Laminate	1091	31 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	82 lbs.	3.6
	25N3260WSSWK1 Wood	\$ 1538	31 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	74 lbs.	3.5
	25N3260WSSSLK1 Laminate	996	31 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	74 lbs.	3.5
	25N3254WSSWK1 Wood	\$ 1503	31 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	67 lbs.	3.2
	25N3254WSSSLK1 Laminate	915	31 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	67 lbs.	3.2
	25N3248WSSWK1 Wood	\$ 1473	31 $\frac{1}{16}$ "	48 $\frac{3}{16}$ "	1 $\frac{3}{16}$ "	—	—	59 lbs.	2.8
	25N3248WSSSLK1 Laminate	833	31 $\frac{1}{16}$ "	48 $\frac{3}{16}$ "	1 $\frac{3}{16}$ "	—	—	59 lbs.	2.8

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desk applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desk applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3378WSSLK2 M K478 G1A X X X 478

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) 	KNIFE RIM (CONTINUED)								
	25N3396WSSWK2 Wood	\$ 2156	33 ³ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	122 lbs.	4.4
	25N3396WSSLK2 Laminate	1579	33 ³ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	122 lbs.	4.4
	25N3390WSSWK2 Wood	\$ 2069	33 ³ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	114 lbs.	4.3
	25N3390WSSLK2 Laminate	1525	33 ³ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	114 lbs.	4.3
	25N3384WSSWK2 Wood	\$ 1986	33 ³ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	107 lbs.	4.1
	25N3384WSSLK2 Laminate	1469	33 ³ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	107 lbs.	4.1
	25N3378WSSWK2 Wood	\$ 1808	33 ³ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	99 lbs.	4.0
	25N3378WSSLK2 Laminate	1323	33 ³ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	99 lbs.	4.0
	25N3372WSSWK2 Wood	\$ 1632	33 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	3.9
	25N3372WSSLK2 Laminate	1191	33 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	3.9
	25N3366WSSWK2 Wood	\$ 1570	33 ³ / ₁₆	66	1 ³ / ₁₆	—	—	84 lbs.	3.8
	25N3366WSSLK2 Laminate	1091	33 ³ / ₁₆	66	1 ³ / ₁₆	—	—	84 lbs.	3.8
	25N3360WSSWK2 Wood	\$ 1538	33 ³ / ₁₆	60	1 ³ / ₁₆	—	—	76 lbs.	3.6
	25N3360WSSLK2 Laminate	996	33 ³ / ₁₆	60	1 ³ / ₁₆	—	—	76 lbs.	3.6
	25N3354WSSWK2 Wood	\$ 1503	33 ³ / ₁₆	54	1 ³ / ₁₆	—	—	69 lbs.	3.3
	25N3354WSSLK2 Laminate	915	33 ³ / ₁₆	54	1 ³ / ₁₆	—	—	69 lbs.	3.3
	25N3348WSSWK2 Wood	\$ 1473	33 ³ / ₁₆	48 ³ / ₁₆	1 ³ / ₁₆	—	—	61 lbs.	3.0
	25N3348WSSLK2 Laminate	833	33 ³ / ₁₆	48 ³ / ₁₆	1 ³ / ₁₆	—	—	61 lbs.	3.0

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in 1/8" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2496WSSW M V X D1B462 X 95.5 CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH 	SOFTENED RIM								
	25N2496WSSW Wood	\$ 1526	24	95 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	89 lbs.	3.6
	25N2496WSSL Laminate	897	24	95 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	89 lbs.	3.6
	25N2490WSSW Wood	\$ 1460	24	89 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	83 lbs.	3.5
	25N2490WSSL Laminate	862	24	89 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	83 lbs.	3.5
	25N2484WSSW Wood	\$ 1391	24	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	78 lbs.	3.2
	25N2484WSSL Laminate	827	24	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	78 lbs.	3.2
	25N2478WSSW Wood	\$ 1258	24	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	72 lbs.	3.3
	25N2478WSSL Laminate	736	24	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	72 lbs.	3.3
	25N2472WSSW Wood	\$ 1122	24	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	67 lbs.	3.3
	25N2472WSSL Laminate	642	24	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	67 lbs.	3.3
	25N2466WSSW Wood	\$ 1077	24	66	1 $\frac{3}{16}$	—	—	61 lbs.	3.1
	25N2466WSSL Laminate	596	24	66	1 $\frac{3}{16}$	—	—	61 lbs.	3.1
	25N2460WSSW Wood	\$ 1049	24	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.8
	25N2460WSSL Laminate	564	24	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.8
	25N2454WSSW Wood	\$ 1022	24	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	25N2454WSSL Laminate	497	24	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	25N2448WSSW Wood	\$ 999	24	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.3
	25N2448WSSL Laminate	453	24	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.3

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For worksurfaces with grain direction running front-to-back see pages 142-143
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2442WSSW M V X D1B462 X 95.5 CL

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)			SOFTENED RIM (CONTINUED)		D	W	H			
	25N2442WSSW	Wood	\$	955	24	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs. 2.3
	25N2442WSSL	Laminate		407	24	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs. 2.3
	25N2436WSSW	Wood	\$	920	24	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs. 1.8
	25N2436WSSL	Laminate		372	24	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs. 1.8
	25N2430WSSW	Wood	\$	894	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	28 lbs. 1.5
25N2430WSSL	Laminate		332	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	28 lbs. 1.5	
• Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Worksurfaces can be ordered in $\frac{1}{16}$" increments in depth and/or width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired depth and/or width • For use with 23" deep pedestals • Worksurfaces up to 72" wide can be used for table desking applications • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183 • For worksurfaces with grain direction running front-to-back see pages 142-143 • For undersurface wire managers, see page 675										

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2696WSSWK1 F K G1LR D1B461 25 94 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	KNIFE RIM								
	25N2696WSSWK1 Wood	\$ 1987	25½	95¼	1¾	—	—	96 lbs.	3.8
	25N2696WSSLK1 Laminate	1392	25½	95¼	1¾	—	—	96 lbs.	3.8
	25N2690WSSWK1 Wood	\$ 1894	25½	89¼	1¾	—	—	89 lbs.	3.7
	25N2690WSSLK1 Laminate	1339	25½	89¼	1¾	—	—	89 lbs.	3.7
	25N2684WSSWK1 Wood	\$ 1809	25½	83¼	1¾	—	—	81 lbs.	3.6
	25N2684WSSLK1 Laminate	1283	25½	83¼	1¾	—	—	81 lbs.	3.6
	25N2678WSSWK1 Wood	\$ 1633	25½	77¼	1¾	—	—	78 lbs.	3.5
	25N2678WSSLK1 Laminate	1141	25½	77¼	1¾	—	—	78 lbs.	3.5
	25N2672WSSWK1 Wood	\$ 1460	25½	71¼	1¾	—	—	72 lbs.	3.4
	25N2672WSSLK1 Laminate	996	25½	71¼	1¾	—	—	72 lbs.	3.4
	25N2666WSSWK1 Wood	\$ 1407	25½	66	1¾	—	—	66 lbs.	3.3
	25N2666WSSLK1 Laminate	927	25½	66	1¾	—	—	66 lbs.	3.3
	25N2660WSSWK1 Wood	\$ 1364	25½	60	1¾	—	—	60 lbs.	2.9
	25N2660WSSLK1 Laminate	877	25½	60	1¾	—	—	60 lbs.	2.9
	25N2654WSSWK1 Wood	\$ 1326	25½	54	1¾	—	—	54 lbs.	2.6
	25N2654WSSLK1 Laminate	774	25½	54	1¾	—	—	54 lbs.	2.6
	25N2648WSSWK1 Wood	\$ 1302	25½	48¾	1¾	—	—	48 lbs.	2.4
	25N2648WSSLK1 Laminate	700	25½	48¾	1¾	—	—	48 lbs.	2.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For worksurfaces with grain direction running front-to-back see pages 142-143
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2642WSSWK1 F K G1LR D1B461 25 94 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	KNIFE RIM (CONTINUED)								
	25N2642WSSWK1 Wood	\$ 1238	25½	42⅞	1⅞	—	—	42 lbs.	2.4
	25N2642WSSLK1 Laminate	631	25½	42⅞	1⅞	—	—	42 lbs.	2.4
	25N2636WSSWK1 Wood	\$ 1197	25½	36⅞	1⅞	—	—	36 lbs.	1.9
	25N2636WSSLK1 Laminate	576	25½	36⅞	1⅞	—	—	36 lbs.	1.9
	25N2630WSSWK1 Wood	\$ 1162	25½	30⅞	1⅞	—	—	30 lbs.	1.6
	25N2630WSSLK1 Laminate	513	25½	30⅞	1⅞	—	—	30 lbs.	1.6
	25N2796WSSWK2 Wood	\$ 1987	27	95⅞	1⅞	—	—	100 lbs.	4.0
	25N2796WSSLK2 Laminate	1392	27	95⅞	1⅞	—	—	100 lbs.	4.0
	25N2790WSSWK2 Wood	\$ 1894	27	89⅞	1⅞	—	—	94 lbs.	3.9
	25N2790WSSLK2 Laminate	1339	27	89⅞	1⅞	—	—	94 lbs.	3.9
	25N2784WSSWK2 Wood	\$ 1809	27	83⅞	1⅞	—	—	88 lbs.	3.7
	25N2784WSSLK2 Laminate	1283	27	83⅞	1⅞	—	—	88 lbs.	3.7
	25N2778WSSWK2 Wood	\$ 1633	27	77⅞	1⅞	—	—	81 lbs.	3.6
	25N2778WSSLK2 Laminate	1141	27	77⅞	1⅞	—	—	81 lbs.	3.6
	25N2772WSSWK2 Wood	\$ 1460	27	71⅞	1⅞	—	—	75 lbs.	3.5
	25N2772WSSLK2 Laminate	996	27	71⅞	1⅞	—	—	75 lbs.	3.5
	25N2766WSSWK2 Wood	\$ 1407	27	66	1⅞	—	—	69 lbs.	3.4
	25N2766WSSLK2 Laminate	927	27	66	1⅞	—	—	69 lbs.	3.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ⅞" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For worksurfaces with grain direction running front-to-back see pages 142-143
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2760WSSWK2 E K G1A X X X CL
 • See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) B L R	KNIFE RIM (CONTINUED)									
	25N2760WSSWK2	Wood	\$ 1364	27	60	1⅜	—	—	63 lbs.	3.1
	25N2760WSSLK2	Laminate	877	27	60	1⅜	—	—	63 lbs.	3.1
	25N2754WSSWK2	Wood	\$ 1326	27	54	1⅜	—	—	56 lbs.	2.8
	25N2754WSSLK2	Laminate	774	27	54	1⅜	—	—	56 lbs.	2.8
	25N2748WSSWK2	Wood	\$ 1302	27	48⅜	1⅜	—	—	50 lbs.	2.5
	25N2748WSSLK2	Laminate	700	27	48⅜	1⅜	—	—	50 lbs.	2.5
	25N2742WSSWK2	Wood	\$ 1238	27	42⅜	1⅜	—	—	44 lbs.	2.3
	25N2742WSSLK2	Laminate	631	27	42⅜	1⅜	—	—	44 lbs.	2.3
	25N2736WSSWK2	Wood	\$ 1197	27	36⅜	1⅜	—	—	38 lbs.	2.0
	25N2736WSSLK2	Laminate	576	27	36⅜	1⅜	—	—	38 lbs.	2.0
	25N2730WSSWK2	Wood	\$ 1162	27	30⅜	1⅜	—	—	31 lbs.	1.7
	25N2730WSSLK2	Laminate	513	27	30⅜	1⅜	—	—	31 lbs.	1.7

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For worksurfaces with grain direction running front-to-back see pages 142-143
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N26A96WSSLK1 E K G1A X X X CL
 • See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 24" DEEP FOR STORAGE CREDENZAS 	SOFTENED RIM									
	25N24A96WSSL	Laminate	\$ 897	24	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	89 lbs.	3.6
	25N24A90WSSL	Laminate	862	24	90 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	83 lbs.	3.5
	25N24A84WSSL	Laminate	827	24	84 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	78 lbs.	3.2
	25N24A78WSSL	Laminate	736	24	78 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	72 lbs.	3.3
	25N24A72WSSL	Laminate	642	24	72 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	67 lbs.	3.3
	25N24A66WSSL	Laminate	596	24	66 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	3.1
	25N24A60WSSL	Laminate	564	24	60 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.8
	KNIFE RIM									
	25N26A96WSSLK1	Laminate	\$ 1392	25 $\frac{1}{2}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	96 lbs.	3.8
	25N26A90WSSLK1	Laminate	1339	25 $\frac{1}{2}$	90 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	89 lbs.	3.7
	25N26A84WSSLK1	Laminate	1283	25 $\frac{1}{2}$	84 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	81 lbs.	3.6
	25N26A78WSSLK1	Laminate	1141	25 $\frac{1}{2}$	78 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	78 lbs.	3.5
	25N26A72WSSLK1	Laminate	996	25 $\frac{1}{2}$	72 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	72 lbs.	3.4
	25N26A66WSSLK1	Laminate	927	25 $\frac{1}{2}$	66 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	3.3
	25N26A60WSSLK1	Laminate	877	25 $\frac{1}{2}$	60 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	60 lbs.	2.9
• For use in storage credenza application • Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • For use with 23" deep pedestals • For use when 2 or more laminate pedestals are ganged together under a common top										

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2660WSSVWK1 M K G1C D1B478 X X MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH  Grain direction runs front-to-back	SOFTENED RIM								
	25N2460WSSVW Wood	\$ 1049	24	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.8
	25N2460WSSVL Laminate	564	24	60	1 $\frac{3}{16}$	—	—	56 lbs.	2.8
	25N2454WSSVW Wood	\$ 1022	24	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	25N2454WSSVL Laminate	497	24	54	1 $\frac{3}{16}$	—	—	50 lbs.	2.5
	25N2448WSSVW Wood	\$ 999	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.3
	25N2448WSSVL Laminate	453	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	44 lbs.	2.3
	25N2442WSSVW Wood	\$ 955	24	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	38 lbs.	2.1
	25N2442WSSVL Laminate	407	24	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	38 lbs.	2.1
	25N2436WSSVW Wood	\$ 920	24	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	1.8
	25N2436WSSVL Laminate	372	24	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	1.8
	25N2430WSSVW Wood	\$ 894	24	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	28 lbs.	1.5
	25N2430WSSVL Laminate	332	24	30 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	28 lbs.	1.5
	KNIFE RIM								
	25N2660WSSVWK1 Wood	\$ 1364	25 $\frac{1}{2}$	60	1 $\frac{3}{16}$	—	—	60 lbs.	2.9
	25N2660WSSVLK1 Laminate	877	25 $\frac{1}{2}$	60	1 $\frac{3}{16}$	—	—	60 lbs.	2.9
	25N2654WSSVWK1 Wood	\$ 1326	25 $\frac{1}{2}$	54	1 $\frac{3}{16}$	—	—	54 lbs.	2.6
	25N2654WSSVLK1 Laminate	774	25 $\frac{1}{2}$	54	1 $\frac{3}{16}$	—	—	54 lbs.	2.6
	25N2648WSSVWK1 Wood	\$ 1302	25 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	48 lbs.	2.4
	25N2648WSSVLK1 Laminate	700	25 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	48 lbs.	2.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- Grain direction runs front-to-back
- For use with 23" deep pedestals
- Intended to be used when building an L or U configuration utilizing components
- For worksurfaces with grain direction running left-to-right, refer to pages 136-140
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2630WSSVWK1 M K G1C D1B478 X X MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	KNIFE RIM (CONTINUED)								
	25N2642WSSVWK1 Wood	\$ 1238	25½	42⅞	1⅞	—	—	42 lbs.	2.2
	25N2642WSSVLK1 Laminate	631	25½	42⅞	1⅞	—	—	42 lbs.	2.2
	25N2636WSSVWK1 Wood	\$ 1197	25½	36⅞	1⅞	—	—	33 lbs.	1.8
	25N2636WSSVLK1 Laminate	576	25½	36⅞	1⅞	—	—	33 lbs.	1.8
	25N2630WSSVWK1 Wood	\$ 1162	25½	30⅞	1⅞	—	—	28 lbs.	1.5
	25N2630WSSVLK1 Laminate	513	25½	30⅞	1⅞	—	—	28 lbs.	1.5
	25N2760WSSVWK2 Wood	\$ 1364	27	60	1⅞	—	—	63 lbs.	3.1
	25N2760WSSVLK2 Laminate	877	27	60	1⅞	—	—	63 lbs.	3.1
	25N2754WSSVWK2 Wood	\$ 1326	27	54	1⅞	—	—	56 lbs.	2.8
	25N2754WSSVLK2 Laminate	774	27	54	1⅞	—	—	56 lbs.	2.8
	25N2748WSSVWK2 Wood	\$ 1302	27	48⅞	1⅞	—	—	50 lbs.	2.5
	25N2748WSSVLK2 Laminate	700	27	48⅞	1⅞	—	—	50 lbs.	2.5
	25N2742WSSVWK2 Wood	\$ 1238	27	42⅞	1⅞	—	—	44 lbs.	2.3
	25N2742WSSVLK2 Laminate	631	27	42⅞	1⅞	—	—	44 lbs.	2.3
	25N2736WSSVWK2 Wood	\$ 1197	27	36⅞	1⅞	—	—	33 lbs.	1.8
	25N2736WSSVLK2 Laminate	576	27	36⅞	1⅞	—	—	33 lbs.	1.8
	25N2730WSSVWK2 Wood	\$ 1162	27	30⅞	1⅞	—	—	28 lbs.	1.5
	25N2730WSSVLK2 Laminate	513	27	30⅞	1⅞	—	—	28 lbs.	1.5



- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ⅞" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- Grain direction runs front-to-back
- For use with 23" deep pedestals
- Intended to be used when building an L or U configuration utilizing components
- For worksurfaces with grain direction running left-to-right, refer to pages 136-140
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N1860WSSW M V G1C D1B425 X X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
			D	W	H			WEIGHT	FEET
RECTANGULAR WORKSURFACE 18" DEPTH 	SOFTENED RIM								
	25N1896WSSW Wood	\$ 1420	18½"	95½"	1¾"	—	—	75 lbs.	3.0
	25N1896WSSL Laminate	837	18½"	95½"	1¾"	—	—	75 lbs.	3.0
	25N1890WSSW Wood	\$ 1358	18½"	89½"	1¾"	—	—	71 lbs.	2.9
	25N1890WSSL Laminate	804	18½"	89½"	1¾"	—	—	71 lbs.	2.9
	25N1884WSSW Wood	\$ 1293	18½"	83½"	1¾"	—	—	66 lbs.	2.7
	25N1884WSSL Laminate	771	18½"	83½"	1¾"	—	—	66 lbs.	2.7
	25N1878WSSW Wood	\$ 1167	18½"	77½"	1¾"	—	—	61 lbs.	2.5
	25N1878WSSL Laminate	683	18½"	77½"	1¾"	—	—	61 lbs.	2.5
	25N1872WSSW Wood	\$ 1043	18½"	71½"	1¾"	—	—	57 lbs.	2.3
	25N1872WSSL Laminate	596	18½"	71½"	1¾"	—	—	57 lbs.	2.3
	25N1866WSSW Wood	\$ 1005	18½"	66"	1¾"	—	—	52 lbs.	2.2
	25N1866WSSL Laminate	553	18½"	66"	1¾"	—	—	52 lbs.	2.2
	25N1860WSSW Wood	\$ 974	18½"	60"	1¾"	—	—	48 lbs.	2.0
	25N1860WSSL Laminate	524	18½"	60"	1¾"	—	—	48 lbs.	2.0
	25N1854WSSW Wood	\$ 953	18½"	54"	1¾"	—	—	43 lbs.	1.8
	25N1854WSSL Laminate	466	18½"	54"	1¾"	—	—	43 lbs.	1.8
	25N1848WSSW Wood	\$ 930	18½"	48½"	1¾"	—	—	38 lbs.	1.6
	25N1848WSSL Laminate	418	18½"	48½"	1¾"	—	—	38 lbs.	1.6

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desk applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N1842WSSW M V G1C D1B425 X X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) 	SOFTENED RIM (CONTINUED)								
	25N1842WSSW Wood	\$ 887	18½	42½	1¾	—	—	34 lbs.	1.5
	25N1842WSSL Laminate	380	18½	42½	1¾	—	—	34 lbs.	1.5
	25N1836WSSW Wood	\$ 854	18½	36½	1¾	—	—	29 lbs.	1.3
	25N1836WSSL Laminate	346	18½	36½	1¾	—	—	29 lbs.	1.3
	25N1830WSSW Wood	\$ 833	18½	30½	1¾	—	—	24 lbs.	1.1
	25N1830WSSL Laminate	310	18½	30½	1¾	—	—	24 lbs.	1.1
	KNIFE RIM								
	25N2096WSSWK1 Wood	\$ 1745	19½	95½	1¾	—	—	75 lbs.	3.0
	25N2096WSSLK1 Laminate	1130	19½	95½	1¾	—	—	75 lbs.	3.0
	25N2090WSSWK1 Wood	\$ 1669	19½	89½	1¾	—	—	71 lbs.	2.9
	25N2090WSSLK1 Laminate	1085	19½	89½	1¾	—	—	71 lbs.	2.9
	25N2084WSSWK1 Wood	\$ 1590	19½	83½	1¾	—	—	66 lbs.	2.7
	25N2084WSSLK1 Laminate	1041	19½	83½	1¾	—	—	66 lbs.	2.7
	25N2078WSSWK1 Wood	\$ 1437	19½	77½	1¾	—	—	61 lbs.	2.5
	25N2078WSSLK1 Laminate	921	19½	77½	1¾	—	—	61 lbs.	2.5
	25N2072WSSWK1 Wood	\$ 1283	19½	71½	1¾	—	—	57 lbs.	2.3
	25N2072WSSLK1 Laminate	804	19½	71½	1¾	—	—	57 lbs.	2.3
	25N2066WSSWK1 Wood	\$ 1235	19½	66	1¾	—	—	52 lbs.	2.2
	25N2066WSSLK1 Laminate	746	19½	66	1¾	—	—	52 lbs.	2.2

- Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2060WSSWK1 M K G1C X MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) 	KNIFE RIM (CONTINUED)										
	25N2060WSSWK1	Wood	\$	1201	19%	60	1⅜	—	—	48 lbs.	2.0
	25N2060WSSLK1	Laminate		707	19%	60	1⅜	—	—	48 lbs.	2.0
	25N2054WSSWK1	Wood	\$	1167	19%	54	1⅜	—	—	43 lbs.	1.8
	25N2054WSSLK1	Laminate		627	19%	54	1⅜	—	—	43 lbs.	1.8
	25N2048WSSWK1	Wood	\$	1145	19%	48⅜	1⅜	—	—	38 lbs.	1.6
	25N2048WSSLK1	Laminate		567	19%	48⅜	1⅜	—	—	38 lbs.	1.6
	25N2042WSSWK1	Wood	\$	1094	19%	42⅜	1⅜	—	—	34 lbs.	1.5
	25N2042WSSLK1	Laminate		510	19%	42⅜	1⅜	—	—	34 lbs.	1.5
	25N2036WSSWK1	Wood	\$	1052	19%	36⅜	1⅜	—	—	29 lbs.	1.3
	25N2036WSSLK1	Laminate		467	19%	36⅜	1⅜	—	—	29 lbs.	1.3
	25N2030WSSWK1	Wood	\$	1024	19%	30⅜	1⅜	—	—	24 lbs.	1.1
	25N2030WSSLK1	Laminate		418	19%	30⅜	1⅜	—	—	24 lbs.	1.1
	• Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired depth and/or width • For use with 17" deep pedestals • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183 • For undersurface wire managers, see page 675										

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N20A96WSSLK1 M K G1C X MH
 • See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEEP FOR STORAGE CREDENZAS 	SOFTENED RIM								
	25N18A96WSSL Laminate	\$ 837	18½	96⅞	1⅞	—	—	75 lbs.	3.0
	25N18A90WSSL Laminate	804	18½	90⅞	1⅞	—	—	71 lbs.	2.9
	25N18A84WSSL Laminate	771	18½	84⅞	1⅞	—	—	66 lbs.	2.7
	25N18A78WSSL Laminate	683	18½	78⅞	1⅞	—	—	61 lbs.	2.5
	25N18A72WSSL Laminate	596	18½	72⅞	1⅞	—	—	57 lbs.	2.3
	25N18A66WSSL Laminate	553	18½	66⅞	1⅞	—	—	52 lbs.	2.2
	25N18A60WSSL Laminate	524	18½	60⅞	1⅞	—	—	48 lbs.	2.0
	KNIFE RIM								
	25N20A96WSSLK1 Laminate	\$ 1130	19½	96⅞	1⅞	—	—	75 lbs.	3.0
	25N20A90WSSLK1 Laminate	1085	19½	90⅞	1⅞	—	—	71 lbs.	2.9
	25N20A84WSSLK1 Laminate	1041	19½	84⅞	1⅞	—	—	66 lbs.	2.7
	25N20A78WSSLK1 Laminate	921	19½	78⅞	1⅞	—	—	61 lbs.	2.5
	25N20A72WSSLK1 Laminate	804	19½	72⅞	1⅞	—	—	57 lbs.	2.3
	25N20A66WSSLK1 Laminate	746	19½	66⅞	1⅞	—	—	52 lbs.	2.2
	25N20A60WSSLK1 Laminate	707	19½	60⅞	1⅞	—	—	48 lbs.	2.0
• Wire Manager available on left side, back, right side, back & left or back & right; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired depth and/or width • For use with 17" deep pedestals • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 183 • For undersurface wire managers, see page 675									

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3696WSCERW2 M V G1A X MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
EXTENDED CORNER WORKSURFACE 	SOFTENED RIM LEFT								
	RIGHT								
	25N3696WSCELW2 25N3696WSCERW2 Wood	\$ 2492	35 ¹ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	106 lbs.	5.9
	25N3696WSCCELL2 25N3696WSCERL2 Laminate	1799	35 ¹ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	106 lbs.	5.9
	25N3690WSCELW2 25N3690WSCERW2 Wood	\$ 2449	35 ¹ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	100 lbs.	5.6
	25N3690WSCCELL2 25N3690WSCERL2 Laminate	1745	35 ¹ / ₁₆	89 ¹ / ₁₆	1 ³ / ₁₆	—	—	100 lbs.	5.6
	25N3684WSCELW2 25N3684WSCERW2 Wood	\$ 2408	35 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	93 lbs.	5.2
	25N3684WSCCELL2 25N3684WSCERL2 Laminate	1695	35 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	93 lbs.	5.2
	25N3678WSCELW2 25N3678WSCERW2 Wood	\$ 2161	35 ¹ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	86 lbs.	4.6
	25N3678WSCCELL2 25N3678WSCERL2 Laminate	1644	35 ¹ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	86 lbs.	4.6
	25N3672WSCELW2 25N3672WSCERW2 Wood	\$ 1912	35 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	79 lbs.	3.9
	25N3672WSCCELL2 25N3672WSCERL2 Laminate	1593	35 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	79 lbs.	3.9
	25N3666WSCELW2 25N3666WSCERW2 Wood	\$ 1845	35 ¹ / ₁₆	66	1 ³ / ₁₆	—	—	72 lbs.	3.6
	25N3666WSCCELL2 25N3666WSCERL2 Laminate	1514	35 ¹ / ₁₆	66	1 ³ / ₁₆	—	—	72 lbs.	3.6
	25N3660WSCELW2 25N3660WSCERW2 Wood	\$ 1721	35 ¹ / ₁₆	60	1 ³ / ₁₆	—	—	65 lbs.	3.3
	25N3660WSCCELL2 25N3660WSCERL2 Laminate	1437	35 ¹ / ₁₆	60	1 ³ / ₁₆	—	—	65 lbs.	3.3
	25N3654WSCELW2 25N3654WSCERW2 Wood	\$ 1660	35 ¹ / ₁₆	54	1 ³ / ₁₆	—	—	58 lbs.	3.0
	25N3654WSCCELL2 25N3654WSCERL2 Laminate	1393	35 ¹ / ₁₆	54	1 ³ / ₁₆	—	—	58 lbs.	3.0
	25N3696WSCELW2K1 25N3696WSCERW2K1 Wood	\$ 3238	36 ¹ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	106 lbs.	5.9
	25N3696WSCCELL2K1 25N3696WSCERL2K1 Laminate	2786	36 ¹ / ₁₆	95 ¹ / ₁₆	1 ³ / ₁₆	—	—	106 lbs.	5.9
	25N3690WSCELW2K1 25N3690WSCERW2K1 Wood	\$ 3182	36 ¹ / ₁₆	90	1 ³ / ₁₆	—	—	100 lbs.	5.6
	25N3690WSCCELL2K1 25N3690WSCERL2K1 Laminate	2707	36 ¹ / ₁₆	90	1 ³ / ₁₆	—	—	100 lbs.	5.6

- Wire Manager available on left side, back or right side; see page 80 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (lamine models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color


SAMPLE MODEL NUMBER:

25N3684WSCCELL2K1 E K405 X D1B405 405

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
EXTENDED CORNER WORKSURFACE (CONTINUED)	KNIFE RIM LEFT	RIGHT								
	25N3684WSCELW2K1	25N3684WSCERW2K1	Wood	\$ 3128	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	93 lbs.	5.2
	25N3684WSCCELL2K1	25N3684WSCERL2K1	Laminate	2629	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	93 lbs.	5.2
	25N3678WSCELW2K1	25N3678WSCERW2K1	Wood	\$ 2809	36 ¹ / ₁₆	78	1 ³ / ₁₆	—	86 lbs.	4.6
	25N3678WSCCELL2K1	25N3678WSCERL2K1	Laminate	2548	36 ¹ / ₁₆	78	1 ³ / ₁₆	—	86 lbs.	4.6
	25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	\$ 2485	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	79 lbs.	3.9
	25N3672WSCCELL2K1	25N3672WSCERL2K1	Laminate	2473	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	79 lbs.	3.9
	25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	\$ 2400	36 ¹ / ₁₆	66	1 ³ / ₁₆	—	72 lbs.	3.6
	25N3666WSCCELL2K1	25N3666WSCERL2K1	Laminate	2346	36 ¹ / ₁₆	66	1 ³ / ₁₆	—	72 lbs.	3.6
	25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	\$ 2235	36 ¹ / ₁₆	60	1 ³ / ₁₆	—	65 lbs.	3.3
	25N3660WSCCELL2K1	25N3660WSCERL2K1	Laminate	2229	36 ¹ / ₁₆	60	1 ³ / ₁₆	—	65 lbs.	3.3
	25N3654WSCELW2K1	25N3654WSCERW2K1	Wood	\$ 2160	36 ¹ / ₁₆	54	1 ³ / ₁₆	—	58 lbs.	3.0
	25N3654WSCCELL2K1	25N3654WSCERL2K1	Laminate	2161	36 ¹ / ₁₆	54	1 ³ / ₁₆	—	58 lbs.	3.0
	25N3896WSCELW2K2	25N3896WSCERW2K2	Wood	\$ 3238	37 ¹ / ₂	95 ¹ / ₁₆	1 ³ / ₁₆	—	106 lbs.	5.9
	25N3896WSCCELL2K2	25N3896WSCERL2K2	Laminate	2786	37 ¹ / ₂	95 ¹ / ₁₆	1 ³ / ₁₆	—	106 lbs.	5.9
	25N3890WSCELW2K2	25N3890WSCERW2K2	Wood	\$ 3182	37 ¹ / ₂	90	1 ³ / ₁₆	—	100 lbs.	5.6
	25N3890WSCCELL2K2	25N3890WSCERL2K2	Laminate	2707	37 ¹ / ₂	90	1 ³ / ₁₆	—	100 lbs.	5.6
	25N3884WSCELW2K2	25N3884WSCERW2K2	Wood	\$ 3128	37 ¹ / ₂	83 ¹ / ₁₆	1 ³ / ₁₆	—	93 lbs.	5.2
	25N3884WSCCELL2K2	25N3884WSCERL2K2	Laminate	2629	37 ¹ / ₂	83 ¹ / ₁₆	1 ³ / ₁₆	—	93 lbs.	5.2
	25N3878WSCELW2K2	25N3878WSCERW2K2	Wood	\$ 2809	37 ¹ / ₂	78	1 ³ / ₁₆	—	86 lbs.	4.6
	25N3878WSCCELL2K2	25N3878WSCERL2K2	Laminate	2548	37 ¹ / ₂	78	1 ³ / ₁₆	—	86 lbs.	4.6

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

- Wire Manager available on left side, back or right side; see page 80 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3872WSCELL2K2 E K405 X D1B405 405

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED CORNER WORKSURFACE (CONTINUED)  Left shown	KNIFE RIM (CONTINUED)												
	LEFT	RIGHT											
	25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	\$	2485	37½	71⅞	1⅜	—	—		79 lbs.	3.9
	25N3872WSCELL2K2	25N3872WSCERL2K2	Laminate		2473	37½	71⅞	1⅜	—	—		79 lbs.	3.9
	25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	\$	2400	37½	66	1⅜	—	—		72 lbs.	3.6
	25N3866WSCELL2K2	25N3866WSCERL2K2	Laminate		2346	37½	66	1⅜	—	—		72 lbs.	3.6
	25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	\$	2235	37½	60	1⅜	—	—		65 lbs.	3.3
	25N3860WSCELL2K2	25N3860WSCERL2K2	Laminate		2229	37½	60	1⅜	—	—		65 lbs.	3.3
	25N3854WSCELW2K2	25N3854WSCERW2K2	Wood	\$	2160	37½	54	1⅜	—	—		58 lbs.	3.0
	25N3854WSCELL2K2	25N3854WSCERL2K2	Laminate		2161	37½	54	1⅜	—	—		58 lbs.	3.0
	• Wire Manager available on left side, back or right side; see page 80 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 474 • For additional worksurface support, specify Undersurface Support Rail, see page 470 • Modified width and depth not available on this shape • Intended for use with 24" deep worksurfaces • For undersurface wire managers, see page 675												

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSUW M V X D1B461 X HN

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
U-SHAPED WORKSURFACE 	SOFTENED RIM												
	25N3672WSUW	Wood	\$	2134	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	25N3672WSUL	Laminate		1169	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	25N3072WSUW	Wood	\$	1870	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			76 lbs.	3.6
	25N3072WSUL	Laminate		897	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			76 lbs.	3.6
	25N3066WSUW	Wood	\$	1766	30 $\frac{1}{16}$	66	1 $\frac{1}{16}$	—	—			70 lbs.	3.3
	25N3066WSUL	Laminate		799	30 $\frac{1}{16}$	66	1 $\frac{1}{16}$	—	—			70 lbs.	3.3
	25N2460WSUW	Wood	\$	1151	24	60	1 $\frac{1}{16}$	—	—			69 lbs.	2.8
	25N2460WSUL	Laminate		642	24	60	1 $\frac{1}{16}$	—	—			69 lbs.	2.8
25N2448WSUW	Wood	\$	1016	24	48	1 $\frac{1}{16}$	—	—			57 lbs.	2.3	
25N2448WSUL	Laminate		564	24	48	1 $\frac{1}{16}$	—	—			57 lbs.	2.3	
• To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 186 for support base bracket • Wire Manager available on back, the straight edge of the worksurface; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Worksurfaces can be ordered in $\frac{1}{16}$" increments in width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired width • Modified depth not available on this shape • For undersurface wire managers, see page 675													

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3974WSUWK1 M V X D1B461 X HN
 • See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
U-SHAPED WORKSURFACE (CONTINUED) 	KNIFE RIM								
	25N3974WSUWK1 Wood	\$ 2779	39 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	25N3974WSULK1 Laminate	1809	39 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	25N3374WSUWK1 Wood	\$ 2429	33 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	80 lbs.	3.8
	25N3374WSULK1 Laminate	1392	33 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	80 lbs.	3.8
	25N3368WSUWK1 Wood	\$ 2293	33 $\frac{1}{16}$	67 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	74 lbs.	3.5
	25N3368WSULK1 Laminate	1236	33 $\frac{1}{16}$	67 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	74 lbs.	3.5
	25N2762WSUWK1 Wood	\$ 1494	27	61 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	72 lbs.	2.9
	25N2762WSULK1 Laminate	996	27	61 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	72 lbs.	2.9
	25N2750WSUWK1 Wood	\$ 1320	27	49 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	60 lbs.	2.4
	25N2750WSULK1 Laminate	877	27	49 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	60 lbs.	2.4
	• To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 186 for support base bracket • Wire Manager available on back, the straight edge of the worksurface; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Worksurfaces can be ordered in $\frac{1}{16}$" increments in width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired width • Modified depth not available on this shape • For undersurface wire managers, see page 675								

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color


SAMPLE MODEL NUMBERS:

25N3672WSUERW2 M V X X MC
25N3072WSPLL E VCW G1C D1B485 70.5 CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
 Left shown	SOFTENED RIM LEFT												
	RIGHT												
	25N3672WSUELW2	25N3672WSUERW2	Wood	\$ 2160	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	25N3672WSUELL2	25N3672WSUERL2	Laminate	1379	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	25N3672WSUELW3	25N3672WSUERW3	Wood	\$ 2232	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	25N3672WSUELL3	25N3672WSUERL3	Laminate	1431	36 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—			90 lbs.	3.8
	KNIFE RIM LEFT												
	RIGHT												
	25N3874WSUELW2K1	25N3874WSUERW2K1	Wood	\$ 2807	37 $\frac{7}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—			95 lbs.	4.0
	25N3874WSUELL2K1	25N3874WSUERL2K1	Laminate	2137	37 $\frac{7}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—			95 lbs.	4.0
25N3874WSUELW3K1	25N3874WSUERW3K1	Wood	\$ 2900	37 $\frac{7}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—			95 lbs.	4.0	
25N3874WSUELL3K1	25N3874WSUERL3K1	Laminate	2218	37 $\frac{7}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—			95 lbs.	4.0	
• Wire Manager available on back; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Modified depth and width not available on this shape • For undersurface wire managers, see page 675 • Models ending in 2 – utilize with 24" deep worksurfaces • Models ending in 3 – utilize with 30" deep worksurfaces													

P-SHAPED WORKSURFACE



Right shown

SOFTENED RIM LEFT

RIGHT

25N3072WSPLW	25N3072WSPRW	Wood	\$ 2240	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	69 lbs.	3.6
25N3072WSPLL	25N3072WSPRL	Laminate	1549	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	69 lbs.	3.6

KNIFE RIM LEFT

RIGHT

25N3374WSPLWK1	25N3374WSPRWK1	Wood	\$ 2911	33 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—	72 lbs.	3.8
25N3374WSPLLK1	25N3374WSPRLK1	Laminate	2399	33 $\frac{1}{16}$	73 $\frac{7}{16}$	1 $\frac{1}{16}$	—	—	72 lbs.	3.8

- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 186 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in width to a minimum of 59 $\frac{1}{16}$ " at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- Modified depth not available on this shape
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSPERW2 M V X X MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
EXTENDED CORNER P-SHAPED WORKSURFACE  Left shown	SOFTENED RIM											
	LEFT	RIGHT										
	25N3672WSPELW2	25N3672WSPERW2	Wood	\$	2512	35 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.9
	25N3672WSPELL2	25N3672WSPERL2	Laminate		1747	35 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.9
	25N3672WSPELW3	25N3672WSPERW3	Wood	\$	2586	35 ³ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.9
	25N3672WSPELL3	25N3672WSPERL3	Laminate		1801	35 ³ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	73 lbs.	4.9
	KNIFE RIM											
	LEFT	RIGHT										
	25N3874WSPELW2K1	25N3874WSPERW2K1	Wood	\$	3263	37 ¹ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	77 lbs.	5.1
	25N3874WSPELL2K1	25N3874WSPERL2K1	Laminate		2712	37 ¹ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	77 lbs.	5.1
	25N3874WSPELW3K1	25N3874WSPERW3K1	Wood	\$	3363	37 ¹ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	77 lbs.	5.1
	25N3874WSPELL3K1	25N3874WSPERL3K1	Laminate		2795	37 ¹ / ₁₆	73 ³ / ₁₆	1 ³ / ₁₆	—	—	77 lbs.	5.1

- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 186 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N4242WSCSW2 V G1C X MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
CORNER WORKSURFACE  Grain direction runs diagonally	SOFTENED RIM								
	25N4242WSCSW2 Wood	\$ 1552	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WCSCL2 Laminate	974	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WSCSW3 Wood	\$ 1708	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WCSCL3 Laminate	1074	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WSCSW7 Wood	\$ 1708	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WCSCL7 Laminate	1074	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WSCSW9 Wood	\$ 1708	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N4242WCSCL9 Laminate	1074	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
	25N3636WSCSW2 Wood	\$ 1428	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	3.8
	25N3636WCSCL2 Laminate	895	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	3.8
	• Grain direction runs diagonally • Will accommodate 24" deep extension worksurfaces on both sides • Models ending in 2 - utilize with 24" deep worksurfaces • Models ending in 3 - utilize with 30" deep worksurfaces • Models ending in 7 - utilize with 1 left 30" deep and 1 right 24" deep worksurfaces • Models ending in 9 - utilize with 1 left 24" deep and 1 right 30" deep worksurfaces • 42" corner worksurfaces have 25" on front edge • 36" corner worksurfaces have 17" on front edge • Corner worksurface assembled to corner unit is not intended for freestanding unit • Wire Manager available on left side, right side or left & right sides; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Modified depth and width not available on this shape • For undersurface wire managers, see page 675								

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N4242WSCSW2K1 K G1C X CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CORNER WORKSURFACE (CONTINUED) 	KNIFE RIM								
	25N4242WSCSW2K1 Wood	\$ 2018	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WCSL2K1 Laminate	1514	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WSCSW3K1 Wood	\$ 2221	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WCSL3K1 Laminate	1667	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WSCSW7K1 Wood	\$ 2221	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WCSL7K1 Laminate	1667	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WSCSW9K1 Wood	\$ 2221	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N4242WCSL9K1 Laminate	1667	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	62 lbs.	4.0
	25N3636WSCSW2K1 Wood	\$ 1854	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	47 lbs.	4.0
	25N3636WCSL2K1 Laminate	1389	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	47 lbs.	4.0
	• Grain direction runs diagonally • Will accommodate 24" deep extension worksurfaces on both sides • Models ending in 2 - utilize with 24" deep worksurfaces • Models ending in 3 - utilize with 30" deep worksurfaces • Models ending in 7 - utilize with 1 left 30" deep and 1 right 24" deep worksurfaces • Models ending in 9 - utilize with 1 left 24" deep and 1 right 30" deep worksurfaces • 42" corner worksurfaces have 25" on front edge • 36" corner worksurfaces have 17" on front edge • Corner worksurface assembled to corner unit is not intended for freestanding unit • Wire Manager available on left side, right side or left & right sides; see page 77 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 186 • Modified depth and width not available on this shape • For undersurface wire managers, see page 675								

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N60WSHRL VCL G1C D1B405 CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	SOFTENED RIM									
	25N60WSHRW	Wood	\$ 1100	30	60	1⅜	—	—	69 lbs.	2.8
	25N60WSHRL	Laminate	629	30	60	1⅜	—	—	69 lbs.	2.8
	25N48WSHRW	Wood	\$ 914	24	48⅞	1⅜	—	—	57 lbs.	2.3
	25N48WSHRL	Laminate	524	24	48⅞	1⅜	—	—	57 lbs.	2.3
	KNIFE RIM									
	25N63WSHRWK1	Wood	\$ 1427	31½	63	1⅜	—	—	72 lbs.	2.9
	25N63WSHRLK1	Laminate	972	31½	63	1⅜	—	—	72 lbs.	2.9
25N51WSHRWK1	Wood	\$ 1187	25½	51⅞	1⅜	—	—	60 lbs.	2.4	
25N51WSHRLK1	Laminate	815	25½	51⅞	1⅜	—	—	60 lbs.	2.4	

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Wire Manager available on back side-the straight side of the worksurface; see page 77 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 186
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 675

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on all 4 sides for round tops
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 81 for grommet locations; and page 79 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 183 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N48WSRNL VCL G1C CL

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TABLE TOP 	SOFTENED RIM			DI		H				
	25N48WSRNW	Wood	\$ 1431	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	25N48WSRNL	Laminate	694	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	25N42WSRNW	Wood	\$ 1268	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	25N42WSRNL	Laminate	596	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	25N36WSRNW	Wood	\$ 1063	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	25N36WSRNL	Laminate	461	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	25N30WSRNW	Wood	\$ 901	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	25N30WSRNL	Laminate	392	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	KNIFE RIM									
	25N48WSRNWK1	Wood	\$ 1860	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	75 lbs.	4.7
	25N48WSRNLK1	Laminate	1075	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	75 lbs.	4.7
	25N42WSRNWK1	Wood	\$ 1647	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	57 lbs.	4.0
25N42WSRNLK1	Laminate	927	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	57 lbs.	4.0	
25N36WSRNWK1	Wood	\$ 1379	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	42 lbs.	3.2	
25N36WSRNLK1	Laminate	715	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	42 lbs.	3.2	
25N30WSRNWK1	Wood	\$ 1175	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0	
25N30WSRNLK1	Laminate	609	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0	
• Reference pages 577-580 for applicable bases • Do not specify worksurface type • (K1) knife edge on all 4 sides										

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N291829PUBBFL 89MB KRB G22 FR462 405 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP 	25N291829PUBBFW	Wood	\$ 2315	28 $\frac{3}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	10.6
	25N291829PUBBFL	Laminate	1451	28 $\frac{3}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	10.6
	25N291529PUBBFW	Wood	\$ 2182	28 $\frac{3}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	83 lbs.	8.5
	25N291529PUBBFL	Laminate	1371	28 $\frac{3}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	83 lbs.	8.5
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP 	25N231829PUBBFW	Wood	\$ 2170	22 $\frac{1}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	75 lbs.	11.4
	25N231829PUBBFL	Laminate	1364	22 $\frac{1}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	75 lbs.	11.4
	25N231529PUBBFW	Wood	\$ 2051	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	9.9
	25N231529PUBBFL	Laminate	1282	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	9.9
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP 	25N171829PUBBFW	Wood	\$ 2170	16 $\frac{1}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	50 lbs.	9.1
	25N171829PUBBFL	Laminate	1364	16 $\frac{1}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	50 lbs.	9.1
	25N171529PUBBFW	Wood	\$ 2051	16 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	49 lbs.	8.1
	25N171529PUBBFL	Laminate	1282	16 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	49 lbs.	8.1
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP 	25N291829PUFFW	Wood	\$ 2315	28 $\frac{3}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	10.6
	25N291829PUFFL	Laminate	1451	28 $\frac{3}{8}$ "	17 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	10.6
	25N291529PUFFW	Wood	\$ 2182	28 $\frac{3}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	83 lbs.	8.5
	25N291529PUFFL	Laminate	1371	28 $\frac{3}{8}$ "	14 $\frac{1}{8}$ "	27 $\frac{3}{4}$ "	—	—	83 lbs.	8.5
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N351829SESLW G22 FR462 MH

- See pages 77-80 for all options available in Epic


	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP	25N231829PUFFW Wood	\$ 2170	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	25N231829PUFFL Laminate	1364	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	25N231529PUFFW Wood	\$ 2051	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	25N231529PUFFL Laminate	1282	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									



PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP	25N171829PUFFW Wood	\$ 2170	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	25N171829PUFFL Laminate	1364	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	25N171529PUFFW Wood	\$ 2051	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	49 lbs.	8.1
	25N171529PUFFL Laminate	1282	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	49 lbs.	8.1
• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									




SUPPORT PEDESTAL



LEFT	RIGHT										
25N351829SESLW	25N351829SESRW	Wood	\$	1601	35%	17 ¹ / ₁₆	27%	—	—	101 lbs.	11.1
25N351829SESL	25N351829SESRL	Laminate		988	35%	17 ¹ / ₁₆	27%	—	—	101 lbs.	11.1
25N351529SESLW	25N351529SESRW	Wood	\$	1514	35%	14 ¹ / ₁₆	27%	—	—	89 lbs.	9.1
25N351529SESL	25N351529SESRL	Laminate		931	35%	14 ¹ / ₁₆	27%	—	—	89 lbs.	9.1
25N291829SESLW	25N291829SESRW	Wood	\$	1506	28%	17 ¹ / ₁₆	27%	—	—	95 lbs.	10.6
25N291829SESL	25N291829SESRL	Laminate		929	28%	17 ¹ / ₁₆	27%	—	—	95 lbs.	10.6
25N291529SESLW	25N291529SESRW	Wood	\$	1420	28%	14 ¹ / ₁₆	27%	—	—	83 lbs.	8.5
25N291529SESL	25N291529SESRL	Laminate		877	28%	14 ¹ / ₁₆	27%	—	—	83 lbs.	8.5
25N231829SESLW	25N231829SESRW	Wood	\$	1411	22 ¹ / ₁₆	17 ¹ / ₁₆	27%	—	—	95 lbs.	10.6
25N231829SESL	25N231829SESRL	Laminate		876	22 ¹ / ₁₆	17 ¹ / ₁₆	27%	—	—	95 lbs.	10.6
25N231529SESLW	25N231529SESRW	Wood	\$	1336	22 ¹ / ₁₆	14 ¹ / ₁₆	27%	—	—	83 lbs.	8.5
25N231529SESL	25N231529SESRL	Laminate		817	22 ¹ / ₁₆	14 ¹ / ₁₆	27%	—	—	83 lbs.	8.5

- Specify component worksurfaces and backs to finish as needed
- For use when creating single pedestal desks from components or with U-surfaces or P-surfaces
- Not intended for use in a freestanding application



EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2336LFM2L 89MB KRB X FR462 CW CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	23" DEPTH									
	25N2336LFM2W	Wood	\$ 2763	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
	25N2336LFM2L	Laminate	1531	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
	25N2330LFM2W	Wood	\$ 2547	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	17.4
	25N2330LFM2L	Laminate	1488	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	17.4
	17" DEPTH									
	25N1736LFM2W	Wood	\$ 2763	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	25N1736LFM2L	Laminate	1531	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	25N1730LFM2W	Wood	\$ 2547	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	102 lbs.	13.7
25N1730LFM2L	Laminate	1488	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	102 lbs.	13.7	
• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front										
	25N2436LFM3W	Wood	\$ 4984	23 ³ / ₁₆	35 ⁷ / ₈	40 ⁵ / ₁₆	—	—	210 lbs.	30.0
	25N2436LFM3L	Laminate	3188	23 ³ / ₁₆	35 ⁷ / ₈	40 ⁵ / ₁₆	—	—	210 lbs.	30.0
	25N2430LFM3W	Wood	\$ 4734	23 ³ / ₁₆	29 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	210 lbs.	30.0
	25N2430LFM3L	Laminate	3028	23 ³ / ₁₆	29 ¹ / ₁₆	40 ⁵ / ₁₆	—	—	210 lbs.	30.0
• Top of unit is finished with flat edge detail • Interlock mechanism allows only 1 drawer to be open at a time • For use with component common top when ganging units together • Unit has full finished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:



1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436LFM4L 89MB KS1B FR462 2977 480 462

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
LATERAL FILE UNIT UNDERSURFACE - 4 DRAWER	25N2436LFM4W	Wood	\$ 5794	23 ³ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	—	265 lbs.	33.4
	25N2436LFM4L	Laminate	3667	23 ³ / ₁₆	35 ⁷ / ₈	52 ¹ / ₁₆	—	—	—	265 lbs.	33.4
	25N2430LFM4W	Wood	\$ 5502	23 ³ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	—	265 lbs.	33.4
	25N2430LFM4L	Laminate	3484	23 ³ / ₁₆	29 ¹ / ₁₆	52 ¹ / ₁₆	—	—	—	265 lbs.	33.4
• Top of unit is finished with flat edge detail • Interlock mechanism allows only 1 drawer to be open at a time • For use with component common top when ganging units together • Unit has full finished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											
DOUBLE DOOR UNIT UNDERSURFACE	23" DEPTH										
	25N233629PUHW	Wood	\$ 2213	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	—	110 lbs.	20.4
	25N233629PUHL	Laminate	1332	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	—	110 lbs.	20.4
	25N233029PUHW	Wood	\$ 1997	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	—	91 lbs.	17.4
	25N233029PUHL	Laminate	1257	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	—	91 lbs.	17.4
	25N232429PUHW	Wood	\$ 1919	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	—	80 lbs.	16.0
	25N232429PUHL	Laminate	1179	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	—	80 lbs.	16.0
	17" DEPTH										
	25N173629PUHW	Wood	\$ 2213	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	—	119 lbs.	16.3
	25N173629PUHL	Laminate	1332	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	—	119 lbs.	16.3
	25N173029PUHW	Wood	\$ 1997	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	—	90 lbs.	13.7
	25N173029PUHL	Laminate	1257	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	—	90 lbs.	13.7
	25N172429PUHW	Wood	\$ 1919	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	—	75 lbs.	10.8
	25N172429PUHL	Laminate	1179	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	—	75 lbs.	10.8
• Specify component worksurfaces and backs to finish as needed • Unit features an adjustable shelf • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											



EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Resin Grade/Door Color
6. Metal Door Color
7. Foot Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/
Laminate Chassis Color
10. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233629PUSAW G22 2 FR462 FR462 MH 501

- See pages 77-80 for all options available in Epic

DOUBLE DOOR UNIT
SLIDING DOORS
UNDERSURFACE

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEETRESIN DOORS
23" DEPTH

GRADE 1

25N233629PUSAW	Wood	\$ 3773
25N233629PUSAL	Laminate	2297

22 ¹ / ₁₆	35 ⁷ / ₁₆	27 ³ / ₄	—	—	110 lbs.	20.4
22 ¹ / ₁₆	35 ⁷ / ₁₆	27 ³ / ₄	—	—	110 lbs.	20.4

25N233029PUSAW	Wood	\$ 3614
25N233029PUSAL	Laminate	2166

22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4
22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4

25N232429PUSAW	Wood	\$ 3474
25N232429PUSAL	Laminate	2032

22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0

17" DEPTH

25N173629PUSAW	Wood	\$ 3773
25N173629PUSAL	Laminate	2297

16 ¹ / ₁₆	35 ⁷ / ₁₆	27 ³ / ₄	—	—	119 lbs.	16.3
16 ¹ / ₁₆	35 ⁷ / ₁₆	27 ³ / ₄	—	—	119 lbs.	16.3

25N173029PUSAW	Wood	\$ 3614
25N173029PUSAL	Laminate	2166

16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7

25N172429PUSAW	Wood	\$ 3474
25N172429PUSAL	Laminate	2032

16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8
16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Resin Grade/Door Color
6. Metal Door Color
7. Foot Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/
Laminate Chassis Color
10. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233629PUSMW G22 462 MH 501

- See pages 77-80 for all options available in Epic

DOUBLE DOOR UNIT
SLIDING DOORS
UNDERSURFACE
(CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
METAL DOORS										
23" DEPTH										
25N233629PUSMW	Wood	\$	3773	22 ¹³ ₁₆	35 ⁷ ₈	27 ³ ₄	—	—	110 lbs.	20.4
25N233629PUSML	Laminate		2297	22 ¹³ ₁₆	35 ⁷ ₈	27 ³ ₄	—	—	110 lbs.	20.4
25N233029PUSMW	Wood	\$	3614	22 ¹³ ₁₆	29 ¹⁵ ₁₆	27 ³ ₄	—	—	91 lbs.	17.4
25N233029PUSML	Laminate		2166	22 ¹³ ₁₆	29 ¹⁵ ₁₆	27 ³ ₄	—	—	91 lbs.	17.4
25N232429PUSMW	Wood	\$	3474	22 ¹³ ₁₆	23 ³ ₄	27 ³ ₄	—	—	80 lbs.	16.0
25N232429PUSML	Laminate		2032	22 ¹³ ₁₆	23 ³ ₄	27 ³ ₄	—	—	80 lbs.	16.0
17" DEPTH										
25N173629PUSMW	Wood	\$	3773	16 ¹⁵ ₁₆	35 ⁷ ₈	27 ³ ₄	—	—	119 lbs.	16.3
25N173629PUSML	Laminate		2297	16 ¹⁵ ₁₆	35 ⁷ ₈	27 ³ ₄	—	—	119 lbs.	16.3
25N173029PUSMW	Wood	\$	3614	16 ¹⁵ ₁₆	29 ¹⁵ ₁₆	27 ³ ₄	—	—	90 lbs.	13.7
25N173029PUSML	Laminate		2166	16 ¹⁵ ₁₆	29 ¹⁵ ₁₆	27 ³ ₄	—	—	90 lbs.	13.7
25N172429PUSMW	Wood	\$	3474	16 ¹⁵ ₁₆	23 ³ ₄	27 ³ ₄	—	—	75 lbs.	10.8
25N172429PUSML	Laminate		2032	16 ¹⁵ ₁₆	23 ³ ₄	27 ³ ₄	—	—	75 lbs.	10.8
• Specify component worksurfaces and backs to finish as needed										
• Unit features an adjustable shelf										

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pedestal Grommet
3. Metal Shelf Color
4. Foot Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233629PUOSL G22 501 FR501 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
OPEN BOOKCASE UNDERSURFACE 	23" DEPTH									
	25N233629PUOSW	Wood	\$ 1990	22	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	25N233629PUOSL	Laminate	1199	22	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	25N233029PUOSW	Wood	\$ 1900	22	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	25N233029PUOSL	Laminate	1155	22	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	25N232429PUOSW	Wood	\$ 1827	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	25N232429PUOSL	Laminate	1112	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	17" DEPTH									
	25N173629PUOSW	Wood	\$ 1990	16 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	119 lbs.	16.3
	25N173629PUOSL	Laminate	1199	16 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	119 lbs.	16.3
	25N173029PUOSW	Wood	\$ 1900	16 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	90 lbs.	13.7
	25N173029PUOSL	Laminate	1155	16 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	90 lbs.	13.7
	25N172429PUOSW	Wood	\$ 1827	16 $\frac{1}{2}$	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.8
	25N172429PUOSL	Laminate	1112	16 $\frac{1}{2}$	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.8
• Specify component worksurfaces and backs to finish as needed • Unit features an adjustable shelf										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Door or Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

25N233629PUOSSL G22 501 FR501 MH

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE CABINET METAL SLIDING SHELVES 	25N233629PUOSSW Wood	\$ 4049	22	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	25N233629PUOSSL Laminate	2728	22	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	• Weight capacity: 49 pounds per shelf								
	25N233029PUOSSW Wood	\$ 3986	22	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	25N233029PUOSSL Laminate	2681	22	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	• Weight capacity: 40 pounds per shelf								
	25N232429PUOSSW Wood	\$ 3918	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	25N232429PUOSSL Laminate	2636	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	• Weight capacity: 31 pounds per shelf								
	• Specify component worksurfaces and backs to finish as needed • Unit features 4 metal shelves on full extension slides • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{2}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{2}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{2}$ W of storage space and feature a non skid surface								

MIXED-STORAGE CABINET UNDERSURFACE



Left shown

OPEN STORAGE
ON LEFT
23" DEPTHOPEN STORAGE
ON RIGHT

25N233629PU33W	25N233629PU32W	Wood	\$ 3277	22 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
25N233629PU33L	25N233629PU32L	Laminate	2050	22 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
25N233029PU33W	25N233029PU32W	Wood	\$ 3063	22 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
25N233029PU33L	25N233029PU32L	Laminate	2007	22 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
17" DEPTH										
25N173629PU33W	25N173629PU32W	Wood	\$ 3277	16 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	119 lbs.	16.3
25N173629PU33L	25N173629PU32L	Laminate	2050	16 $\frac{1}{2}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	119 lbs.	16.3
25N173029PU33W	25N173029PU32W	Wood	\$ 3063	16 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	90 lbs.	13.7
25N173029PU33L	25N173029PU32L	Laminate	2007	16 $\frac{1}{2}$	29 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Door or Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233629PU11L 89PL G22 KRS FR501 MC MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET			
				D	W	H	A	KW				
 Left shown	FILE STORAGE ON LEFT	FILE STORAGE ON RIGHT										
	23" DEPTH											
	25N233629PU11W	25N233629PU10W	Wood	\$	4017	22 ³ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	25N233629PU11L	25N233629PU10L	Laminate		2797	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	25N233029PU11W	25N233029PU10W	Wood	\$	3806	22 ³ / ₁₆	29 ⁵ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	25N233029PU11L	25N233029PU10L	Laminate		2759	22 ¹ / ₁₆	29 ⁵ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	17" DEPTH											
	25N173629PU11W	25N173629PU10W	Wood	\$	4017	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
25N173629PU11L	25N173629PU10L	Laminate		2797	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3	
25N173029PU11W	25N173029PU10W	Wood	\$	3806	16 ¹ / ₁₆	29 ⁵ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7	
25N173029PU11L	25N173029PU10L	Laminate		2759	16 ³ / ₁₆	29 ⁵ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7	
	• Specify component worksurfaces and backs to finish as needed • Locking only on file drawer and lateral file • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pedestal Grommet
3. Metal Shelf Color
4. Foot Color
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233622PUOSL G22 501 FR501 MC

- See pages 77-80 for all options available in Epic

**OPEN BOOKCASE
UNDERSURFACE
BOX/FILE HEIGHT**


MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
23" DEPTH				D	W	H	A	KW		
25N233622PUOSW	Wood		\$ 1990	22	35 $\frac{7}{8}$	21 $\frac{7}{16}$	—	—	90 lbs.	20.4
25N233622PUOSL	Laminate		1199	22	35 $\frac{7}{8}$	21 $\frac{7}{16}$	—	—	90 lbs.	20.4
25N233022PUOSW			\$ 1900	22	29 $\frac{15}{16}$	21 $\frac{7}{16}$	—	—	85 lbs.	18.0
25N233022PUOSL	Laminate		1155	22	29 $\frac{15}{16}$	21 $\frac{7}{16}$	—	—	85 lbs.	18.0
25N232422PUOSW			\$ 1827	22	23 $\frac{3}{4}$	21 $\frac{7}{16}$	—	—	80 lbs.	16.0
25N232422PUOSL	Laminate		1112	22	23 $\frac{3}{4}$	21 $\frac{7}{16}$	—	—	80 lbs.	16.0
17" DEPTH										
25N173622PUOSW	Wood		\$ 1990	16 $\frac{15}{16}$	35 $\frac{7}{8}$	21 $\frac{7}{16}$	—	—	95 lbs.	12.5
25N173622PUOSL	Laminate		1199	16 $\frac{15}{16}$	35 $\frac{7}{8}$	21 $\frac{7}{16}$	—	—	95 lbs.	12.5
25N173022PUOSW			\$ 1900	16 $\frac{15}{16}$	29 $\frac{15}{16}$	21 $\frac{7}{16}$	—	—	97 lbs.	10.8
25N173022PUOSL	Laminate		1155	16 $\frac{15}{16}$	29 $\frac{15}{16}$	21 $\frac{7}{16}$	—	—	97 lbs.	10.8
25N172422PUOSW			\$ 1827	16 $\frac{15}{16}$	23 $\frac{3}{4}$	21 $\frac{7}{16}$	—	—	67 lbs.	8.4
25N172422PUOSL	Laminate		1112	16 $\frac{15}{16}$	23 $\frac{3}{4}$	21 $\frac{7}{16}$	—	—	67 lbs.	8.4
• Specify component worksurfaces and backs to finish as needed										
• Unit features an adjustable shelf										

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/
Laminate Chassis Color
9. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233622PUSAW 89PL G22 KRS FR501 MC 501

- See pages 77-80 for all options available in Epic

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC FEET	
				D	W	H	A	KW		
SLIDING DOUBLE DOOR UNDERSURFACE BOX/FILE HEIGHT 	RESIN DOORS									
	23" DEPTH		GRADE 1							
	25N233622PUSAW	Wood	\$ 3773	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	25N233622PUSAL	Laminate	2064	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	25N233022PUSAW	Wood	\$ 3614	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	25N233022PUSAL	Laminate	1948	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	25N232422PUSAW	Wood	\$ 3474	22 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	80 lbs.	16.0
	25N232422PUSAL	Laminate	1830	22 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	80 lbs.	16.0
	17" DEPTH									
	25N173622PUSAW	Wood	\$ 3773	16 ¹⁵ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
	25N173622PUSAL	Laminate	2064	16 ¹⁵ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
	25N173022PUSAW	Wood	\$ 3614	16 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	97 lbs.	10.8
	25N173022PUSAL	Laminate	1948	16 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	97 lbs.	10.8
25N172422PUSAW	Wood	\$ 3474	16 ¹⁵ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	67 lbs.	8.4	
25N172422PUSAL	Laminate	1830	16 ¹⁵ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	67 lbs.	8.4	
• Specify component worksurfaces and backs to finish as needed • Unit features an adjustable shelf										

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/
Laminate Chassis Color
9. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233622PUSMW 89PL G22 KRB FR501 MC 501

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
SLIDING DOUBLE DOOR UNDERSURFACE BOX/FILE HEIGHT 	METAL DOORS									
	23" DEPTH									
	25N233622PUSMW	Wood	\$ 3773	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	25N233622PUSML	Laminate	2064	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	25N233022PUSMW	Wood	\$ 3614	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	25N233022PUSML	Laminate	1948	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	25N232422PUSMW	Wood	\$ 3474	22 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	80 lbs.	16.0
	25N232422PUSML	Laminate	1830	22 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	80 lbs.	16.0
	17" DEPTH									
	25N173622PUSMW	Wood	\$ 3773	16 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	85 lbs.	12.5
	25N173622PUSML	Laminate	2064	16 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	85 lbs.	12.5
25N173022PUSMW	Wood	\$ 3614	16 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	80 lbs.	10.8	
25N173022PUSML	Laminate	1948	16 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	80 lbs.	10.8	
25N172422PUSMW	Wood	\$ 3474	16 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	75 lbs.	8.4	
25N172422PUSML	Laminate	1830	16 ¹³ / ₁₆	23 ³ / ₄	21 ⁷ / ₁₆	—	—	75 lbs.	8.4	
			• Specify component worksurfaces and backs to finish as needed • Unit features an adjustable shelf							

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N233622PUBBLL 89PL G22 KS1S FR501 MC MC
25N233622PUOSSL G22 501 FR501 478

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE CABINET METAL SLIDING SHELVES UNDERSURFACE BOX/FILE HEIGHT 	25N233622PUOSSW Wood	\$ 3741	22	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
	25N233622PUOSSL Laminate	2518	22	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
	• Weight capacity: 49 pounds per shelf								
	25N233022PUOSSW Wood	\$ 3674	22	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
	25N233022PUOSSL Laminate	2474	22	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
	• Weight capacity: 40 pounds per shelf								
	25N232422PUOSSW Wood	\$ 3610	22	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
	25N232422PUOSSL Laminate	2431	22	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
	• Weight capacity: 31 pounds per shelf								
	• Specify component worksurfaces and backs to finish as needed • Unit features 3 metal shelves on full extension slides • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{15}{16}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{15}{16}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{15}{16}$ W of storage space and a non skid surface								

**BOX/LATERAL FILE
UNDERSURFACE
BOX/FILE HEIGHT**


23" DEPTH

25N233622PUBBLW Wood	\$ 2684	22 $\frac{13}{16}$	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4
25N233622PUBBLL Laminate	1451	22 $\frac{13}{16}$	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	90 lbs.	20.4

25N233022PUBBLW Wood	\$ 2469	22 $\frac{13}{16}$	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
25N233022PUBBLL Laminate	1411	22 $\frac{13}{16}$	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0

17" DEPTH

25N173622PUBBLW Wood	\$ 2684	16 $\frac{15}{16}$	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	95 lbs.	12.5
25N173622PUBBLL Laminate	1451	16 $\frac{15}{16}$	35 $\frac{5}{8}$	21 $\frac{1}{16}$	—	—	95 lbs.	12.5

25N173022PUBBLW Wood	\$ 2469	16 $\frac{15}{16}$	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	67 lbs.	11.2
25N173022PUBBLL Laminate	1411	16 $\frac{15}{16}$	29 $\frac{15}{16}$	21 $\frac{1}{16}$	—	—	67 lbs.	11.2

- Specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 186) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N231822PUBFW 89PL G22 KS1S FR501 MC

- See pages 77-80 for all options available in Epic

**BOX/FILE
UNDERSURFACE
BOX/FILE HEIGHT**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
23" DEPTH									
25N231822PUBFW	Wood	\$ 2095	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	70 lbs.	10.0
25N231822PUBFL	Laminate	1284	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	70 lbs.	10.0
25N231522PUBFW	Wood	\$ 1972	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	8.0
25N231522PUBFL	Laminate	1201	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	8.0
17" DEPTH									
25N171822PUBFW	Wood	\$ 2095	16 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	7.3
25N171822PUBFL	Laminate	1284	16 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	7.3
25N171522PUBFW	Wood	\$ 1972	16 ¹⁵ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	60 lbs.	6.5
25N171522PUBFL	Laminate	1201	16 ¹⁵ / ₁₆	14 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	60 lbs.	6.5
• Specify component worksurfaces and backs to finish as needed • Not intended to be used as a hanging pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N9625MPW M G21 X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL WORKSURFACE HEIGHT	25N9625MPW	Wood	\$ 1027	¾	95%	25%	—	—	57 lbs.	3.0
	25N9625MPL	Laminate	542	¾	95%	25%	—	—	57 lbs.	3.0
	25N9025MPW	Wood	\$ 966	¾	89%	25%	—	—	54 lbs.	3.0
	25N9025MPL	Laminate	513	¾	89%	25%	—	—	54 lbs.	3.0
	25N8425MPW	Wood	\$ 914	¾	83%	25%	—	—	51 lbs.	3.0
	25N8425MPL	Laminate	485	¾	83%	25%	—	—	51 lbs.	3.0
	25N7825MPW	Wood	\$ 862	¾	77%	25%	—	—	48 lbs.	2.8
	25N7825MPL	Laminate	457	¾	77%	25%	—	—	48 lbs.	2.8
	25N7225MPW	Wood	\$ 814	¾	71%	25%	—	—	45 lbs.	2.8
	25N7225MPL	Laminate	431	¾	71%	25%	—	—	45 lbs.	2.8
	25N6625MPW	Wood	\$ 770	¾	65 ¹ / ₁₆	25%	—	—	42 lbs.	2.7
	25N6625MPL	Laminate	410	¾	65 ¹ / ₁₆	25%	—	—	42 lbs.	2.7
	25N6025MPW	Wood	\$ 723	¾	59 ¹ / ₁₆	25%	—	—	39 lbs.	2.7
	25N6025MPL	Laminate	378	¾	59 ¹ / ₁₆	25%	—	—	39 lbs.	2.7
	25N5425MPW	Wood	\$ 686	¾	53 ¹ / ₁₆	25%	—	—	36 lbs.	2.6
	25N5425MPL	Laminate	359	¾	53 ¹ / ₁₆	25%	—	—	36 lbs.	2.6
	25N4825MPW	Wood	\$ 632	¾	47¾	25%	—	—	33 lbs.	2.5
	25N4825MPL	Laminate	331	¾	47¾	25%	—	—	33 lbs.	2.5
	25N4225MPW	Wood	\$ 611	¾	41¾	25%	—	—	31 lbs.	2.5
	25N4225MPL	Laminate	295	¾	41¾	25%	—	—	31 lbs.	2.5
	25N3625MPW	Wood	\$ 584	¾	35¾	25%	—	—	28 lbs.	2.4
	25N3625MPL	Laminate	263	¾	35¾	25%	—	—	28 lbs.	2.4

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 3/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:

25N3025MPW M G21 X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
MODESTY PANEL WORKSURFACE HEIGHT (CONTINUED) 	25N3025MPW	Wood	\$ 539	¾"	29¾"	25½"	—	—	—	25 lbs.	2.3
	25N3025MPL	Laminate	234	¾"	29¾"	25½"	—	—	—	25 lbs.	2.3
	25N2425MPW	Wood	\$ 527	¾"	23¾"	25½"	—	—	—	22 lbs.	2.3
	25N2425MPL	Laminate	217	¾"	23¾"	25½"	—	—	—	22 lbs.	2.3
	25N1825MPW	Wood	\$ 514	¾"	17½"	25½"	—	—	—	19 lbs.	2.2
	25N1825MPL	Laminate	199	¾"	17½"	25½"	—	—	—	19 lbs.	2.2
	25N1525MPW	Wood	\$ 507	¾"	14½"	25½"	—	—	—	17 lbs.	2.2
	25N1525MPL	Laminate	172	¾"	14½"	25½"	—	—	—	17 lbs.	2.2
	• Except for models 1825 and 1525, modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty panel ¾" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain										

MODESTY PANEL
WORKSURFACE HEIGHT

	25N6025MPVL	Laminate	\$ 378	¾"	59½"	25½"	—	—	—	39 lbs.	2.7
	25N5425MPVL	Laminate	359	¾"	53½"	25½"	—	—	—	36 lbs.	2.6
	25N4825MPVL	Laminate	331	¾"	47¾"	25½"	—	—	—	33 lbs.	2.5
	25N4225MPVL	Laminate	295	¾"	41¾"	25½"	—	—	—	31 lbs.	2.5
	25N3625MPVL	Laminate	263	¾"	35¾"	25½"	—	—	—	28 lbs.	2.4
	25N3025MPVL	Laminate	234	¾"	29¾"	25½"	—	—	—	25 lbs.	2.3
	25N2425MPVL	Laminate	217	¾"	23¾"	25½"	—	—	—	22 lbs.	2.3
	25N1825MPVL	Laminate	199	¾"	17½"	25½"	—	—	—	19 lbs.	2.2
	25N1525MPVL	Laminate	172	¾"	14½"	25½"	—	—	—	17 lbs.	2.2
	• Except for models 1825 and 1525, modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty panel ¾" narrower than the corresponding worksurface • Grain direction runs vertically										

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:

25N7425MPW M G21 X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
MODESTY PANEL WORKSURFACE HEIGHT 	KNIFE RIM RETURN MODESTY									
	25N7425MPW	Wood	\$ 814	¾	73⅞	25⅝	—	—	46 lbs.	2.8
	25N7425MPL	Laminate	431	¾	73⅞	25⅝	—	—	46 lbs.	2.8
	25N6825MPW	Wood	\$ 770	¾	67⅞	25⅝	—	—	43 lbs.	2.7
	25N6825MPL	Laminate	410	¾	67⅞	25⅝	—	—	43 lbs.	2.7
	25N6225MPW	Wood	\$ 723	¾	61⅞	25⅝	—	—	40 lbs.	2.7
	25N6225MPL	Laminate	378	¾	61⅞	25⅝	—	—	40 lbs.	2.7
	25N5625MPW	Wood	\$ 686	¾	55⅞	25⅝	—	—	37 lbs.	2.6
	25N5625MPL	Laminate	359	¾	55⅞	25⅝	—	—	37 lbs.	2.6
	25N5025MPW	Wood	\$ 632	¾	49⅞	25⅝	—	—	34 lbs.	2.5
	25N5025MPL	Laminate	331	¾	49⅞	25⅝	—	—	34 lbs.	2.5
25N4425MPW	Wood	\$ 611	¾	43⅞	25⅝	—	—	31 lbs.	2.5	
25N4425MPL	Laminate	295	¾	43⅞	25⅝	—	—	31 lbs.	2.5	
• For use when creating a return using component knife rim surfaces • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain										

MODESTY PANEL WORKSURFACE HEIGHT



KNIFE RIM RETURN MODESTY

25N5625MPVL Laminate	\$ 359	¾	55⅞	25⅝	—	—	37 lbs.	2.6
25N5025MPVL Laminate	331	¾	49⅞	25⅝	—	—	34 lbs.	2.5
25N4425MPVL Laminate	295	¾	43⅞	25⅝	—	—	31 lbs.	2.5

- For use when creating a return using component knife rim surfaces
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:

25N7525MPW M G21 X CW

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
MODESTY PANEL WORKSURFACE HEIGHT 	KNIFE RIM BRIDGE MODESTY										
	25N7525MPW	Wood	\$	814	¾	74 ¹ / ₁₆	25%	—	—	47 lbs.	2.8
	25N7525MPL	Laminate		431	¾	74 ¹ / ₁₆	25%	—	—	47 lbs.	2.8
	25N6925MPW	Wood	\$	770	¾	69	25%	—	—	45 lbs.	2.8
	25N6925MPL	Laminate		410	¾	69	25%	—	—	45 lbs.	2.8
	25N6325MPW	Wood	\$	723	¾	63	25%	—	—	42 lbs.	2.7
	25N6325MPL	Laminate		378	¾	63	25%	—	—	42 lbs.	2.7
	25N5725MPW	Wood	\$	686	¾	57	25%	—	—	39 lbs.	2.6
	25N5725MPL	Laminate		359	¾	57	25%	—	—	39 lbs.	2.6
	25N5125MPW	Wood	\$	632	¾	51	25%	—	—	36 lbs.	2.6
25N5125MPL	Laminate		331	¾	51	25%	—	—	36 lbs.	2.6	
25N4525MPW	Wood	\$	611	¾	45	25%	—	—	33 lbs.	2.5	
25N4525MPL	Laminate		295	¾	45	25%	—	—	33 lbs.	2.5	
• For use when creating a bridge using component knife rim surfaces • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain											

MODESTY PANEL WORKSURFACE HEIGHT



KNIFE RIM BRIDGE MODESTY

25N5725MPVL	Laminate	\$	359	¾	58½	25½	—	—	39 lbs.	2.6
25N5125MPVL	Laminate		331	¾	52¼	25½	—	—	36 lbs.	2.6
25N4525MPVL	Laminate		295	¾	46¼	25½	—	—	33 lbs.	2.5

- For use when creating a bridge using component knife rim surfaces
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N9620MPL M G21 94.5 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL BOX/FILE HEIGHT	25N9620MPW	Wood	\$ 843	¾	95¾	18¾	—	—	45 lbs.	2.8
	25N9620MPL	Laminate	452	¾	95¾	18¾	—	—	45 lbs.	2.8
	25N9020MPW	Wood	\$ 785	¾	89¾	18¾	—	—	43 lbs.	2.7
	25N9020MPL	Laminate	420	¾	89¾	18¾	—	—	43 lbs.	2.7
	25N8420MPW	Wood	\$ 731	¾	83¾	18¾	—	—	41 lbs.	2.7
	25N8420MPL	Laminate	391	¾	83¾	18¾	—	—	41 lbs.	2.7
	25N7820MPW	Wood	\$ 680	¾	77¾	18¾	—	—	39 lbs.	2.6
	25N7820MPL	Laminate	363	¾	77¾	18¾	—	—	39 lbs.	2.6
	25N7220MPW	Wood	\$ 629	¾	71¾	18¾	—	—	36 lbs.	2.6
	25N7220MPL	Laminate	337	¾	71¾	18¾	—	—	36 lbs.	2.6
	25N6620MPW	Wood	\$ 584	¾	65 ¹¹ / ₁₆	18¾	—	—	34 lbs.	2.5
	25N6620MPL	Laminate	316	¾	65 ¹¹ / ₁₆	18¾	—	—	34 lbs.	2.5
	25N6020MPW	Wood	\$ 540	¾	59 ¹¹ / ₁₆	18¾	—	—	32 lbs.	2.5
	25N6020MPL	Laminate	283	¾	59 ¹¹ / ₁₆	18¾	—	—	32 lbs.	2.5
	25N5420MPW	Wood	\$ 503	¾	53 ¹¹ / ₁₆	18¾	—	—	30 lbs.	2.4
	25N5420MPL	Laminate	276	¾	53 ¹¹ / ₁₆	18¾	—	—	30 lbs.	2.4
	25N4820MPW	Wood	\$ 452	¾	47¾	18¾	—	—	28 lbs.	2.4
	25N4820MPL	Laminate	267	¾	47¾	18¾	—	—	28 lbs.	2.4
	25N4220MPW	Wood	\$ 425	¾	41¾	18¾	—	—	25 lbs.	2.3
	25N4220MPL	Laminate	248	¾	41¾	18¾	—	—	25 lbs.	2.3
	25N3620MPW	Wood	\$ 401	¾	35¾	18¾	—	—	23 lbs.	2.3
	25N3620MPL	Laminate	217	¾	35¾	18¾	—	—	23 lbs.	2.3

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 3/16" narrower than the corresponding worksurface
- Do not specify modesty type
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3020MPL M G21 94.5 MC

- See pages 77-80 for all options available in Epic

MODESTY PANEL BOX/FILE HEIGHT (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	25N3020MPW	Wood	\$ 353	¾	29¾	18⅞	—	—	21 lbs.	2.2
	25N3020MPL	Laminate	190	¾	29¾	18⅞	—	—	21 lbs.	2.2
	25N2420MPW	Wood	\$ 331	¾	23⅞	18⅞	—	—	19 lbs.	2.1
	25N2420MPL	Laminate	155	¾	23⅞	18⅞	—	—	19 lbs.	2.1
	25N1820MPW	Wood	\$ 305	¾	17⅜	18⅞	—	—	17 lbs.	2.1
	25N1820MPL	Laminate	112	¾	17⅜	18⅞	—	—	17 lbs.	2.1
	25N1520MPW	Wood	\$ 259	¾	14⅜	18⅞	—	—	15 lbs.	2.1
	25N1520MPL	Laminate	85	¾	14⅜	18⅞	—	—	15 lbs.	2.1
	• Except for models 1820 and 1520, modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅝" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									

MODESTY PANEL BOX/FILE HEIGHT	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	25N6020MPVL	Laminate	\$ 283	¾	59⅞	18⅞	—	—	32 lbs.	2.5
	25N5420MPVL	Laminate	276	¾	53⅞	18⅞	—	—	30 lbs.	2.4
	25N4820MPVL	Laminate	267	¾	47¾	18⅞	—	—	28 lbs.	2.4
	25N4220MPVL	Laminate	248	¾	41¾	18⅞	—	—	25 lbs.	2.3
	25N3620MPVL	Laminate	217	¾	35¾	18⅞	—	—	23 lbs.	2.3
	25N3020MPVL	Laminate	190	¾	29¾	18⅞	—	—	21 lbs.	2.2
	25N2420MPVL	Laminate	155	¾	23⅞	18⅞	—	—	19 lbs.	2.1
	25N1820MPVL	Laminate	112	¾	17⅜	18⅞	—	—	17 lbs.	2.1
	25N1520MPVL	Laminate	85	¾	14⅜	18⅞	—	—	15 lbs.	2.1
	• Except for models 1820 and 1520, modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅝" narrower than the corresponding worksurface • Grain direction runs vertically									

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:

25N96A25MPL M G21 94.5 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS (WORKSURFACE HEIGHT) 	25N96A25MPL	Laminate	\$ 542	¾	95¾	25¾	—	—	65 lbs.	11.8
	25N90A25MPL	Laminate	513	¾	89¾	25¾	—	—	62 lbs.	11.1
	25N84A25MPL	Laminate	485	¾	83¾	25¾	—	—	58 lbs.	10.4
	25N78A25MPL	Laminate	457	¾	77¾	25¾	—	—	51 lbs.	7.2
	25N72A25MPL	Laminate	431	¾	71¾	25¾	—	—	44 lbs.	3.9
	25N66A25MPL	Laminate	410	¾	65½	25¾	—	—	41 lbs.	3.6
	25N60A25MPL	Laminate	378	¾	59½	25¾	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty panel ½" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

**MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
(WORKSURFACE HEIGHT)**


25N60A25MPVL	Laminate	\$ 378	¾	59½	27¾	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in ½" increments; when ordering a modified width, specify the modesty panel ½" narrower than the corresponding worksurface
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 78 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:

25N96A20MPL M G21 94.5 MC

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY FOR STORAGE CRENZAS BOX/FILE HEIGHT 	25N96A20MPL	Laminate	\$ 452	¾	95¾	19⅞	—	—	60 lbs.	4.1
	25N90A20MPL	Laminate	420	¾	89¾	19⅞	—	—	57 lbs.	4.0
	25N84A20MPL	Laminate	391	¾	83¾	19⅞	—	—	53 lbs.	3.9
	25N78A20MPL	Laminate	363	¾	77¾	19⅞	—	—	46 lbs.	3.8
	25N72A20MPL	Laminate	337	¾	71¾	19⅞	—	—	39 lbs.	3.7
	25N66A20MPL	Laminate	316	¾	65⅞	19⅞	—	—	36 lbs.	3.4
	25N60A20MPL	Laminate	283	¾	59⅞	19⅞	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

**MODESTY PANEL
FULL OVERLAY
FOR STORAGE CRENZAS
BOX/FILE HEIGHT**


25N60A20MPVL	Laminate	\$ 283	¾	59⅞	19⅞	—	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware


TO ORDER, SPECIFY:


1. Model Number
2. Modesty/End Panel Grommet
3. Modified Depth
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3528EPL GE1L X 425

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED CUBIC	
				D	W	H				WEIGHT	FEET
END PANEL (WORKSURFACE HEIGHT) 	25N3528EPW	Wood	\$ 782	35 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	35 lbs.	1.9
	25N3528EPL	Laminate	471	35 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	35 lbs.	1.9
	25N2928EPW	Wood	\$ 706	29 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	30 lbs.	1.3
	25N2928EPL	Laminate	403	29 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	30 lbs.	1.3
	25N2328EPW	Wood	\$ 686	22 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	25 lbs.	1.1
	25N2328EPL	Laminate	367	22 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	25 lbs.	1.1
	25N1728EPW	Wood	\$ 642	17 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	18 lbs.	1.1
	25N1728EPL	Laminate	342	17 ¹ / ₁₆	1 ¹ / ₁₆	27 ³ / ₄	—	—	—	18 lbs.	1.1
	• End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depth available on 35", 29", and 23" models only • Modesty panels are recommended when building a shell unit										

END PANEL (BOX/FILE HEIGHT) 	25N2321EPW	Wood	\$ 661	22 ¹ / ₁₆	1 ¹ / ₁₆	21 ¹ / ₁₆	—	—	—	25 lbs.	1.1
	25N2321EPL	Laminate	342	22 ¹ / ₁₆	1 ¹ / ₁₆	21 ¹ / ₁₆	—	—	—	25 lbs.	1.1
	25N1721EPW	Wood	\$ 619	17 ¹ / ₁₆	1 ¹ / ₁₆	21 ¹ / ₁₆	—	—	—	15 lbs.	1.0
	25N1721EPL	Laminate	321	17 ¹ / ₁₆	1 ¹ / ₁₆	21 ¹ / ₁₆	—	—	—	15 lbs.	1.0
	• End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depth available on 23" models only • Modesty panels are recommended when building a shell unit										

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Modesty/End Panel Grommet
3. Modified Depth
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N1228SSW GE1L X 425

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT PANEL (WORKSURFACE HEIGHT) 	25N1228SSW Wood	\$ 473	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8
	25N1228SSL Laminate	172	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8
	• For use as added support • Specify wood or laminate only								
SUPPORT PANEL (BOX/FILE HEIGHT) 	25N1221SSW Wood	\$ 453	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	16 lbs.	0.8
	25N1221SSL Laminate	148	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	16 lbs.	0.8
	• For use as added support • Specify wood or laminate only								
SUPPORT PANEL U-STYLE 	NAC1228UBC Concrete	\$ 567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBB Cinder	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBI Iron	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBS Platinum Metallic	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBN Satin Nickel Metallic	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBH Designer White	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	• For use as added support • Adjustable glides are standard • Specify model number only • Metal mounting plate attached to support panel								
UNDERSURFACE SUPPORT RAIL (WORKSURFACE) 	QNAC0248SUR	\$ 274	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	235	2 ³ / ₄	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2 ³ / ₄	36	1	—	—	3 lbs.	0.3
	• Specify model number only • Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1³/₁₆" worksurface and greater than 60" on a 1¹/₁₆" worksurface • Specify the 36" model to be used up to 66" worksurfaces • Specify the 48" model to be used up to 72" worksurfaces • Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces • Rails are bulk packed per order. The pack may contain both sizes of rails								

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N4228STL GE1R 480

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
T-SUPPORT PANEL (WORKSURFACE HEIGHT) 	25N4228STW	Wood	\$ 1302	41 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	25N4228STL	Laminate	694	41 $\frac{1}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	25N3628STW	Wood	\$ 1234	35 $\frac{7}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	25N3628STL	Laminate	629	35 $\frac{7}{8}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	25N3028STW	Wood	\$ 1167	29 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	25N3028STL	Laminate	562	29 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	25N2428STW	Wood	\$ 1139	22 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	25N2428STL	Laminate	521	22 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	25N1828STW	Wood	\$ 1065	17 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.4
	25N1828STL	Laminate	487	17 $\frac{1}{16}$	1 $\frac{3}{8}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.4

- Some assembly required
- Specify with U-surfaces, extended U-surfaces, P-surfaces, extended P-surfaces, and J-surfaces

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware


TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3606STL GE1R 480

- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
T-SUPPORT PANEL (BOX/FILE HEIGHT)  (Not for use with modesty panel)	25N3606STW	Wood	\$ 618	35 $\frac{3}{8}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	21 lbs.	2.0
	25N3606STL	Laminate	313	35 $\frac{3}{8}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	21 lbs.	2.0
	25N3006STW	Wood	\$ 584	29 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	19 lbs.	1.8
	25N3006STL	Laminate	280	29 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	19 lbs.	1.8
	25N2406STW	Wood	\$ 570	22 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	16 lbs.	1.6
	25N2406STL	Laminate	262	22 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	16 lbs.	1.6
	25N1806STW	Wood	\$ 531	17 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	12 lbs.	1.1
	25N1806STL	Laminate	242	17 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	12 lbs.	1.1
	• Some assembly required • Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces • 36, 30, 24, and 18 models not to be used with modesty panels									

T-SUPPORT PANEL (BOX/FILE HEIGHT)  (For use with modesty panel)	25N3506STW	Wood	\$ 585	35 $\frac{3}{8}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	21 lbs.	2.0
	25N3506STL	Laminate	297	35 $\frac{3}{8}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	21 lbs.	2.0
	25N2906STW	Wood	\$ 555	29 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	19 lbs.	1.8
	25N2906STL	Laminate	267	29 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	19 lbs.	1.8
	25N2306STW	Wood	\$ 541	22 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	16 lbs.	1.6
	25N2306STL	Laminate	248	22 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	16 lbs.	1.6
	25N1706STW	Wood	\$ 507	17 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	12 lbs.	1.1
	25N1706STL	Laminate	229	17 $\frac{1}{2}$	1 $\frac{3}{8}$	4 $\frac{1}{2}$	—	—	12 lbs.	1.1
	• Some assembly required • Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces • 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel									

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware


TO ORDER, SPECIFY:


- Model Number
- Grommet
- Veneer Finish/Laminate Color


SAMPLE MODEL NUMBER:


25N3039SLLW GE1R 480


- See pages 77-80 for all options available in Epic

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
 25N3039SLLW Left shown	LEFT HANDED		RIGHT HANDED			D	W	H	A	KW		
	25N3039SLLW	25N3039SLRW	Wood		\$ 1626	31 ¹ / ₁₆	31 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
	25N3039SLLL	25N3039SLRL	Laminate		930	31 ¹ / ₁₆	31 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
	25N2439SLLW	25N2439SLRW	Wood		\$ 1579	25 ³ / ₁₆	25 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
	25N2439SLLL	25N2439SLRL	Laminate		849	25 ³ / ₁₆	25 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
	25N3239SLLW	25N3239SLRW	Wood		\$ 1626	32 ¹³ / ₁₆	31 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
	25N3239SLLL	25N3239SLRL	Laminate		930	32 ¹³ / ₁₆	31 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8
25N2639SLLW	25N2639SLRW	Wood		\$ 1579	26 ¹ / ₁₆	25 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8	
25N2639SLLL	25N2639SLRL	Laminate		849	26 ¹ / ₁₆	25 ¹ / ₄	39 ¹ / ₁₆	—	—	60 lbs.	2.8	
• Some assembly required • 32" and 26" models are to be used with K1 worksurfaces • 30" and 24" models are to be used with 30" and 24" deep worksurfaces • Corner supports can be used in place of undersurface support or support panels												

FILLER STRIP (WORKSURFACE HEIGHT) 	25N28CPFSW	Wood	\$ 76	$\frac{3}{4}$	2 $\frac{1}{16}$	25 $\frac{3}{8}$	—	—	19 lbs.	1.8
	25N28CPFSL	Laminate	55	$\frac{3}{4}$	2 $\frac{1}{16}$	25 $\frac{3}{8}$	—	—	19 lbs.	1.8
When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths										

FILLER STRIP (BOX/FILE HEIGHT) 	25N21CPFSW	Wood	\$ 53	$\frac{3}{4}$	2 $\frac{1}{16}$	18 $\frac{7}{8}$	—	—	16 lbs.	1.6
	25N21CPFSL	Laminate	35	$\frac{3}{4}$	2 $\frac{1}{16}$	18 $\frac{7}{8}$	—	—	16 lbs.	1.6
When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths										

SUPPORT BASE BRACKET 	25N04BKT		\$ 35	$\frac{5}{8}$	4 $\frac{1}{16}$	—	—	—	1 lbs.	0.3
- Specify metal paint color 462 Cinder, 501 Platinum Metallic, or 503 Satin Nickel Metallic - For use with an extension surface and using a full modesty										

WORKSURFACE WIRE MANAGER FILLER CAP 	NAC01WMFM		\$ 25	1	1	1	—	—	1 lbs.	0.5
- Specify paint color - Paint options and recommendations are listed on page 77										

LOCHLYN

Product Specifications	188
Options	189
Configurations	190
Product Pages	194

LOCHLYN

PRODUCT SPECIFICATIONS

FRAMES

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Leveling glides are standard
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made
- Shipped flat and unassembled and installed in the field
- Inserts are ordered separately
- Vertical and horizontal frames are used to build and must be placed in correct position for a secure attachment
- Frames are attached with a connector piece that is made of Diecast Zamak, press fit and screwed to the frame ensure maximum strength
- Sizes of 18", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" widths
- Sizes of 15", 27", 40", 53", 65", 78" heights

INSERTS

- Laminate options; vertical grain direction with the exception of horizontal grain laminates.
- If top open box is used for biophilia—must provide own liner
- Must be ordered separately from frame models
- Module front open box, module top open box, module sliding box drawers, module front box with hinged door(s), module pass-through box (no back boxes), and module trays are all made of laminate material
- Sizes of 17", 23", and 29" widths
- Sizes of 12", 25" heights
- Shelves available in laminate or clear glass
- Door inserts are available with touch latch closure, non-locking
- Drawer available with Level or Beam pull, non-locking
- Specify Pet Bed Liner to fit inside module trays

WALLMOUNT FRAMES

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Shipped flat packed and installed in the field
- Inserts are ordered separately
- Intended to be used as a display shelf
- Can be mounted to an architectural wall or a Tessera wall
- Attached flush to wall. Hardware not provided.
- Sizes of 12" – 72" width, 14" depth, and height of 13", 26", and 38"
- For display only, cannot be mounted with the top surface under 39" H on the wall

PRIVACY SCREENS

- Available in PET or Backpainted Glass
- Felt PET (Polyethylene terephthalate) ½" non self-healing tackable panel
- Glass privacy screens cannot be used in a side-to-side application
- Backpainted Glass is white backpainted, low iron, tempered

WORKSURFACE

- Laminate surfaces are 1¾" TFL (thermally fused laminate) and feature a 3mm vinyl rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION (DESKS AND BRIDGES)

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Leveling glides are standard
- Shipped flat packed
- Frames are attached with a connector piece that is made of Diecast Zamak, press fit and screwed to the frame ensure maximum strength

ADJUSTABLE HEIGHT DESK

- Available in laminate only; TFL top
- When in raised position, leg will be exposed
- Modesty panel optional, ordered separately
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable customer range: 27¾"-43¾"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 100 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- Modesty panels are ordered separately and field installed
- Specify laminate color for the top, accent laminate for the laminate shroud, paint for the metal frame, and accent paint for the adjustable height metal legs

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

METAL FRAME COLOR

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

- The following paint colors will receive black screws, end caps, and floor anchors (where applicable) Brick Red, Carbon Metallic, Chive, Cinder, Concrete, Dark Blue, Dark Bronze Metallic, Fossil, Graphite, Iron, Naval, Quarry, Sangria, Satin Nickel Metallic, Shadow, Taupe Metallic, and Tidewater
- The following paint colors will receive silver screws, end caps, and floor anchors (where applicable) Blush, Cement, Cloud, Dapple, Designer White, Eucalyptus, Fog, Frosty White, Ginkgo, Lavender Ash, Linen, Moon Beam, Morrel, Olive Branch, Pavestone, Platinum Metallic, Rustic Sun, Sandstone, Silver Pearl, Storm, and Wallaby

PET BED LINER TEXTILES

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Vessel

LAMINATE

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond	NM	Natural
	Horizontal	PC	Porcini
MC	Amber	PT	Portico
AC2	Autumn 2	PTH	Portico Horizontal
BZ	Brazilwood	PB	Portobello
IM	Brighton	PBH	Portobello Horizontal
CO	Canyon	792	Sable
CL	Caramel	792H	Sable Horizontal
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	SKH	Skyline Horizontal
DF	Driftwood	TW	Tribeca
HN2	Honey 2	TF	Truffle
TM	Huntington	NW	Tuscan
DW	Judicial	UW	Urban
KN	Kona	WL	Willow
MW	Midtown		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PULL OPTIONS



Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic

(Boring Pattern 128mm)



Level (88)

88MB	Cinder
88CC	Concrete
88IR	Iron
88PL	Platinum Metallic
88SN	Satin Nickel Metallic

(Boring Pattern 128mm)

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

PET

NOR	Nordic Knit

CONFIGURATIONS - DESK EXTENSION

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame
- Desk Extensions cannot be used as a return for the freestanding desks

DESK EXTENSION MODELS						
17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT	
69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL	
69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL	
69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL	
69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL	
69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL	

FREESTANDING LOCHLYN FRAME MODELS	THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST					
69N1827AFRFM	C					
69N2427AFRFM			C			
69N3027AFRFM					C	
69N3627AFRFM	L,R					
69N4227AFRFM	L		R			
69N4227CFRFM	L		R			
69N4827AFRFM			L,R			
69N5427AFRFM			L		R	
69N5427CFRFM			L		R	
69N6027AFRFM					L,R	
69N6627AFRFM	C		L,R			
69N6627CFRFM	C		L,R			
69N7227AFRFM			L,C,R			
69N7227CFRFM			L,C,R			
69N7827AFRFM			L,R		C	
69N7827CFRFM			L,R		C	
69N8427AFRFM			C		L,R	
69N8427CFRFM			C		L,R	
69N9027AFRFM					L,C,R	
69N9027CFRFM					L,C,R	
69N9627AFRFM			LEFT CENTER, RIGHT CENTER, R		L	
69N9627CFRFM			L, RIGHT CENTER, R		LEFT CENTER	
69N1840AFRFM	C	C				
69N2440AFRFM			C	C		
69N3040AFRFM					C	C
69N3640AFRFM	L,R	L,R				
69N3640CFRFM	R	L,R				
69N4240AFRFM	L	L	R	R		
69N4240CFRFM		L	R	R		
69N4840AFRFM			L,R	L,R		
69N4840CFRFM			R	L,R		
69N5440AFRFM			L	L	R	R
69N5440CFRFM				L	R	R
69N6040AFRFM					L,R	L,R

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame
- Desk Extensions cannot be used as a return for the freestanding desks

DESK EXTENSION MODELS						
17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT	
69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL	
69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL	
69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL	
69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL	
69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL	
FREESTANDING LOCHLYN FRAME MODELS	THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST					
	69N6040CFRFM				R	L,R
	69N6640AFRFM	C	C	L	L,R	
	69N6640CFRFM	C	C	R	L,R	
	69N7240AFRFM			L,C	L,C,R	
	69N7240CFRFM			C,R	L,C,R	
	69N7840AFRFM			L	L,R	C
	69N7840CFRFM			R	L,R	C
	69N8440AFRFM			C	C	L,R
	69N8440CFRFM			C	C	L,R
	69N9040AFRFM				L,C	L,C,R
	69N9040CFRFM				C,R	L,C,R
	69N9640AFRFM			L, LEFT CENTER, R	L, LEFT CENTER, RIGHT CENTER, R	
	69N9640CFRFM			LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R	
	69N1852AFRFM	C	C			
	69N1852CFRFM		C			
	69N2452AFRFM			C	C	
	69N2452CFRFM				C	
	69N3052AFRFM				C	C
	69N3052CFRFM					C
	69N3652AFRFM	L,R	L			
	69N3652CFRFM	R	L,R			
	69N4252AFRFM	L	L	R		
	69N4252CFRFM		L	R	R	
	69N4852AFRFM			L,R	L	
	69N4852CFRFM			R	L,R	
	69N5452AFRFM			L	L	R
	69N5452CFRFM				L	R
	69N6052AFRFM				L,R	L
	69N6052CFRFM				R	L,R
	69N6652AFRFM	C		L	L,R	
	69N6652CFRFM	C	C	R	L,R	
	69N7252AFRFM			L,C	L,R	
	69N7252CFRFM			C,R	L,C,R	

CONFIGURATIONS - DESK EXTENSION

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame
- Desk Extensions cannot be used as a return for the freestanding desks

DESK EXTENSION MODELS						
17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT	
69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL	
69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL	
69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL	
69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL	
69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL	
FREESTANDING LOCHLYN FRAME MODELS	THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST					
69N7852AFRFM			L	L,R	C	
69N7852CFRFM			R	L,R	C	C
69N8452AFRFM			C		L	L,R
69N8452CFRFM			C	C	R	L,R
69N9052AFRFM					L,C	L,R
69N9052CFRFM					C,R	L,C,R
69N9652AFRFM			L,LEFT CENTER,R	L, RIGHT CENTER, R		
69N9652CFRFM			LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R		
69N1865AFRFM	C	C				
69N1865CFRFM		C				
69N2465AFRFM			C	C		
69N2465CFRFM				C		
69N3065AFRFM					C	C
69N3065CFRFM						C
69N3665AFRFM	L,R	L				
69N3665CFRFM	R	L,R				
69N4265AFRFM	L	L	R			
69N4265CFRFM		L	R	R		
69N4865AFRFM			L,R	L		
69N4865CFRFM			R	L,R		
69N5465AFRFM			L	L	R	
69N5465CFRFM				L	R	R
69N6065AFRFM					L,R	L
69N6065CFRFM					R	L,R
69N6665AFRFM	C		L	L,R		
69N6665CFRFM	C	C	R	L,R		
69N7265AFRFM			L,C	L,R		
69N7265CFRFM			C,R	L,C,R		
69N7865AFRFM			L	L,R	C	
69N7865CFRFM			R	L,R	C	C
69N8465AFRFM			C		L	L,R
69N8465CFRFM			C	C	R	L,R
69N9065AFRFM					L,C	L,R
69N9065CFRFM					C,R	L,C,R

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame
- Desk Extensions cannot be used as a return for the freestanding desks

DESK EXTENSION MODELS						
17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT	
69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL	
69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL	
69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL	
69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL	
69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL	
FREESTANDING LOCHLYN FRAME MODELS	THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST					
	69N9665AFRFM		L, LEFT CENTER, R	L, RIGHT CENTER, R		
	69N9665CFRFM		LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R		
	69N1878AFRFM	C				
	69N1878CFRFM	C				
	69N2478AFRFM		C	C		
	69N2478CFRFM			C		
	69N3078AFRFM				C	C
	69N3078CFRFM					C
	69N3678AFRFM	L,R	L			
	69N3678CFRFM	R	L,R			
	69N4278AFRFM	L	R			
	69N4278CFRFM		R	R		
	69N4878AFRFM		L,R	L		
	69N4878CFRFM		R	L,R		
	69N5478AFRFM		L	L	R	
	69N5478CFRFM			L	R	R
	69N6078AFRFM				L,R	L
	69N6078CFRFM				R	L,R
	69N6678AFRFM	C	L	L,R		
	69N6678CFRFM	C	R	L,R		
	69N7278AFRFM		L,C	L,R		
	69N7278CFRFM		C,R	L,C,R		
	69N7878AFRFM		L	L,R	C	
	69N7878CFRFM		R	L,R	C	C
	69N8478AFRFM		C		L	L,R
	69N8478CFRFM		C	C	R	L,R
	69N9078AFRFM				L,C	L,R
	69N9078CFRFM				C,R	L,C,R
	69N9678AFRFM		L, LEFT CENTER, R	L, RIGHT CENTER, R		
	69N9678CFRFM		LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R		

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled







TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3015AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
FREESTANDING METAL FRAME 1 MODULE HIGH	69N1815AFRFM	Style A	\$ 1765	13 ¹ / ₁₆	18 ⁷ / ₁₆	15 ³ / ₄			5 lbs.	0.8
	• Opening for one 17" wide Module • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N2415AFRFM	Style A	\$ 1986	13 ¹ / ₁₆	24 ⁷ / ₁₆	15 ³ / ₄			6 lbs.	0.9
	• Opening for one 23" wide Module • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N3015AFRFM	Style A	\$ 2206	13 ¹ / ₁₆	30 ⁷ / ₁₆	15 ³ / ₄			12 lbs.	0.9
	• Opening for one 29" wide Module • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N3615AFRFM	Style A	\$ 2347	13 ¹ / ₁₆	36 ⁷ / ₁₆	15 ³ / ₄			14 lbs.	1.2
	• Openings for two 17" wide Modules • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N4215AFRFM	Style A	\$ 2491	13 ¹ / ₁₆	42 ⁷ / ₁₆	15 ³ / ₄			15 lbs.	1.2
	• Openings for one 17" wide Module and one 23" wide Module • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N4815AFRFM	Style A	\$ 2632	13 ¹ / ₁₆	48 ⁷ / ₁₆	15 ³ / ₄			16 lbs.	1.2
	• Openings for two 23" wide Modules • Shipped unassembled									
										
Style A										
FREESTANDING METAL FRAME 1 MODULE HIGH	69N5415AFRFM	Style A	\$ 2774	13 ¹ / ₁₆	54 ⁷ / ₁₆	15 ³ / ₄			17 lbs.	1.2
	• Openings for one 23" wide Module and one 29" wide Module • Shipped unassembled									
										
Style A										

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled








TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9015AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N6015AFRFM	Style A	\$ 2918	13 ¹⁵ / ₁₆	60 ¹ / ₁₆	15 ³ / ₄			18 lbs.	1.2
	• Openings for two 29" wide Modules • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N6615AFRFM	Style A	\$ 3129	13 ¹⁵ / ₁₆	65 ¹ / ₁₆	15 ³ / ₄			19 lbs.	1.2
	• Openings for two 23" wide Modules and one 17" wide Module • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N7215AFRFM	Style A	\$ 3273	13 ¹⁵ / ₁₆	71 ¹ / ₁₆	15 ³ / ₄			20 lbs.	1.2
	• Openings for three 23" wide Modules • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N7815AFRFM	Style A	\$ 3558	13 ¹⁵ / ₁₆	77 ¹ / ₁₆	15 ³ / ₄			21 lbs.	1.2
	• Openings for two 23" wide Modules and one 29" wide Module • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N8415AFRFM	Style A	\$ 3841	13 ¹⁵ / ₁₆	83 ¹ / ₁₆	15 ³ / ₄			22 lbs.	1.2
	• Openings for two 29" wide Modules and one 23" wide Module • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N9015AFRFM	Style A	\$ 4126	13 ¹⁵ / ₁₆	89 ⁹ / ₁₆	15 ³ / ₄			23 lbs.	1.2
	• Openings for three 29" wide Modules • Shipped unassembled									
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N9615AFRFM	Style A	\$ 4410	13 ¹⁵ / ₁₆	95 ⁵ / ₁₆	15 ³ / ₄			27 lbs.	1.8
	• Openings for four 23" wide Modules • Shipped unassembled									

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled






TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3027AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 2 MODULE HIGH  Style A	69N1827AFRFM	Style A	\$ 2050	13 ¹ / ₁₆	18 ⁷ / ₁₆	27 ⁷ / ₈			9 lbs.	1.1
	• Openings for two 17" wide x 12" high Modules • Shipped unassembled									
FREESTANDING METAL FRAME 2 MODULE HIGH  Style A	69N2427AFRFM	Style A	\$ 2304	13 ¹ / ₁₆	24 ⁷ / ₁₆	27 ⁷ / ₈			9 lbs.	1.1
	• Openings for two 23" wide x 12" high Modules • Shipped unassembled									
FREESTANDING METAL FRAME 2 MODULE HIGH  Style A	69N3027AFRFM	Style A	\$ 2562	13 ¹ / ₁₆	30 ⁷ / ₁₆	27 ⁷ / ₈			15 lbs.	1.1
	• Style A has openings for two 29" wide x 12" high Modules • Shipped unassembled									
FREESTANDING METAL FRAME 2 MODULE HIGH  Style A	69N3627AFRFM	Style A	\$ 2774	13 ¹ / ₁₆	36 ⁷ / ₁₆	27 ⁷ / ₈			19 lbs.	1.4
	• Style A has openings for one 17" wide x 25" high Module and two 17" wide x 12" high Modules • Shipped unassembled									
FREESTANDING METAL FRAME 2 MODULE HIGH  Style A  Style C	69N4227AFRFM	Style A	\$ 2918	13 ¹ / ₁₆	42 ⁷ / ₁₆	27 ⁷ / ₈			21 lbs.	1.4
	69N4227CFRFM	Style C	2918	13 ¹ / ₁₆	42 ⁷ / ₁₆	27 ⁷ / ₈			21 lbs.	1.4
	• Style A has openings for one 17" wide x 25" high Module and two 23" wide x 12" high Modules • Style C has openings for two 17" wide x 12" high and one 23" wide x 25" high Modules • Shipped unassembled									

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4827AFRFM 462

- See page 189 for all options available in Lochlyn


MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				

FREESTANDING METAL FRAME
2 MODULE HIGH

Style A

69N4827AFRFM	Style A	\$ 3059	13 ¹ / ₁₆	48 ³ / ₁₆	27 ⁷ / ₈			22 lbs.	1.4


- Style A has openings for one 23" wide x 25" high Module and two 23" wide x 12" high Modules
- Shipped unassembled

FREESTANDING METAL FRAME
2 MODULE HIGH


Style A

69N5427AFRFM	Style A	\$ 3273	13 ¹ / ₁₆	54 ¹ / ₁₆	27 ⁷ / ₈			24 lbs.	1.4
69N5427CFRFM	Style C	3273	13 ¹ / ₁₆	54 ¹ / ₁₆	27 ⁷ / ₈			24 lbs.	1.4

- Style A has openings for one 23" wide x 25" high and two 29" wide x 12" high Modules
- Style C has openings for two 23" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled




Style C

FREESTANDING METAL FRAME
2 MODULE HIGH

Style A

69N6027AFRFM	Style A	\$ 3558	13 ¹ / ₁₆	60 ¹ / ₁₆	27 ⁷ / ₈			24 lbs.	1.4


- Style A has openings for one 29" wide x 25" high Module and two 29" wide x 12" high Modules
- Shipped unassembled

FREESTANDING METAL FRAME
2 MODULE HIGH

Style A

69N6627AFRFM	Style A	\$ 3841	13 ¹ / ₁₆	65 ¹ / ₁₆	27 ⁷ / ₈			28 lbs.	2.0
69N6627CFRFM	Style C	3841	13 ¹ / ₁₆	65 ¹ / ₁₆	27 ⁷ / ₈			28 lbs.	2.0

- Style A has openings for one 23" wide x 25" high Module, two 17" wide x 12" high Modules, and two 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 17" wide x 25" high Modules
- Shipped unassembled



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

69N7227AFRFM 462


- See page 189 for all options available in Lochlyn

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
FREESTANDING METAL FRAME 2 MODULE HIGH 69N7227AFRFM	Style A	\$ 4126	13 ¹ / ₁₆	71 ¹ / ₁₆	27 ⁷ / ₈			30 lbs.	2.0
69N7227CFRFM	Style C	4126	13 ¹ / ₁₆	71 ¹ / ₁₆	27 ⁷ / ₈			30 lbs.	2.0

- Style A has openings for one 23" wide x 25" high Module and four 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 23" wide x 25" high Module
- Shipped unassembled




Style A




Style C

FREESTANDING METAL FRAME 2 MODULE HIGH 69N7827AFRFM	Style A	\$ 4553	13 ¹ / ₁₆	77 ¹ / ₁₆	27 ⁷ / ₈			32 lbs.	2.1
69N7827CFRFM	Style C	4553	13 ¹ / ₁₆	77 ¹ / ₁₆	27 ⁷ / ₈			32 lbs.	2.1

- Style A has openings for one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and two 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled




Style A




Style C

FREESTANDING METAL FRAME 2 MODULE HIGH 69N8427AFRFM	Style A	\$ 4980	13 ¹ / ₁₆	83 ¹ / ₁₆	27 ⁷ / ₈			33 lbs.	2.1
69N8427CFRFM	Style C	4980	13 ¹ / ₁₆	83 ¹ / ₁₆	27 ⁷ / ₈			33 lbs.	2.1

- Style A has openings for one 29" wide x 25" high Module, two 23" wide x 12" high Modules, and two 29" wide x 12" high Modules
- Style C has openings for four 29" wide x 12" high modules and one 23" wide x 25" high Module
- Shipped unassembled



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

69N9627AFRFM 462


- See page 189 for all options available in Lochlyn

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
FREESTANDING METAL FRAME 2 MODULE HIGH									
69N9027AFRFM	Style A	\$ 5408	13 ¹ / ₁₆	89 ⁹ / ₁₆	27 ⁷ / ₈			35 lbs.	2.1
69N9027CFRFM	Style C	5408	13 ¹ / ₁₆	89 ⁹ / ₁₆	27 ⁷ / ₈			35 lbs.	2.1

- Style A has openings for one 29" wide x 25" high Module and four 29" wide x 12" high Module
- Style C has openings for four 29" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled



Style A




Style C


FREESTANDING METAL FRAME
2 MODULE HIGH

69N9627AFRFM	Style A	\$ 5834	13 ¹ / ₁₆	95 ⁵ / ₁₆	27 ⁷ / ₈			37 lbs.	2.3
69N9627CFRFM	Style C	5834	13 ¹ / ₁₆	95 ⁵ / ₁₆	27 ⁷ / ₈			37 lbs.	2.3

- Style A has openings for one 23" wide x 25" high and six openings for 23" wide x 12" high modules
- Style C has openings for one 23" wide x 25" high and six openings for 23" wide x 12" high modules
- Shipped unassembled



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled






TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3040AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 3 MODULE HIGH  Style A	69N1840AFRFM	Style A	\$ 2163	13 ¹ / ₁₆	18 ⁷ / ₁₆	40 ⁷ / ₁₆			11 lbs.	1.5
	• Style A has openings for one 17" wide x 12" high Module and one 17" wide x 25" high Module • Shipped unassembled • Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made									
FREESTANDING METAL FRAME 3 MODULE HIGH  Style A	69N2440AFRFM	Style A	\$ 2433	13 ¹ / ₁₆	24 ⁷ / ₁₆	40 ⁷ / ₁₆			12 lbs.	1.5
	• Style A has openings for one 23" wide x 12" high Module and one 23" wide x 25" high Module • Shipped unassembled • Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made									
FREESTANDING METAL FRAME 3 MODULE HIGH  Style A	69N3040AFRFM	Style A	\$ 2704	13 ¹ / ₁₆	30 ⁷ / ₁₆	40 ⁷ / ₁₆			20 lbs.	1.5
	• Style A has openings for one 29" wide x 12" high Module and one 29" wide x 25" high Module • Shipped unassembled • Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made									
FREESTANDING METAL FRAME 3 MODULE HIGH  Style A	69N3640AFRFM	Style A	\$ 3414	13 ¹ / ₁₆	36 ⁷ / ₁₆	40 ⁷ / ₁₆			23 lbs.	1.8
	69N3640CFRFM	Style C	3414	13 ¹ / ₁₆	36 ⁷ / ₁₆	40 ⁷ / ₁₆			23 lbs.	1.8
 Style C	• Style A has openings for four 17" wide x 12" high Modules and one 17" wide x 25" high Module • Style C has openings for two 17" wide x 25" high Modules and two 17" wide x 12" high Modules • Shipped unassembled • Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made									

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N4240AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 3 MODULE HIGH	69N4240AFRFM	Style A	\$ 3558	13 ¹ / ₁₆	42 ¹ / ₁₆	40 ⁷ / ₁₆			26 lbs.	1.8
	69N4240CFRFM	Style C	3558	13 ¹ / ₁₆	42 ¹ / ₁₆	40 ⁷ / ₁₆			26 lbs.	1.8



Style A




Style C


- Style A has openings for one 17" wide x 12" high Module, one 17" wide x 25" high Module, and three 23" wide x 12" high Modules
- Style C has openings for one 17" wide x 25" high Module, one 17" wide x 12" high Module, one 23" wide x 25" high Module, and one 23" wide x 12" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
3 MODULE HIGH**

69N4840AFRFM	Style A	\$ 3841	13 ¹ / ₁₆	48 ¹ / ₁₆	40 ⁷ / ₁₆	30 lbs.	2.4
69N4840CFRFM	Style C	3841	13 ¹ / ₁₆	48 ¹ / ₁₆	40 ⁷ / ₁₆	30 lbs.	2.4



Style A



Style C

- Style A has openings for four 23" wide x 12" high Modules and one 23" wide x 25" high Module
- Style C has openings for two 23" wide x 25" high Modules and two 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N5440AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 3 MODULE HIGH	69N5440AFRFM	Style A	\$ 4126	13 ¹ / ₁₆	54 ¹ / ₁₆	40 ⁷ / ₁₆			32 lbs.	2.4
	69N5440CFRFM	Style C	4126	13 ¹ / ₁₆	54 ¹ / ₁₆	40 ⁷ / ₁₆			32 lbs.	2.4



Style A




Style C


- Style A has openings for one 23" wide x 12" high Module, one 23" wide x 25" high Module, three 29" wide x 12" high Modules
- Style C has openings for one 23" wide x 25" high Module, one 23" wide x 12" high Module, one 29" wide x 25" high Module, and one 29" wide x 12" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
3 MODULE HIGH**

69N6040AFRFM	Style A	\$ 4553	13 ¹ / ₁₆	60 ¹ / ₁₆	40 ⁷ / ₁₆			35 lbs.	2.4
69N6040CFRFM	Style C	4553	13 ¹ / ₁₆	60 ¹ / ₁₆	40 ⁷ / ₁₆			35 lbs.	2.4



Style A



Style C

- Style A openings for four 29" wide x 12" high Modules and one 29" wide x 25" high Module
- Style C has openings for two 29" wide x 25" high Modules and two 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N7840AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 3 MODULE HIGH	69N6640AFRFM	Style A	\$ 4980	13 ¹ / ₁₆	65 ¹ / ₁₆	40 ⁷ / ₁₆			38 lbs.	2.7
	69N6640CFRFM	Style C	4980	13 ¹ / ₁₆	65 ¹ / ₁₆	40 ⁷ / ₁₆			38 lbs.	2.7



Style A




Style C


- Style A has openings for two 23" wide x 12" high modules, two 23" wide x 25" high Modules, and three 17" wide x 12" high Modules
- Style C has one 23" wide x 25" high Module, four 23" wide x 12" high Modules, one 17" wide x 12" high Module, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH

69N7240AFRFM	Style A	\$ 5408	13 ¹ / ₁₆	71 ¹ / ₁₆	40 ⁷ / ₁₆	40 lbs.	2.7
69N7240CFRFM	Style C	5408	13 ¹ / ₁₆	71 ¹ / ₁₆	40 ⁷ / ₁₆	40 lbs.	2.7



Style A




Style C


- Style A has openings for two 23" wide x 25" high Module and five 23" wide x 12" high Modules
- Style C has openings for two 23" wide x 25" high Modules and five 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH

69N7840AFRFM	Style A	\$ 5834	13 ¹ / ₁₆	77 ¹ / ₁₆	40 ⁷ / ₁₆	42 lbs.	2.7
69N7840CFRFM	Style C	5834	13 ¹ / ₁₆	77 ¹ / ₁₆	40 ⁷ / ₁₆	42 lbs.	2.7



Style A



Style C

- Style A has openings for two 23" wide x 12" high Modules, two 23" wide x 25" high Modules, and three 29" wide x 12" high Modules
- Style C has openings for one 23" wide x 25" high Module, four 23" wide x 12" high Modules, one 29" wide x 12" high Module, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N8440AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 3 MODULE HIGH	69N8440AFRFM	Style A	\$ 6261	13 ¹ / ₁₆	83 ¹ / ₁₆	40 ⁷ / ₁₆			45 lbs.	2.7
	69N8440CFRFM	Style C	6261	13 ¹ / ₁₆	83 ¹ / ₁₆	40 ⁷ / ₁₆			45 lbs.	2.7



Style A




Style C


- Style A has openings for two 29" wide x 12" high Modules, two 29" wide x 25" high Modules, and three 23" wide x 12" high Modules
- Style C has openings for one 29" wide x 25" high module, four 29" wide x 12" high Modules, one 23" wide x 12" high Module, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
3 MODULE HIGH**

69N9040AFRFM	Style A	\$ 6687	13 ¹ / ₁₆	89%	40 ⁷ / ₁₆	47 lbs.	2.7
69N9040CFRFM	Style C	6687	13 ¹ / ₁₆	89%	40 ⁷ / ₁₆	47 lbs.	2.7



Style A




Style C


- Style A has openings for five 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for two 29" wide x 25" high Modules and five 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
3 MODULE HIGH**

69N9640AFRFM	Style A	\$ 7255	13 ¹ / ₁₆	95 ⁵ / ₁₆	40 ⁷ / ₁₆	51 lbs.	3.6
69N9640CFRFM	Style C	7255	13 ¹ / ₁₆	95 ⁵ / ₁₆	40 ⁷ / ₁₆	51 lbs.	3.6



Style A



Style C

- Style A has openings for eight 23" wide x 12" high Modules, and two 23" wide x 25" high Modules
- Style C has openings for three 23" wide x 25" high Modules, and six 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N1852AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N1852AFRFM	Style A	\$ 2959	13 ¹ / ₁₆	18 ⁷ / ₁₆	53 ³ / ₁₆			14 lbs.	1.9
	69N1852CFRFM	Style C	2959	13 ¹ / ₁₆	18 ⁷ / ₁₆	53 ³ / ₁₆			14 lbs.	1.9



Style A



Style C

- Style A has openings for two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Style C has openings for two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH	69N2452AFRFM	Style A	\$ 3330	13 ¹ / ₁₆	24 ⁷ / ₁₆	53 ³ / ₁₆			15 lbs.	1.9
	69N2452CFRFM	Style C	3330	13 ¹ / ₁₆	24 ⁷ / ₁₆	53 ³ / ₁₆			15 lbs.	1.9



Style A



Style C

- Style A has openings for two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N3052AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N3052AFRFM	Style A	\$ 3700	13 ¹ / ₁₆	30 ⁷ / ₁₆	53 ³ / ₁₆			24 lbs.	1.9
	69N3052CFRFM	Style C	3700	13 ¹ / ₁₆	30 ⁷ / ₁₆	53 ³ / ₁₆			24 lbs.	1.9




Style A




Style C

- Style A has openings for two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH	69N3652AFRFM	Style A	\$ 4268	13 ¹ / ₁₆	36 ³ / ₁₆	53 ³ / ₁₆			28 lbs.	2.3
	69N3652CFRFM	Style C	4268	13 ¹ / ₁₆	36 ³ / ₁₆	53 ³ / ₁₆			28 lbs.	2.3



Style A



Style C

- Style A has openings for four 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Style C has openings for four 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N4252AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N4252AFRFM	Style A	\$ 4553	13 ¹ / ₁₆	42 ¹ / ₁₆	53 ³ / ₁₆			31 lbs.	2.3
	69N4252CFRFM	Style C	4553	13 ¹ / ₁₆	42 ¹ / ₁₆	53 ³ / ₁₆			31 lbs.	2.3




Style A




Style C

- Style A has openings for two 17" wide x 12" high Modules, one 17" wide x 25" high Module, one 23" wide x 25" high Module, and two 23" wide x 12" high Modules
- Style C has openings for two 17" wide x 12" high Modules, one 17" wide x 25" high Module, two 23" wide x 12" high Modules, and one 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH	69N4852AFRFM	Style A	\$ 4838	13 ¹ / ₁₆	48 ³ / ₁₆	53 ³ / ₁₆			35 lbs.	2.3
	69N4852CFRFM	Style C	4838	13 ¹ / ₁₆	48 ³ / ₁₆	53 ³ / ₁₆			35 lbs.	2.3



Style A



Style C

- Style A has openings for four 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Style C has openings for four 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N5452AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N5452AFRFM	Style A	\$ 5122	13 ¹ / ₁₆	54 ¹ / ₁₆	53 ¹ / ₁₆			37 lbs.	2.3
	69N5452CFRFM	Style C	5122	13 ¹ / ₁₆	54 ¹ / ₁₆	53 ¹ / ₁₆			37 lbs.	2.3



Style A




Style C


- Style A has openings for two 23" wide x 12" high Modules, one 23" wide x 25" high Module, one 29" wide x 25" high Module, and two 29" wide x 12" high Modules
- Style C has openings for two 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and one 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH

69N6052AFRFM	Style A	\$ 5834	13 ¹ / ₁₆	60 ¹ / ₁₆	53 ¹ / ₁₆			43 lbs.	3.0
69N6052CFRFM	Style C	5834	13 ¹ / ₁₆	60 ¹ / ₁₆	53 ¹ / ₁₆			43 lbs.	3.0



Style A



Style C

- Style A has openings for four 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for four 29" wide x 12" high Modules, and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N6652AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N6652AFRFM	Style A	\$ 6261	13 ¹ / ₁₆	65 ¹ / ₁₆	53 ³ / ₁₆			47 lbs.	3.5
	69N6652CFRFM	Style C	6261	13 ¹ / ₁₆	65 ¹ / ₁₆	53 ³ / ₁₆			47 lbs.	3.5



Style A




Style C


- Style A has openings for four 23" wide x 12" high Modules, two 23" wide x 25" high Modules, one 17" wide x 25" high Module, and two 17" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
4 MODULE HIGH**

69N7252AFRFM	Style A	\$ 6687	13 ¹ / ₁₆	71 ¹ / ₁₆	53 ³ / ₁₆	50 lbs.	3.5
69N7252CFRFM	Style C	6687	13 ¹ / ₁₆	71 ¹ / ₁₆	53 ³ / ₁₆	50 lbs.	3.5



Style A



Style C

- Style A has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Style C has openings for eight 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7852AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N7852AFRFM	Style A	\$ 7114	13 ¹ / ₁₆	77 ¹ / ₁₆	53 ¹ / ₁₆			54 lbs.	3.5
	69N7852CFRFM	Style C	7114	13 ¹ / ₁₆	77 ¹ / ₁₆	53 ¹ / ₁₆			54 lbs.	3.5



Style A




Style C


- Style A has openings for two 23" wide x 25" high Modules, four 23" wide x 12" high Modules, one 29" wide x 25" high Module, and two 29" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
4 MODULE HIGH**

69N8452AFRFM	Style A	\$ 7542	13 ¹ / ₁₆	83 ¹ / ₁₆	53 ¹ / ₁₆			57 lbs.	3.5
69N8452CFRFM	Style C	7542	13 ¹ / ₁₆	83 ¹ / ₁₆	53 ¹ / ₁₆			57 lbs.	3.5



Style A



Style C

- Style A has openings for four 29" wide x 12" high Modules, two 29" wide x 25" high Modules, one 23" wide x 25" high Module, and two 23" wide x 12" high Modules
- Style C has openings for six 29" wide x 12" high Modules, one 29" wide x 25" high Module, two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N9052AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 4 MODULE HIGH	69N9052AFRFM	Style A	\$ 7967	13 ¹ / ₁₆	89 ⁹ / ₁₆	53 ³ / ₁₆			62 lbs.	4.1
	69N9052CFRFM	Style C	7967	13 ¹ / ₁₆	89 ⁹ / ₁₆	53 ³ / ₁₆			62 lbs.	4.1



Style A




Style C


- Style A has openings for six 29" wide x 12" high Modules, and three 29" wide x 25" wide Modules
- Style C has openings for eight 29" wide x 12" high Modules, and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
4 MODULE HIGH**

69N9652AFRFM	Style A	\$ 8538	13 ¹ / ₁₆	95 ⁵ / ₁₆	53 ³ / ₁₆	64 lbs.	3.9
69N9652CFRFM	Style C	8538	13 ¹ / ₁₆	95 ⁵ / ₁₆	53 ³ / ₁₆	64 lbs.	3.9



Style A



Style C

- Style A has openings for ten 23" wide x 12" high models and three 23" wide x 25" high Modules
- Style C has openings for ten 23" wide x 12" high models and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N1865AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 5 MODULE HIGH	69N1865AFRFM	Style A	\$ 3528	13 ¹ / ₁₆	18 ⁷ / ₁₆	65 ⁵ / ₁₆			16 lbs.	2.2
	69N1865CFRFM	Style C	3528	13 ¹ / ₁₆	18 ⁷ / ₁₆	65 ⁵ / ₁₆			18 lbs.	2.2



Style A




Style C


- Style A has openings for two 17" wide x 25" high Modules, and one 17" wide x 12" high Module
- Style C has openings for three 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
5 MODULE HIGH**

69N2465AFRFM	Style A	\$ 3970	13 ¹ / ₁₆	24 ⁷ / ₁₆	65 ⁵ / ₁₆			17 lbs.	2.2
69N2465CFRFM	Style C	3970	13 ¹ / ₁₆	24 ⁷ / ₁₆	65 ⁵ / ₁₆			19 lbs.	2.2



Style A



Style C

- Style A has openings for two 23" wide x 25" high Modules, and one 23" wide x 12" high Module
- Style C has openings for three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N3065AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				

FREESTANDING METAL FRAME
5 MODULE HIGH


Style A




Style C

69N3065AFRFM	Style A	\$ 4410	13 ¹ / ₁₆	30 ⁷ / ₁₆	65 ⁵ / ₁₆				26 lbs.	2.2
69N3065CFRFM	Style C	4410	13 ¹ / ₁₆	30 ⁷ / ₁₆	65 ⁵ / ₁₆				26 lbs.	2.2

- Style A has openings for two 29" wide x 25" high Modules, and one 29" wide x 12" high Module
- Style C has three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME
5 MODULE HIGH

Style A



Style C

69N3665AFRFM	Style A	\$ 4980	13 ¹ / ₁₆	36 ¹ / ₁₆	65 ⁵ / ₁₆				31 lbs.	2.8
69N3665CFRFM	Style C	4980	13 ¹ / ₁₆	36 ¹ / ₁₆	65 ⁵ / ₁₆				31 lbs.	2.8

- Style A has openings for three 17" wide x 25" high Modules, and four 17" wide x 12" high Modules
- Style C has openings for six 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N4265AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 5 MODULE HIGH	69N4265AFRFM	Style A	\$ 5122	13 ¹ / ₁₆	42 ¹ / ₁₆	65 ⁵ / ₁₆			35 lbs.	2.8
	69N4265CFRFM	Style C	5122	13 ¹ / ₁₆	42 ¹ / ₁₆	65 ⁵ / ₁₆			35 lbs.	2.8



Style A




Style C


- Style A has openings for two 17" wide x 25" high Modules, one 17" wide x 12" high Module, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for three 17" wide x 12" high Modules, one 17" wide x 25" high Module, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 5 MODULE HIGH

69N4865AFRFM	Style A	\$ 5408	13 ¹ / ₁₆	48 ¹ / ₁₆	65 ⁵ / ₁₆			39 lbs.	2.8
69N4865CFRFM	Style C	5408	13 ¹ / ₁₆	48 ¹ / ₁₆	65 ⁵ / ₁₆			39 lbs.	2.8



Style A



Style C

- Style A has openings for three 23" wide x 25" high Modules, and four 23" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N5465AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 5 MODULE HIGH	69N5465AFRFM	Style A	\$ 5691	13 ¹ / ₁₆	54 ¹ / ₁₆	65 ⁵ / ₁₆			43 lbs.	2.8
	69N5465CFRFM	Style C	5691	13 ¹ / ₁₆	54 ¹ / ₁₆	65 ⁵ / ₁₆			43 lbs.	2.8



Style A




Style C


- Style A has openings for two 23" wide x 25" high Modules, one 23" wide x 12" high Module, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for three 23" wide x 12" high Modules, one 23" wide x 25" high Module, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
5 MODULE HIGH**

69N6065AFRFM	Style A	\$ 6118	13 ¹ / ₁₆	60 ¹ / ₁₆	65 ⁵ / ₁₆			47 lbs.	2.8
69N6065CFRFM	Style C	6118	13 ¹ / ₁₆	60 ¹ / ₁₆	65 ⁵ / ₁₆			47 lbs.	2.8



Style A



Style C

- Style A has openings for four 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Style C has openings for six 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N6665AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 5 MODULE HIGH	69N6665AFRFM	Style A	\$ 6545	13 ¹ / ₁₆	65 ¹ / ₁₆	65 ⁵ / ₁₆			52 lbs.	3.3
	69N6665CFRFM	Style C	6545	13 ¹ / ₁₆	65 ¹ / ₁₆	65 ⁵ / ₁₆			52 lbs.	3.3



Style A




Style C


- Style A has openings for three 23" wide x 25" high Modules, four 23" wide x 12" high Modules, one 17" wide x 25" high Module, and three 17" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, two 23" wide x 25" high Modules, one 17" wide x 25" high Module, and three 17" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 5 MODULE HIGH

69N7265AFRFM	Style A	\$ 6972	13 ¹ / ₁₆	71 ¹ / ₁₆	65 ⁵ / ₁₆	59 lbs.	4.2
69N7265CFRFM	Style C	6972	13 ¹ / ₁₆	71 ¹ / ₁₆	65 ⁵ / ₁₆	59 lbs.	4.2



Style A



Style C

- Style A has openings for four 23" wide x 25" high Modules, and seven 23" wide x 12" high Modules
- Style C has openings for nine 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N7865AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 5 MODULE HIGH	69N7865AFRFM	Style A	\$ 7398	13 ¹ / ₁₆	77 ¹ / ₁₆	65 ⁵ / ₁₆			63 lbs.	4.2
	69N7865CFRFM	Style C	7398	13 ¹ / ₁₆	77 ¹ / ₁₆	65 ⁵ / ₁₆			63 lbs.	4.2



Style A




Style C


- Style A has openings for three 23" wide x 25" high Modules, four 23" wide x 12" high Modules, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for six 23" wide x 12" high Modules, two 23" wide x 25" high Modules, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME
5 MODULE HIGH

69N8465AFRFM	Style A	\$ 7967	13 ¹ / ₁₆	83 ¹ / ₁₆	65 ⁵ / ₁₆			67 lbs.	4.2
69N8465CFRFM	Style C	7967	13 ¹ / ₁₆	83 ¹ / ₁₆	65 ⁵ / ₁₆			67 lbs.	4.2



Style A



Style C

- Style A has openings for three 29" wide x 25" high Modules, four 29" wide x 12" high Modules, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for six 29" wide x 12" high Modules, two 29" wide x 25" high Modules, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N9065AFRFM 462

- See page 189 for all options available in Lochlyn

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
69N9065AFRFM	Style A	\$ 8538	13 ¹ / ₁₆	89 ⁹ / ₁₆	65 ⁵ / ₁₆			72 lbs.	4.2
69N9065CFRFM	Style C	8538	13 ¹ / ₁₆	89 ⁹ / ₁₆	65 ⁵ / ₁₆			72 lbs.	4.2


FREESTANDING METAL FRAME
5 MODULE HIGH

Style A




Style C

- Style A has openings for four 29" wide x 25" high modules, and seven 29" wide x 12" high Modules
- Style C has openings for nine 29" wide x 12" high Modules, and three 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME
5 MODULE HIGH

Style A



Style C

69N9665AFRFM	Style A	\$ 9106	13 ¹ / ₁₆	95 ⁵ / ₁₆	65 ⁵ / ₁₆			76 lbs.	4.7
69N9665CFRFM	Style C	9106	13 ¹ / ₁₆	95 ⁵ / ₁₆	65 ⁵ / ₁₆			76 lbs.	4.7

- Style A has openings for five 23" wide x 25" high Modules and ten 23" wide x 12" high Modules
- Style C has openings for twelve 23" wide x 12" high Modules and four 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N1878AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N1878AFRFM	Style A	\$ 3641	13 ¹⁵ / ₁₆	18 ⁷ / ₁₆	78 ³ / ₄			20 lbs.	2.6
	69N1878CFRFM	Style C	3641	13 ¹⁵ / ₁₆	18 ⁷ / ₁₆	78 ³ / ₄			20 lbs.	2.6



Style A




Style C


- Style A has openings for two 17" wide x 12" high Modules and two 17" wide x 25" high Modules
- Style C has openings for two 17" wide x 25" high Modules and two 17" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
6 MODULE HIGH**

69N2478AFRFM	Style A	\$ 4098	13 ¹⁵ / ₁₆	24 ⁷ / ₁₆	78 ³ / ₄	22 lbs.	2.6
69N2478CFRFM	Style C	4098	13 ¹⁵ / ₁₆	24 ⁷ / ₁₆	78 ³ / ₄	22 lbs.	2.6



Style A



Style C

- Style A has openings for two 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Style C has openings for two 23" wide x 25" high Modules and two 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3078AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N3078AFRFM	Style A	\$ 4553	13 ¹ / ₁₆	30 ⁷ / ₁₆	78 ³ / ₄			35 lbs.	2.6
	69N3078CFRFM	Style C	4553	13 ¹ / ₁₆	30 ⁷ / ₁₆	78 ³ / ₄			35 lbs.	2.6




Style A




Style C

- Style A has openings for two 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for two 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 6 MODULE HIGH	69N3678AFRFM	Style A	\$ 5264	13 ¹ / ₁₆	36 ³ / ₁₆	78 ³ / ₄			40 lbs.	3.3
	69N3678CFRFM	Style C	5264	13 ¹ / ₁₆	36 ³ / ₁₆	78 ³ / ₄			40 lbs.	3.3



Style A



Style C

- Style A has openings for six 17" wide x 12" high Modules and three 17" wide x 25" high Modules
- Style C has openings for six 17" wide x 12" high Modules and three 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N4278AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N4278AFRFM	Style A	\$ 5550	13 ¹ / ₁₆	42 ¹ / ₁₆	78 ³ / ₄			44 lbs.	3.3
	69N4278CFRFM	Style C	5550	13 ¹ / ₁₆	42 ¹ / ₁₆	78 ³ / ₄			44 lbs.	3.3



Style A




Style C


- Style A has openings for two 17" wide x 12" high Module, two 17" wide x 25" high Module, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for two 17" wide x 12" high Module, two 17" wide x 25" high Module, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
6 MODULE HIGH**

69N4878AFRFM	Style A	\$ 5834	13 ¹ / ₁₆	48 ¹ / ₁₆	78 ³ / ₄			48 lbs.	3.3
69N4878CFRFM	Style C	5834	13 ¹ / ₁₆	48 ¹ / ₁₆	78 ³ / ₄			48 lbs.	3.3



Style A



Style C

- Style A has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Style C has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N5478AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N5478AFRFM	Style A	\$ 6402	13 ¹ / ₁₆	54 ¹ / ₁₆	78 ³ / ₄			52 lbs.	3.3
	69N5478CFRFM	Style C	6402	13 ¹ / ₁₆	54 ¹ / ₁₆	78 ³ / ₄			52 lbs.	3.3



Style A




Style C


- Style A has openings for two 23" wide x 12" high Modules, two 23" wide x 25" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for two 23" wide x 25" high Modules, two 23" wide x 12" high Module, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
6 MODULE HIGH**

69N6078AFRFM	Style A	\$ 6972	13 ¹ / ₁₆	60 ¹ / ₁₆	78 ³ / ₄			56 lbs.	3.3
69N6078CFRFM	Style C	6972	13 ¹ / ₁₆	60 ¹ / ₁₆	78 ³ / ₄			56 lbs.	3.3



Style A



Style C

- Style A openings for six 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Style C has openings for six 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N6678AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N6678AFRFM	Style A	\$ 7542	13 ¹ / ₁₆	65 ¹ / ₁₆	78 ³ / ₄			60 lbs.	3.8
	69N6678CFRFM	Style C	7542	13 ¹ / ₁₆	65 ¹ / ₁₆	78 ³ / ₄			60 lbs.	3.8



Style A




Style C


- Style A has openings for four 23" wide x 12" high Modules, four 23" wide x 25" high Modules, four 17" wide x 12" high Modules, and one 17" wide x 25" high Modules
- Style C has openings for six 23" wide x 12" high Modules, three 23" wide x 25" high Modules, four 17" wide x 12" high Modules, and one 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

**FREESTANDING METAL FRAME
6 MODULE HIGH**

69N7278AFRFM	Style A	\$ 7826	13 ¹ / ₁₆	71 ¹ / ₁₆	78 ³ / ₄	64 lbs.	3.8
69N7278CFRFM	Style C	7826	13 ¹ / ₁₆	71 ¹ / ₁₆	78 ³ / ₄	64 lbs.	3.8



Style A



Style C

- Style A has openings for eight 23" wide x 12" high Modules and five 23" wide x 25" high Modules
- Style C has openings for four 23" wide x 25" high Module, and ten 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

69N7878AFRFM 462


- See page 189 for all options available in Lochlyn

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
69N7878AFRFM	Style A	\$ 8252	13 ¹ / ₁₆	77 ¹ / ₁₆	78 ³ / ₄			68 lbs.	3.8
69N7878CFRFM	Style C	8252	13 ¹ / ₁₆	77 ¹ / ₁₆	78 ³ / ₄			68 lbs.	3.8

FREESTANDING METAL FRAME 6 MODULE HIGH




Style A




Style C

- Style A has openings for four 23" wide x 12" high Module, four 23" wide x 25" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for three 23" wide x 25" high Modules, six 23" wide x 12" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 6 MODULE HIGH



Style A



Style C

69N8478AFRFM	Style A	\$ 8679	13 ¹ / ₁₆	83 ¹ / ₁₆	78 ³ / ₄			76 lbs.	4.9
69N8478CFRFM	Style C	8679	13 ¹ / ₁₆	83 ¹ / ₁₆	78 ³ / ₄			76 lbs.	4.9

- Style A has openings for four 29" wide x 12" high Modules, four 29" wide x 25" high, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for three 29" wide x 25" high Modules, six 29" wide x 12" high Modules, four 23" wide x 12" high Modules, one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Units 3 high or higher must be anchored
- Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


69N9078AFRFM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
FREESTANDING METAL FRAME 6 MODULE HIGH	69N9078AFRFM	Style A	\$ 9106	13 $\frac{1}{16}$ "	89 $\frac{9}{16}$ "	78 $\frac{3}{4}$ "			80 lbs.	4.9
	69N9078CFRFM	Style C	9106	13 $\frac{1}{16}$ "	89 $\frac{9}{16}$ "	78 $\frac{3}{4}$ "			80 lbs.	4.9




Style A




Style C

- Style A has openings for eight 29" wide x 12" high Modules, five 29" wide x 25" high Modules
- Style C has openings for four 29" wide x 25" high Modules and ten 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.

FREESTANDING METAL FRAME 6 MODULE HIGH	69N9678AFRFM	Style A	\$ 9676	13 $\frac{1}{16}$ "	95 $\frac{5}{16}$ "	78 $\frac{3}{4}$ "			85 lbs.	5.6
	69N9678CFRFM	Style C	9676	13 $\frac{1}{16}$ "	95 $\frac{5}{16}$ "	78 $\frac{3}{4}$ "			85 lbs.	5.6



Style A



Style C

- Style A has openings for twelve 23" wide x 12" high Modules and six 23" wide x 25" high Modules
- Style C has openings for five 23" wide x 25" high Modules and fourteen 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 189 for options
- Shipped unassembled







TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N2415FRMM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
METAL WALL MOUNT FRAME 1 HIGH 	69N2415FRMM • 1 opening for 23" wide module shelves • 1 opening for 23" wide x 12" high modules • Shipped unassembled	\$ 1992	13 ¹ / ₁₆	24 ⁷ / ₁₆	13 ³ / ₈			10 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N3015FRMM • 1 opening for 29" wide module shelves • 1 opening for 29" wide x 12" high modules • Shipped unassembled	\$ 2062	13 ¹ / ₁₆	30 ⁷ / ₁₆	13 ³ / ₈			11 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N3615FRMM • 1 opening for 35" wide module shelves • 1 opening for 35" wide x 12" high modules • Shipped unassembled	\$ 2347	13 ¹ / ₁₆	36 ⁷ / ₁₆	13 ³ / ₈			13 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N4215FRMM • openings for one 17" wide module shelf and one 23" wide module shelf • openings for one 17" wide module and one 23" wide x 12" high modules • Shipped unassembled	\$ 2491	13 ¹ / ₁₆	42 ¹ / ₁₆	13 ³ / ₈			14 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N4815FRMM • 2 openings for 23" wide module shelves • 2 openings for 23" wide x 12" high modules • Shipped unassembled	\$ 2632	13 ¹ / ₁₆	48 ¹ / ₁₆	13 ³ / ₈			15 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N5415FRMM • openings for one 23" wide module shelf and one 29" wide module shelf • openings for one 23" wide module and one 29" wide x 12" high modules • Shipped unassembled	\$ 2774	13 ¹ / ₁₆	54 ¹ / ₁₆	13 ³ / ₈			16 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N6015FRMM • 2 openings for 29" wide module shelves • 2 openings for 29" wide x 12" high modules • Shipped unassembled	\$ 2918	13 ¹ / ₁₆	60 ¹ / ₁₆	13 ³ / ₈			17 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N6615FRMM • openings for two 23" wide module shelves and one 17" wide module shelf • openings for two 23" wide modules and one 17" wide x 12" high modules • Shipped unassembled	\$ 3129	13 ¹ / ₁₆	65 ¹ / ₁₆	13 ³ / ₈			17 lbs.	

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 189 for options
- Shipped unassembled


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7215FRMM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
METAL WALL MOUNT FRAME 1 HIGH 	69N7215FRMM • 3 openings for 23" wide module shelves • 3 openings for 23" wide x 12" high modules • Shipped unassembled	\$ 3273	13 ¹ / ₂ "	71 ¹ / ₂ "	13 ³ / ₈ "			18 lbs.	

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 189 for options
- Shipped unassembled







TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N2427FRMM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
METAL WALL MOUNT FRAME 2 HIGH 	69N1227FRMM • 2 openings for 11" wide module shelves • Shipped unassembled	\$ 2062	13 ¹ / ₁₆	12 ³ / ₁₆	26			10 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N1527FRMM • 2 openings for 14" wide module shelves • Shipped unassembled	\$ 2134	13 ¹ / ₁₆	15 ³ / ₁₆	26			11 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N1827FRMM • 2 openings for 17" wide module shelves • 2 openings for 17" wide x 12" high modules • Shipped unassembled	\$ 2206	13 ¹ / ₁₆	18 ⁷ / ₁₆	26			13 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N2427FRMM • 2 openings for 23" wide module shelves • 2 openings for 23" wide x 12" high modules • Shipped unassembled	\$ 2276	13 ¹ / ₁₆	24 ⁷ / ₁₆	26			14 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N3027FRMM • 2 openings for 29" wide module shelves • 2 openings for 29" wide x 12" high modules • Shipped unassembled	\$ 2562	13 ¹ / ₁₆	30 ⁷ / ₁₆	26			16 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N3627FRMM • 2 openings for 35" wide module shelves • 2 openings for 35" wide x 12" high modules • Shipped unassembled	\$ 2774	13 ¹ / ₁₆	36 ³ / ₁₆	26			17 lbs.	

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 189 for options
- Shipped unassembled



TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1240FRMM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
METAL WALL MOUNT FRAME 3 HIGH 	69N1240FRMM • 3 openings for 11" wide module shelves • Shipped unassembled	\$ 2206	13 ¹⁵ / ₁₆ "	12 ⁷ / ₁₆ "	38 ³ / ₁₆ "			14 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N1540FRMM • 3 openings for 14" wide module shelves • Shipped unassembled	\$ 2276	13 ¹⁵ / ₁₆ "	15 ⁷ / ₁₆ "	38 ³ / ₁₆ "			16 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N1840FRMM • 3 openings for 17" wide module shelves • 3 openings for 17" wide x 12" high modules • Shipped unassembled	\$ 2347	13 ¹⁵ / ₁₆ "	18 ⁷ / ₁₆ "	38 ³ / ₁₆ "			17 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N2440FRMM • 3 openings for 23" wide module shelves • 3 openings for 23" wide x 12" high modules • Shipped unassembled	\$ 2417	13 ¹⁵ / ₁₆ "	24 ⁷ / ₁₆ "	38 ³ / ₁₆ "			18 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N3040FRMM • 3 openings for 29" wide module shelves • 3 openings for 29" wide x 12" high modules • Shipped unassembled	\$ 2704	13 ¹⁵ / ₁₆ "	30 ⁷ / ₁₆ "	38 ³ / ₁₆ "			20 lbs.	

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 189 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3640FRMM 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
METAL WALL MOUNT FRAME 3 HIGH	69N3640FRMM	\$ 3414	13 ¹ / ₁₆	36 ¹ / ₂	38 ⁷ / ₁₆			22 lbs.	1.4
	• 3 openings for 35" wide module shelves • 3 openings for 35" wide x 12" high modules • Shipped unassembled								



PRODUCT SPECIFICATIONS

- Glass is clear, low iron, tempered
- Reference page 189 for laminate colors
- Pet bed liner fits inside module trays

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

69N1411SMSHL MC

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MODULE SHELVES FOR WALL MOUNT FRAME  	69N1411SMSHL Laminate	\$ 157	12 $\frac{3}{4}$	10 $\frac{1}{16}$	$\frac{3}{4}$			8 lbs.	0.3
	69N1414SMSHL Laminate	165	12 $\frac{3}{4}$	13 $\frac{1}{16}$	$\frac{3}{4}$			10 lbs.	0.4
	• Horizontal grain direction • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf								
	69N1411SMSHG Glass	\$ 391	12 $\frac{3}{4}$	10 $\frac{1}{16}$	$\frac{3}{4}$			5 lbs.	0.3
MODULE SHELVES FOR FREESTANDING METAL FRAME, WALL MOUNT FRAME, OR DOUBLE OPEN FRAME DESK  	69N1414SMSHG Glass	414	12 $\frac{3}{4}$	13 $\frac{1}{16}$	$\frac{3}{4}$			6 lbs.	0.4
	• Clear glass, low iron, tempered • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf • Specify model number only								
	69N1417SMSHL Laminate	\$ 171	12 $\frac{3}{4}$	16 $\frac{3}{4}$	$\frac{3}{4}$			11 lbs.	0.4
	69N1423SMSHL Laminate	184	12 $\frac{3}{4}$	22 $\frac{3}{4}$	$\frac{3}{4}$			14 lbs.	0.5
MODULE TRAYS FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 	69N1429SMSHL Laminate	200	12 $\frac{3}{4}$	28 $\frac{3}{4}$	$\frac{3}{4}$			18 lbs.	0.6
	69N1435SMSHL Laminate	214	12 $\frac{3}{4}$	34 $\frac{7}{16}$	$\frac{3}{4}$			24 lbs.	0.7
	• Horizontal grain direction • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf								
	69N1417SMSHG Glass	\$ 419	12 $\frac{3}{4}$	16 $\frac{3}{4}$	$\frac{3}{4}$			7 lbs.	0.4
MODULE TRAYS FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 	69N1423SMSHG Glass	505	12 $\frac{3}{4}$	22 $\frac{3}{4}$	$\frac{3}{4}$			10 lbs.	0.5
	69N1429SMSHG Glass	520	12 $\frac{3}{4}$	28 $\frac{3}{4}$	$\frac{3}{4}$			12 lbs.	0.6
	69N1435SMSHG Glass	641	12 $\frac{3}{4}$	34 $\frac{7}{16}$	$\frac{3}{4}$			13 lbs.	0.7
	• Clear glass, low iron, tempered • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf • Specify model number only								
MODULE TRAYS FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 	69N1417SMTRL Laminate	\$ 324	13 $\frac{1}{16}$	16 $\frac{1}{16}$	3%			14 lbs.	0.8
	69N1423SMTRL Laminate	347	13 $\frac{1}{16}$	22 $\frac{1}{16}$	3%			18 lbs.	1.0
	69N1429SMTRL Laminate	366	13 $\frac{1}{16}$	28 $\frac{1}{16}$	3%			21 lbs.	1.2
	• Shipped unassembled								

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shipped unassembled
- Drawers available with level or beam pull
- Doors available with touch latch closure, non-locking

TO ORDER, SPECIFY:


1. Model Number
2. Laminate Color
3. Top Shelf Color (when applicable)

SAMPLE MODEL NUMBER:

69N2312SMBXFOL MC 405


- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODULE OPEN FRONT BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 1 HIGH	69N1712SMBXFOL Laminate	\$ 427	13 ¹ / ₁₆	16 ¹ / ₁₆	11 ³ / ₄			26 lbs.	1.4
	69N2312SMBXFOL Laminate	462	13 ¹ / ₁₆	22 ¹ / ₁₆	11 ³ / ₄			33 lbs.	1.7
	69N2912SMBXFOL Laminate	497	13 ¹ / ₁₆	28 ¹ / ₁₆	11 ³ / ₄			40 lbs.	2.1




- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped unassembled

MODULE OPEN TOP BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 1 HIGH	69N1712SMBXTOL Laminate	\$ 355	13 ¹ / ₁₆	16 ¹ / ₁₆	12 ⁷ / ₁₆			25 lbs.	1.3
	69N2312SMBXTOL Laminate	427	13 ¹ / ₁₆	22 ¹ / ₁₆	12 ⁷ / ₁₆			32 lbs.	1.7
	69N2912SMBXTOL Laminate	462	13 ¹ / ₁₆	28 ¹ / ₁₆	12 ⁷ / ₁₆			39 lbs.	2.0




- Can be used for biophilia, liner inserts not included
- Interior dimensions 69N1712SMBXTOL is 12³/₈" D x 15¹/₄" W x 11" H
- Interior dimensions 69N2312SMBXTOL is 12³/₈" D x 21¹/₄" W x 11" H
- Interior dimensions 69N2912SMBXTOL is 12³/₈" D x 27¹/₁₆" W x 11" H
- Shipped unassembled

MODULE SLIDING BOX DRAWER 1 DRAWER 1 HIGH	69N1712SMBDB1L	\$ 961	13 ¹ / ₁₆	16 ¹ / ₁₆	11 ³ / ₄			54 lbs.	4.6
	69N2312SMBDB1L	1032	13 ¹ / ₁₆	22 ¹ / ₁₆	11 ³ / ₄			69 lbs.	5.9
	69N2912SMBDB1L	1102	13 ¹ / ₁₆	28 ¹ / ₁₆	11 ³ / ₄			84 lbs.	7.1




- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled
- Top of module box to be located at or below 3 module height
- Interior drawer dimension is 3³/₈" high

MODULE FRONT BOX WITH HINGED DOOR SINGLE DOOR 1 HIGH	LEFT HINGED	RIGHT HINGED								
	69N1712SMBXHLL	69N1712SMBXHRL	\$ 961	13 ³ / ₁₆	16 ¹ / ₁₆	11 ³ / ₄			30 lbs.	4.6
	69N2312SMBXHLL	69N2312SMBXHRL	1067	13 ³ / ₁₆	22 ¹ / ₁₆	11 ³ / ₄			40 lbs.	5.9



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

MODULE FRONT BOX HINGED DOOR DOUBLE DOORS 1 HIGH	69N2912SMBXHDL	\$ 1180	13 ¹ / ₁₆	28 ¹ / ₁₆	11 ³ / ₄			55 lbs.	7.1



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Drawers available with level or beam pull
- Doors available with touch latch closure, non-locking





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Drawer/Door Laminate Color
4. Laminate Color

SAMPLE MODEL NUMBER:

69N1723SMD B2L 87IR AD 425 AD

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
MODULE OPEN FRONT BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 2 HIGH 	69N1725SMBXFOL	Laminate	\$ 497	13 ¹ / ₁₆	16 ¹ / ₁₆	24 ³ / ₁₆		39 lbs.	2.1
	69N2325SMBXFOL	Laminate	570	13 ¹ / ₁₆	22 ¹ / ₁₆	24 ³ / ₁₆		48 lbs.	2.7
	69N2925SMBXFOL	Laminate	605	13 ¹ / ₁₆	28 ¹ / ₁₆	24 ³ / ₁₆		57 lbs.	3.3
	• Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf • Top shelf routed to accommodate brackets securing the box to the frame • Shipped unassembled								
MODULE PASS THRU BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 2 HIGH  Pass Thru	69N1725SMBXPL	Laminate	\$ 497	13 ¹ / ₁₆	16 ¹ / ₁₆	24 ³ / ₁₆		30 lbs.	1.6
	69N2325SMBXPL	Laminate	535	13 ¹ / ₁₆	22 ¹ / ₁₆	24 ³ / ₁₆		35 lbs.	1.6
	69N2925SMBXPL	Laminate	570	13 ¹ / ₁₆	28 ¹ / ₁₆	24 ³ / ₁₆		41 lbs.	1.8
	• Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf • Top shelf routed to accommodate brackets securing the box to the frame • Shipped unassembled								
MODULE SLIDING BOX DRAWER 2 DRAWER 2 HIGH 	69N1723SMD B2L		\$ 1388	13 ¹ / ₁₆	16 ¹ / ₁₆	24 ³ / ₁₆		93 lbs.	7.7
	69N2323SMD B2L		1458	13 ¹ / ₁₆	22 ¹ / ₁₆	24 ³ / ₁₆		117 lbs.	9.7
	69N2923SMD B2L		1530	13 ¹ / ₁₆	28 ¹ / ₁₆	24 ³ / ₁₆		155 lbs.	11.8
	• Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf • Top shelf routed to accommodate brackets securing the box to the frame • Shipped assembled • Top of module box to be located at or below 3 module height • Interior drawer dimension is 3³/₁₆" high								
MODULE FRONT BOX WITH HINGED DOOR SINGLE DOOR 2 HIGH 	LEFT HINGED		RIGHT HINGED						
	69N1723SMBXHLL	69N1723SMBXHRL	\$ 1174	13 ¹ / ₁₆	16 ¹ / ₁₆	24 ³ / ₁₆		50 lbs.	7.7
	69N2323SMBXHLL	69N2323SMBXHRL	1280	13 ¹ / ₁₆	22 ¹ / ₁₆	24 ³ / ₁₆		63 lbs.	9.7
	• Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf • Top shelf routed to accommodate brackets securing the box to the frame • Shipped assembled								
MODULE FRONT BOX HINGED DOOR DOUBLE DOORS 2 HIGH 	69N2923SMBXHDL		\$ 1395	13 ¹ / ₁₆	28 ¹ / ₁₆	24 ³ / ₁₆		91 lbs.	11.8
	• Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf • Top shelf routed to accommodate brackets securing the box to the frame • Shipped assembled								

LOCHLYN

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color


SAMPLE MODEL NUMBERS:


69N1496CPTFL MC
 69N03GB1 462
 69N1054SHFML 792

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
COMPONENT TOPS FOR METAL FRAMES 	69N1496CPTFL	\$ 582	14 $\frac{3}{16}$	95 $\frac{1}{16}$	1 $\frac{3}{16}$				54 lbs.	3.0
	69N1490CPTFL	547	14 $\frac{3}{16}$	89 $\frac{3}{4}$	1 $\frac{3}{16}$				50 lbs.	2.8
	69N1484CPTFL	512	14 $\frac{3}{16}$	83 $\frac{3}{4}$	1 $\frac{3}{16}$				47 lbs.	2.7
	69N1478CPTFL	476	14 $\frac{3}{16}$	77 $\frac{1}{2}$	1 $\frac{3}{16}$				44 lbs.	2.5
	69N1472CPTFL	441	14 $\frac{3}{16}$	71 $\frac{1}{2}$	1 $\frac{3}{16}$				40 lbs.	2.3
	69N1466CPTFL	406	14 $\frac{3}{16}$	65 $\frac{1}{2}$	1 $\frac{3}{16}$				38 lbs.	2.1
	69N1460CPTFL	371	14 $\frac{3}{16}$	60 $\frac{3}{4}$	1 $\frac{3}{16}$				35 lbs.	2.0
	69N1454CPTFL	342	14 $\frac{3}{16}$	54 $\frac{3}{16}$	1 $\frac{3}{16}$				31 lbs.	1.8
	69N1448CPTFL	328	14 $\frac{3}{16}$	48 $\frac{3}{16}$	1 $\frac{3}{16}$				28 lbs.	1.6
	69N1442CPTFL	313	14 $\frac{3}{16}$	42 $\frac{3}{16}$	1 $\frac{3}{16}$				25 lbs.	1.4
	69N1436CPTFL	298	14 $\frac{3}{16}$	36 $\frac{3}{16}$	1 $\frac{3}{16}$				21 lbs.	1.3
	69N1430CPTFL	284	14 $\frac{3}{16}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$				18 lbs.	1.1

- To be used on top of freestanding units for a finished look
- Hardware will be visible when open front module box or pass-through module box is used in top frame position directly below a component top
- To be used on individual frame models only; not sized to span multiple frame models

LIGHT  	NAC0204LTK3	\$ 64	2 $\frac{1}{4}$	3 $\frac{1}{2}$	1 $\frac{1}{2}$				54 lbs.	3.0
	• LED light kit will include a set of 3 lights with a remote control • Battery operated, batteries not included • Can be attached using screws or double stick tape									

GANGING BRACKET 	69N03GB1	\$ 106	1 $\frac{1}{16}$	2	$\frac{1}{16}$				2 lbs.	0.1
	• Specify black or silver • Comes in a set of 4 • All must be used; 2 high and 2 in a low position • In "L" and "T" applications, must have open modules available at intersection in order to gang									

	WEIGHT LIMIT									
FLOATING SHELVES WALL MOUNT 	69N1012SHFML	20 lbs.	\$ 441	10	11 $\frac{1}{16}$	1 $\frac{3}{16}$			7 lbs.	0.4
	69N1015SHFML	25 lbs.	456	10	15	1 $\frac{3}{16}$			8 lbs.	0.5
	69N1018SHFML	30 lbs.	469	10	17 $\frac{1}{16}$	1 $\frac{3}{16}$			11 lbs.	0.6
	69N1024SHFML	35 lbs.	512	10	24	1 $\frac{3}{16}$			13 lbs.	0.7
	69N1030SHFML	40 lbs.	527	10	30	1 $\frac{3}{16}$			16 lbs.	0.9
	69N1036SHFML	45 lbs.	541	10	36	1 $\frac{3}{16}$			19 lbs.	1.0
	69N1042SHFML	50 lbs.	555	10	42	1 $\frac{3}{16}$			22 lbs.	1.1
	69N1048SHFML	55 lbs.	570	10	48 $\frac{3}{16}$	1 $\frac{3}{16}$			25 lbs.	1.3
	69N1054SHFML	60 lbs.	611	10	54	1 $\frac{3}{16}$			27 lbs.	1.4
	69N1060SHFML	65 lbs.	611	10	60	1 $\frac{3}{16}$			31 lbs.	1.6
	69N1066SHFML	70 lbs.	641	10	66	1 $\frac{3}{16}$			34 lbs.	1.7
	69N1072SHFML	75 lbs.	689	10	71 $\frac{1}{16}$	1 $\frac{3}{16}$			36 lbs.	1.8

- Shelves are laminate
- Floating shelves are intended for display only
- Brackets included
- Hardware not included

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shelves do not work in desk extension metal frames
- Desk Extensions cannot be used as a return for the freestanding desks

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N296029DSE1MLL G1003 420

- See page 189 for all options available in Lochlyn


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DESK EXTENSION WORKSURFACE HEIGHT 30" DEEP 	69N297229DSE1MLL	\$ 3082	28 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			90 lbs.	7.8
	69N296629DSE1MLL	3032	28 $\frac{1}{16}$ "	65 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			87 lbs.	7.1
	69N296029DSE1MLL	2984	28 $\frac{1}{16}$ "	60 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			78 lbs.	6.3
	69N295429DSE1MLL	2945	28 $\frac{1}{16}$ "	54 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			71 lbs.	6.3
	69N294829DSE1MLL	2903	28 $\frac{1}{16}$ "	48 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			65 lbs.	5.5

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 29" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

**DESK EXTENSION
WORKSURFACE HEIGHT
24" DEEP**


69N237229DSE1MLL	\$ 2984	22 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			73 lbs.	6.4
69N236629DSE1MLL	2948	22 $\frac{1}{16}$ "	65 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			69 lbs.	5.8
69N236029DSE1MLL	2924	22 $\frac{1}{16}$ "	60 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			64 lbs.	5.1
69N235429DSE1MLL	2875	22 $\frac{1}{16}$ "	54 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			54 lbs.	5.2
69N234829DSE1MLL	2840	22 $\frac{1}{16}$ "	48 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			56 lbs.	4.5

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 23" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

**DESK EXTENSION
WORKSURFACE HEIGHT
18" DEEP**


69N177229DSE1MLL	\$ 2948	16 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			56 lbs.	5.0
69N176629DSE1MLL	2915	16 $\frac{1}{16}$ "	65 $\frac{1}{16}$ "	28 $\frac{3}{16}$ "			53 lbs.	4.6
69N176029DSE1MLL	2893	16 $\frac{1}{16}$ "	60 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			49 lbs.	4.1
69N175429DSE1MLL	2847	16 $\frac{1}{16}$ "	54 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			45 lbs.	4.1
69N174829DSE1MLL	2812	16 $\frac{1}{16}$ "	48 $\frac{3}{16}$ "	28 $\frac{3}{16}$ "			42 lbs.	3.6

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 17" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Shelves do not work in desk extension metal frames
- Desk Extensions cannot be used as a return for the freestanding desks


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color


SAMPLE MODEL NUMBER:

69N297241DSE1MLL 488 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DESK EXTENSION BAR HEIGHT 30" DEEP 	69N297241DSE1MLL	\$ 3473	28 ¹¹ / ₁₆	71 ¹¹ / ₁₆	41 ³ / ₁₆			94 lbs.	7.8
	69N296641DSE1MLL	3423	28 ¹¹ / ₁₆	65 ¹¹ / ₁₆	41 ³ / ₁₆			88 lbs.	7.1
	69N296041DSE1MLL	3375	28 ¹¹ / ₁₆	60 ¹¹ / ₁₆	41 ³ / ₁₆			82 lbs.	6.8
	69N295441DSE1MLL	3335	28 ¹¹ / ₁₆	54 ¹¹ / ₁₆	41 ³ / ₁₆			75 lbs.	6.5
	69N294841DSE1MLL	3294	28 ¹¹ / ₁₆	48 ¹¹ / ₁₆	41 ³ / ₁₆			69 lbs.	6.2

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 29" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

DESK EXTENSION BAR HEIGHT 24" DEEP 	69N237241DSE1MLL	\$ 3375	22 ¹¹ / ₁₆	71 ¹¹ / ₁₆	41 ³ / ₁₆			77 lbs.	6.4
	69N236641DSE1MLL	3339	22 ¹¹ / ₁₆	65 ¹¹ / ₁₆	41 ³ / ₁₆			72 lbs.	5.9
	69N236041DSE1MLL	3316	22 ¹¹ / ₁₆	60 ¹¹ / ₁₆	41 ³ / ₁₆			68 lbs.	5.6
	69N235441DSE1MLL	3265	22 ¹¹ / ₁₆	54 ¹¹ / ₁₆	41 ³ / ₁₆			62 lbs.	5.4
	69N234841DSE1MLL	3230	22 ¹¹ / ₁₆	48 ¹¹ / ₁₆	41 ³ / ₁₆			57 lbs.	5.1

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 23" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

DESK EXTENSION BAR HEIGHT 18" DEEP 	69N177241DSE1MLL	\$ 3339	16 ¹¹ / ₁₆	71 ¹¹ / ₁₆	41 ³ / ₁₆			60 lbs.	5.0
	69N176641DSE1MLL	3306	16 ¹¹ / ₁₆	65 ¹¹ / ₁₆	41 ³ / ₁₆			57 lbs.	4.6
	69N176041DSE1MLL	3285	16 ¹¹ / ₁₆	60 ¹¹ / ₁₆	41 ³ / ₁₆			53 lbs.	4.4
	69N175441DSE1MLL	3238	16 ¹¹ / ₁₆	54 ¹¹ / ₁₆	41 ³ / ₁₆			49 lbs.	4.2
	69N174841DSE1MLL	3203	16 ¹¹ / ₁₆	48 ¹¹ / ₁₆	41 ³ / ₁₆			45 lbs.	4.0

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 17" wide module opening
- Shipped unassembled
- See pages 190-193 for chart

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Reference page 231 for laminate and glass shelves


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N306029DDOF2MLL PT 503

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 36" DEEP 	69N367229DDOF2MLL	\$ 6879	36 $\frac{1}{8}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$				114 lbs.	10.7
	69N366629DDOF2MLL	6726	36 $\frac{1}{8}$	65 $\frac{1}{16}$	28 $\frac{3}{16}$				107 lbs.	9.7
	69N366029DDOF2MLL	6677	36 $\frac{1}{8}$	60 $\frac{1}{16}$	28 $\frac{3}{16}$				99 lbs.	8.7
	• Shipped unassembled • Specify 69N1435SMSHL or 69N1435SMSHG for shelves									
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 30" DEEP 	69N307229DDOF2MLL	\$ 6246	30 $\frac{7}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$				99 lbs.	9.0
	69N306629DDOF2MLL	6091	30 $\frac{7}{16}$	65 $\frac{1}{16}$	28 $\frac{3}{16}$				93 lbs.	8.1
	69N306029DDOF2MLL	6043	30 $\frac{7}{16}$	60 $\frac{1}{16}$	28 $\frac{3}{16}$				74 lbs.	7.2
	• Shipped unassembled • Specify 69N1429SMSHL or 69N1429SMSHG for shelves									
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 24" DEEP 	69N247229DDOF2MLL	\$ 5581	24 $\frac{7}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$				83 lbs.	7.5
	69N246629DDOF2MLL	5438	24 $\frac{7}{16}$	65 $\frac{1}{16}$	28 $\frac{3}{16}$				78 lbs.	6.7
	69N246029DDOF2MLL	5414	24 $\frac{7}{16}$	60 $\frac{1}{16}$	28 $\frac{3}{16}$				73 lbs.	6.0
	• Shipped unassembled • Specify 69N1423SMSHL or 69N1423SMSHG for shelves									
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 18" DEEP 	69N187229DDOF2MLL	\$ 5402	18 $\frac{7}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{16}$				67 lbs.	5.8
	69N186629DDOF2MLL	5261	18 $\frac{7}{16}$	65 $\frac{1}{16}$	28 $\frac{3}{16}$				64 lbs.	5.3
	69N186029DDOF2MLL	5242	18 $\frac{7}{16}$	60 $\frac{1}{16}$	28 $\frac{3}{16}$				60 lbs.	4.7
	• Shipped unassembled • Specify 69N1417SMSHL or 69N1417SMSHG for shelves									

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Reference page 231 for laminate and glass shelves

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color


SAMPLE MODEL NUMBER:

69N367241DDOF2MLL SK 109

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				


**DESK DOUBLE OPEN FRAME
FREESTANDING LAMINATE TOP
BAR HEIGHT
36" DEEP**



69N367241DDOF2MLL	\$ 8871	36 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{3}{16}$			123 lbs.	10.7
69N366641DDOF2MLL	8363	36 $\frac{1}{16}$	65 $\frac{1}{16}$	41 $\frac{3}{16}$			116 lbs.	9.8
69N366041DDOF2MLL	8314	36 $\frac{1}{16}$	60 $\frac{1}{16}$	41 $\frac{3}{16}$			109 lbs.	9.4

- Shipped unassembled
- Specify 69N1435SMSHL or 69N1435SMSHG for shelves

**DESK DOUBLE OPEN FRAME
FREESTANDING LAMINATE TOP
BAR HEIGHT
30" DEEP**



69N307241DDOF2MLL	\$ 6994	30 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{3}{16}$			108 lbs.	9.0
69N306641DDOF2MLL	6731	30 $\frac{1}{16}$	65 $\frac{1}{16}$	41 $\frac{3}{16}$			102 lbs.	8.2
69N306041DDOF2MLL	6683	30 $\frac{1}{16}$	60 $\frac{1}{16}$	41 $\frac{3}{16}$			96 lbs.	7.9

- Shipped unassembled
- Specify 69N1429SMSHL or 69N1429SMSHG for shelves

**DESK DOUBLE OPEN FRAME
FREESTANDING LAMINATE TOP
BAR HEIGHT
24" DEEP**



69N247241DDOF2MLL	\$ 6326	24 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{3}{16}$			92 lbs.	7.5
69N246641DDOF2MLL	6079	24 $\frac{1}{16}$	65 $\frac{1}{16}$	41 $\frac{3}{16}$			87 lbs.	6.8
69N246041DDOF2MLL	6053	24 $\frac{1}{16}$	60 $\frac{1}{16}$	41 $\frac{3}{16}$			82 lbs.	6.5

- Shipped unassembled
- Specify 69N1423SMSHL or 69N1423SMSHG for shelves

**DESK DOUBLE OPEN FRAME
FREESTANDING LAMINATE TOP
BAR HEIGHT
18" DEEP**



69N187241DDOF2MLL	\$ 6150	18 $\frac{7}{16}$	71 $\frac{1}{16}$	41 $\frac{3}{16}$			75 lbs.	5.8
69N186641DDOF2MLL	5903	18 $\frac{7}{16}$	65 $\frac{1}{16}$	41 $\frac{3}{16}$			71 lbs.	5.3
69N186041DDOF2MLL	5881	18 $\frac{7}{16}$	60 $\frac{1}{16}$	41 $\frac{3}{16}$			68 lbs.	5.1

- Shipped unassembled
- Specify 69N1417SMSHL or 69N1417SMSHG for shelves

PRODUCT SPECIFICATIONS

- Reference page 189 for options


TO ORDER, SPECIFY:


1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N4413MPL MC 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
MODESTY PANEL 	69N4413MPL	\$ 378	¾	43 ¹¹ / ₁₆	13 ³ / ₈				13 lbs.	0.9
	69N3813MPL	363	¾	37 ¹¹ / ₁₆	13 ³ / ₈				12 lbs.	0.8
	69N3213MPL	349	¾	32	13 ³ / ₈				10 lbs.	0.7
	• Specify for open frame desk • For 72" wide desk, specify 69N4413MPL • For 66" wide desk, specify 69N3813MPL • For 60" wide desk, specify 69N3213MPL • Laminate modesty has horizontal grain direction									

MODESTY PANEL 	69N4413MPVL	\$ 378	¾	43 ¹¹ / ₁₆	13 ³ / ₈				13 lbs.	0.9
	69N3813MPVL	363	¾	37 ¹¹ / ₁₆	13 ³ / ₈				12 lbs.	0.8
	69N3213MPVL	349	¾	32	13 ³ / ₈				10 lbs.	0.7
	• Specify for open frame desk • For 72" wide desk, specify 69N4413MPVL • For 66" wide desk, specify 69N3813MPVL • For 60" wide desk, specify 69N3213MPVL • Laminate modesty has vertical grain direction									

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options
- Specify laminate color for the top, accent laminate for the laminate shroud, paint for the metal frame, and accent paint for the adjustable height metal legs

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Accent Laminate
4. Paint Color
5. Accent Paint

SAMPLE MODEL NUMBER:

69N3672DSAF2MLL 405 793 109 462
69N5713MPL 492 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 36" DEEP	69N3672DSAF2MLL	\$ 10643	36 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{3}{16}$			219 lbs.	53.6
	69N3666DSAF2MLL	10473	36 $\frac{1}{16}$	66	26 $\frac{3}{16}$			233 lbs.	49.6
	69N3660DSAF2MLL	10303	36 $\frac{1}{16}$	60	26 $\frac{3}{16}$			241 lbs.	45.6



- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 30" DEEP	69N3072DSAF2MLL	\$ 9348	30 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{3}{16}$			248 lbs.	45.8
	69N3066DSAF2MLL	9220	30 $\frac{1}{16}$	66	26 $\frac{3}{16}$			213 lbs.	42.4
	69N3060DSAF2MLL	9091	30 $\frac{1}{16}$	60	26 $\frac{3}{16}$			207 lbs.	39.0




- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 24" DEEP	69N2472DSAF2MLL	\$ 9176	24	71 $\frac{1}{16}$	26 $\frac{3}{16}$			190 lbs.	38.0
	69N2466DSAF2MLL	9050	24	66	26 $\frac{3}{16}$			185 lbs.	35.1
	69N2460DSAF2MLL	8920	24	60	26 $\frac{3}{16}$			185 lbs.	32.3




- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

MODESTY PANEL	69N5713MPL	\$ 391	$\frac{3}{4}$	56 $\frac{7}{16}$	13 $\frac{3}{16}$			16 lbs.	1.1
	69N5113MPL	378	$\frac{3}{4}$	50 $\frac{7}{16}$	13 $\frac{3}{16}$			15 lbs.	1.0
	69N4513MPL	363	$\frac{3}{4}$	44 $\frac{7}{16}$	13 $\frac{3}{16}$			13 lbs.	0.9



- Specify for shrouded desk
- For 72" wide desk, specify 69N5713MPL
- For 66" wide desk, specify 69N5113MPL
- For 60" wide desk, specify 69N4513MPL
- Laminate modesty has horizontal grain direction

MODESTY PANEL	69N5713MPVL	\$ 391	$\frac{3}{4}$	56 $\frac{7}{16}$	13 $\frac{3}{16}$			16 lbs.	1.1
	69N5113MPVL	378	$\frac{3}{4}$	50 $\frac{7}{16}$	13 $\frac{3}{16}$			15 lbs.	1.0
	69N4513MPVL	363	$\frac{3}{4}$	44 $\frac{7}{16}$	13 $\frac{3}{16}$			13 lbs.	0.9



- Specify for shrouded desk
- For 72" wide desk, specify 69N5713MPVL
- For 66" wide desk, specify 69N5113MPVL
- For 60" wide desk, specify 69N4513MPVL
- Laminate modesty has vertical grain direction

PRODUCT SPECIFICATIONS

- Reference page 189 for options

TO ORDER, SPECIFY:

- Model Number
- Laminate Color


SAMPLE MODEL NUMBER:

69N1472WSSLL MC
69N1429SESL MC

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WALLMOUNT WORKSURFACE 	69N1472WSSLL	\$ 747	14 $\frac{1}{8}$	72 $\frac{3}{8}$	1 $\frac{1}{2}$			32 lbs.	2.3
	69N1466WSSLL	712	14 $\frac{1}{8}$	66 $\frac{3}{8}$	1 $\frac{1}{2}$			29 lbs.	2.2
	69N1460WSSLL	677	14 $\frac{1}{8}$	60 $\frac{3}{8}$	1 $\frac{1}{2}$			27 lbs.	2.0
	69N1454WSSLL	648	14 $\frac{1}{8}$	54 $\frac{7}{16}$	1 $\frac{1}{2}$			24 lbs.	1.8
	69N1448WSSLL	563	14 $\frac{1}{8}$	48 $\frac{7}{16}$	1 $\frac{1}{2}$			22 lbs.	1.6
	69N1442WSSLL	547	14 $\frac{1}{8}$	42 $\frac{3}{8}$	1 $\frac{1}{2}$			19 lbs.	1.4
	69N1436WSSLL	535	14 $\frac{1}{8}$	36 $\frac{3}{8}$	1 $\frac{1}{2}$			17 lbs.	1.3
	69N1430WSSLL	520	14 $\frac{1}{8}$	30 $\frac{3}{8}$	1 $\frac{1}{2}$			14 lbs.	1.1

- Specify 2 end panels to support each wallmount worksurface
- Grain direction always runs horizontal
- Bracket included
- Hardware not included

END PANEL SUPPORT 	69N1429SESL	\$ 398	13 $\frac{3}{16}$	1 $\frac{3}{16}$	29			13 lbs.	1.0
	69N1441SESL	426	13 $\frac{3}{16}$	1 $\frac{3}{16}$	40			18 lbs.	1.3

- Specify 2 end panels to support each wallmount worksurface
- Grain direction always runs vertical
- Bracket included
- Hardware not included

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N1848BEXSMML SK 109

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BRIDGE, SUSPENDED 	69N1848BEXSMML	\$ 2385	16 ¹¹ / ₁₆	47 ¹⁵ / ₁₆	3 ¹¹ / ₁₆			34 lbs.	1.8
	69N1842BEXSMML	2247	16 ¹¹ / ₁₆	41 ¹⁵ / ₁₆	3 ¹¹ / ₁₆			30 lbs.	1.4
	69N1836BEXSMML	2042	16 ¹¹ / ₁₆	36 ¹⁵ / ₁₆	3 ¹¹ / ₁₆			26 lbs.	1.2
	69N1830BEXSMML	1877	16 ¹¹ / ₁₆	30 ¹⁵ / ₁₆	3 ¹¹ / ₁₆			23 lbs.	1.6
• Specify to mount between any two freestanding frames • Shipped unassembled									

PRODUCT SPECIFICATIONS

- Reference page 189 for options

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color


SAMPLE MODEL NUMBER:

69N17LNRF 3 30702

- See page 189 for all options available in Lochlyn

MODEL NO./DESCRIPTION

PET BED LINER



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N17LNRF	\$	677	699	709	724	742	772	811	999	1059

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	714	736	754	772	793	814	832	855	877	900

	K	L	M	N	O	P	Q	R	S	T
\$	934	1005	1048	1071	1094	1117	1140	1162	1185	1207

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N23LNRF	\$	769	794	806	824	845	880	926	1144	1214

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	812	838	859	880	904	929	950	976	1002	1029

	K	L	M	N	O	P	Q	R	S	T
\$	1069	1151	1202	1229	1256	1282	1309	1335	1361	1387

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N29LNRF	\$	840	880	898	927	959	1014	1086	1430	1540

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	907	949	981	1015	1052	1092	1125	1166	1206	1248

	K	L	M	N	O	P	Q	R	S	T
\$	1311	1441	1521	1563	1605	1646	1688	1729	1771	1811

DIMENSIONS

Width - 69N17LNRF	16	Depth	13	Weight - 69N17LNRF	1
Width - 69N23LNRF	22	Height	3	Weight - 69N23LNRF	2
Width - 69N29LNRF	28			Weight - 69N29LNRF	2
				Cubic Ft.	1.8

- Specify to fit inside module trays page 231
- See page 189 for textile options
- Specify 69N17LNRF for 17" wide tray
- Specify 69N23LNRF for 23" wide tray
- Specify 69N29LNRF for 29" wide tray

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

69N5060PVMPG 112

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PRIVACY SCREEN BACKPAINTED GLASS 50" HIGH 	69N5060PVMPG	\$ 3528	¼	60⅞	50⅝			70 lbs.	3.6
	69N5054PVMPG	3387	¼	54⅞	50⅝			63 lbs.	3.2
	69N5048PVMPG	3245	¼	48⅞	50⅝			56 lbs.	2.9
	69N5042PVMPG	3101	¼	42⅞	50⅝			49 lbs.	2.6
	69N5036PVMPG	2539	¼	36⅞	50⅝			42 lbs.	2.3
	69N5030PVMPG	2398	¼	30⅞	50⅝			35 lbs.	2.0
	69N5024PVMPG	1794	¼	24⅞	50⅝			28 lbs.	1.6
	69N5018PVMPG	1343	¼	18⅞	50⅝			21 lbs.	1.3

- Privacy screens attach to freestanding metal frames. 50" high screens can be used on 4, 5, or 6 module high frames
- 50" high screens are to cover 4 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Glass privacy screens cannot be used in a side-to-side application
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 248

**PRIVACY SCREEN
BACKPAINTED GLASS
38" HIGH**


69N3860PVMPG	\$ 3211	¼	60⅞	37⅞				53 lbs.	2.8
69N3854PVMPG	3137	¼	54⅞	37⅞				48 lbs.	2.5
69N3848PVMPG	3063	¼	48⅞	37⅞				42 lbs.	2.3
69N3842PVMPG	2623	¼	42⅞	37⅞				37 lbs.	2.0
69N3836PVMPG	2184	¼	36⅞	37⅞				32 lbs.	1.8
69N3830PVMPG	1744	¼	30⅞	37⅞				27 lbs.	1.5
69N3824PVMPG	1303	¼	24⅞	37⅞				21 lbs.	2.3
69N3818PVMPG	1004	¼	18⅞	37⅞				16 lbs.	1.0

- Privacy screens attach to freestanding metal frames. 38" high screens can be used on 3, 4, 5, or 6 module high frames
- 38" high screens are to cover 3 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Glass privacy screens cannot be used in a side-to-side application
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 248

PRODUCT SPECIFICATIONS

- Reference page 189 for options


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color


SAMPLE MODEL NUMBER:

69N1330PVMPG 462

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PRIVACY SCREEN BACKPAINTED GLASS 25" HIGH 	69N2560PVMPG	\$ 2156	¼	60⅞	25⅜			35 lbs.	2.0
	69N2554PVMPG	2083	¼	54⅞	25⅜			31 lbs.	1.8
	69N2548PVMPG	2006	¼	48⅞	25⅜			28 lbs.	1.6
	69N2542PVMPG	1721	¼	42⅞	25⅜			24 lbs.	1.0
	69N2536PVMPG	1434	¼	36⅞	25⅜			21 lbs.	1.3
	69N2530PVMPG	1147	¼	30⅞	25⅜			17 lbs.	1.1
	69N2524PVMPG	862	¼	24⅞	25⅜			14 lbs.	0.8
	69N2518PVMPG	745	¼	18⅞	25⅜			10 lbs.	0.7

- Privacy screens attach to freestanding metal frames. 25" high screens can be used on 2, 3, 4, 5, or 6 module high frames
- 25" high screens are to cover 2 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Glass privacy screens cannot be used in a side-to-side application
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 248

**PRIVACY SCREEN
BACKPAINTED GLASS
13" HIGH**


69N1360PVMPG	\$ 1486	¼	60⅞	12⅝			18 lbs.	1.2
69N1354PVMPG	1414	¼	54⅞	12⅝			16 lbs.	1.1
69N1348PVMPG	1339	¼	48⅞	12⅝			15 lbs.	1.0
69N1342PVMPG	1140	¼	42⅞	12⅝			13 lbs.	0.9
69N1336PVMPG	939	¼	36⅞	12⅝			11 lbs.	0.8
69N1330PVMPG	744	¼	30⅞	12⅝			9 lbs.	0.7
69N1324PVMPG	602	¼	24⅞	12⅝			7 lbs.	0.6
69N1318PVMPG	539	¼	18⅞	12⅝			5 lbs.	0.4

- Privacy screens attach to freestanding metal frames. 13" high screens can be used on 1, 2, 3, 4, 5, or 6 module high frames
- 13" high screens are to cover 1 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Glass privacy screens cannot be used in a side-to-side application
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 248

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 189 for options


TO ORDER, SPECIFY:


1. Model Number
2. PET Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N3824PVMPP NOR 109

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PRIVACY SCREEN PET 50" HIGH 	69N5060PVMPP	\$ 2833	½	60⅞	50⅜			10 lbs.	3.6
	69N5054PVMPP	2717	½	54⅞	50⅜			9 lbs.	3.2
	69N5048PVMPP	2415	½	48⅞	50⅜			8 lbs.	2.9
	69N5042PVMPP	1951	½	42⅞	50⅜			7 lbs.	2.6
	69N5036PVMPP	1939	½	36⅞	50⅜			6 lbs.	2.3
	69N5030PVMPP	1666	½	30⅞	50⅜			5 lbs.	2.0
	69N5024PVMPP	1442	½	24⅞	50⅜			4 lbs.	1.6
	69N5018PVMPP	1369	½	18⅞	50⅜			3 lbs.	1.3
• Privacy screens attach to freestanding metal frames. 50" high screens can be used on 4, 5, or 6 module high frames • 50" high screens are to cover 4 module high openings where a vertical and horizontal aluminum frame intersect • Screens will fully overlay module openings • 69N5060PVMPP, 69N5054PVMPP, and 69N5048PVMPP are 2 piece units with a seam • Hardware included for installation • See thought starters on page 248									

PRIVACY SCREEN PET 38" HIGH 	69N3860PVMPP	\$ 2574	½	60⅞	37⅞			8 lbs.	2.8
	69N3854PVMPP	1986	½	54⅞	37⅞			7 lbs.	2.5
	69N3848PVMPP	1860	½	48⅞	37⅞			6 lbs.	2.3
	69N3842PVMPP	1615	½	42⅞	37⅞			6 lbs.	2.0
	69N3836PVMPP	1607	½	36⅞	37⅞			5 lbs.	1.8
	69N3830PVMPP	1340	½	30⅞	37⅞			4 lbs.	1.5
	69N3824PVMPP	1119	½	24⅞	37⅞			3 lbs.	1.3
	69N3818PVMPP	1039	½	18⅞	37⅞			2 lbs.	1.0
• Privacy screens attach to freestanding metal frames. 38" high screens can be used on 3, 4, 5, or 6 module high frames • 38" high screens are to cover 3 module high openings where a vertical and horizontal aluminum frame intersect • Screens will fully overlay module openings • Hardware included for installation • See thought starters on page 248									

PRODUCT SPECIFICATIONS

- Reference page 189 for options


TO ORDER, SPECIFY:


- Model Number
- PET Color
- Paint Color

SAMPLE MODEL NUMBER:

69N2518PVMPP NOR 503

- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PRIVACY SCREEN PET 25" HIGH 	69N2560PVMPP	\$ 2438	½	60⅞	25⅜			5 lbs.	2.0
	69N2554PVMPP	1584	½	54⅞	25⅜			5 lbs.	1.8
	69N2548PVMPP	1398	½	48⅞	25⅜			4 lbs.	1.6
	69N2542PVMPP	1113	½	42⅞	25⅜			4 lbs.	1.4
	69N2536PVMPP	1016	½	36⅞	25⅜			3 lbs.	1.3
	69N2530PVMPP	977	½	30⅞	25⅜			3 lbs.	1.1
	69N2524PVMPP	895	½	24⅞	25⅜			2 lbs.	0.9
	69N2518PVMPP	811	½	18⅞	25⅜			2 lbs.	0.7
- Privacy screens attach to freestanding metal frames. 25" high screens can be used on 2, 3, 4, 5, or 6 module high frames 25" high screens are to cover 2 module high openings where a vertical and horizontal aluminum frame intersect - Screens will fully overlay module openings - Hardware included for installation - See thought starters on page 248									


PRIVACY SCREEN PET 13" HIGH 	69N1360PVMPP	\$ 1243	½	60⅞	12⅞			3 lbs.	1.2
	69N1354PVMPP	1201	½	54⅞	12⅞			2 lbs.	1.1
	69N1348PVMPP	1158	½	48⅞	12⅞			2 lbs.	1.0
	69N1342PVMPP	953	½	42⅞	12⅞			2 lbs.	0.9
	69N1336PVMPP	858	½	36⅞	12⅞			2 lbs.	0.8
	69N1330PVMPP	819	½	30⅞	12⅞			1 lbs.	0.7
	69N1324PVMPP	634	½	24⅞	12⅞			1 lbs.	0.6
	69N1318PVMPP	633	½	18⅞	12⅞			1 lbs.	0.4
- Privacy screens attach to freestanding metal frames. 13" high screens can be used on 1, 2, 3, 4, 5, or 6 module high frames 13" high screens are to cover 1 module high openings where a vertical and horizontal aluminum frame intersect - Screens will fully overlay module openings - Hardware included for installation - See thought starters on page 248									

LOCHLYN - THOUGHT STARTERS

- Must have both vertical and horizontal aluminum frame to attach a screen
- Screens will fully overlay the metal frame and attach using brackets with stanchions
- Nominal screen width is approximately 1" larger than nominal module opening width EXCEPT when spanning multiple vertical frames as stack up will occur
- Illustrations below are showing examples only; other combinations can be achieved
- Dimensions shown above each frame section represent the module opening width

- 60" wide screens fit two 29" wide module openings
- 54" wide screens fit a combined 29" wide module + 23" wide module opening
- 48" wide screens fit two 23" wide module openings
- 42" wide screens fit a combined 23" wide module + 17" wide module opening
- 36" wide screens fit two 17" wide module openings
- 30" wide screens fit a single 29" wide module opening
- 24" wide screens fit a single 23" wide module opening
- 18" wide screens fit a single 17" wide module opening


MODEL 69N8427AFRFM (Style A) FREESTANDING METAL FRAME 2 MODULE HIGH



EXAMPLES

- 69N2530PVMPP fits a 2 high, 29" wide module opening
- 69N1324PVMPP fits a 1 high, 23" wide module opening
- 69N2554PVMPP fits a 2 high, 52" wide combined module openings (23" wide + 29" wide modules)


MODEL 69N8465AFRFM (Style A) FREESTANDING METAL FRAME 5 MODULE HIGH



EXAMPLES

- 69N2530PVMPP fits a 2 high, 29" wide module opening
- 69N3854PVMPP fits a 3 high, 52" wide combined module opening (29" wide + 23" wide module opening)
- 69N3830PVMPP fits a 3 high, 29" wide module opening
- 69N5024PVMPP fits a 4 high, 23" wide module opening
- 69N5054PVMPP fits a 4 high, combined 52" wide module opening (23" wide + 29" wide module opening)

MODEL 69N6040AFRFM (Style A) FREESTANDING METAL FRAME 3 MODULE HIGH




EXAMPLES

- 69N3830PVMPP fits a 3 high, 29" wide module opening
- 69N2530PVMPP fits a 2 high, 29" wide module opening
- 69N2560PVMPP fits a 2 high, 58" wide combined module opening (29" wide + 29" wide modules)

- Models 69N3860PVMPP or 69N3860PVMPP would cover the entire frame


MODEL 69N6652AFRFM (Style A) FREESTANDING METAL FRAME 4 MODULE HIGH



EXAMPLES

- 69N5018PVMPP fits a 4 high, 17" wide module opening
- 69N5042PVMPP fits a 4 high, 23" wide module opening
- 69N2524PVMPP fits a 2 high, 23" wide module opening
- 69N5042PVMPP fits a 4 high, 40" wide combined module opening (17" wide + 23" wide module opening)

MODEL 69N9678AFRFM (Style A) FREESTANDING METAL FRAME 6 MODULE HIGH



EXAMPLES

- 69N5048PVMPP fits a 4 high, 46" wide combined module opening (23" wide + 23" wide module opening)
- 69N2524PVMPP fits a 2 high, 23" wide module opening
- 69N1324PVMPP fits a 1 high, 23" wide module opening

PRODUCT SPECIFICATIONS


- Reference page 189 for options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Drawer/Laminate Color
4. Laminate Color
5. Paint Color

SAMPLE MODEL NUMBER:

- 69N1836MUCMLL 87MB 405 G1002 463
- See page 189 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MOBILE UTILITY CART 	69N1836MUCMLL	\$ 4553	18 $\frac{7}{16}$	36 $\frac{1}{8}$	35 $\frac{1}{8}$			128 lbs.	7.8
	• Unit has locking front casters and non-locking back casters • Unit has non-locking drawer and lower shelf • Some assembly required								
MOBILE STORAGE CART 	69N1836MSCMLL	\$ 4697	18 $\frac{7}{16}$	36 $\frac{1}{8}$	35 $\frac{1}{8}$			129 lbs.	18.9
	• Unit has locking front casters and non-locking back casters • 1 adjustable shelf behind hinged doors • Unit has non-locking doors • Some assembly required								

BACK

LOCHLYN

LOCHLYN

NAVIYD

Product Specifications	252
Product Planning Information	253
Product Options	255
Factory Installed Grommet and Cutout Options	256
Product Pages	258


NAVIYD

PRODUCT SPECIFICATIONS

DETAILS

- Configured desk models include the base, worksurface and ships ready to assemble
- Component bases include the base frame and ships ready to assemble.
IMPORTANT: Worksurfaces must be specified separately
- Models with base top ship in two cartons; assembly is required
- Four table base styles:
 - T-leg
 - T-leg L-configuration
 - C-leg
 - Single-column H

WORKSURFACE



- Table desk worksurface sizes range from a nominal 36" to 72"
- Worksurfaces are available in HPL (high pressure laminate) 1 $\frac{1}{8}$ " T or TFL (thermally fused laminate) 1 $\frac{1}{8}$ " T, and both feature a 3mm vinyl rim
- Grain direction runs left-to-right unless otherwise noted
- Factory installed grommets and cut-outs are available in predetermined locations; upcharge applies. See pages 256-257

TABLE BASES

- Bases are formed metal with a powder coat finish available in 3 standard finishes, Designer White, Cinder, Platinum Silver
- Optional powder finishes are available at an upcharge
- Bases are standard with 2" diameter black plastic glides with a $\frac{1}{2}$ " adjustment for unlevel floors
- Castors – Field installed caster kit (set of 4) available; order separately:
 - used only on T-legs base style with 23" D rectangular worksurfaces
 - not available on C-base styles
 - low profile black plastic – add 1 $\frac{1}{2}$ " to overall heights
 - weight load for desk is 130 pounds with casters

HEIGHT ADJUSTABLE TABLE DESK

- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable range (with worksurface):
 - standard height mechanism is 26" to 42 $\frac{1}{4}$ "
 - extended height mechanism is 22 $\frac{1}{2}$ " to 48 $\frac{1}{2}$ "
- Lifting Capacity of base without worksurface:
 - table desks are 265 pounds
 - single column H is 132 pounds
- Adjustment speed is 1.3" per second
- Standard with Up and Down controller
- Two Optional Controller are available; see page 278
- Table desk frame width is expandable in 6" increments
- Standard features:
 - anti-collision
 - overheat protection
 - overload protection

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- Wire managers are available for vertical cable managers, cable carriers and maple cable basket; see page 675
- Refer to page 675 for available grommet/wire manager colors
- Refer to pages 256-257 for complete grommet locations and details

MONITOR ARMS

Clamp mount monitor arms cannot be used with modesty panel. It is recommended to field install a grommet mount model in a location to clear the modesty.

CONTROL BOX MECHANISM INFORMATION

- Motor per style:
 - straight line table desk has 1 control box, 2 motors
 - single column H has 1 control box, 1 motor
 - L-configurations desk has 1 control box, 3 motors
- Anti-collision function on control box will engage when a firm obstruction is detected and will stop worksurface travel
- Overheat protection will stop the unit should the motor overheat due to being heavily loaded or if driven continuously. Operation of the desk can resume in approximately 15 minutes
- Overload protection detects if the load is too heavy and will stop the unit. Remove the load and resume use
- Control box includes a 9' power cord with two-prong plug

IMPORTANT: The customer bears the responsibility to verify that the installation of Navyd height adjustable desks complies with all local municipal electrical codes. Some municipalities require the worksurface and base to be sold as an assembly that is listed to UL 962. In these justifications, specify a Navyd configured desk (base sold with a worksurface) model. Navyd height adjustable bases (sold separately) will not bear the ETL mark. Base only models are available for use with specific Navyd worksurfaces (sold separately) which align cut-outs, grommets, and screen brackets with the base understructure.

Navyd height adjustable base only models can accept either Kimball or National 1 $\frac{1}{8}$ " or 1 $\frac{3}{8}$ " surfaces. It is the customer's responsibility to maintain recommended safety clearances to minimize pinch/crush hazards when using other Kimball and National brand worksurfaces.

Field installed grommets and cutouts are recommended where standard locations may interfere with the base understructure. Worksurface size should not exceed the recommended size.

Use of non-Kimball and non-National brand worksurfaces are not recommended and is the sole responsibility of the customer and may void the product warranty.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

PRODUCT PLANNING INFORMATION


WORKSURFACE CLEARANCE

1" minimum clearance around the sides and back is required when placing height adjustable worksurfaces next to each other to minimize pinch/crush hazards. A clearance of less than $\frac{3}{16}$ " is acceptable next to a fixed wall or panel where the clearance is maintained through the travel range. Base feet are $2\frac{3}{8}$ " deep.

STATIONARY STORAGE PLANNING

Pedestals, overhead storage, or components should not be installed in the path of the height adjustable desks. Underside of desk frame to floor is $22\frac{3}{16}$ " for standard height and $18\frac{1}{2}$ " for extended height models with the leveling glide in the lowest position.

MODESTY PANELS



Modesty panels provide user privacy and conceal electrical components. Modesty panels can extend the full width of the worksurface or be narrower than the surface.


TFL modesty panels are $\frac{3}{4}$ " thick and are edge banded in the same material and resin modesty panels are $\frac{1}{4}$ " thick.

When using a narrower modesty panel than the worksurface width, it is recommended to use a center grommet or cut-out, because the left and right locations could sit outside the modesty depending on the width specified.

Modesty panels are not sized to fit 120° curved corner desks or the return side of height adjustable L-configurations. Specify a smaller width, such as 66" wide modesty for a 72" wide worksurface.

To avoid interference, do not place storage, and other objects beneath the desk with modesty panel.

PRIVACY SCREENS




Textile privacy screens with frame attach to height adjustable desk worksurfaces to provide space division and privacy above and below the worksurface. Privacy screens feature a tackable textile surface (panel textile) with an aluminum frame which is available in all paint colors. Attachment brackets are painted to match the frame. **IMPORTANT:** Privacy screens are prohibited on desks with C-leg bases as they are a tip hazard due to placement of the column being off center.

Privacy screens can be specified to span the full width, or they can be narrower than the desk worksurface. A center cut-out or grommet is recommended on the narrower application to avoid interference with the screen's mounting brackets.

Privacy screens can be mounted with a 1" maximum gap to manage cables and accommodate a clamp-mount monitor arm.

To avoid interference, do not place storage, and other objects beneath the desk with privacy screen.

CONTROLLERS



Standard up/down switch ships with all height adjustable desk bases. Switch is 2" D x $2\frac{3}{4}$ " W x $\frac{3}{4}$ " H. Allows for upper and lower limits to be set to avoid collision with storage elements.

Memory control switch with display screen can be specified separately to replace a standard switch. It operates the same as the standard up/down switch. Memory control switch allows for a low position and a high position to be set to prevent the desk from interfering with obstructions, such as pedestals and overheads.

Programmable control switch with display screen allows up to four preset/saved height settings. Specify separately to replace a standard up/down switch.

All switches can be mounted on the left or right side of the work surface and are field installed.

NAVIYD



BASE AND WORKSURFACE CONFIGURATION

- T-leg bases can be paired or are available configured with rectangular main or 120° curved corner worksurfaces
- T-leg L-configuration bases can be paired or are available configured with:
 - Rectangular main worksurface and a rectangular return (non-handed)
 - Rectangular main worksurface and a rectangular return (non-handed)
 - Extended straight (handed)
 - Extended cove (handed)
- Non-handed L-configuration models can be assembled in the field to accommodate left- or right-handed configurations
- C-leg bases can be paired or are available configured with rectangular worksurfaces only. **IMPORTANT:** C-leg bases are not available with 120° worksurface due to tipping hazard
- Single-column H component bases can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces

TOP SHAPE	TOP WIDTH	T-LEG TOP DEPTH	L-CONFIG TOP DEPTH	C-LEG TOP DEPTH	H-LEG TOP DEPTH
Rectangular Main	36" W				23"
	42" W				23"
	48" W	23"/30"		23"/30"	
	54" W	23"/30"		23"/30"	
	60" W	23"/30"	23"/30"	23"/30"	
	66" W	23"/30"	23"/30"	23"/30"	
Rectangular Return	72" W	23"/30"	23"/30"	23"/30"	
	36" W		23"		
	42" W		23"		
120° Curved Corner	48" W		23"		
	83" W	23"/30"			
Extd. Straight/Cove	71" W		23"/30"		



Note: 48" wide returns must be paired with a 23" deep main worksurface for a maximum depth of 72"; cannot be used with a 29" deep main worksurface. L bases support a maximum overall top width and depth of 72", and a minimum width and depth of 60".

DIMENSIONS




DISTANCE BETWEEN COLUMNS

Width of Top	"A" Dimension
48"	32 1/2"
54"	38 1/2"
60"	44 1/2"
66"	50 1/2"
72"	56 1/2"



CONFIGURATION OPTIONS - NAVIYD

RIM PROFILE OPTIONS



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	405	Designer White	478	Platinum Grey
AD	Almond	491	Designer White Linear	PC	Porcini
MC	Amber	DF	Driftwood	PT	Portico
AC2	Autumn 2	450	Fog	PB	Portobello
BZ	Brazilwood	488	Frosty White	792	Sable
IM	Brighton	461	Graphite	SC	Sedona
CO	Canyon	HN2	Honey 2	425	Shadow
CL	Caramel	TM	Huntington	SK	Skyline
CI	Chai	DW	Judicial	460	Storm
462	Cinder	KN	Kona	TW	Tribeca
492	Cinder Linear	MW	Midtown	TF	Truffle
440	Cloud	MH	Mocha	NW	Tuscan
CC	Cordoba	YO	Monterey	UW	Urban
CW	Cordovan	NM	Natural	419	Wallaby
457	Dapple			WL	Willow

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

LAMINATE WORKSURFACES AND TFL MODESTY

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	488	Frosty White
492	Cinder Linear	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
450	Fog		

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

- Pattern laminates not available on TFL models
- CSL available on HPL worksurfaces only

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

MODESTY PANEL RESIN

Grade 1	
1677	Frosted

METAL BASE PAINT COLORS

STANDARD PAINT

437	Cement	463	Iron
462	Cinder*	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White*	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

*Established paint colors, all other Standard paints are Premium colors and will incur a 10% upcharge with extended lead time

METALLIC PAINT*

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

*Note: 10% upcharge and extended lead time

GALLERY PAINT*

G2004	Blush
G2006	Brick Red
G2003	Chive
G2002	Dark Blue
G2008	Eucalyptus
G2012	Ginkgo
G2007	Lavender Ash
G2001	Moon Beam
G2010	Naval
G2013	Olive Branch
G2011	Rustic Sun
G2005	Sangria
G2009	Tidewater

*Note: 10% upcharge and extended lead time

 PRIVACY SCREEN
 VERTICAL TEXTILE OPTIONS

Grade AA Lea	Grade A Compose Crossroads Dune Fusion Infuse Merge Mykel Plinth Repetition Tapestry	Grade B Frenzied Fuse Linen Lyko Pact Prose Savile COM (Grade B)

NAVIYD - FACTORY INSTALLED GROMMET OPTIONS


FACTORY INSTALLED GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$41 list for each grommet

- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1LC Left & Center
- G1RC Right & Center
- G1A Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet

- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNLC Left & Center
- G11SNRC Right & Center
- G11SNA Left, Right & Center

Racetrack Grommet, Platinum Metallic


\$46 list for each grommet

- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLLC Left & Center
- G11PLRC Right & Center
- G11PLA Left, Right & Center

Racetrack Grommet, Cinder


\$46 list for each grommet

- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBLC Left & Center
- G11MBRC Right & Center
- G11MBA Left, Right & Center




IMPORTANT: Grommets are not available for worksurfaces on single column H-base.


CUT OUT	DESIGNATOR	UPCHARGE
G12	CUT-G12C	\$41
G17	CUT-G17C	\$41
G33	CUT-G33C	\$41




Rectangular




Curved Corner



Extended Straight




Extended Cove



L Worksurface Main and Return

Note: All dimensions for grommets are measured from the center of the grommet to the worksurface edge. Grommets are specified separately for the main and return worksurfaces on L models


FACTORY INSTALLED CUTOUT



G12
3 configurations available
available in Black, Silver, & White
sold separately in Accessories Section




G17
3 configuration available
available in Black, Silver, & White
sold separately in Accessories Section




G33
available in Black, Silver, & White
sold separately in Accessories Section


CUTOUT LOCATIONS




Rectangular




Curved Corner



Extended Straight



Extended Cove



L Worksurface Main and Return

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 252
- Base ships ready to assemble



TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSTP 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
T-LEG STANDARD HEIGHT ADJUSTABLE BASE 	65N41ABSTP Paint • Maximum surface weight with caster option is 130 pounds • Caster options listed on page 278 • Standard height adjustable 24¾"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23¾" deep	\$ 1476	23¾"	40¾"-64¾"	24¾"-41½"		—	61 lbs.	2.7
T-LEG EXTENDED HEIGHT ADJUSTABLE BASE 	65N47ABETP Paint • Maximum surface weight with caster option is 130 pounds • Caster options listed on page 278 • Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23¾" deep	\$ 1780	23¾"	40¾"-64¾"	21½"-47¼"		—	65 lbs.	2.7

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 252
- Base ships ready to assemble



TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABLSTP 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
T-LEG L-CONFIGURATION STANDARD HEIGHT ADJUSTABLE BASE 	65N41ABLSTP	Paint	\$ 2350	47-71	52¾-64¾	24¾-41½	—	—	114.01 lbs.	4.17
	• Standard height adjustable 24¾"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Available to be paired with rectangular main and return, extended straight and cove worksurfaces • Base feet are 23¾" deep									
T-LEG L-CONFIGURATION EXTENDED HEIGHT ADJUSTABLE BASE 	65N47ABLETP	Paint	\$ 2504	47-71	52¾-64¾	21¾-47¼	—	—	114.01 lbs.	4.17
	• Extended height adjustable 21¾"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Available to be paired with rectangular main and return, extended straight and cove worksurfaces • Base feet are 23¾" deep									

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Rectangular worksurface only; must be specified separately; see page 252
- Base ships ready to assemble



TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSCP 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
C-LEG STANDARD HEIGHT ADJUSTABLE BASE 	65N41ABSCP	Paint	\$ 1623	23%	40¾-64¾	24¾-41½		—	61 lbs.	2.7
	• Standard height adjustable 24¾"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Screens are not to be paired with this unit due to tipping hazard									
C-LEG EXTENDED HEIGHT ADJUSTABLE BASE 	65N47ABECP	Paint	\$ 1958	23%	40¾-64¾	21¾-47¼		—	65 lbs.	2.7
	• Extended height adjustable 21¾"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Screens are not to be paired with this unit due to tipping hazard									

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 252
- Base ships ready to assemble

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSHP 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
SINGLE-COLUMN H STANDARD HEIGHT ADJUSTABLE BASE 	65N41ABSHP	Paint	\$ 1275	23½"	33½"	24¼"-41½"	—	50 lbs.	4.5	
	• Standard height adjustable 24¼"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable tables • Fixed frame width • Can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces only									

NAVIYD

PRODUCT SPECIFICATIONS

- 3mm rim on all 4 sides of worksurfaces
- Grain direction runs with the width of the surface
- Refer to page 256 for grommet locations and options
- See pages 651-729 for accessories
- Base selection must be specified separately; see pages 258-261 for base options



TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N2971WSSL 405 G1L 405

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
RECTANGULAR MAIN WORKSURFACE 29" DEEP 	65N2971WSSL	HPL	\$ 899	29	71½	1¾	—	—	79.57 lbs.	3.31
	65N2971WSSL	TFL	674	29	71½	1¾	—	—	79.57 lbs.	3.31
	65N2965WSSL	HPL	\$ 875	29	65½	1¾	—	—	66.90 lbs.	3.05
	65N2965WSSL	TFL	651	29	65½	1¾	—	—	66.90 lbs.	3.05
	65N2959WSSL	HPL	\$ 723	29	59½	1¾	—	—	66.29 lbs.	2.79
	65N2959WSSL	TFL	560	29	59½	1¾	—	—	66.29 lbs.	2.79
	65N2953WSSL	HPL	\$ 696	29	53½	1¾	—	—	56.10 lbs.	2.57
	65N2953WSSL	TFL	519	29	53½	1¾	—	—	56.10 lbs.	2.57
	65N2947WSSL	HPL	\$ 630	29	47½	1¾	—	—	53.36 lbs.	2.27
	65N2947WSSL	TFL	473	29	47½	1¾	—	—	53.36 lbs.	2.27
	65N2371WSSL	HPL	\$ 768	23	71½	1¾	—	—	63.93 lbs.	2.74
	65N2371WSSL	TFL	569	23	71½	1¾	—	—	63.93 lbs.	2.74
	65N2365WSSL	HPL	\$ 746	23	65½	1¾	—	—	53.70 lbs.	2.53
	65N2365WSSL	TFL	555	23	65½	1¾	—	—	53.70 lbs.	2.53
	65N2359WSSL	HPL	\$ 643	23	59½	1¾	—	—	53.26 lbs.	2.31
	65N2359WSSL	TFL	482	23	59½	1¾	—	—	53.26 lbs.	2.31
RECTANGULAR MAIN WORKSURFACE 23" DEEP 	65N2353WSSL	HPL	\$ 591	23	53½	1¾	—	—	44.00 lbs.	2.10
	65N2353WSSL	TFL	442	23	53½	1¾	—	—	44.00 lbs.	2.10
	65N2347WSSL	HPL	\$ 533	23	47½	1¾	—	—	42.88 lbs.	1.90
	65N2347WSSL	TFL	398	23	47½	1¾	—	—	42.88 lbs.	1.90
	65N2341WSSL	HPL	\$ 481	23	41½	1¾	—	—	38.60 lbs.	1.80
	65N2341WSSL	TFL	359	23	41½	1¾	—	—	38.60 lbs.	1.80
	65N2335WSSL	HPL	\$ 421	23	35½	1¾	—	—	32.87 lbs.	1.80
	65N2335WSSL	TFL	317	23	35½	1¾	—	—	32.87 lbs.	1.80

PRODUCT SPECIFICATIONS

- 3mm rim on all 4 sides of worksurfaces
- Grain direction runs with the depth of the surface (front to back)
- Refer to page 256 for grommet locations and options
- See pages 651-729 for accessories
- Paired with main worksurfaces to create an L-configuration
- Base selection must be specified separately; see pages 258-261 for base options


TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N2971WSSLL 405 G1L 405

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
RECTANGULAR RETURN WORKSURFACE 23" DEEP 	65N2347WSSVL	HPL	\$ 533	23	47½	1¾	—	—	—	—	44.09 lbs.	2.4
	65N2347WSSVLL	TFL	398	23	47½	1¾	—	—	—	—	44.09 lbs.	2.4
	65N2341WSSVL	HPL	\$ 481	23	41½	1¾	—	—	—	—	38.60 lbs.	2.1
	65N2341WSSVLL	TFL	359	23	41½	1¾	—	—	—	—	38.60 lbs.	2.1
	65N2335WSSVL	HPL	\$ 421	23	35½	1¾	—	—	—	—	32.87 lbs.	1.8
	65N2335WSSVLL	TFL	317	23	35½	1¾	—	—	—	—	32.87 lbs.	1.8
	• 23" deep non-handed return worksurfaces; can be set up as right or left return											

NAVIYD

PRODUCT SPECIFICATIONS

- 3mm rim on all sides of worksurfaces
- Grain direction runs diagonally
- Refer to page 256 for grommet locations and options
- 120° curved corner surfaces can be paired with T-leg bases only; see pages 258-259
- See pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color


SAMPLE MODEL NUMBER:

65N4747WSCYCLL2 405 G1C 405

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
120° CURVED CORNER WORKSURFACE	65N4747WSCYCL2	HPL	\$ 1461	43%	82	1 $\frac{3}{8}$	—	—	149 lbs.	5.42
	65N4747WSCYCLL2	TFL	1319	43%	82	1 $\frac{3}{8}$	—	—	149 lbs.	5.42

- Pair with T-leg bases only



PRODUCT SPECIFICATIONS

- 3mm rim on all sides of worksurfaces
- Grain direction runs with the width of the surface
- Refer to page 256 for grommet locations and options
- Not intended to be paired with a return
- See pages 651-729 for accessories

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:


65N4771WSCERLL2 405 G1C 405

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EXTENDED CORNER STRAIGHT WORKSURFACE	65N4771WSCERL2 HPL, Right	\$ 1399	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCERLL2 TFL, Right	1088	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCCELL2 HPL, Left	\$ 1399	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCCELLL2 TFL, Left	1088	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63




Right shown




Left shown

EXTENDED CORNER COVE STRAIGHT WORKSURFACE	65N4771WSCVERL2 HPL, Right	\$ 1399	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCVERLL2 TFL, Right	1088	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCVELL2 HPL, Left	\$ 1399	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63
	65N4771WSCVELLL2 TFL, Left	1088	46%	70%	1 $\frac{1}{4}$ "	—	—	46.63 lbs.	70.63



Right shown



Left shown

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DASTL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
CONFIGURED DESKS 29" DEEP RECTANGULAR WORKSURFACE T-LEG STANDARD HEIGHT ADJUSTABLE BASE	65N2971DASTL	HPL	\$ 2375	29	71%	26-42½"	—	—	140.58 lbs.	6.02
	65N2971DASTLL	TFL	2150	29	71%	26-42½"	—	—	140.58 lbs.	6.02
	65N2965DASTL	HPL	\$ 2351	29	65%	26-42½"	—	—	127.91 lbs.	5.75
	65N2965DASTLL	TFL	2127	29	65%	26-42½"	—	—	127.91 lbs.	5.75
	65N2959DASTL	HPL	\$ 2200	29	59%	26-42½"	—	—	127.30 lbs.	5.49
	65N2959DASTLL	TFL	2036	29	59%	26-42½"	—	—	127.30 lbs.	5.49
	65N2953DASTL	HPL	\$ 2172	29	53%	26-42½"	—	—	117.11 lbs.	5.27
	65N2953DASTLL	TFL	1995	29	53%	26-42½"	—	—	117.11 lbs.	5.27
	65N2947DASTL	HPL	\$ 2106	29	47%	26-42½"	—	—	114.37 lbs.	4.97
	65N2947DASTLL	TFL	1949	29	47%	26-42½"	—	—	114.37 lbs.	4.97
• Maximum surface weight with caster option is 130 pounds • Caster options listed on page 278 • Standard height adjustable 24¼"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23¾" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick										

CONFIGURED DESKS
23" DEEP RECTANGULAR
WORKSURFACE
T-LEG STANDARD HEIGHT
ADJUSTABLE BASE


65N2371DASTL	HPL	\$ 2244	23	71%	26-42½"	—	—	124.94 lbs.	5.44
65N2371DASTLL	TFL	2045	23	71%	26-42½"	—	—	124.94 lbs.	5.44
65N2365DASTL	HPL	\$ 2222	23	65%	26-42½"	—	—	114.71 lbs.	5.23
65N2365DASTLL	TFL	2032	23	65%	26-42½"	—	—	114.71 lbs.	5.23
65N2359DASTL	HPL	\$ 2119	23	59%	26-42½"	—	—	114.27 lbs.	5.02
65N2359DASTLL	TFL	1958	23	59%	26-42½"	—	—	114.27 lbs.	5.02
65N2353DASTL	HPL	\$ 2067	23	53%	26-42½"	—	—	105.01 lbs.	4.80
65N2353DASTLL	TFL	1918	23	53%	26-42½"	—	—	105.01 lbs.	4.80
65N2347DASTL	HPL	\$ 2010	23	47%	26-42½"	—	—	103.89 lbs.	4.60
65N2347DASTLL	TFL	1874	23	47%	26-42½"	—	—	103.89 lbs.	4.60

- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 278
- Standard height adjustable 24¼"-41½"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 278
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23¾" deep
- TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface


TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DAETL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
CONFIGURED DESKS 29" DEEP RECTANGULAR WORKSURFACE T-LEG EXTENDED HEIGHT ADJUSTABLE BASE 	65N2971DAETL HPL	\$ 2679	29	71½"	22½"-48½"	—	144.58 lbs.	6.02
	65N2971DAETLL TFL	2454	29	71½"	22½"-48½"	—	144.58 lbs.	6.02
	65N2965DAETL HPL	\$ 2654	29	65½"	22½"-48½"	—	131.91 lbs.	5.75
	65N2965DAETLL TFL	2431	29	65½"	22½"-48½"	—	131.91 lbs.	5.75
	65N2959DAETL HPL	\$ 2503	29	59½"	22½"-48½"	—	131.30 lbs.	5.49
	65N2959DAETLL TFL	2339	29	59½"	22½"-48½"	—	131.30 lbs.	5.49
	65N2953DAETL HPL	\$ 2476	29	53½"	22½"-48½"	—	121.11 lbs.	5.27
	65N2953DAETLL TFL	2298	29	53½"	22½"-48½"	—	121.11 lbs.	5.27
	65N2947DAETL HPL	\$ 2410	29	47½"	22½"-48½"	—	118.37 lbs.	4.97
	65N2947DAETLL TFL	2252	29	47½"	22½"-48½"	—	118.37 lbs.	4.97
	• Maximum surface weight with caster option is 130 pounds • Caster options listed on page 278 • Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick							

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
T-LEG EXTENDED HEIGHT ADJUSTABLE BASE


65N2371DAETL HPL	\$ 2547	23	71½"	22½"-48½"	—	128.94 lbs.	5.44
65N2371DAETLL TFL	2349	23	71½"	22½"-48½"	—	128.94 lbs.	5.44
65N2365DAETL HPL	\$ 2525	23	65½"	22½"-48½"	—	118.71 lbs.	5.23
65N2365DAETLL TFL	2335	23	65½"	22½"-48½"	—	118.71 lbs.	5.23
65N2359DAETL HPL	\$ 2422	23	59½"	22½"-48½"	—	118.27 lbs.	5.02
65N2359DAETLL TFL	2262	23	59½"	22½"-48½"	—	118.27 lbs.	5.02
65N2353DAETL HPL	\$ 2371	23	53½"	22½"-48½"	—	109.01 lbs.	4.80
65N2353DAETLL TFL	2222	23	53½"	22½"-48½"	—	109.01 lbs.	4.80
65N2347DAETL HPL	\$ 2313	23	47½"	22½"-48½"	—	107.89 lbs.	4.60
65N2347DAETLL TFL	2178	23	47½"	22½"-48½"	—	107.89 lbs.	4.60
• Maximum surface weight with caster option is 130 pounds • Caster options listed on page 278 • Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick							

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface


TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DASCL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
CONFIGURED DESKS 29" DEEP RECTANGULAR WORKSURFACE C-LEG STANDARD HEIGHT ADJUSTABLE BASE 	65N2971DASCL	HPL	\$ 2522	29	71%	26-42½"	—	—	140.58 lbs.	6.02
	65N2971DASCLL	TFL	2297	29	71%	26-42½"	—	—	140.58 lbs.	6.02
	65N2965DASCL	HPL	\$ 2498	29	65%	26-42½"	—	—	127.91 lbs.	5.75
	65N2965DASCLL	TFL	2274	29	65%	26-42½"	—	—	127.91 lbs.	5.75
	65N2959DASCL	HPL	\$ 2347	29	59%	26-42½"	—	—	127.30 lbs.	5.49
	65N2959DASCLL	TFL	2183	29	59%	26-42½"	—	—	127.30 lbs.	5.49
	65N2953DASCL	HPL	\$ 2319	29	53%	26-42½"	—	—	117.11 lbs.	5.27
	65N2953DASCLL	TFL	2142	29	53%	26-42½"	—	—	117.11 lbs.	5.27
	65N2947DASCL	HPL	\$ 2253	29	47%	26-42½"	—	—	114.37 lbs.	4.97
	65N2947DASCLL	TFL	2096	29	47%	26-42½"	—	—	114.37 lbs.	4.97
	• Not compatible with monitor arms, privacy screens or casters due to tip hazard • Standard height adjustable 24½"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick									

CONFIGURED DESKS
23" DEEP RECTANGULAR
WORKSURFACE
C-LEG STANDARD HEIGHT
ADJUSTABLE BASE


65N2371DASCL	HPL	\$ 2391	23	71%	26-42½"	—	—	124.94 lbs.	5.44
65N2371DASCLL	TFL	2192	23	71%	26-42½"	—	—	124.94 lbs.	5.44
65N2365DASCL	HPL	\$ 2369	23	65%	26-42½"	—	—	114.71 lbs.	5.23
65N2365DASCLL	TFL	2179	23	65%	26-42½"	—	—	114.71 lbs.	5.23
65N2359DASCL	HPL	\$ 2266	23	59%	26-42½"	—	—	114.27 lbs.	5.02
65N2359DASCLL	TFL	2105	23	59%	26-42½"	—	—	114.27 lbs.	5.02
65N2353DASCL	HPL	\$ 2214	23	53%	26-42½"	—	—	105.01 lbs.	4.80
65N2353DASCLL	TFL	2065	23	53%	26-42½"	—	—	105.01 lbs.	4.80
65N2347DASCL	HPL	\$ 2157	23	47%	26-42½"	—	—	103.89 lbs.	4.60
65N2347DASCLL	TFL	2021	23	47%	26-42½"	—	—	103.89 lbs.	4.60
• Not compatible with monitor arms, privacy screens or casters due to tip hazard • Standard height adjustable 24½"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick									

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DAECL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
CONFIGURED DESKS 29" DEEP RECTANGULAR WORKSURFACE C-LEG EXTENDED HEIGHT ADJUSTABLE BASE	65N2971DAECL HPL	\$ 2857	29	71½"	22½"-48½"	—	144.58 lbs.	6.02
	65N2971DAECLL TFL	2632	29	71½"	22½"-48½"	—	144.58 lbs.	6.02
	65N2965DAECL HPL	\$ 2833	29	65½"	22½"-48½"	—	131.91 lbs.	5.75
	65N2965DAECLL TFL	2609	29	65½"	22½"-48½"	—	131.91 lbs.	5.75
	65N2959DAECL HPL	\$ 2682	29	59½"	22½"-48½"	—	131.30 lbs.	5.49
	65N2959DAECLL TFL	2518	29	59½"	22½"-48½"	—	131.30 lbs.	5.49
	65N2953DAECL HPL	\$ 2654	29	53½"	22½"-48½"	—	121.11 lbs.	5.27
	65N2953DAECLL TFL	2477	29	53½"	22½"-48½"	—	121.11 lbs.	5.27
	65N2947DAECL HPL	\$ 2588	29	47½"	22½"-48½"	—	118.37 lbs.	4.97
	65N2947DAECLL TFL	2431	29	47½"	22½"-48½"	—	118.37 lbs.	4.97
	• Not compatible with monitor arms, privacy screens or casters due to tip hazard • Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick							

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
C-LEG EXTENDED HEIGHT ADJUSTABLE BASE


65N2371DAECL HPL	\$ 2726	23	71½"	22½"-48½"	—	128.94 lbs.	5.44
65N2371DAECLL TFL	2527	23	71½"	22½"-48½"	—	128.94 lbs.	5.44
65N2365DAECL HPL	\$ 2704	23	65½"	22½"-48½"	—	118.71 lbs.	5.23
65N2365DAECLL TFL	2514	23	65½"	22½"-48½"	—	118.71 lbs.	5.23
65N2359DAECL HPL	\$ 2601	23	59½"	22½"-48½"	—	118.27 lbs.	5.02
65N2359DAECLL TFL	2440	23	59½"	22½"-48½"	—	118.27 lbs.	5.02
65N2353DAECL HPL	\$ 2549	23	53½"	22½"-48½"	—	109.01 lbs.	4.80
65N2353DAECLL TFL	2400	23	53½"	22½"-48½"	—	109.01 lbs.	4.80
65N2347DAECL HPL	\$ 2492	23	47½"	22½"-48½"	—	107.89 lbs.	4.60
65N2347DAECLL TFL	2356	23	47½"	22½"-48½"	—	107.89 lbs.	4.60
• Not compatible with monitor arms, privacy screens or casters due to tip hazard • Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick							

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2342DASHL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
CONFIGURED DESKS 23" DEEP RECTANGULAR WORKSURFACE SINGLE-COLUMN H STANDARD HEIGHT ADJUSTABLE BASE	65N2342DASHL	HPL	\$ 1756	23	42	26-42¼"		—	87.55 lbs.	6.18
	65N2342DASHLL	TFL	1634	23	42	26-42¼"		—	87.55 lbs.	6.18
	65N2336DASHL	HPL	\$ 1696	23	36	26-42¼"		—	82.22 lbs.	5.97
	65N2336DASHLL	TFL	1592	23	36	26-42¼"		—	82.22 lbs.	5.97



- Standard height adjustable 24¾"-41½"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 278
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Fixed frame width
- Can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces only

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N297171DALSTL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
			OVERALL D	RETURN W	MAIN W	H		
CONFIGURED DESKS MAIN & RETURN WORKSURFACE T-LEG L-CONFIGURATION STANDARD HEIGHT ADJUSTABLE BASE	29" DEEP MAIN SURFACE							
	72" WIDE							
	65N297171DALSTL HPL	\$ 3887	71½"	42½"	71½"	26-42½"	231.12 lbs.	9.15
	65N297171DALSTLL TFL	3527	71½"	42½"	71½"	26-42½"	231.12 lbs.	9.15
	65N296571DALSTL HPL	\$ 3863	65½"	36½"	71½"	26-42½"	225.79 lbs.	8.94
	65N296571DALSTLL TFL	3504	65½"	36½"	71½"	26-42½"	225.79 lbs.	8.94
	60" WIDE							
	65N297159DALSTL HPL	\$ 3775	71½"	42½"	59½"	26-42½"	217.84 lbs.	8.63
	65N297159DALSTLL TFL	3446	71½"	42½"	59½"	26-42½"	217.84 lbs.	8.63
	65N296559DALSTL HPL	\$ 3751	65½"	36½"	59½"	26-42½"	212.51 lbs.	8.42
	65N296559DALSTLL TFL	3423	65½"	36½"	59½"	26-42½"	212.51 lbs.	8.42
	• Standard height adjustable 24½"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick							



NAVIYD

PRODUCT SPECIFICATIONS


- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

- 65N237171DALSTL 405 G1C 405 501
- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
			OVERALL D	RETURN W	MAIN W	H			
CONFIGURED DESKS MAIN & RETURN WORKSURFACE T-LEG L-CONFIGURATION STANDARD HEIGHT ADJUSTABLE BASE (CONTINUED) 	23" DEEP MAIN SURFACE 72" WIDE								
	65N237171DALSTL HPL	\$ 3756	71½"	48½"	71½"	26-42¼"		221.51 lbs.	8.78
	65N237171DALSTLL TFL	3422	71½"	48½"	71½"	26-42¼"		221.51 lbs.	8.78
	65N236571DALSTL HPL	\$ 3734	65½"	42½"	71½"	26-42¼"		215.48 lbs.	8.58
	65N236571DALSTLL TFL	3408	65½"	42½"	71½"	26-42¼"		215.48 lbs.	8.58
	65N235971DALSTL HPL	\$ 3631	59½"	36½"	71½"	26-42¼"		210.15 lbs.	8.37
	65N235971DALSTLL TFL	3335	59½"	36½"	71½"	26-42¼"		210.15 lbs.	8.37
	60" WIDE								
	65N237159DALSTL HPL	\$ 3644	71½"	48½"	59½"	26-42¼"		210.84 lbs.	8.36
	65N237159DALSTLL TFL	3341	71½"	48½"	59½"	26-42¼"		210.84 lbs.	8.36
	65N236559DALSTL HPL	\$ 3621	65½"	42½"	59½"	26-42¼"		204.81 lbs.	8.15
	65N236559DALSTLL TFL	3327	65½"	42½"	59½"	26-42¼"		204.81 lbs.	8.15
	65N235959DALSTL HPL	\$ 3519	59½"	36½"	59½"	26-42¼"		199.48 lbs.	7.94
	65N235959DALSTLL TFL	3254	59½"	36½"	59½"	26-42¼"		199.48 lbs.	7.94
• Standard height adjustable 24½"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick									

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:


1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N297171DALETL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
			OVERALL D	RETURN W	MAIN W	H		
CONFIGURED DESKS MAIN & RETURN WORKSURFACE T-LEG L-CONFIGURATION EXTENDED HEIGHT ADJUSTABLE BASE	29" DEEP MAIN SURFACE							
	72" WIDE							
	65N297171DALETL HPL	\$ 3936	71½"	42½"	71½"	22½"-48½"	231.12 lbs.	9.15
	65N297171DALETLL TFL	3576	71½"	42½"	71½"	22½"-48½"	231.12 lbs.	9.15
	65N296571DALETL HPL	\$ 3912	65½"	36½"	71½"	22½"-48½"	225.79 lbs.	8.94
	65N296571DALETLL TFL	3553	65½"	36½"	71½"	22½"-48½"	225.79 lbs.	8.94
	60" WIDE							
	65N297159DALETL HPL	\$ 3824	71½"	42½"	59½"	22½"-48½"	217.84 lbs.	8.63
	65N297159DALETLL TFL	3495	71½"	42½"	59½"	22½"-48½"	217.84 lbs.	8.63
	65N296559DALETL HPL	\$ 3800	65½"	36½"	59½"	22½"-48½"	212.51 lbs.	8.42
	65N296559DALETLL TFL	3472	65½"	36½"	59½"	22½"-48½"	212.51 lbs.	8.42



- Extended height adjustable 21½"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 278
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23½" deep
- TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return


TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N237171DALETL 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CONFIGURED DESKS MAIN & RETURN WORKSURFACE T-LEG L-CONFIGURATION EXTENDED HEIGHT ADJUSTABLE BASE (CONTINUED) 	23" DEEP MAIN SURFACE 72" WIDE		OVERALL D	RETURN W	MAIN W		H		
	65N237171DALETL HPL	\$ 3805	71½"	48½"	71½"		22½"-48½"	221.51 lbs.	8.78
	65N237171DALETLL TFL	3471	71½"	48½"	71½"		22½"-48½"	221.51 lbs.	8.78
	65N236571DALETL HPL	\$ 3783	65½"	42½"	71½"		22½"-48½"	215.48 lbs.	8.58
	65N236571DALETLL TFL	3458	65½"	42½"	71½"		22½"-48½"	215.48 lbs.	8.58
	65N235971DALETL HPL	\$ 3680	59½"	36½"	71½"		22½"-48½"	210.15 lbs.	8.37
	65N235971DALETLL TFL	3384	59½"	36½"	71½"		22½"-48½"	210.15 lbs.	8.37
	60" WIDE								
	65N237159DALETL HPL	\$ 3693	71½"	48½"	59½"		22½"-48½"	210.84 lbs.	8.36
	65N237159DALETLL TFL	3390	71½"	48½"	59½"		22½"-48½"	210.84 lbs.	8.36
	65N236559DALETL HPL	\$ 3671	65½"	42½"	59½"		22½"-48½"	204.81 lbs.	8.15
	65N236559DALETLL TFL	3377	65½"	42½"	59½"		22½"-48½"	204.81 lbs.	8.15
	65N235959DALETL HPL	\$ 3568	59½"	36½"	59½"		22½"-48½"	199.48 lbs.	7.94
	65N235959DALETLL TFL	3303	59½"	36½"	59½"		22½"-48½"	199.48 lbs.	7.94
• Extended height adjustable 21½"-47¼" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23½" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick									

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface



TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N4771DACERETL2 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H						
CONFIGURED DESKS EXTENDED CORNER STRAIGHT WORKSURFACE T-LEG ADJUSTABLE BASE  Left shown  Right shown	EXTENDED HEIGHT										
	LEFT	RIGHT									
	65N4771DACELET2	65N4771DACERETL2	HPL	\$	3903	46%	70%	22½-48½	—	213.01 lbs.	9.97
	65N4771DACELETLL2	65N4771DACERETLL2	TFL		3592	46%	70%	22½-48½	—	213.01 lbs.	9.97
	STANDARD HEIGHT										
	LEFT	RIGHT									
	65N4771DACELSTL2	65N4771DACERSTL2	HPL	\$	3749	46%	70%	26-42¼	—	213.01 lbs.	9.97
	65N4771DACELSTLL2	65N4771DACERSTLL2	TFL		3438	46%	70%	26-42¼	—	213.01 lbs.	9.97
	• Extended height adjustable 21½"-47¼" • Standard height adjustable 24¾"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23¾" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick										

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface


TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint


SAMPLE MODEL NUMBER:

- 65N4771DACVRETLL2 405 G1C 405 501
- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
CONFIGURED DESKS EXTENDED COVE WORKSURFACE T-LEG ADJUSTABLE BASE	EXTENDED HEIGHT											
	LEFT		RIGHT									
	65N4771DACVLETLL2	65N4771DACVRETLL2	HPL	\$	3903	46%	70%	22½-48½	—	213.01 lbs.	9.97	
	65N4771DACVLETLL2	65N4771DACVRETLL2	TFL		3592	46%	70%	22½-48½	—	213.01 lbs.	9.97	
STANDARD HEIGHT	LEFT											
	LEFT		RIGHT									
	65N4771DACVLSTLL2	65N4771DACVRSTLL2	HPL	\$	3749	46%	70%	26-42¼	—	213.01 lbs.	9.97	
	65N4771DACVLSTLL2	65N4771DACVRSTLL2	TFL		3438	46%	70%	26-42¼	—	213.01 lbs.	9.97	
• Extended height adjustable 21½"-47¼" • Standard height adjustable 24¾"-41½" • Black plastic glides are standard; 2" diameter and adjustable range ½" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23¾" deep • TFL surfaces are 1½" thick and HPL surfaces are 1¾" thick												



Left shown



Right shown

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 256 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs diagonally


TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N4747DACYCETL2 405 G1C 405 501

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
CONFIGURED DESKS 120° CURVED CORNER WORKSURFACE T-LEG ADJUSTABLE BASE 	23" DEEP MAIN WORKSURFACE								
	EXTENDED HEIGHT								
	65N4747DACYCETL2 HPL	\$ 3240	42 3/8	82	26-42 1/4	—	—	214.01 lbs.	8.13
	65N4747DACYCETLL2 TFL	3099	42 3/8	82	26-42 1/4	—	—	214.01 lbs.	8.13
	STANDARD HEIGHT								
	65N4747DACYCSTL2 HPL	\$ 2937	42 3/8	82	22 1/2-48 1/2	—	—	210.01 lbs.	8.13
	65N4747DACYCSTLL2 TFL	2795	42 3/8	82	22 1/2-48 1/2	—	—	210.01 lbs.	8.13
	• Extended height adjustable 21 1/8"-47 1/4" • Standard height adjustable 24 1/4"-41 1/8" • Black plastic glides are standard; 2" diameter and adjustable range 1/2" • Memory control and programmable switches available; see page 278 • Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks • Frames are adjustable in 6" increments • Base feet are 23 3/8" deep • TFL surfaces are 1 1/8" thick and HPL surfaces are 1 1/16" thick								

NAVIYD

PRODUCT SPECIFICATIONS

- Refer to planning pages 253-254 for additional information
- Ships with all hardware; field installed

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04MCONB

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MEMORY CONTROL SWITCH 	NAC04MCONB	\$ 216	2½	4½	1	—	—	0.1 lbs.	0.10
	• Includes display screen • Operates the same as standard up/down switch • Memory control switch allows the user to set a specific high/low position								
BLACK PLASTIC CASTERS 	65NCSTB Set of 4	\$ 89	1½	2	2½	—	—	1.5 lbs.	0.46
	• Brake lever extends from caster, adding ¾" to depth • Caster adds 1½" to over-all height of table • For use with 23" deep rectangular worksurfaces and T-leg bases only • When casters are used, maximum weight for desk is 130 pounds								
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS 	NAC05PCONB Black	\$ 253	2½	5½	1	—	—	3 lbs.	0.1
	• Will allow 4 position programmable option and digital readout. • To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard								

PRODUCT SPECIFICATIONS

- See planning pages 253-254 for additional information
- 48" wide includes two mounting brackets; 54"-72" wide includes three mounting brackets
- Pairable with rectangular main, extended straight, and cove worksurfaces
- Attachment hardware included


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (omit for Resin)

SAMPLE MODEL NUMBER:


65N7110MPLL 405

- See pages 255-257 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	65N7110MPA	\$ 792	¾	71¾	10	—	—	19.81 lbs.	1.8
	65N6510MPA	746	¾	65¾	10	—	—	18.30 lbs.	1.7
	65N5910MPA	698	¾	59¾	10	—	—	17.53 lbs.	1.5
	65N5310MPA	654	¾	53¾	10	—	—	14.90 lbs.	1.4
	65N4710MPA	609	¾	47¾	10	—	—	14.34 lbs.	1.3

- Provides user privacy and conceals electrical components on freestanding applications
- Modesty panels can expand the full width or more narrow; see page 253 for more specification details
- Resin color is 1677 Frosted

TFL MODESTY PANELS

	65N7110MPLL	\$ 462	¾	71¾	10	—	—	19.81 lbs.	1.8
	65N6510MPLL	439	¾	65¾	10	—	—	18.30 lbs.	1.7
	65N5910MPLL	415	¾	59¾	10	—	—	17.53 lbs.	1.5
	65N5310MPLL	404	¾	53¾	10	—	—	14.90 lbs.	1.4
	65N4710MPLL	389	¾	47¾	10	—	—	14.34 lbs.	1.3

- Provides user privacy and conceals electrical components on freestanding applications
- Modesty panels can expand the full width or more narrow; see page 253 for more specification details
- Grain direction runs with the width of the modesty

NAVIYD

PRODUCT SPECIFICATIONS

- Tackable textile screen with frame
- Ships with attachment hardware
- Pairable with the standard height adjustable desk only
- See page 253 for additional specification information


TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color
3. Textile Grade
4. Textile Color


SAMPLE MODEL NUMBER:

65N7129PVSCPF 501 A 8608

- See pages 255-257 for all options available in Naviyd

MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS					CARTONED CUBIC	
	GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW	WEIGHT	FEET
29" HIGH TEXTILE PRIVACY SCREEN WITH FRAME										
 65N7129PVSCPF	\$ 1483	\$ 1531	\$ 1624	1 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	29"	—	—	50.0 lbs.	10.6
65N6529PVSCPF	1418	1462	1547	1 $\frac{1}{8}$ "	65 $\frac{1}{8}$ "	29"	—	—	46.5 lbs.	9.8
65N5929PVSCPF	1355	1395	1472	1 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	29"	—	—	43.0 lbs.	8.9
65N5329PVSCPF	1284	1321	1391	1 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	29"	—	—	39.5 lbs.	8.1
65N4729PVSCPF	1218	1251	1314	1 $\frac{1}{8}$ "	47 $\frac{1}{8}$ "	29"	—	—	36.0 lbs.	7.3
65N4129PVSCPF	1190	1220	1277	1 $\frac{1}{8}$ "	41 $\frac{1}{8}$ "	29"	—	—	35.0 lbs.	2.5
65N3529PVSCPF	1161	1189	1241	1 $\frac{1}{8}$ "	35 $\frac{1}{8}$ "	29"	—	—	31.0 lbs.	2.2
• 29" H privacy screens are 21" above and 6$\frac{1}{2}$" below the worksurface • Privacy screens are not applicable on extended height or C-leg bases due to tipping hazards and interference with understructures • Attaches to the underside of the worksurface to provide space division and privacy above and below worksurface • See page 253 for additional details • Attachment brackets are painted to match the color of the frame										

20" HIGH TEXTILE PRIVACY SCREEN WITH FRAME

MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS					CARTONED CUBIC	
	GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW	WEIGHT	FEET
 65N7120PVSCPF	\$ 1271	\$ 1319	\$ 1412	1 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	20"	—	—	39.0 lbs.	7.8
65N6520PVSCPF	1212	1256	1341	1 $\frac{1}{8}$ "	65 $\frac{1}{8}$ "	20"	—	—	37.0 lbs.	7.2
65N5920PVSCPF	1149	1189	1266	1 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	20"	—	—	34.0 lbs.	6.6
65N5320PVSCPF	1084	1121	1191	1 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	20"	—	—	31.0 lbs.	6.0
65N4720PVSCPF	1021	1054	1117	1 $\frac{1}{8}$ "	47 $\frac{1}{8}$ "	20"	—	—	28.0 lbs.	5.4
65N4120PVSCPF	994	1024	1081	1 $\frac{1}{8}$ "	41 $\frac{1}{8}$ "	20"	—	—	27.0 lbs.	1.8
65N3520PVSCPF	965	993	1045	1 $\frac{1}{8}$ "	35 $\frac{1}{8}$ "	20"	—	—	24.0 lbs.	1.6
• 20" H privacy screens are 12" above and 6$\frac{1}{2}$" below the worksurface • Privacy screens are not applicable on extended height or C-leg bases due to tipping hazards and interference with understructures • Attaches to the underside of the worksurface to provide space division and privacy above and below worksurface • See page 253 for additional details • Attachment brackets are painted to match the color of the frame										

WAVEWORKS

Product Specifications	282
Configuration Options	284
Grommet Location Options	289
Guidelines/General Information	290
Drawer Specifications	290
Assembled	291
EZ Arrangements	291
Assembled Units	293

WAVEWORKS

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are sized on 6" increments for easy planning
- Laminate surfaces are 1½" or 1¾" HPL (high pressure laminate) or 1¾" TFL (thermally fused laminate), and feature a 3mm vinyl rim or 6 veneer rim options
- Veneer surfaces are 1½" or 1¾" and feature a 3mm wood rim or knife rim profile
- Refer to page 284 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted
- Size modifications available at no upcharge; many WaveWorks component worksurfaces can be cut down in ½" increments. See component sections for specific models

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1¾" thick, modesty panels are ¾" thick
- Laminate modesty panels have vertical grain direction unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Back panels are fully finished unless otherwise noted

SHELVES

- Shelves on open bookcases will be veneer, when ordering a veneer bookcase
- Doors on bookcases and above worksurface units come standard with touch latch
- Shelves are ¾" thick

PEDESTALS

- Full, lower height or mobile options available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 290

DRAWER PULLS

- Available in 17 pull styles, refer to page 287 for pull styles and colors

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 290 for complete filing details

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- Round grommets optional on component end panels
- Half-moon grommet optional on component modesty panels
- Extended radius grommet optional on end panels of component pedestals
- Wire manager worksurfaces have a flexible vinyl trough that allows cords and cables to be routed along the back edge and sides of worksurfaces
- Refer to page 288 for available grommet/wire manager colors
- Refer to page 289 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements; see page 675 for options

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 660

TABLE BASES

- Bases are formed metal with a powder coat finish
- Mobile bases have locking casters, glides are standard on fixed height legs
- Refer to pages 575-606 for recommended base applications

CONFERENCE TABLES, TRAINING TABLES AND PERIPHERAL ITEMS

- For matching conference tables, training tables and peripheral items, see the Tables Price List

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done

HEIGHT ADJUSTABLE DESKS

- Wood, laminate/wood and laminate options
- Wood models are all wood; Laminate/Wood models are laminate tops with wood rim and wood chassis; laminate models are all laminate
- When in raised position, leg will be exposed
- Rim options are all Waveworks options
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable customer range: 27¾"-43¾"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 100 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- Modesty panels are inset 1¾" from edge of desk and 3¾" from floor
- Modesty panel options full flush, full breakfront
- Overall dimensions of desk are undersized to allow for pinch points
- No pull or locking options

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BUFFET CREDENZAS

- Models with trashcan will have 2 drawers and 2 sets of double doors. Trashcan will be housed behind one set of the double doors
- The side where trashcan is located determines the handed side (trashcan on left is a left model)
- One 7 gallon trashcan per model is included
- Models with space to house a refrigerator will have 2 sets of double doors (no drawers). Refrigerator will be housed behind one of the double door sets with ventilation
- The side where refrigerator is located determines the handed side (refrigerator on left is a left model)
- Refrigerator is not included
- Overall opening for refrigerator in a 36" high model is 22½" wide x 28⅞" tall x 25¼" deep. Max refrigerator size is 21½" wide x 27⅞" tall x 21¼" deep
- Overall opening for refrigerator in a 41" high model is 22½" wide x 28⅞" tall x 25¼" deep. Max refrigerator size is 21½" wide x 32⅞" tall x 21¼" deep
- Only locking cabinet is the side with an adjustable shelf
- Buffet credenza with refrigerator access will not be covered under standard warranty if unit is placed where vent will be blocked. Nor will the unit be covered under standard warranty for excess moisture because the unit has been designed to prevent this possibility

PULLOUT STORAGE

- Pull-out storage units are finished on all sides and top. A top is recommended for a finished aesthetic
- Available for left and right-hand applications
- Includes one full-depth shelf on top, one fixed and 2 adjustable shelves and one coat hook
- Simplex power unit is standard
- 2 depths of 24" and 30" with 2 height options of 41" and 53"

COMPONENTS

- Component models will ship bulk packed when applicable

LOCKERS

- Lockers available in laminate options only
- Available for left and right applications
- One door lockers feature 2 fixed shelves and 2 coat hooks
- Two and three door lockers feature 2 coat hooks behind each door
- Pulls will be installed vertically. All Waveworks pull options available with the exception of Horizon
- No pull units will have a touch latch closure
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Electronic locks available (see electronic locks details below)

ELECTRONIC LOCKS


- Locks ship separately and require field installation
- Available in black or silver
- No pull option on electronic locker models
- Lock is always installed vertically
- Electronic locks feature motorized locking engagement with manual knob
- Battery Life—3 Months usage on Surface Mount
- Micro-B USB port (Android cable) for emergency power jump and battery charging
- Charging available with wired USB charger or mobile USB power pack
- Keypad locks out for 15 minutes after 5 invalid attempts
- 3 USER MODES
 - Resident employee mode—the passcode will not expire and can be re-used
 - Multi-user mode—in resident employee mode, additional users can be added with each user separately identified for higher security applications (e.g. drug, evidence lockers)
 - Shared use mode—suitable for day lockers/hotel safe
- 2 METHODS OF USE
 - Keypad operation
 - Wesko eLock App (must be downloaded to a smartphone)
- Admin passcodes can be managed by keypad commands (via program mode) or with the Wesko App in Admin mode
- MUST contact Customer Service for administrative passcodes

WAVEWORKS - CONFIGURATION OPTIONS


RIM PROFILE OPTIONS




Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*




Zip Wood (Z)




Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey and Tuscan

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

WIRE MANAGER FILLER CAP COLORS & RECOMMENDATIONS

462	Cinder	450	Fog	425	Shadow
440	Cloud	461	Graphite	460	Storm
405	Designer White	443	Pavestone	419	Wallaby

NOTE: 403 Chamois not available. Recommended to use 443 Pavestone.
 485 Dark Chocolate not available. Recommended to use 462 Cinder.
 478 Platinum Grey not available. Recommended to use 440 Cloud.

WOOD FINISHES

AD	Almond Straight Grain	MW	Midtown Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CO	Canyon Straight Grain	PB	Portobello Straight Grain
CL	Caramel Maple	792	Sable Straight Grain
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	TW	Tribeca Walnut
DF	Driftwood Straight Grain	TF	Truffle Cherry
HN	Honey Maple	NW	Tuscan Straight Grain
TM	Huntington Maple	UW	Urban Walnut
DW	Judicial Walnut		

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets
 E = 2 Connecting Worksurface Flat Brackets
 F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES**WOODGRAIN LAMINATE**

793	Acorn*
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

- Pattern laminates not available on TFL models
- CSL available on HPL worksurfaces

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecrú

WAVEWORKS - CONFIGURATION OPTIONS

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
ADH	Almond Horizontal
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PTH	Portico Horizontal*
PB	Portobello
PBH	Portobello Horizontal
792	Sable
792H	Sable Horizontal
SC	Sedona
SK	Skyline*
SKH	Skyline Horizontal*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GLASS DOOR ALUMINUM FRAME COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RESIN COLORS

Grade 1	
1677	Frosted

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC


KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


PULL OPTIONS

**Nantucket (6)**

6MB	Cinder
6CC	Concrete
6IR	Iron
6PL	Platinum Metallic
6SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Malibu (7)**

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Laguna (76)**

76MB	Cinder
76CC	Concrete
76IR	Iron
76PL	Platinum Metallic
76SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Summit (70)**

70MB	Cinder
70CC	Concrete
70IR	Iron
70PL	Platinum Metallic
70SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Spiral (71)**

71MB	Cinder
71CC	Concrete
71IR	Iron
71PL	Platinum Metallic
71SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Balance (72)**

72MB	Cinder
72CC	Concrete
72IR	Iron
72PL	Platinum Metallic
72SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Sweep (73)**

73MB	Cinder
73CC	Concrete
73IR	Iron
73PL	Platinum Metallic
73SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Groove (74)**

74MB	Cinder
74CC	Concrete
74IR	Iron
74PL	Platinum Metallic
74SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Beam (87)**


87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Level (88)**

88MB	Cinder
88CC	Concrete
88IR	Iron
88PL	Platinum Metallic
88SN	Satin Nickel Metallic (Boring Pattern 128mm)

**Waterfall (89)**

89MB	Cinder
89CC	Concrete
89IR	Iron
89PL	Platinum Metallic
89SN	Satin Nickel Metallic (Boring Pattern 96mm)

**Horizon (91)**

91MB	Cinder
91CC	Concrete
91IR	Iron
91PL	Platinum Metallic
91SN	Satin Nickel Metallic (Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

**Bar (3)**

3MB	Cinder
3CC	Concrete
3IR	Iron
3PL	Platinum Metallic (Boring Pattern 32mm)

**Curved (83)**

83MB	Black
83CC	Concrete
83IR	Iron
83PL	Platinum Metallic (Boring Pattern 128mm)

**Elongated (84)**

84MB	Black
84CC	Concrete
84IR	Iron
84PL	Platinum Metallic (Boring Pattern 128mm)

**Keen (77)**

77SN	Satin Nickel (Boring Pattern 96mm)

**Leather Pull (93)**

93CA	Camel
93CH	Chestnut
93EB	Ebony
(Boring Pattern 128mm)	
\$58 list upcharge per model	



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WAVEWORKS - CONFIGURATION OPTIONS


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



PEDESTAL GROMMET

If no grommet is desired, specify an X

G22 Extended Radius (\$41 list)

MODESTY GROMMET

If no grommet is desired, specify an X

G21 Half Moon (\$41 list)

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)

Specify locations and color option
Comes attached to worksurface
\$52 list for each location

Locations:

D1B	Back	\$52 list
D1L	Left	\$52 list
D1R	Right	\$52 list
D1LR	Left & Right	\$104 list
D1BL	Back & Left	\$104 list
D1BR	Back & Right	\$104 list

Sample Option Selections:

D1B425	Wire Manager on Back in Shadow, \$52 list
D1BL403	Wire Manager on Back and Left in Chamois, \$104 list


END PANEL GROMMET

If no grommet is desired, specify an X

G1EL	Round, Black, Left (\$41 list)
G1ER	Round, Black, Right (\$41 list)

ADJUSTABLE HEIGHT LEG PAINT

462	Cinder
501	Platinum Metallic



Colors:


403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 listupcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference page 289 for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 667 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 667 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 667 for pricing and details

NOTE: Interlink IQ units are available in the
Accessories section

PULLOUT STORAGE ELECTRICAL GROMMET

G37PB	Power Grommet	\$111
G37UB	USB Grommet	\$235

PULLOUT STORAGE SPACER SPACER CUTOUT

CT1	Cutout, 1 Side	\$41
CT2	Cutout, 2 Sides	\$41



Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered in 10 days or less.

GROMMET LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 288 for options.


Round grommets are also available for field installation; see page 665.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components


Worksurface grommet locations:

Excluding the J-Desk and the corner unit, distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.


Excluding the J-Desk and the corner unit, the same locations are available for the round or racetrack grommet and the cutout option.




30" and 36" deep Worksurfaces




36" deep Arc Worksurfaces




18" and 24" deep Worksurfaces




U-Shaped Desk




U-Shaped / P-Shaped Worksurface




Corner Worksurface




Corner Units



Extended Corner Worksurface
(Right shown)




Extended P/U Shaped Worksurface
(Right shown)




End Panel


Pedestal



Round Grommet
Plastic



Racetrack Grommet
Zinc



Modesty Panel

GUIDELINES/GENERAL INFORMATION WAVEWORKS

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desk—Recessed Modesty Panel 36 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 66, 30 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Credenzas 24 x 66, 24 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Vertical Storage Cabinet 18 x 68	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestal 17 x 18	Box File	14 ¹⁵ / ₁₆ " 14 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ " 12 ¹ / ₃₂ "	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing side-to-side Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Component Pedestals 17 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ " 12 ¹ / ₃₂ "	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side
Mobile Pedestals 23 x 15	Box File	11 ¹⁵ / ₁₆ " 11 ¹⁵ / ₁₆ "	17" 17"	2 ¹ / ₂ " 9 ³ / ₈ "	Letter filing front-to-back or side-to-side EDP and legal filing side-to-side





- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"

WAVEWORKS METAL L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate and paint


L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLM 84%D x 71 1/2%W	\$ 4186	L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLM 78%D x 66W	\$ 3860
	consists of			consists of	
	WW3672WSSDL Worksurface	967		WW3066WSSDL Worksurface	658
	WW2448WSSVDL Worksurface	463		WW2448WSSVDL Worksurface	463
	WW3015PUBBFM B/B/F Pedestal	891		WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794		WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327		WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344		WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118		WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282		WW4827MPM Full Overlay Modesty	282
	WW7972LFLM 78%D x 71 1/2%W	\$ 4124		WW7366LFLM 72%D x 66W	\$ 3798
	consists of			consists of	
	WW3672WSSDL Worksurface	967		WW3066WSSDL Worksurface	658
	WW2442WSSVDL Worksurface	421		WW2442WSSVDL Worksurface	421
	WW3015PUBBFM B/B/F Pedestal	891		WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794		WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327		WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344		WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118		WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262		WW4227MPM Full Overlay Modesty	262
L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLLM 84%D x 71 1/2%W	\$ 3910	L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLLM 78%D x 66W	\$ 3645
	consists of			consists of	
	WW3672WSSDLL Worksurface	774		WW3066WSSDLL Worksurface	526
	WW2448WSSVDLL Worksurface	380		WW2448WSSVDLL Worksurface	380
	WW3015PUBBFM B/B/F Pedestal	891		WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794		WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327		WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344		WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118		WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282		WW4827MPM Full Overlay Modesty	282
	WW7972LFLLM 78%D x 71 1/2%W	\$ 3854		WW7366LFLLM 72%D x 66W	\$ 3589
	consists of			consists of	
	WW3672WSSDLL Worksurface	774		WW3066WSSDLL Worksurface	526
	WW2442WSSVDLL Worksurface	344		WW2442WSSVDLL Worksurface	344
	WW3015PUBBFM B/B/F Pedestal	891		WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794		WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327		WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344		WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118		WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262		WW4227MPM Full Overlay Modesty	262


WAVEWORKS METAL U ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminare models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM 108%D x 71%W	\$ 5617
	consists of	
	WW3672WSSDL Worksurface	967
	WW2448WSSVDL Worksurface	463
	WW2472WSSDL Worksurface	682
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW10372UFLM 102%D x 71%W	\$ 5555
	consists of	
	WW3672WSSDL Worksurface	967
	WW2442WSSVDL Worksurface	421
	WW2472WSSDL Worksurface	682
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM 102%D x 66W	\$ 5230
	consists of	
	WW3066WSSDL Worksurface	658
	WW2448WSSVDL Worksurface	463
	WW2466WSSDL Worksurface	638
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW9766UFLM 96%D x 66W	\$ 5168
	consists of	
	WW3066WSSDL Worksurface	658
	WW2442WSSVDL Worksurface	421
	WW2466WSSDL Worksurface	638
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM 108%D x 71%W	\$ 5221
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2448WSSVDLL Worksurface	380
	WW2472WSSDLL Worksurface	562
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW10372UFLM 102%D x 71%W	\$ 5165
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2442WSSVDLL Worksurface	344
	WW2472WSSDLL Worksurface	562
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM 102%D x 66W	\$ 4905
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2448WSSVDLL Worksurface	380
	WW2466WSSDLL Worksurface	528
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW9766UFLM 96%D x 66W	\$ 4849
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2442WSSVDLL Worksurface	344
	WW2466WSSDLL Worksurface	528
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFAW8 F 1PL G1L KRS AC
 WW3672DDFAL8 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DDFALW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
DOUBLE PEDESTAL DESK ARC TOP 	1½" TOP THICKNESS									
	WWN3684DDFAW8	Wood	\$ 7323	36⅞	83⅞	29⅞	6⅞	47⅞	347 lbs.	65.8
	WWN3684DDFALW8	Laminate/Wood	7323	36⅞	83⅞	29⅞	6⅞	47⅞	347 lbs.	65.8
	WWN3684DDFAL8	Laminate	4816	36⅞	83⅞	29⅞	6⅞	47⅞	347 lbs.	65.8
	WWN3672DDFAW8	Wood	\$ 6604	36⅞	71⅞	29⅞	6⅞	35⅞	337 lbs.	52.3
	WWN3672DDFALW8	Laminate/Wood	6604	36⅞	71⅞	29⅞	6⅞	35⅞	337 lbs.	52.3
	WWN3672DDFAL8	Laminate	4342	36⅞	71⅞	29⅞	6⅞	35⅞	337 lbs.	52.3
	1¾" TOP THICKNESS									
	WW3684DDFAW8	Wood	\$ 6724	36⅞	83⅞	28⅞	6⅞	47⅞	347 lbs.	65.8
	WW3684DDFALW8	Laminate/Wood	6724	36⅞	83⅞	28⅞	6⅞	47⅞	347 lbs.	65.8
	WW3684DDFAL8	Laminate	4420	36⅞	83⅞	28⅞	6⅞	47⅞	347 lbs.	65.8
	WW3684DDFALL8	TFL	3535	36⅞	83⅞	28⅞	6⅞	47⅞	347 lbs.	65.8
	WW3672DDFAW8	Wood	\$ 6004	36⅞	71⅞	28⅞	6⅞	35⅞	317 lbs.	56.3
	WW3672DDFALW8	Laminate/Wood	6004	36⅞	71⅞	28⅞	6⅞	35⅞	317 lbs.	56.3
	WW3672DDFAL8	Laminate	3947	36⅞	71⅞	28⅞	6⅞	35⅞	317 lbs.	56.3
	WW3672DDFALL8	TFL	3157	36⅞	71⅞	28⅞	6⅞	35⅞	317 lbs.	56.3
• Arc top desk is 30" deep at ends • Top overhangs 6" at center • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBW8 F 1PL G1L KRS AC
 WWN3672DDFBAL8 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DDFBALW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
DOUBLE PEDESTAL DESK ARC TOP BREAKFRONT MODESTY  	1¹/₈" TOP THICKNESS									
	WWN3684DDFBW8	Wood	\$ 7543	36 ¹ / ₁₆	83 ³ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8
	WWN3684DDFBALW8	Laminate/Wood	7543	36 ¹ / ₁₆	83 ³ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8
	WWN3684DDFBAL8	Laminate	4962	36 ¹ / ₁₆	83 ³ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8
	WWN3672DDFBW8	Wood	\$ 6802	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	35 ³ / ₈	337 lbs.	52.3
	WWN3672DDFBALW8	Laminate/Wood	6802	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	35 ³ / ₈	337 lbs.	52.3
	WWN3672DDFBAL8	Laminate	4473	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	35 ³ / ₈	337 lbs.	52.3
	1¹/₈" TOP THICKNESS									
	WW3684DDFBW8	Wood	\$ 6927	36 ¹ / ₁₆	83 ³ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8
	WW3684DDFBALW8	Laminate/Wood	6927	36 ¹ / ₁₆	83 ³ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8
WW3684DDFBAL8	Laminate	4553	36 ¹ / ₁₆	83 ³ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8	
WW3684DDFBALL8	TFL	3539	36 ¹ / ₁₆	83 ³ / ₁₆	28 ³ / ₈	6 ³ / ₁₆	47 ³ / ₁₆	347 lbs.	65.8	
	WW3672DDFBW8	Wood	\$ 6182	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	35 ³ / ₈	317 lbs.	56.3
	WW3672DDFBALW8	Laminate/Wood	6182	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	35 ³ / ₈	317 lbs.	56.3
	WW3672DDFBAL8	Laminate	4065	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₁₆	6 ³ / ₁₆	35 ³ / ₈	317 lbs.	56.3
	WW3672DDFBALL8	TFL	3156	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	6 ³ / ₁₆	35 ³ / ₈	317 lbs.	56.3
• Arc top desk is 30" deep at ends • Top overhangs 12" at center to the modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
DOUBLE PEDESTAL DESK GLASS TOP 	WW3672DDFGW8	Wood	\$ 6549	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	35 ³ / ₈	—	275 lbs.	50.0
	WW3672DDFGL8	Laminate	4307	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	35 ³ / ₈	—	275 lbs.	50.0
	• Grommet option not available • Clear ½" thick tempered glass top with pencil polished edge • Some assembly required; top ships unattached • Optional modesty panels in veneer or laminate and in full or ½ heights available, see page 466 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFW8 F 1PL G1L KRS AC
 WW3672DDFL8 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DDFLW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

DOUBLE PEDESTAL DESK
RECESSED MODESTY

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
WWN3684DDFW8	Wood	\$ 6103	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFLW8	Laminate/Wood	6103	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFL8	Laminate	3944	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3672DDFW8	Wood	\$ 5500	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
WWN3672DDFLW8	Laminate/Wood	5500	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
WWN3672DDFL8	Laminate	3556	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
WWN3066DDFW8	Wood	\$ 5279	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
WWN3066DDFLW8	Laminate/Wood	5279	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
WWN3066DDFL8	Laminate	3414	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
WWN3060DDFW8	Wood	\$ 5023	30 1/16	60	29 3/8	6 3/16	29 1/16	263 lbs.	36.7
WWN3060DDFLW8	Laminate/Wood	5023	30 1/16	60	29 3/8	6 3/16	29 1/16	263 lbs.	36.7
WWN3060DDFL8	Laminate	3289	30 1/16	60	29 3/8	6 3/16	29 1/16	263 lbs.	36.7
1 1/2" TOP THICKNESS									
WW3684DDFW8	Wood	\$ 5602	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFLW8	Laminate/Wood	5602	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFL8	Laminate	3620	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFLL8	TFL	2899	36 1/16	83 1/16	28 3/8	6 3/16	47 3/16	374 lbs.	65.8
WW3672DDFW8	Wood	\$ 5001	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
WW3672DDFLW8	Laminate/Wood	5001	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
WW3672DDFL8	Laminate	3235	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
WW3672DDFLL8	TFL	2586	36 1/16	71 1/16	28 3/8	6 3/16	35 3/8	361 lbs.	56.3
WW3066DDFW8	Wood	\$ 4799	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
WW3066DDFLW8	Laminate/Wood	4799	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
WW3066DDFL8	Laminate	3104	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
WW3066DDFLL8	TFL	2485	30 1/16	66	28 3/8	6 3/16	35 3/8	285 lbs.	44.4
WW3060DDFW8	Wood	\$ 4569	30 1/16	60	28 1/16	6 3/16	29 1/16	261 lbs.	40.7
WW3060DDFLW8	Laminate/Wood	4569	30 1/16	60	28 1/16	6 3/16	29 1/16	261 lbs.	40.7
WW3060DDFL8	Laminate	2991	30 1/16	60	28 1/16	6 3/16	29 1/16	261 lbs.	40.7
WW3060DDFLL8	TFL	2391	30 1/16	60	28 3/8	6 3/16	29 1/16	261 lbs.	40.7

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBW8 F 1PL G1L KRS AC
 WWN3672DDFBL8 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DDFBLW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

DOUBLE PEDESTAL DESK
BREAKFRONT MODESTY

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET

1 1/2" TOP THICKNESS

WWN3684DDFBW8	Wood	\$ 6283
WWN3684DDFBLW8	Laminate/Wood	6283
WWN3684DDFBL8	Laminate	4062

WWN3672DDFBW8	Wood	\$ 5665
WWN3672DDFBLW8	Laminate/Wood	5665
WWN3672DDFBL8	Laminate	3662

WWN3066DDFBW8	Wood	\$ 5436
WWN3066DDFBLW8	Laminate/Wood	5436
WWN3066DDFBL8	Laminate	3516

WWN3060DDFBW8	Wood	\$ 5174
WWN3060DDFBLW8	Laminate/Wood	5174
WWN3060DDFBL8	Laminate	3388

1 1/2" TOP THICKNESS

WW3684DDFBW8	Wood	\$ 5770
WW3684DDFBLW8	Laminate/Wood	5770
WW3684DDFBL8	Laminate	3729
WW3684DDFBLL8	TFL	2899

WW3672DDFBW8	Wood	\$ 5150
WW3672DDFBLW8	Laminate/Wood	5150
WW3672DDFBL8	Laminate	3330
WW3672DDFBLL8	TFL	2584

WW3066DDFBW8	Wood	\$ 4941
WW3066DDFBLW8	Laminate/Wood	4941
WW3066DDFBL8	Laminate	3198
WW3066DDFBLL8	TFL	2482

WW3060DDFBW8	Wood	\$ 4705
WW3060DDFBLW8	Laminate/Wood	4705
WW3060DDFBL8	Laminate	3079
WW3060DDFBLL8	TFL	2391

- 3684 and 3672 desks have 35" deep pedestals
- 3066 and 3060 desks have 30" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty inset

36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8

36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3
36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3
36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3

30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3
30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3
30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3

30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7
30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7
30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7

36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8

36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3

30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4

30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFAW1 F 1PL G1L KRS AC
 WW3672DRFAL1 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DRFALW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				CARTONED CUBIC		
					D	W	H	A	KW	WEIGHT	FEET
 Left shown	1 1/8" TOP THICKNESS										
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK									
	WWN3684DLFAW1	WWN3684DRFAW1	Wood	\$ 6402	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3684DLFALW1	WWN3684DRFALW1	Lam/Wood	6402	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3684DLFAL1	WWN3684DRFAL1	Laminate	4321	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3672DLFAW1	WWN3672DRFAW1	Wood	\$ 5775	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	277 lbs.	52.0
	WWN3672DLFALW1	WWN3672DRFALW1	Lam/Wood	5775	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	277 lbs.	52.0
	WWN3672DLFAL1	WWN3672DRFAL1	Laminate	3895	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	277 lbs.	52.0
	1 3/8" TOP THICKNESS										
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK									
	WW3684DLFAW1	WW3684DRFAW1	Wood	\$ 5877	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8
	WW3684DLFALW1	WW3684DRFALW1	Lam/Wood	5877	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8
	WW3684DLFAL1	WW3684DRFAL1	Laminate	3966	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8
WW3684DLFALL1	WW3684DRFALL1	TFL	3171	36 1/16	83 1/16	28 3/8	6 3/16	64 1/16	374 lbs.	65.8	
WW3672DLFAW1	WW3672DRFAW1	Wood	\$ 5248	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	267 lbs.	56.3	
WW3672DLFALW1	WW3672DRFALW1	Lam/Wood	5248	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	267 lbs.	56.3	
WW3672DLFAL1	WW3672DRFAL1	Laminate	3544	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	267 lbs.	56.3	
WW3672DLFALL1	WW3672DRFALL1	TFL	2835	36 1/16	71 1/16	28 3/8	6 3/16	52 1/16	267 lbs.	56.3	
• Arc top desk is 30" deep at ends • Top overhangs 6" at center • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DLFBAW1 F 1PL G1L KRS AC
 WWN3672DLFBAL1 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DLFBALW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	1½" TOP THICKNESS				D	W	H	A	KW			
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3684DLFBAW1	WWN3684DRFBAW1	Wood	\$	6595	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3684DLFBALW1	WWN3684DRFBALW1	Lam/Wood		6595	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3684DLFBAL1	WWN3684DRFBAL1	Laminate		4452	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3672DLFBAW1	WWN3672DRFBAW1	Wood	\$	5949	36⅞	71⅞	29⅝	6⅞	52⅞	277 lbs.	52.0
	WWN3672DLFBALW1	WWN3672DRFBALW1	Lam/Wood		5949	36⅞	71⅞	29⅝	6⅞	52⅞	277 lbs.	52.0
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3672DLFBAL1	WWN3672DRFBAL1	Laminate		4012	36⅞	71⅞	29⅝	6⅞	52⅞	277 lbs.	52.0
	WW3684DLFBAW1	WW3684DRFBAW1	Wood	\$	6054	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8
	WW3684DLFBALW1	WW3684DRFBALW1	Lam/Wood		6054	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8
	WW3684DLFBAL1	WW3684DRFBAL1	Laminate		4087	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8
	WW3684DLFBALL1	WW3684DRFBALL1	TFL		3172	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8
	WW3672DLFBAW1	WW3672DRFBAW1	Wood	\$	5409	36⅞	71⅞	28⅞	6⅞	52⅞	267 lbs.	56.3
	WW3672DLFBALW1	WW3672DRFBALW1	Lam/Wood		5409	36⅞	71⅞	28⅞	6⅞	52⅞	267 lbs.	56.3
	WW3672DLFBAL1	WW3672DRFBAL1	Laminate		3650	36⅞	71⅞	28⅞	6⅞	52⅞	267 lbs.	56.3
	WW3672DLFBALL1	WW3672DRFBALL1	TFL		2835	36⅞	71⅞	28⅞	6⅞	52⅞	267 lbs.	56.3
	• Arc top desk is 30" deep at ends • Top overhangs 12" at center to the modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Modesty inset • Grain direction runs with the width of all laminate modesty panels that exceed 60"											

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFW1 F 1PL G1L KRS AC
 WW3672DRFL1 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DRFLW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC	
					D	W	H	A	KW	WEIGHT	FEET
SINGLE PEDESTAL DESK RECESSED MODESTY  Left shown	1 1/2" TOP THICKNESS										
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK									
	WWN3684DLFW1	WWN3684DRFW1	Wood	\$ 5223	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3684DLFLW1	WWN3684DRFLW1	Lam/Wood	5223	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3684DLFL1	WWN3684DRFL1	Laminate	3446	36 1/16	83 1/16	29 3/8	6 3/16	64 1/16	374 lbs.	65.8
	WWN3672DLFW1	WWN3672DRFW1	Wood	\$ 4711	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	287 lbs.	52.3
	WWN3672DLFLW1	WWN3672DRFLW1	Lam/Wood	4711	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	287 lbs.	52.3
	WWN3672DLFL1	WWN3672DRFL1	Laminate	3105	36 1/16	71 1/16	29 3/8	6 3/16	52 1/16	287 lbs.	52.3
	WWN3066DLFW1	WWN3066DRFW1	Wood	\$ 4420	30 1/16	66	29 3/8	6 3/16	52 1/16	232 lbs.	40.3
	WWN3066DLFLW1	WWN3066DRFLW1	Lam/Wood	4420	30 1/16	66	29 3/8	6 3/16	52 1/16	232 lbs.	40.3
	WWN3066DLFL1	WWN3066DRFL1	Laminate	2974	30 1/16	66	29 3/8	6 3/16	52 1/16	232 lbs.	40.3
1 3/8" TOP THICKNESS											
LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
WW3684DLFW1	WW3684DRFW1	Wood	\$ 4798	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8	
WW3684DLFLW1	WW3684DRFLW1	Lam/Wood	4798	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8	
WW3684DLFL1	WW3684DRFL1	Laminate	3163	36 1/16	83 1/16	28 1/16	6 3/16	64 1/16	374 lbs.	65.8	
WW3684DLFLL1	WW3684DRFLL1	TFL	2529	36 1/16	83 1/16	28 3/8	6 3/16	64 1/16	374 lbs.	65.8	
WW3672DLFW1	WW3672DRFW1	Wood	\$ 4283	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	311 lbs.	56.3	
WW3672DLFLW1	WW3672DRFLW1	Lam/Wood	4283	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	311 lbs.	56.3	
WW3672DLFL1	WW3672DRFL1	Laminate	2824	36 1/16	71 1/16	28 1/16	6 3/16	52 1/16	311 lbs.	56.3	
WW3672DLFLL1	WW3672DRFLL1	TFL	2258	36 1/16	71 1/16	28 3/8	6 3/16	52 1/16	311 lbs.	56.3	
WW3066DLFW1	WW3066DRFW1	Wood	\$ 4016	30 1/16	66	28 1/16	6 3/16	52 1/16	245 lbs.	44.4	
WW3066DLFLW1	WW3066DRFLW1	Lam/Wood	4016	30 1/16	66	28 1/16	6 3/16	52 1/16	245 lbs.	44.4	
WW3066DLFL1	WW3066DRFL1	Laminate	2704	30 1/16	66	28 1/16	6 3/16	52 1/16	245 lbs.	44.4	
WW3066DLFLL1	WW3066DRFLL1	TFL	2164	30 1/16	66	28 3/8	6 3/16	52 1/16	245 lbs.	44.4	
• 3684 and 3672 desks have 30" deep pedestal • 3066 desk has 24" deep pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Grain direction runs with the width of all laminate modesty panels that exceed 60"											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DRFBW1 F 1PL G1L KRS AC
 WWN3672DRFBL1 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DRFBLW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET	
	1 1/16" TOP THICKNESS											
 Left shown  Left shown	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3684DLFBW1	WWN3684DRFBW1	Wood	\$	5381	36 1/16	83 3/16	29 3/8	6 3/16	64 1 1/16	374 lbs.	65.8
	WWN3684DLFBLW1	WWN3684DRFBLW1	Lam/Wood		5381	36 1/16	83 3/16	29 3/8	6 3/16	64 1 1/16	374 lbs.	65.8
	WWN3684DLFBL1	WWN3684DRFBL1	Laminate		3550	36 1/16	83 3/16	29 3/8	6 3/16	64 1 1/16	374 lbs.	65.8
	WWN3672DLFBW1	WWN3672DRFBW1	Wood	\$	4854	36 1/16	71 1 1/16	29 3/8	6 3/16	52 1 1/16	287 lbs.	52.3
	WWN3672DLFBLW1	WWN3672DRFBLW1	Lam/Wood		4854	36 1/16	71 1 1/16	29 3/8	6 3/16	52 1 1/16	287 lbs.	52.3
	WWN3672DLFBL1	WWN3672DRFBL1	Laminate		3202	36 1/16	71 1 1/16	29 3/8	6 3/16	52 1 1/16	287 lbs.	52.3
	WWN3066DLFBW1	WWN3066DRFBW1	Wood	\$	4552	30 1/16	66	29 3/8	6 3/16	52 1 1/16	232 lbs.	40.3
	WWN3066DLFBLW1	WWN3066DRFBLW1	Lam/Wood		4552	30 1/16	66	29 3/8	6 3/16	52 1 1/16	232 lbs.	40.3
	WWN3066DLFBL1	WWN3066DRFBL1	Laminate		3061	30 1/16	66	29 3/8	6 3/16	52 1 1/16	232 lbs.	40.3
	1 1/16" TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WW3684DLFBW1	WW3684DRFBW1	Wood	\$	4940	36 1/16	83 3/16	28 3/16	6 3/16	64 1 1/16	374 lbs.	65.8
	WW3684DLFBLW1	WW3684DRFBLW1	Lam/Wood		4940	36 1/16	83 3/16	28 3/16	6 3/16	64 1 1/16	374 lbs.	65.8
	WW3684DLFBL1	WW3684DRFBL1	Laminate		3258	36 1/16	83 3/16	28 3/16	6 3/16	64 1 1/16	374 lbs.	65.8
	WW3684DLFBLL1	WW3684DRFBLL1	TFL		2529	36 1/16	83 3/16	28 3/8	6 3/16	64 1 1/16	374 lbs.	65.8
	WW3672DLFBW1	WW3672DRFBW1	Wood	\$	4411	36 1/16	71 1 1/16	28 3/16	6 3/16	52 1 1/16	311 lbs.	56.3
	WW3672DLFBLW1	WW3672DRFBLW1	Lam/Wood		4411	36 1/16	71 1 1/16	28 3/16	6 3/16	52 1 1/16	311 lbs.	56.3
	WW3672DLFBL1	WW3672DRFBL1	Laminate		2906	36 1/16	71 1 1/16	28 3/16	6 3/16	52 1 1/16	311 lbs.	56.3
	WW3672DLFBLL1	WW3672DRFBLL1	TFL		2257	36 1/16	71 1 1/16	28 3/8	6 3/16	52 1 1/16	311 lbs.	56.3
	WW3066DLFBW1	WW3066DRFBW1	Wood	\$	4138	30 1/16	66	28 3/16	6 3/16	52 1 1/16	245 lbs.	44.4
	WW3066DLFBLW1	WW3066DRFBLW1	Lam/Wood		4138	30 1/16	66	28 3/16	6 3/16	52 1 1/16	245 lbs.	44.4
	WW3066DLFBL1	WW3066DRFBL1	Laminate		2785	30 1/16	66	28 3/16	6 3/16	52 1 1/16	245 lbs.	44.4
	WW3066DLFBLL1	WW3066DRFBLL1	TFL		2164	30 1/16	66	28 3/8	6 3/16	52 1 1/16	245 lbs.	44.4

- 3684 and 3672 desks have 35" deep pedestal
- 3066 desk has 30" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty inset
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFA1W F G1L 462 AD
 WWN3084DSFA1LW F G1R 462 440 MH
 WWN3084DSFA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

ADJUSTABLE HEIGHT
DESK SHELL
FULL FLUSH MODESTY



Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
36" DEPTH									
WWN3684DSFA1W	Wood	\$ 9179	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFA1LW	Laminate/Wood	9179	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFA1L	Laminate	7934	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1W	Wood	\$ 8936	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1LW	Laminate/Wood	8936	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1L	Laminate	7814	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1W	Wood	\$ 8693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1LW	Laminate/Wood	8693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1L	Laminate	7693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
30" DEPTH									
WWN3084DSFA1W	Wood	\$ 8362	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFA1LW	Laminate/Wood	8362	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFA1L	Laminate	6731	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1W	Wood	\$ 8117	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1LW	Laminate/Wood	8117	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1L	Laminate	6614	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1W	Wood	\$ 7874	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1LW	Laminate/Wood	7874	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1L	Laminate	6493	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3066DSFA1W	Wood	\$ 7629	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFA1LW	Laminate/Wood	7629	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFA1L	Laminate	6374	30 1/16	66	27 1/16	—	—	lbs.	
WWN3060DSFA1W	Wood	\$ 7384	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFA1LW	Laminate/Wood	7384	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFA1L	Laminate	6255	30 1/16	60	27 1/16	—	—	lbs.	
24" DEPTH									
WWN2454DSFA1W	Wood	\$ 5905	24	54	27 1/16	—	—	lbs.	
WWN2454DSFA1LW	Laminate/Wood	5905	24	54	27 1/16	—	—	lbs.	
WWN2454DSFA1L	Laminate	5247	24	54	27 1/16	—	—	lbs.	
WWN2448DSFA1W	Wood	\$ 5798	24	48 1/16	27 1/16	—	—	lbs.	
WWN2448DSFA1LW	Laminate/Wood	5798	24	48 1/16	27 1/16	—	—	lbs.	
WWN2448DSFA1L	Laminate	5141	24	48 1/16	27 1/16	—	—	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFA1W F G1L 462 AD
 WW3084DSFA1LW F G1R 462 440 MH
 WW3084DSFA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
FULL FLUSH MODESTY
(CONTINUED)**



Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT FEET
1 1/2" TOP THICKNESS								
36" DEPTH								
WW3684DSFA1W	Wood	\$ 9043	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3684DSFA1LW	Laminate/Wood	9043	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3684DSFA1L	Laminate	7794	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3678DSFA1W	Wood	\$ 8799	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3678DSFA1LW	Laminate/Wood	8799	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3678DSFA1L	Laminate	7678	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3672DSFA1W	Wood	\$ 8555	36 1/16	71 1/16	26 13/16	—	—	lbs.
WW3672DSFA1LW	Laminate/Wood	8555	36 1/16	71 1/16	26 13/16	—	—	lbs.
WW3672DSFA1L	Laminate	7557	36 1/16	71 1/16	26 13/16	—	—	lbs.
30" DEPTH								
WW3084DSFA1W	Wood	\$ 8224	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3084DSFA1LW	Laminate/Wood	8224	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3084DSFA1L	Laminate	6594	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3078DSFA1W	Wood	\$ 7980	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3078DSFA1LW	Laminate/Wood	7980	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3078DSFA1L	Laminate	6474	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3072DSFA1W	Wood	\$ 7736	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3072DSFA1LW	Laminate/Wood	7736	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3072DSFA1L	Laminate	6357	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3066DSFA1W	Wood	\$ 7492	30 1/16	66	26 13/16	—	—	lbs.
WW3066DSFA1LW	Laminate/Wood	7492	30 1/16	66	26 13/16	—	—	lbs.
WW3066DSFA1L	Laminate	6237	30 1/16	66	26 13/16	—	—	lbs.
WW3060DSFA1W	Wood	\$ 7247	30 1/16	60	26 13/16	—	—	lbs.
WW3060DSFA1LW	Laminate/Wood	7247	30 1/16	60	26 13/16	—	—	lbs.
WW3060DSFA1L	Laminate	6117	30 1/16	60	26 13/16	—	—	lbs.
24" DEPTH								
WW2454DSFA1W	Wood	\$ 5385	24	54	26 13/16	—	—	lbs.
WW2454DSFA1LW	Laminate/Wood	5385	24	54	26 13/16	—	—	lbs.
WW2454DSFA1L	Laminate	4867	24	54	26 13/16	—	—	lbs.
WW2448DSFA1W	Wood	\$ 5279	24	48 1/16	26 13/16	—	—	lbs.
WW2448DSFA1LW	Laminate/Wood	5279	24	48 1/16	26 13/16	—	—	lbs.
WW2448DSFA1L	Laminate	4759	24	48 1/16	26 13/16	—	—	lbs.

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFBA1W F G1L 462 AD
 WWN3084DSFBA1LW F G1R 462 440 MH
 WWN3084DSFBA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
BREAKFRONT FULL
MODESTY**



User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS 36" DEPTH			D	W	H				
WWN3684DSFBA1W	Wood	\$ 9317	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFBA1LW	Laminate/Wood	9317	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFBA1L	Laminate	8069	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1W	Wood	\$ 9073	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1LW	Laminate/Wood	9073	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1L	Laminate	7952	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1W	Wood	\$ 8829	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1LW	Laminate/Wood	8829	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1L	Laminate	7832	36 1/16	71 1/16	27 1/16	—	—	lbs.	
30" DEPTH									
WWN3084DSFBA1W	Wood	\$ 8499	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFBA1LW	Laminate/Wood	8499	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFBA1L	Laminate	6868	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1W	Wood	\$ 8254	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1LW	Laminate/Wood	8254	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1L	Laminate	6750	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1W	Wood	\$ 8010	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1LW	Laminate/Wood	8010	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1L	Laminate	6630	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3066DSFBA1W	Wood	\$ 7767	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFBA1LW	Laminate/Wood	7767	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFBA1L	Laminate	6512	30 1/16	66	27 1/16	—	—	lbs.	
WWN3060DSFBA1W	Wood	\$ 7521	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFBA1LW	Laminate/Wood	7521	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFBA1L	Laminate	6391	30 1/16	60	27 1/16	—	—	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFBA1W F G1L 462 AD
 WW3084DSFBA1LW F G1R 462 440 MH
 WW3084DSFBA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
BREAKFRONT FULL
MODESTY
(CONTINUED)**



User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
1$\frac{1}{16}$" TOP THICKNESS 36" DEPTH								
WW3684DSFBA1W	Wood	\$ 9179	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3684DSFBA1LW	Laminate/Wood	9179	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3684DSFBA1L	Laminate	7934	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1W	Wood	\$ 8936	36 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1LW	Laminate/Wood	8936	36 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1L	Laminate	7814	36 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1W	Wood	\$ 8693	36 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1LW	Laminate/Wood	8693	36 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1L	Laminate	7693	36 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
30" DEPTH								
WW3084DSFBA1W	Wood	\$ 8362	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3084DSFBA1LW	Laminate/Wood	8362	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3084DSFBA1L	Laminate	6731	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1W	Wood	\$ 8117	30 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1LW	Laminate/Wood	8117	30 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1L	Laminate	6614	30 $\frac{1}{16}$	77 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1W	Wood	\$ 7874	30 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1LW	Laminate/Wood	7874	30 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1L	Laminate	6493	30 $\frac{1}{16}$	71 $\frac{15}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1W	Wood	\$ 7629	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1LW	Laminate/Wood	7629	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1L	Laminate	6374	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1W	Wood	\$ 7384	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1LW	Laminate/Wood	7384	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1L	Laminate	6255	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

NAC05PCONB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS 	NAC05PCONB	Black	\$ 253	2½	5½	1	—	—	3 lbs.	0.1
	• Will allow 4 position programmable option and digital readout. • To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUW R G1L NL AC
WWN3072DUL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	1 ¹ / ₆ " TOP THICKNESS									
	WWN3672DUW	Wood	\$ 2894	36%	71 ¹ / ₁₆	29%	—	—	145 lbs.	8.8
	WWN3672DULW	Laminate/Wood	2894	36%	71 ¹ / ₁₆	29%	—	—	145 lbs.	8.8
	WWN3672DUL	Laminate	1717	36%	71 ¹ / ₁₆	29%	—	—	145 lbs.	8.8
	WWN3072DUW	Wood	\$ 2735	30 ¹ / ₁₆	71 ¹ / ₁₆	29%	—	—	130 lbs.	8.5
	WWN3072DULW	Laminate/Wood	2735	30 ¹ / ₁₆	71 ¹ / ₁₆	29%	—	—	130 lbs.	8.5
	WWN3072DUL	Laminate	1450	30 ¹ / ₁₆	71 ¹ / ₁₆	29%	—	—	130 lbs.	8.5
	WWN3066DUW	Wood	\$ 2578	30 ¹ / ₁₆	66	29%	—	—	100 lbs.	6.3
WWN3066DULW	Laminate/Wood	2578	30 ¹ / ₁₆	66	29%	—	—	100 lbs.	6.3	
WWN3066DUL	Laminate	1186	30 ¹ / ₁₆	66	29%	—	—	100 lbs.	6.3	

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUW R G1L NL AC
WW3072DUL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
U-SHAPED DESK (CONTINUED) 	1$\frac{1}{16}$" TOP THICKNESS										
	WW3672DUW	Wood	\$ 2630	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	145 lbs.	8.8	
	WW3672DULW	Laminate/Wood	2630	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	145 lbs.	8.8	
	WW3672DUL	Laminate	1559	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	145 lbs.	8.8	
	WW3672DULL	TFL	1246	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{8}$	—	—	145 lbs.	8.8	
	WW3072DUW	Wood	\$ 2487	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	130 lbs.	8.5	
	WW3072DULW	Laminate/Wood	2487	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	130 lbs.	8.5	
	WW3072DUL	Laminate	1318	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	130 lbs.	8.5	
	WW3072DULL	TFL	1053	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{8}$	—	—	130 lbs.	8.5	
	WW3066DUW	Wood	\$ 2344	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	100 lbs.	6.3	
	WW3066DULW	Laminate/Wood	2344	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	100 lbs.	6.3	
	WW3066DUL	Laminate	1079	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	—	—	100 lbs.	6.3	
	WW3066DULL	TFL	861	30 $\frac{1}{16}$	66	28 $\frac{1}{8}$	—	—	100 lbs.	6.3	
			• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Some assembly required								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUFW R G1L NL AC
WWN3072DUFL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
	U-SHAPED DESK WITH MODESTY PANEL		1 ¹ / ₆ " TOP THICKNESS								
	WWN3672DUFW	Wood	\$	3752	36 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	165 lbs.	8.9
	WWN3672DUFLW	Laminate/Wood		3752	36 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	165 lbs.	8.9
	WWN3672DUFL	Laminate		2241	36 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	165 lbs.	8.9
	WWN3072DUFW	Wood	\$	3473	30 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	150 lbs.	8.6
	WWN3072DUFLW	Laminate/Wood		3473	30 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	150 lbs.	8.6
	WWN3072DUFL	Laminate		1977	30 ¹ / ₆	71 ¹ / ₆	29 ³ / ₈	14 ¹ / ₆	—	150 lbs.	8.6
	WWN3066DUFW	Wood	\$	3190	30 ¹ / ₆	66	29 ³ / ₈	14 ¹ / ₆	—	120 lbs.	6.5
WWN3066DUFLW	Laminate/Wood		3190	30 ¹ / ₆	66	29 ³ / ₈	14 ¹ / ₆	—	120 lbs.	6.5	
WWN3066DUFL	Laminate		1715	30 ¹ / ₆	66	29 ³ / ₈	14 ¹ / ₆	—	120 lbs.	6.5	

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUFW R G1L NL AC
WW3072DUFL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
U-SHAPED DESK WITH MODESTY PANEL (CONTINUED) 	1³/₁₆" TOP THICKNESS										
	WW3672DUFW	Wood	\$	3412	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	WW3672DUFLW	Laminate/Wood		3412	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	WW3672DUFL	Laminate		2038	36 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	WW3672DUFLL	TFL		1629	36 ³ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	14 ¹ / ₁₆	—	165 lbs.	8.9
	WW3072DUFW	Wood	\$	3156	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	WW3072DUFLW	Laminate/Wood		3156	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	WW3072DUFL	Laminate		1794	30 ³ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	WW3072DUFLL	TFL		1436	30 ³ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	14 ¹ / ₁₆	—	150 lbs.	8.6
	WW3066DUFW	Wood	\$	2901	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	WW3066DUFLW	Laminate/Wood		2901	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	WW3066DUFL	Laminate		1558	30 ³ / ₁₆	66	28 ¹ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	WW3066DUFLL	TFL		1246	30 ³ / ₁₆	66	28 ⁷ / ₁₆	14 ¹ / ₁₆	—	120 lbs.	6.5
	• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Some assembly required										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color (laminate/combo models)
5. Laminate Door/Drawer Color (laminate models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DPLW R AC
WW3072DPLL VHN2 AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
	1¹/₁₆" TOP THICKNESS										
	LEFT P			RIGHT P							
	WWN3072DPLW	WWN3072DPRW	Wood	\$ 3028	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WWN3072DPLLW	WWN3072DPRLW	Laminate/Wood	3028	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WWN3072DPLL	WWN3072DPRL	Laminate	1796	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	1³/₁₆" TOP THICKNESS										
	LEFT P			RIGHT P							
	WW3072DPLW	WW3072DPRW	Wood	\$ 2754	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WW3072DPLLW	WW3072DPRLW	Laminate/Wood	2754	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WW3072DPLL	WW3072DPRL	Laminate	1632	36 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
WW3072DPLLL	WW3072DPRL	TFL	1308	36 ³ / ₁₆	71 ¹ / ₁₆	29	—	—	110 lbs.	6.9	

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options; some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Laminate Top Color (laminated/combo models)
5. Laminate Door/Drawer Color (laminated models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DPLFW R AC
WW3072DPLFL VHN2 AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H					
P-SHAPED DESK WITH MODESTY PANEL  Left shown	1 1/16" TOP THICKNESS WITH MODESTY											
	LEFT P	RIGHT P										
	WWN3072DPLFW	WWN3072DPRFW	Wood	\$ 3760	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	WWN3072DPLFLW	WWN3072DPRFLW	Laminate/Wood	3760	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	WWN3072DPLFL	WWN3072DPRFL	Laminate	2268	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	1 3/16" TOP THICKNESS WITH MODESTY											
	LEFT P	RIGHT P										
	WW3072DPLFW	WW3072DPRFW	Wood	\$ 3416	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	WW3072DPLFLW	WW3072DPRFLW	Laminate/Wood	3416	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	WW3072DPLFL	WW3072DPRFL	Laminate	2064	36 1/16	71 1/16	29 1/16	14 1/16	—		130 lbs.	8.8
	WW3072DPLFLL	WW3072DPRFLL	TFL	1650	36 1/16	71 1/16	29	14 1/16	—		130 lbs.	8.8

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options; some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Only available grommet option on corner units is center location
- Refer to page 288 for grommet options and upcharge


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4242CFSW2	P	G11SNC	MC		
WW4242CFSL2	V	G11SNC	MC	440	MC
WW4242CFSWL2	P	G11SNC	440	MC	440
WW4242CFSWL2	P	G11SNC	440	MC	

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
CORNER UNIT  Grain direction runs diagonally	1 1/8" TOP THICKNESS									
	WWN4242CFSW2	Wood	\$ 3220	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSWL2	Laminate/Wood	3220	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSL2	Laminate	1956	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSWL2	Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSWL2	Laminate/Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	1 3/8" TOP THICKNESS									
	WW4242CFSW2	Wood	\$ 2925	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4
	WW4242CFSWL2	Laminate/Wood	2925	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4
	WW4242CFSL2	Laminate	1780	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4
WW4242CFSLL2	TFL	1425	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
WW4242CFSWL2	Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
WW4242CFSWL2	Laminate/Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
• Must be connected to 24" deep worksurfaces										
• 42" corner unit has 25 1/2" on front edge										
1 1/8" TOP THICKNESS										
WWN3636CFSW2	Wood	\$ 3013	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9	
WWN3636CFSWL2	Laminate/Wood	3013	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9	
WWN3636CFSL2	Laminate	1840	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9	
WWN3636CFSWL2	Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9	
WWN3636CFSWL2	Laminate/Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9	
1 3/8" TOP THICKNESS										
WW3636CFSW2	Wood	\$ 2739	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
WW3636CFSWL2	Laminate/Wood	2739	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
WW3636CFSL2	Laminate	1676	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
WW3636CFSLL2	TFL	1339	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
WW3636CFSWL2	Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
WW3636CFSWL2	Laminate/Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9	
• Grain direction runs diagonally										
• Must be connected to 24" deep worksurfaces										
• 36" unit has 17" on front edge										
• Not intended to be used as freestanding unit										

SAMPLE MODEL NUMBERS:

WWN4242CFSW3	P	G11SNC	MC		
WWN4242CFSL3	V	G11SNC	MC	440	
WWN4242CFSWL3	P	G11SNC	440	MC	440
WWN4242CFSLW3	P	G11SNC	440	MC	
- See pages 284-288 for all options available in WaveWorks

CARTONED CUBIC
WEIGHT FEET

$42\frac{1}{16}$	$42\frac{1}{16}$	$29\frac{3}{8}$	$\frac{1}{16}$	—	145 lbs.	50.4
$42\frac{1}{16}$	$42\frac{1}{16}$	$29\frac{3}{8}$	$\frac{1}{16}$	—	145 lbs.	50.4
$42\frac{1}{16}$	$42\frac{1}{16}$	$29\frac{3}{8}$	$\frac{1}{16}$	—	145 lbs.	50.4
$42\frac{1}{16}$	$42\frac{1}{16}$	$29\frac{3}{8}$	$\frac{1}{16}$	—	145 lbs.	50.4
$42\frac{1}{16}$	$42\frac{1}{16}$	$29\frac{3}{8}$	$\frac{1}{16}$	—	145 lbs.	50.4

[illegible]

-

WW1572TCW	Wood	\$ 1407	15 $\frac{3}{16}$ "	71 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	—	—	90 lbs.	15.5
WW1572TCL	Laminate	766	15 $\frac{3}{16}$ "	71 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	—	—	90 lbs.	15.5
WW1572TCLL	TFL	611	15 $\frac{3}{16}$ "	71 $\frac{1}{16}$ "	15 $\frac{3}{16}$ "	—	—	90 lbs.	15.5
WW1566TCW	Wood	\$ 1280	15 $\frac{3}{16}$ "	66	15 $\frac{3}{16}$ "	—	—	85 lbs.	14.5
WW1566TCL	Laminate	711	15 $\frac{3}{16}$ "	66	15 $\frac{3}{16}$ "	—	—	85 lbs.	14.5
WW1566TCLL	TFL	565	15 $\frac{3}{16}$ "	66	15 $\frac{3}{16}$ "	—	—	85 lbs.	14.5

- Some assembly required
- For tack board options, see pages 722-729

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{2}$ " only



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW2572DSTF3W RX CW


- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECEPTION DESK MAIN SHELL 	MAIN SHELL								
	WW2572DSTFW Wood	\$ 6063	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
	WW2572DSTFLW Laminate/Wood	6063	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
	WW2572DSTFL Laminate	4910	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
	WW2572DSTFLL TFL	3928	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
• Frosted glass accent piece attached to approach side • Do not specify pull option • Center grommet location not available due to cords being visible through glass • Unit is non-handed; can be used left or right to configure a U-station • 23" deep undersurface pedestals can be ordered for storage; see pages 442-443 • Reception Counter Kits available; see pages 319-321 for additional information • For tack board options, see pages 722-729 • When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance									

RECEPTION DESK MAIN SHELL



Approach view



User view

MAIN SHELL									
QWW2572DSTF3W	Wood	\$ 4287	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTF3W	Wood	4287	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
• Wood worksurface/rim, wood front panel, wood chassis-no glass on unit									
WW2572DSTF3L	Laminate	\$ 3117	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
QWW2572DSTF3LL	TFL	2494	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTF3LL	TFL	2494	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
• Laminate worksurface/vinyl rim, laminate front panel, laminate chassis-no glass on unit • Do not specify pull option • Unit is non-handed; can be used left or right to configure a U-station • 23" deep undersurface pedestals can be ordered for storage; see pages 442-443 • Reception Counter Kits available; see pages 319-321 for additional information • For tack board options, see pages 722-729 • When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance									

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{2}$ " only

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW2575DSTFLW F 72CC KRB AC

- See pages 284-288 for all options available in WaveWorks




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION			PRICE	DIMENSIONS							
	MAIN SHELL—ADA				D	W	H	A	KW	CU	WEIGHT	FEET
RECEPTION DESK ADA MAIN SHELL WITH VERTICAL TOWER  Left shown	MAIN SHELL—ADA LEFT		RIGHT									
	WW2575DSTFLW	WW2575DSTFRW	Wood	\$	6546	26 ¹ / ₁₆	74 ¹ / ₁₆	29 ³ / ₁₆	8	54	230 lbs.	52.0
	WW2575DSTFLLW	WW2575DSTFRLW	Lam/Wood		6546	26 ¹ / ₁₆	74 ¹ / ₁₆	29 ³ / ₁₆	8	54	230 lbs.	52.0
	WW2575DSTFLL	WW2575DSTFRL	Laminate		5287	26 ¹ / ₁₆	74 ¹ / ₁₆	29 ³ / ₁₆	8	54	230 lbs.	52.0
	WW2575DSTFLLL	WW2575DSTFRLL	TFL		4228	26 ¹ / ₁₆	74 ¹ / ₁₆	29 ³ / ₁₆	8	54	230 lbs.	52.0
• Includes glass shelf on approach side • Grommet option not available • Kneespace depth is 15½" • Vertical tower has access door on approach side to access cords; 24" x 18" cornice tops available for tower; see page 404 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available												

- Includes glass shelf on approach side
- Grommet option not available
- Kneespace depth is 15 $\frac{1}{2}$ "
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 404
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the user side, use the WW2866BSTF___, WW2866BSTF2___ or WW2563BSTF___ reception bridge


**RECEPTION DESK
ADA MAIN SHELL
WITH VERTICAL TOWER**


Left shown

	MAIN SHELL—ADA LEFT	RIGHT			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
	QWW2472DSTFLW	QWW2472DSTFRW	Wood	\$ 4855	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLW	WW2472DSTFRW	Wood	4855	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLLW	WW2472DSTFRLW	Lam/Wood	4855	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	Laminate	3584	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	QWW2472DSTFLL	QWW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{16}$ "	8	54	230 lbs.	52.0

- No glass on unit
- Reception Counter Kits available; see below
- Grommet option not available
- Kneespace depth is 15 $\frac{1}{2}$ "
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 404
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- In order to meet ADA standard from the user side, use the WW2866BSTF___, WW2866BSTF2___ or WW2563BSTF___ reception bridge

**RECEPTION COUNTER KITS—
ADA**


1 $\frac{1}{2}$ " TOP THICKNESS								
QWW1154TSW	Wood	\$ 933	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8
WW1154TSW	Wood	933	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8
WW1154TSLW	Laminate/Wood	933	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8
WW1154TSL	Laminate	905	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8
QWW1154TSL	TFL	725	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8
WW1154TSL	TFL	725	11	54	1 $\frac{1}{2}$ "	—	—	42 lbs. 1.8

- For use with Reception Desk ADA Main Shell above
- Unit includes stanchions to attach to the ADA Reception unit

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{3}{8}$ " only


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color



SAMPLE MODEL NUMBERS:

WW2866BSTFW P G1C AC
 WW2866BSTFL NMH G1C MH
 WW2866BSTFLW F G1C 461 NH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
	WW2866BSTFW	Wood	\$ 1430	28 ¹ / ₁₆	66	42 ³ / ₄	—	66	260 lbs.	60.0
	WW2866BSTFLW	Laminate/Wood	1430	28 ¹ / ₁₆	66	42 ³ / ₄	—	66	260 lbs.	60.0
	WW2866BSTFL	Laminate	986	28 ¹ / ₁₆	66	42 ³ / ₄	—	66	260 lbs.	60.0
	WW2866BSTFLL	TFL	790	28 ¹ / ₁₆	66	42 ³ / ₄	—	66	260 lbs.	60.0
	WW2854BSTFW	Wood	\$ 1230	28 ¹ / ₁₆	54	42 ³ / ₄	—	54	243 lbs.	51.0
	WW2854BSTFLW	Laminate/Wood	1230	28 ¹ / ₁₆	54	42 ³ / ₄	—	54	243 lbs.	51.0
	WW2854BSTFL	Laminate	750	28 ¹ / ₁₆	54	42 ³ / ₄	—	54	243 lbs.	51.0
	WW2854BSTFLL	TFL	601	28 ¹ / ₁₆	54	42 ³ / ₄	—	54	243 lbs.	51.0

- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Specify WW2866BSTF_ reception bridge for ADA compliant user side
- When WW2866BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 722-729

 Approach view  User view	WW2866BSTF2W Wood	\$ 1373	28 $\frac{1}{16}$ "	66"	42 $\frac{3}{4}$ "	—	66"	66"	260 lbs.	60.0
	WW2866BSTF2LW Laminate/Wood	1373	28 $\frac{1}{16}$ "	66"	42 $\frac{3}{4}$ "	—	66"	66"	260 lbs.	60.0
	WW2866BSTF2L Laminate	970	28 $\frac{1}{16}$ "	66"	42 $\frac{3}{4}$ "	—	66"	66"	260 lbs.	60.0
	WW2866BSTF2LL TFL	774	28 $\frac{1}{16}$ "	66"	42 $\frac{3}{4}$ "	—	66"	66"	260 lbs.	60.0
	WW2854BSTF2W Wood	\$ 1200	28 $\frac{1}{16}$ "	54"	42 $\frac{3}{4}$ "	—	66"	66"	243 lbs.	51.0
	WW2854BSTF2LW Laminate/Wood	1200	28 $\frac{1}{16}$ "	54"	42 $\frac{3}{4}$ "	—	66"	66"	243 lbs.	51.0
	WW2854BSTF2L Laminate	711	28 $\frac{1}{16}$ "	54"	42 $\frac{3}{4}$ "	—	66"	66"	243 lbs.	51.0
	WW2854BSTF2LL TFL	565	28 $\frac{1}{16}$ "	54"	42 $\frac{3}{4}$ "	—	66"	66"	243 lbs.	51.0

- Includes 11" deep clear glass reception counter
- Specify WW2866BSTF_ or WW2866BSTF2_ reception bridge for ADA compliant user side
- When WW2866BSTF2L is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{8}$ " only



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2563BSTFW P G1C AC
 WW2563BSTFL NMH G1C MH
 WW2563BSTFLW F G1C 461 NH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECEPTION BRIDGE  Approach view  User view	QWW2563BSTFW	Wood	\$ 1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFW	Wood	1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFLW	Laminate/Wood	1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFL	Laminate	921	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	QWW2563BSTFLL	TFL	734	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFLL	TFL	734	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	QWW2550BSTFW	Wood	\$ 1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFW	Wood	1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFLW	Laminate/Wood	1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFL	Laminate	658	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	QWW2550BSTFLL	TFL	526	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFLL	TFL	526	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0

- No glass on unit
- Reception Counter Kits available; see pages 319-321 for additional information
- Specify WW2563BSTF_ reception bridge for ADA compliant user side
- When WW2563BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

RECEPTION RETURN



Left Shown

RECEPTION RETURN
LEFT-SHELL

RIGHT-SHELL

WW2860RSTFLW	WW2860RSTFRW	Wood	\$ 2190	27 $\frac{3}{4}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLLW	WW2860RSTFRLW	Lam/Wood	2190	27 $\frac{3}{4}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLL	WW2860RSTFRL	Laminate	2044	27 $\frac{3}{4}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLLL	WW2860RSTFRLL	TFL	1637	27 $\frac{3}{4}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0

- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1½" only
- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW2860RSTFL2W P G1C AC
 WW2860RSTFL2LW NMH G1C MH
 WW2860RSTFL2L F G1C 461 NH


- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H	A			
RECEPTION RETURN	LEFT-SHELL	RIGHT-SHELL									
	WW2860RSTFL2W	WW2860RSTFR2W	Wood	\$ 2134	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2LW	WW2860RSTFR2LW	Lam/Wood	2134	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2L	WW2860RSTFR2L	Laminate	2004	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2LL	WW2860RSTFR2LL	TFL	1604	27¾	60	42¾	—	59¼	175 lbs.	47.0


- Includes 11" deep clear glass reception counter
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729




Approach view-left shown



User view-left shown



Approach view-right shown



User view-right shown

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H	A			
RECEPTION RETURN	LEFT-SHELL	RIGHT-SHELL									
	QWW2460RSTFLW	QWW2460RSTFRW	Wood	\$ 2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
	WW2460RSTFLW	WW2460RSTFRW	Wood	2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
	WW2460RSTFLLW	WW2460RSTFRLW	Lam/Wood	2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
	WW2460RSTFLL	WW2460RSTFRL	Laminate	1954	24¼	59%	40%	—	59¼	175 lbs.	47.0
	QWW2460RSTFLLL	QWW2460RSTFRLL	TFL	1563	24¼	59%	40%	—	59¼	175 lbs.	47.0
	WW2460RSTFLLL	WW2460RSTFRLL	TFL	1563	24¼	59%	40%	—	59¼	175 lbs.	47.0

- No glass on unit
- Reception Counter Kits available; see pages 319-321 for additional information
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15109TSW F MH
 WWN15109TSLW F 405 MH
 WWN15109TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1 $\frac{1}{16}$ " TOP THICKNESS		D	W	H				
RECEPTION COUNTER KITS	WWN15109TSW Wood	\$ 1715	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN15109TSLW Laminate/Wood	1715	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN15109TSL Laminate	1667	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN1597TSW Wood	\$ 1397	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1597TSLW Laminate/Wood	1397	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1597TSL Laminate	1357	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1584TSW Wood	\$ 1135	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1584TSLW Laminate/Wood	1135	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1584TSL Laminate	1103	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1578TSW Wood	\$ 1087	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1578TSLW Laminate/Wood	1087	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1578TSL Laminate	1059	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1572TSW Wood	\$ 1041	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1572TSLW Laminate/Wood	1041	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1572TSL Laminate	1012	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1566TSW Wood	\$ 1003	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1566TSLW Laminate/Wood	1003	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1566TSL Laminate	978	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1560TSW Wood	\$ 968	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1560TSLW Laminate/Wood	968	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1560TSL Laminate	937	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1554TSW Wood	\$ 933	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8
	WWN1554TSLW Laminate/Wood	933	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8
	WWN1554TSL Laminate	905	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

WAVEWORKS

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

- Model Number
- Rim
- Vinyl Rim Color (laminate models)
- Laminate Top Color/Veneer Top Finish
- Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15109TSW F MH
 WW15109TSLW F 405 MH
 WW15109TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECEPTION COUNTER KITS (CONTINUED) 	1½" TOP THICKNESS										
	QWW15109TSW	Wood	\$	1531	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	WW15109TSW	Wood		1531	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	WW15109TSLW	Laminate/Wood		1531	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	WW15109TSL	Laminate		1486	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	QWW15109TSL	TFL		1189	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	WW15109TSL	TFL		1189	15⅞	108⅛	1⅜	—	—	86 lbs.	3.5
	QWW1597TSW	Wood	\$	1212	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	WW1597TSW	Wood		1212	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	WW1597TSLW	Laminate/Wood		1212	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	WW1597TSL	Laminate		1179	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	QWW1597TSL	TFL		944	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	WW1597TSL	TFL		944	15⅞	96⅛	1⅜	—	—	76 lbs.	3.1
	QWW1584TSW	Wood	\$	949	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	WW1584TSW	Wood		949	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	WW1584TSLW	Laminate/Wood		949	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	WW1584TSL	Laminate		925	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	QWW1584TSL	TFL		740	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	WW1584TSL	TFL		740	15⅞	83⅛	1⅜	—	—	66 lbs.	2.7
	QWW1578TSW	Wood	\$	903	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5
	WW1578TSW	Wood		903	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5
	WW1578TSLW	Laminate/Wood		903	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5
	WW1578TSL	Laminate		878	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5
	QWW1578TSL	TFL		702	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5
	WW1578TSL	TFL		702	15⅞	77⅛	1⅜	—	—	62 lbs.	2.5

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572TSW F MH
 WW1572TSLW F 405 MH
 WW1572TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW				
RECEPTION COUNTER KITS (CONTINUED) 	1½" TOP THICKNESS (CONTINUED)										
	QWW1572TSW	Wood	\$	858	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	WW1572TSW	Wood		858	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	WW1572TSLW	Laminate/Wood		858	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	WW1572TSL	Laminate		832	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	QWW1572TSL	TFL		667	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	WW1572TSL	TFL		667	15⅜	71⅜	1⅜	—	—	56 lbs.	2.3
	QWW1566TSW	Wood	\$	821	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	WW1566TSW	Wood		821	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	WW1566TSLW	Laminate/Wood		821	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	WW1566TSL	Laminate		798	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	QWW1566TSL	TFL		660	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	WW1566TSL	TFL		660	15⅜	65⅜	1⅜	—	—	52 lbs.	2.2
	QWW1560TSW	Wood	\$	782	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	WW1560TSW	Wood		782	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	WW1560TSLW	Laminate/Wood		782	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	WW1560TSL	Laminate		761	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	QWW1560TSL	TFL		609	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	WW1560TSL	TFL		609	15⅜	59⅜	1⅜	—	—	48 lbs.	2.0
	QWW1554TSW	Wood	\$	748	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8
	WW1554TSW	Wood		748	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8
	WW1554TSLW	Laminate/Wood		748	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8
	WW1554TSL	Laminate		727	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8
	QWW1554TSL	TFL		582	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8
	WW1554TSL	TFL		582	15⅜	53⅜	1⅜	—	—	44 lbs.	1.8

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

WAVEWORKS RECEPTION - THOUGHT STARTERS

- National's reception units are offered without the glass reception counters allowing the customer to keep the space open or add the laminate or wood Reception Counter Kits
- Shown below are thought starters or ideas for how the Reception Counter Kits can be used on 1 side only or used to wrap an entire unit
- Model numbers are shown as examples of sizes used and fit of counter
- Reception Counter Kits will have an overhang on the approach side




Fig. A – Main Shell with Reception Return
(Counter on main shell)




Fig. B – Main Shell with Reception Return
(Counter on reception return spanning main shell)




Fig. C – Main Shell with Reception Return
(Counters across entire unit)




Fig. D – 2 Main Shells with Reception Bridge
(Counters on main shell)




Fig. E – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)




Fig. F – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)

THOUGHT STARTERS - WAVEWORKS RECEPTION




Fig. G – 2 Main Shells with Reception Bridge
(Counters across entire unit)




Fig. H – 2 Main Shells with Reception Bridge
(Counters across entire unit)

	CONFIGURATION		
	RECEPTION COUNTER KIT(S) COVER MAIN AND/OR ADA SHELL ONLY (SEE FIG. A OR D)	RECEPTION COUNTER KIT COVERS BRIDGE OR RETURN ONLY (SEE FIG. B, E, OR F)	RECEPTION COUNTER KIT(S) COVER ENTIRE UNIT (SEE FIG. C, G, OR H)
WAVEWORKS ADA COMPLIANT U-RECEPTION STATION			
Main Shell	WW1572TS	—	WW1578TS
ADA Shell	WW1154TS	—	WW1154TS
– 63" Bridge	—	WW1566TS	WW1572TS
WAVEWORKS U-RECEPTION STATION			
Main Shell	WW1572TS	—	WW1578TS
ADA Shell	WW1154TS	—	WW1154TS
– 63" Bridge	—	WW1554TS	WW1560TS
WAVEWORKS ADA COMPLIANT L-RECEPTION STATION			
ADA Shell	WW1154TS	—	WW1154TS
– 60" Return	—	WW1566TS	WW1566TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	—	WW1578TS x 2
– 63" Bridge	—	WW15109TS	WW1584TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	—	WW1578TS x 2
– 63" Bridge	—	WW1597TS	WW1572TS
WAVEWORKS RECEPTION L-UNIT			
Main Shell	WW1572TS	—	WW1578TS
– 60" Return	—	WW1566TS	WW1572TS

WAVEWORKS RECEPTION - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

- See pages 284-288 for all options available in WaveWorks

WAVEWORKS ADA COMPLIANT RECEPTION STATION



ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						\$ 14,039
A.	314	WW2572DSTFW	Reception Desk-Main Shell	\$ 6063	1	6,063
B.	316	WW2866BSTFW	Reception Bridge-66"	1430	1	1,430
C.	315	WW2575DSTFRW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						\$ 3,447
	404	WW2418CPTW	Cornice Top for ADA Tower	\$ 782	1	782
	442	WW2318PUBBFW	Undersurface Box/Box/File Pedestal	1807	1	1,807
	321	WW1572TSW	Reception Counter Kit	858	1	858
LAMINATE CHASSIS/WORKSURFACE:						\$ 11,183
A.	314	WW2572DSTFL	Reception Desk-Main Shell	\$ 4910	1	4,910
B.	316	WW2866BSTFL	Reception Bridge-66"	986	1	986
C.	315	WW2575DSTFRL	Main Right-Shell-ADA	5287	1	5,287
ADDITIONAL ADD-ONS:						\$ 2,726
	404	WW2418CPTL	Cornice Top for ADA Tower	\$ 761	1	761
	442	WW2318PUBBFL	Undersurface Box/Box/File Pedestal	1133	1	1,133
	321	WW1572TSL	Reception Counter Kit	832	1	832
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						\$ 14,039
A.	314	WW2572DSTFLW	Reception Desk-Main Shell	\$ 6063	1	6,063
B.	316	WW2866BSTFLW	Reception Bridge-66"	1430	1	1,430
C.	315	WW2575DSTFRLW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						\$ 1,640
	404	WW2418CPTLW	Cornice Top for ADA Tower	\$ 782	1	782
	321	WW1572TSLW	Reception Counter Kit	858	1	858

THOUGHT STARTERS - WAVEWORKS RECEPTION

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

• See pages 284-288 for all options available in WaveWorks

	ITEM	PAGE	MODEL NO./DESCRIPTION	LIST	QTY	EXT. LIST
	WAVEWORKS RECEPTION U-UNIT					
	WOOD CHASSIS/WORKSURFACE					\$ 13,602
	A.	314	WW2572DSTFW Reception Desk-Main Shell	\$ 6063	2	12,126
	B.	316	WW2866BSTFW Reception Bridge-66"	1430	1	1,430
	C.		Racetrack Grommet	46	1	46
	ADDITIONAL ADD-ONS:					\$ 3,614
		442	WW2318PUBBFW Undersurface Box/Box/File Pedestal	\$ 1807	2	3,614
	LAMINATE CHASSIS/WORKSURFACE:					\$ 10,852
	A.	314	WW2572DSTFL Reception Desk-Main Shell	\$ 4910	2	9,820
	B.	316	WW2866BSTFL Reception Bridge-66"	986	1	986
	C.		Racetrack Grommet	46	1	46
	ADDITIONAL ADD-ONS:					\$ 2,266
		442	WW2318PUBBFL Undersurface Box/Box/File Pedestal	\$ 1133	2	2,266
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						\$ 13,602
	A.	314	WW2572DSTFLW Reception Desk-Main Shell	\$ 6063	2	12,126
	B.	316	WW2866BSTFLW Reception Bridge-66"	1430	1	1,430
	C.		Racetrack Grommet	46	1	46

WAVEWORKS RECEPTIONS - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
 2. Rim
 3. Vinyl Rim Color (laminate models)
 4. Pull
 5. Grommet
 6. Locking
 7. Laminate Top Color (laminate/combo models)
 8. Laminate Door/Drawer (laminate models)
 9. Veneer Chassis Finish/Laminate Chassis Color
- See pages 284-288 for all options available in WaveWorks



	ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
	WAVEWORKS RECEPTION L-UNIT						
	WOOD CHASSIS/WORKSURFACE						\$ 10,106
	A.	314	WW2572DSTFW	Reception Desk-Main Shell	\$ 6063	1	6,063
	B.	317	WW2860RSTFLW	Reception Return-Left	2190	1	2,190
	C.	443	WW2318PUFFW	Undersurface File/File Pedestal	1807	1	1,807
	D.		Racetrack Grommet	Grommet	46	1	46
	ADDITIONAL ADD-ONS:						\$ 858
		321	WW1572TSW	Reception Counter Kit	\$ 858	1	858
	LAMINATE CHASSIS/WORKSURFACE:						\$ 8,133
	A.	314	WW2572DSTFL	Reception Desk-Main Shell	\$ 4910	1	4,910
	B.	317	WW2860RSTFLL	Reception Return-Left	2044	1	2,044
	C.	443	WW2318PUFFL	Undersurface File/File Pedestal	1133	1	1,133
	D.		Racetrack Grommet	Grommet	46	1	46
	ADDITIONAL ADD-ONS:						\$ 832
		321	WW1572TSL	Reception Counter Kit	\$ 832	1	832
	WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						\$ 8,299
	A.	314	WW2572DSTFLW	Reception Desk-Main Shell	\$ 6063	1	6,063
	B.	317	WW2860RSTFLLW	Reception Return-Left	2190	1	2,190
	C.		Racetrack Grommet	Grommet	46	1	46
	ADDITIONAL ADD-ONS:						\$ 858
		321	WW1572TSLW	Reception Counter Kit	\$ 858	1	858

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2442RREFW1 P 7SN G1C KRB AC
 WW2442RREFL1 NAC2 7SN G1C KRB 405 AC2 AC2
 WW2442RREFLW1 P 7SN G1C KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET			
D	W	H	A									
RETURN BOX/BOX/FILE  Left shown	1½" TOP THICKNESS											
	LEFT RETURN		RIGHT RETURN									
	WWN2460RLEFW1	WWN2460RREFW1	Wood	\$	3315	24	60	29⅞	⅛	44	180 lbs.	28.9
	WWN2460RLEFLW1	WWN2460RREFLW1	Laminate/Wood		3315	24	60	29⅞	⅛	44	180 lbs.	28.9
	WWN2460RLEFL1	WWN2460RREFL1	Laminate		2078	24	60	29⅞	⅛	44	180 lbs.	28.9
	WWN2448RLEFW1	WWN2448RREFW1	Wood	\$	3191	24	48⅞	29⅞	⅛	33	160 lbs.	24.7
	WWN2448RLEFLW1	WWN2448RREFLW1	Laminate/Wood		3191	24	48⅞	29⅞	⅛	33	160 lbs.	24.7
	WWN2448RLEFL1	WWN2448RREFL1	Laminate		1945	24	48⅞	29⅞	⅛	33	160 lbs.	24.7
	WWN2442RLEFW1	WWN2442RREFW1	Wood	\$	3067	24	42⅞	29⅞	⅛	27	140 lbs.	20.5
	WWN2442RLEFLW1	WWN2442RREFLW1	Laminate/Wood		3067	24	42⅞	29⅞	⅛	27	140 lbs.	20.5
	WWN2442RLEFL1	WWN2442RREFL1	Laminate		1867	24	42⅞	29⅞	⅛	27	140 lbs.	20.5
	1½" TOP THICKNESS											
	LEFT RETURN		RIGHT RETURN									
	WW2460RLEFW1	WW2460RREFW1	Wood	\$	3013	24	60	28⅞⅛	⅛	44	186 lbs.	33.7
	WW2460RLEFLW1	WW2460RREFLW1	Laminate/Wood		3013	24	60	28⅞⅛	⅛	44	186 lbs.	33.7
	WW2460RLEFL1	WW2460RREFL1	Laminate		1890	24	60	28⅞⅛	⅛	44	186 lbs.	33.7
	WW2460RLEFLL1	WW2460RREFLL1	TFL		1513	24	60	28⅞	⅛	44	186 lbs.	33.7
	WW2448RLEFW1	WW2448RREFW1	Wood	\$	2902	24	48⅞	28⅞⅛	⅛	33	175 lbs.	27.6
	WW2448RLEFLW1	WW2448RREFLW1	Laminate/Wood		2902	24	48⅞	28⅞⅛	⅛	33	175 lbs.	27.6
	WW2448RLEFL1	WW2448RREFL1	Laminate		1771	24	48⅞	28⅞⅛	⅛	33	175 lbs.	27.6
WW2448RLEFLL1	WW2448RREFLL1	TFL		1416	24	48⅞	28⅞	⅛	33	175 lbs.	27.6	
WW2442RLEFW1	WW2442RREFW1	Wood	\$	2790	24	42⅞	28⅞⅛	⅛	27	166 lbs.	24.5	
WW2442RLEFLW1	WW2442RREFLW1	Laminate/Wood		2790	24	42⅞	28⅞⅛	⅛	27	166 lbs.	24.5	
WW2442RLEFL1	WW2442RREFL1	Laminate		1696	24	42⅞	28⅞⅛	⅛	27	166 lbs.	24.5	
WW2442RLEFLL1	WW2442RREFLL1	TFL		1360	24	42⅞	28⅞	⅛	27	166 lbs.	24.5	
• Grain direction runs front-to-back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2442RREFW2 P 7SN G1C KS1B AC
 WW2442RREFL2 NAC2 7SN G1C KS1B 405 AC2 AC2
 WW2442RREFLW2 P 7SN G1C KS1B 405 AC

- See pages 284-288 for all options available in WaveWorks

RETURN FILE/FILE	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW							
 Left shown	1½" TOP THICKNESS											
	LEFT RETURN				RIGHT RETURN							
	WWN2460RLEFW2	WWN2460RREFW2	Wood	\$	3315	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2460RLEFLW2	WWN2460RREFLW2	Laminate/Wood		3315	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2460RLEFL2	WWN2460RREFL2	Laminate		2078	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2448RLEFW2	WWN2448RREFW2	Wood	\$	3191	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2448RLEFLW2	WWN2448RREFLW2	Laminate/Wood		3191	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2448RLEFL2	WWN2448RREFL2	Laminate		1945	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2442RLEFW2	WWN2442RREFW2	Wood	\$	3067	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	WWN2442RLEFLW2	WWN2442RREFLW2	Laminate/Wood		3067	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	WWN2442RLEFL2	WWN2442RREFL2	Laminate		1867	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	1½" TOP THICKNESS											
	LEFT RETURN				RIGHT RETURN							
	WW2460RLEFW2	WW2460RREFW2	Wood	\$	3013	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFLW2	WW2460RREFLW2	Laminate/Wood		3013	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFL2	WW2460RREFL2	Laminate		1890	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFLL2	WW2460RREFLL2	TFL		1513	24	60	28⅞	⅛	44	186 lbs.	33.7
	WW2448RLEFW2	WW2448RREFW2	Wood	\$	2902	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6
	WW2448RLEFLW2	WW2448RREFLW2	Laminate/Wood		2902	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6
	WW2448RLEFL2	WW2448RREFL2	Laminate		1771	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6
	WW2448RLEFLL2	WW2448RREFLL2	TFL		1416	24	48⅞⅙	28⅞	⅛	33	175 lbs.	27.6
WW2442RLEFW2	WW2442RREFW2	Wood	\$	2790	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFLW2	WW2442RREFLW2	Laminate/Wood		2790	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFL2	WW2442RREFL2	Laminate		1696	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFLL2	WW2442RREFLL2	TFL		1360	24	42⅞⅙	28⅞	⅛	27	166 lbs.	24.5	
• Grain direction runs front-to-back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2442BEFW F X N MC
 WWN2442BEFLW F X NM NM
 WWN2442BEFL F G1C PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
BRIDGE 	1½" TOP THICKNESS										
	WWN2448BEFW	Wood	\$	1340	24	48⅞	29⅝	⅞	—	80 lbs.	4.1
	WWN2448BEFLW	Laminate/Wood		1340	24	48⅞	29⅝	⅞	—	80 lbs.	4.1
	WWN2448BEFL	Laminate		820	24	48⅞	29⅝	⅞	—	80 lbs.	4.1
	WWN2442BEFW	Wood	\$	1265	24	42⅞	29⅝	⅞	—	72 lbs.	3.7
	WWN2442BEFLW	Laminate/Wood		1265	24	42⅞	29⅝	⅞	—	72 lbs.	3.7
	WWN2442BEFL	Laminate		739	24	42⅞	29⅝	⅞	—	72 lbs.	3.7
	1¾" TOP THICKNESS										
	WW2448BEFW	Wood	\$	1220	24	48⅞	28⅞	⅞	—	80 lbs.	4.1
	WW2448BEFLW	Laminate/Wood		1220	24	48⅞	28⅞	⅞	—	80 lbs.	4.1
	WW2448BEFL	Laminate		741	24	48⅞	28⅞	⅞	—	80 lbs.	4.1
	WW2448BEFL	TFL		593	24	48⅞	28⅞	⅞	—	80 lbs.	4.1
	WW2442BEFW	Wood	\$	1148	24	42⅞	28⅞	⅞	—	72 lbs.	3.7
	WW2442BEFLW	Laminate/Wood		1148	24	42⅞	28⅞	⅞	—	72 lbs.	3.7
	WW2442BEFL	Laminate		669	24	42⅞	28⅞	⅞	—	72 lbs.	3.7
WW2442BEFL	TFL		537	24	42⅞	28⅞	⅞	—	72 lbs.	3.7	
• Some assembly required • Grain direction runs front-to-back											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2448BEFHW FX CW
 WWN2448BEFHL FX 793 793
 WWN2448BEFHLW FX PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	BRIDGE WITH HINGED MODESTY									
	1 ¹ / ₁₆ " TOP THICKNESS									
	WWN2448BEFHW	Wood	\$ 1432	24	48 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2448BEFHLW	Laminate/Wood	1432	24	48 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2448BEFHL	Laminate	905	24	48 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2442BEFHW	Wood	\$ 1357	24	42 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	WWN2442BEFHLW	Laminate/Wood	1357	24	42 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	WWN2442BEFHL	Laminate	827	24	42 ¹ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	1 ³ / ₁₆ " TOP THICKNESS									
	WW2448BEFHW	Wood	\$ 1312	24	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFHLW	Laminate/Wood	1312	24	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFHL	Laminate	829	24	48 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFHLL	TFL	663	24	48 ¹ / ₁₆	28 ⁷ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WW2442BEFHW	Wood	\$ 1241	24	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
	WW2442BEFHLW	Laminate/Wood	1241	24	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
	WW2442BEFHL	Laminate	766	24	42 ¹ / ₁₆	28 ¹⁵ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
	WW2442BEFHLL	TFL	611	24	42 ¹ / ₁₆	28 ⁷ / ₈	¹ / ₁₆	—	72 lbs.	3.7
• Some assembly required • Unit has flexible grommet in modesty for cord management • Modesty is hinged for access to cords • Grain direction runs front-to-back										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CSFW P 7SN X KRB AC
 WW2472CSFL NAC2 7SN X KRB 405 AC2 AC2
 WW2472CSFLW P 7SN X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
1 $\frac{1}{8}$ " TOP THICKNESS			D	W	H	A			
WWN2472CSFW	Wood	\$ 5668	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	383 lbs.	36.3
WWN2472CSFLW	Laminate/Wood	5668	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	383 lbs.	36.3
WWN2472CSFL	Laminate	4517	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	383 lbs.	36.3
WWN2466CSFW	Wood	\$ 5324	24	66	29 $\frac{3}{8}$	$\frac{3}{16}$	—	355 lbs.	32.7
WWN2466CSFLW	Laminate/Wood	5324	24	66	29 $\frac{3}{8}$	$\frac{3}{16}$	—	355 lbs.	32.7
WWN2466CSFL	Laminate	4342	24	66	29 $\frac{3}{8}$	$\frac{3}{16}$	—	355 lbs.	32.7
WWN2460CSFW	Wood	\$ 5179	24	60	29 $\frac{3}{8}$	$\frac{3}{16}$	—	325 lbs.	28.9
WWN2460CSFLW	Laminate/Wood	5179	24	60	29 $\frac{3}{8}$	$\frac{3}{16}$	—	325 lbs.	28.9
WWN2460CSFL	Laminate	4260	24	60	29 $\frac{3}{8}$	$\frac{3}{16}$	—	325 lbs.	28.9
1 $\frac{3}{8}$ " TOP THICKNESS									
WW2472CSFW	Wood	\$ 5158	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs.	39.8
WW2472CSFLW	Laminate/Wood	5158	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs.	39.8
WW2472CSFL	Laminate	4105	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs.	39.8
WW2472CSFLL	TFL	3286	24	71 $\frac{1}{16}$	28 $\frac{3}{8}$	$\frac{3}{16}$	—	346 lbs.	39.8
WW2466CSFW	Wood	\$ 4839	24	66	28 $\frac{1}{16}$	$\frac{3}{16}$	—	334 lbs.	32.7
WW2466CSFLW	Laminate/Wood	4839	24	66	28 $\frac{1}{16}$	$\frac{3}{16}$	—	334 lbs.	32.7
WW2466CSFL	Laminate	3947	24	66	28 $\frac{1}{16}$	$\frac{3}{16}$	—	334 lbs.	32.7
WW2466CSFLL	TFL	3157	24	66	28 $\frac{3}{8}$	$\frac{3}{16}$	—	334 lbs.	32.7
WW2460CSFW	Wood	\$ 4706	24	60	28 $\frac{1}{16}$	$\frac{3}{16}$	—	318 lbs.	33.7
WW2460CSFLW	Laminate/Wood	4706	24	60	28 $\frac{1}{16}$	$\frac{3}{16}$	—	318 lbs.	33.7
WW2460CSFL	Laminate	3874	24	60	28 $\frac{1}{16}$	$\frac{3}{16}$	—	318 lbs.	33.7
WW2460CSFLL	TFL	3101	24	60	28 $\frac{3}{8}$	$\frac{3}{16}$	—	318 lbs.	33.7

• 72" credenza features an adjustable shelf (20" deep x 34 $\frac{3}{16}$ " wide)
 • 66" credenza features an adjustable shelf (20" deep x 28 $\frac{3}{16}$ " wide)
 • 60" credenza features an adjustable shelf (20" deep x 22 $\frac{3}{16}$ " wide)
 • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WWN2472CBVW P 7MB G1L KS2B AC
 WWN2472CBVL VHN2 7MB X KS2B HN2 HN2
 WWN2472CBVLW R 7MB X KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	72"–1½" TOP THICKNESS								
	WWN2472CVMSW Wood	\$ 8253	24	72	35½	—	—	383 lbs.	36.3
	WWN2472CVMSLW Laminate/Wood	8253	24	72	35½	—	—	383 lbs.	36.3
	WWN2472CVMSL Laminate	7280	24	72	35½	—	—	383 lbs.	36.3
	60"–1½" TOP THICKNESS								
	WWN2460CVMSW Wood	\$ 7995	24	60	35½	—	—	325 lbs.	28.9
	WWN2460CVMSLW Laminate/Wood	7995	24	60	35½	—	—	325 lbs.	28.9
	WWN2460CVMSL Laminate	7016	24	60	35½	—	—	325 lbs.	28.9
	48"–1½" TOP THICKNESS								
	WWN2448CVMSW Wood	\$ 7731	24	48½	35½	—	—	290 lbs.	24.7
	WWN2448CVMSLW Laminate/Wood	7731	24	48½	35½	—	—	290 lbs.	24.7
	WWN2448CVMSL Laminate	6749	24	48½	35½	—	—	290 lbs.	24.7

• Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
 • Back panel is not fully finished and includes cutouts for venting
 • Rim profile on front and sides only, 1½" thick worksurface available
 • Matching wood grommets in end panels for wire access
 • Features an adjustable shelf
 • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models
 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ENTERTAINMENT CREDENZA



	1½" TOP THICKNESS								
	WWN2472CBVW Wood	\$ 6509	24	71½	35½	—	—	381 lbs.	46.7
	WWN2472CBVLW Laminate/Wood	6509	24	71½	35½	—	—	381 lbs.	46.7
	WWN2472CBVL Laminate	5317	24	71½	35½	—	—	381 lbs.	46.7
	1¼" TOP THICKNESS								
	WW2472CBVW Wood	\$ 5805	24	71½	35½	—	—	381 lbs.	46.7
	WW2472CBVLW Laminate/Wood	5805	24	71½	35½	—	—	381 lbs.	46.7
	WW2472CBVL Laminate	4738	24	71½	35½	—	—	381 lbs.	46.7
	WW2472CBVLL TFL	3789	24	71½	35	—	—	381 lbs.	46.7

• Back panel is not fully finished and includes cutouts for venting
 • Rim profile on front and sides only
 • Features an adjustable shelf
 • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/ Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW2472CBW P 7MB KS2B AC
 WW2472CBL VHN2 7MB KS2B HN2 HN2 HN2
 WW2472CBLW R 7MB KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	1 1/8" TOP THICKNESS								
	WWN2472CBW	Wood	\$ 6393	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	WWN2472CBLW	Laminate/Wood	6393	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	WWN2472CBL	Laminate	5222	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	1 3/8" TOP THICKNESS								
	WW2472CBW	Wood	\$ 5701	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	WW2472CBLW	Laminate/Wood	5701	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	WW2472CBL	Laminate	4653	24	71 1/16	35 1/16	—	—	381 lbs. 46.7
	WW2472CBLTLL	TFL	3721	24	71 1/16	35	—	—	381 lbs. 46.7
	• Grommet option not available • Features an adjustable shelf behind each set of doors • Rim profile on front and sides only • Features a fully finished back • Inside dimension of each storage section is 21 1/4" deep x 34 1/2" wide x 24 3/4" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

BUFFET CREDENZA WITH TRASH RECEPTACLE



Left shown

1 1/8" TOP THICKNESS									
LEFT		RIGHT							
WWN2472CBTLW	WWN2472CBTRW	Wood	\$ 6465	24	71 1/16	35 1/16	—	—	lbs.
WWN2472CBTLLW	WWN2472CBTRLW	Laminate/Wood	6465	24	71 1/16	35 1/16	—	—	lbs.
WWN2472CBTLL	WWN2472CBTRL	Laminate	5257	24	71 1/16	35 1/16	—	—	lbs.
1 3/8" TOP THICKNESS									
LEFT		RIGHT							
WW2472CBTLW	WW2472CBTRW	Wood	\$ 5844	24	71 1/16	35 1/16	—	—	lbs.
WW2472CBTLLW	WW2472CBTRLW	Laminate/Wood	5844	24	71 1/16	35 1/16	—	—	lbs.
WW2472CBTLL	WW2472CBTRL	Laminate	4725	24	71 1/16	35 1/16	—	—	lbs.
WW2472CBTLLL	WW2472CBTRL	TFL	3862	24	71 1/16	35 1/16	—	—	lbs.
• Specify a left model to have the trash receptacle on the far left side; right to have it on the right • Includes 7 gallon trash receptacle									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CFFW P 7MB G1L KS2B AC
 WWN2472CFFL VHN2 7MB X KS2B HN2 HN2 HN2
 WWN2472CFFLW R 7MB X KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks

**BUFFET CREDENZA
WITH
REFRIGERATOR
ACCESS**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT FEET
1$\frac{1}{8}$" TOP THICKNESS								
LEFT	RIGHT							
WWN287241CBFLW	WWN287241CBFRW	Wood \$ 7901	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
WWN287241CBFLW	WWN287241CBFRLW	Laminate/Wood 7901	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
WWN287241CBFLL	WWN287241CBFRL	Laminate 6119	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
1$\frac{1}{8}$" TOP THICKNESS								
LEFT	RIGHT							
WWN287236CBFLW	WWN287236CBFRW	Wood \$ 7470	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
WWN287236CBFLW	WWN287236CBFRLW	Laminate/Wood 7470	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
WWN287236CBFLL	WWN287236CBFRL	Laminate 5976	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
1$\frac{1}{8}$" TOP THICKNESS								
LEFT	RIGHT							
WW287241CBFLW	WW287241CBFRW	Wood \$ 7281	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
WW287241CBFLW	WW287241CBFRLW	Laminate/Wood 7281	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
WW287241CBFLL	WW287241CBFRL	Laminate 5155	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
WW287241CBFLL	WW287241CBFRL	TFL 4222	28	71 $\frac{1}{16}$	41 $\frac{1}{16}$	—	—	lbs.
1$\frac{1}{8}$" TOP THICKNESS								
LEFT	RIGHT							
WW287236CBFLW	WW287236CBFRW	Wood \$ 6850	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
WW287236CBFLW	WW287236CBFRLW	Laminate/Wood 6850	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
WW287236CBFLL	WW287236CBFRL	Laminate 5012	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.
WW287236CBFLL	WW287236CBFRL	TFL 4079	28	71 $\frac{1}{16}$	35 $\frac{1}{16}$	—	—	lbs.


• Specify a left model to have the refrigerator on the far left side; right to have it on the right, 7 gallon trash receptacle in center section

• Back panel not fully finished and includes cutouts for venting in refrigerator section

• 36" H models only: Maximum refrigerator size 21 $\frac{1}{4}$ " deep, 21 $\frac{1}{2}$ " wide, x 27 $\frac{1}{16}$ " high

• 41" H models only: Maximum refrigerator size 21 $\frac{1}{4}$ " deep, 21 $\frac{1}{2}$ " wide, x 32 $\frac{1}{16}$ " high

LATERAL FILE CREDENZA



1$\frac{1}{8}$" TOP THICKNESS								
WWN2472CFFW	Wood	\$ 6039	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	346 lbs. 36.3
WWN2472CFFLW	Laminate/Wood	6039	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	346 lbs. 36.3
WWN2472CFFL	Laminate	3944	24	71 $\frac{1}{16}$	29 $\frac{3}{8}$	$\frac{3}{16}$	—	346 lbs. 36.3
1$\frac{1}{8}$" TOP THICKNESS								
WW2472CFFW	Wood	\$ 5490	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs. 39.8
WW2472CFFLW	Laminate/Wood	5490	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs. 39.8
WW2472CFFL	Laminate	3589	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs. 39.8
WW2472CFFL	TFL	2869	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	$\frac{3}{16}$	—	346 lbs. 39.8

• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

• End panel grommets come standard

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CKFW2 P 7MB G1L KRB AC
 WWN2472CKFL2 VHN2 7MB X KRB HN2 HN2
 WWN2472CKFLW2 R 7MB X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
KNEESPACE CREENZA 	1 1/8" TOP THICKNESS									
	WWN2472CKFW2	Wood	\$ 5044	24	71 1/16	29 3/8	3 1/16	35 1/8	273 lbs.	36.3
	WWN2472CKFLW2	Laminate/Wood	5044	24	71 1/16	29 3/8	3 1/16	35 1/8	273 lbs.	36.3
	WWN2472CKFL2	Laminate	3416	24	71 1/16	29 3/8	3 1/16	35 1/8	273 lbs.	36.3
	WWN2466CKFW2	Wood	\$ 4639	24	66	29 3/8	3 1/16	35 1/8	264 lbs.	32.7
	WWN2466CKFLW2	Laminate/Wood	4639	24	66	29 3/8	3 1/16	35 1/8	264 lbs.	32.7
	WWN2466CKFL2	Laminate	3263	24	66	29 3/8	3 1/16	35 1/8	264 lbs.	32.7
	WWN2460CKFW2	Wood	\$ 4495	24	60	29 3/8	3 1/16	29 1/16	250 lbs.	28.9
	WWN2460CKFLW2	Laminate/Wood	4495	24	60	29 3/8	3 1/16	29 1/16	250 lbs.	28.9
	WWN2460CKFL2	Laminate	3205	24	60	29 3/8	3 1/16	29 1/16	250 lbs.	28.9
	1 3/8" TOP THICKNESS									
	WW2472CKFW2	Wood	\$ 4588	24	71 1/16	28 1/16	3 1/16	35 1/8	279 lbs.	39.8
	WW2472CKFLW2	Laminate/Wood	4588	24	71 1/16	28 1/16	3 1/16	35 1/8	279 lbs.	39.8
	WW2472CKFL2	Laminate	3105	24	71 1/16	28 1/16	3 1/16	35 1/8	279 lbs.	39.8
	WW2472CKFL2	TFL	2486	24	71 1/16	28 3/8	3 1/16	35 1/8	279 lbs.	39.8
	WW2466CKFW2	Wood	\$ 4217	24	66	28 1/16	3 1/16	35 1/8	267 lbs.	32.7
	WW2466CKFLW2	Laminate/Wood	4217	24	66	28 1/16	3 1/16	35 1/8	267 lbs.	32.7
	WW2466CKFL2	Laminate	2966	24	66	28 1/16	3 1/16	35 1/8	267 lbs.	32.7
	WW2466CKFL2	TFL	2372	24	66	28 3/8	3 1/16	35 1/8	267 lbs.	32.7
	WW2460CKFW2	Wood	\$ 4084	24	60	28 1/16	3 1/16	29 1/16	256 lbs.	33.7
	WW2460CKFLW2	Laminate/Wood	4084	24	60	28 1/16	3 1/16	29 1/16	256 lbs.	33.7
	WW2460CKFL2	Laminate	2915	24	60	28 1/16	3 1/16	29 1/16	256 lbs.	33.7
	WW2460CKFL2	TFL	2333	24	60	28 3/8	3 1/16	29 1/16	256 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (lamine/combo models)
8. Laminate Door/Drawer Color (lamine models)
9. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CRFW2 P 7MB G1L KRB AC
 WW2472CRFL2 VHN2 7MB X KRB HN2 HN2
 WW2472CRFLW2 R 7MB X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

**SINGLE PEDESTAL
CREDENZA
FILE/FILE**



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
D	W	H	A	KW							
1½" TOP THICKNESS											
LEFT PEDESTAL				RIGHT PEDESTAL							
WWN2472CLFW2	WWN2472CRFW2	Wood	\$	3808	24	71⅛	29⅜	⅜	52⅞	223 lbs.	36.3
WWN2472CLFLW2	WWN2472CRFLW2	Laminate/Wood		3808	24	71⅛	29⅜	⅜	52⅞	223 lbs.	36.3
WWN2472CLFL2	WWN2472CRFL2	Laminate		2721	24	71⅛	29⅜	⅜	52⅞	223 lbs.	36.3
WWN2466CLFW2	WWN2466CRFW2	Wood	\$	3744	24	66	29⅜	⅜	52⅞	214 lbs.	32.7
WWN2466CLFLW2	WWN2466CRFLW2	Laminate/Wood		3744	24	66	29⅜	⅜	52⅞	214 lbs.	32.7
WWN2466CLFL2	WWN2466CRFL2	Laminate		2600	24	66	29⅜	⅜	52⅞	214 lbs.	32.7
WWN2460CLFW2	WWN2460CRFW2	Wood	\$	3675	24	60	29⅜	⅜	43⅞	205 lbs.	28.9
WWN2460CLFLW2	WWN2460CRFLW2	Laminate/Wood		3675	24	60	29⅜	⅜	43⅞	205 lbs.	28.9
WWN2460CLFL2	WWN2460CRFL2	Laminate		2553	24	60	29⅜	⅜	43⅞	205 lbs.	28.9
1½" TOP THICKNESS											
LEFT PEDESTAL				RIGHT PEDESTAL							
WW2472CLFW2	WW2472CRFW2	Wood	\$	3463	24	71⅛	28⅞	⅜	52⅞	239 lbs.	39.8
WW2472CLFLW2	WW2472CRFLW2	Laminate/Wood		3463	24	71⅛	28⅞	⅜	52⅞	239 lbs.	39.8
WW2472CLFL2	WW2472CRFL2	Laminate		2474	24	71⅛	28⅞	⅜	52⅞	239 lbs.	39.8
WW2472CLFLL2	WW2472CRFLL2	TFL		1980	24	71⅛	28⅞	⅜	52⅞	239 lbs.	39.8
WW2466CLFW2	WW2466CRFW2	Wood	\$	3407	24	66	28⅞	⅜	52⅞	227 lbs.	32.7
WW2466CLFLW2	WW2466CRFLW2	Laminate/Wood		3407	24	66	28⅞	⅜	52⅞	227 lbs.	32.7
WW2466CLFL2	WW2466CRFL2	Laminate		2367	24	66	28⅞	⅜	52⅞	227 lbs.	32.7
WW2466CLFLL2	WW2466CRFLL2	TFL		1892	24	66	28⅞	⅜	52⅞	227 lbs.	32.7
WW2460CLFW2	WW2460CRFW2	Wood	\$	3343	24	60	28⅞	⅜	43⅞	216 lbs.	33.7
WW2460CLFLW2	WW2460CRFLW2	Laminate/Wood		3343	24	60	28⅞	⅜	43⅞	216 lbs.	33.7
WW2460CLFL2	WW2460CRFL2	Laminate		2320	24	60	28⅞	⅜	43⅞	216 lbs.	33.7
WW2460CLFLL2	WW2460CRFLL2	TFL		1858	24	60	28⅞	⅜	43⅞	216 lbs.	33.7
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available - Grain direction runs with the width of all laminate modesty panels that exceed 60"											

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CLFW12 F 7MB G1L KS2S AC
 WW2472CLFL12 VHN2 7MB G1LX KS2S HN2 461 HN2
 WW2472CLFLW12 F 7MB G1L KS2S 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
				D	W	H	A	KW			
	1 1/2" TOP THICKNESS										
	LEFT PEDESTAL	RIGHT PEDESTAL									
	WWN2472CLFW6	WWN2472CRFW6	Wood	\$ 4564	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	WWN2472CLFLW6	WWN2472CRFLW6	Laminate/Wood	4564	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	WWN2472CLFL6	WWN2472CRFL6	Laminate	2974	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	1 1/2" TOP THICKNESS										
	LEFT PEDESTAL	RIGHT PEDESTAL									
	WW2472CLFW6	WW2472CRFW6	Wood	\$ 4149	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8
WW2472CLFLW6	WW2472CRFLW6	Laminate/Wood	4149	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFL6	WW2472CRFL6	Laminate	2704	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLL6	WW2472CRFLL6	TFL	2164	24	71 1/16	28 3/8	3 1/16	34 3/4	279 lbs.	39.8	
• To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE FILE/FILE


1 1/2" TOP THICKNESS											
LEFT PEDESTAL	RIGHT PEDESTAL										
WWN2472CLFW12	WWN2472CRFW12	Wood	\$ 4785	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
WWN2472CLFLW12	WWN2472CRFLW12	Laminate/Wood	4785	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
WWN2472CLFL12	WWN2472CRFL12	Laminate	3416	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
1 1/2" TOP THICKNESS											
LEFT PEDESTAL	RIGHT PEDESTAL										
WW2472CLFW12	WW2472CRFW12	Wood	\$ 4349	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLW12	WW2472CRFLW12	Laminate/Wood	4349	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFL12	WW2472CRFL12	Laminate	3105	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLL12	WW2472CRFLL12	TFL	2486	24	71 1/16	28 3/8	3 1/16	34 3/4	279 lbs.	39.8	
• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7238HBHW KRB HN
WW7238HBHL KRB AC2 AC2

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER
OPEN BACK

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET


38" HIGH—4 DOORS

WW7238HBHW	Wood	\$ 3526	14 $\frac{3}{4}$	71 $\frac{1}{16}$	38	—	—	200 lbs.	16.2
WW7238HBHL	Laminate	1728	14 $\frac{3}{4}$	71 $\frac{1}{16}$	38	—	—	200 lbs.	16.2
WW6638HBHW	Wood	\$ 3336	14 $\frac{3}{4}$	65 $\frac{1}{16}$	38	—	—	180 lbs.	14.9
WW6638HBHL	Laminate	1612	14 $\frac{3}{4}$	65 $\frac{1}{16}$	38	—	—	180 lbs.	14.9
WW6038HBHW	Wood	\$ 3146	14 $\frac{3}{4}$	59 $\frac{1}{16}$	38	—	—	160 lbs.	13.6
WW6038HBHL	Laminate	1493	14 $\frac{3}{4}$	59 $\frac{1}{16}$	38	—	—	160 lbs.	13.6

38" HIGH—3 DOORS

WW4838HBHW	Wood	\$ 2902	14 $\frac{3}{4}$	47 $\frac{7}{8}$	38	—	—	145 lbs.	11.9
WW4838HBHL	Laminate	1382	14 $\frac{3}{4}$	47 $\frac{7}{8}$	38	—	—	145 lbs.	11.9

- Units feature 4 adjustable curved shelves and partially open back
- All units have 4 doors except 48" unit which has 3 doors
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

HIGHBACK ORGANIZER
OPEN BACK - NO DOORS

38" HIGH—NO DOORS

WW7238HBEW	Wood	\$ 3177	13 $\frac{9}{16}$	71 $\frac{1}{16}$	38	—	—	200 lbs.	16.2
WW7238HBEL	Laminate	1376	13 $\frac{9}{16}$	71 $\frac{1}{16}$	38	—	—	200 lbs.	16.2
WW6638HBEW	Wood	\$ 2985	13 $\frac{9}{16}$	65 $\frac{1}{16}$	38	—	—	180 lbs.	14.9
WW6638HBEL	Laminate	1255	13 $\frac{9}{16}$	65 $\frac{1}{16}$	38	—	—	180 lbs.	14.9
WW6038HBEW	Wood	\$ 2796	13 $\frac{9}{16}$	59 $\frac{1}{16}$	38	—	—	160 lbs.	13.6
WW6038HBEL	Laminate	1140	13 $\frac{9}{16}$	59 $\frac{1}{16}$	38	—	—	160 lbs.	13.6
WW4838HBEW	Wood	\$ 2690	13 $\frac{9}{16}$	47 $\frac{7}{8}$	38	—	—	145 lbs.	11.9
WW4838HBEL	Laminate	1166	13 $\frac{9}{16}$	47 $\frac{7}{8}$	38	—	—	145 lbs.	11.9

- Units feature 4 adjustable curved shelves and partially open back
- Specify chassis finish only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729







TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9050HBH2W KS3S NH
WW9050HBH2L KS3S 440 AC2

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER
FULL BACK

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

50" HIGH—6 DOORS

WW10850HBH2GW	Glass/Wood	2 Pieces	\$ 6383
WW10850HBH2GL	Glass/Laminate	2 Pieces	5893
WW10850HBH2W	Wood	2 Pieces	4784
WW10850HBH2L	Laminate	2 Pieces	2888

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW10250HBH2GW	Glass/Wood	2 Pieces	\$ 6189
WW10250HBH2GL	Glass/Laminate	2 Pieces	5718
WW10250HBH2W	Wood	2 Pieces	4598
WW10250HBH2L	Laminate	2 Pieces	2707

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9650HBH2GW	Glass/Wood	2 Pieces	\$ 5991
WW9650HBH2GL	Glass/Laminate	2 Pieces	5534
WW9650HBH2W	Wood	2 Pieces	4417
WW9650HBH2L	Laminate	2 Pieces	2527

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9050HBH2GW	Glass/Wood		\$ 5793
WW9050HBH2GL	Glass/Laminate		5347
WW9050HBH2W	Wood		4370
WW9050HBH2L	Laminate		2481

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

50" HIGH—4 DOORS

WW8450HBH2GW	Glass/Wood		\$ 5592
WW8450HBH2GL	Glass/Laminate		5168
WW8450HBH2W	Wood		4323
WW8450HBH2L	Laminate		2439

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Glass doors do not lock
- Not intended for use on table deskings
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- Features an adjustable shelf
- For tack board options, see pages 722-729

14 3/4	107 1/16	49 1/16	—	—	378 lbs.	72.9
14 3/4	107 1/16	49 1/16	—	—	378 lbs.	72.9
14 3/4	107 1/16	49 1/16	—	—	378 lbs.	72.9
14 3/4	107 1/16	49 1/16	—	—	378 lbs.	72.9

14 3/4	101 3/4	49 1/16	—	—	362 lbs.	69.3
14 3/4	101 3/4	49 1/16	—	—	362 lbs.	69.3
14 3/4	101 3/4	49 1/16	—	—	362 lbs.	69.3
14 3/4	101 3/4	49 1/16	—	—	362 lbs.	69.3

14 3/4	95 3/4	49 1/16	—	—	346 lbs.	61.9
14 3/4	95 3/4	49 1/16	—	—	346 lbs.	61.9
14 3/4	95 3/4	49 1/16	—	—	346 lbs.	61.9
14 3/4	95 3/4	49 1/16	—	—	346 lbs.	61.9

14 3/4	89 3/4	49 1/16	—	—	313 lbs.	58.3
14 3/4	89 3/4	49 1/16	—	—	313 lbs.	58.3
14 3/4	89 3/4	49 1/16	—	—	313 lbs.	58.3
14 3/4	89 3/4	49 1/16	—	—	313 lbs.	58.3

14 3/4	83 3/4	49 1/16	—	—	281 lbs.	54.6
14 3/4	83 3/4	49 1/16	—	—	281 lbs.	54.6
14 3/4	83 3/4	49 1/16	—	—	281 lbs.	54.6
14 3/4	83 3/4	49 1/16	—	—	281 lbs.	54.6

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7250HBH2W KS2S NH
WW7250HBH2L KS2S 440 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER FULL BACK  	50" HIGH—4 DOORS			D	W	H	A	KW		
	WW7850HBH2GW	Glass/Wood	\$ 5391	14¾	77⅜	49⅛	—	—	261 lbs.	51.0
	WW7850HBH2GL	Glass/Laminate	4982	14¾	77⅜	49⅛	—	—	261 lbs.	51.0
	WW7850HBH2W	Wood	4232	14¾	77⅜	49⅛	—	—	261 lbs.	51.0
	WW7850HBH2L	Laminate	2347	14¾	77⅜	49⅛	—	—	261 lbs.	51.0
	WW7250HBH2GW	Glass/Wood	\$ 5192	14¾	71⅜	49⅛	—	—	242 lbs.	47.4
	WW7250HBH2GL	Glass/Laminate	4798	14¾	71⅜	49⅛	—	—	242 lbs.	47.4
	WW7250HBH2W	Wood	4047	14¾	71⅜	49⅛	—	—	242 lbs.	47.4
	WW7250HBH2L	Laminate	2168	14¾	71⅜	49⅛	—	—	242 lbs.	47.4
	WW6650HBH2GW	Glass/Wood	\$ 5013	14¾	65⅜	49⅛	—	—	223 lbs.	43.7
	WW6650HBH2GL	Glass/Laminate	4628	14¾	65⅜	49⅛	—	—	223 lbs.	43.7
	WW6650HBH2W	Wood	3859	14¾	65⅜	49⅛	—	—	223 lbs.	43.7
	WW6650HBH2L	Laminate	1990	14¾	65⅜	49⅛	—	—	223 lbs.	43.7
	WW6050HBH2GW	Glass/Wood	\$ 4814	14¾	59⅜	49⅛	—	—	203 lbs.	40.1
	WW6050HBH2GL	Glass/Laminate	4447	14¾	59⅜	49⅛	—	—	203 lbs.	40.1
	WW6050HBH2W	Wood	3680	14¾	59⅜	49⅛	—	—	203 lbs.	40.1
	WW6050HBH2L	Laminate	1812	14¾	59⅜	49⅛	—	—	203 lbs.	40.1
	50" HIGH—3 DOORS			D	W	H	A	KW		
	WW4850HBH2GW	Glass/Wood	\$ 4479	14¾	47⅞	49⅛	—	—	173 lbs.	32.8
	WW4850HBH2GL	Glass/Laminate	3702	14¾	47⅞	49⅛	—	—	173 lbs.	32.8
WW4850HBH2W	Wood	3629	14¾	47⅞	49⅛	—	—	173 lbs.	32.8	
WW4850HBH2L	Laminate	1728	14¾	47⅞	49⅛	—	—	173 lbs.	32.8	
• Not intended for use on table desking • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • Features an adjustable shelf • For tack board options, see pages 722-729 • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729







TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9038HBH2W KS3S NH
WW9038HBH2L KS3S 440 AC2
WW9038HBH2GW 503 HN

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER
FULL BACK

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

38" HIGH—6 DOORS

WW10838HBH2GW	Glass/Wood	2 Pieces	\$ 5554
WW10838HBH2GL	Glass/Laminate	2 Pieces	5126
WW10838HBH2W	Wood	2 Pieces	4711
WW10838HBH2L	Laminate	2 Pieces	2523

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW10238HBH2GW	Glass/Wood	2 Pieces	\$ 5360
WW10238HBH2GL	Glass/Laminate	2 Pieces	4950
WW10238HBH2W	Wood	2 Pieces	4514
WW10238HBH2L	Laminate	2 Pieces	2346

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9638HBH2GW	Glass/Wood	2 Pieces	\$ 5171
WW9638HBH2GL	Glass/Laminate	2 Pieces	4775
WW9638HBH2W	Wood	2 Pieces	4311
WW9638HBH2L	Laminate	2 Pieces	2167

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9038HBH2GW	Glass/Wood		\$ 4964
WW9038HBH2GL	Glass/Laminate		4585
WW9038HBH2W	Wood		4114
WW9038HBH2L	Laminate		1989

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

38" HIGH—4 DOORS

WW8438HBH2GW	Glass/Wood		\$ 4764
WW8438HBH2GL	Glass/Laminate		4401
WW8438HBH2W	Wood		3913
WW8438HBH2L	Laminate		1928

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Glass doors do not lock
- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7838HBH2W KS2S NH
WW7838HBH2L KS2S 440 AC2
WW7838HBH2GW 503 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HIGHBACK ORGANIZER FULL BACK 	38" HIGH-4 DOORS								
	WW7838HBH2GW Glass/Wood	\$ 4564	14 3/4	77 13/16	38 3/8	—	—	194 lbs.	39.8
	WW7838HBH2GL Glass/Laminate	4214	14 3/4	77 13/16	38 3/8	—	—	194 lbs.	39.8
	WW7838HBH2W Wood	3721	14 3/4	77 13/16	38 3/8	—	—	194 lbs.	39.8
	WW7838HBH2L Laminate	1841	14 3/4	77 13/16	38 3/8	—	—	194 lbs.	39.8
	WW7238HBH2GW Glass/Wood	\$ 4366	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	WW7238HBH2GL Glass/Laminate	4033	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	QWW7238HBH2W Wood	3526	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	WW7238HBH2W Wood	3526	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	QWW7238HBH2L Laminate	1728	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	WW7238HBH2L Laminate	1728	14 3/4	71 13/16	38 3/8	—	—	179 lbs.	37.0
	WW6638HBH2GW Glass/Wood	\$ 4175	14 3/4	65 13/16	38 3/8	—	—	164 lbs.	34.1
	WW6638HBH2GL Glass/Laminate	3853	14 3/4	65 13/16	38 3/8	—	—	164 lbs.	34.1
	WW6638HBH2W Wood	3336	14 3/4	65 13/16	38 3/8	—	—	164 lbs.	34.1
	WW6638HBH2L Laminate	1612	14 3/4	65 13/16	38 3/8	—	—	164 lbs.	34.1
	WW6038HBH2GW Glass/Wood	\$ 3983	14 3/4	59 13/16	38 3/8	—	—	148 lbs.	31.3
	WW6038HBH2GL Glass/Laminate	3676	14 3/4	59 13/16	38 3/8	—	—	148 lbs.	31.3
	WW6038HBH2W Wood	3146	14 3/4	59 13/16	38 3/8	—	—	148 lbs.	31.3
	WW6038HBH2L Laminate	1493	14 3/4	59 13/16	38 3/8	—	—	148 lbs.	31.3
	38" HIGH-3 DOORS								
	WW4838HBH2GW Glass/Wood	\$ 3815	14 3/4	47 7/8	38 3/8	—	—	126 lbs.	25.6
	WW4838HBH2GL Glass/Laminate	3524	14 3/4	47 7/8	38 3/8	—	—	126 lbs.	25.6
	WW4838HBH2W Wood	2902	14 3/4	47 7/8	38 3/8	—	—	126 lbs.	25.6
	WW4838HBH2L Laminate	1382	14 3/4	47 7/8	38 3/8	—	—	126 lbs.	25.6
• Not intended for use on table desking • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • For tack board options, see pages 722-729 • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available, refer to page 285 for options
- If specifying wood, you must specify the same finish for all options
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729



TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW10838HBE2W AC
WW10838HBE2L 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER FULL BACK - NO DOORS  	38" HIGH—NO DOORS								
	WW10838HBE2W Wood	\$ 4178	13 $\frac{3}{16}$	107 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	282 lbs.	56.9
	WW10838HBE2L Laminate	1989	13 $\frac{3}{16}$	107 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	282 lbs.	56.9
	• 49" task lights will not work under 2 piece highbacks								
	WW10238HBE2W Wood	\$ 3982	13 $\frac{3}{16}$	101 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	266 lbs.	54.1
	WW10238HBE2L Laminate	1812	13 $\frac{3}{16}$	101 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	266 lbs.	54.1
	• 49" task lights will not work under 2 piece highbacks								
	WW9638HBE2W Wood	\$ 3780	13 $\frac{3}{16}$	95 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	252 lbs.	48.3
	WW9638HBE2L Laminate	1628	13 $\frac{3}{16}$	95 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	252 lbs.	48.3
	• 49" task lights will not work under 2 piece highbacks								
	WW9038HBE2W Wood	\$ 3583	13 $\frac{3}{16}$	89 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	233 lbs.	45.5
	WW9038HBE2L Laminate	1452	13 $\frac{3}{16}$	89 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	233 lbs.	45.5
	WW8438HBE2W Wood	\$ 3564	13 $\frac{3}{16}$	83 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	210 lbs.	42.6
	WW8438HBE2L Laminate	1572	13 $\frac{3}{16}$	83 $\frac{3}{4}$	38 $\frac{3}{8}$	—	—	210 lbs.	42.6
	WW7838HBE2W Wood	\$ 3370	13 $\frac{3}{16}$	77 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	194 lbs.	39.8
	WW7838HBE2L Laminate	1492	13 $\frac{3}{16}$	77 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	194 lbs.	39.8
	WW7238HBE2W Wood	\$ 3177	13 $\frac{3}{16}$	71 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	179 lbs.	37.0
	WW7238HBE2L Laminate	1376	13 $\frac{3}{16}$	71 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	179 lbs.	37.0
	WW6638HBE2W Wood	\$ 2985	13 $\frac{3}{16}$	65 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	164 lbs.	34.1
	WW6638HBE2L Laminate	1255	13 $\frac{3}{16}$	65 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	164 lbs.	34.1
	WW6038HBE2W Wood	\$ 2796	13 $\frac{3}{16}$	59 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	148 lbs.	31.3
	WW6038HBE2L Laminate	1166	13 $\frac{3}{16}$	59 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	148 lbs.	31.3
	WW4838HBE2W Wood	\$ 2690	13 $\frac{3}{16}$	47 $\frac{7}{8}$	38 $\frac{3}{8}$	—	—	126 lbs.	25.6
	WW4838HBE2L Laminate	1140	13 $\frac{3}{16}$	47 $\frac{7}{8}$	38 $\frac{3}{8}$	—	—	126 lbs.	25.6
	• Not intended for use on table desking • Specify chassis finish only • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • For tack board options, see pages 722-729								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3030SOHMGW KS1B AC
 WW3030SOHML KS1B 440 AC2
 WW3030SOHMGW 501 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED CUBIC
			D	W	H	A	KW	WEIGHT	FEET
OVERHEAD STORAGE CABINET WALL MOUNT	30" HIGH—3 DOORS								
	WW4830SOHMGW Glass/Wood	\$ 3273	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHML Glass/Laminate	2154	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHMGW Wood	2356	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHML Laminate	1531	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4230SOHMGW Glass/Wood	\$ 3155	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHML Glass/Laminate	2035	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHMGW Wood	2246	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHML Laminate	1453	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	30" HIGH—2 DOORS								
	WW3630SOHMGW Glass/Wood	\$ 3034	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHML Glass/Laminate	1920	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHMGW Wood	2143	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHML Laminate	1377	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3030SOHMGW Glass/Wood	\$ 2901	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHML Glass/Laminate	1790	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHMGW Wood	2034	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHML Laminate	1291	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Wall mount bracket, for attachment to wall, is included • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs) • Features an adjustable shelf • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106								

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOEMW AC
WW4830SOEML 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
 WW4230SOEMW shown- Center Divider Panel	30" HIGH—CENTER DIVIDER PANEL										
	WW4830SOEMW	Wood	\$	2356	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4830SOEML	Laminate		1531	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4230SOEMW	Wood	\$	2246	13 ³ / ₁₆	41 ¹ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	WW4230SOEML	Laminate		1453	13 ³ / ₁₆	41 ¹ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	30" HIGH—NO DIVIDER PANEL										
	WW3630SOEMW	Wood	\$	2143	13 ³ / ₁₆	35 ¹ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3630SOEML	Laminate		1377	13 ³ / ₁₆	35 ¹ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3030SOEMW	Wood	\$	2034	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9
	WW3030SOEML	Laminate		1291	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Features an adjustable shelf
- For tack board options, see pages 722-729
- Wall mount overheads can be utilized with DIRT antler extrusion; see page 106

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3018SOHMGW KS1B AC
 WW3018SOHML KS1B 440 AC2
 WW3018SOHMGW 501 AC

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET - WALL MOUNT	18" HIGH—3 DOORS								
	WW4818SOHMGW Glass/Wood	\$ 2339	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHML Glass/Laminate	1583	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHMGW Wood	1876	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHML Laminate	1136	14¾	47¾	18¾	—	—	115 lbs.	11.8
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4218SOHMGW Glass/Wood	\$ 2258	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHML Glass/Laminate	1508	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHMGW Wood	1797	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHML Laminate	1057	14¾	41¾	18¾	—	—	100 lbs.	11.1
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	18" HIGH—2 DOORS								
	WW3618SOHMGW Glass/Wood	\$ 2178	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHML Glass/Laminate	1430	14¾	35¾	18¾	—	—	76 lbs.	7.7
	QWW3618SOHMGW Wood	1717	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHMGW Wood	1717	14¾	35¾	18¾	—	—	76 lbs.	7.7
	QWW3618SOHML Laminate	980	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHML Laminate	980	14¾	35¾	18¾	—	—	76 lbs.	7.7
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3018SOHMGW Glass/Wood	\$ 2088	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHML Glass/Laminate	1343	14¾	29½	18¾	—	—	64 lbs.	6.4
	QWW3018SOHMGW Wood	1626	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHMGW Wood	1626	14¾	29½	18¾	—	—	64 lbs.	6.4
	QWW3018SOHML Laminate	899	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHML Laminate	899	14¾	29½	18¾	—	—	64 lbs.	6.4
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	• Wall mount bracket, for attachment to wall, is included • 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106								

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4818SOEMW AC
WW4818SOEML 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT  Center Divider Panel shown  No Divider Panel shown	18" HIGH—CENTER DIVIDER PANEL									
	WW4818SOEMW	Wood	\$ 1876	13 ¹⁰ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	90 lbs.	13.0
	WW4818SOEML	Laminate	1136	13 ¹⁰ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	90 lbs.	13.0
	WW4218SOEMW	Wood	\$ 1797	13 ¹⁰ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	80 lbs.	11.1
	WW4218SOEML	Laminate	1057	13 ¹⁰ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	80 lbs.	11.1
	18" HIGH—NO DIVIDER PANEL									
	QWW3618SOEMW	Wood	\$ 1717	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7
	WW3618SOEMW	Wood	1717	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7
QWW3618SOEML	Laminate	980	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7	
WW3618SOEML	Laminate	980	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7	
QWW3018SOEMW	Wood	\$ 1626	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4	
WW3018SOEMW	Wood	1626	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4	
QWW3018SOEML	Laminate	899	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4	
WW3018SOEML	Laminate	899	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4	
							</			

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options, see pages 722-729
- Wall mount overheads can be utilized with DIRTT antler extrusion; see below

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4230SOHTGW 503 HN
 WW4230SOHTL KRS 440 HN2
 WW4230SOHTW KRS HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
OVERHEAD STORAGE CABINET EXHIBIT MOUNT	30" HIGH—3 DOORS								
	WW4830SOHTGW Glass/Wood	\$ 3273	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTGL Glass/Laminate	2154	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTW Wood	2356	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTL Laminate	1531	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4230SOHTGW Glass/Wood	\$ 3155	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTGL Glass/Laminate	2035	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTW Wood	2246	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTL Laminate	1453	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	30" HIGH—2 DOORS								
	WW3630SOHTGW Glass/Wood	\$ 3034	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTGL Glass/Laminate	1920	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTW Wood	2143	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTL Laminate	1377	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3030SOHTGW Glass/Wood	\$ 2901	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTGL Glass/Laminate	1790	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTW Wood	2034	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTL Laminate	1291	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	• Exhibit mount bracket is included, must order Exhibit wall rail separately • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 351 for Exhibit Wall Rail and Filler Strip • Features an adjustable shelf								

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOETW AC
WW4830SOETL 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
 WW3030SOETW shown- No Divider Panel	30" HIGH—CENTER DIVIDER PANEL										
	WW4830SOETW	Wood	\$	2356	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4830SOETL	Laminate		1531	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4230SOETW	Wood	\$	2246	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	WW4230SOETL	Laminate		1453	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	30" HIGH—NO DIVIDER PANEL										
	WW3630SOETW	Wood	\$	2143	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3630SOETL	Laminate		1377	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3030SOETW	Wood	\$	2034	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9
	WW3030SOETL	Laminate		1291	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9

WW3030SOETW shown-
No Divider Panel

- Exhibit mount bracket is included, Exhibit wall rail must be ordered separately
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 351 for Exhibit Wall Rail and Filler Strip
- Features an adjustable shelf

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4218SOHTGW 503 HN
WW4218SOHTL KRS 440 HN2
WW4218SOHTW KRS HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET - EXHIBIT MOUNT  	18" HIGH—3 DOORS								
	WW4818SOHTGW Glass/Wood	\$ 2339	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHTGL Glass/Laminate	1583	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHTW Wood	1876	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHTL Laminate	1136	14¾	47¾	18¾	—	—	115 lbs.	11.8
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4218SOHTGW Glass/Wood	\$ 2258	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHTGL Glass/Laminate	1508	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHTW Wood	1797	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHTL Laminate	1057	14¾	41¾	18¾	—	—	100 lbs.	11.1
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	18" HIGH—2 DOORS								
	WW3618SOHTGW Glass/Wood	\$ 2178	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHTGL Glass/Laminate	1430	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHTW Wood	1717	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHTL Laminate	980	14¾	35¾	18¾	—	—	76 lbs.	7.7
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3018SOHTGW Glass/Wood	\$ 2088	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHTGL Glass/Laminate	1343	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHTW Wood	1626	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHTL Laminate	899	14¾	29½	18¾	—	—	64 lbs.	6.4
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	• Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 351 for Exhibit Wall Rail and Filler Strip								

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:


1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4818SOETW AC
WW4818SOETL 440

- See pages 284-288 for all options available in WaveWorks


	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET NO DOORS - EXHIBIT MOUNT  Center Divider Panel shown  No Divider Panel shown	18" HIGH—CENTER DIVIDER PANEL								
	WW4818SOETW Wood	\$ 1876	13 $\frac{1}{16}$	47 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	115 lbs.	11.8
	WW4818SOETL Laminate	1136	13 $\frac{1}{16}$	47 $\frac{7}{8}$	18 $\frac{1}{8}$	—	—	115 lbs.	11.8
	WW4218SOETW Wood	\$ 1797	13 $\frac{1}{16}$	41 $\frac{1}{8}$	18 $\frac{1}{8}$	—	—	100 lbs.	11.1
	WW4218SOETL Laminate	1057	13 $\frac{1}{16}$	41 $\frac{1}{8}$	18 $\frac{1}{8}$	—	—	100 lbs.	11.1
	18" HIGH—NO DIVIDER PANEL								
	WW3618SOETW Wood	\$ 1717	13 $\frac{1}{16}$	35 $\frac{1}{2}$	18 $\frac{1}{8}$	—	—	76 lbs.	7.7
	WW3618SOETL Laminate	980	13 $\frac{1}{16}$	35 $\frac{1}{2}$	18 $\frac{1}{8}$	—	—	76 lbs.	7.7
	WW3018SOETW Wood	\$ 1626	13 $\frac{1}{16}$	29 $\frac{1}{16}$	18 $\frac{1}{8}$	—	—	64 lbs.	6.4
	WW3018SOETL Laminate	899	13 $\frac{1}{16}$	29 $\frac{1}{16}$	18 $\frac{1}{8}$	—	—	64 lbs.	6.4
• Exhibit mount bracket is included, Exhibit Wall Rail must be ordered separately • Cabinets are open and do not have doors • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See below for Exhibit Wall Rail and Filler Strip									

OVERHEAD STORAGE CABINET
FILLER PANEL

FILLER PANELS


WW1329CPOFPL	\$ 136	6	14	29 $\frac{1}{16}$	—	—	—	0.8
WW1318CPOFPL	123	6	14	14 $\frac{3}{4}$	—	—	—	0.4
• To be used with overhead storage cabinets to fill in space as needed • Can be field cut to desired width								

EXHIBIT WALL RAIL



WALL RAIL

11N72EXP1	1 Rail/No faceplate	\$ 137	$\frac{3}{4}$	72	1 $\frac{1}{4}$	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	199	$\frac{3}{4}$	144	1 $\frac{1}{4}$	—	—	12 lbs.	1.4
• Includes 1 wall rail and 2 alignment brackets • Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert									

FILLER STRIP KIT
EXHIBIT MOUNT

11NCPFSW	Wood	\$ 72	1	3	27 $\frac{1}{4}$	—	—	3 lbs.	1.0
11NCPFSL	Laminate	37	1	3	27 $\frac{1}{4}$	—	—	3 lbs.	1.0
• For use with Exhibit mounted overheads when an insert is not used behind the overhead • Must be field scribed for 18" and 13" high overhead models • Specify solid/woodgrain/gallery laminate or wood finish									

WAVEWORKS

WAVEWORKS

ASSEMBLED

PRODUCT SPECIFICATIONS

- Wood, laminate, glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WW2436LFF2W C 7MB KRB MC
 WW2436LFF2L VMH 7MB KRB 480 480
 WW2436LFF2LW V 440 7MB KRB MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	1½" TOP THICKNESS		D	W	H	A	KW			
	WWN2436LFF2W	Wood	\$ 3397	24	36⅞	29⅞	—	—	155 lbs.	22.2
	WWN2436LFF2LW	Laminate/Wood	3397	24	36⅞	29⅞	—	—	155 lbs.	22.2
	WWN2436LFF2L	Laminate	2240	24	36⅞	29⅞	—	—	155 lbs.	22.2
	1¾" TOP THICKNESS		D	W	H	A	KW			
	WW2436LFF2W	Wood	\$ 3088	24	36⅞	28⅞	—	—	155 lbs.	22.2
	WW2436LFF2LW	Laminate/Wood	3088	24	36⅞	28⅞	—	—	155 lbs.	22.2
	WW2436LFF2L	Laminate	2037	24	36⅞	28⅞	—	—	155 lbs.	22.2
	WW2436LFF2LL	TFL	1628	24	36⅞	28⅞	—	—	155 lbs.	22.2
• Interlock mechanism allows only 1 drawer to be open at a time • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front • Wood drawers can be specified on 1¾" Wood models; add a "W" to the end of the model number and add \$329 to the list price										

LATERAL FILE
3 DRAWER

1½" TOP THICKNESS										
WWN2436LFF3W	Wood	\$	4580	24	36½	41¾	—	—	210 lbs.	30.0
WWN2436LFF3LW	Laminate/Wood		4580	24	36½	41¾	—	—	210 lbs.	30.0
WWN2436LFF3L	Laminate		3020	24	36½	41¾	—	—	210 lbs.	30.0
1¾" TOP THICKNESS										
WW2436LFF3W	Wood	\$	4164	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3LW	Laminate/Wood		4164	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3L	Laminate		2743	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3LL	TFL		2198	24	36½	41¾	—	—	210 lbs.	30.0
• Interlock mechanism allows only 1 drawer to be open at a time • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front										

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish


SAMPLE MODEL NUMBERS:

WWN2436PF33W C 7MB KS1B MC
 WWN2436PF33L VMH 7MB KS1B 480 480
 WWN2436PF33LW V 440 7MB KS1B MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE 4 DRAWER 	1½" TOP THICKNESS								
	WWN2436LFF4W Wood	\$ 5476	24	36⅞	54⅞	—	—	265 lbs.	33.4
	WWN2436LFF4LW Laminate/Wood	5476	24	36⅞	54⅞	—	—	265 lbs.	33.4
	WWN2436LFF4L Laminate	3461	24	36⅞	54⅞	—	—	265 lbs.	33.4
	1¾" TOP THICKNESS								
	WW2436LFF4W Wood	\$ 4973	24	36⅞	54⅞	—	—	265 lbs.	33.4
	WW2436LFF4LW Laminate/Wood	4973	24	36⅞	54⅞	—	—	265 lbs.	33.4
	WW2436LFF4L Laminate	3150	24	36⅞	54⅞	—	—	265 lbs.	33.4
	WW2436LFF4LL TFL	2520	24	36⅞	54	—	—	265 lbs.	33.4
	• Interlock mechanism allows only 1 drawer to be open at a time • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front • Wood drawers can be specified on 1¾" Wood models; add a "W" to the end of the model number and add \$659 to the list price								

MIXED STORAGE CABINET



Left shown

	1½" TOP THICKNESS								
	OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT							
WWN2436PF33W	WWN2436PF32W	Wood	\$ 3835	24	36⅞	29⅞	—	—	130 lbs. 22.2
WWN2436PF33LW	WWN2436PF32LW	Lam/Wood	3835	24	36⅞	29⅞	—	—	130 lbs. 22.2
WWN2436PF33L	WWN2436PF32L	Laminate	2471	24	36⅞	29⅞	—	—	130 lbs. 22.2
1¾" TOP THICKNESS									
	OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT							
WW2436PF33W	WW2436PF32W	Wood	\$ 3526	24	36⅞	28⅞	—	—	130 lbs. 22.2
WW2436PF33LW	WW2436PF32LW	Lam/Wood	3526	24	36⅞	28⅞	—	—	130 lbs. 22.2
WW2436PF33L	WW2436PF32L	Laminate	2266	24	36⅞	28⅞	—	—	130 lbs. 22.2
WW2436PF33LL	WW2436PF32LL	TFL	1812	24	36⅞	28⅞	—	—	130 lbs. 22.2
• Interior dimensions of open storage are 16¼" W, 12" H • Locking only on lateral file • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish


SAMPLE MODEL NUMBERS:

WW2436PFHW C 7MB KS1B MC
 WW2436PFHL VMH 7MB KS1B 480 480
 WW2436PFHLW V 440 7MB KS1B MH

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
 Left shown	1½" TOP THICKNESS										
	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT			D	W	H	A	KW		
	WWN2436PF11W	WWN2436PF10W	Wood	\$ 4452	24	36⅞	29⅞	—	—	130 lbs.	22.2
	WWN2436PF11LW	WWN2436PF10LW	Lam/Wood	4452	24	36⅞	29⅞	—	—	130 lbs.	22.2
	WWN2436PF11L	WWN2436PF10L	Laminate	3093	24	36⅞	29⅞	—	—	130 lbs.	22.2
	1¾" TOP THICKNESS										
	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT			D	W	H	A	KW		
	WW2436PF11W	WW2436PF10W	Wood	\$ 4144	24	36⅞	28⅞	—	—	130 lbs.	22.2
	WW2436PF11LW	WW2436PF10LW	Lam/Wood	4144	24	36⅞	28⅞	—	—	130 lbs.	22.2
	WW2436PF11L	WW2436PF10L	Laminate	2891	24	36⅞	28⅞	—	—	130 lbs.	22.2
WW2436PF11LL	WW2436PF10LL	TFL	2312	24	36⅞	28⅞	—	—	130 lbs.	22.2	
• Locking only on file drawer and lateral file • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

DOUBLE DOOR UNIT



1½" TOP THICKNESS			
WWN2436PFHW	Wood	\$	3252
WWN2436PFHLW	Laminate/Wood		3252
WWN2436PFHL	Laminate		1892
1½" TOP THICKNESS			
WW2436PFHW	Wood	\$	2954
WW2436PFHLW	Laminate/Wood		2954
WW2436PFHL	Laminate		1723
WW2436PFHLL	TFL		1377

- Features an adjustable shelf
- Unit features a 110° door hinge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

24	36⅞	29⅞	—	—	130 lbs.	22.2
24	36⅞	29⅞	—	—	130 lbs.	22.2
24	36⅞	29⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Door Color
6. Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW301853VPO1LW 6CC G37PB KRB 405 MH
 WW301853VPO1LL 61R X KRB 405 MH
 WW0653VSSPW X 405
 WW0653VSSPL CT1 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PULLOUT STORAGE 	30" DEPTH									
	LEFT	RIGHT								
	WW301853VPO1LW	WW301853VPO1RW	Wood	\$ 6334	29½	17½	52½	—	—	lbs.
	WW301853VPO1LL	WW301853VPO1RL	Laminate	4489	29½	17½	52½	—	—	lbs.
	WW301841VPO1LW	WW301841VPO1RW	Wood	\$ 6048	29½	17½	40¾	—	—	lbs.
	WW301841VPO1LL	WW301841VPO1RL	Laminate	4202	29½	17½	40¾	—	—	lbs.
	24" DEPTH									
	LEFT	RIGHT								
	WW241853VPO1LW	WW241853VPO1RW	Wood	\$ 5761	23¾	17½	52½	—	—	lbs.
	WW241853VPO1LL	WW241853VPO1RL	Laminate	3914	23¾	17½	52½	—	—	lbs.
	WW241841VPO1LW	WW241841VPO1RW	Wood	\$ 5473	23¾	17½	40¾	—	—	lbs.
	WW241841VPO1LL	WW241841VPO1RL	Laminate	3628	23¾	17½	40¾	—	—	lbs.
• See pages for component top for pullout storage pages 439-440 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • All WaveWorks pull options available with exception of Horizon • 1 coathook • 2 adjustable shelves • 1 full shelf at top where electrical is mounted										

PULLOUT STORAGE SPACER



WW0653VSSPW	Wood	\$ 946	6	17 ¹ / ₁₆	52 ⁷ / ₈	—	—	lbs.
WW0653VSSPL	Laminate	587	6	17 ¹ / ₁₆	52 ⁷ / ₈	—	—	lbs.
WW0641VSSPW	Wood	\$ 928	6	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
WW0641VSSPL	Laminate	568	6	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
WW1253VSSPW	Wood	\$ 1894	11 ¹ / ₁₆	17 ¹ / ₁₆	52 ⁷ / ₈	—	—	lbs.
WW1253VSSPL	Laminate	1175	11 ¹ / ₁₆	17 ¹ / ₁₆	52 ⁷ / ₈	—	—	lbs.
WW1241VSSPW	Wood	\$ 1857	11 ¹ / ₁₆	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
WW1241VSSPL	Laminate	1139	11 ¹ / ₁₆	17 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.
• Specify spacer to pass thru electrical when ganging 2 pullout storage back to back • Specify grommet cutout option and finish/laminate only • Can be used with Alloy								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VSWHLW KRB MH
 WWN1880VSWHLL KRB 405 405
 WWN1880VSWHLGW 503 MH
 WWN1880VSWHLGL 503 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
WARDROBE/STORAGE CABINET SINGLE DOOR	INTENDED FOR USE WITH 1$\frac{1}{8}$" THICK WORKSURFACE MODELS									
	LEFT HINGED	RIGHT HINGED								
	WWN1880VSWHLGW	WWN1880VSWHRGW	Glass/Wood	\$ 5070	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs. 31.0
	WWN1880VSWHLGL	WWN1880VSWHRGL	Glass/Lam	3255	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs. 31.0
	WWN1880VSWHLW	WWN1880VSWHRW	Wood	3893	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs. 31.0
	WWN1880VSWHLL	WWN1880VSWHRL	Laminate	2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs. 31.0
	WWN1869VSWHLGW	WWN1869VSWHRGW	Glass/Wood	\$ 4428	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs. 26.7
	WWN1869VSWHLGL	WWN1869VSWHRGL	Glass/Lam	2841	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs. 26.7
	WWN1869VSWHLW	WWN1869VSWHRW	Wood	3414	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs. 26.7
	WWN1869VSWHLL	WWN1869VSWHRL	Laminate	1934	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs. 26.7
	INTENDED FOR USE WITH 1$\frac{1}{8}$" THICK WORKSURFACE MODELS									
	LEFT HINGED	RIGHT HINGED								
Left shown	WW1879VSWHLGW	WW1879VSWHRGW	Glass/Wood	\$ 5070	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs. 31.0
	WW1879VSWHLGL	WW1879VSWHRGL	Glass/Lam	3255	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs. 31.0
	WW1879VSWHLW	WW1879VSWHRW	Wood	3893	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs. 31.0
	WW1879VSWHLL	WW1879VSWHRL	Laminate	2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs. 31.0
	WW1868VSWHLGW	WW1868VSWHRGW	Glass/Wood	\$ 4428	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs. 26.7
	WW1868VSWHLGL	WW1868VSWHRGL	Glass/Lam	2841	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs. 26.7
	WW1868VSWHLW	WW1868VSWHRW	Wood	3414	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs. 26.7
	WW1868VSWHLL	WW1868VSWHRL	Laminate	1934	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs. 26.7

- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable, 1868 and 1869 models have 1 fixed shelf and 3 adjustable shelves, 1879 and 1880 models have 1 fixed shelf and 4 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WWN1880VSHLW	KRB	MH
WWN1880VSHLL	KRB	405 405
WWN1880VSHLGW	503	MH
WWN1880VSHLGL	503	405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
MEDIA STORAGE TOWER SINGLE DOOR	WWN1880VSHLW	WWN1880VSHRW Wood	\$ 4222	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLL	WWN1880VSHRL Laminate	2508	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLGW	WWN1880VSHRGW Glass/Wood	5425	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLGL	WWN1880VSHRGL Glass/Lam	3577	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	• Glass units feature opaque glass with aluminum frame • Shaded shelves are adjustable 1 fixed and 4 adjustable shelves • Shortened shelves allow for easy wire access in the back of the cabinet • Features grommets in end panels for wire access • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									



STORAGE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

	LEFT HINGED		RIGHT HINGED		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED				D	W	H	A	KW		
	WWN2480VHHL2W	WWN2480VHHR2W Wood	\$ 5313	23 $\frac{3}{16}$	24	79 $\frac{1}{16}$	—	—	—	—	250 lbs.	31.3
	WWN2480VHHL2L	WWN2480VHHR2L Laminate	3373	23 $\frac{3}{16}$	24	79 $\frac{1}{16}$	—	—	—	—	250 lbs.	31.3
	WWN2469VHHL2W	WWN2469VHHR2W Wood	\$ 4820	23 $\frac{3}{16}$	24	67 $\frac{3}{4}$	—	—	—	—	213 lbs.	27.0
	WWN2469VHHL2L	WWN2469VHHR2L Laminate	3095	23 $\frac{3}{16}$	24	67 $\frac{3}{4}$	—	—	—	—	213 lbs.	27.0

INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

	LEFT HINGED		RIGHT HINGED		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED				D	W	H	A	KW		
	WW2479VHHL2W	WW2479VHHR2W Wood	\$ 5313	23 $\frac{3}{16}$	24	79 $\frac{3}{4}$	—	—	—	—	250 lbs.	31.3
	WW2479VHHL2L	WW2479VHHR2L Laminate	3373	23 $\frac{3}{16}$	24	79 $\frac{3}{4}$	—	—	—	—	250 lbs.	31.3
	WW2468VHHL2W	WW2468VHHR2W Wood	\$ 4820	23 $\frac{3}{16}$	24	66 $\frac{3}{4}$	—	—	—	—	213 lbs.	27.0
	WW2468VHHL2L	WW2468VHHR2L Laminate	3095	23 $\frac{3}{16}$	24	66 $\frac{3}{4}$	—	—	—	—	213 lbs.	27.0

- Removable coat rod is standard
- Storage cabinet contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5 $\frac{1}{2}$ " wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2480VBWHL2W 7SN KS1B HN
 WWN2480VBWHL2L 7SN KS1B 461 461

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
					D	W	H	A	KW		
STORAGE SIDE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL  Left shown with Wood/Laminate	INTENDED FOR USE WITH 1 1/2" THICK WORKSURFACE MODELS										
	LEFT HINGED										
	WWN2480VBWHL2W	WWN2480VBWHR2W	Wood	\$ 5567	23 3/16	24	79 1 1/16	—	—	250 lbs.	31.3
	WWN2480VBWHL2L	WWN2480VBWHR2L	Laminate	3631	23 3/16	24	79 1 1/16	—	—	250 lbs.	31.3
	WWN2469VBWHL2W	WWN2469VBWHR2W	Wood	\$ 5075	23 3/16	24	67 3/4	—	—	213 lbs.	27.0
	WWN2469VBWHL2L	WWN2469VBWHR2L	Laminate	3353	23 3/16	24	67 3/4	—	—	213 lbs.	27.0
	INTENDED FOR USE WITH 1 1/2" THICK WORKSURFACE MODELS										
	LEFT HINGED										
	WW2479VBWHL2W	WW2479VBWHR2W	Wood	\$ 5567	23 3/16	24	79 3/4	—	—	250 lbs.	31.3
	WW2479VBWHL2L	WW2479VBWHR2L	Laminate	3631	23 3/16	24	79 3/4	—	—	250 lbs.	31.3
	WW2468VBWHL2W	WW2468VBWHR2W	Wood	\$ 5075	23 3/16	24	66 3/8	—	—	213 lbs.	27.0
	WW2468VBWHL2L	WW2468VBWHR2L	Laminate	3353	23 3/16	24	66 3/8	—	—	213 lbs.	27.0

- Removable coat rod is standard
- Open bookcase contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5 1/2" wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VBL2W 7SN KS1B HN
WWN1880VBR2L 7SN KS1B 461 461

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	INTENDED FOR USE WITH 1 $\frac{1}{16}$ " THICK WORKSURFACE MODELS					D	W	H	A	KW		
	LEFT UNIT	RIGHT UNIT										
	WWN1880VBL2W	WWN1880VBR2W	Wood	\$	4211	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1880VBL2L	WWN1880VBR2L	Laminate		2476	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1869VBL2W	WWN1869VBR2W	Wood	\$	3721	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	WWN1869VBL2L	WWN1869VBR2L	Laminate		2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS											
	LEFT UNIT	RIGHT UNIT										
	WW1879VBL2W	WW1879VBR2W	Wood	\$	4211	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1879VBL2L	WW1879VBR2L	Laminate		2476	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1868VBL2W	WW1868VBR2W	Wood	\$	3721	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
	WW1868VBL2L	WW1868VBR2L	Laminate		2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
• Open bookcase contains 2 adjustable shelves in 1868 and 1869 models and 3 adjustable shelves in the 1879 and 1880 models • Shaded area denotes wood drawer fronts and wood panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less												

Left shown

Left shown with Wood/Laminate

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW3680VSWHGW 501 MH
 WW3680VSWHW KS1B MH
 WW3680VSWHL KS1B MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WARDROBE/STORAGE CABINET DOUBLE DOOR	INTENDED FOR USE WITH 1⅛" THICK WORKSURFACE MODELS									
	WWN3680VSWHGW	Glass/Wood	\$ 8205	23⅜	35⅝	79⅞	—	—	345 lbs.	51.4
	WWN3680VSWHGL	Glass/Laminate	5269	23⅜	35⅝	79⅞	—	—	345 lbs.	51.4
	WWN3680VSWHW	Wood	7785	23⅜	35⅝	79⅞	—	—	345 lbs.	51.4
	WWN3680VSWHL	Laminate	4408	23⅜	35⅝	79⅞	—	—	345 lbs.	51.4
	WWN3669VSWHGW	Glass/Wood	\$ 7113	23⅜	35⅝	67¼	—	—	160 lbs.	44.1
	WWN3669VSWHGL	Glass/Laminate	4565	23⅜	35⅝	67¼	—	—	160 lbs.	44.1
	WWN3669VSWHW	Wood	6828	23⅜	35⅝	67¼	—	—	160 lbs.	44.1
	WWN3669VSWHL	Laminate	3865	23⅜	35⅝	67¼	—	—	160 lbs.	44.1
	INTENDED FOR USE WITH 1⅛" THICK WORKSURFACE MODELS									
	WW3679VSWHGW	Glass/Wood	\$ 8205	23⅜	35⅝	79¼	—	—	345 lbs.	51.4
	WW3679VSWHGL	Glass/Laminate	5269	23⅜	35⅝	79¼	—	—	345 lbs.	51.4
	WW3679VSWHW	Wood	7785	23⅜	35⅝	79¼	—	—	345 lbs.	51.4
	WW3679VSWHL	Laminate	4408	23⅜	35⅝	79¼	—	—	345 lbs.	51.4
	WW3668VSWHGW	Glass/Wood	\$ 7113	23⅜	35⅝	66⅞	—	—	160 lbs.	44.1
WW3668VSWHGL	Glass/Laminate	4565	23⅜	35⅝	66⅞	—	—	160 lbs.	44.1	
WW3668VSWHW	Wood	6828	23⅜	35⅝	66⅞	—	—	160 lbs.	44.1	
WW3668VSWHL	Laminate	3865	23⅜	35⅝	66⅞	—	—	160 lbs.	44.1	

- Coat rod standard
- Shaded shelves are adjustable, 3668 and 3669 models have 1 fixed and 3 adjustable shelves, 3679 and 3680 models have 2 fixed and 3 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less



PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VSHGW 501 MH
 WWN3680VSHW KS1B MH
 WWN3680VSHL KS1B MH MH

- See pages 284-288 for all options available in WaveWorks

DOUBLE DOOR
STORAGE CABINET

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTENDED FOR USE WITH 1$\frac{1}{8}$" THICK WORKSURFACE MODELS									
WWN3680VSHGW	Glass/Wood	\$ 7624	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{16}$	—	—	345 lbs.	51.4
WWN3680VSHGL	Glass/Laminate	4675	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{16}$	—	—	345 lbs.	51.4
WWN3680VSHW	Wood	7200	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{16}$	—	—	345 lbs.	51.4
WWN3680VSHL	Laminate	3818	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{16}$	—	—	345 lbs.	51.4
WWN3669VSHGW	Glass/Wood	\$ 6531	23 $\frac{3}{16}$	35 $\frac{5}{8}$	67 $\frac{1}{4}$	—	—	160 lbs.	44.1
WWN3669VSHGL	Glass/Laminate	3979	23 $\frac{3}{16}$	35 $\frac{5}{8}$	67 $\frac{1}{4}$	—	—	160 lbs.	44.1
WWN3669VSHW	Wood	6248	23 $\frac{3}{16}$	35 $\frac{5}{8}$	67 $\frac{1}{4}$	—	—	160 lbs.	44.1
WWN3669VSHL	Laminate	3277	23 $\frac{3}{16}$	35 $\frac{5}{8}$	67 $\frac{1}{4}$	—	—	160 lbs.	44.1
INTENDED FOR USE WITH 1$\frac{3}{8}$" THICK WORKSURFACE MODELS									
WW3679VSHGW	Glass/Wood	\$ 7624	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{4}$	—	—	345 lbs.	51.4
WW3679VSHGL	Glass/Laminate	4675	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{4}$	—	—	345 lbs.	51.4
WW3679VSHW	Wood	7200	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{4}$	—	—	345 lbs.	51.4
WW3679VSHL	Laminate	3818	23 $\frac{3}{16}$	35 $\frac{5}{8}$	79 $\frac{1}{4}$	—	—	345 lbs.	51.4
WW3668VSHGW	Glass/Wood	\$ 6531	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	44.1
WW3668VSHGL	Glass/Laminate	3979	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	44.1
WW3668VSHW	Wood	6248	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	44.1
WW3668VSHL	Laminate	3277	23 $\frac{3}{16}$	35 $\frac{5}{8}$	66 $\frac{7}{8}$	—	—	160 lbs.	44.1

- 3668 and 3669 models have 2 fixed and 2 adjustable shelves, 3679 and 3680 models have 2 fixed and 3 adjustable shelves
- Units includes shelves from top to bottom, see above bullet for correct number of shelves according to size
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:



1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VHF2GW 501 MH
 WWN3680VHF2W KS1B MH
 WWN3680VHF2L KS1B MH MH

- See pages 284-288 for all options available in WaveWorks

STORAGE/LATERAL FILE CABINET



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1½" THICK WORKSURFACE MODELS										
WWN3680VHF2GW	Glass/Wood	\$ 7798	23⅞	35⅞	79⅞	—	—	345 lbs.	56.5	
WWN3680VHF2GL	Glass/Laminate	4789	23⅞	35⅞	79⅞	—	—	345 lbs.	56.5	
WWN3680VHF2W	Wood	7306	23⅞	35⅞	79⅞	—	—	345 lbs.	56.5	
WWN3680VHF2L	Laminate	3879	23⅞	35⅞	79⅞	—	—	345 lbs.	56.5	
WWN3669VHF2GW	Glass/Wood	\$ 6692	23⅞	35⅞	67¼	—	—	160 lbs.	48.6	
WWN3669VHF2GL	Glass/Laminate	4079	23⅞	35⅞	67¼	—	—	160 lbs.	48.6	
WWN3669VHF2W	Wood	6336	23⅞	35⅞	67¼	—	—	160 lbs.	48.6	
WWN3669VHF2L	Laminate	3331	23⅞	35⅞	67¼	—	—	160 lbs.	48.6	
INTENDED FOR USE WITH 1½" THICK WORKSURFACE MODELS										
WW3679VHF2GW	Glass/Wood	\$ 7798	23⅞	35⅞	79¼	—	—	345 lbs.	56.5	
WW3679VHF2GL	Glass/Laminate	4789	23⅞	35⅞	79¼	—	—	345 lbs.	56.5	
WW3679VHF2W	Wood	7306	23⅞	35⅞	79¼	—	—	345 lbs.	56.5	
WW3679VHF2L	Laminate	3879	23⅞	35⅞	79¼	—	—	345 lbs.	56.5	
WW3668VHF2GW	Glass/Wood	\$ 6692	23⅞	35⅞	66⅞	—	—	160 lbs.	48.6	
WW3668VHF2GL	Glass/Laminate	4079	23⅞	35⅞	66⅞	—	—	160 lbs.	48.6	
WW3668VHF2W	Wood	6336	23⅞	35⅞	66⅞	—	—	160 lbs.	48.6	
WW3668VHF2L	Laminate	3331	23⅞	35⅞	66⅞	—	—	160 lbs.	48.6	

- 3679 and 3680 models have 1 fixed and 2 adjustable shelves, 3668 and 3669 models have 1 fixed and 1 adjustable shelf
- For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1868VHL2GW	75PL	501	MH
WW1868VHL2GL	75PL	501	480
WW1868VHL2W	75PL	KS2B	MH
WW1868VHL2L	75PL	KS2B	480 MH

• See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	INTENDED FOR USE WITH 1 $\frac{1}{8}$ " THICK WORKSURFACE MODELS					D	W	H	A	KW		
	LEFT HINGED											
	RIGHT HINGED											
	WWN1880VHL2GW	WWN1880VHR2GW	Glass/Wood	\$	5243	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1880VHL2GL	WWN1880VHR2GL	Glass/Lam		3366	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1880VHL2W	WWN1880VHR2W	Wood		3996	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1880VHL2L	WWN1880VHR2L	Laminate		2265	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	207 lbs.	31.0
	WWN1869VHL2GW	WWN1869VHR2GW	Glass/Wood	\$	4588	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	WWN1869VHL2GL	WWN1869VHR2GL	Glass/Lam		2943	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	WWN1869VHL2W	WWN1869VHR2W	Wood		3508	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	WWN1869VHL2L	WWN1869VHR2L	Laminate		1988	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	175 lbs.	26.7
	INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS											
	LEFT HINGED											
	RIGHT HINGED											
	WW1879VHL2GW	WW1879VHR2GW	Glass/Wood	\$	5243	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1879VHL2GL	WW1879VHR2GL	Glass/Lam		3366	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1879VHL2W	WW1879VHR2W	Wood		3996	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1879VHL2L	WW1879VHR2L	Laminate		2265	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	207 lbs.	31.0
	WW1868VHL2GW	WW1868VHR2GW	Glass/Wood	\$	4588	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
	WW1868VHL2GL	WW1868VHR2GL	Glass/Lam		2943	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
	WW1868VHL2W	WW1868VHR2W	Wood		3508	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
	WW1868VHL2L	WW1868VHR2L	Laminate		1988	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	175 lbs.	26.7
• Shaded shelves are adjustable • 1879 and 1880 models include 3 adjustable shelves, 1868 and 1869 models include 2 adjustable shelves • For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less												

WAVEWORKS

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door-Drawer Color
5. Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW241879VPL1LL 87MB KS1B 461 PT

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
OPEN LOCKER 	LOCKERS/OPEN								
	WW241879VPL10L Laminate	\$ 1880	22 $\frac{3}{4}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	25.8
	WW241579VPL10L Laminate	1880	22 $\frac{3}{4}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.8
	WW241868VPL10L Laminate	\$ 1612	22 $\frac{3}{4}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	22.3
	WW241568VPL10L Laminate	1612	22 $\frac{3}{4}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.9
	WW181879VPL10L Laminate	\$ 1824	16 $\frac{7}{8}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	20.3
	WW181579VPL10L Laminate	1824	16 $\frac{7}{8}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.2
	WW181868VPL10L Laminate	\$ 1552	16 $\frac{7}{8}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	17.5
	WW181568VPL10L Laminate	1552	16 $\frac{7}{8}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	14.8

- Lockers offered in laminate model only
- Included are 2 fixed shelves and 2 coat hooks
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back

LOCKER
1 DOOR

Right shown

LOCKERS/1 DOOR
LEFT HINGED

RIGHT HINGED

WW241879VPL1LL	WW241879VPL1RL	Laminate	\$ 1997	23 $\frac{3}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	26.8
WW241579VPL1LL	WW241579VPL1RL	Laminate	1997	23 $\frac{3}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	22.5
WW241868VPL1LL	WW241868VPL1RL	Laminate	\$ 1726	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	23.0
WW241568VPL1LL	WW241568VPL1RL	Laminate	1726	23 $\frac{3}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	19.5
WW181879VPL1LL	WW181879VPL1RL	Laminate	\$ 1938	17 $\frac{1}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.1
WW181579VPL1LL	WW181579VPL1RL	Laminate	1938	17 $\frac{1}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.9
WW181868VPL1LL	WW181868VPL1RL	Laminate	\$ 1668	17 $\frac{1}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.2
WW181568VPL1LL	WW181568VPL1RL	Laminate	1668	17 $\frac{1}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	15.4

- Lockers offered in laminate only
- 2 fixed shelves and 2 coat hooks included
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door-Drawer Color
5. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL2LL 87MB KS2B PT PT
WW241879VPL3LL 87MB KRB PT PT

- See pages 284-288 for all options available in WaveWorks

LOCKER
2 DOOR

Right shown


MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEETLOCKERS/2 DOOR
LEFT HINGED

RIGHT HINGED

WW241879VPL2LL	WW241879VPL2RL	Laminate	\$ 2141	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
WW241579VPL2LL	WW241579VPL2RL	Laminate	2141	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
WW241868VPL2LL	WW241868VPL2RL	Laminate	\$ 1869	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	23.0
WW241568VPL2LL	WW241568VPL2RL	Laminate	1869	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	19.5
WW181879VPL2LL	WW181879VPL2RL	Laminate	\$ 2081	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
WW181579VPL2LL	WW181579VPL2RL	Laminate	2081	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
WW181868VPL2LL	WW181868VPL2RL	Laminate	\$ 1811	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	18.2
WW181568VPL2LL	WW181568VPL2RL	Laminate	1811	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	15.4

- Lockers offered in laminate only
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

LOCKER
3 DOOR

Right shown

LOCKERS/3 DOOR
LEFT HINGED

RIGHT HINGED

WW241879VPL3LL	WW241879VPL3RL	Laminate	\$ 2284	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
WW241579VPL3LL	WW241579VPL3RL	Laminate	2284	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
WW241868VPL3LL	WW241868VPL3RL	Laminate	\$ 2013	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	23.0
WW241568VPL3LL	WW241568VPL3RL	Laminate	2013	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	19.5
WW181879VPL3LL	WW181879VPL3RL	Laminate	\$ 2225	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
WW181579VPL3LL	WW181579VPL3RL	Laminate	2225	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
WW181868VPL3LL	WW181868VPL3RL	Laminate	\$ 1956	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	18.2
WW181568VPL3LL	WW181568VPL3RL	Laminate	1956	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	15.4

- Lockers offered in laminate only
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

WAVEWORKS

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. E lock color
3. Laminate Door-Drawer Color
4. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL1LEL B PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
LOCKER 1 DOOR ELECTRONIC LOCK 	LOCKERS/1 DOOR/ELECTRONIC LOCK										
	LEFT HINGED	RIGHT HINGED									
	WW241879VPL1LEL	WW241879VPL1REL	Laminate	\$ 2515	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
	WW241579VPL1LEL	WW241579VPL1REL	Laminate	2515	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
	WW241868VPL1LEL	WW241868VPL1REL	Laminate	\$ 2243	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	23.0
	WW241568VPL1LEL	WW241568VPL1REL	Laminate	2243	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	19.5
	WW181879VPL1LEL	WW181879VPL1REL	Laminate	\$ 2455	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
	WW181579VPL1LEL	WW181579VPL1REL	Laminate	2455	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
WW181868VPL1LEL	WW181868VPL1REL	Laminate	\$ 2185	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	18.2	
WW181568VPL1LEL	WW181568VPL1REL	Laminate	2185	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	15.4	

- Locks ship separately and require field installation
- 2 fixed shelves and 2 coat hooks included
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Do not specify pull when ordering electronic locking units
- Electronic locking features passcode operation; can be used for multi-use or single use
- Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)

**LOCKER
2 DOOR
ELECTRONIC LOCK**


LOCKERS/2 DOOR/ELECTRONIC LOCK										
LEFT HINGED		RIGHT HINGED								
WW241879VPL2LEL	WW241879VPL2REL	Laminate	\$ 3177	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
WW241579VPL2LEL	WW241579VPL2REL	Laminate	3177	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
WW241868VPL2LEL	WW241868VPL2REL	Laminate	\$ 2904	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	23.0
WW241568VPL2LEL	WW241568VPL2REL	Laminate	2904	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	19.5
WW181879VPL2LEL	WW181879VPL2REL	Laminate	\$ 3117	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
WW181579VPL2LEL	WW181579VPL2REL	Laminate	3117	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
WW181868VPL2LEL	WW181868VPL2REL	Laminate	\$ 2847	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	18.2
WW181568VPL2LEL	WW181568VPL2REL	Laminate	2847	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	—	—	15.4

- Locks ship separately and require field installation
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Do not specify pull when ordering electronic locking units
- Electronic locking features passcode operation; can be used for multi-use or single use
- Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. E lock color
3. Laminate Door-Drawer Color
4. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL3LEL S MC MC
WW2379CPFPL CW

- See pages 284-288 for all options available in WaveWorks

LOCKER
3 DOOR
ELECTRONIC LOCK



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LOCKERS/3 DOOR/ELECTRONIC LOCK					D	W	H	A	KW		
LEFT HINGED		RIGHT HINGED									
WW241879VPL3LEL	WW241879VPL3REL	Laminate		\$ 3837	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
WW241579VPL3LEL	WW241579VPL3REL	Laminate		3837	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
WW241868VPL3LEL	WW241868VPL3REL	Laminate		\$ 3566	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	23.0
WW241568VPL3LEL	WW241568VPL3REL	Laminate		3566	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	19.5
WW181879VPL3LEL	WW181879VPL3REL	Laminate		\$ 3779	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
WW181579VPL3LEL	WW181579VPL3REL	Laminate		3779	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
WW181868VPL3LEL	WW181868VPL3REL	Laminate		\$ 3509	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	18.2
WW181568VPL3LEL	WW181568VPL3REL	Laminate		3509	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	15.4

- Locks ship separately and require field installation
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Do not specify pull when ordering electronic locking units
- Electronic locking features passcode operation; can be used for multi-use or single use
- Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)

WARDROBE/STORAGE CABINETS AND LOCKERS FILLER PANELS



23" DEPTH

WW2379CPFPL	\$	281	6	23 ³ / ₁₆	78 ³ / ₄	—	—	—	1.5
WW2368CPFPL		228	6	23 ³ / ₁₆	66 ⁷ / ₁₆	—	—	—	0.9

17" DEPTH

WW1779CPFPL	\$	209	6	17 ¹ / ₁₆	78 ³ / ₄	—	—	—	1.5
WW1768CPFPL		186	6	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	1.3

- To be used with Wardrobe Storage Cabinets and Lockers to fill in space as needed
- Can be field cut to desired width

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:


WWN3680BCOFW MH
WWN3680BCOFL AD

- See pages 284-288 for all options available in WaveWorks



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
WWN3680BCOFW Wood	\$ 2797	13 1/16	35 1/2	79 1/16	—	—	184 lbs.	38.3
WWN3680BCOFL Laminate	1389	13 1/16	35 1/2	79 1/16	—	—	184 lbs.	38.3
INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
QWW3679BCOFW Wood	\$ 2797	13 1/16	35 1/2	79 1/4	—	—	184 lbs.	38.3
WW3679BCOFW Wood	2797	13 1/16	35 1/2	79 1/4	—	—	184 lbs.	38.3
QWW3679BCOFL Laminate	1389	13 1/16	35 1/2	79 1/4	—	—	184 lbs.	38.3
WW3679BCOFL Laminate	1389	13 1/16	35 1/2	79 1/4	—	—	184 lbs.	38.3
• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

4 SHELF OPEN BOOKCASE 	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
	WWN3669BCOFW Wood	\$ 2432	13 1/16	35 1/2	67 1/4	—	—	188 lbs.	31.6
	WWN3669BCOFL Laminate	1211	13 1/16	35 1/2	67 1/4	—	—	188 lbs.	31.6
	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
	QWW3668BCOFW Wood	\$ 2432	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	WW3668BCOFW Wood	2432	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	QWW3668BCOFL Laminate	1211	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	WW3668BCOFL Laminate	1211	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

3 SHELF OPEN BOOKCASE 	QWW3653BCOFW Wood	\$ 2234	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	WW3653BCOFW Wood	2234	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	QWW3653BCOFL Laminate	1093	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	WW3653BCOFL Laminate	1093	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage								

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color






SAMPLE MODEL NUMBERS:

WW3640BCOFW AC
WW3640BCOFL AC2

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2 SHELF OPEN BOOKCASE 	QWW3640BCOFW Wood	\$ 1894	13 ¹ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	WW3640BCOFW Wood	1894	13 ¹ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	QWW3640BCOFL Laminate	955	13 ¹ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	WW3640BCOFL Laminate	955	13 ¹ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	• Specify chassis finish only • Shaded shelf is adjustable • Not intended for use as set-on surface storage								
1 SHELF OPEN BOOKCASE 	QWW3628BCOFW Wood	\$ 1656	13 ¹ / ₁₆	35 ⁷ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	WW3628BCOFW Wood	1656	13 ¹ / ₁₆	35 ⁷ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	QWW3628BCOFL Laminate	820	13 ¹ / ₁₆	35 ⁷ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	WW3628BCOFL Laminate	820	13 ¹ / ₁₆	35 ⁷ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	• Specify chassis finish only • Shaded shelf is adjustable • Not intended for use as set-on surface storage								
BOOKCASE WITH DOORS   	INTENDED FOR USE WITH 1¹/₁₆" THICK WORKSURFACES								
	WWN3680BCOHFW Wood	\$ 3423	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WWN3680BCOHFL Laminate	1943	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WWN3669BCOHFW Wood	\$ 2977	14 ³ / ₄	35 ⁷ / ₈	67 ¹ / ₄	—	—	193 lbs.	31.6
	WWN3669BCOHFL Laminate	1690	14 ³ / ₄	35 ⁷ / ₈	67 ¹ / ₄	—	—	193 lbs.	31.6
	INTENDED FOR USE WITH 1³/₁₆" THICK WORKSURFACES								
	WW3679BCOHFW Wood	\$ 3423	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WW3679BCOHFL Laminate	1943	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WW3668BCOHFW Wood	\$ 2977	14 ³ / ₄	35 ⁷ / ₈	66 ⁵ / ₈	—	—	193 lbs.	31.6
	WW3668BCOHFL Laminate	1690	14 ³ / ₄	35 ⁷ / ₈	66 ⁵ / ₈	—	—	193 lbs.	31.6
	WW3653BCOHFW Wood	\$ 2768	14 ³ / ₄	35 ⁷ / ₈	52 ¹ / ₄	—	—	145 lbs.	26.7
	WW3653BCOHFL Laminate	1566	14 ³ / ₄	35 ⁷ / ₈	52 ¹ / ₄	—	—	145 lbs.	26.7
	• Shaded shelves are adjustable • Cabinet features an adjustable shelf in bottom storage behind doors • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options




TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCOW AC
WW3650BCOL AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
OPEN BOOKCASE SET-ON SURFACE   	50" HIGH									
	WW3650BCOW	Wood	\$ 1972	13 ¹ / ₁₆	35 ⁷ / ₈	50	—	—	109 lbs.	25.5
	WW3650BCOL	Laminate	1130	13 ¹ / ₁₆	35 ⁷ / ₈	50	—	—	109 lbs.	25.5
	WW3050BCOW	Wood	\$ 1837	13 ¹ / ₁₆	29 ¹ / ₁₆	50	—	—	97 lbs.	21.9
	WW3050BCOL	Laminate	1057	13 ¹ / ₁₆	29 ¹ / ₁₆	50	—	—	97 lbs.	21.9
	WW1850BCOW	Wood	\$ 1617	13 ¹ / ₁₆	17 ¹ / ₁₆	50	—	—	81 lbs.	14.7
	WW1850BCOL	Laminate	955	13 ¹ / ₁₆	17 ¹ / ₁₆	50	—	—	81 lbs.	14.7
	WW1550BCOW	Wood	\$ 1484	13 ¹ / ₁₆	14 ¹ / ₁₆	50	—	—	68 lbs.	9.5
	WW1550BCOL	Laminate	878	13 ¹ / ₁₆	14 ¹ / ₁₆	50	—	—	68 lbs.	9.5
	38" HIGH									
	WW3638BCOW	Wood	\$ 1558	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	100 lbs.	20.6
	WW3638BCOL	Laminate	748	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	100 lbs.	20.6
	WW3038BCOW	Wood	\$ 1430	13 ¹ / ₁₆	29 ¹ / ₁₆	38	—	—	85 lbs.	16.8
	WW3038BCOL	Laminate	680	13 ¹ / ₁₆	29 ¹ / ₁₆	38	—	—	85 lbs.	16.8
	WW1838BCOW	Wood	\$ 1212	13 ¹ / ₁₆	17 ¹ / ₁₆	38	—	—	60 lbs.	11.0
	WW1838BCOL	Laminate	576	13 ¹ / ₁₆	17 ¹ / ₁₆	38	—	—	60 lbs.	11.0
	WW1538BCOW	Wood	\$ 1081	13 ¹ / ₁₆	14 ¹ / ₁₆	38	—	—	55 lbs.	9.5
	WW1538BCOL	Laminate	507	13 ¹ / ₁₆	14 ¹ / ₁₆	38	—	—	55 lbs.	9.5

- Specify chassis finish only
- Not intended for use on table desking
- Shaded shelves are adjustable
- 2 adjustable shelves

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCHW KRB CW
WW3650BCHL KRB 405 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
BOOKCASE WITH DOORS SET-ON SURFACE  	50" HIGH									
	WW3650BCHGW Glass/Wood	\$ 4384	14¾	35½	49⅞	—	—	—	144 lbs.	25.5
	WW3650BCHGL Glass/Laminate	3409	14¾	35½	49⅞	—	—	—	144 lbs.	25.5
	WW3650BCHW Wood	2143	14¾	35½	49⅞	—	—	—	144 lbs.	25.5
	WW3650BCHL Laminate	1188	14¾	35½	49⅞	—	—	—	144 lbs.	25.5
	WW3050BCHGW Glass/Wood	\$ 3983	14¾	29⅞	49⅞	—	—	—	126 lbs.	21.9
	WW3050BCHGL Glass/Laminate	3098	14¾	29⅞	49⅞	—	—	—	126 lbs.	21.9
	WW3050BCHW Wood	2013	14¾	29⅞	49⅞	—	—	—	126 lbs.	21.9
	WW3050BCHL Laminate	1095	14¾	29⅞	49⅞	—	—	—	126 lbs.	21.9
	38" HIGH									
	WW3638BCHGW Glass/Wood	\$ 3911	14¾	35½	38½	—	—	—	110 lbs.	19.9
	WW3638BCHGL Glass/Laminate	2114	14¾	35½	38½	—	—	—	110 lbs.	19.9
	WW3638BCHW Wood	1723	14¾	35½	38½	—	—	—	110 lbs.	19.9
	WW3638BCHL Laminate	809	14¾	35½	38½	—	—	—	110 lbs.	19.9
	WW3038BCHGW Glass/Wood	\$ 3553	14¾	29⅞	38½	—	—	—	94 lbs.	17.1
	WW3038BCHGL Glass/Laminate	1920	14¾	29⅞	38½	—	—	—	94 lbs.	17.1
	WW3038BCHW Wood	1593	14¾	29⅞	38½	—	—	—	94 lbs.	17.1
	WW3038BCHL Laminate	717	14¾	29⅞	38½	—	—	—	94 lbs.	17.1
• Not intended for use on table desking • Shaded shelves are adjustable • 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1850BCHLW KRB CW
WW1850BCHLL KRB 405 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW			
BOOKCASE WITH DOOR SET-ON SURFACE  Left shown	50" HIGH											
	LEFT HINGED			RIGHT HINGED								
	WW1850BCHLGW	WW1850BCHRGW	Glass/Wood	\$	3620	14¾	17½	49½	—	—	98 lbs.	14.7
	WW1850BCHLGL	WW1850BCHRGL	Glass/Lam		2545	14¾	17½	49½	—	—	98 lbs.	14.7
	WW1850BCHLW	WW1850BCHRW	Wood		1692	14¾	17½	49½	—	—	98 lbs.	14.7
	WW1850BCHLL	WW1850BCHRL	Laminate		987	14¾	17½	49½	—	—	98 lbs.	14.7
	WW1550BCHLGW	WW1550BCHRGW	Glass/Wood	\$	3418	14¾	14½	49½	—	—	98 lbs.	14.7
	WW1550BCHLGL	WW1550BCHRGL	Glass/Lam		1865	14¾	14½	49½	—	—	98 lbs.	14.7
	WW1550BCHLW	WW1550BCHRW	Wood		1579	14¾	14½	49½	—	—	98 lbs.	14.7
	WW1550BCHLL	WW1550BCHRL	Laminate		905	14¾	14½	49½	—	—	98 lbs.	14.7
	38" HIGH											
	LEFT HINGED			RIGHT HINGED								
	WW1838BCHLGW	WW1838BCHRGW	Glass/Wood	\$	2325	14¾	17½	38¾	—	—	77 lbs.	11.4
	WW1838BCHLGL	WW1838BCHRGL	Glass/Lam		1255	14¾	17½	38¾	—	—	77 lbs.	11.4
	WW1838BCHLW	WW1838BCHRW	Wood		1283	14¾	17½	38¾	—	—	77 lbs.	11.4
	WW1838BCHLL	WW1838BCHRL	Laminate		611	14¾	17½	38¾	—	—	77 lbs.	11.4
WW1538BCHLGW	WW1538BCHRGW	Glass/Wood	\$	2157	14¾	14½	38¾	—	—	77 lbs.	11.4	
WW1538BCHLGL	WW1538BCHRGL	Glass/Lam		1166	14¾	14½	38¾	—	—	77 lbs.	11.4	
WW1538BCHLW	WW1538BCHRW	Wood		1174	14¾	14½	38¾	—	—	77 lbs.	11.4	
WW1538BCHLL	WW1538BCHRL	Laminate		531	14¾	14½	38¾	—	—	77 lbs.	11.4	
• Not intended for use on table desking • Shaded shelves are adjustable • 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:


WW3664BCOHHMALW CW
WW3664BCOHHMALL 405 PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
SET-ON BOOKCASE STYLE A  Left shown	64" HIGH										
	LEFT										
	RIGHT										
	WW3664BCOHHMALW	WW3664BCOHHMARW	Wood	\$ 3262	14¾	35½	63¾	—	—	lbs.	
	WW3664BCOHHMALL	WW3664BCOHHMARRL	Laminate	2113	14¾	35½	63¾	—	—	lbs.	
	WW3064BCOHHMALW	WW3064BCOHHMARW	Wood	\$ 3161	14¾	29½	63¾	—	—	lbs.	
	WW3064BCOHHMALL	WW3064BCOHHMARRL	Laminate	2012	14¾	29½	63¾	—	—	lbs.	
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull										

SET-ON BOOKCASE
STYLE B

64" HIGH											
WW3664BCOHHMBW	Wood		\$ 3262	14¾	35½	63¾	—	—	lbs.		
WW3664BCOHHMBL	Laminate		2113	14¾	35½	63¾	—	—	lbs.		
WW3064BCOHHMBW	Wood		\$ 3161	14¾	29½	63¾	—	—	lbs.		
WW3064BCOHHMBL	Laminate		2012	14¾	29½	63¾	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

SET-ON BOOKCASE
STYLE C

64" HIGH											
LEFT											
RIGHT											
WW3664BCOHHMCLW	WW3664BCOHHMCRW	Wood	\$ 3262	14¾	35½	63¾	—	—	lbs.		
WW3664BCOHHMCLL	WW3664BCOHHMCRRL	Laminate	2113	14¾	35½	63¾	—	—	lbs.		
WW3064BCOHHMCLW	WW3064BCOHHMCRW	Wood	\$ 3161	14¾	29½	63¾	—	—	lbs.		
WW3064BCOHHMCLL	WW3064BCOHHMCRRL	Laminate	2012	14¾	29½	63¾	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:

WW3050BCOHHMALW MC
WW3050BCOHHMALL 405 462


- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
SET-ON BOOKCASE STYLE A  Left shown	50" HIGH LEFT								
	WW3650BCOHHMALW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
	WW3650BCOHHMALL	Laminate	1825	14¾	35½	50	—	—	lbs.
	WW3050BCOHHMALW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
	WW3050BCOHHMALL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull								

SET-ON BOOKCASE
STYLE B

50" HIGH

WW3650BCOHHMBW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
WW3650BCOHHMBL	Laminate	1825	14¾	35½	50	—	—	lbs.
WW3050BCOHHMBW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
WW3050BCOHHMBL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull								

SET-ON BOOKCASE
STYLE C

Right shown

50" HIGH

LEFT		RIGHT							
WW3650BCOHHMCLW	WW3650BCOHHMCRW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
WW3650BCOHHMCLL	WW3650BCOHHMCRL	Laminate	1825	14¾	35½	50	—	—	lbs.
WW3050BCOHHMCLW	WW3050BCOHHMCRW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
WW3050BCOHHMCLL	WW3050BCOHHMCRL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelf is adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull									

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)


SAMPLE MODEL NUMBERS:

WW3638BCOHMALW MC
WW3638BCOHMALL 462 PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
SET-ON BOOKCASE STYLE A  Left shown	38" HIGH										
	LEFT										
	RIGHT										
	WW3638BCOHMALW	WW3638BCOHEMARW	Wood	\$ 2255	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	lbs.	
	WW3638BCOHMALL	WW3638BCOHEMARL	Laminate	1538	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	lbs.	
	WW3038BCOHMALW	WW3038BCOHEMARW	Wood	\$ 2154	14 $\frac{3}{4}$	29 $\frac{1}{16}$	38	—	—	lbs.	
	WW3038BCOHMALL	WW3038BCOHEMARL	Laminate	1437	14 $\frac{3}{4}$	29 $\frac{1}{16}$	38	—	—	lbs.	
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelf is adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull										

SET-ON BOOKCASE STYLE B




38" HIGH

WW3638BCOHEMBW	Wood	\$ 2255	14¾	35⅝	38	—	—	lbs.
WW3638BCOHEMBL	Laminate	1538	14¾	35⅝	38	—	—	lbs.
WW3038BCOHEMBW	Wood	\$ 2154	14¾	29⅛	38	—	—	lbs.
WW3038BCOHEMBL	Laminate	1437	14¾	29⅛	38	—	—	lbs.

- Cornice frames are available. See pages 405-411
- Not intended for table desking
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE C



38" HIGH											
LEFT		RIGHT									
WW3638BCOHEMCLW	WW3638BCOHEMCRW	Wood	\$ 2255	14¾	35⅝	38	—	—	lbs.		
WW3638BCOHEMCLL	WW3638BCOHEMCRL	Laminate	1538	14¾	35⅝	38	—	—	lbs.		
WW3038BCOHEMCLW	WW3038BCOHEMCRW	Wood	\$ 2154	14¾	29⅛	38	—	—	lbs.		
WW3038BCOHEMCLL	WW3038BCOHEMCRL	Laminate	1437	14¾	29⅛	38	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options




TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBERS:

WWN2415PFBBFW F 3CC KRB
WWN2415PFBBFL F 6CC KRB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	1¹/₁₆" TOP THICKNESS										
	WWN2415PFBBFW	Wood	\$	2379	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	WWN2415PFBBFL	Laminate		1507	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	1³/₁₆" TOP THICKNESS										
	WW2415PFBBFW	Wood	\$	1895	23 ¹ / ₁₆	15 ⁵ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	WW2415PFBBFL	Laminate		1249	23 ¹ / ₁₆	15 ⁵ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	1¹/₁₆" TOP THICKNESS										
	WWN2415PFFFW	Wood	\$	2379	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	WWN2415PFFFL	Laminate		1507	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	1³/₁₆" TOP THICKNESS										
	WW2415PFFFW	Wood	\$	1895	23 ¹ / ₁₆	15 ⁵ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	WW2415PFFFL	Laminate		1249	23 ¹ / ₁₆	15 ⁵ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	MOBILE PEDESTAL BOX/BOX/FILE WITH TOP										
	WW2315PMBBF2W	Wood	\$	2327	22 ¹ / ₁₆	14 ¹ / ₁₆	25 ¹ / ₁₆	—	—	75 lbs.	9.9
	WW2315PMBBF2L	Laminate		1475	22 ¹ / ₁₆	14 ¹ / ₁₆	25 ¹ / ₁₆	—	—	75 lbs.	9.9

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMBF2W 6MB KRB HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
MOBILE PEDESTAL BOX/FILE WITH TOP 	WW2315PMBF2W	Wood	\$ 2327	22 $\frac{1}{8}$ "	15 $\frac{1}{8}$ "	21 $\frac{1}{8}$ "	—	—	—	—	76 lbs.	8.7
	WW2315PMBF2L	Laminate	1475	22 $\frac{1}{8}$ "	15 $\frac{1}{8}$ "	21 $\frac{1}{8}$ "	—	—	—	—	76 lbs.	8.7
	• 4 double wheel non-locking casters standard • Maximum weight unit can hold is 300 pounds • Do not specify rim option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
MOBILE PEDESTAL FILE/FILE WITH TOP 	WW2315PMFF2W	Wood	\$ 2327	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	25 $\frac{1}{8}$ "	—	—	—	—	75 lbs.	9.9
	WW2315PMFF2L	Laminate	1475	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	25 $\frac{1}{8}$ "	—	—	—	—	75 lbs.	9.9

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMBFCW 6MB KRB 4 41301 HN

- See pages 284-288 for all options available in WaveWorks

MOBILE PEDESTAL
CUSHION TOP

MODEL NO./DESCRIPTION

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCW	Wood	\$	2052	2082	2096	2118	2142	2183	2238

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2103	2134	2158	2184	2212	2242	2267	2298	2328	2360
	K	L	M	N	O	P	Q	R	S	T
\$	2407	2505	2566	2597	2629	2660	2692	2723	2754	2785

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCL	Laminate	\$	1449	1479	1493	1515	1539	1580	1635

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1500	1531	1555	1581	1609	1639	1664	1695	1725	1757
	K	L	M	N	O	P	Q	R	S	T
\$	1804	1902	1963	1994	2026	2057	2089	2120	2151	2182

DIMENSIONS

Depth	22 ¹ / ₄	Height	23	Weight	78
Width	15 ¹ / ₂			Cubic Ft.	9.2

- Maximum weight unit can hold is 300 pounds
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify textile grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color


SAMPLE MODEL NUMBER:

WWN2436MUCW 6MB KRB HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	1 ¹ / ₁₆ " TOP THICKNESS			D	W	H	A	KW		
	WWN2436MUCW	Wood	\$ 2919	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ⁷ / ₈	—	—	155 lbs.	17.1
	WWN2436MUCLW	Laminate/Wood	2919	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ⁷ / ₈	—	—	155 lbs.	17.1
	WWN2436MUCL	Laminate	2187	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ⁷ / ₈	—	—	155 lbs.	17.1
	1 ³ / ₁₆ " TOP THICKNESS									
	WW2436MUCW	Wood	\$ 2654	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCLW	Laminate/Wood	2654	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCL	Laminate	1989	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCLL	TFL	1591	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ⁷ / ₁₆	—	—	155 lbs.	17.1
	• Can function as a serving cart or media cart • 1 adjustable shelf behind hinged doors • 4 double wheel non-locking casters standard • Center grommet option available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

MOBILE COMPUTER CART

	WW2436MCCW	Wood	\$	3348	27 $\frac{3}{16}$	36 $\frac{1}{8}$	43 $\frac{3}{4}$	—	—	85 lbs.	24.5
	WW2436MCCL	Laminate		2681	27 $\frac{3}{16}$	36 $\frac{1}{8}$	43 $\frac{3}{4}$	—	—	85 lbs.	24.5
	WW2436MCCLL	TFL		2144	27 $\frac{3}{16}$	36 $\frac{1}{8}$	43 $\frac{3}{16}$	—	—	85 lbs.	24.5
	• Do not specify pull, grommet or door finish • Mesh cord manager included • Power director included in worksurface • 4 double wheel locking casters standard • Worksurface height is 28$\frac{3}{16}$" • This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color										

WAVEWORKS

WAVEWORKS

ASSEMBLED


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Finish
4. Laminate
5. Paint

SAMPLE MODEL NUMBER:


WW243626NKBW F CW

- See pages 284-288 for all options available in WaveWorks

NESTING TABLE
KIDNEY SHAPED

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT FEET
WW243626NKBW Wood	\$ 1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NKBLW Laminate/Wood	1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NKBLL Laminate	1375	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NKBLL TFL	1101	24	36	26 $\frac{1}{16}$	—	—	45 lbs. 5.8

- Unit shipped with 4 legs
- Table height is 26 $\frac{3}{4}$ "; slides underneath standard worksurface
- Locking casters
- Zip rim option does not have "run-out" on curves of kidney shaped table
- Table leg finishes:
 - 462 Cinder
 - 501 Platinum Metallic
 - 503 Satin Nickel Metallic

NESTING TABLE
CONVEX SHAPED

WW243626NCVW Wood	\$ 1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NCVLW Laminate/Wood	1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NCVL Laminate	1375	24	36	26 $\frac{3}{4}$	—	—	45 lbs. 5.8
WW243626NCVLL TFL	1101	24	36	26 $\frac{1}{16}$	—	—	45 lbs. 5.8

- Unit shipped with 4 legs
- Table height is 26 $\frac{3}{4}$ "; slides underneath standard worksurface
- Locking casters
- Table leg finishes:
 - 462 Cinder
 - 501 Platinum Metallic
 - 503 Satin Nickel Metallic

WAVEWORKS

COMPONENTS

Component Units

382

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3684WSSADW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WWN3684WSSADL M V440 X D1L440 X 83 440
 WWN3684WSSADLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
ARC COMPONENT 	1 ¹ / ₁₆ " TOP THICKNESS									
	WWN3684WSSADW	Wood	\$ 2170	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSADLW	Laminate/Wood	2170	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSADL	Laminate	1541	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3672WSSADW	Wood	\$ 1876	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3672WSSADLW	Laminate/Wood	1876	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3672WSSADL	Laminate	1340	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	1 ³ / ₁₆ " TOP THICKNESS									
	WW3684WSSADW	Wood	\$ 1959	36 ¹ / ₁₆	83 ³ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSADLW	Laminate/Wood	1959	36 ¹ / ₁₆	83 ³ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSADL	Laminate	1331	36 ¹ / ₁₆	83 ³ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSADLL	TFL	1066	36 ¹ / ₁₆	83 ³ / ₁₆	1 ³ / ₈	—	—	132 lbs.	5.4
	WW3672WSSADW	Wood	\$ 1663	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7
WW3672WSSADLW	Laminate/Wood	1663	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
WW3672WSSADL	Laminate	1133	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7	
WW3672WSSADLL	TFL	904	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₈	—	—	120 lbs.	4.7	

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Wire manager locations: right or left; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth to a minimum of 30 $\frac{1}{16}$ "
- When ordering a worksurface with a size modification, specify desired depth
- For use with 29" deep component pedestals
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width not available
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3684WSSDL M V440 X D1L440 X 83 440
 WW3684WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 36" DEPTH			1 ¹ / ₈ " TOP THICKNESS	D	W	H	A	KW		
B L R	WWN3684WSSDW	Wood	\$ 1858	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSDLW	Laminate/Wood	1858	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3684WSSDL	Laminate	1318	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	132 lbs.	5.4
	WWN3678WSSDW	Wood	\$ 1728	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3678WSSDLW	Laminate/Wood	1728	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3678WSSDL	Laminate	1231	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	120 lbs.	4.7
	WWN3672WSSDW	Wood	\$ 1604	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	95 lbs.	4.0
	WWN3672WSSDLW	Laminate/Wood	1604	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	95 lbs.	4.0
	WWN3672WSSDL	Laminate	1146	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	95 lbs.	4.0
	WWN3666WSSDW	Wood	\$ 1561	36 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	90 lbs.	3.8
	WWN3666WSSDLW	Laminate/Wood	1561	36 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	90 lbs.	3.8
	WWN3666WSSDL	Laminate	1089	36 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	90 lbs.	3.8
	WWN3660WSSDW	Wood	\$ 1538	36 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	87 lbs.	3.5
	WWN3660WSSDLW	Laminate/Wood	1538	36 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	87 lbs.	3.5
	WWN3660WSSDL	Laminate	1032	36 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	87 lbs.	3.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF
 WW3684WSSDL M V405 G1C D1BL403 83 $\frac{1}{2}$ TF
 WW3684WSSDLW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF TF

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
RECTANGULAR WORKSURFACE 36" DEPTH (CONTINUED)		1 ³ / ₈ " TOP THICKNESS	D	W	H						
	WW3684WSSDW	Wood	\$	1671	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSDLW	Laminate/Wood		1671	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSDL	Laminate		1137	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	132 lbs.	5.4
	WW3684WSSDLL	TFL		909	36 ¹ / ₁₆	83 ¹ / ₁₆	1 ⁷ / ₈	—	—	132 lbs.	5.4
	WW3678WSSDW	Wood	\$	1547	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7
	WW3678WSSDLW	Laminate/Wood		1547	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7
	WW3678WSSDL	Laminate		1052	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	4.7
	WW3678WSSDLL	TFL		842	36 ¹ / ₁₆	77 ¹ / ₁₆	1 ⁷ / ₈	—	—	120 lbs.	4.7
	WW3672WSSDW	Wood	\$	1423	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	95 lbs.	4.0
	WW3672WSSDLW	Laminate/Wood		1423	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	95 lbs.	4.0
	WW3672WSSDL	Laminate		967	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	95 lbs.	4.0
	WW3672WSSDLL	TFL		774	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ⁷ / ₈	—	—	95 lbs.	4.0
	WW3666WSSDW	Wood	\$	1379	36 ¹ / ₁₆	66	1 ³ / ₁₆	—	—	90 lbs.	3.8
	WW3666WSSDLW	Laminate/Wood		1379	36 ¹ / ₁₆	66	1 ³ / ₁₆	—	—	90 lbs.	3.8
	WW3666WSSDL	Laminate		909	36 ¹ / ₁₆	66	1 ³ / ₁₆	—	—	90 lbs.	3.8
	WW3666WSSDLL	TFL		727	36 ¹ / ₁₆	66	1 ⁷ / ₈	—	—	90 lbs.	3.8
	WW3660WSSDW	Wood	\$	1354	36 ¹ / ₁₆	60	1 ³ / ₁₆	—	—	87 lbs.	3.5
	WW3660WSSDLW	Laminate/Wood		1354	36 ¹ / ₁₆	60	1 ³ / ₁₆	—	—	87 lbs.	3.5
	WW3660WSSDL	Laminate		853	36 ¹ / ₁₆	60	1 ³ / ₁₆	—	—	87 lbs.	3.5
	WW3660WSSDLL	TFL		682	36 ¹ / ₁₆	60	1 ⁷ / ₈	—	—	87 lbs.	3.5

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3096WSSDW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF
 WWN3096WSSDL M V405 G1C D1BL403 83 $\frac{1}{2}$ TF
 WWN3096WSSDLW M F G1C D1BL403 X 83 $\frac{1}{2}$ TF TF

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 30" DEPTH 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN3096WSSDW Wood	\$ 1728	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3096WSSDLW Laminate/Wood	1728	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3096WSSDL Laminate	1131	30 $\frac{1}{16}$	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	152 lbs.	6.2
	WWN3090WSSDW Wood	\$ 1668	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3090WSSDLW Laminate/Wood	1668	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3090WSSDL Laminate	1098	30 $\frac{1}{16}$	89 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	142 lbs.	5.8
	WWN3084WSSDW Wood	\$ 1604	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3084WSSDLW Laminate/Wood	1604	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3084WSSDL Laminate	1066	30 $\frac{1}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	132 lbs.	5.4
	WWN3078WSSDW Wood	\$ 1483	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3078WSSDLW Laminate/Wood	1483	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3078WSSDL Laminate	979	30 $\frac{1}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	124 lbs.	5.0
	WWN3072WSSDW Wood	\$ 1355	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3072WSSDLW Laminate/Wood	1355	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3072WSSDL Laminate	895	30 $\frac{1}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
	WWN3066WSSDW Wood	\$ 1313	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3066WSSDLW Laminate/Wood	1313	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3066WSSDL Laminate	835	30 $\frac{1}{16}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
	WWN3060WSSDW Wood	\$ 1285	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
	WWN3060WSSDLW Laminate/Wood	1285	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
	WWN3060WSSDL Laminate	778	30 $\frac{1}{16}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1½" worksurface spans should not exceed 48"; unsupported 1¾" worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3084WSSDW M F X D1BL403 X 83½ MH
 WW3084WSSDL M V440 X D1L440 X 83 440
 WW3084WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) B L R	1½" TOP THICKNESS (CONTINUED)									
	WWN3054WSSDW	Wood	\$ 1264	30⅞	54	1⅞	—	—	74 lbs.	3.0
	WWN3054WSSDLW	Laminate/Wood	1264	30⅞	54	1⅞	—	—	74 lbs.	3.0
	WWN3054WSSDL	Laminate	728	30⅞	54	1⅞	—	—	74 lbs.	3.0
	WWN3048WSSDW	Wood	\$ 1241	30⅞	48	1⅞	—	—	67 lbs.	2.7
	WWN3048WSSDLW	Laminate/Wood	1241	30⅞	48	1⅞	—	—	67 lbs.	2.7
	WWN3048WSSDL	Laminate	681	30⅞	48	1⅞	—	—	67 lbs.	2.7
	1¾" TOP THICKNESS									
	WW3096WSSDW	Wood	\$ 1547	30⅞	95⅞	1¾	—	—	152 lbs.	6.2
	WW3096WSSDLW	Laminate/Wood	1547	30⅞	95⅞	1¾	—	—	152 lbs.	6.2
	WW3096WSSDL	Laminate	952	30⅞	95⅞	1¾	—	—	152 lbs.	6.2
	WW3096WSSDLL	TFL	760	30⅞	95⅞	1⅝	—	—	152 lbs.	6.2
	WW3090WSSDW	Wood	\$ 1486	30⅞	89⅜	1¾	—	—	142 lbs.	5.8
	WW3090WSSDLW	Laminate/Wood	1486	30⅞	89⅜	1¾	—	—	142 lbs.	5.8
	WW3090WSSDL	Laminate	921	30⅞	89⅜	1¾	—	—	142 lbs.	5.8
	WW3090WSSDLL	TFL	734	30⅞	89⅜	1⅝	—	—	142 lbs.	5.8
WW3084WSSDW	Wood	\$ 1423	30⅞	83⅜	1¾	—	—	132 lbs.	5.4	
WW3084WSSDLW	Laminate/Wood	1423	30⅞	83⅜	1¾	—	—	132 lbs.	5.4	
WW3084WSSDL	Laminate	884	30⅞	83⅜	1¾	—	—	132 lbs.	5.4	
WW3084WSSDLL	TFL	707	30⅞	83⅜	1⅝	—	—	132 lbs.	5.4	
WW3078WSSDW	Wood	\$ 1297	30⅞	77⅞	1¾	—	—	124 lbs.	5.0	
WW3078WSSDLW	Laminate/Wood	1297	30⅞	77⅞	1¾	—	—	124 lbs.	5.0	
WW3078WSSDL	Laminate	798	30⅞	77⅞	1¾	—	—	124 lbs.	5.0	
WW3078WSSDLL	TFL	640	30⅞	77⅞	1⅝	—	—	124 lbs.	5.0	

- TFL worksurfaces are 1½" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3066WSSDW M F X D1BL403 X 83 $\frac{1}{2}$ MH
 WW3066WSSDL M V440 X D1L440 X 83 440
 WW3066WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED) 	1$\frac{3}{8}$" TOP THICKNESS (CONTINUED)								
	QWW3072WSSDW Wood	\$ 1173	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	WW3072WSSDW Wood	1173	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	WW3072WSSDLW Laminate/Wood	1173	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	WW3072WSSDL Laminate	717	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	QWW3072WSSDLL TFL	574	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	WW3072WSSDLL TFL	574	30 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	95 lbs.	4.0
	WW3066WSSDW Wood	\$ 1130	30 $\frac{3}{16}$	66	1 $\frac{3}{8}$	—	—	88 lbs.	3.7
	WW3066WSSDLW Laminate/Wood	1130	30 $\frac{3}{16}$	66	1 $\frac{3}{8}$	—	—	88 lbs.	3.7
	WW3066WSSDL Laminate	658	30 $\frac{3}{16}$	66	1 $\frac{3}{8}$	—	—	88 lbs.	3.7
	WW3066WSSDLL TFL	526	30 $\frac{3}{16}$	66	1 $\frac{3}{8}$	—	—	88 lbs.	3.7
	WW3060WSSDW Wood	\$ 1104	30 $\frac{3}{16}$	60	1 $\frac{3}{8}$	—	—	81 lbs.	3.3
	WW3060WSSDLW Laminate/Wood	1104	30 $\frac{3}{16}$	60	1 $\frac{3}{8}$	—	—	81 lbs.	3.3
	WW3060WSSDL Laminate	600	30 $\frac{3}{16}$	60	1 $\frac{3}{8}$	—	—	81 lbs.	3.3
	WW3060WSSDLL TFL	480	30 $\frac{3}{16}$	60	1 $\frac{3}{8}$	—	—	81 lbs.	3.3
	WW3054WSSDW Wood	\$ 1079	30 $\frac{3}{16}$	54	1 $\frac{3}{8}$	—	—	74 lbs.	3.0
	WW3054WSSDLW Laminate/Wood	1079	30 $\frac{3}{16}$	54	1 $\frac{3}{8}$	—	—	74 lbs.	3.0
	WW3054WSSDL Laminate	551	30 $\frac{3}{16}$	54	1 $\frac{3}{8}$	—	—	74 lbs.	3.0
	WW3054WSSDLL TFL	441	30 $\frac{3}{16}$	54	1 $\frac{3}{8}$	—	—	74 lbs.	3.0
	WW3048WSSDW Wood	\$ 1056	30 $\frac{3}{16}$	48	1 $\frac{3}{8}$	—	—	67 lbs.	2.7
	WW3048WSSDLW Laminate/Wood	1056	30 $\frac{3}{16}$	48	1 $\frac{3}{8}$	—	—	67 lbs.	2.7
	WW3048WSSDL Laminate	503	30 $\frac{3}{16}$	48	1 $\frac{3}{8}$	—	—	67 lbs.	2.7
	WW3048WSSDLL TFL	402	30 $\frac{3}{16}$	48	1 $\frac{3}{8}$	—	—	67 lbs.	2.7

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2496WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2496WSSDL M V440 X D1L440 X 92 440
 WWN2496WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEPTH 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN2496WSSDW Wood	\$ 1608	24	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	3.6
	WWN2496WSSDLW Laminate/Wood	1608	24	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	3.6
	WWN2496WSSDL Laminate	1018	24	95 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	3.6
	WWN2490WSSDW Wood	\$ 1544	24	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	130 lbs.	3.4
	WWN2490WSSDLW Laminate/Wood	1544	24	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	130 lbs.	3.4
	WWN2490WSSDL Laminate	986	24	89 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	130 lbs.	3.4
	WWN2484WSSDW Wood	\$ 1484	24	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	88 lbs.	3.4
	WWN2484WSSDLW Laminate/Wood	1484	24	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	88 lbs.	3.4
	WWN2484WSSDL Laminate	954	24	83 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	88 lbs.	3.4
	WWN2478WSSDW Wood	\$ 1357	24	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	90 lbs.	3.3
	WWN2478WSSDLW Laminate/Wood	1357	24	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	90 lbs.	3.3
	WWN2478WSSDL Laminate	868	24	77 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	90 lbs.	3.3
	WWN2472WSSDW Wood	\$ 1231	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDLW Laminate/Wood	1231	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDL Laminate	778	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2466WSSDW Wood	\$ 1195	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDLW Laminate/Wood	1195	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDL Laminate	734	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2460WSSDW Wood	\$ 1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDLW Laminate/Wood	1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDL Laminate	707	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2454WSSDW M F X D1BL403 X 92 $\frac{3}{4}$ MH
 WWN2454WSSDL M V440 X D1L440 X 92 440
 WWN2454WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)								
	WWN2454WSSDW Wood	\$ 1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDLW Laminate/Wood	1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDL Laminate	647	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2448WSSDW Wood	\$ 1117	24	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDLW Laminate/Wood	1117	24	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDL Laminate	601	24	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2442WSSDW Wood	\$ 1077	24	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDLW Laminate/Wood	1077	24	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDL Laminate	559	24	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2436WSSDW Wood	\$ 1041	24	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDLW Laminate/Wood	1041	24	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDL Laminate	525	24	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2430WSSDW Wood	\$ 1021	24	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDLW Laminate/Wood	1021	24	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDL Laminate	490	24	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2424WSSDW Wood	\$ 1000	24	24	1 $\frac{1}{8}$	—	—	1.5	
	WWN2424WSSDLW Laminate/Wood	1000	24	24	1 $\frac{1}{8}$	—	—	1.5	
	WWN2424WSSDL Laminate	465	24	24	1 $\frac{1}{8}$	—	—	1.5	

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2478WSSDW M F X D1BL403 X 76 $\frac{1}{2}$ MH
 WW2478WSSDL M V440 X D1L440 X 76 440
 WW2478WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)		1 ³ / ₈ " TOP THICKNESS									
	WW2496WSSDW	Wood	\$	1425	24	95 ¹ / ₂	1 ³ / ₈	—	—	95 lbs.	3.6
	WW2496WSSDLW	Laminate/Wood		1425	24	95 ¹ / ₂	1 ³ / ₈	—	—	95 lbs.	3.6
	WW2496WSSDL	Laminate		838	24	95 ¹ / ₂	1 ³ / ₈	—	—	95 lbs.	3.6
	WW2496WSSDLL	TFL		671	24	95 ¹ / ₂	1 ¹ / ₂	—	—	95 lbs.	3.6
	WW2490WSSDW	Wood	\$	1363	24	89 ¹ / ₂	1 ³ / ₈	—	—	130 lbs.	3.4
	WW2490WSSDLW	Laminate/Wood		1363	24	89 ¹ / ₂	1 ³ / ₈	—	—	130 lbs.	3.4
	WW2490WSSDL	Laminate		804	24	89 ¹ / ₂	1 ³ / ₈	—	—	130 lbs.	3.4
	WW2490WSSDLL	TFL		647	24	89 ¹ / ₂	1 ¹ / ₂	—	—	130 lbs.	3.4
	WW2484WSSDW	Wood	\$	1298	24	83 ¹ / ₂	1 ³ / ₈	—	—	88 lbs.	3.4
	WW2484WSSDLW	Laminate/Wood		1298	24	83 ¹ / ₂	1 ³ / ₈	—	—	88 lbs.	3.4
	WW2484WSSDL	Laminate		773	24	83 ¹ / ₂	1 ³ / ₈	—	—	88 lbs.	3.4
	WW2484WSSDLL	TFL		617	24	83 ¹ / ₂	1 ¹ / ₂	—	—	88 lbs.	3.4
	WW2478WSSDW	Wood	\$	1174	24	77 ¹ / ₂	1 ³ / ₈	—	—	90 lbs.	3.3
	WW2478WSSDLW	Laminate/Wood		1174	24	77 ¹ / ₂	1 ³ / ₈	—	—	90 lbs.	3.3
	WW2478WSSDL	Laminate		686	24	77 ¹ / ₂	1 ³ / ₈	—	—	90 lbs.	3.3
	WW2478WSSDLL	TFL		549	24	77 ¹ / ₂	1 ¹ / ₂	—	—	90 lbs.	3.3
	QWW2472WSSDW	Wood	\$	1046	24	71 ¹ / ₂	1 ³ / ₈	—	—	85 lbs.	3.2
	WW2472WSSDW	Wood		1046	24	71 ¹ / ₂	1 ³ / ₈	—	—	85 lbs.	3.2
	WW2472WSSDLW	Laminate/Wood		1046	24	71 ¹ / ₂	1 ³ / ₈	—	—	85 lbs.	3.2
	WW2472WSSDL	Laminate		600	24	71 ¹ / ₂	1 ³ / ₈	—	—	85 lbs.	3.2
	QWW2472WSSDLL	TFL		480	24	71 ¹ / ₂	1 ¹ / ₂	—	—	85 lbs.	3.2
	WW2472WSSDLL	TFL		480	24	71 ¹ / ₂	1 ¹ / ₂	—	—	85 lbs.	3.2
	WW2466WSSDW	Wood	\$	1007	24	66	1 ³ / ₈	—	—	81 lbs.	3.0
	WW2466WSSDLW	Laminate/Wood		1007	24	66	1 ³ / ₈	—	—	81 lbs.	3.0
	WW2466WSSDL	Laminate		556	24	66	1 ³ / ₈	—	—	81 lbs.	3.0
	WW2466WSSDLL	TFL		446	24	66	1 ¹ / ₂	—	—	81 lbs.	3.0
	WW2460WSSDW	Wood	\$	979	24	60	1 ³ / ₈	—	—	76 lbs.	2.8
	WW2460WSSDLW	Laminate/Wood		979	24	60	1 ³ / ₈	—	—	76 lbs.	2.8
	WW2460WSSDL	Laminate		526	24	60	1 ³ / ₈	—	—	76 lbs.	2.8
	WW2460WSSDLL	TFL		421	24	60	1 ¹ / ₂	—	—	76 lbs.	2.8

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2454WSSDW M F X D1BL403 X 76 $\frac{1}{8}$ MH
 WW2454WSSDL M V440 X D1L440 X 76 440
 WW2454WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)		1⅜" TOP THICKNESS (CONTINUED)								
	WW2454WSSDW	Wood	\$ 954	24	54	1⅜	—	—	74 lbs.	2.5
	WW2454WSSDLW	Laminate/Wood	954	24	54	1⅜	—	—	74 lbs.	2.5
	WW2454WSSDL	Laminate	465	24	54	1⅜	—	—	74 lbs.	2.5
	WW2454WSSDLL	TFL	373	24	54	1⅜	—	—	74 lbs.	2.5
	WW2448WSSDW	Wood	\$ 933	24	48⅞	1⅜	—	—	67 lbs.	2.3
	WW2448WSSDLW	Laminate/Wood	933	24	48⅞	1⅜	—	—	67 lbs.	2.3
	WW2448WSSDL	Laminate	422	24	48⅞	1⅜	—	—	67 lbs.	2.3
	WW2448WSSDLL	TFL	339	24	48⅞	1⅜	—	—	67 lbs.	2.3
	WW2442WSSDW	Wood	\$ 892	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDLW	Laminate/Wood	892	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDL	Laminate	380	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDLL	TFL	303	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2436WSSDW	Wood	\$ 858	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDLW	Laminate/Wood	858	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDL	Laminate	347	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDLL	TFL	276	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2430WSSDW	Wood	\$ 834	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDLW	Laminate/Wood	834	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDL	Laminate	311	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDLL	TFL	248	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2424WSSDW	Wood	\$ 813	24	24	1⅜	—	—		1.5
	WW2424WSSDLW	Laminate/Wood	813	24	24	1⅜	—	—		1.5
	WW2424WSSDL	Laminate	275	24	24	1⅜	—	—		1.5
	WW2424WSSDLL	TFL	220	24	24	1⅜	—	—		1.5

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WW24A78WSSDL M V440 X D1L440 X 76 440

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEEP FOR STORAGE CREDENZAS 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN24A96WSSDL Laminate	\$ 1018	24	96 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	3.6
	WWN24A90WSSDL Laminate	986	24	90 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	130 lbs.	3.4
	WWN24A84WSSDL Laminate	954	24	84 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	88 lbs.	3.4
	WWN24A78WSSDL Laminate	868	24	78 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	90 lbs.	3.3
	WWN24A72WSSDL Laminate	778	24	72 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN24A66WSSDL Laminate	734	24	66 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN24A60WSSDL Laminate	707	24	60 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	1$\frac{1}{2}$" TOP THICKNESS								
	WW24A96WSSDL Laminate	\$ 838	24	96 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	95 lbs.	3.6
	WW24A96WSSDLL TFL	671	24	96 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	95 lbs.	3.6
	WW24A90WSSDL Laminate	\$ 804	24	90 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	130 lbs.	3.4
	WW24A90WSSDLL TFL	647	24	90 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	130 lbs.	3.4
	WW24A84WSSDL Laminate	\$ 773	24	84 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	88 lbs.	3.4
	WW24A84WSSDLL TFL	617	24	84 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	88 lbs.	3.4
	WW24A78WSSDL Laminate	\$ 686	24	78 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	90 lbs.	3.3
	WW24A78WSSDLL TFL	549	24	78 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	90 lbs.	3.3
	WW24A72WSSDL Laminate	\$ 600	24	72 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	QWW24A72WSSDLL TFL	480	24	72 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW24A72WSSDLL TFL	480	24	72 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW24A66WSSDL Laminate	\$ 556	24	66 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.0
	WW24A66WSSDLL TFL	446	24	66 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.0
	WW24A60WSSDL Laminate	\$ 526	24	60 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	76 lbs.	2.8
	QWW24A60WSSDLL TFL	421	24	60 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	76 lbs.	2.8
	WW24A60WSSDLL TFL	421	24	60 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	76 lbs.	2.8

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- For use in storage credenza application
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For use with 23" deep component pedestals
- For use when 2 or more laminate pedestals are ganged together under a common top

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1½" worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2460WSSVDW M F X D1BL403 X 55½ MH
 WWN2460WSSVDL M V440 X D1L440 X 55 440
 WWN2460WSSVDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEPTH	1½" TOP THICKNESS									
	WWN2460WSSVDW	Wood	\$ 1163	24	60	1⅞	—	—	76 lbs.	2.8
	WWN2460WSSVDLW	Laminate/Wood	1163	24	60	1⅞	—	—	76 lbs.	2.8
	WWN2460WSSVDL	Laminate	707	24	60	1⅞	—	—	76 lbs.	2.8
Direction of arrow designates woodgrain direction	WWN2454WSSVDW	Wood	\$ 1139	24	54	1⅞	—	—	74 lbs.	2.5
	WWN2454WSSVDLW	Laminate/Wood	1139	24	54	1⅞	—	—	74 lbs.	2.5
	WWN2454WSSVDL	Laminate	647	24	54	1⅞	—	—	74 lbs.	2.5
	WWN2448WSSVDW	Wood	\$ 1117	24	48⅞	1⅞	—	—	67 lbs.	2.3
	WWN2448WSSVDLW	Laminate/Wood	1117	24	48⅞	1⅞	—	—	67 lbs.	2.3
	WWN2448WSSVDL	Laminate	601	24	48⅞	1⅞	—	—	67 lbs.	2.3
	WWN2442WSSVDW	Wood	\$ 1077	24	42⅞	1⅞	—	—	65 lbs.	2.0
	WWN2442WSSVDLW	Laminate/Wood	1077	24	42⅞	1⅞	—	—	65 lbs.	2.0
	WWN2442WSSVDL	Laminate	559	24	42⅞	1⅞	—	—	65 lbs.	2.0
	WWN2436WSSVDW	Wood	\$ 1041	24	36⅞	1⅞	—	—	63 lbs.	1.8
	WWN2436WSSVDLW	Laminate/Wood	1041	24	36⅞	1⅞	—	—	63 lbs.	1.8
	WWN2436WSSVDL	Laminate	525	24	36⅞	1⅞	—	—	63 lbs.	1.8
	WWN2430WSSVDW	Wood	\$ 1021	24	30⅞	1⅞	—	—	61 lbs.	1.5
	WWN2430WSSVDLW	Laminate/Wood	1021	24	30⅞	1⅞	—	—	61 lbs.	1.5
	WWN2430WSSVDL	Laminate	490	24	30⅞	1⅞	—	—	61 lbs.	1.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 388-391
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:


WW2460WSSVDW M F X D1BL403 X 55 $\frac{1}{2}$ MH
 WW2460WSSVDL M V440 X D1L440 X 55 440
 WW2460WSSVDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS								
	QWW2460WSSVDW Wood	\$ 979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDW Wood	979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDLW Laminate/Wood	979	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDL Laminate	526	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSVDLL TFL	421	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2454WSSVDW Wood	\$ 954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDLW Laminate/Wood	954	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDL Laminate	465	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSVDLL TFL	373	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	QWW2448WSSVDW Wood	\$ 933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDW Wood	933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDLW Laminate/Wood	933	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDL Laminate	422	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	QWW2448WSSVDLL TFL	339	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSVDLL TFL	339	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2442WSSVDW Wood	\$ 892	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDLW Laminate/Wood	892	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDL Laminate	380	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2442WSSVDLL TFL	303	24	42 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WW2436WSSVDW Wood	\$ 858	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDLW Laminate/Wood	858	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDL Laminate	347	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2436WSSVDLL TFL	276	24	36 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WW2430WSSVDW Wood	\$ 834	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDLW Laminate/Wood	834	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDL Laminate	311	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WW2430WSSVDLL TFL	248	24	30 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5



Direction of arrow designates woodgrain direction

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 388-391
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1½" worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/
Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1896WSSDW M F X D1BL403 X 94½ MH
 WWN1896WSSDL M V440 X D1L440 X 94 440
 WWN1896WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH 	1½" TOP THICKNESS								
	WWN1896WSSDW Wood	\$ 1495	18½	95½	1½	—	—	75 lbs.	3.0
	WWN1896WSSDLW Laminate/Wood	1495	18½	95½	1½	—	—	75 lbs.	3.0
	WWN1896WSSDL Laminate	947	18½	95½	1½	—	—	75 lbs.	3.0
	WWN1890WSSDW Wood	\$ 1439	18½	89½	1½	—	—	71 lbs.	2.9
	WWN1890WSSDLW Laminate/Wood	1439	18½	89½	1½	—	—	71 lbs.	2.9
	WWN1890WSSDL Laminate	921	18½	89½	1½	—	—	71 lbs.	2.9
	WWN1884WSSDW Wood	\$ 1379	18½	83½	1½	—	—	66 lbs.	2.7
	WWN1884WSSDLW Laminate/Wood	1379	18½	83½	1½	—	—	66 lbs.	2.7
	WWN1884WSSDL Laminate	886	18½	83½	1½	—	—	66 lbs.	2.7
	WWN1878WSSDW Wood	\$ 1264	18½	77½	1½	—	—	61 lbs.	2.5
	WWN1878WSSDLW Laminate/Wood	1264	18½	77½	1½	—	—	61 lbs.	2.5
	WWN1878WSSDL Laminate	804	18½	77½	1½	—	—	61 lbs.	2.5
	WWN1872WSSDW Wood	\$ 1145	18½	71½	1½	—	—	57 lbs.	2.3
	WWN1872WSSDLW Laminate/Wood	1145	18½	71½	1½	—	—	57 lbs.	2.3
	WWN1872WSSDL Laminate	723	18½	71½	1½	—	—	57 lbs.	2.3
	WWN1866WSSDW Wood	\$ 1111	18½	66	1½	—	—	52 lbs.	2.2
	WWN1866WSSDLW Laminate/Wood	1111	18½	66	1½	—	—	52 lbs.	2.2
	WWN1866WSSDL Laminate	684	18½	66	1½	—	—	52 lbs.	2.2
	WWN1860WSSDW Wood	\$ 1081	18½	60	1½	—	—	48 lbs.	2.0
	WWN1860WSSDLW Laminate/Wood	1081	18½	60	1½	—	—	48 lbs.	2.0
	WWN1860WSSDL Laminate	657	18½	60	1½	—	—	48 lbs.	2.0

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in ½" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1854WSSDW M F X D1BL403 X 94 $\frac{3}{8}$ MH
 WWN1854WSSDL M V440 X D1L440 X 94 440
 WWN1854WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) 	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)								
	WWN1854WSSDW Wood	\$ 1057	18 $\frac{3}{8}$	54	1 $\frac{1}{8}$	—	—	43 lbs.	1.8
	WWN1854WSSDLW Laminate/Wood	1057	18 $\frac{3}{8}$	54	1 $\frac{1}{8}$	—	—	43 lbs.	1.8
	WWN1854WSSDL Laminate	601	18 $\frac{3}{8}$	54	1 $\frac{1}{8}$	—	—	43 lbs.	1.8
	WWN1848WSSDW Wood	\$ 1038	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	38 lbs.	1.6
	WWN1848WSSDLW Laminate/Wood	1038	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	38 lbs.	1.6
	WWN1848WSSDL Laminate	558	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	38 lbs.	1.6
	WWN1842WSSDW Wood	\$ 1000	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	34 lbs.	1.5
	WWN1842WSSDLW Laminate/Wood	1000	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	34 lbs.	1.5
	WWN1842WSSDL Laminate	520	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	34 lbs.	1.5
	WWN1836WSSDW Wood	\$ 971	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	29 lbs.	1.3
	WWN1836WSSDLW Laminate/Wood	971	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	29 lbs.	1.3
	WWN1836WSSDL Laminate	488	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	29 lbs.	1.3
	WWN1830WSSDW Wood	\$ 947	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	24 lbs.	1.1
	WWN1830WSSDLW Laminate/Wood	947	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	24 lbs.	1.1
	WWN1830WSSDL Laminate	455	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	24 lbs.	1.1
	WWN1824WSSDW Wood	\$ 921	18 $\frac{3}{8}$	24	1 $\frac{1}{8}$	—	—		1.1
	WWN1824WSSDLW Laminate/Wood	921	18 $\frac{3}{8}$	24	1 $\frac{1}{8}$	—	—		1.1
	WWN1824WSSDL Laminate	430	18 $\frac{3}{8}$	24	1 $\frac{1}{8}$	—	—		1.1

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1896WSSDW M F X D1BL403 X 94 $\frac{3}{8}$ MH
 WW1896WSSDL M V440 X D1L440 X 94 440
 WW1896WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) B L R	1 ³ / ₈ " TOP THICKNESS									
	WW1896WSSDW	Wood	\$ 1326	18 ³ / ₈	95 ¹ / ₈	1 ³ / ₈	—	—	75 lbs.	3.0
	WW1896WSSDLW	Laminate/Wood	1326	18 ³ / ₈	95 ¹ / ₈	1 ³ / ₈	—	—	75 lbs.	3.0
	WW1896WSSDL	Laminate	781	18 ³ / ₈	95 ¹ / ₈	1 ³ / ₈	—	—	75 lbs.	3.0
	WW1896WSSDLL	TFL	625	18 ³ / ₈	95 ¹ / ₈	1 ³ / ₈	—	—	75 lbs.	3.0
	WW1890WSSDW	Wood	\$ 1267	18 ³ / ₈	89 ¹ / ₈	1 ³ / ₈	—	—	71 lbs.	2.9
	WW1890WSSDLW	Laminate/Wood	1267	18 ³ / ₈	89 ¹ / ₈	1 ³ / ₈	—	—	71 lbs.	2.9
	WW1890WSSDL	Laminate	750	18 ³ / ₈	89 ¹ / ₈	1 ³ / ₈	—	—	71 lbs.	2.9
	WW1890WSSDLL	TFL	601	18 ³ / ₈	89 ¹ / ₈	1 ³ / ₈	—	—	71 lbs.	2.9
	WW1884WSSDW	Wood	\$ 1207	18 ³ / ₈	83 ¹ / ₈	1 ³ / ₈	—	—	66 lbs.	2.7
	WW1884WSSDLW	Laminate/Wood	1207	18 ³ / ₈	83 ¹ / ₈	1 ³ / ₈	—	—	66 lbs.	2.7
	WW1884WSSDL	Laminate	719	18 ³ / ₈	83 ¹ / ₈	1 ³ / ₈	—	—	66 lbs.	2.7
	WW1884WSSDLL	TFL	575	18 ³ / ₈	83 ¹ / ₈	1 ³ / ₈	—	—	66 lbs.	2.7
	WW1878WSSDW	Wood	\$ 1089	18 ³ / ₈	77 ¹ / ₈	1 ³ / ₈	—	—	61 lbs.	2.5
	WW1878WSSDLW	Laminate/Wood	1089	18 ³ / ₈	77 ¹ / ₈	1 ³ / ₈	—	—	61 lbs.	2.5
	WW1878WSSDL	Laminate	638	18 ³ / ₈	77 ¹ / ₈	1 ³ / ₈	—	—	61 lbs.	2.5
	WW1878WSSDLL	TFL	509	18 ³ / ₈	77 ¹ / ₈	1 ³ / ₈	—	—	61 lbs.	2.5
	WW1872WSSDW	Wood	\$ 976	18 ³ / ₈	71 ¹ / ₈	1 ³ / ₈	—	—	57 lbs.	2.3
	WW1872WSSDLW	Laminate/Wood	976	18 ³ / ₈	71 ¹ / ₈	1 ³ / ₈	—	—	57 lbs.	2.3
	WW1872WSSDL	Laminate	556	18 ³ / ₈	71 ¹ / ₈	1 ³ / ₈	—	—	57 lbs.	2.3
	WW1872WSSDLL	TFL	446	18 ³ / ₈	71 ¹ / ₈	1 ³ / ₈	—	—	57 lbs.	2.3
	WW1866WSSDW	Wood	\$ 937	18 ³ / ₈	66	1 ³ / ₈	—	—	52 lbs.	2.2
	WW1866WSSDLW	Laminate/Wood	937	18 ³ / ₈	66	1 ³ / ₈	—	—	52 lbs.	2.2
	WW1866WSSDL	Laminate	515	18 ³ / ₈	66	1 ³ / ₈	—	—	52 lbs.	2.2
	WW1866WSSDLL	TFL	413	18 ³ / ₈	66	1 ³ / ₈	—	—	52 lbs.	2.2
	WW1860WSSDW	Wood	\$ 910	18 ³ / ₈	60	1 ³ / ₈	—	—	48 lbs.	2.0
	WW1860WSSDLW	Laminate/Wood	910	18 ³ / ₈	60	1 ³ / ₈	—	—	48 lbs.	2.0
	WW1860WSSDL	Laminate	490	18 ³ / ₈	60	1 ³ / ₈	—	—	48 lbs.	2.0
	WW1860WSSDLL	TFL	393	18 ³ / ₈	60	1 ³ / ₈	—	—	48 lbs.	2.0

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1848WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW1848WSSDL M V440 X D1L440 X 45 440
 WW1848WSSDLW M F X D1B440 X X MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) B L R	1 ^{3⁄8} " TOP THICKNESS (CONTINUED)									
	WW1854WSSDW	Wood	\$ 888	18 ^{1⁄8}	54	1 ^{3⁄8}	—	—	43 lbs.	1.8
	WW1854WSSDLW	Laminate/Wood	888	18 ^{1⁄8}	54	1 ^{3⁄8}	—	—	43 lbs.	1.8
	WW1854WSSDL	Laminate	433	18 ^{1⁄8}	54	1 ^{3⁄8}	—	—	43 lbs.	1.8
	WW1854WSSDLL	TFL	347	18 ^{1⁄8}	54	1 ^{1⁄8}	—	—	43 lbs.	1.8
	WW1848WSSDW	Wood	\$ 869	18 ^{1⁄8}	48 ^{1⁄8}	1 ^{3⁄8}	—	—	38 lbs.	1.6
	WW1848WSSDLW	Laminate/Wood	869	18 ^{1⁄8}	48 ^{1⁄8}	1 ^{3⁄8}	—	—	38 lbs.	1.6
	WW1848WSSDL	Laminate	391	18 ^{1⁄8}	48 ^{1⁄8}	1 ^{3⁄8}	—	—	38 lbs.	1.6
	WW1848WSSDLL	TFL	312	18 ^{1⁄8}	48 ^{1⁄8}	1 ^{1⁄8}	—	—	38 lbs.	1.6
	WW1842WSSDW	Wood	\$ 828	18 ^{1⁄8}	42 ^{1⁄8}	1 ^{3⁄8}	—	—	34 lbs.	1.5
	WW1842WSSDLW	Laminate/Wood	828	18 ^{1⁄8}	42 ^{1⁄8}	1 ^{3⁄8}	—	—	34 lbs.	1.5
	WW1842WSSDL	Laminate	353	18 ^{1⁄8}	42 ^{1⁄8}	1 ^{3⁄8}	—	—	34 lbs.	1.5
	WW1842WSSDLL	TFL	284	18 ^{1⁄8}	42 ^{1⁄8}	1 ^{1⁄8}	—	—	34 lbs.	1.5
	WW1836WSSDW	Wood	\$ 799	18 ^{1⁄8}	36 ^{1⁄8}	1 ^{3⁄8}	—	—	29 lbs.	1.3
	WW1836WSSDLW	Laminate/Wood	799	18 ^{1⁄8}	36 ^{1⁄8}	1 ^{3⁄8}	—	—	29 lbs.	1.3
	WW1836WSSDL	Laminate	321	18 ^{1⁄8}	36 ^{1⁄8}	1 ^{3⁄8}	—	—	29 lbs.	1.3
	WW1836WSSDLL	TFL	256	18 ^{1⁄8}	36 ^{1⁄8}	1 ^{1⁄8}	—	—	29 lbs.	1.3
WW1830WSSDW	Wood	\$ 778	18 ^{1⁄8}	30 ^{1⁄8}	1 ^{3⁄8}	—	—	24 lbs.	1.1	
WW1830WSSDLW	Laminate/Wood	778	18 ^{1⁄8}	30 ^{1⁄8}	1 ^{3⁄8}	—	—	24 lbs.	1.1	
WW1830WSSDL	Laminate	289	18 ^{1⁄8}	30 ^{1⁄8}	1 ^{3⁄8}	—	—	24 lbs.	1.1	
WW1830WSSDLL	TFL	233	18 ^{1⁄8}	30 ^{1⁄8}	1 ^{1⁄8}	—	—	24 lbs.	1.1	
WW1824WSSDW	Wood	\$ 756	18 ^{1⁄8}	24	1 ^{3⁄8}	—	—		1.1	
WW1824WSSDLW	Laminate/Wood	756	18 ^{1⁄8}	24	1 ^{3⁄8}	—	—		1.1	
WW1824WSSDL	Laminate	254	18 ^{1⁄8}	24	1 ^{3⁄8}	—	—		1.1	
WW1824WSSDLL	TFL	209	18 ^{1⁄8}	24	1 ^{3⁄8}	—	—		1.1	

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WWN18A96WSSDL M V440 X D1L440 X 76 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEEP FOR STORAGE CREDENZAS 	1$\frac{1}{8}$" TOP THICKNESS								
	WWN18A96WSSDL Laminate	\$ 947	18 $\frac{3}{8}$	96 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	75 lbs.	3.0
	WWN18A90WSSDL Laminate	921	18 $\frac{3}{8}$	90 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	71 lbs.	2.9
	WWN18A84WSSDL Laminate	886	18 $\frac{3}{8}$	84 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	66 lbs.	2.7
	WWN18A78WSSDL Laminate	804	18 $\frac{3}{8}$	78 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	61 lbs.	2.5
	WWN18A72WSSDL Laminate	723	18 $\frac{3}{8}$	72 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN18A66WSSDL Laminate	684	18 $\frac{3}{8}$	66 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	52 lbs.	2.2
	WWN18A60WSSDL Laminate	657	18 $\frac{3}{8}$	60 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	48 lbs.	2.0
	1$\frac{1}{2}$" TOP THICKNESS								
	WW18A96WSSDL Laminate	\$ 781	18 $\frac{3}{8}$	96 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	75 lbs.	3.0
	WW18A96WSSDLL TFL	625	18 $\frac{3}{8}$	96 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	75 lbs.	3.0
	WW18A90WSSDL Laminate	\$ 750	18 $\frac{3}{8}$	90 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	71 lbs.	2.9
	WW18A90WSSDLL TFL	601	18 $\frac{3}{8}$	90 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	71 lbs.	2.9
	WW18A84WSSDL Laminate	\$ 719	18 $\frac{3}{8}$	84 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	66 lbs.	2.7
	WW18A84WSSDLL TFL	575	18 $\frac{3}{8}$	84 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	66 lbs.	2.7
	WW18A78WSSDL Laminate	\$ 638	18 $\frac{3}{8}$	78 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	61 lbs.	2.5
	WW18A78WSSDLL TFL	509	18 $\frac{3}{8}$	78 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	61 lbs.	2.5
	WW18A72WSSDL Laminate	\$ 556	18 $\frac{3}{8}$	72 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WW18A72WSSDLL TFL	446	18 $\frac{3}{8}$	72 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WW18A66WSSDL Laminate	\$ 515	18 $\frac{3}{8}$	66 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WW18A66WSSDLL TFL	413	18 $\frac{3}{8}$	66 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WW18A60WSSDL Laminate	\$ 490	18 $\frac{3}{8}$	60 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WW18A60WSSDLL TFL	393	18 $\frac{3}{8}$	60 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	48 lbs.	2.0

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 470
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 675
- For use when 2 or more laminate pedestals are ganged together under a common top

WAVEWORKS

PRODUCT SPECIFICATIONS


- Laminate only available, see page 285 for options

TO ORDER, SPECIFY:

- Model Number
- Laminate Color
- Modified Width


SAMPLE MODEL NUMBER:

WW9604WSBL MC

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BACKSPLASH 	LAMINATE BACKSPLASHES								
	WW9604WSBL	Laminate	\$ 453	1	95%	4	—	—	0.9
	WW9004WSBL	Laminate	453	1	90	4	—	—	0.9
	WW8404WSBL	Laminate	408	1	84	4	—	—	0.8
	WW7804WSBL	Laminate	373	1	78	4	—	—	0.8
	WW7204WSBL	Laminate	373	1	72	4	—	—	0.7
	WW6604WSBL	Laminate	338	1	66	4	—	—	0.7
	WW6004WSBL	Laminate	317	1	60	4	—	—	0.6
	WW5404WSBL	Laminate	317	1	54	4	—	—	0.5
	WW4804WSBL	Laminate	266	1	48	4	—	—	0.5
	WW4204WSBL	Laminate	266	1	42	4	—	—	0.4
	WW3604WSBL	Laminate	230	1	36	4	—	—	0.4
	WW3004WSBL	Laminate	216	1	30	4	—	—	0.3
	WW2404WSBL	Laminate	186	1	24	4	—	—	0.3

- Laminate Self edge
- Backsplashes can be ordered in $\frac{1}{8}$ " increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

SIDESPLASH



LAMINATE SIDESPLASHES

WW2304WSEL	Laminate	\$	184	1	22%	4	—	—	0.3
WW1704WSEL	Laminate		166	1	17	4	—	—	0.2

- Laminate Self edge
- Sidesplash can be ordered in $\frac{1}{8}$ " increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- See page 285 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW1896WSSS X A 7201

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
					D	W	H					
SOLID SURFACE WORKSURFACE 	SOLID SURFACE WORKSURFACES											
	18" DEPTH		GRADE A	GRADE B	GRADE C							
	WW1896WSSS	Solid Surface	\$ 3138	\$ 3582	\$ 4194	18½	95½	1	—	—		3.6
	WW1890WSSS	Solid Surface	2968	3384	3958	18½	90	1	—	—		3.4
	WW1884WSSS	Solid Surface	2794	3183	3718	18½	84	1	—	—		3.1
	WW1878WSSS	Solid Surface	2622	2983	3480	18½	78	1	—	—		2.9
	WW1872WSSS	Solid Surface	2449	2782	3241	18½	72	1	—	—		2.7
	WW1866WSSS	Solid Surface	2277	2582	3003	18½	66	1	—	—		2.5
	WW1860WSSS	Solid Surface	2105	2383	2765	18½	60	1	—	—		2.3
	WW1854WSSS	Solid Surface	1933	2183	2527	18½	54	1	—	—		2.0
	WW1848WSSS	Solid Surface	1760	1982	2288	18½	48	1	—	—		1.8
	WW1842WSSS	Solid Surface	1587	1781	2049	18½	42	1	—	—		1.6
	WW1836WSSS	Solid Surface	1415	1582	1811	18½	36	1	—	—		1.4
	WW1830WSSS	Solid Surface	1243	1382	1573	18½	30	1	—	—		1.2
	WW1824WSSS	Solid Surface	1070	1181	1334	18½	24	1	—	—		1.0
• Not intended for use with adjustable height bases • Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space • Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed												

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- See page 285 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW2496WSSS X A 7201

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
SOLID SURFACE WORKSURFACE 	SOLID SURFACE WORKSURFACES			GRADE A	GRADE B	GRADE C					
	24" DEPTH										
	WW2496WSSS	Solid Surface	\$ 3937	\$ 4529	\$ 5345	24	95½	1	—	—	4.4
	WW2490WSSS	Solid Surface	3721	4276	5041	24	90	1	—	—	4.2
	WW2484WSSS	Solid Surface	3469	3987	4701	24	84	1	—	—	3.9
	WW2478WSSS	Solid Surface	3325	3806	4469	24	78	1	—	—	3.6
	WW2472WSSS	Solid Surface	3182	3626	4238	24	72	1	—	—	3.3
	WW2466WSSS	Solid Surface	3003	3410	3971	24	66	1	—	—	3.1
	WW2460WSSS	Solid Surface	2752	3122	3632	24	60	1	—	—	2.8
	WW2454WSSS	Solid Surface	2499	2832	3291	24	54	1	—	—	2.5
	WW2448WSSS	Solid Surface	2356	2652	3060	24	48	1	—	—	2.3
	WW2442WSSS	Solid Surface	2142	2401	2758	24	42	1	—	—	2.0
	WW2436WSSS	Solid Surface	1998	2220	2526	24	36	1	—	—	1.7
	WW2430WSSS	Solid Surface	1782	1967	2222	24	30	1	—	—	1.4
	WW2424WSSS	Solid Surface	1566	1714	1918	24	24	1	—	—	1.2
• Not intended for use with adjustable height bases • Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space • Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed											

PRODUCT SPECIFICATIONS


• Solid Surface available, see page 285 for options

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

WW9604WSBS N A 7101

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H				
SOLID SURFACE BACKSPLASH 	SOLID SURFACE BACKSPLASHES											
	WW9604WSBS	Solid Surface	\$ 1566	\$ 1666	\$ 1804	1	95 $\frac{7}{8}$	4	—	—		0.9
	WW9004WSBS	Solid Surface	1566	1659	1786	1	90	4	—	—		0.9
	WW8404WSBS	Solid Surface	1521	1606	1723	1	84	4	—	—		0.8
	WW7804WSBS	Solid Surface	1451	1532	1645	1	78	4	—	—		0.8
	WW7204WSBS	Solid Surface	1451	1525	1627	1	72	4	—	—		0.7
	WW6604WSBS	Solid Surface	1307	1374	1465	1	66	4	—	—		0.7
	WW6004WSBS	Solid Surface	1164	1227	1314	1	60	4	—	—		0.6
	WW5404WSBS	Solid Surface	1020	1076	1152	1	54	4	—	—		0.5
	WW4804WSBS	Solid Surface	947	995	1061	1	48	4	—	—		0.5
	WW4204WSBS	Solid Surface	876	920	982	1	42	4	—	—		0.4
	WW3604WSBS	Solid Surface	803	840	891	1	36	4	—	—		0.4
	WW3004WSBS	Solid Surface	733	763	803	1	30	4	—	—		0.3
	WW2404WSBS	Solid Surface	660	686	722	1	24	4	—	—		0.3
• Intended for use with Solid Surface worksurfaces												

SOLID SURFACE SIDESPLASH



SOLID SURFACE SIDESPLASHES		GRADE A	GRADE B	GRADE C				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H				
WW2304WSES	Solid Surface	\$ 660	\$ 682	\$ 713	1	23	4	—	—		0.3
WW1704WSES	Solid Surface	516	535	560	1	17	4	—	—		0.3
• Intended for use with Solid Surface worksurfaces											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436CPTW R MC
 WWN2436CPTL VMC MC
 WWn2436CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
CORNICE TOP 24" DEEP 	1¹/₈" TOP THICKNESS										
	WWN2436CPTW	Wood	\$	1013	24	36	1 ¹ / ₈	—	—	45 lbs.	1.5
	WWN2436CPTLW	Laminate/Wood Rim		1013	24	36	1 ¹ / ₈	—	—	45 lbs.	1.5
	WWN2436CPTL	Laminate		986	24	36	1 ¹ / ₈	—	—	45 lbs.	1.5
	1¹/₈" TOP THICKNESS										
	WWN2418CPTW	Wood	\$	968	24	18	1 ¹ / ₈	—	—	28 lbs.	1.0
	WWN2418CPTLW	Laminate/Wood Rim		968	24	18	1 ¹ / ₈	—	—	28 lbs.	1.0
	WWN2418CPTL	Laminate		937	24	18	1 ¹ / ₈	—	—	28 lbs.	1.0
	1¹/₂" TOP THICKNESS										
	WW2436CPTW	Wood	\$	829	24	36	1 ¹ / ₂	—	—	45 lbs.	1.5
	WW2436CPTLW	Laminate/Wood Rim		829	24	36	1 ¹ / ₂	—	—	45 lbs.	1.5
	WW2436CPTL	Laminate		806	24	36	1 ¹ / ₂	—	—	45 lbs.	1.5
	WW2436CPTLL	TFL		647	24	36	1 ¹ / ₂	—	—	45 lbs.	1.5
	1¹/₂" TOP THICKNESS										
	WW2418CPTW	Wood	\$	782	24	18	1 ¹ / ₂	—	—	28 lbs.	1.0
	WW2418CPTLW	Laminate/Wood Rim		782	24	18	1 ¹ / ₂	—	—	28 lbs.	1.0
	WW2418CPTL	Laminate		761	24	18	1 ¹ / ₂	—	—	28 lbs.	1.0
	WW2418CPTLL	TFL		609	24	18	1 ¹ / ₂	—	—	28 lbs.	1.0

- TFL cornice tops are 1 $\frac{1}{2}$ " thick
- 24" deep cornice tops for use on entertainment cabinets, wardrobes (double and single), storage cabinets (double and single), and ADA main shell storage tower
- Not intended to be used to create freestanding pedestals

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15108CPTW R MC
 WWN15108CPTL VMC MC
 WWN15108CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H						
CORNICE TOP 15" DEEP 	1 ¹ / ₈ " TOP THICKNESS										
	WWN15120CPTW	Wood	\$ 1192	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFW	Wood/Finished Bottom	3031	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTLW	Laminate/Wood Rim	1192	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFLW	Laminate/Wood Rim/Finished Bottom	3031	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTL	Laminate	761	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15120CPTFL	Laminate/Finished Bottom	2547	15 ¹ / ₂	120	1 ¹ / ₈	—	—	lbs.		
	WWN15108CPTW	Wood	\$ 1692	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFW	Wood/Finished Bottom	3526	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTLW	Laminate/Wood Rim	1692	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3526	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTL	Laminate	1645	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15108CPTFL	Laminate/Finished Bottom	3432	15 ¹ / ₂	108	1 ¹ / ₈	—	—	86 lbs.	3.5	
	WWN15102CPTW	Wood	\$ 1513	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFW	Wood/Finished Bottom	3450	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTLW	Laminate/Wood Rim	1513	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3450	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTL	Laminate	1470	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN15102CPTFL	Laminate/Finished Bottom	3350	15 ¹ / ₂	102	1 ¹ / ₈	—	—	81 lbs.	3.3	
	WWN1596CPTW	Wood	\$ 1375	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFW	Wood/Finished Bottom	3365	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTLW	Laminate/Wood Rim	1375	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3365	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTL	Laminate	1335	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1596CPTFL	Laminate/Finished Bottom	3273	15 ¹ / ₂	96	1 ¹ / ₈	—	—	76 lbs.	3.1	
	WWN1590CPTW	Wood	\$ 1253	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFW	Wood/Finished Bottom	3289	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTLW	Laminate/Wood Rim	1253	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3289	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTL	Laminate	1220	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	
	WWN1590CPTFL	Laminate/Finished Bottom	3196	15 ¹ / ₂	90	1 ¹ / ₈	—	—	71 lbs.	2.9	

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{5}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1584CPTW R MC
 WWN1584CPTL VMC MC
 WWN1584CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
CORNICE TOP 15" DEEP (CONTINUED) 	1½" TOP THICKNESS (CONTINUED)										
	WWN1584CPTW	Wood	\$	1135	15½	84	1½	—	—	66 lbs.	2.7
	WWN1584CPTFW	Wood/Finished Bottom		2299	15½	84	1½	—	—	66 lbs.	2.7
	WWN1584CPTLW	Laminate/Wood Rim		1135	15½	84	1½	—	—	66 lbs.	2.7
	WWN1584CPTFLW	Laminate/Wood Rim/Finished Bottom		2299	15½	84	1½	—	—	66 lbs.	2.7
	WWN1584CPTL	Laminate		1103	15½	84	1½	—	—	66 lbs.	2.7
	WWN1584CPTFL	Laminate/Finished Bottom		2234	15½	84	1½	—	—	66 lbs.	2.7
	WWN1578CPTW	Wood	\$	1087	15½	78	1½	—	—	62 lbs.	2.5
	WWN1578CPTFW	Wood/Finished Bottom		2178	15½	78	1½	—	—	62 lbs.	2.5
	WWN1578CPTLW	Laminate/Wood Rim		1087	15½	78	1½	—	—	62 lbs.	2.5
	WWN1578CPTFLW	Laminate/Wood Rim/Finished Bottom		2178	15½	78	1½	—	—	62 lbs.	2.5
	WWN1578CPTL	Laminate		1059	15½	78	1½	—	—	62 lbs.	2.5
	WWN1578CPTFL	Laminate/Finished Bottom		2115	15½	78	1½	—	—	62 lbs.	2.5
	WWN1572CPTW	Wood	\$	1041	15½	72	1½	—	—	56 lbs.	2.3
	WWN1572CPTFW	Wood/Finished Bottom		2049	15½	72	1½	—	—	56 lbs.	2.3
	WWN1572CPTLW	Laminate/Wood Rim		1041	15½	72	1½	—	—	56 lbs.	2.3
	WWN1572CPTFLW	Laminate/Wood Rim/Finished Bottom		2049	15½	72	1½	—	—	56 lbs.	2.3
	WWN1572CPTL	Laminate		1012	15½	72	1½	—	—	56 lbs.	2.3
	WWN1572CPTFL	Laminate/Finished Bottom		1992	15½	72	1½	—	—	56 lbs.	2.3
	WWN1566CPTW	Wood	\$	1003	15½	66	1½	—	—	52 lbs.	2.2
	WWN1566CPTLW	Laminate/Wood Rim		1003	15½	66	1½	—	—	52 lbs.	2.2
	WWN1566CPTL	Laminate		978	15½	66	1½	—	—	52 lbs.	2.2
	WWN1560CPTW	Wood	\$	968	15½	60	1½	—	—	48 lbs.	2.0
	WWN1560CPTLW	Laminate/Wood Rim		968	15½	60	1½	—	—	48 lbs.	2.0
WWN1560CPTL	Laminate		937	15½	60	1½	—	—	48 lbs.	2.0	

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1554CPTW R MC
 WWN1554CPTL VMC MC
 WWN1554CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
CORNICE TOP 15" DEEP (CONTINUED)	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)								
	WWN1554CPTW Wood	\$ 933	15 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	44 lbs.	1.8
	WWN1554CPTLW Laminate/Wood Rim	933	15 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	44 lbs.	1.8
	WWN1554CPTL Laminate	905	15 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	44 lbs.	1.8
	WWN1548CPTW Wood	\$ 894	15 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	40 lbs.	1.6
	WWN1548CPTLW Laminate/Wood Rim	894	15 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	40 lbs.	1.6
	WWN1548CPTL Laminate	870	15 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	40 lbs.	1.6
	WWN1542CPTW Wood	\$ 858	15 $\frac{1}{8}$	42	1 $\frac{1}{8}$	—	—	36 lbs.	1.4
	WWN1542CPTLW Laminate/Wood Rim	858	15 $\frac{1}{8}$	42	1 $\frac{1}{8}$	—	—	36 lbs.	1.4
	WWN1542CPTL Laminate	832	15 $\frac{1}{8}$	42	1 $\frac{1}{8}$	—	—	36 lbs.	1.4
	WWN1536CPTW Wood	\$ 813	15 $\frac{1}{8}$	36	1 $\frac{1}{8}$	—	—	32 lbs.	1.2
	WWN1536CPTLW Laminate/Wood Rim	813	15 $\frac{1}{8}$	36	1 $\frac{1}{8}$	—	—	32 lbs.	1.2
	WWN1536CPTL Laminate	790	15 $\frac{1}{8}$	36	1 $\frac{1}{8}$	—	—	32 lbs.	1.2
	WWN1530CPTW Wood	\$ 782	15 $\frac{1}{8}$	30	1 $\frac{1}{8}$	—	—	28 lbs.	1.0
	WWN1530CPTLW Laminate/Wood Rim	782	15 $\frac{1}{8}$	30	1 $\frac{1}{8}$	—	—	28 lbs.	1.0
	WWN1530CPTL Laminate	761	15 $\frac{1}{8}$	30	1 $\frac{1}{8}$	—	—	28 lbs.	1.0
	WWN1518CPTW Wood	\$ 745	15 $\frac{1}{8}$	18	1 $\frac{1}{8}$	—	—	21 lbs.	0.7
	WWN1518CPTLW Laminate/Wood Rim	745	15 $\frac{1}{8}$	18	1 $\frac{1}{8}$	—	—	21 lbs.	0.7
	WWN1518CPTL Laminate	724	15 $\frac{1}{8}$	18	1 $\frac{1}{8}$	—	—	21 lbs.	0.7

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered



WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1½" worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15108CPTW R MC
 WW15108CPTL VMC MC
 WW15108CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED	CUBIC	
				D	W	H	A	KW	WEIGHT	FEET	
CORNICE TOP 15" DEEP (CONTINUED) 	1½" TOP THICKNESS										
	WW15120CPTW	Wood	\$ 1020	15½	120	1½	—	—	lbs.		
	WW15120CPTFW	Wood/Finished Bottom	2860	15½	120	1½	—	—	lbs.		
	WW15120CPTLW	Laminate/Wood Rim	1020	15½	120	1½	—	—	lbs.		
	WW15120CPTFLW	Laminate/Wood Rim/Finished Bottom	2860	15½	120	1½	—	—	lbs.		
	WW15120CPTL	Laminate	589	15½	120	1½	—	—	lbs.		
	WW15120CPTFL	Laminate/Finished Bottom	2373	15½	120	1½	—	—	lbs.		
	WW15120CPTLL	TFL	516	15½	120	1½	—	—	lbs.		
	WW15120CPTFLL	TFL/Finished Bottom	1945	15½	120	1½	—	—	lbs.		
	WW15108CPTW	Wood	\$ 1507	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTFW	Wood/Finished Bottom	3345	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTLW	Laminate/Wood Rim	1507	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3345	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTL	Laminate	1465	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTFL	Laminate/Finished Bottom	3248	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTLL	TFL	1173	15½	108	1½	—	—	86 lbs.	3.5	
	WW15108CPTFLL	TFL/Finished Bottom	2599	15½	108	1½	—	—	86 lbs.	3.5	
	WW15102CPTW	Wood	\$ 1329	15½	102	1½	—	—	81 lbs.	3.3	
	WW15102CPTFW	Wood/Finished Bottom	3263	15½	102	1½	—	—	81 lbs.	3.3	
	WW15102CPTLW	Laminate/Wood Rim	1329	15½	102	1½	—	—	81 lbs.	3.3	
	WW15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3263	15½	102	1½	—	—	81 lbs.	3.3	
	WW15102CPTL	Laminate	1290	15½	102	1½	—	—	81 lbs.	3.3	
	WW15102CPTFL	Laminate/Finished Bottom	3171	15½	102	1½	—	—	81 lbs.	3.3	
WW15102CPTLL	TFL	1032	15½	102	1½	—	—	81 lbs.	3.3		
WW15102CPTFLL	TFL/Finished Bottom	2538	15½	102	1½	—	—	81 lbs.	3.3		
WW1596CPTW	Wood	\$ 1189	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTFW	Wood/Finished Bottom	3180	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTLW	Laminate/Wood Rim	1189	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3180	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTL	Laminate	1156	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTFL	Laminate/Finished Bottom	3092	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTLL	TFL	926	15½	96	1½	—	—	76 lbs.	3.1		
WW1596CPTFLL	TFL/Finished Bottom	2473	15½	96	1½	—	—	76 lbs.	3.1		

- TFL cornice tops are 1½" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1590CPTW R MC
 WW1590CPTL VMC MC
 WW1590CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
CORNICE TOP 15" DEEP (CONTINUED) 	1 3/8" TOP THICKNESS (CONTINUED)									
	WW1590CPTW	Wood	\$ 1070	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFW	Wood/Finished Bottom	3101	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTLW	Laminate/Wood Rim	1070	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3101	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTL	Laminate	1038	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFL	Laminate/Finished Bottom	3016	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTLL	TFL	829	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1590CPTFLL	TFL/Finished Bottom	2412	15 1/2	90	1 3/8	—	—	71 lbs.	2.9
	WW1584CPTW	Wood	\$ 949	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFW	Wood/Finished Bottom	2114	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTLW	Laminate/Wood Rim	949	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFLW	Laminate/Wood Rim/Finished Bottom	2114	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTL	Laminate	925	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFL	Laminate/Finished Bottom	2052	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTLL	TFL	740	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1584CPTFLL	TFL/Finished Bottom	1643	15 1/2	84	1 3/8	—	—	66 lbs.	2.7
	WW1578CPTW	Wood	\$ 903	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFW	Wood/Finished Bottom	1989	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTLW	Laminate/Wood Rim	903	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFLW	Laminate/Wood Rim/Finished Bottom	1989	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTL	Laminate	878	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFL	Laminate/Finished Bottom	1937	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTLL	TFL	702	15 1/2	78	1 3/8	—	—	62 lbs.	2.5
	WW1578CPTFLL	TFL/Finished Bottom	1550	15 1/2	78	1 3/8	—	—	62 lbs.	2.5

- TFL cornice tops are 1 $\frac{3}{8}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1½" worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572CPTW R MC
 WW1572CPTL VMC MC
 WW1572CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
CORNICE TOP 15" DEEP (CONTINUED) 	1½" TOP THICKNESS (CONTINUED)									
	WW1572CPTW	Wood	\$ 858	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTFW	Wood/Finished Bottom	1867	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTLW	Laminate/Wood Rim	858	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTFLW	Laminate/Wood Rim/Finished Bottom	1867	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTL	Laminate	832	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTFL	Laminate/Finished Bottom	1816	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTLL	TFL	667	15½	72	1¾	—	—	56 lbs.	2.3
	WW1572CPTFLL	TFL/Finished Bottom	1452	15½	72	1¾	—	—	56 lbs.	2.3
	WW1566CPTW	Wood	\$ 821	15½	66	1¾	—	—	52 lbs.	2.2
	WW1566CPTLW	Laminate/Wood Rim	821	15½	66	1¾	—	—	52 lbs.	2.2
	WW1566CPTL	Laminate	798	15½	66	1¾	—	—	52 lbs.	2.2
	WW1566CPTLL	TFL	640	15½	66	1¾	—	—	52 lbs.	2.2
	WW1560CPTW	Wood	\$ 782	15½	60	1¾	—	—	48 lbs.	2.0
	WW1560CPTLW	Laminate/Wood Rim	782	15½	60	1¾	—	—	48 lbs.	2.0
	WW1560CPTL	Laminate	761	15½	60	1¾	—	—	48 lbs.	2.0
	WW1560CPTLL	TFL	609	15½	60	1¾	—	—	48 lbs.	2.0
WW1554CPTW	Wood	\$ 748	15½	54	1¾	—	—	44 lbs.	1.8	
WW1554CPTLW	Laminate/Wood Rim	748	15½	54	1¾	—	—	44 lbs.	1.8	
WW1554CPTL	Laminate	727	15½	54	1¾	—	—	44 lbs.	1.8	
WW1554CPTLL	TFL	582	15½	54	1¾	—	—	44 lbs.	1.8	
WW1548CPTW	Wood	\$ 711	15½	48	1¾	—	—	40 lbs.	1.6	
WW1548CPTLW	Laminate/Wood Rim	711	15½	48	1¾	—	—	40 lbs.	1.6	
WW1548CPTL	Laminate	690	15½	48	1¾	—	—	40 lbs.	1.6	
WW1548CPTLL	TFL	551	15½	48	1¾	—	—	40 lbs.	1.6	

- TFL cornice tops are 1½" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1542CPTW R MC
 WW1542CPTL VMC MC
 WW1542CPTLW R 440 MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CORNICE TOP 15" DEEP (CONTINUED) 	1 3/8" TOP THICKNESS (CONTINUED)									
	WW1542CPTW	Wood	\$ 674	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTLW	Laminate/Wood Rim	674	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTL	Laminate	656	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1542CPTLL	TFL	525	15 1/8	42	1 3/8	—	—	36 lbs.	1.4
	WW1536CPTW	Wood	\$ 636	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTLW	Laminate/Wood Rim	636	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTL	Laminate	617	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1536CPTLL	TFL	495	15 1/8	36	1 3/8	—	—	32 lbs.	1.2
	WW1530CPTW	Wood	\$ 598	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTLW	Laminate/Wood Rim	598	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTL	Laminate	580	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1530CPTLL	TFL	462	15 1/8	30	1 3/8	—	—	28 lbs.	1.0
	WW1518CPTW	Wood	\$ 560	15 1/8	18	1 3/8	—	—	21 lbs.	0.7
	WW1518CPTLW	Laminate/Wood Rim	560	15 1/8	18	1 3/8	—	—	21 lbs.	0.7
	WW1518CPTL	Laminate	547	15 1/8	18	1 3/8	—	—	21 lbs.	0.7
	WW1518CPTLL	TFL	439	15 1/8	18	1 3/8	—	—	21 lbs.	0.7

- TFL cornice tops are 1 $\frac{3}{8}$ " thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4896WSCEDLW7 M F X D1B403 MH
WWN4896WSCEDLL7 M V440 X D1L440 440
WWN4896WSCEDLLW7 M F X D1R440 MH MH

- See pages 284-288 for all options available in WaveWorks

		MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		1 ¹ / ₈ " TOP THICKNESS				D	W	H	A	KW		
		LEFT	RIGHT									
 Left shown	WWN4896WSCEDLW7	WWN4896WSCEDRW7	Wood	\$	2761	48	95 ¹ / ₁₆	1 ¹ / ₈	—	—	102 lbs.	7.9
	WWN4896WSCEDLLW7	WWN4896WSCEDRLW7	Laminate/Wood		2761	48	95 ¹ / ₁₆	1 ¹ / ₈	—	—	102 lbs.	7.9
	WWN4896WSCEDLL7	WWN4896WSCEDRL7	Laminate		2041	48	95 ¹ / ₁₆	1 ¹ / ₈	—	—	102 lbs.	7.9
	WWN4884WSCEDLW7	WWN4884WSCEDRW7	Wood	\$	2674	48	83 ¹ / ₁₆	1 ¹ / ₈	—	—	90 lbs.	7.0
	WWN4884WSCEDLLW7	WWN4884WSCEDRLW7	Laminate/Wood		2674	48	83 ¹ / ₁₆	1 ¹ / ₈	—	—	90 lbs.	7.0
	WWN4884WSCEDLL7	WWN4884WSCEDRL7	Laminate		1938	48	83 ¹ / ₁₆	1 ¹ / ₈	—	—	90 lbs.	7.0
	WWN4872WSCEDLW7	WWN4872WSCEDRW7	Wood	\$	2166	48	72	1 ¹ / ₈	—	—	78 lbs.	6.0
	WWN4872WSCEDLLW7	WWN4872WSCEDRLW7	Laminate/Wood		2166	48	72	1 ¹ / ₈	—	—	78 lbs.	6.0
	WWN4872WSCEDLL7	WWN4872WSCEDRL7	Laminate		1837	48	72	1 ¹ / ₈	—	—	78 lbs.	6.0
	WWN4866WSCEDLW7	WWN4866WSCEDRW7	Wood	\$	2102	48	66	1 ¹ / ₈	—	—	72 lbs.	5.5
	WWN4866WSCEDLLW7	WWN4866WSCEDRLW7	Laminate/Wood		2102	48	66	1 ¹ / ₈	—	—	72 lbs.	5.5
	WWN4866WSCEDLL7	WWN4866WSCEDRL7	Laminate		1753	48	66	1 ¹ / ₈	—	—	72 lbs.	5.5
	WWN4860WSCEDLW7	WWN4860WSCEDRW7	Wood	\$	1973	48	60	1 ¹ / ₈	—	—	66 lbs.	5.1
	WWN4860WSCEDLLW7	WWN4860WSCEDRLW7	Laminate/Wood		1973	48	60	1 ¹ / ₈	—	—	66 lbs.	5.1
WWN4860WSCEDLL7	WWN4860WSCEDRL7	Laminate		1673	48	60	1 ¹ / ₈	—	—	66 lbs.	5.1	
WWN4854WSCEDLW7	WWN4854WSCEDRW7	Wood	\$	1906	48	54	1 ¹ / ₈	—	—	60 lbs.	4.6	
WWN4854WSCEDLLW7	WWN4854WSCEDRLW7	Laminate/Wood		1906	48	54	1 ¹ / ₈	—	—	60 lbs.	4.6	
WWN4854WSCEDLL7	WWN4854WSCEDRL7	Laminate		1627	48	54	1 ¹ / ₈	—	—	60 lbs.	4.6	

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces (42" deep tops intended to be used with 30" and 24" tops)
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4296WSCEDLW7 M F X D1B403 MH
 WWN4296WSCEDLL7 M V440 X D1L420 440
 WWN4296WSCEDLLW7 M F X D1R420 MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)									
	LEFT	RIGHT								
	WWN4296WSCEDLW7	WWN4296WSCEDRW7	Wood	\$ 2633	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs. 7.0
	WWN4296WSCEDLLW7	WWN4296WSCEDRLW7	Laminate/Wood	2633	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs. 7.0
	WWN4296WSCEDLL7	WWN4296WSCEDRL7	Laminate	1948	42	95 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	96 lbs. 7.0
	WWN4284WSCEDLW7	WWN4284WSCEDRW7	Wood	\$ 2554	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs. 6.2
Left shown	WWN4284WSCEDLLW7	WWN4284WSCEDRLW7	Laminate/Wood	2554	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs. 6.2
	WWN4284WSCEDLL7	WWN4284WSCEDRL7	Laminate	1854	42	83 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	84 lbs. 6.2
	WWN4272WSCEDLW7	WWN4272WSCEDRW7	Wood	\$ 2068	42	72	1 $\frac{1}{8}$	—	—	72 lbs. 5.4
	WWN4272WSCEDLLW7	WWN4272WSCEDRLW7	Laminate/Wood	2068	42	72	1 $\frac{1}{8}$	—	—	72 lbs. 5.4
	WWN4272WSCEDLL7	WWN4272WSCEDRL7	Laminate	1755	42	72	1 $\frac{1}{8}$	—	—	72 lbs. 5.4
	WWN4266WSCEDLW7	WWN4266WSCEDRW7	Wood	\$ 2008	42	66	1 $\frac{1}{8}$	—	—	66 lbs. 4.9
	WWN4266WSCEDLLW7	WWN4266WSCEDRLW7	Laminate/Wood	2008	42	66	1 $\frac{1}{8}$	—	—	66 lbs. 4.9
	WWN4266WSCEDLL7	WWN4266WSCEDRL7	Laminate	1672	42	66	1 $\frac{1}{8}$	—	—	66 lbs. 4.9
	WWN4260WSCEDLW7	WWN4260WSCEDRW7	Wood	\$ 1885	42	60	1 $\frac{1}{8}$	—	—	60 lbs. 4.5
	WWN4260WSCEDLLW7	WWN4260WSCEDRLW7	Laminate/Wood	1885	42	60	1 $\frac{1}{8}$	—	—	60 lbs. 4.5
	WWN4260WSCEDLL7	WWN4260WSCEDRL7	Laminate	1595	42	60	1 $\frac{1}{8}$	—	—	60 lbs. 4.5
	WWN4254WSCEDLW7	WWN4254WSCEDRW7	Wood	\$ 1822	42	54	1 $\frac{1}{8}$	—	—	54 lbs. 4.1
	WWN4254WSCEDLLW7	WWN4254WSCEDRLW7	Laminate/Wood	1822	42	54	1 $\frac{1}{8}$	—	—	54 lbs. 4.1
	WWN4254WSCEDLL7	WWN4254WSCEDRL7	Laminate	1554	42	54	1 $\frac{1}{8}$	—	—	54 lbs. 4.1

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3696WSCEDLW2 M F X D1B403 MH
WWN3696WSCEDLL2 M V440 X D1L440 440
WWN3696WSCEDLLW2 M F X D1R440 MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED				
			D	W	H	A	KW	WEIGHT	CUBIC FEET			
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{1}{8}$" TOP THICKNESS (CONTINUED)											
	LEFT	RIGHT										
 Left shown	WWN3696WSCEDLW2	WWN3696WSCEDRW2	Wood	\$	2511	35 $\frac{3}{16}$	95 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	106 lbs.	5.9
	WWN3696WSCEDLLW2	WWN3696WSCEDRLW2	Laminate/Wood		2511	35 $\frac{3}{16}$	95 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	106 lbs.	5.9
	WWN3696WSCEDLL2	WWN3696WSCEDRL2	Laminate		1857	35 $\frac{3}{16}$	95 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	106 lbs.	5.9
	WWN3684WSCEDLW2	WWN3684WSCEDRW2	Wood	\$	2432	35 $\frac{3}{16}$	83 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	93 lbs.	5.2
	WWN3684WSCEDLLW2	WWN3684WSCEDRLW2	Laminate/Wood		2432	35 $\frac{3}{16}$	83 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	93 lbs.	5.2
	WWN3684WSCEDLL2	WWN3684WSCEDRL2	Laminate		1762	35 $\frac{3}{16}$	83 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	93 lbs.	5.2
	WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	\$	1968	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	79 lbs.	3.9
	WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood		1968	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	79 lbs.	3.9
WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate		1671	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	79 lbs.	3.9	
	WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	\$	1911	35 $\frac{3}{16}$	66	1 $\frac{1}{16}$	—	—	72 lbs.	3.6
	WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood		1911	35 $\frac{3}{16}$	66	1 $\frac{1}{16}$	—	—	72 lbs.	3.6
	WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate		1592	35 $\frac{3}{16}$	66	1 $\frac{1}{16}$	—	—	72 lbs.	3.6
	WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	\$	1795	35 $\frac{3}{16}$	60	1 $\frac{1}{16}$	—	—	65 lbs.	3.3
	WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood		1795	35 $\frac{3}{16}$	60	1 $\frac{1}{16}$	—	—	65 lbs.	3.3
	WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate		1520	35 $\frac{3}{16}$	60	1 $\frac{1}{16}$	—	—	65 lbs.	3.3
	WWN3654WSCEDLW2	WWN3654WSCEDRW2	Wood	\$	1731	35 $\frac{3}{16}$	54	1 $\frac{1}{16}$	—	—	58 lbs.	3.0
	WWN3654WSCEDLLW2	WWN3654WSCEDRLW2	Laminate/Wood		1731	35 $\frac{3}{16}$	54	1 $\frac{1}{16}$	—	—	58 lbs.	3.0
	WWN3654WSCEDLL2	WWN3654WSCEDRL2	Laminate		1481	35 $\frac{3}{16}$	54	1 $\frac{1}{16}$	—	—	58 lbs.	3.0

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4896WSCEDLW7 M F X D1B403 MH
 WW4896WSCEDLL7 M V440 X D1L440 440
 WW4896WSCEDLLW7 M F X D1R440 MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS										
	LEFT		RIGHT								
	WW4896WSCEDLW7	WW4896WSCEDRW7	Wood	\$ 2558	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLLW7	WW4896WSCEDRLW7	Laminate/Wood	2558	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLL7	WW4896WSCEDRL7	Laminate	1844	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4896WSCEDLLL7	WW4896WSCEDRLL7	TFL	1477	48	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	102 lbs.	7.9
	WW4884WSCEDLW7	WW4884WSCEDRW7	Wood	\$ 2472	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4884WSCEDLLW7	WW4884WSCEDRLW7	Laminate/Wood	2472	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4884WSCEDLL7	WW4884WSCEDRL7	Laminate	1738	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4884WSCEDLLL7	WW4884WSCEDRLL7	TFL	1393	48	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	90 lbs.	7.0
	WW4872WSCEDLW7	WW4872WSCEDRW7	Wood	\$ 1964	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLLW7	WW4872WSCEDRLW7	Laminate/Wood	1964	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLL7	WW4872WSCEDRL7	Laminate	1638	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4872WSCEDLLL7	WW4872WSCEDRLL7	TFL	1312	48	72	1 $\frac{3}{8}$	—	—	78 lbs.	6.0
	WW4866WSCEDLW7	WW4866WSCEDRW7	Wood	\$ 1894	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLLW7	WW4866WSCEDRLW7	Laminate/Wood	1894	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLL7	WW4866WSCEDRL7	Laminate	1557	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4866WSCEDLLL7	WW4866WSCEDRLL7	TFL	1243	48	66	1 $\frac{3}{8}$	—	—	72 lbs.	5.5
	WW4860WSCEDLW7	WW4860WSCEDRW7	Wood	\$ 1768	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLLW7	WW4860WSCEDRLW7	Laminate/Wood	1768	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLL7	WW4860WSCEDRL7	Laminate	1477	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4860WSCEDLLL7	WW4860WSCEDRLL7	TFL	1183	48	60	1 $\frac{3}{8}$	—	—	66 lbs.	5.1
	WW4854WSCEDLW7	WW4854WSCEDRW7	Wood	\$ 1704	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLLW7	WW4854WSCEDRLW7	Laminate/Wood	1704	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLL7	WW4854WSCEDRL7	Laminate	1431	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6
	WW4854WSCEDLLL7	WW4854WSCEDRLL7	TFL	1142	48	54	1 $\frac{3}{8}$	—	—	60 lbs.	4.6

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4296WSCEDLW7 M F X D1B403 MH
WW4296WSCEDLL7 M V440 X D1L440 440
WW4296WSCEDLLW7 M F X D1R440 MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
EXTENDED CORNER WORKSURFACE (CONTINUED) 	1$\frac{3}{8}$" TOP THICKNESS (CONTINUED)										
	LEFT	RIGHT									
	WW4296WSCEDLW7	WW4296WSCEDRW7	Wood	\$	2444	42	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4296WSCEDLLW7	WW4296WSCEDRLW7	Laminate/Wood		2444	42	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
Left shown	WW4296WSCEDLL7	WW4296WSCEDRL7	Laminate		1762	42	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4296WSCEDLLL7	WW4296WSCEDRLL7	TFL		1409	42	95 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	96 lbs. 7.0
	WW4284WSCEDLW7	WW4284WSCEDRW7	Wood	\$	2360	42	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLLW7	WW4284WSCEDRLW7	Laminate/Wood		2360	42	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLL7	WW4284WSCEDRL7	Laminate		1661	42	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4284WSCEDLLL7	WW4284WSCEDRLL7	TFL		1331	42	83 $\frac{1}{16}$	1 $\frac{3}{8}$	—	—	84 lbs. 6.2
	WW4272WSCEDLW7	WW4272WSCEDRW7	Wood	\$	1871	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLLW7	WW4272WSCEDRLW7	Laminate/Wood		1871	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLL7	WW4272WSCEDRL7	Laminate		1563	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4272WSCEDLLL7	WW4272WSCEDRLL7	TFL		1250	42	72	1 $\frac{3}{8}$	—	—	72 lbs. 5.4
	WW4266WSCEDLW7	WW4266WSCEDRW7	Wood	\$	1807	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLLW7	WW4266WSCEDRLW7	Laminate/Wood		1807	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLL7	WW4266WSCEDRL7	Laminate		1484	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4266WSCEDLLL7	WW4266WSCEDRLL7	TFL		1187	42	66	1 $\frac{3}{8}$	—	—	66 lbs. 4.9
	WW4260WSCEDLW7	WW4260WSCEDRW7	Wood	\$	1685	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLLW7	WW4260WSCEDRLW7	Laminate/Wood		1685	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLL7	WW4260WSCEDRL7	Laminate		1409	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4260WSCEDLLL7	WW4260WSCEDRLL7	TFL		1128	42	60	1 $\frac{3}{8}$	—	—	60 lbs. 4.5
	WW4254WSCEDLW7	WW4254WSCEDRW7	Wood	\$	1626	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLLW7	WW4254WSCEDRLW7	Laminate/Wood		1626	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLL7	WW4254WSCEDRL7	Laminate		1366	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1
	WW4254WSCEDLLL7	WW4254WSCEDRLL7	TFL		1090	42	54	1 $\frac{3}{8}$	—	—	54 lbs. 4.1

- TFL worksurfaces are 1 $\frac{1}{8}$ " thick
- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3696WSCEDLW2 M F X D1B403 MH
 WW3696WSCEDLL2 M V440 X D1L440 440
 WW3696WSCEDLLW2 M F X D1R440 MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE (CONTINUED)	1$\frac{3}{16}$" TOP THICKNESS (CONTINUED)										
	LEFT		RIGHT								
	WW3696WSCEDLW2	WW3696WSCEDRW2	Wood	\$ 2327	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLLW2	WW3696WSCEDRLW2	Laminate/Wood	2327	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLL2	WW3696WSCEDRL2	Laminate	1679	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3696WSCEDLLL2	WW3696WSCEDRLL2	TFL	1342	35 $\frac{1}{16}$ "	95 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	106 lbs.	5.9
	WW3684WSCEDLW2	WW3684WSCEDRW2	Wood	\$ 2248	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3684WSCEDLLW2	WW3684WSCEDRLW2	Laminate/Wood	2248	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3684WSCEDLL2	WW3684WSCEDRL2	Laminate	1583	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3684WSCEDLLL2	WW3684WSCEDRLL2	TFL	1267	35 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	1 $\frac{3}{16}$ "	—	—	93 lbs.	5.2
	WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	\$ 1784	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 $\frac{1}{16}$ "	72"	1 $\frac{3}{16}$ "	—	—	79 lbs.	3.9
	WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	\$ 1723	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 $\frac{1}{16}$ "	66"	1 $\frac{3}{16}$ "	—	—	72 lbs.	3.6
	WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	\$ 1608	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 $\frac{1}{16}$ "	60"	1 $\frac{3}{16}$ "	—	—	65 lbs.	3.3
	WW3654WSCEDLW2	WW3654WSCEDRW2	Wood	\$ 1549	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLLW2	WW3654WSCEDRLW2	Laminate/Wood	1549	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLL2	WW3654WSCEDRL2	Laminate	1300	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0
	WW3654WSCEDLLL2	WW3654WSCEDRLL2	TFL	1038	35 $\frac{1}{16}$ "	54"	1 $\frac{3}{16}$ "	—	—	58 lbs.	3.0

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSUDW M F X D1B440 X MH
 WWN3672WSUDL M F440 X D1B440 71 $\frac{1}{2}$ 440
 WWN3672WSUDLW M V X X 71 $\frac{1}{2}$ 440 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
U-SHAPED WORKSURFACE 	1$\frac{1}{8}$" THICKNESS								
	WWN3672WSUDW Wood	\$ 2179	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3672WSUDLW Laminate/Wood	2179	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3672WSUDL Laminate	1272	36 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	79 lbs.	3.8
	WWN3072WSUDW Wood	\$ 1929	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3072WSUDLW Laminate/Wood	1929	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3072WSUDL Laminate	1018	30 $\frac{1}{16}$	72	1 $\frac{1}{8}$	—	—	76 lbs.	3.6
	WWN3066WSUDW Wood	\$ 1832	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN3066WSUDLW Laminate/Wood	1832	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN3066WSUDL Laminate	926	30 $\frac{1}{16}$	65 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	70 lbs.	3.3
	WWN2460WSUDW Wood	\$ 1257	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2460WSUDLW Laminate/Wood	1257	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2460WSUDL Laminate	778	24	60	1 $\frac{1}{8}$	—	—	69 lbs.	2.8
	WWN2448WSUDW Wood	\$ 1133	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN2448WSUDLW Laminate/Wood	1133	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3
	WWN2448WSUDL Laminate	707	24	48 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	57 lbs.	2.3

- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3672WSUDW M F X D1B440 X MH
 WW3672WSUDL M F440 X D1B440 71 $\frac{1}{2}$ 440
 WW3672WSUDLW M V X X 71 $\frac{1}{2}$ 440 MH

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
U-SHAPED WORKSURFACE (CONTINUED) B	1⅜" THICKNESS									
	WW3672WSUDW	Wood	\$ 1992	36⅞	72	1⅜	—	—	79 lbs.	3.8
	WW3672WSUDLW	Laminate/Wood	1992	36⅞	72	1⅜	—	—	79 lbs.	3.8
	WW3672WSUDL	Laminate	1090	36⅞	72	1⅜	—	—	79 lbs.	3.8
	WW3672WSUDLL	TFL	873	36⅞	72	1⅝	—	—	79 lbs.	3.8
	WW3072WSUDW	Wood	\$ 1747	30⅞	72	1⅜	—	—	76 lbs.	3.6
	WW3072WSUDLW	Laminate/Wood	1747	30⅞	72	1⅜	—	—	76 lbs.	3.6
	WW3072WSUDL	Laminate	838	30⅞	72	1⅜	—	—	76 lbs.	3.6
	WW3072WSUDLL	TFL	671	30⅞	72	1⅝	—	—	76 lbs.	3.6
	WW3066WSUDW	Wood	\$ 1648	30⅞	65⅜	1⅜	—	—	70 lbs.	3.3
	WW3066WSUDLW	Laminate/Wood	1648	30⅞	65⅜	1⅜	—	—	70 lbs.	3.3
	WW3066WSUDL	Laminate	747	30⅞	65⅜	1⅜	—	—	70 lbs.	3.3
	WW3066WSUDLL	TFL	596	30⅞	65⅜	1⅝	—	—	70 lbs.	3.3
	WW2460WSUDW	Wood	\$ 1074	24	60	1⅜	—	—	69 lbs.	2.8
	WW2460WSUDLW	Laminate/Wood	1074	24	60	1⅜	—	—	69 lbs.	2.8
	WW2460WSUDL	Laminate	600	24	60	1⅜	—	—	69 lbs.	2.8
	WW2460WSUDLL	TFL	480	24	60	1⅝	—	—	69 lbs.	2.8
	WW2448WSUDW	Wood	\$ 947	24	48⅞	1⅜	—	—	57 lbs.	2.3
	WW2448WSUDLW	Laminate/Wood	947	24	48⅞	1⅜	—	—	57 lbs.	2.3
	WW2448WSUDL	Laminate	526	24	48⅞	1⅜	—	—	57 lbs.	2.3
	WW2448WSUDLL	TFL	421	24	48⅞	1⅝	—	—	57 lbs.	2.3
• TFL worksurfaces are 1⅝" thick • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) • To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered • Wire Manager available on back, the straight edge of the worksurface; see page 288 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 474 • Worksurfaces can be ordered in ⅛" increments in width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired width • For additional worksurface support, specify Undersurface Support Rail, see page 470 • For undersurface wire managers, see page 675										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WWN3672WSUERW2 M V X X MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	D	W	H	A	KW							
EXTENDED U-SHAPED WORKSURFACE  Left shown	1 ¹ / ₁₆ " THICKNESS											
	LEFT			RIGHT								
	WWN4872WSUELW2	WWN4872WSUERW2	Wood	\$	2372	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELLW2	WWN4872WSUERLW2	Laminate/Wood		2372	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELL2	WWN4872WSUERL2	Laminate		1516	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELW3	WWN4872WSUERW3	Wood	\$	2452	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELLW3	WWN4872WSUERLW3	Laminate/Wood		2452	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN4872WSUELL3	WWN4872WSUERL3	Laminate		1572	48	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	91 lbs.	5.4
	WWN3672WSUELW2	WWN3672WSUERW2	Wood	\$	2236	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELLW2	WWN3672WSUERLW2	Laminate/Wood		2236	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELL2	WWN3672WSUERL2	Laminate		1430	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELW3	WWN3672WSUERW3	Wood	\$	2312	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELLW3	WWN3672WSUERLW3	Laminate/Wood		2312	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
	WWN3672WSUELL3	WWN3672WSUERL3	Laminate		1483	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.8
• Wire Manager available on back; see page 288 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 474 • Modified depth and width not available on this shape • For undersurface wire managers, see page 675 • Models ending in 2 – utilize with 24" deep worksurfaces • Models ending in 3 – utilize with 30" deep worksurfaces												

- Wire Manager available on back; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 675
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WW3672WSUERW2 M V X X MC

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H					
EXTENDED U-SHAPED WORKSURFACE (CONTINUED)  Left shown	1 3 / 16 " THICKNESS											
	LEFT	RIGHT										
	WW4872WSUELW2	WW4872WSUERW2	Wood	\$	2135	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELLW2	WW4872WSUERLW2	Laminate/Wood		2135	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELL2	WW4872WSUERL2	Laminate		1365	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELLL2	WW4872WSUERLL2	TFL		1091	48	71 1 / 16	1 3 / 8	—	—	91 lbs.	5.4
	WW4872WSUELW3	WW4872WSUERW3	Wood	\$	2208	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELLW3	WW4872WSUERLW3	Laminate/Wood		2208	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELL3	WW4872WSUERL3	Laminate		1416	48	71 1 / 16	1 3 / 16	—	—	91 lbs.	5.4
	WW4872WSUELLL3	WW4872WSUERLL3	TFL		1135	48	71 1 / 16	1 3 / 8	—	—	91 lbs.	5.4
	WW3672WSUELW2	WW3672WSUERW2	Wood	\$	2015	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8
	WW3672WSUELLW2	WW3672WSUERLW2	Laminate/Wood		2015	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8
	WW3672WSUELL2	WW3672WSUERL2	Laminate		1287	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8
	WW3672WSUELLL2	WW3672WSUERLL2	TFL		1031	36 3 / 16	71 1 / 16	1 3 / 8	—	—	79 lbs.	3.8
	WW3672WSUELW3	WW3672WSUERW3	Wood	\$	2082	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8
	WW3672WSUELLW3	WW3672WSUERLW3	Laminate/Wood		2082	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8
WW3672WSUELL3	WW3672WSUERL3	Laminate		1335	36 3 / 16	71 1 / 16	1 3 / 16	—	—	79 lbs.	3.8	
WW3672WSUELLL3	WW3672WSUERLL3	TFL		1069	36 3 / 16	71 1 / 16	1 3 / 8	—	—	79 lbs.	3.8	

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- Wire Manager available on back; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 675
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3072WSPDLW	M	F	X	D1B440	59 $\frac{1}{16}$	AC
WWN3072WSPDLLW	M	F	X	X	X	440 AC
WWN3072WSPDLL	M	V440	X	D1B440	X	440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET											
					D	W	H	A	KW													
36" 30" B 72" Right shown 1¹/₁₆" TOP THICKNESS LEFT RIGHT WWN3072WSPDLW WWN3072WSPDRW Wood \$ 2276 WWN3072WSPDLLW WWN3072WSPDRLW Lam/Wood 2276 WWN3072WSPDLL WWN3072WSPDRL Laminate 1626																						
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
					30 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	69 lbs.	3.6											
1³/₁₆" TOP THICKNESS LEFT RIGHT WW3072WSPDLW WW3072WSPDRW Wood \$ 2091 WW3072WSPDLLW WW3072WSPDRLW Lam/Wood 2091 WW3072WSPDLL WW3072WSPDRL Laminate 1444 WW3072WSPDLLL WW3072WSPDRL TFL 1156																						
				30 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	69 lbs.	3.6												
				30 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	69 lbs.	3.6												
				30 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	69 lbs.	3.6												
				30 ¹ / ₁₆	72	1 ³ / ₁₆	—	—	69 lbs.	3.6												
1¹/₂" thick If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered Wire Manager available on back, the straight edge of the worksurface; see page 288 for wire manager colors and upcharge When ordering a wire manager, a wire manager filler can be ordered separately; see page 474 Worksurfaces can be ordered in ¹/₁₆" increments in width to a minimum of 59¹/₁₆" at no upcharge When ordering a worksurface with a size modification, specify desired width For additional worksurface support, specify Undersurface Support Rail, see page 470 For undersurface wire managers, see page 675																						

- TFL worksurfaces are 1 $\frac{1}{4}$ " thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in width to a minimum of 59 $\frac{1}{16}$ " at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSPEDLW2 M F X D1B440 59 $\frac{1}{16}$ AC
 WWN3672WSPEDLLW2 M F X X X 440 AC
 WWN3672WSPEDLL2 M V440 X D1B440 X 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EXTENDED CORNER P-SHAPED WORKSURFACE  Left shown	1$\frac{1}{16}$" TOP THICKNESS									
	LEFT	RIGHT								
	WWN3672WSPEDLW2	WWN3672WSPEDRW2	Wood	\$ 2528	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WWN3672WSPEDLLW2	WWN3672WSPEDRLW2	Laminate/Wood	2528	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WWN3672WSPEDLL2	WWN3672WSPEDRL2	Laminate	1815	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WWN3672WSPEDLW3	WWN3672WSPEDRW3	Wood	\$ 2598	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WWN3672WSPEDLLW3	WWN3672WSPEDRLW3	Laminate/Wood	2598	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WWN3672WSPEDLL3	WWN3672WSPEDRL3	Laminate	1863	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	1$\frac{1}{2}$" TOP THICKNESS									
	LEFT	RIGHT								
	WW3672WSPEDLW2	WW3672WSPEDRW2	Wood	\$ 2344	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLLW2	WW3672WSPEDRLW2	Laminate/Wood	2344	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLL2	WW3672WSPEDRL2	Laminate	1630	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLLL2	WW3672WSPEDRLL2	TFL	1306	35 $\frac{3}{16}$	72	1 $\frac{1}{2}$	—	—	73 lbs. 4.9
	WW3672WSPEDLW3	WW3672WSPEDRW3	Wood	\$ 2413	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLLW3	WW3672WSPEDRLW3	Laminate/Wood	2413	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLL3	WW3672WSPEDRL3	Laminate	1681	35 $\frac{3}{16}$	72	1 $\frac{1}{16}$	—	—	73 lbs. 4.9
	WW3672WSPEDLLL3	WW3672WSPEDRLL3	TFL	1344	35 $\frac{3}{16}$	72	1 $\frac{1}{2}$	—	—	73 lbs. 4.9

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 675

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4272WSCSDW2 M F X D1B440 AC
 WWN4242WSCSDLW2 M F X X 440 AC
 WWN4242WSCSDL2 M V440 X X AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CORNER WORKSURFACE  Grain direction runs diagonally	1$\frac{1}{8}$" TOP THICKNESS								
	WWN4242WSCSDW2 Wood	\$ 1636	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	WWN4242WSCSDLW2 Laminate/Wood	1636	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	WWN4242WSCSDL2 Laminate	1090	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	WWN4242WSCSDW3 Wood	\$ 1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	WWN4242WSCSDLW3 Laminate/Wood	1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	WWN4242WSCSDL3 Laminate	1214	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
	• Will accommodate 30" deep extension worksurfaces on both sides								
	WWN4242WSCSDW7 Wood	\$ 1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8
WWN4242WSCSDLW7 Laminate/Wood	1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8	
WWN4242WSCSDL7 Laminate	1214	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8	
• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface									
WWN4242WSCSDW9 Wood	\$ 1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8	
WWN4242WSCSDLW9 Laminate/Wood	1827	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8	
WWN4242WSCSDL9 Laminate	1214	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	59 lbs.	3.8	
• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface									
WWN3636WSCSDW2 Wood	\$ 1517	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	3.8	
WWN3636WSCSDLW2 Laminate/Wood	1517	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	3.8	
WWN3636WSCSDL2 Laminate	1014	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	3.8	
• Will accommodate 24" deep extension worksurfaces on both sides									
• Grain direction runs diagonally									
• If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)									
• 42" corner worksurfaces have 25" on front edge									
• 36" corner worksurfaces have 17" on front edge									
• Corner worksurface assembled to corner unit is not intended for freestanding unit									
• Wire Manager available on left side, right side or left & right sides; see page 288 for wire manager colors and upcharge									
• When ordering a wire manager, a wire manager filler can be ordered separately; see page 474									
• Modified width and depth not available on this shape									
• For undersurface wire managers, see page 675									

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WW4242WSCSDW2 M F X D1B440 AC
 WW4242WSCSDLW2 M F X X 440 AC
 WW4242WSCSDL2 M V440 X X AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
CORNER WORKSURFACE (CONTINUED)	1$\frac{3}{16}$" TOP THICKNESS								
	WW4242WSCSDW2 Wood	\$ 1449	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW2 Laminate/Wood	1449	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL2 Laminate	910	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL2 TFL	728	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	WW4242WSCSDW3 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW3 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL3 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL3 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	• Will accommodate 30" deep extension worksurfaces on both sides								
	WW4242WSCSDW7 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW7 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL7 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL7 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface								
	WW4242WSCSDW9 Wood	\$ 1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDLW9 Laminate/Wood	1594	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL9 Laminate	1003	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	WW4242WSCSDL9 TFL	802	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	3.8
	• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface								
	WW3636WSCSDW2 Wood	\$ 1333	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	45 lbs.	3.8
	WW3636WSCSDLW2 Laminate/Wood	1333	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	45 lbs.	3.8
	WW3636WSCSDL2 Laminate	835	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	45 lbs.	3.8
	WW3636WSCSDL2 TFL	669	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	45 lbs.	3.8
	• Will accommodate 24" deep extension worksurfaces on both sides								
	• TFL worksurfaces are 1$\frac{1}{8}$" thick • Grain direction runs diagonally • If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.) • 42" corner worksurfaces have 25" on front edge • 36" corner worksurfaces have 17" on front edge • Corner worksurface assembled to corner unit is not intended for freestanding unit • Wire Manager available on left side, right side or left & right sides; see page 288 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 474 • Modified width and depth not available on this shape • For undersurface wire managers, see page 675								

CORNER WORKSURFACE (CONTINUED)



Grain direction runs diagonally

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 289 for grommet locations; and page 288 for grommet options and upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Laminate Top Color/
Veneer Top Finish
7. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW M F X D1B440 MH
 WWN60WSHRDLW M F X X MH MH
 WWN60WSHRDL M V440 X D1B440 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
HALF ROUND WORKSURFACE 	1 ¹ / ₁₆ " TOP THICKNESS									
	WWN60WSHRDW	Wood	\$ 1207	30	60	1 ¹ / ₁₆	—	—	69 lbs.	2.8
	WWN60WSHRDLW	Laminate/Wood	1207	30	60	1 ¹ / ₁₆	—	—	69 lbs.	2.8
	WWN60WSHRDL	Laminate	767	30	60	1 ¹ / ₁₆	—	—	69 lbs.	2.8
	1 ³ / ₁₆ " TOP THICKNESS									
	WWN48WSHRDW	Wood	\$ 1036	24	48 ³ / ₁₆	1 ¹ / ₁₆	—	—	57 lbs.	2.3
	WWN48WSHRDLW	Laminate/Wood	1036	24	48 ³ / ₁₆	1 ¹ / ₁₆	—	—	57 lbs.	2.3
	WWN48WSHRDL	Laminate	668	24	48 ³ / ₁₆	1 ¹ / ₁₆	—	—	57 lbs.	2.3
	1 ¹ / ₂ " TOP THICKNESS									
	WW60WSHRDW	Wood	\$ 1027	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDLW	Laminate/Wood	1027	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDL	Laminate	587	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDLL	TFL	471	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	1 ³ / ₄ " TOP THICKNESS									
	WW48WSHRDW	Wood	\$ 853	24	48 ³ / ₁₆	1 ³ / ₄	—	—	57 lbs.	2.3
	WW48WSHRDLW	Laminate/Wood	853	24	48 ³ / ₁₆	1 ³ / ₄	—	—	57 lbs.	2.3
	WW48WSHRDL	Laminate	490	24	48 ³ / ₁₆	1 ³ / ₄	—	—	57 lbs.	2.3
	WW48WSHRDLL	TFL	393	24	48 ³ / ₁₆	1 ³ / ₄	—	—	57 lbs.	2.3

- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 675

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R HN
 WWN2424WSQRL V405 405
 WWN2424WSQRLW R 405 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
QUARTER ROUND WORKSURFACE 	1 $\frac{1}{16}$ " TOP THICKNESS									
	WWN2424WSQRW	Wood	\$ 1021	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	WWN2424WSQRLW	Laminate/Wood	1021	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	WWN2424WSQRL	Laminate	657	24	24	1 $\frac{1}{16}$	—	—	25 lbs.	1.1
	• Utilize with 24" deep worksurfaces									
	WWN3030WSQRW	Wood	\$ 1189	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3030WSQRLW	Laminate/Wood	1189	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3030WSQRL	Laminate	754	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurfaces									
	WWN3024WSQRW	Wood	\$ 1667	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3024WSQRLW	Laminate/Wood	1667	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN3024WSQRL	Laminate	1113	30 $\frac{1}{16}$	24	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
	WWN2430WSQRW	Wood	\$ 1667	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN2430WSQRLW	Laminate/Wood	1667	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN2430WSQRL	Laminate	1113	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
	• Rim profile on radius edge of worksurface only									
	• Grommet option not available									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 470 for support options
- Refer to pages 651-729 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2424WSQRW R HN
 WW2424WSQRL V405 405
 WW2424WSQRLW R 405 HN

- See pages 284-288 for all options available in WaveWorks

QUARTER ROUND WORKSURFACE (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED	CUBIC
	D	W	H	A	KW	WEIGHT	FEET			
	1 $\frac{3}{16}$ " TOP THICKNESS									
	WW2424WSQRW	Wood	\$ 834	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1
	WW2424WSQRLW	Laminate/Wood	834	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1
	WW2424WSQRL	Laminate	477	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1
	WW2424WSQRLL	TFL	382	24	24	1 $\frac{3}{16}$	—	—	25 lbs.	1.1
	• Utilize with 24" deep worksurfaces									
	WW3030WSQRW	Wood	\$ 1003	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3030WSQRLW	Laminate/Wood	1003	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3030WSQRL	Laminate	575	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3030WSQRLL	TFL	459	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurfaces									
	WW3024WSQRW	Wood	\$ 1528	30 $\frac{3}{16}$	24	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3024WSQRLW	Laminate/Wood	1528	30 $\frac{3}{16}$	24	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3024WSQRL	Laminate	960	30 $\frac{3}{16}$	24	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW3024WSQRLL	TFL	768	30 $\frac{3}{16}$	24	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
	WW2430WSQRW	Wood	\$ 1528	24	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW2430WSQRLW	Laminate/Wood	1528	24	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW2430WSQRL	Laminate	960	24	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	WW2430WSQRLL	TFL	768	24	30 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
	• TFL worksurfaces are 1 $\frac{3}{8}$ " thick									
	• Rim profile on radius edge of worksurface only									
	• Grommet option not available									

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 577-580 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/
Veneer Top Finish
6. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN36WSRNW F MC
WWN36WSRNLW F 440 MH
WWN36WSRNL V440 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TABLE TOP 1$\frac{1}{16}$" THICK 	30" ROUND			DI		H				
	1$\frac{1}{16}$" TOP THICKNESS									
	WWN30WSRNW	Wood	\$ 1000	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30WSRNLW	Laminate/Wood	1000	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30WSRNL	Laminate	520	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" ROUND									
	WWN36WSRNW	Wood	\$ 1177	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	WWN36WSRNLW	Laminate/Wood	1177	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	WWN36WSRNL	Laminate	611	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	3.0
	42" ROUND									
	WWN42WSRNW	Wood	\$ 1368	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	WWN42WSRNLW	Laminate/Wood	1368	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	WWN42WSRNL	Laminate	734	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.8
	48" ROUND									
	WWN48WSRNW	Wood	\$ 1520	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	WWN48WSRNLW	Laminate/Wood	1520	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
	WWN48WSRNL	Laminate	826	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	71 lbs.	4.5
• Zip rim does not have "run-out" on round tops • Reference pages 577-580 for applicable bases • See the Tables Price List for coordinating conference table tops										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 577-580 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/
Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW36WSRNW F MC
WW36WSRNLW F 440 MH
WW36WSRNL V440 440

- See pages 284-288 for all options available in WaveWorks

ROUND TABLE TOP
1 $\frac{3}{16}$ " THICK


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
30" ROUND			DI		H				
WW30WSRNW	Wood	\$ 842	30 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
WW30WSRNLW	Laminate/Wood	842	30 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
WW30WSRNL	Laminate	367	30 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
WW30WSRNLL	TFL	295	30 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
36" ROUND									
WW36WSRNW	Wood	\$ 992	36 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	40 lbs.	3.0
WW36WSRNLW	Laminate/Wood	992	36 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	40 lbs.	3.0
WW36WSRNL	Laminate	430	36 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	40 lbs.	3.0
WW36WSRNLL	TFL	347	36 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	40 lbs.	3.0
42" ROUND									
WW42WSRNW	Wood	\$ 1184	42 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	54 lbs.	3.8
WW42WSRNLW	Laminate/Wood	1184	42 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	54 lbs.	3.8
WW42WSRNL	Laminate	556	42 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	54 lbs.	3.8
WW42WSRNLL	TFL	446	42 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	54 lbs.	3.8
48" ROUND									
WW48WSRNW	Wood	\$ 1335	48 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	71 lbs.	4.5
WW48WSRNLW	Laminate/Wood	1335	48 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	71 lbs.	4.5
WW48WSRNL	Laminate	648	48 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	71 lbs.	4.5
WW48WSRNLL	TFL	519	48 $\frac{3}{16}$	—	1 $\frac{3}{16}$	—	—	71 lbs.	4.5

- TFL worksurfaces are 1 $\frac{3}{8}$ " thick
- Zip rim does not have "run-out" on round tops
- Reference pages 577-580 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 577-580 for applicable bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/
Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3636WSSQW F MC
 WWN3636WSSQLW F 440 MH
 WWN3636WSSQL V440 440

- See pages 284-288 for all options available in WaveWorks

SQUARE TABLE TOP
1 $\frac{1}{16}$ " THICK


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 $\frac{1}{16}$ " TOP THICKNESS			D	W	H	A	KW		
WWN3030WSSQW	Wood	\$ 989	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
WWN3030WSSQLW	Laminate/Wood	989	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
WWN3030WSSQL	Laminate	525	30 $\frac{3}{16}$	30 $\frac{3}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
WWN3636WSSQW	Wood	\$ 1163	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	3.0
WWN3636WSSQLW	Laminate/Wood	1163	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	3.0
WWN3636WSSQL	Laminate	615	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	3.0
42" SQUARE									
WWN4242WSSQW	Wood	\$ 1343	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
WWN4242WSSQLW	Laminate/Wood	1343	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
WWN4242WSSQL	Laminate	728	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	3.8
48" SQUARE									
WWN4848WSSQW	Wood	\$ 1498	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	4.5
WWN4848WSSQLW	Laminate/Wood	1498	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	4.5
WWN4848WSSQL	Laminate	817	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	4.5

- Reference pages 577-580 for applicable bases
- See the Tables Price List for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 577-580 for applicable bases
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WW3036WSSQW F MC
 WW3036WSSQLW F 440 MH
 WW3036WSSQL V440 440

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SQUARE TABLE TOP
1 1/8" THICK


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
30" SQUARE									
1 1/8" TOP THICKNESS									
WW3030WSSQW	Wood	\$ 833	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
WW3030WSSQLW	Laminate/Wood	833	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
WW3030WSSQL	Laminate	360	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
WW3030WSSQLL	TFL	288	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
36" SQUARE									
QWW3636WSSQW	Wood	\$ 979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
WW3636WSSQW	Wood	979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
WW3636WSSQLW	Laminate/Wood	979	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
WW3636WSSQL	Laminate	422	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
QWW3636WSSQLL	TFL	339	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
WW3636WSSQLL	TFL	339	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
42" SQUARE									
WW4242WSSQW	Wood	\$ 1158	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
WW4242WSSQLW	Laminate/Wood	1158	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
WW4242WSSQL	Laminate	551	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
WW4242WSSQLL	TFL	441	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
48" SQUARE									
WW4848WSSQW	Wood	\$ 1316	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
WW4848WSSQLW	Laminate/Wood	1316	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
WW4848WSSQL	Laminate	634	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
WW4848WSSQLL	TFL	507	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5

- TFL worksurfaces are 1 1/8" thick
- Reference pages 577-580 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN48110CMPTW F OEP AD
 WWN48110CMPTLW V MH 1EP MH
 WWN48110CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

**COMPONENT TOP
(MODULAR STORAGE)
48" DEPTH**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS			D	W	H				
WWN48110CMPTW	Wood	\$ 2268	47 1/2	110 3/16	1 1/16	—	—	lbs.	
WWN48110CMPTLW	Laminate/Wood	2268	47 1/2	110 3/16	1 1/16	—	—	lbs.	
WWN48110CMPTL	Laminate	1544	47 1/2	110 3/16	1 1/16	—	—	lbs.	
WWN48104CMPTW	Wood	\$ 2198	47 1/2	104 3/16	1 1/16	—	—	lbs.	
WWN48104CMPTLW	Laminate/Wood	2198	47 1/2	104 3/16	1 1/16	—	—	lbs.	
WWN48104CMPTL	Laminate	1509	47 1/2	104 3/16	1 1/16	—	—	lbs.	
WWN4898CMPTW	Wood	\$ 2125	47 1/2	98 3/4	1 1/16	—	—	lbs.	
WWN4898CMPTLW	Laminate/Wood	2125	47 1/2	98 3/4	1 1/16	—	—	lbs.	
WWN4898CMPTL	Laminate	1473	47 1/2	98 3/4	1 1/16	—	—	lbs.	
WWN4892CMPTW	Wood	\$ 2064	47 1/2	92 3/4	1 1/16	—	—	lbs.	
WWN4892CMPTLW	Laminate/Wood	2064	47 1/2	92 3/4	1 1/16	—	—	lbs.	
WWN4892CMPTL	Laminate	1440	47 1/2	92 3/4	1 1/16	—	—	lbs.	
WWN4874CMPTW	Wood	\$ 1751	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4874CMPTLW	Laminate/Wood	1751	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4874CMPTL	Laminate	1231	47 1/2	74 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTW	Wood	\$ 1714	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTLW	Laminate/Wood	1714	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4868CMPTL	Laminate	1188	47 1/2	68 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTW	Wood	\$ 1681	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTLW	Laminate/Wood	1681	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4862CMPTL	Laminate	1162	47 1/2	62 3/16	1 1/16	—	—	lbs.	
WWN4838CMPTW	Wood	\$ 1487	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4838CMPTLW	Laminate/Wood	1487	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4838CMPTL	Laminate	919	47 1/2	38 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTW	Wood	\$ 1241	47 1/2	32 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTLW	Laminate/Wood	1241	47 1/2	32 3/8	1 1/16	—	—	lbs.	
WWN4832CMPTL	Laminate	681	47 1/2	32 3/8	1 1/16	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- See page 469 for end panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. End Panel Usage
5. Lamine Top Color (lamine models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW48110CMPTW F OEP AD
 WW48110CMPTLW V MH 1EP MH
 WW48110CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

COMPONENT TOP
 (MODULAR STORAGE)
 48" DEPTH
 (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS			D	W	H					
WW48110CMPTW	Wood	\$ 2097	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTLW	Laminate/Wood	2097	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTL	Laminate	1373	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48110CMPTLL	TFL	1229	47 1/2	110 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTW	Wood	\$ 2024	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTLW	Laminate/Wood	2024	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTL	Laminate	1335	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW48104CMPTLL	TFL	1192	47 1/2	104 3/16	1 3/16	—	—	—	lbs.	
WW4898CMPTW	Wood	\$ 1954	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTLW	Laminate/Wood	1954	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTL	Laminate	1300	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4898CMPTLL	TFL	1156	47 1/2	98 3/4	1 3/16	—	—	—	lbs.	
WW4892CMPTW	Wood	\$ 1891	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTLW	Laminate/Wood	1891	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTL	Laminate	1267	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4892CMPTLL	TFL	1123	47 1/2	92 1/2	1 3/16	—	—	—	lbs.	
WW4874CMPTW	Wood	\$ 1577	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTLW	Laminate/Wood	1577	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTL	Laminate	1059	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4874CMPTLL	TFL	913	47 1/2	74 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTW	Wood	\$ 1541	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTLW	Laminate/Wood	1541	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTL	Laminate	1014	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4868CMPTLL	TFL	871	47 1/2	68 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTW	Wood	\$ 1509	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTLW	Laminate/Wood	1509	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTL	Laminate	989	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	
WW4862CMPTLL	TFL	845	47 1/2	62 3/16	1 3/16	—	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1 1/8" thick
- See page 469 for end panel
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. End Panel Usage
5. Laminate Top Color (laminite models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW4838CMPTW F OEP AD
 WW4838CMPTLW V MH 1EP MH
 WW4838CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED) 	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1 3/8" TOP THICKNESS (CONTINUED)			D	W	H				
	WW4838CMPTW	Wood	\$ 1317	47 1/2	38 3/8	1 3/8	—	—	lbs.	
	WW4838CMPTLW	Laminate/Wood	1317	47 1/2	38 3/8	1 3/8	—	—	lbs.	
	WW4838CMPTL	Laminate	745	47 1/2	38 3/8	1 3/8	—	—	lbs.	
	WW4838CMPTLL	TFL	601	47 1/2	38 3/8	1 3/8	—	—	lbs.	
	WW4832CMPTW	Wood	\$ 1068	47 1/2	32 3/8	1 3/8	—	—	lbs.	
	WW4832CMPTLW	Laminate/Wood	1068	47 1/2	32 3/8	1 3/8	—	—	lbs.	
	WW4832CMPTL	Laminate	507	47 1/2	32 3/8	1 3/8	—	—	lbs.	
	WW4832CMPTLL	TFL	364	47 1/2	32 3/8	1 3/8	—	—	lbs.	
• For use when specifying modular storage/lateral files back to back • Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately • TFL worksurfaces are 1 1/8" thick • See page 469 for end panel										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Lamine Top Color (lamine models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN24108CMPTW F 0EP AD
 WWN24108CMPTLW V MH 1EP MH
 WWN24108CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
			D	W	H			WEIGHT	FEET
COMPONENT TOP (MODULAR STORAGE) 24" DEPTH	1½" TOP THICKNESS								
	WWN24108CMPTW Wood	\$ 1729	24	107½	1½	—	—	lbs.	
	WWN24108CMPTLW Lamine/Wood	1729	24	107½	1½	—	—	lbs.	
	WWN24108CMPTL Lamine	1085	24	107½	1½	—	—	lbs.	
	WWN24102CMPTW Wood	\$ 1668	24	101½	1½	—	—	lbs.	
	WWN24102CMPTLW Lamine/Wood	1668	24	101½	1½	—	—	lbs.	
	WWN24102CMPTL Lamine	1052	24	101½	1½	—	—	lbs.	
	WWN2496CMPTW Wood	\$ 1608	24	95½	1½	—	—	lbs.	
	WWN2496CMPTLW Lamine/Wood	1608	24	95½	1½	—	—	lbs.	
	WWN2496CMPTL Lamine	1018	24	95½	1½	—	—	lbs.	
	WWN2490CMPTW Wood	\$ 1544	24	89½	1½	—	—	lbs.	
	WWN2490CMPTLW Lamine/Wood	1544	24	89½	1½	—	—	lbs.	
	WWN2490CMPTL Lamine	986	24	89½	1½	—	—	lbs.	
	WWN2472CMPTW Wood	\$ 1231	24	71½	1½	—	—	lbs.	
	WWN2472CMPTLW Lamine/Wood	1231	24	71½	1½	—	—	lbs.	
	WWN2472CMPTL Lamine	778	24	71½	1½	—	—	lbs.	
	WWN2466CMPTW Wood	\$ 1195	24	66	1½	—	—	lbs.	
	WWN2466CMPTLW Lamine/Wood	1195	24	66	1½	—	—	lbs.	
	WWN2466CMPTL Lamine	734	24	66	1½	—	—	lbs.	
	WWN2460CMPTW Wood	\$ 1163	24	60	1½	—	—	lbs.	
	WWN2460CMPTLW Lamine/Wood	1163	24	60	1½	—	—	lbs.	
	WWN2460CMPTL Lamine	707	24	60	1½	—	—	lbs.	
	WWN2436CMPTW Wood	\$ 1041	24	36½	1½	—	—	lbs.	
	WWN2436CMPTLW Lamine/Wood	1041	24	36½	1½	—	—	lbs.	
	WWN2436CMPTL Lamine	525	24	36½	1½	—	—	lbs.	
	WWN2430CMPTW Wood	\$ 1021	24	30½	1½	—	—	lbs.	
	WWN2430CMPTLW Lamine/Wood	1021	24	30½	1½	—	—	lbs.	
	WWN2430CMPTL Lamine	490	24	30½	1½	—	—	lbs.	

- For use as a common top when specifying modular storage/lateral files

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Laminated Top Color (laminated models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW24108CMPTW F 0EP AD
 WW24108CMPTLW V MH 1EP MH
 WW24108CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)	1½" TOP THICKNESS								
	WW24108CMPTW Wood	\$ 1544	24	107½	1½	—	—	lbs.	
	WW24108CMPTLW Laminated/Wood	1544	24	107½	1½	—	—	lbs.	
	WW24108CMPTL Laminated	871	24	107½	1½	—	—	lbs.	
	WW24108CMPTLL TFL	719	24	107½	1½	—	—	lbs.	
	WW24102CMPTW Wood	\$ 1484	24	101½	1½	—	—	lbs.	
	WW24102CMPTLW Laminated/Wood	1484	24	101½	1½	—	—	lbs.	
	WW24102CMPTL Laminated	871	24	101½	1½	—	—	lbs.	
	WW24102CMPTLL TFL	694	24	101½	1½	—	—	lbs.	
	WW2496CMPTW Wood	\$ 1425	24	95½	1½	—	—	lbs.	
	WW2496CMPTLW Laminated/Wood	1425	24	95½	1½	—	—	lbs.	
	WW2496CMPTL Laminated	838	24	95½	1½	—	—	lbs.	
	WW2496CMPTLL TFL	671	24	95½	1½	—	—	lbs.	
	WW2490CMPTW Wood	\$ 1363	24	89½	1½	—	—	lbs.	
	WW2490CMPTLW Laminated/Wood	1363	24	89½	1½	—	—	lbs.	
	WW2490CMPTL Laminated	804	24	89½	1½	—	—	lbs.	
	WW2490CMPTLL TFL	647	24	89½	1½	—	—	lbs.	
	WW2472CMPTW Wood	\$ 1046	24	71½	1½	—	—	lbs.	
	WW2472CMPTLW Laminated/Wood	1046	24	71½	1½	—	—	lbs.	
	WW2472CMPTL Laminated	600	24	71½	1½	—	—	lbs.	
	WW2472CMPTLL TFL	480	24	71½	1½	—	—	lbs.	
	WW2466CMPTW Wood	\$ 1007	24	66	1½	—	—	lbs.	
	WW2466CMPTLW Laminated/Wood	1007	24	66	1½	—	—	lbs.	
	WW2466CMPTL Laminated	556	24	66	1½	—	—	lbs.	
	WW2466CMPTLL TFL	446	24	66	1½	—	—	lbs.	
	WW2460CMPTW Wood	\$ 979	24	60	1½	—	—	lbs.	
	WW2460CMPTLW Laminated/Wood	979	24	60	1½	—	—	lbs.	
	WW2460CMPTL Laminated	526	24	60	1½	—	—	lbs.	
	WW2460CMPTLL TFL	421	24	60	1½	—	—	lbs.	

- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1½" thick
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Lamine Top Color (lamine models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW2436CMPTW F 0EP AD
 WW2436CMPTLW V MH 1EP MH
 WW2436CMPTL VMH 2EP MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED) 	1 3/16" TOP THICKNESS (CONTINUED)									
	WW2436CMPTW	Wood	\$ 858	24	36 1/16	1 3/16	—	—	lbs.	
	WW2436CMPTLW	Laminate/Wood	858	24	36 1/16	1 3/16	—	—	lbs.	
	WW2436CMPTL	Laminate	347	24	36 1/16	1 3/16	—	—	lbs.	
	WW2436CMPTLL	TFL	276	24	36 1/16	1 3/16	—	—	lbs.	
	WW2430CMPTW	Wood	\$ 834	24	30 1/16	1 3/16	—	—	lbs.	
	WW2430CMPTLW	Laminate/Wood	834	24	30 1/16	1 3/16	—	—	lbs.	
	WW2430CMPTL	Laminate	311	24	30 1/16	1 3/16	—	—	lbs.	
	WW2430CMPTLL	TFL	248	24	30 1/16	1 3/16	—	—	lbs.	
• For use as a common top when specifying modular storage/lateral files • TFL worksurfaces are 1 1/8" thick										

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Laminated Top Color (laminated models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3018CMPTW F DW
 WWN3018CMPTLW F MH MH
 WWN3018CMPTL V462 SK

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
COMPONENT TOP (PULLOUT STORAGE) 	1 3/8" TOP THICKNESS									
	WWN3018CMPTW	Wood	\$	947	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN3018CMPTLW	Laminate/Wood		947	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN3018CMPTL	Laminate		455	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTW	Wood	\$	921	24	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTLW	Laminate/Wood		921	24	18 7/8	1 1/16	—	—	lbs.
	WWN2418CMPTL	Laminate		459	24	18 7/8	1 1/16	—	—	lbs.
	1 3/8" TOP THICKNESS									
	WW3018CMPTW	Wood	\$	778	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTLW	Laminate/Wood		778	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTL	Laminate		289	29 1/16	18 7/8	1 1/16	—	—	lbs.
	WW3018CMPTLL	TFL		233	29 1/16	18 7/8	1	—	—	lbs.
	WW2418CMPTW	Wood	\$	756	24	18 7/8	1 1/16	—	—	lbs.
	WW2418CMPTLW	Laminate/Wood		756	24	18 7/8	1 1/16	—	—	lbs.
	WW2418CMPTL	Laminate		254	24	18 7/8	1 1/16	—	—	lbs.
WW2418CMPTLL	TFL		209	24	18 7/8	1	—	—	lbs.	

**COMPONENT TOP
(PULLOUT STORAGE)**
**1 3/8" TOP THICKNESS**

WWN4818CMPTW	Wood	\$	1038	47 1/2	18 7/8	1 3/16	—	—	lbs.
WWN4818CMPTLW	Laminated/Wood		1038	47 1/2	18 7/8	1 3/16	—	—	lbs.
WWN4818CMPTL	Laminated		558	47 1/2	18 7/8	1 3/16	—	—	lbs.

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59

1 3/8" TOP THICKNESS

WW4818CMPTW	Wood	\$	869	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTLW	Laminated/Wood		869	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTL	Laminated		391	47 1/2	18 7/8	1 3/16	—	—	lbs.
WW4818CMPTLL	TFL		312	47 1/2	18 7/8	1	—	—	lbs.

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59

- Grain direction runs horizontal

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Laminate Top Color (laminite models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN6018CMPTW F DW
 WWN6018CMPTLW F MH MH
 WWN6018CMPTL V462 SK

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COMPONENT TOP (PULLOUT STORAGE) 60" DEPTH 	1½" TOP THICKNESS								
	WWN7218CMPTW	Wood	\$ 1145	71⅞	18⅞	1⅞	—	—	lbs.
	WWN7218CMPTLW	Laminate/Wood	1145	71⅞	18⅞	1⅞	—	—	lbs.
	WWN7218CMPTL	Laminate	723	71⅞	18⅞	1⅞	—	—	lbs.
	WWN6618CMPTW	Wood	\$ 1111	65½	18⅞	1⅞	—	—	lbs.
	WWN6618CMPTLW	Laminate/Wood	1111	65½	18⅞	1⅞	—	—	lbs.
	WWN6618CMPTL	Laminate	641	65½	18⅞	1⅞	—	—	lbs.
	WWN6018CMPTW	Wood	\$ 1038	59½	18⅞	1⅞	—	—	lbs.
	WWN6018CMPTLW	Laminate/Wood	1038	59½	18⅞	1⅞	—	—	lbs.
	WWN6018CMPTL	Laminate	558	59½	18⅞	1⅞	—	—	lbs.
WWN5418CMPTW	Wood	\$ 1057	53½	18⅞	1⅞	—	—	lbs.	
WWN5418CMPTLW	Laminate/Wood	1057	53½	18⅞	1⅞	—	—	lbs.	
WWN5418CMPTL	Laminate	601	53½	18⅞	1⅞	—	—	lbs.	
1⅜" TOP THICKNESS									
WW7218CMPTW	Wood	\$ 976	71⅞	18⅞	1⅞	—	—	lbs.	
WW7218CMPTLW	Laminate/Wood	976	71⅞	18⅞	1⅞	—	—	lbs.	
WW7218CMPTL	Laminate	556	71⅞	18⅞	1⅞	—	—	lbs.	
WW7218CMPTLL	TFL	446	71⅞	18⅞	1	—	—	lbs.	
WW6618CMPTW	Wood	\$ 937	65½	18⅞	1⅞	—	—	lbs.	
WW6618CMPTLW	Laminate/Wood	937	65½	18⅞	1⅞	—	—	lbs.	
WW6618CMPTL	Laminate	515	65½	18⅞	1⅞	—	—	lbs.	
WW6618CMPTLL	TFL	413	65½	18⅞	1	—	—	lbs.	
WW6018CMPTW	Wood	\$ 910	59½	18⅞	1⅞	—	—	lbs.	
WW6018CMPTLW	Laminate/Wood	910	59½	18⅞	1⅞	—	—	lbs.	
WW6018CMPTL	Laminate	490	59½	18⅞	1⅞	—	—	lbs.	
WW6018CMPTLL	TFL	393	59½	18⅞	1	—	—	lbs.	
WW5418CMPTW	Wood	\$ 888	53½	18⅞	1⅞	—	—	lbs.	
WW5418CMPTLW	Laminate/Wood	888	53½	18⅞	1⅞	—	—	lbs.	
WW5418CMPTL	Laminate	433	53½	18⅞	1⅞	—	—	lbs.	
WW5418CMPTLL	TFL	347	53½	18⅞	1	—	—	lbs.	

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 59
- Grain direction runs horizontal on veneer models
- Grain direction runs horizontal on laminate models 60" wide and smaller. On 66" and 72" wide models, the grain direction runs vertical

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2918PUBBFW 2PL G22 KRB MC
WW2918PUBBFL 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 35" DEEP	WW3518PUBBFW	Wood	\$ 2044	34⅞	17⅞	27¾	—	—	105 lbs.	12.6
	WW3518PUBBFL	Laminate	1291	34⅞	17⅞	27¾	—	—	105 lbs.	12.6
	WW3515PUBBFW	Wood	\$ 1936	34⅞	14⅞	27¾	—	—	93 lbs.	10.5
	WW3515PUBBFL	Laminate	1222	34⅞	14⅞	27¾	—	—	93 lbs.	10.5
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application										



PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP	WW2918PUBBFW	Wood	\$ 1931	28⅞	17⅞	27¾	—	—	95 lbs.	10.6
	WW2918PUBBFL	Laminate	1206	28⅞	17⅞	27¾	—	—	95 lbs.	10.6
	WW2915PUBBFW	Wood	\$ 1821	28⅞	14⅞	27¾	—	—	83 lbs.	8.5
	WW2915PUBBFL	Laminate	1137	28⅞	14⅞	27¾	—	—	83 lbs.	8.5
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price										



WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color



SAMPLE MODEL NUMBERS:

WW2318PUBBFW 2PL G22 KRB MC
WW2318PUBBFL 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP 	WW2318PUBBFW	Wood	\$ 1807	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	WW2318PUBBFL	Laminate	1133	22 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	75 lbs.	11.4
	QWW2315PUBBFW	Wood	\$ 1712	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	WW2315PUBBFW	Wood	1712	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	QWW2315PUBBFL	Laminate	1065	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	WW2315PUBBFL	Laminate	1065	22 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	70 lbs.	9.9
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price									
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP 	WW1718PUBBFW	Wood	\$ 1807	16 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	WW1718PUBBFL	Laminate	1133	16 ¹³ / ₁₆	17 ¹⁵ / ₁₆	27 ³ / ₄	—	—	50 lbs.	9.1
	WW1715PUBBFW	Wood	\$ 1712	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	WW1715PUBBFL	Laminate	1065	16 ¹³ / ₁₆	14 ¹⁵ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color



SAMPLE MODEL NUMBERS:

WW2918PUFFW 2PL G22 KRB MC
WW2918PUFFL 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
PEDESTAL - UNDERSURFACE FILE/FILE 35" DEEP 	WW3518PUFFW Wood	\$ 2044	34⅞"	17⅞"	27¾"	—	—	—	105 lbs.	12.6
	WW3518PUFFL Laminate	1291	34⅞"	17⅞"	27¾"	—	—	—	105 lbs.	12.6
	WW3515PUFFW Wood	\$ 1936	34⅞"	14⅞"	27¾"	—	—	—	93 lbs.	10.5
	WW3515PUFFL Laminate	1222	34⅞"	14⅞"	27¾"	—	—	—	93 lbs.	10.5
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP 	WW2918PUFFW Wood	\$ 1931	28⅞"	17⅞"	27¾"	—	—	—	95 lbs.	10.6
	WW2918PUFFL Laminate	1206	28⅞"	17⅞"	27¾"	—	—	—	95 lbs.	10.6
	WW2915PUFFW Wood	\$ 1821	28⅞"	14⅞"	27¾"	—	—	—	83 lbs.	8.5
	WW2915PUFFL Laminate	1137	28⅞"	14⅞"	27¾"	—	—	—	83 lbs.	8.5
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price									
PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP 	WW2318PUFFW Wood	\$ 1807	22⅞"	17⅞"	27¾"	—	—	—	75 lbs.	11.4
	WW2318PUFFL Laminate	1133	22⅞"	17⅞"	27¾"	—	—	—	75 lbs.	11.4
	QWW2315PUFFW Wood	\$ 1712	22⅞"	14⅞"	27¾"	—	—	—	70 lbs.	9.9
	WW2315PUFFW Wood	1712	22⅞"	14⅞"	27¾"	—	—	—	70 lbs.	9.9
	QWW2315PUFFL Laminate	1065	22⅞"	14⅞"	27¾"	—	—	—	70 lbs.	9.9
	WW2315PUFFL Laminate	1065	22⅞"	14⅞"	27¾"	—	—	—	70 lbs.	9.9
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$248 to the list price									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW1718PUFFW 2PL G22 KRB MC
WW1718PUFFL 2PL G22 KRB MC 440


- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP	WW1718PUFFW Wood	\$ 1807	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	56 lbs.	9.1
	WW1718PUFFL Laminate	1133	16 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	56 lbs.	9.1
	WW1715PUFFW Wood	\$ 1712	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9
	WW1715PUFFL Laminate	1065	16 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	45 lbs.	7.9

• Tops and backs are open; specify component worksurfaces and backs to finish as needed
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 • Not intended for use in a freestanding application



SUPPORT PEDESTAL



LEFT		RIGHT									
WW351829SESLW	WW351829SESRW	Wood	\$ 1316	35 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	4.0	
WW351829SESL	WW351829SESRL	Laminate	809	35 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	4.0	
WW351529SESLW	WW351529SESRW	Wood	\$ 1243	35 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	89 lbs.	3.5	
WW351529SESL	WW351529SESRL	Laminate	767	35 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	89 lbs.	3.5	
WW291829SESLW	WW291829SESRW	Wood	\$ 1238	29 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	3.0	
WW291829SESL	WW291829SESRL	Laminate	762	29 ¹ / ₁₆	17 ¹ / ₁₆	27 ³ / ₄	—	—	95 lbs.	3.0	
WW291529SESLW	WW291529SESRW	Wood	\$ 1166	29 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	83 lbs.	2.5	
WW291529SESL	WW291529SESRL	Laminate	719	29 ¹ / ₁₆	14 ¹ / ₁₆	27 ³ / ₄	—	—	83 lbs.	2.5	
• Specify component worksurfaces and backs to finish as needed • For use when creating single pedestal desks from components • Not intended for use in a freestanding application											

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW2336LFM2W 2PL G22 KRB MC
WW2336LFM2L 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

LATERAL FILE UNIT
UNDERSURFACE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH			D	W	H				
WW2336LFM2W	Wood	\$ 2303	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
WW2336LFM2L	Laminate	1272	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	120 lbs.	20.4
WW2330LFM2W	Wood	\$ 2123	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	17.4
WW2330LFM2L	Laminate	1238	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	101 lbs.	17.4
17" DEPTH									
WW1736LFM2W	Wood	\$ 2303	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
WW1736LFM2L	Laminate	1272	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
WW1730LFM2W	Wood	\$ 2123	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	105 lbs.	13.7
WW1730LFM2L	Laminate	1238	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	105 lbs.	13.7
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add \$329 to the list price									

LATERAL FILE - 3 DRAWER
MODULAR

WW2436LFM3W	Wood	\$ 4140	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	210 lbs.	30.0
WW2436LFM3L	Laminate	2650	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	210 lbs.	30.0
WW2430LFM3W	Wood	\$ 3996	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
WW2430LFM3L	Laminate	2578	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
• Top of unit is finished with flat edge detail • Interlock mechanism allows only 1 drawer to be open at a time • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¾" thick with veneer faces that are sealed and finished with a clear coat




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2436LFM4W 2PL G22 KRB MC
WW2436LFM4L 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE - 4 DRAWER MODULAR 	WW2436LFM4W Wood	\$ 4829	23⅞	35⅞	52⅞	—	—	265 lbs.	33.4
	WW2436LFM4L Laminate	3058	23⅞	35⅞	52⅞	—	—	265 lbs.	33.4
	WW2430LFM4W Wood	\$ 4684	23⅞	29⅞	52⅞	—	—	lbs.	
	WW2430LFM4L Laminate	2984	23⅞	29⅞	52⅞	—	—	lbs.	
	• Top of unit is finished with flat edge detail • Interlock mechanism allows only 1 drawer to be open at a time • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front								
	WW2436LFM1H1W Wood	\$ 3853	23⅞	35⅞	40⅞	—	—	lbs.	
	WW2436LFM1H1L Laminate	2362	23⅞	35⅞	40⅞	—	—	lbs.	
	WW2430LFM1H1W Wood	\$ 3672	23⅞	29⅞	40⅞	—	—	lbs.	
DOUBLE DOOR STORAGE/LATERAL FILE MODULAR 	WW2430LFM1H1L Laminate	2327	23⅞	29⅞	40⅞	—	—	lbs.	
	• Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front								
	WW2436LFM201W Wood	\$ 3565	23⅞	35⅞	40⅞	—	—	lbs.	
	WW2436LFM201L Laminate	2219	23⅞	35⅞	40⅞	—	—	lbs.	
	WW2430LFM201W Wood	\$ 3385	23⅞	29⅞	40⅞	—	—	lbs.	
	WW2430LFM201L Laminate	2182	23⅞	29⅞	40⅞	—	—	lbs.	
	• Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front								
OPEN CUBBY/2 LATERAL FILES MODULAR 									

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint Color
5. Finish
6. Laminate Door/Drawer Color
7. Laminate Color Chassis

SAMPLE MODEL NUMBERS:

WW2436LFM1SS4W 61R KRB 462 AD
 WW2436LFM1SS4L 61R KRB 462 405 AD

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
4 METAL SLIDING SHELVES/LATERAL FILE MODULAR 	WW2436LFM1SS4W Wood	\$ 5089	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2436LFM1SS4L Laminate	3990	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2430LFM1SS4W Wood	\$ 4909	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	WW2430LFM1SS4L Laminate	3953	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	• Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front								
	WW2436LFM2SS2W Wood	\$ 4514	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2436LFM2SS2L Laminate	3416	23 ³ / ₁₆	35 ⁷ / ₈	40 ³ / ₁₆	—	—	lbs.	
	WW2430LFM2SS2W Wood	\$ 4335	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
2 METAL SLIDING SHELVES/2 LATERAL FILES MODULAR 	WW2430LFM2SS2L Laminate	3379	23 ³ / ₁₆	29 ¹ / ₁₆	40 ³ / ₁₆	—	—	lbs.	
	• Top of unit is finished with flat edge detail • For use with component common top when ganging units together • Unit has full finished back • Do not specify pedestal grommet option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336PUHW 2PL G22 KRB MC
WW2336PUHL 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
	23" DEPTH									
	WW2336PUHW	Wood	\$ 1844	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	110 lbs.	20.4
	WW2336PUHL	Laminate	1108	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	110 lbs.	20.4
	WW2330PUHW	Wood	\$ 1663	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4
	WW2330PUHL	Laminate	1043	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	91 lbs.	17.4
	WW2324PUHW	Wood	\$ 1595	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	WW2324PUHL	Laminate	1002	22 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	17" DEPTH									
	WW1736PUHW	Wood	\$ 1844	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW1736PUHL	Laminate	1108	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW1730PUHW	Wood	\$ 1663	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	78 lbs.	13.7
	WW1730PUHL	Laminate	1043	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	78 lbs.	13.7
	WW1724PUHW	Wood	\$ 1595	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8
	WW1724PUHL	Laminate	1002	16 ¹ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	75 lbs.	10.8

- Tops are open, backs are unfinished; specify component worksurfaces and backs to finish as needed
- Units feature an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Horizon pull will be in center location when specified

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW233629PU33W 2PL G22 KRB MC
WW233629PU33L 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
BOOKCASE UNDERSURFACE 	23" DEPTH										
	WW233629PUOSW	Wood	\$	1656	22 ¹³ / ₁₆	35 ³ / ₁₆	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233629PUOSL	Laminate		994	22 ¹³ / ₁₆	35 ³ / ₁₆	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233029PUOSW	Wood	\$	1587	22 ¹³ / ₁₆	29 ¹³ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	WW233029PUOSL	Laminate		959	22 ¹³ / ₁₆	29 ¹³ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	WW232429PUOSW	Wood	\$	1521	22 ¹³ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	WW232429PUOSL	Laminate		922	22 ¹³ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	80 lbs.	16.0
	17" DEPTH										
	WW173629PUOSW	Wood	\$	1656	16 ¹³ / ₁₆	35 ³ / ₁₆	27 ³ / ₄	—	—	119 lbs.	16.3
	WW173629PUOSL	Laminate		994	16 ¹³ / ₁₆	35 ³ / ₁₆	27 ³ / ₄	—	—	119 lbs.	16.3
	WW173029PUOSW	Wood	\$	1587	16 ¹³ / ₁₆	29 ¹³ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
	WW173029PUOSL	Laminate		959	16 ¹³ / ₁₆	29 ¹³ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7
	WW172429PUOSW	Wood	\$	1521	16 ¹³ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	57 lbs.	11.0
	WW172429PUOSL	Laminate		922	16 ¹³ / ₁₆	23 ³ / ₄	27 ³ / ₄	—	—	57 lbs.	11.0
			• Unit features standard adjustable shelf • Specify component worksurfaces and backs to finish as needed								

MIXED STORAGE CABINET UNDERSURFACE



Left shown

OPEN STORAGE ON LEFT
23" DEPTH

WW233629PU33W	WW233629PU32W	Wood	\$	2731
WW233629PU33L	WW233629PU32L	Laminate		1706

WW233029PU33W	WW233029PU32W	Wood	\$	2552
WW233029PU33L	WW233029PU32L	Laminate		1671

17" DEPTH

WW173629PU33W	WW173629PU32W	Wood	\$	2731
WW173629PU33L	WW173629PU32L	Laminate		1706

WW173029PU33W	WW173029PU32W	Wood	\$	2552
WW173029PU33L	WW173029PU32L	Laminate		1671

- Specify component worksurfaces and backs to finish as needed
- Locking only on lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU11W 2PL G22 KS1B MC
WW233629PU11L 2PL G22 KS1B MC 440

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
 Left shown	FILE DRAWER ON LEFT 23" DEPTH		FILE DRAWER ON RIGHT			D	W	H	A	KW		
	WW233629PU11W	WW233629PU10W	Wood	\$	3348	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233629PU11L	WW233629PU10L	Laminate		2328	22 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	90 lbs.	20.4
	WW233029PU11W	WW233029PU10W	Wood	\$	3169	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	WW233029PU11L	WW233029PU10L	Laminate		2294	22 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	85 lbs.	18.0
	17" DEPTH											
	WW173629PU11W	WW173629PU10W	Wood	\$	3348	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
	WW173629PU11L	WW173629PU10L	Laminate		2328	16 ¹ / ₁₆	35 ⁷ / ₈	27 ³ / ₄	—	—	119 lbs.	16.3
WW173029PU11W	WW173029PU10W	Wood	\$	3169	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7	
WW173029PU11L	WW173029PU10L	Laminate		2294	16 ¹ / ₁₆	29 ¹ / ₁₆	27 ³ / ₄	—	—	90 lbs.	13.7	

- Specify component worksurfaces and backs to finish as needed
- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:


WW233622PUOSW 2PL G22 KS1B MC
WW233622PUOSL 2PL G22 KS1B MC

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE CABINET METAL SLIDING SHELVES 	WW233629PUOSSW Wood	\$ 3365	22	35 $\frac{1}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	WW233629PUOSSL Laminate	2266	22	35 $\frac{1}{8}$	27 $\frac{3}{4}$	—	—	90 lbs.	20.4
	• Weight capacity: 49 pounds per shelf								
	WW233029PUOSSW Wood	\$ 3311	22	29 $\frac{1}{8}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	WW233029PUOSSL Laminate	2229	22	29 $\frac{1}{8}$	27 $\frac{3}{4}$	—	—	85 lbs.	18.0
	• Weight capacity: 40 pounds per shelf								
	WW232429PUOSSW Wood	\$ 3256	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	WW232429PUOSSL Laminate	2190	22	23 $\frac{3}{4}$	27 $\frac{3}{4}$	—	—	80 lbs.	16.0
	• Weight capacity: 31 pounds per shelf								
	• Specify component worksurfaces and backs to finish as needed • Unit features 4 metal shelves on full extension slides • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{8}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{8}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{8}$ W of storage space and feature a non skid surface • Not intended for a freestanding application								

**BOOKCASE
UNDERSURFACE -
BOX/FILE HEIGHT**


23" DEPTH

QWW233622PUOSW Wood	\$ 1656	22 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	90 lbs.	20.4
WW233622PUOSW Wood	1656	22 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	90 lbs.	20.4
QWW233622PUOSL Laminate	994	22 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	90 lbs.	20.4
WW233622PUOSL Laminate	994	22 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	90 lbs.	20.4
QWW233022PUOSW Wood	\$ 1587	22 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	85 lbs.	18.0
WW233022PUOSW Wood	1587	22 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	85 lbs.	18.0
QWW233022PUOSL Laminate	959	22 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	85 lbs.	18.0
WW233022PUOSL Laminate	959	22 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	85 lbs.	18.0
WW232422PUOSW Wood	\$ 1521	22 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{8}$	—	—	80 lbs.	16.0
WW232422PUOSL Laminate	922	22 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{8}$	—	—	80 lbs.	16.0

17" DEPTH

WW173622PUOSW Wood	\$ 1656	16 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	95 lbs.	12.5
WW173622PUOSL Laminate	994	16 $\frac{1}{8}$	35 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	95 lbs.	12.5
WW173022PUOSW Wood	\$ 1587	16 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	97 lbs.	10.8
WW173022PUOSL Laminate	959	16 $\frac{1}{8}$	29 $\frac{1}{8}$	21 $\frac{1}{8}$	—	—	97 lbs.	10.8
WW172422PUOSW Wood	\$ 1521	16 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{8}$	—	—	67 lbs.	8.4
WW172422PUOSL Laminate	922	16 $\frac{1}{8}$	23 $\frac{3}{4}$	21 $\frac{1}{8}$	—	—	67 lbs.	8.4

- Unit features standard adjustable shelf

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW233622PUBLW 2PL G22 KS1B MC
WW233622PUBLL 2PL G22 KS1B MC 440

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
BOX/LATERAL FILE UNDERSURFACE - BOX/FILE HEIGHT 	23" DEPTH									
	QWW233622PUBLW	Wood	\$ 2236	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	WW233622PUBLW	Wood	2236	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	QWW233622PUBLL	Laminate	1206	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	WW233622PUBLL	Laminate	1206	22 ¹³ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	90 lbs.	20.4
	QWW233022PUBLW	Wood	\$ 2059	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	WW233022PUBLW	Wood	2059	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	QWW233022PUBLL	Laminate	1172	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	WW233022PUBLL	Laminate	1172	22 ¹³ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	85 lbs.	18.0
	17" DEPTH									
	WW173622PUBLW	Wood	\$ 2236	16 ¹⁵ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
	WW173622PUBLL	Laminate	1206	16 ¹⁵ / ₁₆	35 ⁷ / ₈	21 ⁷ / ₁₆	—	—	95 lbs.	12.5
	WW173022PUBLW	Wood	\$ 2059	16 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	10.8
	WW173022PUBLL	Laminate	1172	16 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	21 ⁷ / ₁₆	—	—	90 lbs.	10.8

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW231822PUBFW 2PL G22 KS1B MC
WW231822PUBFL 2PL G22 KS1B MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOX/FILE HEIGHT PEDESTAL UNDERSURFACE - BOX/FILE HEIGHT 	23" DEPTH									
	WW231822PUBFW	Wood	\$ 1746	22 ¹ / ₁₆	17 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	70 lbs.	10.0
	WW231822PUBFL	Laminate	1068	22 ¹ / ₁₆	17 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	70 lbs.	10.0
	WW231522PUBFW	Wood	\$ 1646	22 ¹ / ₁₆	14 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	8.0
	WW231522PUBFL	Laminate	1000	22 ¹ / ₁₆	14 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	65 lbs.	8.0
	17" DEPTH									
	WW171822PUBFW	Wood	\$ 1746	16 ¹ / ₁₆	17 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	42 lbs.	7.3
	WW171822PUBFL	Laminate	1068	16 ¹ / ₁₆	17 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	42 lbs.	7.3
	WW171522PUBFW	Wood	\$ 1646	16 ¹ / ₁₆	14 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	34 lbs.	6.3
	WW171522PUBFL	Laminate	1000	16 ¹ / ₁₆	14 ¹ / ₁₆	21 ⁷ / ₁₆	—	—	34 lbs.	6.3
• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Not intended to be used as a hanging pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application										
GANGING BRACKET 	NACGB1	Ganging Bracket	\$ 102	5 ³ / ₁₆	1 ³ / ₁₆	1 ¹ / ₁₆	—	—	2 lbs.	0.1
	• Specify base model only • Shipped 1 per kit • Can be used when 2 or more pedestals or cabinets are positioned side by side creating a built up appearance without defacing the outside of the units									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW233633PUHL 2PL G22 KRG MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
STORAGE CABINET METAL SLIDING SHELVES UNDERSURFACE BOX/FILE HEIGHT 	WW233622PUOSSW Wood	\$ 3110	22	35 $\frac{3}{8}$	21 $\frac{7}{16}$	—	—	90 lbs.	20.4
	WW233622PUOSSL Laminate	2092	22	35 $\frac{3}{8}$	21 $\frac{7}{16}$	—	—	90 lbs.	20.4
	• Weight capacity: 49 pounds per shelf								
	WW233022PUOSSW Wood	\$ 3053	22	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
	WW233022PUOSSL Laminate	2056	22	29 $\frac{1}{16}$	21 $\frac{1}{16}$	—	—	85 lbs.	18.0
	• Weight capacity: 40 pounds per shelf								
	WW232422PUOSSW Wood	\$ 3001	22	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
	WW232422PUOSSL Laminate	2019	22	23 $\frac{3}{4}$	21 $\frac{1}{16}$	—	—	80 lbs.	16.0
	• Weight capacity: 31 pounds per shelf								
	• Specify component worksurfaces and backs to finish as needed • Unit features 3 metal shelves on full extension slides • Shelf sizes are: 18 $\frac{1}{4}$ D x 32 $\frac{1}{4}$ W, 18 $\frac{1}{4}$ D x 26 $\frac{1}{4}$ W, or 18 $\frac{1}{4}$ D x 20 $\frac{1}{4}$ W of storage space and a non skid surface • Not intended for a freestanding application								

**DOUBLE DOOR
UNDERSURFACE
COUNTER HEIGHT
CABINET**


23" DEPTH

WW233633PUHL	Laminate	\$ 1552	22 $\frac{1}{16}$	35 $\frac{3}{8}$	33 $\frac{1}{16}$	—	—	23.0
WW233033PUHL	Laminate	1521	22 $\frac{1}{16}$	29 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	19.7
WW232433PUHL	Laminate	1493	22 $\frac{1}{16}$	23 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	16.4

17" DEPTH

WW173633PUHL	Laminate	\$ 1423	16 $\frac{1}{16}$	35 $\frac{3}{8}$	33 $\frac{1}{16}$	—	—	18.2
WW173033PUHL	Laminate	1397	16 $\frac{1}{16}$	29 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	15.6
WW172433PUHL	Laminate	1372	16 $\frac{1}{16}$	23 $\frac{1}{16}$	33 $\frac{1}{16}$	—	—	12.9

- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed
- Units feature one adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Horizon pull will be in center location when specified

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 474) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended


TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/
Laminate Door-Drawer Color
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW233633PUOSL 2PL G22 KRB MC 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	23" DEPTH									
	WW233633PU0SL	Laminate	\$ 1318	22	35 ⁷ / ₈	33 ¹ / ₁₆	—	—		22.4
	WW233033PU0SL	Laminate	1287	22	29 ¹ / ₁₆	33 ¹ / ₁₆	—	—		19.1
	WW232433PU0SL	Laminate	1256	22	23 ¹ / ₁₆	33 ¹ / ₁₆	—	—		15.9
	17" DEPTH									
	WW173633PU0SL	Laminate	\$ 1258	16 ¹ / ₈	35 ⁷ / ₈	33 ¹ / ₁₆	—	—		17.9
	WW173033PU0SL	Laminate	1230	16 ¹ / ₈	29 ¹ / ₁₆	33 ¹ / ₁₆	—	—		15.0
	WW172433PU0SL	Laminate	1199	16 ¹ / ₈	23 ¹ / ₁₆	33 ¹ / ₁₆	—	—		12.4
• Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed • Units feature adjustable/fixed shelf										

**4 DRAWER
COUNTER HEIGHT
CABINET**


23" DEPTH									
WW233633PU4BL	Laminate	\$	1977	22 ¹³ / ₁₆	35 ⁷ / ₈	33 ¹³ / ₁₆	—	—	23.0
WW233033PU4BL	Laminate		1906	22 ¹³ / ₁₆	29 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	19.7
WW232433PU4BL	Laminate		1835	22 ¹³ / ₁₆	23 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	16.4
17" DEPTH									
WW173633PU4BL	Laminate	\$	1977	16 ¹³ / ₁₆	35 ⁷ / ₈	33 ¹³ / ₁₆	—	—	18.2
WW173033PU4BL	Laminate		1906	16 ¹³ / ₁₆	29 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	15.6
WW172433PU4BL	Laminate		1835	16 ¹³ / ₁₆	23 ¹³ / ₁₆	33 ¹³ / ₁₆	—	—	12.9
• Locking top drawer only • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed									

**UNDERSURFACE
FILLER PANELS**


WW0633CPFPL	\$ 174	$\frac{3}{4}$	6	33 $\frac{3}{8}$	—	—	0.3
WW0628CPFPL	158	$\frac{3}{4}$	6	27 $\frac{3}{16}$	—	—	0.3
• To be used with undersurface storage cabinets and pedestals to fill in space as needed • Can be field cut to desired width							

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3627MPW M G21 X MH
WW1827MPW MC
WW1837MPL 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY/BACK PANEL LATERAL FILE 	WW3627MPW Wood	\$ 547	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3627MPL Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPW Wood	\$ 503	¾	29¾	27⅞	—	—	21 lbs.	1.8
	WW3027MPL Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8
	• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain								
MODESTY/BACK PANEL LATERAL FILE 	WW3627MPVL Laminate	\$ 245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPVL Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8
	• Grain direction runs vertically								
MODESTY/BACK PANEL PEDESTAL 	WW1827MPW Wood	\$ 481	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	WW1827MPL Laminate	185	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	QWW1527MPW Wood	\$ 473	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	WW1527MPW Wood	473	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	QWW1527MPL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	WW1527MPL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain								
MODESTY/BACK PANEL PEDESTAL 	WW1827MPVL Laminate	\$ 185	¾	17⅞	27⅞	—	—	14 lbs.	1.1
	WW1527MPVL Laminate	161	¾	14⅞	27⅞	—	—	13 lbs.	1.0
	• Grain direction runs vertically								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1821MPW MC
WW1821MPL 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT) 	WW1821MPW	Wood	\$ 285	¾	17 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	9 lbs.	1.0
	WW1821MPL	Laminate	105	¾	17 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	9 lbs.	1.0
	WW1521MPW	Wood	\$ 242	¾	14 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	8 lbs.	0.9
	WW1521MPL	Laminate	79	¾	14 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	8 lbs.	0.9
	• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									
MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT) 	WW1821MPVL	Laminate	\$ 105	¾	17 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	9 lbs.	1.0
	WW1521MPVL	Laminate	79	¾	14 ¹³ / ₁₆	20 ²⁹ / ₃₂	—	—	8 lbs.	0.9
	• Grain direction runs vertically									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9627MPW M G21 94½ CW

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT) 	WW9627MPW	Wood	\$ 958	¾	95½	27⅞	—	—	65 lbs.	11.8
	WW9627MPL	Laminate	506	¾	95½	27⅞	—	—	65 lbs.	11.8
	WW9027MPW	Wood	\$ 903	¾	89½	27⅞	—	—	62 lbs.	11.1
	WW9027MPL	Laminate	480	¾	89½	27⅞	—	—	62 lbs.	11.1
	WW8427MPW	Wood	\$ 853	¾	83½	27⅞	—	—	58 lbs.	10.4
	WW8427MPL	Laminate	452	¾	83½	27⅞	—	—	58 lbs.	10.4
	WW7827MPW	Wood	\$ 804	¾	77½	27⅞	—	—	51 lbs.	7.2
	WW7827MPL	Laminate	427	¾	77½	27⅞	—	—	51 lbs.	7.2
	QWW7227MPW	Wood	\$ 759	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW7227MPW	Wood	759	¾	71½	27⅞	—	—	44 lbs.	3.9
	QWW7227MPL	Laminate	402	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW7227MPL	Laminate	402	¾	71½	27⅞	—	—	44 lbs.	3.9
	WW6627MPW	Wood	\$ 718	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	WW6627MPL	Laminate	382	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	QWW6027MPW	Wood	\$ 675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPW	Wood	675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	QWW6027MPL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPW	Wood	\$ 640	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW5427MPL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	QWW4827MPW	Wood	\$ 590	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPW	Wood	590	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPL	Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4227MPW	Wood	\$ 572	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW4227MPL	Laminate	275	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW3627MPW	Wood	\$ 547	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3627MPL	Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPW	Wood	\$ 503	¾	29¾	27⅞	—	—	21 lbs.	1.8
	WW3027MPL	Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW96A27MPL M G21 94½ MC


- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS (WORKSURFACE HEIGHT) 	WW96A27MPL	Laminate	\$ 506	¾	95¾	27⅞	—	—	65 lbs.	11.8
	WW90A27MPL	Laminate	480	¾	89¾	27⅞	—	—	62 lbs.	11.1
	WW84A27MPL	Laminate	452	¾	83¾	27⅞	—	—	58 lbs.	10.4
	WW78A27MPL	Laminate	427	¾	77¾	27⅞	—	—	51 lbs.	7.2
	WW72A27MPL	Laminate	402	¾	71¾	27⅞	—	—	44 lbs.	3.9
	WW66A27MPL	Laminate	382	¾	65⅞	27⅞	—	—	41 lbs.	3.6
	WW60A27MPL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT) 	WW6027MPVL	Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPVL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	QWW4827MPVL	Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4827MPVL	Laminate	310	¾	47¾	27⅞	—	—	33 lbs.	2.7
	WW4227MPVL	Laminate	275	¾	41¾	27⅞	—	—	29 lbs.	2.4
	WW3627MPVL	Laminate	245	¾	35¾	27⅞	—	—	24 lbs.	2.1
	WW3027MPVL	Laminate	217	¾	29¾	27⅞	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Grain direction runs vertically

MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS (WORKSURFACE HEIGHT) 	WW60A27MPVL	Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9621MPW M G21 94½ CW

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW9621MPW	Wood	\$ 787	¾	95⅝	20⅞ ₃₂	—	—	60 lbs.	4.1
	WW9621MPL	Laminate	421	¾	95⅝	20⅞ ₃₂	—	—	60 lbs.	4.1
	WW9021MPW	Wood	\$ 734	¾	89⅝	20⅞ ₃₂	—	—	57 lbs.	4.0
	WW9021MPL	Laminate	394	¾	89⅝	20⅞ ₃₂	—	—	57 lbs.	4.0
	WW8421MPW	Wood	\$ 682	¾	83⅝	20⅞ ₃₂	—	—	53 lbs.	3.9
	WW8421MPL	Laminate	365	¾	83⅝	20⅞ ₃₂	—	—	53 lbs.	3.9
	WW7821MPW	Wood	\$ 635	¾	77⅝	20⅞ ₃₂	—	—	46 lbs.	3.8
	WW7821MPL	Laminate	343	¾	77⅝	20⅞ ₃₂	—	—	46 lbs.	3.8
	QWW7221MPW	Wood	\$ 587	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW7221MPW	Wood	587	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW7221MPL	Laminate	315	¾	71⅝	20⅞ ₃₂	—	—	39 lbs.	3.7
	WW6621MPW	Wood	\$ 547	¾	65⅞ ₁₆	20⅞ ₃₂	—	—	36 lbs.	3.4
	WW6621MPL	Laminate	295	¾	65⅞ ₁₆	20⅞ ₃₂	—	—	36 lbs.	3.4
	QWW6021MPW	Wood	\$ 504	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1
	WW6021MPW	Wood	504	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1
	WW6021MPL	Laminate	264	¾	59⅞ ₁₆	20⅞ ₃₂	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW5421MPW M G21 94½ CW

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT (CONTINUED) 	WW5421MPW	Wood	\$ 471	¾	53½	20⅝	—	—	30 lbs.	2.8
	WW5421MPL	Laminate	259	¾	53½	20⅝	—	—	30 lbs.	2.8
	WW4821MPW	Wood	\$ 421	¾	47¾	20⅝	—	—	28 lbs.	2.5
	WW4821MPL	Laminate	248	¾	47¾	20⅝	—	—	28 lbs.	2.5
	WW4221MPW	Wood	\$ 396	¾	41¾	20⅝	—	—	24 lbs.	2.1
	WW4221MPL	Laminate	231	¾	41¾	20⅝	—	—	24 lbs.	2.1
	QWW3621MPW	Wood	\$ 374	¾	35¾	20⅝	—	—	19 lbs.	1.9
	WW3621MPW	Wood	374	¾	35¾	20⅝	—	—	19 lbs.	1.9
	QWW3621MPL	Laminate	204	¾	35¾	20⅝	—	—	19 lbs.	1.9
	WW3621MPL	Laminate	204	¾	35¾	20⅝	—	—	19 lbs.	1.9
	QWW3021MPW	Wood	\$ 329	¾	29¾	20⅝	—	—	16 lbs.	1.6
	WW3021MPW	Wood	329	¾	29¾	20⅝	—	—	16 lbs.	1.6
	QWW3021MPL	Laminate	177	¾	29¾	20⅝	—	—	16 lbs.	1.6
	WW3021MPL	Laminate	177	¾	29¾	20⅝	—	—	16 lbs.	1.6
	• Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT 	WW96A21MPL	Laminate	\$ 421	¾	95¾	20⅝	—	—	60 lbs.	4.1
	WW90A21MPL	Laminate	394	¾	89¾	20⅝	—	—	57 lbs.	4.0
	WW84A21MPL	Laminate	365	¾	83¾	20⅝	—	—	53 lbs.	3.9
	WW78A21MPL	Laminate	343	¾	77¾	20⅝	—	—	46 lbs.	3.8
	QWW72A21MPL	Laminate	315	¾	71¾	20⅝	—	—	39 lbs.	3.7
	WW72A21MPL	Laminate	315	¾	71¾	20⅝	—	—	39 lbs.	3.7
	WW66A21MPL	Laminate	295	¾	65½	20⅝	—	—	36 lbs.	3.4
	QWW60A21MPL	Laminate	264	¾	59½	20⅝	—	—	33 lbs.	3.1
	WW60A21MPL	Laminate	264	¾	59½	20⅝	—	—	33 lbs.	3.1
	• Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6021MPVL G21 52½ MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW6021MPVL Laminate	\$ 264	¾	59½	20⅞	—	—	33 lbs.	3.1
	WW5421MPVL Laminate	259	¾	53½	20⅞	—	—	30 lbs.	2.8
	WW4821MPVL Laminate	248	¾	47¾	20⅞	—	—	28 lbs.	2.5
	WW4221MPVL Laminate	231	¾	41¾	20⅞	—	—	24 lbs.	2.1
	QWW3621MPVL Laminate	204	¾	35¾	20⅞	—	—	19 lbs.	1.9
	WW3621MPVL Laminate	204	¾	35¾	20⅞	—	—	19 lbs.	1.9
	QWW3021MPVL Laminate	177	¾	29¾	20⅞	—	—	16 lbs.	1.6
	WW3021MPVL Laminate	177	¾	29¾	20⅞	—	—	16 lbs.	1.6
• Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Grain direction runs vertically									
MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT 	WW60A21MPVL Laminate	\$ 264	¾	59½	20⅞	—	—	33 lbs.	3.1
	• Full Overlay Modesty to be used on box/file height storage and when layering surfaces • Modified widths are available on modesty panels in ⅛" increments; when ordering a modified width, specify the modesty panel ⅛" narrower than the corresponding worksurface • Grain direction runs vertically								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall


TO ORDER, SPECIFY:


1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6027MPKW G21 52½ CW

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT) 	WW6027MPKW	Wood	\$ 675	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW6027MPKL	Laminate	352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPKW	Wood	\$ 640	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW5427MPKL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW4827MPKW	Wood	\$ 590	¾	47⅞	27⅞	—	—	33 lbs.	2.7
	WW4827MPKL	Laminate	310	¾	47⅞	27⅞	—	—	33 lbs.	2.7
	WW4227MPKW	Wood	\$ 572	¾	41⅞	27⅞	—	—	29 lbs.	2.4
	WW4227MPKL	Laminate	275	¾	41⅞	27⅞	—	—	29 lbs.	2.4
	WW3627MPKW	Wood	\$ 547	¾	35⅞	27⅞	—	—	24 lbs.	2.1
	WW3627MPKL	Laminate	245	¾	35⅞	27⅞	—	—	24 lbs.	2.1
	WW3027MPKW	Wood	\$ 503	¾	29⅞	27⅞	—	—	21 lbs.	1.8
	WW3027MPKL	Laminate	217	¾	29⅞	27⅞	—	—	21 lbs.	1.8
	• Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface • Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									

MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT) 	WW6027MPKVL	Laminate	\$ 352	¾	59⅞	27⅞	—	—	38 lbs.	3.3
	WW5427MPKVL	Laminate	337	¾	53⅞	27⅞	—	—	35 lbs.	3.0
	WW4827MPKVL	Laminate	310	¾	47⅞	27⅞	—	—	33 lbs.	2.7
	WW4227MPKVL	Laminate	275	¾	41⅞	27⅞	—	—	29 lbs.	2.4
	WW3627MPKVL	Laminate	245	¾	35⅞	27⅞	—	—	24 lbs.	2.1
	WW3027MPKVL	Laminate	217	¾	29⅞	27⅞	—	—	21 lbs.	1.8
	• Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty panel ⅞" narrower than the corresponding worksurface • Grain direction runs vertically									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW8108MPW M 80½ CL
WW8108MPL M X 405

- See pages 284-288 for all options available in WaveWorks

½ HEIGHT MODESTY PANEL
FOR SINGLE PEDESTAL UNIT

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WW8108MPW Wood	\$ 649	¾	80½	8½	—	—	16 lbs.	1.3
WW8108MPL Laminate	349	¾	80½	8½	—	—	16 lbs.	1.3
WW6908MPW Wood	\$ 583	¾	68½	8½	—	—	13 lbs.	1.1
WW6908MPL Laminate	300	¾	68½	8½	—	—	13 lbs.	1.1
WW5708MPW Wood	\$ 509	¾	56½	8½	—	—	14 lbs.	1.1
WW5708MPL Laminate	253	¾	56½	8½	—	—	14 lbs.	1.1
WW5108MPW Wood	\$ 452	¾	50½	8½	—	—	13 lbs.	1.0
WW5108MPL Laminate	228	¾	50½	8½	—	—	13 lbs.	1.0
WW4508MPW Wood	\$ 429	¾	44¾	8½	—	—	12 lbs.	0.9
WW4508MPL Laminate	206	¾	44¾	8½	—	—	12 lbs.	0.9
WW3908MPW Wood	\$ 403	¾	38¾	8½	—	—	12 lbs.	0.8
WW3908MPL Laminate	179	¾	38¾	8½	—	—	12 lbs.	0.8
WW3308MPW Wood	\$ 389	¾	32¾	8½	—	—	11 lbs.	0.7
WW3308MPL Laminate	153	¾	32¾	8½	—	—	11 lbs.	0.7
WW2708MPW Wood	\$ 367	¾	26¾	8½	—	—	10 lbs.	0.6
WW2708MPL Laminate	123	¾	26¾	8½	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewall area
- Modified widths are available on modesty panels in ½" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

½ HEIGHT MODESTY PANEL
FOR SINGLE PEDESTAL UNIT

WW5708MPVL Laminate	\$ 253	¾	56½	8½	—	—	14 lbs.	1.1
WW5108MPVL Laminate	228	¾	50½	8½	—	—	13 lbs.	1.0
WW4508MPVL Laminate	206	¾	44¾	8½	—	—	12 lbs.	0.9
WW3908MPVL Laminate	179	¾	38¾	8½	—	—	12 lbs.	0.8
WW3308MPVL Laminate	153	¾	32¾	8½	—	—	11 lbs.	0.7
WW2708MPVL Laminate	123	¾	26¾	8½	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewall area
- Modified widths are available on modesty panels in ½" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9608MPW M MC

- See pages 284-288 for all options available in WaveWorks

½ HEIGHT MODESTY PANEL
FOR DOUBLE PEDESTAL UNIT

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
WW9608MPW Wood	\$ 766	¾	95%	8%	—	—	18 lbs.	1.5
WW9608MPL Laminate	422	¾	95%	8%	—	—	18 lbs.	1.5
WW9008MPW Wood	\$ 724	¾	89%	8%	—	—	18 lbs.	1.5
WW9008MPL Laminate	394	¾	89%	8%	—	—	18 lbs.	1.5
WW8408MPW Wood	\$ 681	¾	83%	8%	—	—	17 lbs.	1.4
WW8408MPL Laminate	364	¾	83%	8%	—	—	17 lbs.	1.4
WW7808MPW Wood	\$ 635	¾	77%	8%	—	—	17 lbs.	1.4
WW7808MPL Laminate	337	¾	77%	8%	—	—	17 lbs.	1.4
WW7208MPW Wood	\$ 590	¾	71%	8%	—	—	17 lbs.	1.4
WW7208MPL Laminate	310	¾	71%	8%	—	—	17 lbs.	1.4
WW6608MPW Wood	\$ 554	¾	65 ¹ / ₁₆	8%	—	—	16 lbs.	1.3
WW6608MPL Laminate	287	¾	65 ¹ / ₁₆	8%	—	—	16 lbs.	1.3
WW6008MPW Wood	\$ 513	¾	59 ¹ / ₁₆	8%	—	—	15 lbs.	1.2
WW6008MPL Laminate	256	¾	59 ¹ / ₁₆	8%	—	—	15 lbs.	1.2
WW5408MPW Wood	\$ 463	¾	53 ¹ / ₁₆	8%	—	—	14 lbs.	1.1
WW5408MPL Laminate	245	¾	53 ¹ / ₁₆	8%	—	—	14 lbs.	1.1
WW4808MPW Wood	\$ 443	¾	47 ¹ / ₁₆	8%	—	—	13 lbs.	1.0
WW4808MPL Laminate	217	¾	47 ¹ / ₁₆	8%	—	—	13 lbs.	1.0
WW4208MPW Wood	\$ 419	¾	41 ³ / ₄	8%	—	—	12 lbs.	0.9
WW4208MPL Laminate	193	¾	41 ³ / ₄	8%	—	—	12 lbs.	0.9
WW3608MPW Wood	\$ 396	¾	35 ³ / ₄	8%	—	—	11 lbs.	0.7
WW3608MPL Laminate	161	¾	35 ³ / ₄	8%	—	—	11 lbs.	0.7
WW3008MPW Wood	\$ 376	¾	29 ³ / ₄	8%	—	—	10 lbs.	0.6
WW3008MPL Laminate	140	¾	29 ³ / ₄	8%	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewall area
- Modified widths are available on modesty panels in 1/16" increments
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 285 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ½ height modesty panel gives full cable access to wall outlet


TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW6008MPVL M X 405

- See pages 284-288 for all options available in WaveWorks


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
½ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT 	WW6008MPVL Laminate	\$ 256	¾	59⅞	8⅞	—	—	15 lbs.	1.2
	WW5408MPVL Laminate	245	¾	53⅞	8⅞	—	—	14 lbs.	1.1
	WW4808MPVL Laminate	217	¾	47⅞	8⅞	—	—	13 lbs.	1.0
	WW4208MPVL Laminate	193	¾	41¾	8⅞	—	—	12 lbs.	0.9
	WW3608MPVL Laminate	161	¾	35¾	8⅞	—	—	11 lbs.	0.7
	WW3008MPVL Laminate	140	¾	29¾	8⅞	—	—	10 lbs.	0.6
• Must also specify pedestal back panel to complete pedestal back if used in the kneewell area • Modified widths are available on modesty panels in ⅞" increments • Grain direction runs vertically									

COUNTER HEIGHT MODESTY PANELS



WW9633MPL	\$ 534	¾	95⅞	33⅞	—	—	4.0 lbs.
WW9033MPL	505	¾	89⅞	33⅞	—	—	3.8 lbs.
WW8433MPL	474	¾	83⅞	33⅞	—	—	3.6 lbs.
WW7833MPL	444	¾	77⅞	33⅞	—	—	3.4 lbs.
WW7233MPL	415	¾	71⅞	33⅞	—	—	3.1 lbs.
WW6633MPL	383	¾	65⅞	33⅞	—	—	2.9 lbs.
WW6033MPL	353	¾	59⅞	33⅞	—	—	2.7 lbs.
WW5433MPL	322	¾	53⅞	33⅞	—	—	2.5 lbs.
WW4833MPL	293	¾	47⅞	33⅞	—	—	2.2 lbs.
WW4233MPL	277	¾	41¾	33⅞	—	—	2.0 lbs.
WW3633MPL	248	¾	35¾	33⅞	—	—	1.8 lbs.
WW3033MPL	235	¾	29¾	33⅞	—	—	1.5 lbs.
WW2433MPL	219	¾	23⅞	33⅞	—	—	1.3 lbs.
• Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty ⅞" narrower than the corresponding worksurface • Laminate modesty has horizontal grain direction							

COUNTER HEIGHT MODESTY PANELS



WW6033MPVL	\$ 353	¾	59⅞	33⅞	—	—	2.7 lbs.
WW5433MPVL	322	¾	53⅞	33⅞	—	—	2.5 lbs.
WW4833MPVL	293	¾	47⅞	33⅞	—	—	2.2 lbs.
WW4233MPVL	277	¾	41¾	33⅞	—	—	2.0 lbs.
WW3633MPVL	248	¾	35¾	33⅞	—	—	1.8 lbs.
WW3033MPVL	235	¾	29¾	33⅞	—	—	1.5 lbs.
WW2433MPVL	218	¾	23⅞	33⅞	—	—	1.3 lbs.
• Modified widths are available on modesty panels in ⅞" increments; when ordering a modified width, specify the modesty ⅞" narrower than the corresponding worksurface • Laminate modesty has vertical grain direction							

PRODUCT SPECIFICATIONS

- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:


- Model Number
- Modesty Type
- Modified Width
- Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBER:


WW3672MP2W MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
END PANEL (COUNTER HEIGHT)	WW2333EPL	\$ 184	1 $\frac{1}{16}$	22 $\frac{1}{16}$	33 $\frac{7}{8}$	—	—	—	—	1.7
	WW1733EPL	154	1 $\frac{1}{16}$	17 $\frac{1}{16}$	33 $\frac{7}{8}$	—	—	—	—	1.3




- For use with counter height cabinets
- End Panels are required when pedestals are not used to support the end of a unit or workstations
- End Panels are 1" shallower than worksurface to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in $\frac{1}{16}$ " increments when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

MODESTY PANEL
FOR GLASS TOP DESK

WW3627MP2W	Wood—Full Modesty	\$ 547	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	—	24 lbs.	2.1
WW3627MP2L	Laminate—Full Modesty	245	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	—	24 lbs.	2.1
WW3608MP2W	Wood— $\frac{1}{2}$ Modesty	\$ 396	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	—	11 lbs.	0.7
WW3608MP2L	Laminate— $\frac{1}{2}$ Modesty	161	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL
FOR GLASS TOP DESK

WW3627MPV2L	Laminate—Full Modesty	\$ 245	$\frac{3}{4}$	35 $\frac{3}{4}$	27 $\frac{3}{16}$	—	—	—	24 lbs.	2.1
WW3608MPV2L	Laminate— $\frac{1}{2}$ Modesty	161	$\frac{3}{4}$	35 $\frac{3}{4}$	8 $\frac{1}{2}$	—	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3528EPW G1EL 33½ CW
WW3528EPL G1EL X 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MESH MODESTY PANEL 	NAC5408MPM	\$ 375	¼	54	8	—	—	5 lbs.	0.7
	NAC4808MPM	331	¼	48	8	—	—	4 lbs.	0.6
	NAC4208MPM	295	¼	42	8	—	—	4 lbs.	0.5
	• Specify model number only • Used only for privacy, not support • Offers horizontal cable management • Textile is a black mesh material								
END PANEL (WORKSURFACE HEIGHT) 	WW4728EPW Wood	\$ 801	47½	1¾	27¾	—	—	47 lbs.	2.6
	WW4728EPL Laminate	483	47½	1¾	27¾	—	—	47 lbs.	2.6
	WW4128EPW Wood	\$ 767	41½	1¾	27¾	—	—	41 lbs.	2.3
	WW4128EPL Laminate	461	41½	1¾	27¾	—	—	41 lbs.	2.3
	WW3528EPW Wood	\$ 728	35½	1¾	27¾	—	—	35 lbs.	1.9
	WW3528EPL Laminate	440	35½	1¾	27¾	—	—	35 lbs.	1.9
	WW2928EPW Wood	\$ 659	29½	1¾	27¾	—	—	30 lbs.	1.3
	WW2928EPL Laminate	376	29½	1¾	27¾	—	—	30 lbs.	1.3
	QWW2328EPW Wood	\$ 640	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW2328EPW Wood	640	22½	1¾	27¾	—	—	25 lbs.	1.1
	QWW2328EPL Laminate	344	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW2328EPL Laminate	344	22½	1¾	27¾	—	—	25 lbs.	1.1
	WW1728EPW Wood	\$ 600	17½	1¾	27¾	—	—	23 lbs.	1.0
	WW1728EPL Laminate	319	17½	1¾	27¾	—	—	23 lbs.	1.0
	• End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depths are available on 35", 29", and 23" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface • Modesty panels are recommended when building a shell unit								
END PANEL (BOX/FILE HEIGHT) 	WW2421EPW Wood	\$ 617	22½	1¾	21½	—	—	20 lbs.	0.9
	WW2421EPL Laminate	319	22½	1¾	21½	—	—	20 lbs.	0.9
	WW1821EPW Wood	\$ 579	17½	1¾	21½	—	—	18 lbs.	0.8
	WW1821EPL Laminate	300	17½	1¾	21½	—	—	18 lbs.	0.8
	• End panels are required when pedestals are not used to support the end of a unit or workstation • End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip • Modified depths are available on 24" end panels in ½" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface • Modesty panels are recommended when building a shell unit								

PRODUCT SPECIFICATIONS

- End panels, filler panels, and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)


SAMPLE MODEL NUMBERS:

WW4840EPW MC
WW4840EPL MC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
END PANELS (MODULAR STORAGE)	WW4840EPW	Wood	\$ 934	1 $\frac{3}{16}$	47 $\frac{3}{16}$	40 $\frac{3}{16}$	—	—	lbs.	
	WW4840EPL	Laminate	360	1 $\frac{3}{16}$	47 $\frac{3}{16}$	40 $\frac{3}{16}$	—	—	lbs.	

- For use when 2 vertical storage units are used back to back



WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

- Model Number
- Grommet
- Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1228SSW G1EL CW
WW1228SSL G1EL 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT PANEL (WORKSURFACE HEIGHT) 	WW1228SSW Wood	\$ 443	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8
	WW1228SSL Laminate	161	11 ⁷ / ₁₆	1 ³ / ₁₆	27 ³ / ₄	—	—	15 lbs.	0.8
	- For use as added support - Specify wood or laminate only								
SUPPORT PANEL (BOX/FILE HEIGHT) 	WW1221SSW Wood	\$ 422	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	15 lbs.	0.8
	WW1221SSL Laminate	140	11 ⁷ / ₁₆	1 ³ / ₁₆	21 ⁷ / ₁₆	—	—	15 lbs.	0.8
	- For use as added support - Specify wood or laminate only								
SUPPORT PANEL (COUNTER HEIGHT) 	WW1233SSL	\$ 187	1 ³ / ₁₆	11 ⁷ / ₁₆	33 ³ / ₈	—	—		1.0
	- For use as added support - Specify laminate only								
SUPPORT PANEL U-STYLE 	NAC1228UBC Concrete	\$ 567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBB Cinder	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBI Iron	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBS Platinum Metallic	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBN Satin Nickel Metallic	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	NAC1228UBH Designer White	567	1 ¹ / ₂	12	28	—	—	12 lbs.	3.1
	- For use as added support - Adjustable glides are standard - Specify model number only - Metal mounting plate attached to support panel								
UNDERSURFACE SUPPORT RAIL (WORKSURFACE) 	QNAC0248SUR	\$ 274	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2 ³ / ₄	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	235	2 ³ / ₄	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2 ³ / ₄	36	1	—	—	3 lbs.	0.3
	- Specify model number only - Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1³/₁₆" worksurface and greater than 60" on a 1¹/₂" worksurface - Specify the 36" model to be used up to 66" worksurfaces - Specify the 48" model to be used up to 72" worksurfaces - Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces - Rails are bulk packed per order. The pack may contain both sizes of rails								

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4828STW G1EL MH
WW4828STL X 480

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
T-SUPPORT PANEL (WORKSURFACE HEIGHT) 	WW4828STW	Wood	\$ 1268	47 $\frac{7}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	55 lbs.	3.4
	WW4828STL	Laminate	647	47 $\frac{7}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	55 lbs.	3.4
	WW4228STW	Wood	\$ 1214	41 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	WW4228STL	Laminate	648	41 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	49 lbs.	3.4
	WW3628STW	Wood	\$ 1152	35 $\frac{5}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	WW3628STL	Laminate	587	35 $\frac{5}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	43 lbs.	2.9
	WW3028STW	Wood	\$ 1089	29 $\frac{13}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	WW3028STL	Laminate	524	29 $\frac{13}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	38 lbs.	2.5
	WW2428STW	Wood	\$ 1063	22 $\frac{15}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	WW2428STL	Laminate	486	22 $\frac{15}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	32 lbs.	2.1
	WW1828STW	Wood	\$ 993	17 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.8
	WW1828STL	Laminate	454	17 $\frac{1}{16}$	1 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	28 lbs.	1.8
	• Specify with U-surfaces, P-surfaces, and extended P-surfaces									

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3605STW G1EL MH
WWN3605STL X 480

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
T-SUPPORT PANEL BOX/FILE HEIGHT 	INTENDED FOR USE WITH 1 ¹ / ₁₆ " THICK WORKSURFACE MODELS									
	WWN3605STW	Wood	\$ 576	35 ³ / ₈	1 ³ / ₁₆	4 ¹ / ₈	—	—	21 lbs.	2.0
	WWN3605STL	Laminate	293	35 ³ / ₈	1 ³ / ₁₆	4 ¹ / ₈	—	—	21 lbs.	2.0
	WWN3505STW	Wood	\$ 548	35 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	21 lbs.	2.0
	WWN3505STL	Laminate	277	35 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	21 lbs.	2.0
	WWN3005STW	Wood	\$ 547	29 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	19 lbs.	1.8
	WWN3005STL	Laminate	262	29 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	19 lbs.	1.8
	WWN2905STW	Wood	\$ 519	29 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	19 lbs.	1.8
	WWN2905STL	Laminate	248	29 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	19 lbs.	1.8
	WWN2405STW	Wood	\$ 531	22 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	16 lbs.	1.6
	WWN2405STL	Laminate	244	22 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	16 lbs.	1.6
	WWN1805STW	Wood	\$ 497	17 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	12 lbs.	1.4
WWN1805STL	Laminate	227	17 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	12 lbs.	1.4	
WWN2305STW	Wood	\$ 505	22 ¹ / ₂	1 ³ / ₁₆	4 ¹ / ₈	—	—	16 lbs.	1.6	
WWN2305STL	Laminate	231	22 ¹ / ₂	1 ³ / ₁₆	4 ¹ / ₈	—	—	16 lbs.	1.6	
WWN1705STW	Wood	\$ 473	17 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	12 lbs.	1.4	
WWN1705STL	Laminate	216	17 ¹ / ₁₆	1 ³ / ₁₆	4 ¹ / ₈	—	—	12 lbs.	1.4	

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3606STW G1EL MH
WW3606STL X 480

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
T-SUPPORT PANEL BOX/FILE HEIGHT (CONTINUED) 	INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS									
	WW3606STW	Wood	\$ 576	35 $\frac{7}{8}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	21 lbs.	2.0
	WW3606STL	Laminate	293	35 $\frac{7}{8}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	21 lbs.	2.0
	WW3506STW	Wood	\$ 548	35 $\frac{7}{8}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	21 lbs.	2.0
	WW3506STL	Laminate	277	35 $\frac{7}{8}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	21 lbs.	2.0
	QWW3006STW	Wood	\$ 547	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	WW3006STW	Wood	547	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	QWW3006STL	Laminate	262	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	WW3006STL	Laminate	262	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	WW2906STW	Wood	\$ 519	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	WW2906STL	Laminate	248	29 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	19 lbs.	1.8
	WW2406STW	Wood	\$ 531	22 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	16 lbs.	1.6
	WW2406STL	Laminate	244	22 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	16 lbs.	1.6
	WW1806STW	Wood	\$ 497	17 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	12 lbs.	1.4
	WW1806STL	Laminate	227	17 $\frac{9}{16}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	12 lbs.	1.4
WW2306STW	Wood	\$ 505	22 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	16 lbs.	1.6	
WW2306STL	Laminate	231	22 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	16 lbs.	1.6	
WW1706STW	Wood	\$ 473	17 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	12 lbs.	1.4	
WW1706STL	Laminate	216	17 $\frac{1}{2}$	1 $\frac{3}{16}$	5 $\frac{7}{8}$	—	—	12 lbs.	1.4	

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required





TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW28CPFSW G1EL MH
WW28CPFSL X 480

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FILLER STRIP WORKSURFACE HEIGHT 	WW28CPFSW Wood	\$ 70	¾	21½	27½	—	—	5 lbs.	0.1
	WW28CPFSL Laminate	51	¾	21½	27½	—	—	5 lbs.	0.1
• When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate									
FILLER STRIP (BOX/FILE HEIGHT) 	WW21CPFSW Wood	\$ 50	¾	21½	21½	—	—	3 lbs.	0.1
	WW21CPFSL Laminate	33	¾	21½	21½	—	—	3 lbs.	0.1
• When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify wood or laminate									
FILLER STRIP (COUNTER HEIGHT) 	WW33CPFSL	\$ 174	¾	21½	33½	—	—		0.2
• When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths • Specify laminate only									
WORKSURFACE WIRE MANAGER FILLER CAP 	NAC01WMFM	\$ 25	1	1	1	—	—	1 lbs.	0.5
• Specify paint color • Paint options and recommendations are listed on page 285									

WAVEWORKS

METAL

Product Specifications	476
Configuration Options	477
Specification Tips	479
Height Adjust Table Suspended Pedestal	479
Island Worksurfaces Tips	479
Modesty Panels	480
Electronic Locks	481
Metals Planning Guide	482
Metal Arrangements Models	486
Metal Units	496

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

PEDESTALS AND STORAGE UNITS

- Leveling glides with 1¼" of adjustment featured on all units except mobile pedestals
- Powder coated paint

DRAWERS

- ¾" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

DRAWER PULLS

- Available in 3 styles, refer to page 477 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted (exceptions are 2 and 4 drawer freestanding lateral files)

DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers

FILING

- See filing capabilities below

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores. Electronic locking available, see page 481
- To order key specific lock cores, change keys, and master keys, reference page 660
- When ordering electronic locking, specify key specific on the storage unit so as to only get the hole cutout. Can only be used when selecting Integrated pull option

CONSTRUCTION

UNDERSURFACE STORAGE

- Outer chassis is a single piece U-case of 22-gauge cold-rolled steel
- Inner components consist of O-frame of 20-gauge cold-rolled steel

FREESTANDING LATERAL FILES/WARDROBE

- Outer chassis consists of 22-gauge cold-rolled steel
- Lateral file top is mechanically fastened

ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers; see pages 486-495
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

FREESTANDING LATERAL FILES

- Dual-interlock system ensures only 1 drawer may be opened at a time


COUNTERWEIGHTS

- Counterweight kits are required to ensure product stability and are ordered separately for WaveWorks Metal cabinets
- Counterweights are integrated in mobile pedestals. All other metal cabinets with drawers require counterweights to be specified unless covered by the exception below:
 - cabinets attached to panel systems
 - cabinets attached to architectural walls
 - cabinets attached to the floor
 - cabinets used in "L" desk configurations
 - cabinets used in "U" configurations
 - lateral filing cabinets 2, 3, 4, and 5 high ganged back to back
 - island cabinets when used with island worksurfaces
- Counterweight kits are sold separately, please reference the pricing pages for additional counterweight information

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawers	12¾"	20"	3½"	N/A
File Drawers	12¾"	20"	10¾"	Letter Front-To-Back
30" ULF	26¼"	15¾"	9½"	Letter and Legal Side-To-Side
36" ULF	32¼"	15¾"	9½"	Letter and Legal Side-To-Side
Freestanding Lateral File	32½"	15¾"	9½"	Letter and Legal Side-To-Side

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

CONFIGURATION OPTIONS - WAVEWORKS METAL

RIM PROFILE OPTIONS



Softened Vinyl (V)



Reed Vinyl (N)

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn	440	Cloud
AD	Almond	CC	Cordoba
MC	Amber	CW	Cordovan
AC2	Autumn 2	457	Dapple
BZ	Brazilwood	405	Designer White
IM	Brighton	491	Designer White Linear
CO	Canyon	DF	Driftwood
CL	Caramel	450	Fog
CI	Chai	488	Frosty White
462	Cinder	461	Graphite
492	Cinder Linear	HN2	Honey 2

TM	Huntington	792	Sable
DW	Judicial	SC	Sedona
KN	Kona	425	Shadow
MW	Midtown	SK	Skyline
MH	Mocha	460	Storm
YO	Monterey	TW	Tribeca
NM	Natural	TF	Truffle
478	Platinum Grey	NW	Tuscan
PC	Porcini	UW	Urban
PT	Portico	419	Wallaby
PB	Portobello	WL	Willow

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
440	Cloud	461	Graphite
457	Dapple	478	Platinum Grey
405	Designer White	425	Shadow
491	Designer White Linear	460	Storm
		419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CHASSIS PAINT COLORS

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.

• CSL available on HPL worksurfaces

PULL OPTIONS



Integrated (5)



Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic
(Boring Pattern 128mm)	



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic
(Boring Pattern 128mm)	

WAVEWORKS METAL - CONFIGURATION OPTIONS


WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center





Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference page 289 for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 667 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 667 for pricing and details




NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 667 for pricing and details


TACK BOARD VERTICAL TEXTILE OPTIONS

Grade AA Lea	Grade A Compose Crossroads Dune Fusion Infuse Merge Mykel Plinth Repetition Tapestry	Grade B Frenzied Fuse Linen Lyko Pact Prose Savile COM (Grade B)


HEIGHT ADJUST TABLE SUSPENDED PEDESTAL



Suspended pedestal available in open compartment or with left or right hinge door storage units. Hinge painted fronts with the integrated pull. Locking is not available



Open



Hinge door

Units are designed to straddle between rails and works on Naviyd "T" Legs Height Adjust Tables

Not available on "C" Leg Bases

INTERIOR DIMENSIONS

Depth 18"

Height 13 $\frac{1}{8}$ "

Width 12"




Table Width
A

Kneespace
B

71 $\frac{3}{8}$ "

44 $\frac{3}{4}$ "

65 $\frac{3}{4}$ "

38 $\frac{3}{4}$ "

59 $\frac{3}{8}$ "


32 $\frac{3}{4}$ "

53 $\frac{3}{8}$ "

26 $\frac{3}{4}$ "

Not recommended for use with 48" surfaces due to kneespace restrictions

ISLAND WORKSURFACES TIPS

WORKSURFACES
SIZES

MODEL NUMBERS

36" x 30"

WW3630WSS L4/LL4

30" W x 18" D

30" W x 18" D

36" x 36"

WW3636WSS L4/LL4

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

36" x 54"

WW3654WSS L4/LL4

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

30" x 72"

WW3072WSS L4/LL4

30" W x 18" D

30" W x 18" D

36" x 72"

WW3672WSS L4/LL4

36" W x 18" D

36" W x 18" D

36" W x 18" D

36" W x 18" D

36" W x 18" D

36" W x 18" D

36" W x 18" D

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

36" W x 18" D

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

36" W x 18" D

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" W

18" D
x
18" D

18" D
x
18" D

18" D
x
18" D


18" D
x
18" D

WAVEWORKS METAL - SPECIFICATION TIPS

MODESTY PANELS


FULL OVERLAY MODESTY PANELS - METAL

- Main modesty panels are used in conjunction with component worksurfaces to create modular units, and specified to create a recessed modesty panel




KNEESPACE MODESTY PANELS - METAL

- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3";
- Modesty panel not applicable for attachment to suspended pedestals



FULL END PANEL

- Designed for securement to modesty panel
- Intended use for single pedestal desks/credenzas




HALF END PANEL

- Designed for securement to modesty panel
- Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support




SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize on 36" corner worksurfaces only with cylinder leg and for continuous surface connections




RETURN SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Use WW0827SRM to create 24" deep return
- Use WW1227SRM to create 30" deep return




CORNER POST

- Creates corner unit utilizing modesty panels
- Designed to secure modesty panels to corner unit
- Corner post must be used with modesty panels



ELECTRONIC LOCKS

Available on WaveWorks metal cabinetry with the extended pull option only




- Locks ship separately and require field installation
- Available in black or silver
- Locks can be ordered as vertical or horizontal unless noted
- Electronic locks feature motorized locking engagement with manual knob
- Battery Life—3 Months usage on Surface Mount
- Micro-B USB port (Android cable) for emergency power jump and battery charging
- Charging available with wired USB charger or mobile USB power pack
- Keypad locks out for 15 minutes after 5 invalid attempts
- 3 USER MODES
 - Resident employee mode—the passcode will not expire and can be re-used
 - Multi-user mode—in resident employee mode, additional users can be added with each user separately identified for higher security applications (e.g. drug, evidence lockers)
 - Shared use mode—suitable for day lockers/hotel safe
- 2 METHODS OF USE
 - Keypad operation
 - Wesko eLock App (must be downloaded to a smartphone)
- Admin passcodes can be managed by keypad commands (via program mode) or with the Wesko App in Admin mode
- MUST contact Customer Service for administrative pass-codes

WAVEWORKS - SPECIFICATION TIPS


METALS PLANNING - KNEESPACE MODESTY

RECTANGULAR WORKSURFACES—DOUBLE PEDESTAL DESK/CREDENZA



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Double Pedestal Desk/Credenza	96"	WW6623MPM
	84"	WW5423MPM
	72"	WW4223MPM
	66"	WW3623MPM
	60"	WW3023MPM

RECTANGULAR WORKSURFACES-SHELL




RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell (24", 30" and 36" deep shell units)	96"	WW9423MPM
	84"	WW8223MPM
	72"	WW7023MPM
	66"	WW6423MPM
	60"	WW5823MPM
	54"	WW5223MPM
	48"	WW4523MPM
	42"	WW4023MPM
	36"	WW3423MPM
	30"	WW2823MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)


RECTANGULAR WORKSURFACES—SINGLE PEDESTAL DESK/CREDENZA

Single Pedestal Desk/Credenza must be connected to another unit; not intended for freestanding use



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW8023MPM
	84"	WW6823MPM
	72"	WW5623MPM
	66"	WW5023MPM
	60"	WW4323MPM
	54"	WW3823MPM
	48"	WW3223MPM
	42"	WW2623MPM
	36"	WW2023MPM
	30"	WW1423MPM

RECTANGULAR WORKSURFACES—2 PEDESTALS (SIDE-BY-SIDE)




RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW6523MPM
	84"	WW52A23MPM
	72"	WW40A23MPM
	66"	WW3523MPM
	60"	WW2923MPM
	54"	WW2323MPM
	48"	WW1723MPM

WAVEWORKS - SPECIFICATION TIPS

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—SHELL


Extended Corner unit must be connected to another unit; not intended for freestanding use



EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell	96"	WW8323MPM
	84"	WW7123MPM
	72"	WW5923MPM
	66"	WW5323MPM
	60"	WW4723MPM
	54"	WW4123MPM
	36"	WW2323MPM

EXTENDED CORNER WORKSURFACES—SINGLE PEDESTAL

Extended Corner unit must be connected to another unit; not intended for freestanding use




EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW6923MPM
	84"	WW5723MPM
	72"	WW4423MPM
	66"	WW3923MPM
	60"	WW3323MPM
	54"	WW2723MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—2 PEDESTALS (SIDE BY SIDE)

Extended Corner unit must be connected to another unit; not intended for freestanding use




EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW54A23MPM
	84"	WW42A23MPM
	72"	WW3123MPM


WAVEWORKS METAL L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminare models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate and paint

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLM 84%D x 71 1/4"W	\$ 4186
	consists of	
	WW3672WSSDL Worksurface	967
	WW2448WSSVDL Worksurface	463
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7972LFLM 78%D x 71 1/4"W	\$ 4124
	consists of	
	WW3672WSSDL Worksurface	967
	WW2442WSSVDL Worksurface	421
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLM 78%D x 66W	\$ 3860
	consists of	
	WW3066WSSDL Worksurface	658
	WW2448WSSVDL Worksurface	463
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7366LFLM 72%D x 66W	\$ 3798
	consists of	
	WW3066WSSDL Worksurface	658
	WW2442WSSVDL Worksurface	421
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLLM 84%D x 71 1/4"W	\$ 3910
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2448WSSVDLL Worksurface	380
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7972LFLLM 78%D x 71 1/4"W	\$ 3854
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2442WSSVDLL Worksurface	344
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262





L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLLM 78%D x 66W	\$ 3645
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2448WSSVDLL Worksurface	380
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7366LFLLM 72%D x 66W	\$ 3589
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2442WSSVDLL Worksurface	344
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

WAVEWORKS METAL U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (lamine models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED)	WW10972UFLM 108%D x 71 $\frac{1}{2}$ %W \$ 5617		U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED)	WW10366UFLM 102%D x 66W \$ 5230	
	consists of			consists of	
	WW3672WSSDL Worksurface 967			WW3066WSSDL Worksurface 658	
	WW2448WSSVDL Worksurface 463			WW2448WSSVDL Worksurface 463	
	WW2472WSSDL Worksurface 682			WW2466WSSDL Worksurface 638	
	WW3015PUBBFM B/B/F Pedestal 891			WW3015PUBBFM B/B/F Pedestal 891	
	WW2315PUFFM F/F Pedestal 794			WW2315PUFFM F/F Pedestal 794	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW3027EPM End Panel 344			WW3027EPM End Panel 344	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW2427EPM End Panel 304			WW2427EPM End Panel 304	
	WW4827MPM Full Overlay Modesty 282			WW4827MPM Full Overlay Modesty 282	
	WW10372UFLM 102%D x 71 $\frac{1}{2}$ %W \$ 5555			WW9766UFLM 96%D x 66W \$ 5168	
	consists of			consists of	
	WW3672WSSDL Worksurface 967			WW3066WSSDL Worksurface 658	
	WW2442WSSVDL Worksurface 421			WW2442WSSVDL Worksurface 421	
	WW2472WSSDL Worksurface 682			WW2466WSSDL Worksurface 638	
	WW3015PUBBFM B/B/F Pedestal 891			WW3015PUBBFM B/B/F Pedestal 891	
	WW2315PUFFM F/F Pedestal 794			WW2315PUFFM F/F Pedestal 794	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW3027EPM End Panel 344			WW3027EPM End Panel 344	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW2427EPM End Panel 304			WW2427EPM End Panel 304	
	WW4227MPM Full Overlay Modesty 262			WW4227MPM Full Overlay Modesty 262	
U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED)	WW10972UFLM 108%D x 71 $\frac{1}{2}$ %W \$ 5221		U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED)	WW10366UFLM 102%D x 66W \$ 4905	
	consists of			consists of	
	WW3672WSSDLL Worksurface 774			WW3066WSSDLL Worksurface 526	
	WW2448WSSVDLL Worksurface 380			WW2448WSSVDLL Worksurface 380	
	WW2472WSSDLL Worksurface 562			WW2466WSSDLL Worksurface 528	
	WW3015PUBBFM B/B/F Pedestal 891			WW3015PUBBFM B/B/F Pedestal 891	
	WW2315PUFFM F/F Pedestal 794			WW2315PUFFM F/F Pedestal 794	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW3027EPM End Panel 344			WW3027EPM End Panel 344	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW2427EPM End Panel 304			WW2427EPM End Panel 304	
	WW4827MPM Full Overlay Modesty 282			WW4827MPM Full Overlay Modesty 282	
	WW10372UFLM 102%D x 71 $\frac{1}{2}$ %W \$ 5165			WW9766UFLM 96%D x 66W \$ 4849	
	consists of			consists of	
	WW3672WSSDLL Worksurface 774			WW3066WSSDLL Worksurface 526	
	WW2442WSSVDLL Worksurface 344			WW2442WSSVDLL Worksurface 344	
	WW2472WSSDLL Worksurface 562			WW2466WSSDLL Worksurface 528	
	WW3015PUBBFM B/B/F Pedestal 891			WW3015PUBBFM B/B/F Pedestal 891	
	WW2315PUFFM F/F Pedestal 794			WW2315PUFFM F/F Pedestal 794	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW7227MPM Full Overlay Modesty 327			WW6627MPM Full Overlay Modesty 310	
	WW3027EPM End Panel 344			WW3027EPM End Panel 344	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW0827SRM Return Support Panel 118			WW0827SRM Return Support Panel 118	
	WW2427EPM End Panel 304			WW2427EPM End Panel 304	
	WW4227MPM Full Overlay Modesty 262			WW4227MPM Full Overlay Modesty 262	

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPE DESK 	WW3672DULM		\$ 1684	36 $\frac{1}{16}$	72	28 $\frac{15}{16}$	—	—	126 lbs.	5.3
	consists of									
	WW3672WSUDL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3072DULM		\$ 1393	30 $\frac{1}{16}$	72	28 $\frac{15}{16}$	—	—	116 lbs.	5.0
	consists of									
	WW3072WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3066DULM		\$ 1302	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{15}{16}$	—	—	110 lbs.	4.7
	consists of									
	WW3066WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2460DULM		\$ 1115	24	60	28 $\frac{15}{16}$	—	—	104 lbs.	4.0
	consists of									
	WW2460WSUDL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2448DULM		\$ 1041	24	48 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	97 lbs.	4.2
	consists of									
	WW2448WSUDL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Assembly required										

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULLM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
U-SHAPE DESK TFL 	WW3672DULLM		\$ 1467	36 $\frac{1}{16}$	72	28 $\frac{3}{8}$	—	—	126 lbs.	5.3
	consists of									
	WW3672WSUDLL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3072DULLM		\$ 1226	30 $\frac{1}{16}$	72	28 $\frac{3}{8}$	—	—	116 lbs.	5.0
	consists of									
	WW3072WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3066DULLM		\$ 1151	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{3}{8}$	—	—	110 lbs.	4.7
	consists of									
	WW3066WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2460DULLM		\$ 995	24	60	28 $\frac{3}{8}$	—	—	104 lbs.	4.0
	consists of									
	WW2460WSUDLL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2448DULLM		\$ 936	24	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	97 lbs.	4.2
	consists of									
	WW2448WSUDLL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Assembly required

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DUFLM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPE DESK WITH MODESTY 	WW3672DUFLM		\$ 1729	36 $\frac{1}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	134 lbs.	6.5
	consists of									
	WW3672WSUDL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	WW3072DUFLM		\$ 1438	30 $\frac{1}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	124 lbs.	6.2
	consists of									
	WW3072WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
U-SHAPE DESK WITH MODESTY TFL 	WW3066DUFLM		\$ 1345	30 $\frac{1}{16}$ "	65 $\frac{3}{4}$ "	28 $\frac{1}{16}$ "	—	—	116 lbs.	5.7
	consists of									
	WW3066WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW4723MPM	Kneespace Modesty	1							
	• Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDP must be ordered separately; see page 514									
	WW3672DUFLLM		\$ 1512	36 $\frac{1}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	134 lbs.	6.5
	consists of									
	WW3672WSUDLL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	WW3072DUFLLM		\$ 1271	30 $\frac{1}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	124 lbs.	6.2
	consists of									
	WW3072WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	WW3066DUFLLM		\$ 1194	30 $\frac{1}{16}$ "	65 $\frac{3}{4}$ "	28 $\frac{1}{16}$ "	—	—	116 lbs.	5.7
	consists of									
	WW3066WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW4723MPM	Kneespace Modesty	1							
	• Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDP must be ordered separately; see page 514									

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint


SAMPLE MODEL NUMBER:

WW3072DPLLM V405 X 405 461


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
P-SHAPE DESK 	WW3072DPLLM	Left	\$ 1999	30 $\frac{3}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	109 lbs.	5.0
	WW3072DPRLM	Right	1999	30 $\frac{3}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	109 lbs.	5.0
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Assembly required										


Left shown

P-SHAPE DESK TFL 	WW3072DPLLLM	Left	\$ 1711	30 $\frac{3}{16}$ "	72"	28 $\frac{3}{8}$ "	—	—	109 lbs.	5.0
	WW3072DPRLM	Right	1711	30 $\frac{3}{16}$ "	72"	28 $\frac{3}{8}$ "	—	—	109 lbs.	5.0
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
• Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Assembly required										

Left shown

P-SHAPE DESK WITH MODESTY 	WW3072DPLFLM	Left	\$ 2044	30 $\frac{3}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	117 lbs.	6.2
	WW3072DPRFLM	Right	2044	30 $\frac{3}{16}$ "	72"	28 $\frac{1}{16}$ "	—	—	117 lbs.	6.2
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
• Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDF must be ordered separately; see page 514										

Left shown

P-SHAPE DESK WITH MODESTY TFL 	WW3072DPLFLM	Left	\$ 1756	30 $\frac{3}{16}$ "	72"	28 $\frac{3}{8}$ "	—	—	117 lbs.	6.2
	WW3072DPRFLM	Right	1756	30 $\frac{3}{16}$ "	72"	28 $\frac{3}{8}$ "	—	—	117 lbs.	6.2
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
• Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDF must be ordered separately; see page 514										

Left shown

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW4242CFSLM3 V405 G1C 405 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CORNER UNIT 	WW4242CFSLM3		\$ 2020	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCSDL3	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW4242CFSLM2		\$ 1927	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCSDL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW3636CFSLM2		\$ 1834	36 $\frac{1}{16}$	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	91 lbs.	7.6
	consists of									
	WW3636WSCSDL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2323MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	• Not recommended as a freestanding unit • Models ending in 3 must be connected to 30" deep worksurface • Models ending in 2 must be connected to 24" deep worksurface • Assembly required									
CORNER UNIT TFL 	WW4242CFSLLM3		\$ 1819	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCDLL3	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW4242CFSLLM2		\$ 1745	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCDLL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW3636CFSLLM2		\$ 1668	36 $\frac{1}{16}$	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	91 lbs.	7.6
	consists of									
	WW3636WSCDLL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2323MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	• Not recommended as a freestanding unit • Models ending in 3 must be connected to 30" deep worksurface • Models ending in 2 must be connected to 24" deep worksurface • Assembly required									

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672CFELLM2 V405 G1C 405 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER UNIT 	WW3672CFELLM2	Left		\$ 2588	35 ¹ / ₁₆	72	28 ¹ / ₁₆	—	—	173 lbs.	8.3
	WW3672CFERLM2	Right		2588	35 ¹ / ₁₆	72	28 ¹ / ₁₆	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLM2	Left		\$ 2496	35 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	164 lbs.	7.8
	WW3666CFERLM2	Right		2496	35 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	• Not recommended as a freestanding unit • Must be connected to 24" deep worksurface • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"										
EXTENDED CORNER UNIT TFL 	WW3672CFELLLM2	Left		\$ 2291	35 ¹ / ₁₆	72	28%	—	—	173 lbs.	8.3
	WW3672CFERLLM2	Right		2291	35 ¹ / ₁₆	72	28%	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLLM2	Left		\$ 2213	35 ³ / ₁₆	66	28%	—	—	164 lbs.	7.8
	WW3666CFERLLM2	Right		2213	35 ³ / ₁₆	66	28%	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	• Not recommended as a freestanding unit • Must be connected to 24" deep worksurface • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"										

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2448RLEFLM2 NCW 7MB G1C KS1B CW 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
					D	W	H	A	KW	WEIGHT	FEET
RETURN FILE/FILE FULL PEDESTAL  Right shown	WW2448RLEFLM2	Left		\$ 1534	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	33	136 lbs.	16.7
	WW2448RREFLM2	Right		1534	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLM2	Left		\$ 1488	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	—	27	127 lbs.	16.4
	WW2442RREFLM2	Right		1488	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	—	27	127 lbs.	16.4
	consists of										
RETURN FILE/FILE FULL PEDESTAL TFL  Right shown	WW2448RLEFLLM2	Left		\$ 1451	24	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	33	136 lbs.	16.7
	WW2448RREFLLM2	Right		1451	24	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLLM2	Left		\$ 1411	24	42 $\frac{1}{16}$	28 $\frac{3}{8}$	—	27	127 lbs.	16.4
	WW2442RREFLLM2	Right		1411	24	42 $\frac{1}{16}$	28 $\frac{3}{8}$	—	27	127 lbs.	16.4
	consists of										
	WW2442WSSVDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW2623MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	• Not recommended as a freestanding unit										
	• Grain direction runs front-to-back										
	• Assembly required										
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
	• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location										

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2448BEFLM NCW G1C CW 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BRIDGE 	WW2448BEFLM		\$ 897	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	79 lbs.	4.5
	consists of									
	WW2448WSSVDL	Worksurface	1							
	WW4523MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	WW2442BEFLM		\$ 838	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	71 lbs.	4.3
	consists of									
	WW2442WSSVDL	Worksurface	1							
	WW4023MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	• Not recommended as a freestanding unit • Grain direction runs front-to-back • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" • Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location									
BRIDGE TFL 	WW2448BEFLLM		\$ 814	24	48 $\frac{1}{16}$	28%	—	—	79 lbs.	4.5
	consists of									
	WW2448WSSVDLL	Worksurface	1							
	WW4523MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	WW2442BEFLLM		\$ 761	24	42 $\frac{1}{16}$	28%	—	—	71 lbs.	4.3
	consists of									
	WW2442WSSVDLL	Worksurface	1							
	WW4023MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	• Not recommended as a freestanding unit • Grain direction runs front-to-back • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" • Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location									

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint


SAMPLE MODEL NUMBER:

WW2315PUBBFM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		


PEDESTAL - UNDERSURFACE BOX/BOX/FILE



WW3015PUBBFM	\$ 891	28 ¹ / ₁₆	15	27 ³ / ₄	—	—	70 lbs.	13.0
WW2315PUBBFM	842	22 ³ / ₄	15	27 ³ / ₄	—	—	62 lbs.	11.0
WW1915PUBBFM	819	18 ³ / ₄	15	27 ³ / ₄	—	—	56 lbs.	6.3
WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3

- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed


PEDESTAL - UNDERSURFACE FILE/FILE



WW3015PUFFM	\$ 844	28 ¹ / ₁₆	15	27 ³ / ₄	—	—	70 lbs.	13.0
WW2315PUFFM	794	22 ³ / ₄	15	27 ³ / ₄	—	—	57 lbs.	11.0
WW1915PUFFM	771	18 ³ / ₄	15	27 ³ / ₄	—	—	51 lbs.	6.3
WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3

- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed


PEDESTAL - HANGING UNDERSURFACE BOX/FILE



WW3015PUBFM	\$ 603	28 ¹ / ₁₆	15	19 ³ / ₄	—	—	46 lbs.	8.3
WW2315PUBFM	594	22 ³ / ₄	15	19 ³ / ₄	—	—	46 lbs.	8.3
WW1915PUBFM	575	18 ³ / ₄	15	19 ³ / ₄	—	—	40 lbs.	6.3
WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3

- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- When utilizing the hanging pedestal with a 24" deep surface, the pedestal must be attached to the inside of the end panel
- When utilizing the hanging pedestal with a 30" or 36" deep surface, the pedestal must be used within a shell unit with modesty panel
- Must be utilized with end panels
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


PEDESTAL - UNDERSURFACE BOX/OPEN



WW1915PUBOM	\$ 808	18 ³ / ₄	15	27 ³ / ₄	—	—	65 lbs.	6.6

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

PEDESTAL - UNDERSURFACE BOX/HINGE




Right shown

LEFT HINGED	RIGHT HINGED							
WW1915PUBHLM	WW1915PUBHRM	\$ 903	18 ³ / ₄	15	27 ³ / ₄	—	—	65 lbs. 6.6

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

PEDESTAL - UNDERSURFACE HINGE DOOR



Right shown

LEFT HINGED	RIGHT HINGED							
WW1915PUHLM	WW1915PUHRM	\$ 864	18 ³ / ₄	15	27 ³ / ₄	—	—	40 lbs. 6.6
WW1912PUHLM	WW1912PUHRM	699	18 ³ / ₄	12	27 ³ / ₄	—	—	35 lbs. 5.8

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed



TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW191215PUSHLM 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW	WEIGHT	FEET
PEDESTAL - UNDERSURFACE SUSPENDED, HINGED DOOR 	WW191215PUSHLM	WW191215PUSHRM	\$ 627	18	12	14¼	—	—	37 lbs.	3.2
	• Can only be used with Naviyd • Integrated pull • Pedestal is non-locking									
Right shown										
PEDESTAL - UNDERSURFACE SUSPENDED, OPEN 	WW191215PUSOM		\$ 537	18	12	14¼	—	—	37 lbs.	3.2
	• Can only be used with Naviyd									

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Textile Grade/Color
5. Paint

SAMPLE MODEL NUMBER:

WW2315PMBFCM 5 KRB 2 20003 405

- See pages 477-478 for all options available in WaveWorks Metal



MODEL NO./DESCRIPTION

MOBILE PEDESTAL - CUSHION TOP BOX/FILE 23" DEEP

GRADE / LIST PRICE

	1	2/COM	3/COL	4	5	6	7
WW2315PMBFCM	\$ 1040	1070	1084	1106	1130	1171	1226

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1091	1122	1146	1172	1200	1230	1255	1286	1316	1348
	K	L	M	N	O	P	Q	R	S	T
\$	1395	1493	1554	1585	1617	1648	1680	1711	1742	1773

DIMENSIONS

Depth	22¾	Height	22¾	Weight	93
Width	14½			Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL -
CUSHION TOP
BOX/FILE 23" DEEP
WITH PULL

		GRADE / LIST PRICE						
		1	2/COM	3/COL	4	5	6	7
WW2315PMBFC2M	\$	1064	1094	1108	1130	1154	1195	1250

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	1115	1146	1170	1196	1224	1254	1279	1310	1340	1372
	K	L	M	N	O	P	Q	R	S	T
\$	1419	1517	1578	1609	1641	1672	1704	1735	1766	1797

DIMENSIONS			
Depth	22¾	Height	23¾
Width	14½		
		Weight	93
		Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LIST PRICE		CARTONED CUBIC	
			WEIGHT	FEET
GLIDE SET	WWGS	\$ 43	2 lbs.	0.25
• Casters can be field replaced with glide set				

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Lock
4. Paint

SAMPLE MODEL NUMBER:

WW1915PMBBFM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MOBILE PEDESTAL - BOX/BOX/FILE 	WW2415PMBBFM	\$ 917	22¾	15	27	—	—	46 lbs.	8.0
	WW1915PMBBFM	899	18¾	15	27	—	—	59 lbs.	6.3
	• File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - FILE/FILE 	WW2415PMFFM	\$ 869	22¾	15	27	—	—	46 lbs.	8.0
	WW1915PMFFM	851	18¾	15	27	—	—	59 lbs.	6.3
	• File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - BOX/OPEN 	WW1915PMBOM	\$ 741	18	15	27	—	—	66 lbs.	6.3
	• File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - OPEN 	WW1915PMOM	\$ 727	18	15	27	—	—	63 lbs.	6.3
	• Non-locking casters • One adjustable shelf								
GLIDE SET	WWGS	\$ 43						2 lbs.	0.25
	• Casters can be field replaced with glide set								

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2336LFM2M 5 KS1B 462


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE - UNDERSURFACE FILE/FILE 23" DEEP	WW2336LFM2M	\$ 1325	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330LFM2M	1243	22¾	30	27¼	—	—	84 lbs.	12.8
	WW36CW2M Counterweight—2 Drawer	217	1½	23¾	11½	—	—	37 lbs.	0.1




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 517
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

LATERAL FILE - UNDERSURFACE FILE/FILE 18½" DEEP	WW1836LFM2M	\$ 1288	18¾	36	27¼	—	—	87 lbs.	14.0
	WW1830LFM2M	1140	18¾	30	27¼	—	—	78 lbs.	11.8




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 517
- Lateral file is not for use as a stand alone unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When ordering a worksurface, specify 24" deep with modified sizing

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 23" DEEP	WW2336PFHM	\$ 1615	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330PFHM	1596	22¾	30	27¼	—	—	84 lbs.	12.8



- Unit features standard adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 18" DEEP	WW1836PFHM	\$ 1518	18	36	27¼	—	—	87 lbs.	14.0
	WW1830PFHM	1499	18	30	27¼	—	—	78 lbs.	11.8



- Unit features standard adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint


SAMPLE MODEL NUMBER:

WW231522PUBFM 5 KRB 462

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
OPEN BOOKCASE - UNDERSURFACE 23" DEEP	WW233629PUOSM	\$ 1136	22¾	36	27¼	—	—		85 lbs.	15.0
	WW233029PUOSM	1090	22¾	30	27¼	—	—		75 lbs.	12.4


- Bookcase is not for use as a stand alone unit



PEDESTAL - UNDERSURFACE BOX/FILE HEIGHT

WW231522PUBFM	\$ 594	22¾	15	21½	—	—		46 lbs.	8.3


- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not intended to be used as a hanging pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



BOX/LATERAL FILE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP

WW233622PUBLM	\$ 1156	22¾	36	21½	—	—		85 lbs.	15.0
WW233022PUBLM	1041	22¾	30	21½	—	—		75 lbs.	12.4
WW36CW2M Counterweight—2 Drawer	217	1½	23¾	11½	—	—		37 lbs.	0.1


- See additional filing hardware on page 517
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



BOOKCASE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP

WW233622PUOSM	\$ 1114	22¾	36	21½	—	—		85 lbs.	15.0
WW233022PUOSM	915	22¾	30	21½	—	—		75 lbs.	12.4

- Unit features standard adjustable shelf
- Bookcase not for use as a stand alone unit





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW1836LFF5DM 5 KRB 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
	WW1842LFF2M	2 Drawer	\$ 1544	18	42	27¾	—	—	121 lbs.	16.4
	QWW1836LFF2M	2 Drawer	1430	18	36	27¾	—	—	113 lbs.	14.2
	WW1836LFF2M	2 Drawer	1430	18	36	27¾	—	—	113 lbs.	14.2
	WW1830LFF2M	2 Drawer	1311	18	30	27¾	—	—	100 lbs.	12.0
	WW36CW2M	Counterweight	217	1½	23¾	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
	WW1842LFF3M	3 Drawer	\$ 1910	18	42	39⅞	—	—	164 lbs.	23.0
	WW1836LFF3M	3 Drawer	1755	18	36	39⅞	—	—	146 lbs.	19.9
	WW1830LFF3M	3 Drawer	1542	18	30	39⅞	—	—	128 lbs.	16.8
	WW36CW2M	Counterweight	217	1½	23¾	11½	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units									
	WW1842LFF4M	4 Drawer	\$ 2423	18	42	51½	—	—	191 lbs.	29.5
	QWW1836LFF4M	4 Drawer	2147	18	36	51½	—	—	169 lbs.	25.6
	WW1836LFF4M	4 Drawer	2147	18	36	51½	—	—	169 lbs.	25.6
	WW1830LFF4M	4 Drawer	1901	18	30	51½	—	—	148 lbs.	21.7
	WW36CW2M	Counterweight	217	1½	23¾	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
	WW1842LFF5M	5 Drawer	\$ 3067	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5M	5 Drawer	2801	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5M	5 Drawer	2556	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M	Counterweight	217	1½	23¾	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
	WW1842LFF5DM	5 Drawer with Recessed Door	\$ 3178	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5DM	5 Drawer with Recessed Door	3041	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5DM	5 Drawer with Recessed Door	2803	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M	Counterweight	217	1½	23¾	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
• Drawer fronts are picture framed • File drawers accommodate side-to-side letter/legal filing • Additional filing hardware may be purchased for front-to-back filing capability • See additional filing hardware on page 517 • Counterweight must be ordered separately; specify model only • Knockouts are standard to allow for ganging side-by-side • File cannot be moved loaded • Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Counterweights must be field installed for freestanding lateral files										

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overfiles and Storage Cabinets shipped with appropriate hardware
- Overfiles and Storage Cabinets available with integrated pulls




TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Paint

SAMPLE MODEL NUMBER:

WW3029LOFHM KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERFILE HINGED DOORS 	WW4229LOFHM	\$ 1332	18	42	29¼	—	—	97 lbs.	15.13
	WW3629LOFHM	1230	18	36	29¼	—	—	89 lbs.	13.06
	WW3029LOFHM	1173	18	30	29¼	—	—	80 lbs.	10.99
	• Unit includes 1 adjustable shelf • Knockouts are standard to allow for ganging side-by-side • Cannot be moved loaded • Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available								
STORAGE CABINET HINGED DOORS 	WW4239LSCHM 3 High	\$ 1584	18	42	39¾	—	—	153 lbs.	26.10
	WW3639LSCHM 3 High	1487	18	36	39¾	—	—	135 lbs.	22.54
	WW3039LSCHM 3 High	1468	18	30	39¾	—	—	118 lbs.	18.97
	• Unit includes 2 adjustable shelves								
	WW4251LSCHM 4 High	\$ 1813	18	42	51½	—	—	118 lbs.	18.97
	WW3651LSCHM 4 High	1638	18	36	51½	—	—	135 lbs.	22.54
	WW3051LSCHM 4 High	1544	18	30	51½	—	—	153 lbs.	26.10
	• Unit includes 3 adjustable shelves								
	WW4265LSCHM 5 High	\$ 1898	18	42	64½	—	—	170 lbs.	32.92
	WW3665LSCHM 5 High	1726	18	36	64½	—	—	150 lbs.	28.42
	WW3065LSCHM 5 High	1620	18	30	64½	—	—	130 lbs.	23.93
	• Unit includes 4 adjustable shelves • Knockouts are standard to allow for ganging side-by-side • Cannot be moved loaded • Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available • Floor glides adjustable to ¾"								
ACCESSORY WARDROBE KIT 	WW1842WB	\$ 130	2¼	35½	3¼	—	—	2.0 lbs.	0.32
	WW1836WB	125	2¼	35½	3¼	—	—	1.8 lbs.	0.32
	WW1830WB	113	2¼	35½	3¼	—	—	1.5 lbs.	0.32
	• Galvanized finish								

PRODUCT SPECIFICATIONS

- Hinged doors and lateral file shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Lock
4. Paint

SAMPLE MODEL NUMBER:

WW181839VHLM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal


ISLANDS

VERTICAL STORAGE ISLAND -
HINGED DOORS

Right shown


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
WW181839VHLM	WW181839VHRM	\$ 962	18	18	39¼	—	—	196 lbs.	10.1

- Door fronts are picture framed
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available
- 2 adjustable shelves included

VERTICAL STORAGE ISLAND -
OPEN

WW183639VOM	\$ 1296	18	36	39¼	—	—	200 lbs.	19.8
WW183039VOM	1251	18	30	39¼	—	—	199 lbs.	16.0
WW181839VOM	911	18	18	39¼	—	—	197 lbs.	10.1

- 2 adjustable shelves included

VERTICAL STORAGE ISLAND -
BOX/BOX LATERAL FILE

WW183639VBBLFM	\$ 1780	18	36	39¼	—	—	199 lbs.	18.9
WW183039VBBLFM	1668	18	30	39¼	—	—	198 lbs.	16.0
WW36CW2M	Counterweight	217	1¼	23¼	11¼	—	37 lbs.	0.1

- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Drawer fronts are picture framed
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- For use with the Vertical Storage Islands

TO ORDER, SPECIFY:

- Model Number
- Laminate Top Color


SAMPLE MODEL NUMBER:

WW3672WSSIL NAC2 461

- See pages 477-478 for all options available in WaveWorks Metal

VERTICAL STORAGE ISLAND WORKSURFACES

RECTANGULAR WORKSURFACE FOR VERTICAL STORAGE ISLANDS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
36" DEPTH										
WW3672WSSIL	Laminate	\$ 892	36	72	1⅝	—	—	80 lbs.	5.2	
WW3672WSSILL	TFL	848	36	72	1⅝	—	—	80 lbs.	5.2	
WW3654WSSIL	Laminate	\$ 677	36	54	1⅝	—	—	63 lbs.	4.0	
WW3654WSSILL	TFL	637	36	54	1⅝	—	—	63 lbs.	4.0	
WW3636WSSIL	Laminate	\$ 433	36	36	1⅝	—	—	45 lbs.	2.8	
WW3636WSSILL	TFL	413	36	36	1⅝	—	—	45 lbs.	2.8	
WW3630WSSIL	Laminate	\$ 425	36	30	1⅝	—	—	36 lbs.	2.2	
WW3630WSSILL	TFL	399	36	30	1⅝	—	—	36 lbs.	2.2	
30" DEPTH										
WW3072WSSIL	Laminate	\$ 813	30	72	1⅝	—	—	69 lbs.	4.0	
WW3072WSSILL	TFL	775	30	72	1⅝	—	—	69 lbs.	4.0	

- HPL worksurfaces are 1 $\frac{5}{8}$ " thick
- TFL worksurfaces are 1 $\frac{1}{2}$ " thick
- Rim on all 4 sides of worksurfaces
- Unsupported span should not exceed 48"

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW1567VSHL2M 5 KRB 462

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
STORAGE CABINET WITH FILE/FILE PEDESTAL  Left shown	WW1567VSHL2M	WW1567VSHR2M	\$ 1990	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	67"	—	—	140 lbs.	17.4
	WW1554VSHL2M	WW1554VSHR2M	1891	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	54 $\frac{3}{8}$ "	—	—	120 lbs.	14.4
	WW151CW	Counterweight—2 Drawer	48	1 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	—	—	37 lbs.	0.1
	• 54" storage cabinet contains 1 removable shelf • 67" storage cabinet contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified									

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
STORAGE CABINET WITH BOX/BOX/FILE PEDESTAL  Left shown	WW1567VSHL1M	WW1567VSHR1M	\$ 2038	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	67"	—	—	140 lbs.	17.0
	WW1554VSHL1M	WW1554VSHR1M	1938	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	54 $\frac{3}{8}$ "	—	—	130 lbs.	14.0
	WW151CW	Counterweight—2 Drawer	48	1 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	—	—	37 lbs.	0.1
	• 54" storage cabinet contains 1 removable shelf • 67" storage cabinet contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified									

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
STORAGE BOOKCASE WITH FILE/FILE PEDESTAL  Right shown	WW1567VOL2M	WW1567VOR2M	\$ 1877	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	67"	—	—	130 lbs.	14.0
	WW1554VOL2M	WW1554VOR2M	1789	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	54 $\frac{3}{8}$ "	—	—	128 lbs.	13.92
	WW151CW	Counterweight—2 Drawer	48	1 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	—	—	37 lbs.	0.1
	• 54" storage bookcase contains 1 removable shelf • 67" storage bookcase contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified									

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
STORAGE BOOKCASE WITH BOX/BOX/FILE PEDESTAL  Right shown	WW1567VOL1M	WW1567VOR1M	\$ 1925	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	67"	—	—	144.25 lbs.	16.98
	WW1554VOL1M	WW1554VOR1M	1789	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	54 $\frac{3}{8}$ "	—	—	128 lbs.	13.92
	WW151CW	Counterweight—2 Drawer	48	1 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	—	—	37 lbs.	0.1
	• 54" storage bookcase contains 1 removable shelf • 67" storage bookcase contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified									

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware




TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2467VSHHL2M 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE/WARDROBE WITH FILE/FILE PEDESTAL  Left shown	LEFT HINGED								
	RIGHT HINGED								
	WW2467VSHHL2M	\$ 3064	23%	24	67	—	—	170 lbs.	26.6
	WW2454VSHHL2M	2876	23%	24	54%	—	—	145 lbs.	21.9
	• Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								
STORAGE WARDROBE WITH BOX/BOX/FILE PEDESTAL  Left shown	LEFT HINGED								
	RIGHT HINGED								
	WW2467VSHHL1M	\$ 3111	23%	24	67	—	—	168 lbs.	22.0
	WW2454VSHHL1M	2923	23%	24	54%	—	—	155 lbs.	18.0
	• Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								
STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL  Right shown	LEFT HINGED								
	RIGHT HINGED								
	WW2467VSBWHL2M	\$ 3217	23%	24	67	—	—	180 lbs.	26.6
	WW2454VSBWHL2M	3019	23%	24	54%	—	—	152 lbs.	21.9
	• Coat rod is standard • 54" storage bookcase/wardrobe contains 1 removable shelf • 67" storage bookcase/wardrobe contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
STORAGE BOOKCASE/WARDROBE WITH BOX/BOX/FILE PEDESTAL  Right shown	LEFT HINGED								
	RIGHT HINGED								
	WW2467VSBWHL1M	\$ 3264	23%	24	67	—	—	168 lbs.	22.0
	WW2454VSBWHL1M	3067	23%	24	54%	—	—	155 lbs.	18.0
	• Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								

PRODUCT SPECIFICATIONS

- Highbacks shipped with appropriate hardware




TO ORDER, SPECIFY:

- Model Number
- Pull
- Locking
- Paint

SAMPLE MODEL NUMBER:

WW7237HBRM 5 KRB 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HIGHBACK ORGANIZER RECESSED DOORS 	WW7237HBRM	\$ 2551	15	71¾	37½	—	—	170 lbs.	21.9
	WW6037HBRM	2154	15	59¾	37½	—	—	145 lbs.	18.3
	WW4837HBRM	1763	15	47¾	37½	—	—	120 lbs.	11.1
	WW4237HBRM	1710	15	41¾	37½	—	—	95 lbs.	3.9
	WW3637HBRM	1657	15	35¾	37½	—	—	75 lbs.	2.0
	- Not intended for use on table desking - An end panel, support panel, or pedestal must be located under end panels of highback for proper support 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors - Doors recess into top of cabinet 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available - Back of highback has cutouts for cable routing - Some assembly required - Reference tack board applicability on page 722								
HIGHBACK ORGANIZER FLIPPER DOORS WITH SOFT CLOSE HINGE 	WW7237HBFM	\$ 2780	14 ¹⁵ / ₁₆	71¾	37 ¹⁵ / ₁₆	—	—	170 lbs.	21.9
	WW6037HBFM	2344	14 ¹⁵ / ₁₆	59¾	37 ¹⁵ / ₁₆	—	—	145 lbs.	18.3
	WW4837HBFM	1902	14 ¹⁵ / ₁₆	47¾	37 ¹⁵ / ₁₆	—	—	120 lbs.	11.1
	WW4237HBFM	1832	14 ¹⁵ / ₁₆	41¾	37 ¹⁵ / ₁₆	—	—	95 lbs.	3.9
	WW3637HBFM	1761	14 ¹⁵ / ₁₆	35¾	37 ¹⁵ / ₁₆	—	—	75 lbs.	2.0
	- Not intended for use on table desking - An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support - Doors flip up over the top of the unit - Features soft close hinges 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available - Back of highback has cutouts for cable routing - Some assembly required - Reference tack board applicability on page 722								
HIGHBACK ORGANIZER NO DOORS 	WW7237HBEM	\$ 2429	15	71¾	37½	—	—	170 lbs.	21.9
	WW6037HBEM	2038	15	59¾	37½	—	—	145 lbs.	18.3
	WW4837HBEM	1705	15	47¾	37½	—	—	120 lbs.	11.1
	WW4237HBEM	1654	15	41¾	37½	—	—	95 lbs.	3.9
	WW3637HBEM	1597	15	35¾	37½	—	—	75 lbs.	2.0
	- Not intended for use on table desking - An end panel, support panel, or pedestal must be located under end panels of highback for proper support - Back of highback has cutouts for cable routing - Some assembly required - Reference tack board applicability on page 722								

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware




TO ORDER, SPECIFY:

- Model Number
- Locking
- Paint

SAMPLE MODEL NUMBER:

WW4814SOFTM KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS			CARTONED WEIGHT		CUBIC FEET
			GRADE AA	GRADE A	GRADE B/COM		D	W	H	A	KW	
	NAC6820TBMA	Railroad	\$ 465	\$ 513	\$ 606	½	68¾	19¾	—	—	13 lbs.	2.2
	NAC5620TBMA	Railroad	368	405	475	½	56¾	19¾	—	—	9 lbs.	1.8
	NAC4420TBMA	Railroad	335	365	422	½	44¾	19¾	—	—	8 lbs.	1.5
	NAC3820TBMA	Railroad	319	345	395	½	38¾	19¾	—	—	7 lbs.	1.3
	NAC3220TBMA	Railroad	294	316	359	½	32¾	19¾	—	—	6 lbs.	1.0
	- For use with WaveWorks metal highback organizers only - Tack board is unfinished on back - Hardware is included to attach to highback organizer - See page 478 for textile options - Reference tack board applicability on page 722											
OVERHEAD STORAGE CABINET RECESSED DOOR EXHIBIT MOUNT												
	WW4814SOFTM		\$ 991			14%	47¾	16%	—	—	67 lbs.	11.7
	WW4214SOFTM		966			14%	41¾	16%	—	—	62 lbs.	11.5
	WW3614SOFTM		946			14%	35¾	16%	—	—	57 lbs.	10.1
	WW3014SOFTM		921			14%	29¾	16%	—	—	43 lbs.	6.6
	- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately - Filler strip is removable in the field if overhead is used with tack/marker board insert - Door recesses into top of cabinet - Unit features 1 door - Unit features an open back - It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads - If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
OVERHEAD STORAGE CABINET FLIPPER DOOR WITH SOFT CLOSE HINGE EXHIBIT MOUNT												
	WW4814SOF2TM		\$ 1120			14 ¹ / ₁₆	47¾	16%	—	—	67 lbs.	11.7
	WW4214SOF2TM		1095			14 ¹ / ₁₆	41¾	16%	—	—	62 lbs.	11.5
	WW3614SOF2TM		1073			14 ¹ / ₁₆	35¾	16%	—	—	57 lbs.	10.1
	WW3014SOF2TM		1053			14 ¹ / ₁₆	29¾	16%	—	—	43 lbs.	6.6
	- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately - Filler strip is removable in the field if overhead is used with tack/marker board insert - Door flips up over the top of the unit - Features soft close hinges - Unit features 1 door - Unit features an open back - It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads - If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware

TO ORDER, SPECIFY:


- Model Number
- Paint

SAMPLE MODEL NUMBERS:

WW3642BCOFM 501
11N72EXP1 462


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET NO DOORS EXHIBIT MOUNT	WW4814SOETM	\$ 927	14%	47¾	16%	—	—	67 lbs.	11.7
	WW4214SOETM	905	14%	41¾	16%	—	—	62 lbs.	11.5
	WW3614SOETM	883	14%	35¾	16%	—	—	57 lbs.	10.1
	WW3014SOETM	859	14%	29¾	16%	—	—	43 lbs.	6.6



- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail

EXHIBIT WALL RAIL




WALL RAIL

11N72EXP1	1 Rail/No faceplate	\$ 137	¾	72	1¾	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	199	¾	144	1¾	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert


2 SHELF BOOKCASE



WW3642BCOFM	\$ 1226	15½	35½%	41½%	—	—	82 lbs.	16.9

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable


3 SHELF BOOKCASE



WW3654BCOFM	\$ 1456	15½	35½%	53½%	—	—	103 lbs.	21.6

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

4 SHELF BOOKCASE



WW3666BCOFM	\$ 1712	15½	35½%	65½%	—	—	124 lbs.	26.2

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

- Model Number
- Paint


SAMPLE MODEL NUMBER:

WW4827MPM 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL FULL OVERLAY MODESTY 	WW9627MPM	\$ 396	1½	96	27	—	—	32 lbs.	3.0
	WW8427MPM	372	1½	84	27	—	—	29 lbs.	2.5
	WW7227MPM	327	1½	72	27	—	—	24 lbs.	2.1
	WW6627MPM	310	1½	66	27	—	—	22 lbs.	2.0
	WW6027MPM	292	1½	60	27	—	—	20 lbs.	1.8
	WW5427MPM	285	1½	54	27	—	—	18 lbs.	1.6
	WW4827MPM	282	1½	48	27	—	—	16 lbs.	1.4
	WW4227MPM	262	1½	42	27	—	—	15 lbs.	1.3
	WW3627MPM	239	1½	36	27	—	—	13 lbs.	1.1
	WW3427MPM	227	1½	34	27	—	—	13 lbs.	1.0
	WW3027MPM	217	1½	30	27	—	—	12 lbs.	0.9

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW9621MPM	Metal	\$ 354	1½	96	21¼	—	—	30 lbs.	2.9
	WW8421MPM	Metal	327	1½	84	21¼	—	—	27 lbs.	2.4
	WW7221MPM	Metal	285	1½	72	21¼	—	—	22 lbs.	2.0
	WW6621MPM	Metal	266	1½	66	21¼	—	—	20 lbs.	1.9
	WW6021MPM	Metal	250	1½	60	21¼	—	—	18 lbs.	1.7
	WW5421MPM	Metal	243	1½	54	21¼	—	—	16 lbs.	1.5
	WW4821MPM	Metal	239	1½	48	21¼	—	—	14 lbs.	1.3
	WW4221MPM	Metal	218	1½	42	21¼	—	—	13 lbs.	1.2
	WW3621MPM	Metal	200	1½	36	21¼	—	—	11 lbs.	1.0
	WW3021MPM	Metal	175	1½	30	21¼	—	—	10 lbs.	0.8

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW9423MPM 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL KNEESPACE MODESTY 	WW9423MPM	\$ 361	1½	93¼	23	—	—	32 lbs.	2.8
	WW8323MPM	334	1½	82¾	23	—	—	29 lbs.	2.5
	WW8223MPM	334	1½	81¼	23	—	—	25 lbs.	2.4
	WW8023MPM	334	1½	79⅞	23	—	—	28 lbs.	2.4
	WW7123MPM	296	1½	70⅞	23	—	—	23 lbs.	2.1
	WW7023MPM	296	1½	69¾	23	—	—	23 lbs.	2.1
	WW6923MPM	277	1½	69	23	—	—	23 lbs.	2.1
	WW6823MPM	277	1½	67¾	23	—	—	23 lbs.	2.0
	WW6623MPM	277	1½	65¾	23	—	—	22 lbs.	2.0
	WW6523MPM	277	1½	64¾	23	—	—	22 lbs.	2.0
	WW6423MPM	277	1½	63¾	23	—	—	21 lbs.	1.9
	WW5923MPM	262	1½	58¾	23	—	—	20 lbs.	1.8
	WW5823MPM	262	1½	57¼	23	—	—	20 lbs.	1.7
	WW5723MPM	262	1½	57	23	—	—	19 lbs.	1.7
	WW5623MPM	262	1½	55¾	23	—	—	19 lbs.	1.7
	WW54A23MPM	256	1½	54	23	—	—	19 lbs.	1.6
	WW5423MPM	256	1½	53¾	23	—	—	18 lbs.	1.6
	WW5323MPM	256	1½	52¾	23	—	—	18 lbs.	1.6
	WW52A23MPM	256	1½	52¾	23	—	—	18 lbs.	1.6
	WW5223MPM	256	1½	51¾	23	—	—	18 lbs.	1.6
	WW5023MPM	254	1½	49¾	23	—	—	17 lbs.	1.5
	WW4723MPM	254	1½	46¾	23	—	—	16 lbs.	1.4
	WW4523MPM	239	1½	45¾	23	—	—	16 lbs.	1.4
	WW4423MPM	239	1½	45⅞	23	—	—	15 lbs.	1.3
	WW4323MPM	239	1½	43¾	23	—	—	15 lbs.	1.3
	WW42A23MPM	238	1½	42⅞	23	—	—	14 lbs.	1.3
	WW4223MPM	238	1½	41¾	23	—	—	15 lbs.	1.3
	WW4123MPM	222	1½	40¾	23	—	—	15 lbs.	1.2
	WW40A23MPM	222	1½	40⅞	23	—	—	14 lbs.	1.2
	WW4023MPM	222	1½	39¾	23	—	—	14 lbs.	1.2
	WW3923MPM	216	1½	39⅞	23	—	—	14 lbs.	1.2
	WW3823MPM	216	1½	37½	23	—	—	14 lbs.	1.2

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 482-485 for planning guideline chart

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

- Model Number
- Paint

SAMPLE MODEL NUMBER:


WW3623MPM 501

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL KNEESPACE MODESTY (CONTINUED) 	WW3623MPM	\$ 216	1½	36	23	—	—	13 lbs.	1.1
	WW3523MPM	209	1½	34¾	23	—	—	13 lbs.	1.1
	WW3423MPM	205	1½	33¾	23	—	—	13 lbs.	1.0
	WW3323MPM	205	1½	33¼	23	—	—	13 lbs.	1.0
	WW3223MPM	200	1½	31¾	23	—	—	12 lbs.	1.0
	WW3123MPM	200	1½	30¾	23	—	—	12 lbs.	1.0
	WW3023MPM	200	1½	30	23	—	—	12 lbs.	0.9
	WW2923MPM	200	1½	28¾	23	—	—	11 lbs.	0.9
	WW2823MPM	200	1½	27¾	23	—	—	11 lbs.	0.9
	WW2723MPM	196	1½	27¼	23	—	—	11 lbs.	0.8
	WW2623MPM	196	1½	25¾	23	—	—	9 lbs.	0.7
	WW2323MPM	191	1½	22¾	23	—	—	9 lbs.	0.7
	WW2023MPM	191	1½	19¾	23	—	—	8 lbs.	0.7
	WW1723MPM	188	1½	16¾	23	—	—	7 lbs.	0.7
	WW1423MPM	184	1½	13¾	23	—	—	6 lbs.	0.7

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 482-485 for planning guideline chart


NON-DEFACING PEDESTAL KIT



WWMNDF	\$ 68	—	—	—	—	—	—	1 lbs.	0.3

- Allows attachment of pedestal to modesty panel without drilling holes in sides of cabinet
- Includes hardware for attachment
- Environmental grey finish
- Order 1 non-defacing kit per pedestal
- Specify model number only

NON-DEFACING COLUMN LEG KIT



WWSBNDP Cinder	\$ 68	—	—	—	—	—	—	1 lbs.	0.3

- Allows attachment of column to metal modesty panel without defacing the column
- Available in 4 paint options: Designer White (405), Cinder (462), Platinum Metallic (501) and Satin Nickel Metallic (503)





TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW1827EPM 405

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FULL END PANEL WORKSURFACE HEIGHT 	WW3627EPM	\$ 383	34 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	37 lbs.	1.1
	WW3027EPM	344	28 $\frac{1}{2}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	30 lbs.	1.0
	WW2427EPM	304	22 $\frac{1}{2}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	25 lbs.	0.8
	• Non-structural and non-handed • Designed for securement to modesty panel • Intended use for single pedestal desks/credenzas • Includes 2 glides • In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability								
FULL END PANEL (BOX/FILE HEIGHT) 	WW2421EPM	\$ 282	22 $\frac{1}{2}$	1 $\frac{1}{4}$	21 $\frac{1}{4}$	—	—	20 lbs.	0.6
	• Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability								
HALF END PANEL 	WW1827EPM	\$ 276	16	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	19 lbs.	0.6
	• Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability • Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support								
SUPPORT PANEL 	WW1227SSM	\$ 211	11 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	10 lbs.	0.4
	• Non-structural and non-handed • Designed for securement to modesty panel • Utilize on 36" corner surfaces only with cylinder leg and for continuous surface connections • Includes 2 glides • In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability								
SUPPORT PANEL (BOX/FILE HEIGHT) 	WW1221SSM	\$ 120	11 $\frac{3}{8}$	1 $\frac{1}{4}$	21 $\frac{1}{4}$	—	—	13 lbs.	0.8
	• Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability								

WAVEWORKS METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:



1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW0827SRM 462

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RETURN SUPPORT PANEL	WW0827SRM	\$ 118	7 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{3}{4}$	—	—	7 lbs.	0.2
	WW1227SRM	168	11 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{3}{4}$	—	—	9 lbs.	0.4
• Non-structural and non-handed • Designed for securement to modesty panel • Utilize 1 return support panel for returns • Utilize 2 return support panels for bridge units • Includes 1 glide for WW0827SRM; includes 2 glides for WW1227SRM • Use WW0827SRM to create 24"D return • Use WW1227SRM to create 30"D return									


T-SUPPORT PANEL
HALF HEIGHTINTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

WWN3605STM	Metal	\$ 275	35 $\frac{3}{8}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	19 lbs.	2.0
WWN3005STM	Metal	244	29 $\frac{1}{16}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	17 lbs.	1.8
WWN2405STM	Metal	222	22 $\frac{1}{16}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	14 lbs.	1.6

INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

WW3606STM	Metal	\$ 275	35 $\frac{3}{8}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	19 lbs.	2.0
WW3006STM	Metal	244	29 $\frac{1}{16}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	17 lbs.	1.8
WW2406STM	Metal	222	22 $\frac{1}{16}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	14 lbs.	1.6

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, T-support panel will sit on box/file height storage and support worksurface height worksurfaces

UNDERSURFACE SUPPORT RAIL
(WORKSURFACE)

QNAC0248SUR		\$ 274	2 $\frac{3}{4}$	48	1	—	—	5 lbs.	0.5
NAC0248SUR		274	2 $\frac{3}{4}$	48	1	—	—	5 lbs.	0.5
QNAC0236SUR		235	2 $\frac{3}{4}$	36	1	—	—	3 lbs.	0.3
NAC0236SUR		235	2 $\frac{3}{4}$	36	1	—	—	3 lbs.	0.3

- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 $\frac{3}{16}$ " worksurface and greater than 60" on a 1 $\frac{1}{8}$ " worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails



TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBERS:

WW0827SPM 480
 WWGB
 WW0127CPFSM

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET	
CORNER POST	WW0827SPM	\$ 381	8	8	27¼	—	—	11 lbs.	1.6	
	• Creates corner unit utilizing modesty panels • Designed to secure modesty panels to corner unit • Corner post must be used with modesty panels • Includes 1 glide									
GUSSET BRACKET	WWGB	\$ 42	9½	—	9½	—	—	1 lbs.	0.2	
	• When modesty panels are not utilized, gusset brackets are required for stabilization and support of end and support panels • Non-handed • Includes 1 bracket • Specify model number only • Gusset Brackets are not to be used in place of support panels									
MODESTY FILLER STRIP (WORKSURFACE HEIGHT)	WW0127CPFSM	\$ 73	1½	1	27½	—	—	1 lbs.	0.2	
	• Utilize to close space between back of pedestal and wall • Utilize for 24" deep surfaces/undersurface pedestals • Non-handed • Specify model number only									
MODESTY FILLER STRIP (BOX/FILE HEIGHT)	WW0121CPFSM	\$ 51	1½	1	21¼	—	—	1 lbs.	0.2	
	• Utilize to close space between back of pedestal and wall • Utilize for 24" deep surfaces/undersurface pedestals • Non-handed • Specify model number only									
LATERAL FILE FILING HARDWARE	WW15FFB	\$ 42	¾	15¾	¾	—	—	1 lbs.	2.0	
	• Allows front-to-back letter filing • Set of 2 • Front-to back file bars provide: 2 rows of letter or 1 row of legal in 30" W 2 rows of letter or 2 rows of legal in 36" W 3 rows of letter or 2 rows of legal in 42" W									

WAVEWORKS METAL





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0612PT

• See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PENCIL TRAY 	NAC0612PT Black	\$ 45	5½	12	1½	—	—	1 lbs.	0.2
	• Holds pencils, pens, rulers, etc. • For use in WaveWorks Metal box drawer								
BOX DRAWER DIVIDER 	NAC1303DD Black	\$ 37	12%	3¾	—	—	—	1 lbs.	0.2
	• For use in WaveWorks Metal box drawer								
OVERHEAD/SHELF DIVIDER 	NAC9SD Black (Set of 3)	\$ 92	6	9¼	7	—	—	1 lbs.	0.3
	• Sits in a WaveWorks Metal highback organizer or overhead								
ELECTRONIC LOCK VERTICAL 	NAC05LKEVB Black	\$ 580	1	1½	5	—	—	1 lbs.	0.2
	NAC05LKEVS Silver	580	1	1½	5	—	—	1 lbs.	0.2
	• Electronic locking features passcode operation • Can be field installed on storage units except where noted. Select specify core separately • Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included) • If ordering electronic locking as a separate model, specify key specific on the storage unit so as to only get the hole cutout • Hardware is included								
ELECTRONIC LOCK HORIZONTAL 	NAC05LKEHB Black	\$ 580	1	5	1½	—	—	1 lbs.	0.2
	NAC05LKEHS Silver	580	1	5	1½	—	—	1 lbs.	0.2
	• Electronic locking features passcode operation • Can be field installed on storage units except where noted. Select specify core separately • Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included) • If ordering electronic locking as a separate model, specify key specific on the storage unit so as to only get the hole cutout • Hardware is included								

EXHIBIT

WALL RAIL SOLUTION

Product Specifications	520
Production Options	521
Product Overview	523
Application Guidelines	524
Product Pages	525

EXHIBIT

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE


- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible vinyl trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in textile, see page 521 for textile options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer and laminate organizer shelf inserts

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or textile
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

CONFIGURATION OPTIONS - EXHIBIT

WALL RAIL/FACEPLATE/ SLAT WALL INSERT
PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

TRIM CHANNEL
PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic
401	White

END TRIM/END CAP
PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

WORK TOOLS (METAL)

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush
G2006	Brick Red
G2003	Chive
G2002	Dark Blue
G2008	Eucalyptus
G2012	Ginkgo
G2007	Lavender Ash

G2001	Moon Beam
G2010	Naval
G2013	Olive Branch
G2011	Rustic Sun
G2005	Sangria
G2009	Tidewater


TACK BOARD INSERT/TRIM CHANNEL VERTICAL TEXTILE OPTIONS

Grade AA	Grade A		Grade B	
Lea	Compose	Merge	Frenzied	Pact
	Crossroads	Mykel	Fuse	Prose
	Dune	Plinth	Linen	Savile
	Fusion	Repetition	Lyko	
	Infuse	Tapestry		
			COM (Grade B)	

EXHIBIT TV MOUNT
INSERT OPTIONS

TS	Single TV Mount, Front
TD	Dual TV Mount, Front (\$998 list upcharge)

EXHIBIT COMPONENTS

SH6 ORGANIZER
SHELF HEIGHT
36"/37"/48"/49"
HIGH MODELS

- A Align with 13H Overhead
- B Align with 18H Overhead
- C Align with 30H Overhead*
- *48"/49" high models only
- D Align with SH1 top shelf

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CONFIGURATION OPTIONS - EXHIBIT

WOOD FINISHES
(ORGANIZER SHELF
INSERT)

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS
(ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
ADH	Almond Horizontal
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PTH	Portico Horizontal*
PB	Portobello
PBH	Portobello Horizontal
792	Sable
792H	Sable Horizontal
SC	Sedona
SK	Skyline*
SKH	Skyline Horizontal*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



EXHIBIT

APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed $\frac{1}{200}$ of the span for walls with brittle finishes and $\frac{1}{160}$ of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size

Description

Steel Studs ($\frac{1}{2}$ " to $\frac{3}{4}$ " drywall)

Hilti® Toggler® anchor toggle bolts, $\frac{1}{4}$ "–20 x 2" grade 5 bolts

Wood Studs ($\frac{1}{4}$ " to $\frac{1}{2}$ " drywall)

Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.

Pan head sheet metal screw

10-2 PHPMS

Solid Masonry

Crown Bolt lag shields $\frac{1}{4}$ " x 1 $\frac{1}{2}$ "

Buildex Tapcon concrete anchor screw $\frac{1}{4}$ " x 2 $\frac{3}{4}$ "

Masonry Block


Hilti Toggler anchor toggle bolts, $\frac{1}{4}$ "–20 x 2" grade 5 bolts

Crown Bolt lag shields $\frac{1}{4}$ " x 1 $\frac{1}{2}$ "

Buildex Tapcon concrete anchor screw $\frac{1}{4}$ " x 2 $\frac{3}{4}$ "


- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends $\frac{1}{8}$ " from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 567-569

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 521-522 for all options available in Exhibit



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	WALL RAIL AND FACEPLATE										
	11N72EXFP2	Set of 2	\$	392	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of 2		563	7⁄8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of 1	\$	226	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of 1		312	7⁄8	144	1¾	—	—	12 lbs.	1.4
• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets • Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • Faceplates must be used when using an insert											

EXHIBIT WALL RAIL



11N72EXP1	1 Rail/No faceplate	\$	137	$\frac{3}{4}$	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate		199	$\frac{3}{4}$	144	1½	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

- See pages 521-522 for all options available in Exhibit

		MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

- See pages 521-522 for all options available in Exhibit

		MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT		CUBIC FEET	
							D	W	H	A	KW				
TACK BOARD INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 79" HIGH WVN MODELS														
	48"H TACK BOARD INSERTS														
		GRADE AA		GRADE A		GRADE B/ COM									
11N1848TBA		\$	370	\$	405	\$	471	½	18	48¾	—	—	4 lbs.	1.2	
11N2448TBA			386		421		487	½	24	48¾	—	—	5 lbs.	1.3	
11N3048TBA			457		492		558	½	30	48¾	—	—	6 lbs.	1.7	
11N3648TBA			465		500		566	½	36	48¾	—	—	7 lbs.	2.0	
11N4248TBA			485		520		586	½	42	48¾	—	—	8 lbs.	2.3	
11N4848TBA			503		543		620	½	48	48¾	—	—	9 lbs.	2.7	
11N5448TBA			573		619		707	½	54	48¾	—	—	10 lbs.	3.0	
11N6048TBA			578		624		712	½	60	48¾	—	—	11 lbs.	3.3	
		COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS													
		49"H TACK BOARD INSERTS													
11N1849TBA		\$	370	\$	405	\$	471	½	18	48⅜	—	—	4 lbs.	1.2	
11N2449TBA			386		421		487	½	24	48⅜	—	—	5 lbs.	1.3	
11N3049TBA			457		492		558	½	30	48⅜	—	—	6 lbs.	1.7	
11N3649TBA			465		500		566	½	36	48⅜	—	—	7 lbs.	2.0	
11N4249TBA			485		520		586	½	42	48⅜	—	—	8 lbs.	2.3	
11N4849TBA			503		543		620	½	48	48⅜	—	—	9 lbs.	2.7	
11N5449TBA			573		619		707	½	54	48⅜	—	—	10 lbs.	3.0	
11N6049TBA			578		624		712	½	60	48⅜	—	—	11 lbs.	3.3	
		• 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded													

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

11N2434MB

- See pages 521-522 for all options available in Exhibit

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW						
	34"H MARKER BOARD INSERTS											
	HPL											
	PORCELAIN											
	11N2434MB	\$	616	11N2434MB2P	\$	937	½	24	34½	—	—	14 lbs. 0.6
	11N3034MB		618	11N3034MB2P		947	½	30	34½	—	—	18 lbs. 0.8
	11N3634MB		692	11N3634MB2P		1042	½	36	34½	—	—	22 lbs. 0.9
	11N4234MB		745	11N4234MB2P		1043	½	42	34½	—	—	25 lbs. 1.0
	11N4834MB		911	11N4834MB2P		1337	½	48	34½	—	—	29 lbs. 1.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS												
36"H MARKER BOARD INSERTS												
HPL												
PORCELAIN												
	11N2436MB	\$	639	11N2436MB2P	\$	963	½	24	36½	—	—	14 lbs. 0.6
	11N3036MB		641	11N3036MB2P		965	½	30	36½	—	—	18 lbs. 0.8
	11N3636MB		718	11N3636MB2P		1069	½	36	36½	—	—	22 lbs. 0.9
	11N4236MB		771	11N4236MB2P		1072	½	42	36½	—	—	25 lbs. 1.0
	11N4836MB		937	11N4836MB2P		1366	½	48	36½	—	—	29 lbs. 1.2
	11N5436MB		939	11N5436MB2P		1374	½	54	36½	—	—	32 lbs. 1.3
	11N6036MB		949	11N6036MB2P		1386	½	60	36½	—	—	36 lbs. 1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H MARKER BOARD INSERTS

HPL

PORCELAIN

11N2437MB	\$ 639		11N2437MB2P	\$ 963	½	24	37	—	—	14 lbs. 0.6
11N3037MB	641		11N3037MB2P	965	½	30	37	—	—	18 lbs. 0.8
11N3637MB	718		11N3637MB2P	1069	½	36	37	—	—	22 lbs. 0.9
11N4237MB	771		11N4237MB2P	1072	½	42	37	—	—	25 lbs. 1.0
11N4837MB	937		11N4837MB2P	1366	½	48	37	—	—	29 lbs. 1.2
11N5437MB	939		11N5437MB2P	1374	½	54	37	—	—	32 lbs. 1.3
11N6037MB	949		11N6037MB2P	1386	½	60	37	—	—	36 lbs. 1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

- See pages 521-522 for all options available in Exhibit

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
MARKER BOARD INSERTS (CONTINUED)									
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
48"H MARKER BOARD INSERTS									
HPL					PORCELAIN				
11N2448MB	\$	746	11N2448MB2P	\$	1110	½	24	48%	— — 16 lbs. 1.3
11N3048MB		747	11N3048MB2P		1112	½	30	48%	— — 20 lbs. 1.7
11N3648MB		833	11N3648MB2P		1234	½	36	48%	— — 24 lbs. 2.0
11N4248MB		904	11N4248MB2P		1329	½	42	48%	— — 27 lbs. 2.3
11N4848MB		1095	11N4848MB2P		1582	½	48	48%	— — 31 lbs. 2.7
11N5448MB		1100	11N5448MB2P		1830	½	54	48%	— — 34 lbs. 3.0
11N6048MB		1109	11N6048MB2P		1972	½	60	48%	— — 38 lbs. 3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS									
49"H MARKER BOARD INSERTS									
HPL					PORCELAIN				
11N2449MB	\$	746	11N2449MB2P	\$	1110	½	24	48⅜	— — 16 lbs. 1.3
11N3049MB		747	11N3049MB2P		1112	½	30	48⅜	— — 20 lbs. 1.7
11N3649MB		833	11N3649MB2P		1234	½	36	48⅜	— — 24 lbs. 2.0
11N4249MB		904	11N4249MB2P		1329	½	42	48⅜	— — 27 lbs. 2.3
11N4849MB		1095	11N4849MB2P		1582	½	48	48⅜	— — 31 lbs. 2.7
11N5449MB		1100	11N5449MB2P		1830	½	54	48⅜	— — 34 lbs. 3.0
11N6049MB		1109	11N6049MB2P		1972	½	60	48⅜	— — 38 lbs. 3.3
• HPL marker board inserts can be field scribed • Additional trim channels should be specified separately if additional inserts are created • Porcelain marker board inserts are magnetic • Porcelain marker board inserts are double sided • Specify model number only • 2 trim channels included with each marker board insert in white to match board • Marker board inserts available in white only									

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	SLAT WALL INSERTS								
	34"H FULL SLAT								
	11N2434SW	\$ 1598	½	24	34½	—	—	45 lbs.	1.2
	11N3034SW	1607	½	30	34½	—	—	57 lbs.	1.4
	11N3634SW	1838	½	36	34½	—	—	69 lbs.	1.7
	11N4234SW	1839	½	42	34½	—	—	79 lbs.	2.0
	11N4834SW	2039	½	48	34½	—	—	91 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H FULL SLAT

11N2436SW	\$ 1621	½	24	36½	—	—	48 lbs.	1.2
11N3036SW	1630	½	30	36½	—	—	60 lbs.	1.4
11N3636SW	1858	½	36	36½	—	—	72 lbs.	1.7
11N4236SW	1860	½	42	36½	—	—	82 lbs.	2.0
11N4836SW	2070	½	48	36½	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H FULL SLAT

11N2437SW	\$ 1621	½	24	37	—	—	48 lbs.	1.2
11N3037SW	1630	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1858	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1860	½	42	37	—	—	82 lbs.	2.0
11N4837SW	2070	½	48	37	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS

48"H FULL SLAT

11N2448SW	\$ 1912	½	24	48½	—	—	63 lbs.	1.6
11N3048SW	1922	½	30	48½	—	—	80 lbs.	1.9
11N3648SW	2196	½	36	48½	—	—	97 lbs.	2.0
11N4248SW	2198	½	42	48½	—	—	111 lbs.	2.2
11N4848SW	2442	½	48	48½	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 570-573

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
SLAT WALL INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H FULL SLAT									
	11N2449SW	\$ 1912	½	24	48 ¹³ / ₁₆	—	—		63 lbs.	1.6
	11N3049SW	1922	½	30	48 ¹³ / ₁₆	—	—		80 lbs.	1.9
	11N3649SW	2196	½	36	48 ¹³ / ₁₆	—	—		97 lbs.	2.0
	11N4249SW	2198	½	42	48 ¹³ / ₁₆	—	—		111 lbs.	2.2
	11N4849SW	2442	½	48	48 ¹³ / ₁₆	—	—		128 lbs.	2.5
	• 2 trim channels included with each slat wall insert in corresponding color to match slat • Slat wall insert requires the use of trim channels and mounting bracket included with the model • Slat wall should only be used with National certified work tools and monitor arms; reference pages 570-573									

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBFA A 8600 501

- See pages 521-522 for all options available in Exhibit

MODEL NO./DESCRIPTION							LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
SLAT WALL INSERTS COMBO SLAT/TACK							D	W	H	A	KW			
	23"H SLAT WITH TEXTILE TRIM	11"H TACK PAINTED TRIM		GRADE AA	GRADE A	GRADE B/COM								
	11N2434SWTBFA	11N2434SWTBPA	Railroad	\$ 1431	\$ 1448	\$ 1481	½	24	34½	—	—	32 lbs.		
	11N3034SWTBFA	11N3034SWTBPA	Railroad	1430	1451	1492	½	30	34½	—	—	41 lbs.	1.4	
	11N3634SWTBFA	11N3634SWTBPA	Railroad	1632	1657	1704	½	36	34½	—	—	50 lbs.	1.7	
	11N4234SWTBFA	11N4234SWTBPA	Railroad	1628	1657	1712	½	42	34½	—	—	59 lbs.	2.0	
	11N4834SWTBFA	11N4834SWTBPA	Railroad	1810	1843	1905	½	48	34½	—	—	68 lbs.	2.3	
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS														
	23"H SLAT WITH TEXTILE TRIM	13"H TACK PAINTED TRIM		GRADE AA	GRADE A	GRADE B/COM								
	11N2436SWTBFA	11N2436SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	36½	—	—	35 lbs.	1.2	
	11N3036SWTBFA	11N3036SWTBPA	Railroad	1455	1476	1517	½	30	36½	—	—	44 lbs.	1.4	
	11N3636SWTBFA	11N3636SWTBPA	Railroad	1655	1680	1727	½	36	36½	—	—	53 lbs.	1.7	
	11N4236SWTBFA	11N4236SWTBPA	Railroad	1656	1685	1740	½	42	36½	—	—	62 lbs.	2.0	
	11N4836SWTBFA	11N4836SWTBPA	Railroad	1835	1868	1930	½	48	36½	—	—	71 lbs.	2.3	
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS														
	23"H SLAT WITH TEXTILE TRIM	14"H TACK PAINTED TRIM		GRADE AA	GRADE A	GRADE B/COM								
	11N2437SWTBFA	11N2437SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	37	—	—	35 lbs.	1.2	
	11N3037SWTBFA	11N3037SWTBPA	Railroad	1455	1476	1517	½	30	37	—	—	44 lbs.	1.4	
	11N3637SWTBFA	11N3637SWTBPA	Railroad	1655	1680	1727	½	36	37	—	—	53 lbs.	1.7	
	11N4237SWTBFA	11N4237SWTBPA	Railroad	1656	1685	1740	½	42	37	—	—	62 lbs.	2.0	
	11N4837SWTBFA	11N4837SWTBPA	Railroad	1835	1868	1930	½	48	37	—	—	71 lbs.	2.3	
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS														
	23"H SLAT WITH TEXTILE TRIM	25"H TACK PAINTED TRIM		GRADE AA	GRADE A	GRADE B/COM								
	11N2448SWTBFA	11N2448SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48½	—	—	45 lbs.	1.4	
	11N3048SWTBFA	11N3048SWTBPA	Railroad	1719	1740	1781	½	30	48½	—	—	58 lbs.	1.7	
	11N3648SWTBFA	11N3648SWTBPA	Railroad	1958	1983	2030	½	36	48½	—	—	71 lbs.	2.1	
	11N4248SWTBFA	11N4248SWTBPA	Railroad	1957	1986	2041	½	42	48½	—	—	83 lbs.	2.5	
	11N4848SWTBFA	11N4848SWTBPA	Railroad	2173	2206	2268	½	48	48½	—	—	96 lbs.	2.9	

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 570-573
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBFA A 8600 501

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
							D	W	H	A	KW		
SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	23"H SLAT WITH 26"H TACK			GRADE AA		GRADE A	GRADE B/COM						
	TEXTILE TRIM	PAINTED TRIM											
	11N2449SWTBFA	11N2449SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48⅜	—	—	45 lbs.	1.4
	11N3049SWTBFA	11N3049SWTBPA	Railroad	1719	1740	1781	½	30	48⅜	—	—	58 lbs.	1.7
	11N3649SWTBFA	11N3649SWTBPA	Railroad	1958	1983	2030	½	36	48⅜	—	—	71 lbs.	2.1
	11N4249SWTBFA	11N4249SWTBPA	Railroad	1957	1986	2041	½	42	48⅜	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2173	2206	2268	½	48	48⅜	—	—	96 lbs.	2.9	

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 570-573
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
	34"H ORGANIZER SHELF INSERTS										
	11N3634SH1W	Wood	\$ 2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1LW	Laminate Shelves, Wood Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1L	Laminate	1838	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N3634SH1WL	Wood Shelves, Laminate Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1	
	11N4234SH1W	Wood	\$ 2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1LW	Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1L	Laminate	1839	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4234SH1WL	Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3	
	11N4834SH1W	Wood	\$ 2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1LW	Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1L	Laminate	2039	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N4834SH1WL	Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5	
	11N5434SH1W	Wood	\$ 3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1LW	Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1L	Laminate	2243	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N5434SH1WL	Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5	
	11N6034SH1W	Wood	\$ 3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1LW	Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1L	Laminate	2469	10½	59⅞	34⅞	—	—	71 lbs.	3.9	
	11N6034SH1WL	Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9	

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH2W Wood	\$ 2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2LW Laminate Shelves, Wood Wall	2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2L Laminate	1838	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2WL Wood Shelves, Laminate Wall	2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N4234SH2W Wood	\$ 2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2LW Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2L Laminate	1839	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2WL Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4834SH2W Wood	\$ 2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2LW Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2L Laminate	2039	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2WL Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N5434SH2W Wood	\$ 3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2LW Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2L Laminate	2243	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2WL Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N6034SH2W Wood	\$ 3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2LW Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2L Laminate	2469	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2WL Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W MH
 11N3634SH3LW 462 CW
 11N3634SH3L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH3W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH3W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH3W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH3W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH3W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
 11N3634SH4W 462 CW
 11N3634SH4L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH4W Wood	\$ 2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4LW Laminate Shelves, Wood Wall	2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4L Laminate	1595	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N3634SH4WL Wood Shelves, Laminate Wall	2315	10½	35⅞	34⅞	—	—	49 lbs.	3.3
	11N4234SH4W Wood	\$ 2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4LW Laminate Shelves, Wood Wall	2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4L Laminate	1598	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4234SH4WL Wood Shelves, Laminate Wall	2318	10½	41⅞	34⅞	—	—	57 lbs.	3.8
	11N4834SH4W Wood	\$ 2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4LW Laminate Shelves, Wood Wall	2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4L Laminate	1776	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N4834SH4WL Wood Shelves, Laminate Wall	2573	10½	47⅞	34⅞	—	—	65 lbs.	4.3
	11N5434SH4W Wood	\$ 2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4LW Laminate Shelves, Wood Wall	2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4L Laminate	1953	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N5434SH4WL Wood Shelves, Laminate Wall	2834	10½	53⅞	34⅞	—	—	73 lbs.	4.8
	11N6034SH4W Wood	\$ 3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4LW Laminate Shelves, Wood Wall	3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4L Laminate	2149	10½	59⅞	34⅞	—	—	81 lbs.	5.3
	11N6034SH4WL Wood Shelves, Laminate Wall	3116	10½	59⅞	34⅞	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W MH
 11N3634SH6LW 462 CW
 11N3634SH6L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH6W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH6W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH6W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH6W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH6W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color



SAMPLE MODEL NUMBERS:

11N3636SH2W MH
11N3636SH2LW 462 CW
11N3636SH2L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH2W	Wood	\$ 2699	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.4
	11N3636SH2LW	Laminate Shelves, Wood Wall	2699	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.4
	11N3636SH2L	Laminate	1858	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.4
	11N3636SH2WL	Wood Shelves, Laminate Wall	2699	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.4
	11N4236SH2W	Wood	\$ 2703	10½	41½ ¹⁶	36½ ¹⁶	—	—	57 lbs.	3.6
	11N4236SH2LW	Laminate Shelves, Wood Wall	2703	10½	41½ ¹⁶	36½ ¹⁶	—	—	57 lbs.	3.6
	11N4236SH2L	Laminate	1860	10½	41½ ¹⁶	36½ ¹⁶	—	—	57 lbs.	3.6
	11N4236SH2WL	Wood Shelves, Laminate Wall	2703	10½	41½ ¹⁶	36½ ¹⁶	—	—	57 lbs.	3.6
	11N4836SH2W	Wood	\$ 3002	10½	47½ ¹⁶	36½ ¹⁶	—	—	62 lbs.	3.9
	11N4836SH2LW	Laminate Shelves, Wood Wall	3002	10½	47½ ¹⁶	36½ ¹⁶	—	—	62 lbs.	3.9
	11N4836SH2L	Laminate	2070	10½	47½ ¹⁶	36½ ¹⁶	—	—	62 lbs.	3.9
	11N4836SH2WL	Wood Shelves, Laminate Wall	3002	10½	47½ ¹⁶	36½ ¹⁶	—	—	62 lbs.	3.9
	11N5436SH2W	Wood	\$ 3301	10½	53½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.1
	11N5436SH2LW	Laminate Shelves, Wood Wall	3301	10½	53½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.1
	11N5436SH2L	Laminate	2277	10½	53½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.1
	11N5436SH2WL	Wood Shelves, Laminate Wall	3301	10½	53½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.1
	11N6036SH2W	Wood	\$ 3633	10½	59½ ¹⁶	36½ ¹⁶	—	—	74 lbs.	4.3
	11N6036SH2LW	Laminate Shelves, Wood Wall	3633	10½	59½ ¹⁶	36½ ¹⁶	—	—	74 lbs.	4.3
	11N6036SH2L	Laminate	2505	10½	59½ ¹⁶	36½ ¹⁶	—	—	74 lbs.	4.3
	11N6036SH2WL	Wood Shelves, Laminate Wall	3633	10½	59½ ¹⁶	36½ ¹⁶	—	—	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

- See pages 521-522 for all options available in Exhibit



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
36"H ORGANIZER SHELF INSERTS (CONTINUED)								
11N3636SH3W Wood	\$ 2292	10½	35¼	36½	—	—	43 lbs.	3.5
11N3636SH3LW Laminate Shelves, Wood Wall	2292	10½	35¼	36½	—	—	43 lbs.	3.5
11N3636SH3L Laminate	1581	10½	35¼	36½	—	—	43 lbs.	3.5
11N3636SH3WL Wood Shelves, Laminate Wall	2292	10½	35¼	36½	—	—	43 lbs.	3.5
11N4236SH3W Wood	\$ 2297	10½	41¼	36½	—	—	49 lbs.	4.1
11N4236SH3LW Laminate Shelves, Wood Wall	2297	10½	41¼	36½	—	—	49 lbs.	4.1
11N4236SH3L Laminate	1584	10½	41¼	36½	—	—	49 lbs.	4.1
11N4236SH3WL Wood Shelves, Laminate Wall	2297	10½	41¼	36½	—	—	49 lbs.	4.1
11N4836SH3W Wood	\$ 2551	10½	47¼	36½	—	—	56 lbs.	4.6
11N4836SH3LW Laminate Shelves, Wood Wall	2551	10½	47¼	36½	—	—	56 lbs.	4.6
11N4836SH3L Laminate	1759	10½	47¼	36½	—	—	56 lbs.	4.6
11N4836SH3WL Wood Shelves, Laminate Wall	2551	10½	47¼	36½	—	—	56 lbs.	4.6
11N5436SH3W Wood	\$ 2808	10½	53¼	36½	—	—	63 lbs.	5.1
11N5436SH3LW Laminate Shelves, Wood Wall	2808	10½	53¼	36½	—	—	63 lbs.	5.1
11N5436SH3L Laminate	1936	10½	53¼	36½	—	—	63 lbs.	5.1
11N5436SH3WL Wood Shelves, Laminate Wall	2808	10½	53¼	36½	—	—	63 lbs.	5.1
11N6036SH3W Wood	\$ 3086	10½	59¼	36½	—	—	69 lbs.	5.6
11N6036SH3LW Laminate Shelves, Wood Wall	3086	10½	59¼	36½	—	—	69 lbs.	5.6
11N6036SH3L Laminate	2130	10½	59¼	36½	—	—	69 lbs.	5.6
11N6036SH3WL Wood Shelves, Laminate Wall	3086	10½	59¼	36½	—	—	69 lbs.	5.6



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH4W MH
11N3636SH4LW 462 CW
11N3636SH4L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH4W	Wood	\$ 2345	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.5
	11N3636SH4LW	Laminate Shelves, Wood Wall	2345	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.5
	11N3636SH4L	Laminate	1619	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.5
	11N3636SH4WL	Wood Shelves, Laminate Wall	2345	10½	35½ ¹⁶	36½ ¹⁶	—	—	51 lbs.	3.5
	11N4236SH4W	Wood	\$ 2351	10½	41½ ¹⁶	36½ ¹⁶	—	—	59 lbs.	4.1
	11N4236SH4LW	Laminate Shelves, Wood Wall	2351	10½	41½ ¹⁶	36½ ¹⁶	—	—	59 lbs.	4.1
	11N4236SH4L	Laminate	1622	10½	41½ ¹⁶	36½ ¹⁶	—	—	59 lbs.	4.1
	11N4236SH4WL	Wood Shelves, Laminate Wall	2351	10½	41½ ¹⁶	36½ ¹⁶	—	—	59 lbs.	4.1
	11N4836SH4W	Wood	\$ 2612	10½	47½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.6
	11N4836SH4LW	Laminate Shelves, Wood Wall	2612	10½	47½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.6
	11N4836SH4L	Laminate	1801	10½	47½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.6
	11N4836SH4WL	Wood Shelves, Laminate Wall	2612	10½	47½ ¹⁶	36½ ¹⁶	—	—	68 lbs.	4.6
	11N5436SH4W	Wood	\$ 2874	10½	53½ ¹⁶	36½ ¹⁶	—	—	76 lbs.	5.1
	11N5436SH4LW	Laminate Shelves, Wood Wall	2874	10½	53½ ¹⁶	36½ ¹⁶	—	—	76 lbs.	5.1
	11N5436SH4L	Laminate	1984	10½	53½ ¹⁶	36½ ¹⁶	—	—	76 lbs.	5.1
	11N5436SH4WL	Wood Shelves, Laminate Wall	2874	10½	53½ ¹⁶	36½ ¹⁶	—	—	76 lbs.	5.1
	11N6036SH4W	Wood	\$ 3161	10½	59½ ¹⁶	36½ ¹⁶	—	—	85 lbs.	5.6
	11N6036SH4LW	Laminate Shelves, Wood Wall	3161	10½	59½ ¹⁶	36½ ¹⁶	—	—	85 lbs.	5.6
	11N6036SH4L	Laminate	2179	10½	59½ ¹⁶	36½ ¹⁶	—	—	85 lbs.	5.6
	11N6036SH4WL	Wood Shelves, Laminate Wall	3161	10½	59½ ¹⁶	36½ ¹⁶	—	—	85 lbs.	5.6



- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
 ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH6W	Wood	\$ 2292	10½	35½	36½	—	—	43 lbs.	3.5
	11N3636SH6LW	Laminate Shelves, Wood Wall	2292	10½	35½	36½	—	—	43 lbs.	3.5
	11N3636SH6L	Laminate	1581	10½	35½	36½	—	—	43 lbs.	3.5
	11N3636SH6WL	Wood Shelves, Laminate Wall	2292	10½	35½	36½	—	—	49 lbs.	3.5
	11N4236SH6W	Wood	\$ 2297	10½	41½	36½	—	—	49 lbs.	4.1
	11N4236SH6LW	Laminate Shelves, Wood Wall	2297	10½	41½	36½	—	—	49 lbs.	4.1
	11N4236SH6L	Laminate	1584	10½	41½	36½	—	—	49 lbs.	4.1
	11N4236SH6WL	Wood Shelves, Laminate Wall	2297	10½	41½	36½	—	—	49 lbs.	4.1
	11N4836SH6W	Wood	\$ 2551	10½	47½	36½	—	—	56 lbs.	4.6
	11N4836SH6LW	Laminate Shelves, Wood Wall	2551	10½	47½	36½	—	—	56 lbs.	4.6
	11N4836SH6L	Laminate	1759	10½	47½	36½	—	—	56 lbs.	4.6
	11N4836SH6WL	Wood Shelves, Laminate Wall	2551	10½	47½	36½	—	—	56 lbs.	4.6
	11N5436SH6W	Wood	\$ 2808	10½	53½	36½	—	—	63 lbs.	5.1
	11N5436SH6LW	Laminate Shelves, Wood Wall	2808	10½	53½	36½	—	—	63 lbs.	5.1
	11N5436SH6L	Laminate	1936	10½	53½	36½	—	—	63 lbs.	5.1
	11N5436SH6WL	Wood Shelves, Laminate Wall	2808	10½	53½	36½	—	—	63 lbs.	5.1
	11N6036SH6W	Wood	\$ 3086	10½	59½	36½	—	—	69 lbs.	5.6
	11N6036SH6LW	Laminate Shelves, Wood Wall	3086	10½	59½	36½	—	—	69 lbs.	5.6
	11N6036SH6L	Laminate	2130	10½	59½	36½	—	—	69 lbs.	5.6
	11N6036SH6WL	Wood Shelves, Laminate Wall	3086	10½	59½	36½	—	—	69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:


11N3637SH1W MH
11N3637SH1LW 462 CW
11N3637SH1L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS									
	11N3637SH1W	Wood	\$ 2699	10½	35⅝	37	—	—	51 lbs.	3.4
	11N3637SH1LW	Laminate Shelves, Wood Wall	2699	10½	35⅝	37	—	—	51 lbs.	3.4
	11N3637SH1L	Laminate	1858	10½	35⅝	37	—	—	51 lbs.	3.4
	11N3637SH1WL	Wood Shelves, Laminate Wall	2699	10½	35⅝	37	—	—	51 lbs.	3.4
	11N4237SH1W	Wood	\$ 2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH1LW	Laminate Shelves, Wood Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH1L	Laminate	1860	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH1WL	Wood Shelves, Laminate Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4837SH1W	Wood	\$ 3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH1LW	Laminate Shelves, Wood Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH1L	Laminate	2070	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH1WL	Wood Shelves, Laminate Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N5437SH1W	Wood	\$ 3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH1LW	Laminate Shelves, Wood Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH1L	Laminate	2277	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH1WL	Wood Shelves, Laminate Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N6037SH1W	Wood	\$ 3633	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH1LW	Laminate Shelves, Wood Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH1L	Laminate	2505	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH1WL	Wood Shelves, Laminate Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3



- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH2W MH
 11N3637SH2LW 462 CW
 11N3637SH2L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3637SH2W	Wood	\$ 2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH2LW	Laminate Shelves, Wood Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH2L	Laminate	1858	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH2WL	Wood Shelves, Laminate Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N4237SH2W	Wood	\$ 2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH2LW	Laminate Shelves, Wood Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH2L	Laminate	1860	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH2WL	Wood Shelves, Laminate Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4837SH2W	Wood	\$ 3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH2LW	Laminate Shelves, Wood Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH2L	Laminate	2070	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH2WL	Wood Shelves, Laminate Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
11N5437SH2W	Wood	\$ 3301	10½	53⅞	37	—	—	68 lbs.	4.1		
11N5437SH2LW	Laminate Shelves, Wood Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1		
11N5437SH2L	Laminate	2277	10½	53⅞	37	—	—	68 lbs.	4.1		
11N5437SH2WL	Wood Shelves, Laminate Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1		
	11N6037SH2W	Wood	\$ 3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH2LW	Laminate Shelves, Wood Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH2L	Laminate	2505	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH2WL	Wood Shelves, Laminate Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	
• Some assembly required • "SH2" shelves are a mirrored version of the "SH1" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W MH
11N3637SH3LW 462 CW
11N3637SH3L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH3W	Wood	\$ 2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3LW	Laminate Shelves, Wood Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3L	Laminate	1581	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3WL	Wood Shelves, Laminate Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N4237SH3W	Wood	\$ 2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3LW	Laminate Shelves, Wood Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3L	Laminate	1584	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3WL	Wood Shelves, Laminate Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4837SH3W	Wood	\$ 2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3LW	Laminate Shelves, Wood Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3L	Laminate	1759	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3WL	Wood Shelves, Laminate Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N5437SH3W	Wood	\$ 2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3LW	Laminate Shelves, Wood Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3L	Laminate	1936	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3WL	Wood Shelves, Laminate Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N6037SH3W	Wood	\$ 3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3LW	Laminate Shelves, Wood Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3L	Laminate	2130	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3WL	Wood Shelves, Laminate Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
 11N3637SH4LW 462 CW
 11N3637SH4L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3637SH4W	Wood	\$	2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4LW	Laminate Shelves, Wood Wall		2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4L	Laminate		1619	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4WL	Wood Shelves, Laminate Wall		2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N4237SH4W	Wood	\$	2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4LW	Laminate Shelves, Wood Wall		2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4L	Laminate		1622	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4WL	Wood Shelves, Laminate Wall		2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4837SH4W	Wood	\$	2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4LW	Laminate Shelves, Wood Wall		2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4L	Laminate		1801	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4WL	Wood Shelves, Laminate Wall		2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N5437SH4W	Wood	\$	2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4LW	Laminate Shelves, Wood Wall		2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4L	Laminate		1984	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4WL	Wood Shelves, Laminate Wall		2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N6037SH4W	Wood	\$	3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4LW	Laminate Shelves, Wood Wall		3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4L	Laminate		2179	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4WL	Wood Shelves, Laminate Wall		3161	10½	59⅞	37	—	—	85 lbs.	5.7
• Some assembly required • "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
 11N3637SH6LW A 462 CW
 11N3637SH6L A 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS									
	37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH6W	Wood	\$ 2292	10½	35½	37	—	—	43 lbs.	3.6
	11N3637SH6LW	Laminate Shelves, Wood Wall	2292	10½	35½	37	—	—	43 lbs.	3.6
	11N3637SH6L	Laminate	1581	10½	35½	37	—	—	43 lbs.	3.6
	11N3637SH6WL	Wood Shelves, Laminate Wall	2292	10½	35½	37	—	—	43 lbs.	3.6
	11N4237SH6W	Wood	\$ 2297	10½	41½	37	—	—	50 lbs.	4.1
	11N4237SH6LW	Laminate Shelves, Wood Wall	2297	10½	41½	37	—	—	50 lbs.	4.1
	11N4237SH6L	Laminate	1584	10½	41½	37	—	—	50 lbs.	4.1
	11N4237SH6WL	Wood Shelves, Laminate Wall	2297	10½	41½	37	—	—	50 lbs.	4.1
	11N4837SH6W	Wood	\$ 2551	10½	47½	37	—	—	56 lbs.	4.6
	11N4837SH6LW	Laminate Shelves, Wood Wall	2551	10½	47½	37	—	—	56 lbs.	4.6
	11N4837SH6L	Laminate	1759	10½	47½	37	—	—	56 lbs.	4.6
	11N4837SH6WL	Wood Shelves, Laminate Wall	2551	10½	47½	37	—	—	56 lbs.	4.6
	11N5437SH6W	Wood	\$ 2808	10½	53½	37	—	—	63 lbs.	5.1
	11N5437SH6LW	Laminate Shelves, Wood Wall	2808	10½	53½	37	—	—	63 lbs.	5.1
	11N5437SH6L	Laminate	1936	10½	53½	37	—	—	63 lbs.	5.1
	11N5437SH6WL	Wood Shelves, Laminate Wall	2808	10½	53½	37	—	—	63 lbs.	5.1
	11N6037SH6W	Wood	\$ 3086	10½	59½	37	—	—	70 lbs.	5.7
	11N6037SH6LW	Laminate Shelves, Wood Wall	3086	10½	59½	37	—	—	70 lbs.	5.7
	11N6037SH6L	Laminate	2130	10½	59½	37	—	—	70 lbs.	5.7
	11N6037SH6WL	Wood Shelves, Laminate Wall	3086	10½	59½	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color


SAMPLE MODEL NUMBERS:



11N3648SH1W MH
 11N3648SH1LW 462 CW
 11N3648SH1L 405 478

- See pages 521-522 for all options available in Exhibit



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS								
11N3648SH1W Wood	\$ 3186	10½	35½	48¾	—	—	69 lbs.	5.0
11N3648SH1LW Laminate Shelves, Wood Wall	3186	10½	35½	48¾	—	—	69 lbs.	5.0
11N3648SH1L Laminate	2196	10½	35½	48¾	—	—	69 lbs.	5.0
11N3648SH1WL Wood Shelves, Laminate Wall	3186	10½	35½	48¾	—	—	69 lbs.	5.0
11N4248SH1W Wood	\$ 3191	10½	41½	48¾	—	—	77 lbs.	5.2
11N4248SH1LW Laminate Shelves, Wood Wall	3191	10½	41½	48¾	—	—	77 lbs.	5.2
11N4248SH1L Laminate	2198	10½	41½	48¾	—	—	77 lbs.	5.2
11N4248SH1WL Wood Shelves, Laminate Wall	3191	10½	41½	48¾	—	—	77 lbs.	5.2
11N4848SH1W Wood	\$ 3542	10½	47½	48¾	—	—	85 lbs.	5.5
11N4848SH1LW Laminate Shelves, Wood Wall	3542	10½	47½	48¾	—	—	85 lbs.	5.5
11N4848SH1L Laminate	2442	10½	47½	48¾	—	—	85 lbs.	5.5
11N4848SH1WL Wood Shelves, Laminate Wall	3542	10½	47½	48¾	—	—	85 lbs.	5.5
11N5448SH1W Wood	\$ 3900	10½	53¾	48¾	—	—	93 lbs.	5.8
11N5448SH1LW Laminate Shelves, Wood Wall	3900	10½	53¾	48¾	—	—	93 lbs.	5.8
11N5448SH1L Laminate	2687	10½	53¾	48¾	—	—	93 lbs.	5.8
11N5448SH1WL Wood Shelves, Laminate Wall	3900	10½	53¾	48¾	—	—	93 lbs.	5.8
11N6048SH1W Wood	\$ 4285	10½	59½	48¾	—	—	101 lbs.	6.1
11N6048SH1LW Laminate Shelves, Wood Wall	4285	10½	59½	48¾	—	—	101 lbs.	6.1
11N6048SH1L Laminate	2955	10½	59½	48¾	—	—	101 lbs.	6.1
11N6048SH1WL Wood Shelves, Laminate Wall	4285	10½	59½	48¾	—	—	101 lbs.	6.1
• Some assembly required • 48" and 49" high shelf inserts have 5 shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit								





EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W MH
11N3648SH2LW 462 CW
11N3648SH2L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH2W	Wood	\$	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2LW	Laminate Shelves, Wood Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2L	Laminate		2196	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2WL	Wood Shelves, Laminate Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4248SH2W	Wood	\$	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2LW	Laminate Shelves, Wood Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2L	Laminate		2198	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2WL	Wood Shelves, Laminate Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4848SH2W	Wood	\$	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2LW	Laminate Shelves, Wood Wall		3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2L	Laminate		2442	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2WL	Wood Shelves, Laminate Wall		3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
11N5448SH2W	Wood	\$	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2LW	Laminate Shelves, Wood Wall		3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2L	Laminate		2687	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2WL	Wood Shelves, Laminate Wall		3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6048SH2W	Wood	\$	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2LW	Laminate Shelves, Wood Wall		4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2L	Laminate		2955	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2WL	Wood Shelves, Laminate Wall		4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH3W MH
 11N3648SH3LW 462 CW
 11N3648SH3L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)										
				D	W	H	A	KW			
	11N3648SH3W	Wood	\$ 2707	10½	35⅞	48¾	—	—	53 lbs.	4.5	
	11N3648SH3LW	Laminate Shelves, Wood Wall	2707	10½	35⅞	48¾	—	—	53 lbs.	4.5	
	11N3648SH3L	Laminate	1864	10½	35⅞	48¾	—	—	53 lbs.	4.5	
	11N3648SH3WL	Wood Shelves, Laminate Wall	2707	10½	35⅞	48¾	—	—	53 lbs.	4.5	
	11N4248SH3W	Wood	\$ 2710	10½	41⅞	48¾	—	—	61 lbs.	5.2	
	11N4248SH3LW	Laminate Shelves, Wood Wall	2710	10½	41⅞	48¾	—	—	61 lbs.	5.2	
	11N4248SH3L	Laminate	1869	10½	41⅞	48¾	—	—	61 lbs.	5.2	
	11N4248SH3WL	Wood Shelves, Laminate Wall	2710	10½	41⅞	48¾	—	—	61 lbs.	5.2	
	11N4848SH3W	Wood	\$ 3011	10½	47⅞	48¾	—	—	69 lbs.	5.9	
	11N4848SH3LW	Laminate Shelves, Wood Wall	3011	10½	47⅞	48¾	—	—	69 lbs.	5.9	
	11N4848SH3L	Laminate	2075	10½	47⅞	48¾	—	—	69 lbs.	5.9	
	11N4848SH3WL	Wood Shelves, Laminate Wall	3011	10½	47⅞	48¾	—	—	69 lbs.	5.9	
	11N5448SH3W	Wood	\$ 3316	10½	53¾	48¾	—	—	77 lbs.	6.5	
11N5448SH3LW	Laminate Shelves, Wood Wall	3316	10½	53¾	48¾	—	—	77 lbs.	6.5		
11N5448SH3L	Laminate	2284	10½	53¾	48¾	—	—	77 lbs.	6.5		
11N5448SH3WL	Wood Shelves, Laminate Wall	3316	10½	53¾	48¾	—	—	77 lbs.	6.5		
11N6048SH3W	Wood	\$ 3641	10½	59⅞	48¾	—	—	86 lbs.	7.2		
11N6048SH3LW	Laminate Shelves, Wood Wall	3641	10½	59⅞	48¾	—	—	86 lbs.	7.2		
11N6048SH3L	Laminate	2513	10½	59⅞	48¾	—	—	86 lbs.	7.2		
11N6048SH3WL	Wood Shelves, Laminate Wall	3641	10½	59⅞	48¾	—	—	86 lbs.	7.2		
• Some assembly required • "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W MH
11N3648SH4LW 462 CW
11N3648SH4L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH4W	Wood	\$ 2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH4LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH4L	Laminate	1912	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N3648SH4WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48¾	—	—	60 lbs.	4.5
	11N4248SH4W	Wood	\$ 2776	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4248SH4LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4248SH4L	Laminate	1914	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4248SH4WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48¾	—	—	71 lbs.	5.2
	11N4848SH4W	Wood	\$ 3082	10½	47⅞	48¾	—	—	81 lbs.	5.9
	11N4848SH4LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48¾	—	—	81 lbs.	5.9
	11N4848SH4L	Laminate	2126	10½	47⅞	48¾	—	—	81 lbs.	5.9
	11N4848SH4WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48¾	—	—	81 lbs.	5.9
	11N5448SH4W	Wood	\$ 3391	10½	53¾	48¾	—	—	90 lbs.	6.5
	11N5448SH4LW	Laminate Shelves, Wood Wall	3391	10½	53¾	48¾	—	—	90 lbs.	6.5
	11N5448SH4L	Laminate	2337	10½	53¾	48¾	—	—	90 lbs.	6.5
	11N5448SH4WL	Wood Shelves, Laminate Wall	3391	10½	53¾	48¾	—	—	90 lbs.	6.5
	11N6048SH4W	Wood	\$ 3730	10½	59⅞	48¾	—	—	100 lbs.	7.2
	11N6048SH4LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48¾	—	—	100 lbs.	7.2
	11N6048SH4L	Laminate	2572	10½	59⅞	48¾	—	—	100 lbs.	7.2
	11N6048SH4WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48¾	—	—	100 lbs.	7.2



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW				
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH5W	Wood	\$	2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5LW	Laminate Shelves, Wood Wall		2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5L	Laminate		1975	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N3648SH5WL	Wood Shelves, Laminate Wall		2869	10½	35⅞	48⅝	—	—	69 lbs.	4.5
	11N4248SH5W	Wood	\$	2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2
	11N4248SH5LW	Laminate Shelves, Wood Wall		2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2
	11N4248SH5L	Laminate		1978	10½	41⅞	48⅝	—	—	81 lbs.	5.2
	11N4248SH5WL	Wood Shelves, Laminate Wall		2874	10½	41⅞	48⅝	—	—	81 lbs.	5.2

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W B MH
11N3648SH6LW A 462 CW
11N3648SH6L B 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
	D	W	H							
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH6W	Wood	\$ 2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6LW	Laminate Shelves, Wood Wall	2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6L	Laminate	1864	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6WL	Wood Shelves, Laminate Wall	2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N4248SH6W	Wood	\$ 2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6LW	Laminate Shelves, Wood Wall	2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6L	Laminate	1869	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6WL	Wood Shelves, Laminate Wall	2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4848SH6W	Wood	\$ 3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6LW	Laminate Shelves, Wood Wall	3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6L	Laminate	2075	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6WL	Wood Shelves, Laminate Wall	3011	10½	47½	48½	—	—	69 lbs.	5.9
11N5448SH6W	Wood	\$ 3316	10½	53½	48½	—	—	77 lbs.	6.5	
11N5448SH6LW	Laminate Shelves, Wood Wall	3316	10½	53½	48½	—	—	77 lbs.	6.5	
11N5448SH6L	Laminate	2284	10½	53½	48½	—	—	77 lbs.	6.5	
11N5448SH6WL	Wood Shelves, Laminate Wall	3316	10½	53½	48½	—	—	77 lbs.	6.5	
11N6048SH6W	Wood	\$ 3641	10½	59½	48½	—	—	86 lbs.	7.2	
11N6048SH6LW	Laminate Shelves, Wood Wall	3641	10½	59½	48½	—	—	86 lbs.	7.2	
11N6048SH6L	Laminate	2513	10½	59½	48½	—	—	86 lbs.	7.2	
11N6048SH6WL	Wood Shelves, Laminate Wall	3641	10½	59½	48½	—	—	86 lbs.	7.2	



- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH7W	Wood	\$ 2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7L	Laminate	1912	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N4248SH7W	Wood	\$ 2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7L	Laminate	1914	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4848SH7W	Wood	\$ 3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7L	Laminate	2126	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N5448SH7W	Wood	\$ 3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7L	Laminate	2337	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N6048SH7W	Wood	\$ 3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7L	Laminate	2572	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:



1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A					
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH2W	Wood	\$	3186	10½	35½ ₁₆	48½ ₁₆	—	—	69 lbs.	5.0
	11N3649SH2LW	Laminate Shelves, Wood Wall		3186	10½	35½ ₁₆	48½ ₁₆	—	—	69 lbs.	5.0
	11N3649SH2L	Laminate		2196	10½	35½ ₁₆	48½ ₁₆	—	—	69 lbs.	5.0
	11N3649SH2WL	Wood Shelves, Laminate Wall		3186	10½	35½ ₁₆	48½ ₁₆	—	—	69 lbs.	5.0
	11N4249SH2W	Wood	\$	3191	10½	41½ ₁₆	48½ ₁₆	—	—	77 lbs.	5.2
	11N4249SH2LW	Laminate Shelves, Wood Wall		3191	10½	41½ ₁₆	48½ ₁₆	—	—	77 lbs.	5.2
	11N4249SH2L	Laminate		2198	10½	41½ ₁₆	48½ ₁₆	—	—	77 lbs.	5.2
	11N4249SH2WL	Wood Shelves, Laminate Wall		3191	10½	41½ ₁₆	48½ ₁₆	—	—	77 lbs.	5.2
	11N4849SH2W	Wood	\$	3542	10½	47½ ₁₆	48½ ₁₆	—	—	85 lbs.	5.5
	11N4849SH2LW	Laminate Shelves, Wood Wall		3542	10½	47½ ₁₆	48½ ₁₆	—	—	85 lbs.	5.5
	11N4849SH2L	Laminate		2442	10½	47½ ₁₆	48½ ₁₆	—	—	85 lbs.	5.5
	11N4849SH2WL	Wood Shelves, Laminate Wall		3542	10½	47½ ₁₆	48½ ₁₆	—	—	85 lbs.	5.5
	11N5449SH2W	Wood	\$	3900	10½	53½ ₁₆	48½ ₁₆	—	—	93 lbs.	5.8
	11N5449SH2LW	Laminate Shelves, Wood Wall		3900	10½	53½ ₁₆	48½ ₁₆	—	—	93 lbs.	5.8
	11N5449SH2L	Laminate		2687	10½	53½ ₁₆	48½ ₁₆	—	—	93 lbs.	5.8
	11N5449SH2WL	Wood Shelves, Laminate Wall		3900	10½	53½ ₁₆	48½ ₁₆	—	—	93 lbs.	5.8
	11N6049SH2W	Wood	\$	4285	10½	59½ ₁₆	48½ ₁₆	—	—	101 lbs.	6.1
	11N6049SH2LW	Laminate Shelves, Wood Wall		4285	10½	59½ ₁₆	48½ ₁₆	—	—	101 lbs.	6.1
	11N6049SH2L	Laminate		2955	10½	59½ ₁₆	48½ ₁₆	—	—	101 lbs.	6.1
	11N6049SH2WL	Wood Shelves, Laminate Wall		4285	10½	59½ ₁₆	48½ ₁₆	—	—	101 lbs.	6.1
	• Some assembly required • "SH2" shelves are a mirrored version of the "SH1" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH3W MH
11N3649SH3LW 462 CW
11N3649SH3L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH3W	Wood	\$ 2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3LW	Laminate Shelves, Wood Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3L	Laminate	1864	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3WL	Wood Shelves, Laminate Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N4249SH3W	Wood	\$ 2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3LW	Laminate Shelves, Wood Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3L	Laminate	1869	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3WL	Wood Shelves, Laminate Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4849SH3W	Wood	\$ 3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3LW	Laminate Shelves, Wood Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3L	Laminate	2075	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3WL	Wood Shelves, Laminate Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N5449SH3W	Wood	\$ 3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3L	Laminate	2284	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N6049SH3W	Wood	\$ 3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3LW	Laminate Shelves, Wood Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3L	Laminate	2513	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3WL	Wood Shelves, Laminate Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH4W	Wood	\$	2771	10½	35⅝	48⅜	—	—	61 lbs.	4.6
	11N3649SH4LW	Laminate Shelves, Wood Wall		2771	10½	35⅝	48⅜	—	—	61 lbs.	4.6
	11N3649SH4L	Laminate		1912	10½	35⅝	48⅜	—	—	61 lbs.	4.6
	11N3649SH4WL	Wood Shelves, Laminate Wall		2771	10½	35⅝	48⅜	—	—	61 lbs.	4.6
	11N4249SH4W	Wood	\$	2776	10½	41⅝	48⅜	—	—	71 lbs.	5.2
	11N4249SH4LW	Laminate Shelves, Wood Wall		2776	10½	41⅝	48⅜	—	—	71 lbs.	5.2
	11N4249SH4L	Laminate		1914	10½	41⅝	48⅜	—	—	71 lbs.	5.2
	11N4249SH4WL	Wood Shelves, Laminate Wall		2776	10½	41⅝	48⅜	—	—	71 lbs.	5.2
	11N4849SH4W	Wood	\$	3082	10½	47⅝	48⅜	—	—	81 lbs.	5.9
	11N4849SH4LW	Laminate Shelves, Wood Wall		3082	10½	47⅝	48⅜	—	—	81 lbs.	5.9
	11N4849SH4L	Laminate		2126	10½	47⅝	48⅜	—	—	81 lbs.	5.9
	11N4849SH4WL	Wood Shelves, Laminate Wall		3082	10½	47⅝	48⅜	—	—	81 lbs.	5.9
	11N5449SH4W	Wood	\$	3391	10½	53⅝	48⅜	—	—	91 lbs.	6.6
	11N5449SH4LW	Laminate Shelves, Wood Wall		3391	10½	53⅝	48⅜	—	—	91 lbs.	6.6
	11N5449SH4L	Laminate		2337	10½	53⅝	48⅜	—	—	91 lbs.	6.6
	11N5449SH4WL	Wood Shelves, Laminate Wall		3391	10½	53⅝	48⅜	—	—	91 lbs.	6.6
	11N6049SH4W	Wood	\$	3730	10½	59⅝	48⅜	—	—	100 lbs.	7.2
	11N6049SH4LW	Laminate Shelves, Wood Wall		3730	10½	59⅝	48⅜	—	—	100 lbs.	7.2
	11N6049SH4L	Laminate		2572	10½	59⅝	48⅜	—	—	100 lbs.	7.2
	11N6049SH4WL	Wood Shelves, Laminate Wall		3730	10½	59⅝	48⅜	—	—	100 lbs.	7.2



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W MH
11N3649SH5LW 462 CW
11N3649SH5L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH5W	Wood	\$ 2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5LW	Laminate Shelves, Wood Wall	2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5L	Laminate	1975	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5WL	Wood Shelves, Laminate Wall	2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N4249SH5W	Wood	\$ 2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5LW	Laminate Shelves, Wood Wall	2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5L	Laminate	1978	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5WL	Wood Shelves, Laminate Wall	2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4849SH5W	Wood	\$ 3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5LW	Laminate Shelves, Wood Wall	3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5L	Laminate	2197	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5WL	Wood Shelves, Laminate Wall	3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N5449SH5W	Wood	\$ 3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5LW	Laminate Shelves, Wood Wall	3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5L	Laminate	2416	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5WL	Wood Shelves, Laminate Wall	3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N6049SH5W	Wood	\$ 3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5LW	Laminate Shelves, Wood Wall	3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5L	Laminate	2659	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5WL	Wood Shelves, Laminate Wall	3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2



- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH6W	Wood	\$ 2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH6LW	Laminate Shelves, Wood Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH6L	Laminate	1864	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH6WL	Wood Shelves, Laminate Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N4249SH6W	Wood	\$ 2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH6LW	Laminate Shelves, Wood Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH6L	Laminate	1869	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH6WL	Wood Shelves, Laminate Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4849SH6W	Wood	\$ 3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH6LW	Laminate Shelves, Wood Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH6L	Laminate	2075	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH6WL	Wood Shelves, Laminate Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N5449SH6W	Wood	\$ 3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N5449SH6L	Laminate	2284	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N5449SH6WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6	
11N6049SH6W	Wood	\$ 3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH6LW	Laminate Shelves, Wood Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH6L	Laminate	2513	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
11N6049SH6WL	Wood Shelves, Laminate Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2	
• Some assembly required • "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH7W MH
11N3649SH7LW 462 CW
11N3649SH7L 405 478

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH7W	Wood	\$ 2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7L	Laminate	1912	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N4249SH7W	Wood	\$ 2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7L	Laminate	1914	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4849SH7W	Wood	\$ 3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7L	Laminate	2126	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
11N5449SH7W	Wood	\$ 3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6	
11N5449SH7LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6	
11N5449SH7L	Laminate	2337	10½	53⅞	48⅜	—	—	91 lbs.	6.6	
11N5449SH7WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6	
11N6049SH7W	Wood	\$ 3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2	
11N6049SH7LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2	
11N6049SH7L	Laminate	2572	10½	59⅞	48⅜	—	—	100 lbs.	7.2	
11N6049SH7WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2	



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit






TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
LAMINATE INSERT 	11N3634WINL	\$ 497	10½	35½	34½	—	—		41 lbs.	3.3
	11N3636WINL	541	10½	35½	36½	—	—		43 lbs.	3.5
	11N3637WINL	541	10½	35½	37	—	—		43 lbs.	3.6
	11N3648WINL	633	10½	35½	48½	—	—		53 lbs.	4.5
	11N3649WINL	633	10½	35½	48½	—	—		53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX 	NAC1205WGV1 Steel	\$ 121	3⅜	11⅝	4¾	—	—		1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX 	NAC1210WGV2 Steel	\$ 165	3⅜	11⅝	9½	—	—		1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX 	NAC1219WGV4 Steel	\$ 236	3⅜	11⅝	19	—	—		1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER 	NAC0407USD1	\$ 818	4¾	6	11	—	—		2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 567
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color (Veneer/Laminate insert only)
- Textile Grade (Textile insert only)
- Textile Color (Textile insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	34"H TV MOUNT EXHIBIT INSERTS									
	11N3634TVW	Wood	\$ 2829	½	35 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	47 lbs.	3.1
	11N3634TVL	Laminate	2026	½	35 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	47 lbs.	3.1
	11N4234TVW	Wood	\$ 2833	½	41 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	53 lbs.	3.3
	11N4234TVL	Laminate	2027	½	41 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	53 lbs.	3.3
	11N4834TVW	Wood	\$ 3117	½	47 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	58 lbs.	3.5
	11N4834TVL	Laminate	2225	½	47 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	58 lbs.	3.5
	11N5434TVW	Wood	\$ 3403	½	53 ⁷ / ₈	34 ¹ / ₈	—	—	64 lbs.	3.5
(only 60" models)	11N5434TVL	Laminate	2426	½	53 ⁷ / ₈	34 ¹ / ₈	—	—	64 lbs.	3.5
	11N6034TVW	Wood	\$ 3720	½	59 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	71 lbs.	3.9
	11N6034TVL	Laminate	2643	½	59 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	71 lbs.	3.9

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TV MOUNT EXHIBIT INSERTS

11N3636TVW Wood	\$ 2863	½	35 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	51 lbs.	3.4
11N3636TVL Laminate	2051	½	35 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	51 lbs.	3.4
11N4236TVW Wood	\$ 2870	½	41 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	57 lbs.	3.6
11N4236TVL Laminate	2055	½	41 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	57 lbs.	3.6
11N4836TVW Wood	\$ 3159	½	47 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	62 lbs.	3.9
11N4836TVL Laminate	2255	½	47 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	62 lbs.	3.9
11N5436TVW Wood	\$ 3448	½	53 ⁷ / ₈	36 ⁷ / ₈	—	—	68 lbs.	4.1
11N5436TVL Laminate	2456	½	53 ⁷ / ₈	36 ⁷ / ₈	—	—	68 lbs.	4.1
11N6036TVW Wood	\$ 3771	½	59 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	74 lbs.	4.3
11N6036TVL Laminate	2677	½	59 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 567
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TV MOUNT EXHIBIT INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS								
	37"H TV MOUNT EXHIBIT INSERTS								
	11N3637TVW	Wood	\$ 2863	½	35 ¹ / ₁₆	37	—	—	51 lbs. 3.4
	11N3637TVL	Laminate	2051	½	35 ¹ / ₁₆	37	—	—	51 lbs. 3.4
	11N4237TVW	Wood	\$ 2870	½	41 ¹ / ₁₆	37	—	—	57 lbs. 3.6
	11N4237TVL	Laminate	2055	½	41 ¹ / ₁₆	37	—	—	57 lbs. 3.6
	11N4837TVW	Wood	\$ 3159	½	47 ¹ / ₁₆	37	—	—	62 lbs. 3.9
	11N4837TVL	Laminate	2255	½	47 ¹ / ₁₆	37	—	—	62 lbs. 3.9
(only 60" models)	11N5437TVW	Wood	\$ 3448	½	53 ³ / ₁₆	37	—	—	68 lbs. 4.1
	11N5437TVL	Laminate	2456	½	53 ³ / ₁₆	37	—	—	68 lbs. 4.1
	11N6037TVW	Wood	\$ 3771	½	59 ¹ / ₁₆	37	—	—	74 lbs. 4.3
	11N6037TVL	Laminate	2677	½	59 ¹ / ₁₆	37	—	—	74 lbs. 4.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	48"H TV MOUNT EXHIBIT INSERTS								
	11N3648TVW	Wood	\$ 3337	½	35 ¹ / ₁₆	48 ³ / ₈	—	—	69 lbs. 5.0
	11N3648TVL	Laminate	2378	½	35 ¹ / ₁₆	48 ³ / ₈	—	—	69 lbs. 5.0
	11N4248TVW	Wood	\$ 3341	½	41 ¹ / ₁₆	48 ³ / ₈	—	—	77 lbs. 5.2
	11N4248TVL	Laminate	2380	½	41 ¹ / ₁₆	48 ³ / ₈	—	—	77 lbs. 5.2
	11N4848TVW	Wood	\$ 3685	½	47 ¹ / ₁₆	48 ³ / ₈	—	—	85 lbs. 5.5
	11N4848TVL	Laminate	2617	½	47 ¹ / ₁₆	48 ³ / ₈	—	—	85 lbs. 5.5
	11N5448TVW	Wood	\$ 4029	½	53 ³ / ₁₆	48 ³ / ₈	—	—	93 lbs. 5.8
	11N5448TVL	Laminate	2852	½	53 ³ / ₁₆	48 ³ / ₈	—	—	93 lbs. 5.8
	11N6048TVW	Wood	\$ 4406	½	59 ¹ / ₁₆	48 ³ / ₈	—	—	101 lbs. 6.1
	11N6048TVL	Laminate	3115	½	59 ¹ / ₁₆	48 ³ / ₈	—	—	101 lbs. 6.1
	• TV mount included; some assembly required; VESA mounting compliant								
	• Maximum TV weight is 120 lbs.								
	• Optional single or dual TV mount on 60" inserts								

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 567
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
TV MOUNT EXHIBIT INSERTS (CONTINUED)   (only 60" models)	COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TV MOUNT EXHIBIT INSERTS									
	11N3649TVW	Wood	\$ 3337	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	2378	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4249TVW	Wood	\$ 3341	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	2380	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4849TVW	Wood	\$ 3685	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	2617	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$ 4029	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	2852	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N6049TVW	Wood	\$ 4406	½	59⅞	48⅞	—	—	101 lbs.	6.1
	11N6049TVL	Laminate	3115	½	59⅞	48⅞	—	—	101 lbs.	6.1
	• TV mount included; some assembly required; VESA mounting compliant • Maximum TV weight is 120 lbs. • Optional single or dual TV mount on 60" inserts									
	EXHIBIT TV MOUNT VERTICAL WIRE MANAGER 	11N0615WMVW	Wood	\$ 489	1½	5⅞	15⅞	—	—	8 lbs.
11N0615WMVL		Laminate	327	1½	5⅞	15⅞	—	—	8 lbs.	0.6
• Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables • When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager										

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
	FULL END TRIM								
	FOR USE WITH 34"H INSERTS								
	11N37ETP	Powder Coated	\$ 108	1 1/16"	1 1/2"	37 7/8"	—	—	1 lbs. 0.2
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	FOR USE WITH 36"H INSERTS								
	11N39ETP	Powder Coated	\$ 113	1 1/16"	1 1/2"	39 7/16"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS								
	FOR USE WITH 37"H INSERTS								
	11N40ETP	Powder Coated	\$ 113	1 1/16"	1 1/2"	39 7/8"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	FOR USE WITH 48"H INSERTS								
	11N51ETP	Powder Coated	\$ 129	1 1/16"	1 1/2"	51 1/4"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS								
	FOR USE WITH 49"H INSERTS								
	11N52ETP	Powder Coated	\$ 129	1 1/16"	1 1/2"	51 11/16"	—	—	1 lbs. 0.4
	- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed - Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail								

VERTICAL CABLE MANAGER



		GRADE AA	GRADE A	GRADE B/COM							
	11N20WMV	Black Plastic	\$ 42		1	1	20	—	—	1 lbs. 0.5	
	11N20WMVFA	Textile, Railroad	\$ 52	\$ 58	\$ 69	1	1	20	—	—	1 lbs. 0.5
	- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached - Textile will be railroaded										
	11N31WMV	Black Plastic	\$ 55		1	1	31	—	—	2 lbs. 0.6	
	11N31WMVFA	Textile, Railroad	\$ 64	\$ 70	\$ 81	1	1	31	—	—	2 lbs. 0.6
	- For use with 48" or 49" inserts when a single height cabinet is attached - Textile will be railroaded										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBERS:

11N34TCF B 25413
11N01ETP 501

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE END CAP	11N01ETP	\$ 49	½	1½	1½	—	—	1 lbs.	0.3
	- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail - End caps are sold individually - End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) - Exhibit end caps can also be used behind overheads or when used with a worksurface								

TEXTILE WRAPPED TRIM CHANNELS



34"H TRIM CHANNELS

		GRADE AA	GRADE A	GRADE B/ COM							
11N34TCFA	Textile, Railroad	\$ 61	\$ 67	\$ 78	½	¾	34⅞	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Textile, Railroad	\$	63	\$	69	\$	80	½	¾	36½	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Textile, Railroad	\$	63	\$	69	\$	80	½	¾	37	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Textile, Railroad	\$	71	\$	77	\$	88	½	¾	48½	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Textile, Railroad	\$	71	\$	77	\$	88	½	¾	48½	—	—	1 lbs.	0.3

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Textile will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	PAINTED TRIM CHANNELS								
	34"H TRIM CHANNELS								
	11N34TCP Powder Coated	\$ 55	½	¾	34½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	36"H TRIM CHANNELS								
	11N36TCP Powder Coated	\$ 60	½	¾	36½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS								
	37"H TRIM CHANNELS								
	11N37TCP Powder Coated	\$ 60	½	¾	37	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	48"H TRIM CHANNELS								
	11N48TCP Powder Coated	\$ 70	½	¾	48½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS								
	49"H TRIM CHANNELS								
	11N49TCP Powder Coated	\$ 70	½	¾	49½	—	—	1 lbs.	0.3
	- Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered								

WORKSURFACE MOUNTING BRACKET




11NBRS	Single Bracket	\$ 21	2	3	½	—	—	1 lbs.	0.3
- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail - Standard in anodized aluminum - Specify model number only									

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT



11NCPFSW	Wood	\$ 72	1	3	27¼	—	—	3 lbs.	1.0
11NCPFSL	Laminate	37	1	3	27¼	—	—	3 lbs.	1.0
- For use with Exhibit mounted overheads when an insert is not used behind the overhead - Must be field scribed for 18" and 13" high overhead models - Specify solid/woodgrain/Gallery laminate or wood finish									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


NAC0924SHM 462

- See pages 521-522 for all options available in Exhibit


METAL
WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	NAC0924SHM	Powder Coated	\$ 147	9%	24	2%	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	165	9%	30	2%	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	182	9%	36	2%	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	206	9%	42	2%	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	222	9%	48	2%	—	—	9 lbs.	1.4


SINGLE SIDE TRAY

	NAC1217SPTM	Single Tray	\$ 132	11%	17	2%	—	—	5 lbs.	0.7

DOUBLE SIDE TRAY

	NAC1217DPTM	Double Tray	\$ 182	1%	17	5	—	—	9 lbs.	1.0


POCKET ORGANIZER

	NAC16POM	Single Pocket	\$ 112	1%	15%	7%	—	—	4 lbs.	1.1


SLANT SORTER

	NAC1212SSM	Polished Aluminum Dividers	\$ 132	11%	12	7%	—	—	4 lbs.	1.1

MARKER HOLDER

	NACMRHM		\$ 128	2 $\frac{1}{16}$	6 $\frac{1}{16}$	4	—	—	1 lbs.	0.1

BINDER SHELF

	NAC0905SHBM		\$ 81	9%	5	8%	—	—	3 lbs.	0.5

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 521-522 for all options available in Exhibit

**METAL
WORK TOOLS****PENCIL TRAY**

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
NAC0510PTB	\$ 99	5	10	1	—	—	1 lbs.	0.1

- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See pages 521-522 for all options available in Exhibit

PLASTIC
WORK TOOLS


PENCIL CUP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACCP Black Plastic	\$ 55	½	4	4	—	—	1 lbs.	0.4
NACCP C Clear Plastic	55	½	4	4	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.


LEGAL PAPER TRAY



NAC1115SPT Black Plastic	\$ 81	10½	15	2	—	—	1 lbs.	0.1
NAC1115SPT C Clear Plastic	81	10½	15	2	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



NAC1010AT Black Plastic	\$ 72	10	9½	2	—	—	1 lbs.	0.2
NAC1010AT C Clear Plastic	72	10	9½	2	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



NACSS Black Plastic	\$ 85	12½	7	7½	—	—	1 lbs.	0.2
NACSS C Clear Plastic	85	12½	7	7½	—	—	1 lbs.	0.2

- Holds folders, papers, etc.

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 521-522 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB Black	\$ 823	29½	2½	13⅞	—	—	—	12 lbs.	2.7
	NACMA1SFS Silver	823	29½	2½	13⅞	—	—	—	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements— Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements— Grommet Mount	N/A (slat wall mount only)

BACK

EXHIBIT

EXHIBIT


BASES AND SUPPORT

Span Between Table Legs	576
Base Requirements	577
Base Units	581
"L" Adjustable Height Bases	610
"L" Worksurfaces	618

BASES AND SUPPORT

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1½" thick worksurface is 48" between legs. The maximum recommended span of an unsupported 1¾" thick worksurface is 60" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended.



RECTANGULAR WORKSURFACES RECOMMENDED SPAN BETWEEN LEGS FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1½" WORKSURFACE		1¾" WORKSURFACE	
	C-LEG / T-LEG	COLUMN LEG	C-LEG / T-LEG	COLUMN LEG
96"	N/A	N/A	N/A	N/A
84"	N/A	N/A	N/A	N/A
72"	48"	48"	48"	48"
66"	48"	48"	48"	48"
60"	42"	48"	42"	48"
54"	36"	46"	36"	46"
48"	30"	40"	30"	40"
42"	24"	34"	24"	34"

U-SHAPED WORKSURFACE RECOMMENDED SPAN BETWEEN LEGS

LENGTH	1½" WORKSURFACE		1¾" WORKSURFACE	
	C-LEG / T-LEG	COLUMN LEG	C-LEG / T-LEG	COLUMN LEG
60"	40"	40⅞"	40"	40⅞"
48"	28⅞"	28⅞"	28⅞"	28⅞"








See table/base matrix for specific base options (pages 577-580)

For leg-based training applications, use Undersurface Support Rail for extra support and deflection on 60", 66" and 72" worksurfaces. (See page 607)

DIMENSION KEY







D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

BASE REQUIREMENTS







	18" D  48" - 72"	24" D  48" - 72"	30" D, 36" D  48" - 72"	 48" & 60"
 3" Square Support Base	(4)	(4)	(4)	(3)
 3" or 4" Round Support Base				
 Static Column	(4)	(4)	(4)	(3)
 Mobile Column	(N/A) for mobile column			(N/A) for mobile column
 Adjustable Height Column Pin Leg	(N/A)	(4)	(4)	(N/A)
 Adjustable Height Mobile Column Pin Leg				
 H-Style (24", 30", 36")	(2)	(2)	(2)	(N/A)
 U-Style (18", 24", 30", 36")	(N/A) for H-Style			
 21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(N/A)
 27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	30" D (2) 36" D (N/A)	(N/A)
 21" Static T	(N/A)	(2)	(N/A)	(N/A)
 21" Mobile T				
 38" Static 4 Star	(N/A)	(N/A)	(N/A)	(N/A)
 38" Mobile 4 Star				
 32" Static 4 Star	(N/A)	(N/A)	(N/A)	(N/A)
 32" Mobile 4 Star				
 27" Static 4 Star	(N/A)	(N/A)	(N/A)	(N/A)
 27" Mobile 4 Star				

BASES AND SUPPORT

BASE REQUIREMENTS (CONTINUED)








	24" D	30" D			
	 48" - 72"	 48" - 72"	 30" x 24", 24" x 24" 30" x 30", 24" x 30"	 30", 36", 42" or 48"	 30", 36", 42" or 48"
 3" Square Support Base	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 3" or 4" Round Support Base	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 Static Column	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 Mobile Column	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 Adjustable Height Column Pin Leg	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 Adjustable Height Mobile Column Pin Leg	(4)	(4)	(N/A)	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$	$\frac{36", 42" \text{ and } 48" (4)}{30" (N/A)}$
 H-Style (24", 30", 36")	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
 U-Style (18", 24", 30", 36")	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
 21" C-Legs (Static, Mobile, Adjustable Height)	(2)	(N/A)	(N/A)	(N/A)	(N/A)
 27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(N/A)	(N/A)
 21" Static T	(2)	(N/A)	(N/A)	(N/A)	(N/A)
 21" Mobile T	(2)	(N/A)	(N/A)	(N/A)	(N/A)
 38" Static 4 Star	(N/A)	(N/A)	(N/A)	$\frac{30" \text{ and } 36" (N/A)}{42" \text{ and } 48" (1)}$	$\frac{30" \text{ and } 36" (N/A)}{42" \text{ and } 48" (1)}$
 38" Mobile 4 Star	(N/A)	(N/A)	(N/A)	$\frac{30" \text{ and } 36" (N/A)}{42" \text{ and } 48" (1)}$	$\frac{30" \text{ and } 36" (N/A)}{42" \text{ and } 48" (1)}$
 32" Static 4 Star	(N/A)	(N/A)	(N/A)	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$
 32" Mobile 4 Star	(N/A)	(N/A)	(N/A)	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$
 27" Static 4 Star	(N/A)	(N/A)	(N/A)	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$
 27" Mobile 4 Star	(N/A)	(N/A)	(N/A)	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$

**BASE REQUIREMENTS
(CONTINUED)**

	18" D  48" - 72"	24" D  48" - 72"	30" D, 36" D  48" - 72"	 48" & 60"
 32" Counter Height  32" Bar Height  32" Adjustable Height	(N/A)	(N/A)	(N/A)	(N/A)
 27" Counter Height  27" Bar Height	(N/A)	(N/A)	(N/A)	(N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(N/A)
 Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(N/A)
 22" Disc Base Bar, Counter, Occasional Table Hts  22" Soft Square Base Bar, Counter, Occasional Table Hts	(N/A)	(2)	(2) for 30" D (N/A) for 36" D	(N/A)
 27" Disc Base Bar, Counter Heights  27" Soft Square Base Bar, Counter Heights	(N/A)	(N/A)	(2)	(N/A)
 22"/27" Disc Base Worksurface Height	(N/A)	(2) for 22" base (N/A) for 27" base	(2)	(N/A)
 22"/27" Soft Square Base Worksurface Height	(N/A)	(2) for 22" base (N/A) for 27" base	(2)	(N/A)

BASES AND SUPPORT

BASE REQUIREMENTS (CONTINUED)

	24" D, 30"D, 36"D  48" - 72"	 30" x 24", 24" x 24" 30" x 30", 24" x 30"	 30", 36", 42" or 48"	 30", 36", 42" or 48"
 32" Counter Height  32" Bar Height  32" Adjustable Height	(N/A)	(N/A)	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$	$\frac{36" (1)}{30", 42" \text{ and } 48" (N/A)}$
 27" Counter Height  27" Bar Height	(N/A)	(N/A)	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$
 Electric Adjustable Base 30" and 24" models	(N/A)	(N/A)	(N/A)	(N/A)
 Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(N/A)	(N/A)	(N/A)
 22" Disc Base Bar, Counter, Occasional Table Hts  22" Soft Square Base Bar, Counter, Occasional Table Hts	$\frac{(2) \text{ for } 24" \text{ D, } 30" \text{ D}}{(N/A) \text{ for } 36" \text{ D}}$	(N/A)	$\frac{30" (1)}{36", 42" \text{ and } 48" (N/A)}$	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$
 27" Disc Base Bar, Counter Heights  27" Soft Square Base Bar, Counter Heights	$\frac{(2) \text{ for } 36" \text{ D}}{(N/A) \text{ for } 24" \text{ D and } 30" \text{ D}}$	(N/A)	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$
" Disc Base" data-bbox="158 758 198 795"/> 22"/27" Disc Base Worksurface Height	$\frac{(2) \text{ for } 22" \text{ base}}{(2) \text{ for } 27" \text{ base with } 36" \text{ D}}$ $\frac{(N/A) \text{ for } 27" \text{ base with } 24" \text{ D and } 30" \text{ D}}$	(N/A)	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$
" Soft Square Base" data-bbox="158 835 198 872"/> 22"/27" Soft Square Base Worksurface Height	$\frac{(2) \text{ for } 22" \text{ base}}{(2) \text{ for } 27" \text{ base with } 36" \text{ D}}$ $\frac{(N/A) \text{ for } 27" \text{ base with } 24" \text{ D and } 30" \text{ D}}$	(N/A)	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$	$\frac{30" \text{ and } 36" (1)}{42" \text{ and } 48" (N/A)}$

PRODUCT SPECIFICATIONS





- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
4" SUPPORT BASE ROUND			DI		H			
	NAC0428SFRNB Metal	\$ 294	4	—	27¾	—	10 lbs.	1.0
	NAC2804SFBW Wood	793	4	—	27¾	—	6 lbs.	1.0
	• Adjustable glide standard • Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Metal base, optional upper and lower (CUL) wire management cutout • Wood base, specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordoba (CC), Cordovan (CW), Honey (HN), Huntington (TM), Judicial (DW), Midtown (MW), Mocha (MH), Natural (NM), Sedona (SC), Tribeca (TW), Truffle (TF), or Urban (UW)							
3" SUPPORT BASE ROUND	NAC0328SFRNB	\$ 224	3	—	27¾	—	8 lbs.	0.8
								
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)							
3" SUPPORT BASE ROUND COUNTER HEIGHT	NAC0334SFRNB	\$ 339	3	—	34¾	—	10 lbs.	1.0
								
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)							
3" SUPPORT BASE ROUND BAR HEIGHT	NAC0340SFRNB	\$ 384	3	—	40¾	—	11 lbs.	1.1
								
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)							

BASES AND SUPPORT

PRODUCT SPECIFICATIONS





- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Paint Color (if applicable)
- Finish (if applicable)

SAMPLE MODEL NUMBER:

NAC0328SFSQB CUL 501

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
3" SUPPORT BASE SQUARE 	NAC0328SFSQB	\$ 224	3	3	27¾	—	—	8 lbs.	0.8
	- Adjustable glide standard - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
3" SUPPORT BASE SQUARE COUNTER HEIGHT 	NAC0334SFSQB	\$ 339	3	3	34½	—	—	10 lbs.	1.0
	- Adjustable glide standard - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
3" SUPPORT BASE SQUARE BAR HEIGHT 	NAC0340SFSQB	\$ 384	3	3	40¾	—	—	11 lbs.	1.1
	- Adjustable glide standard - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
2" SUPPORT BASE SQUARE 	NAC0228SFSQB	\$ 184	2	2	27¾	—	—	6 lbs.	0.6
	- Adjustable glide standard - Not intended for use with U- and P-shaped desks with modesty - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

PRODUCT SPECIFICATIONS




- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color

SAMPLE MODEL NUMBER:

CBV0228COBP CUL 462

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NON-DEFACING COLUMN LEG KIT 	WWSBNDF Cinder	\$ 68	—	—	—	—	—	1 lbs.	0.3
	- Allows attachment of column to metal modesty panel without defacing the column - Available in 4 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
SUPPORT BASE BRACKET 	NAC04BKT	\$ 35	$\frac{5}{8}$	4 $\frac{1}{16}$	—	—	—	1 lbs.	0.2
	- Support Base Bracket to be used when attaching any Round or Square Support Base to a Full Wood or Laminate Modesty Panel when using WaveWorks components - Bracket is black in color and is attached to the underside of the round or square support base and the modesty panel								
COLUMN LEG STATIC 			DI	W	H				
	CBV0228COBP	\$ 157	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
COLUMN LEG MOBILE 									
	CBV0228COBMP	\$ 188	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	- Adjustable glide standard - Some assembly required - Sold 1 per box - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
	- Dual wheel locking caster - Some assembly required - Sold 1 per box - Optional upper and lower (CUL) wire management cutout - Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications


TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color

SAMPLE MODEL NUMBER:

CBV0228COA2BP CUL 265 462

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		

ADJUSTABLE HEIGHT
COLUMN PIN LEG
STATIC

CBV0228COA2BP

\$ 313

1½

—


24½-33½

—

6 lbs.

0.6

- Sold 2 per box
- Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed
- Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)

ADJUSTABLE HEIGHT
COLUMN PIN LEG
MOBILE

CBV0228COA2BMP

\$ 345

1½

—

26½-35½

—

6 lbs.

0.6

- Sold 2 per box
- Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed
- Optional paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)

WOOD HALF SUPPORT BASE



NAC2812SHB

Wood Half Support Base

\$ 993

D

W

H

A

KW

6

11½

27¾

—

—

13 lbs.

2.6

- Adjustable glide standard
- Specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordoba (CC), Cordovan (CW), Honey (HN), Huntington (TM), Judicial (DW), Midtown (MW), Mocha (MH), Natural (NM), Sedona (SC), Tribeca (TW), Truffle (TF), or Urban (UW)
- For use with P- and U-shaped surfaces

PRODUCT SPECIFICATIONS





- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color
- Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
CBV3241XBP X 462 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
X BASE WORKSURFACE HEIGHT, MOBILE 	CBV4028XBMP		\$ 1138	—	38 ⁷ / ₁₆	27 ³ / ₄	—	—	36 lbs.	12.0
	CBV3228XBMP		876	—	31 ¹ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0
	CBV2728XBMP		747	—	27 ⁵ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0
	• Dual wheel locking casters • Some assembly required • Reference pages 577-580 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									
X BASE COUNTER HEIGHT 	CBV3235XBP		\$ 1137	2½	32	33 ¹ / ₁₆	—	—	32 lbs.	12.0
	CBV2735XBP		969	2½	27 ⁵ / ₁₆	33 ¹ / ₁₆	—	—	32 lbs.	12.0
	• Adjustable glides standard • Some assembly required • Reference pages 577-580 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									
X BASE BAR HEIGHT 	CBV3241XBP		\$ 1250	2½	32	40 ¹ / ₁₆	—	—	33 lbs.	14.0
	CBV2741XBP		1063	2½	27 ⁵ / ₁₆	40 ¹ / ₁₆	—	—	33 lbs.	14.0
	• Adjustable glides standard • Some assembly required • Reference pages 577-580 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									
ADJUSTABLE HEIGHT BASE MOBILE 	CBV3226XBAB	Cinder	\$ 2834	2½	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
	CBV3226XBAS	Platinum Metallic	2834	2½	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
	CBV3226XBAN	Satin Nickel Metallic	2834	2½	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
	• Some assembly required • Paddle arm release allows pneumatic adjustment • Locking casters only									

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications


TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color
- Foot Paint Color (if applicable)


SAMPLE MODEL NUMBER:

CBV4028XBP X 462 462


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
X BASE WORKSURFACE HEIGHT 	CBV4028XBP	\$ 1092	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBP	817	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBP	693	—	27 $\frac{5}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	- Adjustable glides standard - Some assembly required - Reference pages 577-580 for table base guide - Optional upper (CU) base column wire management - Specify base column and base foot paint colors								

C-LEG BASE
STATIC

		DI	W	H			
CBV2728CL2BP	\$ 876	2½	26⅞	27¾	—	—	30 lbs. 7.2
CBV2128CL2BP	785	2½	20½	27¾	—	—	26 lbs. 2.8
• Adjustable glides standard • Some assembly required • Sold 2 per box • Grommets should be field installed on surfaces utilizing a C-leg • Optional upper and lower (CUL) wire management cutout • Optional column and foot paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)							

C-LEG BASE
MOBILE

CBV2728CL2BMP	\$ 916	2 $\frac{1}{2}$	26 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	30 lbs.	7.2
CBV2128CL2BMP	824	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	26 lbs.	2.8
- Dual wheel locking casters - Some assembly required - Sold 2 per box - Grommets should be field installed on surfaces utilizing a C-leg - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

BASIC C-LEG BASE
STATIC

CBV2728CL1	Black	\$ 391	2	26 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
CBV2728CL1S	Platinum Metallic	391	2	26 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
CBV2128CL1	Black	\$ 359	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
CBV2128CL1S	Platinum Metallic	359	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
- Adjustable glides standard - Grommets should be field installed on surfaces utilizing a C Leg - Sold 1 per box									

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications


TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color (if applicable)
- Foot Paint Color (if applicable)


SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
BASIC C-LEG BASE MOBILE 	CBV2728CLM1	Black	\$ 421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2728CLM1S	Platinum Metallic	421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	\$ 382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	CBV2128CLM1S	Platinum Metallic	382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	- Dual wheel locking casters - Grommets should be field installed on surfaces utilizing a C Leg - Sold 1 per box									

ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT


CBV2628CLA2B	Cinder	\$ 1326	2 $\frac{1}{2}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	7.2
CBV2628CLA2S	Platinum Metallic	1326	2 $\frac{1}{2}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	7.2
CBV2628CLA2N	Satin Nickel Metallic	1326	2 $\frac{1}{2}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	7.2
CBV2128CLA2B	Cinder	\$ 1236	2 $\frac{1}{2}$	21 $\frac{1}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	2.8
CBV2128CLA2S	Platinum Metallic	1236	2 $\frac{1}{2}$	21 $\frac{1}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	2.8
CBV2128CLA2N	Satin Nickel Metallic	1236	2 $\frac{1}{2}$	21 $\frac{1}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	11 lbs.	2.8
- Sold 2 per box - Ships fully assembled - Grommets should be field installed on surfaces utilizing a C-leg								

T-LEG BASE STATIC


			DI	W	H			
CBV2128TL2BP	\$ 785	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
- Adjustable glides standard - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

T-LEG BASE MOBILE


CBV2128TL2BMP	\$ 824	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
- Dual wheel locking casters - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications


TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:


CBV2128T1

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BASIC T-LEG BASE STATIC	CBV2128T1 Black	\$ 359	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128T1S Platinum Metallic	359	2	20½	27¾	—	—	10 lbs.	3.0



- Adjustable glides standard
- Sold 1 per box

BASIC T-LEG BASE MOBILE	CBV2128TM1 Black	\$ 382	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128TM1S Platinum Metallic	382	2	20½	27¾	—	—	10 lbs.	3.0



- Dual wheel locking casters
- Sold 1 per box

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications







Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

- Model Number
- Column Paint Color (if applicable)
- Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DISC BASE OCCASIONAL TABLE HEIGHT 	CBV2715DRNBP	\$ 1077	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	814	3	22	16	—	—	43 lbs.	1.9
	3" column base - Some assembly required - Reference Base Requirements Chart on pages 579-580 - Glide adjustment of +/- 1/8" - Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) - Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT 	CBV2715DSQBP	\$ 1254	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	988	3	22	16	—	—	50 lbs.	1.9
	3" column base - Some assembly required - Reference Base Requirements Chart on pages 579-580 - Glide adjustment of +/- 1/8" - Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) - Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
DISC BASE WORKSURFACE HEIGHT 	CBV2728DRNBP	\$ 1146	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	858	3	22	27 ³ / ₁₆	—	—	56 lbs.	2.8
	3" column base - Some assembly required - Reference Base Requirements Chart on pages 579-580 - Glide adjustment of +/- 1/8" - Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) - Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
SOFT SQUARE BASE WORKSURFACE HEIGHT 	CBV2728DSQBP	\$ 1326	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	CBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	3" column base - Some assembly required - Reference Base Requirements Chart on pages 579-580 - Glide adjustment of +/- 1/8" - Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) - Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

BASES AND SUPPORT

PRODUCT SPECIFICATIONS





- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Column Paint Color (if applicable)
- Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	\$ 1238	3	27 ³ / ₁₆	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1194	3	22	35	—	—	58 lbs.	3.4
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 579-580 • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
SOFT SQUARE COUNTER HEIGHT	CBV2735DSQBP	\$ 1415	3	27 ³ / ₁₆	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1369	3	22	35	—	—	65 lbs.	3.4
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 579-580 • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
DISC BASE BAR HEIGHT	CBV2740DRNBP	\$ 1326	3	27 ³ / ₁₆	40 ³ / ₄	—	—	76 lbs.	3.8
	CBV2240DRNBP	1279	3	22	40 ³ / ₄	—	—	59 lbs.	3.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 579-580 • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								
SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	\$ 1500	3	27 ³ / ₁₆	40 ³ / ₄	—	—	87 lbs.	3.8
	CBV2240DSQBP	1455	3	22	40 ³ / ₄	—	—	66 lbs.	3.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 579-580 • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)								

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3628HBB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SUPPORT BASE H-STYLE 	CBV3628HBC	Concrete	\$ 823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3628HBB	Cinder	823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3628HBI	Iron	823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3628HBS	Platinum Metallic	823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3628HBN	Satin Nickel Metallic	823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3628HBH	Designer White	823	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3028HBC	Concrete	\$ 786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV3028HBB	Cinder	786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV3028HBI	Iron	786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV3028HBS	Platinum Metallic	786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV3028HBN	Satin Nickel Metallic	786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV3028HBH	Designer White	786	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV2428HBC	Concrete	\$ 740	1½	21	27¾	—	—	15 lbs.	3.3
	CBV2428HBB	Cinder	740	1½	21	27¾	—	—	15 lbs.	3.3
	CBV2428HBI	Iron	740	1½	21	27¾	—	—	15 lbs.	3.3
	CBV2428HBS	Platinum Metallic	740	1½	21	27¾	—	—	15 lbs.	3.3
	CBV2428HBN	Satin Nickel Metallic	740	1½	21	27¾	—	—	15 lbs.	3.3
	CBV2428HBH	Designer White	740	1½	21	27¾	—	—	15 lbs.	3.3

- Specify model number only
- 2 6" x 6" mounting plates are attached to each H-style base
- H-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3634HBB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SUPPORT BASE H-STYLE COUNTER HEIGHT 	CBV3634HBC	Concrete	\$ 1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3634HBB	Cinder	1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3634HBI	Iron	1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3634HBS	Platinum Metallic	1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3634HBN	Satin Nickel Metallic	1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3634HBH	Designer White	1140	2	33 $\frac{1}{16}$	34	—	—	22 lbs.	4.5
	CBV3034HBC	Concrete	\$ 1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV3034HBB	Cinder	1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV3034HBI	Iron	1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV3034HBS	Platinum Metallic	1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV3034HBN	Satin Nickel Metallic	1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV3034HBH	Designer White	1090	2	27 $\frac{1}{16}$	34	—	—	21 lbs.	4.3
	CBV2434HBC	Concrete	\$ 1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434HBB	Cinder	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434HBI	Iron	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434HBS	Platinum Metallic	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434HBN	Satin Nickel Metallic	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434HBH	Designer White	1023	2	21	34	—	—	18 lbs.	3.9

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3640HBB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
SUPPORT BASE H-STYLE BAR HEIGHT 	CBV3640HBC	Concrete	\$ 1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3640HBB	Cinder	1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3640HBI	Iron	1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3640HBS	Platinum Metallic	1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3640HBN	Satin Nickel Metallic	1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3640HBH	Designer White	1257	2	33 ³ / ₁₆	40 ¹ / ₁₆	—	—	25 lbs.	5.1	
	CBV3040HBC	Concrete	\$ 1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV3040HBB	Cinder	1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV3040HBI	Iron	1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV3040HBS	Platinum Metallic	1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV3040HBN	Satin Nickel Metallic	1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV3040HBH	Designer White	1201	2	27 ⁷ / ₁₆	40 ¹ / ₁₆	—	—	24 lbs.	4.9	
	CBV2440HBC	Concrete	\$ 1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7	
	CBV2440HBB	Cinder	1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7	
	CBV2440HBI	Iron	1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7	
	CBV2440HBS	Platinum Metallic	1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7	
CBV2440HBN	Satin Nickel Metallic	1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7		
CBV2440HBH	Designer White	1129	2	21	40 ¹ / ₁₆	—	—	22 lbs.	4.7		

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number


SAMPLE MODEL NUMBER:

CBV3628UB



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SUPPORT BASE U-STYLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
CBV3628UC Concrete	\$ 823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3628UB Cinder	823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3628UI Iron	823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3628US Platinum Metallic	823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3628UN Satin Nickel Metallic	823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3628UH Designer White	823	1½	33⅞	27¼	—	—	18 lbs.	3.7
CBV3028UC Concrete	\$ 786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028UB Cinder	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028UI Iron	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028US Platinum Metallic	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028US Platinum Metallic	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028UN Satin Nickel Metallic	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV3028UH Designer White	786	1½	27⅞	27¼	—	—	17 lbs.	3.5
CBV2428UC Concrete	\$ 740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428UB Cinder	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428UI Iron	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428US Platinum Metallic	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428US Platinum Metallic	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428UN Satin Nickel Metallic	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV2428UH Designer White	740	1½	21	27¼	—	—	15 lbs.	3.3
CBV1828UC Concrete	\$ 690	1½	15⅞	27¼	—	—	13 lbs.	3.0
CBV1828UB Cinder	690	1½	15⅞	27¼	—	—	13 lbs.	3.0
CBV1828UI Iron	690	1½	15⅞	27¼	—	—	13 lbs.	3.0
CBV1828US Platinum Metallic	690	1½	15⅞	27¼	—	—	13 lbs.	3.0
CBV1828UN Satin Nickel Metallic	690	1½	15⅞	27¼	—	—	13 lbs.	3.0
CBV1828UH Designer White	690	1½	15⅞	27¼	—	—	13 lbs.	3.0

- Specify model number only
- 2 6" x 6" mounting plates are attached to each U-style base
- U-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3634UB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
SUPPORT BASE U-STYLE COUNTER HEIGHT 	CBV3634UC	Concrete	\$ 1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3634UB	Cinder	1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3634UI	Iron	1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3634US	Platinum Metallic	1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3634UN	Satin Nickel Metallic	1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3634UH	Designer White	1140	2	33 ¹ / ₁₆	34	—	—	22 lbs.	4.5
	CBV3034UC	Concrete	\$ 1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV3034UB	Cinder	1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV3034UI	Iron	1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV3034US	Platinum Metallic	1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV3034UN	Satin Nickel Metallic	1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV3034UH	Designer White	1090	2	27 ¹ / ₁₆	34	—	—	21 lbs.	4.3
	CBV2434UC	Concrete	\$ 1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434UB	Cinder	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434UI	Iron	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434US	Platinum Metallic	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434UN	Satin Nickel Metallic	1023	2	21	34	—	—	18 lbs.	3.9
	CBV2434UH	Designer White	1023	2	21	34	—	—	18 lbs.	3.9

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3640UB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SUPPORT BASE U-STYLE BAR HEIGHT 	CBV3640UC	Concrete	\$ 1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3640UB	Cinder	1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3640UI	Iron	1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3640US	Platinum Metallic	1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3640UN	Satin Nickel Metallic	1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3640UH	Designer White	1257	2	33 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	25 lbs.	5.1
	CBV3040UC	Concrete	\$ 1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV3040UB	Cinder	1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV3040UI	Iron	1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV3040US	Platinum Metallic	1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV3040UN	Satin Nickel Metallic	1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV3040UH	Designer White	1201	2	27 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	24 lbs.	4.9
	CBV2440UC	Concrete	\$ 1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7
	CBV2440UB	Cinder	1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7
	CBV2440UI	Iron	1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7
	CBV2440US	Platinum Metallic	1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7
	CBV2440UN	Satin Nickel Metallic	1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7
	CBV2440UH	Designer White	1129	2	21	40 $\frac{1}{16}$	—	—	22 lbs.	4.7

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

PRODUCT SPECIFICATIONS




- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Resin Insert Grade/Color
- Metal Insert Color
- Veneer Insert Finish
- Base Color


SAMPLE MODEL NUMBERS:

CBV3628OAM	1	1677	501
CBV3628OMM	501	501	
CBV3634OAM	1	1677	462
CBV3634OMM	405	462	
CBV3634OWM	CL	462	


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT BASE U-STYLE WITH INSERT  CBV3628OAM shown  CBV3628OMM shown  CBV3628OWM shown	RESIN INSERT	GRADE 1							
	CBV3628OAM	\$ 1106	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3028OAM	1055	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV2428OAM	990	1½	21	27¾	—	—	15 lbs.	3.3
	METAL INSERT	LIST PRICE							
	CBV3628OMM	\$ 1106	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3028OMM	1055	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV2428OMM	990	1½	21	27¾	—	—	15 lbs.	3.3
	VENEER INSERT								
	CBV3628OWM	\$ 1760	1½	33⅞	27¾	—	—	18 lbs.	3.7
	CBV3028OWM	1556	1½	27⅞	27¾	—	—	17 lbs.	3.5
	CBV2428OWM	1354	1½	21	27¾	—	—	15 lbs.	3.3

- 2 6" x 6" mounting plates are attached to each U-style base
- U-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard
- Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)


SUPPORT BASE U-STYLE WITH INSERT COUNTER HEIGHT



CBV3634OAM shown



CBV3634OMM shown



CBV3634OWM shown

RESIN INSERT		GRADE 1							
CBV3634OAM	\$ 1538	2	33⅞	34	—	—	22 lbs.	4.5	
CBV3034OAM	1467	2	27⅞	34	—	—	21 lbs.	4.3	
CBV2434OAM	1380	2	21	34	—	—	18 lbs.	4.9	
METAL INSERT		LIST PRICE							
CBV3634OMM	\$ 1538	2	33⅞	34	—	—	22 lbs.	4.5	
CBV3034OMM	1467	2	27⅞	34	—	—	21 lbs.	4.3	
CBV2434OMM	1380	2	21	34	—	—	18 lbs.	3.9	
VENEER INSERT									
CBV3634OWM	\$ 2343	2	33⅞	34	—	—	22 lbs.	4.5	
CBV3034OWM	2097	2	27⅞	34	—	—	21 lbs.	4.3	
CBV2434OWM	1830	2	21	34	—	—	18 lbs.	3.9	
• Not intended to use in Table Desking Application • Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail • Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)									

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail
- Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)

BASES AND SUPPORT

PRODUCT SPECIFICATIONS




- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Resin Insert Grade/Color
- Metal Insert Color
- Veneer Insert Finish
- Base Color

SAMPLE MODEL NUMBERS:

CBV3640OAM	1	1677	501
CBV3640OMM	501	501	
CBV3640OWM	CL	462	

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
SUPPORT BASE U-STYLE WITH INSERT BAR HEIGHT  CBV3640OAM shown  CBV3640OMM shown  CBV3640OWM shown	RESIN INSERT	GRADE 1							
	CBV3640OAM	\$ 1695	2	33 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	25 lbs.	5.1
	CBV3040OAM	1615	2	27 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	24 lbs.	4.9
	CBV2440OAM	1516	2	21	40 $\frac{5}{16}$	—	—	22 lbs.	4.7
	METAL INSERT	LIST PRICE							
	CBV3640OMM	\$ 1695	2	33 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	25 lbs.	5.1
	CBV3040OMM	1615	2	27 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	24 lbs.	4.9
	CBV2440OMM	1516	2	21	40 $\frac{5}{16}$	—	—	22 lbs.	4.7
	VENEER INSERT								
	CBV3640OWM	\$ 2656	2	33 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	25 lbs.	5.1
	CBV3040OWM	2365	2	27 $\frac{1}{16}$	40 $\frac{5}{16}$	—	—	24 lbs.	4.9
	CBV2440OWM	2057	2	21	40 $\frac{5}{16}$	—	—	22 lbs.	4.7

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail
- Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number


SAMPLE MODEL NUMBER:

NAC3606SESB



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

END SUPPORT BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
NAC3606SESC	Concrete	\$ 389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3606SESB	Cinder	389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3606SESI	Iron	389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3606SESS	Platinum Metallic	389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3606SESN	Satin Nickel Metallic	389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3606SESH	Designer White	389	2	33⅜	5½	—	—	5 lbs.	0.9
NAC3605SESC	Concrete	\$ 389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3605SESB	Cinder	389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3605SESI	Iron	389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3605SESS	Platinum Metallic	389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3605SESN	Satin Nickel Metallic	389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3605SESH	Designer White	389	2	33⅜	4¾	—	—	5 lbs.	0.9
NAC3006SESC	Concrete	\$ 372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3006SESB	Cinder	372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3006SESI	Iron	372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3006SESS	Platinum Metallic	372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3006SESN	Satin Nickel Metallic	372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3006SESH	Designer White	372	2	27⅞	5½	—	—	4 lbs.	0.9
NAC3005SESC	Concrete	\$ 372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC3005SESB	Cinder	372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC3005SESI	Iron	372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC3005SESS	Platinum Metallic	372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC3005SESN	Satin Nickel Metallic	372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC3005SESH	Designer White	372	2	27⅞	4¾	—	—	4 lbs.	0.9
NAC2406SESC	Concrete	\$ 348	2	21	5½	—	—	4 lbs.	0.8
NAC2406SESB	Cinder	348	2	21	5½	—	—	4 lbs.	0.8
NAC2406SESI	Iron	348	2	21	5½	—	—	4 lbs.	0.8
NAC2406SESS	Platinum Metallic	348	2	21	5½	—	—	4 lbs.	0.8
NAC2406SESN	Satin Nickel Metallic	348	2	21	5½	—	—	4 lbs.	0.8
NAC2406SESH	Designer White	348	2	21	5½	—	—	4 lbs.	0.8

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, end support base will sit on box/file height storage and support worksurface height worksurfaces
- 5¹/₂" H to be used with 1¹/₂" worksurfaces
- 4³/₄" H to be used with 1¹/₂" worksurfaces

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:


- Model Number

SAMPLE MODEL NUMBER:

NAC2405SESB

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
END SUPPORT BASE (CONTINUED) 	NAC2405SESC	Concrete	\$	348	2	21	4¾	—	—	4 lbs.	0.8
	NAC2405SESB	Cinder		348	2	21	4¾	—	—	4 lbs.	0.8
	NAC2405SESI	Iron		348	2	21	4¾	—	—	4 lbs.	0.8
	NAC2405SESS	Platinum Metallic		348	2	21	4¾	—	—	4 lbs.	0.8
	NAC2405SESN	Satin Nickel Metallic		348	2	21	4¾	—	—	4 lbs.	0.8
	NAC2405SESH	Designer White		348	2	21	4¾	—	—	4 lbs.	0.8
	NAC1806SESC	Concrete	\$	327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1806SESB	Cinder		327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1806SESI	Iron		327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1806SESS	Platinum Metallic		327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1806SESN	Satin Nickel Metallic		327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1806SESH	Designer White		327	2	15½	5½	—	—	4 lbs.	0.7
	NAC1805SESC	Concrete	\$	327	2	15½	4¾	—	—	4 lbs.	0.7
	NAC1805SESB	Cinder		327	2	15½	4¾	—	—	4 lbs.	0.7
	NAC1805SESI	Iron		327	2	15½	4¾	—	—	4 lbs.	0.7
	NAC1805SESS	Platinum Metallic		327	2	15½	4¾	—	—	4 lbs.	0.7
	NAC1805SESN	Satin Nickel Metallic		327	2	15½	4¾	—	—	4 lbs.	0.7
	NAC1805SESH	Designer White		327	2	15½	4¾	—	—	4 lbs.	0.7
• Some assembly required • Specify with worksurfaces when overlapping box/file height storage, end support base will sit on box/file height storage and support worksurface height worksurfaces • 5½" H to be used with 1¾" worksurfaces • 4¾" H to be used with 1½" worksurfaces											

SUPPORT PANEL U-STYLE

	NAC1228UBC	Concrete	\$	567	1 1/2	12	28	—	—	12 lbs.	3.1
	NAC1228UBB	Cinder		567	1 1/2	12	28	—	—	12 lbs.	3.1
	NAC1228UBI	Iron		567	1 1/2	12	28	—	—	12 lbs.	3.1
	NAC1228UBS	Platinum Metallic		567	1 1/2	12	28	—	—	12 lbs.	3.1
	NAC1228UBN	Satin Nickel Metallic		567	1 1/2	12	28	—	—	12 lbs.	3.1
	NAC1228UBH	Designer White		567	1 1/2	12	28	—	—	12 lbs.	3.1

- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:


- Model Number
- Paint Color

SAMPLE MODEL NUMBERS:

CBV367240HBK 405

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
SUPPORT BASE KIT H-STYLE BAR HEIGHT 	CBV367240HBK	\$ 3769	33 ³ / ₁₆	65	40 ³ / ₈	—	60	69 lbs.	7.8
	CBV366640HBK	3750	33 ³ / ₁₆	59	40 ³ / ₈	—	54	68 lbs.	7.7
	CBV366040HBK	3720	33 ³ / ₁₆	53	40 ³ / ₈	—	48	66 lbs.	7.6
	CBV307240HBK	\$ 3601	27 ⁷ / ₁₆	65	40 ³ / ₈	—	60	60 lbs.	6.6
	CBV306640HBK	3580	27 ⁷ / ₁₆	59	40 ³ / ₈	—	54	59 lbs.	6.5
	CBV306040HBK	3555	27 ⁷ / ₁₆	53	40 ³ / ₈	—	48	57 lbs.	6.4
	CBV305440HBK	3530	27 ⁷ / ₁₆	47 ¹ / ₁₆	40 ³ / ₈	—	42 ¹ / ₁₆	54 lbs.	6.3
	CBV304840HBK	3505	27 ⁷ / ₁₆	47 ¹ / ₁₆	40 ³ / ₈	—	36 ¹ / ₁₆	51 lbs.	6.2
	CBV247240HBK	\$ 3384	21	65	40 ³ / ₈	—	60	51 lbs.	5.5
	CBV246640HBK	3364	21	59	40 ³ / ₈	—	54	50 lbs.	5.4
	CBV246040HBK	3339	21	53	40 ³ / ₈	—	48	48 lbs.	5.3
	CBV245440HBK	3318	21	47 ¹ / ₁₆	40 ³ / ₈	—	42 ¹ / ₁₆	45 lbs.	5.2
	CBV244840HBK	3291	21	47 ¹ / ₁₆	40 ³ / ₈	—	36 ¹ / ₁₆	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40HBK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit H-style

**SUPPORT BASE KIT
H-STYLE
COUNTER HEIGHT**


CBV367234HBK	\$ 3424	36	72	34	—	—	55 lbs.	6.8
CBV366634HBK	3399	36	66	34	—	—	68 lbs.	7.7
CBV366034HBK	3376	36	60	34	—	—	66 lbs.	7.6
CBV307234HBK	\$ 3269	30	72	34	—	—	60 lbs.	6.6
CBV306634HBK	3249	30	66	34	—	—	59 lbs.	6.5
CBV306034HBK	3227	30	60	34	—	—	57 lbs.	6.4
CBV305434HBK	3207	30	54	34	—	—	54 lbs.	6.3
CBV304834HBK	3182	30	48	34	—	—	51 lbs.	6.2
CBV247234HBK	\$ 3072	24	72	34	—	—	51 lbs.	5.5
CBV246634HBK	3053	24	66	34	—	—	50 lbs.	5.4
CBV246034HBK	3031	24	60	34	—	—	48 lbs.	5.3
CBV245434HBK	3012	24	54	34	—	—	45 lbs.	5.2
CBV244834HBK	2990	24	48	34	—	—	42 lbs.	5.1

- Base Kits include 2 bases and stretcher rails
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit H-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:


- Model Number
- Paint Color

SAMPLE MODEL NUMBER:

CBV367240UK 405

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SUPPORT BASE KIT U-STYLE BAR HEIGHT 	CBV367240UK	\$ 3769	33⅜	65	40⅜	—	59	69 lbs.	7.8
	CBV366640UK	3750	33⅜	59	40⅜	—	53	68 lbs.	7.7
	CBV366040UK	3720	33⅜	53	40⅜	—	47	66 lbs.	7.6
	CBV307240UK	\$ 3601	27⅞	65	40⅜	—	59	60 lbs.	6.6
	CBV306640UK	3580	27⅞	59	40⅜	—	53	59 lbs.	6.5
	CBV306040UK	3555	27⅞	53	40⅜	—	47	57 lbs.	6.4
	CBV305440UK	3530	27⅞	47⅞	40⅜	—	41⅞	54 lbs.	6.3
	CBV304840UK	3505	27⅞	47⅞	40⅜	—	35⅞	51 lbs.	6.2
	CBV247240UK	\$ 3384	21	65	40⅜	—	59	51 lbs.	5.5
	CBV246640UK	3364	21	59	40⅜	—	53	50 lbs.	5.4
	CBV246040UK	3339	21	53	40⅜	—	53	48 lbs.	5.3
	CBV245440UK	3318	21	47⅞	40⅜	—	41⅞	45 lbs.	5.2
	CBV244840UK	3291	21	47⅞	40⅜	—	35⅞	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV367240UK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

**SUPPORT BASE KIT
U-STYLE
COUNTER HEIGHT**


CBV367234UK	\$ 3424	33 ³ / ₁₆	65	34 ¹ / ₁₆	—	59	55 lbs.	6.8
CBV366634UK	3399	33 ³ / ₁₆	59	34 ¹ / ₁₆	—	53	68 lbs.	7.7
CBV366034UK	3376	33 ³ / ₁₆	53	34 ¹ / ₁₆	—	47	66 lbs.	7.6
CBV307234UK	\$ 3269	27 ¹ / ₁₆	65	34 ¹ / ₁₆	—	59	60 lbs.	6.6
CBV306634UK	3249	27 ¹ / ₁₆	59	34 ¹ / ₁₆	—	53	59 lbs.	6.5
CBV306034UK	3227	27 ¹ / ₁₆	53	34 ¹ / ₁₆	—	47	57 lbs.	6.4
CBV305434UK	3207	27 ¹ / ₁₆	47 ¹ / ₁₆	34 ¹ / ₁₆	—	41 ¹ / ₁₆	54 lbs.	6.3
CBV304834UK	3182	27 ¹ / ₁₆	41 ¹ / ₁₆	34 ¹ / ₁₆	—	35 ¹ / ₁₆	51 lbs.	6.2
CBV247234UK	\$ 3072	21	65	34 ¹ / ₁₆	—	59	51 lbs.	5.5
CBV246634UK	3053	21	59	34 ¹ / ₁₆	—	53	50 lbs.	5.4
CBV246034UK	3031	21	53	34 ¹ / ₁₆	—	47	48 lbs.	5.3
CBV245434UK	3012	21	47 ¹ / ₁₆	34 ¹ / ₁₆	—	41 ¹ / ₁₆	45 lbs.	5.2
CBV244834UK	2990	21	41 ¹ / ₁₆	34 ¹ / ₁₆	—	35 ¹ / ₁₆	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV367240UK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Resin Insert Grade/Color
- Base Color

SAMPLE MODEL NUMBER:

CBV367234UAK 1677 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SUPPORT BASE KIT U-STYLE WITH INSERT COUNTER HEIGHT  CBV367234UAK shown	RESIN INSERT	GRADE 1							
	CBV367234UAK	\$ 4616	33 $\frac{3}{8}$	65	34 $\frac{1}{16}$	—	59	55 lbs.	6.8
	CBV366634UAK	4587	33 $\frac{3}{8}$	59	34 $\frac{1}{16}$	—	53	68 lbs.	7.7
	CBV366034UAK	4554	33 $\frac{3}{8}$	53	34 $\frac{1}{16}$	—	47	66 lbs.	7.6
	CBV307234UAK	\$ 4403	27 $\frac{1}{8}$	65	34 $\frac{1}{16}$	—	59	60 lbs.	6.6
	CBV306634UAK	4374	27 $\frac{1}{8}$	59	34 $\frac{1}{16}$	—	53	59 lbs.	6.5
	CBV306034UAK	4345	27 $\frac{1}{8}$	53	34 $\frac{1}{16}$	—	47	57 lbs.	6.4
	CBV305434UAK	4316	27 $\frac{1}{8}$	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304834UAK	4286	27 $\frac{1}{8}$	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247234UAK	\$ 4135	21	65	34 $\frac{1}{16}$	—	59	51 lbs.	5.5
	CBV246634UAK	4107	21	59	34 $\frac{1}{16}$	—	53	50 lbs.	5.4
	CBV246034UAK	4079	21	53	34 $\frac{1}{16}$	—	47	48 lbs.	5.3
	CBV245434UAK	4051	21	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244834UAK	4026	21	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**34UAK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS



- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Metal Insert Color
- Veneer Insert Finish
- Base Color

SAMPLE MODEL NUMBERS:

CBV367234UMK 405 462
CBV367234UWK CL 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SUPPORT BASE KIT U-STYLE WITH INSERT COUNTER HEIGHT (CONTINUED)  CBV367234UMK shown  CBV367234UWK shown	METAL INSERT								
	CBV367234UMK	\$ 4616	33 $\frac{1}{16}$	65	34 $\frac{1}{16}$	—	59	55 lbs.	6.8
	CBV366634UMK	4587	33 $\frac{1}{16}$	59	34 $\frac{1}{16}$	—	53	68 lbs.	7.7
	CBV366034UMK	4554	33 $\frac{1}{16}$	53	34 $\frac{1}{16}$	—	47	66 lbs.	7.6
	CBV307234UMK	\$ 4403	27 $\frac{1}{16}$	65	34 $\frac{1}{16}$	—	59	60 lbs.	6.6
	CBV306634UMK	4374	27 $\frac{1}{16}$	59	34 $\frac{1}{16}$	—	53	59 lbs.	6.5
	CBV306034UMK	4345	27 $\frac{1}{16}$	53	34 $\frac{1}{16}$	—	47	57 lbs.	6.4
	CBV305434UMK	4316	27 $\frac{1}{16}$	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304834UMK	4286	27 $\frac{1}{16}$	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247234UMK	\$ 4135	21	65	34 $\frac{1}{16}$	—	59	51 lbs.	5.5
	CBV246634UMK	4107	21	59	34 $\frac{1}{16}$	—	53	50 lbs.	5.4
	CBV246034UMK	4079	21	53	34 $\frac{1}{16}$	—	47	48 lbs.	5.3
	CBV245434UMK	4051	21	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244834UMK	4026	21	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	42 lbs.	5.1
	VENEER INSERT								
	CBV367234UWK	\$ 7024	33 $\frac{1}{16}$	65	34 $\frac{1}{16}$	—	59	55 lbs.	6.8
	CBV366634UWK	6977	33 $\frac{1}{16}$	59	34 $\frac{1}{16}$	—	53	68 lbs.	7.7
	CBV366034UWK	6929	33 $\frac{1}{16}$	53	34 $\frac{1}{16}$	—	47	66 lbs.	7.6
	CBV307234UWK	\$ 6283	27 $\frac{1}{16}$	65	34 $\frac{1}{16}$	—	59	60 lbs.	6.6
	CBV306634UWK	6241	27 $\frac{1}{16}$	59	34 $\frac{1}{16}$	—	53	59 lbs.	6.5
	CBV306034UWK	6200	27 $\frac{1}{16}$	53	34 $\frac{1}{16}$	—	47	57 lbs.	6.4
	CBV305434UWK	6156	27 $\frac{1}{16}$	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304834UWK	6116	27 $\frac{1}{16}$	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247234UWK	\$ 5489	21	65	34 $\frac{1}{16}$	—	59	51 lbs.	5.5
	CBV246634UWK	5453	21	59	34 $\frac{1}{16}$	—	53	50 lbs.	5.4
	CBV246034UWK	5415	21	53	34 $\frac{1}{16}$	—	47	48 lbs.	5.3
	CBV245434UWK	5380	21	47 $\frac{1}{16}$	34 $\frac{1}{16}$	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244834UWK	5340	21	41 $\frac{1}{16}$	34 $\frac{1}{16}$	—	35 $\frac{1}{16}$	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**34UMK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style
- Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)

PRODUCT SPECIFICATIONS


- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Resin Insert Grade/Color
- Base Color

SAMPLE MODEL NUMBER:

CBV367240UAK 1677 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SUPPORT BASE KIT U-STYLE WITH INSERT BAR HEIGHT  CBV367240UAK shown	RESIN INSERT	GRADE 1							
	CBV367240UAK	\$ 5078	33%	65	40%	—	59	69 lbs.	7.8
	CBV366640UAK	5044	33%	59	40%	—	53	68 lbs.	7.7
	CBV366040UAK	5011	33%	53	40%	—	47	66 lbs.	7.6
	CBV307240UAK	\$ 4845	27%	65	40%	—	59	60 lbs.	6.6
	CBV306640UAK	4812	27%	59	40%	—	53	59 lbs.	6.5
	CBV306040UAK	4779	27%	53	40%	—	47	57 lbs.	6.4
	CBV305440UAK	4747	27%	47 $\frac{1}{16}$	40%	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304840UAK	4714	27%	41 $\frac{1}{16}$	40%	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247240UAK	\$ 4551	21	65	40%	—	59	51 lbs.	5.5
	CBV246640UAK	4520	21	59	40%	—	53	50 lbs.	5.4
	CBV246040UAK	4490	21	53	40%	—	47	48 lbs.	5.3
	CBV245440UAK	4459	21	47 $\frac{1}{16}$	40%	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244840UAK	4429	21	41 $\frac{1}{16}$	40%	—	35 $\frac{1}{16}$	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40UAK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number
- Metal Insert Color
- Veneer Insert Finish
- Base Color

SAMPLE MODEL NUMBERS:

CBV367240UMK 405 462
CBV367240UWK CL 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SUPPORT BASE KIT U-STYLE WITH INSERT BAR HEIGHT (CONTINUED)	METAL INSERT								
	CBV367240UMK	\$ 5078	33 $\frac{3}{16}$	65	40 $\frac{3}{8}$	—	59	69 lbs.	7.8
	CBV366640UMK	5044	33 $\frac{3}{16}$	59	40 $\frac{3}{8}$	—	53	68 lbs.	7.7
	CBV366040UMK	5011	33 $\frac{3}{16}$	53	40 $\frac{3}{8}$	—	47	66 lbs.	7.6
	CBV307240UMK	\$ 4845	27 $\frac{1}{16}$	65	40 $\frac{3}{8}$	—	59	60 lbs.	6.6
	CBV306640UMK	4812	27 $\frac{1}{16}$	59	40 $\frac{3}{8}$	—	53	59 lbs.	6.5
	CBV306040UMK	4779	27 $\frac{1}{16}$	53	40 $\frac{3}{8}$	—	47	57 lbs.	6.4
	CBV305440UMK	4747	27 $\frac{1}{16}$	47 $\frac{1}{16}$	40 $\frac{3}{8}$	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304840UMK	4714	27 $\frac{1}{16}$	41 $\frac{1}{16}$	40 $\frac{3}{8}$	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247240UMK	\$ 4551	21	65	40 $\frac{3}{8}$	—	59	51 lbs.	5.5
	CBV246640UMK	4520	21	59	40 $\frac{3}{8}$	—	53	50 lbs.	5.4
	CBV246040UMK	4490	21	53	40 $\frac{3}{8}$	—	47	48 lbs.	5.3
	CBV245440UMK	4459	21	47 $\frac{1}{16}$	40 $\frac{3}{8}$	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244840UMK	4429	21	41 $\frac{1}{16}$	40 $\frac{3}{8}$	—	35 $\frac{1}{16}$	42 lbs.	5.1
	VENEER INSERT								
	CBV367240UWK	\$ 7975	33 $\frac{3}{16}$	65	40 $\frac{3}{8}$	—	59	69 lbs.	7.8
	CBV366640UWK	7921	33 $\frac{3}{16}$	59	40 $\frac{3}{8}$	—	53	68 lbs.	7.7
	CBV366040UWK	7865	33 $\frac{3}{16}$	53	40 $\frac{3}{8}$	—	47	66 lbs.	7.6
	CBV307240UWK	\$ 7099	27 $\frac{1}{16}$	65	40 $\frac{3}{8}$	—	59	60 lbs.	6.6
	CBV306640UWK	7052	27 $\frac{1}{16}$	59	40 $\frac{3}{8}$	—	53	59 lbs.	6.5
	CBV306040UWK	7005	27 $\frac{1}{16}$	53	40 $\frac{3}{8}$	—	47	57 lbs.	6.4
	CBV305440UWK	6960	27 $\frac{1}{16}$	47 $\frac{1}{16}$	40 $\frac{3}{8}$	—	41 $\frac{1}{16}$	54 lbs.	6.3
	CBV304840UWK	6910	27 $\frac{1}{16}$	41 $\frac{1}{16}$	40 $\frac{3}{8}$	—	35 $\frac{1}{16}$	51 lbs.	6.2
	CBV247240UWK	\$ 6168	21	65	40 $\frac{3}{8}$	—	59	51 lbs.	5.5
	CBV246640UWK	6126	21	59	40 $\frac{3}{8}$	—	53	50 lbs.	5.4
	CBV246040UWK	6089	21	53	40 $\frac{3}{8}$	—	47	48 lbs.	5.3
	CBV245440UWK	6044	21	47 $\frac{1}{16}$	40 $\frac{3}{8}$	—	41 $\frac{1}{16}$	45 lbs.	5.2
	CBV244840UWK	6002	21	41 $\frac{1}{16}$	40 $\frac{3}{8}$	—	35 $\frac{1}{16}$	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40UWK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style
- Metal base and metal base inserts are available in 6 paint options: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:


- Model Number

SAMPLE MODEL NUMBER:

NAC0318WMM



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MESH WIRE MANAGER 	NAC0318WMM Black	\$ 137	3	17½	—	—	—	2 lbs.	0.1
	- Applicable to all 2½" diameter C, T and X bases - Wraps around leg and is secured with Velcro®								
VERTICAL WIRE MANAGER 	NAC0318WMMV Cinder	\$ 279	3	18	—	—	—	2 lbs.	0.1
	NAC0318WMMVS Platinum Metallic	279	3	18	—	—	—	2 lbs.	0.1
	NAC0318WMMVN Satin Nickel Metallic	279	3	18	—	—	—	2 lbs.	0.1
	- Applicable to all 2½" diameter C, T and X bases - Clamps to leg; no hardware required								
UNDERSURFACE SUPPORT RAIL (WORKSURFACE) 	QNAC0248SUR	\$ 274	2¾	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2¾	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	235	2¾	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2¾	36	1	—	—	3 lbs.	0.3
	- Specify model number only - Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1¾" worksurface and greater than 60" on a 1½" worksurface - Specify the 36" model to be used up to 66" worksurfaces - Specify the 48" model to be used up to 72" worksurfaces - Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces - Rails are bulk packed per order. The pack may contain both sizes of rails								
WORKSURFACE TO STORAGE BRACKET 	NACBRWSS Black	\$ 45	2	16	1¾	—	—	2 lbs.	0.3
	- Specify when supporting a surface ganged to vertical storage - Cannot be used with metal storage units								

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

CBV3072ABEB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A				
ELECTRIC ADJUSTABLE HEIGHT BASE 	CBV3072ABEB	Cinder	\$ 3076	29	62½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3072ABES	Platinum Metallic	3076	29	62½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3072ABEN	Satin Nickel Metallic	3076	29	62½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3066ABEB	Cinder	\$ 3067	29	56½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3066ABES	Platinum Metallic	3067	29	56½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3066ABEN	Satin Nickel Metallic	3067	29	56½	25⅞-44⅞			—	67 lbs.	2.3
	CBV3060ABEB	Cinder	\$ 3059	29	50½	25⅞-44⅞			—	65 lbs.	2.1
	CBV3060ABES	Platinum Metallic	3059	29	50½	25⅞-44⅞			—	65 lbs.	2.1
	CBV3060ABEN	Satin Nickel Metallic	3059	29	50½	25⅞-44⅞			—	65 lbs.	2.1
	CBV3048ABEB	Cinder	\$ 2977	29	38½	25⅞-44⅞			—	65 lbs.	2.1
	CBV3048ABES	Platinum Metallic	2977	29	38½	25⅞-44⅞			—	65 lbs.	2.1
	CBV3048ABEN	Satin Nickel Metallic	2977	29	38½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2472ABEB	Cinder	\$ 2910	23	62½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2472ABES	Platinum Metallic	2910	23	62½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2472ABEN	Satin Nickel Metallic	2910	23	62½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2466ABEB	Cinder	\$ 2902	23	56½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2466ABES	Platinum Metallic	2902	23	56½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2466ABEN	Satin Nickel Metallic	2902	23	56½	25⅞-44⅞			—	65 lbs.	2.1
	CBV2460ABEB	Cinder	\$ 2894	23	50½	25⅞-44⅞			—	64 lbs.	2.1
	CBV2460ABES	Platinum Metallic	2894	23	50½	25⅞-44⅞			—	64 lbs.	2.1
	CBV2460ABEN	Satin Nickel Metallic	2894	23	50½	25⅞-44⅞			—	64 lbs.	2.1
	CBV2448ABEB	Cinder	\$ 2813	23	38½	25⅞-44⅞			—	64 lbs.	2.1
	CBV2448ABES	Platinum Metallic	2813	23	38½	25⅞-44⅞			—	64 lbs.	2.1
	CBV2448ABEN	Satin Nickel Metallic	2813	23	38½	25⅞-44⅞			—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- 1 touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 577-580 for recommended worksurface and base applications

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:


CBV3072ABCB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
MANUAL (HAND CRANK) ADJUSTABLE HEIGHT BASE 	CBV3072ABCB	Cinder	\$ 2480	29	62½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3072ABCS	Platinum Metallic	2480	29	62½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3072ABCN	Satin Nickel Metallic	2480	29	62½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3066ABCB	Cinder	\$ 2399	29	56½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3066ABCS	Platinum Metallic	2399	29	56½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3066ABCN	Satin Nickel Metallic	2399	29	56½	25⅝-43½	—	—	67 lbs.	2.3
	CBV3060ABCB	Cinder	\$ 2315	29	50½	25⅝-43½	—	—	65 lbs.	2.1
	CBV3060ABCS	Platinum Metallic	2315	29	50½	25⅝-43½	—	—	65 lbs.	2.1
	CBV3060ABCN	Satin Nickel Metallic	2315	29	50½	25⅝-43½	—	—	65 lbs.	2.1
	CBV3048ABCB	Cinder	\$ 2233	29	38½	25⅝-43½	—	—	65 lbs.	2.1
	CBV3048ABCS	Platinum Metallic	2233	29	38½	25⅝-43½	—	—	65 lbs.	2.1
	CBV3048ABCN	Satin Nickel Metallic	2233	29	38½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2472ABCB	Cinder	\$ 2083	23	62½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2472ABCS	Platinum Metallic	2083	23	62½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2472ABCN	Satin Nickel Metallic	2083	23	62½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2466ABCB	Cinder	\$ 2078	23	56½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2466ABCS	Platinum Metallic	2078	23	56½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2466ABCN	Satin Nickel Metallic	2078	23	56½	25⅝-43½	—	—	65 lbs.	2.1
	CBV2460ABCB	Cinder	\$ 2068	23	50½	25⅝-43½	—	—	64 lbs.	2.1
	CBV2460ABCS	Platinum Metallic	2068	23	50½	25⅝-43½	—	—	64 lbs.	2.1
	CBV2460ABCN	Satin Nickel Metallic	2068	23	50½	25⅝-43½	—	—	64 lbs.	2.1
	CBV2448ABCB	Cinder	\$ 1983	23	38½	25⅝-43½	—	—	64 lbs.	2.1
	CBV2448ABCS	Platinum Metallic	1983	23	38½	25⅝-43½	—	—	64 lbs.	2.1
	CBV2448ABCN	Satin Nickel Metallic	1983	23	38½	25⅝-43½	—	—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV3072ABCB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware included
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides

"L" ADJUSTABLE HEIGHT BASES

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES


MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBCB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCS	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBCB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBCB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCS	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBCB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCS	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBCB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCS	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
CBV7272ALBEB Cinder	\$ 4594	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV7272ALBES Platinum Metallic	4594	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV7272ALBEN Satin Nickel Metallic	4594	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV7266ALBEB Cinder	\$ 4481	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV7266ALBES Platinum Metallic	4481	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV7266ALBEN Satin Nickel Metallic	4481	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6666ALBEB Cinder	\$ 4367	23	56 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6666ALBES Platinum Metallic	4367	23	56 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6666ALBEN Satin Nickel Metallic	4367	23	56 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6072ALBEB Cinder	\$ 4367	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6072ALBES Platinum Metallic	4367	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6072ALBEN Satin Nickel Metallic	4367	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	87 lbs.	3.1
CBV6066ALBEB Cinder	\$ 4248	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	80 lbs.	2.8
CBV6066ALBES Platinum Metallic	4248	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	80 lbs.	2.8
CBV6066ALBEN Satin Nickel Metallic	4248	23	50 $\frac{7}{8}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 610-611 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

"L" ADJUSTABLE HEIGHT BASES**TO ORDER, SPECIFY:**

1. Model Number

**MANUAL (HAND CRANK)
ADJUSTABLE HEIGHT
"L" BASE KIT**

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED CUBIC WEIGHT	CUBIC FEET
		D	W	H	A		
CBV7272ALBCB Cinder	\$ 3458	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV7272ALBCS Platinum Metallic	3458	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV7272ALBCN Satin Nickel Metallic	3458	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV7266ALBCB Cinder	\$ 3339	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV7266ALBCS Platinum Metallic	3339	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV7266ALBCN Satin Nickel Metallic	3339	23	62 $\frac{7}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6666ALBCB Cinder	\$ 3224	23	56 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6666ALBCS Platinum Metallic	3224	23	56 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6666ALBCN Satin Nickel Metallic	3224	23	56 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6072ALBCB Cinder	\$ 3224	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6072ALBCS Platinum Metallic	3224	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6072ALBCN Satin Nickel Metallic	3224	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	87 lbs.	3.1
CBV6066ALBCB Cinder	\$ 3110	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	80 lbs.	2.8
CBV6066ALBCS Platinum Metallic	3110	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	80 lbs.	2.8
CBV6066ALBCN Satin Nickel Metallic	3110	23	50 $\frac{1}{8}$	25 $\frac{3}{16}$ -43 $\frac{1}{2}$	—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 610-611 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides


"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS


WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a 3mm vinyl rim or 6 veneer rim options
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim

RIM PROFILE OPTIONS



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)




Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey and Tuscan

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

"L" CONFIGURATION WAVEWORKS WORKSURFACES**WOOD FINISHES**

AD	Almond Straight Grain	MW	Midtown Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CO	Canyon Straight Grain	PB	Portobello Straight Grain
CL	Caramel Maple	792	Sable Straight Grain
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	TW	Tribeca Walnut
DF	Driftwood Straight Grain	TF	Truffle Cherry
HN	Honey Maple	NW	Tuscan Straight Grain
TM	Huntington Maple	UW	Urban Walnut
DW	Judicial Walnut		

LAMINATE WORKSURFACES**WOODGRAIN LAMINATE**

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

• CSL available on HPL worksurfaces


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic


\$41 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

**Racetrack Grommet, Cinder**


\$46 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

**Racetrack Grommet, Satin Nickel Metallic**


\$46 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

**Racetrack Grommet, Platinum Metallic**

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

**Cutout Option for 1 Touch Pivoting Power Grommet**


\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center


• Reference page 289 for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 667 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate), and feature a 3mm vinyl or wood rim or a knife rim profile
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning


RIM PROFILE OPTIONS



Softened Vinyl (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Black Plastic


\$41 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet,
Cinder


\$46 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power
Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center




• Reference page 289 for cutout locations of CUT-G17

Racetrack Grommet,
Satin Nickel Metallic


\$46 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet,
Platinum Metallic

\$46 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets

E = 2 Connecting Worksurface Flat Brackets

F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

• Reference page 667 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

"L" CONFIGURATION WAVEWORKS WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 289 for grommet locations; and page 615 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2 E F X D1B403 MH
 WWN3672WSCEDLL2 E V440 X D1L440 440
 WWN3672WSCEDLLW2 E F X D1R440 MH MH

- See pages 614-615 for all options available in Bases and Support

		MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
EXTENDED CORNER WORKSURFACE  Left shown	1 1/8" TOP THICKNESS											
	LEFT		RIGHT									
	WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	\$	1968	35 13/16	72	1 1/8	—	—	79 lbs.	3.9
	WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood		1968	35 13/16	72	1 1/8	—	—	79 lbs.	3.9
	WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate		1671	35 13/16	72	1 1/8	—	—	79 lbs.	3.9
	WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	\$	1911	35 13/16	66	1 1/8	—	—	72 lbs.	3.6
	WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood		1911	35 13/16	66	1 1/8	—	—	72 lbs.	3.6
	WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate		1592	35 13/16	66	1 1/8	—	—	72 lbs.	3.6
	WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	\$	1795	35 13/16	60	1 1/8	—	—	65 lbs.	3.3
	WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood		1795	35 13/16	60	1 1/8	—	—	65 lbs.	3.3
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate		1520	35 13/16	60	1 1/8	—	—	65 lbs.	3.3	

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

"L" CONFIGURATION WAVEWORKS WORKSURFACES**PRODUCT SPECIFICATIONS**

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 289 for grommet locations; and page 615 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/
Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3672WSCEDLW2 E F X D1B403 MH
 WW3672WSCEDLL2 E V440 X D1L440 440
 WW3672WSCEDLLW2 E F X D1R440 MH MH

- See pages 614-615 for all options available in Bases and Support

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
EXTENDED CORNER WORKSURFACE (CONTINUED)  Left shown	1 3/8" TOP THICKNESS									
	LEFT	RIGHT								
	WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	\$ 1784	35 1/8	72	1 3/8	—	—	79 lbs. 3.9
	WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 1/8	72	1 3/8	—	—	79 lbs. 3.9
	WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 1/8	72	1 3/8	—	—	79 lbs. 3.9
	WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 1/8	72	1 3/8	—	—	79 lbs. 3.9
	WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	\$ 1723	35 1/8	66	1 3/8	—	—	72 lbs. 3.6
	WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 1/8	66	1 3/8	—	—	72 lbs. 3.6
	WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 1/8	66	1 3/8	—	—	72 lbs. 3.6
	WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 1/8	66	1 3/8	—	—	72 lbs. 3.6
	WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	\$ 1608	35 1/8	60	1 3/8	—	—	65 lbs. 3.3
	WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 1/8	60	1 3/8	—	—	65 lbs. 3.3
	WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 1/8	60	1 3/8	—	—	65 lbs. 3.3
	WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 1/8	60	1 3/8	—	—	65 lbs. 3.3

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

"L" CONFIGURATION EPIC WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSCERW2 E V G1A X MC

- See pages 616-617 for all options available in Bases and Support

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
EXTENDED CORNER WORKSURFACE  Left shown	SOFTENED RIM											
	LEFT	RIGHT										
	25N3672WSCELW2	25N3672WSCERW2	Wood	\$	1912	35 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	72 lbs.	3.9
	25N3672WSCCELL2	25N3672WSCERL2	Laminate		1593	35 ¹ / ₁₆	72	1 ¹ / ₁₆	—	—	72 lbs.	3.9
	25N3666WSCELW2	25N3666WSCERW2	Wood	\$	1845	35 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	72 lbs.	3.6
	25N3666WSCCELL2	25N3666WSCERL2	Laminate		1514	35 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	72 lbs.	3.6
	25N3660WSCELW2	25N3660WSCERW2	Wood	\$	1721	35 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	65 lbs.	3.3
	25N3660WSCCELL2	25N3660WSCERL2	Laminate		1437	35 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	65 lbs.	3.3
	KNIFE RIM											
	LEFT	RIGHT										
	25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	\$	2485	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.9
	25N3672WSCCELL2K1	25N3672WSCERL2K1	Laminate		2473	36 ¹ / ₁₆	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	\$	2400	36 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	72 lbs.	3.6	
25N3666WSCCELL2K1	25N3666WSCERL2K1	Laminate		2346	36 ¹ / ₁₆	66	1 ¹ / ₁₆	—	—	72 lbs.	3.6	
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	\$	2235	36 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	65 lbs.	3.3	
25N3660WSCCELL2K1	25N3660WSCERL2K1	Laminate		2229	36 ¹ / ₁₆	60	1 ¹ / ₁₆	—	—	65 lbs.	3.3	

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

"L" CONFIGURATION EPIC WORKSURFACES**PRODUCT SPECIFICATIONS**

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/ Laminate Top Color

SAMPLE MODEL NUMBER:

25N3872WSC2LW2K2 E V G1A X MC

- See pages 616-617 for all options available in Bases and Support

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
				D	W	H						
EXTENDED CORNER WORKSURFACE (CONTINUED)  Left shown	KNIFE RIM (CONTINUED)											
	LEFT	RIGHT										
	25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	\$	2485	37½	71⅞	1⅞	—	—	79 lbs.	3.9
	25N3872WSCCELL2K2	25N3872WSCERL2K2	Laminate		2473	37½	71⅞	1⅞	—	—	79 lbs.	3.9
	25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	\$	2400	37½	66	1⅞	—	—	72 lbs.	3.6
	25N3866WSCCELL2K2	25N3866WSCERL2K2	Laminate		2346	37½	66	1⅞	—	—	72 lbs.	3.6
	25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	\$	2235	37½	60	1⅞	—	—	65 lbs.	3.3
	25N3860WSCCELL2K2	25N3860WSCERL2K2	Laminate		2229	37½	60	1⅞	—	—	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 288 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 474
- For additional worksurface support, specify Undersurface Support Rail, see page 470
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 675

"L" CONFIGURATION WAVEWORKS WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 289 for grommet locations; and page 615 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Worksurface Type
4. Rim Profile
5. Vinyl Rim Color (laminate models)
6. Grommet
7. Wire Manager
8. Modified Depth
9. Modified Width
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436WSSVDW M F X D1BL403 X 55½ MH
 WWN2436WSSVDL M V440 X D1L440 X 55 440
 WWN2436WSSVDLW M F X D1B440 X X MH MH

- See pages 614-615 for all options available in Bases and Support

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 24" DEPTH  Direction of arrow designates woodgrain direction	1½" TOP THICKNESS								
	WWN2436WSSVDW Wood	\$ 1041	24	36½	1½	—	—	63 lbs.	1.8
	WWN2436WSSVDLW Laminate/Wood	1041	24	36½	1½	—	—	63 lbs.	1.8
	WWN2436WSSVDL Laminate	525	24	36½	1½	—	—	63 lbs.	1.8
	WWN2430WSSVDW Wood	\$ 1021	24	30½	1½	—	—	61 lbs.	1.5
	WWN2430WSSVDLW Laminate/Wood	1021	24	30½	1½	—	—	61 lbs.	1.5
	WWN2430WSSVDL Laminate	490	24	30½	1½	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces

1½" TOP THICKNESS

WW2436WSSVDW Wood	\$ 858	24	36½	1½	—	—	63 lbs.	1.8
WW2436WSSVDLW Laminate/Wood	858	24	36½	1½	—	—	63 lbs.	1.8
WW2436WSSVDL Laminate	347	24	36½	1½	—	—	63 lbs.	1.8
WW2436WSSVDLL TFL	276	24	36½	1½	—	—	63 lbs.	1.8
WW2430WSSVDW Wood	\$ 834	24	30½	1½	—	—	61 lbs.	1.5
WW2430WSSVDLW Laminate/Wood	834	24	30½	1½	—	—	61 lbs.	1.5
WW2430WSSVDL Laminate	311	24	30½	1½	—	—	61 lbs.	1.5
WW2430WSSVDLL TFL	248	24	30½	1½	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces
- For undersurface wire managers, see page 675

"L" CONFIGURATION EPIC WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 289 for grommet locations; and page 617 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Worksurface Type
4. Rim Profile
5. Vinyl Rim Color (laminate models)
6. Grommet
7. Wire Manager
8. Modified Depth
9. Modified Width
10. Laminate Top Color/
Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

25N2436WSSVW M F X D1BL403 X 55½ MH
25N2436WSSVL M V440 X D1L440 X 55 440

- See pages 616-617 for all options available in Bases and Support

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A				
RECTANGULAR WORKSURFACE 24" DEPTH  Grain direction runs front-to-back	SOFTENED RIM										
	25N2436WSSVW	Wood	\$ 920	24	36½	1¾	—	—		33 lbs.	1.8
	25N2436WSSVL	Laminate	372	24	36½	1¾	—	—		33 lbs.	1.8
	25N2430WSSVW	Wood	\$ 894	24	30¾	1¾	—	—		28 lbs.	1.5
	25N2430WSSVL	Laminate	332	24	30¾	1¾	—	—		28 lbs.	1.5
	KNIFE RIM										
	25N2636WSSVWK1	Wood	\$ 1197	25½	36½	1¾	—	—		33 lbs.	1.8
	25N2636WSSVLK1	Laminate	576	25½	36½	1¾	—	—		33 lbs.	1.8
	25N2630WSSVWK1	Wood	\$ 1162	25½	30¾	1¾	—	—		28 lbs.	1.5
	25N2630WSSVLK1	Laminate	513	25½	30¾	1¾	—	—		28 lbs.	1.5
• Grain direction runs front-to-back • Intended to be used when building an L configuration utilizing components • For undersurface wire managers, see page 675											

BACK

"L" CONFIGURATION WAVEWORKS WORKSURFACES

TOSS ACCENT PILLOWS WEDGES AND CUSHIONS

ACCENT PILLOWS

Product Specifications	626
Textiles and Options	627
Contrasting Textiles Specifications	628
Product Pages	629

WEDGES AND CUSHIONS

Product Specifications	636
Textiles and Options	637
Product Pages	638

TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS 10 SERIES

CONSTRUCTION

SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

RELAXED TOSS PILLOWS

- Relaxed pillow insert has a light, soft fill that is blended from poly fibers, providing a more relaxed pillow aesthetic. It's a perfect complement to our residentially inspired lounge collection, Collette

CLASSIC TOSS PILLOWS

- Classic pillow insert has a heavier, firm fill that is blended from poly fibers, providing a more structured pillow aesthetic for commercial environments

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting textile available on all models



TEXTILES

Grade 1	Cali	Grade 2	Bliss	Grade 4	Connect Four	
	Entwine		Brilliant		Masquerade	
	Input		COM			
	Melange		Dolce		Grade 5	Mode
	Ridge		Dorset		Grade 6	Essence/Ultraleather
Vessel	Intuition	Grade 7	Brisa Brisa Distressed Silica Silica Etch Tottori			
	Pixie					
	Sedona					
	Stancil					
	Strand					
		Grade 3	COL	Grade L7	Davenport	
			Silververtex			Grade L8

FILL INSERT

F1 Classic
F2 Relaxed


*Not available on bolster

TO ORDER CONTRASTING TEXTILE, SPECIFY

TOSS ACCENT PILLOWS



Bolster page 629

1. Model Number plus "X"
2. Upholstery Textile Grade Number/Cover Number
3. Accent Textile Grade Number/Cover Number
4. Piping Textile Grade Number/Cover Number





Square Pillow page 630

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Textile Grade Number/Cover Number
4. Back Textile Grade Number/Cover Number
5. Accent Textile Grade Number/Cover Number
6. Piping Textile Grade Number/Cover Number



Rectangle Pillow page 633

1. Model Number plus "X"
2. Fill Insert
3. Upholstery Textile Grade Number/Cover Number
4. Back Textile Grade Number/Cover Number
5. Accent Textile Grade Number/Cover Number
6. Piping Textile Grade Number/Cover Number





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PBL1806 2 20020

- See pages 627 for textiles

MODEL NO./DESCRIPTION**BOLSTER**

Standard Model



With Piping

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PBL1806	18x6 Bolster	\$	227	249	259	274	292	322	361	549	609
N10PBL1806	18x6 Bolster		227	249	259	274	292	322	361	549	609

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	264	286	304	322	343	364	382	405	427	450
	K	L	M	N	O	P	Q	R	S	T
\$	484	555	598	621	644	667	690	712	735	757

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PBL1806P	18x6 Bolster with Piping	\$	262	287	299	317	338	373	419	637	707

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	305	331	352	373	397	422	443	469	495	522
	K	L	M	N	O	P	Q	R	S	T
\$	562	644	695	722	749	775	802	828	854	880

DIMENSIONS

Weight 3.5
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PBL1806X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow

TOSS ACCENT PILLOWS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PSQ1414 F2 2 20020

- See pages 627 for textiles

MODEL NO./DESCRIPTION

SQUARE PILLOW



Standard Model



With Button

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1414	14x14	\$	171	193	203	219	237	267	308	498	559
N10PSQ1414	14x14		171	193	203	219	237	267	308	498	559

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	208	231	249	268	289	311	329	352	374	397
	K	L	M	N	O	P	Q	R	S	T
\$	432	504	549	572	595	618	641	664	687	710

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414B	14x14 Button	\$	206	228	238	254	272	302	343	533	594

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	243	266	284	303	324	346	364	387	409	432
	K	L	M	N	O	P	Q	R	S	T
\$	467	539	584	607	630	653	676	699	722	745

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414P	14x14 Piping	\$	236	261	273	291	312	347	393	611	681

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	279	305	326	347	371	396	417	443	469	496
	K	L	M	N	O	P	Q	R	S	T
\$	536	618	669	696	723	749	776	802	828	854

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1414BP	14x14 Button & Piping	\$	253	278	290	308	329	364	410	628	698

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	296	322	343	364	388	413	434	460	486	513
	K	L	M	N	O	P	Q	R	S	T
\$	553	635	686	713	740	766	793	819	845	871

DIMENSIONS

Weight 3.5
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1414X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color

SAMPLE MODEL NUMBER:

N10PSQ1616 F2 2 20020

- See pages 627 for textiles

MODEL NO./DESCRIPTION**SQUARE PILLOW**

Standard Model



With Button

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1616	16x16	\$ 210	235	247	265	286	321	367	585	655
N10PSQ1616	16x16	210	235	247	265	286	321	367	585	655

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	253	279	300	321	345	370	391	417	443	470
	K	L	M	N	O	P	Q	R	S	T
\$	510	592	643	670	697	723	750	776	802	828

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616B	16x16 Button	\$ 244	269	281	299	320	355	401	619	689

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	287	313	334	355	379	404	425	451	477	504
	K	L	M	N	O	P	Q	R	S	T
\$	544	626	677	704	731	757	784	810	836	862

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616P	16x16 Piping	\$ 274	301	314	333	355	393	442	676	751

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	320	348	370	393	419	446	468	496	524	552
	K	L	M	N	O	P	Q	R	S	T
\$	595	684	738	767	795	824	852	880	909	936

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1616BP	16x16 Button & Piping	\$ 294	321	334	353	375	413	462	696	771

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	340	368	390	413	439	466	488	516	544	572
	K	L	M	N	O	P	Q	R	S	T
\$	615	704	758	787	815	844	872	900	929	956

DIMENSIONS

Weight 3.75
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1616X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PSQ1818 F2 2 20020

- See pages 627 for textiles

MODEL NO./DESCRIPTION

SQUARE PILLOW



Standard Model



With Button

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PSQ1818	18x18	\$	248	275	288	307	329	367	416	650	725
N10PSQ1818	18x18		248	275	288	307	329	367	416	650	725

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	294	322	344	367	393	420	442	470	498	526
	K	L	M	N	O	P	Q	R	S	T
\$	569	658	712	741	769	798	826	854	883	910

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818B	18x18 Button	\$	281	308	321	340	362	400	449	683	758

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	327	355	377	400	426	453	475	503	531	559
	K	L	M	N	O	P	Q	R	S	T
\$	602	691	745	774	802	831	859	887	916	943

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818P	18x18 Piping	\$	312	341	354	375	398	438	491	741	821

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	361	391	414	439	466	495	519	549	578	609
	K	L	M	N	O	P	Q	R	S	T
\$	654	749	807	838	868	898	929	958	989	1018

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PSQ1818BP	18x18 Button & Piping	\$	331	360	373	394	417	457	510	760	840

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	380	410	433	458	485	514	538	568	597	628
	K	L	M	N	O	P	Q	R	S	T
\$	673	768	826	857	887	917	948	977	1008	1037

DIMENSIONS

Weight 4.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PSQ1818PX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting button and piping only available in National textiles and leather
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Fill Insert
3. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PRT1508 F2 2 20020

- See pages 627 for textiles

MODEL NO./DESCRIPTION**RECTANGLE PILLOW**

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)**GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
QN10PRT1508	15x8	\$	188	202	209	220	231	251	278	402	442
N10PRT1508	15x8		188	202	209	220	231	251	278	402	442

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	212	228	239	252	265	280	292	306	321	336
	K	L	M	N	O	P	Q	R	S	T
\$	359	406	436	451	466	481	496	511	526	541

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508L	15x8 Stripe Left	\$	206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508R	15x8 Stripe Right	\$	206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508X); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TOSS ACCENT PILLOWS

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Textile Grade/Color

SAMPLE MODEL NUMBER:


N10PRT1508BR F2 2 20020

- See pages 627 for textiles



MODEL NO./DESCRIPTION

RECTANGLE PILLOW
(CONTINUED)

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508C	15x8 Stripe Center	\$	206	220	227	238	249	269	296	420	460

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	230	246	257	270	283	298	310	324	339	354
	K	L	M	N	O	P	Q	R	S	T
\$	377	424	454	469	484	499	514	529	544	559

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508P	15x8 Piping	\$	219	237	246	259	273	298	331	487	537

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	250	269	283	299	316	334	349	367	386	405
	K	L	M	N	O	P	Q	R	S	T
\$	433	492	529	548	567	586	605	623	642	661

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508LP	15x8 Piping & Stripe Left	\$	236	254	263	276	290	315	348	504	554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422
	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508PX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

TO ORDER, SPECIFY:


1. Model Number
2. Fill Insert
3. Textile Grade/Color

SAMPLE MODEL NUMBER:


N10PRT1508RP F2 2 20020

- See pages 627 for textiles


MODEL NO./DESCRIPTION

RECTANGLE PILLOW
(CONTINUED)

Standard Model



Stripe Center

Stripe Left Side
with Piping
(as seated)Stripe Right Side
with Piping
(as seated)

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508RP	15x8 Piping & Stripe Right	\$	236	254	263	276	290	315	348	504 554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422

	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N10PRT1508CP	15x8 Piping & Stripe Center	\$	236	254	263	276	290	315	348	504 554

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	267	286	300	316	333	351	366	384	403	422

	K	L	M	N	O	P	Q	R	S	T
\$	450	509	546	565	584	603	622	640	659	678

DIMENSIONS

Weight 3.0
Cubic Ft. 1.8

- Contrasting textile option – specify X (i.e., N10PRT1508RPX); see above. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National textiles and leather
- Right and left models are as seated
- Directional textiles are applied random and may not match from pillow to pillow
- Optional fill insert - Classic or Relaxed

WEDGES AND CUSHIONS

WEDGE AND CUSHIONS PRODUCT SPECIFICATIONS


CONSTRUCTION

WEDGE

- Features high grade polyurethane foam with a ½" structural base for stability
- Contrasting textile available

CUSHIONS

- 1½" high grade polyurethane foam covers a ¾" solid base panel
- Tufted models available and feature ¾" round buttons
- Features non-skid pad
- May be used on select occasional tables, casegoods, and storage to create impromptu seating



TEXTILES

Grade 1	Cali Entwine Input Melange Ridge Vessel	Grade 2	Bliss Brilliant COM Dolce Dorset Intuition Pixie Sedona Stancil Strand	Grade 4	Connect Four Masquerade
				Grade 5	Mode
				Grade 6	Essence/Ultraleather
				Grade 7	Brisa Brisa Distressed Silica Silica Etch Tottori
		Grade 3	COL Silvertex	Grade L7	Davenport
				Grade L8	Florence

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

N10PWD1816 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

WEDGE



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PWD1816	18W Wedge	\$	530	562	578	601	627	672	732	1012	1102

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	585	619	645	673	704	736	763	796	830	864

	K	L	M	N	O	P	Q	R	S	T
\$	915	1021	1087	1121	1156	1190	1224	1257	1291	1325

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PWD2116	21W Wedge	\$	573	613	631	660	692	747	819	1163	1273

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	640	682	714	748	785	825	858	899	939	981

	K	L	M	N	O	P	Q	R	S	T
\$	1044	1174	1254	1296	1338	1379	1421	1462	1504	1544

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N10PWD2416	24W Wedge	\$	613	656	677	708	743	803	882	1256	1376

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	686	732	767	804	845	888	924	968	1013	1058

	K	L	M	N	O	P	Q	R	S	T
\$	1127	1268	1356	1401	1447	1493	1538	1583	1628	1673

DIMENSIONS

N10PWD1816

Weight 6.5
Cubic Ft. 4.3

N10PWD2116

Weight 7.0
Cubic Ft. 4.3

N10PWD2416

Weight 7.5
Cubic Ft. 4.3

- Contrasting textile option – specify X (i.e., N10PWD1816X); see above. For list pricing, use your electronic specification tool or contact customer service

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color



SAMPLE MODEL NUMBER:

NAC3636CUSH 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE

20", 24", 27", 30", 36",
40" and 48"

52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC3636CUSH	\$	913	971	998	1039	1086	1166	1271	1771	1931

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1011	1071	1118	1167	1222	1279	1327	1387	1446	1507

		K	L	M	N	O	P	Q	R	S	T
\$		1598	1787	1903	1964	2025	2086	2147	2206	2267	2326

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC36CUSH	\$	874	924	948	985	1025	1095	1188	1624	1764

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		959	1013	1053	1097	1144	1195	1237	1288	1340	1393

		K	L	M	N	O	P	Q	R	S	T
\$		1473	1638	1741	1794	1847	1900	1953	2005	2058	2110

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2828CUSH	\$	833	880	902	936	973	1038	1124	1530	1660

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		912	962	999	1040	1084	1131	1170	1218	1266	1315

		K	L	M	N	O	P	Q	R	S	T
\$		1389	1543	1638	1687	1737	1786	1835	1883	1933	1981

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2727CUSH	\$	792	835	856	887	922	982	1061	1435	1555

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		865	911	946	983	1024	1067	1103	1147	1192	1237

		K	L	M	N	O	P	Q	R	S	T
\$		1306	1447	1535	1580	1626	1672	1717	1762	1807	1852

DIMENSIONS

NAC3636CUSH

Depth	36
Width	36
Weight	30
Cubic Ft.	3.3

NAC36CUSH

Depth	36
Width	36
Weight	24
Cubic Ft.	3.3

NAC2828CUSH

Depth	28
Width	28
Weight	17
Cubic Ft.	3.3

NAC2727CUSH

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color



SAMPLE MODEL NUMBER:

NAC2552CUSH 2 20020


- See pages 637 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)

20", 24", 27", 30", 36",
40" and 48"

52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2552CUSH	\$	985	1050	1080	1127	1179	1269	1388	1950	2130

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1095	1163	1215	1271	1332	1397	1451	1518	1584	1653
		K	L	M	N	O	P	Q	R	S	T
\$		1755	1968	2099	2168	2236	2304	2373	2439	2508	2574

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2472CUSH	\$	1165	1241	1276	1331	1392	1497	1635	2291	2501

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1293	1373	1434	1499	1570	1646	1709	1787	1864	1944
		K	L	M	N	O	P	Q	R	S	T
\$		2064	2312	2465	2545	2625	2704	2784	2862	2942	3019

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2460CUSH	\$	1016	1092	1127	1182	1243	1348	1486	2142	2352

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1144	1224	1285	1350	1421	1497	1560	1638	1715	1795
		K	L	M	N	O	P	Q	R	S	T
\$		1915	2163	2316	2396	2476	2555	2635	2713	2793	2870

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2448CUSH	\$	811	854	875	906	941	1001	1080	1454	1574

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		884	930	965	1002	1043	1086	1122	1166	1211	1256
		K	L	M	N	O	P	Q	R	S	T
\$		1325	1466	1554	1599	1645	1691	1736	1781	1826	1871

DIMENSIONS

NAC2552CUSH

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

NAC2472CUSH

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

NAC2460CUSH

Depth	24
Width	60
Weight	31
Cubic Ft.	3.8

NAC2448CUSH

Depth	24
Width	48
Weight	24
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC2440CUSH 2 20020


- See pages 637 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36", 40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2440CUSH	\$	761	804	825	856	891	951	1030	1404	1524

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	834	880	915	952	993	1036	1072	1116	1161	1206

	K	L	M	N	O	P	Q	R	S	T
\$	1275	1416	1504	1549	1595	1641	1686	1731	1776	1821

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2436CUSH	\$	443	486	507	538	573	633	712	1086	1206

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	516	562	597	634	675	718	754	798	843	888

	K	L	M	N	O	P	Q	R	S	T
\$	957	1098	1186	1231	1277	1323	1368	1413	1458	1503

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2430CUSH	\$	417	460	481	512	547	607	686	1060	1180

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	490	536	571	608	649	692	728	772	817	862

	K	L	M	N	O	P	Q	R	S	T
\$	931	1072	1160	1205	1251	1297	1342	1387	1432	1477

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2424CUSH	\$	391	420	433	454	477	517	570	820	900

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	440	470	493	518	545	574	598	628	657	688

	K	L	M	N	O	P	Q	R	S	T
\$	733	828	886	917	947	977	1008	1037	1068	1097

DIMENSIONS

NAC2440CUSH

Depth	24
Width	40
Weight	21
Cubic Ft.	2.6

NAC2436CUSH

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

NAC2430CUSH

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

NAC2424CUSH

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC24CUSH 2 20020


- See pages 637 for textiles

MODEL NO./DESCRIPTION


CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36", 40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC24CUSH	\$	611	647	664	690	719	769	835	1147	1247

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	672	710	739	770	804	840	870	907	944	982

	K	L	M	N	O	P	Q	R	S	T
\$	1039	1157	1230	1268	1306	1344	1382	1419	1457	1494

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2024CUSH	\$	414	443	456	477	500	540	593	843	923

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	463	493	516	541	568	597	621	651	680	711

	K	L	M	N	O	P	Q	R	S	T
\$	756	851	909	940	970	1000	1031	1060	1091	1120

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1872CUSH	\$	958	1019	1048	1092	1142	1227	1339	1869	2039

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1062	1126	1176	1228	1286	1347	1398	1461	1524	1589

	K	L	M	N	O	P	Q	R	S	T
\$	1686	1886	2010	2075	2140	2204	2269	2332	2396	2459

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1860CUSH	\$	837	895	922	963	1010	1090	1195	1695	1855

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	935	995	1042	1091	1146	1203	1251	1311	1370	1431

	K	L	M	N	O	P	Q	R	S	T
\$	1522	1711	1827	1888	1949	2010	2071	2130	2191	2250

DIMENSIONS

NAC24CUSH

Depth	24
Width	24
Weight	10
Cubic Ft.	2.0

NAC2024CUSH

Depth	20
Width	24
Weight	11
Cubic Ft.	2.0

NAC1872CUSH

Depth	18
Width	72
Weight	29
Cubic Ft.	3.8

NAC1860CUSH

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBER:

NAC1848CUSH 2 20020


- See pages 637 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36", 40" and 48"



52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1848CUSH	\$	666	702	719	745	774	824	890	1202	1302

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		727	765	794	825	859	895	925	962	999	1037

		K	L	M	N	O	P	Q	R	S	T
\$		1094	1212	1285	1323	1361	1399	1437	1474	1512	1549

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1840CUSH	\$	619	651	667	690	716	761	821	1101	1191

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		674	708	734	762	793	825	852	885	919	953

		K	L	M	N	O	P	Q	R	S	T
\$		1004	1110	1176	1210	1245	1279	1313	1346	1380	1414

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1836CUSH	\$	443	483	501	530	562	617	689	1033	1143

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		510	552	584	618	655	695	728	769	809	851

		K	L	M	N	O	P	Q	R	S	T
\$		914	1044	1124	1166	1208	1249	1291	1332	1374	1414

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1830CUSH	\$	417	449	465	488	514	559	619	899	989

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		472	506	532	560	591	623	650	683	717	751

		K	L	M	N	O	P	Q	R	S	T
\$		802	908	974	1008	1043	1077	1111	1144	1178	1212

DIMENSIONS

NAC1848CUSH

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

NAC1840CUSH

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

NAC1836CUSH

Depth	18
Width	36
Weight	15
Cubic Ft.	1.9

NAC1830CUSH

Depth	18
Width	30
Weight	12.5
Cubic Ft.	1.9

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


NAC1824CUSH 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

CUSHION FOR BOX/FILE HEIGHT
STORAGE (CONTINUED)20", 24", 27", 30", 36",
40" and 48"

52", 60" and 72"



Round

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1824CUSH	\$	391	416	428	446	467	502	548	766	836

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	434	460	481	502	526	551	572	598	624	651

	K	L	M	N	O	P	Q	R	S	T
\$	691	773	824	851	878	904	931	957	983	1009

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1820CUSH	\$	381	403	413	428	446	476	515	703	763

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	418	440	458	476	497	518	536	559	581	604

	K	L	M	N	O	P	Q	R	S	T
\$	638	709	752	775	798	821	844	866	889	911

DIMENSIONS

NAC1824CUSH

Depth	18
Width	24
Weight	10
Cubic Ft.	1.9

NAC1820CUSH

Depth	18
Width	20
Weight	9
Cubic Ft.	1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


NAC3636CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE

20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC3636CUSHT	\$	1363	1421	1448	1489	1536	1616	1721	2221	2381

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1461	1521	1568	1617	1672	1729	1777	1837	1896	1957

		K	L	M	N	O	P	Q	R	S	T
\$		2048	2237	2353	2414	2475	2536	2597	2656	2717	2776

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC36CUSHT	\$	1309	1359	1383	1420	1460	1530	1623	2059	2199

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1394	1448	1488	1532	1579	1630	1672	1723	1775	1828

		K	L	M	N	O	P	Q	R	S	T
\$		1908	2073	2176	2229	2282	2335	2388	2440	2493	2545

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2828CUSHT	\$	1254	1301	1323	1357	1394	1459	1545	1951	2081

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1333	1383	1420	1461	1505	1552	1591	1639	1687	1736

		K	L	M	N	O	P	Q	R	S	T
\$		1810	1964	2059	2108	2158	2207	2256	2304	2354	2402

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2727CUSHT	\$	1205	1248	1269	1300	1335	1395	1474	1848	1968

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1278	1324	1359	1396	1437	1480	1516	1560	1605	1650

		K	L	M	N	O	P	Q	R	S	T
\$		1719	1860	1948	1993	2039	2085	2130	2175	2220	2265

DIMENSIONS

NAC3636CUSHT

Depth	36
Width	36
Weight	30
Cubic Ft.	3.3

NAC36CUSHT

Depth	36
Width	36
Weight	24
Cubic Ft.	3.3

NAC2828CUSHT

Depth	28
Width	28
Weight	17
Cubic Ft.	3.3

NAC2727CUSHT

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC2552CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2552CUSHT	\$	1506	1571	1601	1648	1700	1790	1909	2471	2651

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1616	1684	1736	1792	1853	1918	1972	2039	2105	2174

	K	L	M	N	O	P	Q	R	S	T
\$	2276	2489	2620	2689	2757	2825	2894	2960	3029	3095

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2472CUSHT	\$	1553	1629	1664	1719	1780	1885	2023	2679	2889

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1681	1761	1822	1887	1958	2034	2097	2175	2252	2332

	K	L	M	N	O	P	Q	R	S	T
\$	2452	2700	2853	2933	3013	3092	3172	3250	3330	3407

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2460CUSHT	\$	1386	1462	1497	1552	1613	1718	1856	2512	2722

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1514	1594	1655	1720	1791	1867	1930	2008	2085	2165

	K	L	M	N	O	P	Q	R	S	T
\$	2285	2533	2686	2766	2846	2925	3005	3083	3163	3240

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2448CUSHT	\$	1214	1257	1278	1309	1344	1404	1483	1857	1977

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1287	1333	1368	1405	1446	1489	1525	1569	1614	1659

	K	L	M	N	O	P	Q	R	S	T
\$	1728	1869	1957	2002	2048	2094	2139	2184	2229	2274

DIMENSIONS

NAC2552CUSHT

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

NAC2472CUSHT

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

NAC2460CUSHT

Depth	24
Width	60
Weight	31
Cubic Ft.	3.8

NAC2448CUSHT

Depth	24
Width	48
Weight	24
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC2440CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2440CUSHT	\$	1143	1186	1207	1238	1273	1333	1412	1786	1906

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1216	1262	1297	1334	1375	1418	1454	1498	1543	1588

		K	L	M	N	O	P	Q	R	S	T
\$		1657	1798	1886	1931	1977	2023	2068	2113	2158	2203

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2436CUSHT	\$	698	741	762	793	828	888	967	1341	1461

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		771	817	852	889	930	973	1009	1053	1098	1143

		K	L	M	N	O	P	Q	R	S	T
\$		1212	1353	1441	1486	1532	1578	1623	1668	1713	1758

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2430CUSHT	\$	666	709	730	761	796	856	935	1309	1429

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		739	785	820	857	898	941	977	1021	1066	1111

		K	L	M	N	O	P	Q	R	S	T
\$		1180	1321	1409	1454	1500	1546	1591	1636	1681	1726

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2424CUSHT	\$	642	671	684	705	728	768	821	1071	1151

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		691	721	744	769	796	825	849	879	908	939

		K	L	M	N	O	P	Q	R	S	T
\$		984	1079	1137	1168	1198	1228	1259	1288	1319	1348

DIMENSIONS

NAC2440CUSHT

Depth	24
Width	40
Weight	21
Cubic Ft.	2.6

NAC2436CUSHT

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

NAC2430CUSHT

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

NAC2424CUSHT

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC24CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC24CUSHT	\$	913	949	966	992	1021	1071	1137	1449	1549

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		974	1012	1041	1072	1106	1142	1172	1209	1246	1284
		K	L	M	N	O	P	Q	R	S	T
\$		1341	1459	1532	1570	1608	1646	1684	1721	1759	1796

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2024CUSHT	\$	619	648	661	682	705	745	798	1048	1128

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		668	698	721	746	773	802	826	856	885	916
		K	L	M	N	O	P	Q	R	S	T
\$		961	1056	1114	1145	1175	1205	1236	1265	1296	1325

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1872CUSHT	\$	1427	1488	1517	1561	1611	1696	1808	2338	2508

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1531	1595	1645	1697	1755	1816	1867	1930	1993	2058
		K	L	M	N	O	P	Q	R	S	T
\$		2155	2355	2479	2544	2609	2673	2738	2801	2865	2928

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1860CUSHT	\$	1228	1286	1313	1354	1401	1481	1586	2086	2246

ALLIANCE GRADE / LIST PRICE

		A	B	C	D	E	F	G	H	I	J
\$		1326	1386	1433	1482	1537	1594	1642	1702	1761	1822
		K	L	M	N	O	P	Q	R	S	T
\$		1913	2102	2218	2279	2340	2401	2462	2521	2582	2641

DIMENSIONS

NAC24CUSHT

Depth	24
Width	24
Weight	10
Cubic Ft.	2.0

NAC2024CUSHT

Depth	20
Width	24
Weight	11
Cubic Ft.	2.0

NAC1872CUSHT

Depth	18
Width	72
Weight	29
Cubic Ft.	3.8

NAC1860CUSHT

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:


NAC1848CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)

20", 24", 27", 30", 36",
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1848CUSHT	\$	1032	1068	1085	1111	1140	1190	1256	1568	1668

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1093	1131	1160	1191	1225	1261	1291	1328	1365	1403

	K	L	M	N	O	P	Q	R	S	T
\$	1460	1578	1651	1689	1727	1765	1803	1840	1878	1915

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1840CUSHT	\$	935	967	983	1006	1032	1077	1137	1417	1507

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	990	1024	1050	1078	1109	1141	1168	1201	1235	1269

	K	L	M	N	O	P	Q	R	S	T
\$	1320	1426	1492	1526	1561	1595	1629	1662	1696	1730

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1836CUSHT	\$	698	738	756	785	817	872	944	1288	1398

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	765	807	839	873	910	950	983	1024	1064	1106

	K	L	M	N	O	P	Q	R	S	T
\$	1169	1299	1379	1421	1463	1504	1546	1587	1629	1669

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1830CUSHT	\$	666	698	714	737	763	808	868	1148	1238

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	721	755	781	809	840	872	899	932	966	1000

	K	L	M	N	O	P	Q	R	S	T
\$	1051	1157	1223	1257	1292	1326	1360	1393	1427	1461

DIMENSIONS

NAC1848CUSHT

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

NAC1840CUSHT

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

NAC1836CUSHT

Depth	18
Width	36
Weight	15
Cubic Ft.	1.9

NAC1830CUSHT

Depth	18
Width	30
Weight	12.5
Cubic Ft.	1.9

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS

TO ORDER, SPECIFY:



1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC1824CUSHT 2 20020

- See pages 637 for textiles

MODEL NO./DESCRIPTION

TUFTED CUSHION FOR
BOX/FILE HEIGHT STORAGE
(CONTINUED)20", 24", 27", 30", 36",
40" and 48" Tufted

52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1824CUSHT	\$	642	667	679	697	718	753	799	1017	1087

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	685	711	732	753	777	802	823	849	875	902

	K	L	M	N	O	P	Q	R	S	T
\$	942	1024	1075	1102	1129	1155	1182	1208	1234	1260

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1820CUSHT	\$	585	607	617	632	650	680	719	907	967

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	622	644	662	680	701	722	740	763	785	808

	K	L	M	N	O	P	Q	R	S	T
\$	842	913	956	979	1002	1025	1048	1070	1093	1115

DIMENSIONS

NAC1824CUSHT

Depth	18
Width	24
Weight	10
Cubic Ft.	1.9

NAC1820CUSHT

Depth	18
Width	20
Weight	9
Cubic Ft.	1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

ACCESSORIES

Product Specifications	652
Product Options	653
Application Matrix	654
Product Pages	655

SCREENS

Product Specifications	680
Product Options	683
Product Pages	684

ACCESSORIES

POWER/DATA ELECTRICAL SPECIFICATIONS

HEARTH

- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS

- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO

- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between $\frac{1}{2}$ " (12.7mm) – $2\frac{1}{16}$ " (71mm).
- UL Listed

FINISH

WOOD CENTER DRAWER

AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
IM	Brighton	NM	Natural
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN	Honey	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial		

PERSONAL PULL-UP TABLE

793	Acorn	KN	Kona
AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
BZ	Brazilwood	NM	Natural
IM	Brighton	PC	Porcini
CO	Canyon	PT	Portico
CL	Caramel	PB	Portobello
CI	Chai	792	Sable
462	Cinder	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
405	Designer White	TF	Truffle
DF	Driftwood	NW	Tuscan
HN	Honey	UW	Urban
TM	Huntington	WL	Willow
DW	Judicial		

LAMINATE

Center Drawer, Personal Pull-up Table, Vertical Pigeon Hole Storage

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal*	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal*
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal*
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal*
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal*
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

*Not available on Personal Pull-Up Table

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
492H	Cinder Linear Horizontal*	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
491H	Designer White Linear Horizontal*		

*Not available on Personal Pull-Up Table

GALLERY LAMINATE


Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

TACK BOARD VERTICAL TEXTILE OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ACCESSORIES

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NAC1706KK3	Basic Adjustable Keyboard Kit
B	NACC1824CDW	Wood Center Drawer	L	NACMA1GMB	Flexible Single Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NACMA1GMS	Flexible Single Monitor Arm
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1322SL2	Metal Corner Sleeve
E	NAC1211DO	Deluxe Organizer	O	NAC1222SL	Metal Corner Sleeve
G	NAC1922CD	Plastic Center Drawer	P	NAC1424KT	Keyboard Tray
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit	S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit			
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit			

- Hinged Modesty models cannot use center drawer or keyboard kits
- Keyboard Trays, Kits, Center Drawers and Carousel Trays will not work on WaveWorks glass top desks

	EPIC	WAVEWORKS
DOUBLE PEDESTAL DESKS		
36" x 72"	A,B,C,E,G,L,M,P	A,B,C,E,G,L,M,P
30" x 66"	A,B,C,D,E,G,L,M,P	A,B,C,D,E,G,L,M,P
30" x 60"	D,E,L,M	D,E,L,M
SINGLE PEDESTAL DESKS		
36" x 72"	A,B,C,E,G,L,M,N,P	A,B,C,E,G,L,M,N,P
30" x 66"	A,B,C,D,E,G,L,M,N,P	A,B,C,D,E,G,L,M,N,P
U-UNITS AND P-UNITS		
without modesty panel	A,B,C,G,H,J,K,L,M,N,PS	A,B,C,G,H,J,K,L,M,N,PS
with modesty panel	L,M,N	L,M,N
RECEPTION DESK		
RECEPTION RETURN		
RETURNS		
File/File 24" x 50", 25" x 53"	A,B,C,D,G,L,M,N,P	A,B,C,D,G,L,M,N,P
File/File 24" x 48", 25" x 45"	A,B,C,D,G,L,M,N,P	A,B,C,D,G,L,M,N,P
File/File 24" x 42"	A,B,C,D,G,L,M,N,P	A,B,C,D,G,L,M,N,P
Box/Box/File 24" x 50", 25" x 53"		
Box/Box/File 24" x 48"		
Box/Box/File 24" x 42", 25" x 45"		
Multi-File 24" x 72", 24" x 60"		
Lateral File 24" x 60"		
CORNER UNITS		
36" x 36"	L,M	L,M
42" x 42"	H,I,J,K,L,M,S	H,I,J,K,L,M,S
BRIDGES		
24" x 48"	C,G,H,J,K,L,M,N,PS	A,B,C,G,H,J,K,L,M,N,PS
24" x 42"	C,G,H,J,K,L,M,N,PS	A,B,C,G,H,J,K,L,M,N,PS
CREDENZAS		
File/File 72"	A,B,C,G,L,M,N,P	A,B,C,G,L,M,N,P
File/File 66"	A,B,C,G,L,M,N,P	A,B,C,G,L,M,N,P
File/File 60"	L,M,N	L,M,N
Lateral File 72"		
Lateral File 66"		
Kneespace 72"	A,B,C,G,L,M,P	A,B,C,G,L,M,P
Kneespace 66"	A,B,C,G,L,M,P	A,B,C,G,L,M,P
SHELL BASED DESK		
SHELL BASED RETURN, BRIDGE, CREDENZA		

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood only)
3. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

NAC2421CDL 405
NAC1824CDW MC
NAC0613ST

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WOOD CENTER DRAWER 	QNAC2124CDW	Wood	\$ 359	21	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	NAC2124CDW	Wood	359	21	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	QNAC1824CDW	Wood	238	18	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
	NAC1824CDW	Wood	238	18	24	2 $\frac{3}{4}$	—	—	9 lbs.	1.1
• Drawer extends 10" from worksurface and measures 2$\frac{1}{16}$" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are solid ash										
LAMINATE CENTER DRAWER 	QNAC2421CDL	Laminate	\$ 207	20	24	2 $\frac{3}{4}$	—	—	12 lbs.	1.0
	NAC2421CDL	Laminate	207	20	24	2 $\frac{3}{4}$	—	—	12 lbs.	1.0
KEYBOARD TRAY 	NAC1424KT	Black Metal	\$ 253	14	25 $\frac{1}{2}$	1 $\frac{1}{4}$	—	—	10 lbs.	1.3
• Keyboard height can range from 2$\frac{1}{32}$" to 3$\frac{1}{32}$" in $\frac{7}{32}$" increments • Tray is 24" wide										
BOX DRAWER CONVENIENCE TRAY 	NAC0613ST	Black Plastic	\$ 37	5 $\frac{1}{2}$	12 $\frac{1}{8}$	$\frac{1}{2}$	—	—	1 lbs.	0.1
• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals										
PLASTIC CENTER DRAWER 	NAC1922CD	Black Plastic	\$ 105	19 $\frac{3}{16}$	22	2	—	—	5 lbs.	0.5
• Individual compartments neatly organize pens, pencils, paper clips, etc.										

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number




SAMPLE MODEL NUMBER:

NAC1706KK1

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
INTUITIVE ADJUSTABLE KEYBOARD KIT 	NAC1706KK1 17" Arm—Black	\$ 993	17	28½	6	—	—	18 lbs.	1.1
	NAC2208KK1 21¾" Arm—Black	1096	21¾	28½	8	—	—	21 lbs.	1.1
	• Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray • Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface • Arm tilts and moves up and down • 360° swivel • Width of keyboard kit includes mouse tray • Mouse tray can be moved to support right or left-handed users • Mouse tray has tilt adjustment and fence to protect mouse from falling • ANSI/HFES compliant								
ERGONOMIC ADJUSTABLE KEYBOARD KIT 	NAC1706KK2 17" Arm—Black	\$ 858	17	28½	6	—	—	17 lbs.	1.1
	• Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray • Tray adjusts from -15° to 15° and slides in and out under worksurface • Arm tilts and moves up and down • 360° swivel • Width of keyboard kit includes mouse tray • Mouse tray can be moved to support right or left-handed users • Mouse tray has tilt adjustment and fence to protect mouse from falling • ANSI/HFES compliant								
BASIC ADJUSTABLE KEYBOARD KIT 	NAC1706KK3 17" Arm—Black	\$ 700	17	28½	6	—	—	14 lbs.	1.4
	• Includes keyboard mechanism, clamp, wrist pad, and mouse tray • Kit to be used with keyboard • Simultaneous tilt and height adjustment • 360° swivel • Swivel mouse tray can be moved to support right or left-handed users • ANSI/HFES compliant								
SIT-TO-STAND ADJUSTABLE KEYBOARD KIT 	NAC2319KKS1	\$ 1096	23	28½	10¾	—	—	21 lbs.	1.1
	• Black • Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¾" above surface) • Tray adjusts from -10° to +15° • ANSI/HFES compliant								

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

- Model Number







SAMPLE MODEL NUMBER:

NACMA1GMB

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNT 	NACMA1GFB	Black	\$ 665	30¾	6½	12½	—	—	10.5 lbs.	1.4
	NACMA1GFS	Silver	665	30¾	6½	12½	—	—	10.5 lbs.	1.4
	- Attachment method via bolt through grommet - Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
SINGLE MONITOR ARM GROMMET MOUNT 	NACMA1GTS	Silver	\$ 665	30¾	6½	12½	—	—	12 lbs.	1.4
	- Attachment method via bolt through grommet - Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm 20 lbs. load capacity - Not recommended to turn the monitor arms away from the user side - Monitor arm is TAA compliant.									
FLEXIBLE SINGLE MONITOR ARM CLAMP MOUNT 	NACMA1CFB	Black	\$ 665	30¾	6½	12½	—	—	12 lbs.	1.4
	NACMA1CFS	Silver	665	30¾	6½	12½	—	—	12 lbs.	1.4
	- Not recommended for use with knife edge tops - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
FLEXIBLE DUAL MONITOR ARM GROMMET MOUNT 	NACMA2GFB	Black	\$ 1261	30¾	6½	12½	—	—	14 lbs.	1.4
	NACMA2GFS	Silver	1261	30¾	6½	12½	—	—	14 lbs.	1.4
	- Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
FLEXIBLE DUAL MONITOR ARM CLAMP MOUNT 	NACMA2CFB	Black	\$ 1261	30¾	6½	12½	—	—	15.5 lbs.	1.4
	NACMA2CFS	Silver	1261	30¾	6½	12½	—	—	15.5 lbs.	1.4
	- Not recommended for use with knife edge tops - Not recommended for use with a top that is utilizing any mobile base - When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm - Not recommended to turn the monitor arms away from the user side 360° arm rotation not available in most applications									
TRIPLE MOUNT MONITOR ARM KIT 	NACMA3KFB	Black	\$ 253	6	2½	5¼	—	—	4 lbs.	0.4
	NACMA3KFS	Silver	253	6	2½	5¼	—	—	4 lbs.	0.4
	Add onto Flexible Dual Monitor Arm pole to add a third monitor									

ACCESSORIES

MONITOR ARM INFORMATION

NATIONAL MODEL	NACMA1BFS	NACMA1GFB/S	NACMA1CFB/S	NACMA2GFB/S	NACMA2CFB/S	NACMA3KFB/S
DESCRIPTION	Single monitor arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	Add on triple mount ball joint
MONITOR ROTATION	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape
MONITOR EXTENSION	4" - 21½"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	fixed at 5½"
MONITOR TILT ADJUSTMENT	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ or - 25°
HORIZONTAL MONITOR PIVOT	180°	180°	180°	180°	180°	+ or - 30°
ARM ROTATION	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	N/A
ARM HEIGHT ADJUSTMENT	10" dynamic, 6⅞" manual	10" dynamic, 6⅞" manual	10" dynamic, 6⅞" manual	10" dynamic, 6⅞" manual	10" dynamic, 6⅞" manual	Limits manual adjustment to 3" for all arms
POLE HEIGHT (FROM TOP OF WORK OF WORKSURFACE)	N/A	13¼"	13¼"	13¼"	13¼"	N/A
MONITOR WEIGHT CAPACITY	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5
MOUNTING OPTION	Fixed Height Beam Mount	grommet	desk clamp	grommet	desk clamp	N/A
MAXIMUM WIDTH PER MONITOR	N/A	N/A	N/A	36"	36"	21"
MAXIMUM HEIGHT CLEARANCE CENTER OF MOUNT TO MOUNTING SURFACE	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"
WORKSURFACE REQUIREMENTS	N/A	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	N/A

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number





SAMPLE MODEL NUMBER:

NAC1322SL2

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
METAL CORNER SLEEVE 	NAC1322SL2	Black Metal	\$ 176	13	22	1 $\frac{1}{16}$	—	—	5 lbs.	0.3
	NAC1222SL	Black Metal	226	11 $\frac{1}{8}$	22	1 $\frac{1}{2}$	—	—	5 lbs.	0.6
	• NAC1322SL2 is applicable to Epic, Renegade and WaveWorks 1$\frac{1}{16}$" • NAC1222SL is applicable to WaveWorks 1$\frac{1}{8}$" • Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use									
CPU HOLDER 	NACPUH	Black	\$ 460	9 $\frac{3}{4}$	9 $\frac{3}{4}$	18 $\frac{3}{4}$	—	—	10 lbs.	0.9
	• Vertically mounts to underside of workstation • Self-locking ratchet style storage device • Teflon glide storage • Height adjustable 14$\frac{1}{2}$" to 22$\frac{1}{2}$" • Width adjustable 3$\frac{1}{2}$" to 9" • Track mounting plate is 17" deep • 360° swivel • Supports up to 85 lbs.									
FLAT PANEL WALL MOUNT KIT 	15NTVMAS	Black	\$ 499	15 $\frac{3}{4}$ -47 $\frac{1}{4}$		15 $\frac{3}{4}$ -31 $\frac{1}{4}$	—	—	25 lbs.	2.0
	• Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant									
PERSONAL MARKER BOARD 	NAC1214MBL	Laminate	\$ 202	1 $\frac{1}{8}$	12	14	—	—	lbs.	
	• High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

- Model Number




SAMPLE MODEL NUMBER:

NAC1214MBL30

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PERSONAL MARKER BOARD 30-PACK 	NAC1214MBL30 Laminate	\$ 4913	1/8	12	14	—	—	lbs.	
	- High gloss, white laminate marker board - Marker board and hooks sold separately - Hooks to attach to bottom of worksurface to hang marker boards - Pack of 30								
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	3/4	1/2	1 1/4	—	—	lbs.	
	Hooks to attach to bottom of worksurface to hang marker boards								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	1 1/4	3/4	2 1/2	—	—	lbs.	
	- Hooks to attach to bottom of worksurface to hang marker boards - Cannot be used on knife rim tops								
SPECIFIC LOCK CORES AND KEYS 	NCCB___ Lock Core and Key, Black	\$ 29	—	—	—	—	—	1 lbs.	0.1
	NCCB___S Lock Core and Key, Silver	29	—	—	—	—	—	1 lbs.	0.1
	___Specify key number 001 through 200 for black ___Specify key number 001 through 200 for silver - A change key must be specified separately to change lock cores - All casegoods product indicating locking will be shipped with random locking - Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU								
	NCCBCK Change Key	\$ 25	—	—	—	—	—	1 lbs.	0.01
	NCCBMK Master Key	25	—	—	—	—	—	1 lbs.	0.01
	Master Key will open all locks 001-200								

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NAC18TLDBPUS

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	NAC17TLL	Single/Starter Unit	\$ 393	2	17	¾	—	—	1 lbs.	0.20
	NAC31TLL	Single/Starter Unit	564	2	31	¾	—	—	2 lbs.	0.25
	NAC44TLL	Single/Starter Unit	732	2	44	¾	—	—	2 lbs.	0.30
	NAC17TLLA	Adder Unit (Interconnect)	\$ 380	2	17	¾	—	—	2 lbs.	0.20
	NAC31TLLA	Adder Unit (Interconnect)	546	2	31	¾	—	—	2 lbs.	0.25
	NAC44TLLA	Adder Unit (Interconnect)	715	2	44	¾	—	—	3 lbs.	0.30
	NACTLSEN	Modular Occupancy Sensor	\$ 262	—	—	—	—	—	1 lbs.	0.10
• Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs • 60 W power supply • Metal trough reflector with diffuser lens • Soft touch switching with instant on to fade away off • Automatic time out (after 10 hours) • Clear anodized aluminum with white color end caps • Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of 2 adhesive cord managers • Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers • Occupancy sensor is on a 30 minute timer										

ELEMENT LED DESKTOP LIGHT




NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	\$ 1401	14	—	14	—	—	—	3 lbs.	0.70
• Available in silver • MCX LED freestanding light • Working height 18" and maximum reach 28" • 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation • 1 120VAC 3 prong receptacle electrical outlet • 7 levels of light adjustment • 2 USB charging ports providing 1 Amp 5VDC of power										

PIPER LINEAR LED DESKTOP LIGHT



NAC18TLDBUH	Task Light w/Desktop Base, USB, White	\$ 784	11½	7½	18¾	—	—	—	10 lbs.	1.2
• Available in white • LED freestanding light • 3 color temps, dimming • 1 USB charging port that provides 5 volts and 1 Amp of charging power • 4'11" white cord plus a 3' cord extender • UL Listed										

REVO DESKTOP LIGHT



NAC1406TLDB1S	Silver	\$ 735			14¾	—	—	—	8.31 lbs.	1.82
NAC1406TLDB1B	Black	735			14¾	—	—	—	8.31 lbs.	1.82
NAC1406TLDB1W	White	735			14¾	—	—	—	8.31 lbs.	1.82
• 108" power cord • ETL Listed										

VOYAGE DESKTOP LIGHT



NAC1408TLDB1S	Silver	\$ 735			14¾	—	—	—	8.31 lbs.	1.82
NAC1408TLDB1B	Black	735			14¾	—	—	—	8.31 lbs.	1.82
NAC1408TLDB1W	White	735			14¾	—	—	—	8.31 lbs.	1.82
• 108" power cord • ETL Listed										

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:


NAC1211DO

- See page 653 for all options available in Accessories




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
DELUXE DRAWER ORGANIZER	NAC1211DO	Black	\$ 200	11¾	10¾	1¾	—	—	3 lbs.	0.6
• Black plastic • Features compartments for storing post-its, paper clips, pens, pencils, etc. • Drawer expands to 16" wide										




WASTE CONTAINER	NAC1721WBSK	Chrome	\$ 399	13	16½	21	—	—	6 lbs.	2.6
• Concealed, pivoting waste container • For use in buffet or double door storage credenza										




PERSONAL PULL-UP TABLE	10N1622RTPUW	Wood	\$ 1514	13¾	22	28½	—	—	32 lbs.	9.25
	10N1622RTPUL	Laminate	1514	13¾	22	28½	—	—	32 lbs.	9.25
	• 50 lb. weight limit • Specify metal finish (462) Cinder, (423) Concrete, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Veneer species is maple									



PERSONAL PULL-UP TABLE	10N1120RTPU2SS	White Marble	\$ 1067	11	20	25	—	—	30 lbs.	5.00
	10N1620RTPU2SB	Black Marble	1067	16	20	25	—	—	30 lbs.	6.95
	• White Marble model has a Platinum Metallic base; Black Marble model has a Cinder base • 10N1620RTPU2SB top material is Porcelain with pattern Nero Marquina • 10N1120RTPU2SS top material is Nature Marble species of Bianco Crown Marble • Specify model number only									



White Marble



Black Marble

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See page 653 for all options available in Accessories

PLASTIC
WORK TOOLS


PENCIL CUP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACCP Black Plastic	\$ 55	½	4	4	—	—	1 lbs.	0.4
NACCP C Clear Plastic	55	½	4	4	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.

LEGAL PAPER TRAY



NAC1115SPT Black Plastic	\$ 81	10½	15	2	—	—	1 lbs.	0.1
NAC1115SPTC Clear Plastic	81	10½	15	2	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



NAC1010AT Black Plastic	\$ 72	10	9½	2	—	—	1 lbs.	0.2
NAC1010ATC Clear Plastic	72	10	9½	2	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



NACSS Black Plastic	\$ 85	12½	7	7½	—	—	1 lbs.	0.2
NACSSC Clear Plastic	85	12½	7	7½	—	—	1 lbs.	0.2

- Holds folders, papers, etc.

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number






SAMPLE MODEL NUMBER:

98K03ELPG2MTBBK

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
POWER DIRECTOR 	NAC1002ELPD2	Black	\$ 192	4½	9¾	2	—	—	—	—	3 lbs.	0.1
	• 10 foot heavy-duty right angle power cord • UL Listed • Solid state phone/fax/modem, surge protector • 12 Amp, 120 Volt, 60 Hz • 3 receptacles in back are controlled by main switch, and 3 non-switched receptacles (1 in back, 2 in front of unit) • 5 high speed data ports • 2 sets of dual USB ports											
UNDERSURFACE POWER/DATA 	98K03ELPG2MTBBK		\$ 392	3	3	1½	—	—	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 power outlet and 1 dual USB A/C ports • Mounts under surface • 72" power cord included											
CONVENIENCE OUTLET 	NAC0902EL5C	Black	\$ 305	13	22	1¾	—	—	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL Listed											
POWER TOWER 	NAC25ELPTB	Black	\$ 3170	16¾	16¾	25½	—	—	—	—	68 lbs.	6.5
	NAC25ELPTH	White	3170	16¾	16¾	25½	—	—	—	—	68 lbs.	6.5
	NAC25ELPTS	Silver	3170	16¾	16¾	25½	—	—	—	—	68 lbs.	6.5
	• Available in gloss black or silver with black faceplates, or gloss white with white faceplates • Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided • 108" 15 amp power cord included • Circuit breaker located in the bottom of the tower for overload protection • 6 rubber feet prevent sliding and provide ¾" floor clearance • Tri-core design allows for 360° power access • 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired											
GARCIA 	NAC03ELPG2GABW	White	\$ 434	4	2¾	1½	—	—	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	434	4	2¾	1½	—	—	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	434	4	2¾	1½	—	—	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A+C											

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number






SAMPLE MODEL NUMBER:

NACG1

- See page 653 for all options available in Accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
GROMMET 	NACG1	Black	\$ 46	2¼	—	1⅞	—	—	1 lbs.	0.1
	• Field installable									
FLEXI GROMMET 	NACG2	Black	\$ 46	2¼	—	1⅞	—	—	1 lbs.	0.1
	• Field installable									
ROUND GROMMET (G10) 	NACG10EL	Electrical Grommet	\$ 642	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Grommet	104	4¼	4¼	1⅞	—	—	1 lbs.	0.12
	NACG10EL									
	NACG10									
MOIRÉ, G10 POWER/USB GROMMET 	98KG40AELPGBK	Black	\$ 600				—	—	1.7 lbs.	0.24
	98KG40AELPGWH	White	600				—	—	1.7 lbs.	0.24
	98KG40AELPGLG	Light Grey	600				—	—	1.7 lbs.	0.24
	• 2 power, 2 dual USB A/C, 2.0 amps • Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅞" - 1⅞" • UL Listed									
MOIRÉ, G10 POWER GROMMET 	NACG10BELPGB	Black	\$ 384				—	—	1.7 lbs.	0.24
	NACG10BELPGW	White	384				—	—	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	384				—	—	1.7 lbs.	0.24
	• 4 power • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • Black cord on black and light grey, white cord on white • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅞" - 1⅞" • UL Listed									
WILLOW 	98K04ELPG2WLAWA	Walnut with black braided cord	\$ 453	4	3⅞	2¼	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABK	Black with black braided cord	453	4	3⅞	2¼	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABE	Beech with Teal braided cord	453	4	3⅞	2¼	—	—	2.18 lbs.	0.17
	• 108" cord • Includes 1 Power, 1 dual USB A/C port • Tamper resistant									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG12BELPGB

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
PIVOTING POWER GROMMET (MHO-B) (G12B)  NACG12BELPGB	NACG12BELPGB	Black	\$ 893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGS	Silver	893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGW	White	893	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELHCB	Hardwire, Black	\$ 893	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	893	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	893	4%	8%	1½	—	—	3 lbs.	0.2

- 2 power outlets and 2 USB-A + C ports
- Units are powder coated

PIVOTING POWER GROMMET (MHO-B) (G12C)

NACG12CELPGB

NACG12CELPGB	Black	\$ 618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPGS	Silver	618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPGW	White	618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELHCB	Hardwire, Black	\$ 618	4%	8%	1½	—	—	3 lbs.	0.2
NACG12CELHCS	Hardwire, Silver	618	4%	8%	1½	—	—	3 lbs.	0.2
NACG12CELHCW	Hardwire, White	618	4%	8%	1½	—	—	3 lbs.	0.2

- 4 power outlets with 72" circuit breaker cord
- Units are powder coated

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
1 TOUCH PIVOTING POWER GROMMET (G17A) 	NACG17AELPGB	Black	\$ 472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	472	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	\$ 497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	497	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	497	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 2 power outlets • Units are powder coated										
1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	\$ 485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	485	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	\$ 585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	585	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	585	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated										
1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	\$ 466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	466	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	\$ 491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	491	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	491	4¼	5¼	2½	—	—	3 lbs.	0.15
• Includes 1 power outlet • Units are powder coated										

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPD1Q18B

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17A)  NACG17AELPD2IQKS	FULL SET OF 8 UNITS								
	NACG17AELPD2IQKB Set of 8, Black	\$ 3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKS Set of 8, Silver	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKW Set of 8, White	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
 NACG17AELPD2IQB	INTERLINK GROMMETS								
	NACG17AELPD2IQB Interlink Grommet, Black	\$ 484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQS Interlink Grommet, Silver	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQW Interlink Grommet, White	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 72-73								
 NACEL2IQ60J									
 NACEL2IQ60TJ									

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17B)  NACG17BELPD2IQKS  NACG17BELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17BELPD2IQKB Set of 8, Black	\$ 5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKS Set of 8, Silver	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKW Set of 8, White	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17BELPD2IQB Interlink Grommet, Black	\$ 676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQS Interlink Grommet, Silver	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQW Interlink Grommet, White	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 72-73								

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories




TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
 NACG17CELPD2IQKS	FULL SET OF 8 UNITS								
	NACG17CELPD2IQKB Set of 8, Black	\$ 3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKS Set of 8, Silver	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKW Set of 8, White	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
 NACG17CELPD2IQB	INTERLINK GROMMETS								
	NACG17CELPD2IQB Interlink Grommet, Black	\$ 456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQS Interlink Grommet, Silver	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQW Interlink Grommet, White	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 72-73								

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:


NACG23ELB

- See page 653 for all options available in Accessories


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
POWER GROMMET (G23)	NACG23ELB	Black	\$ 683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB	Black/Hardwire	\$ 761	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS	Silver/Hardwire	761	2½	4½	3¼	—	—	2.3 lbs.	0.2
• Not intended for use on conference tables • Includes 2 power outlets and 2 power USB ports • Units are powder coated										



DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	\$ 777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	\$ 777	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	777	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	\$ 816	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	816	2½	4½	3¼	—	—	2.3 lbs.	0.4


- 60" jumper included with each daisy link add-on unit
- Units are powder coated

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	\$ 284	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	432				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	509				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated


NODE POWER GROMMET (G33)



98KG33AELPGBK	Black	\$ 435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGSV	Silver	435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGWH	White	435	4	4	3½	—	—	1 lbs.	0.2

- For use with Maneuver gear, shield, and 120° tables when CUT-G33 option is specified
- 1 power and 1 dual USB A/C

POWER STRIP



NAC0902EL6PS	Black	\$ 106	1½	9½	1¼	—	—	lbs.	

- 120" Cord
- Includes 6 power

ACCESSORIES

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories


TO ORDER, SPECIFY:


1. Model Number


SAMPLE MODEL NUMBER:


NAC07ELPG4BUAB

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
				D	W	H			WEIGHT	FEET
BURELÉ, POWER, CLAMP MOUNT 	NAC07ELPG4BUAB	Black	\$ 454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	454				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 4 power outlets • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • UL Listed									

BURELÉ, POWER/USB, CLAMP MOUNT 	98K07ELPG4BUBBK	Black	\$ 762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBWH	White	762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBLG	Light Grey	762				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 2 power, 1 dual USB A/C, 2.0 amp, 1 single USB-C -18 Watt • Black, 6 ft 15 amp plugged power cord • UL Listed									

TULLY 	NAC06ELPG3TUAW	White	\$ 637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	637	2¼	5%	12¾	—	—	3.05 lbs.	0.40
	• 120" braided cord • Includes 2 USB-A, 1 USB-C and Power									

TRIPPEL 	98K08ELPG3TRAWH	White	\$ 449	3¾	7%	3¾	—	—	2 lbs.	0.13
	98K08ELPG3TRABK	Black	449	3¾	7%	3¾	—	—	2 lbs.	0.13
	98K08ELPG3TRALG	Fog	449	3¾	7%	3¾	—	—	2 lbs.	0.13
	• Set on surface unit • Included 2 power and 1 dual USB A/C • Tamper resistant • Features Qi wireless charging									

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04ELPG2DEAB

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
DEAN, 2 PORT, POWER, CLAMP MOUNT 	NAC04ELPG2DEAB	Black	\$ 408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAW	White	408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAG	Light Grey	408				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 2 PORT, POWER/USB, CLAMP MOUNT 	98K04ELPG2DEBBK	Black	\$ 422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBWH	White	422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBLG	Light Grey	422				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 1 power, 1 dual USB A/C 2.0 amp • Black, 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER, CLAMP MOUNT 	NAC06ELPG3DEAB	Black	\$ 416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAW	White	416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAG	Light Grey	416				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 3 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER/USB, CLAMP MOUNT 	NAC06ELPG3DEBB	Black	\$ 554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBW	White	554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBG	Light Grey	554				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90° • Black, 6 ft, 15 amp plugged power cord • UL Listed									
HITCH, BATTERY-POWERED 	98K04ELPG4HTABK	Black	\$ 732				—	—	1.7 lbs.	0.24
	98K04ELPG4HTAWH	White	732				—	—	1.7 lbs.	0.24
• Freestanding and portable • 2 USB-A and 1 USB-C • 1 LED battery indicator light • Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps • The unit is not UL Listed • The power pack is UL Listed • 11.6 amp hours, 20 watt power supply • Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground										

ACCESSORIES





TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05ELPG2HRAC

• See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HEARTH 	NAC05ELPG2HRAC	\$ 677	5 $\frac{3}{8}$	3 $\frac{1}{4}$	5 $\frac{3}{8}$	—	—	3 lbs.	0.31
	- Includes 1 power, 1 Dual USB-A 108" power cord - Handmolded concrete body with a wood base detail - Features a solid brass braided cord - UL Listed								
SIDEKICK 	NAC29ELPG2SKAG Heather Gray Felt	\$ 529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC Camel Felt	529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	- Felt sofa arm overlay - Includes 1 power, 1 Dual USB-A, and felt pocket - Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk 108" power cord - UL Listed								
APPARATUS 	NAC05ELPG2APAB Black	\$ 400	3 $\frac{1}{8}$	4 $\frac{1}{16}$	2	—	—	lbs.	
	NAC05ELPG2APAW White	400	3 $\frac{1}{8}$	4 $\frac{1}{16}$	2	—	—	lbs.	
	- Includes 1 power, 1 Dual USB-A 108" power cord - Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware - ETL and UL Listed								
ASHLEY DUO 	98K06ELPG3ADABK Black	\$ 469	3 $\frac{1}{8}$	5 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	lbs.	
	98K06ELPG3ADAWH White	469	3 $\frac{1}{8}$	5 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	lbs.	
	- Includes 2 power, 1 dual USB A/C port 72" power cord - Must have at least 5$\frac{1}{2}$" of clearance under surface at point of application to be able to mount - Clamp mount; Unit will fit on worksurface thicknesses $\frac{1}{2}$"-2$\frac{1}{16}$" - UL Listed								

PRODUCT SPECIFICATION

- See page 654 for the application matrix for these accessories



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

NAC30WMV
NAC1420SMCW CW
NAC1420SMCL 405

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
VERTICAL WIRE MANAGER 	NAC30WMV	\$ 312	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables								
WIRE MANAGER 	NAC17WM Black Plastic	\$ 37	2½	16¼	1¾	—	—	1 lbs.	0.1
	• Wire manager is made of plastic and attaches with Velcro® • Wire manager can be used on any unit to route cords								
HORIZONTAL UNDERSURFACE WIRE MANAGER 	NAC30WMH Black Plastic (Set of 6)	\$ 132	3	29½	1½	—	—	1 lbs.	0.1
	• Wire manager can be used on any unit to route cords								
HORIZONTAL WIRE MANAGER 	NAC17WMH Black Plastic	\$ 76	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH Black Plastic	88	2½	24	4¼	—	—	3 lbs.	0.5
	• Attaches below worksurface; can be installed horizontally or vertically • Used to conceal power in-feed and data cables								
MARKER BOARD 	NAC3048MBW	\$ 639	¾	47¾	30	—	—	35 lbs.	1.4
	• Installation hardware included								
VERTICAL PIGEON HOLE STORAGE 	NAC1420SMCW Wood	\$ 1112	12	14	19¾	—	—	13 lbs.	0.9
	NAC1420SMCL Laminate	527	12	14	19¾	—	—	13 lbs.	0.9
	• Assembly required • 3 fixed shelves on unit • Specify chassis laminate or finish only • Utilize under Epic, Renegade and WaveWorks highback organizers; sits on worksurface • When using with tack board, see page 722 for applicable tack board that will properly fit in space								

EQUIPMENT RAIL & ACCESSORIES


EQUIPMENT RAIL



Wall Equipment Rail


Extruded Aluminum Rail with Silver Inlay
18¼"-48¼"W
2 people to install

ACCESSORIES FOR RAIL (1 PERSON INSTALL)




Mounting Kit for Wide-Body Soap/Sanitizer Dispenser

Designed to hold most wide-body soap or sanitizer dispensers




Mounting Kit for Narrow-Body Soap/Sanitizer Dispenser

Designed to hold most narrow-body soap or sanitizer dispensers




Single Universal Glove Box Holder

Clear Acrylic
Holds one glove box




Double Universal Glove Box Holder

Clear Acrylic
Holds two glove boxes




Triple Universal Glove Box Holder

Clear Acrylic
Holds three glove boxes




Small PPE Dispenser

ABS plastic
Universal small box dispenser for shoe cover, cap, and other items




PPE Dispenser Cabinet

Holds 2 boxes of gloves, 1 box of face masks, and 1 hand sanitizer bottle




U-Shaped Wire Basket

Plastic coated wire
Holds blood pressure cuff and other accessories




Mounting Kit for Paper Towel Dispenser

Designed to hold most paper towel dispensers



Mounting Kit for Tri-Fold Paper Towel Dispenser

Designed to hold most tri-fold dispensers



Wipe Holder

Designed to hold most brands of sanitizing wipes and some industrial style spray bottles

WALL EQUIPMENT RAIL - ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC48ER

• See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
WALL ACCESSORY RAIL 	NAC48ER	\$ 600	1	48¾	1				
	NAC42ER	579	1	42¾	1				
	NAC36ER	501	1	36¾	1				
	NAC30ER	483	1	30¾	1				
	NAC24ER	401	1	24¾	1				
	NAC18ER	383	1	18¾	1				

- Attaches to architectural wall to hold accessories
- 18" – 48" rail lengths available
- Extruded Aluminum rail with Silver inlay
- Predrilled mounting holes
- Two friction-fit injection molded thermoplastic end caps
- Will require attachment to wall with fasteners – 2 people recommended for installation

ADD-ONS FOR WALL EQUIPMENT RAIL - ACCESSORIES






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1ERKWSD

• See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MOUNTING KIT FOR WIDE-BODY SOAP/SANITIZER DISPENSER 	NAC1ERKWSD	\$ 592	¾	5	7				
	- Designed to hold most wide-body soap or sanitizer dispenser - Dispenser is not included								
MOUNTING KIT FOR NARROW-BODY SOAP/SANITIZER DISPENSER 	NAC1ERKNSD	\$ 541	¾	5	4¾				
	- Designed to hold most narrow-body soap or sanitizer dispenser - Dispenser is not included								
SINGLE UNIVERSAL GLOVE BOX HOLDER 	NAC1ERGV1	\$ 902	5	5¾	10				
	- Holds one glove box - Clear acrylic								
DOUBLE UNIVERSAL GLOVE BOX HOLDER 	NAC1ERGV2	\$ 1020	5	16¾	10				
	- Holds two glove boxes - Clear acrylic								
TRIPLE UNIVERSAL GLOVE BOX HOLDER 	NAC1ERGV3	\$ 1175	5	11¾	10				
	- Holds three glove boxes - Clear acrylic								






TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBERS:

10N1867FDSHL PB PB
NAC1205WGV1

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
FREESTANDING KIOSK 	10N1867FDSHL	Laminate	\$ 1423	13 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	66 ³ / ₄	—	—	73 lbs.	19.7
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX 	NAC1205WGV1	Steel	\$ 121	3 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	4 ³ / ₄	—	—	1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX 	NAC1210WGV2	Steel	\$ 165	3 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	9 ¹ / ₂	—	—	1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX 	NAC1219WGV4	Steel	\$ 236	3 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	19	—	—	1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER 	NAC0407USD1		\$ 818	4 ³ / ₄	6	11	—	—	2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

ACCESSORIES - SCREENS

PRODUCT SPECIFICATIONS

SCREENS

DESKS+WORKSTATIONS+BENCHING+TABLES

Accommodate new ways of working by utilizing your existing products and blending new solutions into workspaces

Create space division by adding a screen to your workspace. Select the screen style that best fits your situation: set on surface, edge mount, clamp mount, full metal edge mount, or freestanding

- Select style and height of screen based on floorplate layout and occupancy density. Taller screens are appropriate when employees must be situated face-to-face or are near high traffic areas
- Create additional shielding by adding set on surface screens to stations that already have existing edge mount screens
- Screens are available in a variety of materials. Be sure to specify bleach cleanable textiles or hard surfaces such as acrylic
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote.

Keep in mind that it is essential to balance the need for privacy and protection with the overall feeling of the workplace environment.

Note: If you require screens that move with a height-adjustable worksurface, you will have to remove center screens. National recommends a 1" clearance on all sides to avoid pinch point hazards




Accessory Edge Mount Screen + Alloy Height Adjustable Desk

DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SCREENS


SCREEN TYPE

**Set-On**


Comes in Polycarbonate QD
30"H, 24"W, 21-72"W
Comes in 2 Resins Standard Lead Time
Comes in PET Standard Lead Time
30"H, 24"H, 18"H, 21-72"W
1 person to install

**Edge Mount**


Comes in Polycarbonate QD
40/34"H, 30/24"H, 24/18"H, 21-72"W (privacy)
44/30"H, 38/24"H, 32/18"H, 21-72"W
(privacy/modesty)
Comes in 2 Resins Standard Lead Time
Comes in PET Standard Lead Time
Comes in 3 Vertical Textile Patterns Standard
Lead Time
40/34"H, 30/24"H, 24/18"H, 21-72"W (privacy)
44/30"H, 38/24"H, 32/18"H, 21-72"W
(privacy/modesty)
2 people to install

**Full Metal Edge Mount**


Comes in 2 Resins Standard Lead Time
Comes in Glass Standard Lead Time
24"H, 23-72"W
2 people to install

**Full Edge Mount: PET**

Comes in 1 PET Standard Lead Time
24-30"H, 23-72"W
2 people to install

**Clamp Mount**

Comes in TFL White Laminate/Platinum Metallic
paint brackets QD
27"H, 23-71"W
Comes in 2 Resins Standard Lead Time
27"H, 23-71"W
1 person to install

**Universal Panel Mount**

Comes in 2 Resins Standard Lead Time
Comes in Glass Standard Lead Time
18"H, 24-48"W
2 people to install




Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered in 10 days or less.

ACCESSORIES - SCREENS


SCREENS, *continued*

SCREEN TYPE




Static Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
 Comes in Glass Standard Lead Time
 Comes in HPL Laminate Standard Lead Time
 Comes in HPL Marker Board Laminate Standard Lead Time
 Comes in PET Standard Lead Time
 Comes in 3 Vertical Textile Patterns Standard Lead Time
 60"H or 72"H, 24-48"W
 2 people to install



Mobile Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
 Comes in Glass Standard Lead Time
 Comes in HPL Laminate Standard Lead Time
 Comes in HPL Marker Board Laminate Standard Lead Time
 Comes in PET Standard Lead Time
 Comes in 3 Vertical Textile Patterns Standard Lead Time
 60"H or 72"H, 24-48"W
 2 people to install



Static Surface/Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
 Comes in Glass Standard Lead Time
 Comes in HPL Laminate Standard Lead Time
 Comes in HPL Marker Board Laminate Standard Lead Time
 Comes in PET Standard Lead Time
 Comes in 3 Vertical Textile Patterns Standard Lead Time
 60"H or 72"H, 24-48"W
 2 people to install

SCREEN PRODUCT OPTIONS

LAMINATE+BRACKET OPTIONS

CLAMP MOUNT TFL
WOODGRAIN LAMINATE

IM	Brighton
MC	Amber
MH	Mocha

CLAMP MOUNT TFL
SOLID LAMINATE

405	Designer White
440	Cloud
461	Graphite
462	Cinder

POLYCARBONATE

Fluted, Semi-Opaque Polycarbonate

EDGE MOUNT AND SET-ON
BRACKET PAINT COLORS

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

CLAMP MOUNT AND
FULL EDGE MOUNT
BRACKET, AND FLOOR
SCREEN FRAME
PAINT COLORS

405	Designer White
462	Cinder
501	Platinum Metallic

RESIN COLORS

1677	Frosted
1377	Clear

EDGE MOUNT
BRACKET APPLICATION

FL	Flush
WG	Wire Gap (+\$37 upcharge)

FLOOR SCREEN
LAMINATE COLORS

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White	TW	Tribeca
	Linear	TF	Truffle
DF	Driftwood	NW	Tuscan
450	Fog	UW	Urban
488	Frosty White	419	Wallaby
461	Graphite	WL	Willow
HN2	Honey 2		

PET+VERTICAL TEXTILE OPTIONS*

PET

NOR	Nordic Knit

TACK BOARD VERTICAL TEXTILES OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

*Available for Clamp Mount, Full Edge Mount, and Floor Screens

ACCESSORIES - SCREENS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7230PVSBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
POLYCARBONATE SET-ON SURFACE SCREEN 	¼" POLYCARBONATE THICKNESS 30" HIGH								
	NAC7230PVSBP	\$ 683		72	30				
	NAC6630PVSBP	671		66	30				
	NAC6030PVSBP	655		60	30				
	NAC5430PVSBP	644		54	30				
	NAC4830PVSBP	553		48	30				
	NAC4230PVSBP	550		42	30				
	NAC3630PVSBP	461		36	30				
	NAC3030PVSBP	415		30	30				
	NAC2730PVSBP	354		27	30				
	NAC2430PVSBP	346		24	30				
	NAC2130PVSBP	340		21	30				
	24" HIGH								
	NAC7224PVSBP	\$ 637		72	24				
	NAC6624PVSBP	627		66	24				
	NAC6024PVSBP	613		60	24				
	NAC5424PVSBP	602		54	24				
	NAC4824PVSBP	512		48	24				
	NAC4224PVSBP	511		42	24				
	NAC3624PVSBP	391		36	24				
	NAC3024PVSBP	363		30	24				
	NAC2724PVSBP	337		27	24				
	NAC2424PVSBP	330		24	24				
	NAC2124PVSBP	327		21	24				

- Quick Delivery Polycarbonate Set-On Screens feature Platinum Metallic brackets
- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- Clear U-Channel Edge Molding on all exposed edges
- Polycarbonate Thickness ¼"
- Foot dimension is 3" wide x 5" deep
- Semi-Opaque Reeded Polycarbonate
- Screen Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Low level of complexity – can be installed by 1 person


TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSP 1 1677 462

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
 SET-ON SURFACE SCREEN, RESIN	¼" RESIN THICKNESS								
	30"H	GRADE 1							
	NAC7230PVSP	\$ 1786	¼	72	30	—	—		
	NAC6630PVSP	1771	¼	66	30	—	—		
	NAC6030PVSP	1753	¼	60	30	—	—		
	NAC5430PVSP	1607	¼	54	30	—	—		
	NAC4830PVSP	964	¼	48	30	—	—		
	NAC4230PVSP	953	¼	42	30	—	—		
	NAC3630PVSP	851	¼	36	30	—	—		
	NAC3030PVSP	817	¼	30	30	—	—		
	NAC2730PVSP	665	¼	27	30	—	—		
	NAC2430PVSP	648	¼	24	30	—	—		
	NAC2130PVSP	614	¼	21	30	—	—		
	24" HIGH								
	NAC7224PVSP	\$ 1273	¼	72	24	—	—		
	NAC6624PVSP	1259	¼	66	24	—	—		
	NAC6024PVSP	1243	¼	60	24	—	—		
	NAC5424PVSP	1193	¼	54	24	—	—		
	NAC4824PVSP	990	¼	48	24	—	—		
	NAC4224PVSP	788	¼	42	24	—	—		
	NAC3624PVSP	695	¼	36	24	—	—		
	NAC3024PVSP	678	¼	30	24	—	—		
	NAC2724PVSP	564	¼	27	24	—	—		
	NAC2424PVSP	553	¼	24	24	—	—		
	NAC2124PVSP	499	¼	21	24	—	—		
	18" HIGH								
	NAC7218PVSP	\$ 842	¼	72	18	—	—	24 lbs.	2.9
	NAC6618PVSP	824	¼	66	18	—	—	22 lbs.	2.6
	NAC6018PVSP	808	¼	60	18	—	—	19 lbs.	2.4
	NAC5418PVSP	759	¼	54	18	—	—	17 lbs.	2.2
	NAC4818PVSP	616	¼	48	18	—	—	16 lbs.	2.0
	NAC4218PVSP	610	¼	42	18	—	—	14 lbs.	1.8
	NAC3618PVSP	529	¼	36	18	—	—	12 lbs.	1.6
	NAC3018PVSP	499	¼	30	18	—	—	10 lbs.	1.3
	NAC2718PVSP	461	¼	27	18	—	—	9 lbs.	1.2
	NAC2418PVSP	450	¼	24	18	—	—	8 lbs.	1.1
	NAC2118PVSP	431	¼	21	18	—	—	7 lbs.	1.0

- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- Specify resin grade and color: Grade 1 Clear (1377) or Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are ¼" thick dual sided resin
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Medium complexity – 4 minutes, 2 people

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSTP 2 2877 501

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
		GRADE 1							
	NAC7218PVSTP	\$ 1187	⅜	72	18	—	—	24 lbs.	2.9
	NAC6618PVSTP	1130	⅜	66	18	—	—	22 lbs.	2.6
	NAC6018PVSTP	1071	⅜	60	18	—	—	19 lbs.	2.4
	NAC5418PVSTP	1012	⅜	54	18	—	—	17 lbs.	2.2
	NAC4818PVSTP	958	⅜	48	18	—	—	16 lbs.	2.0
	NAC4218PVSTP	897	⅜	42	18	—	—	14 lbs.	1.8
	NAC3618PVSTP	837	⅜	36	18	—	—	12 lbs.	1.6
	NAC3018PVSTP	777	⅜	30	18	—	—	10 lbs.	1.3
	NAC2718PVSTP	748	⅜	27	18	—	—	9 lbs.	1.2
	NAC2418PVSTP	717	⅜	24	18	—	—	8 lbs.	1.1
	NAC2118PVSTP	689	⅜	21	18	—	—	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units


TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7230PVSPP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PET SET-ON SURFACE SCREEN 	½" PET THICKNESS 30" HIGH								
	NAC7230PVSPP	\$ 1641		72	30				
	NAC6630PVSPP	1582		66	30				
	NAC6030PVSPP	1547		60	30				
	NAC5430PVSPP	1291		54	30				
	NAC4830PVSPP	851		48	30				
	NAC4230PVSPP	817		42	30				
	NAC3630PVSPP	748		36	30				
	NAC3030PVSPP	695		30	30				
	NAC2730PVSPP	622		27	30				
	NAC2430PVSPP	433		24	30				
	NAC2130PVSPP	432		21	30				
	24" HIGH								
	NAC7224PVSPP	\$ 908		72	24				
	NAC6624PVSPP	862		66	24				
	NAC6024PVSPP	851		60	24				
	NAC5424PVSPP	756		54	24				
	NAC4824PVSPP	684		48	24				
	NAC4224PVSPP	616		42	24				
	NAC3624PVSPP	518		36	24				
	NAC3024PVSPP	479		30	24				
	NAC2724PVSPP	384		27	24				
	18" HIGH								
	NAC7218PVSPP	\$ 893		72	18				
	NAC6618PVSPP	859		66	18				
	NAC6018PVSPP	837		60	18				
	NAC5418PVSPP	746		54	18				
	NAC4818PVSPP	660		48	18				
	NAC4218PVSPP	597		42	18				
	NAC3618PVSPP	502		36	18				
	NAC3018PVSPP	464		30	18				
	NAC2718PVSPP	337		27	18				
	NAC2418PVSPP	279		24	18				
	NAC2118PVSPP	278		21	18				

- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- PET Thickness ½"
- Foot dimension is 3" wide x 5" deep
- Nordic Knit PET Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Medium complexity – 4 minutes, 2 people

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:


1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7218PVS2PFA A 8600 423

- See page 683 for all available Screen options

MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS					CARTONED CUBIC	
	AA	A	B/COM	D	W	H	A	KW	WEIGHT	FEET
SET-ON SURFACE SCREEN, TEXTILE										
NAC7218PVS2PFA	\$ 1933	\$ 1985	\$ 2084	1 1/8	72	18	—	—	24 lbs.	2.9
NAC6618PVS2PFA	1813	1859	1947	1 1/8	66	18	—	—	22 lbs.	2.6
NAC6018PVS2PFA	1692	1738	1826	1 1/8	60	18	—	—	19 lbs.	2.4
NAC5418PVS2PFA	1576	1616	1693	1 1/8	54	18	—	—	17 lbs.	2.2
NAC4818PVS2PFA	1467	1502	1568	1 1/8	48	18	—	—	16 lbs.	2.0
NAC4218PVS2PFA	1331	1366	1432	1 1/8	42	18	—	—	14 lbs.	1.8
NAC3618PVS2PFA	1218	1247	1302	1 1/8	36	18	—	—	12 lbs.	1.6
NAC3018PVS2PFA	1093	1122	1177	1 1/8	30	18	—	—	10 lbs.	1.3
NAC2718PVS2PFA	1041	1064	1108	1 1/8	27	18	—	—	9 lbs.	1.2
NAC2418PVS2PFA	966	989	1033	1 1/8	24	18	—	—	8 lbs.	1.1
NAC2118PVS2PFA	919	936	969	1 1/8	21	18	—	—	7 lbs.	1.0



- Specify tack textile grade and color
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 1 1/8" thick tackable textile
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- Textile will be railroaded
- Not intended to create a continuous screen by placing models end to end



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Clamp Paint Color

SAMPLE MODEL NUMBERS:

QNAC7127PVC2405501
NAC7127PVCC2LLP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
TFL CLAMP MOUNT SCREEN 	½" TFL THICKNESS								
	QNAC7127PVC2405501	\$ 894		71	27				
	QNAC6527PVC2405501	879		65	27				
	QNAC5927PVC2405501	757		59	27				
	QNAC5327PVC2405501	713		53	27				
	QNAC4727PVC2405501	623		47	27				
	QNAC2927PVC2405501	550		29	27				
	QNAC2327PVC2405501	577		23	27				

- Quick Delivery models feature Designer White Laminate and Platinum Metallic Clamps

½" TFL THICKNESS

NAC7127PVCC2LLP	\$ 894	71	27
NAC6527PVCC2LLP	879	65	27
NAC5927PVCC2LLP	833	59	27
NAC5327PVCC2LLP	713	53	27
NAC4727PVCC2LLP	686	47	27
NAC2927PVCC2LLP	550	29	27
NAC2327PVCC2LLP	577	23	27

- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote

- Above worksurface height is 24"
- Extends 3" below the worksurface
- Fits on ¾" – 1½" worksurface thicknesses
- Grain direction is always Horizontal
- Size down to avoid pinch points on height adjust worksurfaces, as well as when both front and side screens are specified
- Clamp is plastic with a non-marring foam
- TFL Thickness ½"
- Above surface height is 24"
- TFL Panel
- Metal Clamp
- Brackets ship attached to screen
- Tighten thumb screw to secure to surface
- Low level of complexity – can be installed by 1 person

ACCESSORIES - SCREENS


TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Clamp Paint Color

SAMPLE MODEL NUMBER:

NAC7127PVCC2P

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
 RESIN CLAMP MOUNT SCREEN	¼" RESIN THICKNESS								
	NAC7127PVCC2P	\$ 1504		71	27				
	NAC6527PVCC2P	1480		65	27				
	NAC5927PVCC2P	1461		59	27				
	NAC5327PVCC2P	1078		53	27				
	NAC4727PVCC2P	966		47	27				
	NAC2927PVCC2P	857		29	27				
	NAC2327PVCC2P	663		23	27				

- Size down to avoid pinch points on height adjust worksurfaces, as well as when both front and side screens are specified
- Fits on ¾" – 1½" worksurface thicknesses
- Screen extends 24" above worksurface
- Extends 3" Below Worksurface
- Clamp is plastic with a non-marring foam
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Clamp
- Brackets ship attached to screen
- Tighten thumb screw to secure to surface
- Easy to install - can be installed by 1 person



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7240PVCBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
POLYCARBONATE EDGE MOUNT SURFACE SCREEN 	¼" POLYCARBONATE THICKNESS 40" HIGH								
	NAC7240PVCBP	\$ 520		72	40	34			
	NAC6640PVCBP	510		66	40	34			
	NAC6040PVCBP	497		60	40	34			
	NAC5440PVCBP	488		54	40	34			
	NAC4840PVCBP	476		48	40	34			
	NAC4240PVCBP	466		42	40	34			
	NAC3640PVCBP	433		36	40	34			
	NAC3040PVCBP	323		30	40	34			
	NAC2740PVCBP	293		27	40	34			
	NAC2440PVCBP	279		24	40	34			
	NAC2140PVCBP	272		21	40	34			
	30" HIGH								
	NAC7230PVCBP	\$ 442		72	30	24			
	NAC6630PVCBP	435		66	30	24			
	NAC6030PVCBP	426		60	30	24			
	NAC5430PVCBP	417		54	30	24			
	NAC4830PVCBP	408		48	30	24			
	NAC4230PVCBP	400		42	30	24			
	NAC3630PVCBP	367		36	30	24			
	NAC3030PVCBP	284		30	30	24			
	NAC2730PVCBP	280		27	30	24			
	NAC2430PVCBP	251		24	30	24			
	NAC2130PVCBP	246		21	30	24			
	24" HIGH								
	NAC7224PVCBP	\$ 398		72	24	18			
	NAC6624PVCBP	391		66	24	18			
	NAC6024PVCBP	382		60	24	18			
	NAC5424PVCBP	376		54	24	18			
	NAC4824PVCBP	366		48	24	18			
	NAC4224PVCBP	359		42	24	18			
	NAC3624PVCBP	271		36	24	18			
	NAC3024PVCBP	262		30	24	18			
	NAC2724PVCBP	259		27	24	18			
	NAC2424PVCBP	237		24	24	18			
	NAC2124PVCBP	229		21	24	18			

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 4" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1½" – 1¾" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES - SCREENS


TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7224PVCP 1 1677 462

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
EDGE MOUNT PRIVACY SCREEN, RESIN 	¼" RESIN THICKNESS 40" HIGH	GRADE 1	ABOVE WORKSURFACE H						
	NAC7240PVCP	\$ 1303	72	40	34				
	NAC6640PVCP	1289	66	40	34				
	NAC6040PVCP	1123	60	40	34				
	NAC5440PVCP	1109	54	40	34				
	NAC4840PVCP	1068	48	40	34				
	NAC4240PVCP	1057	42	40	34				
	NAC3640PVCP	739	36	40	34				
	NAC3040PVCP	649	30	40	34				
	NAC2740PVCP	642	27	40	34				
	NAC2440PVCP	557	24	40	34				
	NAC2140PVCP	550	21	40	34				
30" HIGH									
NAC7230PVCP	\$ 1012	72	30	24					
NAC6630PVCP	1007	66	30	24					
NAC6030PVCP	884	60	30	24					
NAC5430PVCP	874	54	30	24					
NAC4830PVCP	782	48	30	24					
NAC4230PVCP	773	42	30	24					
NAC3630PVCP	591	36	30	24					
NAC3030PVCP	553	30	30	24					
NAC2730PVCP	547	27	30	24					
NAC2430PVCP	457	24	30	24					
NAC2130PVCP	452	21	30	24					
24" HIGH									
NAC7224PVCP	\$ 684	¾	71⅝	24	—	—	24 lbs.	4.7	
NAC6624PVCP	681	¾	65⅝	24	—	—	22 lbs.	4.3	
NAC6024PVCP	499	¾	59⅝	24	—	—	19 lbs.	4.0	
NAC5424PVCP	488	¾	53⅝	24	—	—	17 lbs.	3.6	
NAC4824PVCP	428	¾	47⅞	24	—	—	16 lbs.	3.3	
NAC4224PVCP	454	¾	41⅞	24	—	—	14 lbs.	2.9	
NAC3624PVCP	349	¾	35⅞	24	—	—	12 lbs.	2.5	
NAC3024PVCP	329	¾	29⅝	24	—	—	10 lbs.	2.2	
NAC2724PVCP	324	¾	27	24	—	—	9 lbs.	2.0	
NAC2424PVCP	296	¾	23⅝	24	—	—	8 lbs.	1.8	
NAC2124PVCP	293	¾	21	24	—	—	7 lbs.	1.6	

- Screen extends 18" above the surface and 4" below the surface
- Specify resin grade and color: Grade 1 Clear (1377) and Frosted (1677)
- Dual-sided resin screen has radiused corners and is ¼" thick
- Overall thickness with brackets is 1³/₈"
- Fits on 1³/₈"-1¹³/₁₆" worksurface thicknesses
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1³/₈" and 1¹³/₁₆" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)


SAMPLE MODEL NUMBER:

NAC7224PVCTP 1 1677 462

- See page 683 for all available Screen options

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
EDGE MOUNT PRIVACY SCREEN TAPERED, RESIN	GRADE 1							
NAC7224PVCTP	\$ 1187	$\frac{3}{16}$	71 $\frac{1}{16}$	24	—	—	24 lbs.	4.7
NAC6624PVCTP	1130	$\frac{3}{16}$	65 $\frac{3}{16}$	24	—	—	22 lbs.	4.3
NAC6024PVCTP	1071	$\frac{3}{16}$	59 $\frac{1}{16}$	24	—	—	19 lbs.	4.0
NAC5424PVCTP	1012	$\frac{3}{16}$	53 $\frac{1}{16}$	24	—	—	17 lbs.	3.6
NAC4824PVCTP	958	$\frac{3}{16}$	47 $\frac{7}{8}$	24	—	—	16 lbs.	3.3
NAC4224PVCTP	897	$\frac{3}{16}$	41 $\frac{7}{8}$	24	—	—	14 lbs.	2.9
NAC3624PVCTP	837	$\frac{3}{16}$	35 $\frac{7}{8}$	24	—	—	12 lbs.	2.5
NAC3024PVCTP	777	$\frac{3}{16}$	29 $\frac{1}{16}$	24	—	—	10 lbs.	2.2
NAC2724PVCTP	748	$\frac{3}{16}$	27	24	—	—	9 lbs.	2.0
NAC2424PVCTP	717	$\frac{3}{16}$	23 $\frac{1}{16}$	24	—	—	8 lbs.	1.8
NAC2124PVCTP	689	$\frac{3}{16}$	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Privacy screens are $\frac{3}{16}$ " thick dual sided resin; the overall assembly thickness, including the holders, is 1 $\frac{1}{2}$ "
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 $\frac{3}{16}$ " and 1 $\frac{1}{16}$ " surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface



ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7240PVCPP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PET EDGE MOUNT SURFACE SCREEN 	½" PET THICKNESS 40" HIGH								ABOVE WORKSURFACE H
	NAC7240PVCPP	\$ 1657		72	40	34			
	NAC6640PVCPP	1589		66	40	34			
	NAC6040PVCPP	1558		60	40	34			
	NAC5440PVCPP	1310		54	40	34			
	NAC4840PVCPP	1185		48	40	34			
	NAC4240PVCPP	1083		42	40	34			
	NAC3640PVCPP	1072		36	40	34			
	NAC3040PVCPP	808		30	40	34			
	NAC2740PVCPP	653		27	40	34			
	NAC2440PVCPP	584		24	40	34			
	NAC2140PVCPP	505		21	40	34			
	30" HIGH								
	NAC7230PVCPP	\$ 1640		72	30	24			
	NAC6630PVCPP	1574		66	30	24			
	NAC6030PVCPP	1544		60	30	24			
	NAC5430PVCPP	1291		54	30	24			
	NAC4830PVCPP	994		48	30	24			
	NAC4230PVCPP	849		42	30	24			
	NAC3630PVCPP	808		36	30	24			
	NAC3030PVCPP	781		30	30	24			
	NAC2730PVCPP	555		27	30	24			
	24" HIGH								
	NAC7224PVCPP	\$ 901		72	24	18			
	NAC6624PVCPP	868		66	24	18			
	NAC6024PVCPP	845		60	24	18			
	NAC5424PVCPP	746		54	24	18			
	NAC4824PVCPP	676		48	24	18			
	NAC4224PVCPP	608		42	24	18			
	NAC3624PVCPP	509		36	24	18			
	NAC3024PVCPP	469		30	24	18			
	NAC2724PVCPP	405		27	24	18			
	NAC2424PVCPP	384		24	24	18			
	NAC2124PVCPP	353		21	24	18			

- Screen extends 4" below worksurface
- PET Screen with radiused corners
- Fits on 1½" – 1¾" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7224PVC2PFA A 8600 423

- See page 683 for all available Screen options

EDGE MOUNT PRIVACY SCREEN, TEXTILE	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			CARTONED CUBIC	
	1" TEXTILE SCREEN THICKNESS	GRADE AA	GRADE A	GRADE B/ COM	D	W	H	A	KW
	40" HIGH							ABOVE WORKSURFACE H	
	NAC7240PVC2PFA	\$ 1637	\$ 1735	\$ 1922	72	40	34		
	NAC6640PVC2PFA	1550	1640	1811	66	40	34		
	NAC6040PVC2PFA	1444	1527	1685	60	40	34		
	NAC5440PVC2PFA	1346	1421	1564	54	40	34		
	NAC4840PVC2PFA	1242	1309	1436	48	40	34		
	NAC4240PVC2PFA	1170	1230	1344	42	40	34		
	NAC3640PVC2PFA	1076	1128	1227	36	40	34		
	NAC3040PVC2PFA	977	1021	1104	30	40	34		
	NAC2740PVC2PFA	929	969	1046	27	40	34		
	NAC2440PVC2PFA	846	883	953	24	40	34		
	NAC2140PVC2PFA	812	844	906	21	40	34		
30" HIGH									
	NAC7230PVC2PFA	\$ 1385	\$ 1483	\$ 1670	72	30	24		
	NAC6630PVC2PFA	1303	1393	1564	66	30	24		
	NAC6030PVC2PFA	1221	1304	1462	60	30	24		
	NAC5430PVC2PFA	1136	1211	1354	54	30	24		
	NAC4830PVC2PFA	1054	1121	1248	48	30	24		
	NAC4230PVC2PFA	971	1031	1145	42	30	24		
	NAC3630PVC2PFA	887	939	1038	36	30	24		
	NAC3030PVC2PFA	806	850	933	30	30	24		
	NAC2730PVC2PFA	761	801	878	27	30	24		
	NAC2430PVC2PFA	654	691	761	24	30	24		
	NAC2130PVC2PFA	626	658	720	21	30	24		
24" HIGH									
	NAC7224PVC2PFA	\$ 1129	\$ 1181	\$ 1280	1 $\frac{1}{8}$ "	71 $\frac{3}{8}$ "	24	—	—
	NAC6624PVC2PFA	1074	1120	1208	1 $\frac{1}{8}$ "	65 $\frac{1}{8}$ "	24	—	—
	NAC6024PVC2PFA	1014	1060	1148	1 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	24	—	—
	NAC5424PVC2PFA	951	991	1068	1 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	24	—	—
	NAC4824PVC2PFA	891	926	992	1 $\frac{1}{8}$ "	47 $\frac{7}{8}$ "	24	—	—
	NAC4224PVC2PFA	832	867	933	1 $\frac{1}{8}$ "	41 $\frac{7}{8}$ "	24	—	—
	NAC3624PVC2PFA	749	778	833	1 $\frac{1}{8}$ "	35 $\frac{7}{8}$ "	24	—	—
	NAC3024PVC2PFA	694	717	761	1 $\frac{1}{8}$ "	29 $\frac{1}{8}$ "	24	—	—
	NAC2724PVC2PFA	659	682	726	1 $\frac{1}{8}$ "	27	24	—	—
	NAC2424PVC2PFA	621	644	688	1 $\frac{1}{8}$ "	23 $\frac{1}{8}$ "	24	—	—
	NAC2124PVC2PFA	590	607	640	1 $\frac{1}{8}$ "	21	24	—	—

- Screen extends 18" above the surface and 4" below the surface
- Privacy screens are 1 $\frac{1}{8}$ " thick dual sided textile
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack textile grade and color
- Textile will be railroded
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- For use on 1 $\frac{1}{8}$ " and 1 $\frac{1}{2}$ " surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES - SCREENS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7244PVMCBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
			D	W	H			WEIGHT	FEET
POLYCARBONATE EDGE MOUNT SURFACE SCREEN/MODESTY 	¼" POLYCARBONATE THICKNESS 44" HIGH								ABOVE WORKSURFACE H
	NAC7244PVMCBP	\$ 1214		72	44	30			
	NAC6644PVMCBP	1212		66	44	30			
	NAC6044PVMCBP	843		60	44	30			
	NAC5444PVMCBP	842		54	44	30			
	NAC4844PVMCBP	731		48	44	30			
	NAC4244PVMCBP	726		42	44	30			
	NAC3644PVMCBP	703		36	44	30			
	NAC3044PVMCBP	524		30	44	30			
	NAC2744PVMCBP	522		27	44	30			
	NAC2444PVMCBP	468		24	44	30			
	NAC2144PVMCBP	466		21	44	30			
	38" HIGH								
	NAC7238PVMCBP	\$ 1207		72	38	24			
	NAC6638PVMCBP	1204		66	38	24			
	NAC6038PVMCBP	833		60	38	24			
	NAC5438PVMCBP	831		54	38	24			
	NAC4838PVMCBP	722		48	38	24			
	NAC4238PVMCBP	718		42	38	24			
	NAC3638PVMCBP	695		36	38	24			
	NAC3038PVMCBP	519		30	38	24			
	NAC2738PVMCBP	514		27	38	24			
	NAC2438PVMCBP	461		24	38	24			
	NAC2138PVMCBP	460		21	38	24			
	32" HIGH								
	NAC7232PVMCBP	\$ 496		72	32	18			
	NAC6632PVMCBP	494		66	32	18			
	NAC6032PVMCBP	469		60	32	18			
	NAC5432PVMCBP	468		54	32	18			
	NAC4832PVMCBP	464		48	32	18			
	NAC4232PVMCBP	460		42	32	18			
	NAC3632PVMCBP	339		36	32	18			
	NAC3032PVMCBP	332		30	32	18			
	NAC2732PVMCBP	330		27	32	18			
	NAC2432PVMCBP	296		24	32	18			
	NAC2132PVMCBP	295		21	32	18			

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 12" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1½" – 1¾" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation


TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMCP 1 1677 462

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	¼" RESIN THICKNESS 44" HIGH	GRADE 1	ABOVE WORKSURFACE H						
	NAC7244PVMCP	\$ 1717	72	44	30				
	NAC6644PVMCP	1711	66	44	30				
	NAC6044PVMCP	1450	60	44	30				
	NAC5444PVMCP	1448	54	44	30				
	NAC4844PVMCP	1031	48	44	30				
	NAC4244PVMCP	1024	42	44	30				
	NAC3644PVMCP	950	36	44	30				
	NAC3044PVMCP	747	30	44	30				
	NAC2744PVMCP	744	27	44	30				
	NAC2444PVMCP	616	24	44	30				
	NAC2144PVMCP	613	21	44	30				
	38" HIGH								
	NAC7238PVMCP	\$ 1232	72	38	24				
	NAC6638PVMCP	1226	66	38	24				
	NAC6038PVMCP	1045	60	38	24				
	NAC5438PVMCP	1043	54	38	24				
	NAC4838PVMCP	1012	48	38	24				
	NAC4238PVMCP	1007	42	38	24				
	NAC3638PVMCP	703	36	38	24				
	NAC3038PVMCP	622	30	38	24				
	NAC2738PVMCP	618	27	38	24				
	NAC2438PVMCP	539	24	38	24				
	NAC2138PVMCP	537	21	38	24				
	32" HIGH								
	NAC7232PVMCP	\$ 1201	¾	72	32	—	—	46 lbs.	6.0
	NAC6632PVMCP	1198	¾	66	32	—	—	34 lbs.	5.5
	NAC6032PVMCP	818	¾	60	32	—	—	32 lbs.	5.1
	NAC5432PVMCP	814	¾	54	32	—	—	30 lbs.	4.6
	NAC4832PVMCP	783	¾	48	32	—	—	28 lbs.	4.1
	NAC4232PVMCP	714	¾	42	32	—	—	26 lbs.	3.7
	NAC3632PVMCP	683	¾	36	32	—	—	24 lbs.	3.2
	NAC3032PVMCP	518	¾	30	32	—	—	22 lbs.	2.8
	NAC2732PVMCP	501	¾	27	32	—	—	22 lbs.	2.5
	NAC2432PVMCP	466	¾	24	32	—	—	20 lbs.	2.3
	NAC2132PVMCP	452	¾	21	32	—	—	18 lbs.	2.1

- Screen extends 18" above 12" below the surface
- Specify resin grade and color: Grade 1 Clear (1377) and Frosted (1677)
- Dual-sided resin screen has radiused corners and is ¼ thick
- Overall thickness with brackets is 1½"
- Fits on 1½"-1¾" worksurface thicknesses
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1¾" and 1½" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7244PVMCPP

- See page 683 for all available Screen options

PET EDGE MOUNT SURFACE SCREEN/MODESTY SCREEN	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC WEIGHT FEET
			D	W	H			
	½" PET THICKNESS 44" HIGH							ABOVE WORKSURFACE H
	NAC7244PVMCPP	\$ 1657	72	44	30			
	NAC6644PVMCPP	1595	66	44	30			
	NAC6044PVMCPP	1571	60	44	30			
	NAC5444PVMCPP	1324	54	44	30			
	NAC4844PVMCPP	1191	48	44	30			
	NAC4244PVMCPP	1097	42	44	30			
	NAC3644PVMCPP	1087	36	44	30			
	NAC3044PVMCPP	812	30	44	30			
	NAC2744PVMCPP	666	27	44	30			
	NAC2444PVMCPP	589	24	44	30			
	NAC2144PVMCPP	514	21	44	30			
	38" HIGH							
	NAC7238PVMCPP	\$ 1652	72	38	24			
	NAC6638PVMCPP	1587	66	38	24			
	NAC6038PVMCPP	1555	60	38	24			
	NAC5438PVMCPP	1305	54	38	24			
	NAC4838PVMCPP	1180	48	38	24			
	NAC4238PVMCPP	1072	42	38	24			
	NAC3638PVMCPP	1056	36	38	24			
	NAC3038PVMCPP	797	30	38	24			
	NAC2738PVMCPP	629	27	38	24			
	32" HIGH							
	NAC7232PVMCPP	\$ 1645	72	32	18			
	NAC6632PVMCPP	1578	66	32	18			
	NAC6032PVMCPP	1552	60	32	18			
	NAC5432PVMCPP	1296	54	32	18			
	NAC4832PVMCPP	1017	48	32	18			
	NAC4232PVMCPP	870	42	32	18			
	NAC3632PVMCPP	823	36	32	18			
	NAC3032PVMCPP	792	30	32	18			
	NAC2732PVMCPP	565	27	32	18			
	24" HIGH							
	NAC2432PVMCPP	434	24	32	18			
	NAC2132PVMCPP	433	21	32	18			

- Screen extends 12" below worksurface
- PET Screen with radiused corners
- Fits on 1½" - 1¾" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners - 2 people recommended for installation

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMC2PFA A 8600 423

- See page 683 for all available Screen options

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS			CARTONED		CUBIC
					D	W	H	A	KW	WEIGHT	FEET
EDGE MOUNT PRIVACY/MODESTY SCREEN RECTANGULAR, TEXTILE	1" TEXTILE SCREEN THICKNESS	GRADE AA	GRADE A	GRADE B/COM	ABOVE WORKSURFACE H						
	44" HIGH										
	NAC7244PVMC2PFA	\$ 1546	\$ 1644	\$ 1831	72	44	30				
	NAC6644PVMC2PFA	1458	1548	1719	66	44	30				
	NAC6044PVMC2PFA	1351	1434	1592	60	44	30				
	NAC5444PVMC2PFA	1261	1336	1479	54	44	30				
	NAC4844PVMC2PFA	1169	1236	1363	48	44	30				
	NAC4244PVMC2PFA	1085	1145	1259	42	44	30				
	NAC3644PVMC2PFA	991	1043	1142	36	44	30				
	NAC3044PVMC2PFA	903	947	1030	30	44	30				
	NAC2744PVMC2PFA	852	892	969	27	44	30				
	NAC2444PVMC2PFA	784	821	891	24	44	30				
	NAC2144PVMC2PFA	752	784	846	21	44	30				
	38" HIGH										
NAC7238PVMC2PFA	\$ 1485	\$ 1583	\$ 1770	72	38	24					
NAC6638PVMC2PFA	1394	1484	1655	66	38	24					
NAC6038PVMC2PFA	1289	1372	1530	60	38	24					
NAC5438PVMC2PFA	1206	1281	1424	54	38	24					
NAC4838PVMC2PFA	1115	1182	1309	48	38	24					
NAC4238PVMC2PFA	1033	1093	1207	42	38	24					
NAC3638PVMC2PFA	948	1000	1099	36	38	24					
NAC3038PVMC2PFA	858	902	985	30	38	24					
NAC2738PVMC2PFA	813	853	930	27	38	24					
NAC2438PVMC2PFA	728	765	835	24	38	24					
NAC2138PVMC2PFA	698	730	792	21	38	24					
32" HIGH											
NAC7232PVMC2PFA	\$ 1556	\$ 1654	\$ 1841	1 1/16	72	32	—	—	46 lbs.	6.0	
NAC6632PVMC2PFA	1462	1554	1730	1 1/16	66	32	—	—	34 lbs.	5.5	
NAC6032PVMC2PFA	1358	1441	1599	1 1/16	60	32	—	—	32 lbs.	5.1	
NAC5432PVMC2PFA	1270	1345	1488	1 1/16	54	32	—	—	30 lbs.	4.6	
NAC4832PVMC2PFA	1172	1241	1373	1 1/16	48	32	—	—	28 lbs.	4.1	
NAC4232PVMC2PFA	1086	1146	1260	1 1/16	42	32	—	—	26 lbs.	3.7	
NAC3632PVMC2PFA	973	1025	1124	1 1/16	36	32	—	—	24 lbs.	3.2	
NAC3032PVMC2PFA	884	930	1018	1 1/16	30	32	—	—	22 lbs.	2.8	
NAC2732PVMC2PFA	838	878	955	1 1/16	27	32	—	—	22 lbs.	2.5	
NAC2432PVMC2PFA	735	775	852	1 1/16	24	32	—	—	20 lbs.	2.3	
NAC2132PVMC2PFA	705	740	806	1 1/16	21	32	—	—	18 lbs.	2.1	

- Screen extends 18" above the surface and 4" below the surface
- Privacy screens are 1 $\frac{1}{16}$ " thick dual sided textile
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack textile grade and color
- Textile will be railroded
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- For use on 1 $\frac{1}{16}$ " and 1 $\frac{1}{8}$ " surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7224PVEP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	RESIN FULL EDGE MOUNT SCREEN								
	¼" RESIN THICKNESS								
	24" HIGH								
	NAC7224PVEP	\$ 1078		72	24				
	NAC6624PVEP	940		66	24				
	NAC6024PVEP	777		60	24				
	NAC5424PVEP	767		54	24				
	NAC4824PVEP	755		48	24				
	NAC2924PVSEP	457		29	24				
	NAC2324PVSEP	381		23	24				

- Screen extends 24" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1¾" and 1⅝" worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7224PVEGP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
GLASS FULL EDGE MOUNT SCREEN 	1/4" GLASS THICKNESS 24" HIGH								
	NAC7224PVEGP	\$ 684		72	24				
	NAC6624PVEGP	641		66	24				
	NAC6024PVEGP	600		60	24				
	NAC5424PVEGP	554		54	24				
	NAC4824PVEGP	518		48	24				
	NAC2924PVSEGP	406		29	24				
	NAC2324PVSEGP	364		23	24				

- Screen extends 24" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1 $\frac{3}{16}$ " and 1 $\frac{1}{16}$ " worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Glass Thickness 1/4"
- Clear Tempered Glass Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

ACCESSORIES - SCREENS


TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7230PVEPP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	PET FULL EDGE MOUNT SCREEN								
	½" PET THICKNESS								
	30" HIGH								
	NAC7230PVEPP	\$ 1780		72	30				
	NAC6630PVEPP	1684		66	30				
	NAC6030PVEPP	1616		60	30				
	NAC5430PVEPP	1249		54	30				
	NAC4830PVEPP	879		48	30				
	NAC2930PVSEPP	789		29	30				
	NAC2330PVSEPP	667		23	30				
	24" HIGH								
	NAC7224PVEPP	\$ 1030		72	24				
	NAC6624PVEPP	982		66	24				
	NAC6024PVEPP	935		60	24				

- 24"H Screen extends 24" above worksurface; 30"H Screen extends 30" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1½" and 1⅞" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLSGP
NAC4872FLSBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
GLASS STATIC FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS								
	72" HIGH								
	NAC4872FLSGP	\$ 2134	18	48	72				
	NAC3672FLSGP	1718	18	36	72				
	NAC3072FLSGP	1619	18	30	72				
	NAC2472FLSGP	1503	18	24	72				
	60" HIGH								
	NAC4860FLSGP	\$ 1913	18	48	60				
	NAC3660FLSGP	1712	18	36	60				
	NAC3060FLSGP	1509	18	30	60				
FLUTED POLYCARBONATE STATIC FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS								
	72" HIGH								
	NAC4872FLSBP	\$ 1849	18	48	72				
	NAC3672FLSBP	1488	18	36	72				
	NAC3072FLSBP	1451	18	30	72				
	NAC2472FLSBP	1338	18	24	72				
	60" HIGH								
	NAC4860FLSBP	\$ 1657	18	48	60				
	NAC3660FLSBP	1508	18	36	60				
	NAC3060FLSBP	1362	18	30	60				
	72" HIGH								
	NAC4872FLSGP	\$ 2134	18	48	72				
	NAC3672FLSGP	1718	18	36	72				
	NAC3072FLSGP	1619	18	30	72				
	NAC2472FLSGP	1503	18	24	72				
	60" HIGH								
	NAC4860FLSGP	\$ 1913	18	48	60				
	NAC3660FLSGP	1712	18	36	60				
	NAC3060FLSGP	1509	18	30	60				
	NAC2460FLSGP	1413	18	24	60				
• Clear Glass • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Clear Tempered Glass Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation									
• Semi-opaque fluted polycarbonate • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Fluted, Semi-Opaque Polycarbonate Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation									

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLSGP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	HPL STATIC FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS								
	72" HIGH								
	NAC4872FLSLP	\$ 2269	18	48	72				
	NAC3672FLSLP	1994	18	36	72				
	NAC3072FLSLP	1838	18	30	72				
	NAC2472FLSLP	1669	18	24	72				
	60" HIGH								
	NAC4860FLSLP	\$ 2051	18	48	60				
	NAC3660FLSLP	1864	18	36	60				
	NAC3060FLSLP	1677	18	30	60				
	NAC2460FLSLP	1539	18	24	60				
	• HPL • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • HPL Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								


TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLSMP
NAC4872FLSPP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HPL MARKER BOARD STATIC FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC4872FLSMP	\$ 2269	18	48	72				
	NAC3672FLSMP	1994	18	36	72				
	NAC3072FLSMP	1838	18	30	72				
	NAC2472FLSMP	1669	18	24	72				
	60" HIGH								
	NAC4860FLSMP	\$ 2051	18	48	60				
	NAC3660FLSMP	1864	18	36	60				
	NAC3060FLSMP	1677	18	30	60				
	NAC2460FLSMP	1539	18	24	60				
	• HPL Marker Board • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • HPL Marker Board Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								
PET STATIC FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC4872FLSPP	\$ 2821	18	48	72				
	NAC3672FLSPP	2751	18	36	72				
	NAC3072FLSPP	2712	18	30	72				
	NAC2472FLSPP	2013	18	24	72				
	60" HIGH								
	NAC4860FLSPP	\$ 2739	18	48	60				
	NAC3660FLSPP	2670	18	36	60				
	NAC3060FLSPP	2639	18	30	60				
	NAC2460FLSPP	1935	18	24	60				
	• Nordic Knit PET • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Nordic Knit PET Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

ACCESSORIES - SCREENS


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLSPF

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	VERTICAL TEXTILE STATIC FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS								
	72" HIGH								
	NAC4872FLSPF	\$ 1803	\$ 1900	\$ 2084	18	48	72		
	NAC3672FLSPF	1647	1744	1928	18	36	72		
	NAC3072FLSPF	1532	1629	1813	18	30	72		
	NAC2472FLSPF	1499	1596	1780	18	24	72		
	60" HIGH								
	NAC4860FLSPF	\$ 1725	\$ 1806	\$ 1960	18	48	60		
	NAC3660FLSPF	1541	1622	1776	18	36	60		
	NAC3060FLSPF	1471	1552	1706	18	30	60		
	NAC2460FLSPF	1405	1486	1640	18	24	60		

- Vertical Textile
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC20FLSGBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
STATIC FLOOR SCREEN GANGING BRACKET 	NAC20FLSGBP	\$ 199	6	19	1/16					
	• To connect 2 static floor screens together in an L, or T configuration • Bracket Thickness 1/16" • Bracket is 6" deep x 19" wide • Steel • 2 people recommended for installation									

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLMGP
NAC4872FLMBP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GLASS MOBILE FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS								
	74%" HIGH								
	NAC4872FLMGP	\$ 2275	18	48	74%				
	NAC3672FLMGP	2016	18	36	74%				
	NAC3072FLMGP	1754	18	30	74%				
	NAC2472FLMGP	1639	18	24	74%				
	62%" HIGH								
	NAC4860FLMGP	\$ 2050	18	48	62%				
	NAC3660FLMGP	1848	18	36	62%				
	NAC3060FLMGP	1645	18	30	62%				
	NAC2460FLMGP	1549	18	24	62%				
	• Clear Glass • Aluminum frame with flat metal feet with locking 1½" diameter caster • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" high Frame is 62%" high with casters (Foot Dimension 18" deep x 4" wide) • 72" high Frame is 74%" high with casters (Foot Dimension 19½" deep x 4" wide) • Clear Tempered Glass Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								
	FLUTED POLYCARBONATE MOBILE FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS								
	74%" HIGH								
	NAC4872FLMBP	\$ 1969	18	48	74%				
	NAC3672FLMBP	1779	18	36	74%				
	NAC3072FLMBP	1588	18	30	74%				
	NAC2472FLMBP	1473	18	24	74%				
	62%" HIGH								
	NAC4860FLMBP	\$ 1790	18	48	62%				
	NAC3660FLMBP	1644	18	36	62%				
	NAC3060FLMBP	1497	18	30	62%				
	NAC2460FLMBP	1398	18	24	62%				
	• Semi-opaque fluted polycarbonate • Aluminum frame with flat metal feet with locking 1½" diameter caster • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" high Frame is 62%" high with casters (Foot Dimension 18" deep x 4" wide) • 72" high Frame is 74%" high with casters (Foot Dimension 19½" deep x 4" wide) • Fluted, Semi-Opaque Polycarbonate Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLMLP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
 HPL MOBILE FLOOR SCREEN	1½" X 1½" FRAME THICKNESS								
	74⅞" HIGH								
	NAC4872FLMLP	\$ 2405	18	48	74⅞				
	NAC3672FLMLP	2190	18	36	74⅞				
	NAC3072FLMLP	1972	18	30	74⅞				
	NAC2472FLMLP	1805	18	24	74⅞				
	62⅞" HIGH								
	NAC4860FLMLP	\$ 2187	18	48	62⅞				
	NAC3660FLMLP	2000	18	36	62⅞				
	NAC3060FLMLP	1814	18	30	62⅞				
	NAC2460FLMLP	1675	18	24	62⅞				
	• HPL • Aluminum frame with flat metal feet with locking 1⅞" diameter caster • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" high Frame is 62⅞" high with casters (Foot Dimension 18" deep x 4" wide) • 72" high Frame is 74⅞" high with casters (Foot Dimension 19½" deep x 4" wide) • HPL Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

ACCESSORIES - SCREENS


TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLMMP
NAC4872FLMPP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	HPL MARKER BOARD MOBILE FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 74⅞" HIGH								
	NAC4872FLMMP	\$ 2405	18	48	74⅞				
	NAC3672FLMMP	2190	18	36	74⅞				
	NAC3072FLMMP	1972	18	30	74⅞				
	NAC2472FLMMP	1805	18	24	74⅞				
	62⅞" HIGH								
	NAC4860FLMMP	\$ 2187	18	48	62⅞				
	NAC3660FLMMP	2000	18	36	62⅞				
	NAC3060FLMMP	1814	18	30	62⅞				
	NAC2460FLMMP	1675	18	24	62⅞				
	• HPL Marker Board • Aluminum frame with flat metal feet with locking 1⅞" diameter caster • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" high Frame is 62⅞" high with casters (Foot Dimension 18" deep x 4" wide) • 72" high Frame is 74⅞" high with casters (Foot Dimension 19½" deep x 4" wide) • HPL Marker Board Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								
	PET MOBILE FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC4872FLMPP	\$ 2963	18	48	72				
	NAC3672FLMPP	2892	18	36	72				
	NAC3072FLMPP	2855	18	30	72				
	NAC2472FLMPP	2154	18	24	72				
	60" HIGH								
	NAC4860FLMPP	\$ 2881	18	48	60				
	NAC3660FLMPP	2812	18	36	60				
	NAC3060FLMPP	2782	18	30	60				
	NAC2460FLMPP	2076	18	24	60				
	• Nordic Knit PET • Aluminum frame with flat metal feet with locking 1⅞" diameter caster • Frame Thickness 1½" x 1½" • 60" high Frame has 18" deep x 4" wide feet with casters • 72" high Frame has 19½" deep x 4" wide feet with casters • Nordic Knit PET Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLMPF

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	1½" X 1½" FRAME THICKNESS	GRADE AA	GRADE A	GRADE B/COM								
	NAC4872FLMPF	\$ 1944	\$ 2041	\$ 2225	18	48	72					
	NAC3672FLMPF	1790	1887	2071	18	36	72					
	NAC3072FLMPF	1674	1771	1955	18	30	72					
	NAC2472FLMPF	1643	1740	1924	18	24	72					
	60" HIGH											
	NAC4860FLMPF	\$ 1867	\$ 1948	\$ 2102	18	48	60					
	NAC3660FLMPF	1685	1766	1920	18	36	60					
	NAC3060FLMPF	1613	1694	1848	18	30	60					
	NAC2460FLMPF	1549	1630	1784	18	24	60					
	• Vertical Textile • Aluminum frame with flat metal feet with locking 1⅞" diameter caster • Frame Thickness 1½" x 1½" • 60" high Frame has 18" deep x 4" wide feet with casters • 72" high Frame has 19½" deep x 4" wide feet with casters • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation											

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC6072FLH30GP
NAC6072FLH30BP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GLASS STATIC SURFACE/FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC6072FLH30GP	\$ 2346	18	60	72				
	NAC4872FLH24GP	2114	18	48	72				
	60" HIGH								
	NAC6060FLH30GP	\$ 2166	18	60	60				
	NAC4860FLH24GP	1961	18	48	60				
	• Clear Glass • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface) • Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface) • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Clear Tempered Glass Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								
	FLUTED POLYCARBONATE STATIC SURFACE/FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC6072FLH30BP	\$ 2060	18	60	72				
	NAC4872FLH24BP	1658	18	48	72				
	60" HIGH								
	NAC6060FLH30BP	\$ 1771	18	60	60				
	NAC4860FLH24BP	1553	18	48	60				
	• Semi-opaque fluted polycarbonate • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface) • Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface) • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Fluted, Semi-Opaque Polycarbonate Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC6072FLH30LP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
HPL STATIC SURFACE/FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS								
	72" HIGH								
	NAC6072FLH30LP	\$ 2743	18	60	72				
	NAC4872FLH24LP	2408	18	48	72				
	60" HIGH								
	NAC6060FLH30LP	\$ 2481	18	60	60				
	NAC4860FLH24LP	2190	18	48	60				
	• HPL • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface) • Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface) • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • HPL Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC6072FLH30MP
NAC6072FLH30PP

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	HPL MARKER BOARD STATIC SURFACE/FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC6072FLH30MP	\$ 2761	18	60	72				
	NAC4872FLH24MP	2408	18	48	72				
	60" HIGH								
	NAC6060FLH30MP	\$ 2496	18	60	60				
	NAC4860FLH24MP	2190	18	48	60				
	• HPL Marker Board • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface) • Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface) • Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • HPL Marker Board Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								
	PET STATIC SURFACE/FLOOR SCREEN								
	1½" X 1½" FRAME THICKNESS 72" HIGH								
	NAC6072FLH30PP	\$ 3341	18	60	72				
	NAC4872FLH24PP	3118	18	48	72				
	60" HIGH								
	NAC6060FLH30PP	\$ 3301	18	60	60				
	NAC4860FLH24PP	3085	18	48	60				
	• PET • Aluminum frame with flat metal feet • Clear rubber bumpers on feet • Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface) • Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface) • Frame Thickness 1½" x 1½" • 60" High Frame has Foot Dimensions of 18" deep x 4" wide • 72" High Frame has Foot Dimensions 19½" deep x 4" wide • Nordic Knit PET Screen • Aluminum Painted Frame • Feet ship in box with screen unattached • Attach feet with screwdriver • 2 people recommended for installation								

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC6072FLH30PF

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
VERTICAL TEXTILE STATIC SURFACE/FLOOR SCREEN 	1½" X 1½" FRAME THICKNESS 72" HIGH								
		GRADE AA	GRADE A	GRADE B/ COM					
	NAC6072FLH30PF	\$ 2297	\$ 2394	\$ 2578	18	60	72		
	NAC4872FLH24PF	1952	2049	2233	18	48	72		
	60" HIGH								
	NAC6060FLH30PF	\$ 2216	\$ 2297	\$ 2451	18	60	60		
	NAC4860FLH24PF	1891	1972	2126	18	48	60		

- Vertical Textile
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color


SAMPLE MODEL NUMBER:

NAC4818PVUPR


- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
BASIC SCREEN WITH UNIVERSAL BRACKET - RESIN: FOR ¾", 1½" - 2½" THICK PANELS	¼" RESIN THICKNESS							
	NAC4818PVUPR	\$ 659		48	18			
	NAC4218PVUPR	650		42	18			
	NAC3618PVUPR	542		36	18			
	NAC3018PVUPR	511		30	18			
	NAC2418PVUPR	441		24	18			


- Universal bracket is silver
- Resin available in Clear or Frosted with radiused corners
- Fits on ¾", 1½" - 2½" panel thicknesses. Use included spacers for secure fit. Spacers not recommended for field cut
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation



Use one ⅛" foam pad per side for 1½" to 2½" thick panels



Use one ¼" foam pad per side for 1" to 1½" thick panels



Use two ¼" foam pads per side for ¾" to 1" thick panels

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color

SAMPLE MODEL NUMBER:

NAC4818PVUP3R

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BASIC SCREEN WITH UNIVERSAL BRACKET - RESIN: FOR 2½" - 3½" THICK PANELS 	⅜" RESIN THICKNESS 18" HIGH								
	NAC4818PVUP3R	\$ 815		48	18				
	NAC4218PVUP3R	796		42	18				
	NAC3618PVUP3R	645		36	18				
	NAC3018PVUP3R	580		30	18				
	NAC2418PVUP3R	477		24	18				
• Universal bracket is silver • Resin available in Clear or Frosted with radiused corners • Fits on 2½" – 3½" panel thicknesses. Use included spacers for secure fit • Resin Thickness ⅜" • Clear or Frosted Resin Screen • Metal Mounting Bracket • Brackets ship in box with screen • Remove protective film from screen • Will require attachment to panel with fasteners – 2 people recommended for installation									

ACCESSORIES - SCREENS

TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NAC4818PVUPG


• See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
BASIC SCREEN WITH UNIVERSAL BRACKET - GLASS: FOR ¾", 1½" - 2½" THICK PANELS	¼" GLASS THICKNESS 18" HIGH								
	NAC4818PVUPG	\$ 553		48	18				
	NAC4218PVUPG	513		42	18				
	NAC3618PVUPG	473		36	18				
	NAC3018PVUPG	433		30	18				
	NAC2418PVUPG	392		24	18				


- Universal bracket is silver
- Fits on ¾", 1½" - 2½" panel thicknesses. Use included spacers for secure fit. Spacers not recommended for field cut
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Glass Thickness ¼"
- Clear Glass Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation



Use one ¾" foam pad per side for 1½" to 2½" thick panels



Use one ¼" foam pad per side for 1" to 1½" thick panels



Use two ¼" foam pads per side for ¾" to 1" thick panels

TO ORDER, SPECIFY:

1. Model Number
2. Glass

SAMPLE MODEL NUMBER:

NAC4818PVUP3G

- See page 683 for all available Screen options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED CUBIC	
			D	W	H			WEIGHT	FEET
BASIC SCREEN WITH UNIVERSAL BRACKET - GLASS: FOR 2½" - 3½" THICK PANELS 	¼" GLASS THICKNESS 18" HIGH								
	NAC4818PVUP3G	\$ 590		48	18				
	NAC4218PVUP3G	550		42	18				
	NAC3618PVUP3G	503		36	18				
	NAC3018PVUP3G	457		30	18				
	NAC2418PVUP3G	417		24	18				
• Universal bracket is silver • Fits on 2½" – 3½" panel thicknesses. Use included spacers for secure fit • Glass Thickness ¼" • Clear Glass Screen • Metal Mounting Bracket • Brackets ship in box with screen • Remove protective film from screen • Will require attachment to panel with fasteners – 2 people recommended for installation									

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color

SAMPLE MODEL NUMBER:

NAC6012MPA 2 2877

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
		GRADE 1							
	NAC6012MPA	\$ 929	3⁄16	59½	12½	—	—	5 lbs.	3.9
	NAC5412MPA	835	3⁄16	53½	12½	—	—	5 lbs.	3.8
	NAC4812MPA	741	3⁄16	47½	12½	—	—	4 lbs.	3.7
	NAC4212MPA	650	3⁄16	41¾	12½	—	—	4 lbs.	3.7
	NAC3612MPA	556	3⁄16	35¾	12½	—	—	4 lbs.	3.7
	NAC3012MPA	466	3⁄16	29¾	12½	—	—	3 lbs.	3.6
	NAC2412MPA	372	3⁄16	23½	12½	—	—	3 lbs.	3.6

MODESTY PANEL
 $\frac{1}{2}$ HEIGHT
RESIN


- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided $\frac{3}{16}$ " resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL
 $\frac{1}{2}$ HEIGHT
RESIN


GRADE 1								
NAC6012MPTA	\$ 929	$\frac{3}{16}$	59 $\frac{1}{16}$	12 $\frac{5}{8}$	—	—	5 lbs.	3.9
NAC5412MPTA	835	$\frac{3}{16}$	53 $\frac{1}{16}$	12 $\frac{5}{8}$	—	—	5 lbs.	3.8
NAC4812MPTA	741	$\frac{3}{16}$	47 $\frac{1}{16}$	12 $\frac{5}{8}$	—	—	4 lbs.	3.7
NAC4212MPTA	650	$\frac{3}{16}$	41 $\frac{3}{4}$	12 $\frac{5}{8}$	—	—	4 lbs.	3.7
NAC3612MPTA	556	$\frac{3}{16}$	35 $\frac{3}{4}$	12 $\frac{5}{8}$	—	—	4 lbs.	3.7
NAC3012MPTA	466	$\frac{3}{16}$	29 $\frac{3}{4}$	12 $\frac{5}{8}$	—	—	3 lbs.	3.6
NAC2412MPTA	372	$\frac{3}{16}$	23 $\frac{1}{16}$	12 $\frac{5}{8}$	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided $\frac{3}{16}$ " resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TO ORDER, SPECIFY:


1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC6012MP2M 501

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MODESTY PANEL ½ HEIGHT METAL	NAC6012MP2M	\$ 929	⅞	59⅞	12⅞	—	—	10 lbs.	3.9
	NAC5412MP2M	835	⅞	53⅞	12⅞	—	—	10 lbs.	3.8
	NAC4812MP2M	741	⅞	47⅞	12⅞	—	—	8 lbs.	3.7
	NAC4212MP2M	650	⅞	41¾	12⅞	—	—	8 lbs.	3.7
	NAC3612MP2M	556	⅞	35¾	12⅞	—	—	8 lbs.	3.7
	NAC3012MP2M	466	⅞	29¾	12⅞	—	—	6 lbs.	3.6
	NAC2412MP2M	372	⅞	23⅞	12⅞	—	—	6 lbs.	3.6



- Specify Style E for embossed design
- Specify metal color: Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TACK BOARD APPLICABILITY

HIGHBACK,
OVERHEAD OR
RECEPTION
MODEL NO.APPLICABLE
TACK BOARD

RENEGADE

75N7238HB_
75N6638HB_
75N6038HB_
75N4838HB_
75N4818SO_
75N4218SO_
75N3618SO_
75N3018SO_
75N2573DSTF_
75N2568BSTF_

NAC7019TBRA
NAC6419TBRA
NAC5819TBRA
NAC4619TBRA
NAC4819TBRA
NAC4219TBRA
NAC3619TBRA
NAC3019TBRA
NAC2211TBDA2
NAC4811TBDA

HIGHBACK OR
OVERHEAD
MODEL NO.APPLICABLE
TACK BOARD
1 PIGEON HOLE
STORAGEAPPLICABLE
TACK BOARD
2 PIGEON HOLE
STORAGE

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

RENEGADE

75N7238HB_
75N6638HB_
75N6038HB_
75N4838HB_

NAC5619TBRA
NAC5019TBRA
NAC4419TBRA
NAC3219TBRA

NAC4219TBRA
NAC3619TBRA
NAC3019TBRA
NAC1819TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

ACCESSORIES

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

ORGANIZING STACKER APPLICABILITY

HIGHBACK OR
OVERHEAD
MODEL NO.APPLICABLE
ORGANIZING
STACKERHIGHBACK OR
OVERHEAD
MODEL NO.APPLICABLE
ORGANIZING
STACKER

EPIC

25N8438HBH_	NAC4005SMS_
25N8438HBS_	NAC4005SMS_
25N8438HBE_	NAC4105SMS_
25N7838HBH_	NAC3605SMS_
25N7838HBS_	NAC3605SMS_
25N7838HBE_	NAC3705SMS_
25N7238HBH_	NAC3405SMS_
25N7238HBS_	NAC3405SMS_
25N7238HBE_	NAC3505SMS_
25N6638HBH_	NAC3105SMS_
25N6638HBS_	NAC3105SMS_
25N6638HBE_	NAC3105SMS_
25N6038HBH_	NAC2805SMS_
25N6038HBS_	NAC2805SMS_
25N6038HBE_	NAC2805SMS_
25N4838HBH_	NAC3005SMS_
25N4838HBS_	NAC2205SMS_
25N4838HBE_	NAC2205SMS_
25N4818SOH_	NAC3005SMS_
25N4818SOS_	NAC2205SMS_
25N4818SOE_	NAC2205SMS_
25N4813SOH_	NAC3005SMS_
25N4813SOS_	NAC2205SMS_
25N4813SOE_	NAC2205SMS_
25N4218SOH_	NAC2605SMS_
25N4218SOS_	NAC1905SMS_
25N4218SOE_	NAC1905SMS_
25N4213SOH_	NAC2605SMS_
25N4213SOS_	NAC1905SMS_
25N4213SOE_	NAC1905SMS_
25N3618SOH_	NAC3405SMS_
25N3618SOS_	NAC3405SMS_
25N3618SOE_	NAC3405SMS_
25N3613SOH_	NAC3405SMS_
25N3613SOS_	NAC3405SMS_
25N3613SOE_	NAC3405SMS_
25N3018SOH_	NAC2805SMS_
25N3018SOS_	NAC2805SMS_
25N3018SOE_	NAC2805SMS_
25N3013SOH_	NAC2805SMS_
25N3013SOS_	NAC2805SMS_
25N3013SOE_	NAC2805SMS_
25N6013SOSS_	NAC2905SMS_
25N6013SOES_	NAC2905SMS_
25N4813SOSS_	NAC2205SMS_
25N4813SOES_	NAC2205SMS_
25N4213SOSS_	NAC1905SMS_
25N4213SOES_	NAC1905SMS_
25N3613SOSS_	N/A
25N3613SOES_	N/A
25N3013SOSS_	N/A
25N3013SOES_	N/A

WAVEWORKS

WW10850HBH2_	NAC3405SMS_
WW10838HBH2_	NAC3405SMS_
WW10838HBE2_	NAC2505SMS_
WW10250HBH2_	NAC3305SMS_
WW10238HBH2_	NAC3305SMS_
WW10238HBE2_	NAC2405SMS_
WW9650HBH2_	NAC3005SMS_
WW9638HBH2_	NAC3005SMS_
WW9638HBE2_	NAC2305SMS_
WW9050HBH2_	NAC2805SMS_
WW9038HBH2_	NAC2805SMS_
WW9038HBE2_	NAC2905SMS_
WW8450HBH2_	NAC4005SMS_
WW8438HBH2_	NAC4005SMS_
WW8438HBE2_	NAC4105SMS_
WW7850HBH2_	NAC3605SMS_
WW7838HBH2_	NAC3605SMS_
WW7838HBE2_	NAC3705SMS_
WW7250HBH2_	NAC3405SMS_
WW7238HBH2_	NAC3405SMS_
WW7238HBH_	NAC3405SMS_
WW7238HBE2_	NAC3505SMS_
WW6650HBH2_	NAC3105SMS_
WW6638HBH2_	NAC3105SMS_
WW6638HBH_	NAC3205SMS_
WW6638HBE2_	NAC3105SMS_
WW6050HBH2_	NAC2805SMS_
WW6038HBH2_	NAC2805SMS_
WW6038HBH_	NAC2805SMS_
WW6038HBE2_	NAC2905SMS_
WW4850HBH2_	NAC3005SMS_
WW4838HBH2_	NAC3005SMS_
WW4838HBH_	NAC3005SMS_
WW4838HBE2_	NAC2205SMS_
WW4830SOH_	NAC3005SMS_
WW4830SOE_	NAC2205SMS_
WW4818SOH_	NAC3005SMS_
WW4818SOE_	NAC2205SMS_
WW4230SOH_	NAC2605SMS_
WW4230SOE_	NAC1905SMS_
WW4218SOH_	NAC2605SMS_
WW4218SOE_	NAC1905SMS_
WW3630SOH_	NAC3405SMS_
WW3630SOE_	NAC3405SMS_
WW3618SOH_	NAC3405SMS_
WW3618SOE_	NAC3405SMS_
WW3030SOH_	NAC2805SMS_
WW3030SOE_	NAC2805SMS_
WW3018SOH_	NAC2805SMS_
WW3018SOE_	NAC2805SMS_

TACK BOARD APPLICABILITY

**HIGHBACK,
OVERHEAD OR
RECEPTION
MODEL NO.****APPLICABLE
TACK BOARD****EPIC**

25N8438HB_	NAC8219TBRA
25N7838HB_	NAC7619TBRA
25N7238HB_	NAC7019TBRA
25N6638HB_	NAC6419TBRA
25N6038HB_	NAC5819TBRA
25N4838HB_	NAC4619TBRA
25N4818SO_	NAC4819TBRA
25N4813SO_	NAC4819TBRA
25N4218SO_	NAC4219TBRA
25N4213SO_	NAC4219TBRA
25N3618SO_	NAC3619TBRA
25N3613SO_	NAC3619TBRA
25N3018SO_	NAC3019TBRA
25N3013SO_	NAC3019TBRA

WAVEWORKS

WW10850HB_2	Use 2 – NAC5219TBRA
WW10838HB_2	Use 2 – NAC5219TBRA
WW10250HB_2	Use 2 – NAC4919TBRA
WW10238HB_2	Use 2 – NAC4919TBRA
WW9650HB_2	Use 2 – NAC4619TBRA
WW9638HB_2	Use 2 – NAC4619TBRA
WW9050HB_2	NAC8819TBRA
WW9038HB_2	NAC8819TBRA
WW8450HB_2	NAC8219TBRA
WW8438HB_2	NAC8219TBRA
WW7850HB_2	NAC7619TBRA
WW7838HB_2	NAC7619TBRA
WW7250HB_2	NAC7019TBRA
WW7238HB_2	NAC7019TBRA
WW6650HB_2	NAC6419TBRA
WW6638HB_2	NAC6419TBRA
WW6050HB_2	NAC5819TBRA
WW6038HB_2	NAC5819TBRA
WW4850HB_2	NAC4619TBRA
WW4838HB_2	NAC4619TBRA
WW4830SO_	NAC4819TBRA
WW4818SO_	NAC4819TBRA
WW4230SO_	NAC4219TBRA
WW4218SO_	NAC4219TBRA
WW3630SO_	NAC3619TBRA
WW3618SO_	NAC3619TBRA
WW3030SO_	NAC3019TBRA
WW3018SO_	NAC3019TBRA
WW2866BSTF2_	NAC6010TBDA
WW2866BSTF_	NAC6010TBDA
WW2860RSTF_	NAC5710TBDA
WW2860RSTF_2_	NAC5710TBDA
WW2854BSTF2_	NAC4810TBDA
WW2854BSTF_	NAC4810TBDA
WW2572DSTF3_	NAC2211TBDA2
WW2572DSTF_	NAC2211TBDA2
WW2563BSTF_	NAC6011TBDA
WW2550BSTF_	NAC4811TBDA
WW2460RSTFL_	NAC5711TBDA
WW1572TC_	NAC7015TBDA
WW1566TC_	NAC6415TBDA

**HIGHBACK OR
OVERHEAD
MODEL NO.****APPLICABLE
TACK BOARD
1 PIGEON HOLE
STORAGE****APPLICABLE
TACK BOARD
2 PIGEON HOLE
STORAGE**

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

EPIC

25N8438HB_	NAC6819TBRA	NAC5419TBRA
25N7838HB_	NAC6219TBRA	NAC4819TBRA
25N7238HB_	NAC5619TBRA	NAC4219TBRA
25N6638HB_	NAC5019TBRA	NAC3619TBRA
25N6038HB_	NAC4419TBRA	NAC3019TBRA
25N4838HB_	NAC3219TBRA	NAC1819TBRA
WAVEWORKS		
WW10850HB_2	Use 1 – NAC5219TBRA	Use 2 – NAC3819TBRA
	Use 1 – NAC3819TBRA	
WW10838HB_2	Use 1 – NAC5219TBRA	Use 2 – NAC3819TBRA
	Use 1 – NAC3819TBRA	
WW10250HB_2	Use 1 – NAC4919TBRA	Use 2 – NAC3519TBRA
	Use 1 – NAC3519TBRA	
WW10238HB_2	Use 1 – NAC4919TBRA	Use 2 – NAC3519TBRA
	Use 1 – NAC3519TBRA	
WW9650HB_2	Use 1 – NAC4619TBRA	Use 2 – NAC3219TBRA
	Use 1 – NAC3219TBRA	
WW9638HB_2	Use 1 – NAC4619TBRA	Use 2 – NAC3219TBRA
	Use 1 – NAC3219TBRA	
WW9050HB_2	NAC7419TBRA	NAC6019TBRA
WW9038HB_2	NAC7419TBRA	NAC6019TBRA
WW8450HB_2	NAC6819TBRA	NAC5419TBRA
WW8438HB_2	NAC6819TBRA	NAC5419TBRA
WW7850HB_2	NAC6219TBRA	NAC4819TBRA
WW7838HB_2	NAC6219TBRA	NAC4819TBRA
WW7250HB_2	NAC5619TBRA	NAC4219TBRA
WW7238HB_2	NAC5619TBRA	NAC4219TBRA
WW6650HB_2	NAC5019TBRA	NAC3619TBRA
WW6638HB_2	NAC5019TBRA	NAC3619TBRA
WW6050HB_2	NAC4419TBRA	NAC3019TBRA
WW6038HB_2	NAC4419TBRA	NAC3019TBRA
WW4850HB_2	NAC3219TBRA	NAC1819TBRA
WW4838HB_2	NAC3219TBRA	NAC1819TBRA

**HIGHBACK OR
OVERHEAD
MODEL NO.****APPLICABLE
TACK BOARD****APPLICABLE
TACK BOARD
FOR OPEN PLAN USE****WAVEWORKS HIGHBACK ORGANIZER - OPEN BACK**

WW7238HBH	NAC4219TBDA	NAC7219TBDA
WW6638HBH	NAC3619TBDA	NAC6619TBDA
WW6038HBH	NAC3019TBDA	NAC6019TBDA
WW4838HBH	NAC1819TBDA	NAC4819TBDA

WAVEWORKS HIGHBACK ORGANIZER - METAL

WW7237HB_M	NAC6820TBMA
WW6037HB_M	NAC5620TBM/A
WW4837HB_M	NAC4420TBM/A
WW4237HB_M	NAC3820TBM/A
WW3637HB_M	NAC3220TBM/A

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

TACK BOARDS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC8819TBRA A 3705

- See page 653 for all options available in Accessories

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC		
		D	W	H	A	KW	WEIGHT	FEET				
TACK BOARD  Front view	20" HIGH		GRADE AA	GRADE A	GRADE B/COM							
	QNAC6920TBRA_ _ _ _	Railroad	\$ 643	\$ 691	\$ 784	½	68⅞	20¼	—	—	24 lbs.	1.3
	NAC6920TBRA	Railroad	643	691	784	½	68⅞	20¼	—	—	24 lbs.	1.3
	NAC6320TBRA	Railroad	604	648	731	½	62⅞	20¼	—	—	22 lbs.	1.4
19" HIGH												
NAC8819TBRA	Railroad	\$ 734	\$ 794	\$ 908	½	88⅞	19½	—	—	31 lbs.	2.0	
NAC8219TBRA	Railroad	693	748	854	½	82⅞	19½	—	—	29 lbs.	1.9	
NAC7619TBRA	Railroad	652	704	803	½	76⅞	19½	—	—	26 lbs.	1.7	
NAC7419TBRA	Railroad	640	691	787	½	74⅞	19½	—	—	24 lbs.	1.5	
NAC7219TBRA	Railroad	625	676	772	½	71⅞	19½	—	—	25 lbs.	1.6	
QNAC7019TBRA_ _ _ _	Railroad	627	675	768	½	70⅞	19½	—	—	25 lbs.	1.6	
NAC7019TBRA	Railroad	627	675	768	½	70⅞	19½	—	—	25 lbs.	1.6	
NAC6919TBRA	Railroad	626	674	767	½	68⅞	19½	—	—	23 lbs.	1.5	
NAC6819TBRA	Railroad	623	669	757	½	68⅞	19½	—	—	22 lbs.	1.4	
NAC6719TBRA	Railroad	621	667	755	½	66⅞	19½	—	—	24 lbs.	1.5	
NAC6619TBRA	Railroad	620	666	754	½	65⅞	19½	—	—	23 lbs.	1.5	
NAC6419TBRA	Railroad	596	640	723	½	64⅞	19½	—	—	22 lbs.	1.5	
NAC6319TBRA	Railroad	586	630	713	½	63⅞	19½	—	—	21 lbs.	1.4	
NAC6219TBRA	Railroad	571	615	698	½	62⅞	19½	—	—	20 lbs.	1.3	
NAC6119TBRA	Railroad	565	609	692	½	61⅞	19½	—	—	21 lbs.	1.4	
NAC6019TBRA	Railroad	555	599	682	½	59⅞	19½	—	—	21 lbs.	1.4	
NAC5819TBRA	Railroad	552	592	669	½	58⅞	19½	—	—	20 lbs.	1.3	
NAC5619TBRA	Railroad	543	583	660	½	56⅞	19½	—	—	18 lbs.	1.2	
NAC5419TBRA	Railroad	540	580	657	½	54⅞	19½	—	—	17 lbs.	1.3	
NAC5219TBRA	Railroad	535	575	652	½	52⅞	19½	—	—	18 lbs.	1.2	
NAC5019TBRA	Railroad	534	569	635	½	50⅞	19½	—	—	16 lbs.	1.1	
NAC4919TBRA	Railroad	530	565	631	½	49⅞	19½	—	—	18 lbs.	1.2	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to a highback organizer
- Tackboard can be mounted to an architectural wall, hardware not included
- Textile will be railroded
- Reference tack board applicability on page 722



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC4819TBRA A 3705

- See page 653 for all options available in Accessories

MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS				CARTONED CUBIC					
TACK BOARD (CONTINUED)						19" HIGH CONT.	GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW	WEIGHT	FEET
 Front view	NAC4819TBRA	Railroad	\$	528	\$	563	\$	629	½	47⅞	19½	—	—		17 lbs.	1.1
	NAC4619TBRA	Railroad		514		549		615	½	46⅞	19½	—	—		16 lbs.	1.1
	NAC4419TBRA	Railroad		503		538		604	½	44⅞	19½	—	—		14 lbs.	1.0
	NAC4219TBRA	Railroad		491		526		592	½	41⅞	19½	—	—		15 lbs.	1.0
	NAC3819TBRA	Railroad		460		495		561	½	38⅞	19½	—	—		12 lbs.	0.8
	QAC3619TBRA	Railroad		445		474		529	½	35⅞	19½	—	—		13 lbs.	0.9
	NAC3619TBRA	Railroad		445		474		529	½	35⅞	19½	—	—		13 lbs.	0.9
	NAC3519TBRA	Railroad		439		468		523	½	35⅞	19½	—	—		12 lbs.	0.8
	NAC3219TBRA	Railroad		422		445		489	½	32⅞	19½	—	—		11 lbs.	0.7
	QAC3019TBRA	Railroad		413		436		480	½	29⅞	19½	—	—		11 lbs.	0.7
	NAC3019TBRA	Railroad		413		436		480	½	29⅞	19½	—	—		11 lbs.	0.7
NAC1819TBRA	Railroad		332		349		382	½	18⅞	19½	—	—		7 lbs.	0.4	
18" HIGH																
NAC3618TBRA	Railroad	\$	445	\$	474	\$	529	½	35⅞	18⅞	—	—		12 lbs.	0.8	
NAC3018TBRA	Railroad		413		436		480	½	29⅞	18⅞	—	—		10 lbs.	0.7	
17" HIGH																
QAC6917TBRA_ _ _ _	Railroad	\$	626	\$	674	\$	767	½	69⅞	17⅞	—	—		22 lbs.	1.4	
NAC6917TBRA	Railroad		626		674		767	½	69⅞	17⅞	—	—		22 lbs.	1.4	
QAC6717TBRA_ _ _ _	Railroad		621		667		755	½	67⅞	16⅞	—	—		21 lbs.	1.4	
NAC6717TBRA	Railroad		621		667		755	½	67⅞	16⅞	—	—		21 lbs.	1.4	
QAC6617TBRA_ _ _ _	Railroad		620		666		754	½	66⅞	16⅞	—	—		20 lbs.	1.4	
NAC6617TBRA	Railroad		620		666		754	½	66⅞	16⅞	—	—		20 lbs.	1.4	
NAC6317TBRA	Railroad		586		630		713	½	63⅞	17⅞	—	—		20 lbs.	1.3	
NAC6117TBRA	Railroad		565		609		692	½	61⅞	16⅞	—	—		19 lbs.	1.3	
NAC6017TBRA	Railroad		555		599		682	½	60⅞	16⅞	—	—		19 lbs.	1.2	
NAC3617TBRA	Railroad		445		474		529	½	35⅞	17⅞	—	—		12 lbs.	0.8	
NAC3017TBRA	Railroad		413		436		480	½	29⅞	17⅞	—	—		10 lbs.	0.7	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Textile will be railroaded
- Reference tack board applicability on page 722

TACK BOARDS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color


SAMPLE MODEL NUMBERS:

NAC8416TBRA A 3705
NAC4219TBCA A 3705

• See page 653 for all options available in Accessories

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
TACK BOARD (CONTINUED)	16" HIGH		GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW		
 Front view 	NAC8416TBRA	Railroad	\$ 599	\$ 657	\$ 767	½	84⅞	16	—	—	24 lbs.	1.6
	NAC6916TBRA	Railroad	533	581	674	½	69⅞	16½	—	—	21 lbs.	1.4
	QNA6816TBRA	Railroad	519	565	653	½	67⅞	16	—	—	20 lbs.	1.3
	NAC6816TBRA	Railroad	519	565	653	½	67⅞	16	—	—	20 lbs.	1.3
	NAC6316TBRA	Railroad	490	534	617	½	63⅞	16½	—	—	19 lbs.	1.3
	NAC6216TBRA	Railroad	467	511	594	½	62⅞	16	—	—	18 lbs.	1.2
	NAC5716TBRA	Railroad	470	510	587	½	57⅞	16½	—	—	17 lbs.	1.1
	NAC4516TBRA	Railroad	417	452	518	½	45	16½	—	—	14 lbs.	1.0
	NAC3916TBRA	Railroad	371	406	472	½	39	16½	—	—	12 lbs.	0.8

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to a highback organizer
- Tackboard can be mounted to an architectural wall, hardware not included
- Textile will be railroaded
- Reference tack board applicability on page 722

TACK BOARD FOR
WAVEWORKS HIGHBACK
ORGANIZER OPEN
BACK

		GRADE AA	GRADE A	GRADE B/ COM							
NAC4219TBCA	Railroad	\$ 491	\$ 526	\$ 592	¾	41⅝	19½	—	—	15 lbs.	1.0
NAC3619TBCA	Railroad	445	474	529	¾	35⅝	19½	—	—	13 lbs.	0.9
NAC3019TBCA	Railroad	413	436	480	¾	29⅝	19½	—	—	11 lbs.	0.7
NAC1819TBCA	Railroad	332	349	382	¾	17⅝	19½	—	—	7 lbs.	0.5
NAC7219TBSA	Railroad	625	676	772	¾	71⅝	19½	—	—	25 lbs.	1.6
NAC6619TBSA	Railroad	620	666	754	¾	65⅝	19½	—	—	23 lbs.	1.5
NAC6019TBSA	Railroad	555	599	682	¾	59⅝	19½	—	—	21 lbs.	1.4
NAC4819TBSA	Railroad	523	563	640	¾	47⅝	19½	—	—	17 lbs.	1.1

- For use with WaveWorks open highback organizer with curved shelves; reference page 338
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to a highback organizer
- Tackboard can be mounted to an architectural wall, hardware not included
- TBC model mounts on highback organizer between the paper management shelves
- TBS model mounts on back side of highback organizer if used in open plan
- Does not include route in back for task light cord
- Textile will be railroaded
- Reference tack board applicability on page 722



TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color

SAMPLE MODEL NUMBER:

NAC7014TBDA A 3705

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
	14" HIGH		GRADE AA		GRADE A	GRADE B/COM	D	W	H	A	KW				
 Front view	NAC7015TBDA	Railroad	\$	528	\$	580	\$	679	½	70⅞	14½	—	—	16 lbs.	1.5
	NAC6415TBDA	Railroad		488		534		622	½	64⅞	14½	—	—	14 lbs.	1.5
	13" HIGH														
	NAC7014TBDA	Railroad	\$	528	\$	580	\$	679	½	69⅞	13⅞	—	—	15 lbs.	1.5
	NAC6714TBDA	Railroad		531		577		665	½	67⅞	13⅞	—	—	15 lbs.	1.5
	NAC6414TBDA	Railroad		488		534		622	½	64⅞	13⅞	—	—	14 lbs.	1.5
	NAC6114TBDA	Railroad		465		511		599	½	61⅞	13⅞	—	—	14 lbs.	1.0
	NAC6713TBDA	Railroad		519		565		653	½	67⅞	13⅞	—	—	15 lbs.	1.5
	12" HIGH														
	NAC7212TBDA	Railroad	\$	528	\$	580	\$	679	½	71¾	12¾	—	—	16 lbs.	1.5
	NAC6912TBDA	Railroad		535		581		669	½	69¾	12	—	—	15 lbs.	1.5
	NAC6813TBDA	Railroad		519		565		653	½	68	12⅞	—	—	15 lbs.	1.5
	11" HIGH														
	NAC6011TBDA	Railroad	\$	461	\$	507	\$	595	½	59¾	11¼	—	—	14 lbs.	1.0
	NAC5711TBDA	Railroad		468		508		585	½	57⅞	11¼	—	—	12 lbs.	1.0
	NAC4811TBDA	Railroad		413		448		514	½	47⅞	11¼	—	—	10 lbs.	1.0
	11" HIGH - SET OF 2														
 User view NAC2211TBDA2 and NAC2211TBD2	NAC2211TBDA2	Railroad - Set of 2	\$	644	\$	661	\$	694	½	21⅞	11¼	—	—	9 lbs.	1.0
	• Line art shaded area denotes place of set of 2 tack boards														
	10" HIGH														
	NAC6010TBDA	Railroad	\$	461	\$	507	\$	595	½	59¾	10⅞	—	—	14 lbs.	1.0
	NAC5710TBDA	Railroad		468		508		585	½	57⅞	10⅞	—	—	12 lbs.	1.0
	NAC4810TBDA	Railroad		413		448		514	½	47⅞	10⅞	—	—	10 lbs.	1.0
	• For use with reception desks and transaction counters • Tack board is unfinished on back • Does not include route in back for wire management • Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter • Textile will be railroaded • Reference tack board applicability on page 722														

ACCESSORIES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC1203SMSM 501

- See page 653 for all options available in Accessories

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE MODULE STACKER 	NAC1203SMSM Metal	\$ 224	11 ¹ / ₁₆	11 ¹ / ₁₆	2 ³ / ₁₆	—	—	4 lbs.	0.2
	• Sets on surface and keeps papers neat and tidy • Can stack up to 3 high • Specify paint color Cinder (462), Designer White (405), Platinum Metallic (501), and Satin Nickel Metallic (503)								
GANGING BRACKET 	NACGBT Metal	\$ 77	—	—	—	—	—	2 lbs.	0.6
	• Used to gang 2 surfaces together • Shipped as a set of 2 • Specify model number only								
GANGING BRACKET 	NACGBT2 Table Ganging Bracket Kit	\$ 121	—	—	—	—	—	1 lbs.	0.1
	• Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets • All hardware included • Available in black only • Specify model number only								

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL	11" VERTICAL	18" VERTICAL	
			X	X	X	
			4" HORIZONTAL	11" HORIZONTAL	18" HORIZONTAL	
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						

BOX/FILE HEIGHT STORAGE CUSHIONS

NAC1820CUSH, NAC1820CUSHT		0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT		0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT		0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT		1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT		1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT		1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT		1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT		1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT		0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT		0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT		0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT		1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT		1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT		1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT		1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT		2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT		2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT		1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT		1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT		1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT		1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT		1.70	2.10	2.60	4.10	33

TOSS ACCENT PILLOWS

N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery Accent	0.60	0.70	0.70	0.90	6
		0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery Piping Accent	0.60	0.70	0.70	0.90	6
		0.10	0.10	0.10	0.10	2
		0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery Back	0.60	0.70	0.70	0.80	6
		0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery Back Piping	0.60	0.70	0.70	0.80	6
		0.60	0.70	0.70	0.80	6
		0.10	0.10	0.10	0.10	2
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery Back Accent	0.60	0.70	0.70	0.80	6
		0.60	0.70	0.70	0.80	6
		0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery Back Piping Accent	0.60	0.70	0.70	0.80	6
		0.60	0.70	0.70	0.80	6
		0.10	0.10	0.10	0.10	2
		0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery Back	0.70	0.80	1.10	1.30	7
		0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL	11" VERTICAL	18" VERTICAL	
			4" HORIZONTAL	11" HORIZONTAL	18" HORIZONTAL	
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL
		OR	4" VERTICAL	11" VERTICAL	18" VERTICAL	SQUARE
		SOLID	4" HORIZONTAL	11" HORIZONTAL	18" HORIZONTAL	FEET
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						
WEDGES						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
MOBILE PEDS						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	
TESSERA						
59N1872BN1F		1.50	1.80	2.80	4.60	30
59N1860BN1F		1.50	1.80	2.80	4.60	29
59N1854BN1F		1.50	1.80	2.80	4.60	29
59N1848BN1F		0.90	1.20	1.90	3.00	17
59N1842BN1F		0.90	1.20	1.90	3.00	17
LOCHLYN						
69N17LNRF		19.70	0.60	0.80	1.30	1.6
69N23LNRF		25.10	0.70	1.10	1.60	3.1
69N29LNRF		38.50	1.10	1.50	1.60	3.1

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25

TACKABLE	YARDAGE
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4249TBA	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5436TBA	2.00
11N5437TBA	2.00
11N5448TBA	2.00
11N5449TBA	2.00
11N6034TBA	2.00
11N6036TBA	2.00
11N6037TBA	2.00
11N6048TBA	2.00
11N6049TBA	2.00
26N2411SWTBA	0.80
26N2411TBA	0.80
26N2432TBA	0.80
26N2439TBA	0.80
26N3011SWTBA	1.00
26N3011TBA	1.00
26N3032TBA	1.00
26N3039TBA	1.00
26N3611SWTBA	1.10
26N3611TBA	1.10
26N3632TBA	1.10
26N3639TBA	1.20
26N4211SWTBA	1.30
26N4211TBA	1.30
26N4232TBA	1.30
26N4239TBA	1.30
26N4811SWTBA	1.50

TACKABLE	YARDAGE
26N4811TBA	1.50
26N4832TBA	1.50
26N4839TBA	1.50
26N5411SWTBA	1.60
26N5411TBA	1.60
26N5432TBA	1.70
26N5439TBA	1.70
26N6011SWTBA	1.80
26N6011TBA	1.80
26N6032TBA	1.80
26N6039TBA	1.80
26N6611SWTBA	2.00
26N6611TBA	2.00
26N6632TBA	2.00
26N6639TBA	2.00
26N7211SWTBA	2.10
26N7211TBA	2.10
26N7232TBA	2.20
26N7239TBA	2.20
NAC1811TBRA	1.00
NAC1819TBRA	0.75
NAC1819TBRA	0.75
NAC2211TBDA2	0.75
NAC2211TBRA	1.00
NAC2811TBRA	1.00
NAC3017TBRA	1.00
NAC3018TBRA	1.00
NAC3019TBRA	1.00
NAC3019TBRA	1.00
NAC3219TBRA	1.00
NAC3220TBM	0.70
NAC3220TBMA	1.00
NAC3519TBRA	1.25
NAC3617TBRA	1.25
NAC3618TBRA	1.25
NAC3619TBRA	1.25
NAC3619TBRA	1.25
NAC3819TBRA	1.50
NAC3820TBM	0.70
NAC3820TBMA	1.20
NAC3916TBRA	1.50
NAC4219TBRA	1.50
NAC4219TBRA	1.50
NAC4419TBRA	1.50
NAC4420TBM	0.70
NAC4420TBMA	1.40
NAC4516TBRA	1.50
NAC4619TBRA	1.50
NAC4810TBDA	1.50
NAC4811TBDA	1.50
NAC4819TBRA	1.50
NAC4819TBRA	1.50
NAC4919TBRA	1.50
NAC5019TBRA	1.50
NAC5219TBRA	1.75
NAC5417TBRA	1.60
NAC5419TBRA	1.75

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC5517TBRA	1.60
NAC5616TBRA	1.70
NAC5619TBRA	1.75
NAC5620TBM	N/A
NAC5620TBMA	1.70
NAC5710TBDA	1.75
NAC5711TBDA	1.75
NAC5716TBRA	1.75
NAC5720TBRA	1.70
NAC5819TBRA	1.75
NAC6010TBDA	2.00
NAC6011TBDA	2.00
NAC6017TBRA	2.00
NAC6019TBRA	2.00
NAC6019TBSA	2.00
NAC6114TBDA	2.00
NAC6117TBRA	2.00
NAC6119TBRA	2.00
NAC6216TBRA	2.00
NAC6219TBRA	2.00
NAC6316TBRA	2.00
NAC6317TBRA	2.00
NAC6319TBRA	2.00
NAC6320TBRA	2.00
NAC6414TBDA	2.00
NAC6415TBDA	2.00
NAC6419TBRA	2.00
NAC6617TBRA	2.00
NAC6619TBRA	2.00
NAC6619TBSA	2.00
NAC6713TBDA	2.00
NAC6714TBDA	2.00
NAC6717TBRA	2.00
NAC6719TBRA	2.00
NAC6813TBDA	2.00
NAC6816TBRA	2.00
NAC6819TBRA	2.00
NAC6820TBMA	2.10
NAC6912TBDA	2.00
NAC6916TBRA	2.25
NAC6917TBRA	2.25
NAC6919TBRA	2.25
NAC6920TBRA	2.25
NAC7014TBDA	2.25
NAC7015TBDA	2.25
NAC7019TBRA	2.25
NAC7212TBDA	2.25
NAC7219TBRA	2.25
NAC7219TBSA	2.25
NAC7317TBRA	2.10
NAC7419TBRA	2.25
NAC7420TBRA	2.20
NAC7517TBRA	2.20
NAC7616TBRA	2.20
NAC7619TBRA	2.25

TACKABLE	YARDAGE
NAC7917TBRA	2.30
NAC8020TBRA	2.30
NAC8117TBRA	2.40
NAC8219TBRA	2.50
NAC8416TBRA	2.50
NAC8819TBRA	2.75
NAC2132PVMC2PFA	1.50
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVB PFA	1.50
71N5118PVB PFA	2.00
71N5718PVB PFA	2.00
71N6318PVB PFA	2.00
71N6918PVB PFA	2.50
71N4623PVC PFA	1.50
71N5223PVC PFA	2.00
71N5823PVC PFA	2.00
71N6423PVC PFA	2.00
71N7023PVC PFA	2.50
71N3824PVB PFA	1.50
71N4424PVB PFA	1.50
71N5024PVB PFA	2.00
71N5624PVB PFA	2.00
71N6224PVB PFA	2.00

03.18.24

GLOBAL

Grade 1 Spark and Zig Zag seating textiles have been discontinued and removed from the price list

ACCESSORIES

Garcia, models NAC03ELPG2GAAB, NAC03ELPG2GAAG, NAC03ELPG2GAA, have been discontinued and removed from the price list

Hitch model NAC04ELPG4HTAG has been discontinued and removed from the price list

G12A Pivoting Power Grommet (MHO-B) has been discontinued and removed from the price list

02.19.24

NAVIYD

Clarified that height adjustable base only models can be used with either Kimball or National 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " surfaces

ACCESSORIES

Clarified that tackboards can be mounted to an architectural wall, hardware not included

Electrical models have been updated

12.15.23

GLOBAL

Vertical Textiles Basket, Meander, and Universe will be discontinued as of 12.31.23 and have been removed from this price list

Drawer Suspension Warranty information has been removed from the Product Specifications page, please reference Warranty Link

RETURN TO WORK price list, which includes screens and accessories, has been disbanded and incorporated in the appropriate product sections

EPIC

Epic EZ Arrangement Models will be discontinued as of 12.31.23 and have been removed from this price list

Q25N72A20MPL and Q25N60A20MPL are no longer available and have been removed from the price list

EPICENTER

Epicenter series and related models will be discontinued as of 12.31.23 and have been removed from this price list

WAVEWORKS

WaveWorks Assembly models will be discontinued as of 12.31.23 and have been removed from this price list. Select WaveWorks Metal Assembly models remain available

WAVEWORKS METAL

Select WaveWorks Metal Assembly models remain available

Counterweight Kit model WWCW3 and Counterweight model WW36CW2M have been added

ACCESSORIES

Escalade Tack Boards will be discontinued as of 12.31.23 and have been removed from this price list

11.17.23

WAVEWORKS METAL

Glide Set model WWGS has been added

WW15CW pricing has been updated

10.23.23

WAVEWORKS

Pricing corrections have been made on select WaveWorks conference top and storage models

WAVEWORKS METAL

Mobile Pedestal - Open model number was updated from WW191523PMOM to WW1915PMOM

Pedestal - Undersurface Hinge Door: 15" models, WW1915PUHLM and WW1915PUHRM have been added

09.22.23

WAVEWORKS METAL

Dimensions have been added

08.28.23

GLOBAL

Pricing has been updated throughout the price list; pricing date is 10.02.23

Grade AA Panel Fabric Lea has been added

WAVEWORKS METAL

WaveWorks metal storage product offering has been enhanced to include:

- New storage pedestals
- Island storage units with island worksurfaces
- New height of vertical storage

Deletions:

- Removal of $\frac{3}{4}$ pedestal arrangement models
- Removal of desk shell arrangement models

07.28.23

LOCHLYN

Glass privacy screens cannot be used in a side-to-side application

NAVIYD

Field installed casters for use only on 23" D worksurfaces

REVISION SUMMARY

05.22.23

GLOBAL

Paint material pages for all series have been updated to reflect the Harmonized and Gallery paint offerings

LOCHLYN

Lochlyn mobile utility cart model 69N1836MUCMLL and mobile storage cart model 69N1836MSCMLL now have front locking casters and non-locking back casters

ACCESSORIES

Keyboard tray/mouse pad model NAC1924KTM has been discontinued

Axil M Blue Tooth Speaker power/data center models NAC08ELPG3AXB, NAC08ELPG3AXS, NAC08ELPG3AXW have been discontinued

03.13.23

GLOBAL

Midtown designator is MW

GENERAL INFORMATION

The Intellectual Property information has been removed from the General Information and is now accessible through a link in the Table of Contents

ALLOY

Removed additional White (21) models that were discontinued in December 2022

EPICENTER

Hardwire kit has been discontinued

LOCHLYN

Clarified that Desk Extensions cannot be used as a return for a freestanding desk

Noted Component Tops are to be used on individual frame models only; not sized to span multiple frame models

NAVIYD

Corrected dimensions on Corner surfaces

Corrected Grade B pricing on Privacy Screens

WAVEWORKS

Mobile File/File Pedestals, models WW2315PMFFW and WW2315PMFFL, with open top and organizer tray have been discontinued

Mobile Box/File Pedestal, models WW2315PMBFW and WW2315PMBFL have been discontinued

BASES AND SUPPORT

The basic folding leg, model CBV2128TF has been discontinued

02.06.23

SURFACE MATERIALS

Changes made to Surface Materials sections due to Harmonization of Laminate, Wood and Vertical Textiles where applicable

Seating textiles Echo, Orbit, Connect Four colorways Clementine and Coffee Bean, Input colorways Pine, Mint, and Flame, Strand colorway Fudge have been discontinued

WAVEWORKS METAL

Single Pedestal Desks/Credenzas and Extended Corner units are not for use as freestanding units; must be connected to another unit

ACCESSORIES

The following models are no longer available and have been removed from the price list:

- NAC1624CT Black Carousel Tray
- NAC03WM Undersurface Wire Manager
- NAC4221SW, NAC3621SW, and NAC3021SW Slat Walls
- NAC29ELPG4VEAB Vesta Set-On Floor, Battery-Powered Black/Dark Grey and NAC29ELPG4VEAW Vesta Set-On Floor, Battery-Powered White/Light Grey

COM YARDAGE REQUIREMENTS

Added information if repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required

11.18.22

ACCESSORIES

The following bullet was added to Double Hook NAC03HKD:

- Cannot be used on knife rim tops

10.31.22

EPICENTER

Multi-Circuit Upper Epicenter 3rd bullet was updated:

- On 30"-72" lengths of the powered Epicenter a duplex receptacle should be located 12" from each end of the unit, on the 24" powered Epicenter the duplex receptacle can be located in the center of the unit

LOCHLYN

- Drawer dimensions have been added to the Module Open Top Box for Freestanding Metal Frame or Wall Mount Frame 1 High
- Black and Silver are no longer available as a metal frame paint color

ACCESSORIES

Personal Pull-Up Tables with marble top: 50 lb weight limit bullet was removed

10.03.22

GLOBAL

Pricing has been updated throughout the price list

The following models are no longer available and have been removed from the price list:

- NACPH Black Plastic Phone Holder
- NACPHC Clear Plastic Phone Holder
- NACBS Black Plastic Binder Shelf
- 10N3372MBFCHB Cinder Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHS Platinum Metallic Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHN Satin Nickel Metallic Universal Mobile Marker Board Flip Chart Holder

08.15.22

GLOBAL

Price list will no longer include an Index

Dune (Grade A) 8606 Pebble is no longer available as a Tack Board or Privacy Screen textile option

GENERAL INFORMATION

The following pages have been removed from the General Information and are now accessible through a link in the Table of Contents:

- Terms & Conditions
- Warranty
- Sustainability
- ANSI/BIFMA Testing
- Asset Tag Locations

The following Echo Grade 4 colors are no longer available:

- 41101 Natural
- 41104 Lichen
- 41105 Jute
- 41106 Seaport
- 41107 Limestone

07.15.22

GLOBAL

Repetition (Grade A) 3715 Almond is no longer available as a Tack Board or Privacy Screen textile option

WAVEWORKS ASSEMBLED

The Rechargeable lithium battery bullet was updated for the 1, 2 and 3 Door Lockers with Electronic Lock to clarify that the wired USB charger or USB power pack are not included

06.15.22

NAVIYD

Woodgrain Laminate Worksurfaces and TFL Modesty finishes do not require 10% upcharge; asterisks were removed

4 Position Programmable Memory Control was added

05.16.22

NAVIYD

New series added

WAVEWORKS ASSEMBLED

4 Position Programmable Memory Control bullet updated

04.15.22

GENERAL INFORMATION

Panel textile COM flammability bullets updated

GLOBAL

Highback Organizer bullet update:

- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between

LOCHLYN

The following metal frame colors were added:

- 462 Cinder - also added to black screws list
- 501 Platinum Metallic - also added to silver screws list
- 544 Silver Pearl - also added to silver screws list

WAVEWORKS ASSEMBLED

The following bullet was added to Modesty Desks and Credenza File/File:

- Grain direction runs with the width of all laminate modesty panels that exceed 60"

ACCESSORIES

Reception tack board depth has been updated to ½". Tack board does not include a gap for cord management



NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE 800.482.1717
WEB KIMBALLINTERNATIONAL.COM

NPL222