



10.02.23
PRICE LIST

TABLES

4

GENERAL INFORMATION

Follow Link

Terms & Conditions	
Warranty	
Sustainability	
ANSI/BIFMA Testing	
Asset Tag Locations	
Surface Materials Reference Guide	
Intellectual Property	
Quick Delivery Program	4

TABLES SPECIFICATION GUIDE 5

Table Top Shapes and Sizes	5
Functional Seating Capacity	6
Number of Pieces Per Table Top	7
Conference Top Size Modifications	8
Round Grommet Locations	9
1 Touch Double Pivoting Power Grommet Cutout Locations	11
Power/Data Oasis Cutout Locations	13
Grommet Locations on Tops Including Modified Sizing	15
Table Base Guide	26
Table Base Placement Guide	46

CONFERENCE TABLE TOPS 49

Arrowood™	50
Barrington®	56
Epic®	64
Escalade®	87
Universal	95
Waveworks®	112

CONFERENCE TABLE BASES 125

Wood/Laminate Bases	128
Metal Bases	137

TARVER™ 141

TESSERA® CONFERENCE TABLES 163

COLLABORATIVE TABLES 175

Footings™	176
Grin™	214
Mio™	227
Strassa®	295

TRAINING TABLES 349

Fold™ Nesting Tables	350
Maneuver®	353
WaveWorks® Flip/Nest Tables	369
WaveWorks® Worksurfaces	375
Metal Bases	389
"L" Adjustable Height Bases	399
"L" Worksurfaces	401

STORAGE COMPONENTS AND ACCESSORIES 409

Arrowood™	410
Barrington®	411
Epic®	412
Escalade®	415
Roosevelt™	417
Universal	417
Waveworks®	423

WALL RAIL SOLUTION 433

Exhibit™	433
----------	-----

OCCASIONAL TABLES 489

Arrowood™	490
Barrington®	491
Collette®	492
Confide®	496
Eloquence®	497
Epic®	498
Escalade®	499
Farrah®	500
Footings™	501
Fringe®	502
Grin™	504
Hobsen®	505
Mariben™ Pull-Up Tables	506
Marnia®	509
Myriad™	513
Reno®	518
Roosevelt™	520
Swift™	521
Tag®	523
Tarver™	524
Tessera®	525
Universal	527
Weli®	532
Wixler®	533

ACCESSORIES 549

COM YARDAGE REQUIREMENTS 588

REVISION SUMMARY 592

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.



Specific models from the following series are available on Quick Delivery:

Universal Conference Table Tops	Barrington Occasional Tables
Conference Table Bases	Escalade Occasional Tables
Strassa	Roosevelt Occasional Tables
WaveWorks Training Tables	Universal Occasional Tables
Roosevelt Storage & Accessories	Accessories
Arrowood Occasional Tables	

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellations for Quick Delivery orders. The Quick Delivery orders must contain only Quick Delivery models - submit a separate order for any products that are not included in the program. Remember that the time to complete the order is based on business days and does not include weekends or holidays. The day your order is placed with National counts as day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 20? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
ARROWOOD MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 9		30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"		
BARRINGTON MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 9	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
EPIC MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 9	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
ESCALADE MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 9	30" 36" 42" 48"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
UNIVERSAL MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 9	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
WAVEWORKS	30"	30" X 30"	36" X 72"	36" X 72"	36" X 72"
	36"	36" X 36"	42" X 84"	42" X 84"	42" X 84"
	42"	42" X 42"	48" X 96"	48" X 96"	48" X 96"
	48"	48" X 48"	48" X 120"	48" X 120"	48" X 120"
	54"	54" X 54"	48" X 144"	48" X 144"	48" X 144"
	60"	60" X 60"	48" X 168"	48" X 168"	48" X 168"
	72"		48" X 192"	48" X 192"	48" X 192"
	96"		48" X 216"	48" X 216"	48" X 216"
			48" X 240"	48" X 240"	48" X 240"
			60" X 144"	60" X 144"	60" X 144"
			60" X 168"	60" X 168"	60" X 168"
			60" X 192"	60" X 192"	60" X 192"
			60" X 216"	60" X 216"	60" X 216"
			60" X 240"	60" X 240"	60" X 240"
MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK					
SEE PAGE 9					

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SIZES	TOP SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
24" X 24"	4	4	N/A	N/A	N/A
30" x 30"	4	4	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A
54" x 54"	5	4	N/A	N/A	N/A
60" x 60"	6	4-6	N/A	N/A	N/A
72" x 72"	7	N/A	N/A	N/A	N/A
96" x 96"	9-10	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	6	6	6
42" x 84"	N/A	N/A	6	6	6
48" x 96"	N/A	N/A	6-8	6-8	6-8
48" x 120"	N/A	N/A	8-10	8-10	8-10
48" x 144"	N/A	N/A	10-12	10-12	10-12
48" x 168"	N/A	N/A	12-14	12-14	12-14
48" x 192"	N/A	N/A	14-16	14-16	14-16
48" x 216"	N/A	N/A	16-18	16-18	16-18
48" x 240"	N/A	N/A	18-20	18-20	18-20
60" x 144"	N/A	N/A	10-12	10-12	10-12
60" x 168"	N/A	N/A	12-14	12-14	12-14
60" x 192"	N/A	N/A	14-16	14-16	14-16
60" x 216"	N/A	N/A	16-18	16-18	16-18
60" x 240"	N/A	N/A	18-20	18-20	18-20


NUMBER OF PIECES PER TABLE TOP

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

- 120" wide tops for the following will be in 1 piece: Tessera, Footings, and Strassa

TOP SHAPES

TOP SIZES	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
24" X 24"	1	1	N/A	N/A	N/A
30" x 30"	1	1	N/A	N/A	N/A
36" x 36"	1	1	N/A	N/A	N/A
42" x 42"	1	1	N/A	N/A	N/A
48" x 48"	1	1	N/A	N/A	N/A
54" x 54"	1	1	N/A	N/A	N/A
60" x 60"	1	1	N/A	N/A	N/A
72" x 72"	2	N/A	N/A	N/A	N/A
96" x 96"	2	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	1	1	1
42" x 84"	N/A	N/A	1	1	1
48" x 96"	N/A	N/A	1	1	1
48" x 120"	N/A	N/A	2	2	2
48" x 144"	N/A	N/A	2	2	2
48" x 168"	N/A	N/A	2	2	2
48" x 192"	N/A	N/A	2	2	2
48" x 216"	N/A	N/A	3	3	3
48" x 240"	N/A	N/A	3	3	3
60" x 144"	N/A	N/A	2	2	2
60" x 168"	N/A	N/A	2	2	2
60" x 192"	N/A	N/A	2	2	2
60" x 216"	N/A	N/A	3	3	3
60" x 240"	N/A	N/A	3	3	3

CONFERENCE TOP SIZE MODIFICATIONS

- Available on all series except Universal
- Modified sizing not available on round/square tables in any series
- Size modifications (cut downs) are available at no upcharge on rectangular, boat, and racetrack conference table tops
- The tops can be cut down in 6" increments on the depth, width, or both
- Available cut down sizes are noted in the chart below
- For specific conference top models that allow modified sizing, see notes under the individual models within the price list

•	STANDARD SIZE
—	MODIFIED SIZE


WIDTH	DEPTH					NUMBER OF PIECES
	36"	42"	48"	54"	60"	
240"		—	•	—	•	3
234"		—	—	—	—	3
228"		—	—	—	—	3
222"		—	—	—	—	3
216"		—	•	—	•	3
210"		—	—	—	—	3
204"		—	—	—	—	3
198"		—	—	—	—	3
192"		—	•	—	•	2
186"		—	—	—	—	2
180"		—	—	—	—	2
174"		—	—	—	—	2
168"		—	•	—	•	2
162"		—	—	—	—	2
156"		—	—	—	—	2
150"		—	—	—	—	2
144"		—	•	—	•	2
138"		—	—	—	—	2
132"		—	—	—	—	2
126"		—	—	—	—	2
120"	—	—	•			2
114"	—	—	—			2
108"	—	—	—			2
102"	—	—	—			2
96"	—	—	•			1
90"	—	—	—			1
84"	—	•				1
78"	—	—				1
72"	•					1
66"	—					1
	36"	42"	48"	54"	60"	NUMBER OF PIECES

DEPTH

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- NACG10EL Round Electrical Grommet



- Must be ordered separately

- G10 Round Grommet



± 4¼"


TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	36"-60"				72"				84"				96"				120" 2 PIECE TOP			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
G10C CENTER	36"	18"	—	—	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—	120"	—	60"	—
	42"	21"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48"	24"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	54"	27"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	60"	30"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G10E END	N/A				72"	16"	—	—	84"	19"	—	—	96"	22"	—	—	120"	18"	—	—
					72"	16"	—	—	84"	19"	—	—	96"	22"	—	—	120"	18"	—	—
G10LR LEFT, RIGHT	N/A				72"	16"	—	—	84"	19"	—	—	96"	22"	—	—	120"	18"	—	—
					72"	16"	—	—	84"	19"	—	—	96"	22"	—	—	120"	18"	—	—
G10A ALL	N/A				72"	16"	36"	—	84"	19"	42"	—	96"	22"	48"	—	120"	18"	60"	—
					72"	16"	36"	—	84"	19"	42"	—	96"	22"	48"	—	120"	18"	60"	—
G10CE CENTER, END	N/A				72"	16"	36"	—	84"	19"	42"	—	96"	22"	48"	—	120"	18"	60"	—
					72"	16"	36"	—	84"	19"	42"	—	96"	22"	48"	—	120"	18"	60"	—

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- NACG10EL Round Electrical Grommet



- Must be ordered separately

- G10 Round Grommet




± 4¼" ±

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	—	72"	—	—	168"	—	61"	107"	—	192"	—	70"	122"	—	216"	—	79"	137"	—	240"	—	88"	152"	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	—	—	—	168"	19"	—	—	—	192"	22¼"	—	122"	—	216"	25¼"	—	—	—	240"	28¼"	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	—	—	122"	168"	19"	—	—	149"	192"	22¼"	—	—	169¾"	216"	25¼"	—	—	190¾"	240"	28¼"	—	—	211¾"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	—	122"	168"	19"	61"	107"	149"	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	—	—	168"	19"	61"	107"	—	192"	22¼"	70"	122"	—	216"	25¼"	79"	137"	—	240"	28¼"	88"	152"	—

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 559-560
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Undersurface cable managers are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 46-47 for Base Placement Guide



• CUT-G15 option




***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	36"-60"					72"					84"					96"					120" 2 PIECE TOP				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G15C CENTER	36"	18"	—	—	—	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—	120"	—	60"	—	—
	42"	21"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48"	24"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	54"	27"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	60"	30"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CUT-G15E END	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	18"	—	—	—	84"	21"	—	—	—	96"	24"	—	—	—	120"	20"	—	—	—
CUT-G15LR LEFT, RIGHT	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	18"	—	—	54"	84"	21"	—	—	63"	96"	24"	—	—	72"	120"	20"	—	—	100"
CUT-G15A ALL	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	100"
CUT-G15CE CENTER, END	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	—

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 559-560
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Undersurface cable managers are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 46-47 for Base Placement Guide



• CUT-G15 option



***60" wide tops will be 29% to the center of the side dimension**


TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G15C CENTER																									
	144"	—	72"	—	—	168"	—	63"	105"	—	192"	—	72"	120"	—	216"	—	81"	135"	—	240"	—	90"	150"	—
CUT-G15E END																									
	144"	24 1/4"	—	—	—	168"	21 1/4"	—	—	—	192"	24 1/4"	—	—	—	216"	27 1/4"	—	—	—	240"	30 3/4"	—	—	—
CUT-G15LR LEFT, RIGHT																									
	144"	24 1/4"	—	—	119 3/4"	168"	21 1/4"	—	—	146 3/4"	192"	24 1/4"	—	—	167 3/4"	216"	27 1/4"	—	—	188 3/4"	240"	30 3/4"	—	—	209 3/4"
CUT-G15A ALL																									
	144"	24 1/4"	72"	—	119 3/4"	168"	21 1/4"	63"	105"	146 3/4"	192"	24 1/4"	72"	120"	167 3/4"	216"	27 1/4"	81"	135"	188 3/4"	240"	30 3/4"	90"	150"	209 3/4"
CUT-G15CE CENTER, END																									
	144"	24 1/4"	72"	—	—	168"	21 1/4"	63"	105"	—	192"	24 1/4"	72"	120"	—	216"	27 1/4"	81"	135"	—	240"	30 3/4"	90"	150"	—


POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Undersurface cable managers are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29 1/2" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately

- CUT-G16 option





TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	72"				84"				96"				120" 2 PIECE TOP				144" 2 PIECE TOP			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
CUT-G16C CENTER																				
	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—	120"	—	—	—	144"	—	—	—
CUT-G16E END																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	—	144"	48"	—	—
CUT-G16LR LEFT, RIGHT																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	80"	144"	48"	—	96"
CUT-G16A ALL																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—
CUT-G16CE CENTER, END																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Undersurface cable managers are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



• NACG162EL Data/Power Oasis



• Must be ordered separately

• CUT-G16 option





TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	168" 2 PIECE TOP				192" 2 PIECE TOP				216" 3 PIECE TOP				240" 3 PIECE TOP			
		A	B	C		A	B	C		A	B	C		A	B	C
CUT-G16C CENTER		A	B	C		A	B	C		A	B	C		A	B	C
	168"	—	84"	—	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
CUT-G16E END		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	—	—	192"	48½"	—	—	216"	54¼"	—	—	240"	60¼"	—	—
CUT-G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	—	126"	192"	48½"	—	143¾"	216"	54¼"	—	161¾"	240"	60¼"	—	179¾"
CUT-G16A ALL		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	84"	126"	192"	48½"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
CUT-G16CE CENTER, END		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	84"	—	192"	48½"	96"	—	216"	54¼"	108"	—	240"	60¼"	120"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- G10 Round Grommet



└ 4¼" ┘

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER															
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	—	84"	19"	—	—	—	96"	22"	—	—	—
	66"	14½"	—	—	—	78"	17½"	—	—	—	90"	20½"	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	56"	84"	19"	—	—	65"	96"	22"	—	—	74"
	66"	14½"	—	—	51½"	78"	17½"	—	—	60½"	90"	20½"	—	—	69½"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	56"	84"	19"	42"	—	65"	96"	22"	48"	—	74"
	66"	14½"	33"	—	51½"	78"	17½"	39"	—	60½"	90"	20½"	45"	—	69½"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	—	84"	19"	42"	—	—	96"	22"	48"	—	—
	66"	14½"	33"	—	—	78"	17½"	39"	—	—	90"	20½"	45"	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- G10 Round Grommet



└ 4¼" ┘

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER	120"	—	60"	—	—	144"	—	72"	—	—	168"	—	61"	107"	—
	114"	—	57"	—	—	138"	—	69"	—	—	162"	—	58¾"	103¾"	—
	108"	—	54"	—	—	132"	—	66"	—	—	156"	—	56½"	99½"	—
	102"	—	51"	—	—	126"	—	63"	—	—	150"	—	54¾"	95¾"	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	—	—	—	144"	22"	—	—	—	168"	19"	—	—	—
	114"	17"	—	—	—	138"	21"	—	—	—	162"	18¾"	—	—	—
	108"	16"	—	—	—	132"	20"	—	—	—	156"	17½"	—	—	—
G10LR LEFT, RIGHT	102"	15"	—	—	—	126"	19"	—	—	—	150"	16¾"	—	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	—	—	102"	144"	22"	—	—	122"	168"	19"	—	—	149"
	114"	17"	—	—	97"	138"	21"	—	—	117"	162"	18¾"	—	—	143¾"
G10A ALL	108"	16"	—	—	92"	132"	20"	—	—	112"	156"	17½"	—	—	138½"
	102"	15"	—	—	87"	126"	19"	—	—	107"	150"	16¾"	—	—	133¾"
		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	60"	—	102"	144"	22"	72"	—	122"	168"	19"	61"	107"	149"
G10CE CENTER, END	114"	17"	57"	—	97"	138"	21"	69"	—	117"	162"	18¾"	58¾"	103¾"	143¾"
	108"	16"	54"	—	92"	132"	20"	66"	—	112"	156"	17½"	56½"	99½"	138½"
	102"	15"	51"	—	87"	126"	19"	63"	—	107"	150"	16¾"	54¾"	95¾"	133¾"
		A	B	C	D		A	B	C	D		A	B	C	D
G10CE CENTER, END	120"	18"	60"	—	—	144"	22"	72"	—	—	168"	19"	61"	107"	—
	114"	17"	57"	—	—	138"	21"	69"	—	—	162"	18¾"	58¾"	103¾"	—
	108"	16"	54"	—	—	132"	20"	66"	—	—	156"	17½"	56½"	99½"	—
	102"	15"	51"	—	—	126"	19"	63"	—	—	150"	16¾"	54¾"	95¾"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**




- G10 Round Grommet



└ 4¼" ┘

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	—	70"	122"	—	216"	—	79"	137"	—	240"	—	88"	152"	—
	186"	—	67¾"	118¾"	—	210"	—	76¾"	133¾"	—	234"	—	85¾"	148¾"	—
	180"	—	65½"	114½"	—	204"	—	74½"	129½"	—	228"	—	83½"	144½"	—
	174"	—	63¾"	110¾"	—	198"	—	72¾"	125¾"	—	222"	—	81¼"	140¾"	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	—	122"	—	216"	25¼"	—	—	—	240"	28¼"	—	—	—
	186"	21½"	—	118¾"	—	210"	24½"	—	—	—	234"	27½"	—	—	—
	180"	20¾"	—	114½"	—	204"	23¾"	—	—	—	228"	26¾"	—	—	—
	174"	19¾"	—	110¾"	—	198"	23"	—	—	—	222"	26"	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	—	—	169¾"	216"	25¼"	—	—	190¾"	240"	28¼"	—	—	211¾"
	186"	21½"	—	—	164½"	210"	24½"	—	—	185½"	234"	27½"	—	—	206½"
	180"	20¾"	—	—	159¾"	204"	23¾"	—	—	180¼"	228"	26¾"	—	—	201¼"
	174"	19¾"	—	—	154¾"	198"	23"	—	—	175"	222"	26"	—	—	196"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
	186"	21½"	67¾"	118¾"	164½"	210"	24½"	76¾"	133¾"	185½"	234"	27½"	85¾"	148¾"	206½"
	180"	20¾"	65½"	114½"	159¾"	204"	23¾"	74½"	129½"	180¼"	228"	26¾"	83½"	144½"	201¼"
	174"	19¾"	63¾"	110¾"	154¾"	198"	23"	72¾"	125¾"	175"	222"	26"	81¼"	140¾"	196"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	—	216"	25¼"	79"	137"	—	240"	28¼"	88"	152"	—
	186"	21½"	67¾"	118¾"	—	210"	24½"	76¾"	133¾"	—	234"	27½"	85¾"	148¾"	—
	180"	20¾"	65½"	114½"	—	204"	23¾"	74½"	129½"	—	228"	26¾"	83½"	144½"	—
	174"	19¾"	63¾"	110¾"	—	198"	23"	72¾"	125¾"	—	222"	26"	81¼"	140¾"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 559-560
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER															
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	—	84"	21"	—	—	—	96"	24"	—	—	—
	66"	16½"	—	—	—	78"	19½"	—	—	—	90"	22½"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	54"	84"	21"	—	—	63"	96"	24"	—	—	72"
	66"	16½"	—	—	49½"	78"	19½"	—	—	58½"	90"	22½"	—	—	67½"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 559-560
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 46-47 for Base Placement Guide

*60" wide tops will be 29½" to the center of the side dimension



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	—	60"	—	—	144"	—	72"	—	—	168"	—	63"	105"	—
	114"	—	57"	—	—	138"	—	69"	—	—	162"	—	60¾"	101¼"	—
	108"	—	54"	—	—	132"	—	66"	—	—	156"	—	58½"	97½"	—
	102"	—	51"	—	—	126"	—	63"	—	—	150"	—	56¼"	93¾"	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	—	—	—	144"	24¼"	—	—	—	168"	21¼"	—	—	—
	114"	19"	—	—	—	138"	23"	—	—	—	162"	20½"	—	—	—
	108"	18"	—	—	—	132"	22"	—	—	—	156"	19¾"	—	—	—
	102"	17"	—	—	—	126"	21"	—	—	—	150"	19"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	—	—	100"	144"	24¼"	—	—	119¾"	168"	21¼"	—	—	146¾"
	114"	19"	—	—	95"	138"	23"	—	—	115"	162"	20½"	—	—	141½"
	108"	18"	—	—	90"	132"	22"	—	—	110"	156"	19¾"	—	—	136¾"
	102"	17"	—	—	85"	126"	21"	—	—	105"	150"	19"	—	—	131"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	—	100"	144"	24¼"	72"	—	119¾"	168"	21¼"	63"	105"	146¾"
	114"	19"	57"	—	95"	138"	23"	69"	—	115"	162"	20½"	60¾"	101¼"	141½"
	108"	18"	54"	—	90"	132"	22"	66"	—	110"	156"	19¾"	58½"	97½"	136¾"
	102"	17"	51"	—	85"	126"	21"	63"	—	105"	150"	19"	56¼"	93¾"	131"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	—	—	144"	24¼"	72"	—	—	168"	21¼"	63"	105"	—
	114"	19"	57"	—	—	138"	23"	69"	—	—	162"	20½"	60¾"	101¼"	—
	108"	18"	54"	—	—	132"	22"	66"	—	—	156"	19¾"	58½"	97½"	—
	102"	17"	51"	—	—	126"	21"	63"	—	—	150"	19"	56¼"	93¾"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 559-560
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



• CUT-G15 option
9½"
7⅝"


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	192"	—	72"	120"	—	216"	—	81"	135"	—	240"	—	90"	150"	—
	186"	—	69¾"	116¼"	—	210"	—	78¾"	131¼"	—	234"	—	87¾"	146¼"	—
	180"	—	67½"	112½"	—	204"	—	76½"	127½"	—	228"	—	85½"	142½"	—
	174"	—	65¼"	108¾"	—	198"	—	74¼"	123¾"	—	222"	—	83¾"	138¾"	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	—	—	—	216"	27¼"	—	—	—	240"	30¼"	—	—	—
	186"	23½"	—	—	—	210"	26½"	—	—	—	234"	29½"	—	—	—
	180"	22¾"	—	—	—	204"	25¾"	—	—	—	228"	28¾"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	—	—	167¾"	216"	27¼"	—	—	188¾"	240"	30¼"	—	—	209¾"
	186"	23½"	—	—	162½"	210"	26½"	—	—	183½"	234"	29½"	—	—	204½"
	180"	22¾"	—	—	157¼"	204"	25¾"	—	—	178¾"	228"	28¾"	—	—	199¾"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
	186"	23½"	69¾"	116¼"	162½"	210"	26½"	78¾"	131¼"	183½"	234"	29½"	87¾"	146¼"	204½"
	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¾"	228"	28¾"	85½"	142½"	199¾"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- CUT-G16 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	72"				84"				96"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—
	66"	—	33"	—	78"	—	39"	—	90"	—	45"	—
G16E END		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16A ALL		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**




GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	120"				144"				168"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	120"	—	—	—	144"	—	—	—	168"	—	84"	—
	114"	—	—	—	138"	—	—	—	162"	—	81"	—
	108"	—	—	—	132"	—	—	—	156"	—	78"	—
	102"	—	—	—	126"	—	—	—	150"	—	75"	—
G16E END		A	B	C		A	B	C		A	B	C
	120"	40"	—	—	144"	48"	—	—	168"	42"	—	—
	114"	38"	—	—	138"	46"	—	—	162"	40½"	—	—
	108"	36"	—	—	132"	44"	—	—	156"	39"	—	—
	102"	34"	—	—	126"	42"	—	—	150"	37½"	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	120"	40"	—	80"	144"	48"	—	96"	168"	42"	—	126"
	114"	38"	—	76"	138"	46"	—	92"	162"	40½"	—	121½"
	108"	36"	—	72"	132"	44"	—	88"	156"	39"	—	117"
	102"	34"	—	68"	126"	42"	—	84"	150"	37½"	—	112½"
G16A ALL		A	B	C		A	B	C		A	B	C
	120"	—	—	—	144"	—	—	—	168"	42"	84"	126"
	114"	—	—	—	138"	—	—	—	162"	40½"	81"	121½"
	108"	—	—	—	132"	—	—	—	156"	39"	78"	117"
	102"	—	—	—	126"	—	—	—	150"	37½"	75"	112½"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	120"	—	—	—	144"	—	—	—	168"	42"	84"	—
	114"	—	—	—	138"	—	—	—	162"	40½"	81"	—
	108"	—	—	—	132"	—	—	—	156"	39"	78"	—
	102"	—	—	—	126"	—	—	—	150"	37½"	75"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 46-47 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- CUT-G16 option




TABLE LENGTH (IN)


GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	192"				216"				240"			
		A	B	C		A	B	C		A	B	C
G16C CENTER	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
	186"	—	93"	—	210"	—	105"	—	234"	—	117"	—
	180"	—	90"	—	204"	—	102"	—	228"	—	114"	—
	174"	—	87"	—	198"	—	99"	—	222"	—	111"	—
G16E END		A	B	C		A	B	C		A	B	C
	192"	48¼"	—	—	216"	54¼"	—	—	240"	60¼"	—	—
	186"	46½"	—	—	210"	52¾"	—	—	234"	58¾"	—	—
	180"	45"	—	—	204"	51¼"	—	—	228"	57¼"	—	—
	174"	43½"	—	—	198"	49¾"	—	—	222"	55¾"	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	192"	48¼"	—	143¾"	216"	54¼"	—	161¾"	240"	60¼"	—	179¾"
	186"	46½"	—	139½"	210"	52¾"	—	157¼"	234"	58¾"	—	175¼"
	180"	45"	—	135"	204"	51¼"	—	152¾"	228"	57¼"	—	170¾"
	174"	43½"	—	130½"	198"	49¾"	—	148¾"	222"	55¾"	—	166¾"
G16A ALL		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
	186"	46½"	93"	139½"	210"	52¾"	105"	157¼"	234"	58¾"	117"	175¼"
	180"	45"	90"	135"	204"	51¼"	102"	152¾"	228"	57¼"	114"	170¾"
	174"	43½"	87"	130½"	198"	49¾"	99"	148¾"	222"	55¾"	111"	166¾"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	—	216"	54¼"	108"	—	240"	60¼"	120"	—
	186"	46½"	93"	—	210"	52¾"	105"	—	234"	58¾"	117"	—
	180"	45"	93"	—	204"	51¼"	102"	—	228"	57¼"	114"	—
	174"	43½"	87"	—	198"	49¾"	99"	—	222"	55¾"	111"	—

TABLE BASE GUIDE

Table Base Guide	26
Table Base Placement Guide	46

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
24", 24" x 24"  Bases at right applicable to 24" round or square tables	 METAL CBV0228COBP (Qty. 4)	 METAL CBV0228COBMP (Qty. 4)	 METAL CBV2215DRNBP (Qty. 1)	 METAL CBV2228DRNBP (Qty. 1)
	 METAL CBV2235DRNBP (Qty. 1)	 METAL CBV2240DRNBP (Qty. 1)	 METAL CBV2215DSQBP (Qty. 1)	 METAL CBV2228DSQBP (Qty. 1)
	 METAL CBV2235DSQBP (Qty. 1)	 METAL CBV2240DSQBP (Qty. 1)		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.


TOPS	BASES			
30", 30" x 30"  Bases at right applicable to 30" round or square tables	 METAL CBV0228COBP (Qty. 4)	 METAL CBV0228COBMP (Qty. 4)	 METAL CBV2728XBP (Qty. 1)	 METAL CBV2728XBMP (Qty. 1)
	 METAL CBV2735XBP (Qty. 1)	 METAL CBV2741XBP (Qty. 1)	 METAL CBV2215DRNBP (Qty. 1)	 METAL CBV2228DRNBP (Qty. 1)
	 METAL CBV2235DRNBP (Qty. 1)	 METAL CBV2240DRNBP (Qty. 1)	 METAL CBV2215DSQBP (Qty. 1)	 METAL CBV2228DSQBP (Qty. 1)
	 METAL CBV2235DSQBP (Qty. 1)	 METAL CBV2240DSQBP (Qty. 1)		

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
36", 36" x 36"  Bases at right applicable to 36" round or square tables	 WOOD 10N1628CYBW (P1) (Qty. 1) For use with round tops only	 LAMINATE 10N1628CYBL (P1) (Qty. 1) For use with round tops only	 WOOD BW-16 (Qty. 1) For use with round tops only	 LAMINATE BP-16 (Qty. 1) For use with round tops only
	 WOOD 25N1628SQBW (Epic) (Qty. 1)	 WOOD 10N1628SQBW (P1) (Qty. 1)	 WOOD 10N1628SQBW (P2) (Qty. 1)	 WOOD 10N1628SQBW (P3) (Qty. 1)
	 LAMINATE 25N1628SQBL (Epic) (Qty. 1)	 LAMINATE 10N1628SQBL (P1) (Qty. 1)	 WOOD 25N1628SQBXW (Epic) (Qty. 1)	 WOOD 10N1628SQBXW (P1) (Qty. 1)
	 WOOD 10N1628SQBXW (P2) (Qty. 1)	 WOOD 10N1628SQBXW (P3) (Qty. 1)	 LAMINATE 25N1628SQBXL (Epic) (Qty. 1)	 LAMINATE 10N1628SQBXL (P1) (Qty. 1)
	 WOOD BW-1616 (Qty. 1)	 METAL CBV0228COBP (Qty. 4)	 METAL CBV0228COBMP (Qty. 4)	 METAL CBV2828P4BP (Qty. 1)
	 METAL BW-4 (Qty. 1)	 METAL CBV3228XBP (Qty. 1)	 METAL CBV3228XBMP (Qty. 1)	 METAL CBV3235XBP (Qty. 1)
	 METAL CBV3241XBP (Qty. 1)	 METAL CBV3226XBAB CBV3226XBAS CBV3226XBAN (Qty. 1)	 METAL CBV2215DRNBP (Qty. 1) For use with round tops only	 METAL CBV2228DRNBP (Qty. 1) Not for use with 36" soft square solid surface tops

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.









TOPS	BASES			
36", 36" x 36" (CONTINUED)  Bases at right applicable to 36" round or square tables	 METAL CBV2235DRNBP (Qty. 1) For use with round tops only	 METAL CBV2240DRNBP (Qty. 1) For use with round tops only	 METAL CBV2715DRNBP (Qty. 1)	 METAL CBV2728DRNBP (Qty. 1)
	 METAL CBV2735DRNBP (Qty. 1)	 METAL CBV2740DRNBP (Qty. 1)	 METAL CBV2215DSQBP (Qty. 1)	 METAL CBV2228DSQBP (Qty. 1)
	 METAL CBV2235DSQBP (Qty. 1)	 METAL CBV2240DSQBP (Qty. 1)	 METAL CBV2715DSQBP (Qty. 1)	 METAL CBV2728DSQBP (Qty. 1)
	 METAL CBV2735DSQBP (Qty. 1)	 METAL CBV2740DSQBP (Qty. 1)	 WOOD 10N1827TPBW, 10N1827TPBP (Qty. 1)	

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
42", 42" x 42"  Bases at right applicable to 42" round or square tables	 WOOD 10N1828CYBW (P1) (Qty. 1) For use with round tops only	 LAMINATE 10N1828CYBL (P1) (Qty. 1) For use with round tops only	 WOOD BW-18 (Qty. 1) For use with round tops only	 LAMINATE BP-18 (Qty. 1) For use with round tops only
	 WOOD 25N1828SQBW (Epic) (Qty. 1)	 WOOD 10N1828SQBW (P1) (Qty. 1)	 WOOD 10N1828SQBW (P2) (Qty. 1)	 WOOD 10N1828SQBW (P3) (Qty. 1)
	 LAMINATE 25N1828SQBL (Epic) (Qty. 1)	 LAMINATE 10N1828SQBL (P1) (Qty. 1)	 WOOD 25N1828SQBXW (Epic) (Qty. 1)	 WOOD 10N1828SQBXW (P1) (Qty. 1)
	 WOOD 10N1828SQBXW (P2) (Qty. 1)	 WOOD 10N1828SQBXW (P3) (Qty. 1)	 LAMINATE 25N1828SQBXL (Epic) (Qty. 1)	 LAMINATE 10N1828SQBXL (P1) (Qty. 1)
	 WOOD BW-1616 (Qty. 1)	 WOOD TBW-4 (Qty. 1)	 METAL CBV0228COBP (Qty. 4)	 METAL CBV0228COBMP (Qty. 4)
	 METAL CBV2828P4BP (Qty. 1)	 METAL CBV3428P4BP (Qty. 1)	 METAL BW-4 (Qty. 1)	 METAL CBV4028XBP (Qty. 1)
	 METAL CBV4028XBMP (Qty. 1)	 WOOD 10N2427TPBW, 10N2427TPBP (Qty. 1)		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.





TOPS	BASES			
48", 48" x 48"  Bases at right applicable to 48" round or square tables	 WOOD 10N1828CYBW (P1) (Qty. 1) For use with round tops only	 LAMINATE 10N1828CYBL (P1) (Qty. 1) For use with round tops only	 WOOD BW-18 (Qty. 1) For use with round tops only	 LAMINATE BP-18 (Qty. 1) For use with round tops only
	 WOOD 25N1828SQBW (Epic) (Qty. 1)	 WOOD 10N1828SQBW (P1) (Qty. 1)	 WOOD 10N1828SQBW (P2) (Qty. 1)	 WOOD 10N1828SQBW (P3) (Qty. 1)
	 LAMINATE 25N1828SQBL (Epic) (Qty. 1)	 LAMINATE 10N1828SQBL (P1) (Qty. 1)	 WOOD 25N1828SQBXW (Epic) (Qty. 1)	 WOOD 10N1828SQBXW (P1) (Qty. 1)
	 WOOD 10N1828SQBXW (P2) (Qty. 1)	 WOOD 10N1828SQBXW (P3) (Qty. 1)	 LAMINATE 25N1828SQBXL (Epic) (Qty. 1)	 LAMINATE 10N1828SQBXL (P1) (Qty. 1)
	 WOOD BW-1616 (Qty. 1)	 WOOD TBW-4 (Qty. 1) For use with round tops only Not for use with 48" solid surface tops	 METAL CBV0228COBP (Qty. 4)	 METAL CBV0228COBMP (Qty. 4)
	 METAL CBV3428P4BP (Qty. 1)	 METAL BW-4 (Qty. 1)	 METAL CBV4028XBP (Qty. 1)	 METAL CBV4028XBMP (Qty. 1)
	 WOOD 10N2427TPBW, 10N2427TPBP (Qty. 1)			

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
54", 54" x 54" 60", 60" x 60"  Bases at right applicable to 54" or 60" round or square tables	 WOOD 10N2428CYBW (P1) (Qty. 1) For use with round tops only	 LAMINATE 10N2428CYBL (P1) (Qty. 1) For use with round tops only	 WOOD BW-24 (Qty. 1) For use with round tops only	 LAMINATE BP-24 (Qty. 1) For use with round tops only
	 WOOD 25N2428SQBW (Epic) (Qty. 1)	 WOOD 10N2428SQBW (P1) (Qty. 1)	 WOOD 10N2428SQBW (P2) (Qty. 1)	 WOOD 10N2428SQBW (P3) (Qty. 1)
	 LAMINATE 25N2428SQBL (Epic) (Qty. 1)	 LAMINATE 10N2428SQBL (P1) (Qty. 1)	 WOOD 25N2428SQBXW (Epic) (Qty. 1)	 WOOD 10N2428SQBXW (P1) (Qty. 1)
	 WOOD 10N2428SQBXW (P2) (Qty. 1)	 WOOD 10N2428SQBXW (P3) (Qty. 1)	 LAMINATE 25N2428SQBXL (Epic) (Qty. 1)	 LAMINATE 10N2428SQBXL (P1) (Qty. 1)
	 METAL CBV4728XB, CBV4728XS, CBV4728XN (Qty. 1)	 WOOD 10N2427TPBW, 10N2427TPBP (Qty. 1) (54" only)		
72" 96"  Bases at right applicable to 72" or 96" round tables	 WOOD 10N3627TPBW, 10N3627TPBP (Qty. 1) For use with 72" or 60" round tops		 WOOD 10N6027TPBW, 10N6027TPBP (Qty. 1) For use with 96" round tops only	









The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
36" x 72" 42" x 84"    Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat, or racetrack tables	 WOOD 10N1628CYBW (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 LAMINATE 10N1628CYBL (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD BW-16 (Qty. 2) Very limited kneespace with 36" x 72" conference top	 LAMINATE BP-16 (Qty. 2) Very limited kneespace with 36" x 72" conference top
	 WOOD 25N1628SQBW (Epic) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 10N1628SQBW (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 10N1628SQBW (P2) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 10N1628SQBW (P3) (Qty. 2) Very limited kneespace with 36" x 72" conference top
	 LAMINATE 25N1628SQBL (Epic) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 LAMINATE 10N1628SQBL (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 25N1628SQBXW (Epic) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 10N1628SQBXW (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top
	 WOOD 10N1628SQBXW (P2) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD 10N1628SQBXW (P3) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 LAMINATE 25N1628SQBXL (Epic) (Qty. 2) Very limited kneespace with 36" x 72" conference top	 LAMINATE 10N1628SQBXL (P1) (Qty. 2) Very limited kneespace with 36" x 72" conference top
	 WOOD BW-1616 (Qty. 2) Very limited kneespace with 36" x 72" conference top	 WOOD TBW-4 (Qty. 2)	 WOOD BW-2427S (Qty. 2)	 LAMINATE BP-2427S (Qty. 2)
	 LAMINATE BP-2427C (Qty. 2)	 WOOD 25N1828PNW (Epic) (Qty. 2)	 WOOD 10N1828PNW (P1) (Qty. 2)	 WOOD 10N1828PNW (P2) (Qty. 2)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
36" x 72" 42" x 84" (CONTINUED)    Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat, or racetrack tables	 WOOD 10N1828PNW (P3) (Qty. 2)	 LAMINATE 25N1828PNL (Epic) (Qty. 2)	 LAMINATE 10N1828PNL (P1) (Qty. 2)	 WOOD 25N72PNKW (Epic) 25N84PNKW (Epic) (Qty. 1)
	 WOOD 10N72PNKW (P1) 10N84PNKW (P1) (Qty. 1)	 WOOD 10N72PNKW (P2) 10N84PNKW (P2) (Qty. 1)	 WOOD 10N72PNKW (P3) 10N84PNKW (P3) (Qty. 1)	 LAMINATE 25N72PNKL (Epic) 25N84PNKL (Epic) (Qty. 1)
	 LAMINATE 10N72PNKL (P1) 10N84PNKL (P1) (Qty. 1)	 METAL CBV2928P2BP (Qty. 2)		





The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 96"    Bases at right applicable to 48" x 96" rectangle, boat, or racetrack tables	 WOOD 10N1828CYBW (P1) (Qty. 2)	 LAMINATE 10N1828CYBL (P1) (Qty. 2)	 WOOD BW-18 (Qty. 2)	 LAMINATE BP-18 (Qty. 2)
	 WOOD 25N1828SQBW (Epic) (Qty. 2)	 WOOD 10N1828SQBW (P1) (Qty. 2)	 WOOD 10N1828SQBW (P2) (Qty. 2)	 WOOD 10N1828SQBW (P3) (Qty. 2)
	 LAMINATE 25N1828SQBL (Epic) (Qty. 2)	 LAMINATE 10N1828SQBL (P1) (Qty. 2)	 WOOD 25N1828SQBXW (Epic) (Qty. 2)	 WOOD 10N1828SQBXW (P1) (Qty. 2)
	 WOOD 10N1828SQBXW (P2) (Qty. 2)	 WOOD 10N1828SQBXW (P3) (Qty. 2)	 LAMINATE 25N1828SQBXL (Epic) (Qty. 2)	 LAMINATE 10N1828SQBXL (P1) (Qty. 2)
	 WOOD TBW-4 (Qty. 2)	 WOOD BW-2427S (Qty. 2)	 LAMINATE BP-2427S (Qty. 2)	 LAMINATE BP-2427C (Qty. 2)
	 WOOD 25N2428PNW (Epic) (Qty. 2)	 WOOD 10N2428PNW (P1) (Qty. 2)	 WOOD 10N2428PNW (P2) (Qty. 2)	 WOOD 10N2428PNW (P3) (Qty. 2)
	 LAMINATE 25N2428PNL (Epic) (Qty. 2)	 LAMINATE 10N2428PNL (P1) (Qty. 2)	 WOOD 25N96PNKW (Epic) (Qty. 1)	 WOOD 10N96PNKW (P1) (Qty. 1)








Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 96" (CONTINUED)    Bases at right applicable to 48" x 96" rectangle, boat, or racetrack tables	 WOOD 10N96PNKW (P2) (Qty. 1)	 WOOD 10N96PNKW (P3) (Qty. 1)	 LAMINATE 25N96PNKL (Epic) (Qty. 1)	 LAMINATE 10N96PNKL (P1) (Qty. 1)
	 METAL CBV2928P2BP (Qty. 3)			







The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 120" 48" x 144"    Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat, or racetrack tables	 WOOD 10N1828CYBW (P1) (Qty. 3)	 LAMINATE 10N1828CYBL (P1) (Qty. 3)	 WOOD BW-18 (Qty. 3)	 LAMINATE BP-18 (Qty. 3)
	 WOOD 25N1828SQBW (Epic) (Qty. 3)	 WOOD 10N1828SQBW (P1) (Qty. 3)	 WOOD 10N1828SQBW (P2) (Qty. 3)	 WOOD 10N1828SQBW (P3) (Qty. 3)
	 WOOD 25N1828SQBL (Epic) (Qty. 3)	 LAMINATE 10N1828SQBL (P1) (Qty. 3)	 WOOD 25N1828SQBXW (Epic) (Qty. 3)	 WOOD 10N1828SQBXW (P1) (Qty. 3)
	 WOOD 10N1828SQBXW (P2) (Qty. 3)	 WOOD 10N1828SQBXW (P3) (Qty. 3)	 LAMINATE 25N1828SQBXL (Epic) (Qty. 3)	 LAMINATE 10N1828SQBXL (P1) (Qty. 3)
	 WOOD TBW-4 (Qty. 3)	 WOOD BW-2427S (Qty. 3)	 LAMINATE BP-2427S (Qty. 3)	 LAMINATE BP-2427C (Qty. 3)
	 WOOD 25N2428PNW (Epic) (Qty. 3)	 WOOD 10N2428PNW (P1) (Qty. 3)	 WOOD 10N2428PNW (P2) (Qty. 3)	 WOOD 10N2428PNW (P3) (Qty. 3)
	 LAMINATE 25N2428PNL (Epic) (Qty. 3)	 LAMINATE 10N2428PNL (P1) (Qty. 3)	 WOOD 25N120PNKW (Epic) 25N144PNKW (Epic) (Qty. 1)	 WOOD 10N120PNKW (P1) 10N144PNKW (P1) (Qty. 1)


Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 120" 48" x 144" (CONTINUED)    Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat, or racetrack tables	 WOOD 10N120PNKW (P2) 10N144PNKW (P2) (Qty. 1)  METAL CBV2928P2BP (Qty. 3)	 WOOD 10N120PNKW (P3) 10N144PNKW (P3) (Qty. 1)	 LAMINATE 25N120PNKL (Epic) 25N144PNKL (Epic) (Qty. 1)	 LAMINATE 10N120PNKL (P1) 10N144PNKL (P1) (Qty. 1)






The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 168" 48" x 192"    Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat, or racetrack tables				
	WOOD 10N1828CYBW (P1) (Qty. 4)	LAMINATE 10N1828CYBL (P1) (Qty. 4)	WOOD BW-18 (Qty. 4)	LAMINATE BP-18 (Qty. 4)
				
	WOOD 25N1828SQBW (Epic) (Qty. 4)	WOOD 10N1828SQBW (P1) (Qty. 4)	WOOD 10N1828SQBW (P2) (Qty. 4)	WOOD 10N1828SQBW (P3) (Qty. 4)
				
	WOOD 25N1828SQBL (Epic) (Qty. 4)	LAMINATE 10N1828SQBL (P1) (Qty. 4)	WOOD 25N1828SQBXW (Epic) (Qty. 4)	WOOD 10N1828SQBXW (P1) (Qty. 4)
				
	WOOD 10N1828SQBXW (P2) (Qty. 4)	WOOD 10N1828SQBXW (P3) (Qty. 4)	LAMINATE 25N1828SQBXL (Epic) (Qty. 4)	LAMINATE 10N1828SQBXL (P1) (Qty. 4)
				
	WOOD TBW-4 (Qty. 4)	WOOD BW-2427S (Qty. 4)	LAMINATE BP-2427S (Qty. 4)	LAMINATE BP-2427C (Qty. 4)
				
	WOOD 25N2428PNW (Epic) (Qty. 4)	WOOD 10N2428PNW (P1) (Qty. 4)	WOOD 10N2428PNW (P2) (Qty. 4)	WOOD 10N2428PNW (P3) (Qty. 4)
				
	LAMINATE 25N2428PNL (Epic) (Qty. 4)	LAMINATE 10N2428PNL (P1) (Qty. 4)		
			WOOD 25N168PNKW (Epic) 25N192PNKW (Epic) (Qty. 1)	WOOD 10N168PNKW (P1) 10N192PNKW (P1) (Qty. 1)








Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 168" 48" x 192" (CONTINUED)    Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat, or racetrack tables	 WOOD 10N168PNKW (P2) 10N192PNKW (P2) (Qty. 1)  METAL CBV2928P2BP (Qty. 4)	 WOOD 10N168PNKW (P3) 10N192PNKW (P3) (Qty. 1)	 LAMINATE 25N168PNKL (Epic) 25N192PNKL (Epic) (Qty. 1)	 LAMINATE 10N168PNKL (P1) 10N192PNKL (P1) (Qty. 1)






The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 216" 48" x 240"    Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat, or racetrack tables				
	WOOD 10N1828CYBW (P1) (Qty. 4)	LAMINATE 10N1828CYBL (P1) (Qty. 4)	WOOD BW-18 (Qty. 4)	LAMINATE BP-18 (Qty. 4)
				
	WOOD 25N1828SQBW (Epic) (Qty. 4)	WOOD 10N1828SQBW (P1) (Qty. 4)	WOOD 10N1828SQBW (P2) (Qty. 4)	WOOD 10N1828SQBW (P3) (Qty. 4)
				
	WOOD 25N1828SQBL (Epic) (Qty. 4)	LAMINATE 10N1828SQBL (P1) (Qty. 4)	WOOD 25N1828SQBXW (Epic) (Qty. 4)	WOOD 10N1828SQBXW (P1) (Qty. 4)
				
	WOOD 10N1828SQBXW (P2) (Qty. 4)	WOOD 10N1828SQBXW (P3) (Qty. 4)	LAMINATE 25N1828SQBXL (Epic) (Qty. 4)	LAMINATE 10N1828SQBXL (P1) (Qty. 4)
				
	WOOD TBW-4 (Qty. 4)	WOOD BW-2427S (Qty. 5)	LAMINATE BP-2427S (Qty. 5)	LAMINATE BP-2427C (Qty. 5)
				
	WOOD 25N2428PNW (Epic) (Qty. 4)	WOOD 10N2428PNW (P1) (Qty. 4)	WOOD 10N2428PNW (P2) (Qty. 4)	WOOD 10N2428PNW (P3) (Qty. 4)
				
	LAMINATE 25N2428PNL (Epic) (Qty. 4)	LAMINATE 10N2428PNL (P1) (Qty. 4)	WOOD 25N216PNKW (Epic) 25N240PNKW (Epic) (Qty. 1)	WOOD 10N216PNKW (P1) 10N240PNKW (P1) (Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 216" 48" x 240" (CONTINUED)    Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat, or racetrack tables	 WOOD 10N216PNKW (P2) 10N240PNKW (P2) (Qty. 1)  METAL CBV2928P2BP (Qty. 5)	 WOOD 10N216PNKW (P3) 10N240PNKW (P3) (Qty. 1)	 LAMINATE 25N216PNKL (Epic) 25N240PNKL (Epic) (Qty. 1)	 LAMINATE 10N216PNKL (P1) 10N240PNKL (P1) (Qty. 1)

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.







TOPS	BASES			
60" x 144"    Bases at right applicable to 60" x 144" rectangle, boat, or racetrack tables	 WOOD 10N2428CYBW (P1)* (Qty. 3)	 LAMINATE 10N2428CYBL (P1)* (Qty. 3)	 WOOD BW-24* (Qty. 3)	 LAMINATE BP-24* (Qty. 3)
	 WOOD 25N2428SQBW (Epic)* (Qty. 3)	 WOOD 10N2428SQBW (P1)* (Qty. 3)	 WOOD 10N2428SQBW (P2)* (Qty. 3)	 WOOD 10N2428SQBW (P3)* (Qty. 3)
	 LAMINATE 25N2428SQBL (Epic)* (Qty. 3)	 LAMINATE 10N2428SQBL (P1)* (Qty. 3)	 WOOD 25N2428SQBXW (Epic)* (Qty. 3)	 WOOD 10N2428SQBXW (P1)* (Qty. 3)
	 WOOD 10N2428SQBXW (P2)* (Qty. 3)	 WOOD 10N2428SQBXW (P3)* (Qty. 3)	 LAMINATE 25N2428SQBXL (Epic)* (Qty. 3)	 LAMINATE 10N2428SQBXL (P1)* (Qty. 3)
	 WOOD 25N2428PNW (Epic) (Qty. 3)	 WOOD 10N2428PNW (P1) (Qty. 3)	 WOOD 10N2428PNW (P2) (Qty. 3)	 WOOD 10N2428PNW (P3) (Qty. 3)
	 LAMINATE 25N2428PNL (Epic) (Qty. 3)	 LAMINATE 10N2428PNL (P1) (Qty. 3)	 WOOD 25N60144PNKW (Epic) (Qty. 1)	 WOOD 10N60144PNKW (P1) (Qty. 1)
	 WOOD 10N60144PNKW (P2) (Qty. 1)	 WOOD 10N60144PNKW (P3) (Qty. 1)	 LAMINATE 25N60144PNKL (Epic) (Qty. 1)	 LAMINATE 10N60144PNKL (P1) (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
60" x 168" 60" x 192" 60" x 216" 60" x 240"    Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, boat, or racetrack tables	 WOOD 10N2428CYBW (P1)* (Qty. 4)	 LAMINATE 10N2428CYBL (P1)* (Qty. 4)	 WOOD BW-24* (Qty. 4)	 LAMINATE BP-24* (Qty. 4)
	 WOOD 25N2428SQBW (Epic)* (Qty. 4)	 WOOD 10N2428SQBW (P1)* (Qty. 4)	 WOOD 10N2428SQBW (P2)* (Qty. 4)	 WOOD 10N2428SQBW (P3)* (Qty. 4)
	 LAMINATE 25N2428SQBL (Epic)* (Qty. 4)	 LAMINATE 10N2428SQBL (P1)* (Qty. 4)	 WOOD 25N2428SQBXW (Epic)* (Qty. 4)	 WOOD 10N2428SQBXW (P1)* (Qty. 4)
	 WOOD 10N2428SQBXW (P2)* (Qty. 4)	 WOOD 10N2428SQBXW (P3)* (Qty. 4)	 LAMINATE 25N2428SQBXL (Epic)* (Qty. 4)	 LAMINATE 10N2428SQBXL (P1)* (Qty. 4)
	 WOOD 25N2428PNW (Epic) (Qty. 4)	 WOOD 10N2428PNW (P1) (Qty. 4)	 WOOD 10N2428PNW (P2) (Qty. 4)	 WOOD 10N2428PNW (P3) (Qty. 4)
	 LAMINATE 25N2428PNL (Epic) (Qty. 4)	 LAMINATE 10N2428PNL (P1) (Qty. 4)	 WOOD 25N60168PNKW (Epic) 25N60192PNKW (Epic) 25N60216PNKW (Epic) 25N60240PNKW (Epic) (Qty. 1)	 WOOD 10N60168PNKW (P1) 10N60192PNKW (P1) 10N60216PNKW (P1) 10N60240PNKW (P1) (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.





TOPS	BASES			
60" x 168" 60" x 192" 60" x 216" 60" x 240" (CONTINUED)    Bases at right applicable to 60" x 168", 60" x 192", 60 x 216", or 60" x 240" rectangle, boat, or racetrack tables	 WOOD 10N60168PNKW (P2) 10N60192PNKW (P2) 10N60216PNKW (P2) 10N60240PNKW (P2) (Qty. 1)	 WOOD 10N60168PNKW (P3) 10N60192PNKW (P3) 10N60216PNKW (P3) 10N60240PNKW (P3) (Qty. 1)	 LAMINATE 25N60168PNKL (Epic) 25N60192PNKL (Epic) 25N60216PNKL (Epic) 25N60240PNKL (Epic) (Qty. 1)	 LAMINATE 10N60168PNKL (P1) 10N60192PNKL (P1) 10N60216PNKL (P1) 10N60240PNKL (P1) (Qty. 1)

TABLE BASE PLACEMENT GUIDE

- All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	SQUARE AND ROUND BASES		QUEEN ANNE, THICK PANEL BASES, AND KITS		FIGURES (NOT TO SCALE)
	C	A	B	A	B	
240	81	30	9	28	7	
234	78	29 $\frac{1}{4}$	9 $\frac{3}{4}$	27 $\frac{1}{4}$	7 $\frac{3}{4}$	
228	75	28 $\frac{1}{2}$	10 $\frac{1}{2}$	26 $\frac{1}{2}$	8 $\frac{1}{2}$	
222	72	27 $\frac{3}{4}$	11 $\frac{1}{4}$	25 $\frac{3}{4}$	9 $\frac{1}{4}$	
216	69	27	12	25	10	
210	66	26 $\frac{1}{4}$	12 $\frac{3}{4}$	24 $\frac{1}{4}$	10 $\frac{3}{4}$	
204	63	25 $\frac{1}{2}$	13 $\frac{1}{2}$	23 $\frac{1}{2}$	11 $\frac{1}{2}$	
198	60	24 $\frac{3}{4}$	14 $\frac{1}{4}$	22 $\frac{3}{4}$	12 $\frac{1}{4}$	
192	96	24	24	22	26	
186	93	23 $\frac{1}{4}$	23 $\frac{1}{4}$	21 $\frac{1}{4}$	25 $\frac{1}{4}$	
180	90	22 $\frac{1}{2}$	22 $\frac{1}{2}$	20 $\frac{1}{2}$	24 $\frac{1}{2}$	
174	87	21 $\frac{3}{4}$	21 $\frac{3}{4}$	19 $\frac{3}{4}$	23 $\frac{3}{4}$	
168	84	21	21	19	23	
162	81	20 $\frac{1}{4}$	20 $\frac{1}{4}$	18 $\frac{1}{4}$	22 $\frac{1}{4}$	
156	78	19 $\frac{1}{2}$	19 $\frac{1}{2}$	17 $\frac{1}{2}$	21 $\frac{1}{2}$	
150	75	18 $\frac{3}{4}$	18 $\frac{3}{4}$	16 $\frac{3}{4}$	20 $\frac{3}{4}$	
144	72	24	centered	22	centered	
138	69	23	centered	21	centered	
132	66	22	centered	20	centered	
126	63	21	centered	19	centered	
120	60	20	centered	18	centered	
114	57	19	centered	17	centered	
108	54	18	centered	16	centered	
102	51	17	centered	15	centered	
96	N/A	24	N/A	22	N/A	
90	N/A	22 $\frac{1}{2}$	N/A	20 $\frac{1}{2}$	N/A	
84	N/A	21	N/A	19	N/A	
78	N/A	19 $\frac{1}{2}$	N/A	17 $\frac{1}{2}$	N/A	
72	N/A	18	N/A	16	N/A	
66	N/A	16 $\frac{1}{2}$	N/A	14 $\frac{1}{2}$	N/A	

TABLE BASE PLACEMENT GUIDE

- All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	THIN PANELS, CURVED PANELS, AND METAL BASES			FIGURES (NOT TO SCALE)
	C	NUMBER OF BASES	A	B	
240	81	5	24	72	
234	78	5	24	72	
228	75	5	24	72	
222	72	5	24	72	
216	69	5	24	66	
210	66	5	24	66	
192	96	4	24	72	
186	93	4	24	70	
180	90	4	24	68	
174	87	4	24	66	
168	84	4	24	64	
162	81	4	24	62	
156	78	4	24	60	
150	75	4	24	58	
144	72	3	24	centered	
138	69	3	24	centered	
132	66	3	24	centered	
126	63	3	24	centered	
120	60	3	24	centered	
114	57	3	24	centered	
108	54	3	24	centered	
102	51	3	24	centered	
96 (2 prong)	48	3	24	N/A	
90 (2 prong)	45	3	24	N/A	
96	N/A	2	24	N/A	
90	N/A	2	24	N/A	
84	N/A	2	18	N/A	
78	N/A	2	18	N/A	
72	N/A	2	18	N/A	
66	N/A	2	18	N/A	

TABLE BASE PLACEMENT GUIDE

CONFERENCE TABLE TOPS

Arrowwood™	50
Barrington®	56
Epic®	64
Escalade®	87
Universal	95
WaveWorks®	112

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 1⅜" or 1⅞" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1⅜" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

ARROWOOD SHAPES AND SIZES



SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
NM	Natural Maple
TF	Truffle Cherry

RIM PROFILE



21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

793	Acorn	DW	Judicial
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
IM	Brighton	PB	Portobello
CL	Caramel	792	Sable
CW	Cordovan	TF	Truffle
HN2	Honey 2		

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list for each grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

- 31NN3636SQW G10C NM
31NN3636SQLW G10C MC
- See page 51 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		1 1/2" TOP THICKNESS		D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE									
	31NN3030SQW	Wood	\$ 1460	30	30	1 1/2	—	—	33 lbs.	2.0
	31NN3030SQLW	Laminate/Wood	1460	30	30	1 1/2	—	—	33 lbs.	2.0
	36" SQUARE									
	31NN3636SQW	Wood	\$ 1719	36	36	1 1/2	—	—	45 lbs.	2.4
	31NN3636SQLW	Laminate/Wood	1719	36	36	1 1/2	—	—	45 lbs.	2.4
	42" SQUARE									
	31NN4242SQW	Wood	\$ 1926	42	42	1 1/2	—	—	61 lbs.	3.2
	31NN4242SQLW	Laminate/Wood	1926	42	42	1 1/2	—	—	61 lbs.	3.2
	48" SQUARE									
	31NN4848SQW	Wood	\$ 2143	48	48	1 1/2	—	—	79 lbs.	4.2
	31NN4848SQLW	Laminate/Wood	2143	48	48	1 1/2	—	—	79 lbs.	4.2
	54" SQUARE									
	31NN5454SQW	Wood	\$ 2518	54	54	1 1/2	—	—	121 lbs.	6.9
	31NN5454SQLW	Laminate/Wood	2518	54	54	1 1/2	—	—	121 lbs.	6.9
	60" SQUARE									
	31NN6060SQW	Wood	\$ 2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3
	31NN6060SQLW	Laminate/Wood	2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

- 31N3030SQW G10C NM
31N3030SQLW G10C MC
- See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARROWOOD SQUARE TOP 	30" SQUARE									
	1 1/2" TOP THICKNESS									
	31N3030SQW	Wood	\$ 1301	30	30	1 1/2	—	—	33 lbs.	2.0
	31N3030SQLW	Laminate/Wood	1301	30	30	1 1/2	—	—	33 lbs.	2.0
	21N3030SQL	Laminate	674	30	30	1 1/2	—	—	33 lbs.	2.0
	36" SQUARE									
	31N3636SQW	Wood	\$ 1531	36	36	1 1/2	—	—	42 lbs.	2.4
	31N3636SQLW	Laminate/Wood	1531	36	36	1 1/2	—	—	42 lbs.	2.4
	21N3636SQL	Laminate	790	36	36	1 1/2	—	—	42 lbs.	2.4
	42" SQUARE									
	31N4242SQW	Wood	\$ 1740	42	42	1 1/2	—	—	58 lbs.	3.2
	31N4242SQLW	Laminate/Wood	1740	42	42	1 1/2	—	—	58 lbs.	3.2
	21N4242SQL	Laminate	1133	42	42	1 1/2	—	—	58 lbs.	3.2
	48" SQUARE									
	31N4848SQW	Wood	\$ 1957	48	48	1 1/2	—	—	76 lbs.	4.2
	31N4848SQLW	Laminate/Wood	1957	48	48	1 1/2	—	—	76 lbs.	4.2
	21N4848SQL	Laminate	1555	48	48	1 1/2	—	—	76 lbs.	4.2

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X MH
31NN48216RTLW X X X CW

- See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARROWOOD RECTANGLE TOP	36" x 72"									
	1 1/8" TOP THICKNESS									
	31NN3672RTW	Wood	\$ 2724	36	72	1 1/8	—	—	136 lbs.	6.3
	31NN3672RTLW	Laminate/Wood	2724	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	31NN4284RTW	Wood	\$ 3219	42	84	1 1/8	—	—	180 lbs.	8.3
	31NN4284RTLW	Laminate/Wood	3219	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	31NN4896RTW	Wood	\$ 3707	48	96	1 1/8	—	—	233 lbs.	10.5
	31NN4896RTLW	Laminate/Wood	3707	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	31NN48120RTW	Wood	\$ 5059	48	120	1 1/8	—	—	279 lbs.	10.6
	31NN48120RTLW	Laminate/Wood	5059	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	31NN48144RTW	Wood	\$ 6270	48	144	1 1/8	—	—	332 lbs.	12.5
	31NN48144RTLW	Laminate/Wood	6270	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	31NN48168RTW	Wood	\$ 7216	48	168	1 1/8	—	—	385 lbs.	14.3
	31NN48168RTLW	Laminate/Wood	7216	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	31NN48192RTW	Wood	\$ 8160	48	192	1 1/8	—	—	438 lbs.	16.2
	31NN48192RTLW	Laminate/Wood	8160	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	31NN48216RTW	Wood	\$ 9104	48	216	1 1/8	—	—	524 lbs.	20.0
	31NN48216RTLW	Laminate/Wood	9104	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	31NN48240RTW	Wood	\$ 10053	48	240	1 1/8	—	—	571 lbs.	22.0
	31NN48240RTLW	Laminate/Wood	10053	48	240	1 1/8	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN60144RTW CUT-G15LR X X MH
31NN60144RTLW X X X CW

• See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
ARROWOOD RECTANGLE TOP (CONTINUED) 	60" x 144"											
	1 1/4" TOP THICKNESS											
	31NN60144RTW	Wood	\$ 8146	58 3/8	144	1 1/4	—	—			412 lbs.	18.0
	31NN60144RTLW	Laminate/Wood	8146	58 3/8	144	1 1/4	—	—			412 lbs.	18.0
	60" x 168"											
	31NN60168RTW	Wood	\$ 9380	58 3/8	168	1 1/4	—	—			480 lbs.	22.5
	31NN60168RTLW	Laminate/Wood	9380	58 3/8	168	1 1/4	—	—			480 lbs.	22.5
	60" x 192"											
	31NN60192RTW	Wood	\$ 10611	58 3/8	192	1 1/4	—	—			539 lbs.	29.0
	31NN60192RTLW	Laminate/Wood	10611	58 3/8	192	1 1/4	—	—			539 lbs.	29.0
	60" x 216"											
	31NN60216RTW	Wood	\$ 11835	58 3/8	216	1 1/4	—	—			647 lbs.	31.0
	31NN60216RTLW	Laminate/Wood	11835	58 3/8	216	1 1/4	—	—			647 lbs.	31.0
	60" x 240"											
	31NN60240RTW	Wood	\$ 13062	58 3/8	240	1 1/4	—	—			706 lbs.	34.0
	31NN60240RTLW	Laminate/Wood	13062	58 3/8	240	1 1/4	—	—			706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1 $\frac{1}{8}$ " bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

BARRINGTON SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"




BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

CW	Cordovan Walnut
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Walnut
TW	Tribeca Walnut
TF	Truffle Walnut
UW	Urban Walnut

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center	9½"
CUT-G15E	End	7¾"
CUT-G15LR	Left, Right	
CUT-G15A	All	
CUT-G15CE	Center, End	


- Reference pages 12-13 for cutout locations of CUT-G15

Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center	14½"
CUT-G16E	End	8¾"
CUT-G16LR	Left, Right	
CUT-G16A	All	
CUT-G16CE	Center, End	

- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELHS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELHS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN36RDW X DW
• See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON ROUND TOP	30" ROUND 1 1/16" TOP THICKNESS			DI		H				
	50NN30RDW	Wood	\$ 1924	30	—	1 1/16	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1924	36	—	1 1/16	—	—	33 lbs.	2.0
	36" ROUND									
	50NN36RDW	Wood	\$ 2266	36	—	1 1/16	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	2266	36	—	1 1/16	—	—	45 lbs.	2.4
	42" ROUND									
	50NN42RDW	Wood	\$ 2476	42	—	1 1/16	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	2476	42	—	1 1/16	—	—	61 lbs.	3.2
	48" ROUND									
	50NN48RDW	Wood	\$ 3061	48	—	1 1/16	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	3061	48	—	1 1/16	—	—	79 lbs.	4.2
	54" ROUND									
	50NN54RDW	Wood	\$ 3732	54	—	1 1/16	—	—	121 lbs.	6.9
	50NN54RDLW	Laminate/Wood	3732	54	—	1 1/16	—	—	121 lbs.	6.9
	60" ROUND									
	50NN60RDW	Wood	\$ 4114	58 1/2	—	1 1/16	—	—	150 lbs.	8.3
	50NN60RDLW	Laminate/Wood	4114	58 1/2	—	1 1/16	—	—	150 lbs.	8.3

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN3636SQW X MH

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
	BARRINGTON SQUARE TOP											
	30" SQUARE											
	1 1/8" TOP THICKNESS											
	50NN3030SQW	Wood	\$ 1924	30	30	1 1/8	—	—			33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1924	30	30	1 1/8	—	—			33 lbs.	2.0
	36" SQUARE											
	50NN3636SQW	Wood	\$ 2266	36	36	1 1/8	—	—			45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	2266	36	36	1 1/8	—	—			45 lbs.	2.4
	42" SQUARE											
	50NN4242SQW	Wood	\$ 2476	42	42	1 1/8	—	—			61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	2476	42	42	1 1/8	—	—			61 lbs.	3.2
	48" SQUARE											
	50NN4848SQW	Wood	\$ 3061	48	48	1 1/8	—	—			79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	3061	48	48	1 1/8	—	—			79 lbs.	4.2
	54" SQUARE											
	50NN5454SQW	Wood	\$ 3732	54	54	1 1/8	—	—			121 lbs.	6.9
	50NN5454SQLW	Laminate/Wood	3732	54	54	1 1/8	—	—			121 lbs.	6.9
	60" SQUARE											
	50NN6060SQW	Wood	\$ 4114	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3
	50NN6060SQLW	Laminate/Wood	4114	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X DW
50NN48216RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

BARRINGTON RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" x 72"	1¹/₆" TOP THICKNESS								
	50NN3672RTW	Wood	\$ 3538	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	50NN3672RTLW	Laminate/Wood	3538	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284RTW	Wood	\$ 4174	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	50NN4284RTLW	Laminate/Wood	4174	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896RTW	Wood	\$ 4806	47 ¹ / ₂	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	50NN4896RTLW	Laminate/Wood	4806	47 ¹ / ₂	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120RTW	Wood	\$ 6563	47 ¹ / ₂	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	50NN48120RTLW	Laminate/Wood	6563	47 ¹ / ₂	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144RTW	Wood	\$ 8133	47 ¹ / ₂	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	50NN48144RTLW	Laminate/Wood	8133	47 ¹ / ₂	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168RTW	Wood	\$ 9361	47 ¹ / ₂	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	50NN48168RTLW	Laminate/Wood	9361	47 ¹ / ₂	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192RTW	Wood	\$ 10583	47 ¹ / ₂	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	50NN48192RTLW	Laminate/Wood	10583	47 ¹ / ₂	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216RTW	Wood	\$ 11805	47 ¹ / ₂	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	50NN48216RTLW	Laminate/Wood	11805	47 ¹ / ₂	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240RTW	Wood	\$ 13034	47 ¹ / ₂	240	1 ¹ / ₆	—	—	571 lbs.	22.0
	50NN48240RTLW	Laminate/Wood	13034	47 ¹ / ₂	240	1 ¹ / ₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144RTW CUT-G15A X X DW
50NN60144RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BARRINGTON RECTANGLE TOP (CONTINUED) 	60" x 144"									
	1 1/8" TOP THICKNESS									
	50NN60144RTW	Wood	\$ 10568	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	50NN60144RTLW	Laminate/Wood	10568	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168RTW	Wood	\$ 12167	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	50NN60168RTLW	Laminate/Wood	12167	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192RTW	Wood	\$ 13756	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	50NN60192RTLW	Laminate/Wood	13756	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216RTW	Wood	\$ 15352	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	50NN60216RTLW	Laminate/Wood	15352	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240RTW	Wood	\$ 16945	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	50NN60240RTLW	Laminate/Wood	16945	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X CW
50NN48216BTLW G10A X X CW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON BOAT TOP	36" x 72"	1 1/8" TOP THICKNESS								
	50NN3672BTW	Wood	\$ 3817	36	72	1 1/8	—	—	136 lbs.	6.3
	50NN3672BTLW	Laminate/Wood	3817	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284BTW	Wood	\$ 4449	42	84	1 1/8	—	—	180 lbs.	8.3
	50NN4284BTLW	Laminate/Wood	4449	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896BTW	Wood	\$ 5077	47 1/8	96	1 1/8	—	—	233 lbs.	10.5
	50NN4896BTLW	Laminate/Wood	5077	47 1/8	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120BTW	Wood	\$ 7131	47 1/8	120	1 1/8	—	—	279 lbs.	10.6
	50NN48120BTLW	Laminate/Wood	7131	47 1/8	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144BTW	Wood	\$ 8682	47 1/8	144	1 1/8	—	—	332 lbs.	12.5
	50NN48144BTLW	Laminate/Wood	8682	47 1/8	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168BTW	Wood	\$ 9898	47 1/8	168	1 1/8	—	—	385 lbs.	14.3
	50NN48168BTLW	Laminate/Wood	9898	47 1/8	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192BTW	Wood	\$ 11114	47 1/8	192	1 1/8	—	—	438 lbs.	16.2
	50NN48192BTLW	Laminate/Wood	11114	47 1/8	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216BTW	Wood	\$ 12323	47 1/8	216	1 1/8	—	—	524 lbs.	20.0
	50NN48216BTLW	Laminate/Wood	12323	47 1/8	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240BTW	Wood	\$ 13535	47 1/8	240	1 1/8	—	—	571 lbs.	22.0
	50NN48240BTLW	Laminate/Wood	13535	47 1/8	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144BTW G10A X X CW
50NN60144BTLW G10A X X CW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON BOAT TOP (CONTINUED) 	60" x 144"									
	1 1/8" TOP THICKNESS									
	50NN60144BTW	Wood	\$ 11285	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	50NN60144BTLW	Laminate/Wood	11285	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168BTW	Wood	\$ 12870	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	50NN60168BTLW	Laminate/Wood	12870	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192BTW	Wood	\$ 14449	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	50NN60192BTLW	Laminate/Wood	14449	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216BTW	Wood	\$ 16020	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	50NN60216BTLW	Laminate/Wood	16020	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240BTW	Wood	\$ 17594	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	50NN60240BTLW	Laminate/Wood	17594	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	• Depth dimension reflects widest distance across middle of top • Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top • Modified depth and width are available; refer to the chart on page 9 for conference top sizing									

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1¾" or 1%" HPL (high pressure laminate), and feature a 3mm vinyl or wood rim, or a knife rim profile with a 3mm vinyl or wood rim on the vertical edge
- Veneer surfaces are 1¾" and feature a 3mm wood rim or knife rim profile with a wood rim on the vertical edge
- Knife rim surfaces available on all sides
- Refer to page 65 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

EPIC SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"




RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE*

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris
*Not available on occasional tables	

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES

VINYL RIM


793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

WOOD RIM


AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Softened Vinyl (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN36RDW F X MC
25NN36RDL V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM 	30" ROUND									
	1 1/8" TOP THICKNESS									
	25NN30RDW	Wood	\$ 1910	30 1/16"	—	1 1/8"	—	—	33 lbs.	2.0
	25NN30RDL	Laminate	1123	30 1/16"	—	1 1/8"	—	—	33 lbs.	2.0
	36" ROUND									
	25NN36RDW	Wood	\$ 2245	36 1/16"	—	1 1/8"	—	—	40 lbs.	2.4
	25NN36RDL	Laminate	1319	36 1/16"	—	1 1/8"	—	—	40 lbs.	2.4
	42" ROUND									
	25NN42RDW	Wood	\$ 2723	42 1/16"	—	1 1/8"	—	—	61 lbs.	3.2
	25NN42RDL	Laminate	1808	42 1/16"	—	1 1/8"	—	—	61 lbs.	3.2
	48" ROUND									
	25NN48RDW	Wood	\$ 3323	48 1/16"	—	1 1/8"	—	—	79 lbs.	4.2
	25NN48RDL	Laminate	2413	48 1/16"	—	1 1/8"	—	—	79 lbs.	4.2
	54" ROUND									
	25NN54RDW	Wood	\$ 3698	54 1/16"	—	1 1/8"	—	—	121 lbs.	6.9
	25NN54RDL	Laminate	2787	54 1/16"	—	1 1/8"	—	—	121 lbs.	6.9
	60" ROUND									
	25NN60RDW	Wood	\$ 4070	60 1/16"	—	1 1/8"	—	—	150 lbs.	8.3
	25NN60RDL	Laminate	3165	60 1/16"	—	1 1/8"	—	—	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Lamine Top Color

SAMPLE MODEL NUMBERS:

25N30RDW F X MC
25N30RDL V461 X 461
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM 	30" ROUND			1 3/16" TOP THICKNESS						
	25N30RDW	Wood	\$ 1748	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	25N30RDL	Laminate	963	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDW	Wood	\$ 2055	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	25N36RDL	Laminate	1132	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDW	Wood	\$ 2537	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	25N42RDL	Laminate	1617	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDW	Wood	\$ 3134	48 1/16	—	1 3/16	—	—	79 lbs.	4.2
	25N48RDL	Laminate	2222	48 1/16	—	1 3/16	—	—	79 lbs.	4.2

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN36RDWK F X MC
25NN36RDLK V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC ROUND TOP KNIFE RIM 	30" ROUND									
	1 1/8" TOP THICKNESS									
	25NN30RDWK	Wood	\$ 2478	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	25NN30RDLK	Laminate	1458	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	36" ROUND									
	25NN36RDWK	Wood	\$ 2915	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	25NN36RDLK	Laminate	1717	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	42" ROUND									
	25NN42RDWK	Wood	\$ 3540	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	25NN42RDLK	Laminate	2346	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	48" ROUND									
	25NN48RDWK	Wood	\$ 4317	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	25NN48RDLK	Laminate	3134	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	54" ROUND									
	25NN54RDWK	Wood	\$ 4808	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	25NN54RDLK	Laminate	3626	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	60" ROUND									
	25NN60RDWK	Wood	\$ 5290	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3
	25NN60RDLK	Laminate	4116	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N36RDWK F X MC
25N36RDLK V461 X 461
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
EPIC ROUND TOP KNIFE RIM 	30" ROUND			1 3/16" TOP THICKNESS						
	25N30RDWK	Wood	\$ 2272	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	25N30RDLK	Laminate	1250	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDWK	Wood	\$ 2673	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	25N36RDLK	Laminate	1473	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDWK	Wood	\$ 3297	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	25N42RDLK	Laminate	2104	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDWK	Wood	\$ 4077	48 1/16	—	1 3/16	—	—	79 lbs.	4.2
	25N48RDLK	Laminate	2891	48 1/16	—	1 3/16	—	—	79 lbs.	4.2

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQW F G10C TF
25NN3636SQL V405 G10C 405

- See page 65 for all options available in Epic

EPIC SQUARE TOP
SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE		1 1/8" TOP THICKNESS	D	W	H						
25NN3030SQW	Wood	\$ 1910	30 1/16	30 1/16	1 1/8	—	—			33 lbs.	2.0
25NN3030SQL	Laminate	1123	30 1/16	30 1/16	1 1/8	—	—			33 lbs.	2.0
36" SQUARE											
25NN3636SQW	Wood	\$ 2245	36 1/16	36 1/16	1 1/8	—	—			45 lbs.	3.0
25NN3636SQL	Laminate	1319	36 1/16	36 1/16	1 1/8	—	—			45 lbs.	3.0
42" SQUARE											
25NN4242SQW	Wood	\$ 2723	42 1/16	42 1/16	1 1/8	—	—			59 lbs.	3.8
25NN4242SQL	Laminate	1808	42 1/16	42 1/16	1 1/8	—	—			59 lbs.	3.8
48" SQUARE											
25NN4848SQW	Wood	\$ 3323	48 1/16	48 1/16	1 1/8	—	—			76 lbs.	4.5
25NN4848SQL	Laminate	2413	48 1/16	48 1/16	1 1/8	—	—			76 lbs.	4.5
54" SQUARE											
25NN5454SQW	Wood	\$ 3698	54 1/16	54 1/16	1 1/8	—	—			121 lbs.	6.9
25NN5454SQL	Laminate	2787	54 1/16	54 1/16	1 1/8	—	—			121 lbs.	6.9
60" SQUARE											
25NN6060SQW	Wood	\$ 4070	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3
25NN6060SQL	Laminate	3165	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQW F G10C TF
25N3030SQL V405 G10C 405

• See page 65 for all options available in Epic

EPIC SQUARE TOP SOFTENED RIM 	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	30" SQUARE		1⅜" TOP THICKNESS							
	25N3030SQW	Wood	\$ 1748	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	25N3030SQL	Laminate	963	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	36" SQUARE									
	25N3636SQW	Wood	\$ 2055	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	25N3636SQL	Laminate	1132	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	42" SQUARE									
	25N4242SQW	Wood	\$ 2537	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8
	25N4242SQL	Laminate	1617	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8
	48" SQUARE									
25N4848SQW	Wood	\$ 3134	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	
25N4848SQL	Laminate	2222	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQWK F G10C TF
25NN3636SQLK V405 G10C 405

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC SQUARE TOP KNIFE RIM 	30" SQUARE		1 1/8" TOP THICKNESS							
	25NN3030SQWK	Wood	\$ 2478	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	25NN3030SQLK	Laminate	1458	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	25NN3636SQWK	Wood	\$ 2915	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	25NN3636SQLK	Laminate	1717	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	42" SQUARE									
	25NN4242SQWK	Wood	\$ 3540	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	25NN4242SQLK	Laminate	2346	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	48" SQUARE									
	25NN4848SQWK	Wood	\$ 4317	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	25NN4848SQLK	Laminate	3134	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	54" SQUARE									
	25NN5454SQWK	Wood	\$ 4808	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	25NN5454SQLK	Laminate	3626	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE									
	25NN6060SQWK	Wood	\$ 5290	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	25NN6060SQLK	Laminate	4116	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQWK F G10C TF
25N3030SQLK V405 G10C 405
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1⅜" TOP THICKNESS		D	W	H	A	KW		
	25N3030SQWK	Wood	\$ 2272	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	25N3030SQLK	Laminate	1250	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	36" SQUARE									
	25N3636SQWK	Wood	\$ 2673	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	25N3636SQLK	Laminate	1473	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	42" SQUARE									
25N4242SQWK	Wood	\$ 3297	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8	
25N4242SQLK	Laminate	2104	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8	
48" SQUARE										
25N4848SQWK	Wood	\$ 4077	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	
25N4848SQLK	Laminate	2891	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3672RTW F G10LR X X CW
 25NN3672RTL V480 G10LR 480
 • See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RECTANGLE TOP SOFTENED RIM 	36" x 72"		1 1/4" TOP THICKNESS							
	25NN3672RTW	Wood	\$ 3501	36	72	1 1/4	—	—	136 lbs.	6.3
	25NN3672RTL	Laminate	2591	36	72	1 1/4	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RTW	Wood	\$ 4128	42	84	1 1/4	—	—	180 lbs.	8.3
	25NN4284RTL	Laminate	3224	42	84	1 1/4	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RTW	Wood	\$ 4757	48	96	1 1/4	—	—	233 lbs.	10.5
	25NN4896RTL	Laminate	3865	48	96	1 1/4	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RTW	Wood	\$ 6498	48	120	1 1/4	—	—	279 lbs.	10.6
	25NN48120RTL	Laminate	5616	48	120	1 1/4	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RTW	Wood	\$ 8047	48	144	1 1/4	—	—	332 lbs.	12.5
	25NN48144RTL	Laminate	7183	48	144	1 1/4	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RTW	Wood	\$ 9268	48	168	1 1/4	—	—	385 lbs.	14.3
	25NN48168RTL	Laminate	8411	48	168	1 1/4	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RTW	Wood	\$ 10477	48	192	1 1/4	—	—	438 lbs.	16.2
	25NN48192RTL	Laminate	9637	48	192	1 1/4	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X CW
25NN48216RTL V480 G10LR 480

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216RTW	Wood	\$ 11691	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RTL	Laminate	10863	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RTW	Wood	\$ 12903	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RTL	Laminate	12096	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RTW	Wood	\$ 10466	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RTL	Laminate	9340	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RTW	Wood	\$ 12047	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RTL	Laminate	10938	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RTW	Wood	\$ 13621	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RTL	Laminate	12527	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RTW	Wood	\$ 15201	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RTL	Laminate	14127	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RTW	Wood	\$ 16775	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RTL	Laminate	15727	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RTWK K G10LR X CL
 25NN3672RTLK K425 G10LR X 425
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS							CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW				
EPIC RECTANGLE TOP KNIFE RIM 	36" x 72"		1 1/16" TOP THICKNESS									
	25NN3672RTWK	Wood	\$ 4553	36	72	1 1/16	—	—			136 lbs.	6.3
	25NN3672RTLK	Laminate	3368	36	72	1 1/16	—	—			136 lbs.	6.3
	42" x 84"											
	25NN4284RTWK	Wood	\$ 5368	42	84	1 1/16	—	—			180 lbs.	8.3
	25NN4284RTLK	Laminate	4191	42	84	1 1/16	—	—			180 lbs.	8.3
	48" x 96"											
	25NN4896RTWK	Wood	\$ 6184	48	96	1 1/16	—	—			233 lbs.	10.5
	25NN4896RTLK	Laminate	5018	48	96	1 1/16	—	—			233 lbs.	10.5
	48" x 120"											
	25NN48120RTWK	Wood	\$ 8447	48	120	1 1/16	—	—			279 lbs.	10.6
	25NN48120RTLK	Laminate	7304	48	120	1 1/16	—	—			279 lbs.	10.6
	48" x 144"											
	25NN48144RTWK	Wood	\$ 10462	48	144	1 1/16	—	—			332 lbs.	12.5
	25NN48144RTLK	Laminate	9338	48	144	1 1/16	—	—			332 lbs.	12.5
	48" x 168"											
	25NN48168RTWK	Wood	\$ 12045	48	168	1 1/16	—	—			385 lbs.	14.3
	25NN48168RTLK	Laminate	10934	48	168	1 1/16	—	—			385 lbs.	14.3
	48" x 192"											
	25NN48192RTWK	Wood	\$ 13623	48	192	1 1/16	—	—			438 lbs.	16.2
	25NN48192RTLK	Laminate	12530	48	192	1 1/16	—	—			438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

- 25NN48216RTWK K G10LR X CL
25NN48216RTLK K425 G10LR X 425
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RECTANGLE TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216RTWK	Wood	\$ 15201	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RTLK	Laminate	14127	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RTWK	Wood	\$ 16775	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RTLK	Laminate	15727	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RTWK	Wood	\$ 13603	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RTLK	Laminate	12140	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RTWK	Wood	\$ 15660	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RTLK	Laminate	14218	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RTWK	Wood	\$ 17707	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RTLK	Laminate	16285	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RTWK	Wood	\$ 19758	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RTLK	Laminate	18363	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RTWK	Wood	\$ 21809	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RTLK	Laminate	20444	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672BTW F G10LR X CW
25NN3672BTL V480 G10LR 480
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
EPIC BOAT TOP SOFTENED RIM 	36" x 72"		1 1/8" TOP THICKNESS							
	25NN3672BTW	Wood	\$ 3778	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672BTL	Laminate	2884	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTW	Wood	\$ 4402	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284BTL	Laminate	3510	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTW	Wood	\$ 5022	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896BTL	Laminate	4141	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTW	Wood	\$ 7059	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120BTL	Laminate	6192	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTW	Wood	\$ 8593	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144BTL	Laminate	7747	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTW	Wood	\$ 9799	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168BTL	Laminate	8962	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTW	Wood	\$ 11003	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192BTL	Laminate	10173	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTW F G10LR X X CW
25NN48216BTL V480 G10LR 480

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP SOFTENED RIM (CONTINUED) 	48" x 216"									
	1 1/8" TOP THICKNESS									
	25NN48216BTW	Wood	\$ 12201	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216BTL	Laminate	11370	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240BTW	Wood	\$ 13402	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240BTL	Laminate	12597	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144BTW	Wood	\$ 11173	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144BTL	Laminate	10064	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168BTW	Wood	\$ 12739	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168BTL	Laminate	11649	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192BTW	Wood	\$ 14304	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192BTL	Laminate	13227	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216BTW	Wood	\$ 15863	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216BTL	Laminate	14782	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240BTW	Wood	\$ 17423	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240BTL	Laminate	16378	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTWK K G10LA X X AC
 25NN3672BTLK K461 G10LA X X 461
 • See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM 	36" x 72"		1¹/₈" TOP THICKNESS							
	25NN3672BTWK	Wood	\$ 4911	36	72	1 ¹ / ₈	—	—	136 lbs.	6.3
	25NN3672BTLK	Laminate	3750	36	72	1 ¹ / ₈	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTWK	Wood	\$ 5721	42	84	1 ¹ / ₈	—	—	180 lbs.	8.3
	25NN4284BTLK	Laminate	4563	42	84	1 ¹ / ₈	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTWK	Wood	\$ 6529	48	96	1 ¹ / ₈	—	—	233 lbs.	10.5
	25NN4896BTLK	Laminate	5383	48	96	1 ¹ / ₈	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTWK	Wood	\$ 9180	48	120	1 ¹ / ₈	—	—	279 lbs.	10.6
	25NN48120BTLK	Laminate	8054	48	120	1 ¹ / ₈	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTWK	Wood	\$ 11173	48	144	1 ¹ / ₈	—	—	332 lbs.	12.5
	25NN48144BTLK	Laminate	10065	48	144	1 ¹ / ₈	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTWK	Wood	\$ 12743	48	168	1 ¹ / ₈	—	—	385 lbs.	14.3
	25NN48168BTLK	Laminate	11649	48	168	1 ¹ / ₈	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTWK	Wood	\$ 14304	48	192	1 ¹ / ₈	—	—	438 lbs.	16.2
	25NN48192BTLK	Laminate	13227	48	192	1 ¹ / ₈	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10LA X X AC
25NN48216BTLK K461 G10LA X X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216BTWK	Wood	\$ 15863	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216BTLK	Laminate	14782	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240BTWK	Wood	\$ 17423	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240BTLK	Laminate	16381	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144BTWK	Wood	\$ 14523	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144BTLK	Laminate	13083	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168BTWK	Wood	\$ 16564	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168BTLK	Laminate	15147	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192BTWK	Wood	\$ 18593	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192BTLK	Laminate	17192	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216BTWK	Wood	\$ 20619	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216BTLK	Laminate	19218	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240BTWK	Wood	\$ 22650	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240BTLK	Laminate	21291	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RCW F G10LR X X DW
 25NN3672RCL V405 G10LR X X 405
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
	36" x 72"		1 1/8" TOP THICKNESS							
	25NN3672RCW	Wood	\$ 3817	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCL	Laminate	2910	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RCW	Wood	\$ 4449	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCL	Laminate	3546	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RCW	Wood	\$ 5077	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCL	Laminate	4181	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RCW	Wood	\$ 7131	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCL	Laminate	6256	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RCW	Wood	\$ 8682	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCL	Laminate	7822	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RCW	Wood	\$ 9899	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCL	Laminate	9054	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RCW	Wood	\$ 11115	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCL	Laminate	10277	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCW F G10LR X X DW
25NN48216RCL V405 G10LR X X 405

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
EPIC RACETRACK TOP SOFTENED RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS									
	25NN48216RCW	Wood	\$	12326	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RCL	Laminate		11482	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"										
	25NN48240RCW	Wood	\$	13538	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RCL	Laminate		12726	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"										
	25NN60144RCW	Wood	\$	11286	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RCL	Laminate		10168	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"										
	25NN60168RCW	Wood	\$	12871	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RCL	Laminate		11766	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"										
	25NN60192RCW	Wood	\$	14450	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RCL	Laminate		13361	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"										
	25NN60216RCW	Wood	\$	16020	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RCL	Laminate		14931	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"										
	25NN60240RCW	Wood	\$	17597	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RCL	Laminate		16544	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RCWK K G10A X CW
 25NN3672RCLK K425 G10A X CW
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RACETRACK TOP KNIFE RIM 	36" x 72"		1 1/16" TOP THICKNESS							
	25NN3672RCWK	Wood	\$ 4963	36	72	1 1/16	—	—	136 lbs.	6.3
	25NN3672RCLK	Laminate	3781	36	72	1 1/16	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RCWK	Wood	\$ 5778	42	84	1 1/16	—	—	180 lbs.	8.3
	25NN4284RCLK	Laminate	4608	42	84	1 1/16	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RCWK	Wood	\$ 6598	48	96	1 1/16	—	—	233 lbs.	10.5
	25NN4896RCLK	Laminate	5435	48	96	1 1/16	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RCWK	Wood	\$ 9270	48	120	1 1/16	—	—	279 lbs.	10.6
	25NN48120RCLK	Laminate	8133	48	120	1 1/16	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RCWK	Wood	\$ 11287	48	144	1 1/16	—	—	332 lbs.	12.5
	25NN48144RCLK	Laminate	10170	48	144	1 1/16	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RCWK	Wood	\$ 12871	48	168	1 1/16	—	—	385 lbs.	14.3
	25NN48168RCLK	Laminate	11766	48	168	1 1/16	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RCWK	Wood	\$ 14450	48	192	1 1/16	—	—	438 lbs.	16.2
	25NN48192RCLK	Laminate	13361	48	192	1 1/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCWK K G10A X X CW
 25NN48216RCLK K425 G10A X X CW
 • See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC RACETRACK TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216RCWK	Wood	\$ 16024	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RCLK	Laminate	14931	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RCWK	Wood	\$ 17597	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RCLK	Laminate	16544	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RCWK	Wood	\$ 14672	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RCLK	Laminate	13217	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RCWK	Wood	\$ 16731	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RCLK	Laminate	15299	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RCWK	Wood	\$ 18779	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RCLK	Laminate	17368	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RCWK	Wood	\$ 20830	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RCLK	Laminate	19411	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RCWK	Wood	\$ 22878	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RCLK	Laminate	21506	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1 $\frac{1}{16}$ " slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish

ESCALADE SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter




SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN42RDW G10C DW

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ESCALADE ROUND TOP 	30" ROUND									
	1 1/4" TOP THICKNESS									
	ECN30RDW	Wood	\$ 2165	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
	36" ROUND									
	ECN36RDW	Wood	\$ 2550	36 1/16	—	1 1/16	—	—	45 lbs.	2.4
	42" ROUND									
	ECN42RDW	Wood	\$ 2873	42 1/16	—	1 1/16	—	—	74 lbs.	4.0
	48" ROUND									
	ECN48RDW	Wood	\$ 3529	48 1/16	—	1 1/16	—	—	94 lbs.	5.1

ESCALADE SQUARE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN3636SQW X MH
• See page 88 for all options available in Escalade

ESCALADE SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		1½" TOP THICKNESS		D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE									
	ECN3030SQW	Wood	\$ 2165	30⅞	30⅞	1⅞	—	—	33 lbs.	2.0
	36" SQUARE									
	ECN3636SQW	Wood	\$ 2550	36⅞	36⅞	1⅞	—	—	45 lbs.	2.4
	42" SQUARE									
	ECN4242SQW	Wood	\$ 2873	42⅞	42⅞	1⅞	—	—	61 lbs.	3.2
	48" SQUARE									
	ECN4848SQW	Wood	\$ 3529	48⅞	48⅞	1⅞	—	—	79 lbs.	4.2
	54" SQUARE									
	ECN5454SQW	Wood	\$ 3903	54⅞	54⅞	1⅞	—	—	121 lbs.	6.9
	60" SQUARE									
	ECN6060SQW	Wood	\$ 4272	60⅞	60⅞	1⅞	—	—	150 lbs.	8.3

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672RTW X X MH

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
ESCALADE RECTANGLE TOP	36" x 72"	1 1/8" TOP THICKNESS		D	W	H						
	ECN3672RTW	Wood	\$ 4366	35 1/4	71 1/8	1 1/8	—	—			136 lbs.	6.3
	42" x 84"											
	ECN4284RTW	Wood	\$ 4894	42 1/8	84 3/8	1 1/8	—	—			180 lbs.	8.3
	48" x 96"											
	ECN4896RTW	Wood	\$ 5420	47 3/4	95 3/8	1 1/8	—	—			233 lbs.	10.5
	48" x 120"											
	ECN48120RTW	Wood	\$ 7438	47 3/4	119 3/4	1 1/8	—	—			279 lbs.	10.6
	48" x 144"											
	ECN48144RTW	Wood	\$ 9236	47 3/4	143 3/8	1 1/8	—	—			332 lbs.	12.5
	48" x 168"											
	ECN48168RTW	Wood	\$ 11403	47 3/4	167 3/4	1 1/8	—	—			385 lbs.	14.4
	48" x 192"											
	ECN48192RTW	Wood	\$ 12918	47 3/4	191 3/4	1 1/8	—	—			438 lbs.	16.3
	48" x 216"											
	ECN48216RTW	Wood	\$ 14428	47 3/4	216	1 1/8	—	—			524 lbs.	20.0
	48" x 240"											
	ECN48240RTW	Wood	\$ 15942	47 3/4	240	1 1/8	—	—			571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144RTW CUT-G15A X X CL
• See page 88 for all options available in Escalade

ESCALADE RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		1 1/4" TOP THICKNESS		D	W	H	A	KW		
	60" x 144"									
	ECN60144RTW	Wood	\$ 12005	58 3/8	143 1/2	1 1/4	—	—	412 lbs.	18.0
	60" x 168"									
	ECN60168RTW	Wood	\$ 14824	58 3/8	167 1/4	1 1/4	—	—	480 lbs.	22.5
	60" x 192"									
	ECN60192RTW	Wood	\$ 16792	58 3/8	191 1/4	1 1/4	—	—	539 lbs.	29.0
	60" x 216"									
	ECN60216RTW	Wood	\$ 18758	58 3/8	216	1 1/4	—	—	647 lbs.	31.0
	60" x 240"									
	ECN60240RTW	Wood	\$ 20726	58 3/8	240	1 1/4	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672BTW X X MH

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ESCALADE BOAT TOP 	36" x 72"	1 1/8" TOP THICKNESS								
	ECN3672BTW	Wood	\$ 4672	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	ECN4284BTW	Wood	\$ 5237	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	ECN4896BTW	Wood	\$ 5799	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	ECN48120BTW	Wood	\$ 7960	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	ECN48144BTW	Wood	\$ 9884	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	ECN48168BTW	Wood	\$ 12201	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	ECN48192BTW	Wood	\$ 13817	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	ECN48216BTW	Wood	\$ 15439	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	ECN48240BTW	Wood	\$ 17061	48	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144BTW CUT-G15A X X NM
• See page 88 for all options available in Escalade

ESCALADE BOAT TOP (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	60" x 144" 1 1/8" TOP THICKNESS									
	ECN60144BTW	Wood	\$ 12847	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	ECN60168BTW	Wood	\$ 15861	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	ECN60192BTW	Wood	\$ 17966	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	ECN60216BTW	Wood	\$ 20071	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	ECN60240BTW	Wood	\$ 22175	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
• Depth dimension reflects widest distance across middle of top • Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top • Modified depth and width are available; refer to the chart on page 9 for conference top sizing										

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS

- 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature wood rim with 5 profile options
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) that feature wood rim with 5 profile options

SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " solid surface
- Knife rim profile
- Grommet cutouts not available

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:

1. Model Number
2. Grommet
3. Laminate


TO ORDER CCW TOPS, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate Top Color/Wood Top Finish
5. Rim Finish (laminate/wood models)


TO ORDER SOLID SURFACE TOPS, SPECIFY:

1. Model Number
2. Solid Surface Color

UNIVERSAL SHAPES AND SIZES



ROUND
24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter




SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



SOFT SQUARE
(solid surface only)
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CP RIM PROFILE



Flat (E)

CCW TOP OPTIONS

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

MC	Amber
AC2	Autumn 2
IM	Brighton
CL	Caramel
CC	Cordoba
CW	Cordovan
HN2	Honey 2
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
NM	Natural
SC	Sedona
TW	Tribeca
TF	Truffle
UW	Urban

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

WOOD RIM

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

CCW RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)

Self (J)
(all wood models only)

SOLID SURFACE TOP OPTIONS

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

SOLID SURFACE RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW36RD2W D G10C NM
CCW60RD2LW F G10C 805 CL
CP-54E G10C 461

- See pages 97-98 for all options available in Universal

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" ROUND	1 1/8" TOP THICKNESS		D	W	H	A	KW		
	CCW30RD2W	Wood-J Rim	\$ 980	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2W	Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CP-30E	Laminate-E Rim	563	30	—	1 1/8	—	—	33 lbs.	2.0
36" ROUND										
	CCW36RD2W	Wood-J Rim	\$ 1152	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2W	Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CP-36E	Laminate-E Rim	662	36	—	1 1/8	—	—	56 lbs.	3.1
42" ROUND										
	QCCW42RD2W	Wood-J Rim	\$ 1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-J Rim	1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	QCP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
	CP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
48" ROUND										
	CCW48RD2W	Wood-J Rim	\$ 1778	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2W	Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CP-48E	Laminate-E Rim	869	48	—	1 1/8	—	—	79 lbs.	4.2
54" ROUND										
	CCW54RD2W	Wood-J Rim	\$ 2160	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2W	Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CP-54E	Laminate-E Rim	1250	54	—	1 1/8	—	—	121 lbs.	6.9
60" ROUND										
	CCW60RD2W	Wood-J Rim	\$ 2536	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2W	Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CP-60E	Laminate-E Rim	1627	58 1/2	—	1 1/8	—	—	150 lbs.	8.3

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CP-WS30E G10C 461

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
UNIVERSAL ROUND TOP 	30" ROUND 1 3/8" TOP THICKNESS			DI	H					
	CCW30WSRNW	Wood-J Rim	\$ 900	30	—	1 3/8	—	—	33 lbs.	2.0
	CP-WS30E	Laminate-E Rim	480	30	—	1 3/8	—	—	33 lbs.	2.0
	36" ROUND									
	CCW36WSRNW	Wood-J Rim	\$ 1058	36	—	1 3/8	—	—	42 lbs.	2.4
	CP-WS36E	Laminate-E Rim	567	36	—	1 3/8	—	—	42 lbs.	2.4
	42" ROUND									
	CCW42WSRNW	Wood-J Rim	\$ 1307	42	—	1 3/8	—	—	58 lbs.	3.2
	CP-WS42E	Laminate-E Rim	665	42	—	1 3/8	—	—	58 lbs.	3.2
	48" ROUND									
	CCW48WSRNW	Wood-J Rim	\$ 1688	48	—	1 3/8	—	—	76 lbs.	4.2
	CP-WS48E	Laminate-E Rim	778	48	—	1 3/8	—	—	76 lbs.	4.2
UNIVERSAL SOLID SURFACE ROUND TOP 	24" ROUND 1 1/2" TOP THICKNESS									
	10N24RDS	Solid Surface	\$ 2375	24	—	1 1/2	—	—	26 lbs.	1.3
	30" ROUND									
	10N30RDS	Solid Surface	\$ 3034	30	—	1 1/2	—	—	41 lbs.	1.9
	36" ROUND									
	10N36RDS	Solid Surface	\$ 3781	36	—	1 1/2	—	—	59 lbs.	2.7
	42" ROUND									
	10N42RDS	Solid Surface	\$ 4615	42	—	1 1/2	—	—	80 lbs.	3.5
	48" ROUND									
	10N48RDS	Solid Surface	\$ 5572	48	—	1 1/2	—	—	105 lbs.	4.5
	54" ROUND									
	10N54RDS	Solid Surface	\$ 6571	54	—	1 1/2	—	—	133 lbs.	5.7
	60" ROUND									
	10N60RDS	Solid Surface	\$ 7662	58 1/2	—	1 1/2	—	—	165 lbs.	6.9

• Grommet cutout not available on solid surface tops
• Not intended for use with adjustable height bases

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW5454SQW A X CW
CCW5454SQLW M X 461 CL
CP-SQ54E G10C 461

• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
UNIVERSAL SQUARE TOP 	30" SQUARE	1 1/8" TOP THICKNESS								
	CCW3030SQW	Wood-J Rim	\$ 980	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQW	Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CP-SQ30E	Laminate-E Rim	563	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636SQW	Wood-J Rim	\$ 1152	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQW	Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CP-SQ36E	Laminate-E Rim	662	36	36	1 1/8	—	—	45 lbs.	2.4
	42" SQUARE									
	CCW4242SQW	Wood-J Rim	\$ 1401	42	42	1 1/8	—	—	61 lbs.	3.2
	CCW4242SQW	Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2
	CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2
	CP-SQ42E	Laminate-E Rim	760	42	42	1 1/8	—	—	61 lbs.	3.2
	48" SQUARE									
	CCW4848SQW	Wood-J Rim	\$ 1778	48	48	1 1/8	—	—	79 lbs.	4.2
	CCW4848SQW	Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2
	CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2
	CP-SQ48E	Laminate-E Rim	869	48	48	1 1/8	—	—	79 lbs.	4.2
	54" SQUARE									
	CCW5454SQW	Wood-J Rim	\$ 2160	54	54	1 1/8	—	—	121 lbs.	6.9
	CCW5454SQW	Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9
	CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9
	CP-SQ54E	Laminate-E Rim	1250	54	54	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE									
	CCW6060SQW	Wood-J Rim	\$ 2536	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CCW6060SQW	Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CP-SQ60E	Laminate-E Rim	1627	58 3/8	58 3/8	1 1/8	—	—	121 lbs.	6.9

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)


SAMPLE MODEL NUMBER:

CP-WSSQ30E G10C 461

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	UNIVERSAL SQUARE TOP 30" SQUARE 1 1/2" TOP THICKNESS									
	CCW3030WSSQW	Wood-J Rim	\$ 900	30	30	1 1/2	—	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	480	30	30	1 1/2	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636WSSQW	Wood-J Rim	\$ 1058	36	36	1 1/2	—	—	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	567	36	36	1 1/2	—	—	42 lbs.	2.4
	42" SQUARE									
	CCW4242WSSQW	Wood-J Rim	\$ 1307	42	42	1 1/2	—	—	58 lbs.	3.2
	CP-WSSQ42E	Laminate-E Rim	665	42	42	1 1/2	—	—	58 lbs.	3.2
	48" SQUARE									
	CCW4848WSSQW	Wood-J Rim	\$ 1688	48	48	1 1/2	—	—	76 lbs.	4.2
	CP-WSSQ48E	Laminate-E Rim	778	48	48	1 1/2	—	—	76 lbs.	4.2

UNIVERSAL SOLID SURFACE SOFT SQUARE TOP

	MODEL NO./DESCRIPTION		GRADE			DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
			GRADE A	GRADE B	GRADE C							
	24" SOFT SQUARE 1 1/2" TOP THICKNESS											
	10N2424SSQS	Solid Surface	\$ 2375	\$ 2523	\$ 2727	24	24	1 1/2	—	—	38 lbs.	1.3
	30" SOFT SQUARE											
	10N3030SSQS	Solid Surface	\$ 3034	\$ 3265	\$ 3584	30	30	1 1/2	—	—	57 lbs.	1.9
	36" SOFT SQUARE											
	10N3636SSQS	Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	36	1 1/2	—	—	79 lbs.	2.7
	42" SOFT SQUARE											
	10N4242SSQS	Solid Surface	\$ 4615	\$ 5068	\$ 5693	42	42	1 1/2	—	—	105 lbs.	3.5
	48" SOFT SQUARE											
	10N4848SSQS	Solid Surface	\$ 5572	\$ 6164	\$ 6980	48	48	1 1/2	—	—	135 lbs.	4.5
	54" SOFT SQUARE											
	10N5454SSQS	Solid Surface	\$ 6571	\$ 7320	\$ 8353	54	54	1 1/2	—	—	169 lbs.	5.6
	60" SOFT SQUARE											
	10N6060SSQS	Solid Surface	\$ 7662	\$ 8587	\$ 9862	58 1/2	58 1/2	1 1/2	—	—	206 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Not intended for use with adjustable height bases

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144RT2W J CUT-G15LR DW
CCW48144RT2LW M CUT-G15CE CW CW
• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	36" x 72"	1 1/8" TOP THICKNESS									
	CCW3672RT2W	Wood-J Rim	\$	2367	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RT2W	Wood-A,M,D,F Rim		3267	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim		3267	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-S72E	Laminate-E Rim		919	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"										
	CCW4284RT2W	Wood-J Rim	\$	2820	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RT2W	Wood-A,M,D,F Rim		3890	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim		3890	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-S84E	Laminate-E Rim		1042	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"										
	CCW4896RT2W	Wood-J Rim	\$	3271	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RT2W	Wood-A,M,D,F Rim		4519	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim		4519	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-S96E	Laminate-E Rim		1165	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"										
	CCW48120RT2W	Wood-J Rim	\$	4521	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RT2W	Wood-A,M,D,F Rim		6239	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim		6239	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-S120E	Laminate-E Rim		1671	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"										
	CCW48144RT2W	Wood-J Rim	\$	5639	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144RT2W	Wood-A,M,D,F Rim		7777	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim		7777	48	144	1 1/8	—	—	332 lbs.	12.5
	CP-S144E	Laminate-E Rim		2007	48	144	1 1/8	—	—	332 lbs.	12.5

CONFERENCE TABLE TOPS

UNIVERSAL

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RT2W J CUT-G15LR DW
CCW48168RT2LW M CUT-G15CE CW CW

• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL RECTANGLE TOP (CONTINUED) 	48" x 168"		1 1/8" TOP THICKNESS							
	CCW48168RT2W	Wood-J Rim	\$ 6467	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2W	Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
	CP-S168E	Laminate-E Rim	2672	48	168	1 1/8	—	—	385 lbs.	14.4
	48" x 192"									
	CCW48192RT2W	Wood-J Rim	\$ 7329	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2W	Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
	CP-S192E	Laminate-E Rim	3333	48	192	1 1/8	—	—	438 lbs.	16.3
	48" x 216"									
	CCW48216RT2W	Wood-J Rim	\$ 8370	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2W	Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-S216E	Laminate-E Rim	3993	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240RT2W	Wood-J Rim	\$ 9410	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RT2W	Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-S240E	Laminate-E Rim	4659	48	240	1 1/8	—	—	571 lbs.	22.0

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A HN
CCW48144BTLW A X HN HN

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNIVERSAL BOAT TOP	36" x 72"	1 1/2" TOP THICKNESS							
	CCW3672BTW	Wood-J Rim	\$ 2568	36	72	1 1/2	—	—	136 lbs. 6.3
	CCW3672BTW	Wood-A,M,D,F Rim	3547	36	72	1 1/2	—	—	136 lbs. 6.3
	CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	3547	36	72	1 1/2	—	—	136 lbs. 6.3
	CP-B72E	Laminate-E Rim	976	36	72	1 1/2	—	—	130 lbs. 6.3
	42" x 84"								
	CCW4284BTW	Wood-J Rim	\$ 3017	42	84	1 1/2	—	—	180 lbs. 8.3
	CCW4284BTW	Wood-A,M,D,F Rim	4165	42	84	1 1/2	—	—	180 lbs. 8.3
	CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	4165	42	84	1 1/2	—	—	180 lbs. 8.3
	CP-B84E	Laminate-E Rim	1106	42	84	1 1/2	—	—	180 lbs. 8.3
	48" x 96"								
	CCW4896BTW	Wood-J Rim	\$ 3464	48	96	1 1/2	—	—	233 lbs. 10.5
	CCW4896BTW	Wood-A,M,D,F Rim	4781	48	96	1 1/2	—	—	233 lbs. 10.5
	CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	4781	48	96	1 1/2	—	—	233 lbs. 10.5
	CP-B96E	Laminate-E Rim	1238	48	96	1 1/2	—	—	233 lbs. 10.5
	48" x 120"								
	CCW48120BTW	Wood-J Rim	\$ 4925	48	120	1 1/2	—	—	279 lbs. 10.6
	CCW48120BTW	Wood-A,M,D,F Rim	6802	48	120	1 1/2	—	—	279 lbs. 10.6
	CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	6802	48	120	1 1/2	—	—	279 lbs. 10.6
	CP-B120E	Laminate-E Rim	1784	48	120	1 1/2	—	—	279 lbs. 10.6
	48" x 144"								
	CCW48144BTW	Wood-J Rim	\$ 6027	48	144	1 1/2	—	—	332 lbs. 12.5
	CCW48144BTW	Wood-A,M,D,F Rim	8321	48	144	1 1/2	—	—	332 lbs. 12.5
	CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	8321	48	144	1 1/2	—	—	332 lbs. 12.5
	CP-B144E	Laminate-E Rim	2165	48	144	1 1/2	—	—	332 lbs. 12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

- CCW48168BTW J G10A HN
CCW48168BTLW A X HN HN
- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
UNIVERSAL BOAT TOP (CONTINUED) 	48" x 168"		1 1/8" TOP THICKNESS							
	CCW48168BTW	Wood-J Rim	\$ 6846	48	168	1 1/8	—	—	385 lbs.	14.3
	CCW48168BTW	Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
	CCW48168BTLW	Laminate/Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
	CP-B168E	Laminate-E Rim	2828	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	CCW48192BTW	Wood-J Rim	\$ 7709	48	192	1 1/8	—	—	438 lbs.	16.2
	CCW48192BTW	Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
	CCW48192BTLW	Laminate/Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
	CP-B192E	Laminate-E Rim	3488	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CCW48216BTW	Wood-J Rim	\$ 8736	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216BTW	Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216BTLW	Laminate/Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-B216E	Laminate-E Rim	4151	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240BTW	Wood-J Rim	\$ 9765	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240BTW	Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240BTLW	Laminate/Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-B240E	Laminate-E Rim	4810	48	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR DW
CCW3672RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL RACETRACK TOP 	36" x 72"		1 1/8" TOP THICKNESS							
	CCW3672RC2W	Wood-J Rim	\$ 2595	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2W	Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-R72E	Laminate-E Rim	1026	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	CCW4284RC2W	Wood-J Rim	\$ 3049	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2W	Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-R84E	Laminate-E Rim	1171	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	QCCW4896RC2W	Wood-J Rim	\$ 3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-J Rim	3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	QCP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	233 lbs.	10.5
CP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	213 lbs.	10.5	
48" x 120"										
CCW48120RC2W	Wood-J Rim	\$ 4973	48	120	1 1/8	—	—	279 lbs.	10.6	
CCW48120RC2W	Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6	
CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6	
CP-R120E	Laminate-E Rim	1916	48	120	1 1/8	—	—	258 lbs.	10.6	
48" x 144"										
CCW48144RC2W	Wood-J Rim	\$ 6087	48	144	1 1/8	—	—	311 lbs.	12.5	
CCW48144RC2W	Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5	
CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5	
CP-R144E	Laminate-E Rim	2314	48	144	1 1/8	—	—	311 lbs.	12.5	

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RC2W F G10LR DW
CCW48168RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL RACETRACK TOP (CONTINUED) 	48" x 168"		1 1/8" TOP THICKNESS							
	CCW48168RC2W	Wood-J Rim	\$ 6917	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2W	Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2LW	Laminate/Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
	CP-R168E	Laminate-E Rim	2975	48	168	1 1/8	—	—	365 lbs.	14.3
	48" x 192"									
	CCW48192RC2W	Wood-J Rim	\$ 7785	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2W	Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2LW	Laminate/Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
	CP-R192E	Laminate-E Rim	3638	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CCW48216RC2W	Wood-J Rim	\$ 8825	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2W	Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2LW	Laminate/Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-R216E	Laminate-E Rim	4298	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240RC2W	Wood-J Rim	\$ 9863	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2W	Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2LW	Laminate/Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-R240E	Laminate-E Rim	4959	48	240	1 1/8	—	—	571 lbs.	22.0

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A AC
 CCW60240RC2LW A CUT-G16A 405 CW

• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
UNIVERSAL RACETRACK TOP (CONTINUED) 	60" x 144"	1 1/8" TOP THICKNESS								
	CCW60144RC2W	Wood-J Rim	\$ 8517	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RC2W	Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—	412 lbs.	18.0
	CP-R60144E	Laminate-E Rim	3010	58%	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	CCW60168RC2W	Wood-J Rim	\$ 9683	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RC2W	Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—	480 lbs.	22.5
	CP-R60168E	Laminate-E Rim	3872	58%	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	CCW60192RC2W	Wood-J Rim	\$ 10898	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RC2W	Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—	539 lbs.	29.0
	CP-R60192E	Laminate-E Rim	4730	58%	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	CCW60216RC2W	Wood-J Rim	\$ 12353	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RC2W	Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—	647 lbs.	31.0
	CP-R60216E	Laminate-E Rim	5588	58%	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	CCW60240RC2W	Wood-J Rim	\$ 13807	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RC2W	Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—	706 lbs.	34.0
	CP-R60240E	Laminate-E Rim	6450	58%	240	1 1/8	—	—	706 lbs.	34.0

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1¾" and feature a 3mm wood rim profile
- Laminate surfaces are 1¾" or 1½" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm vinyl rim
- Laminate/wood models are 1¾" or 1½" HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6 " increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

WAVEWORKS SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter
- 72" Diameter
- 96" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN30RDW R X MH
WWN30RDL V MH G10C MH
WWN30RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WAVEWORKS ROUND TOP	30" ROUND		1 1/8" TOP THICKNESS		DI	H					
	WWN30RDW	Wood		\$ 1781	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
	WWN30RDLW	Laminate/Wood		1781	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
	WWN30RDL	Laminate		1048	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
36" ROUND											
	WWN36RDW	Wood		\$ 2094	36 1/16	—	1 1/16	—	—	40 lbs.	2.4
	WWN36RDLW	Laminate/Wood		2094	36 1/16	—	1 1/16	—	—	40 lbs.	2.4
	WWN36RDL	Laminate		1234	36 1/16	—	1 1/16	—	—	40 lbs.	2.4
42" ROUND											
	WWN42RDW	Wood		\$ 2542	42 1/16	—	1 1/16	—	—	54 lbs.	3.2
	WWN42RDLW	Laminate/Wood		2542	42 1/16	—	1 1/16	—	—	54 lbs.	3.2
	WWN42RDL	Laminate		1688	42 1/16	—	1 1/16	—	—	54 lbs.	3.2
48" ROUND											
	WWN48RDW	Wood		\$ 3101	48 1/16	—	1 1/16	—	—	79 lbs.	4.2
	WWN48RDLW	Laminate/Wood		3101	48 1/16	—	1 1/16	—	—	79 lbs.	4.2
	WWN48RDL	Laminate		2251	48 1/16	—	1 1/16	—	—	79 lbs.	4.2
54" ROUND											
	WWN54RDW	Wood		\$ 3452	54 1/16	—	1 1/16	—	—	121 lbs.	6.9
	WWN54RDLW	Laminate/Wood		3452	54 1/16	—	1 1/16	—	—	121 lbs.	6.9
	WWN54RDL	Laminate		2602	54 1/16	—	1 1/16	—	—	121 lbs.	6.9
60" ROUND											
	WWN60RDW	Wood		\$ 3801	58 3/8	—	1 1/16	—	—	150 lbs.	8.3
	WWN60RDLW	Laminate/Wood		3801	58 3/8	—	1 1/16	—	—	150 lbs.	8.3
	WWN60RDL	Laminate		2955	58 3/8	—	1 1/16	—	—	150 lbs.	8.3
72" ROUND											
	WWN72RDW	Wood		\$ 4533	71 1 1/16	—	1 1/16	—	—	lbs.	
	WWN72RDLW	Laminate/Wood		4533	71 1 1/16	—	1 1/16	—	—	lbs.	
	WWN72RDL	Laminate		3686	71 1 1/16	—	1 1/16	—	—	lbs.	
96" ROUND											
	WWN96RDW	Wood		\$ 5924	95 3/8	—	1 1/16	—	—	lbs.	
	WWN96RDLW	Laminate/Wood		5924	95 3/8	—	1 1/16	—	—	lbs.	
	WWN96RDL	Laminate		5095	95 3/8	—	1 1/16	—	—	lbs.	

- Zip profile does not run out on round tops
- 72" and 96" tops will be in 2 pieces

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Lamine Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW48RDW R X MH
WW48RDL V MH G10C MH
WW48RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
WAVEWORKS ROUND TOP 	30" ROUND			1 3/16" TOP THICKNESS			DI		H	
	WW30RDW	Wood		30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30RDLW	Lamine/Wood	1680	30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30RDL	Lamine	898	30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	WW36RDW	Wood		36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	WW36RDLW	Lamine/Wood	1917	36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	WW36RDL	Lamine	1056	36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	42" ROUND									
	WW42RDW	Wood		42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	WW42RDLW	Lamine/Wood	2369	42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	WW42RDL	Lamine	1510	42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	48" ROUND									
	WW48RDW	Wood		48 3/16	—	1 3/16	—	—	76 lbs.	4.5
	WW48RDLW	Lamine/Wood	2925	48 3/16	—	1 3/16	—	—	76 lbs.	4.5
	WW48RDL	Lamine	2075	48 3/16	—	1 3/16	—	—	76 lbs.	4.5

- Zip profile does not run out on round tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3030SQW F X MH
 WWN3030SQL V 480 X MH
 WWN3030SQLW F G10C 805 MH

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS SQUARE TOP 	30" SQUARE									
	1 1/16" TOP THICKNESS									
	WWN3030SQW	Wood	\$ 1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQLW	Laminate/Wood	1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQL	Laminate	1048	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	36" SQUARE									
	WWN3636SQW	Wood	\$ 2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQLW	Laminate/Wood	2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQL	Laminate	1234	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	42" SQUARE									
	WWN4242SQW	Wood	\$ 2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQLW	Laminate/Wood	2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQL	Laminate	1688	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	48" SQUARE									
	WWN4848SQW	Wood	\$ 3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQLW	Laminate/Wood	3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQL	Laminate	2251	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	54" SQUARE									
	WWN5454SQW	Wood	\$ 3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQLW	Laminate/Wood	3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQL	Laminate	2602	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	60" SQUARE									
	WWN6060SQW	Wood	\$ 3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQLW	Laminate/Wood	3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQL	Laminate	2955	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW4848SQW F X MH
WW4848SQL V 480 X MH
WW4848SQLW F G10C 805 MH

• See pages 113-114 for all options available in Waveworks

WAVEWORKS SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1 3/16" TOP THICKNESS		D	W	H	A	KW		
	WW3030SQW	Wood	\$ 1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
	WW3030SQLW	Laminate/Wood	1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
	WW3030SQL	Laminate	898	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
36" SQUARE										
	WW3636SQW	Wood	\$ 1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
	WW3636SQLW	Laminate/Wood	1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
	WW3636SQL	Laminate	1056	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
42" SQUARE										
	WW4242SQW	Wood	\$ 2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
	WW4242SQLW	Laminate/Wood	2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
	WW4242SQL	Laminate	1510	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
48" SQUARE										
	WW4848SQW	Wood	\$ 2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
	WW4848SQLW	Laminate/Wood	2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
	WW4848SQL	Laminate	2075	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5

CONFERENCE TABLE TOPS

WAVEWORKS

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RT2W P CUT-G16C X NM
 WWN3672RT2LW P X X 480 NM
 WWN3672RT2L V 462 X G10LR HN2

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
WAVEWORKS RECTANGLE TOP 	36" X 72"		1½" TOP THICKNESS							
	WWN3672RT2W	Wood	\$ 3268	36	72	1½	—	—	136 lbs.	6.3
	WWN3672RT2LW	Laminate/Wood	3268	36	72	1½	—	—	136 lbs.	6.3
	WWN3672RT2L	Laminate	2418	36	72	1½	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284RT2W	Wood	\$ 3855	42	84	1½	—	—	180 lbs.	8.3
	WWN4284RT2LW	Laminate/Wood	3855	42	84	1½	—	—	180 lbs.	8.3
	WWN4284RT2L	Laminate	3008	42	84	1½	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896RT2W	Wood	\$ 4440	48	96	1½	—	—	233 lbs.	10.5
WWN4896RT2LW	Laminate/Wood	4440	48	96	1½	—	—	233 lbs.	10.5	
WWN4896RT2L	Laminate	3606	48	96	1½	—	—	233 lbs.	10.5	
48" X 120"										
WWN48120RT2W	Wood	\$ 6067	48	120	1½	—	—	279 lbs.	10.6	
WWN48120RT2LW	Laminate/Wood	6067	48	120	1½	—	—	279 lbs.	10.6	
WWN48120RT2L	Laminate	5243	48	120	1½	—	—	279 lbs.	10.6	
48" X 144"										
WWN48144RT2W	Wood	\$ 7513	48	144	1½	—	—	332 lbs.	12.5	
WWN48144RT2LW	Laminate/Wood	7513	48	144	1½	—	—	332 lbs.	12.5	
WWN48144RT2L	Laminate	6707	48	144	1½	—	—	332 lbs.	12.5	
48" X 168"										
WWN48168RT2W	Wood	\$ 8652	48	168	1½	—	—	385 lbs.	14.3	
WWN48168RT2LW	Laminate/Wood	8652	48	168	1½	—	—	385 lbs.	14.3	
WWN48168RT2L	Laminate	7851	48	168	1½	—	—	385 lbs.	14.3	
48" X 192"										
WWN48192RT2W	Wood	\$ 9781	48	192	1½	—	—	438 lbs.	16.2	
WWN48192RT2LW	Laminate/Wood	9781	48	192	1½	—	—	438 lbs.	16.2	
WWN48192RT2L	Laminate	8997	48	192	1½	—	—	438 lbs.	16.2	

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RT2W P CUT-G16C X X NM
 WWN48216RT2LW P X X X 480 NM
 WWN48216RT2L V 462 X X G10LR HN2

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
WAVEWORKS RECTANGLE TOP (CONTINUED) 	48" X 216"		1½" TOP THICKNESS							
	WWN48216RT2W	Wood	\$ 10912	48	216	1½	—	—	524 lbs.	20.0
	WWN48216RT2LW	Laminate/Wood	10912	48	216	1½	—	—	524 lbs.	20.0
	WWN48216RT2L	Laminate	10142	48	216	1½	—	—	524 lbs.	20.0
	48" X 240"									
	WWN48240RT2W	Wood	\$ 12046	48	240	1½	—	—	571 lbs.	22.0
	WWN48240RT2LW	Laminate/Wood	12046	48	240	1½	—	—	571 lbs.	22.0
	WWN48240RT2L	Laminate	11293	48	240	1½	—	—	571 lbs.	22.0
	60" X 144"									
	WWN60144RT2W	Wood	\$ 9770	58½	144	1½	—	—	412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	9770	58½	144	1½	—	—	412 lbs.	18.0	
WWN60144RT2L	Laminate	8718	58½	144	1½	—	—	412 lbs.	18.0	
60" X 168"										
WWN60168RT2W	Wood	\$ 11247	58½	168	1½	—	—	480 lbs.	22.5	
WWN60168RT2LW	Laminate/Wood	11247	58½	168	1½	—	—	480 lbs.	22.5	
WWN60168RT2L	Laminate	10209	58½	168	1½	—	—	480 lbs.	22.5	
60" X 192"										
WWN60192RT2W	Wood	\$ 12715	58½	192	1½	—	—	539 lbs.	29.0	
WWN60192RT2LW	Laminate/Wood	12715	58½	192	1½	—	—	539 lbs.	29.0	
WWN60192RT2L	Laminate	11694	58½	192	1½	—	—	539 lbs.	29.0	
60" X 216"										
WWN60216RT2W	Wood	\$ 14190	58½	216	1½	—	—	647 lbs.	31.0	
WWN60216RT2LW	Laminate/Wood	14190	58½	216	1½	—	—	647 lbs.	31.0	
WWN60216RT2L	Laminate	13189	58½	216	1½	—	—	647 lbs.	31.0	
60" X 240"										
WWN60240RT2W	Wood	\$ 15660	58½	240	1½	—	—	706 lbs.	34.0	
WWN60240RT2LW	Laminate/Wood	15660	58½	240	1½	—	—	706 lbs.	34.0	
WWN60240RT2L	Laminate	14682	58½	240	1½	—	—	706 lbs.	34.0	

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672BTW P CUT-G16C X NM
WWN3672BTLW P X X 480 NM
WWN3672BTL V 480 X X CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS BOAT TOP 	36" X 72"	1 1/4" TOP THICKNESS								
	WWN3672BTW	Wood	\$ 3527	36	72	1 1/4	—	—	136 lbs.	6.3
	WWN3672BTLW	Laminate/Wood	3527	36	72	1 1/4	—	—	136 lbs.	6.3
	WWN3672BTL	Laminate	2692	36	72	1 1/4	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284BTW	Wood	\$ 4109	42	84	1 1/4	—	—	180 lbs.	8.3
	WWN4284BTLW	Laminate/Wood	4109	42	84	1 1/4	—	—	180 lbs.	8.3
	WWN4284BTL	Laminate	3277	42	84	1 1/4	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896BTW	Wood	\$ 4688	48	96	1 1/4	—	—	233 lbs.	10.5
	WWN4896BTLW	Laminate/Wood	4688	48	96	1 1/4	—	—	233 lbs.	10.5
	WWN4896BTL	Laminate	3865	48	96	1 1/4	—	—	233 lbs.	10.5
	48" X 120"									
	WWN48120BTW	Wood	\$ 6591	48	120	1 1/4	—	—	279 lbs.	10.6
	WWN48120BTLW	Laminate/Wood	6591	48	120	1 1/4	—	—	279 lbs.	10.6
	WWN48120BTL	Laminate	5781	48	120	1 1/4	—	—	279 lbs.	10.6
	48" X 144"									
	WWN48144BTW	Wood	\$ 8023	48	144	1 1/4	—	—	332 lbs.	12.5
	WWN48144BTLW	Laminate/Wood	8023	48	144	1 1/4	—	—	332 lbs.	12.5
	WWN48144BTL	Laminate	7231	48	144	1 1/4	—	—	332 lbs.	12.5
	48" X 168"									
	WWN48168BTW	Wood	\$ 9147	48	168	1 1/4	—	—	385 lbs.	14.3
	WWN48168BTLW	Laminate/Wood	9147	48	168	1 1/4	—	—	385 lbs.	14.3
	WWN48168BTL	Laminate	8366	48	168	1 1/4	—	—	385 lbs.	14.3
	48" X 192"									
	WWN48192BTW	Wood	\$ 10272	48	192	1 1/4	—	—	438 lbs.	16.2
	WWN48192BTLW	Laminate/Wood	10272	48	192	1 1/4	—	—	438 lbs.	16.2
	WWN48192BTL	Laminate	9498	48	192	1 1/4	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Lamine Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216BTW P CUT-G16C X X NM
WWN48216BTLW P X X X 480 NM
WWN48216BTL V 480 X X X CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
WAVEWORKS BOAT TOP (CONTINUED) 	48" X 216"	1 1/2" TOP THICKNESS								
	WWN48216BTW	Wood	\$ 11389	48	216	1 1/2	—	—	524 lbs.	20.0
	WWN48216BTLW	Laminate/Wood	11389	48	216	1 1/2	—	—	524 lbs.	20.0
	WWN48216BTL	Laminate	10613	48	216	1 1/2	—	—	524 lbs.	20.0
	48" X 240"									
	WWN48240BTW	Wood	\$ 12513	48	240	1 1/2	—	—	571 lbs.	22.0
	WWN48240BTLW	Laminate/Wood	12513	48	240	1 1/2	—	—	571 lbs.	22.0
	WWN48240BTL	Laminate	11761	48	240	1 1/2	—	—	571 lbs.	22.0
	60" X 144"									
	WWN60144BTW	Wood	\$ 10432	58 1/2	144	1 1/2	—	—	412 lbs.	18.0
WWN60144BTLW	Laminate/Wood	10432	58 1/2	144	1 1/2	—	—	412 lbs.	18.0	
WWN60144BTL	Laminate	9395	58 1/2	144	1 1/2	—	—	412 lbs.	18.0	
60" X 168"										
WWN60168BTW	Wood	\$ 11893	58 1/2	168	1 1/2	—	—	480 lbs.	22.5	
WWN60168BTLW	Laminate/Wood	11893	58 1/2	168	1 1/2	—	—	480 lbs.	22.5	
WWN60168BTL	Laminate	10874	58 1/2	168	1 1/2	—	—	480 lbs.	22.5	
60" X 192"										
WWN60192BTW	Wood	\$ 13354	58 1/2	192	1 1/2	—	—	539 lbs.	29.0	
WWN60192BTLW	Laminate/Wood	13354	58 1/2	192	1 1/2	—	—	539 lbs.	29.0	
WWN60192BTL	Laminate	12348	58 1/2	192	1 1/2	—	—	539 lbs.	29.0	
60" X 216"										
WWN60216BTW	Wood	\$ 14810	58 1/2	216	1 1/2	—	—	647 lbs.	31.0	
WWN60216BTLW	Laminate/Wood	14810	58 1/2	216	1 1/2	—	—	647 lbs.	31.0	
WWN60216BTL	Laminate	13798	58 1/2	216	1 1/2	—	—	647 lbs.	31.0	
60" X 240"										
WWN60240BTW	Wood	\$ 16266	58 1/2	240	1 1/2	—	—	706 lbs.	34.0	
WWN60240BTLW	Laminate/Wood	16266	58 1/2	240	1 1/2	—	—	706 lbs.	34.0	
WWN60240BTL	Laminate	15289	58 1/2	240	1 1/2	—	—	706 lbs.	34.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X NM
WWN3672RC2LW P X X 480 NM
WWN3672RC2L N CW X G10C CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS RACETRACK TOP 	36" X 72"	1 1/8" TOP THICKNESS								
	WWN3672RC2W	Wood	\$ 3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2L	Laminate	2716	36	72	1 1/8	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284RC2W	Wood	\$ 4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2L	Laminate	3311	42	84	1 1/8	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896RC2W	Wood	\$ 4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2LW	Laminate/Wood	4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2L	Laminate	3903	48	96	1 1/8	—	—	233 lbs.	10.5
	48" X 120"									
	WWN48120RC2W	Wood	\$ 6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2LW	Laminate/Wood	6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2L	Laminate	5840	48	120	1 1/8	—	—	279 lbs.	10.6
	48" X 144"									
	WWN48144RC2W	Wood	\$ 8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2LW	Laminate/Wood	8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2L	Laminate	7301	48	144	1 1/8	—	—	332 lbs.	12.5
	48" X 168"									
	WWN48168RC2W	Wood	\$ 9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2LW	Laminate/Wood	9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2L	Laminate	8450	48	168	1 1/8	—	—	385 lbs.	14.3
	48" X 192"									
	WWN48192RC2W	Wood	\$ 10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2LW	Laminate/Wood	10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2L	Laminate	9594	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RC2W P CUT-G16C X X NM
 WWN48216RC2LW P X X X 480 NM
 WWN48216RC2L N CW X X G10C CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS RACETRACK TOP (CONTINUED) 	48" X 216"									
	1 1/8" TOP THICKNESS									
	WWN48216RC2W	Wood	\$ 11507	48	216	1 1/8	—	—	524 lbs.	20.0
	WWN48216RC2LW	Laminate/Wood	11507	48	216	1 1/8	—	—	524 lbs.	20.0
	WWN48216RC2L	Laminate	10720	48	216	1 1/8	—	—	524 lbs.	20.0
	48" X 240"									
	WWN48240RC2W	Wood	\$ 12638	48	240	1 1/8	—	—	571 lbs.	22.0
	WWN48240RC2LW	Laminate/Wood	12638	48	240	1 1/8	—	—	571 lbs.	22.0
	WWN48240RC2L	Laminate	11879	48	240	1 1/8	—	—	571 lbs.	22.0
	60" X 144"									
	WWN60144RC2W	Wood	\$ 10536	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	WWN60144RC2LW	Laminate/Wood	10536	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	WWN60144RC2L	Laminate	9491	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" X 168"									
	WWN60168RC2W	Wood	\$ 12015	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	WWN60168RC2LW	Laminate/Wood	12015	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	WWN60168RC2L	Laminate	10984	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" X 192"									
	WWN60192RC2W	Wood	\$ 13489	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	WWN60192RC2LW	Laminate/Wood	13489	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	WWN60192RC2L	Laminate	12471	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" X 216"									
	WWN60216RC2W	Wood	\$ 14956	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	WWN60216RC2LW	Laminate/Wood	14956	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	WWN60216RC2L	Laminate	13938	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" X 240"									
	WWN60240RC2W	Wood	\$ 16426	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	WWN60240RC2LW	Laminate/Wood	16426	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	WWN60240RC2L	Laminate	15444	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE BASES

Product Specifications	126
Options	127
Wood/Laminate Bases	128
Metal Bases	137

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 26-45

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		


SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby


GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BASE DETAIL OPTIONS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

TAPERED BASE PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

EPIC BASE DETAIL



FOOT COLORS (EPIC ONLY)

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS


462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
265	Polished
503	Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

- Ellipse shaped wire management cutout optional

CUL	Cutouts, Upper & Lower
CU	Cutout, Upper
X	No Cutout

\$41 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-16 CW

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
CYLINDER BASE (NO WIRE ACCESS) 	WOOD		DI	H						
	BW-16	16" Diameter	\$ 1722	16	—	27¾	—	—	145 lbs.	5.3
	QBW-18	18" Diameter	1921	18	—	27¾	—	—	160 lbs.	5.3
	BW-18	18" Diameter	1921	18	—	27¾	—	—	160 lbs.	5.3
	BW-24	24" Diameter	1987	24	—	27¾	—	—	180 lbs.	7.2
	LAMINATE									
	BP-16	16" Diameter	\$ 1026	16	—	27¾	—	—	145 lbs.	5.3
	QBP-18	18" Diameter	1276	18	—	27¾	—	—	160 lbs.	5.3
	BP-18	18" Diameter	1276	18	—	27¾	—	—	160 lbs.	5.3
	BP-24	24" Diameter	1474	24	—	27¾	—	—	180 lbs.	7.2
• Do not specify base detail • Bases are weighted for stabilization • Reference pages 26-45 for table base guide • Adjustable glides standard										

CYLINDER BASE WITH WIRE ACCESS  Basic (P1)	WOOD									
	10N1628CYBW	16" Diameter	\$ 2834	16	—	27¾	—	—	145 lbs.	6.3
	10N1828CYBW	18" Diameter	3068	18	—	27¾	—	—	150 lbs.	5.3
	10N2428CYBW	24" Diameter	3306	24	—	27¾	—	—	180 lbs.	7.2
	LAMINATE									
	10N1628CYBL	16" Diameter	\$ 1987	16	—	27¾	—	—	145 lbs.	6.3
	10N1828CYBL	18" Diameter	2221	18	—	27¾	—	—	150 lbs.	5.3
	10N2428CYBL	24" Diameter	2928	24	—	27¾	—	—	180 lbs.	7.2
	• Only the Basic (P1) option is available • Bases are weighted for stabilization • Reference pages 26-45 for table base guide • Base has wire access with access to floor mounted electrical • Adjustable glides standard • 6" diameter opening									

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N6027TPBW AD
10N6027TPBP 423
BW-1616 DW

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
TAPERED BASES WITH WIRE ACCESS 	10N6027TPBW Wood	\$ 7164	60	27½	—	—	lbs.	
	10N6027TPBP Painted	4903	60	27½	—	—	lbs.	
	• To support a 96" round top • Features a 12" taper • 2 pc. base (assembly required) • Can be used with a G10 or G15 grommet							
	10N3627TPBW Wood	\$ 6892	36⅞	27¾	—	—	lbs.	
	10N3627TPBP Painted	4633	36⅞	27¾	—	—	lbs.	
	• To support a 72" or 60" round top • Features a 10" taper • Can be used with a G10 or G15 grommet							
	10N2427TPBW Wood	\$ 6758	24½	27¾	—	—	lbs.	
	10N2427TPBP Painted	4496	24½	27¾	—	—	lbs.	
	• To support a 54", 48", or 42" round or square top • Features a 9" taper • Can be used with a G10 or G15 grommet							
TAPERED BASES NO WIRE ACCESS 	10N1827TPBW Wood	\$ 6623	18½	27¾	—	—	lbs.	
	10N1827TPBP Painted	4362	18½	27¾	—	—	lbs.	
	• To support a 36" round or square top • Does NOT have a wire access door • Features an 8" taper							
SOFTENED SQUARE BASE (NO WIRE ACCESS) 	BW-1616 Wood	\$ 1565	16	16	27½	—	140 lbs.	5.3
	• Do not specify base detail • Base is weighted for stabilization • Reference pages 26-45 for table base guide • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available							

CONFERENCE TABLE BASES


TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminate only)


SAMPLE MODEL NUMBER:

25N1628SQBXW FR462 MH


- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
	WOOD		D	W	H						
	25N1628SQBXW	16" Square	\$	2078	16	16	28	—	—	145 lbs.	5.3
	25N1828SQBXW	18" Square		2105	18	18	28	—	—	150 lbs.	6.3
	25N2428SQBXW	24" Square		2201	24	24	28	—	—	180 lbs.	7.2
	LAMINATE		D	W	H						
	25N1628SQBXL	16" Square	\$	1185	16	16	28	—	—	145 lbs.	5.3
	25N1828SQBXL	18" Square		1427	18	18	28	—	—	150 lbs.	6.3
	25N2428SQBXL	24" Square		1651	24	24	28	—	—	180 lbs.	7.2
	• 16" and 18" bases are weighted for stabilization • Reference pages 26-45 for table base guide • Adjustable glides standard										


SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

WOOD


10N1628SQBXW	16" Square	\$	1874
10N1828SQBXW	18" Square		1894
10N2428SQBXW	24" Square		1987

LAMINATE

10N1628SQBXL	16" Square	\$	1058
10N1828SQBXL	18" Square		1276
10N2428SQBXL	24" Square		1474

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Adjustable glides standard

EPIC SQUARE BASE WITH WIRE ACCESS



WOOD

25N1628SQBW	16" Square	\$	2412
25N1828SQBW	18" Square		2672
25N2428SQBW	24" Square		2934

LAMINATE

25N1628SQBL	16" Square	\$	1695
25N1828SQBL	18" Square		2063
25N2428SQBL	24" Square		2538

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-2427S CW

- See page 127 for all options available in Conference Table Bases

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET		
SQUARE BASE WITH WIRE ACCESS												
		WOOD										
		10N1628SQBW	16" Square	\$ 2172	16	16	28	—	—	145 lbs.	5.3	
		10N1828SQBW	18" Square	2406	18	18	28	—	—	150 lbs.	6.3	
10N2428SQBW			24" Square	2645	24	24	28	—	—	180 lbs.	7.2	
LAMINATE												
	10N1628SQBL			16" Square	\$ 1511	16	16	28	—	—	145 lbs.	5.3
	10N1828SQBL			18" Square	1840	18	18	28	—	—	150 lbs.	6.3
	10N2428SQBL			24" Square	2267	24	24	28	—	—	180 lbs.	7.2
Escalade (P3) (wood only)			• 16" and 18" bases are weighted for stabilization • Reference pages 26-45 for table base guide • Base has wire access with access to floor mounted electrical • Adjustable glides standard • 6" diameter opening									
WOOD QUEEN ANNE BASE												
	TBW-4	Wood	\$ 2102	—	38	27½	—	—	35 lbs.	25.0		
	• Available in Cordovan, Judicial, Midtown, Mocha, Tribeca, Truffle, Urban • Do not specify base detail • Reference pages 26-45 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square tops											
THIN PANEL BASE												
	QBW-2427S	Wood	\$ 858	2	24	27½	—	—	37 lbs.	1.7		
	BW-2427S	Wood	858	2	24	27½	—	—	37 lbs.	1.7		
	QBP-2427S	Laminate	352	1½	24	27½	—	—	37 lbs.	1.7		
	BP-2427S	Laminate	352	1½	24	27½	—	—	37 lbs.	1.7		
			• Do not specify base detail • Reference pages 26-45 for table base guide • Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout • Laminate base comes with additional angle bracket for installation									
CURVED PANEL BASE												
	BP-2427C	Laminate	\$ 587	2	22½	27½	—	—	39 lbs.	2.9		
	• Do not specify base detail • Reference pages 26-45 for table base guide											

CONFERENCE TABLE BASES


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Base Detail
- 3. Foot Color (Epic only)
- 4. Finish (wood only)
- 5. Laminate (laminate only)

SAMPLE MODEL NUMBERS:


- 10N1828PNW P2 DW
- 10N1828PNL P1 MC
- See page 127 for all options available in Conference Table Bases

EPIC
THICK PANEL BASE
WITH WIRE ACCESS




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
WOOD										
25N1828PNW	18"	\$ 2412	8	18	27¾	—	—	73 lbs.	5.3	
25N2428PNW	24"	2723	8	24	27¾	—	—	95 lbs.	7.0	
LAMINATE										
25N1828PNL	18"	\$ 1643	8	18	27¾	—	—	73 lbs.	5.3	
25N2428PNL	24"	1900	8	24	27¾	—	—	95 lbs.	7.0	
• Reference pages 26-45 for table base guide										


THICK PANEL BASE
WITH WIRE ACCESS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

WOOD									
10N1828PNW	18"	\$ 2172	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNW	24"	2458	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
10N1828PNL	18"	\$ 1463	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNL	24"	1701	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 26-45 for table base guide

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

- See page 127 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
WOOD									
25N72PNKW	For 72" Top	\$ 5175	18	47	27¼	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top	5281	18	53	27¼	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top	5385	18	59	27¼	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top	7649	18	91	27¼	—	69¼	170 lbs.	6.2
25N144PNKW	For 144" Top	7857	18	107	27¼	—	85¼	175 lbs.	6.2
25N168PNKW	For 168" Top	10058	18	136¼	27¼	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top	10269	18	154¼	27¼	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top	10475	18	172¼	27¼	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top	10687	18	190¼	27¼	—	162½	210 lbs.	8.2
LAMINATE									
25N72PNKL	For 72" Top	\$ 4020	18	47	27¼	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top	4123	18	53	27¼	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top	4232	18	59	27¼	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top	5499	18	91	27¼	—	69¼	170 lbs.	6.2
25N144PNKL	For 144" Top	5712	18	107	27¼	—	85¼	175 lbs.	6.2
25N168PNKL	For 168" Top	7194	18	136¼	27¼	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top	7409	18	154¼	27¼	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top	7615	18	172¼	27¼	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top	7828	18	190¼	27¼	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES




TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
 Basic (P1)	THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)		WOOD							
	10N72PNKW	For 72" Top	\$ 4668	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKW	For 84" Top	4761	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKW	For 96" Top	4855	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKW	For 120" Top	6893	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKW	For 144" Top	7085	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKW	For 168" Top	9071	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKW	For 192" Top	9257	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKW	For 216" Top	9447	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKW	For 240" Top	9635	18	190¾	27¾	—	162½	210 lbs.	8.2
 Barrington (P2) (wood only)			LAMINATE							
	10N72PNKL	For 72" Top	\$ 3590	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKL	For 84" Top	3687	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKL	For 96" Top	3776	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKL	For 120" Top	4911	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKL	For 144" Top	5101	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKL	For 168" Top	6423	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKL	For 192" Top	6613	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKL	For 216" Top	6802	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKL	For 240" Top	6989	18	190¾	27¾	—	162½	210 lbs.	8.2
 Escalade (P3)										

Escalade (P3)
(wood only)

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N60144PNKW FR462 AC

- See page 127 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WOOD									
25N60144PNKW	For 144" Top	\$ 10213	24	107	27¼	—	85¼	181 lbs.	6.5
25N60168PNKW	For 168" Top	13075	24	136¼	27¼	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	13347	24	154¼	27¼	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	13620	24	172¼	27¼	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	13894	24	190¼	27¼	—	162½	243 lbs.	8.3
LAMINATE									
25N60144PNKL	For 144" Top	\$ 7427	24	107	27¼	—	85¼	181 lbs.	6.5
25N60168PNKL	For 168" Top	9353	24	136¼	27¼	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	9631	24	154¼	27¼	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	9900	24	172¼	27¼	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	10176	24	190¼	27¼	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:


10N60144PNKL P1 AC

- See page 127 for all options available in Conference Table Bases


THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

MODEL NO./DESCRIPTION

WOOD

MODEL NO.	DESCRIPTION	LIST PRICE
10N60144PNKW	For 144" Top	\$ 9208
10N60168PNKW	For 168" Top	11791
10N60192PNKW	For 192" Top	12036
10N60216PNKW	For 216" Top	12279
10N60240PNKW	For 240" Top	12526

LAMINATE

MODEL NO.	DESCRIPTION	LIST PRICE
10N60144PNKL	For 144" Top	\$ 6631
10N60168PNKL	For 168" Top	8351
10N60192PNKL	For 192" Top	8595
10N60216PNKL	For 216" Top	8842
10N60240PNKL	For 240" Top	9086

DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H				
24	107	27¾	—	85¾	181 lbs.	6.5
24	136¾	27¾	—	108½	198 lbs.	6.5
24	154¾	27¾	—	126½	218 lbs.	7.9
24	172¾	27¾	—	144½	223 lbs.	7.9
24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES





TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2-PRONG BASE 	CBV2928P2BP	\$ 397	—	29	28	—	—	22 lbs.	1.5
	• Reference pages 26-45 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint								
COLUMN LEG STATIC			DI		H				
	CBV0228COBP	\$ 157	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	• Adjustable glide standard • Reference pages 26-45 for table base guide • Optional upper and lower (CUL) base column wire management								
COLUMN LEG MOBILE									
	CBV0228COBMP	\$ 188	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Reference pages 26-45 for table base guide • Optional upper and lower (CUL) base column wire management								
4-PRONG BASE			D	W	H	A	KW		
	CBV2828P4BP	\$ 510	—	28	28	—	—	32 lbs.	1.4
	CBV3428P4BP	664	—	34	28	—	—	32 lbs.	2.5
	• Reference pages 26-45 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint • Not recommended to be placed directly over a grommet cutout								
WOOD CAPPED BASE									
	BW-4	\$ 674	—	32 $\frac{1}{2}$	27 $\frac{1}{2}$	—	—	21 lbs.	3.0
	• Specify wood finish after model number • Reference pages 26-45 for table base guide • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available • Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT									
	CBV4028XBP	\$ 1092	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBP	817	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBP	693	—	27 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	• Adjustable glides standard • Some assembly required • Reference pages 26-45 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors • Not recommended to be placed directly over a grommet cutout								

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
CBV3241XBP X 462 462

• See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
X BASE WORKSURFACE HEIGHT, MOBILE	CBV4028XBMP	\$ 1138	D	W	H	A	KW	36 lbs.	12.0
	CBV3228XBMP	876	—	31 ¹ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT



			DI	W	H				
CBV4728XB	Cinder	\$ 1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
CBV4728XS	Platinum Metallic	1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
CBV4728XN	Satin Nickel Metallic	1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet


X BASE COUNTER HEIGHT



CBV3235XBP	\$ 1137	2 ¹ / ₂	32	33 ¹ / ₁₆	—	—	32 lbs.	12.0
CBV2735XBP	969	2 ¹ / ₂	27 ³ / ₁₆	33 ¹ / ₁₆	—	—	32 lbs.	12.0

- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE BAR HEIGHT



CBV3241XBP	\$ 1250	2 ¹ / ₂	32	40 ¹ / ₁₆	—	—	33 lbs.	14.0
CBV2741XBP	1063	2 ¹ / ₂	27 ³ / ₁₆	40 ¹ / ₁₆	—	—	33 lbs.	14.0

- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

ADJUSTABLE HEIGHT BASE MOBILE



CBV3226XBAB	Cinder	\$ 2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	33 lbs.	12.0
CBV3226XBAS	Platinum Metallic	2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	33 lbs.	12.0
CBV3226XBAN	Satin Nickel Metallic	2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	33 lbs.	12.0

- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 26-45 for table base guide
- Not recommended to be placed directly over a grommet cutout



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT 	CBV2715DRNBP	\$ 1077	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	814	3	22	16	—	—	43 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT 	CBV2715DSQBP	\$ 1254	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	988	3	22	16	—	—	50 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
DISC BASE WORKSURFACE HEIGHT 	CBV2728DRNBP	\$ 1146	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	858	3	22	27 ³ / ₁₆	—	—	56 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
SOFT SQUARE BASE WORKSURFACE HEIGHT 	CBV2728DSQBP	\$ 1326	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	CBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:





1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

• See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	\$ 1238	3	27 $\frac{3}{16}$	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1194	3	22	35	—	—	58 lbs.	3.4
SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	\$ 1415	3	27 $\frac{3}{16}$	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1369	3	22	35	—	—	65 lbs.	3.4
DISC BASE BAR HEIGHT	CBV2740DRNBP	\$ 1326	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	76 lbs.	3.8
	CBV2240DRNBP	1279	3	22	40 $\frac{3}{4}$	—	—	59 lbs.	3.8
SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	\$ 1500	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	87 lbs.	3.8
	CBV2240DSQBP	1455	3	22	40 $\frac{3}{4}$	—	—	66 lbs.	3.8



TARVER

Product Specifications	142
Product Options	143
Product Pages	153



TARVER PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1½" HPL (high pressure laminate) and feature a matching 3mm softened vinyl rim
- Veneer surfaces are 1½" and feature a matching 3mm softened wood rim
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- When specifying Clear Rustic Oak, a clear coat finish, the natural wood characteristics of white oak veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Grain direction runs left-to-right unless otherwise noted

TRESTLE BASE

- All bases consist of solid wood and metal components with visible fillet welds
- Metal is available in paint colors shown on page 143
- Wire management is standard through conference bases
- The dimension of the wire management cutout on the leg for Tarver is a 2.5" square (63mm x 63mm)

BUFFET CREDENZAS

- Available in laminate or veneer
- Buffet credenzas have a single finish option with a matching 3mm softened vinyl rim
- ¾" thick (19mm) worksurface
- Hinges and pulls available in (MB) Matte Black only
- Leveling glides are in black
- Doors feature a "shaker" style construction

MOBILE MARKER BOARD

- Magnetic marker board writing surface

CASTERS

- Black aluminum 4" diameter wheel with a black polyurethane tread
- Each caster has a single braking wheel

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of ¾"-1¾"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo
- SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver or black
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

PULL OPTIONS



Foursquare

MB Matte Black

HARDWARE PAINT

MN Matte Black

WOOD TOP FINISHES

AD	Almond Straight Grain	MH	Mocha Cherry
ADRO	Almond Rustic Oak	MHRO	Mocha Rustic Oak
MC	Amber Cherry	YO	Monterey Straight Grain
AC	Autumn Cherry	NM	Natural Maple
IM	Brighton Maple	PB	Portobello Straight Grain
CO	Canyon Straight Grain	PBRO	Portobello Rustic Oak
CL	Caramel Maple	PTRO	Portico Rustic Oak
ERO	Clear Rustic Oak	792	Sable Straight Grain
EW	Clear Walnut*	792RO	Sable Rustic Oak
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	SKRO	Skyline Rustic Oak
DF	Driftwood Straight Grain	TW	Tribeca Walnut
HN	Honey Maple	TF	Truffle Cherry
TM	Huntington Maple	TFRO	Truffle Rustic Oak
DW	Judicial Walnut	NW	Tuscan Straight Grain
MW	Midtown Walnut	UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

METAL AND WOOD BASE PAINT COLORS

462	Cinder
EM	Clearcoat on Metal**
440	Cloud
423	Concrete
405	Designer White
450	Fog
488	Frosty White
461	Graphite
463	Iron
501	Platinum Metallic
503	Satin Nickel
460	Storm

- The following paint colors will receive black screws: cinder, clearcoat on metal, concrete, graphite, iron, and satin nickel
- The following paint colors will receive silver screws: cloud, designer white, fog, frosty white, platinum, and storm

** Clearcoat is only available as a paint option on metal, not a wood paint option

WOOD BASE FINISHES

793	Acorn*	MHRO	Mocha Rustic Oak
AD	Almond	YO	Monterey
ADRO	Almond Rustic Oak	NM	Natural
MC	Amber	PC	Porcini
AC	Autumn	PTRO	Portico
BZ	Brazilwood	PTRO	Portico Rustic Oak
IM	Brighton	PB	Portobello
CO	Canyon	PBRO	Portobello Rustic Oak
CL	Caramel	792	Sable
CI	Chai	792RO	Sable Rustic Oak
ERO	Clear Rustic Oak	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	SKRO	Skyline Rustic Oak
DF	Driftwood	TW	Tribeca
HN	Honey	TF	Truffle
TM	Huntington	TFRO	Truffle Rustic Oak
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow
MH	Mocha		

*Acorn is the complementary finish for the Clear Walnut Top Finish

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End




- Reference pages 145-146 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details




98KG40AELPGBK, 98KG40AELPGWH,
98KG40AELPGLG, NACG10BELPGB,
NACG10BELPGW, and NACG10AELPGG
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 147-148 for cutout locations of CUT-G15

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G17C Center
- CUT-G17E End
- CUT-G17LR Left & Right



- Reference pages 149-150 for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)


- Reference page 562 pricing and details

NOTE: Interlink IQ units are available in the Accessories section


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

- CUT-G23C Center
- CUT-G23E End
- CUT-G23LR Left, Right



- Reference pages 151-152 for cutout locations of CUT-G23




NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 568 pricing and details

TARVER - GROMMET LOCATIONS ON TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
	A	B	C	D		A	B	C	D		A	B	C	D	
G10C CENTER	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	48 ¹ / ₄ "	71 ¹ / ₁₆ "	—	144"	—	57 ¹ / ₈ "	86 ¹ / ₈ "	—
G10E END	96"	25 ³ / ₁₆ "	—	—	—	120"	24 ¹ / ₁₆ "	—	—	—	144"	27 ¹ / ₁₆ "	—	—	—
G10LR LEFT, RIGHT	96"	25 ³ / ₁₆ "	—	—	70 ³ / ₄ "	120"	24 ¹ / ₁₆ "	—	—	94 ⁷ / ₈ "	144"	27 ¹ / ₁₆ "	—	—	116 ¹ / ₁₆ "
G10A ALL	96"	25 ³ / ₁₆ "	47 ¹ / ₁₆ "	—	70 ³ / ₄ "	120"	24 ¹ / ₁₆ "	48 ¹ / ₄ "	71 ¹ / ₁₆ "	94 ⁷ / ₈ "	144"	27 ¹ / ₁₆ "	57 ¹ / ₈ "	86 ¹ / ₈ "	116 ¹ / ₁₆ "
G10CE CENTER, END	96"	25 ³ / ₁₆ "	47 ¹ / ₁₆ "	—	—	120"	24 ¹ / ₁₆ "	48 ¹ / ₄ "	—	—	144"	27 ¹ / ₁₆ "	57 ¹ / ₈ "	86 ¹ / ₈ "	—
	168"					192"					216"				
	A	B	C	D		A	B	C	D		A	B	C	D	
G10C CENTER	168"	—	66 ³ / ₄ "	100 ¹ / ₁₆ "	—	192"	—	76 ³ / ₁₆ "	115 ¹ / ₁₆ "	—	216"	—	85 ¹ / ₈ "	129 ¹ / ₁₆ "	—
G10E END	168"	32 ¹ / ₂ "	—	—	—	192"	37 ³ / ₁₆ "	—	—	—	216"	42 ¹ / ₁₆ "	—	—	—
G10LR LEFT, RIGHT	168"	32 ¹ / ₂ "	—	—	135 ³ / ₁₆ "	192"	37 ³ / ₁₆ "	—	—	154 ³ / ₈ "	216"	42 ¹ / ₁₆ "	—	—	173 ¹ / ₂ "
G10A ALL	168"	32 ¹ / ₂ "	66 ³ / ₄ "	100 ¹ / ₁₆ "	135 ³ / ₁₆ "	192"	37 ³ / ₁₆ "	76 ³ / ₁₆ "	115 ¹ / ₁₆ "	154 ³ / ₈ "	216"	42 ¹ / ₁₆ "	85 ¹ / ₈ "	129 ¹ / ₁₆ "	173 ¹ / ₂ "
G10CE CENTER, END	168"	32 ¹ / ₂ "	66 ³ / ₄ "	100 ¹ / ₁₆ "	—	192"	37 ³ / ₁₆ "	76 ³ / ₁₆ "	115 ¹ / ₁₆ "	—	216"	42 ¹ / ₁₆ "	85 ¹ / ₈ "	129 ¹ / ₁₆ "	—

GROMMET LOCATIONS ON TOPS - TARVER

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



• G10 Round Grommet





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
G10C CENTER	240"	—	95 ⁷ / ₁₆ "	144 ¹ / ₁₆ "	—
G10E END	240"	46 ⁷ / ₈ "	—	—	—
G10LR LEFT, RIGHT	240"	46 ⁷ / ₈ "	—	—	192 ¹ / ₁₆ "
G10A ALL	240"	46 ⁷ / ₈ "	95 ⁷ / ₁₆ "	144 ¹ / ₁₆ "	192 ¹ / ₁₆ "
G10CE CENTER, END	240"	46 ⁷ / ₈ "	95 ⁷ / ₁₆ "	144 ¹ / ₁₆ "	—

TARVER

TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	56 ¹ / ₁₆ "	87 ¹ / ₄ "	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 ¹ / ₈ "	—	—	—	120"	27 ¹ / ₈ "	—	—	—	144"	25 ¹ / ₈ "	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 ¹ / ₈ "	—	—	74 ¹ / ₁₆ "	120"	27 ¹ / ₈ "	—	—	92 ¹ / ₄ "	144"	25 ¹ / ₈ "	—	—	117 ¹ / ₈ "
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 ¹ / ₈ "	47 ¹ / ₁₆ "	—	74 ¹ / ₁₆ "	120"	27 ¹ / ₈ "	59 ¹ / ₁₆ "	—	92 ¹ / ₄ "	144"	25 ¹ / ₈ "	56 ¹ / ₁₆ "	87 ¹ / ₄ "	117 ¹ / ₈ "
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 ¹ / ₈ "	47 ¹ / ₁₆ "	—	—	120"	27 ¹ / ₈ "	59 ¹ / ₁₆ "	—	—	144"	25 ¹ / ₈ "	56 ¹ / ₁₆ "	87 ¹ / ₄ "	—
GROMMET LOCATION/OPTIONS	168"					192"					216"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	—	66 ¹ / ₈ "	101 ¹ / ₈ "	—	192"	—	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	—	85 ¹ / ₁₆ "	130 ¹ / ₁₆ "	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 ¹ / ₁₆ "	—	—	—	192"	35 ¹ / ₂ "	—	—	—	216"	40 ¹ / ₈ "	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 ¹ / ₁₆ "	—	—	137"	192"	35 ¹ / ₂ "	—	—	156 ³ / ₁₆ "	216"	40 ¹ / ₈ "	—	—	175 ¹ / ₁₆ "
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	137"	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	156 ³ / ₁₆ "	216"	40 ¹ / ₈ "	85 ¹ / ₁₆ "	130 ¹ / ₁₆ "	175 ¹ / ₁₆ "
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	—	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	40 ¹ / ₈ "	85 ¹ / ₁₆ "	130 ¹ / ₁₆ "	—

GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
G15C CENTER	240"	—	94 7/8"	144 11/16"	—
G15E END	240"	45 1/16"	—	—	—
G15LR LEFT, RIGHT	240"	45 1/16"	—	—	194 7/16"
G15A ALL	240"	45 1/16"	94 7/8"	144 11/16"	194 7/16"
G15CE CENTER, END	240"	45 1/16"	94 7/8"	144 11/16"	—

TARVER

TARVER - GROMMET LOCATIONS ON TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT	96"	23 3/8"	—	—	—	120"	23 3/8"	—	—	—	144"	23 3/8"	—	—	—
G17LR LEFT & RIGHT	96"	23 3/8"	—	—	72 1/16"	120"	23 3/8"	—	—	96"	144"	23 3/8"	—	—	119 15/16"
G17C CENTER	96"	—	44"	51 7/8"	—	120"	—	56"	63 3/8"	—	144"	—	67 15/16"	75 13/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	96"	23 3/8"	44"	51 7/8"	—	120"	23 3/8"	56"	63 3/8"	—	144"	23 3/8"	67 15/16"	75 13/16"	—
G17A LEFT, RIGHT & CENTER	96"	23 3/8"	44"	51 7/8"	72 1/16"	120"	23 3/8"	56"	63 3/8"	96"	144"	23 3/8"	67 15/16"	75 13/16"	119 15/16"
	168"					192"					216"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT	168"	23 3/8"	—	—	—	192"	23 3/8"	—	—	—	216"	23 3/8"	—	—	—
G17LR LEFT & RIGHT	168"	23 3/8"	—	—	143 3/8"	192"	23 3/8"	—	—	167 13/16"	216"	23 3/8"	—	—	191 3/4"
G17C CENTER	168"	—	79 15/16"	87 13/16"	—	192"	—	91 7/8"	99 3/4"	—	216"	—	103 3/8"	111 3/4"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	168"	23 3/8"	79 15/16"	87 13/16"	—	192"	23 3/8"	91 7/8"	99 3/4"	—	216"	23 3/8"	103 3/8"	111 3/4"	—
G17A LEFT, RIGHT & CENTER	168"	23 3/8"	79 15/16"	87 13/16"	143 3/8"	192"	23 3/8"	91 7/8"	99 3/4"	167 13/16"	216"	23 3/8"	103 3/8"	111 3/4"	191 3/4"

GROMMET LOCATIONS ON TOPS - TARVER

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
G17L OR G17R LEFT OR RIGHT	240"	23 7/8"	—	—	—
G17LR LEFT & RIGHT	240"	23 7/8"	—	—	215 1/16"
G17C CENTER	240"	—	115 1/16"	123 1/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	240"	23 7/8"	115 1/16"	123 1/16"	—
G17A LEFT, RIGHT & CENTER	240"	23 7/8"	115 1/16"	123 1/16"	215 1/16"

TARVER

TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



• CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	59 ¹⁵ / ₁₆ "	—	—	144"	—	57"	86 ¹³ / ₁₆ "	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 ¹¹ / ₁₆ "	—	—	—	120"	28 ³ / ₈ "	—	—	—	144"	27 ³ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 ¹¹ / ₁₆ "	—	—	73 ³ / ₄ "	120"	28 ³ / ₈ "	—	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	—	—	116 ³ / ₈ "
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 ¹¹ / ₁₆ "	47 ¹ / ₁₆ "	—	73 ³ / ₄ "	120"	28 ³ / ₈ "	59 ¹⁵ / ₁₆ "	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	57"	86 ¹³ / ₁₆ "	116 ³ / ₈ "
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 ¹¹ / ₁₆ "	47 ¹ / ₁₆ "	—	—	120"	28 ³ / ₈ "	59 ¹⁵ / ₁₆ "	—	—	144"	27 ³ / ₁₆ "	57"	86 ¹³ / ₁₆ "	—
	168"					192"					216"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	—	66 ⁶ / ₁₆ "	101 ¹ / ₈ "	—	192"	—	76 ¹ / ₈ "	115 ¹ / ₂ "	—	216"	—	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 ¹⁵ / ₁₆ "	—	—	—	192"	36 ³ / ₄ "	—	—	—	216"	41 ¹ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 ¹⁵ / ₁₆ "	—	—	135 ³ / ₄ "	192"	36 ³ / ₄ "	—	—	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	—	—	174 ¹ / ₁₆ "
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 ¹⁵ / ₁₆ "	66 ⁶ / ₁₆ "	101 ¹ / ₈ "	135 ³ / ₄ "	192"	36 ³ / ₄ "	76 ¹ / ₈ "	115 ¹ / ₂ "	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	174 ¹ / ₁₆ "
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 ¹⁵ / ₁₆ "	66 ⁶ / ₁₆ "	101 ¹ / ₈ "	—	192"	36 ³ / ₄ "	76 ¹ / ₈ "	115 ¹ / ₂ "	—	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	—

TARVER

GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
G23C CENTER	240"	—	95 5/16"	144 1/4"	—
G23E END	240"	46 5/16"	—	—	—
G23LR LEFT, RIGHT	240"	46 5/16"	—	—	193 3/16"
G23A ALL	240"	46 5/16"	95 5/16"	144 1/4"	193 3/16"
G23CE CENTER, END	240"	46 5/16"	95 5/16"	144 1/4"	—

TARVER

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations
- Grommet cutout is only available in Center location.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N4229TRDTW CUT-G17C EW 462 462

- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TOP TRESTLE BASE WORKSURFACE HEIGHT 	42" ROUND			1$\frac{1}{8}$" TOP THICKNESS						
	90N4229TRDTW	Wood	\$ 5389	42 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	86 lbs.	20.1
	90N4229TRDTL	Laminate	5101	42 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	86 lbs.	20.7
	48" ROUND									
	90N4829TRDTW	Wood	\$ 5825	48 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	103 lbs.	21.1
	90N4829TRDTL	Laminate	5229	48 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	103 lbs.	21.4
	54" ROUND									
	90N5429TRDTW	Wood	\$ 6259	54	—	29 $\frac{1}{16}$	—	—	153 lbs.	37.9
	90N5429TRDTL	Laminate	5825	54	—	29 $\frac{1}{16}$	—	—	153 lbs.	37.9
	60" ROUND									
	90N6029TRDTW	Wood	\$ 6693	58 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	213 lbs.	39.3
	90N6029TRDTL	Laminate	6259	58 $\frac{1}{16}$	—	29 $\frac{1}{16}$	—	—	213 lbs.	39.3
• G10 grommet option not available										
ROUND TOP TRESTLE BASE COUNTER HEIGHT 	42" ROUND			1$\frac{1}{8}$" TOP THICKNESS						
	90N4235TRDTW	Wood	\$ 6198	42 $\frac{1}{16}$	—	35 $\frac{1}{16}$	—	—	92 lbs.	25.2
	90N4235TRDTL	Laminate	5865	42 $\frac{1}{16}$	—	35 $\frac{1}{16}$	—	—	92 lbs.	25.8
	48" ROUND									
	90N4835TRDTW	Wood	\$ 6697	48 $\frac{1}{16}$	—	35 $\frac{1}{16}$	—	—	109 lbs.	26.2
	90N4835TRDTL	Laminate	6015	48 $\frac{1}{16}$	—	35 $\frac{1}{16}$	—	—	109 lbs.	26.5
• G10 grommet option not available										
ROUND TOP TRESTLE BASE BAR HEIGHT 	42" ROUND			1$\frac{1}{8}$" TOP THICKNESS						
	90N4241TRDTW	Wood	\$ 6818	42 $\frac{1}{16}$	—	41 $\frac{1}{16}$	—	—	159 lbs.	29.7
	90N4241TRDTL	Laminate	6451	42 $\frac{1}{16}$	—	41 $\frac{1}{16}$	—	—	159 lbs.	30.3
	48" ROUND									
	90N4841TRDTW	Wood	\$ 7366	48 $\frac{1}{16}$	—	41 $\frac{1}{16}$	—	—	219 lbs.	30.7
	90N4841TRDTL	Laminate	6617	48 $\frac{1}{16}$	—	41 $\frac{1}{16}$	—	—	219 lbs.	31.0
• G10 grommet option not available										

TARVER

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations
- Grommet cutout is only available in Center location.


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint


SAMPLE MODEL NUMBER:

90N606029TSQTL X G1012 423 423

- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H						
SQUARE TOP TRESTLE BASE WORKSURFACE HEIGHT 	42" SQUARE	1 1/8" TOP THICKNESS									
	90N424229TSQTW	Wood	\$	5389	42 1/16	42 1/16	29 1/16	—	—	112 lbs.	20.7
	90N424229TSQTL	Laminate		5101	42 1/16	42 1/16	29 1/16	—	—	112 lbs.	20.7
	48" SQUARE										
	90N484829TSQTW	Wood	\$	5825	48 1/16	48 1/16	29 1/16	—	—	129 lbs.	21.4
	90N484829TSQTL	Laminate		5229	48 1/16	48 1/16	29 1/16	—	—	129 lbs.	21.4
	54" SQUARE										
	90N545429TSQTW	Wood	\$	6259	54	54	29 1/16	—	—	174 lbs.	37.9
	90N545429TSQTL	Laminate		5825	54	54	29 1/16	—	—	174 lbs.	37.9
	60" SQUARE										
	90N606029TSQTW	Wood	\$	6693	58 7/16	58 7/16	29 1/16	—	—	203 lbs.	39.3
	90N606029TSQTL	Laminate		6259	58 7/16	58 7/16	29 1/16	—	—	203 lbs.	39.3
	• G10 grommet option not available										


SQUARE TOP TRESTLE BASE COUNTER HEIGHT



42" SQUARE		1 1/8" TOP THICKNESS	
90N424235TSQTW	Wood	\$	6198
90N424235TSQTL	Laminate		5865
48" SQUARE			
90N484835TSQTW	Wood	\$	6697
90N484835TSQTL	Laminate		6015
• G10 grommet option not available			

42 1/16	42 1/16	35 1/16	—	—	118 lbs.	25.8
42 1/16	42 1/16	35 1/16	—	—	118 lbs.	25.8
48 1/16	48 1/16	35 1/16	—	—	135 lbs.	26.5
48 1/16	48 1/16	35 1/16	—	—	135 lbs.	26.5

SQUARE TOP TRESTLE BASE BAR HEIGHT



42" SQUARE		1 1/8" TOP THICKNESS								
90N424241TSQTW	Wood	\$	6818	42 1/16	42 1/16	41 1/8	—	—	180 lbs.	30.3
90N424241TSQTL	Laminate		6451	42 1/16	42 1/16	41 1/8	—	—	180 lbs.	30.3
48" SQUARE										
90N484841TSQTW	Wood	\$	7366	48 1/16	48 1/16	41 1/8	—	—	209 lbs.	31.0
90N484841TSQTL	Laminate		6617	48 1/16	48 1/16	41 1/8	—	—	209 lbs.	31.0
• G10 grommet option not available										

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations


TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N4814429TRTTL CUT-G17A DW DW EM
 • See page 143 for all options available in Tarver

RECTANGLE TOP
TRESTLE BASE
WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
48" x 96" 1 1/2" TOP THICKNESS			D	W	H	A	KW		
90N489629TRTTW	Wood	\$ 10091	48 1/16	95 7/8	29 1/16	—	—	302 lbs.	17.4
90N489629TRTTL	Laminate	9257	48 1/16	95 7/8	29 1/16	—	—	302 lbs.	17.4
48" x 120"									
90N4812029TRTTW	Wood	\$ 14063	48 1/16	119 13/16	29 1/16	—	—	382 lbs.	23.7
90N4812029TRTTL	Laminate	13439	48 1/16	119 13/16	29 1/16	—	—	382 lbs.	23.7
48" x 144"									
90N4814429TRTTW	Wood	\$ 15860	48 1/16	143 3/4	29 1/16	—	—	440 lbs.	25.9
90N4814429TRTTL	Laminate	15112	48 1/16	143 3/4	29 1/16	—	—	440 lbs.	26.0
48" x 168"									
90N4816829TRTTW	Wood	\$ 19239	48 1/16	167 11/16	29 1/16	—	—	527 lbs.	31.9
90N4816829TRTTL	Laminate	18537	48 1/16	167 11/16	29 1/16	—	—	527 lbs.	31.9
48" x 192"									
90N4819229TRTTW	Wood	\$ 20682	48 1/16	191 1/8	29 1/16	—	—	582 lbs.	34.1
90N4819229TRTTL	Laminate	20004	48 1/16	191 1/8	29 1/16	—	—	582 lbs.	34.1
48" x 216"									
90N4821629TRTTW	Wood	\$ 22137	48 1/16	215 1/16	29 1/16	—	—	670 lbs.	22.5
90N4821629TRTTL	Laminate	21485	48 1/16	215 1/16	29 1/16	—	—	670 lbs.	22.5
48" x 240"									
90N4824029TRTTW	Wood	\$ 23585	48 1/16	239 1/2	29 1/16	—	—	719 lbs.	23.1
90N4824029TRTTL	Laminate	22967	48 1/16	239 1/2	29 1/16	—	—	719 lbs.	23.1

- 96" wide tops use 2 bases
- 120" and 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 120", 144", 168", and 192" wide tops are 2 piece tops
- 216" and 240" wide tops are 3 piece tops
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N6019229TRTTW CUT-17LR ERO 461 461

- See page 143 for all options available in Tarver

RECTANGLE TOP
TRESTLE BASE
WORKSURFACE HEIGHT
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
60" x 144"		1 1/2" TOP THICKNESS							
90N6014429TRTTW	Wood	\$ 20277	58 1/16	143 3/4	29 7/16	—	—	535 lbs.	26.7
90N6014429TRTTL	Laminate	19194	58 1/16	143 3/4	29 7/16	—	—	535 lbs.	35.7
60" x 168"									
90N6016829TRTTW	Wood	\$ 24659	58 1/16	167 11/16	29 7/16	—	—	605 lbs.	34.5
90N6016829TRTTL	Laminate	23591	58 1/16	167 11/16	29 7/16	—	—	605 lbs.	45.7
60" x 192"									
90N6019229TRTTW	Wood	\$ 26443	58 1/16	191 1/8	29 7/16	—	—	702 lbs.	38.0
90N6019229TRTTL	Laminate	25391	58 1/16	191 1/8	29 7/16	—	—	702 lbs.	52.5
60" x 216"									
90N6021629TRTTW	Wood	\$ 28233	58 1/16	215 5/16	29 7/16	—	—	813 lbs.	34.0
90N6021629TRTTL	Laminate	27203	58 1/16	215 5/16	29 7/16	—	—	813 lbs.	54.7
60" x 240"									
90N6024029TRTTW	Wood	\$ 30023	58 1/16	239 1/2	29 7/16	—	—	874 lbs.	35.2
90N6024029TRTTL	Laminate	29014	58 1/16	239 1/2	29 7/16	—	—	874 lbs.	57.9

- 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 144" wide tops are 2 piece tops
- 168", 192", 216", and 240" wide tops are 3 piece tops
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N489641TRTTW X PTRO PTRO 463
 • See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECTANGLE TOP TRESTLE BASE COUNTER HEIGHT 	48" x 96"	1 1/8" TOP THICKNESS								
	90N489635TRTTW	Wood	\$ 10595	48 1/16	95 7/8	35 1 1/16	—	—	317 lbs.	19.2
	90N489635TRTTL	Laminate	9719	48 1/16	95 7/8	35 1 1/16	—	—	317 lbs.	19.2
	48" x 120"									
	90N4812035TRTTW	Wood	\$ 14766	48 1/16	119 1 1/16	35 1 1/16	—	—	397 lbs.	26.4
	90N4812035TRTTL	Laminate	14113	48 1/16	119 1 1/16	35 1 1/16	—	—	397 lbs.	26.6
	• 96" wide tops use 2 bases • 120" wide tops use 3 bases • 96" wide tops are 1 piece tops • 120" wide tops are 2 piece tops • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops									

RECTANGLE TOP
TRESTLE BASE
BAR HEIGHT



48" x 96"	1 1/8" TOP THICKNESS									
90N489641TRTTW	Wood	\$ 16654	48 1/16	95 7/8	41 1/8	—	—	—	319 lbs.	20.8
90N489641TRTTL	Laminate	15868	48 1/16	95 7/8	41 1/8	—	—	—	319 lbs.	23.0
48" x 120"										
90N4812041TRTTW	Wood	\$ 20201	48 1/16	119 1 1/16	41 1/8	—	—	—	409 lbs.	28.8
90N4812041TRTTL	Laminate	19465	48 1/16	119 1 1/16	41 1/8	—	—	—	409 lbs.	29.0
• 96" wide tops use 2 bases • 120" wide tops use 3 bases • 96" wide tops are 1 piece tops • 120" wide tops are 2 piece tops • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops										

TARVER

PRODUCT SPECIFICATIONS

- Legs made of metal and solid wood
- End and Magazine Tables ship assembled

TO ORDER, SPECIFY:

1. Model Number
2. Top Finish/Laminate
3. Base Finish
4. Paint

SAMPLE MODEL NUMBER:

- 90N2421ENL 478 461 462
- 90N2448MGW PBRO 405 462
- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
END TABLE TRESTLE BASE 	90N2421ENW	Wood	\$ 2600	24	24	22½	—	—	60 lbs.	12.8
	90N2421ENL	Laminate	2462	24	24	22½	—	—	60 lbs.	12.8
	• No grommet cutouts available • 1½" thick tops									
MAGAZINE TABLE TRESTLE BASE 	90N2448MGW	Wood	\$ 3325	24	48½	16¼	—	—	83 lbs.	18.8
	90N2448MGL	Laminate	3186	24	48½	16¼	—	—	83 lbs.	18.8
	• No grommet cutouts available • 1½" thick tops									

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of solid wood

TO ORDER, SPECIFY:

1. Model Number
2. Paint
3. Finish
4. Base Finish

SAMPLE MODEL NUMBER:

90N3072MBMW 461 AD ADRO

- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MOBILE MARKER BOARD	90N3072MBMW	\$ 4708	28	29½	72	—	—	97 lbs.	23.0



- Dry erase writing surface is approximately 26" wide x 36½" high
- Marker board is approx 35" above fixed floor
- Tray provides lip to keep markers in place
- 4 braking casters
- To specify select paint for top metal divider, finish for horizontal surface, and finish for solid wood base

TARVER

PRODUCT SPECIFICATIONS

- Shipped assembled

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate
3. Hardware Paint
4. Paint

SAMPLE MODEL NUMBER:

90N2436MUCL SK MB 423
• See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
	MOBILE UTILITY CART	90N2436MUCW	Wood	\$ 5070	23 ³ / ₁₆	41 ³ / ₁₆	35 ⁵ / ₁₆	—	—	160 lbs.	26.8
		90N2436MUCL	Laminate	3983	23 ³ / ₁₆	41 ³ / ₁₆	35 ⁵ / ₁₆	—	—	160 lbs.	26.8
	• Top width is 36" • 4 braking casters • One adjustable shelf behind hinged doors • Doors are non-locking • These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow										

PRODUCT SPECIFICATIONS


- Shipped assembled

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate
3. Hardware Paint

SAMPLE MODEL NUMBER:

90N246035CCSL G1006 MB
• See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	48"	1 1/8" TOP THICKNESS									
	90N244835CCSW	Wood	\$	9715	24	48 1/16	35	—	—	184 lbs.	33.0
	90N244835CCSL	Laminate		7856	24	48 1/16	35	—	—	184 lbs.	33.0
	• Metal base height is 6 1/16" • Grommet option not available • Features an adjustable shelf behind each set of doors • Features a fully finished back • Doors are non-locking • Inside dimension of storage section is 21 1/16"D x 19 7/8"W x 23 3/16"H • These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow										
	60"	1 1/8" TOP THICKNESS									
	90N246035CCSW	Wood	\$	9932	24	60	35	—	—	250 lbs.	40.3
	90N246035CCSL	Laminate		8074	24	60	35	—	—	250 lbs.	40.3
	• Metal base height is 6 1/16" • Grommet option not available • Features an adjustable shelf behind each set of doors • Features a fully finished back • Doors are non-locking • Inside dimension of storage section is 21 1/16"D x 25 7/8"W x 23 3/16"H • These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow										
	72"	1 1/8" TOP THICKNESS									
	90N247235CCSW	Wood	\$	10150	24	71 1/16	35	—	—	286 lbs.	47.7
	90N247235CCSL	Laminate		8293	24	71 1/16	35	—	—	286 lbs.	47.7
	• Metal base height is 6 1/16" • Grommet option not available • Features an adjustable shelf behind each set of doors • Features a fully finished back • Doors are non-locking • Inside dimension of storage section is 21 1/16"D x 31 7/8"W x 23 3/16"H • These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow										

TESSERA CONFERENCE TABLES

Product Specifications	164
Product Options	165
Grommet Location Options for Conference Tops	167
Product Pages	171

TESSERA CONFERENCE TABLES

TESSERA PRODUCT SPECIFICATIONS

WORKSURFACE

- Veneer surfaces are 1¾" and feature a 3mm wood rim
- Laminate surfaces are 1¾" HPL (high pressure laminate)
- Rims are available in 3mm softened profile
- Grain direction runs left-to-right unless otherwise noted
- CSL not available

CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Refer to the Casegoods Book 1 Price List for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal
- Leather strap can hold wires and attach to a leg in Florence colors Almond Biscotti, Terra, Mezza Luna, and Struzzo
- Leather sleeve with zipper in 3 heights: standard, bar, counter for housing cords in Florence colors Almond Biscotti, Terra, Mezza Luna and Struzzo

LEGS

- Tapered wood legs
- Contrasting leg option available in Designer White (405), Cinder (462), Platinum Metallic (501), and Satin Nickel Metallic (503) paint
- Conference table will have apron rail match leg paint color

BENCHES (STANDARD HEIGHT)

- Available in wood and laminate wood grain finishes, solid laminate colors
- Legs and apron rail will match and can be specified different from the top
- Upholstered options available
- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (1 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

GROMMET OPTIONS – CONFERENCE

If no grommet is desired, specify an X (No Grommet)

Round Grommet Option, Black


\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details




**98KG40AELPGBK, 98KG40AELPGWH,
98KG40AELPGLG, NACG10BELPGB,
NACG10BELPGW, and NACG10AELPGG**
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference page 168 for cutout locations of CUT-G15

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End



- Reference page 169 for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

- Reference page 562 for pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End



- Reference page 170 for cutout locations of CUT-G23



**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**

- Reference page 568 for pricing and details

CONFIGURATION OPTIONS - TESSERA

LEG FINISH/ PAINT OPTIONS

793	Acorn	NM	Natural
AD	Almond	PC	Porcini
MC	Amber	PT	Portico
AC	Autumn	PB	Portobello
BZ	Brazilwood	792	Sable
IM	Brighton	SC	Sedona
CO	Canyon	SK	Skyline
CL	Caramel	TW	Tribeca
CI	Chai	TF	Truffle
CC	Cordoba	NW	Tuscan
CW	Cordovan	UW	Urban
DF	Driftwood	WL	Willow
HN	Honey	462	Cinder
TM	Huntington	423	Concrete
DW	Judicial	405	Designer White
KN	Kona	463	Iron
MW	Midtown	501	Platinum Metallic
MH	Mocha	503	Satin Nickel Metallic
YO	Monterey		

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Cherry
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Cherry
MW	Midtown Cherry
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Cherry
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Cherry

LAMINATES

WOODGRAIN LAMINATE*

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

*Not available on the accent sliding door of the laminate/wood models

SOLID LAMINATE


462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust
Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS



- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired
- G10 Round Grommet



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)																			
	72"				84"				96"				108"				120"			
G10C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	36"	—	—	—	41 ¹⁵ / ₁₆ "	—	—	—	47 ¹⁵ / ₁₆ "	—	—	—	53 ¹⁵ / ₁₆ "	—	—	—	59 ¹⁵ / ₁₆ "	—	—
G10E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	—	—	—	20 ⁷ / ₈ "	—	—	—	23 ⁷ / ₈ "	—	—	—	26 ⁷ / ₈ "	—	—	—	29 ⁷ / ₈ "	—	—	—
G10LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	—	—	54 ¹³ / ₁₆ "	20 ⁷ / ₈ "	—	—	63 ¹³ / ₁₆ "	23 ⁷ / ₈ "	—	—	72 ¹³ / ₁₆ "	26 ⁷ / ₈ "	—	—	81 ³ / ₄ "	29 ⁷ / ₈ "	—	—	90 ³ / ₄ "
G10A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	36"	—	54 ¹³ / ₁₆ "	20 ⁷ / ₈ "	41 ¹⁵ / ₁₆ "	—	63 ¹³ / ₁₆ "	23 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	—	72 ¹³ / ₁₆ "	26 ⁷ / ₈ "	53 ¹⁵ / ₁₆ "	—	81 ³ / ₄ "	29 ⁷ / ₈ "	59 ¹⁵ / ₁₆ "	—	90 ³ / ₄ "
G10CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 ⁷ / ₈ "	36"	—	—	20 ⁷ / ₈ "	41 ¹⁵ / ₁₆ "	—	—	23 ⁷ / ₈ "	47 ¹⁵ / ₁₆ "	—	—	26 ⁷ / ₈ "	53 ¹⁵ / ₁₆ "	—	—	29 ⁷ / ₈ "	59 ¹⁵ / ₁₆ "	—	—

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS



- CUT-G15 option



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)																			
	72"				84"				96"				108"				120"			
G15C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	36"	—	—	—	41 ¹⁵ / ₁₆ "	—	—	—	47 ¹⁵ / ₁₆ "	—	—	—	53 ¹⁵ / ₁₆ "	—	—	—	59 ¹⁵ / ₁₆ "	—	—
G15E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 ⁵ / ₈ "	—	—	—	18 ⁵ / ₈ "	—	—	—	21 ⁵ / ₈ "	—	—	—	24 ⁵ / ₈ "	—	—	—	27 ⁵ / ₈ "	—	—	—
G15LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 ⁵ / ₈ "	—	—	56 ⁵ / ₁₆ "	18 ⁵ / ₈ "	—	—	65 ⁵ / ₁₆ "	21 ⁵ / ₈ "	—	—	74 ⁵ / ₁₆ "	24 ⁵ / ₈ "	—	—	83 ¹ / ₄ "	27 ⁵ / ₈ "	—	—	92 ¹ / ₄ "
G15A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 ⁵ / ₈ "	36"	—	56 ⁵ / ₁₆ "	18 ⁵ / ₈ "	41 ¹⁵ / ₁₆ "	—	65 ⁵ / ₁₆ "	21 ⁵ / ₈ "	47 ¹⁵ / ₁₆ "	—	74 ⁵ / ₁₆ "	24 ⁵ / ₈ "	53 ¹⁵ / ₁₆ "	—	83 ¹ / ₄ "	27 ⁵ / ₈ "	59 ¹⁵ / ₁₆ "	—	92 ¹ / ₄ "
G15CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15 ⁵ / ₈ "	36"	—	—	18 ⁵ / ₈ "	41 ¹⁵ / ₁₆ "	—	—	21 ⁵ / ₈ "	47 ¹⁵ / ₁₆ "	—	—	24 ⁵ / ₈ "	53 ¹⁵ / ₁₆ "	—	—	27 ⁵ / ₈ "	59 ¹⁵ / ₁₆ "	—	—

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS



- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)
- CUT-G17 option



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)																			
	72"				84"				96"				108"				120"			
G17C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—	—	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	—	44"	51 $\frac{1}{8}$ "	—	—	50"	57 $\frac{1}{8}$ "	—	—	56"	63 $\frac{1}{8}$ "	—
G17E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	—	—	—	6"	—	—	—	6"	—	—	—	6"	—	—	—	6"	—	—	—
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	—	—	66"	6"	—	—	77 $\frac{1}{16}$ "	6"	—	—	89 $\frac{1}{16}$ "	6"	—	—	101 $\frac{1}{8}$ "	6"	—	—	113 $\frac{1}{8}$ "
G17A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	66"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	77 $\frac{1}{16}$ "	6"	44"	51 $\frac{1}{8}$ "	89 $\frac{1}{16}$ "	6"	50"	57 $\frac{1}{8}$ "	101 $\frac{1}{8}$ "	6"	56"	63 $\frac{1}{8}$ "	113 $\frac{1}{8}$ "
G17CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	6"	44"	51 $\frac{1}{8}$ "	—	6"	50"	57 $\frac{1}{8}$ "	—	6"	56"	63 $\frac{1}{8}$ "	—

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

CUT-G23 option



GROMMET LOCATION/ OPTIONS	TABLE LENGTH (IN)																			
	72"				84"				96"				108"				120"			
G23C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	—	36"	—	—	—	41 15/16"	—	—	—	47 15/16"	—	—	—	53 15/16"	—	—	—	59 15/16"	—	—
G23E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 15/16"	—	—	—	19 15/16"	—	—	—	22 15/16"	—	—	—	25 5/8"	—	—	—	28 5/8"	—	—	—
G23LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 15/16"	—	—	55 5/16"	19 15/16"	—	—	64 1/4"	22 15/16"	—	—	73 1/4"	25 5/8"	—	—	82 1/4"	28 5/8"	—	—	91 15/16"
G23A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 15/16"	36"	—	55 5/16"	19 15/16"	41 15/16"	—	64 1/4"	22 15/16"	47 15/16"	—	73 1/4"	25 5/8"	53 15/16"	—	82 1/4"	28 5/8"	59 15/16"	—	91 15/16"
G23CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 15/16"	36"	—	—	19 15/16"	41 15/16"	—	—	22 15/16"	47 15/16"	—	—	25 5/8"	53 15/16"	—	—	28 5/8"	59 15/16"	—	—

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N6012029TRTW X 501 MH
59N6012029TRLW X 501 MH

- See pages 165-166 for all options available in Tessera

CONFERENCE TABLE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
59N6012029TRTW	Wood	\$ 9492	60	120	28 3/4	—	—	309 lbs.	25.2
59N6012029TRLW	Laminate	9072	60	120	28 3/4	—	—	309 lbs.	25.2
59N6010829TRTW	Wood	\$ 9401	60	108	28 3/4	—	—	281 lbs.	22.8
59N6010829TRLW	Laminate	8529	60	108	28 3/4	—	—	281 lbs.	22.8
59N609629TRTW	Wood	\$ 9180	60	96	28 3/4	—	—	252 lbs.	20.4
59N609629TRLW	Laminate	8354	60	96	28 3/4	—	—	252 lbs.	20.4
59N608429TRTW	Wood	\$ 7129	60	84	28 3/4	—	—	222 lbs.	18.0
59N608429TRLW	Laminate	6296	60	84	28 3/4	—	—	222 lbs.	18.0
59N607229TRTW	Wood	\$ 6922	60	72	28 3/4	—	—	194 lbs.	15.6
59N607229TRLW	Laminate	5990	60	72	28 3/4	—	—	194 lbs.	15.6
59N5412029TRTW	Wood	\$ 9062	54	120	28 3/4	—	—	283 lbs.	22.9
59N5412029TRLW	Laminate	8688	54	120	28 3/4	—	—	283 lbs.	22.9
59N5410829TRTW	Wood	\$ 8983	54	108	28 3/4	—	—	257 lbs.	20.7
59N5410829TRLW	Laminate	8203	54	108	28 3/4	—	—	257 lbs.	20.7
59N549629TRTW	Wood	\$ 8784	54	96	28 3/4	—	—	230 lbs.	18.5
59N549629TRLW	Laminate	8046	54	96	28 3/4	—	—	230 lbs.	18.5
59N548429TRTW	Wood	\$ 6757	54	84	28 3/4	—	—	202 lbs.	16.4
59N548429TRLW	Laminate	6014	54	84	28 3/4	—	—	202 lbs.	16.4
59N547229TRTW	Wood	\$ 6572	54	72	28 3/4	—	—	176 lbs.	14.2
59N547229TRLW	Laminate	5740	54	72	28 3/4	—	—	176 lbs.	14.2

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812029TRTW X 501 PT
59N4812029TRLW X 501 PT

- See pages 165-166 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
CONFERENCE TABLE WORKSURFACE HEIGHT	59N4812029TRTW	Wood	\$ 8679	48	120	28½	—	—	258 lbs.	20.6
	59N4812029TRLW	Laminate	8346	48	120	28½	—	—	258 lbs.	20.6
	59N4810829TRTW	Wood	\$ 8609	48	108	28½	—	—	233 lbs.	18.7
	59N4810829TRLW	Laminate	7910	48	108	28½	—	—	233 lbs.	18.7
	59N489629TRTW	Wood	\$ 8432	48	96	28½	—	—	208 lbs.	16.7
	59N489629TRLW	Laminate	7773	48	96	28½	—	—	208 lbs.	16.7
	59N488429TRTW	Wood	\$ 6426	48	84	28½	—	—	183 lbs.	14.7
	59N488429TRLW	Laminate	5762	48	84	28½	—	—	183 lbs.	14.7
	59N487229TRTW	Wood	\$ 6260	48	72	28½	—	—	157 lbs.	12.8
	59N487229TRLW	Laminate	5517	48	72	28½	—	—	157 lbs.	12.8
	59N4212029TRTW	Wood	\$ 8442	42	120	28½	—	—	228 lbs.	18.4
	59N4212029TRLW	Laminate	7598	42	120	28½	—	—	228 lbs.	18.4
	59N4210829TRTW	Wood	\$ 8275	42	108	28½	—	—	206 lbs.	16.6
	59N4210829TRLW	Laminate	7477	42	108	28½	—	—	206 lbs.	16.6
	59N429629TRTW	Wood	\$ 8115	42	96	28½	—	—	184 lbs.	14.4
	59N429629TRLW	Laminate	7365	42	96	28½	—	—	184 lbs.	14.4
	59N428429TRTW	Wood	\$ 6130	42	84	28½	—	—	161 lbs.	13.1
	59N428429TRLW	Laminate	5423	42	84	28½	—	—	161 lbs.	13.1
	59N427229TRTW	Wood	\$ 5982	42	72	28½	—	—	139 lbs.	11.4
	59N427229TRLW	Laminate	5318	42	72	28½	—	—	139 lbs.	11.4

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812041TRTW X 501 PT
59N4812041TRLW X 501 PT

- See pages 165-166 for all options available in Tessera

CONFERENCE TABLE BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
59N4812041TRTW	Wood	\$ 14582	48	119%	41			561 lbs.	20.6
59N4812041TRLW	Laminate	14019	48	119%	41			561 lbs.	20.6
59N4810841TRTW	Wood	\$ 14464	48	107%	41			525 lbs.	22.3
59N4810841TRLW	Laminate	13291	48	107%	41			525 lbs.	22.3
59N489641TRTW	Wood	\$ 14166	48	95%	41			488 lbs.	20.4
59N489641TRLW	Laminate	13059	48	95%	41			488 lbs.	20.4
59N488441TRTW	Wood	\$ 10797	48	84	41			452 lbs.	14.7
59N488441TRLW	Laminate	9679	48	84	41			452 lbs.	14.7
59N487241TRTW	Wood	\$ 10516	48	72	41			416 lbs.	12.8
59N487241TRLW	Laminate	9270	48	72	41			416 lbs.	12.8
59N4212041TRTW	Wood	\$ 14183	42	119%	41			527 lbs.	18.4
59N4212041TRLW	Laminate	12766	42	119%	41			527 lbs.	18.4
59N4210841TRTW	Wood	\$ 13904	42	107%	41			494 lbs.	19.9
59N4210841TRLW	Laminate	12563	42	107%	41			494 lbs.	19.9
59N429641TRTW	Wood	\$ 13636	42	95%	41			460 lbs.	18.1
59N429641TRLW	Laminate	12375	42	95%	41			460 lbs.	18.1
59N428441TRTW	Wood	\$ 10299	42	84	41			424 lbs.	13.1
59N428441TRLW	Laminate	9111	42	84	41			424 lbs.	13.1
59N427241TRTW	Wood	\$ 10051	42	72	41			400 lbs.	11.4
59N427241TRLW	Laminate	8937	42	72	41			400 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See the Casegoods Book 1 Price List
- If specifying G17 grommet, a braided cord is available; see page 562
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color


SAMPLE MODEL NUMBERS:

59N4812035TRTW X 501 PT
59N4812035TRLW X 501 PT

- See pages 165-166 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
CONFERENCE TABLE COUNTER HEIGHT	59N4812035TRTW	Wood	\$ 13883	48	119½	34⅞			514 lbs.	20.6
	59N4812035TRLW	Laminate	13351	48	119½	34⅞			514 lbs.	20.6
	59N4810835TRTW	Wood	\$ 13773	48	107½	34⅞			481 lbs.	18.7
	59N4810835TRLW	Laminate	12658	48	107½	34⅞			481 lbs.	18.7
	59N489635TRTW	Wood	\$ 13491	48	95½	34⅞			446 lbs.	20.4
	59N489635TRLW	Laminate	12438	48	95½	34⅞			446 lbs.	20.4
	59N488435TRTW	Wood	\$ 10282	48	84	34⅞			414 lbs.	14.7
	59N488435TRLW	Laminate	9217	48	84	34⅞			414 lbs.	14.7
	59N487235TRTW	Wood	\$ 10016	48	72	34⅞			400 lbs.	12.8
	59N487235TRLW	Laminate	8827	48	72	34⅞			400 lbs.	12.8
	59N4212035TRTW	Wood	\$ 13507	42	119½	34⅞			482 lbs.	18.4
	59N4212035TRLW	Laminate	12157	42	119½	34⅞			482 lbs.	18.4
	59N4210835TRTW	Wood	\$ 13241	42	107½	34⅞			451 lbs.	16.6
	59N4210835TRLW	Laminate	11962	42	107½	34⅞			451 lbs.	16.6
	59N429635TRTW	Wood	\$ 12986	42	95½	34⅞			419 lbs.	18.1
	59N429635TRLW	Laminate	11785	42	95½	34⅞			419 lbs.	18.1
	59N428435TRTW	Wood	\$ 9808	42	84	34⅞			387 lbs.	13.1
	59N428435TRLW	Laminate	8678	42	84	34⅞			387 lbs.	13.1
	59N427235TRTW	Wood	\$ 9572	42	72	34⅞			320 lbs.	11.4
	59N427235TRLW	Laminate	8510	42	72	34⅞			320 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See the Casegoods Book 1 Price List
- If specifying G17 grommet, a braided cord is available; see page 562
- See wire managers in the Casegoods Book 1 Price List



COLLABORATIVE TABLES

Footings	176
Grin	214
Mio	227
Strassa	295

FOOTINGS

FOOTINGS PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl rim or knife rim surface
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim surface
- Refer to page 177 for rim profile and colors
- Grain direction runs left-to-right
- 120" tops and smaller are a 1 piece top

BASE

- Intended to be used with Footings tops. However, an equal size 1 $\frac{3}{16}$ " top from Wave or Epic can be used
- Ellipse shaped wire management cutout optional on X bases and standard on the Y and quad bases
- The column and foot can be specified as different paint colors
- Adjustable glides are standard
- Column diameter is 2 $\frac{1}{2}$ "

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)


- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{8}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{8}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60 " jumper; jumper cable is 60 $\frac{3}{8}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables


FOOTINGS SHAPES AND SIZES

• All tops are 1 piece tops



ROUND

24" Diameter
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SOFT SQUARE

24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"




OVAL

24" x 48"
30" x 60"
36" x 72"
42" x 84"
48" x 96"




SOFT RECTANGLE

24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"



ARC RECTANGLE

24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"



BOAT


24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"



TAPERED

36" x 72"
42" x 84"
48" x 96"
48" x 120"


RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened Vinyl (V)
(laminated tops only)



Knife (K)

RIM PROFILES

SOFTENED VINYL RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
EW	Clear Walnut
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

FOOTINGS - CONFIGURATION OPTIONS

GROMMET AND CUTOUT OPTIONS

Footings tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right



- Reference page 180 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End
CUT-G17LR Left & Right




- Reference page 181 for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

- Reference page 562 pricing and details


NOTE: Interlink IQ units are available in the Accessories section

Cutout Option for G23 Power Grommet and Daisy Link


\$41 list upcharge per cutout location

- CUT-G23C Cutout only for G23 Power Grommet (+\$41 list)

CUT-G23C Center
CUT-G23E End
CUT-G23LR Left, Right




- Reference page 182 for cutout locations of CUT-G23




**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**

- Reference page 568 pricing and details



Plugged Starter Unit



Hardwire Starter Unit

**NAC80ELDLJ, NACG23ELDLB1,
NACG23ELDLB2, NACG23ELDLHB1,
NACG23ELDLHS1, NACG23ELDLS1, and
NACG23ELDLS2 (Sold Separately)**

- Reference page 568 pricing and details

TOP WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
EW	Clear Walnut*
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

*Acorn is the laminate complement to Clear Walnut finish

- CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

- Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BASE COLUMN PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE FOOT PAINT COLORS


462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
265	Polished
503	Satin Nickel Metallic

BASE COLUMN WIRE MANAGEMENT

- Ellipse shaped wire management cutout optional in X bases


CU	Cutout, Upper
X	No Cutout

\$41 list upcharge for cutout in X bases



FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)




- G10 Round Grommet




GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)														
	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 ¹ / ₁₆ "	—	—	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	50 ¹ / ₁₆ "	68 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ⁷ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—

GROMMET LOCATIONS - FOOTINGS


- All grommets are centered on the table top depth
- For 60", 72", 84" 96" and 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G17 option



- 1 Touch Pivoting Power/Data Grommet




- Must be ordered separately

TABLE LENGTH (IN)


GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	48"	—	24"	N/A	—	60"	—	26"	34"	—	72"	—	32"	39 ¹ / ₁₆ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	84"	—	38"	45 ¹ / ₁₆ "	—	96"	—	44"	51 ¹ / ₁₆ "	—	120"	—	50 ¹ / ₁₆ "	68 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ⁷ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—

FOOTINGS - GROMMET LOCATIONS


- All grommets are centered on the table top depth
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G23 option







- Power Grommet














- Must be ordered separately

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)														
	48"					60"					72"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 ¹ / ₁₆ "	—	—	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	49 ³ / ₁₆ "	70 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ¹ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—




TOP SIZE DEPTH WIDTH		BASES:				
24"	24"	 X Base Occasional Height  X Base End Table Height  X Base Worksurface Height  X Base Counter Height  X Base Bar Height				
		TOPS OFFERED:  ROUND CBV2115XBP CBV2119XBP CBV2128XBP CBV2135XBP CBV2141XBP  SOFT SQUARE CBV2115XBP CBV2119XBP CBV2128XBP CBV2135XBP CBV2141XBP				
24"	48"	BASES:  Y Bases with Rail Occasional Height  Y Bases with Rail Worksurface Height				
		TOPS OFFERED:  OVAL CBV183115YBKP  SOFT RECTANGLE CBV183515YBKP CBV243828YBKP  ARC RECTANGLE CBV183515YBKP CBV243828YBKP  BOAT CBV183515YBKP CBV243828YBKP				
30"	30"	BASES:  X Base Occasional Height  X Base End Table Height  X Base Worksurface Height  X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height				
		TOPS OFFERED:  ROUND CBV2715XBP CBV2719XBP CBV2728XBP CBV2735XBP CBV2741XBP  SOFT SQUARE CBV2715XBP CBV2719XBP CBV2728XBP CBV2735XBP CBV2741XBP				





FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH		BASES:			
30"	60"	 Y Bases with Rail Occasional Height  Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
		TOPS OFFERED:  OVAL CBV243815YBKP CBV243828YBKP CBV243835YBKP CBV243841YBKP  SOFT RECTANGLE CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP  ARC RECTANGLE CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP  BOAT CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP			
30"	72"	 Y Bases with Rail Occasional Height  Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
		TOPS OFFERED:  SOFT RECTANGLE CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP  ARC RECTANGLE CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP  BOAT CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP			
36"	36"	 X Base Occasional Height  X Base Worksurface Height  X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height			
		TOPS OFFERED:  ROUND CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP  SOFT SQUARE CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP			




TOP SIZE DEPTH WIDTH		BASES:			
36"	60"	 Y Bases with Rail Occasional Height			
		 Y Bases with Rail Worksurface Height			
		 Y Bases with Rail Counter Height			
		 Y Bases with Rail Bar Height			
		TOPS OFFERED:			
		 SOFT RECTANGLE CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP	 ARC RECTANGLE CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP	 BOAT CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP	
36"	72"	 Y Bases with Rail Occasional Height			
		 Y Bases with Rail Worksurface Height			
		 Y Bases with Rail Counter Height			
		 Y Bases with Rail Bar Height			
		TOPS OFFERED:			
		 OVAL CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP	 SOFT RECTANGLE CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP	 ARC RECTANGLE CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP	 BOAT CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP
		 TAPERED CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP			
36"	84"	 Y Bases with Rail Worksurface Height			
		 Y Bases with Rail Counter Height			
		 Y Bases with Rail Bar Height			
		TOPS OFFERED:			
		 SOFT RECTANGLE CBV245628YBKP CBV245635YBKP CBV245641YBKP	 ARC RECTANGLE CBV245628YBKP CBV245635YBKP CBV245641YBKP	 BOAT CBV245628YBKP CBV245635YBKP CBV245641YBKP	



FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH		BASES:		
36"	96"	 Y Bases with Rail Worksurface Height		
		 Y Bases with Rail Counter Height		
36"	96"	 Y Bases with Rail Bar Height		
		TOPS OFFERED:		
36"	96"	 SOFT RECTANGLE CBV246228YBKP CBV246235YBKP CBV246241YBKP		
		 ARC RECTANGLE CBV246228YBKP CBV246235YBKP CBV246241YBKP		
36"	96"	 BOAT CBV246228YBKP CBV246235YBKP CBV246241YBKP		
42"	42"	BASES:		
		 X Base Occasional Height		
42"	42"	 X Base Worksurface Height		
		 X Base Worksurface Height, Mobile		
42"	42"	 X Base Counter Height		
		 X Base Bar Height		
42"	42"	TOPS OFFERED:		
		 ROUND CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP		
42"	42"	 SOFT SQUARE CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP		
42"	72"	BASES:		
		 Y Bases with Rail Worksurface Height		
42"	72"	 Y Bases with Rail Counter Height		
		 Y Bases with Rail Bar Height		
42"	72"	TOPS OFFERED:		
		 SOFT RECTANGLE CBV285228YBKP CBV285235YBKP CBV285241YBKP		
42"	72"	 ARC RECTANGLE CBV285228YBKP CBV285235YBKP CBV285241YBKP		
		 BOAT CBV285228YBKP CBV285235YBKP CBV285241YBKP		

TOP SIZE DEPTH WIDTH	BASES:
42" 84"	 Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height TOPS OFFERED:  OVAL CBV285828YBKP CBV285835YBKP CBV285841YBKP  SOFT RECTANGLE CBV285828YBKP CBV285835YBKP CBV285841YBKP  ARC RECTANGLE CBV285828YBKP CBV285835YBKP CBV285841YBKP  BOAT CBV285828YBKP CBV285835YBKP CBV285841YBKP  TAPERED CBV285828YBKP CBV285835YBKP CBV285841YBKP
42" 96"	 Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height TOPS OFFERED:  SOFT RECTANGLE CBV286428YBKP CBV286435YBKP CBV286441YBKP  ARC RECTANGLE CBV286428YBKP CBV286435YBKP CBV286441YBKP  BOAT CBV286428YBKP CBV286435YBKP CBV286441YBKP
48" 48"	 X Base Worksurface Height  X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height TOPS OFFERED:  ROUND CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP  SOFT SQUARE CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH		BASES:		
48"	72"	 Y Bases with Rail Worksurface Height		
		 Y Bases with Rail Counter Height		
48"	72"	 Y Bases with Rail Bar Height		
		TOPS OFFERED:		
48"	72"	 SOFT RECTANGLE CBV285228YBKP CBV285235YBKP CBV285241YBKP	 ARC RECTANGLE CBV285228YBKP CBV285235YBKP CBV285241YBKP	 BOAT CBV285228YBKP CBV285235YBKP CBV285241YBKP
48"	84"	 Y Bases with Rail Worksurface Height		
		 Y Bases with Rail Counter Height		
48"	84"	 Y Bases with Rail Bar Height		
		TOPS OFFERED:		
48"	84"	 SOFT RECTANGLE CBV285828YBKP CBV285835YBKP CBV285841YBKP	 ARC RECTANGLE CBV285828YBKP CBV285835YBKP CBV285841YBKP	 BOAT CBV285828YBKP CBV285835YBKP CBV285841YBKP
48"	96"	 Y Bases with Rail Worksurface Height		
		 Y Bases with Rail Counter Height		
48"	96"	 Y Bases with Rail Bar Height		
		TOPS OFFERED:		
48"	96"	 OVAL CBV286428YBKP CBV286435YBKP CBV286441YBKP	 SOFT RECTANGLE CBV286428YBKP CBV286435YBKP CBV286441YBKP	 ARC RECTANGLE CBV286428YBKP CBV286435YBKP CBV286441YBKP
		 BOAT CBV286428YBKP CBV286435YBKP CBV286441YBKP	 TAPERED CBV286428YBKP CBV286435YBKP CBV286441YBKP	

TOP SIZE DEPTH WIDTH	BASES:
48" 120"	 Y Bases with Rail Worksurface Height TOPS OFFERED:  SOFT RECTANGLE CBV2810028YBKP  ARC RECTANGLE CBV2810028YBKP  BOAT CBV2810028YBKP  TAPERED CBV2810028YBKP
54" 54"	BASES:  Quad X Base Worksurface Height  Quad X Base Counter Height  Quad X Base Bar Height TOPS OFFERED:  ROUND CBV3028QXBP CBV3035QXBP CBV3041QXBP  SOFT SQUARE CBV3528QXBP CBV3535QXBP CBV3541QXBP
60" 60"	BASES:  Quad X Base Worksurface Height  Quad X Base Counter Height  Quad X Base Bar Height TOPS OFFERED:  ROUND CBV3528QXBP CBV3535QXBP CBV3541QXBP  SOFT SQUARE CBV3528QXBP CBV3535QXBP CBV3541QXBP

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDW K HN
83N24RDL K461 461
83N54RDW K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TOP SOFTENED RIM 	24" ROUND	1 1/8" TOP THICKNESS		DI	H					
	83N24RDW	Wood	\$ 1113	24	24	1 1/8	—	—	22 lbs.	1.3
	83N24RDL	Laminate	563	24	24	1 1/8	—	—	22 lbs.	1.3
	83N24RDLL	TFL	449	24	24	1 1/8	—	—	22 lbs.	1.3
	30" ROUND									
	83N30RDW	Wood	\$ 1307	30	30	1 1/8	—	—	43 lbs.	1.9
	83N30RDL	Laminate	662	30	30	1 1/8	—	—	43 lbs.	1.9
	83N30RDLL	TFL	530	30	30	1 1/8	—	—	43 lbs.	1.9
	36" ROUND									
	83N36RDW	Wood	\$ 1811	36	36	1 1/8	—	—	59 lbs.	2.5
	83N36RDL	Laminate	778	36	36	1 1/8	—	—	59 lbs.	2.5
	83N36RDLL	TFL	624	36	36	1 1/8	—	—	59 lbs.	2.5
	42" ROUND									
	83N42RDW	Wood	\$ 1877	42	42	1 1/8	—	—	62 lbs.	3.3
	83N42RDL	Laminate	1080	42	42	1 1/8	—	—	62 lbs.	3.3
	83N42RDLL	TFL	864	42	42	1 1/8	—	—	62 lbs.	3.3
	48" ROUND									
	83N48RDW	Wood	\$ 2252	48	48	1 1/8	—	—	95 lbs.	4.2
	83N48RDL	Laminate	1421	48	48	1 1/8	—	—	95 lbs.	4.2
	83N48RDLL	TFL	1137	48	48	1 1/8	—	—	95 lbs.	4.2
	54" ROUND									
	83N54RDW	Wood	\$ 2588	54	54	1 1/8	—	—	100 lbs.	5.1
	83N54RDL	Laminate	1635	54	54	1 1/8	—	—	100 lbs.	5.1
	83N54RDLL	TFL	1308	54	54	1 1/8	—	—	100 lbs.	5.1
	60" ROUND									
	83N60RDW	Wood	\$ 2978	58 1/2	58 1/2	1 1/8	—	—	117 lbs.	5.9
	83N60RDL	Laminate	1882	58 1/2	58 1/2	1 1/8	—	—	117 lbs.	5.9
	83N60RDLL	TFL	1504	58 1/2	58 1/2	1 1/8	—	—	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDWK K HN
 83N24RDLK K461 461
 83N54RDWK K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TOP KNIFE RIM	24" ROUND	1$\frac{1}{8}$" TOP THICKNESS		DI	H					
	83N24RDWK	Wood	\$ 1367	24	24	1 $\frac{1}{8}$	—	—	22 lbs.	1.3
	83N24RDLK	Laminate	692	24	24	1 $\frac{1}{8}$	—	—	22 lbs.	1.3
	30" ROUND									
	83N30RDWK	Wood	\$ 1608	30	30	1 $\frac{1}{8}$	—	—	43 lbs.	1.9
	83N30RDLK	Laminate	814	30	30	1 $\frac{1}{8}$	—	—	43 lbs.	1.9
	36" ROUND									
	83N36RDWK	Wood	\$ 2227	36	36	1 $\frac{1}{8}$	—	—	59 lbs.	2.5
	83N36RDLK	Laminate	955	36	36	1 $\frac{1}{8}$	—	—	59 lbs.	2.5
	42" ROUND									
	83N42RDWK	Wood	\$ 2308	42	42	1 $\frac{1}{8}$	—	—	62 lbs.	3.3
	83N42RDLK	Laminate	1329	42	42	1 $\frac{1}{8}$	—	—	62 lbs.	3.3
	48" ROUND									
	83N48RDWK	Wood	\$ 2769	48	48	1 $\frac{1}{8}$	—	—	95 lbs.	4.2
	83N48RDLK	Laminate	1750	48	48	1 $\frac{1}{8}$	—	—	95 lbs.	4.2
	54" ROUND									
	83N54RDWK	Wood	\$ 3184	54	54	1 $\frac{1}{8}$	—	—	100 lbs.	5.1
	83N54RDLK	Laminate	2009	54	54	1 $\frac{1}{8}$	—	—	100 lbs.	5.1
	60" ROUND									
	83N60RDWK	Wood	\$ 3661	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	117 lbs.	5.9
	83N60RDLK	Laminate	2311	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQW K HN
 83N2424SSQL K461 461
 83N5454SSQW K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT SQUARE TOP SOFTENED RIM 	24" SQUARE" 1½" TOP THICKNESS									
	83N2424SSQW	Wood	\$ 1143	24	24	1½	—	—	26 lbs.	1.4
	83N2424SSQL	Laminate	580	24	24	1½	—	—	26 lbs.	1.4
	83N2424SSQLL	TFL	465	24	24	1½	—	—	26 lbs.	1.4
	30" SQUARE									
	83N3030SSQW	Wood	\$ 1345	30	30	1½	—	—	40 lbs.	1.9
	83N3030SSQL	Laminate	681	30	30	1½	—	—	40 lbs.	1.9
	83N3030SSQLL	TFL	546	30	30	1½	—	—	40 lbs.	1.9
	36" SQUARE									
	83N3636SSQW	Wood	\$ 1867	36	36	1½	—	—	55 lbs.	2.6
	83N3636SSQL	Laminate	799	36	36	1½	—	—	55 lbs.	2.6
	83N3636SSQLL	TFL	641	36	36	1½	—	—	55 lbs.	2.6
	42" SQUARE									
	83N4242SSQW	Wood	\$ 2440	42	42	1½	—	—	78 lbs.	3.6
	83N4242SSQL	Laminate	1404	42	42	1½	—	—	78 lbs.	3.6
	83N4242SSQLL	TFL	1124	42	42	1½	—	—	78 lbs.	3.6
	48" SQUARE									
	83N4848SSQW	Wood	\$ 2319	48	48	1½	—	—	101 lbs.	4.6
	83N4848SSQL	Laminate	1463	48	48	1½	—	—	101 lbs.	4.6
	83N4848SSQLL	TFL	1171	48	48	1½	—	—	101 lbs.	4.6
	54" SQUARE									
	83N5454SSQW	Wood	\$ 2669	54	54	1½	—	—	127 lbs.	5.7
	83N5454SSQL	Laminate	1686	54	54	1½	—	—	127 lbs.	5.7
	83N5454SSQLL	TFL	1346	54	54	1½	—	—	127 lbs.	5.7
	60" SQUARE									
	83N6060SSQW	Wood	\$ 3066	58½	58½	1½	—	—	148 lbs.	6.6
	83N6060SSQL	Laminate	1934	58½	58½	1½	—	—	148 lbs.	6.6
	83N6060SSQLL	TFL	1550	58½	58½	1½	—	—	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQWK K HN
 83N2424SSQLK K461 461
 83N5454SSQLK K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT SQUARE TOP KNIFE RIM 	24" SQUARE									
	1 1/8" TOP THICKNESS									
	83N2424SSQWK	Wood	\$ 1407	24	24	1 1/8	—	—	26 lbs.	1.4
	83N2424SSQLK	Laminate	714	24	24	1 1/8	—	—	26 lbs.	1.4
	30" SQUARE									
	83N3030SSQWK	Wood	\$ 1655	30	30	1 1/8	—	—	40 lbs.	1.9
	83N3030SSQLK	Laminate	837	30	30	1 1/8	—	—	40 lbs.	1.9
	36" SQUARE									
	83N3636SSQWK	Wood	\$ 2294	36	36	1 1/8	—	—	55 lbs.	2.6
	83N3636SSQLK	Laminate	984	36	36	1 1/8	—	—	55 lbs.	2.6
	42" SQUARE									
	83N4242SSQWK	Wood	\$ 3003	42	42	1 1/8	—	—	78 lbs.	3.6
	83N4242SSQLK	Laminate	1727	42	42	1 1/8	—	—	78 lbs.	3.6
	48" SQUARE									
	83N4848SSQWK	Wood	\$ 2853	48	48	1 1/8	—	—	101 lbs.	4.6
	83N4848SSQLK	Laminate	1801	48	48	1 1/8	—	—	101 lbs.	4.6
	54" SQUARE									
	83N5454SSQWK	Wood	\$ 3281	54	54	1 1/8	—	—	127 lbs.	5.7
	83N5454SSQLK	Laminate	2072	54	54	1 1/8	—	—	127 lbs.	5.7
	60" SQUARE									
	83N6060SSQWK	Wood	\$ 3770	58 1/2	58 1/2	1 1/8	—	—	148 lbs.	6.6
	83N6060SSQLK	Laminate	2382	58 1/2	58 1/2	1 1/8	—	—	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448OVW K X HN
83N2448OVL K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVAL TOP SOFTENED RIM 	24" X 48"									
	1 1/8" TOP THICKNESS									
	83N2448OVW	Wood	\$ 1492	24	48	1 1/8	—	—	42 lbs.	2.3
	83N2448OVL	Laminate	1064	24	48	1 1/8	—	—	42 lbs.	2.3
	83N2448OVLL	TFL	855	24	48	1 1/8	—	—	42 lbs.	2.3
	30" X 60"									
	83N3060OVW	Wood	\$ 1755	30	60	1 1/8	—	—	63 lbs.	3.7
	83N3060OVL	Laminate	1254	30	60	1 1/8	—	—	63 lbs.	3.7
	83N3060OVLL	TFL	1005	30	60	1 1/8	—	—	63 lbs.	3.7
	36" X 72"									
	83N3672OVW	Wood	\$ 2196	36	72	1 1/8	—	—	90 lbs.	5.2
	83N3672OVL	Laminate	1568	36	72	1 1/8	—	—	90 lbs.	5.2
	83N3672OVLL	TFL	1256	36	72	1 1/8	—	—	90 lbs.	5.2
	42" X 84"									
	83N4284OVW	Wood	\$ 2616	42	84	1 1/8	—	—	121 lbs.	6.8
	83N4284OVL	Laminate	1872	42	84	1 1/8	—	—	121 lbs.	6.8
	83N4284OVLL	TFL	1496	42	84	1 1/8	—	—	121 lbs.	6.8
	48" X 96"									
	83N4896OVW	Wood	\$ 3119	48	96	1 1/8	—	—	199 lbs.	8.7
	83N4896OVL	Laminate	2422	48	96	1 1/8	—	—	199 lbs.	8.7
	83N4896OVLL	TFL	1934	48	96	1 1/8	—	—	199 lbs.	8.7

• Modified depth and width not available
 • For use with Footings base; reference pages 183-189
 • 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448OVWK K X HN
83N2448OVLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
OVAL TOP KNIFE RIM 	24" X 48"									
	1 1/8" TOP THICKNESS									
	83N2448OVWK	Wood	\$ 1836	24	48	1 1/8	—	—	42 lbs.	2.3
	83N2448OVLK	Laminate	1309	24	48	1 1/8	—	—	42 lbs.	2.3
	30" X 60"									
	83N3060OVWK	Wood	\$ 1868	30	60	1 1/8	—	—	63 lbs.	3.7
	83N3060OVLK	Laminate	1334	30	60	1 1/8	—	—	63 lbs.	3.7
	36" X 72"									
	83N3672OVWK	Wood	\$ 2703	36	72	1 1/8	—	—	90 lbs.	5.2
	83N3672OVLK	Laminate	1929	36	72	1 1/8	—	—	90 lbs.	5.2
	42" X 84"									
	83N4284OVWK	Wood	\$ 3219	42	84	1 1/8	—	—	121 lbs.	6.8
	83N4284OVLK	Laminate	2299	42	84	1 1/8	—	—	121 lbs.	6.8
	48" X 96"									
	83N4896OVWK	Wood	\$ 3836	48	96	1 1/8	—	—	199 lbs.	8.7
	83N4896OVLK	Laminate	2978	48	96	1 1/8	—	—	199 lbs.	8.7
	• Modified depth and width not available • For use with Footings base; reference pages 183-189 • 48" deep tops only available with a center grommet option									

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTW F X HN
83N2448SRTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT RECTANGLE TOP SOFTENED RIM 	24" X 48"									
	1 1/16" TOP THICKNESS									
	83N2448SRTW	Wood	\$ 1492	24	48	1 1/16	—	—	48 lbs.	2.5
	83N2448SRTL	Laminate	1064	24	48	1 1/16	—	—	48 lbs.	2.5
	83N2448SRTLL	TFL	855	24	48	1 1/16	—	—	48 lbs.	2.5
	30" X 60"									
	83N3060SRTW	Wood	\$ 1755	30	60	1 1/16	—	—	89 lbs.	3.4
	83N3060SRTL	Laminate	1254	30	60	1 1/16	—	—	89 lbs.	3.4
	83N3060SRTLL	TFL	1005	30	60	1 1/16	—	—	89 lbs.	3.4
	30" X 72"									
	83N3072SRTW	Wood	\$ 1868	30	72	1 1/16	—	—	100 lbs.	4.0
	83N3072SRTL	Laminate	1334	30	72	1 1/16	—	—	100 lbs.	4.0
	83N3072SRTLL	TFL	1065	30	72	1 1/16	—	—	100 lbs.	4.0
	36" X 60"									
	83N3660SRTW	Wood	\$ 2064	36	60	1 1/16	—	—	126 lbs.	4.4
	83N3660SRTL	Laminate	1475	36	60	1 1/16	—	—	126 lbs.	4.4
	83N3660SRTLL	TFL	1179	36	60	1 1/16	—	—	126 lbs.	4.4
	36" X 72"									
	83N3672SRTW	Wood	\$ 2196	36	72	1 1/16	—	—	144 lbs.	5.2
	83N3672SRTL	Laminate	1568	36	72	1 1/16	—	—	144 lbs.	5.2
	83N3672SRTLL	TFL	1256	36	72	1 1/16	—	—	144 lbs.	5.2
	36" X 84"									
	83N3684SRTW	Wood	\$ 2337	36	84	1 1/16	—	—	150 lbs.	6.0
	83N3684SRTL	Laminate	1670	36	84	1 1/16	—	—	150 lbs.	6.0
	83N3684SRTLL	TFL	1335	36	84	1 1/16	—	—	150 lbs.	6.0
	36" X 96"									
	83N3696SRTW	Wood	\$ 2484	36	96	1 1/16	—	—	155 lbs.	6.8
	83N3696SRTL	Laminate	1776	36	96	1 1/16	—	—	155 lbs.	6.8
	83N3696SRTLL	TFL	1420	36	96	1 1/16	—	—	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTW F X HN
83N4272SRTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT RECTANGLE TOP SOFTENED RIM (CONTINUED) 	42" X 72"									
	1 1/16" TOP THICKNESS									
	83N4272SRTW	Wood	\$ 2460	42	72	1 1/16	—	—	148 lbs.	5.9
	83N4272SRTL	Laminate	1759	42	72	1 1/16	—	—	148 lbs.	5.9
	83N4272SRTLL	TFL	1405	42	72	1 1/16	—	—	148 lbs.	5.9
	42" X 84"									
	83N4284SRTW	Wood	\$ 2616	42	84	1 1/16	—	—	168 lbs.	6.8
	83N4284SRTL	Laminate	1872	42	84	1 1/16	—	—	168 lbs.	6.8
	83N4284SRTLL	TFL	1496	42	84	1 1/16	—	—	168 lbs.	6.8
	42" X 96"									
	83N4296SRTW	Wood	\$ 2785	42	96	1 1/16	—	—	191 lbs.	7.7
	83N4296SRTL	Laminate	1989	42	96	1 1/16	—	—	191 lbs.	7.7
	83N4296SRTLL	TFL	1592	42	96	1 1/16	—	—	191 lbs.	7.7
	48" X 72"									
	83N4872SRTW	Wood	\$ 2753	48	72	1 1/16	—	—	173 lbs.	6.7
	83N4872SRTL	Laminate	1967	48	72	1 1/16	—	—	173 lbs.	6.7
	83N4872SRTLL	TFL	1573	48	72	1 1/16	—	—	173 lbs.	6.7
	48" X 84"									
	83N4884SRTW	Wood	\$ 2930	48	84	1 1/16	—	—	203 lbs.	7.7
	83N4884SRTL	Laminate	2227	48	84	1 1/16	—	—	203 lbs.	7.7
	83N4884SRTLL	TFL	1780	48	84	1 1/16	—	—	203 lbs.	7.7
	48" X 96"									
	83N4896SRTW	Wood	\$ 3119	48	96	1 1/16	—	—	234 lbs.	8.7
	83N4896SRTL	Laminate	2422	48	96	1 1/16	—	—	234 lbs.	8.7
	83N4896SRTLL	TFL	1934	48	96	1 1/16	—	—	234 lbs.	8.7
	48" X 120"									
	83N48120SRTW	Wood	\$ 3378	48	120	1 1/16	—	—	247 lbs.	10.8
	83N48120SRTL	Laminate	3026	48	120	1 1/16	—	—	247 lbs.	10.8
	83N48120SRTLL	TFL	2422	48	120	1 1/16	—	—	247 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTWK K X HN
83N2448SRTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT RECTANGLE TOP KNIFE RIM 	24" X 48"									
	1 1/8" TOP THICKNESS									
	83N2448SRTWK	Wood	\$ 1836	24	48	1 1/8	—	—	48 lbs.	2.5
	83N2448SRTLK	Laminate	1309	24	48	1 1/8	—	—	48 lbs.	2.5
	30" X 60"									
	83N3060SRTWK	Wood	\$ 2157	30	60	1 1/8	—	—	89 lbs.	3.4
	83N3060SRTLK	Laminate	1541	30	60	1 1/8	—	—	89 lbs.	3.4
	30" X 72"									
	83N3072SRTWK	Wood	\$ 2297	30	72	1 1/8	—	—	100 lbs.	4.0
	83N3072SRTLK	Laminate	1640	30	72	1 1/8	—	—	100 lbs.	4.0
	36" X 60"									
	83N3660SRTWK	Wood	\$ 2538	36	60	1 1/8	—	—	126 lbs.	4.4
	83N3660SRTLK	Laminate	1814	36	60	1 1/8	—	—	126 lbs.	4.4
	36" X 72"									
	83N3672SRTWK	Wood	\$ 2703	36	72	1 1/8	—	—	144 lbs.	5.2
	83N3672SRTLK	Laminate	1929	36	72	1 1/8	—	—	144 lbs.	5.2
	36" X 84"									
	83N3684SRTWK	Wood	\$ 2873	36	84	1 1/8	—	—	150 lbs.	6.0
	83N3684SRTLK	Laminate	2052	36	84	1 1/8	—	—	150 lbs.	6.0
	36" X 96"									
	83N3696SRTWK	Wood	\$ 3057	36	96	1 1/8	—	—	155 lbs.	6.8
	83N3696SRTLK	Laminate	2184	36	96	1 1/8	—	—	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTWK K X HN
83N4272SRTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
SOFT RECTANGLE TOP KNIFE RIM (CONTINUED) 	42" X 72"										
	1 1/8" TOP THICKNESS										
	83N4272SRTWK	Wood	\$ 3026	42	72	1 1/8	—	—		148 lbs.	5.9
	83N4272SRTLK	Laminate	2161	42	72	1 1/8	—	—		148 lbs.	5.9
	42" X 84"										
	83N4284SRTWK	Wood	\$ 3219	42	84	1 1/8	—	—		168 lbs.	6.8
	83N4284SRTLK	Laminate	2299	42	84	1 1/8	—	—		168 lbs.	6.8
	42" X 96"										
	83N4296SRTWK	Wood	\$ 3425	42	96	1 1/8	—	—		191 lbs.	7.7
	83N4296SRTLK	Laminate	2443	42	96	1 1/8	—	—		191 lbs.	7.7
	48" X 72"										
	83N4872SRTWK	Wood	\$ 3391	48	72	1 1/8	—	—		173 lbs.	6.7
	83N4872SRTLK	Laminate	2422	48	72	1 1/8	—	—		173 lbs.	6.7
	48" X 84"										
	83N4884SRTWK	Wood	\$ 3606	48	84	1 1/8	—	—		203 lbs.	7.7
	83N4884SRTLK	Laminate	2740	48	84	1 1/8	—	—		203 lbs.	7.7
	48" X 96"										
	83N4896SRTWK	Wood	\$ 3836	48	96	1 1/8	—	—		234 lbs.	8.7
	83N4896SRTLK	Laminate	2978	48	96	1 1/8	—	—		234 lbs.	8.7
	48" X 120"										
	83N48120SRTWK	Wood	\$ 4156	48	120	1 1/8	—	—		247 lbs.	10.8
	83N48120SRTLK	Laminate	3722	48	120	1 1/8	—	—		247 lbs.	10.8
	• Modified depth and width not available • For use with Footings base; reference pages 183-189 • Profiled corners have a 4" radius										

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTW F X HN
83N2448ARTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP SOFTENED RIM 	24" X 48"	1½" TOP THICKNESS								
	83N2448ARTW	Wood	\$ 1492	24	48	1½	—	—	47 lbs.	2.5
	83N2448ARTL	Laminate	1064	24	48	1½	—	—	47 lbs.	2.5
	83N2448ARTLL	TFL	855	24	48	1½	—	—	47 lbs.	2.5
	30" X 60"									
	83N3060ARTW	Wood	\$ 1755	30	60	1½	—	—	87 lbs.	3.4
	83N3060ARTL	Laminate	1254	30	60	1½	—	—	87 lbs.	3.4
	83N3060ARTLL	TFL	1005	30	60	1½	—	—	87 lbs.	3.4
	30" X 72"									
	83N3072ARTW	Wood	\$ 1868	30	72	1½	—	—	119 lbs.	4.0
	83N3072ARTL	Laminate	1334	30	72	1½	—	—	119 lbs.	4.0
	83N3072ARTLL	TFL	1065	30	72	1½	—	—	119 lbs.	4.0
	36" X 60"									
	83N3660ARTW	Wood	\$ 2064	36	60	1½	—	—	124 lbs.	4.4
	83N3660ARTL	Laminate	1475	36	60	1½	—	—	124 lbs.	4.4
	83N3660ARTLL	TFL	1179	36	60	1½	—	—	124 lbs.	4.4
	36" X 72"									
	83N3672ARTW	Wood	\$ 2196	36	72	1½	—	—	130 lbs.	5.2
	83N3672ARTL	Laminate	1568	36	72	1½	—	—	130 lbs.	5.2
	83N3672ARTLL	TFL	1256	36	72	1½	—	—	130 lbs.	5.2
	36" X 84"									
	83N3684ARTW	Wood	\$ 2337	36	84	1½	—	—	142 lbs.	6.0
	83N3684ARTL	Laminate	1670	36	84	1½	—	—	142 lbs.	6.0
	83N3684ARTLL	TFL	1335	36	84	1½	—	—	142 lbs.	6.0
	36" X 96"									
	83N3696ARTW	Wood	\$ 2484	36	96	1½	—	—	173 lbs.	6.8
	83N3696ARTL	Laminate	1776	36	96	1½	—	—	173 lbs.	6.8
	83N3696ARTLL	TFL	1420	36	96	1½	—	—	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTW F X HN
83N4272ARTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP SOFTENED RIM (CONTINUED) 	42" X 72"									
	1$\frac{1}{8}$" TOP THICKNESS									
	83N4272ARTW	Wood	\$ 2460	42	72	1 $\frac{1}{8}$	—	—	145 lbs.	5.9
	83N4272ARTL	Laminate	1759	42	72	1 $\frac{1}{8}$	—	—	145 lbs.	5.9
	83N4272ARTLL	TFL	1405	42	72	1 $\frac{1}{8}$	—	—	145 lbs.	5.9
	42" X 84"									
	83N4284ARTW	Wood	\$ 2616	42	84	1 $\frac{1}{8}$	—	—	166 lbs.	6.8
	83N4284ARTL	Laminate	1872	42	84	1 $\frac{1}{8}$	—	—	166 lbs.	6.8
	83N4284ARTLL	TFL	1496	42	84	1 $\frac{1}{8}$	—	—	166 lbs.	6.8
	42" X 96"									
	83N4296ARTW	Wood	\$ 2785	42	96	1 $\frac{1}{8}$	—	—	189 lbs.	7.7
	83N4296ARTL	Laminate	1989	42	96	1 $\frac{1}{8}$	—	—	189 lbs.	7.7
	83N4296ARTLL	TFL	1592	42	96	1 $\frac{1}{8}$	—	—	189 lbs.	7.7
	48" X 72"									
	83N4872ARTW	Wood	\$ 2753	48	72	1 $\frac{1}{8}$	—	—	170 lbs.	6.7
	83N4872ARTL	Laminate	1967	48	72	1 $\frac{1}{8}$	—	—	170 lbs.	6.7
	83N4872ARTLL	TFL	1573	48	72	1 $\frac{1}{8}$	—	—	170 lbs.	6.7
	48" X 84"									
	83N4884ARTW	Wood	\$ 2930	48	84	1 $\frac{1}{8}$	—	—	200 lbs.	7.7
	83N4884ARTL	Laminate	2227	48	84	1 $\frac{1}{8}$	—	—	200 lbs.	7.7
	83N4884ARTLL	TFL	1780	48	84	1 $\frac{1}{8}$	—	—	200 lbs.	7.7
	48" X 96"									
	83N4896ARTW	Wood	\$ 3119	48	96	1 $\frac{1}{8}$	—	—	231 lbs.	8.7
	83N4896ARTL	Laminate	2422	48	96	1 $\frac{1}{8}$	—	—	231 lbs.	8.7
	83N4896ARTLL	TFL	1934	48	96	1 $\frac{1}{8}$	—	—	231 lbs.	8.7
	48" X 120"									
	83N48120ARTW	Wood	\$ 3378	48	120	1 $\frac{1}{8}$	—	—	244 lbs.	10.8
	83N48120ARTL	Laminate	3026	48	120	1 $\frac{1}{8}$	—	—	244 lbs.	10.8
	83N48120ARTLL	TFL	2583	48	120	1 $\frac{1}{8}$	—	—	244 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTWK K X HN
83N2448ARTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP KNIFE RIM 	24" X 48"									
	1 1/8" TOP THICKNESS									
	83N2448ARTWK	Wood	\$ 1836	24	48	1 1/8	—	—	47 lbs.	2.5
	83N2448ARTLK	Laminate	1309	24	48	1 1/8	—	—	47 lbs.	2.5
	30" X 60"									
	83N3060ARTWK	Wood	\$ 2157	30	60	1 1/8	—	—	87 lbs.	3.4
	83N3060ARTLK	Laminate	1541	30	60	1 1/8	—	—	87 lbs.	3.4
	30" X 72"									
	83N3072ARTWK	Wood	\$ 2297	30	72	1 1/8	—	—	119 lbs.	4.0
	83N3072ARTLK	Laminate	1640	30	72	1 1/8	—	—	119 lbs.	4.0
	36" X 60"									
	83N3660ARTWK	Wood	\$ 2538	36	60	1 1/8	—	—	124 lbs.	4.4
	83N3660ARTLK	Laminate	1814	36	60	1 1/8	—	—	124 lbs.	4.4
	36" X 72"									
	83N3672ARTWK	Wood	\$ 2703	36	72	1 1/8	—	—	130 lbs.	5.2
	83N3672ARTLK	Laminate	1929	36	72	1 1/8	—	—	130 lbs.	5.2
	36" X 84"									
	83N3684ARTWK	Wood	\$ 2873	36	84	1 1/8	—	—	142 lbs.	6.0
	83N3684ARTLK	Laminate	2052	36	84	1 1/8	—	—	142 lbs.	6.0
	36" X 96"									
	83N3696ARTWK	Wood	\$ 3057	36	96	1 1/8	—	—	173 lbs.	6.8
	83N3696ARTLK	Laminate	2184	36	96	1 1/8	—	—	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTWK K X HN
83N4272ARTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP KNIFE RIM (CONTINUED) 	42" X 72"									
	1 1/8" TOP THICKNESS									
	83N4272ARTWK	Wood	\$ 3026	42	72	1 1/8	—	—	145 lbs.	5.9
	83N4272ARTLK	Laminate	2161	42	72	1 1/8	—	—	145 lbs.	5.9
	42" X 84"									
	83N4284ARTWK	Wood	\$ 3219	42	84	1 1/8	—	—	166 lbs.	6.8
	83N4284ARTLK	Laminate	2299	42	84	1 1/8	—	—	166 lbs.	6.8
	42" X 96"									
	83N4296ARTWK	Wood	\$ 3425	42	96	1 1/8	—	—	189 lbs.	7.7
	83N4296ARTLK	Laminate	2443	42	96	1 1/8	—	—	189 lbs.	7.7
	48" X 72"									
	83N4872ARTWK	Wood	\$ 3391	48	72	1 1/8	—	—	170 lbs.	6.7
	83N4872ARTLK	Laminate	2422	48	72	1 1/8	—	—	170 lbs.	6.7
	48" X 84"									
	83N4884ARTWK	Wood	\$ 3606	48	84	1 1/8	—	—	200 lbs.	7.7
	83N4884ARTLK	Laminate	2740	48	84	1 1/8	—	—	200 lbs.	7.7
	48" X 96"									
	83N4896ARTWK	Wood	\$ 3836	48	96	1 1/8	—	—	231 lbs.	8.7
	83N4896ARTLK	Laminate	2978	48	96	1 1/8	—	—	231 lbs.	8.7
	48" X 120"									
	83N48120ARTWK	Wood	\$ 4156	48	120	1 1/8	—	—	244 lbs.	10.8
	83N48120ARTLK	Laminate	3722	48	120	1 1/8	—	—	244 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTW F X HN
83N2448BTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOAT TOP SOFTENED RIM 	24" X 48"									
	1 1/8" TOP THICKNESS									
	83N2448BTW	Wood	\$ 1492	24	48	1 1/8	—	—	48 lbs.	2.3
	83N2448BTL	Laminate	1064	24	48	1 1/8	—	—	48 lbs.	2.3
	83N2448BTLL	TFL	855	24	48	1 1/8	—	—	48 lbs.	2.3
	30" X 60"									
	83N3060BTW	Wood	\$ 1755	30	60	1 1/8	—	—	85 lbs.	3.7
	83N3060BTL	Laminate	1254	30	60	1 1/8	—	—	85 lbs.	3.7
	83N3060BTLL	TFL	1005	30	60	1 1/8	—	—	85 lbs.	3.7
	30" X 72"									
	83N3072BTW	Wood	\$ 1868	30	72	1 1/8	—	—	116 lbs.	4.4
	83N3072BTL	Laminate	1334	30	72	1 1/8	—	—	116 lbs.	4.4
	83N3072BTLL	TFL	1065	30	72	1 1/8	—	—	116 lbs.	4.4
	36" X 60"									
	83N3660BTW	Wood	\$ 2064	36	60	1 1/8	—	—	122 lbs.	4.4
	83N3660BTL	Laminate	1475	36	60	1 1/8	—	—	122 lbs.	4.4
	83N3660BTLL	TFL	1179	36	60	1 1/8	—	—	122 lbs.	4.4
	36" X 72"									
	83N3672BTW	Wood	\$ 2196	36	72	1 1/8	—	—	139 lbs.	5.2
	83N3672BTL	Laminate	1568	36	72	1 1/8	—	—	139 lbs.	5.2
	83N3672BTLL	TFL	1256	36	72	1 1/8	—	—	139 lbs.	5.2
	36" X 84"									
	83N3684BTW	Wood	\$ 2337	36	84	1 1/8	—	—	149 lbs.	6.0
	83N3684BTL	Laminate	1670	36	84	1 1/8	—	—	149 lbs.	6.0
	83N3684BTLL	TFL	1335	36	84	1 1/8	—	—	149 lbs.	6.0
	36" X 96"									
	83N3696BTW	Wood	\$ 2484	36	96	1 1/8	—	—	169 lbs.	6.8
	83N3696BTL	Laminate	1776	36	96	1 1/8	—	—	169 lbs.	6.8
	83N3696BTLL	TFL	1420	36	96	1 1/8	—	—	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTW F X HN
83N4272BTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOAT TOP SOFTENED RIM (CONTINUED) 	42" X 72"									
	1 1/16" TOP THICKNESS									
	83N4272BTW	Wood	\$ 2460	42	72	1 1/16	—	—	143 lbs.	5.9
	83N4272BTL	Laminate	1759	42	72	1 1/16	—	—	143 lbs.	5.9
	83N4272BTLL	TFL	1405	42	72	1 1/16	—	—	143 lbs.	5.9
	42" X 84"									
	83N4284BTW	Wood	\$ 2616	42	84	1 1/16	—	—	162 lbs.	6.8
	83N4284BTL	Laminate	1872	42	84	1 1/16	—	—	162 lbs.	6.8
	83N4284BTLL	TFL	1496	42	84	1 1/16	—	—	162 lbs.	6.8
	42" X 96"									
	83N4296BTW	Wood	\$ 2785	42	96	1 1/16	—	—	206 lbs.	7.7
	83N4296BTL	Laminate	1989	42	96	1 1/16	—	—	206 lbs.	7.7
	83N4296BTLL	TFL	1592	42	96	1 1/16	—	—	206 lbs.	7.7
	48" X 72"									
	83N4872BTW	Wood	\$ 2753	48	72	1 1/16	—	—	144 lbs.	6.7
	83N4872BTL	Laminate	1967	48	72	1 1/16	—	—	144 lbs.	6.7
	83N4872BTLL	TFL	1573	48	72	1 1/16	—	—	144 lbs.	6.7
	48" X 84"									
	83N4884BTW	Wood	\$ 2930	48	84	1 1/16	—	—	197 lbs.	7.7
	83N4884BTL	Laminate	2227	48	84	1 1/16	—	—	197 lbs.	7.7
	83N4884BTLL	TFL	1780	48	84	1 1/16	—	—	197 lbs.	7.7
	48" X 96"									
	83N4896BTW	Wood	\$ 3119	48	96	1 1/16	—	—	227 lbs.	8.7
	83N4896BTL	Laminate	2422	48	96	1 1/16	—	—	227 lbs.	8.7
	83N4896BTLL	TFL	1934	48	96	1 1/16	—	—	227 lbs.	8.7
	48" X 120"									
	83N48120BTW	Wood	\$ 3378	48	120	1 1/16	—	—	237 lbs.	10.8
	83N48120BTL	Laminate	3026	48	120	1 1/16	—	—	237 lbs.	10.8
	83N48120BTLL	TFL	2583	48	120	1 1/16	—	—	237 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTWK K X HN
83N2448BTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOAT TOP KNIFE RIM 	24" X 48"	1 1/8" TOP THICKNESS								
	83N2448BTWK	Wood	\$ 1836	24	48	1 1/8	—	—	48 lbs.	2.3
	83N2448BTLK	Laminate	1309	24	48	1 1/8	—	—	48 lbs.	2.3
	30" X 60"									
	83N3060BTWK	Wood	\$ 1987	30	60	1 1/8	—	—	85 lbs.	3.7
	83N3060BTLK	Laminate	1417	30	60	1 1/8	—	—	85 lbs.	3.7
	30" X 72"									
	83N3072BTWK	Wood	\$ 2297	30	72	1 1/8	—	—	116 lbs.	4.4
	83N3072BTLK	Laminate	1640	30	72	1 1/8	—	—	116 lbs.	4.4
	36" X 60"									
	83N3660BTWK	Wood	\$ 2538	36	60	1 1/8	—	—	122 lbs.	4.4
	83N3660BTLK	Laminate	1814	36	60	1 1/8	—	—	122 lbs.	4.4
	36" X 72"									
	83N3672BTWK	Wood	\$ 2703	36	72	1 1/8	—	—	139 lbs.	5.2
	83N3672BTLK	Laminate	1929	36	72	1 1/8	—	—	139 lbs.	5.2
	36" X 84"									
	83N3684BTWK	Wood	\$ 2873	36	84	1 1/8	—	—	149 lbs.	6.0
	83N3684BTLK	Laminate	2052	36	84	1 1/8	—	—	149 lbs.	6.0
	36" X 96"									
	83N3696BTWK	Wood	\$ 3057	36	96	1 1/8	—	—	169 lbs.	6.8
	83N3696BTLK	Laminate	2184	36	96	1 1/8	—	—	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTWK K X HN
83N4272BTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BOAT TOP KNIFE RIM (CONTINUED) 	42" X 72"									
	1 1/8" TOP THICKNESS									
	83N4272BTWK	Wood	\$ 3026	42	72	1 1/8	—	—	143 lbs.	5.9
	83N4272BTLK	Laminate	2161	42	72	1 1/8	—	—	143 lbs.	5.9
	42" X 84"									
	83N4284BTWK	Wood	\$ 3219	42	84	1 1/8	—	—	162 lbs.	6.8
	83N4284BTLK	Laminate	2299	42	84	1 1/8	—	—	162 lbs.	6.8
	42" X 96"									
	83N4296BTWK	Wood	\$ 3425	42	96	1 1/8	—	—	206 lbs.	7.7
	83N4296BTLK	Laminate	2443	42	96	1 1/8	—	—	206 lbs.	7.7
	48" X 72"									
	83N4872BTWK	Wood	\$ 3391	48	72	1 1/8	—	—	144 lbs.	6.7
	83N4872BTLK	Laminate	2422	48	72	1 1/8	—	—	144 lbs.	6.7
	48" X 84"									
	83N4884BTWK	Wood	\$ 3606	48	84	1 1/8	—	—	197 lbs.	7.7
	83N4884BTLK	Laminate	2740	48	84	1 1/8	—	—	197 lbs.	7.7
	48" X 96"									
	83N4896BTWK	Wood	\$ 3836	48	96	1 1/8	—	—	227 lbs.	8.7
	83N4896BTLK	Laminate	2978	48	96	1 1/8	—	—	227 lbs.	8.7
	48" X 120"									
	83N48120BTWK	Wood	\$ 4156	48	120	1 1/8	—	—	237 lbs.	10.8
	83N48120BTLK	Laminate	3722	48	120	1 1/8	—	—	237 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPW K X HN
83N3672TPL K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" X 72"									
	1 1/8" TOP THICKNESS									
	83N3672TPW	Wood	\$ 2196	36	72	1 1/8	—	—	111 lbs.	5.2
	83N3672TPL	Laminate	1568	36	72	1 1/8	—	—	111 lbs.	5.2
	83N3672TPLL	TFL	1256	36	72	1 1/8	—	—	111 lbs.	5.2
	42" X 84"									
	83N4284TPW	Wood	\$ 2616	42	84	1 1/8	—	—	183 lbs.	6.8
	83N4284TPL	Laminate	1872	42	84	1 1/8	—	—	183 lbs.	6.8
	83N4284TPLL	TFL	1496	42	84	1 1/8	—	—	183 lbs.	6.8
	48" X 96"									
	83N4896TPW	Wood	\$ 3119	48	96	1 1/8	—	—	233 lbs.	8.7
	83N4896TPL	Laminate	2422	48	96	1 1/8	—	—	233 lbs.	8.7
	83N4896TPLL	TFL	1934	48	96	1 1/8	—	—	233 lbs.	8.7
	48" X 120"									
	83N48120TPW	Wood	\$ 3378	48	120	1 1/8	—	—	245 lbs.	10.8
	83N48120TPL	Laminate	3026	48	120	1 1/8	—	—	245 lbs.	10.8
	83N48120TPLL	TFL	2583	48	120	1 1/8	—	—	245 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPWK K X HM
83N3672TPLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
TAPERED TOP KNIFE RIM 	36" X 72"									
	1 1/8" TOP THICKNESS									
	83N3672TPWK	Wood	\$ 2703	36	72	1 1/8	—	—	111 lbs.	5.2
	83N3672TPLK	Laminate	1929	36	72	1 1/8	—	—	111 lbs.	5.2
	42" X 84"									
	83N4284TPWK	Wood	\$ 3219	42	84	1 1/8	—	—	183 lbs.	6.8
	83N4284TPLK	Laminate	2299	42	84	1 1/8	—	—	183 lbs.	6.8
	48" X 96"									
	83N4896TPWK	Wood	\$ 3836	48	96	1 1/8	—	—	233 lbs.	8.7
	83N4896TPLK	Laminate	2978	48	96	1 1/8	—	—	233 lbs.	8.7
	48" X 120"									
	83N48120TPWK	Wood	\$ 4156	48	120	1 1/8	—	—	245 lbs.	10.8
	83N48120TPLK	Laminate	3721	48	120	1 1/8	—	—	245 lbs.	10.8
	• Modified depth and width not available • For use with Footings base; reference pages 183-189 • Profiled corners have a 4" radius • Taper top end depth is 6" less than the overall depth									

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column






TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2115XBP CU 462 265

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
X BASE OCCASIONAL HEIGHT 	CBV2115XBP	\$ 565	20 ¹ / ₁₆	20 ¹ / ₁₆	14 ¹ / ₁₆	—	—	26 lbs.	4.2
	CBV2715XBP	638	27 ¹ / ₄	27 ¹ / ₄	14 ¹ / ₁₆	—	—	28 lbs.	6.3
	CBV3215XBP	711	31 ¹ / ₁₆	31 ¹ / ₁₆	14 ¹ / ₁₆	—	—	28 lbs.	7.9
	• 1¹/₂" diameter glide • Not recommended to be placed directly over a grommet cutout								
X BASE END TABLE HEIGHT 	CBV2119XBP	\$ 605	20 ¹ / ₁₆	20 ¹ / ₁₆	18	—	—	28 lbs.	5.1
	CBV2719XBP	645	27 ¹ / ₄	27 ¹ / ₄	18	—	—	29 lbs.	7.8
	• Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT 	CBV2128XBP	\$ 622	20 ¹ / ₁₆	20 ¹ / ₁₆	27 ¹ / ₁₆	—	—	31 lbs.	7.5
	CBV2728XBP	693	27 ¹ / ₄	27 ¹ / ₄	27 ¹ / ₁₆	—	—	33 lbs.	11.3
	CBV3228XBP	817	31 ¹ / ₁₆	31 ¹ / ₁₆	27 ¹ / ₁₆	—	—	34 lbs.	14.2
	CBV4028XBP	1092	39 ¹ / ₁₆	39 ¹ / ₁₆	27 ¹ / ₁₆	—	—	35 lbs.	20.6
	• Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT, MOBILE 	CBV3228XBMP	\$ 876	31 ¹ / ₁₆	31 ¹ / ₁₆	27 ¹ / ₁₆	—	—	34 lbs.	13.2
	CBV4028XBMP	1138	39 ¹ / ₁₆	39 ¹ / ₁₆	27 ¹ / ₁₆	—	—	35 lbs.	19.1
	• Mobile base has dual wheel locking casters • Not recommended to be placed directly over a grommet cutout								
X BASE COUNTER HEIGHT 	CBV2135XBP	\$ 796	20 ¹ / ₁₆	20 ¹ / ₁₆	34 ⁷ / ₈	—	—	34 lbs.	9.2
	CBV2735XBP	969	27 ¹ / ₄	27 ¹ / ₄	34 ⁷ / ₈	—	—	36 lbs.	13.9
	CBV3235XBP	1137	31 ¹ / ₁₆	31 ¹ / ₁₆	34 ⁷ / ₈	—	—	36 lbs.	17.4
	CBV4035XBP	1308	39 ¹ / ₁₆	39 ¹ / ₁₆	34 ⁷ / ₈	—	—	38 lbs.	25.3
	• Not recommended to be placed directly over a grommet cutout								

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color


SAMPLE MODEL NUMBER:

CBV3028QXBP 462 265

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
X BASE BAR HEIGHT	CBV2141XBP	\$ 874	20 ¹ / ₁₆	20 ¹ / ₁₆	40 ¹ / ₁₆	—	—		36 lbs.	10.6
	CBV2741XBP	1063	27 ¹ / ₄	27 ¹ / ₄	40 ¹ / ₁₆	—	—		38 lbs.	16.1
	CBV3241XBP	1250	31 ¹ / ₁₆	31 ¹ / ₁₆	40 ¹ / ₁₆	—	—		39 lbs.	20.2
	CBV4041XBP	1512	39 ¹ / ₁₆	39 ¹ / ₁₆	40 ¹ / ₁₆	—	—		40 lbs.	29.3


- Not recommended to be placed directly over a grommet cutout



QUAD X BASE WORKSURFACE HEIGHT

CBV3028QXBP	\$ 1494	29 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	115 lbs.	22.4
CBV3528QXBP	1573	34 ³ / ₄	34 ³ / ₄	27 ¹ / ₁₆	—	—	117 lbs.	28.8


- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base



QUAD X BASE COUNTER HEIGHT

CBV3035QXBP	\$ 1598	29 ¹ / ₁₆	29 ¹ / ₁₆	34 ³ / ₈	—	—	126 lbs.	27.6
CBV3535QXBP	1679	34 ³ / ₄	34 ³ / ₄	34 ³ / ₈	—	—	127 lbs.	35.5


- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base



QUAD X BASE BAR HEIGHT

CBV3041QXBP	\$ 1702	29 ¹ / ₁₆	29 ¹ / ₁₆	40 ¹ / ₁₆	—	—	135 lbs.	31.9
CBV3541QXBP	1784	34 ³ / ₄	34 ³ / ₄	40 ¹ / ₁₆	—	—	137 lbs.	41.0

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base



FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:


CBV183115YBKP 462 265

- See pages 177-179 for all options available in Footings


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
Y BASES WITH RAIL OCCASIONAL HEIGHT	CBV183115YBKP	\$ 891	30 $\frac{3}{8}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.1
	CBV183515YBKP	929	34 $\frac{3}{8}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.2
	CBV243815YBKP	970	38 $\frac{1}{16}$	24	14 $\frac{1}{16}$	—	—	51 lbs.	9.8
	CBV244415YBKP	1009	44 $\frac{3}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8
	CBV245015YBKP	1051	50 $\frac{3}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8
	• 1 $\frac{1}{8}$ " diameter glide								




Y BASES WITH RAIL WORKSURFACE HEIGHT



44" shown



64" shown



100" shown

CBV243828YBKP	\$ 1051	38 $\frac{1}{16}$	24	27 $\frac{13}{16}$	—	—	61 lbs.	17.2
CBV244428YBKP	1089	44 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	62 lbs.	17.2
CBV245028YBKP	1131	50 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	63 lbs.	17.2
CBV245628YBKP	1170	56 $\frac{1}{16}$	24	27 $\frac{13}{16}$	—	—	64 lbs.	17.2
CBV246228YBKP	1210	62 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	65 lbs.	17.2
CBV285228YBKP	1210	52 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	64 lbs.	20.7
CBV285828YBKP	1250	58 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	65 lbs.	20.8
CBV286428YBKP	1250	64 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	66 lbs.	20.8
CBV2810028YBKP	1291	100 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	100 lbs.	29.9

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column


TO ORDER, SPECIFY:


1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV243835YBKP 462 265

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
Y BASES WITH RAIL COUNTER HEIGHT 	CBV243835YBKP	\$ 1089	38 $\frac{3}{16}$	24	34 $\frac{7}{8}$	—	—	67 lbs.	21.2
	CBV244435YBKP	1131	44 $\frac{5}{16}$	24	34 $\frac{7}{8}$	—	—	68 lbs.	21.2
	CBV245035YBKP	1170	50 $\frac{5}{16}$	24	34 $\frac{7}{8}$	—	—	68 lbs.	21.3
	CBV245635YBKP	1210	56 $\frac{5}{16}$	24	34 $\frac{7}{8}$	—	—	69 lbs.	21.4
	CBV246235YBKP	1250	62 $\frac{5}{16}$	24	34 $\frac{7}{8}$	—	—	70 lbs.	21.4
	CBV285235YBKP	1291	52 $\frac{3}{8}$	27 $\frac{1}{2}$	34 $\frac{7}{8}$	—	—	69 lbs.	25.3
	CBV285835YBKP	1333	58 $\frac{3}{8}$	27 $\frac{1}{2}$	34 $\frac{7}{8}$	—	—	70 lbs.	25.4
	CBV286435YBKP	1372	64 $\frac{3}{8}$	27 $\frac{1}{2}$	34 $\frac{7}{8}$	—	—	71 lbs.	25.4

Y BASES WITH RAIL BAR HEIGHT 	CBV243841YBKP	\$ 1210	38 $\frac{3}{16}$	24	40 $\frac{1}{16}$	—	—	71 lbs.	24.4
	CBV244441YBKP	1250	44 $\frac{5}{16}$	24	40 $\frac{1}{16}$	—	—	72 lbs.	24.4
	CBV245041YBKP	1291	50 $\frac{5}{16}$	24	40 $\frac{1}{16}$	—	—	73 lbs.	24.5
	CBV245641YBKP	1333	56 $\frac{5}{16}$	24	40 $\frac{1}{16}$	—	—	74 lbs.	24.6
	CBV246241YBKP	1333	62 $\frac{5}{16}$	24	40 $\frac{1}{16}$	—	—	75 lbs.	24.6
	CBV285241YBKP	1372	52 $\frac{3}{8}$	27 $\frac{1}{2}$	40 $\frac{1}{16}$	—	—	74 lbs.	29.3
	CBV285841YBKP	1412	58 $\frac{3}{8}$	27 $\frac{1}{2}$	40 $\frac{1}{16}$	—	—	75 lbs.	29.4
	CBV286441YBKP	1452	64 $\frac{3}{8}$	27 $\frac{1}{2}$	40 $\frac{1}{16}$	—	—	76 lbs.	29.4

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

GRIN

GRIN PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl or knife rim surface
- Refer to page 215 for rim profile and colors
- Grain direction runs left-to-right

FINISH APPLICATION

- TFL rim top will have edge banding to color match with finish selection
- HPL knife rim top with MDF core will have edge banding to color match with finish selection

APRON RAILS

- Metal undersurface rails come standard on all models. Refer to page 215 for complete color offering.

BASE

- Maple wood legs
- Refer to page 215 for base/leg wood finish options

FOOT RAILS

- Metal foot rails are standard in polished finish on all counter and bar height models
- Powder coated finish option is available for an upcharge. Refer to page 215 for complete color offering

CORD MANAGEMENT

- Round grommets are optional on worksurface, counter, and bar height tops
- Refer to page 216 for complete grommet locations and details
- Undersurface wire managers are available for cable management requirements
- Cords can be routed down the leg utilizing leather strap wire management
- Leather strap can hold wires and attach to a leg in Florence colors: Almond Biscotti, Terra, Mezza Luna, and Struzzo

POWER/DATA ELECTRICAL SPECIFICATIONS

MOIRÉ POWER CENTER (G10A, G10B)

- Installs into round G40 (3" dia.) worksurface cutout
- Adjusts to worksurfaces thickness of 1 $\frac{3}{16}$ "-1 $\frac{1}{2}$ "
- Available in light grey, black, or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- (G10A) 2 power outlets and 2 USB-A dual ports
- (G10B) 4 power outlets

HEMISPHERE GROMMET (G41)

- Installs into round G41 (3" dia.) worksurface cutout
- 10' power cord with 3-prong molded plug
- Available in black or white soft touch plastic
- UL Listed
- 2 power outlets and 1 USB A & C port

ECLIPSE GROMMET (G42)

- Installs into round G42 (4 $\frac{1}{2}$ " dia.) worksurface cutout
- 10' power cord with 3-prong molded plug
- Available in black or white
- UL Listed
- 2 power outlets and 1 USB A & C port

HPL/TFL TOPS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES



Softened Vinyl (V)



Knife (K)

VINYL RIMS

WOODGRAIN

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BASE/LEG WOOD FINISHES

793	Acorn	KN	Kona
AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
BZ	Brazilwood	NM	Natural
IM	Brighton	PC	Porcini
CO	Canyon	PT	Portico
CL	Caramel	PB	Portobello
CI	Chai	792	Sable
462	Cinder	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
405	Designer White	TF	Truffle
DF	Driftwood	NW	Tuscan
HN	Honey	UW	Urban
TM	Huntington	WL	Willow
DW	Judicial		

METAL APRON RAIL PAINT COLORS

STANDARD PAINT

437	Cement*	461	Graphite*
462	Cinder	463	Iron*
440	Cloud*	400	Linen*
423	Concrete*	454	Morrel*
457	Dapple*	443	Pavestone*
405	Designer	455	Quarry*
	White	420	Sandstone*
450	Fog*	425	Shadow*
109	Fossil*	460	Storm*
488	Frosty White*	419	Wallaby*

*Extended lead time

METALLIC PAINT*
(+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

*Extended lead time

GALLERY PAINT** (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

**Six week lead time

METAL FOOTRAIL PAINT COLORS

STANDARD PAINT (+\$142 LIST)

POL	Polished (Standard - No upcharge)		
437	Cement*	461	Graphite*
462	Cinder	463	Iron*
440	Cloud*	400	Linen*
423	Concrete*	454	Morrel*
457	Dapple*	443	Pavestone*
405	Designer	455	Quarry*
	White	420	Sandstone*
450	Fog*	425	Shadow*
109	Fossil*	460	Storm*
488	Frosty White*	419	Wallaby*

*Extended lead time

METALLIC PAINT*
(+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

*Extended lead time

GALLERY PAINT** (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

**Six week lead time

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

GRIN - GROMMET OPTIONS

GRIN - GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)


Moire Grommet Option, Black, White, & Light Grey

\$41 list upcharge per cutout location

CUT-G40C Center Cutout Option (3" dia.)



- Reference the chart below for grommet locations



**98KG40AELPGBK, 98KG40AELPGLG,
98KG40AELPGWH, NACG10BELPGB,
NACG10BELPGW, and NACG10BELPGG
(Sold Separately)**

- Reference page 225 for pricing and details


Hemisphere Grommet Option, Black & White

\$41 list upcharge per cutout location

CUT-G41C Center Cutout Option (3" dia.)



- Reference the chart below for grommet locations



**NACG41AELPGB and NACG41AELPGW
(Sold Separately)**

- Reference page 225 for pricing and details


Eclipse Grommet Option, Black & White

\$41 list upcharge per cutout location

CUT-G42C Center Cutout Option (4½" dia.)



- Reference the chart below for grommet locations




**NACG42AELPGB and NACG42AELPGW
(Sold Separately)**


- Reference page 225 for pricing and details

GRIN - GROMMET LOCATIONS


GROMMET CUTOUT DESIGNATOR	DIAMETER CUTOUT DIMENSION	GROMMET LOCATION	TABLE LENGTH (IN)								
			30"	32"	40"	41"	48"	53"	56"	63"	71"
CUT-G40C	3"	A									
CUT-G41C	3"		15"	16"	20"	20½"	24"	26½"	23"	31½"	35½"
CUT-G42C	4½"										



Round Table Top



Square Table Top



Rectangle Table Top

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs




TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T3013RD4L
N49T3013RD4LK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
ROUND TOP OCCASIONAL HEIGHT TABLE 	30" ROUND		1¾" TOP THICKNESS		DI	H						
	N49T3013RD4LK	HPL - Knife Rim		\$ 2084	30	—	13	—	—		42.6 lbs.	3.1
	N49T3013RD4L	HPL - Softened Rim		1737	30	—	13	—	—		47.9 lbs.	3.1
	N49T3013RD4LL	TFL - Softened Rim		1564	30	—	13	—	—		47.9 lbs.	3.1
	41" ROUND											
	N49T4113RD4LK	HPL - Knife Rim		\$ 3059	41	—	13	—	—		67.0 lbs.	4.4
	N49T4113RD4L	HPL - Softened Rim		2549	41	—	13	—	—		75.7 lbs.	4.4
	N49T4113RD4LL	TFL - Softened Rim		2295	41	—	13	—	—		75.7 lbs.	4.4
	SQUARE TOP OCCASIONAL HEIGHT TABLE 	32" SQUARE		1¾" TOP THICKNESS		D	W	H				
N49T323213SSQ4LK		HPL - Knife Rim		\$ 2331	32	32	13	—	—		53.9 lbs.	3.3
N49T323213SSQ4L		HPL - Softened Rim		1943	32	32	13	—	—		61.1 lbs.	3.3
N49T323213SSQ4LL		TFL - Softened Rim		1749	32	32	13	—	—		61.1 lbs.	3.3
40" SQUARE												
N49T404013SSQ4LK		HPL - Knife Rim		\$ 3059	40	40	13	—	—		75.6 lbs.	4.3
N49T404013SSQ4L		HPL - Softened Rim		2549	40	40	13	—	—		85.7 lbs.	4.3
N49T404013SSQ4LL		TFL - Softened Rim		2295	40	40	13	—	—		85.7 lbs.	4.3
RECTANGLE TOP OCCASIONAL HEIGHT TABLE 		24" X 40" RECTANGLE		1¾" TOP THICKNESS								
	N49T244013SRT4LK	HPL - Knife Rim		\$ 2200	24	40	13	—	—		53.0 lbs.	3.3
	N49T244013SRT4L	HPL - Softened Rim		1833	24	40	13	—	—		60.0 lbs.	3.3
	N49T244013SRT4LL	TFL - Softened Rim		1650	24	40	13	—	—		60.0 lbs.	3.3
	24 X 48" RECTANGLE											
	N49T244813SRT4LK	HPL - Knife Rim		\$ 2342	24	48	13	—	—		60.6 lbs.	3.7
	N49T244813SRT4L	HPL - Softened Rim		1952	24	48	13	—	—		68.7 lbs.	3.7
	N49T244813SRT4LL	TFL - Softened Rim		1757	24	48	13	—	—		68.7 lbs.	3.7
	32 X 48" RECTANGLE											
N49T324813SRT4LK	HPL - Knife Rim		\$ 2492	32	48	13	—	—		73.7 lbs.	4.3	
N49T324813SRT4L	HPL - Softened Rim		2076	32	48	13	—	—		83.6 lbs.	4.3	
N49T324813SRT4LL	TFL - Softened Rim		1868	32	48	13	—	—		83.6 lbs.	4.3	

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T4129RD4L
N49T4129RD4LK

- See page 215 for all options available in Grin

ROUND TOP
WORKSURFACE HEIGHT TABLE

MODEL NO./DESCRIPTION

LIST
PRICE

DIMENSIONS

D

W

H

A

KW

CARTONED CUBIC
WEIGHT FEET

41" ROUND

1 3/8" TOP THICKNESS

DI

H

N49T4129RD4LK	HPL - Knife Rim	\$ 3554
N49T4129RD4L	HPL - Softened Rim	2961
N49T4129RD4LL	TFL - Softened Rim	2666

41	—	29	—	—	73.8 lbs.	4.9
41	—	29	—	—	82.5 lbs.	4.9
41	—	29	—	—	82.5 lbs.	4.9

53" ROUND

N49T5329RD4LK	HPL - Knife Rim	\$ 4295
N49T5329RD4L	HPL - Softened Rim	3579
N49T5329RD4LL	TFL - Softened Rim	3222

53	—	29	—	—	105.1 lbs.	6.7
53	—	29	—	—	117.8 lbs.	6.7
53	—	29	—	—	117.8 lbs.	6.7

ROUND TOP
WORKSURFACE HEIGHT TABLE
MOBILE

41" ROUND

1 3/8" TOP THICKNESS

N49T4129RD4MLK	HPL - Knife Rim	\$ 3767
N49T4129RD4ML	HPL - Softened Rim	3139
N49T4129RD4MLL	TFL - Softened Rim	2825

41	—	29	—	—	75.8 lbs.	4.9
41	—	29	—	—	84.5 lbs.	4.9
41	—	29	—	—	84.5 lbs.	4.9

53" ROUND

N49T5329RD4MLK	HPL - Knife Rim	\$ 4553
N49T5329RD4ML	HPL - Softened Rim	3795
N49T5329RD4MLL	TFL - Softened Rim	3414

53	—	29	—	—	107.1 lbs.	6.7
53	—	29	—	—	119.8 lbs.	6.7
53	—	29	—	—	119.8 lbs.	6.7

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish


SAMPLE MODEL NUMBERS:

N49T323229SSQ4L
N49T323229SSQ4LK

- See page 215 for all options available in Grin

**SQUARE TOP
WORKSURFACE HEIGHT TABLE**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
32" SQUARE		1 3/8" TOP THICKNESS	D	W	H	A	KW		
N49T323229SSQ4LK	HPL - Knife Rim	\$ 2825	32	32	29	—	—	60.6 lbs.	3.8
N49T323229SSQ4L	HPL - Softened Rim	2355	32	32	29	—	—	67.8 lbs.	3.8
N49T323229SSQ4LL	TFL - Softened Rim	2120	32	32	29	—	—	67.8 lbs.	3.8
40" SQUARE									
N49T404029SSQ4LK	HPL - Knife Rim	\$ 3411	40	40	29	—	—	82.3 lbs.	4.8
N49T404029SSQ4L	HPL - Softened Rim	2843	40	40	29	—	—	92.5 lbs.	4.8
N49T404029SSQ4LL	TFL - Softened Rim	2559	40	40	29	—	—	92.5 lbs.	4.8
48" SQUARE									
N49T484829SSQ4LK	HPL - Knife Rim	\$ 4065	48	48	29	—	—	107.7 lbs.	6.1
N49T484829SSQ4L	HPL - Softened Rim	3388	48	48	29	—	—	121.3 lbs.	6.1
N49T484829SSQ4LL	TFL - Softened Rim	3049	48	48	29	—	—	121.3 lbs.	6.1
56" SQUARE									
N49T565629SSQ4LK	HPL - Knife Rim	\$ 4321	56	56	29	—	—	136.8 lbs.	7.4
N49T565629SSQ4L	HPL - Softened Rim	3601	56	56	29	—	—	154.2 lbs.	7.4
N49T565629SSQ4LL	TFL - Softened Rim	3240	56	56	29	—	—	154.2 lbs.	7.4

**SQUARE TOP
WORKSURFACE HEIGHT TABLE
MOBILE**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
32" SQUARE		1 3/8" TOP THICKNESS	D	W	H	A	KW		
N49T323229SSQ4MLK	HPL - Knife Rim	\$ 2995	32	32	29	—	—	62.7 lbs.	3.8
N49T323229SSQ4ML	HPL - Softened Rim	2496	32	32	29	—	—	69.9 lbs.	3.8
N49T323229SSQ4MLL	TFL - Softened Rim	2246	32	32	29	—	—	69.9 lbs.	3.8
40" SQUARE									
N49T404029SSQ4MLK	HPL - Knife Rim	\$ 3616	40	40	29	—	—	84.3 lbs.	4.8
N49T404029SSQ4ML	HPL - Softened Rim	3014	40	40	29	—	—	94.5 lbs.	4.8
N49T404029SSQ4MLL	TFL - Softened Rim	2712	40	40	29	—	—	94.5 lbs.	4.8
48" SQUARE									
N49T484829SSQ4MLK	HPL - Knife Rim	\$ 4308	48	48	29	—	—	109.7 lbs.	6.1
N49T484829SSQ4ML	HPL - Softened Rim	3591	48	48	29	—	—	123.3 lbs.	6.1
N49T484829SSQ4MLL	TFL - Softened Rim	3231	48	48	29	—	—	123.3 lbs.	6.1
56" SQUARE									
N49T565629SSQ4MLK	HPL - Knife Rim	\$ 4580	56	56	29	—	—	138.9 lbs.	7.4
N49T565629SSQ4ML	HPL - Softened Rim	3817	56	56	29	—	—	156.3 lbs.	7.4
N49T565629SSQ4MLL	TFL - Softened Rim	3435	56	56	29	—	—	156.3 lbs.	7.4

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T244029SRT4L
N49T244029SRT4LK

- See page 215 for all options available in Grin

RECTANGLE TOP
WORKSURFACE HEIGHT TABLE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
24" X 40" RECTANGLE 1 1/4" TOP THICKNESS									
N49T244029SRT4LK	HPL - Knife Rim	\$ 2694	24	40	29	—	—	59.7 lbs.	3.8
N49T244029SRT4L	HPL - Softened Rim	2245	24	40	29	—	—	66.7 lbs.	3.8
N49T244029SRT4LL	TFL - Softened Rim	2021	24	40	29	—	—	66.7 lbs.	3.8
24 X 48" RECTANGLE									
N49T244829SRT4LK	HPL - Knife Rim	\$ 2837	24	48	29	—	—	67.3 lbs.	4.2
N49T244829SRT4L	HPL - Softened Rim	2364	24	48	29	—	—	75.4 lbs.	4.2
N49T244829SRT4LL	TFL - Softened Rim	2128	24	48	29	—	—	75.4 lbs.	4.2
32 X 48" RECTANGLE									
N49T324829SRT4LK	HPL - Knife Rim	\$ 2986	32	48	29	—	—	80.4 lbs.	4.8
N49T324829SRT4L	HPL - Softened Rim	2488	32	48	29	—	—	86.3 lbs.	4.8
N49T324829SRT4LL	TFL - Softened Rim	2239	32	48	29	—	—	86.3 lbs.	4.8
32 X 56" RECTANGLE									
N49T325629SRT4LK	HPL - Knife Rim	\$ 3144	32	56	29	—	—	89.8 lbs.	5.3
N49T325629SRT4L	HPL - Softened Rim	2619	32	56	29	—	—	101.2 lbs.	5.3
N49T325629SRT4LL	TFL - Softened Rim	2358	32	56	29	—	—	101.2 lbs.	5.3
32 X 63" RECTANGLE									
N49T326329SRT4LK	HPL - Knife Rim	\$ 3308	32	63	29	—	—	100.3 lbs.	5.8
N49T326329SRT4L	HPL - Softened Rim	2757	32	63	29	—	—	113.0 lbs.	5.8
N49T326329SRT4LL	TFL - Softened Rim	2481	32	63	29	—	—	113.0 lbs.	5.8
32 X 71" RECTANGLE									
N49T327129SRT4LK	HPL - Knife Rim	\$ 3482	32	71	29	—	—	109.6 lbs.	6.3
N49T327129SRT4L	HPL - Softened Rim	2903	32	71	29	—	—	123.7 lbs.	6.3
N49T327129SRT4LL	TFL - Softened Rim	2612	32	71	29	—	—	123.7 lbs.	6.3
40 X 63" RECTANGLE									
N49T406329SRT4LK	HPL - Knife Rim	\$ 3560	40	63	29	—	—	117.1 lbs.	6.5
N49T406329SRT4L	HPL - Softened Rim	2966	40	63	29	—	—	132.1 lbs.	6.5
N49T406329SRT4LL	TFL - Softened Rim	2670	40	63	29	—	—	132.1 lbs.	6.5
40 X 71" RECTANGLE									
N49T407129SRT4LK	HPL - Knife Rim	\$ 3870	40	71	29	—	—	130.4 lbs.	7.2
N49T407129SRT4L	HPL - Softened Rim	3225	40	71	29	—	—	146.9 lbs.	7.2
N49T407129SRT4LL	TFL - Softened Rim	2903	40	71	29	—	—	146.9 lbs.	7.2

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T244029SRT4ML
N49T244029SRT4MLK

- See page 215 for all options available in Grin

**RECTANGLE TOP
WORKSURFACE HEIGHT TABLE
MOBILE**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
24" X 40" RECTANGLE 1½" TOP THICKNESS									
N49T244029SRT4MLK	HPL - Knife Rim	\$ 2856	24	40	29	—	—	61.8 lbs.	3.8
N49T244029SRT4ML	HPL - Softened Rim	2380	24	40	29	—	—	68.8 lbs.	3.8
N49T244029SRT4MLL	TFL - Softened Rim	2142	24	40	29	—	—	68.8 lbs.	3.8
24 X 48" RECTANGLE									
N49T244829SRT4MLK	HPL - Knife Rim	\$ 3007	24	48	29	—	—	69.4 lbs.	4.2
N49T244829SRT4ML	HPL - Softened Rim	2506	24	48	29	—	—	77.5 lbs.	4.2
N49T244829SRT4MLL	TFL - Softened Rim	2255	24	48	29	—	—	77.5 lbs.	4.2
32 X 48" RECTANGLE									
N49T324829SRT4MLK	HPL - Knife Rim	\$ 3165	32	48	29	—	—	82.5 lbs.	4.8
N49T324829SRT4ML	HPL - Softened Rim	2638	32	48	29	—	—	88.4 lbs.	4.8
N49T324829SRT4MLL	TFL - Softened Rim	2374	32	48	29	—	—	88.4 lbs.	4.8
32 X 56" RECTANGLE									
N49T325629SRT4MLK	HPL - Knife Rim	\$ 3332	32	56	29	—	—	91.9 lbs.	5.3
N49T325629SRT4ML	HPL - Softened Rim	2777	32	56	29	—	—	103.2 lbs.	5.3
N49T325629SRT4MLL	TFL - Softened Rim	2499	32	56	29	—	—	103.2 lbs.	5.3
32 X 63" RECTANGLE									
N49T326329SRT4MLK	HPL - Knife Rim	\$ 3507	32	63	29	—	—	102.3 lbs.	5.8
N49T326329SRT4ML	HPL - Softened Rim	2922	32	63	29	—	—	115.0 lbs.	5.8
N49T326329SRT4MLL	TFL - Softened Rim	2631	32	63	29	—	—	115.0 lbs.	5.8
32 X 71" RECTANGLE									
N49T327129SRT4MLK	HPL - Knife Rim	\$ 3692	32	71	29	—	—	111.7 lbs.	6.3
N49T327129SRT4ML	HPL - Softened Rim	3077	32	71	29	—	—	125.8 lbs.	6.3
N49T327129SRT4MLL	TFL - Softened Rim	2769	32	71	29	—	—	125.8 lbs.	6.3
40 X 63" RECTANGLE									
N49T406329SRT4MLK	HPL - Knife Rim	\$ 3774	40	63	29	—	—	119.2 lbs.	6.5
N49T406329SRT4ML	HPL - Softened Rim	3145	40	63	29	—	—	134.1 lbs.	6.5
N49T406329SRT4MLL	TFL - Softened Rim	2830	40	63	29	—	—	134.1 lbs.	6.5
40 X 71" RECTANGLE									
N49T407129SRT4MLK	HPL - Knife Rim	\$ 4101	40	71	29	—	—	132.4 lbs.	7.2
N49T407129SRT4ML	HPL - Softened Rim	3419	40	71	29	—	—	149.0 lbs.	7.2
N49T407129SRT4MLL	TFL - Softened Rim	3077	40	71	29	—	—	149.0 lbs.	7.2

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish

SAMPLE MODEL NUMBERS:

N49T4135RD4L
N49T4135RD4MLK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	41" ROUND	1 $\frac{3}{8}$ " TOP THICKNESS		D	W	H	A	KW		
ROUND TOP COUNTER HEIGHT TABLE 	N49T4135RD4LK	HPL - Knife Rim	\$ 5284	41	—	35	—	—	83.0 lbs.	5.1
	N49T4135RD4L	HPL - Softened Rim	4403	41	—	35	—	—	91.7 lbs.	5.1
	N49T4135RD4LL	TFL - Softened Rim	3963	41	—	35	—	—	91.7 lbs.	5.1

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	41" ROUND	1 $\frac{3}{8}$ " TOP THICKNESS		D	W	H	A	KW		
ROUND TOP COUNTER HEIGHT TABLE MOBILE 	N49T4135RD4MLK	HPL - Knife Rim	\$ 5601	41	—	35	—	—	85.7 lbs.	5.1
	N49T4135RD4ML	HPL - Softened Rim	4668	41	—	35	—	—	94.4 lbs.	5.1
	N49T4135RD4MLL	TFL - Softened Rim	4201	41	—	35	—	—	94.4 lbs.	5.1

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32" SQUARE	1 $\frac{3}{8}$ " TOP THICKNESS		D	W	H	A	KW		
SQUARE TOP COUNTER HEIGHT TABLE 	N49T323235SSQ4LK	HPL - Knife Rim	\$ 4110	32	32	35	—	—	69.9 lbs.	4.0
	N49T323235SSQ4L	HPL - Softened Rim	3425	32	32	35	—	—	77.0 lbs.	4.0
	N49T323235SSQ4LL	TFL - Softened Rim	3082	32	32	35	—	—	77.0 lbs.	4.0

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32" SQUARE	1 $\frac{3}{8}$ " TOP THICKNESS		D	W	H	A	KW		
SQUARE TOP COUNTER HEIGHT TABLE MOBILE 	N49T323235SSQ4MLK	HPL - Knife Rim	\$ 4356	32	32	35	—	—	72.6 lbs.	4.0
	N49T323235SSQ4ML	HPL - Softened Rim	3630	32	32	35	—	—	79.8 lbs.	4.0
	N49T323235SSQ4MLL	TFL - Softened Rim	3267	32	32	35	—	—	79.8 lbs.	4.0

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish

SAMPLE MODEL NUMBERS:


N49T4141RD4L
N49T4141RD4MLK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW		
	32 X 71" RECTANGLE 1¾" TOP THICKNESS									
	N49T327135SRT4LK	HPL - Knife Rim	\$ 5039	32	71	35	—	—	121.6 lbs.	6.5
	N49T327135SRT4L	HPL - Softened Rim	4199	32	71	35	—	—	135.7 lbs.	6.5
	N49T327135SRT4LL	TFL - Softened Rim	3779	32	71	35	—	—	135.7 lbs.	6.5

	32 X 71" RECTANGLE	1 3/8" TOP THICKNESS						CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECTANGLE TOP COUNTER HEIGHT TABLE MOBILE 	N49T327135SRT4MLK	HPL - Knife Rim	\$	5342	32	71	35	—	—	124.4 lbs.	6.5
	N49T327135SRT4ML	HPL - Softened Rim		4451	32	71	35	—	—	138.5 lbs.	6.5
	N49T327135SRT4MLL	TFL - Softened Rim		4006	32	71	35	—	—	138.5 lbs.	6.5

ROUND TOP BAR HEIGHT TABLE 	41" ROUND	1 ³ / ₁₆ " TOP THICKNESS									
	N49T4141RD4LK	HPL - Knife Rim	\$	5464	41	—	41	—	—	85.9 lbs.	5.3
	N49T4141RD4L	HPL - Softened Rim		4554	41	—	41	—	—	94.6 lbs.	5.3
	N49T4141RD4LL	TFL - Softened Rim		4098	41	—	41	—	—	94.6 lbs.	5.3

ROUND TOP BAR HEIGHT TABLE MOBILE 	41" ROUND	1¾" TOP THICKNESS									
	N49T4141RD4MLK	HPL - Knife Rim	\$	5792	41	—	41	—	—	88.0 lbs.	5.3
	N49T4141RD4ML	HPL - Softened Rim		4827	41	—	41	—	—	96.7 lbs.	5.3
	N49T4141RD4MLL	TFL - Softened Rim		4344	41	—	41	—	—	96.7 lbs.	5.3

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish


SAMPLE MODEL NUMBERS:

N49T323241SSQ4L
N49T327141SRT4MLK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32" SQUARE	1 $\frac{3}{8}$ " TOP THICKNESS	D	W	H	A	KW		
	N49T323241SSQ4LK	HPL - Knife Rim \$ 4428	32	32	41	—	—	72.8 lbs.	4.2
	N49T323241SSQ4L	HPL - Softened Rim 3689	32	32	41	—	—	80.0 lbs.	4.2
	N49T323241SSQ4LL	TFL - Softened Rim 3321	32	32	41	—	—	80.0 lbs.	4.2

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32" SQUARE	1 $\frac{3}{8}$ " TOP THICKNESS	D	W	H	A	KW		
	N49T323241SSQ4MLK	HPL - Knife Rim \$ 4694	32	32	41	—	—	74.9 lbs.	4.2
	N49T323241SSQ4ML	HPL - Softened Rim 3911	32	32	41	—	—	82.0 lbs.	4.2
	N49T323241SSQ4MLL	TFL - Softened Rim 3521	32	32	41	—	—	82.0 lbs.	4.2

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32 X 71" RECTANGLE	1 $\frac{3}{8}$ " TOP THICKNESS	D	W	H	A	KW		
	N49T327141SRT4LK	HPL - Knife Rim \$ 5178	32	71	41	—	—	124.5 lbs.	6.7
	N49T327141SRT4L	HPL - Softened Rim 4315	32	71	41	—	—	138.6 lbs.	6.7
	N49T327141SRT4LL	TFL - Softened Rim 3883	32	71	41	—	—	138.6 lbs.	6.7





	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	32 X 71" RECTANGLE	1 $\frac{3}{8}$ " TOP THICKNESS	D	W	H	A	KW		
	N49T327141SRT4MLK	HPL - Knife Rim \$ 5488	32	71	41	—	—	126.6 lbs.	6.7
	N49T327141SRT4ML	HPL - Softened Rim 4573	32	71	41	—	—	140.7 lbs.	6.7
	N49T327141SRT4MLL	TFL - Softened Rim 4116	32	71	41	—	—	140.7 lbs.	6.7

TO ORDER, SPECIFY:

1. Model Number
2. Leather Color (when applicable)

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WIRE MANAGEMENT LEATHER STRAP 	NAC06WMSTF	\$ 88	1 1/4	6	—	—	—	5 lbs.	0.5
	• Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo • Sold in a quantity of 1								
MOIRÉ, G10 POWER/USB GROMMET 	98KG40AELPGBK	Black	\$ 600	—	—	—	—	1.7 lbs.	0.24
	98KG40AELPGWH	White	600	—	—	—	—	1.7 lbs.	0.24
	98KG40AELPGLG	Light Grey	600	—	—	—	—	1.7 lbs.	0.24
	• 2 power, 2 dual USB A/C, 2.0 amps • Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1 3/16" - 1 3/8" • UL Listed								
MOIRÉ, G10 POWER GROMMET 	NACG10BELPGB	Black	\$ 384	—	—	—	—	1.7 lbs.	0.24
	NACG10BELPGW	White	384	—	—	—	—	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	384	—	—	—	—	1.7 lbs.	0.24
	• 4 power • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • Black cord on black and light grey, white cord on white • Fits in G40 grommet hole diameter 3" • Adjust to thickness from 1 3/16" - 1 3/8" • UL Listed								
HEMISPHERE 	NACG41AELPGB	Black	\$ 466	—	—	—	—	lbs.	
	NACG41AELPGW	White	466	—	—	—	—	lbs.	
	• Fits in G41 grommet hole diameter 3" • 10' power cord								
ECLIPSE 	NACG42AELPGB	Black	\$ 423	—	—	—	—	lbs.	
	NACG42AELPGW	White	423	—	—	—	—	lbs.	
	• Fits in G42 grommet hole diameter 4 1/2" • 10' power cord								



GRIN

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC02HKS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PERSONAL MARKER BOARD 	NAC1214MBL Laminate	\$ 202	¾	12	14	—	—	lbs.	
	• High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards								
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	¾	½	1¾	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	1¾	¾	2½	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards • Cannot be used on knife rim tops								

MIO PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) and feature a softened 3mm vinyl rim or a vinyl knife rim profile
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim profile
- Knife rim surface available on 3 sides
- Refer to page 229 for rim profiles and colors

TAPERED BASES

- MDF
- Adjustable glides are standard
- Features removable panels for wire access

VERTICAL CABLE MANAGER

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WALLS

- Walls available in laminate, veneer, or HPL marker board
- Wall features aluminum powder coated trim
- Features removable panels for wire access in the same paint color as the wall trim
- Wall available with no TV mount, single TV mount, or dual TV mount (dual is 60" wide wall only)

EXHIBIT TV MOUNT INSERT

- Laminate or veneer inserts; TV mount included with insert
- Optional single or dual mount on 60" wide inserts

POWER/DATA ELECTRICAL SPECIFICATIONS

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo
- SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature 6 power receptacles with 2 108" power cords and molded plugs rated at 12 amps 120 volts, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature 6 power receptacles with 1 72" long hardwire conduit covered pigtail cable on 1 end which carries 2 20 amp 120 volt circuits to power 2 sides of the Power/Data Oasis, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack. Not Chicago Code
- Hardwire/Chicago Code available
- Standard units have cords that are 9 ft. long rated at 15 amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

MIO - CONFIGURATION OPTIONS

EXTENSION - FRONT BAR HEIGHT

- ET41 Bar Height Access Panel, Front
- Front extension is always bar height on 79" height walls

EXTENSION - BACK BAR HEIGHT

- ET41 Bar Height Access Panel, Back
ET29 Desk Height Access Panel, Back
X No Back Side Extension

POWER POLE CUTOUT OPTIONS

- CUT-P1 Power Pole Cutout (\$41 list upcharge)
X No Power Pole Cutout

EXTENSION - FRONT DESK HEIGHT

- ET29 Desk Height Access Panel, Front
- Front extension is always desk height on 67" height walls

EXTENSION - BACK DESK HEIGHT

- ET29 Desk Height Access Panel, Back
X No Back Side Extension
- TV mount option should not be selected with an Epicenter extension

WALL ACCESS PANEL/ TRIM PAINT/POWER POLE COLOR

- 462 Cinder
423 Concrete
405 Designer White
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TV MOUNT - FRONT

- TS Single TV Mount, Front (\$540 list upcharge)
TD Dual TV Mount, Front (\$1538 list upcharge)
X No TV Mount, Front
- Dual TV mount available on 60" walls only

TV MOUNT - BACK

- TS Single TV Mount, Back (\$540 list upcharge)
TD Dual TV Mount, Back (\$1538 list upcharge)
X No TV Mount, Back
- Dual TV mount available on 60" walls only

EXHIBIT INSERT TV MOUNT

- TS Single TV Mount, Front
TD Dual TV Mount, Front (\$998 list upcharge)

WALL, TV MOUNT EXHIBIT INSERT, AND VERTICAL WIRE MANAGER FINISHES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


VENEER WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

MDF TAPER BASE PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height
G15 and G16 Grommet Channel (6" deep)

TOP SHAPES AND SIZES



Square

48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 54", 60", 66", 72", 78" and 84"
54" x 48", 60", 66", 72", 78" and 84"
60" x 48", 54", 66", 72", 78" and 84"



Wedge

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"



U-Shaped

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby


PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris


GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


RIM PROFILE OPTIONS



Softened Wood (F) (wood tops only)



Softened Vinyl (V) (laminate tops only)



Knife (K)

WOODGRAIN VINYL RIM

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID VINYL RIM

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

MIO - CONFIGURATION OPTIONS


GROMMET AND CUTOUT OPTIONS

Mio tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout

CUT-G15C Center
CUT-G15E End




- Reference below for cutout locations of CUT-G15
- Reference pages 559-560 for pricing and details


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout

CUT-G16C Center
CUT-G16E End



- Reference below for cutout locations of CUT-G16




**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End




- Reference below for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**

- Reference page 562 for pricing and details




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

- Reference page 562 pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout

CUT-G23C Center
CUT-G23E End
CUT-G23CE Center, End



- Reference page 232 for cutout locations of CUT-G23



**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**

- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 568 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS


Only available on Exhibit mount tops

If no wire manager is desired, specify an X
(No Wire Manager)

Specify location and color option
Comes attached to worksurface


Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	\$41 list upcharge
D1B	Back	\$52 list upcharge




Colors:

403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby



Notch



WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

WIRE MANAGER FILLER CAP COLORS & RECOMMENDATIONS

462	Cinder	450	Fog	425	Shadow
440	Cloud	461	Graphite	460	Storm
405	Designer White	443	Pavestone	419	Wallaby

NOTE: 403 Chamois not available. Recommended to use 443 Pavestone.
485 Dark Chocolate not available. Recommended to use 462 Cinder.
478 Platinum Grey not available. Recommended to use 440 Cloud.

MIO - SEATING CAPACITY/GROMMET LOCATIONS

GROMMET LOCATIONS

- Option CUT-G23CE (Center & End) is only available on tops 60", 66", 72", 78", and 84" wide

TABLE LENGTHS








	48"	54"	60"	66"
END & CENTER GROMMET LOCATIONS				

TABLE LENGTHS





	72"	78"	84"
END & CENTER GROMMET LOCATIONS			


FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES


TOP SIZE WIDTH	 SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED
48"	4	4	3-4	4
54"	4-6	5	4	4
60"	4-6	5	4-5	4-6
66"	N/A	5-6	5-6	5-6
72"	N/A	6	6	6
78"	N/A	6-7	6-7	6-7
84"	N/A	7-8	7	7

WALL	TOP					BASE
SIZE	MIO TOP SIZE	 SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED	
48" DESK HEIGHT 	36"/42" x 48"		✓	✓	✓	4828
	48" x 48"	✓		✓	✓	4828
	36"/42"/48" x 54"		✓	✓	✓	5428
	36"/42"/48" x 60"		✓	✓	✓	6028
	36"/42"/48" x 66"			✓	✓	6628
	36"/42"/48" x 72"			✓	✓	7228
	36"/42"/48" x 78"			✓		7828
	36"/42"/48" x 84"			✓		8428
60" DESK HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4828
	48"/54" x 54"	✓				5428
	48"/54" x 60"		✓	✓	✓	6028
	60" x 54"		✓	✓	✓	5428
	60" x 60"	✓		✓	✓	6028
	48"/54"/60" x 66"			✓	✓	6628
	48"/54"/60" x 72"			✓	✓	7228
	48"/54"/60" x 78"			✓		7828
	48"/54"/60" x 84"			✓		8428
48" BAR HEIGHT 	36"/42" x 48"		✓	✓	✓	4840
	48" x 48"	✓		✓	✓	4840
	36"/42"/48" x 54"		✓	✓	✓	5440
	36"/42"/48" x 60"		✓	✓	✓	6040
	36"/42"/48" x 66"			✓	✓	6640
	36"/42"/48" x 72"			✓	✓	7240
60" BAR HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4840
	48"/54" x 54"	✓				5440
	48"/54" x 60"		✓	✓	✓	6040
	60" x 54"		✓	✓	✓	5440
	60" x 60"	✓		✓	✓	6040
	48"/54"/60" x 66"			✓	✓	6640
	48"/54"/60" x 72"			✓	✓	7240

✓ denotes the size of top that goes with each wall and the corresponding base size


MIO - EXHIBIT MOUNT TOP AND BASE GUIDE

- Customer determines the size of the Exhibit TV Mount Insert; no restrictions


MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
TOP SIZE WIDTH	 SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED	
48"	✓	✓	✓	✓	4828
54"	✓	✓	✓	✓	5428
60"	✓	✓	✓	✓	6028
66"		✓	✓	✓	6628
72"		✓	✓	✓	7228
78"		✓	✓	✓	7828
84"		✓	✓	✓	8428
48"	✓	✓	✓	✓	4840
54"		✓	✓	✓	5440
60"		✓	✓	✓	6040
66"		✓	✓	✓	6640
72"		✓	✓	✓	7240
78"		✓	✓	✓	7840
84"		✓	✓	✓	8440

✓ denotes the size of top that goes with each corresponding base size

- Example of cord routing through the base into the Mio wall




60" WIDE FREESTANDING MIO WALL DESK HEIGHT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N6067MW2L	Mio, Media Wall, Desk Height Laminate	1	\$ 6305
ET29	Desk Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Backside Extension		
TD	Dual TV Mount, Back (upcharge)		\$ 1538
X	No Power Pole Cutout		
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N6072WGLK	Mio, 60D x 72W, Conference Top, Wedge, Laminate	1	\$ 4746
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	\$ 3894
—	Skipped Option		
—	Skipped Option		
Total			\$17,023


48" WIDE FREESTANDING MIO WALL BAR HEIGHT

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2W	Mio, Media Wall, Bar Height, Wood	1	\$ 6861
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
ET29	Desk Height Access Panel, Back		
X	No TV Mount, Back		
CUT-P1	Power Pole Cutout (upcharge)		\$ 41
—	Skipped Option		
—	Skipped Option		
15N4872WGL		2	\$ 3104
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N7240TPBP	Mio, 72W x 40H, Taper Height, Paint	1	\$ 4287
—	Skipped Option		
—	Skipped Option		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	\$ 3894
—	Skipped Option		
—	Skipped Option		
15N93ELC	Power Pole	1	\$ 408
Total			\$22,239




MIO - THOUGHT STARTERS

48" WIDE FREESTANDING MIO WALL BAR HEIGHT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2WMB	Mio, Media Wall, Bar Height, Wood/Marker Board	1	\$ 8286
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Backside Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
—	Skipped Option		
—	Skipped Option		
15N4866WGLK	Mio, 48D x 66W, Conference Top, Wedge, Laminate, Knife Rim	1	\$ 3784
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N6640TPBP	Mio, 66W x 40H, Taper Base, Bar Height, Paint	1	\$ 4168
—	Skipped Option		
—	Skipped Option		
Total			\$16,778

48" WIDE FREESTANDING MIO WALL BAR HEIGHT




Front Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2L	Mio, Media Wall, Bar Height, Laminate	1	\$ 6413
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Back Side Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N4860RTL	Mio, 48D x 60W, Conference Top, Rectangle, Laminate	1	\$ 2515
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N6040TPBP	Mio, 60W x 40H, Taper Base, Bar Height, Paint	1	\$ 4057
—	Skipped Option		
—	Skipped Option		
Total			\$13,525

MIO - THOUGHT STARTERS

MIO TV INSERT WITH EXHIBIT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
11N6049TVL TS	TV Mount Exhibit Insert Single TV Mount	1	\$ 3115
15N6060WGDLK	Mio, 60D x 60W, Conference Top, Wedge, Knife Rim, Laminate	1	\$ 4242
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
15N6028TPOBP	Mio, 60W x 28H, Taper Base, Desk Height, Paint	1	\$ 4242
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
Total			\$11,599

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is bar height for bar height walls
- Bar height extension only available on bar height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 228




TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

SAMPLE MODEL NUMBERS:

15N6079MW2W	ET41	TS	ET29	TS	X	501	MC	
15N6079MW2L	ET41	TD	ET41	TS	X	501	478	PB
15N6079MW2WMB	ET41	TS	ET29	X	X	501	MC	

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	BAR HEIGHT			D	W	H				
 Without Mount	15N6079MW2W	Wood	\$ 7084	3	60%	78¾	—	—	235 lbs.	14.6
	15N6079MW2L	Laminate	6635	3	60%	78¾	—	—	235 lbs.	14.6
	15N4879MW2W	Wood	\$ 6861	3	48%	78¾	—	—	185 lbs.	11.8
	15N4879MW2L	Laminate	6413	3	48%	78¾	—	—	185 lbs.	11.8
 With Single Mount	BAR HEIGHT WITH MARKER BOARD									
	15N6079MW2MBW	Marker Board/Wood	\$ 8517	3	60%	78¾	—	—	235 lbs.	14.6
	15N6079MW2MBL	Marker Board/Laminate	8050	3	60%	78¾	—	—	235 lbs.	14.6
	15N6079MW2WMB	Wood/Marker Board	8517	3	60%	78¾	—	—	235 lbs.	14.6
	15N6079MW2LMB	Laminate/Marker Board	8050	3	60%	78¾	—	—	235 lbs.	14.6
	15N6079MW2MB	Marker Board/Marker Board	9952	3	60%	78¾	—	—	235 lbs.	14.6
	15N4879MW2MBW	Marker Board/Wood	\$ 8286	3	48%	78¾	—	—	185 lbs.	11.8
	15N4879MW2MBL	Marker Board/Laminate	7819	3	48%	78¾	—	—	185 lbs.	11.8
	15N4879MW2WMB	Wood/Marker Board	8286	3	48%	78¾	—	—	185 lbs.	11.8
	15N4879MW2LMB	Laminate/Marker Board	7819	3	48%	78¾	—	—	185 lbs.	11.8
	15N4879MW2MB	Marker Board/Marker Board	9720	3	48%	78¾	—	—	185 lbs.	11.8
	• Grain direction runs vertically • Laminate wall is TFL; marker board wall is non-magnetic white HPL • G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60%" wide • Wall should only be used with National certified TV mount that is included • Some assembly required • Must be used with Mio base and top • Painted access panel will match the trim of the wall; removable for access to cables • Adjustable glides standard; 2¼" adjustment • For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back) • 100 lbs. weight limit for each TV mount									
 With Dual Mount										

MIO

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is desk height for desk height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 228




TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

SAMPLE MODEL NUMBERS:

15N6067MW2W ET41 TS ET29 TS X 501 MC
15N6067MW2L ET41 TD ET41 TS X 501 478 PB

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FREESTANDING MIO WALL DESK HEIGHT	DESK HEIGHT								
	15N6067MW2W Wood	\$ 6733	3	60%	66%	—	—	215 lbs.	12.5
	15N6067MW2L Laminate	6305	3	60%	66%	—	—	215 lbs.	12.5
	15N4867MW2W Wood	\$ 6518	3	48%	66%	—	—	170 lbs.	10.2
	15N4867MW2L Laminate	6091	3	48%	66%	—	—	170 lbs.	10.2
	DESK HEIGHT WITH MARKER BOARD								
	15N6067MW2MBW Marker Board/Wood	\$ 8151	3	60%	66%	—	—	215 lbs.	12.5
	15N6067MW2MBL Marker Board/Laminate	7706	3	60%	66%	—	—	215 lbs.	12.5
	15N6067MW2WMB Wood/Marker Board	8151	3	60%	66%	—	—	215 lbs.	12.5
	15N6067MW2LMB Laminate/Marker Board	7706	3	60%	66%	—	—	215 lbs.	12.5
	15N6067MW2MB Marker Board/Marker Board	9585	3	60%	66%	—	—	215 lbs.	12.5
	15N4867MW2MBW Marker Board/Wood	\$ 7927	3	48%	66%	—	—	170 lbs.	10.2
	15N4867MW2MBL Marker Board/Laminate	7483	3	48%	66%	—	—	170 lbs.	10.2
	15N4867MW2WMB Wood/Marker Board	7927	3	48%	66%	—	—	170 lbs.	10.2
	15N4867MW2LMB Laminate/Marker Board	7483	3	48%	66%	—	—	170 lbs.	10.2
	15N4867MW2MB Marker Board/Marker Board	9364	3	48%	66%	—	—	170 lbs.	10.2

- Grain direction runs vertically
- Laminate wall is TFL; marker board wall is non-magnetic white HPL
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60% wide
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 100 lbs. weight limit for each TV mount

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6060SQW F CUT-G15C MC
15N6060SQLK K425 CUT-G15C 425

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
MIO WALL MOUNT SQUARE TOP SOFTENED RIM 	48" SQUARE										
	15N4848SQW	Wood	\$	3072	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
	15N4848SQL	Laminate		2157	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
	54" SQUARE										
	15N5454SQW	Wood	\$	3426	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
	15N5454SQL	Laminate		2591	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
	60" SQUARE										
	15N6060SQW	Wood	\$	3778	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
	15N6060SQL	Laminate		3019	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
	• Modified depth and width not available • For use with Mio wall and base • Tops only have a rim profile on 3 sides; profiled corners have a 4" radius • When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483										

MIO WALL MOUNT SQUARE TOP KNIFE RIM


48" SQUARE

15N4848SQWK	Wood	\$	3995
15N4848SQLK	Laminate		2805

54" SQUARE

15N5454SQWK	Wood	\$	4512
15N5454SQLK	Laminate		2960

60" SQUARE

15N6060SQWK	Wood	\$	4914
15N6060SQLK	Laminate		3925

48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5
48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5

54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1
54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1

58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3
58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTW F CUT-G15C MC
15N3648RTL V CUT-G15C 425

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT
RECTANGLE TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
36" x 48"									
15N3648RTW	Wood	\$ 2678	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.9
15N3648RTL	Laminate	1761	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.9
36" x 54"									
15N3654RTW	Wood	\$ 2872	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654RTL	Laminate	1955	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660RTW	Wood	\$ 3067	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660RTL	Laminate	2151	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
42" x 48"									
15N4248RTW	Wood	\$ 2859	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.4
15N4248RTL	Laminate	1945	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTW	Wood	\$ 3055	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254RTL	Laminate	2140	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTW	Wood	\$ 3251	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260RTL	Laminate	2334	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTW	Wood	\$ 3253	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
15N4854RTL	Laminate	2337	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTW	Wood	\$ 3433	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
15N4860RTL	Laminate	2515	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color


SAMPLE MODEL NUMBERS:

15N5448RTW F X PB
15N5448RTL V478 X 478

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED) 	54" x 48"								
	15N5448RTW Wood	\$ 3253	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
	15N5448RTL Laminated	2337	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
	54" x 60"								
	15N5460RTW Wood	\$ 3522	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
	15N5460RTL Laminated	2607	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
	60" x 48"								
	15N6048RTW Wood	\$ 3433	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
	15N6048RTL Laminated	2515	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
	60" x 54"								
	15N6054RTW Wood	\$ 3522	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
	15N6054RTL Laminated	2607	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
	• Modified depth and width not available • For use with Mio wall and base • Tops only have a rim profile on 3 sides; profiled corners have a 4" radius • When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483								

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM



36" x 48"									
15N3648RTWK Wood	\$ 3708	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.9	
15N3648RTLK Laminated	2515	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.9	
36" x 54"									
15N3654RTWK Wood	\$ 3906	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4	
15N3654RTLK Laminated	2710	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4	
36" x 60"									
15N3660RTWK Wood	\$ 4099	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0	
15N3660RTLK Laminated	2906	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0	
• Modified depth and width not available • For use with Mio wall and base • Tops only have a rim profile on 3 sides; profiled corners have a 4" radius • When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483									

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248RTWK K X PB
15N4248RTLK K478 X 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
RECTANGLE TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
42" x 48"									
15N4248RTWK	Wood	\$ 3890	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.4
15N4248RTLK	Laminate	2700	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTWK	Wood	\$ 4086	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254RTLK	Laminate	2894	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTWK	Wood	\$ 4282	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260RTLK	Laminate	3088	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTWK	Wood	\$ 4229	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
15N4854RTLK	Laminate	3040	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTWK	Wood	\$ 4464	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
15N4860RTLK	Laminate	3271	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
54" x 48"									
15N5448RTWK	Wood	\$ 4229	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N5448RTLK	Laminate	3040	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
54" x 60"									
15N5460RTWK	Wood	\$ 4579	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N5460RTLK	Laminate	3388	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
60" x 48"									
15N6048RTWK	Wood	\$ 4464	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
15N6048RTLK	Laminate	3271	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTWK	Wood	\$ 4579	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N6054RTLK	Laminate	3388	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254WGW F X PB
15N4254WGL V478 X 478

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648WGW	Wood	\$ 2954	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648WGL	Laminate	1965	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGW	Wood	\$ 3150	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654WGL	Laminate	2160	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGW	Wood	\$ 3342	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660WGL	Laminate	2353	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGW	Wood	\$ 3537	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666WGL	Laminate	2712	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGW	Wood	\$ 3730	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672WGL	Laminate	2741	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGW	Wood	\$ 3923	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678WGL	Laminate	2936	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGW	Wood	\$ 4120	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684WGL	Laminate	3128	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"									
15N4248WGW	Wood	\$ 3137	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248WGL	Laminate	2148	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGW	Wood	\$ 3332	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254WGL	Laminate	2343	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4860WGW F CUT-G15C CW
15N4860WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
42" x 60"									
15N4260WGW	Wood	\$ 3527	42	60	1 1/4	—	—	92 lbs.	5.6
15N4260WGL	Laminate	2536	42	60	1 1/4	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGW	Wood	\$ 3720	42	66	1 1/4	—	—	105 lbs.	6.8
15N4266WGL	Laminate	2895	42	66	1 1/4	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGW	Wood	\$ 3912	42	71 1/4	1 1/4	—	—	110 lbs.	7.1
15N4272WGL	Laminate	2924	42	71 1/4	1 1/4	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGW	Wood	\$ 4105	42	77 1/4	1 1/4	—	—	115 lbs.	7.5
15N4278WGL	Laminate	3119	42	77 1/4	1 1/4	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGW	Wood	\$ 4300	42	83 1/4	1 1/4	—	—	120 lbs.	9.0
15N4284WGL	Laminate	3314	42	83 1/4	1 1/4	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGW	Wood	\$ 3320	48	48 1/4	1 1/4	—	—	59 lbs.	4.5
15N4848WGL	Laminate	2329	48	48 1/4	1 1/4	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGW	Wood	\$ 3512	48	54	1 1/4	—	—	92 lbs.	5.5
15N4854WGL	Laminate	2525	48	54	1 1/4	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGW	Wood	\$ 3707	48	60	1 1/4	—	—	110 lbs.	6.2
15N4860WGL	Laminate	2718	48	60	1 1/4	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGW	Wood	\$ 3903	48	66	1 1/4	—	—	135 lbs.	7.5
15N4866WGL	Laminate	2912	48	66	1 1/4	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 1/2" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466WGW F CUT-G15C CW
15N5466WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
48" x 72"			D	W	H	A	KW		
15N4872WGW	Wood	\$ 4095	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872WGL	Laminate	3104	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGW	Wood	\$ 4288	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878WGL	Laminate	3299	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGW	Wood	\$ 4483	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884WGL	Laminate	3493	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGW	Wood	\$ 3502	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448WGL	Laminate	2512	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGW	Wood	\$ 3696	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454WGL	Laminate	2707	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
54" x 60"									
15N5460WGW	Wood	\$ 3889	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460WGL	Laminate	2900	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGW	Wood	\$ 4084	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466WGL	Laminate	3095	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGW	Wood	\$ 4279	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472WGL	Laminate	3288	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGW	Wood	\$ 4469	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
15N5478WGL	Laminate	3482	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGW F CUT-G15C CW
15N6072WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
54" x 84"									
15N5484WGW	Wood	\$ 4668	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
15N5484WGL	Laminate	3678	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGW	Wood	\$ 3707	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
15N6048WGL	Laminate	2718	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGW	Wood	\$ 3806	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
15N6054WGL	Laminate	2815	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGW	Wood	\$ 4084	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3
15N6060WGL	Laminate	3263	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGW	Wood	\$ 4279	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
15N6066WGL	Laminate	3455	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGW	Wood	\$ 4469	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
15N6072WGL	Laminate	3651	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGW	Wood	\$ 4664	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
15N6078WGL	Laminate	3842	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGW	Wood	\$ 4857	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8
15N6084WGL	Laminate	4037	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBR5 must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648WGWK K CUT-G15C CW
15N3648WGLK K478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT
WEDGE TOP
KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648WGWK	Wood	\$ 3951	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
15N3648WGLK	Laminated	2667	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGWK	Wood	\$ 4202	36 $\frac{1}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
15N3654WGLK	Laminated	2915	36 $\frac{1}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGWK	Wood	\$ 4455	36 $\frac{1}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
15N3660WGLK	Laminated	3171	36 $\frac{1}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGWK	Wood	\$ 4708	36 $\frac{1}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
15N3666WGLK	Laminated	3421	36 $\frac{1}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGWK	Wood	\$ 4960	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
15N3672WGLK	Laminated	3673	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGWK	Wood	\$ 5211	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
15N3678WGLK	Laminated	3924	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGWK	Wood	\$ 5463	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
15N3684WGLK	Laminated	4178	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
42" x 48"									
15N4248WGWK	Wood	\$ 4133	42	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6
15N4248WGLK	Laminated	2848	42	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGWK	Wood	\$ 4385	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0
15N4254WGLK	Laminated	3098	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4860WGWK K CUT-G16C AC
15N4860WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
42" x 60"									
15N4260WGWK	Wood	\$ 4635	42	60	1 $\frac{1}{8}$	—	—	92 lbs.	5.6
15N4260WGLK	Laminate	3353	42	60	1 $\frac{1}{8}$	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGWK	Wood	\$ 4891	42	66	1 $\frac{1}{8}$	—	—	105 lbs.	6.8
15N4266WGLK	Laminate	3602	42	66	1 $\frac{1}{8}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGWK	Wood	\$ 5144	42	71 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	110 lbs.	7.1
15N4272WGLK	Laminate	3854	42	71 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGWK	Wood	\$ 5394	42	77 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	115 lbs.	7.5
15N4278WGLK	Laminate	4106	42	77 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGWK	Wood	\$ 5645	42	83 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	120 lbs.	9.0
15N4284WGLK	Laminate	4358	42	83 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGWK	Wood	\$ 4316	48	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	59 lbs.	4.5
15N4848WGLK	Laminate	3028	48	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGWK	Wood	\$ 4567	48	54	1 $\frac{1}{8}$	—	—	92 lbs.	5.5
15N4854WGLK	Laminate	3282	48	54	1 $\frac{1}{8}$	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGWK	Wood	\$ 4819	48	60	1 $\frac{1}{8}$	—	—	110 lbs.	6.2
15N4860WGLK	Laminate	3536	48	60	1 $\frac{1}{8}$	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGWK	Wood	\$ 5072	48	66	1 $\frac{1}{8}$	—	—	135 lbs.	7.5
15N4866WGLK	Laminate	3784	48	66	1 $\frac{1}{8}$	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466WGWK K CUT-G16C AC
15N5466WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in MIO

**MIO WALL MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
48" x 72"			D	W	H	A	KW		
15N4872WGWK	Wood	\$ 5324	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872WGLK	Laminated	4037	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGWK	Wood	\$ 5575	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878WGLK	Laminated	4290	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGWK	Wood	\$ 5828	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884WGLK	Laminated	4540	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGWK	Wood	\$ 4498	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448WGLK	Laminated	3212	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGWK	Wood	\$ 4748	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454WGLK	Laminated	3463	54	54	¹ / ₁₆	—	—	121 lbs.	7.1
54" x 60"									
15N5460WGWK	Wood	\$ 5003	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460WGLK	Laminated	3717	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGWK	Wood	\$ 5256	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466WGLK	Laminated	3968	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGWK	Wood	\$ 5507	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472WGLK	Laminated	4221	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGWK	Wood	\$ 5759	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
15N5478WGLK	Laminated	4472	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5

- Modified depth and width not available
- For use with MIO wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using MIO top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGWK K CUT-G16C AC
15N6072WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
54" x 84"									
15N5484WGWK	Wood	\$ 6011	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
15N5484WGLK	Laminate	4724	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGWK	Wood	\$ 4819	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
15N6048WGLK	Laminate	3536	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGWK	Wood	\$ 4945	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N6054WGLK	Laminate	3659	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGWK	Wood	\$ 5310	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
15N6060WGLK	Laminate	4242	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGWK	Wood	\$ 5562	58 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1
15N6066WGLK	Laminate	4493	58 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGWK	Wood	\$ 5810	58 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	9.6
15N6072WGLK	Laminate	4746	58 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGWK	Wood	\$ 6065	58 $\frac{3}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	245 lbs.	10.0
15N6078WGLK	Laminate	4998	58 $\frac{3}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGWK	Wood	\$ 6316	58 $\frac{3}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	270 lbs.	10.8
15N6084WGLK	Laminate	5250	58 $\frac{3}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBR5 must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648UW F X PB
15N3648UL VPB X PB

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT
U-SHAPED TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648UW	Wood	\$ 3174	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648UL	Laminate	2175	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654UW	Wood	\$ 3370	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654UL	Laminate	2371	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660UW	Wood	\$ 3565	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660UL	Laminate	2567	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666UW	Wood	\$ 3761	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666UL	Laminate	2759	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672UW	Wood	\$ 3955	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672UL	Laminate	2955	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
42" x 48"									
15N4248UW	Wood	\$ 3173	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	3.6
15N4248UL	Laminate	2173	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	3.6
42" x 54"									
15N4254UW	Wood	\$ 3368	42	54	1 $\frac{1}{16}$	—	—	105 lbs.	5.0
15N4254UL	Laminate	2368	42	54	1 $\frac{1}{16}$	—	—	105 lbs.	5.0
42" x 60"									
15N4260UW	Wood	\$ 3564	42	60	1 $\frac{1}{16}$	—	—	65 lbs.	5.6
15N4260UL	Laminate	2565	42	60	1 $\frac{1}{16}$	—	—	65 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4266UW F X PB
15N4266UL VPB X PB

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
42" x 66"									
15N4266UW	Wood	\$ 3760	42	66	1 $\frac{1}{16}$	—	—	76 lbs.	6.8
15N4266UL	Laminate	2758	42	66	1 $\frac{1}{16}$	—	—	76 lbs.	6.8
42" x 72"									
15N4272UW	Wood	\$ 3954	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	7.1
15N4272UL	Laminate	2954	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	7.1
48" x 48"									
15N4848UW	Wood	\$ 3354	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	4.5
15N4848UL	Laminate	2353	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	4.5
48" x 54"									
15N4854UW	Wood	\$ 3548	48	54	1 $\frac{1}{16}$	—	—	110 lbs.	5.5
15N4854UL	Laminate	2549	48	54	1 $\frac{1}{16}$	—	—	110 lbs.	5.5
48" x 60"									
15N4860UW	Wood	\$ 3745	48	60	1 $\frac{1}{16}$	—	—	115 lbs.	6.2
15N4860UL	Laminate	2747	48	60	1 $\frac{1}{16}$	—	—	115 lbs.	6.2
48" x 66"									
15N4866UW	Wood	\$ 3941	48	66	1 $\frac{1}{16}$	—	—	120 lbs.	7.5
15N4866UL	Laminate	2942	48	66	1 $\frac{1}{16}$	—	—	120 lbs.	7.5
48" x 72"									
15N4872UW	Wood	\$ 4138	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
15N4872UL	Laminate	3137	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
54" x 48"									
15N5448UW	Wood	\$ 3451	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N5448UL	Laminate	2452	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5454UW F X AC
15N5454UL V425 X 425

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
54" x 54"			D	W	H	A	KW		
15N5454UW	Wood	\$ 3646	54	54	1 $\frac{3}{8}$	—	—	121 lbs.	7.1
15N5454UL	Laminate	2646	54	54	1 $\frac{3}{8}$	—	—	121 lbs.	7.1
54" x 60"									
15N5460UW	Wood	\$ 3840	54	60	1 $\frac{3}{8}$	—	—	135 lbs.	7.9
15N5460UL	Laminate	2842	54	60	1 $\frac{3}{8}$	—	—	135 lbs.	7.9
54" x 66"									
15N5466UW	Wood	\$ 4036	54	66	1 $\frac{3}{8}$	—	—	135 lbs.	8.6
15N5466UL	Laminate	3039	54	66	1 $\frac{3}{8}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472UW	Wood	\$ 4232	54	71 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	145 lbs.	9.1
15N5472UL	Laminate	3233	54	71 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	145 lbs.	9.1
60" x 48"									
15N6048UW	Wood	\$ 3745	58 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	121 lbs.	6.9
15N6048UL	Laminate	2747	58 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054UW	Wood	\$ 3840	58 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	135 lbs.	7.5
15N6054UL	Laminate	2842	58 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060UW	Wood	\$ 4123	58 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	150 lbs.	8.3
15N6060UL	Laminate	3292	58 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	150 lbs.	8.3
60" x 66"									
15N6066UW	Wood	\$ 4319	58 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	182 lbs.	9.1
15N6066UL	Laminate	3491	58 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	182 lbs.	9.1
60" x 72"									
15N6072UW	Wood	\$ 4514	58 $\frac{3}{8}$	71 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	210 lbs.	9.6
15N6072UL	Laminate	3688	58 $\frac{3}{8}$	71 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UWK K X AC
15N3648ULK K462 X 405

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
KNIFE RIM**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
36" x 48"									
15N3648UWK	Wood	\$ 4531	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648ULK	Laminate	3234	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654UWK	Wood	\$ 4730	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654ULK	Laminate	3431	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660UWK	Wood	\$ 4924	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660ULK	Laminate	3625	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666UWK	Wood	\$ 5118	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666ULK	Laminate	3819	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672UWK	Wood	\$ 5315	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672ULK	Laminate	4017	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
42" x 48"									
15N4248UWK	Wood	\$ 3906	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248ULK	Laminate	3116	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
42" x 54"									
15N4254UWK	Wood	\$ 4099	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254ULK	Laminate	3310	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260UWK	Wood	\$ 4296	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260ULK	Laminate	3505	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4266UWK K X AC
15N4266ULK K462 X 405

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 66"									
15N4266UWK	Wood	\$ 4490	42	66	1 $\frac{3}{16}$	—	—	105 lbs.	6.8
15N4266ULK	Laminate	3700	42	66	1 $\frac{3}{16}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272UWK	Wood	\$ 4684	42	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	110 lbs.	7.1
15N4272ULK	Laminate	3894	42	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	110 lbs.	7.1
48" x 48"									
15N4848UWK	Wood	\$ 4358	48	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	4.5
15N4848ULK	Laminate	3059	48	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	59 lbs.	4.5
48" x 54"									
15N4854UWK	Wood	\$ 4613	48	54	1 $\frac{3}{16}$	—	—	92 lbs.	5.5
15N4854ULK	Laminate	3317	48	54	1 $\frac{3}{16}$	—	—	92 lbs.	5.5
48" x 60"									
15N4860UWK	Wood	\$ 4866	48	60	1 $\frac{3}{16}$	—	—	110 lbs.	6.2
15N4860ULK	Laminate	3569	48	60	1 $\frac{3}{16}$	—	—	110 lbs.	6.2
48" x 66"									
15N4866UWK	Wood	\$ 5121	48	66	1 $\frac{3}{16}$	—	—	135 lbs.	7.5
15N4866ULK	Laminate	3824	48	66	1 $\frac{3}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872UWK	Wood	\$ 5377	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	158 lbs.	7.9
15N4872ULK	Laminate	4078	48	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	158 lbs.	7.9
54" x 48"									
15N5448UWK	Wood	\$ 4605	54	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
15N5448ULK	Laminate	3410	54	48 $\frac{3}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6048UWK K X AC
15N6048ULK K462 X 405

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
54" x 54"									
15N5454UWK	Wood	\$ 4800	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
15N5454ULK	Laminate	3606	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
54" x 60"									
15N5460UWK	Wood	\$ 4997	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9
15N5460ULK	Laminate	3696	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9
54" x 66"									
15N5466UWK	Wood	\$ 5189	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
15N5466ULK	Laminate	3890	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472UWK	Wood	\$ 5385	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
15N5472ULK	Laminate	4086	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
60" x 48"									
15N6048UWK	Wood	\$ 4866	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
15N6048ULK	Laminate	3569	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054UWK	Wood	\$ 4997	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N6054ULK	Laminate	3696	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060UWK	Wood	\$ 5361	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
15N6060ULK	Laminate	4284	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
60" x 66"									
15N6066UWK	Wood	\$ 5615	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1
15N6066ULK	Laminate	4537	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1
60" x 72"									
15N6072UWK	Wood	\$ 5871	58 $\frac{1}{2}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	9.6
15N6072ULK	Laminate	4791	58 $\frac{1}{2}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:


1. Model Number
2. Base Wire Channel Height
3. Paint Color

SAMPLE MODEL NUMBER:

15N4828TPBP 6 405


- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MIO WALL MOUNT TAPER BASE BAR HEIGHT	15N4840TPBP Painted	\$ 3838	12	36 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	105 lbs.	12.9
	15N5440TPBP Painted	3947	12	42	39 $\frac{3}{4}$	—	—	115 lbs.	14.3
	15N6040TPBP Painted	4057	12	48	39 $\frac{3}{4}$	—	—	125 lbs.	15.6
	15N6640TPBP Painted	4168	12	54	39 $\frac{3}{4}$	—	—	135 lbs.	17.0
	15N7240TPBP Painted	4287	12	59 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	145 lbs.	18.3



STD Channel Height

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1 $\frac{1}{2}$ " glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 $\frac{1}{16}$ "; desk height bottom channel inside dimension is 5 $\frac{3}{32}$ "; top channel top inside dimension is 10 $\frac{1}{2}$ "; top channel bottom inside dimension for STD height is 9 $\frac{9}{16}$ "
- Reference page 233 for wall, top and base guide

**MIO WALL MOUNT
TAPER BASE
DESK HEIGHT**

STD Channel Height

15N4828TPBP Painted	\$ 3490	12	36 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	95 lbs.	11.7
15N5428TPBP Painted	3589	12	42	27 $\frac{1}{4}$	—	—	105 lbs.	13.5
15N6028TPBP Painted	3688	12	48	27 $\frac{1}{4}$	—	—	115 lbs.	14.5
15N6628TPBP Painted	3790	12	54	27 $\frac{1}{4}$	—	—	125 lbs.	15.7
15N7228TPBP Painted	3894	12	59 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	135 lbs.	17.5
15N7828TPBP Painted	4006	12	65 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	145 lbs.	18.5
15N8428TPBP Painted	4118	12	71 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	155 lbs.	19.7

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1 $\frac{1}{2}$ " glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 $\frac{1}{16}$ "; desk height bottom channel inside dimension is 5 $\frac{3}{32}$ "; top channel top inside dimension is 10 $\frac{1}{2}$ "; top channel bottom inside dimension for STD height is 9 $\frac{9}{16}$ "
- Reference page 233 for wall, top and base guide

MIO

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N6034TVW TD MC
11N6034TVL TS 462

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
	TV MOUNT EXHIBIT INSERTS									
	34"H TV MOUNT EXHIBIT INSERTS									
	11N3634TVW	Wood	\$ 2829	½	35⅞	34½	—	—	47 lbs.	3.1
	11N3634TVL	Laminate	2026	½	35⅞	34½	—	—	47 lbs.	3.1
	11N4234TVW	Wood	\$ 2833	½	41⅞	34½	—	—	53 lbs.	3.3
	11N4234TVL	Laminate	2027	½	41⅞	34½	—	—	53 lbs.	3.3
	11N4834TVW	Wood	\$ 3117	½	47⅞	34½	—	—	58 lbs.	3.5
	11N4834TVL	Laminate	2225	½	47⅞	34½	—	—	58 lbs.	3.5
(only 60" models)	11N5434TVW	Wood	\$ 3403	½	53⅞	34½	—	—	64 lbs.	3.5
	11N5434TVL	Laminate	2426	½	53⅞	34½	—	—	64 lbs.	3.5
	11N6034TVW	Wood	\$ 3720	½	59⅞	34½	—	—	71 lbs.	3.9
	11N6034TVL	Laminate	2643	½	59⅞	34½	—	—	71 lbs.	3.9

(only 60" models)

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TV MOUNT EXHIBIT INSERTS

11N3636TVW Wood	\$ 2863	½	35⅞	36⅞	—	—	51 lbs.	3.4
11N3636TVL Laminate	2051	½	35⅞	36⅞	—	—	51 lbs.	3.4
11N4236TVW Wood	\$ 2870	½	41⅞	36⅞	—	—	57 lbs.	3.6
11N4236TVL Laminate	2055	½	41⅞	36⅞	—	—	57 lbs.	3.6
11N4836TVW Wood	\$ 3159	½	47⅞	36⅞	—	—	62 lbs.	3.9
11N4836TVL Laminate	2255	½	47⅞	36⅞	—	—	62 lbs.	3.9
11N5436TVW Wood	\$ 3448	½	53⅞	36⅞	—	—	68 lbs.	4.1
11N5436TVL Laminate	2456	½	53⅞	36⅞	—	—	68 lbs.	4.1
11N6036TVW Wood	\$ 3771	½	59⅞	36⅞	—	—	74 lbs.	4.3
11N6036TVL Laminate	2677	½	59⅞	36⅞	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 100 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462
11N6037TVW TS MC

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
 (only 60" models)	COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS								
	37"H TV MOUNT EXHIBIT INSERTS								
	11N3637TVW Wood	\$ 2863	½	35½"	37	—	—	51 lbs.	3.4
	11N3637TVL Laminate	2051	½	35½"	37	—	—	51 lbs.	3.4
	11N4237TVW Wood	\$ 2870	½	41½"	37	—	—	57 lbs.	3.6
	11N4237TVL Laminate	2055	½	41½"	37	—	—	57 lbs.	3.6
	11N4837TVW Wood	\$ 3159	½	47½"	37	—	—	62 lbs.	3.9
	11N4837TVL Laminate	2255	½	47½"	37	—	—	62 lbs.	3.9
	11N5437TVW Wood	\$ 3448	½	53"	37	—	—	68 lbs.	4.1
	11N5437TVL Laminate	2456	½	53"	37	—	—	68 lbs.	4.1
	11N6037TVW Wood	\$ 3771	½	59½"	37	—	—	74 lbs.	4.3
	11N6037TVL Laminate	2677	½	59½"	37	—	—	74 lbs.	4.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	48"H TV MOUNT EXHIBIT INSERTS								
	11N3648TVW Wood	\$ 3337	½	35½"	48¾"	—	—	69 lbs.	5.0
	11N3648TVL Laminate	2378	½	35½"	48¾"	—	—	69 lbs.	5.0
	11N4248TVW Wood	\$ 3341	½	41½"	48¾"	—	—	77 lbs.	5.2
	11N4248TVL Laminate	2380	½	41½"	48¾"	—	—	77 lbs.	5.2
	11N4848TVW Wood	\$ 3685	½	47½"	48¾"	—	—	85 lbs.	5.5
	11N4848TVL Laminate	2617	½	47½"	48¾"	—	—	85 lbs.	5.5
	11N5448TVW Wood	\$ 4029	½	53"	48¾"	—	—	93 lbs.	5.8
	11N5448TVL Laminate	2852	½	53"	48¾"	—	—	93 lbs.	5.8
	11N6048TVW Wood	\$ 4406	½	59½"	48¾"	—	—	101 lbs.	6.1
	11N6048TVL Laminate	3115	½	59½"	48¾"	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 100 lbs.
- Reference Exhibit section for guidelines

MIO

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462
11N6049TVW TS MC

- See pages 228-231 for all options available in Mio

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS										
	49"H TV MOUNT EXHIBIT INSERTS										
	11N3649TVW	Wood	\$	3337	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649TVL	Laminate		2378	½	35⅞	48⅞	—	—	69 lbs.	5.0
											
	11N4249TVW	Wood	\$	3341	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249TVL	Laminate		2380	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4849TVW	Wood	\$	3685	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4849TVL	Laminate		2617	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$	4029	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N5449TVL	Laminate		2852	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N6049TVW	Wood	\$	4406	½	59⅞	48⅞	—	—	101 lbs.	6.1
	11N6049TVL	Laminate		3115	½	59⅞	48⅞	—	—	101 lbs.	6.1
• TV mount included; some assembly required; VESA mounting compliant • Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) , and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert • Maximum TV weight is 100 lbs. • Reference Exhibit section for guidelines											

(only 60" models)

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:


15N6060SQDW F X NT1 MC
15N6060SQDL V425 CUT-G15C NT1 425

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
EXHIBIT MOUNT SQUARE TOP SOFTENED RIM 	48" SQUARE										
	15N4848SQDW	Wood	\$	3072	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
	15N4848SQDL	Laminate		2157	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
	54" SQUARE										
	15N5454SQDW	Wood	\$	3426	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
	15N5454SQDL	Laminate		2591	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
	60" SQUARE										
	15N6060SQDW	Wood	\$	3778	58 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
	15N6060SQDL	Laminate		3019	58 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

EXHIBIT MOUNT SQUARE TOP KNIFE RIM



48" SQUARE											
15N4848SQDWK	Wood	\$	3995	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5	
15N4848SQDLK	Laminate		2805	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5	
54" SQUARE											
15N5454SQDWK	Wood	\$	4512	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1	
15N5454SQDLK	Laminate		2960	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1	
60" SQUARE											
15N6060SQDWK	Wood	\$	4914	58 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3	
15N6060SQDLK	Laminate		3925	58 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3	

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDW F X NT1 MC
15N3648RTDL V425 CUT-G15C NT1 425

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
RECTANGLE TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648RTDW	Wood	\$ 2678	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
15N3648RTDL	Laminate	1761	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
36" x 54"									
15N3654RTDW	Wood	\$ 2872	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
15N3654RTDL	Laminate	1955	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
36" x 60"									
15N3660RTDW	Wood	\$ 3067	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
15N3660RTDL	Laminate	2151	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
36" x 66"									
15N3666RTDW	Wood	\$ 3200	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666RTDL	Laminate	2282	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672RTDW	Wood	\$ 3396	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672RTDL	Laminate	2478	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678RTDW	Wood	\$ 3592	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678RTDL	Laminate	2674	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684RTDW	Wood	\$ 3787	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684RTDL	Laminate	2868	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"									
15N4248RTDW	Wood	\$ 2859	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9
15N4248RTDL	Laminate	1945	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254RTDW F X D1B462 MC
15N4254RTDL V462 X D1B462 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
RECTANGLE TOP
SOFTENED RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
42" x 54"										
15N4254RTDW	Wood	\$ 3055	42	54	1 $\frac{5}{16}$	—	—		76 lbs.	5.6
15N4254RTDL	Laminate	2140	42	54	1 $\frac{5}{16}$	—	—		76 lbs.	5.6
42" x 60"										
15N4260RTDW	Wood	\$ 3251	42	60	1 $\frac{5}{16}$	—	—		92 lbs.	6.4
15N4260RTDL	Laminate	2334	42	60	1 $\frac{5}{16}$	—	—		92 lbs.	6.4
42" x 66"										
15N4266RTDW	Wood	\$ 3505	42	66	1 $\frac{5}{16}$	—	—		105 lbs.	6.8
15N4266RTDL	Laminate	2591	42	66	1 $\frac{5}{16}$	—	—		105 lbs.	6.8
42" x 72"										
15N4272RTDW	Wood	\$ 3700	42	71 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		110 lbs.	7.1
15N4272RTDL	Laminate	2786	42	71 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		110 lbs.	7.1
42" x 78"										
15N4278RTDW	Wood	\$ 3771	42	77 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		115 lbs.	7.5
15N4278RTDL	Laminate	2857	42	77 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		115 lbs.	7.5
42" x 84"										
15N4284RTDW	Wood	\$ 3969	42	83 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		120 lbs.	9.0
15N4284RTDL	Laminate	3053	42	83 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—		120 lbs.	9.0
48" x 54"										
15N4854RTDW	Wood	\$ 3253	48	54	1 $\frac{5}{16}$	—	—		92 lbs.	5.5
15N4854RTDL	Laminate	2337	48	54	1 $\frac{5}{16}$	—	—		92 lbs.	5.5
48" x 60"										
15N4860RTDW	Wood	\$ 3433	48	60	1 $\frac{5}{16}$	—	—		110 lbs.	6.2
15N4860RTDL	Laminate	2515	48	60	1 $\frac{5}{16}$	—	—		110 lbs.	6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4866RTDW F X D1B462 MC
15N4866RTDL V462 X D1B462 405

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
RECTANGLE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 66"									
15N4866RTDW	Wood	\$ 3612	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N4866RTDL	Laminate	2698	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDW	Wood	\$ 3791	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
15N4872RTDL	Laminate	2874	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDW	Wood	\$ 3972	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
15N4878RTDL	Laminate	3055	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDW	Wood	\$ 4151	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
15N4884RTDL	Laminate	3234	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
54" x 48"									
15N5448RTDW	Wood	\$ 3253	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.4
15N5448RTDL	Laminate	2337	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.4
54" x 60"									
15N5460RTDW	Wood	\$ 3522	54	60	1 $\frac{1}{16}$	—	—	121 lbs.	7.7
15N5460RTDL	Laminate	2607	54	60	1 $\frac{1}{16}$	—	—	121 lbs.	7.7
54" x 66"									
15N5466RTDW	Wood	\$ 3730	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
15N5466RTDL	Laminate	2971	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472RTDW	Wood	\$ 3924	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
15N5472RTDL	Laminate	3165	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5478RTDW F X D1B462 MC
15N5478RTDL V462 X D1B462 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
RECTANGLE TOP
SOFTENED RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
D			W	H							
54" x 78"											
15N5478RTDW	Wood	\$ 4121	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	165 lbs.	9.5
15N5478RTDL	Laminate	3361	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	165 lbs.	9.5
54" x 84"											
15N5484RTDW	Wood	\$ 4316	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	200 lbs.	10.3
15N5484RTDL	Laminate	3556	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	200 lbs.	10.3
60" x 48"											
15N6048RTDW	Wood	\$ 3433	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	121 lbs.	6.9
15N6048RTDL	Laminate	2515	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	121 lbs.	6.9
60" x 54"											
15N6054RTDW	Wood	\$ 3522	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	—	—	135 lbs.	7.5
15N6054RTDL	Laminate	2607	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	—	—	135 lbs.	7.5
60" x 66"											
15N6066RTDW	Wood	\$ 3959	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	—	—	182 lbs.	9.1
15N6066RTDL	Laminate	3200	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	—	—	182 lbs.	9.1
60" x 72"											
15N6072RTDW	Wood	\$ 4141	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	210 lbs.	9.6
15N6072RTDL	Laminate	3378	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	210 lbs.	9.6
60" x 78"											
15N6078RTDW	Wood	\$ 4318	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	245 lbs.	10.0
15N6078RTDL	Laminate	3558	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	245 lbs.	10.0
60" x 84"											
15N6084RTDW	Wood	\$ 4498	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	270 lbs.	10.8
15N6084RTDL	Laminate	3736	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDWK K X X PB
15N3648RTDLK K461 X X 461

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
RECTANGLE TOP
KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648RTDWK	Wood	\$ 3708	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
15N3648RTDLK	Laminate	2515	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
36" x 54"									
15N3654RTDWK	Wood	\$ 3906	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
15N3654RTDLK	Laminate	2710	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
36" x 60"									
15N3660RTDWK	Wood	\$ 4099	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
15N3660RTDLK	Laminate	2906	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
36" x 66"									
15N3666RTDWK	Wood	\$ 4445	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666RTDLK	Laminate	3256	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672RTDWK	Wood	\$ 4640	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672RTDLK	Laminate	3451	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678RTDWK	Wood	\$ 4835	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678RTDLK	Laminate	3646	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684RTDWK	Wood	\$ 5032	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684RTDLK	Laminate	3840	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"									
15N4248RTDWK	Wood	\$ 3890	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9
15N4248RTDLK	Laminate	2700	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4854RTDWK K CUT-G23C D1B425 AC
15N4854RTDLK K425 CUT-G23C D1B425 AC2

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
RECTANGLE TOP
KNIFE RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW	
42" x 54"								
15N4254RTDWK	Wood	\$ 4086	42	54	1⅝	—	—	76 lbs. 5.6
15N4254RTDLK	Laminate	2894	42	54	1⅝	—	—	76 lbs. 5.6
42" x 60"								
15N4260RTDWK	Wood	\$ 4282	42	60	1⅝	—	—	92 lbs. 6.4
15N4260RTDLK	Laminate	3088	42	60	1⅝	—	—	92 lbs. 6.4
42" x 66"								
15N4266RTDWK	Wood	\$ 4643	42	66	1⅝	—	—	105 lbs. 6.8
15N4266RTDLK	Laminate	3452	42	66	1⅝	—	—	105 lbs. 6.8
42" x 72"								
15N4272RTDWK	Wood	\$ 4839	42	71⅝	1⅝	—	—	110 lbs. 7.1
15N4272RTDLK	Laminate	3649	42	71⅝	1⅝	—	—	110 lbs. 7.1
42" x 78"								
15N4278RTDWK	Wood	\$ 5017	42	77⅝	1⅝	—	—	115 lbs. 7.5
15N4278RTDLK	Laminate	3829	42	77⅝	1⅝	—	—	115 lbs. 7.5
42" x 84"								
15N4284RTDWK	Wood	\$ 5212	42	83⅝	1⅝	—	—	120 lbs. 9.0
15N4284RTDLK	Laminate	4024	42	83⅝	1⅝	—	—	120 lbs. 9.0
48" x 54"								
15N4854RTDWK	Wood	\$ 4229	48	54	1⅝	—	—	92 lbs. 5.5
15N4854RTDLK	Laminate	3040	48	54	1⅝	—	—	92 lbs. 5.5
48" x 60"								
15N4860RTDWK	Wood	\$ 4464	48	60	1⅝	—	—	110 lbs. 6.2
15N4860RTDLK	Laminate	3271	48	60	1⅝	—	—	110 lbs. 6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4866RTDWC K CUT-G23C D1B425 AC
15N4854RTDLK K425 CUT-G23C D1B425 AC2

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
RECTANGLE TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 66"									
15N4866RTDWC	Wood	\$ 4698	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N4866RTDLK	Laminate	3505	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDWC	Wood	\$ 4930	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
15N4872RTDLK	Laminate	3736	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDWC	Wood	\$ 5163	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
15N4878RTDLK	Laminate	3972	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDWC	Wood	\$ 5395	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
15N4884RTDLK	Laminate	4207	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
54" x 48"									
15N5448RTDWC	Wood	\$ 4229	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.4
15N5448RTDLK	Laminate	3040	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.4
54" x 60"									
15N5460RTDWC	Wood	\$ 4579	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.7
15N5460RTDLK	Laminate	3388	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.7
54" x 66"									
15N5466RTDWC	Wood	\$ 5079	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
15N5466RTDLK	Laminate	4093	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472RTDWC	Wood	\$ 5277	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
15N5472RTDLK	Laminate	4288	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5478RTDWK K CUT-G23C D1B425 AC
15N5478RTDLK K425 CUT-G23C D1B425 AC2

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
RECTANGLE TOP
KNIFE RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
54" x 78"									
15N5478RTDWK	Wood	\$ 5471	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
15N5478RTDLK	Laminate	4483	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
54" x 84"									
15N5484RTDWK	Wood	\$ 5665	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
15N5484RTDLK	Laminate	4678	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
60" x 48"									
15N6048RTDWK	Wood	\$ 4464	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
15N6048RTDLK	Laminate	3271	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDWK	Wood	\$ 4579	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
15N6054RTDLK	Laminate	3388	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
60" x 66"									
15N6066RTDWK	Wood	\$ 5149	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
15N6066RTDLK	Laminate	4159	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDWK	Wood	\$ 5381	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
15N6072RTDLK	Laminate	4394	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDWK	Wood	\$ 5615	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
15N6078RTDLK	Laminate	4628	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDWK	Wood	\$ 5847	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8
15N6084RTDLK	Laminate	4859	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDW F CUT-G15C X TF
15N3648WGDL VTF CUT-G15C X TF

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648WGDW	Wood	\$ 2954	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648WGDL	Laminate	1965	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGDW	Wood	\$ 3150	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654WGDL	Laminate	2160	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGDW	Wood	\$ 3342	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660WGDL	Laminate	2353	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGDW	Wood	\$ 3537	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666WGDL	Laminate	2712	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGDW	Wood	\$ 3730	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672WGDL	Laminate	2741	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGDW	Wood	\$ 3923	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678WGDL	Laminate	2936	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGDW	Wood	\$ 4120	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684WGDL	Laminate	3128	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDW F CUT-G15C NT1 CW
15N4248WGD L V478 CUT-G15C NT1 478

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 48"									
15N4248WGDW	Wood	\$ 3137	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248WGD L	Laminate	2148	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGDW	Wood	\$ 3332	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254WGD L	Laminate	2343	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGDW	Wood	\$ 3527	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260WGD L	Laminate	2536	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGDW	Wood	\$ 3720	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
15N4266WGD L	Laminate	2895	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGDW	Wood	\$ 3912	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
15N4272WGD L	Laminate	2924	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGDW	Wood	\$ 4105	42	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
15N4278WGD L	Laminate	3119	42	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGDW	Wood	\$ 4300	42	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
15N4284WGD L	Laminate	3314	42	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGDW	Wood	\$ 3320	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
15N4848WGD L	Laminate	2329	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254WGDW F CUT-G15C NT1 CW
15N4254WGD L V478 CUT-G15C NT1 478

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 54"									
15N4854WGDW	Wood	\$ 3512	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
15N4854WGD L	Laminate	2525	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	\$ 3707	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
15N4860WGD L	Laminate	2718	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	\$ 3903	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N4866WGD L	Laminate	2912	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	\$ 4095	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
15N4872WGD L	Laminate	3104	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	\$ 4288	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
15N4878WGD L	Laminate	3299	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	\$ 4483	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
15N4884WGD L	Laminate	3493	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGDW	Wood	\$ 3502	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N5448WGD L	Laminate	2512	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGDW	Wood	\$ 3696	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
15N5454WGD L	Laminate	2707	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDW F CUT-G17C X CW
15N5460WGDL V461 CUT-G17C X CW

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
54" x 60"									
15N5460WGDW	Wood	\$ 3889	54	60	1 $\frac{5}{8}$	—	—	135 lbs.	7.9
15N5460WGDL	Laminate	2900	54	60	1 $\frac{5}{8}$	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGDW	Wood	\$ 4084	54	66	1 $\frac{5}{8}$	—	—	135 lbs.	8.6
15N5466WGDL	Laminate	3095	54	66	1 $\frac{5}{8}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGDW	Wood	\$ 4279	54	71 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	145 lbs.	9.1
15N5472WGDL	Laminate	3288	54	71 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGDW	Wood	\$ 4469	54	77 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	165 lbs.	9.5
15N5478WGDL	Laminate	3482	54	77 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGDW	Wood	\$ 4668	54	83 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	200 lbs.	10.3
15N5484WGDL	Laminate	3678	54	83 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGDW	Wood	\$ 3707	58 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	121 lbs.	6.9
15N6048WGDL	Laminate	2718	58 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{5}{8}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDW	Wood	\$ 3806	58 $\frac{3}{8}$	54	1 $\frac{5}{8}$	—	—	135 lbs.	7.5
15N6054WGDL	Laminate	2815	58 $\frac{3}{8}$	54	1 $\frac{5}{8}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDW	Wood	\$ 4084	58 $\frac{3}{8}$	60	1 $\frac{5}{8}$	—	—	150 lbs.	8.3
15N6060WGDL	Laminate	3263	58 $\frac{3}{8}$	60	1 $\frac{5}{8}$	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6084WGDW F CUT-G17C X CW
15N6084WGD L V461 CUT-G17C X CW

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
60" x 66"									
15N6066WGDW	Wood	\$ 4279	58%	66	1 $\frac{1}{8}$ "	—	—	182 lbs.	9.1
15N6066WGD L	Laminate	3455	58%	66	1 $\frac{1}{8}$ "	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDW	Wood	\$ 4469	58%	71 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	210 lbs.	9.6
15N6072WGD L	Laminate	3651	58%	71 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDW	Wood	\$ 4664	58%	77 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	245 lbs.	10.0
15N6078WGD L	Laminate	3842	58%	77 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDW	Wood	\$ 4857	58%	83 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	270 lbs.	10.8
15N6084WGD L	Laminate	4037	58%	83 $\frac{1}{8}$ "	1 $\frac{1}{8}$ "	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40% on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDWK K CUT-G16C X AC
15N3648WGDLC K405 CUT-G16C X 461

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGDWK	Wood	\$ 3951	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648WGDLC	Laminate	2667	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGDWK	Wood	\$ 4202	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654WGDLC	Laminate	2915	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGDWK	Wood	\$ 4455	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660WGDLC	Laminate	3171	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGDWK	Wood	\$ 4708	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666WGDLC	Laminate	3421	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGDWK	Wood	\$ 4960	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672WGDLC	Laminate	3673	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGDWK	Wood	\$ 5211	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678WGDLC	Laminate	3924	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGDWK	Wood	\$ 5463	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684WGDLC	Laminate	4178	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDWK K CUT-G16C X AC
15N4248WGD LK K405 CUT-G16C X 461

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 48"									
15N4248WGDWK	Wood	\$ 4133	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248WGD LK	Laminate	2848	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGDWK	Wood	\$ 4385	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254WGD LK	Laminate	3098	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGDWK	Wood	\$ 4635	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260WGD LK	Laminate	3353	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGDWK	Wood	\$ 4891	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
15N4266WGD LK	Laminate	3602	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGDWK	Wood	\$ 5144	42	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
15N4272WGD LK	Laminate	3854	42	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGDWK	Wood	\$ 5394	42	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
15N4278WGD LK	Laminate	4106	42	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGDWK	Wood	\$ 5645	42	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
15N4284WGD LK	Laminate	4358	42	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGDWK	Wood	\$ 4316	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
15N4848WGD LK	Laminate	3028	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4854WGDWK K X X 792
15N4854WGDLC K792 X X 792

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
48" x 54"									
15N4854WGDWK	Wood	\$ 4567	48	54	1⅝	—	—	92 lbs.	5.5
15N4854WGDLC	Laminate	3282	48	54	1⅝	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	\$ 4819	48	60	1⅝	—	—	110 lbs.	6.2
15N4860WGDLC	Laminate	3536	48	60	1⅝	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	\$ 5072	48	66	1⅝	—	—	135 lbs.	7.5
15N4866WGDLC	Laminate	3784	48	66	1⅝	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	\$ 5324	48	71⅜	1⅝	—	—	158 lbs.	7.9
15N4872WGDLC	Laminate	4037	48	71⅜	1⅝	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	\$ 5575	48	77⅝	1⅝	—	—	180 lbs.	8.3
15N4878WGDLC	Laminate	4290	48	77⅝	1⅝	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	\$ 5828	48	83⅜	1⅝	—	—	210 lbs.	10.0
15N4884WGDLC	Laminate	4540	48	83⅜	1⅝	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGDWK	Wood	\$ 4498	54	48⅞	1⅝	—	—	92 lbs.	6.6
15N5448WGDLC	Laminate	3212	54	48⅞	1⅝	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGDWK	Wood	\$ 4748	54	54	1⅝	—	—	121 lbs.	7.1
15N5454WGDLC	Laminate	3463	54	54	1⅝	—	—	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDWK K X X 792
15N5460WGDLK K792 X X 792

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
54" x 60"									
15N5460WGDWK	Wood	\$ 5003	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9
15N5460WGDLK	Laminate	3717	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGDWK	Wood	\$ 5256	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
15N5466WGDLK	Laminate	3968	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGDWK	Wood	\$ 5507	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
15N5472WGDLK	Laminate	4221	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGDWK	Wood	\$ 5759	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	165 lbs.	9.5
15N5478WGDLK	Laminate	4472	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGDWK	Wood	\$ 6011	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
15N5484WGDLK	Laminate	4724	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGDWK	Wood	\$ 4819	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
15N6048WGDLK	Laminate	3536	58 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDWK	Wood	\$ 4945	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N6054WGDLK	Laminate	3659	58 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDWK	Wood	\$ 5310	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
15N6060WGDLK	Laminate	4242	58 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 $\frac{1}{2}$ " on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6066WGDWK K X D1B485 MH
15N6066WGDLC K405 X X 405

- See pages 228-231 for all options available in MIO

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED) 	60" x 66"										
	15N6066WGDWK	Wood	\$	5562	58%	66	1⅜	—	—	182 lbs.	9.1
	15N6066WGDLK	Laminate		4493	58%	66	1⅜	—	—	182 lbs.	9.1
	60" x 72"										
	15N6072WGDWK	Wood	\$	5810	58%	71⅜	1⅜	—	—	210 lbs.	9.6
	15N6072WGDLK	Laminate		4746	58%	71⅜	1⅜	—	—	210 lbs.	9.6
	60" x 78"										
	15N6078WGDWK	Wood	\$	6065	58%	77⅜	1⅜	—	—	245 lbs.	10.0
	15N6078WGDLK	Laminate		4998	58%	77⅜	1⅜	—	—	245 lbs.	10.0
	60" x 84"										
	15N6084WGDWK	Wood	\$	6316	58%	83⅜	1⅜	—	—	270 lbs.	10.8
	15N6084WGDLK	Laminate		5250	58%	83⅜	1⅜	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UDW F X D1B485 MH
15N3648UDL V405 X X 405

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648UDW	Wood	\$ 3174	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648UDL	Laminate	2175	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"									
15N3654UDW	Wood	\$ 3370	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654UDL	Laminate	2371	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"									
15N3660UDW	Wood	\$ 3565	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660UDL	Laminate	2567	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"									
15N3666UDW	Wood	\$ 3761	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666UDL	Laminate	2759	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"									
15N3672UDW	Wood	\$ 3955	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672UDL	Laminate	2955	36 $\frac{1}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"									
15N3678UDW	Wood	\$ 3969	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678UDL	Laminate	2971	36 $\frac{1}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"									
15N3684UDW	Wood	\$ 4163	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684UDL	Laminate	3165	36 $\frac{1}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"									
15N4248UDW	Wood	\$ 3173	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248UDL	Laminate	2173	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254UDW F X NT1 AC
15N4254UDL V462 X NT1 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 54"									
15N4254UDW	Wood	\$ 3368	42	54	1 $\frac{5}{16}$	—	—	76 lbs.	5.0
15N4254UDL	Laminate	2368	42	54	1 $\frac{5}{16}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260UDW	Wood	\$ 3564	42	60	1 $\frac{5}{16}$	—	—	92 lbs.	5.6
15N4260UDL	Laminate	2565	42	60	1 $\frac{5}{16}$	—	—	92 lbs.	5.6
42" x 66"									
15N4266UDW	Wood	\$ 3760	42	66	1 $\frac{5}{16}$	—	—	105 lbs.	6.8
15N4266UDL	Laminate	2758	42	66	1 $\frac{5}{16}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272UDW	Wood	\$ 3954	42	71 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	110 lbs.	7.1
15N4272UDL	Laminate	2954	42	71 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	110 lbs.	7.1
42" x 78"									
15N4278UDW	Wood	\$ 4151	42	77 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	115 lbs.	7.5
15N4278UDL	Laminate	3152	42	77 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	115 lbs.	7.5
42" x 84"									
15N4284UDW	Wood	\$ 4346	42	83 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	120 lbs.	9.0
15N4284UDL	Laminate	3345	42	83 $\frac{5}{16}$	1 $\frac{5}{16}$	—	—	120 lbs.	9.0
48" x 48"									
15N4848UDW	Wood	\$ 3354	48	48 $\frac{3}{16}$	1 $\frac{5}{16}$	—	—	59 lbs.	4.5
15N4848UDL	Laminate	2353	48	48 $\frac{3}{16}$	1 $\frac{5}{16}$	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	\$ 3548	48	54	1 $\frac{5}{16}$	—	—	92 lbs.	5.5
15N4854UDL	Laminate	2549	48	54	1 $\frac{5}{16}$	—	—	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860UDW F X NT1 AC
15N4860UDL V462 X NT1 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 60"									
15N4860UDW	Wood	\$ 3745	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
15N4860UDL	Laminate	2747	48	60	1 $\frac{1}{16}$	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	\$ 3941	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N4866UDL	Laminate	2942	48	66	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	\$ 4138	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
15N4872UDL	Laminate	3137	48	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	\$ 4334	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
15N4878UDL	Laminate	3333	48	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	\$ 4529	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
15N4884UDL	Laminate	3530	48	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	210 lbs.	10.0
54" x 48"									
15N5448UDW	Wood	\$ 3451	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N5448UDL	Laminate	2452	54	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
54" x 54"									
15N5454UDW	Wood	\$ 3646	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
15N5454UDL	Laminate	2646	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	7.1
54" x 60"									
15N5460UDW	Wood	\$ 3840	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9
15N5460UDL	Laminate	2842	54	60	1 $\frac{1}{16}$	—	—	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466UDW F CUT-G23C X TF
15N5466UDL VTF CUT-G23C X TF

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
54" x 66"										
15N5466UDW	Wood	\$ 4036	54	66	1 $\frac{1}{16}$	—	—		135 lbs.	8.6
15N5466UDL	Laminate	3039	54	66	1 $\frac{1}{16}$	—	—		135 lbs.	8.6
54" x 72"										
15N5472UDW	Wood	\$ 4232	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		145 lbs.	9.1
15N5472UDL	Laminate	3233	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		145 lbs.	9.1
54" x 78"										
15N5478UDW	Wood	\$ 4514	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		165 lbs.	9.5
15N5478UDL	Laminate	3514	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		165 lbs.	9.5
54" x 84"										
15N5484UDW	Wood	\$ 4711	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		200 lbs.	10.3
15N5484UDL	Laminate	3713	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		200 lbs.	10.3
60" x 48"										
15N6048UDW	Wood	\$ 3745	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		121 lbs.	6.9
15N6048UDL	Laminate	2747	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		121 lbs.	6.9
60" x 54"										
15N6054UDW	Wood	\$ 3840	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—		135 lbs.	7.5
15N6054UDL	Laminate	2842	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—		135 lbs.	7.5
60" x 60"										
15N6060UDW	Wood	\$ 4123	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—		150 lbs.	8.3
15N6060UDL	Laminate	3292	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—		150 lbs.	8.3
60" x 66"										
15N6066UDW	Wood	\$ 4319	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—		182 lbs.	9.1
15N6066UDL	Laminate	3491	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—		182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072UDW F CUT-G23C X TF
15N6072UDL VTF CUT-G23C X TF

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H						
60" x 72"											
15N6072UDW	Wood	\$ 4514	58%	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	210 lbs.	9.6
15N6072UDL	Laminate	3688	58%	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	210 lbs.	9.6
60" x 78"											
15N6078UDW	Wood	\$ 4711	58%	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	245 lbs.	10.0
15N6078UDL	Laminate	3882	58%	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	245 lbs.	10.0
60" x 84"											
15N6084UDW	Wood	\$ 4906	58%	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	270 lbs.	10.8
15N6084UDL	Laminate	4078	58%	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UDWK K X X AC
15N3648UDLK K462 X X 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
36" x 48"										
15N3648UDWK	Wood	\$ 4531	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		50 lbs.	3.6
15N3648UDLK	Laminate	3234	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		50 lbs.	3.6
36" x 54"										
15N3654UDWK	Wood	\$ 4730	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—		55 lbs.	4.4
15N3654UDLK	Laminate	3431	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—		55 lbs.	4.4
36" x 60"										
15N3660UDWK	Wood	\$ 4924	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—		59 lbs.	5.0
15N3660UDLK	Laminate	3625	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—		59 lbs.	5.0
36" x 66"										
15N3666UDWK	Wood	\$ 5118	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—		65 lbs.	6.0
15N3666UDLK	Laminate	3819	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—		65 lbs.	6.0
36" x 72"										
15N3672UDWK	Wood	\$ 5315	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		76 lbs.	6.3
15N3672UDLK	Laminate	4017	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		76 lbs.	6.3
36" x 78"										
15N3678UDWK	Wood	\$ 5325	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		92 lbs.	6.6
15N3678UDLK	Laminate	4029	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		92 lbs.	6.6
36" x 84"										
15N3684UDWK	Wood	\$ 5521	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		105 lbs.	8.0
15N3684UDLK	Laminate	4226	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		105 lbs.	8.0
42" x 48"										
15N4248UDWK	Wood	\$ 3906	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		65 lbs.	3.6
15N4248UDLK	Laminate	3116	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—		65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254UDWK K X X AC
15N4254UDLK K462 X X 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 54"									
15N4254UDWK	Wood	\$ 4099	42	54	1 $\frac{1}{8}$	—	—	76 lbs.	5.0
15N4254UDLK	Laminate	3310	42	54	1 $\frac{1}{8}$	—	—	76 lbs.	5.0
42" x 60"									
15N4260UDWK	Wood	\$ 4296	42	60	1 $\frac{1}{8}$	—	—	92 lbs.	5.6
15N4260UDLK	Laminate	3505	42	60	1 $\frac{1}{8}$	—	—	92 lbs.	5.6
42" x 66"									
15N4266UDWK	Wood	\$ 4490	42	66	1 $\frac{1}{8}$	—	—	105 lbs.	6.8
15N4266UDLK	Laminate	3700	42	66	1 $\frac{1}{8}$	—	—	105 lbs.	6.8
42" x 72"									
15N4272UDWK	Wood	\$ 4684	42	71 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	110 lbs.	7.1
15N4272UDLK	Laminate	3894	42	71 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	110 lbs.	7.1
42" x 78"									
15N4278UDWK	Wood	\$ 5508	42	77 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	115 lbs.	7.5
15N4278UDLK	Laminate	4210	42	77 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	115 lbs.	7.5
42" x 84"									
15N4284UDWK	Wood	\$ 5703	42	83 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	120 lbs.	9.0
15N4284UDLK	Laminate	4405	42	83 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	120 lbs.	9.0
48" x 48"									
15N4848UDWK	Wood	\$ 4358	48	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	59 lbs.	4.5
15N4848UDLK	Laminate	3059	48	48 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	\$ 4613	48	54	1 $\frac{1}{8}$	—	—	92 lbs.	5.5
15N4854UDLK	Laminate	3317	48	54	1 $\frac{1}{8}$	—	—	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860UDWK K X X MC
15N4860UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 60"									
15N4860UDWK	Wood	\$ 4866	48	60	1 $\frac{5}{16}$	—	—	110 lbs.	6.2
15N4860UDLK	Laminate	3569	48	60	1 $\frac{5}{16}$	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	\$ 5121	48	66	1 $\frac{5}{16}$	—	—	135 lbs.	7.5
15N4866UDLK	Laminate	3824	48	66	1 $\frac{5}{16}$	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	\$ 5377	48	71 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	158 lbs.	7.9
15N4872UDLK	Laminate	4078	48	71 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	\$ 5634	48	77 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	180 lbs.	8.3
15N4878UDLK	Laminate	4334	48	77 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	\$ 5883	48	83 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	210 lbs.	10.0
15N4884UDLK	Laminate	4589	48	83 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	210 lbs.	10.0
54" x 48"									
15N5448UDWK	Wood	\$ 4605	54	48 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	92 lbs.	6.6
15N5448UDLK	Laminate	3410	54	48 $\frac{1}{16}$	1 $\frac{5}{16}$	—	—	92 lbs.	6.6
54" x 54"									
15N5454UDWK	Wood	\$ 4800	54	54	1 $\frac{5}{16}$	—	—	121 lbs.	7.1
15N5454UDLK	Laminate	3606	54	54	1 $\frac{5}{16}$	—	—	121 lbs.	7.1
54" x 60"									
15N5460UDWK	Wood	\$ 4997	54	60	1 $\frac{5}{16}$	—	—	135 lbs.	7.9
15N5460UDLK	Laminate	3696	54	60	1 $\frac{5}{16}$	—	—	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6066UDWK K X X MC
15N6066UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
54" x 66"									
15N5466UDWK	Wood	\$ 5189	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
15N5466UDLK	Laminate	3890	54	66	1 $\frac{1}{16}$	—	—	135 lbs.	8.6
54" x 72"									
15N5472UDWK	Wood	\$ 5385	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
15N5472UDLK	Laminate	4086	54	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	145 lbs.	9.1
54" x 78"									
15N5478UDWK	Wood	\$ 5814	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	165 lbs.	9.5
15N5478UDLK	Laminate	4514	54	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	165 lbs.	9.5
54" x 84"									
15N5484UDWK	Wood	\$ 6069	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
15N5484UDLK	Laminate	4772	54	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	200 lbs.	10.3
60" x 48"									
15N6048UDWK	Wood	\$ 4866	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
15N6048UDLK	Laminate	3569	58 $\frac{1}{2}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDWK	Wood	\$ 4997	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
15N6054UDLK	Laminate	3696	58 $\frac{1}{2}$	54	1 $\frac{1}{16}$	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDWK	Wood	\$ 5361	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
15N6060UDLK	Laminate	4284	58 $\frac{1}{2}$	60	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDWK	Wood	\$ 5615	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1
15N6066UDLK	Laminate	4537	58 $\frac{1}{2}$	66	1 $\frac{1}{16}$	—	—	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6072UDWK K X X MC
15N6072UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"				D	W	H						
15N6072UDWK	Wood		\$ 5871	58%	71 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	210 lbs.	9.6
15N6072UDLK	Laminated		4791	58%	71 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	210 lbs.	9.6
60" x 78"												
15N6078UDWK	Wood		\$ 6125	58%	77 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	245 lbs.	10.0
15N6078UDLK	Laminated		5047	58%	77 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	245 lbs.	10.0
60" x 84"												
15N6084UDWK	Wood		\$ 6380	58%	83 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	270 lbs.	10.8
15N6084UDLK	Laminated		5300	58%	83 ¹ / ₁₆ "	1 ¹ / ₁₆ "	—	—	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:


1. Model Number
2. Base Wire Channel Height
3. Paint Color

SAMPLE MODEL NUMBER:

15N4828TPOBP 6 405


- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EXHIBIT MOUNT TAPER BASE BAR HEIGHT	15N4840TPOBP Painted	\$ 4414	12	36 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	105 lbs.	18.1
	15N5440TPOBP Painted	4537	12	42	39 $\frac{3}{4}$	—	—	115 lbs.	20.7
	15N6040TPOBP Painted	4664	12	48	39 $\frac{3}{4}$	—	—	125 lbs.	23.3
	15N6640TPOBP Painted	4794	12	54	39 $\frac{3}{4}$	—	—	135 lbs.	25.9
	15N7240TPOBP Painted	4932	12	59 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	145 lbs.	28.5
	15N7840TPOBP Painted	5062	12	65 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	155 lbs.	31.1
	15N8440TPOBP Painted	5199	12	71 $\frac{1}{16}$	39 $\frac{3}{4}$	—	—	165 lbs.	33.7



STD Channel Height

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1 $\frac{1}{2}$ " glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 $\frac{1}{16}$ "; desk height bottom channel inside dimension is 5 $\frac{3}{16}$ "; top channel top inside dimension is 10 $\frac{1}{2}$ "; top channel bottom inside dimension for STD height is 9 $\frac{1}{16}$ "
- Reference page 233 for top and base guide

**EXHIBIT MOUNT
TAPER BASE
DESK HEIGHT**

STD Channel Height

15N4828TPOBP Painted	\$ 4013	12	36 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	95 lbs.	13.0
15N5428TPOBP Painted	4126	12	42	27 $\frac{1}{4}$	—	—	110 lbs.	14.8
15N6028TPOBP Painted	4242	12	48	27 $\frac{1}{4}$	—	—	115 lbs.	16.7
15N6628TPOBP Painted	4358	12	54	27 $\frac{1}{4}$	—	—	125 lbs.	18.6
15N7228TPOBP Painted	4482	12	59 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	135 lbs.	20.4
15N7828TPOBP Painted	4607	12	65 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	145 lbs.	22.3
15N8428TPOBP Painted	4737	12	71 $\frac{1}{16}$	27 $\frac{1}{4}$	—	—	155 lbs.	24.2

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1 $\frac{1}{2}$ " glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 $\frac{1}{16}$ "; desk height bottom channel inside dimension is 5 $\frac{3}{16}$ "; top channel top inside dimension is 10 $\frac{1}{2}$ "; top channel bottom inside dimension for STD height is 9 $\frac{1}{16}$ "
- Reference page 233 for top and base guide






TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC01WMFM 501

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	WALL RAIL AND FACEPLATE									
	11N72EXFP2	Set of 2	\$ 392	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of 2	563	7⁄8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of 1	\$ 226	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of 1	312	7⁄8	144	1¾	—	—	12 lbs.	1.4
• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets • Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets • Exhibit wall rail available in Cinder, Concrete, Iron, Platinum Metallic or Satin Nickel Metallic • Faceplates must be used when using an insert										
	WALL RAIL									
	11N72EXP1	1 Rail/No faceplate	\$ 137	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	199	¾	144	1¾	—	—	12 lbs.	1.4
• Includes 1 wall rail and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert										
	11N0615WMVW	Wood	\$ 489	1½	5¾	15⅞	—	—	8 lbs.	0.6
	11N0615WMVL	Laminate	327	1½	5¾	15⅞	—	—	8 lbs.	0.6
	• Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables • When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager									
	NAC01WMFM	\$ 25	1	1	1	—	—	1 lbs.	0.5	
	• Specify paint color • Paint options and recommendations are listed on page 231									
	15NTVMAS	Black	\$ 499	15¾-47¼		15¾-31¼	—		25 lbs.	2.0
	• Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant									
	15NTVMAD	Black	\$ 1497	57	2¼	17⅞	—	—	lbs.	2.1
	• Adjustable Universal Wall Mount • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant									

MIO




TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

15N93ELC 501

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PERSONAL MARKER BOARD 	NAC1214MBL Laminate	\$ 202	$\frac{3}{8}$	12	14	—	—	lbs.	
	• High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards								
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	$\frac{3}{4}$	$\frac{1}{2}$	$1\frac{3}{4}$	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	$1\frac{3}{4}$	$3\frac{3}{4}$	$2\frac{1}{2}$	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards • Cannot be used on knife rim tops								
POWER POLE 	15N93ELC	\$ 408	$2\frac{1}{2}$	2	93	—	—	lbs.	0.9
	• Power pole will need to be cut to desired length in the field • Available in 6 paint colors: (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

STRASSA PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl rim
- Refer to page 297 for rim profile and colors
- Grain direction runs left-to-right
- Sizes 48" - 120" 1 piece top
 - 144" - 192" 2 piece top
 - 216" - 240" 3 piece top
- HPL will have matching grains on 2 and 3 piece tops
- TFL will have non-matching grains on 2 and 3 piece tops

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels with modesty panels are 1 $\frac{1}{8}$ " thick
- End panels without modesty panels are 3" thick
- Laminate modesty panels have horizontal grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of $\frac{3}{4}$ "-1 $\frac{1}{4}$ "
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

INTERLINK IQ DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- 1 touch door remains open during use
- Maximum of 4 units because G15 is double sided (F8)
- Jumper or transitional jumper used between the smart box and G15 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G15B Interlink has SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB-A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{1}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- Not intended for use in end panel
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Not intended for use in end panel
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{4}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{4}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60 $\frac{3}{4}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

4-TRAC

- Used as a power distribution in conjunction with our electrical grommet options
- 4 wires, 2 circuits, 20 amps each (circuit 1 and 2 only)
- 13 duplex receptacles per circuit (26) 15 amp duplex
- UL Listed as a manufactured wiring system
- Ease of install and reconfigure options
- Field installable

UNDERSURFACE POWER/DATA


- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

STRASSA - AVAILABLE SIZES


Standard Height (29"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 216" and 240"


Counter Height (35"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 216" and 240"


Bar Height (41"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 216" and 240"


Standard Height (29"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 216" and 240"


Counter Height (35"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 216" and 240"


Bar Height (41"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE


818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILE



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

END PANEL/MODESTY PANEL LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

STRASSA - CONFIGURATION OPTIONS

GROMMET AND CUTOUT OPTIONS

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End




- Reference pages 303-306 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 340 for pricing and details



**98KG40AELPGBK, 98KG40AELPGWH,
98KG40AELPGLG, NACG10BELPGB,
NACG10BELPGW, and NACG10AELPGG**
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details


END PANEL GROMMET

If no grommet is desired, specify an X
(No Grommet)

Round Grommet,
Black Plastic


\$41 list for each grommet

GE1L	Left
GE1R	Right
GE1LR	Left & Right

Cutout Option for 1 Touch Pivoting Power
Grommet

\$41 list upcharge per cutout location


CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End




- Reference pages 309-312 for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW** (Sold Separately)




**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW** (Sold Separately)




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW** (Sold Separately)

- Reference page 342 for pricing and details




**NACG17AELPD2IQKB, NACG17AELPD2IQKS,
NACG17AELPD2IQBW, NACG17AELPD2IQS,
and NACG17AELPD2IQW**
(Sold Separately)

- Reference page 343 for pricing and details



**NACG17BELPD2IQKB, NACG17BELPD2IQKS,
NACG17BELPD2IQKW, NACG17BELPD2IQB,
NACG17BELPD2IQS, and NACG17BELPD2IQW**
(Sold Separately)

- Reference page 344 for pricing and details




**NACG17CELPD2IQKB, NACG17CELPD2IQKS,
NACG17CELPD2IQKW, NACG17CELPD2IQB,
NACG17CELPD2IQS, and NACG17CELPD2IQW**
(Sold Separately)

- Reference page 345 for pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End




- Reference pages 313-316 for cutout locations of CUT-G23




NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

**NAC80ELDLJ, NACG23ELDLB1,
NACG23ELDLB2, NACG23ELDLHB1,
NACG23ELDLHS1, NACG23ELDLS1, and
NACG23ELDLS2** (Sold Separately)

- Reference page 348 for pricing and details

END PANEL GROMMET OPTIONS (FOR NO MODESTY MODELS)

If no grommet is desired, specify an X (No Grommet)


Round Grommet,
Black Plastic

\$41 list for each grommet location

GE1L	Left
GE1R	Right
GE1LR	Left & Right
CUT-GE17L	Left
CUT-GE17R	Right
CUT-GE17LR	Left & Right
CUT-GE23L	Left
CUT-GE23R	Right
CUT-GE23LR	Left & Right

- GE1 located 17" up from bottom panel
- G17A, G17B, G17C, and G23 is located just below the worksurface and centered


NOTE: Single sided models have electrical closer to approach side of table, therefore end panel grommets will be located closer to the approach side




GE1L, GE1R, GE1LR




NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

STRASSA - CONFIGURATION OPTIONS

GROMMET CUTOUT OPTIONS (FOR NO MODESTY MODELS)

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, or if using the undersurface power/data, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End




- Reference pages 303-306 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 340 for pricing and details



**98KG40AELPGBK, 98KG40AELPGWH,
98KG40AELPGLG, NACG10BELPGB,
NACG10BELPGW, and NACG10AELPGG**
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center	
CUT-G15E	End	
CUT-G15LR	Left, Right	
CUT-G15A	All	
CUT-G15CE	Center, End	


- Reference pages 307-308 for cutout locations of CUT-G15

Cutout Option for 1 Touch Pivoting Power Grommet


\$41 list upcharge per cutout location

CUT-G17L	Left	
CUT-G17R	Right	
CUT-G17LR	Left & Right	
CUT-G17C	Center	
CUT-G17LC	Left & Center	
CUT-G17RC	Right & Center	
CUT-G17A	Left, Right & Center	


- Reference pages 309-312 for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW** (Sold Separately)




**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW** (Sold Separately)




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW** (Sold Separately)

- Reference page 342 for pricing and details




**NACG17AELPD2IQKB, NACG17AELPD2IQKS,
NACG17AELPD2IQWB, NACG17AELPD2IQB,
NACG17AELPD2IQS, and NACG17AELPD2IQW**
(Sold Separately)

- Reference page 343 for pricing and details



**NACG17BELPD2IQKB, NACG17BELPD2IQKS,
NACG17BELPD2IQWB, NACG17BELPD2IQB,
NACG17BELPD2IQS, and NACG17BELPD2IQW**
(Sold Separately)

- Reference page 344 for pricing and details



**NACG17CELPD2IQKB, NACG17CELPD2IQKS,
NACG17CELPD2IQWB, NACG17CELPD2IQB,
NACG17CELPD2IQS, and NACG17CELPD2IQW**
(Sold Separately)


- Reference page 345 for pricing and details

Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location


CUT-G23C	Center	
CUT-G23E	End	
CUT-G23LR	Left, Right	
CUT-G23A	All	
CUT-G23CE	Center, End	

- Reference pages 313-316 for cutout locations of CUT-G23




NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

**NAC80ELDLJ, NACG23ELDLB1,
NACG23ELDLB2, NACG23ELDLHB1,
NACG23ELDLHS1, NACG23ELDLS1, and
NACG23ELDLS2** (Sold Separately)

- Not intended for use in end panel
- Reference page 348 for pricing and details




TABLE LENGTH	A DUPLEX	B DUPLEX	C DUPLEX	D DUPLEX
48"	n/a	16 $\frac{3}{16}$	31 $\frac{13}{16}$	n/a
60"	n/a	22 $\frac{3}{16}$	37 $\frac{13}{16}$	n/a
72"	n/a	24 $\frac{3}{16}$	47 $\frac{13}{16}$	n/a
84"	n/a	30 $\frac{3}{8}$	53 $\frac{13}{16}$	n/a
96"	30 $\frac{3}{16}$	36 $\frac{3}{8}$	59 $\frac{3}{4}$	n/a
108"	36 $\frac{3}{16}$	42 $\frac{3}{8}$	65 $\frac{3}{4}$	n/a
120"	3 $\frac{3}{8}$	44 $\frac{3}{8}$	75 $\frac{7}{16}$	n/a
144"	38 $\frac{3}{16}$	44 $\frac{3}{8}$	99 $\frac{7}{16}$	105 $\frac{1}{2}$
168"	44 $\frac{3}{4}$	50 $\frac{3}{16}$	117 $\frac{3}{8}$	123 $\frac{3}{16}$
192"	50 $\frac{3}{4}$	56 $\frac{3}{16}$	135 $\frac{3}{8}$	141 $\frac{3}{16}$
216"	50 $\frac{3}{16}$	56 $\frac{3}{4}$	159 $\frac{9}{16}$	165 $\frac{3}{8}$
240"	14 $\frac{5}{8}$	68 $\frac{3}{4}$	171 $\frac{1}{16}$	224 $\frac{13}{16}$

*Dimensions are in inches
See page 339 for pricing

STRASSA - FUNCTIONAL SEATING CAPACITY

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size.

TABLE SIZES	
24"/30" x 48"	1
24"/30" x 60"	2
24"/30" x 72"	2
24"/30" x 84"	2
24"/30" x 96"	3
24"/30" x 108"	3
24"/30" x 120"	4
36"/42"/48" x 48"	2
36"/42"/48" x 60"	4
36"/42"/48" x 72"	4
36"/42"/48" x 84"	4
36"/42"/48" x 96"	6
36"/42"/48" x 108"	6
36"/42"/48" x 120"	8
48" x 144"	8
48" x 168"	10
48" x 192"	12
48" x 216"	14
48" x 240"	16





TABLE WIDTH	SEATING CAPACITY	NUMBER OF MINITAPS PER TABLE
48"	2	2 units (1 per side)
60"	4	2 units (1/side); or 4 units (2/side)
72"	4	2 units (1/side); or 4 units (2/side)
84"	4	2 units (1/side); or 4 units (2/side)
96"	6	4 units (2/side); or 6 units (3/side)
108"	6	4 units (2/side); or 6 units (3/side)
120"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
144"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
168"	10	6 units (3/side); or 8 units (4/side)
192"	12	6 units (3/side); or 8 units (4/side)
216"	14	6 units (3/side); or 8 units (4/side)
240"	16	8 units (4/side)

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER															
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G10E END															
	48"	12"	—	—	—	60"	15"	—	—	—	72"	17½"	—	—	—
G10LR LEFT, RIGHT															
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	17½"	—	—	54½"
G10A ALL															
	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	17½"	36"	—	54½"
G10CE CENTER, END															
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	17½"	36"	—	—
	84"					96"					108"				
G10C CENTER															
	84"	—	41½"	—	—	96"	—	47½"	—	—	108"	—	53½"	—	—
G10E END															
	84"	20½"	—	—	—	96"	23½"	—	—	—	108"	26½"	—	—	—
G10LR LEFT, RIGHT															
	84"	20½"	—	—	63½"	96"	23½"	—	—	72½"	108"	26½"	—	—	81¾"
G10A ALL															
	84"	20½"	41½"	—	63½"	96"	23½"	47½"	—	72½"	108"	26½"	53½"	—	81¾"
G10CE CENTER, END															
	84"	20½"	41½"	—	—	96"	23½"	47½"	—	—	108"	26½"	53½"	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER															
	120"	—	59 $\frac{1}{16}$ "	—	—	144"	—	57 $\frac{1}{8}$ "	86 $\frac{1}{8}$ "	—	168"	—	66 $\frac{3}{4}$ "	100 $\frac{1}{16}$ "	—
G10E END															
	120"	29 $\frac{1}{8}$ "	—	—	—	144"	27 $\frac{1}{16}$ "	—	—	—	168"	32 $\frac{1}{2}$ "	—	—	—
G10LR LEFT, RIGHT															
	120"	29 $\frac{1}{8}$ "	—	—	90 $\frac{3}{4}$ "	144"	27 $\frac{1}{16}$ "	—	—	116 $\frac{1}{16}$ "	168"	32 $\frac{1}{2}$ "	—	—	135 $\frac{3}{16}$ "
G10A ALL															
	120"	29 $\frac{1}{8}$ "	59 $\frac{1}{16}$ "	—	90 $\frac{3}{4}$ "	144"	27 $\frac{1}{16}$ "	57 $\frac{1}{8}$ "	86 $\frac{1}{8}$ "	116 $\frac{1}{16}$ "	168"	32 $\frac{1}{2}$ "	66 $\frac{3}{4}$ "	100 $\frac{1}{16}$ "	135 $\frac{3}{16}$ "
G10CE CENTER, END															
	120"	29 $\frac{1}{8}$ "	59 $\frac{1}{16}$ "	—	—	144"	27 $\frac{1}{16}$ "	57 $\frac{1}{8}$ "	86 $\frac{1}{8}$ "	—	168"	32 $\frac{1}{2}$ "	66 $\frac{3}{4}$ "	100 $\frac{1}{16}$ "	—
	192"					216"					240"				
G10C CENTER															
	192"	—	76 $\frac{1}{16}$ "	115 $\frac{5}{16}$ "	—	216"	—	85 $\frac{5}{8}$ "	129 $\frac{1}{16}$ "	—	240"	—	95 $\frac{5}{16}$ "	144 $\frac{1}{16}$ "	—
G10E END															
	192"	37 $\frac{1}{16}$ "	—	—	—	216"	42 $\frac{1}{16}$ "	—	—	—	240"	46 $\frac{7}{8}$ "	—	—	—
G10LR LEFT, RIGHT															
	192"	37 $\frac{1}{16}$ "	—	—	154 $\frac{3}{8}$ "	216"	42 $\frac{1}{16}$ "	—	—	173 $\frac{1}{2}$ "	240"	46 $\frac{7}{8}$ "	—	—	192 $\frac{1}{16}$ "
G10A ALL															
	192"	37 $\frac{1}{16}$ "	76 $\frac{1}{16}$ "	115 $\frac{5}{16}$ "	154 $\frac{3}{8}$ "	216"	42 $\frac{1}{16}$ "	85 $\frac{5}{8}$ "	129 $\frac{1}{16}$ "	173 $\frac{1}{2}$ "	240"	46 $\frac{7}{8}$ "	95 $\frac{5}{16}$ "	144 $\frac{1}{16}$ "	192 $\frac{1}{16}$ "
G10CE CENTER, END															
	192"	37 $\frac{1}{16}$ "	76 $\frac{1}{16}$ "	115 $\frac{5}{16}$ "	—	216"	42 $\frac{1}{16}$ "	85 $\frac{5}{8}$ "	129 $\frac{1}{16}$ "	—	240"	46 $\frac{7}{8}$ "	95 $\frac{5}{16}$ "	144 $\frac{1}{16}$ "	—

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9 $\frac{1}{16}$ " from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G10L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	—	60"	15"	—	—	—	72"	17 $\frac{1}{8}$ "	—	—	—
G10R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	36"	60"	—	—	—	45"	72"	—	—	—	54 $\frac{1}{16}$ "
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	17 $\frac{1}{8}$ "	—	—	54 $\frac{1}{16}$ "
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	17 $\frac{1}{8}$ "	36"	—	54 $\frac{1}{16}$ "
G10LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	17 $\frac{1}{8}$ "	36"	—	—
G10RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	36"	60"	—	30"	—	45"	72"	—	36"	—	54 $\frac{1}{16}$ "
	84"					96"					108"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	—	96"	—	47 $\frac{1}{16}$ "	—	—	108"	—	53 $\frac{1}{16}$ "	—	—
G10L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20 $\frac{1}{8}$ "	—	—	—	96"	23 $\frac{3}{8}$ "	—	—	—	108"	26 $\frac{1}{8}$ "	—	—	—
G10R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	—	—	63 $\frac{1}{16}$ "	96"	—	—	—	72 $\frac{1}{16}$ "	108"	—	—	—	81 $\frac{3}{4}$ "
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20 $\frac{1}{8}$ "	—	—	63 $\frac{1}{16}$ "	96"	23 $\frac{3}{8}$ "	—	—	72 $\frac{1}{16}$ "	108"	26 $\frac{1}{8}$ "	—	—	81 $\frac{3}{4}$ "
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20 $\frac{1}{8}$ "	41 $\frac{1}{16}$ "	—	63 $\frac{1}{16}$ "	96"	23 $\frac{3}{8}$ "	47 $\frac{1}{16}$ "	—	72 $\frac{1}{16}$ "	108"	26 $\frac{1}{8}$ "	53 $\frac{1}{16}$ "	—	81 $\frac{3}{4}$ "
G10LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20 $\frac{1}{8}$ "	41 $\frac{1}{16}$ "	—	—	96"	23 $\frac{3}{8}$ "	47 $\frac{1}{16}$ "	—	—	108"	26 $\frac{1}{8}$ "	53 $\frac{1}{16}$ "	—	—
G10RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	63 $\frac{1}{16}$ "	96"	—	47 $\frac{1}{16}$ "	—	72 $\frac{1}{16}$ "	108"	—	53 $\frac{1}{16}$ "	—	81 $\frac{3}{4}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets $9\frac{5}{16}"$ from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G10C CENTER		A	B	C	D
	120"	—	$59\frac{15}{16}"$	—	—
G10L LEFT		A	B	C	D
	120"	$29\frac{1}{8}"$	—	—	—
G10R RIGHT		A	B	C	D
	120"	—	—	—	$90\frac{3}{4}"$
G10LR LEFT, RIGHT		A	B	C	D
	120"	$29\frac{1}{8}"$	—	—	$90\frac{3}{4}"$
G10A ALL		A	B	C	D
	120"	$29\frac{1}{8}"$	$59\frac{15}{16}"$	—	$90\frac{3}{4}"$
G10LC LEFT, CENTER		A	B	C	D
	120"	$29\frac{1}{8}"$	$59\frac{15}{16}"$	—	—
G10RC RIGHT, CENTER		A	B	C	D
	120"	—	$59\frac{15}{16}"$	—	$90\frac{3}{4}"$

GROMMET LOCATIONS ON TOPS (NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



- CUT-G15 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER															
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G15E END															
	48"	9 7/8"	—	—	—	60"	12 7/8"	—	—	—	72"	15 7/8"	—	—	—
G15LR LEFT, RIGHT															
	48"	9 7/8"	—	—	38 3/8"	60"	12 7/8"	—	—	47 3/8"	72"	15 7/8"	—	—	56 1/8"
G15A ALL															
	48"	9 7/8"	24"	—	38 3/8"	60"	12 7/8"	30"	—	47 3/8"	72"	15 7/8"	36"	—	56 1/8"
G15CE CENTER, END															
	48"	9 7/8"	24"	—	—	60"	12 7/8"	30"	—	—	72"	15 7/8"	36"	—	—
	84"					96"					108"				
G15C CENTER															
	84"	—	41 1/8"	—	—	96"	—	47 1/8"	—	—	108"	—	53 1/8"	—	—
G15E END															
	84"	18 7/8"	—	—	—	96"	21 7/8"	—	—	—	108"	24 7/8"	—	—	—
G15LR LEFT, RIGHT															
	84"	18 7/8"	—	—	65 1/8"	96"	21 7/8"	—	—	74 1/8"	108"	24 7/8"	—	—	83 3/4"
G15A ALL															
	84"	18 7/8"	41 1/8"	—	65 1/8"	96"	21 7/8"	47 1/8"	—	74 1/8"	108"	24 7/8"	53 1/8"	—	83 3/4"
G15CE CENTER, END															
	84"	18 7/8"	41 1/8"	—	—	96"	21 7/8"	47 1/8"	—	—	108"	24 7/8"	53 1/8"	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



- CUT-G15 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER															
	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	—	168"	—	66 ¹ / ₈ "	101 ¹ / ₈ "	—
G15E END															
	120"	27 ³ / ₈ "	—	—	—	144"	25 ³ / ₈ "	—	—	—	168"	30 ¹ / ₁₆ "	—	—	—
G15LR LEFT, RIGHT															
	120"	27 ³ / ₈ "	—	—	92 ¹ / ₄ "	144"	25 ³ / ₈ "	—	—	117 ⁷ / ₈ "	168"	30 ¹ / ₁₆ "	—	—	137"
G15A ALL															
	120"	27 ³ / ₈ "	59 ¹ / ₁₆ "	—	92 ¹ / ₄ "	144"	25 ³ / ₈ "	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	117 ⁷ / ₈ "	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	137"
G15CE CENTER, END															
	120"	27 ³ / ₈ "	59 ¹ / ₁₆ "	—	—	144"	25 ³ / ₈ "	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	—	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	—
	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER															
	192"	—	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	—	85 ⁵ / ₁₆ "	130 ³ / ₁₆ "	—	240"	—	94 ³ / ₈ "	144 ¹ / ₁₆ "	—
G15E END															
	192"	35 ¹ / ₂ "	—	—	—	216"	40 ³ / ₄ "	—	—	—	240"	45 ⁵ / ₁₆ "	—	—	—
G15LR LEFT, RIGHT															
	192"	35 ¹ / ₂ "	—	—	156 ³ / ₁₆ "	216"	40 ³ / ₄ "	—	—	175 ⁵ / ₁₆ "	240"	45 ⁵ / ₁₆ "	—	—	194 ³ / ₁₆ "
G15A ALL															
	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	156 ³ / ₁₆ "	216"	40 ³ / ₄ "	85 ⁵ / ₁₆ "	130 ³ / ₁₆ "	175 ⁵ / ₁₆ "	240"	45 ⁵ / ₁₆ "	94 ³ / ₈ "	144 ¹ / ₁₆ "	194 ³ / ₁₆ "
G15CE CENTER, END															
	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	40 ³ / ₄ "	85 ⁵ / ₁₆ "	130 ³ / ₁₆ "	—	240"	45 ⁵ / ₁₆ "	94 ³ / ₈ "	144 ¹ / ₁₆ "	—

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT	48"	6"	—	—	—	60"	6"	—	—	—	72"	6"	—	—	—
	48"	6"	—	—	42 $\frac{1}{16}$ "	60"	6"	—	—	54"	72"	6"	—	—	66"
G17LR LEFT & RIGHT	48"	6"	—	—	42 $\frac{1}{16}$ "	60"	6"	—	—	54"	72"	6"	—	—	66"
	48"	6"	—	—	42 $\frac{1}{16}$ "	60"	6"	—	—	54"	72"	6"	—	—	66"
G17C CENTER	48"	—	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	—	60"	—	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	—	72"	—	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—
	48"	—	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	—	60"	—	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	—	72"	—	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	48"	6"	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	—	60"	6"	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	—	72"	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—
	48"	6"	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	—	60"	6"	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	—	72"	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	—
G17A LEFT, RIGHT & CENTER	48"	6"	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	42 $\frac{1}{16}$ "	60"	6"	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	54"	72"	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	66"
	48"	6"	20 $\frac{1}{16}$ "	27 $\frac{1}{16}$ "	42 $\frac{1}{16}$ "	60"	6"	26 $\frac{1}{16}$ "	33 $\frac{1}{16}$ "	54"	72"	6"	32 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	66"
	84"					96"					108"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT	84"	6"	—	—	—	96"	6"	—	—	—	108"	6"	—	—	—
	84"	6"	—	—	77 $\frac{1}{16}$ "	96"	6"	—	—	89 $\frac{1}{16}$ "	108"	6"	—	—	101 $\frac{1}{8}$ "
G17LR LEFT & RIGHT	84"	6"	—	—	77 $\frac{1}{16}$ "	96"	6"	—	—	89 $\frac{1}{16}$ "	108"	6"	—	—	101 $\frac{1}{8}$ "
	84"	6"	—	—	77 $\frac{1}{16}$ "	96"	6"	—	—	89 $\frac{1}{16}$ "	108"	6"	—	—	101 $\frac{1}{8}$ "
G17C CENTER	84"	—	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	96"	—	44"	51 $\frac{1}{8}$ "	—	108"	—	50"	57 $\frac{1}{8}$ "	—
	84"	—	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	96"	—	44"	51 $\frac{1}{8}$ "	—	108"	—	50"	57 $\frac{1}{8}$ "	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	84"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	96"	6"	44"	51 $\frac{1}{8}$ "	—	108"	6"	50"	57 $\frac{1}{8}$ "	—
	84"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	—	96"	6"	44"	51 $\frac{1}{8}$ "	—	108"	6"	50"	57 $\frac{1}{8}$ "	—
G17A LEFT, RIGHT & CENTER	84"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	77 $\frac{1}{16}$ "	96"	6"	44"	51 $\frac{1}{8}$ "	89 $\frac{1}{16}$ "	108"	6"	50"	57 $\frac{1}{8}$ "	101 $\frac{1}{8}$ "
	84"	6"	38 $\frac{1}{16}$ "	45 $\frac{1}{8}$ "	77 $\frac{1}{16}$ "	96"	6"	44"	51 $\frac{1}{8}$ "	89 $\frac{1}{16}$ "	108"	6"	50"	57 $\frac{1}{8}$ "	101 $\frac{1}{8}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT															
	120"	6"	—	—	—	144"	6"	—	—	—	168"	6"	—	—	—
G17LR LEFT & RIGHT															
	120"	6"	—	—	113 3/8"	144"	6"	—	—	137 13/16"	168"	6"	—	—	161 3/4"
G17C CENTER															
	120"	—	56"	63 3/8"	—	144"	—	67 13/16"	75 13/16"	—	168"	—	79 13/16"	87 13/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER															
	120"	6"	56"	63 3/8"	—	144"	6"	67 13/16"	75 13/16"	—	168"	6"	79 13/16"	87 13/16"	—
G17A LEFT, RIGHT & CENTER															
	120"	6"	56"	63 3/8"	113 3/8"	144"	6"	67 13/16"	75 13/16"	137 13/16"	168"	6"	79 13/16"	87 13/16"	161 3/4"
	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT															
	192"	6"	—	—	—	216"	6"	—	—	—	240"	6"	—	—	—
G17LR LEFT & RIGHT															
	192"	6"	—	—	185 13/16"	216"	6"	—	—	209 9/16"	240"	6"	—	—	233 3/16"
G17C CENTER															
	192"	—	91 1/8"	99 3/4"	—	216"	—	103 7/8"	111 1/4"	—	240"	—	115 3/16"	123 1/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER															
	192"	6"	91 1/8"	99 3/4"	—	216"	6"	103 7/8"	111 1/4"	—	240"	6"	115 3/16"	123 1/16"	—
G17A LEFT, RIGHT & CENTER															
	192"	6"	91 1/8"	99 3/4"	185 13/16"	216"	6"	103 7/8"	111 1/4"	209 9/16"	240"	6"	115 3/16"	123 1/16"	233 3/16"

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9 $\frac{3}{16}$ " from the approach edge to the center of the grommet



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G17L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10 $\frac{3}{4}$ "	—	—	—	60"	13 $\frac{3}{4}$ "	—	—	—	72"	16 $\frac{3}{4}$ "	—	—	—
G17R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	37 $\frac{1}{16}$ "	60"	—	—	—	46 $\frac{1}{4}$ "	72"	—	—	—	55 $\frac{1}{4}$ "
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10 $\frac{3}{4}$ "	—	—	37 $\frac{1}{16}$ "	60"	13 $\frac{3}{4}$ "	—	—	46 $\frac{1}{4}$ "	72"	16 $\frac{3}{4}$ "	—	—	55 $\frac{1}{4}$ "
G17A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	—	60"	—	—	—	—	72"	—	—	—	—
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10 $\frac{3}{4}$ "	24"	—	—	60"	13 $\frac{3}{4}$ "	30"	—	—	72"	16 $\frac{3}{4}$ "	36"	—	—
G17RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	37 $\frac{1}{16}$ "	60"	—	30"	—	46 $\frac{1}{4}$ "	72"	—	36"	—	55 $\frac{1}{4}$ "
	84"					96"					108"				
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	—	96"	—	47 $\frac{1}{16}$ "	—	—	108"	—	53 $\frac{1}{16}$ "	—	—
G17L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{3}{4}$ "	—	—	—	96"	22 $\frac{1}{16}$ "	—	—	—	108"	25 $\frac{1}{16}$ "	—	—	—
G17R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	—	—	64 $\frac{3}{16}$ "	96"	—	—	—	73 $\frac{3}{16}$ "	108"	—	—	—	82 $\frac{3}{16}$ "
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{3}{4}$ "	—	—	64 $\frac{3}{16}$ "	96"	22 $\frac{1}{16}$ "	—	—	73 $\frac{3}{16}$ "	108"	25 $\frac{1}{16}$ "	—	—	82 $\frac{3}{16}$ "
G17A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	—	—	—	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	73 $\frac{3}{16}$ "	108"	25 $\frac{1}{16}$ "	53 $\frac{1}{16}$ "	—	82 $\frac{3}{16}$ "
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{3}{4}$ "	41 $\frac{1}{16}$ "	—	—	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	—	108"	25 $\frac{1}{16}$ "	53 $\frac{1}{16}$ "	—	—
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	64 $\frac{3}{16}$ "	96"	—	47 $\frac{1}{16}$ "	—	73 $\frac{3}{16}$ "	108"	—	53 $\frac{1}{16}$ "	—	82 $\frac{3}{16}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets 9 $\frac{1}{16}$ " from the approach edge to the center of the grommet



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G17C CENTER		A	B	C	D
	120"	—	59 $\frac{1}{16}$ "	—	—
G17L LEFT		A	B	C	D
	120"	28 $\frac{1}{16}$ "	—	—	—
G17R RIGHT		A	B	C	D
	120"	—	—	—	91 $\frac{1}{16}$ "
G17LR LEFT, RIGHT		A	B	C	D
	120"	28 $\frac{1}{16}$ "	—	—	91 $\frac{1}{16}$ "
G17A ALL		A	B	C	D
	120"	28 $\frac{1}{16}$ "	59 $\frac{1}{16}$ "	—	91 $\frac{1}{16}$ "
G17LC LEFT, CENTER		A	B	C	D
	120"	28 $\frac{1}{16}$ "	59 $\frac{1}{16}$ "	—	—
G17RC RIGHT, CENTER		A	B	C	D
	120"	—	59 $\frac{1}{16}$ "	—	91 $\frac{1}{16}$ "

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth



- CUT-G23 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
	48"	12"	—	—	—	60"	15"	—	—	—	72"	16 1/16"	—	—	—
G23E END	48"	12"	—	—	—	60"	15"	—	—	—	72"	16 1/16"	—	—	—
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16 1/16"	—	—	55 5/16"
G23LR LEFT, RIGHT	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16 1/16"	—	—	55 5/16"
	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	16 1/16"	36"	—	55 5/16"
G23A ALL	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	16 1/16"	36"	—	55 5/16"
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 1/16"	36"	—	—
G23CE CENTER, END	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 1/16"	36"	—	—
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 1/16"	36"	—	—
GROMMET LOCATION/OPTIONS	84"					96"					108"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	84"	—	41 1/16"	—	—	96"	—	47 1/16"	—	—	108"	—	53 1/16"	—	—
	84"	19 1/16"	—	—	—	96"	22 1/16"	—	—	—	108"	25 5/8"	—	—	—
G23E END	84"	19 1/16"	—	—	—	96"	22 1/16"	—	—	—	108"	25 5/8"	—	—	—
	84"	19 1/16"	—	—	64 1/4"	96"	22 1/16"	—	—	73 1/4"	108"	25 5/8"	—	—	82 1/4"
G23LR LEFT, RIGHT	84"	19 1/16"	—	—	64 1/4"	96"	22 1/16"	—	—	73 1/4"	108"	25 5/8"	—	—	82 1/4"
	84"	19 1/16"	41 1/16"	—	64 1/4"	96"	22 1/16"	47 1/16"	—	73 1/4"	108"	25 5/8"	53 1/16"	—	82 1/4"
G23A ALL	84"	19 1/16"	41 1/16"	—	64 1/4"	96"	22 1/16"	47 1/16"	—	73 1/4"	108"	25 5/8"	53 1/16"	—	82 1/4"
	84"	19 1/16"	41 1/16"	—	—	96"	22 1/16"	47 1/16"	—	—	108"	25 5/8"	53 1/16"	—	—
G23CE CENTER, END	84"	19 1/16"	41 1/16"	—	—	96"	22 1/16"	47 1/16"	—	—	108"	25 5/8"	53 1/16"	—	—
	84"	19 1/16"	41 1/16"	—	—	96"	22 1/16"	47 1/16"	—	—	108"	25 5/8"	53 1/16"	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth



- CUT-G23 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER															
	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	57"	86 ¹ / ₁₆ "	—	168"	—	66 ¹ / ₁₆ "	101 ¹ / ₈ "	—
G23E END															
	120"	28 ³ / ₈ "	—	—	—	144"	27 ³ / ₁₆ "	—	—	—	168"	31 ¹ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT															
	120"	28 ³ / ₈ "	—	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	—	—	116 ⁵ / ₈ "	168"	31 ¹ / ₁₆ "	—	—	135 ³ / ₄ "
G23A ALL															
	120"	28 ³ / ₈ "	59 ¹ / ₁₆ "	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	57"	86 ¹ / ₁₆ "	116 ⁵ / ₈ "	168"	31 ¹ / ₁₆ "	66 ¹ / ₁₆ "	101 ¹ / ₈ "	135 ³ / ₄ "
G23CE CENTER, END															
	120"	28 ³ / ₈ "	59 ¹ / ₁₆ "	—	—	144"	27 ³ / ₁₆ "	57"	86 ¹ / ₁₆ "	—	168"	31 ¹ / ₁₆ "	66 ¹ / ₁₆ "	101 ¹ / ₈ "	—
	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER															
	192"	—	76 ¹ / ₈ "	115 ¹ / ₂ "	—	216"	—	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	—	240"	—	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	—
G23E END															
	192"	36 ³ / ₄ "	—	—	—	216"	41 ¹ / ₁₆ "	—	—	—	240"	46 ⁵ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT															
	192"	36 ³ / ₄ "	—	—	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	—	—	174 ¹ / ₁₆ "	240"	46 ⁵ / ₁₆ "	—	—	193 ³ / ₁₆ "
G23A ALL															
	192"	36 ³ / ₄ "	76 ¹ / ₈ "	115 ¹ / ₂ "	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	174 ¹ / ₁₆ "	240"	46 ⁵ / ₁₆ "	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	193 ³ / ₁₆ "
G23CE CENTER, END															
	192"	36 ³ / ₄ "	76 ¹ / ₈ "	115 ¹ / ₂ "	—	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ⁷ / ₈ "	—	240"	46 ⁵ / ₁₆ "	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	—

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9 $\frac{1}{8}$ " from the approach edge to the center of the grommet



• CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G23L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	—	60"	15"	—	—	—	72"	16 $\frac{1}{16}$ "	—	—	—
G23R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	36"	60"	—	—	—	45"	72"	—	—	—	55 $\frac{5}{16}$ "
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16 $\frac{1}{16}$ "	—	—	55 $\frac{5}{16}$ "
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	16 $\frac{1}{16}$ "	36"	—	55 $\frac{5}{16}$ "
G23LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 $\frac{1}{16}$ "	36"	—	—
G23RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	36"	60"	—	30"	—	45"	72"	—	36"	—	55 $\frac{5}{16}$ "
	84"					96"					108"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	—	96"	—	47 $\frac{1}{16}$ "	—	—	108"	—	53 $\frac{1}{16}$ "	—	—
G23L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{1}{16}$ "	—	—	—	96"	22 $\frac{1}{16}$ "	—	—	—	108"	25 $\frac{5}{8}$ "	—	—	—
G23R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	—	—	64 $\frac{1}{4}$ "	96"	—	—	—	73 $\frac{3}{4}$ "	108"	—	—	—	82 $\frac{1}{4}$ "
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{1}{16}$ "	—	—	64 $\frac{1}{4}$ "	96"	22 $\frac{1}{16}$ "	—	—	73 $\frac{3}{4}$ "	108"	25 $\frac{5}{8}$ "	—	—	82 $\frac{1}{4}$ "
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{1}{16}$ "	41 $\frac{1}{16}$ "	—	64 $\frac{1}{4}$ "	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	73 $\frac{3}{4}$ "	108"	25 $\frac{5}{8}$ "	53 $\frac{1}{16}$ "	—	82 $\frac{1}{4}$ "
G23LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 $\frac{1}{16}$ "	41 $\frac{1}{16}$ "	—	—	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	—	108"	25 $\frac{5}{8}$ "	53 $\frac{1}{16}$ "	—	—
G23RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 $\frac{1}{16}$ "	—	64 $\frac{1}{4}$ "	96"	—	47 $\frac{1}{16}$ "	—	73 $\frac{3}{4}$ "	108"	—	53 $\frac{1}{16}$ "	—	82 $\frac{1}{4}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets 9 $\frac{3}{8}$ " from the approach edge to the center of the grommet



- CUT-G23 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G23C CENTER		A	B	C	D
	120"	—	59 $\frac{1}{8}$ "	—	—
G23L LEFT		A	B	C	D
	120"	28 $\frac{3}{8}$ "	—	—	—
G23R RIGHT		A	B	C	D
	120"	—	—	—	91 $\frac{3}{8}$ "
G23LR LEFT, RIGHT		A	B	C	D
	120"	28 $\frac{3}{8}$ "	—	—	91 $\frac{3}{8}$ "
G23A ALL		A	B	C	D
	120"	28 $\frac{3}{8}$ "	59 $\frac{1}{8}$ "	—	91 $\frac{3}{8}$ "
G23LC LEFT, CENTER		A	B	C	D
	120"	28 $\frac{3}{8}$ "	59 $\frac{1}{8}$ "	—	—
G23RC RIGHT, CENTER		A	B	C	D
	120"	—	59 $\frac{1}{8}$ "	—	91 $\frac{3}{8}$ "

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
WORKSURFACE HEIGHT FULL MODESTY	86N364829WKF2L	Laminate	\$ 1997	36 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	221 lbs.	15.2
	86N364829WKF2LL	TFL	1766	36 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	221 lbs.	15.2
	86N366029WKF2L	Laminate	\$ 2123	36 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	265 lbs.	18.1
	86N366029WKF2LL	TFL	1878	36 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	265 lbs.	18.1
	86N367229WKF2L	Laminate	\$ 2261	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	301 lbs.	20.9
	86N367229WKF2LL	TFL	1998	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	301 lbs.	20.9
	86N368429WKF2L	Laminate	\$ 2403	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	334 lbs.	23.8
	86N368429WKF2LL	TFL	2125	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	334 lbs.	23.8
	86N369629WKF2L	Laminate	\$ 2559	36 $\frac{1}{16}$	95 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	368 lbs.	26.6
	86N369629WKF2LL	TFL	2261	36 $\frac{1}{16}$	95 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	368 lbs.	26.6
	86N3610829WKF2L	Laminate	\$ 3124	36 $\frac{1}{16}$	107 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	402 lbs.	29.5
	86N3610829WKF2LL	TFL	2761	36 $\frac{1}{16}$	107 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	402 lbs.	29.5
	86N3612029WKF2L	Laminate	\$ 3501	36 $\frac{1}{16}$	119 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	436 lbs.	32.4
	86N3612029WKF2LL	TFL	3094	36 $\frac{1}{16}$	119 $\frac{1}{16}$	28 $\frac{7}{8}$	—	14 $\frac{1}{16}$	436 lbs.	32.4
	86N424829WKF2L	Laminate	\$ 2123	42 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	244 lbs.	16.1
	86N424829WKF2LL	TFL	1878	42 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	244 lbs.	16.1
	86N426029WKF2L	Laminate	\$ 2261	42 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	290 lbs.	19.1
	86N426029WKF2LL	TFL	1998	42 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	290 lbs.	19.1
	86N427229WKF2L	Laminate	\$ 2403	42 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	328 lbs.	22.0
	86N427229WKF2LL	TFL	2125	42 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	328 lbs.	22.0
	86N428429WKF2L	Laminate	\$ 2559	42 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	364 lbs.	25.0
	86N428429WKF2LL	TFL	2261	42 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	17 $\frac{1}{16}$	364 lbs.	25.0

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429629WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT
FULL MODESTY (CONTINUED)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A				
86N429629WKF2L Laminate	\$ 2721	42 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	401 lbs.	27.9
86N429629WKF2LL TFL	2404	42 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	401 lbs.	27.9
86N4210829WKF2L Laminate	\$ 3325	42 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	437 lbs.	31.0
86N4210829WKF2LL TFL	2940	42 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	437 lbs.	31.0
86N4212029WKF2L Laminate	\$ 3723	42 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	473 lbs.	34.0
86N4212029WKF2LL TFL	3290	42 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—		17 $\frac{1}{16}$	473 lbs.	34.0
86N484829WKF2L Laminate	\$ 2261	48 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	265 lbs.	17.0
86N484829WKF2LL TFL	1998	48 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	265 lbs.	17.0
86N486029WKF2L Laminate	\$ 2403	48 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	315 lbs.	20.1
86N486029WKF2LL TFL	2125	48 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	315 lbs.	20.1
86N487229WKF2L Laminate	\$ 2559	48 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	355 lbs.	23.2
86N487229WKF2LL TFL	2261	48 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	355 lbs.	23.2
86N488429WKF2L Laminate	\$ 2721	48 $\frac{1}{16}$	83 $\frac{15}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	394 lbs.	26.3
86N488429WKF2LL TFL	2404	48 $\frac{1}{16}$	83 $\frac{15}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	394 lbs.	26.3
86N489629WKF2L Laminate	\$ 2895	48 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	432 lbs.	29.3
86N489629WKF2LL TFL	2559	48 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	432 lbs.	29.3
86N4810829WKF2L Laminate	\$ 3538	48 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	471 lbs.	32.5
86N4810829WKF2LL TFL	3125	48 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	471 lbs.	32.5
86N4812029WKF2L Laminate	\$ 3960	48 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	511 lbs.	35.6
86N4812029WKF2LL TFL	3501	48 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—		20 $\frac{1}{16}$	511 lbs.	35.6

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814429WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
WORKSURFACE HEIGHT FULL MODESTY (CONTINUED)	86N4814429WKF2L	Laminate	\$ 5466	48⅜	144	28⅞	—	20⅜	710 lbs.	45.0
	86N4814429WKF2LL	TFL	5006	48⅜	144	28⅞	—	20⅜	710 lbs.	45.0
	86N4816829WKF2L	Laminate	\$ 6594	48⅜	168	28⅞	—	20⅜	788 lbs.	51.5
	86N4816829WKF2LL	TFL	6133	48⅜	168	28⅞	—	20⅜	788 lbs.	51.5
144" - 192" Wide Models	86N4819229WKF2L	Laminate	\$ 7721	48⅜	192	28⅞	—	20⅜	864 lbs.	57.7
	86N4819229WKF2LL	TFL	7260	48⅜	192	28⅞	—	20⅜	864 lbs.	57.7
	86N4821629WKF2L	Laminate	\$ 8851	48⅜	216	28⅞	—	20⅜	905 lbs.	64.1
	86N4821629WKF2LL	TFL	8390	48⅜	216	28⅞	—	20⅜	905 lbs.	64.1
216" - 240" Wide Models	86N4824029WKF2L	Laminate	\$ 9979	48⅜	240	28⅞	—	20⅜	1006 lbs.	70.3
	86N4824029WKF2LL	TFL	9518	48⅜	240	28⅞	—	20⅜	1006 lbs.	70.3

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N364835WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT
FULL MODESTY

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
86N364835WKF2L	Laminate	\$ 2220	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	253 lbs.	17.4
86N364835WKF2LL	TFL	1960	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	253 lbs.	17.4
86N366035WKF2L	Laminate	\$ 2362	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	14 ¹ / ₁₆	303 lbs.	20.7
86N366035WKF2LL	TFL	2087	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	14 ¹ / ₁₆	303 lbs.	20.7
86N367235WKF2L	Laminate	\$ 2511	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	341 lbs.	23.9
86N367235WKF2LL	TFL	2220	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	341 lbs.	23.9
86N368435WKF2L	Laminate	\$ 2672	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	377 lbs.	27.2
86N368435WKF2LL	TFL	2363	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	377 lbs.	27.2
86N369635WKF2L	Laminate	\$ 2842	36 ¹ / ₁₆	95 ⁵ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	414 lbs.	30.5
86N369635WKF2LL	TFL	2511	36 ¹ / ₁₆	95 ⁵ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	414 lbs.	30.5
86N3610835WKF2L	Laminate	\$ 3325	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	452 lbs.	33.7
86N3610835WKF2LL	TFL	2940	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	452 lbs.	33.7
86N3612035WKF2L	Laminate	\$ 3723	36 ¹ / ₁₆	119 ⁹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	488 lbs.	37.0
86N3612035WKF2LL	TFL	3290	36 ¹ / ₁₆	119 ⁹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	488 lbs.	37.0
86N424835WKF2L	Laminate	\$ 2362	42 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	278 lbs.	18.4
86N424835WKF2LL	TFL	2087	42 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	278 lbs.	18.4
86N426035WKF2L	Laminate	\$ 2511	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	17 ¹ / ₁₆	330 lbs.	21.8
86N426035WKF2LL	TFL	2220	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	17 ¹ / ₁₆	330 lbs.	21.8
86N427235WKF2L	Laminate	\$ 2672	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	325 lbs.	25.1
86N427235WKF2LL	TFL	2363	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	325 lbs.	25.1
86N428435WKF2L	Laminate	\$ 2842	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	409 lbs.	28.5
86N428435WKF2LL	TFL	2511	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	409 lbs.	28.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color


SAMPLE MODEL NUMBER:

86N429635WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
COUNTER HEIGHT FULL MODESTY (CONTINUED)	86N429635WKF2L	Laminate	\$ 3024	42 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	449 lbs.	31.9
	86N429635WKF2LL	TFL	2673	42 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	449 lbs.	31.9
	86N4210835WKF2L	Laminate	\$ 3538	42 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	489 lbs.	35.3
	86N4210835WKF2LL	TFL	3125	42 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	489 lbs.	35.3
	86N4212035WKF2L	Laminate	\$ 3960	42 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	528 lbs.	38.7
	86N4212035WKF2LL	TFL	3501	42 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	17 ¹ / ₁₆	528 lbs.	38.7
	86N484835WKF2L	Laminate	\$ 2511	48 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	302 lbs.	19.4
	86N484835WKF2LL	TFL	2220	48 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	302 lbs.	19.4
	86N486035WKF2L	Laminate	\$ 2672	48 ¹ / ₁₆	60	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	358 lbs.	22.9
	86N486035WKF2LL	TFL	2363	48 ¹ / ₁₆	60	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	358 lbs.	22.9
	86N487235WKF2L	Laminate	\$ 2842	48 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	400 lbs.	26.4
	86N487235WKF2LL	TFL	2511	48 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	400 lbs.	26.4
	86N488435WKF2L	Laminate	\$ 3024	48 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	442 lbs.	29.9
	86N488435WKF2LL	TFL	2673	48 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	442 lbs.	29.9
	86N489635WKF2L	Laminate	\$ 3217	48 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	483 lbs.	33.4
	86N489635WKF2LL	TFL	2842	48 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	483 lbs.	33.4
	86N4810835WKF2L	Laminate	\$ 3765	48 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	526 lbs.	36.9
	86N4810835WKF2LL	TFL	3326	48 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	526 lbs.	36.9
	86N4812035WKF2L	Laminate	\$ 4213	48 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	568 lbs.	40.4
	86N4812035WKF2LL	TFL	3724	48 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	20 ¹ / ₁₆	568 lbs.	40.4

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide



STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color


SAMPLE MODEL NUMBER:

86N4814435WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT
FULL MODESTY (CONTINUED)

144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N4814435WKF2L Laminate	\$ 5719	48 ¹ / ₁₆	144	35 ³ / ₁₆	—	20 ¹ / ₁₆	800 lbs.	51.1
86N4814435WKF2LL TFL	5228	48 ¹ / ₁₆	144	35 ³ / ₁₆	—	20 ¹ / ₁₆	800 lbs.	51.1
86N4816835WKF2L Laminate	\$ 6846	48 ¹ / ₁₆	168	35 ³ / ₁₆	—	20 ¹ / ₁₆	884 lbs.	58.3
86N4816835WKF2LL TFL	6357	48 ¹ / ₁₆	168	35 ³ / ₁₆	—	20 ¹ / ₁₆	884 lbs.	58.3
86N4819235WKF2L Laminate	\$ 7975	48 ¹ / ₁₆	192	35 ³ / ₁₆	—	20 ¹ / ₁₆	966 lbs.	65.3
86N4819235WKF2LL TFL	7486	48 ¹ / ₁₆	192	35 ³ / ₁₆	—	20 ¹ / ₁₆	966 lbs.	65.3
86N4821635WKF2L Laminate	\$ 9102	48 ¹ / ₁₆	216	35 ³ / ₁₆	—	20 ¹ / ₁₆	1020 lbs.	72.5
86N4821635WKF2LL TFL	8614	48 ¹ / ₁₆	216	35 ³ / ₁₆	—	20 ¹ / ₁₆	1020 lbs.	72.5
86N4824035WKF2L Laminate	\$ 10230	48 ¹ / ₁₆	240	35 ³ / ₁₆	—	20 ¹ / ₁₆	1133 lbs.	79.5
86N4824035WKF2LL TFL	9744	48 ¹ / ₁₆	240	35 ³ / ₁₆	—	20 ¹ / ₁₆	1133 lbs.	79.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color


SAMPLE MODEL NUMBER:

86N424841WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
BAR HEIGHT FULL MODESTY	86N364841WKF2L	Laminate	\$ 2464	36 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	284 lbs.	19.5
	86N364841WKF2LL	TFL	2179	36 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	284 lbs.	19.5
	86N366041WKF2L	Laminate	\$ 2623	36 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	340 lbs.	23.1
	86N366041WKF2LL	TFL	2319	36 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	340 lbs.	23.1
	86N367241WKF2L	Laminate	\$ 2789	36 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	381 lbs.	26.8
	86N367241WKF2LL	TFL	2469	36 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	381 lbs.	26.8
	86N368441WKF2L	Laminate	\$ 2971	36 $\frac{1}{16}$	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	421 lbs.	30.4
	86N368441WKF2LL	TFL	2623	36 $\frac{1}{16}$	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	421 lbs.	30.4
	86N369641WKF2L	Laminate	\$ 3159	36 $\frac{1}{16}$	95 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	461 lbs.	34.0
	86N369641WKF2LL	TFL	2789	36 $\frac{1}{16}$	95 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	461 lbs.	34.0
	86N3610841WKF2L	Laminate	\$ 3538	36 $\frac{1}{16}$	107 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	502 lbs.	37.7
	86N3610841WKF2LL	TFL	3125	36 $\frac{1}{16}$	107 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	502 lbs.	37.7
	86N3612041WKF2L	Laminate	\$ 3960	36 $\frac{1}{16}$	119 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	542 lbs.	41.3
	86N3612041WKF2LL	TFL	3501	36 $\frac{1}{16}$	119 $\frac{1}{16}$	41 $\frac{1}{2}$	—	14 $\frac{1}{16}$	542 lbs.	41.3
	86N424841WKF2L	Laminate	\$ 2623	42 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	312 lbs.	20.6
	86N424841WKF2LL	TFL	2319	42 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	312 lbs.	20.6
	86N426041WKF2L	Laminate	\$ 2789	42 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	370 lbs.	24.3
	86N426041WKF2LL	TFL	2469	42 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	370 lbs.	24.3
	86N427241WKF2L	Laminate	\$ 2971	42 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	413 lbs.	28.1
	86N427241WKF2LL	TFL	2623	42 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	413 lbs.	28.1
	86N428441WKF2L	Laminate	\$ 3159	42 $\frac{1}{16}$	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	455 lbs.	31.8
	86N428441WKF2LL	TFL	2789	42 $\frac{1}{16}$	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	17 $\frac{1}{16}$	455 lbs.	31.8

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide



STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429641WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

**BAR HEIGHT
FULL MODESTY (CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N429641WKF2L Laminate	\$ 3361	42 ¹ / ₁₆	95 ⁷ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	499 lbs.	35.5
86N429641WKF2LL TFL	2971	42 ¹ / ₁₆	95 ⁷ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	499 lbs.	35.5
86N4210841WKF2L Laminate	\$ 3765	42 ¹ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	542 lbs.	39.4
86N4210841WKF2LL TFL	3326	42 ¹ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	542 lbs.	39.4
86N4212041WKF2L Laminate	\$ 4213	42 ¹ / ₁₆	119 ¹³ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	584 lbs.	43.1
86N4212041WKF2LL TFL	3724	42 ¹ / ₁₆	119 ¹³ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	584 lbs.	43.1
86N484841WKF2L Laminate	\$ 2789	48 ³ / ₁₆	48 ³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	338 lbs.	21.7
86N484841WKF2LL TFL	2469	48 ³ / ₁₆	48 ³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	338 lbs.	21.7
86N486041WKF2L Laminate	\$ 2971	48 ³ / ₁₆	60	41 ¹ / ₂	—	20 ¹ / ₁₆	400 lbs.	25.5
86N486041WKF2LL TFL	2623	48 ³ / ₁₆	60	41 ¹ / ₂	—	20 ¹ / ₁₆	400 lbs.	25.5
86N487241WKF2L Laminate	\$ 3159	48 ³ / ₁₆	71 ¹⁵ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	445 lbs.	29.5
86N487241WKF2LL TFL	2789	48 ³ / ₁₆	71 ¹⁵ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	445 lbs.	29.5
86N488441WKF2L Laminate	\$ 3361	48 ³ / ₁₆	83 ¹⁵ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	490 lbs.	33.3
86N488441WKF2LL TFL	2971	48 ³ / ₁₆	83 ¹⁵ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	490 lbs.	33.3
86N489641WKF2L Laminate	\$ 3574	48 ³ / ₁₆	95 ⁷ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	535 lbs.	37.1
86N489641WKF2LL TFL	3159	48 ³ / ₁₆	95 ⁷ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	535 lbs.	37.1
86N4810841WKF2L Laminate	\$ 4001	48 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	581 lbs.	41.1
86N4810841WKF2LL TFL	3538	48 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	581 lbs.	41.1
86N4812041WKF2L Laminate	\$ 4483	48 ³ / ₁₆	119 ¹³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	626 lbs.	44.9
86N4812041WKF2LL TFL	3962	48 ³ / ₁₆	119 ¹³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	626 lbs.	44.9

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Modesty models shipped in 6 separate cartons



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814441WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
BAR HEIGHT FULL MODESTY (CONTINUED)	86N4814441WKF2L Laminate	\$ 5987	48 $\frac{3}{16}$	144	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		890 lbs.	57.1
	86N4814441WKF2LL TFL	5468	48 $\frac{3}{16}$	144	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		890 lbs.	57.1
	86N4816841WKF2L Laminate	\$ 7114	48 $\frac{3}{16}$	168	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		980 lbs.	64.9
	86N4816841WKF2LL TFL	6596	48 $\frac{3}{16}$	168	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		980 lbs.	64.9
144" - 192" Wide Models	86N4819241WKF2L Laminate	\$ 8244	48 $\frac{3}{16}$	192	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1070 lbs.	72.7
	86N4819241WKF2LL TFL	7723	48 $\frac{3}{16}$	192	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1070 lbs.	72.7
	86N4821641WKF2L Laminate	\$ 9372	48 $\frac{3}{16}$	216	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1135 lbs.	80.7
	86N4821641WKF2LL TFL	8853	48 $\frac{3}{16}$	216	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1135 lbs.	80.7
216" - 240" Wide Models	86N4824041WKF2L Laminate	\$ 10500	48 $\frac{3}{16}$	240	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1261 lbs.	88.5
	86N4824041WKF2LL TFL	9982	48 $\frac{3}{16}$	240	41 $\frac{1}{2}$	—	20 $\frac{3}{16}$		1261 lbs.	88.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244829WKN1L V462 CUT-G17LR X MC MC

- See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT
NO MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N244829WKN1L Laminate	\$ 3910	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	143 lbs.	8.2
86N244829WKN1LL TFL	3439	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	143 lbs.	8.2
86N246029WKN1L Laminate	\$ 4157	24	60	28 $\frac{1}{16}$	—	—	172 lbs.	8.9
Q86N246029WKN1LL TFL	3659	24	60	28 $\frac{1}{16}$	—	—	172 lbs.	8.9
86N246029WKN1LL TFL	3659	24	60	28 $\frac{1}{16}$	—	—	172 lbs.	8.9
86N247229WKN1L Laminate	\$ 4423	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	195 lbs.	9.6
Q86N247229WKN1LL TFL	3892	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	195 lbs.	9.6
86N247229WKN1LL TFL	3892	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	195 lbs.	9.6
86N248429WKN1L Laminate	\$ 4707	24	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	143 lbs.	10.2
86N248429WKN1LL TFL	4142	24	83 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	143 lbs.	10.2
86N249629WKN1L Laminate	\$ 5007	24	95 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	238 lbs.	10.9
Q86N249629WKN1LL TFL	4405	24	95 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	238 lbs.	10.9
86N249629WKN1LL TFL	4405	24	95 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	238 lbs.	10.9
86N2410829WKN1L Laminate	\$ 5508	24	107 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	11.6
86N2410829WKN1LL TFL	4847	24	107 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	11.6
86N2412029WKN1L Laminate	\$ 6057	24	119 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	283 lbs.	12.3
86N2412029WKN1LL TFL	5331	24	119 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	283 lbs.	12.3
86N304829WKN1L Laminate	\$ 4071	30 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	159 lbs.	9.9
86N304829WKN1LL TFL	3583	30 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	159 lbs.	9.9
86N306029WKN1L Laminate	\$ 4333	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	191 lbs.	10.7
Q86N306029WKN1LL TFL	3811	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	191 lbs.	10.7
86N306029WKN1LL TFL	3811	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	—	—	191 lbs.	10.7
86N307229WKN1L Laminate	\$ 4607	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	217 lbs.	11.5
Q86N307229WKN1LL TFL	4057	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	217 lbs.	11.5
86N307229WKN1LL TFL	4057	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	217 lbs.	11.5

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308429WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WORKSURFACE HEIGHT NO MODESTY (CONTINUED)	86N308429WKN1L	Laminate	\$ 4902	30 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	240 lbs.	12.3
	86N308429WKN1LL	TFL	4315	30 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	240 lbs.	12.3
	86N309629WKN1L	Laminate	\$ 5214	30 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	265 lbs.	13.1
	Q86N309629WKN1LL	TFL	4590	30 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	265 lbs.	13.1
	86N309629WKN1LL	TFL	4590	30 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	265 lbs.	13.1
	86N3010829WKN1L	Laminate	\$ 5735	30 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	290 lbs.	13.9
	86N3010829WKN1LL	TFL	5048	30 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	290 lbs.	13.9
	86N3012029WKN1L	Laminate	\$ 6312	30 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—	—	314 lbs.	14.7
	86N3012029WKN1LL	TFL	5553	30 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—	—	314 lbs.	14.7
	86N364829WKN1L	Laminate	\$ 4242	36 $\frac{1}{16}$	48 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	177 lbs.	11.1
	86N364829WKN1LL	TFL	3732	36 $\frac{1}{16}$	48 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	177 lbs.	11.1
	86N366029WKN1L	Laminate	\$ 4512	36 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—	212 lbs.	12.4
	86N366029WKN1LL	TFL	3971	36 $\frac{1}{16}$	60	28 $\frac{7}{8}$	—	—	212 lbs.	12.4
	86N367229WKN1L	Laminate	\$ 4800	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{8}$	—	—	241 lbs.	13.3
	Q86N367229WKN1LL	TFL	4226	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{8}$	—	—	241 lbs.	13.3
	86N367229WKN1LL	TFL	4226	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{8}$	—	—	241 lbs.	13.3
	86N368429WKN1L	Laminate	\$ 5106	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	267 lbs.	14.2
	Q86N368429WKN1LL	TFL	4493	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	267 lbs.	14.2
	86N368429WKN1LL	TFL	4493	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	267 lbs.	14.2
	86N369629WKN1L	Laminate	\$ 5432	36 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	294 lbs.	15.1
	Q86N369629WKN1LL	TFL	4781	36 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	294 lbs.	15.1
	86N369629WKN1LL	TFL	4781	36 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	294 lbs.	15.1
	86N3610829WKN1L	Laminate	\$ 5978	36 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	322 lbs.	16.0
	86N3610829WKN1LL	TFL	5259	36 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{7}{8}$	—	—	322 lbs.	16.0
	86N3612029WKN1L	Laminate	\$ 6574	36 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—	—	349 lbs.	16.9
	86N3612029WKN1LL	TFL	5787	36 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{7}{8}$	—	—	349 lbs.	16.9

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**WORKSURFACE HEIGHT
NO MODESTY
(CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N424829WKN1L Laminate	\$ 4420	42 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	195 lbs.	13.2
86N424829WKN1LL TFL	3887	42 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	195 lbs.	13.2
86N426029WKN1L Laminate	\$ 4702	42 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—	232 lbs.	14.2
86N426029WKN1LL TFL	4138	42 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—	232 lbs.	14.2
86N427229WKN1L Laminate	\$ 5002	42 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	262 lbs.	15.2
Q86N427229WKN1LL TFL	4399	42 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	262 lbs.	15.2
86N427229WKN1LL TFL	4399	42 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	262 lbs.	15.2
86N428429WKN1L Laminate	\$ 5320	42 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	291 lbs.	16.2
Q86N428429WKN1LL TFL	4679	42 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	291 lbs.	16.2
86N428429WKN1LL TFL	4679	42 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	291 lbs.	16.2
86N429629WKN1L Laminate	\$ 5659	42 $\frac{1}{16}$	95 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	321 lbs.	17.3
Q86N429629WKN1LL TFL	4979	42 $\frac{1}{16}$	95 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	321 lbs.	17.3
86N429629WKN1LL TFL	4979	42 $\frac{1}{16}$	95 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	321 lbs.	17.3
86N4210829WKN1L Laminate	\$ 6225	42 $\frac{1}{16}$	107 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	350 lbs.	18.3
86N4210829WKN1LL TFL	5478	42 $\frac{1}{16}$	107 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	350 lbs.	18.3
86N4212029WKN1L Laminate	\$ 6847	42 $\frac{1}{16}$	119 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	378 lbs.	19.3
86N4212029WKN1LL TFL	6026	42 $\frac{1}{16}$	119 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	378 lbs.	19.3
86N484829WKN1L Laminate	\$ 4601	48 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	212 lbs.	14.7
86N484829WKN1LL TFL	4050	48 $\frac{1}{16}$	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	212 lbs.	14.7
86N486029WKN1L Laminate	\$ 4897	48 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—	252 lbs.	15.8
86N486029WKN1LL TFL	4308	48 $\frac{1}{16}$	60	28 $\frac{3}{8}$	—	—	252 lbs.	15.8
86N487229WKN1L Laminate	\$ 5209	48 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	284 lbs.	17.0
Q86N487229WKN1LL TFL	4585	48 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	284 lbs.	17.0
86N487229WKN1LL TFL	4585	48 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	284 lbs.	17.0
86N488429WKN1L Laminate	\$ 5539	48 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	315 lbs.	18.1
Q86N488429WKN1LL TFL	4875	48 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	315 lbs.	18.1
86N488429WKN1LL TFL	4875	48 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	315 lbs.	18.1

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489629WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WORKSURFACE HEIGHT NO MODESTY (CONTINUED)	86N489629WKN1L Laminate	\$ 5894	48 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{3}{8}$	—	—	346 lbs.	19.3
	Q86N489629WKN1LL TFL	5188	48 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{3}{8}$	—	—	346 lbs.	19.3
	86N489629WKN1LL TFL	5188	48 $\frac{1}{16}$	95 $\frac{7}{8}$	28 $\frac{3}{8}$	—	—	346 lbs.	19.3
	86N4810829WKN1L Laminate	\$ 6485	48 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{3}{8}$	—	—	377 lbs.	20.4
	86N4810829WKN1LL TFL	5708	48 $\frac{1}{16}$	107 $\frac{7}{8}$	28 $\frac{3}{8}$	—	—	377 lbs.	20.4
	86N4812029WKN1L Laminate	\$ 7132	48 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{3}{8}$	—	—	409 lbs.	21.5
	86N4812029WKN1LL TFL	6277	48 $\frac{1}{16}$	119 $\frac{13}{16}$	28 $\frac{3}{8}$	—	—	409 lbs.	21.5
	86N4814429WKN1L Laminate	\$ 7846	48 $\frac{1}{16}$	144	28 $\frac{3}{8}$	—	—	568 lbs.	26.5
	86N4814429WKN1LL TFL	6904	48 $\frac{1}{16}$	144	28 $\frac{3}{8}$	—	—	568 lbs.	26.5
	86N4816829WKN1L Laminate	\$ 8630	48 $\frac{1}{16}$	168	28 $\frac{3}{8}$	—	—	630 lbs.	29.5
	86N4816829WKN1LL TFL	7596	48 $\frac{1}{16}$	168	28 $\frac{3}{8}$	—	—	630 lbs.	29.5
	86N4819229WKN1L Laminate	\$ 9492	48 $\frac{1}{16}$	192	28 $\frac{3}{8}$	—	—	691 lbs.	31.2
	86N4819229WKN1LL TFL	8355	48 $\frac{1}{16}$	192	28 $\frac{3}{8}$	—	—	691 lbs.	31.2
	86N4821629WKN1L Laminate	\$ 10443	48 $\frac{1}{16}$	216	28 $\frac{3}{8}$	—	—	724 lbs.	33.9
	86N4821629WKN1LL TFL	9191	48 $\frac{1}{16}$	216	28 $\frac{3}{8}$	—	—	724 lbs.	33.9
	86N4824029WKN1L Laminate	\$ 11698	48 $\frac{1}{16}$	240	28 $\frac{3}{8}$	—	—	805 lbs.	36.0
	86N4824029WKN1LL TFL	10293	48 $\frac{1}{16}$	240	28 $\frac{3}{8}$	—	—	805 lbs.	36.0

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244835WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT
NO MODESTY

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
86N244835WKN1L	Laminate	\$ 4115	24	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	164 lbs.	9.2
86N244835WKN1LL	TFL	3620	24	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	164 lbs.	9.2
86N246035WKN1L	Laminate	\$ 4378	24	60	35 $\frac{3}{16}$	—	—	196 lbs.	9.9
Q86N246035WKN1LL	TFL	3849	24	60	35 $\frac{3}{16}$	—	—	196 lbs.	9.9
86N246035WKN1LL	TFL	3849	24	60	35 $\frac{3}{16}$	—	—	196 lbs.	9.9
86N247235WKN1L	Laminate	\$ 4659	24	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	221 lbs.	10.6
Q86N247235WKN1LL	TFL	4097	24	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	221 lbs.	10.6
86N247235WKN1LL	TFL	4097	24	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	221 lbs.	10.6
86N248435WKN1L	Laminate	\$ 4954	24	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	164 lbs.	11.2
86N248435WKN1LL	TFL	4358	24	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	164 lbs.	11.2
86N249635WKN1L	Laminate	\$ 5271	24	95 $\frac{7}{16}$	35 $\frac{3}{16}$	—	—	268 lbs.	11.9
Q86N249635WKN1LL	TFL	4636	24	95 $\frac{7}{16}$	35 $\frac{3}{16}$	—	—	268 lbs.	11.9
86N249635WKN1LL	TFL	4636	24	95 $\frac{7}{16}$	35 $\frac{3}{16}$	—	—	268 lbs.	11.9
86N2410835WKN1L	Laminate	\$ 5798	24	107 $\frac{7}{16}$	35 $\frac{3}{16}$	—	—	293 lbs.	12.6
86N2410835WKN1LL	TFL	5102	24	107 $\frac{7}{16}$	35 $\frac{3}{16}$	—	—	293 lbs.	12.6
86N2412035WKN1L	Laminate	\$ 6377	24	119 $\frac{3}{16}$	35 $\frac{3}{16}$	—	—	316 lbs.	13.3
86N2412035WKN1LL	TFL	5610	24	119 $\frac{3}{16}$	35 $\frac{3}{16}$	—	—	316 lbs.	13.3
86N304835WKN1L	Laminate	\$ 4286	30 $\frac{1}{16}$	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	182 lbs.	11.1
86N304835WKN1LL	TFL	3770	30 $\frac{1}{16}$	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	182 lbs.	11.1
86N306035WKN1L	Laminate	\$ 4560	30 $\frac{1}{16}$	60	35 $\frac{3}{16}$	—	—	218 lbs.	11.9
Q86N306035WKN1LL	TFL	4013	30 $\frac{1}{16}$	60	35 $\frac{3}{16}$	—	—	218 lbs.	11.9
86N306035WKN1LL	TFL	4013	30 $\frac{1}{16}$	60	35 $\frac{3}{16}$	—	—	218 lbs.	11.9
86N307235WKN1L	Laminate	\$ 4852	30 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	246 lbs.	12.7
Q86N307235WKN1LL	TFL	4268	30 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	246 lbs.	12.7
86N307235WKN1LL	TFL	4268	30 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	246 lbs.	12.7

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308435WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**COUNTER HEIGHT
NO MODESTY
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
86N308435WKN1L	Laminate	\$ 5159	30⅞	83⅞	35⅞	—	—	271 lbs.	13.5
86N308435WKN1LL	TFL	4540	30⅞	83⅞	35⅞	—	—	271 lbs.	13.5
86N309635WKN1L	Laminate	\$ 5491	30⅞	95⅞	35⅞	—	—	298 lbs.	14.3
Q86N309635WKN1LL	TFL	4829	30⅞	95⅞	35⅞	—	—	298 lbs.	14.3
86N309635WKN1LL	TFL	4829	30⅞	95⅞	35⅞	—	—	298 lbs.	14.3
86N3010835WKN1L	Laminate	\$ 6039	30⅞	107⅞	35⅞	—	—	326 lbs.	15.1
86N3010835WKN1LL	TFL	5315	30⅞	107⅞	35⅞	—	—	326 lbs.	15.1
86N3012035WKN1L	Laminate	\$ 6641	30⅞	119⅜	35⅞	—	—	351 lbs.	15.9
86N3012035WKN1LL	TFL	5845	30⅞	119⅜	35⅞	—	—	351 lbs.	15.9
86N364835WKN1L	Laminate	\$ 4464	36⅞	48⅞	35⅞	—	—	202 lbs.	12.9
86N364835WKN1LL	TFL	3926	36⅞	48⅞	35⅞	—	—	202 lbs.	12.9
86N366035WKN1L	Laminate	\$ 4748	36⅞	60	35⅞	—	—	242 lbs.	13.8
86N366035WKN1LL	TFL	4180	36⅞	60	35⅞	—	—	242 lbs.	13.8
86N367235WKN1L	Laminate	\$ 5053	36⅞	71⅞	35⅞	—	—	273 lbs.	14.7
Q86N367235WKN1LL	TFL	4449	36⅞	71⅞	35⅞	—	—	273 lbs.	14.7
86N367235WKN1LL	TFL	4449	36⅞	71⅞	35⅞	—	—	273 lbs.	14.7
86N368435WKN1L	Laminate	\$ 5376	36⅞	83⅞	35⅞	—	—	302 lbs.	15.6
Q86N368435WKN1LL	TFL	4732	36⅞	83⅞	35⅞	—	—	302 lbs.	15.6
86N368435WKN1LL	TFL	4732	36⅞	83⅞	35⅞	—	—	302 lbs.	15.6
86N369635WKN1L	Laminate	\$ 5720	36⅞	95⅞	35⅞	—	—	331 lbs.	16.5
Q86N369635WKN1LL	TFL	5034	36⅞	95⅞	35⅞	—	—	331 lbs.	16.5
86N369635WKN1LL	TFL	5034	36⅞	95⅞	35⅞	—	—	331 lbs.	16.5
86N3610835WKN1L	Laminate	\$ 6290	36⅞	107⅞	35⅞	—	—	362 lbs.	17.4
86N3610835WKN1LL	TFL	5536	36⅞	107⅞	35⅞	—	—	362 lbs.	17.4
86N3612035WKN1L	Laminate	\$ 6920	36⅞	119⅜	35⅞	—	—	390 lbs.	18.3
86N3612035WKN1LL	TFL	6089	36⅞	119⅜	35⅞	—	—	390 lbs.	18.3

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424835WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT
NO MODESTY
(CONTINUED)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N424835WKN1L Laminate	\$ 4650	42 $\frac{1}{16}$	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	222 lbs.	14.8
86N424835WKN1LL TFL	4093	42 $\frac{1}{16}$	48 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	222 lbs.	14.8
86N426035WKN1L Laminate	\$ 4949	42 $\frac{1}{16}$	60	35 $\frac{3}{16}$	—	—	264 lbs.	15.8
86N426035WKN1LL TFL	4354	42 $\frac{1}{16}$	60	35 $\frac{3}{16}$	—	—	264 lbs.	15.8
86N427235WKN1L Laminate	\$ 5262	42 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	260 lbs.	16.8
Q86N427235WKN1LL TFL	4632	42 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	260 lbs.	16.8
86N427235WKN1LL TFL	4632	42 $\frac{1}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	260 lbs.	16.8
86N428435WKN1L Laminate	\$ 5601	42 $\frac{1}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	327 lbs.	17.8
Q86N428435WKN1LL TFL	4929	42 $\frac{1}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	327 lbs.	17.8
86N428435WKN1LL TFL	4929	42 $\frac{1}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	327 lbs.	17.8
86N429635WKN1L Laminate	\$ 5958	42 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	359 lbs.	18.9
Q86N429635WKN1LL TFL	5242	42 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	359 lbs.	18.9
86N429635WKN1LL TFL	5242	42 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	359 lbs.	18.9
86N4210835WKN1L Laminate	\$ 6553	42 $\frac{1}{16}$	107 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	391 lbs.	19.9
86N4210835WKN1LL TFL	5766	42 $\frac{1}{16}$	107 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	391 lbs.	19.9
86N4212035WKN1L Laminate	\$ 7208	42 $\frac{1}{16}$	119 $\frac{9}{16}$	35 $\frac{3}{16}$	—	—	422 lbs.	20.9
86N4212035WKN1LL TFL	6343	42 $\frac{1}{16}$	119 $\frac{9}{16}$	35 $\frac{3}{16}$	—	—	422 lbs.	20.9
86N484835WKN1L Laminate	\$ 4846	48 $\frac{3}{16}$	48 $\frac{3}{16}$	35 $\frac{3}{16}$	—	—	242 lbs.	16.5
86N484835WKN1LL TFL	4264	48 $\frac{3}{16}$	48 $\frac{3}{16}$	35 $\frac{3}{16}$	—	—	242 lbs.	16.5
86N486035WKN1L Laminate	\$ 5154	48 $\frac{3}{16}$	60	35 $\frac{3}{16}$	—	—	286 lbs.	17.6
86N486035WKN1LL TFL	4535	48 $\frac{3}{16}$	60	35 $\frac{3}{16}$	—	—	286 lbs.	17.6
86N487235WKN1L Laminate	\$ 5483	48 $\frac{3}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	320 lbs.	18.8
Q86N487235WKN1LL TFL	4823	48 $\frac{3}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	320 lbs.	18.8
86N487235WKN1LL TFL	4823	48 $\frac{3}{16}$	71 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	320 lbs.	18.8
86N488435WKN1L Laminate	\$ 5832	48 $\frac{3}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	354 lbs.	19.9
Q86N488435WKN1LL TFL	5132	48 $\frac{3}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	354 lbs.	19.9
86N488435WKN1LL TFL	5132	48 $\frac{3}{16}$	83 $\frac{1}{16}$	35 $\frac{3}{16}$	—	—	354 lbs.	19.9

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.








TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489635WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COUNTER HEIGHT NO MODESTY (CONTINUED)	86N489635WKN1L Laminate	\$ 6205	48 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	386 lbs.	21.1
	Q86N489635WKN1LL TFL	5460	48 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	386 lbs.	21.1
	86N489635WKN1LL TFL	5460	48 $\frac{1}{16}$	95 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	386 lbs.	21.1
	86N4810835WKN1L Laminate	\$ 6825	48 $\frac{1}{16}$	107 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	421 lbs.	22.2
	86N4810835WKN1LL TFL	6006	48 $\frac{1}{16}$	107 $\frac{7}{8}$	35 $\frac{3}{16}$	—	—	421 lbs.	22.2
	86N4812035WKN1L Laminate	\$ 7509	48 $\frac{1}{16}$	119 $\frac{13}{16}$	35 $\frac{3}{16}$	—	—	454 lbs.	23.3
	86N4812035WKN1LL TFL	6606	48 $\frac{1}{16}$	119 $\frac{13}{16}$	35 $\frac{3}{16}$	—	—	454 lbs.	23.3
	86N4814435WKN1L Laminate	\$ 8259	48 $\frac{1}{16}$	144	35 $\frac{3}{16}$	—	—	640 lbs.	28.9
	86N4814435WKN1LL TFL	7269	48 $\frac{1}{16}$	144	35 $\frac{3}{16}$	—	—	640 lbs.	28.9
	86N4816835WKN1L Laminate	\$ 9085	48 $\frac{1}{16}$	168	35 $\frac{3}{16}$	—	—	707 lbs.	31.9
	86N4816835WKN1LL TFL	7995	48 $\frac{1}{16}$	168	35 $\frac{3}{16}$	—	—	707 lbs.	31.9
	86N4819235WKN1L Laminate	\$ 9994	48 $\frac{1}{16}$	192	35 $\frac{3}{16}$	—	—	773 lbs.	33.6
	86N4819235WKN1LL TFL	8793	48 $\frac{1}{16}$	192	35 $\frac{3}{16}$	—	—	773 lbs.	33.6
	86N4821635WKN1L Laminate	\$ 10994	48 $\frac{1}{16}$	216	35 $\frac{3}{16}$	—	—	816 lbs.	36.3
	86N4821635WKN1LL TFL	9674	48 $\frac{1}{16}$	216	35 $\frac{3}{16}$	—	—	816 lbs.	36.3
	86N4824035WKN1L Laminate	\$ 12312	48 $\frac{1}{16}$	240	35 $\frac{3}{16}$	—	—	907 lbs.	38.4
	86N4824035WKN1LL TFL	10835	48 $\frac{1}{16}$	240	35 $\frac{3}{16}$	—	—	907 lbs.	38.4

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244841WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

BAR HEIGHT
NO MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N244841WKN1L Laminate	\$ 4572	24	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	184 lbs.	10.2
86N244841WKN1LL TFL	4024	24	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	184 lbs.	10.2
86N246041WKN1L Laminate	\$ 4864	24	60	41 $\frac{1}{2}$	—	—	220 lbs.	10.9
Q86N246041WKN1LL TFL	4281	24	60	41 $\frac{1}{2}$	—	—	220 lbs.	10.9
86N246041WKN1LL TFL	4281	24	60	41 $\frac{1}{2}$	—	—	220 lbs.	10.9
86N247241WKN1L Laminate	\$ 5174	24	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	247 lbs.	11.6
Q86N247241WKN1LL TFL	4554	24	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	247 lbs.	11.6
86N247241WKN1LL TFL	4554	24	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	247 lbs.	11.6
86N248441WKN1L Laminate	\$ 5506	24	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	184 lbs.	12.2
86N248441WKN1LL TFL	4845	24	83 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	184 lbs.	12.2
86N249641WKN1L Laminate	\$ 5855	24	95 $\frac{7}{16}$	41 $\frac{1}{2}$	—	—	299 lbs.	12.9
Q86N249641WKN1LL TFL	5154	24	95 $\frac{7}{16}$	41 $\frac{1}{2}$	—	—	299 lbs.	12.9
86N249641WKN1LL TFL	5154	24	95 $\frac{7}{16}$	41 $\frac{1}{2}$	—	—	299 lbs.	12.9
86N2410841WKN1L Laminate	\$ 6441	24	107 $\frac{7}{16}$	41 $\frac{1}{2}$	—	—	326 lbs.	13.6
86N2410841WKN1LL TFL	5671	24	107 $\frac{7}{16}$	41 $\frac{1}{2}$	—	—	326 lbs.	13.6
86N2412041WKN1L Laminate	\$ 7085	24	119 $\frac{3}{16}$	41 $\frac{1}{2}$	—	—	352 lbs.	14.3
86N2412041WKN1LL TFL	6236	24	119 $\frac{3}{16}$	41 $\frac{1}{2}$	—	—	352 lbs.	14.3
86N304841WKN1L Laminate	\$ 4761	30 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	256 lbs.	12.3
86N304841WKN1LL TFL	4191	30 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	256 lbs.	12.3
86N306041WKN1L Laminate	\$ 5066	30 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	245 lbs.	13.1
Q86N306041WKN1LL TFL	4458	30 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	245 lbs.	13.1
86N306041WKN1LL TFL	4458	30 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	245 lbs.	13.1
86N307241WKN1L Laminate	\$ 5392	30 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	274 lbs.	13.9
Q86N307241WKN1LL TFL	4742	30 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	274 lbs.	13.9
86N307241WKN1LL TFL	4742	30 $\frac{1}{16}$	71 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	274 lbs.	13.9

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308441WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**BAR HEIGHT
NO MODESTY
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
86N308441WKN1L	Laminate	\$ 5732	30⅞	83⅞	41½	—	—	303 lbs.	14.7
86N308441WKN1LL	TFL	5045	30⅞	83⅞	41½	—	—	303 lbs.	14.7
86N309641WKN1L	Laminate	\$ 6101	30⅞	95⅞	41½	—	—	332 lbs.	15.5
Q86N309641WKN1LL	TFL	5368	30⅞	95⅞	41½	—	—	332 lbs.	15.5
86N309641WKN1LL	TFL	5368	30⅞	95⅞	41½	—	—	332 lbs.	15.5
86N3010841WKN1L	Laminate	\$ 6709	30⅞	107⅞	41½	—	—	362 lbs.	16.3
86N3010841WKN1LL	TFL	5905	30⅞	107⅞	41½	—	—	362 lbs.	16.3
86N3012041WKN1L	Laminate	\$ 7380	30⅞	119⅞	41½	—	—	391 lbs.	17.1
86N3012041WKN1LL	TFL	6493	30⅞	119⅞	41½	—	—	391 lbs.	17.1
86N364841WKN1L	Laminate	\$ 4962	36⅞	48⅞	41½	—	—	227 lbs.	14.5
86N364841WKN1LL	TFL	4366	36⅞	48⅞	41½	—	—	227 lbs.	14.5
86N366041WKN1L	Laminate	\$ 5278	36⅞	60	41½	—	—	272 lbs.	15.4
86N366041WKN1LL	TFL	4644	36⅞	60	41½	—	—	272 lbs.	15.4
86N367241WKN1L	Laminate	\$ 5615	36⅞	71⅞	41½	—	—	305 lbs.	16.3
Q86N367241WKN1LL	TFL	4939	36⅞	71⅞	41½	—	—	305 lbs.	16.3
86N367241WKN1LL	TFL	4939	36⅞	71⅞	41½	—	—	305 lbs.	16.3
86N368441WKN1L	Laminate	\$ 5972	36⅞	83⅞	41½	—	—	337 lbs.	17.2
Q86N368441WKN1LL	TFL	5256	36⅞	83⅞	41½	—	—	337 lbs.	17.2
86N368441WKN1LL	TFL	5256	36⅞	83⅞	41½	—	—	337 lbs.	17.2
86N369641WKN1L	Laminate	\$ 6353	36⅞	95⅞	41½	—	—	369 lbs.	18.1
Q86N369641WKN1LL	TFL	5591	36⅞	95⅞	41½	—	—	369 lbs.	18.1
86N369641WKN1LL	TFL	5591	36⅞	95⅞	41½	—	—	369 lbs.	18.1
86N3610841WKN1L	Laminate	\$ 6990	36⅞	107⅞	41½	—	—	402 lbs.	19.0
86N3610841WKN1LL	TFL	6150	36⅞	107⅞	41½	—	—	402 lbs.	19.0

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424841WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**BAR HEIGHT
NO MODESTY
(CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N3612041WKN1L Laminate	\$ 7688	36 $\frac{1}{16}$	119 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	434 lbs.	19.9
86N3612041WKN1LL TFL	6767	36 $\frac{1}{16}$	119 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	434 lbs.	19.9
86N424841WKN1L Laminate	\$ 5169	42 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	250 lbs.	16.4
86N424841WKN1LL TFL	4547	42 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	250 lbs.	16.4
86N426041WKN1L Laminate	\$ 5496	42 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	296 lbs.	17.4
86N426041WKN1LL TFL	4837	42 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	296 lbs.	17.4
86N427241WKN1L Laminate	\$ 5846	42 $\frac{1}{16}$	71 $\frac{15}{16}$	41 $\frac{1}{2}$	—	—	330 lbs.	18.4
Q86N427241WKN1LL TFL	5146	42 $\frac{1}{16}$	71 $\frac{15}{16}$	41 $\frac{1}{2}$	—	—	330 lbs.	18.4
86N427241WKN1LL TFL	5146	42 $\frac{1}{16}$	71 $\frac{15}{16}$	41 $\frac{1}{2}$	—	—	330 lbs.	18.4
86N428441WKN1L Laminate	\$ 6222	42 $\frac{1}{16}$	83 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	364 lbs.	19.4
Q86N428441WKN1LL TFL	5475	42 $\frac{1}{16}$	83 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	364 lbs.	19.4
86N428441WKN1LL TFL	5475	42 $\frac{1}{16}$	83 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	364 lbs.	19.4
86N429641WKN1L Laminate	\$ 6621	42 $\frac{1}{16}$	95 $\frac{7}{8}$	41 $\frac{1}{2}$	—	—	399 lbs.	20.5
Q86N429641WKN1LL TFL	5826	42 $\frac{1}{16}$	95 $\frac{7}{8}$	41 $\frac{1}{2}$	—	—	399 lbs.	20.5
86N429641WKN1LL TFL	5826	42 $\frac{1}{16}$	95 $\frac{7}{8}$	41 $\frac{1}{2}$	—	—	399 lbs.	20.5
86N4210841WKN1L Laminate	\$ 7279	42 $\frac{1}{16}$	107 $\frac{7}{8}$	41 $\frac{1}{2}$	—	—	434 lbs.	21.5
86N4210841WKN1LL TFL	6409	42 $\frac{1}{16}$	107 $\frac{7}{8}$	41 $\frac{1}{2}$	—	—	434 lbs.	21.5
86N4212041WKN1L Laminate	\$ 8007	42 $\frac{1}{16}$	119 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	467 lbs.	22.5
86N4212041WKN1LL TFL	7048	42 $\frac{1}{16}$	119 $\frac{13}{16}$	41 $\frac{1}{2}$	—	—	467 lbs.	22.5
86N484841WKN1L Laminate	\$ 5383	48 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	270 lbs.	18.5
86N484841WKN1LL TFL	4738	48 $\frac{1}{16}$	48 $\frac{1}{16}$	41 $\frac{1}{2}$	—	—	270 lbs.	18.5
86N486041WKN1L Laminate	\$ 5728	48 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	320 lbs.	19.6
86N486041WKN1LL TFL	5040	48 $\frac{1}{16}$	60	41 $\frac{1}{2}$	—	—	320 lbs.	19.6

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color


SAMPLE MODEL NUMBER:

86N489641WKN1L V462 X X MC MC


- See pages 297-300 for all options available in Strassa

**BAR HEIGHT
NO MODESTY
(CONTINUED)**


48" - 120" Wide Models



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
86N487241WKN1L	Laminate	\$ 6093	48⅜	71⅛	41½	—	—	356 lbs.	20.8	
Q86N487241WKN1LL	TFL	5360	48⅜	71⅛	41½	—	—	356 lbs.	20.8	
86N487241WKN1LL	TFL	5360	48⅜	71⅛	41½	—	—	356 lbs.	20.8	
86N488441WKN1L	Laminate	\$ 6481	48⅜	83⅛	41½	—	—	392 lbs.	21.9	
Q86N488441WKN1LL	TFL	5703	48⅜	83⅛	41½	—	—	392 lbs.	21.9	
86N488441WKN1LL	TFL	5703	48⅜	83⅛	41½	—	—	392 lbs.	21.9	
86N489641WKN1L	Laminate	\$ 6893	48⅜	95⅞	41½	—	—	428 lbs.	23.1	
Q86N489641WKN1LL	TFL	6068	48⅜	95⅞	41½	—	—	428 lbs.	23.1	
86N489641WKN1LL	TFL	6068	48⅜	95⅞	41½	—	—	428 lbs.	23.1	
86N4810841WKN1L	Laminate	\$ 7583	48⅜	107⅞	41½	—	—	465 lbs.	24.2	
86N4810841WKN1LL	TFL	6673	48⅜	107⅞	41½	—	—	465 lbs.	24.2	
86N4812041WKN1L	Laminate	\$ 8341	48⅜	119⅜	41½	—	—	501 lbs.	25.3	
86N4812041WKN1LL	TFL	7342	48⅜	119⅜	41½	—	—	501 lbs.	25.3	
86N4814441WKN1L	Laminate	\$ 9174	48⅜	144	41½	—	—	712 lbs.	31.5	
86N4814441WKN1LL	TFL	8075	48⅜	144	41½	—	—	712 lbs.	31.5	
86N4816841WKN1L	Laminate	\$ 10094	48⅜	168	41½	—	—	784 lbs.	34.5	
86N4816841WKN1LL	TFL	8883	48⅜	168	41½	—	—	784 lbs.	34.5	
86N4819241WKN1L	Laminate	\$ 11104	48⅜	192	41½	—	—	856 lbs.	36.2	
86N4819241WKN1LL	TFL	9771	48⅜	192	41½	—	—	856 lbs.	36.2	
86N4821641WKN1L	Laminate	\$ 12213	48⅜	216	41½	—	—	908 lbs.	38.9	
86N4821641WKN1LL	TFL	10747	48⅜	216	41½	—	—	908 lbs.	38.9	
86N4824041WKN1L	Laminate	\$ 13679	48⅜	240	41½	—	—	1009 lbs.	41.0	
86N4824041WKN1LL	TFL	12038	48⅜	240	41½	—	—	1009 lbs.	41.0	

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Strassa footrails may be added to any No Modesty Strassa table
- Footrails ship in 1 carton


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

86N48FRNM

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FOOTRAILS 	86N48FRNM	\$ 717	3	41 $\frac{1}{16}$	6 $\frac{1}{16}$	—	—	15 lbs.	0.5
	86N60FRNM	753	3	53 $\frac{1}{16}$	6 $\frac{1}{16}$	—	—	16 lbs.	0.6
	86N72FRNM	798	3	65 $\frac{1}{2}$	6 $\frac{1}{16}$	—	—	17 lbs.	0.8
	86N84FRNM	956	3	77 $\frac{1}{2}$	6 $\frac{1}{16}$	—	—	21 lbs.	0.9
	86N96FRNM	1009	3	89 $\frac{9}{16}$	6 $\frac{1}{16}$	—	—	22 lbs.	1.0
	86N108FRNM	1098	3	101 $\frac{1}{16}$	6 $\frac{1}{16}$	—	—	25 lbs.	1.2
	86N120FRNM	1161	3	113 $\frac{3}{16}$	6 $\frac{1}{16}$	—	—	26 lbs.	1.3
	86N144FRNM	2064	7 $\frac{1}{16}$	137 $\frac{7}{16}$	6 $\frac{1}{16}$	—	—	46 lbs.	2.0
	86N168FRNM	2217	7 $\frac{1}{16}$	158 $\frac{5}{16}$	6 $\frac{1}{16}$	—	—	50 lbs.	2.3
	86N192FRNM	2259	7 $\frac{1}{16}$	185 $\frac{1}{16}$	6 $\frac{1}{16}$	—	—	53 lbs.	2.6
	86N216FRNM	2365	7 $\frac{1}{16}$	209	6 $\frac{1}{16}$	—	—	55 lbs.	2.9
	86N240FRNM	2425	7 $\frac{1}{16}$	232 $\frac{9}{16}$	6 $\frac{1}{16}$	—	—	60 lbs.	3.2

- Footrails are available in Polished only
- Footrails are to be added to No Modesty Strassa models only
- Footrail has 1 $\frac{1}{2}$ " diameter stainless steel tubing
- Span between support leg is approximately 30"
- The difference in depth on models 144" wide and larger is the span between the mid support panel and the front of the footrail
- Specify model number only


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACEL4KTC1

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE POWER/DATA 	98K03ELPG2MTBBK	\$ 392	3	3	1½	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 power outlet and 1 dual USB A/C port • 72" power cord included • See page 302 for recommended number of units per table size • Specify model number only								
4-TRAC POWER ENTRY    Plug View	NAC120ELE4P Plugged	\$ 408							
	NAC120ELE4H Hardwire	274							
	NAC72ELE4NH NYC Hardwire	501							
	• Specify model number only								
4-TRAC KIT	NACEL4KTC1 48"-60" Tables	\$ 276							
	NACEL4KTC2 72"-84" Tables	301							
	NACEL4KTC3 96"-108" Tables	408							
	NACEL4KTC4 120" Tables	501							
	NACEL4KTC5 144" Tables	639							
	NACEL4KTC6 168" Tables	654							
	NACEL4KTC7 192" Tables	686							
	NACEL4KTC8 216" Tables	715							
	NACEL4KTC9 240" Tables	870							
	• See page 301 for details • Specify model number only								



STRASSA



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG10EL

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ROUND GROMMET (G10)  NACG10EL	NACG10EL Electrical Grommet	\$ 642	4 1/4	4 1/4	5	—	—	2 lbs.	0.12
	NACG10 Grommet	104	4 1/4	4 1/4	1 1/4	—	—	1 lbs.	0.12

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACG15BELPDIQ18B

• See pages 297-300 for all options available in Strassa

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		


INTERLINK IQ SYSTEM (M2X-B) (G15B)

NACG15BELPD2IQKS


FULL SET OF 4 UNITS

NACG15BELPD2IQKB	Set of 4, Black	\$ 8066	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKS	Set of 4, Silver	8066	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKW	Set of 4, White	8066	8	9¾	1½	—	—	20 lbs.	3.2

• Full sets include 4 grommets and smart box with starter plug



SIDE 1



SIDE 2

NACG15BELPD2IQB

INTERLINK GROMMETS


NACG15BELPD2IQB	Interlink Grommet, Black	\$ 1930	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQS	Interlink Grommet, Silver	1930	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQW	Interlink Grommet, White	1930	8	9¾	1½	—	—	5 lbs.	0.4

- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- 1 touch door remains open during use
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Must order smart box with plug separately


INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15


- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

STRASSA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:


NACG17AELPGB

• See pages 297-300 for all options available in Strassa

1 TOUCH PIVOTING
POWER GROMMET (G17A)


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
NACG17AELPGB	Black	\$ 472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPGS	Silver	472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPGW	White	472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCB	Hardwire, Black	\$ 497	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCS	Hardwire, Silver	497	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCW	Hardwire, White	497	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See page 295 for details

1 TOUCH PIVOTING
POWER GROMMET (G17B)

NACG17BELPGB	Black	\$ 485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPGS	Silver	485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPGW	White	485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCB	Hardwire, Black	\$ 585	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCS	Hardwire, Silver	585	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCW	Hardwire, White	585	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See page 295 for details

1 TOUCH PIVOTING
POWER GROMMET (G17C)

NACG17CELPGB	Black	\$ 466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPGS	Silver	466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPGW	White	466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCB	Hardwire, Black	\$ 491	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCS	Hardwire, Silver	491	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCW	Hardwire, White	491	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See page 295 for details






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPD1Q18B

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17A)  NACG17AELPD2IQKS	FULL SET OF 8 UNITS								
	NACG17AELPD2IQKB Set of 8, Black	\$ 3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKS Set of 8, Silver	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17AELPD2IQKW Set of 8, White	3976	4¼	5¼	2½	—	—	19 lbs.	1.55
• Full sets include 8 grommets and smart box with starter plug									
 NACG17AELPD2IQB	INTERLINK GROMMETS								
	NACG17AELPD2IQB Interlink Grommet, Black	\$ 484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQS Interlink Grommet, Silver	484	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPD2IQW Interlink Grommet, White	484	4¼	5¼	2½	—	—	3 lbs.	0.15
• Must order smart box with plug separately									
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 346-347									
 NACEL2IQ60J									
 NACEL2IQ60TJ									

STRASSA






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	PRICE	D	W	H	A	KW	WEIGHT	FEET	
 NACG17BELPD2IQKS	INTERLINK IQ SYSTEM (G17B)									
	FULL SET OF 8 UNITS									
	NACG17BELPD2IQKB	Set of 8, Black	\$ 5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKS	Set of 8, Silver	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKW	Set of 8, White	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug									
 NACG17BELPD2IQB	INTERLINK GROMMETS									
	NACG17BELPD2IQB	Interlink Grommet, Black	\$ 676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQS	Interlink Grommet, Silver	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQW	Interlink Grommet, White	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately									
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER									
	NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J	Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ	Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 346-347									
 NACEL2IQ60J										
 NACEL2IQ60TJ										






TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B


• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTERLINK IQ SYSTEM (G17C)  NACG17CELPD2IQKS  NACG17CELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS								
	NACG17CELPD2IQKB Set of 8, Black	\$ 3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKS Set of 8, Silver	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17CELPD2IQKW Set of 8, White	3763	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
	INTERLINK GROMMETS								
	NACG17CELPD2IQB Interlink Grommet, Black	\$ 456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQS Interlink Grommet, Silver	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPD2IQW Interlink Grommet, White	456	4¼	5¼	2½	—	—	3 lbs.	0.15
	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 346-347									

Configuration of IQ System for Fixed Height Non-Powered Center Beam 72" Tables- Max of 6 IQ Units per run




Configuration of IQ System for Fixed Height Non-Powered Center Beam 66" Tables- Max of 6 IQ Units per run



*Quantity shown is per side. Quantity would be duplicated for a double sided application.

Configuration of IQ System for Fixed Height Non-Powered Center Beam 60" Tables-
Max of 6 IQ Units per run



*Quantity shown is per side. Quantity would be duplicated for a double sided application.

STRASSA


TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NACG23ELB


• See pages 297-300 for all options available in Strassa

POWER GROMMET (G23)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	NACG23ELB	Black	\$ 683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB	Black/Hardwire	\$ 761	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS	Silver/Hardwire	761	2½	4½	3¼	—	—	2.3 lbs.	0.2
	• Not intended for use on conference tables • Includes 2 power outlets and 2 power USB ports • Units are powder coated									

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	\$ 777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	\$ 777	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	777	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Not intended for use in end panel on models without modesty
- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	\$ 816	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	816	2½	4½	3¼	—	—	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit
- Units are powder coated
- Not intended for use in end panel

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	\$ 284	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	432				—	—		
NAC240ELDLJ	240" Daisy Chain Jumper	509				—	—		

- 80" jumper is needed when connecting power between tables
- Units are powder coated

TRAINING TABLES

Fold™	350
Maneuver®	353
WaveWorks® Flip/Nest Tables	369
WaveWorks® Worksurfaces	375
Metal Bases	389
"L" Adjustable Height Bases	399
"L" Worksurfaces	401

FOLD NESTING TABLES

FOLD NESTING TABLES PRODUCT SPECIFICATIONS

TOP SIZES

- Concave Top – 29½" width x 21½" depth
- Rectangular Top – 59" width x 21½" depth

TOPS


- Laminate surfaces are 1¼" thick HPL (high pressure laminate)
- Laminate surfaces feature a 3 mm vinyl or T-mold rim

GROMMET OPTION

- Optional G1 grommet

FLIP/NEST FUNCTIONALITY

- Flip mechanism allows top to flip vertically for nesting capabilities
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommet and standard modesty panel is attached



TRAINING TABLES

FOLD NESTING

LAMINATE TOPS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
404	Frosty White Marker*
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

*Only available on T-mold rim models

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

RIM PROFILE OPTIONS

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow



Softened Vinyl (V)

GROMMET

Fold Nesting Tables are available with a G1C grommet to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

- G1C Grommet, Center (+\$41 list)
- X No Grommet

FOLD NESTING TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color (vinyl models only)
3. Grommet
4. Laminate
5. Paint

SAMPLE MODEL NUMBERS:

61N2430CCFMVL V405 X 405 1
 61N2430CCFMYL X 405 1
 61N2460RTFMVL V405 X 405 1

- See page 351 for all options available in Fold Nesting Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CONCAVE TABLE VINYL RIM 	61N2430CCFMVL Laminate	\$ 1175	23%	29½	29%	—	—	43 lbs.	4.2
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Not recommended to be ganged								
CONCAVE TABLE T-MOLD RIM 	61N2430CCFMYL Laminate	\$ 1175	23%	29½	29%	—	—	43 lbs.	4.2
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Features T-mold rim in Graphite color • Not recommended to be ganged • Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue								
RECTANGULAR TABLE VINYL RIM 	61N2460RTFMVL Laminate	\$ 1573	24%	59	29%	—	—	66 lbs.	7.0
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Vinyl rim and T-mold rim tops can not be ganged together • Tables must be unganged when putting tables in the flip position								
RECTANGULAR TABLE T-MOLD RIM 	61N2460RTFMYL Laminate	\$ 1573	24%	59	29%	—	—	66 lbs.	7.0
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Features T-mold rim in Graphite color • Vinyl rim and T-mold rim tops can not be ganged together • Tables must be unganged when putting tables in the flip position • Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue								
GANGING BRACKET 	61NGB1 2 per package	\$ 83	2	6½	¾	—	—	2 lbs.	0.5
	• Featured in Graphite color • Only to be used with 24" x 60" rectangular tables								

MANEUVER FACILITATOR DESK SPECIFICATIONS

WORKSURFACES

- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{2}$ " TFL (thermally fused laminate)
- Laminate surfaces feature a 3mm vinyl rim
- Grain direction runs left-to-right

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Back panels are fully finished

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

BASE

- Powder coated base available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Wire management cutout in base column is standard

MANEUVER TABLES SPECIFICATIONS

TOPS

- Laminate (HPL) worksurfaces feature a 3mm softened vinyl rim

BASE

- Powder coated legs available in (462) Cinder or (501) Platinum Metallic for C-legs and (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic for column legs

POWER/DATA ELECTRICAL SPECIFICATIONS

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included
- Reference page 368

PIVOTING POWER GROMMET (MHO-B) (G12B, G12C)

- Field installable
- Silver, black, or white powder coat
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{4}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{8}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60 " jumper; jumper cable is 60 $\frac{3}{8}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER


- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black, silver, or white powder coat
- Contains 1 electrical outlet and 2 USB-A ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1 $\frac{1}{2}$ "
- UL approved
- Tamper resistant
- Spill-proof

MANEUVER - CONFIGURATION OPTIONS

RIM PROFILE OPTIONS



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

PULL OPTIONS



Nantucket (6)

6MB	Cinder
6CC	Concrete
6IR	Iron
6PL	Platinum Metallic
6SN	Satin Nickel Metallic

(Boring Pattern 128mm)



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic

(Boring Pattern 128mm)




Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic

(Boring Pattern 128mm)

GROMMET OPTIONS - FACILITATOR DESK


If no grommet is desired, specify an X (No Grommet)




- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet (+\$41 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet (+\$41 list)
- CUT-G23C Cutout for G23 Power Grommet (+\$41 list)
- For G12, G17, or hardwire solution, reference pages 557-558 and 562-565

NOTE: Interlink IQ units are available in the Accessories section


CUT-G12C



CUT-G17C



CUT-G23C



GROMMET OPTION - TABLES


If no grommet is desired, specify an X (No Grommet)



- CUT-G33C Cutout for G33 Node Power Grommet (+\$41 list)
- For G33, reference page 568

END PANEL GROMMET


If no grommet is desired, specify an X (No Grommet)



Round Grommet, Black Plastic

\$41 list for each grommet

GE1L	Left
GE1R	Right
X	No Grommet



- When a grommet is selected there will always be a top and bottom grommet
- The grommet cutouts are always located in the kneespace area

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option.
Must order specific lock cores separately (\$29 list each).
See the Casegoods Book 2 Price List for Key Specific model numbers.

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	488	Frosty White
492	Cinder Linear	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
450	Fog		

PATTERN LAMINATE

818 Crisp Linen
821 Elemental Concrete
819 Flex Gauze
822 Smoke Quarstone
814 White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust
Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

• CSL available on HPL worksurfaces

LAMINATE DRAWER/DOOR FRONT & CHASSIS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE


462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE


Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust
Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


NATIONAL OFFICE FURNITURE—TABLES




(4) 29N60120TDEG1L




(1) 29N60120TDEG1L
(3) 29N3060TRT1L



(4) 29N3648TFG2L




(1) 29N3648TFG2L
(2) 29N3348THDS2L




(2) 29N3648TFG1L
(2) 29N3060TRT1L


MANEUVER - THOUGHT STARTERS




(3) 29N2448TTZ1L




(6) 29N2448TTZ1L



(2) 29N2460TRT1L
(3) 29N2448TTZ1L



(4) 29N3630TKT2L



(3) 29N3630TKT2L
(3) 29N3060TRT2L

TRAINING TABLES

MANEUVER

PRODUCT SPECIFICATIONS

- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column





TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Locking (if applicable)
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Laminate Chassis Color
10. Paint Color

SAMPLE MODEL NUMBER:

29N2460DTLM1L V418 6SN CUT-G17C GE1R KRS 418 405 418 405

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	LEFT	RIGHT			D	W	H	A	KW			
FACILITATOR DESK WITH BOX/BOX/FILE PEDESTAL  Left shown  Left shown with lectern	29N2460DTLM1L	29N2460DTRM1L	HPL	\$ 2945	24	60	29½	—	—			20.3
	29N2460DTLM1LL	29N2460DTRM1LL	TFL	2563	24	60	29½	—	—			20.3
	29N2472DTLM1L	29N2472DTRM1L	HPL	\$ 3156	24	72	29½	—	—			20.8
	29N2472DTLM1LL	29N2472DTRM1LL	TFL	2744	24	72	29½	—	—			20.8
	29N3060DTLM1L	29N3060DTRM1L	HPL	\$ 3156	30½	60	29½	—	—			24.5
	29N3060DTLM1LL	29N3060DTRM1LL	TFL	2744	30½	60	29½	—	—			24.5
	29N3072DTLM1L	29N3072DTRM1L	HPL	\$ 3277	30½	72	29½	—	—			25.1
	29N3072DTLM1LL	29N3072DTRM1LL	TFL	2849	30½	72	29½	—	—			25.1
	• Lectern sold separately											
FACILITATOR DESK WITH HINGED DOOR  Left shown  Left shown with lectern	29N2460DTLMHL	29N2460DTRMHL	HPL	\$ 2945	24	60	29½					20.3
	29N2460DTLMHLL	29N2460DTRMHLL	TFL	2563	24	60	29½					20.3
	29N2472DTLMHL	29N2472DTRMHL	HPL	\$ 3156	24	72	29½					20.8
	29N2472DTLMHLL	29N2472DTRMHLL	TFL	2744	24	72	29½					20.8
	29N3060DTLMHL	29N3060DTRMHL	HPL	\$ 3156	30½	60	29½					24.5
	29N3060DTLMHLL	29N3060DTRMHLL	TFL	2744	30½	60	29½					24.5
	29N3072DTLMHL	29N3072DTRMHL	HPL	\$ 3277	30½	72	29½					25.1
	29N3072DTLMHLL	29N3072DTRMHLL	TFL	2849	30½	72	29½					25.1
	• Lectern sold separately											
	• 1 adjustable height shelf behind the door											

MANEUVER

PRODUCT SPECIFICATIONS



- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Laminate Top Color
7. Laminate Door/Drawer Color
8. Laminate Chassis Color
9. Paint Color

SAMPLE MODEL NUMBERS:

- 29N2460DTLMOL V418 CUT-G17C GE1R 418 418 405
29N1818LCL 501 TF
- See pages 354-356 for all options available in Maneuver


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
 Right shown without lectern 	LEFT	RIGHT									
	29N2460DTLMOL	29N2460DTRMOL	HPL	\$	2720	24	60	29%	—	—	19.9
	29N2460DTLMOLL	29N2460DTRMOLL	TFL		2364	24	60	29%	—	—	19.9
	29N2472DTLMOL	29N2472DTRMOL	HPL	\$	2840	24	72	29%	—	—	20.4
	29N2472DTLMOLL	29N2472DTRMOLL	TFL		2470	24	72	29%	—	—	20.4
	29N3060DTLMOL	29N3060DTRMOL	HPL	\$	2840	30%	60	29%	—	—	24.2
	29N3060DTLMOLL	29N3060DTRMOLL	TFL		2470	30%	60	29%	—	—	24.2
	29N3072DTLMOL	29N3072DTRMOL	HPL	\$	2962	30%	72	29%	—	—	24.8
	29N3072DTLMOLL	29N3072DTRMOLL	TFL		2575	30%	72	29%	—	—	24.8

• Lectern sold separately


LECTERN

29N1818LCL	\$ 806	18	18	13¾	—	—	21 lbs.	6.0
29N2418LCL	970	23¾	18	13¾	—	—	23 lbs.	7.5


- Pencil ledge available in 6 paint colors: (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Specify paint color and laminate color only
- 18" lectern for use with 24" deep desk and 24" lectern for use with 30" deep desk




Right shown without lectern



Left shown with lectern



Approach view



User view

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases





TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBER:

29N36TRD2L VCW 462

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
 Static	STATIC BASE		DI	H					
	29N36TRD2L	HPL	\$ 1037	36 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N48TRD2L	HPL	1280	48 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N60TRD2L	HPL	1521	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	MOBILE BASE								
 Mobile	29N36TRD2ML	HPL	\$ 1108	36 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N48TRD2ML	HPL	1349	48 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N60TRD2ML	HPL	1593	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
 Static	STATIC BASE		D	W	H	A	KW		
	29N3636TSQ2L	HPL	\$ 1037	36 $\frac{1}{16}$	36 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N4848TSQ2L	HPL	1280	48 $\frac{1}{16}$	48 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N6060TSQ2L	HPL	1521	58 $\frac{1}{16}$	58 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	MOBILE BASE								
 Mobile	29N3636TSQ2ML	HPL	\$ 1108	36 $\frac{1}{16}$	36 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N4848TSQ2ML	HPL	1349	48 $\frac{1}{16}$	48 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N6060TSQ2ML	HPL	1593	58 $\frac{1}{16}$	58 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60TGR2L VCW CW 462
• See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
 Static  Mobile	STATIC BASE									
	29N3630TKT2L	HPL	\$	1579	29 ⁷ / ₁₆	36 ¹ / ₁₆	29 ³ / ₈	—	—	3.3
	MOBILE BASE									
	29N3630TKT2ML	HPL	\$	1651	29 ⁷ / ₁₆	36 ¹ / ₁₆	29 ³ / ₈	—	—	3.3
		• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

 Static  Mobile	STATIC BASE		DI		H					
	29N60TGR2L	HPL	\$	2376	58 ³ / ₁₆	—	29 ³ / ₈	—	—	4.5
	MOBILE BASE									
	29N60TGR2ML	HPL	\$	2482	58 ³ / ₁₆	—	29 ³ / ₈	—	—	4.5
		• Can accommodate 6 users • 6 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Specify center grommet option								

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60TSD1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SHIELD TABLE  Static  Mobile	STATIC BASE		DI		H				
	29N60TSD1L HPL	\$ 2269	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—		9.9
	MOBILE BASE								
	29N60TSD1ML HPL	\$ 2334	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—		9.9
	• Can accommodate 6 users • 3 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Specify center grommet option								
SHIELD TABLE  Static  Mobile	STATIC BASE								
	29N60TSD2L HPL	\$ 2057	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—		9.9
	MOBILE BASE								
	29N60TSD2ML HPL	\$ 2193	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—		9.9
	• Can accommodate 6 users • 3 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Specify center grommet option								

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60120TDEG1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TRAINING TABLES 120° TABLE  Static	STATIC BASE		DI		H				
	29N60120TDEG1L HPL	\$ 2269	58½	—	29½	—	—		9.9
	MOBILE BASE								
	29N60120TDEG1ML HPL	\$ 2334	58½	—	29½	—	—		9.9
MANEUVER 120° TABLE  Static	STATIC BASE								
	29N60120TDEG2L HPL	\$ 2478	58½	—	29½	—	—		9.9
	MOBILE BASE								
	29N60120TDEG2ML HPL	\$ 2676	58½	—	29½	—	—		9.9




Static



Mobile



Static



Mobile

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N3348THDS1L VCW CW 462
29N3648TFG2L VCW CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HALF ELLIPSE TABLE									
	STATIC BASE								
	29N3348THDS1L	HPL	\$ 1423	33	48 ³ / ₁₆	29 ¹ / ₈	—	—	6.9
Static	MOBILE BASE								
	29N3348THDS1ML	HPL	\$ 1491	33	48 ³ / ₁₆	29 ¹ / ₈	—	—	6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
Mobile									
HALF ELLIPSE TABLE									
	STATIC BASE								
	29N3348THDS2L	HPL	\$ 1573	33	48 ³ / ₁₆	29 ¹ / ₈	—	—	6.9
Static	MOBILE BASE								
	29N3348THDS2ML	HPL	\$ 1637	33	48 ³ / ₁₆	29 ¹ / ₈	—	—	6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
Mobile									
FLAG TABLE									
	STATIC BASE								
	29N3648TFG1L	HPL	\$ 1298	36 ¹ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—	8.5
Static	MOBILE BASE								
	29N3648TFG1ML	HPL	\$ 1380	36 ¹ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—	8.5
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
Mobile									
FLAG TABLE									
	STATIC BASE								
	29N3648TFG2L	HPL	\$ 1382	36 ¹ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—	8.5
Static	MOBILE BASE								
	29N3648TFG2ML	HPL	\$ 1461	36 ¹ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—	8.5
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
Mobile									

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

- Model Number
- Rim Profile/Color
- Laminate Top Color
- Paint Color

SAMPLE MODEL NUMBER:

29N3060TKB1L VCW CW

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			CARTONED WEIGHT		CUBIC FEET	
				D	W	H	A	KW		
TRAPEZOID TABLE			STATIC BASE							
	Static	29N2448TTZ1L	HPL	\$ 1080	24	48⅜	29⅞	—	—	6.9
		MOBILE BASE								
		29N2448TTZ1ML	HPL	\$ 1143	24	48⅜	29⅞	—	—	6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
TRAPEZOID TABLE			STATIC BASE							
	Static	29N2448TTZ2L	HPL	\$ 1229	24	48⅜	29⅞	—	—	6.9
		MOBILE BASE								
		29N2448TTZ2ML	HPL	\$ 1292	24	48⅜	29⅞	—	—	6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
KIDNEY BEAN TABLE			STATIC BASE							
	Static	29N3060TKB1L	HPL	\$ 1345	30⅜	60	29⅞	—	—	6.9
		MOBILE BASE								
		29N3060TKB1ML	HPL	\$ 1410	30⅜	60	29⅞	—	—	6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
KIDNEY BEAN TABLE			STATIC BASE							
	Static	29N3060TKB2L	HPL	\$ 1496	30⅜	60	29⅞	—	—	6.9
		MOBILE BASE								
		29N3060TKB2ML	HPL	\$ 1558	30⅜	60	29⅞	—	—	6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:



1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N2448TRT1L VCW CW
29N2448TRT2L VCL CL 501

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
Static 	STATIC BASE									
	29N2448TRT1L	HPL	\$ 971	24	48 ³ / ₁₆	29 ³ / ₈	—	—		6.9
	29N2460TRT1L	HPL	1046	24	60	29 ³ / ₈	—	—		6.9
	29N2472TRT1L	HPL	1123	24	71 ¹ / ₁₆	29 ³ / ₈	—	—		6.9
	29N3048TRT1L	HPL	\$ 1107	30 ³ / ₁₆	48 ³ / ₁₆	29 ³ / ₈	—	—		8.5
	29N3060TRT1L	HPL	1182	30 ³ / ₁₆	60	29 ³ / ₈	—	—		8.5
	29N3072TRT1L	HPL	1258	30 ³ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—		8.5
Mobile 	MOBILE BASE									
	29N2448TRT1ML	HPL	\$ 1034	24	48 ³ / ₁₆	29 ³ / ₈	—	—		6.9
	29N2460TRT1ML	HPL	1111	24	60	29 ³ / ₈	—	—		6.9
	29N2472TRT1ML	HPL	1186	24	71 ¹ / ₁₆	29 ³ / ₈	—	—		6.9
	29N3048TRT1ML	HPL	\$ 1189	30 ³ / ₁₆	48 ³ / ₁₆	29 ³ / ₈	—	—		8.5
	29N3060TRT1ML	HPL	1263	30 ³ / ₁₆	60	29 ³ / ₈	—	—		8.5
	29N3072TRT1ML	HPL	1340	30 ³ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—		8.5
• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option										

RECTANGLE TABLE  Static  Mobile	STATIC BASE								
	29N2448TRT2L	HPL	\$ 1121	24	48 ¹ / ₁₆	29 ³ / ₈	—	—	6.9
	29N2460TRT2L	HPL	1152	24	60	29 ³ / ₈	—	—	6.9
	29N2472TRT2L	HPL	1271	24	71 ¹ / ₁₆	29 ³ / ₈	—	—	6.9
	29N3048TRT2L	HPL	\$ 1192	30 ³ / ₁₆	48 ¹ / ₁₆	29 ³ / ₈	—	—	8.5
	29N3060TRT2L	HPL	1268	30 ³ / ₁₆	60	29 ³ / ₈	—	—	8.5
	29N3072TRT2L	HPL	1343	30 ³ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	8.5
	MOBILE BASE								
	29N2448TRT2ML	HPL	\$ 1182	24	48 ¹ / ₁₆	29 ³ / ₈	—	—	6.9
	29N2460TRT2ML	HPL	1218	24	60	29 ³ / ₈	—	—	6.9
	29N2472TRT2ML	HPL	1335	24	71 ¹ / ₁₆	29 ³ / ₈	—	—	6.9
	29N3048TRT2ML	HPL	\$ 1256	30 ³ / ₁₆	48 ¹ / ₁₆	29 ³ / ₈	—	—	8.5
	29N3060TRT2ML	HPL	1333	30 ³ / ₁₆	60	29 ³ / ₈	—	—	8.5
	29N3072TRT2ML	HPL	1407	30 ³ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	8.5
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

MANEUVER

PRODUCT SPECIFICATIONS



- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Resin/Grade Color (if applicable)
3. Metal Color (if applicable)

SAMPLE MODEL NUMBER:

- 98K03ELPG2MTBBK
- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TRAINING TABLES MANEUVER  RECTANGULAR MODESTY PANEL 1/2 HEIGHT RESIN		GRADE 1							
	NAC4212MPA	\$ 650	3/16	41 3/4	12 3/8	—	—	4 lbs.	3.7
	NAC3012MPA	466	3/16	29 3/4	12 3/8	—	—	3 lbs.	3.6
 RECTANGULAR MODESTY PANEL 1/2 HEIGHT METAL									
	NAC4212MP2M	\$ 650	3/16	41 3/4	12 3/8	—	—	8 lbs.	3.7
	NAC3012MP2M	466	3/16	29 3/4	12 3/8	—	—	6 lbs.	3.6
 UNDERSURFACE POWER/DATA									
	98K03ELPG2MTBBK	\$ 392	3	3	1 1/2	—	—	2 lbs.	0.3

WAVEWORKS FLIP/NEST TRAINING TABLE SPECIFICATIONS

SIZES

- 18" deep in widths of 48", 60", 72"
- 24" deep in widths of 48", 60", 72"
- 30" deep in widths of 48", 60", 72"

TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim profile
- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm vinyl rim

MODESTY PANEL OPTION RESIN OR METAL

- $\frac{1}{8}$ " thick resin with a white printed film pattern
- Steel stiffener rail flexes to insert into corresponding holes on the table frame
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel

GROMMET/POWER DATA OPTIONS

- Round black nylon grommet (G1C) available for an upcharge
- CUT-G12C or CUT-G17C optional cutouts available for an upcharge
- G12 or G17 1 touch pivoting power grommet available; see pages 557-558 and 562-565
- When CUT-G12C or CUT-G17C is ordered with flip/nest table, 2 undersurface cable managers are installed on underside of surface
- Hardwire solution available for field installation on the 1 touch pivoting power grommet, see page 557
- Wire managers available, see page 575 for accessories

FLIP/NEST FUNCTIONALITY

- Release lever allows top to flip vertical for nesting capabilities
- Bases are angled at 20° to allow tables to nest
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommets and/or modesty panels are attached
- Depth of base is 22 $\frac{1}{16}$ " for 18" and 24" tables and 28 $\frac{3}{16}$ " for 30" tables
- 18" deep training tables will have a 6" gap between the tables when configuring from the approach side due to the base size
- When nesting the tables, the first table is 16" from the wall. Each additional table adds 6 $\frac{1}{2}$ " to the depth
Example: 18 x 72 flip nest = 72" width x (16" + (6 $\frac{1}{2}$ "*9)) = 75" depth for 10 tables

WAVEWORKS FLIP/NEST TRAINING TABLES

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
440	Cloud	461	Graphite
457	Dapple	478	Platinum Grey
405	Designer White	425	Shadow
491	Designer White Linear	460	Storm
		419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

RIM PROFILES

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

TABLE LEG COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

RESIN COLORS

Grade 1	
1677	Frosted



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

GROMMET AND CUTOUT OPTIONS

WaveWorks Flip/Nest Training Tables are available with a G1C grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

- G1C Round Grommet, Black (+\$41 list)
- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet when used with Interlink System (+\$41 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet when used with Interlink System (+\$41 list)


• For G12, G17, or hardwire solution, reference pages 557-558 and 562-565

NOTE: Interlink IQ units are available in the Accessories section


• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CUT-G12C



CUT-G17C



WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Finish/Laminate
6. Paint Color (for legs)

SAMPLE MODEL NUMBERS:

WW1848RTFMW R X CL 501
WW1848RTFML V 62 CUT-G12C 462 501

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD TOP—18" DEPTH								
WW1848RTFMW	\$ 2232	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMW	2347	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMW	2451	18	72	29½	—	—	93 lbs.	6.9
WOOD TOP—24" DEPTH								
WW2448RTFMW	\$ 2402	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMW	2520	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMW	2624	24	72	29½	—	—	96 lbs.	6.9
WOOD TOP—30" DEPTH								
WW3048RTFMW	\$ 2600	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMW	2721	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMW	2823	30	72	29½	—	—	98 lbs.	7.1
LAMINATE TOP—18" DEPTH								
WW1848RTFML	\$ 1749	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFML	2025	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFML	2078	18	72	29½	—	—	93 lbs.	6.9
LAMINATE TOP—24" DEPTH								
WW2448RTFML	\$ 1926	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFML	2200	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFML	2253	24	72	29½	—	—	96 lbs.	6.9
LAMINATE TOP—30" DEPTH								
WW3048RTFML	\$ 2126	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFML	2402	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFML	2454	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22½" for 18" and 24" deep training tables
- Depth of base is 28½" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Rim
- 3. Vinyl Rim Color
- 4. Grommet
- 5. Finish/Laminate
- 6. Paint Color (for legs)

SAMPLE MODEL NUMBER:

WW1848RTFMLL V 62 CUT-G12C 462 501

• See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES
(CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
TFL TOP—18" DEPTH								
WW1848RTFMLL	\$ 1401	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMLL	1620	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMLL	1663	18	72	29½	—	—	93 lbs.	6.9
TFL TOP—24" DEPTH								
WW2448RTFMLL	\$ 1540	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMLL	1760	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMLL	1802	24	72	29½	—	—	96 lbs.	6.9
TFL TOP—30" DEPTH								
WW3048RTFMLL	\$ 1698	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMLL	1923	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMLL	1966	30	72	29½	—	—	98 lbs.	7.1
• Some assembly required • Locking casters standard on user side • Depth of base is 22½" for 18" and 24" deep training tables • Depth of base is 28½" for 30" deep training tables • Not recommended for use with edge or clamp mount monitor arms								

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

WW4011MPA9

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY PANEL 1/2" HEIGHT 	WW4011MPA9 For 48" Table	\$ 642	1/8"	40	11	—	—	3 lbs.	3.6
	WW5211MPA9 For 60" Table	817	1/8"	52	11	—	—	4 lbs.	3.8
	WW6411MPA9 For 72" Table	987	1/8"	64	11	—	—	5 lbs.	3.9
	- Can only be used with flip/nest training tables - Specify model number only 1/8" thick resin with a white printed film pattern - Modesty is attached to a powder coated steel stiffener rail for rigidity - Modesty spans from leg-to-leg - Not recommended for use with 30" deep flip/nest training tables								

RECTANGULAR MODESTY PANEL 1/2" HEIGHT RESIN



		GRADE 1						
MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CUBIC FEET
NAC6012MPA		\$ 929	3/16"	59 1/16"	12 3/8"	—	—	5 lbs. 3.9
NAC5412MPA		835	3/16"	53 1/16"	12 3/8"	—	—	5 lbs. 3.8
NAC4812MPA		741	3/16"	47 1/16"	12 3/8"	—	—	4 lbs. 3.7
NAC4212MPA		650	3/16"	41 3/4"	12 3/8"	—	—	4 lbs. 3.7
NAC3612MPA		556	3/16"	35 3/4"	12 3/8"	—	—	4 lbs. 3.7
NAC3012MPA		466	3/16"	29 3/4"	12 3/8"	—	—	3 lbs. 3.6
NAC2412MPA		372	3/16"	23 1/16"	12 3/8"	—	—	3 lbs. 3.6
- Specify resin grade and color: Grade 1 Frosted (1677) - Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables - Double sided 3/16" resin - Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty								

TAPERED MODESTY PANEL 1/2" HEIGHT RESIN



		GRADE 1						
MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CUBIC FEET
NAC6012MPTA		\$ 929	3/16"	59 1/16"	12 3/8"	—	—	5 lbs. 3.9
NAC5412MPTA		835	3/16"	53 1/16"	12 3/8"	—	—	5 lbs. 3.8
NAC4812MPTA		741	3/16"	47 1/16"	12 3/8"	—	—	4 lbs. 3.7
NAC4212MPTA		650	3/16"	41 3/4"	12 3/8"	—	—	4 lbs. 3.7
NAC3612MPTA		556	3/16"	35 3/4"	12 3/8"	—	—	4 lbs. 3.7
NAC3012MPTA		466	3/16"	29 3/4"	12 3/8"	—	—	3 lbs. 3.6
NAC2412MPTA		372	3/16"	23 1/16"	12 3/8"	—	—	3 lbs. 3.6
- Specify resin grade and color: Grade 1 Frosted (1677) - Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables - Double sided 3/16" resin - Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty								

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBERS:

NAC6012MP2M E 501
NACGBT2

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR MODESTY PANEL ½ HEIGHT METAL 	NAC6012MP2M	\$ 929	½	59½	12½	—	—	10 lbs.	3.9
	NAC5412MP2M	835	½	53½	12½	—	—	10 lbs.	3.8
	NAC4812MP2M	741	½	47½	12½	—	—	8 lbs.	3.7
	NAC4212MP2M	650	½	41¾	12½	—	—	8 lbs.	3.7
	NAC3612MP2M	556	½	35¾	12½	—	—	8 lbs.	3.7
	NAC3012MP2M	466	½	29¾	12½	—	—	6 lbs.	3.6
	NAC2412MP2M	372	½	23½	12½	—	—	6 lbs.	3.6
	- Specify Style E for embossed design - Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White - Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables - Modesty comes with brackets that attach to the underside of the worksurface - Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty) - Metal modesty is 16-gauge steel 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty								
GANGING BRACKET 	NACGBT2 Table Ganging Bracket Kit	\$ 121	—	—	—	—	—	1 lbs.	0.1
	- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets - All hardware included - Available in black only - Specify model number only								
LEVELING GANGING BRACKET 	NAC18LGB Table Ganging Bracket Kit	\$ 111	—	—	—	—	—	1 lbs.	0.03
	NAC24LGB Table Ganging Bracket Kit	148	—	—	—	—	—	2 lbs.	0.03
	- NAC18LGB to be used with 18" deep flip/nest table surfaces - NAC24LGB to be used with 24" and 30" deep flip/nest table surfaces - For use when completely level surfaces are desired - Tables feature threaded inserts for ganging brackets 1 model to be ordered per flip/nest training table								

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"-72"
- 24" deep in widths of 30"-72"
- 30" deep in widths of 48"-72"

TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim
- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm vinyl rim or a wood rim with 6 rim profile options

GROMMET OPTIONS

- Cutout option for (G17) 1 Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in 4 colors
- Wire managers available, see page 575 for accessories

BASES

- Reference page 389 for base matrix requirements
- See pages 393-397 for base options available

WAVEWORKS TRAINING WORKSURFACE SPECIFICATION

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

*Not available on laminate/wood models

• CSL available on laminate worksurfaces

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

RIM PROFILE OPTIONS

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2

TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center




Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center




- Reference the Casagoods Book 2 Price List for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section


WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)

Specify locations and color option
Comes attached to worksurface
\$52 list for each location

Locations:

D1B	Back	\$52 list
D1L	Left	\$52 list
D1R	Right	\$52 list
D1LR	Left & Right	\$104 list
D1BL	Back & Left	\$104 list
D1BR	Back & Right	\$104 list



Colors:

403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

Sample Option Selections:

D1B425	Wire Manager on Back in Shadow, \$52 list
D1BL403	Wire Manager on Back and Left in Chamois, \$104 list

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1848WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WWN1848WSSDLW	M	F	X	D1B440	X	X	MH MH
WWN1848WSSDL	M	V440	X	D1L440	X	45	440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
RECTANGULAR WORKSURFACE 18" DEPTH	1$\frac{1}{2}$" TOP THICKNESS								
	WWN1872WSSDW Wood	\$ 1145	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1872WSSDLW Laminate/Wood	1145	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1872WSSDL Laminate	723	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1866WSSDW Wood	\$ 1111	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1866WSSDLW Laminate/Wood	1111	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1866WSSDL Laminate	684	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1860WSSDW Wood	\$ 1081	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1860WSSDLW Laminate/Wood	1081	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1860WSSDL Laminate	657	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1854WSSDW Wood	\$ 1057	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1854WSSDLW Laminate/Wood	1057	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1854WSSDL Laminate	601	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1848WSSDW Wood	\$ 1038	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1848WSSDLW Laminate/Wood	1038	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1848WSSDL Laminate	558	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1842WSSDW Wood	\$ 1000	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1842WSSDLW Laminate/Wood	1000	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1842WSSDL Laminate	520	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1836WSSDW Wood	\$ 971	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1836WSSDLW Laminate/Wood	971	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1836WSSDL Laminate	488	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1830WSSDW Wood	\$ 947	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1
	WWN1830WSSDLW Laminate/Wood	947	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1
	WWN1830WSSDL Laminate	455	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1872WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW1872WSSDLW M F X D1B440 X X MH MH
 WW1872WSSDL M V440 X D1L440 X 45 440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS								
	WW1872WSSDW Wood	\$ 976	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLW Laminate/Wood	976	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDL Laminate	556	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLL TFL	446	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1866WSSDW Wood	\$ 937	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLW Laminate/Wood	937	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDL Laminate	515	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLL TFL	413	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1860WSSDW Wood	\$ 910	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLW Laminate/Wood	910	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDL Laminate	490	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLL TFL	393	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1854WSSDW Wood	\$ 888	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDLW Laminate/Wood	888	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDL Laminate	433	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDLL TFL	347	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1848WSSDW Wood	\$ 869	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDLW Laminate/Wood	869	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDL Laminate	391	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDLL TFL	312	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1842WSSDW M F X D1BL403 X 39 $\frac{3}{8}$ MH
 WW1842WSSDLW M F X D1B440 X X MH MH
 WW1842WSSDL M V440 X D1L440 X 39 440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

		MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) B L R	1 ^{3⁄16} " TOP THICKNESS (CONTINUED)									
	WW1842WSSDW	Wood	\$ 828	18 ^{1⁄8}	42 ^{7⁄16}	1 ^{3⁄16}	—	—	34 lbs.	1.5
	WW1842WSSDLW	Laminate/Wood	828	18 ^{1⁄8}	42 ^{7⁄16}	1 ^{3⁄16}	—	—	34 lbs.	1.5
	WW1842WSSDL	Laminate	353	18 ^{1⁄8}	42 ^{7⁄16}	1 ^{3⁄16}	—	—	34 lbs.	1.5
	WW1842WSSDLL	TFL	284	18 ^{1⁄8}	42 ^{7⁄16}	1 ^{3⁄16}	—	—	34 lbs.	1.5
	WW1836WSSDW	Wood	\$ 799	18 ^{1⁄8}	36 ^{7⁄16}	1 ^{3⁄16}	—	—	29 lbs.	1.3
	WW1836WSSDLW	Laminate/Wood	799	18 ^{1⁄8}	36 ^{7⁄16}	1 ^{3⁄16}	—	—	29 lbs.	1.3
	WW1836WSSDL	Laminate	321	18 ^{1⁄8}	36 ^{7⁄16}	1 ^{3⁄16}	—	—	29 lbs.	1.3
	WW1836WSSDLL	TFL	256	18 ^{1⁄8}	36 ^{7⁄16}	1 ^{3⁄16}	—	—	29 lbs.	1.3
	WW1830WSSDW	Wood	\$ 778	18 ^{1⁄8}	30 ^{7⁄16}	1 ^{3⁄16}	—	—	24 lbs.	1.1
	WW1830WSSDLW	Laminate/Wood	778	18 ^{1⁄8}	30 ^{7⁄16}	1 ^{3⁄16}	—	—	24 lbs.	1.1
WW1830WSSDL	Laminate	289	18 ^{1⁄8}	30 ^{7⁄16}	1 ^{3⁄16}	—	—	24 lbs.	1.1	
WW1830WSSDLL	TFL	233	18 ^{1⁄8}	30 ^{7⁄16}	1 ^{3⁄16}	—	—	24 lbs.	1.1	

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- | | | | | | | | |
|---------------|---|------|---|---------|---|------------------|-----|
| WWN2472WSSDW | M | F | X | D1BL403 | X | 39 $\frac{3}{8}$ | MH |
| WWN2472WSSDLW | M | F | X | D1B440 | X | X | MH |
| WWN2472WSSDL | M | V440 | X | D1L440 | X | 39 | 440 |
- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH	1$\frac{3}{8}$" TOP THICKNESS								
	WWN2472WSSDW Wood	\$ 1231	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDLW Laminate/Wood	1231	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDL Laminate	778	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WWN2466WSSDW Wood	\$ 1195	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDLW Laminate/Wood	1195	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDL Laminate	734	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WWN2460WSSDW Wood	\$ 1163	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDLW Laminate/Wood	1163	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDL Laminate	707	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WWN2454WSSDW Wood	\$ 1139	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDLW Laminate/Wood	1139	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDL Laminate	647	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WWN2448WSSDW Wood	\$ 1117	24	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDLW Laminate/Wood	1117	24	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDL Laminate	601	24	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WWN2442WSSDW Wood	\$ 1077	24	42 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDLW Laminate/Wood	1077	24	42 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDL Laminate	559	24	42 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	65 lbs.	2.0
	WWN2436WSSDW Wood	\$ 1041	24	36 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDLW Laminate/Wood	1041	24	36 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDL Laminate	525	24	36 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	63 lbs.	1.8
	WWN2430WSSDW Wood	\$ 1021	24	30 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDLW Laminate/Wood	1021	24	30 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDL Laminate	490	24	30 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	61 lbs.	1.5

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2448WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WW2448WSSDLW	M	F	X	D1B440	X	X	MH MH
WW2448WSSDL	M	V440	X	D1L440	X	45	440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) 	1$\frac{1}{8}$" TOP THICKNESS							
	QWW2472WSSDW Wood	\$ 1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDW Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDLW Laminate/Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDL Laminate	600	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDLL TFL	480	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2466WSSDW Wood	\$ 1007	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDLW Laminate/Wood	1007	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDL Laminate	556	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDLL TFL	446	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2460WSSDW Wood	\$ 979	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDLW Laminate/Wood	979	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDL Laminate	526	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDLL TFL	421	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2454WSSDW Wood	\$ 954	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDLW Laminate/Wood	954	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDL Laminate	465	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDLL TFL	373	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2448WSSDW Wood	\$ 933	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDLW Laminate/Wood	933	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDL Laminate	422	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDLL TFL	339	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2442WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW2442WSSDLW M F X D1B440 X X MH MH
 WW2442WSSDL M V440 X D1L440 X 45 440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW			
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED) B L R	1 3⁄16" TOP THICKNESS (CONTINUED)									
	WW2442WSSDW	Wood	\$ 892	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDLW	Laminate/Wood	892	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDL	Laminate	380	24	42⅞	1⅜	—	—	65 lbs.	2.0
	WW2442WSSDLL	TFL	303	24	42⅞	1⅝	—	—	65 lbs.	2.0
	WW2436WSSDW	Wood	\$ 858	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDLW	Laminate/Wood	858	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDL	Laminate	347	24	36⅞	1⅜	—	—	63 lbs.	1.8
	WW2436WSSDLL	TFL	276	24	36⅞	1⅝	—	—	63 lbs.	1.8
	WW2430WSSDW	Wood	\$ 834	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDLW	Laminate/Wood	834	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDL	Laminate	311	24	30⅞	1⅜	—	—	61 lbs.	1.5
	WW2430WSSDLL	TFL	248	24	30⅞	1⅝	—	—	61 lbs.	1.5

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{16}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1½" worksurface spans should not exceed 48"; unsupported 1¾" worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3048WSSDW	M	F	X	D1BL403	X	45½	MH
WWN3048WSSDLW	M	F	X	D1B440	X	X	MH MH
WWN3048WSSDL	M	V440	X	D1L440	X	45	440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 30" DEPTH B L R	1½" TOP THICKNESS									
	WWN3072WSSDW	Wood	\$ 1355	30½	71½	1½	—	—	95 lbs.	4.0
	WWN3072WSSDLW	Laminate/Wood	1355	30½	71½	1½	—	—	95 lbs.	4.0
	WWN3072WSSDL	Laminate	895	30½	71½	1½	—	—	95 lbs.	4.0
	WWN3066WSSDW	Wood	\$ 1313	30½	66	1½	—	—	88 lbs.	3.7
	WWN3066WSSDLW	Laminate/Wood	1313	30½	66	1½	—	—	88 lbs.	3.7
	WWN3066WSSDL	Laminate	835	30½	66	1½	—	—	88 lbs.	3.7
	WWN3060WSSDW	Wood	\$ 1285	30½	60	1½	—	—	81 lbs.	3.3
	WWN3060WSSDLW	Laminate/Wood	1285	30½	60	1½	—	—	81 lbs.	3.3
	WWN3060WSSDL	Laminate	778	30½	60	1½	—	—	81 lbs.	3.3
	WWN3054WSSDW	Wood	\$ 1264	30½	54	1½	—	—	74 lbs.	3.0
	WWN3054WSSDLW	Laminate/Wood	1264	30½	54	1½	—	—	74 lbs.	3.0
	WWN3054WSSDL	Laminate	728	30½	54	1½	—	—	74 lbs.	3.0
	WWN3048WSSDW	Wood	\$ 1241	30½	48	1½	—	—	67 lbs.	2.7
	WWN3048WSSDLW	Laminate/Wood	1241	30½	48	1½	—	—	67 lbs.	2.7
	WWN3048WSSDL	Laminate	681	30½	48	1½	—	—	67 lbs.	2.7

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3072WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WW3072WSSDLW	M	F	X	D1B440	X	X	MH MH
WW3072WSSDL	M	V440	X	D1L440	X	45	440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)			1 3/16" TOP THICKNESS								
	QWW3072WSSDW	Wood	\$	1173	30 3/16	71 1/16	1 3/16	—	—	95 lbs.	4.0
	WW3072WSSDW	Wood		1173	30 3/16	71 1/16	1 3/16	—	—	95 lbs.	4.0
	WW3072WSSDLW	Laminate/Wood		1173	30 3/16	71 1/16	1 3/16	—	—	95 lbs.	4.0
	WW3072WSSDL	Laminate		717	30 3/16	71 1/16	1 3/16	—	—	95 lbs.	4.0
	WW3072WSSDLL	TFL		574	30 3/16	71 1/16	1 1/8	—	—	95 lbs.	4.0
	WW3066WSSDW	Wood	\$	1130	30 3/16	66	1 3/16	—	—	88 lbs.	3.7
	WW3066WSSDLW	Laminate/Wood		1130	30 3/16	66	1 3/16	—	—	88 lbs.	3.7
	WW3066WSSDL	Laminate		658	30 3/16	66	1 3/16	—	—	88 lbs.	3.7
	WW3066WSSDLL	TFL		526	30 3/16	66	1 1/8	—	—	88 lbs.	3.7
WW3060WSSDW	Wood	\$	1104	30 3/16	60	1 3/16	—	—	81 lbs.	3.3	
WW3060WSSDLW	Laminate/Wood		1104	30 3/16	60	1 3/16	—	—	81 lbs.	3.3	
WW3060WSSDL	Laminate		600	30 3/16	60	1 3/16	—	—	81 lbs.	3.3	
WW3060WSSDLL	TFL		480	30 3/16	60	1 1/8	—	—	81 lbs.	3.3	
WW3054WSSDW	Wood	\$	1079	30 3/16	54	1 3/16	—	—	74 lbs.	3.0	
WW3054WSSDLW	Laminate/Wood		1079	30 3/16	54	1 3/16	—	—	74 lbs.	3.0	
WW3054WSSDL	Laminate		551	30 3/16	54	1 3/16	—	—	74 lbs.	3.0	
WW3054WSSDLL	TFL		441	30 3/16	54	1 1/8	—	—	74 lbs.	3.0	
WW3048WSSDW	Wood	\$	1056	30 3/16	48	1 3/16	—	—	67 lbs.	2.7	
WW3048WSSDLW	Laminate/Wood		1056	30 3/16	48	1 3/16	—	—	67 lbs.	2.7	
WW3048WSSDL	Laminate		503	30 3/16	48	1 3/16	—	—	67 lbs.	2.7	
WW3048WSSDLL	TFL		402	30 3/16	48	1 1/8	—	—	67 lbs.	2.7	

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW M F X X 23 $\frac{1}{2}$ MH
 WWN60WSHRDLW M F X D1L440 X 440 MH
 WWN60WSHRDL M V440 X X X 440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
HALF ROUND WORKSURFACE 	1¹/₈" TOP THICKNESS									
	WWN60WSHRDW	Wood	\$ 1207	30	60	1 ¹ / ₈	—	—	69 lbs.	2.8
	WWN60WSHRDLW	Laminate/Wood	1207	30	60	1 ¹ / ₈	—	—	69 lbs.	2.8
	WWN60WSHRDL	Laminate	767	30	60	1 ¹ / ₈	—	—	69 lbs.	2.8
	1³/₁₆" TOP THICKNESS									
	WWN48WSHRDW	Wood	\$ 1036	24	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	57 lbs.	2.3
	WWN48WSHRDLW	Laminate/Wood	1036	24	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	57 lbs.	2.3
	WWN48WSHRDL	Laminate	668	24	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	57 lbs.	2.3
	1¹/₂" TOP THICKNESS									
	WW60WSHRDW	Wood	\$ 1027	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDLW	Laminate/Wood	1027	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDL	Laminate	587	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	WW60WSHRDLL	TFL	471	30	60	1 ¹ / ₂	—	—	69 lbs.	2.8
	1¹/₂" TOP THICKNESS									
	WW48WSHRDW	Wood	\$ 853	24	48 ¹ / ₁₆	1 ¹ / ₂	—	—	57 lbs.	2.3
	WW48WSHRDLW	Laminate/Wood	853	24	48 ¹ / ₁₆	1 ¹ / ₂	—	—	57 lbs.	2.3
	WW48WSHRDL	Laminate	490	24	48 ¹ / ₁₆	1 ¹ / ₂	—	—	57 lbs.	2.3
	WW48WSHRDLL	TFL	393	24	48 ¹ / ₁₆	1 ¹ / ₂	—	—	57 lbs.	2.3

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Modified width and depth not available on this shape
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)

TO ORDER, SPECIFY:


- Model Number
- Rim
- Vinyl Rim Color (laminated models)
- Laminated Top Color/Veneer Top Finish
- Veneer Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R HN
WWN2424WSQRLW R 405 HN
WWN2424WSQRL V405 405

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QUARTER ROUND
WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
WWN2424WSQRW	Wood	\$ 1021	24	24	1 1/2	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminated/Wood	1021	24	24	1 1/2	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminated	657	24	24	1 1/2	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	\$ 1189	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminated/Wood	1189	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminated	754	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	\$ 1667	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminated/Wood	1667	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminated	1113	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WWN2430WSQRW	Wood	\$ 1667	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminated/Wood	1667	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminated	1113	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
• Rim profile on radius edge of worksurface									
• Grommet option not available									
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base									

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)


TO ORDER, SPECIFY:

- Model Number
- Rim
- Vinyl Rim Color (laminate models)
- Laminate Top Color/Veneer Top Finish
- Veneer Rim Finish (combo models)











SAMPLE MODEL NUMBERS:

WW2424WSQRW R HN
WW2424WSQRLW R 405 HN
WW2424WSQRL V405 405

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
QUARTER ROUND WORKSURFACE (CONTINUED) 	1⅜" TOP THICKNESS									
	WW2424WSQRW	Wood	\$ 834	24	24	1⅜	—	—	25 lbs.	1.1
	WW2424WSQRLW	Laminate/Wood	834	24	24	1⅜	—	—	25 lbs.	1.1
	WW2424WSQRL	Laminate	477	24	24	1⅜	—	—	25 lbs.	1.1
	WW2424WSQRL	TFL	382	24	24	1⅜	—	—	25 lbs.	1.1
	• Utilize with 24" deep worksurfaces									
	WW3030WSQRW	Wood	\$ 1003	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	WW3030WSQRLW	Laminate/Wood	1003	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	WW3030WSQRL	Laminate	575	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	WW3030WSQRL	TFL	459	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurfaces									
WW3024WSQRW	Wood	\$ 1528	30⅞	24	1⅜	—	—	33 lbs.	2.0	
WW3024WSQRLW	Laminate/Wood	1528	30⅞	24	1⅜	—	—	33 lbs.	2.0	
WW3024WSQRL	Laminate	960	30⅞	24	1⅜	—	—	33 lbs.	2.0	
WW3024WSQRL	TFL	768	30⅞	24	1⅜	—	—	33 lbs.	2.0	
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right										
WW2430WSQRW	Wood	\$ 1528	24	30⅞	1⅜	—	—	33 lbs.	2.0	
WW2430WSQRLW	Laminate/Wood	1528	24	30⅞	1⅜	—	—	33 lbs.	2.0	
WW2430WSQRL	Laminate	960	24	30⅞	1⅜	—	—	33 lbs.	2.0	
WW2430WSQRL	TFL	768	24	30⅞	1⅜	—	—	33 lbs.	2.0	
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right										
• Rim profile on radius edge of worksurface										
• Grommet option not available										
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base										

BASE REQUIREMENTS

	18" D  48" - 72"	24" D  48" - 72"	30" D  48" - 72"	24" D  60" - 72"	24" & 30" D  48" & 60"
 3" Square Support Base  3" or 4" Round Support Base	(4)	(4)	(4)	(4)	(3)
 Static Column  Mobile Column	(4) (N/A) for mobile column	(4)	(4)	(4)	(3) 48" (N/A) for mobile column
 Adjustable Height Column Pin Leg  Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(4)	(N/A)
   21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(2)	(N/A)
   27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	(2)	(N/A)	(N/A)
 21" Static T (Sold 2 per box)  21" Mobile T	(N/A)	(2)	(N/A)	(2)	(N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)

TRAINING TABLES

METAL BASES

METAL BASES

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1½" thick top is 48" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended. Reference page 398 for undersurface support rail.

RECTANGULAR TOPS
RECOMMENDED SPAN BETWEEN LEGS
FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1½" TOP	
	C-LEG / T-LEG	COLUMN LEG
72"	48"	48"
66"	48"	48"
60"	42"	48"
54"	36"	46"
48"	30"	40"
42"	24"	34"

TRAINING TABLES

METAL BASES

PRODUCT SPECIFICATIONS






• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Paint Color (if applicable)
- 4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	4" SUPPORT BASE ROUND		DI	H					
	NAC0428SFRNB Metal	\$ 294	4	—	27¾	—	—	10 lbs.	1.0
	NAC2804SFBW Wood	793	4	—	27¾	—	—	6 lbs.	1.0
• Adjustable glide standard • Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Metal base, optional upper and lower (CUL) wire management cutout • Wood base, specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordoba (CC), Cordovan (CW), Honey (HN), Huntington (TM), Judicial (DW), Midtown (Mw), Mocha (MH), Natural (NM), Sedona (SC), Tribeca (TW), Truffle (TF), Urban (UW)									
	3" SUPPORT BASE ROUND								
	NAC0328SFRNB	\$ 224	3	—	27¾	—	—	8 lbs.	0.8
• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
	3" SUPPORT BASE ROUND COUNTER HEIGHT								
	NAC0334SFRNB	\$ 339	3	—	34⅞	—	—	10 lbs.	1.0
• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
	3" SUPPORT BASE ROUND BAR HEIGHT								
	NAC0340SFRNB	\$ 384	3	—	40%	—	—	11 lbs.	1.1
• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements





TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBER:

NAC0334SFSQB CUL 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	3" SUPPORT BASE SQUARE								
	NAC0328SFSQB	\$ 224	3	3	27¾	—	—	8 lbs.	0.8
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	3" SUPPORT BASE SQUARE COUNTER HEIGHT								
	NAC0334SFSQB	\$ 339	3	—	34½	—	—	10 lbs.	1.0
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	3" SUPPORT BASE SQUARE BAR HEIGHT								
	NAC0340SFSQB	\$ 384	3	—	40¾	—	—	11 lbs.	1.1
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	2" SUPPORT BASE SQUARE								
	NAC0228SFSQB	\$ 184	2	2	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Not intended for use with U- and P-shaped desks with modesty • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

PRODUCT SPECIFICATIONS





• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Column Paint Color
- 4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV0228COBP CUL 501 462
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COLUMN LEG STATIC 	CBV0228COBP	\$ 157	2	—	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
COLUMN LEG MOBILE 	CBV0228COBMP	\$ 188	2	—	27¾	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG STATIC 	CBV0228COA2BP	\$ 313	1½	—	24¾-33¾	—	—	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG MOBILE 	CBV0228COA2BMP	\$ 345	1½	—	26¾-35¾	—	—	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

METAL BASES

PRODUCT SPECIFICATIONS




• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Column Paint Color
- 4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2728CL2BP CUL 501 501
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
C-LEG BASE STATIC 	CBV2728CL2BP	\$ 876	2½	26⅞	27¾	—	—	30 lbs.	7.2
	CBV2128CL2BP	785	2½	20½	27¾	—	—	26 lbs.	2.8
• Adjustable glides standard • Some assembly required • Sold 2 per box • Grommets should be field installed on surfaces utilizing a C-leg • Optional upper and lower (CUL) wire management cutout • Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
C-LEG BASE MOBILE 	CBV2728CL2BMP	\$ 916	2½	26⅞	27¾	—	—	30 lbs.	7.2
	CBV2128CL2BMP	824	2½	20½	27¾	—	—	26 lbs.	2.8
• Dual wheel locking casters • Some assembly required • Sold 2 per box • Grommets should be field installed on surfaces utilizing a C-leg • Optional upper and lower (CUL) wire management cutout • Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
BASIC C-LEG BASE STATIC 	CBV2728CL1 Black	\$ 391	2	26⅞	27¾	—	—	10 lbs.	3.8
	CBV2728CL1S Platinum Metallic	391	2	26⅞	27¾	—	—	10 lbs.	3.8
	CBV2128CL1 Black	\$ 359	2	20½	27¾	—	—	9 lbs.	3.0
	CBV2128CL1S Platinum Metallic	359	2	20½	27¾	—	—	9 lbs.	3.0
• Adjustable glides standard • Grommets should be field installed on surfaces utilizing a C Leg • Sold 1 per box									

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements





TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color (if applicable)
- Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BASIC C-LEG BASE MOBILE 	CBV2728CLM1	Black	\$ 421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2728CLM1S	Platinum Metallic	421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	\$ 382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	CBV2128CLM1S	Platinum Metallic	382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	- Dual wheel locking casters - Grommets should be field installed on surfaces utilizing a C Leg - Sold 1 per box									
ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT 	CBV2628CLA2B	Cinder	\$ 1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2628CLA2S	Platinum Metallic	1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2628CLA2N	Satin Nickel Metallic	1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2128CLA2B	Cinder	\$ 1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	CBV2128CLA2S	Platinum Metallic	1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	CBV2128CLA2N	Satin Nickel Metallic	1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	- Sold 2 per box - Ships fully assembled - Grommets should be field installed on surfaces utilizing a C-leg									
T-LEG BASE STATIC 	CBV2128TL2BP		\$ 785	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
	- Adjustable glides standard - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
T-LEG BASE MOBILE 	CBV2128TL2BMP		\$ 824	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
	- Dual wheel locking casters - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									

METAL BASES

PRODUCT SPECIFICATIONS



- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

- CBV2128T1
- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	BASIC T-LEG BASE STATIC									
	CBV2128T1	Black	\$ 359	2	20½	27¼	—	—	10 lbs.	3.0
	CBV2128T1S	Platinum Metallic	359	2	20½	27¼	—	—	10 lbs.	3.0
	• Adjustable glides standard • Sold 1 per box									
	BASIC T-LEG BASE MOBILE									
	CBV2128TM1	Black	\$ 382	2	20½	27¼	—	—	10 lbs.	3.0
	CBV2128TM1S	Platinum Metallic	382	2	20½	27¼	—	—	10 lbs.	3.0
	• Dual wheel locking casters • Sold 1 per box									

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABEB

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED CUBIC WEIGHT FEET	
				D	W	H	A			
ELECTRIC ADJUSTABLE HEIGHT BASE 	CBV3072ABEB	Cinder	\$ 3076	29	62½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3072ABES	Platinum Metallic	3076	29	62½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3072ABEN	Satin Nickel Metallic	3076	29	62½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3066ABEB	Cinder	\$ 3067	29	56½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3066ABES	Platinum Metallic	3067	29	56½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3066ABEN	Satin Nickel Metallic	3067	29	56½	25⅝-44⅞	—	—	67 lbs.	2.3
	CBV3060ABEB	Cinder	\$ 3059	29	50½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV3060ABES	Platinum Metallic	3059	29	50½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV3060ABEN	Satin Nickel Metallic	3059	29	50½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV3048ABEB	Cinder	\$ 2977	29	38½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV3048ABES	Platinum Metallic	2977	29	38½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV3048ABEN	Satin Nickel Metallic	2977	29	38½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2472ABEB	Cinder	\$ 2910	23	62½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2472ABES	Platinum Metallic	2910	23	62½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2472ABEN	Satin Nickel Metallic	2910	23	62½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2466ABEB	Cinder	\$ 2902	23	56½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2466ABES	Platinum Metallic	2902	23	56½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2466ABEN	Satin Nickel Metallic	2902	23	56½	25⅝-44⅞	—	—	65 lbs.	2.1
	CBV2460ABEB	Cinder	\$ 2894	23	50½	25⅝-44⅞	—	—	64 lbs.	2.1
	CBV2460ABES	Platinum Metallic	2894	23	50½	25⅝-44⅞	—	—	64 lbs.	2.1
	CBV2460ABEN	Satin Nickel Metallic	2894	23	50½	25⅝-44⅞	—	—	64 lbs.	2.1
	CBV2448ABEB	Cinder	\$ 2813	23	38½	25⅝-44⅞	—	—	64 lbs.	2.1
	CBV2448ABES	Platinum Metallic	2813	23	38½	25⅝-44⅞	—	—	64 lbs.	2.1
	CBV2448ABEN	Satin Nickel Metallic	2813	23	38½	25⅝-44⅞	—	—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV3072ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- 1 touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

METAL BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBERS:

NAC0248SUR
NAC5408MPM

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	Q ^N AC0248SUR	\$ 274	2 3/4	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2 3/4	48	1	—	—	5 lbs.	0.5
	Q ^N AC0236SUR	235	2 3/4	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2 3/4	36	1	—	—	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 3/4" worksurface and greater than 60" on a 1 3/4" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

MESH WIRE MANAGER	NAC0318WMM	Black	\$ 137	—	3	17 1/2	—	—	2 lbs.	0.1
--------------------------	------------	-------	--------	---	---	--------	---	---	--------	-----




- Applicable to all 2 1/2" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	\$ 279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	279	—	3	18	—	—	2 lbs.	0.1




- Applicable to all 2 1/2" diameter C, T and X bases
- Clamps to leg; no hardware required

MESH MODESTY PANEL	NAC5408MPM	\$ 375	1/4	54	8	—	—	5 lbs.	0.7
	NAC4808MPM	331	1/4	48	8	—	—	4 lbs.	0.6
	NAC4208MPM	295	1/4	42	8	—	—	4 lbs.	0.5



- Specify base model only
- Used only for privacy, not support
- Offers horizontal cable management
- Textile is a black mesh material

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)


"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV7272ALBEB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT 	CBV7272ALBEB	Cinder	\$ 4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7272ALBES	Platinum Metallic	4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7272ALBEN	Satin Nickel Metallic	4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBEB	Cinder	\$ 4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBES	Platinum Metallic	4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBEN	Satin Nickel Metallic	4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBEB	Cinder	\$ 4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBES	Platinum Metallic	4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBEN	Satin Nickel Metallic	4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBEB	Cinder	\$ 4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBES	Platinum Metallic	4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBEN	Satin Nickel Metallic	4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6066ALBEB	Cinder	\$ 4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8
	CBV6066ALBES	Platinum Metallic	4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8
	CBV6066ALBEN	Satin Nickel Metallic	4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8


- Rated for a maximum of 300 lbs.
- Reference the matrix on page 399 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

WAVEWORKS PRODUCT SPECIFICATIONS


WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a 3mm vinyl rim or 6 veneer rim options
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim profile


RIM PROFILE OPTIONS




Softened Wood (F)




Reed Wood (R)




Cove Wood (P)*




Zip Wood (Z)




Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey and Tuscan

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WOOD FINISHES

AD	Almond Straight Grain	DF	Driftwood Straight Grain	PB	Portobello Straight Grain
MC	Amber Cherry	HN	Honey Maple	792	Sable Straight Grain
AC	Autumn Cherry	TM	Huntington Maple	SC	Sedona Cherry
IM	Brighton Maple	DW	Judicial Walnut	TW	Tribeca Walnut
CO	Canyon Straight Grain	MW	Midtown Walnut	TF	Truffle Cherry
CL	Caramel Maple	MH	Mocha Cherry	NW	Tuscan Straight Grain
CC	Cordoba Cherry	YO	Monterey Straight Grain	UW	Urban Walnut
CW	Cordovan Walnut	NM	Natural Maple		

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler
M = 0	Connecting Worksurface Flat Brackets
E = 2	Connecting Worksurface Flat Brackets
F = 4	Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

• CSL available on HPL worksurfaces


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

• Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com


• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

EPIC PRODUCT SPECIFICATIONS


WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate), and feature a 3mm vinyl or wood rim or a knife rim profile
- Veneer surfaces are 1 $\frac{3}{8}$ " and feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning


RIM PROFILE OPTIONS



Softened Vinyl (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

WORKSURFACE SHEEN OPTIONS

N	Matte/Satin
R	Gloss

SOFTENED VINYL RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

"L" CONFIGURATION EPIC WORKSURFACES

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center




• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 562 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 562 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets

E = 2 Connecting Worksurface Flat Brackets

F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Caseloads Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)


SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2 E F X D1B403 MH
 WWN3672WSCEDLLW2 E F X D1R440 MH MH
 WWN3672WSCEDLL2 E V440 X D1L440 440

- See pages 401-402 for all options available in "L" Configuration Worksurfaces

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE  Left shown	1 1/16" TOP THICKNESS										
	LEFT	RIGHT									
	WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	\$ 1968	35 13/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood	1968	35 13/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate	1671	35 13/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	\$ 1911	35 13/16	66	1 1/16	—	—	72 lbs.	3.6
	WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood	1911	35 13/16	66	1 1/16	—	—	72 lbs.	3.6
	WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate	1592	35 13/16	66	1 1/16	—	—	72 lbs.	3.6
WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	\$ 1795	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood	1795	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate	1520	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
1 1/16" TOP THICKNESS											
LEFT	RIGHT										
WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	\$ 1784	35 13/16	72	1 1/16	—	—	79 lbs.	3.9	
WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 13/16	72	1 1/16	—	—	79 lbs.	3.9	
WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 13/16	72	1 1/16	—	—	79 lbs.	3.9	
WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 13/16	72	1 1/8	—	—	79 lbs.	3.9	
WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	\$ 1723	35 13/16	66	1 1/16	—	—	72 lbs.	3.6	
WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 13/16	66	1 1/16	—	—	72 lbs.	3.6	
WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 13/16	66	1 1/16	—	—	72 lbs.	3.6	
WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 13/16	66	1 1/8	—	—	72 lbs.	3.6	
WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	\$ 1608	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 13/16	60	1 1/16	—	—	65 lbs.	3.3	
WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 13/16	60	1 1/8	—	—	65 lbs.	3.3	

- Wire Manager available on left side, back or right side; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 398
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For wire managers, see page 575



Left shown

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25N3672WSCERW2 E V G1A X MC
25N3872WSCERW2K2 E V G1A X MC
- See pages 403-404 for all options available in "L" Configuration Worksurfaces

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE	SOFTENED RIM									
	LEFT RIGHT									
	25N3672WSCELW2	25N3672WSCERW2	Wood	\$ 1912	35 1/8	72	1 1/8	—	79 lbs.	3.9
	25N3672WSCCELL2	25N3672WSCERL2	Laminate	1593	35 1/8	72	1 1/8	—	79 lbs.	3.9
Left shown	25N3666WSCELW2	25N3666WSCERW2	Wood	\$ 1845	35 1/8	66	1 1/8	—	72 lbs.	3.6
	25N3666WSCCELL2	25N3666WSCERL2	Laminate	1514	35 1/8	66	1 1/8	—	72 lbs.	3.6
	25N3660WSCELW2	25N3660WSCERW2	Wood	\$ 1721	35 1/8	60	1 1/8	—	65 lbs.	3.3
	25N3660WSCCELL2	25N3660WSCERL2	Laminate	1437	35 1/8	60	1 1/8	—	65 lbs.	3.3
	KNIFE RIM									
	LEFT RIGHT									
	25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	\$ 2485	36 1/8	71 1/8	1 1/8	—	79 lbs.	3.9
	25N3672WSCCELL2K1	25N3672WSCERL2K1	Laminate	2473	36 1/8	71 1/8	1 1/8	—	79 lbs.	3.9
	25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	\$ 2400	36 1/8	66	1 1/8	—	72 lbs.	3.6
	25N3666WSCCELL2K1	25N3666WSCERL2K1	Laminate	2346	36 1/8	66	1 1/8	—	72 lbs.	3.6
	25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	\$ 2235	36 1/8	60	1 1/8	—	65 lbs.	3.3
	25N3660WSCCELL2K1	25N3660WSCERL2K1	Laminate	2229	36 1/8	60	1 1/8	—	65 lbs.	3.3
	25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	\$ 2485	37 1/2	71 1/8	1 1/8	—	79 lbs.	3.9
	25N3872WSCCELL2K2	25N3872WSCERL2K2	Laminate	2473	37 1/2	71 1/8	1 1/8	—	79 lbs.	3.9
	25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	\$ 2400	37 1/2	66	1 1/8	—	72 lbs.	3.6
	25N3866WSCCELL2K2	25N3866WSCERL2K2	Laminate	2346	37 1/2	66	1 1/8	—	72 lbs.	3.6
	25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	\$ 2235	37 1/2	60	1 1/8	—	65 lbs.	3.3
	25N3860WSCCELL2K2	25N3860WSCERL2K2	Laminate	2229	37 1/2	60	1 1/8	—	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 404 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 398
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For wire managers, see page 575

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Caseloads Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN2436WSSVDW M F X D1BL403 X 55½ MH
 WWN2436WSSVDLW M F X D1B440 X X MH MH
 WWN2436WSSVDL M V440 X D1L440 X 55 440
- See pages 401-402 for all options available in "L" Configuration Worksurfaces

</

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Casagoods Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

25N2436WSSVW M F X D1BL403 X 55½ MH
25N2436WSSVL M V440 X D1L440 X 55 440

- See pages 403-404 for all options available in "L" Configuration Worksurfaces

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 24" DEPTH  Grain direction runs front-to-back	SOFTENED RIM												
	25N2436WSSVW	Wood	\$	920	24	36½	1¾	—	—			33 lbs.	1.8
	25N2436WSSVL	Laminate		372	24	36½	1¾	—	—			33 lbs.	1.8
	25N2430WSSVW	Wood	\$	894	24	30½	1¾	—	—			28 lbs.	1.5
	25N2430WSSVL	Laminate		332	24	30½	1¾	—	—			28 lbs.	1.5
	KNIFE RIM												
	25N2636WSSVWK1	Wood	\$	1197	25½	36½	1¾	—	—			33 lbs.	1.8
	25N2636WSSVLK1	Laminate		576	25½	36½	1¾	—	—			33 lbs.	1.8
25N2630WSSVWK1	Wood	\$	1162	25½	30½	1¾	—	—			28 lbs.	1.5	
25N2630WSSVLK1	Laminate		513	25½	30½	1¾	—	—			28 lbs.	1.5	
• Grain direction runs front-to-back • Intended to be used when building an L configuration utilizing components • For wire managers, see page 575													

STORAGE COMPONENTS AND ACCESSORIES

Arrowood	410
Barrington	411
Epic	412
Escalade	415
Roosevelt	417
Universal	417
WaveWorks	423

ARROWOOD

PRODUCT SPECIFICATIONS

• For details and product specifications, see the Casegoods Book 1 Price List


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Grommet Option
- 3. Locking
- 4. Finish (31N only)
- 5. Laminate (21N only)

SAMPLE MODEL NUMBER:

31N2472CBVLW X KRS MC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
ENTERTAINMENT CREDENZA	31N2472CBVW	Wood	\$ 6189	22 ²⁵ / ₃₂	71 ¹³ / ₁₆	34 ¹⁵ / ₁₆	—	—	309 lbs.	36.4
	31N2472CBVLW	Laminate/Wood	6189	22 ²⁵ / ₃₂	71 ¹³ / ₁₆	34 ¹⁵ / ₁₆	—	—	309 lbs.	36.4



- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¾" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:


50N2172CBVW 80AB G13C KRB DW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ENTERTAINMENT CREDENZA	50N2172CBVW Wood	\$ 6085	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW Laminate/Wood	6085	21	71¾	34½	—	—	379 lbs.	42.9



- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

BUFFET CREDENZA



50N2172CBW Wood	\$ 5977	21	71¾	34½	—	—	379 lbs.	42.9
50N2172CBLW Laminate/Wood	5977	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2448CVMSL VMH 89PL G1LR KS2S FR501 461 MH MH

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
SOFTENED RIM 72"–1½" TOP THICKNESS									
25NN2472CVMSW	Wood	\$ 9902	24	72	35⅞	—	—	383 lbs.	36.3
25NN2472CVMSL	Laminate	8731	24	72	35⅞	—	—	383 lbs.	36.3
60"–1½" TOP THICKNESS									
25NN2460CVMSW	Wood	\$ 9592	24	60	35⅞	—	—	325 lbs.	28.9
25NN2460CVMSL	Laminate	8412	24	60	35⅞	—	—	325 lbs.	28.9
48"–1½" TOP THICKNESS									
25NN2448CVMSW	Wood	\$ 9275	24	48⅞	35⅞	—	—	290 lbs.	24.7
25NN2448CVMSL	Laminate	8101	24	48⅞	35⅞	—	—	290 lbs.	24.7
KNIFE RIM 72"–1½" TOP THICKNESS									
25NN2672CVMSWK1	Wood	\$ 10308	25½	72	35⅞	—	—	383 lbs.	36.3
25NN2672CVMSLK1	Laminate	9198	25½	72	35⅞	—	—	383 lbs.	36.3
60"–1½" TOP THICKNESS									
25NN2660CVMSWK1	Wood	\$ 9968	25½	60	35⅞	—	—	325 lbs.	28.9
25NN2660CVMSLK1	Laminate	8836	25½	60	35⅞	—	—	325 lbs.	28.9
48"–1½" TOP THICKNESS									
25NN2648CVMSWK1	Wood	\$ 9641	25½	48⅞	35⅞	—	—	290 lbs.	24.7
25NN2648CVMSLK1	Laminate	8461	25½	48⅞	35⅞	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only, 1½" top thickness
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CBVL V405 76CC X KRB FR501 405 405 405

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
SOFTENED RIM										
1¹/₆" TOP THICKNESS										
25NN2472CBVW	Wood	\$ 7807	24	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
25NN2472CBVL	Laminate	6377	24	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
1³/₈" TOP THICKNESS										
25N2472CBVW	Wood	\$ 6962	24	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
25N2472CBVL	Laminate	5685	24	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
KNIFE RIM										
1¹/₆" TOP THICKNESS										
25NN2672CBVWK1	Wood	\$ 8213	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
25NN2672CBVLK1	Laminate	6845	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
1³/₈" TOP THICKNESS										
25N2672CBVWK1	Wood	\$ 7305	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
25N2672CBVLK1	Laminate	6041	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	—	381 lbs.	46.7
• Back panel is not fully finished and includes cutouts for venting • Rim profile on front only • Features an adjustable shelf • Inside dimension of each storage section is 21¹/₄" deep x 34¹/₂" wide x 24³/₄" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN1880VSHLW KRS FR462 AD

BUFFET CREENZA



MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET**SOFTENED RIM
1¹/₆" TOP THICKNESS**

25NN2472CBW	Wood	\$ 7668	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
25NN2472CBL	Laminate	6263	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7

1¹/₆" TOP THICKNESS

25N2472CBW	Wood	\$ 6838	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
25N2472CBL	Laminate	5584	24	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7


**KNIFE RIM
1¹/₆" TOP THICKNESS**

25NN2672CBWK1	Wood	\$ 8067	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
25NN2672CBLK1	Laminate	6723	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7

1¹/₆" TOP THICKNESS

25N2672CBWK1	Wood	\$ 7174	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7
25N2672CBLK1	Laminate	5934	25 ¹ / ₂	71 ¹ / ₆	35 ¹ / ₆	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front only
- Features a fully finished back
- Inside dimension of each storage section is 21¹/₄" deep x 34¹/₂" wide x 24¹/₂" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MEDIA STORAGE TOWER
SINGLE DOOR

Left shown

LEFT HINGED

RIGHT HINGED

25NN1880VSHLW	25NN1880VSHRW	Wood	\$ 5069	23 ³ / ₁₆	17 ¹ / ₁₆	79 ³ / ₄	—	—	197 lbs.	31.0
25NN1880VSHLL	25NN1880VSHRL	Laminate	3009	23 ³ / ₁₆	17 ¹ / ₁₆	79 ³ / ₄	—	—	197 lbs.	31.0

- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS





- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2273CBVW 79SN G1C KRB CL

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ENTERTAINMENT CREDENZA 	ECN2273CBVW Wood	\$ 6970	22 $\frac{1}{4}$	72 $\frac{1}{2}$	35 $\frac{1}{16}$	—	—	380 lbs.	45.2
	• Rim and base molding on front and sides of model • Center 2 doors lock • Unit features 3 standard adjustable shelves • Unit features a functional, non-locking drawer • Cutouts in back panel for venting • Grommet (G1C) available • Inside dimension of center storage section is 19$\frac{1}{4}$" deep x 33$\frac{1}{4}$" wide x 25$\frac{1}{4}$" high • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
BUFFET CREDENZA 	ECN2273CBW Wood	\$ 6970	22 $\frac{1}{4}$	72 $\frac{1}{2}$	35 $\frac{1}{16}$	—	—	380 lbs.	45.2
	• Rim and base molding on front and sides of model • Center 2 doors lock • Unit features 3 standard adjustable shelves • Unit features a functional, non-locking drawer • Grommet option not available • Inside dimension of center storage section is 19$\frac{1}{4}$" deep x 33$\frac{1}{4}$" wide x 25$\frac{1}{4}$" high • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
ENTERTAINMENT CABINET 	ECN3879VVHW Wood	\$ 7856	23 $\frac{7}{16}$	38 $\frac{3}{16}$	78 $\frac{1}{2}$	—	—	340 lbs.	48.9
	• Unit features 170° hinges on top 2 doors • Back of unit has standard grommets for cord management and for ventilation • Unit features an adjustable shelf in both the upper and lower sections • Interior dimensions for upper section 20$\frac{1}{16}$" D, 34$\frac{1}{8}$" W, 47$\frac{1}{8}$" H • Do not specify sheen option; features matte sheen • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
MOBILE UTILITY CART 	ECN2238MUCW Wood	\$ 3503	22 $\frac{1}{4}$	38 $\frac{3}{8}$	35 $\frac{1}{16}$	—	—	145 lbs.	24.7
	• Can function as a service cart, overhead projector stand or TV cabinet • Unit features a single adjustable shelf • 4 dual wheel non-locking casters are standard • Grommet (G1C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

ESCALADE

PRODUCT SPECIFICATIONS



• For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Finish
- 3. Laminate

SAMPLE MODEL NUMBER:

ECN0637CPCFW NM

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
VISUAL BOARD 	WOOD								
	NAC3639VBW	\$ 2829	4 ¹ / ₁₆	35 ⁷ / ₈	39 ¹ / ₁₆	—	—	65 lbs.	5.9
	NAC4239VBW	3643	4 ¹ / ₁₆	41 ¹ / ₁₆	39 ¹ / ₁₆	—	—	82 lbs.	7.1
	LAMINATE								
	NAC3639VBL	\$ 2335	4 ¹ / ₁₆	35 ⁷ / ₈	39 ¹ / ₁₆	—	—	65 lbs.	5.9
	NAC4239VBL	2707	4 ¹ / ₁₆	41 ¹ / ₁₆	39 ¹ / ₁₆	—	—	82 lbs.	7.1
	• All installation hardware included • Frame of visual board is black • Tackable black textile covers inside door panels • A set of 4 dry erase markers and an eraser are standard • Marker board is not magnetic								
ESCALADE VISUAL BOARD CORNICE TOP 	ECN0637CPCFW	\$ 780	5 ³ / ₄	37 ¹ / ₁₆	3 ¹ / ₁₆	—	—	35 lbs.	1.1
	ECN0643CPCFW	901	5 ³ / ₄	43 ³ / ₈	3 ¹ / ₁₆	—	—	40 lbs.	1.3
	• ECN0637CPCFW fits on top of NAC3639VBW • ECN0643CPCFW fits on top of NAC4239VBW								

STORAGE AND ACCESSORIES

ESCALADE

PRODUCT SPECIFICATIONS

• For details and product specifications, see the Casegoods Book 1 Price List



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Pull Option
- 3. Grommet Option
- 4. Locking
- 5. Finish

SAMPLE MODEL NUMBER:

51N2172CSFW2 82AB X KRB MH

STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
51N2172CSFW2	Wood Top	\$ 4255	21	71¾	29½	—	—	340 lbs.	36.4
Q51N2172CSFLW2	Laminate Top	4025	21	71¾	29½	—	—	340 lbs.	36.4
51N2172CSFLW2	Laminate Top	3943	21	71¾	29½	—	—	340 lbs.	36.4

- Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

UNIVERSAL STORAGE COMPONENTS AND ACCESSORIES SPECIFICATIONS

FINISH APPLICATION

ENTERTAINMENT AND BUFFET CREDENZAS

- Veneer surfaces are 1¾" and feature wood rim with 5 profile options
- Laminate/wood models are 1¾" HPL (high pressure laminate) that feature wood rim with 5 profile options

LECTERNS, MUTLI-FUNCTIONAL CART

- Veneer surfaces are 1¾" and feature a 3mm wood rim profile

PULL-UP TABLE

- Veneer and laminate surfaces

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

ENTERTAINMENT AND BUFFET CREDENZAS

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

MC	Amber
AC2	Autumn 2
IM	Brighton
CL	Caramel
CC	Cordoba
CW	Cordovan
HN2	Honey 2
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
NM	Natural
SC	Sedona
TW	Tribeca
TF	Truffle
UW	Urban

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

WOOD RIM

MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CC	Cordoba
CW	Cordovan
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
NM	Natural
SC	Sedona
TW	Tribeca
TF	Truffle
UW	Urban

CREDENZA RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)

Self (J)
(all wood models only)

LECTERNS, MULTI-FUNCTIONAL CART

WOOD FINISHES

AD	Almond Straight Grain	MW	Midtown Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CO	Canyon Straight Grain	PB	Portobello Straight Grain
CL	Caramel Maple	792	Sable Straight Grain
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	TW	Tribeca Walnut
DF	Driftwood Straight Grain	TF	Truffle Cherry
HN	Honey Maple	NW	Tuscan Straight Grain
TM	Huntington Maple	UW	Urban Walnut
DW	Judicial Walnut		

PULL-UP TABLE

WOOD FINISHES

793	Acorn	CW	Cordovan	PC	Porcini
AD	Almond	405	Designer White	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC	Autumn	HN	Honey	792	Sable
BZ	Brazilwood	TM	Huntington	SC	Sedona
IM	Brighton	DW	Judicial	SK	Skyline
CO	Canyon	KN	Kona	TW	Tribeca
CL	Caramel	MW	Midtown	TF	Truffle
CI	Chai	MH	Mocha	NW	Tuscan
462	Cinder	YO	Monterey	UW	Urban
CC	Cordoba	NM	Natural	WL	Willow

PERSONAL PULL-UP TABLE, LECTERNS, MULTI-FUNCTIONAL CART

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Rim Profile
- 3. Pull Option
- 4. Grommet Option
- 5. Wood Finish
- 6. Laminates (laminate/wood only)
- 7. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CCW2472CBVW A 6MB G1LR AC

• See page 419 for all options available in Universal

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H	A	KW		
CCW2472CBVW	Wood-J	\$ 5384	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVW	Wood-A,D,F,M	6280	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVLW	Laminate/Wood-A,D,F,M	6280	24	72	35	—	—	320 lbs.	43.0
• Rim and chassis must be the same finish • Cutouts in back panel for venting • Grommet (G1LR) available \$82 list upcharge • Features WaveWorks Nantucket pulls in cinder • Unfinished back panel • Features an adjustable shelf behind each set of double doors • Inside dimension of each storage section is 22" deep x 34 1/2" wide x 24 1/2" high • Unit is non-locking									

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H	A	KW		
CCW2472CBW	Wood-J	\$ 5384	24	72	35	—	—	381 lbs.	49.0
CCW2472CBW	Wood-A,D,F,M	6280	24	72	35	—	—	381 lbs.	49.0
CCW2472CBLW	Laminate/Wood-A,D,F,M	6280	24	72	35	—	—	381 lbs.	49.0
• Rim and chassis must be the same finish • Features WaveWorks Nantucket pulls in cinder • Unfinished back panel • Features an adjustable shelf behind each set of double doors • Grommet option not available • Inside dimension of each storage section is 22" deep x 34 1/2" wide x 24 1/2" high • Unit is non-locking									

TO ORDER, SPECIFY:


- 1. Model Number
- 2. Finish (wood only)
- 3. Laminates (laminate only)

SAMPLE MODEL NUMBER:

NAC3048MBW
• See page 419 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					

MARKER BOARD




NAC3048MBW	\$ 639	¾	47¾	30	—	—	35 lbs.	1.4
• Installation hardware included • Specify model number only								

PERSONAL PULL-UP TABLE




10N1622RTPUW	Wood	\$ 1514	13¾	22	28½	—	—	32 lbs.	9.25
10N1622RTPUL	Laminate	1514	13¾	22	28½	—	—	32 lbs.	9.25
• 50 lb. weight limit • Specify metal finish (462) Cinder, (423) Concrete, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Veneer species is maple									

PERSONAL PULL-UP TABLE



White Marble



Black Marble

10N1120RTPU2SS	White Marble	\$ 1067	11	20	25	—	—	30 lbs.	5.00
10N1620RTPU2SB	Black Marble	1067	16	20	25	—	—	30 lbs.	6.95

- White Marble model has a Platinum Metallic base; Black Marble model has a Cinder base
- 10N1620RTPU2SB top material is Porcelain with pattern Nero Marquina
- 10N1120RTPU2SS top material is Natural Marble species of Bianco Crown Marble
- Specify model number only





TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish (wood only)
4. Laminates (laminite only)

SAMPLE MODEL NUMBER:

10N2427MUCW KRB CW

- See page 419 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS							CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW				
LECTERNS  Set-on Surface	SET-ON SURFACE										
	10N2712LCW	Wood	\$ 3393	24	27	12	—	—	45 lbs.	5.9	
	10N2712LCL	Laminate	2740	24	27	12	—	—	45 lbs.	5.9	
	• Tilted writing surface and trim are Designer White 3D laminate • For use on conference tops or any top for impromptu meetings										
Basic 	BASIC										
	10N2746LCW	Wood	\$ 5665	24	27	46	—	—	160 lbs.	26.2	
	10N2746LCL	Laminate	5197	24	27	46	—	—	160 lbs.	26.2	
	• Tilted writing surface and trim are Designer White 3D laminate • Adjustable shelf • Back panels are fully finished										
Deluxe 	DELUXE										
	10N2746LC2W	Wood	\$ 8973	24	27	46	—	—	175 lbs.	26.2	
	10N2746LC2L	Laminate	7745	24	27	46	—	—	175 lbs.	26.2	
	• Tilted writing surface, slide out shelf, step stool and trim are Designer White 3D laminate • Included with the deluxe lectern is a microphone, light, slide out shelf and slide out step stool • Adjustable shelf • Convenience outlet NAC0902EL5C is included in the deluxe model • Back panels are fully finished and hinged to allow for wire access • Slide out shelf dimensions: 12½" D x 19½" W and has a weight limit of 30 lbs • Slide out step stool has a weight limit of 250 lbs • Features 2 dual wheel casters • Microphone does not include speakers, must be wired to customer's sound system • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
MOBILE LECTERN 	MOBILE LECTERN										
	10N2142LCML	Laminate	\$ 1455	16⅞	21⅞	42⅜	—	—	30 lbs.	3.5	
	• HPL writing surface • Pencil ledge is only available in black • No CSL on lectern top • 4 double wheel locking casters standard • Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) base • 12° slope for top; not adjustable • Some assembly required										
MULTI-FUNCTIONAL CART 	MULTI-FUNCTIONAL CART										
	10N2427MUCW	Wood	\$ 4107	24	27	34⅞	—	—	145 lbs.	24.7	
	10N2427MUCL	Laminate	3543	24	27	34⅞	—	—	145 lbs.	24.7	
	• Top surface is Designer White 3D laminate • Back panel is fully finished and hinged for easy access to wiring • Features adjustable shelf • Grommet standard in top • 4 double wheel non-locking casters standard • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

WAVEWORKS MEDIA STORAGE SPECIFICATIONS

WORKSURFACES

- Veneer surfaces are 1 $\frac{3}{8}$ " and feature a 3mm wood rim profile
- Laminate surfaces are 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- Veneer surfaces feature wood rim which is shaped on front side, with 6 rim profile options
- Laminate surfaces feature a 3mm vinyl rim or a wood rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- $\frac{3}{4}$ " thick modesty panels
- End panels and support panels are 1 $\frac{1}{8}$ " thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless noted
- Back panels are fully finished unless noted

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Sides, back and front are $\frac{1}{2}$ " thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain

DRAWER PULLS

- Available in 16 pull styles

DRAWER SUSPENSION

- Box drawers are equipped with $\frac{3}{4}$ extension slides with ball bearing rollers
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation

CORD MANAGEMENT

- Refer to page 425 for grommet options

LOCKING


- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

BUFFET CREDENZAS

- Models with trashcan will have 2 drawers and 2 sets of double doors. Trashcan will be housed behind one set of the double doors
- The side where trashcan is located determines the handed side (trashcan on left is a left model)
- One 7 gallon trashcan per model is included
- Models with space to house a refrigerator will have 2 sets of double doors (no drawers). Refrigerator will be housed behind one of the double door sets with ventilation
- The side where refrigerator is located determines the handed side (refrigerator on left is a left model)
- Refrigerator is not included
- Overall opening for refrigerator in a 36" high model is 22 $\frac{1}{2}$ " wide x 28 $\frac{1}{16}$ " tall x 25 $\frac{1}{4}$ " deep. Max refrigerator size is 21 $\frac{1}{2}$ " wide x 27 $\frac{1}{16}$ " tall x 21 $\frac{1}{4}$ " deep
- Overall opening for refrigerator in a 41" high model is 22 $\frac{1}{2}$ " wide x 28 $\frac{1}{16}$ " tall x 25 $\frac{1}{4}$ " deep. Max refrigerator size is 21 $\frac{1}{2}$ " wide x 32 $\frac{1}{16}$ " tall x 21 $\frac{1}{4}$ " deep
- Only locking cabinet is the side with an adjustable shelf
- Buffet credenzas with refrigerator access will not be covered under standard warranty if unit is placed where vent will be blocked. Nor will the unit be covered under standard warranty for excess moisture because the unit has been designed to prevent this possibility

WAVEWORKS MEDIA STORAGE OPTIONS

RIM PROFILE OPTIONS



*Not recommended with Canyon, Driftwood, Monterey and Tuscan

WOOD FINISHES

AD	Almond Straight Grain	MW	Midtown Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CO	Canyon Straight Grain	PB	Portobello Straight Grain
CL	Caramel Maple	792	Sable Straight Grain
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	TW	Tribeca Walnut
DF	Driftwood Straight Grain	TF	Truffle Cherry
HN	Honey Maple	NW	Tuscan Straight Grain
TM	Huntington Maple	UW	Urban Walnut
DW	Judicial Walnut		

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
IM	Brighton	NM	Natural
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN	Honey	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial		

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond	NM	Natural
	Horizontal	PC	Porcini
MC	Amber	PT	Portico
AC2	Autumn 2	PTH	Portico Horizontal
BZ	Brazilwood	PB	Portobello
IM	Brighton	PBH	Portobello
CO	Canyon		Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GLASS DOOR ALUMINUM FRAME COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

GROMMET OPTIONS

Media storage credenzas and entertainment credenzas are available with optional grommets. If no grommet is desired, specify an X (No Grommet).

Round Grommet, Black Nylon

\$41 list for each grommet

G1LR Left & Right

Racetrack Grommet

\$46 list for each grommet

G11SNLR	Satin Nickel Metallic Left & Right
G11PLLR	Platinum Metallic Left & Right
G11MBLR	Cinder Left & Right

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See the Casegoods Book 2 Price List for Key Specific model numbers.

WAVEWORKS MEDIA STORAGE OPTIONS

PULL OPTIONS


Nantucket (6)

6MB Cinder
6CC Concrete
6IR Iron
6PL Platinum Metallic
6SN Satin Nickel Metallic
(Boring Pattern 128mm)


Malibu (7)

7MB Cinder
7CC Concrete
7IR Iron
7PL Platinum Metallic
7SN Satin Nickel Metallic
(Boring Pattern 128mm)


Laguna (76)


76MB Cinder
76CC Concrete
76IR Iron
76PL Platinum Metallic
76SN Satin Nickel Metallic
(Boring Pattern 128mm)


Summit (70)

70MB Cinder
70CC Concrete
70IR Iron
70PL Platinum Metallic
70SN Satin Nickel Metallic
(Boring Pattern 128mm)


Spiral (71)

71MB Cinder
71CC Concrete
71IR Iron
71PL Platinum Metallic
71SN Satin Nickel Metallic
(Boring Pattern 128mm)


Balance (72)

72MB Cinder
72CC Concrete
72IR Iron
72PL Platinum Metallic
72SN Satin Nickel Metallic
(Boring Pattern 128mm)


Sweep (73)

73MB Cinder
73CC Concrete
73IR Iron
73PL Platinum Metallic
73SN Satin Nickel Metallic
(Boring Pattern 128mm)


Groove (74)

74MB Cinder
74CC Concrete
74IR Iron
74PL Platinum Metallic
74SN Satin Nickel Metallic
(Boring Pattern 128mm)


Beam (87)

87MB Cinder
87CC Concrete
87IR Iron
87PL Platinum Metallic
87SN Satin Nickel Metallic
(Boring Pattern 128mm)


Level (88)

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)


Waterfall (89)

89MB Cinder
89CC Concrete
89IR Iron
89PL Platinum Metallic
89SN Satin Nickel Metallic
(Boring Pattern 96mm)


Horizon (91)

91MB Cinder
91CC Concrete
91IR Iron
91PL Platinum Metallic
91SN Satin Nickel Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front


Bar (3)

3MB Cinder
3CC Concrete
3IR Iron
3PL Platinum Metallic
(Boring Pattern 32mm)


Curved (83)

83MB Black
83CC Concrete
83IR Iron
83PL Platinum Metallic
(Boring Pattern 128mm)


Elongated (84)

84MB Black
84CC Concrete
84IR Iron
84PL Platinum Metallic
(Boring Pattern 128mm)


Keen (77)

77SN Satin Nickel
(Boring Pattern 96mm)

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminite models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminite/combo models)
8. Laminite Drawer/Door Color (laminite models)
9. Veneer Chassis Finish/Laminite Chassis Color


SAMPLE MODEL NUMBERS:

WWN2448CVMSL NAC2 7MB X KRB 462 462 462
 WWN2448CVMSW Z 7MB G1LR KRS MH

- See pages 424-426 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	48"—1½" TOP THICKNESS									
	WWN2448CVMSW	Wood	\$ 7731	24	48½	35½	—	—	290 lbs.	24.7
	WWN2448CVMSLW	Laminate/Wood	7731	24	48½	35½	—	—	290 lbs.	24.7
	WWN2448CVMSL	Laminate	6749	24	48½	35½	—	—	290 lbs.	24.7
	60"—1½" TOP THICKNESS									
	WWN2460CVMSW	Wood	\$ 7995	24	60	35½	—	—	325 lbs.	28.9
	WWN2460CVMSLW	Laminate/Wood	7995	24	60	35½	—	—	325 lbs.	28.9
	WWN2460CVMSL	Laminate	7016	24	60	35½	—	—	325 lbs.	28.9
	72"—1½" TOP THICKNESS									
	WWN2472CVMSW	Wood	\$ 8253	24	72	35½	—	—	383 lbs.	36.3
	WWN2472CVMSLW	Laminate/Wood	8253	24	72	35½	—	—	383 lbs.	36.3
	WWN2472CVMSL	Laminate	7280	24	72	35½	—	—	383 lbs.	36.3
• Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors • Back panel is not fully finished and includes cutouts for venting • Rim profile on front and sides only, 1½" thick worksurface available • Matching wood grommets in end panels for wire access • Features an adjustable shelf • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

ENTERTAINMENT CREENZA



1½" TOP THICKNESS										
WWN2472CBVW	Wood	\$ 6509	24	71½	35½	—	—	381 lbs.	46.7	
WWN2472CBVLW	Laminite/Wood	6509	24	71½	35½	—	—	381 lbs.	46.7	
WWN2472CBVL	Laminite	5317	24	71½	35½	—	—	381 lbs.	46.7	
1¾" TOP THICKNESS										
WW2472CBVW	Wood	\$ 5805	24	71½	35½	—	—	381 lbs.	46.7	
WW2472CBVLW	Laminite/Wood	5805	24	71½	35½	—	—	381 lbs.	46.7	
WW2472CBVL	Laminite	4738	24	71½	35½	—	—	381 lbs.	46.7	
WW2472CBVLL	TFL	3789	24	71½	35	—	—	381 lbs.	46.7	
• Back panel is not fully finished and includes cutouts for venting • Rim profile on front and sides only • Features an adjustable shelf • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24½" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

- Model Number
- Rim
- Vinyl Rim Color (laminate models)
- Pull
- Locking
- Top Finish (laminate/combo models)
- Laminate Drawer/Door Color (laminate models)
- Frame Color (glass models only)
- Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBER:

WW2472CBW P 7MB KS2B AC
 WW2472CBL VHN2 7MB KS2B HN2 HN2 HN2
 WW2472CBLW R 7MB KS2B 405 AC

- See pages 424-426 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	1 1/8" TOP THICKNESS										
	WWN2472CBW	Wood	\$	6393	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WWN2472CBLW	Laminate/Wood		6393	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WWN2472CBL	Laminate		5222	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	1 3/8" TOP THICKNESS										
	WW2472CBW	Wood	\$	5701	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBLW	Laminate/Wood		5701	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBL	Laminate		4653	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBLL	TFL		3721	24	71 1/16	35	—	—	381 lbs.	46.7
	• Grommet option not available • Features an adjustable shelf behind each set of doors • Rim profile on front and sides only • Features a fully finished back • Inside dimension of each storage section is 21 1/4" deep x 34 1/2" wide x 24 3/4" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

BUFFET CREDENZA WITH TRASH RECEPTACLE



Left shown

1 1/8" TOP THICKNESS		LEFT		RIGHT								
						D	W	H	A	KW	WEIGHT	FEET
WWN2472CBTLW	WWN2472CBTRW	Wood	\$	6465	24	71 1/16	35 1/16	—	—		lbs.	
WWN2472CBTLLW	WWN2472CBTRLW	Laminate/Wood		6465	24	71 1/16	35 1/16	—	—		lbs.	
WWN2472CBTLL	WWN2472CBTRL	Laminate		5257	24	71 1/16	35 1/16	—	—		lbs.	
1 3/8" TOP THICKNESS		LEFT		RIGHT								
						D	W	H	A	KW	WEIGHT	FEET
WW2472CBTLW	WW2472CBTRW	Wood	\$	5844	24	71 1/16	35 1/16	—	—		lbs.	
WW2472CBTLLW	WW2472CBTRLW	Laminate/Wood		5844	24	71 1/16	35 1/16	—	—		lbs.	
WW2472CBTLL	WW2472CBTRL	Laminate		4725	24	71 1/16	35 1/16	—	—		lbs.	
WW2472CBTLLL	WW2472CBTRLL	TFL		3862	24	71 1/16	35 1/16	—	—		lbs.	
- Specify a left model to have the trash receptacle on the far left side; right to have it on the right - Includes 7 gallon trash receptacle												

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminate/combo models)
8. Laminate Drawer/Door Color (laminate models)
9. Top Sheen (wood models)
10. Frame Color (glass models only)
11. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:


WWN1880VSHLGW 462 MH
 WWN287236CBFLW F 61R KRB AD
 WWN287236CBFRLW F 6CC KRS 405 CW
 WWN287236CBFLL VAC2 61R KRB AC2 405 405

- See pages 424-426 for all options available in Waveworks

**BUFFET CREDENZA
WITH
REFRIGERATOR
ACCESS**


MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				A	KW	CARTONED CUBIC WEIGHT FEET
1 1/8" TOP THICKNESS					D	W	H				
LEFT		RIGHT									
WWN287241CBFLW	WWN287241CBFRW	Wood		\$ 7901	28	71 1/8"	41 1/8"	—	—	—	lbs.
WWN287241CBFLLW	WWN287241CBFRLW	Laminate/Wood		7901	28	71 1/8"	41 1/8"	—	—	—	lbs.
WWN287241CBFLL	WWN287241CBFRL	Laminate		6119	28	71 1/8"	41 1/8"	—	—	—	lbs.
WWN287236CBFLW	WWN287236CBFRW	Wood		\$ 7470	28	71 1/8"	35 1/8"	—	—	—	lbs.
WWN287236CBFLLW	WWN287236CBFRLW	Laminate/Wood		7470	28	71 1/8"	35 1/8"	—	—	—	lbs.
WWN287236CBFLL	WWN287236CBFRL	Laminate		5976	28	71 1/8"	35 1/8"	—	—	—	lbs.
1 3/8" TOP THICKNESS											
LEFT		RIGHT									
WW287241CBFLW	WW287241CBFRW	Wood		\$ 7281	28	71 1/8"	41 1/8"	—	—	—	lbs.
WW287241CBFLLW	WW287241CBFRLW	Laminate/Wood		7281	28	71 1/8"	41 1/8"	—	—	—	lbs.
WW287241CBFLL	WW287241CBFRL	Laminate		5155	28	71 1/8"	41 1/8"	—	—	—	lbs.
WW287241CBFLLL	WW287241CBFRL	TFL		4222	28	71 1/8"	41 1/8"	—	—	—	lbs.
WW287236CBFLW	WW287236CBFRW	Wood		\$ 6850	28	71 1/8"	35 1/8"	—	—	—	lbs.
WW287236CBFLLW	WW287236CBFRLW	Laminate/Wood		6850	28	71 1/8"	35 1/8"	—	—	—	lbs.
WW287236CBFLL	WW287236CBFRL	Laminate		5012	28	71 1/8"	35 1/8"	—	—	—	lbs.
WW287236CBFLLL	WW287236CBFRL	TFL		4079	28	71 1/8"	35 1/8"	—	—	—	lbs.

- Specify a left model to have the refrigerator on the far left side; right to have it on the right, 7 gallon trash receptacle in center section
- Back panel not fully finished and includes cutouts for venting
- 36" H models only: Maximum refrigerator size 21 1/4" deep, 21 1/2" wide, x 27 1/8" high
- 41" H models only: Maximum refrigerator size 21 1/4" deep, 21 1/2" wide, x 32 1/8" high

**MEDIA STORAGE TOWER
SINGLE DOOR**


Left shown

LEFT HINGE		RIGHT HINGE									
WWN1880VSHLW	WWN1880VSHRW	Wood		\$ 4222	23 3/8"	17 1/8"	79 1/4"	—	—	—	197 lbs. 31.0
WWN1880VSHLL	WWN1880VSHRL	Laminate		2508	23 3/8"	17 1/8"	79 1/4"	—	—	—	197 lbs. 31.0
WWN1880VSHLGW	WWN1880VSHRGW	Glass/Wood		5425	23 3/8"	17 1/8"	79 1/4"	—	—	—	197 lbs. 31.0
WWN1880VSHLGL	WWN1880VSHRGL	Glass/Lam		3577	23 3/8"	17 1/8"	79 1/4"	—	—	—	197 lbs. 31.0

- Glass units feature opaque glass with aluminum frame
- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 425 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate models)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Chassis Finish


SAMPLE MODEL NUMBERS:

WWN2436MUCW F 7MB G1C KRB MC
WWN2436MUCLW F 7MB G1C KRB 440 MC

- See pages 424-426 for all options available in Waveworks



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC			
			D	W	H	A	KW	WEIGHT	FEET		
	1 7/8" TOP THICKNESS										
	WWN2436MUCW	Wood	\$	2919	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCLW	Laminate/Wood		2919	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCL	Laminate		2187	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	1 3/8" TOP THICKNESS										
	WW2436MUCW	Wood	\$	2654	26 7/16	36 1/16	34 1/2	—	—	155 lbs.	17.1
	WW2436MUCLW	Laminate/Wood		2654	26 7/16	36 1/16	34 1/2	—	—	155 lbs.	17.1
	WW2436MUCL	Laminate		1989	26 7/16	36 1/16	34 1/2	—	—	155 lbs.	17.1
	WW2436MUCLL	TFL		1591	26 7/16	36 1/16	34 7/16	—	—	155 lbs.	17.1
	• Can function as a serving cart or media cart • 1 adjustable shelf behind hinged doors • 4 double wheel non-locking casters standard • Center grommet option available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										



	WW2436MCCW	Wood	\$	3348	27 7/16	36 7/16	43 3/4	—	—	85 lbs.	24.5
	WW2436MCCL	Laminate		2681	27 7/16	36 7/16	43 3/4	—	—	85 lbs.	24.5
	• Do not specify pull, grommet or door finish • Mesh cord manager included • Power director included in worksurface • 4 double wheel locking casters standard • Worksurface height is 28 1/4" • This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color										

PRODUCT SPECIFICATIONS


- Wood and laminate chassis and doors available; refer to page 425 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate models)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Chassis Finish

SAMPLE MODEL NUMBER:

WWN2436PFHW F 3MB KRB CL
• See pages 424-426 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	1½" TOP THICKNESS									
	WWN2436PFHW	Wood	\$ 3252	24	36⅞	29⅞	—	—	130 lbs.	22.2
	WWN2436PFHLW	Laminate/Wood	3252	24	36⅞	29⅞	—	—	130 lbs.	22.2
	WWN2436PFHL	Laminate	1892	24	36⅞	29⅞	—	—	130 lbs.	22.2
	1¾" TOP THICKNESS									
	WW2436PFHW	Wood	\$ 2954	24	36⅞	28⅞	—	—	130 lbs.	22.2
	WW2436PFHLW	Laminate/Wood	2954	24	36⅞	28⅞	—	—	130 lbs.	22.2
	WW2436PFHL	Laminate	1723	24	36⅞	28⅞	—	—	130 lbs.	22.2
	WW2436PFHLL	TFL	1377	24	36⅞	28⅞	—	—	130 lbs.	22.2
	• Features an adjustable shelf • Unit features a 110° door hinge • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

EXHIBIT

WALL RAIL SOLUTION

Product Specifications	434
Production Options	435
Product Overview	437
Application Guidelines	438
Product Pages	439

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE


- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible vinyl trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in textile, see page 435 for textile options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer and laminate organizer shelf inserts

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or textile
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

WORK TOOLS (METAL)

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush
G2006	Brick Red
G2003	Chive
G2002	Dark Blue
G2008	Eucalyptus
G2012	Ginkgo
G2007	Lavender Ash

END TRIM/END CAP PAINT COLORS

462	Cinder
423	Concrete
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

G2001	Moon Beam
G2010	Naval
G2013	Olive Branch
G2011	Rustic Sun
G2005	Sangria
G2009	Tidewater


TACK BOARD INSERT/TRIM CHANNEL VERTICAL TEXTILE OPTIONS

Grade AA Lea	Grade A Compose Crossroads Dune Fusion Infuse	Merge Mykel Plinth Repetition Tapestry	Grade B Frenzied Fuse Linen Lyko	Pact Prose Savile
			COM (Grade B)	

EXHIBIT TV MOUNT INSERT OPTIONS

TS	Single TV Mount, Front
TD	Dual TV Mount, Front (\$998 list upcharge)

EXHIBIT COMPONENTS



SH6 ORGANIZER SHELF HEIGHT 36"/37"/48"/49" HIGH MODELS

- A Align with 13H Overhead
- B Align with 18H Overhead
- C Align with 30H Overhead*
- *48"/49" high models only
- D Align with SH1 top shelf

CONFIGURATION OPTIONS - EXHIBIT

WOOD FINISHES
(ORGANIZER SHELF
INSERT)

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS
(ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
ADH	Almond Horizontal
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PTH	Portico Horizontal*
PB	Portobello
PBH	Portobello Horizontal
792	Sable
792H	Sable Horizontal
SC	Sedona
SK	Skyline*
SKH	Skyline Horizontal*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS


- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/200 of the span for walls with brittle finishes and 1/100 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer


Type and Size	Description
Steel Studs (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Wood Studs (1/4" to 1/2" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
Solid Masonry	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
Masonry Block	
Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered - Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical - Exhibit wall rail extends 1/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space - Select worksurfaces and inserts can be field scribed to fit space - In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface	

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Caseloads Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 481-483

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 435-436 for all options available in Exhibit


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	WALL RAIL AND FACEPLATE										
	11N72EXFP2	Set of 2	\$	392	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of 2		563	¾	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of 1	\$	226	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of 1		312	¾	144	1¾	—	—	12 lbs.	1.4
• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets • Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • Faceplates must be used when using an insert											

EXHIBIT WALL RAIL



11N72EXP1	1 Rail/No faceplate	\$	137	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate		199	¾	144	1½	—	—	12 lbs.	1.4
• Includes 1 wall rail and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert										

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBERS:

- 11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413
- See pages 435-436 for all options available in Exhibit

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
TACK BOARD INSERTS	34"H TACK BOARD INSERTS						D	W	H	A	KW	
		GRADE AA	GRADE A	GRADE B/COM								
	11N1834TBA	\$ 301	\$ 330	\$ 385	1/2	18	34 1/2	—	—	3 lbs.	0.5	
	11N2434TBA	317	346	401	1/2	24	34 1/2	—	—	4 lbs.	0.6	
	11N3034TBA	376	405	460	1/2	30	34 1/2	—	—	5 lbs.	0.8	
	11N3634TBA	389	424	490	1/2	36	34 1/2	—	—	6 lbs.	0.9	
	11N4234TBA	399	434	500	1/2	42	34 1/2	—	—	7 lbs.	1.0	
	11N4834TBA	426	466	543	1/2	48	34 1/2	—	—	8 lbs.	1.2	
	11N5434TBA	483	529	617	1/2	54	34 1/2	—	—	9 lbs.	1.3	
	11N6034TBA	487	533	621	1/2	60	34 1/2	—	—	10 lbs.	1.4	
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS												
36"H TACK BOARD INSERTS												
	11N1836TBA	\$ 323	\$ 352	\$ 407	1/2	18	36 1/2	—	—	3 lbs.	0.5	
	11N2436TBA	341	370	425	1/2	24	36 1/2	—	—	4 lbs.	0.6	
	11N3036TBA	399	428	483	1/2	30	36 1/2	—	—	5 lbs.	0.8	
	11N3636TBA	417	452	518	1/2	36	36 1/2	—	—	6 lbs.	0.9	
	11N4236TBA	430	465	531	1/2	42	36 1/2	—	—	7 lbs.	1.0	
	11N4836TBA	454	494	571	1/2	48	36 1/2	—	—	8 lbs.	1.2	
	11N5436TBA	516	562	650	1/2	54	36 1/2	—	—	9 lbs.	1.3	
	11N6036TBA	519	565	653	1/2	60	36 1/2	—	—	10 lbs.	1.4	
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS												
37"H TACK BOARD INSERTS												
	11N1837TBA	\$ 323	\$ 352	\$ 407	1/2	18	37	—	—	3 lbs.	0.5	
	11N2437TBA	341	370	425	1/2	24	37	—	—	4 lbs.	0.6	
	11N3037TBA	399	428	483	1/2	30	37	—	—	5 lbs.	0.8	
	11N3637TBA	417	452	518	1/2	36	37	—	—	6 lbs.	0.9	
	11N4237TBA	430	465	531	1/2	42	37	—	—	7 lbs.	1.0	
	11N4837TBA	454	494	571	1/2	48	37	—	—	8 lbs.	1.2	
	11N5437TBA	516	562	650	1/2	54	37	—	—	9 lbs.	1.3	
	11N6037TBA	519	565	653	1/2	60	37	—	—	10 lbs.	1.4	
• 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded												

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

- See pages 435-436 for all options available in Exhibit

		MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
						D	W	H	A	KW				
TACK BOARD INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WVN MODELS													
	48"H TACK BOARD INSERTS													
			GRADE AA	GRADE A	GRADE B/ COM									
	11N1848TBA	\$	370	\$	405	\$	471	½	18	48¾	—	—	4 lbs.	1.2
	11N2448TBA		386		421		487	½	24	48¾	—	—	5 lbs.	1.3
	11N3048TBA		457		492		558	½	30	48¾	—	—	6 lbs.	1.7
	11N3648TBA		465		500		566	½	36	48¾	—	—	7 lbs.	2.0
	11N4248TBA		485		520		586	½	42	48¾	—	—	8 lbs.	2.3
	11N4848TBA		503		543		620	½	48	48¾	—	—	9 lbs.	2.7
	11N5448TBA		573		619		707	½	54	48¾	—	—	10 lbs.	3.0
11N6048TBA		578		624		712	½	60	48¾	—	—	11 lbs.	3.3	
COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS														
49"H TACK BOARD INSERTS														
		\$	370	\$	405	\$	471	½	18	48⅞	—	—	4 lbs.	1.2
11N2449TBA		386		421		487	½	24	48⅞	—	—	5 lbs.	1.3	
11N3049TBA		457		492		558	½	30	48⅞	—	—	6 lbs.	1.7	
11N3649TBA		465		500		566	½	36	48⅞	—	—	7 lbs.	2.0	
11N4249TBA		485		520		586	½	42	48⅞	—	—	8 lbs.	2.3	
11N4849TBA		503		543		620	½	48	48⅞	—	—	9 lbs.	2.7	
11N5449TBA		573		619		707	½	54	48⅞	—	—	10 lbs.	3.0	
11N6049TBA		578		624		712	½	60	48⅞	—	—	11 lbs.	3.3	
• 2 trim channels included with each tack board insert in the same textile • Tack board inserts can be field scribed • Additional trim channels should be specified separately if creating additional tack board inserts • Textile will be railroaded														

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

- See pages 435-436 for all options available in Exhibit

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
MARKER BOARD INSERTS					34"H MARKER BOARD INSERTS								
	HPL				PORCELAIN								
	11N2434MB	\$	616	11N2434MB2P	\$	937	½	24	34½	—	—	14 lbs.	0.6
	11N3034MB		618	11N3034MB2P		947	½	30	34½	—	—	18 lbs.	0.8
	11N3634MB		692	11N3634MB2P		1042	½	36	34½	—	—	22 lbs.	0.9
	11N4234MB		745	11N4234MB2P		1043	½	42	34½	—	—	25 lbs.	1.0
	11N4834MB		911	11N4834MB2P		1337	½	48	34½	—	—	29 lbs.	1.2
	11N5434MB		913	11N5434MB2P		1345	½	54	34½	—	—	32 lbs.	1.3
	11N6034MB		915	11N6034MB2P		1357	½	60	34½	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H MARKER BOARD INSERTS

HPL				PORCELAIN										
11N2436MB	\$	639		11N2436MB2P	\$	963		½	24	36⅞	—	—	14 lbs.	0.6
11N3036MB		641		11N3036MB2P		965		½	30	36⅞	—	—	18 lbs.	0.8
11N3636MB		718		11N3636MB2P		1069		½	36	36⅞	—	—	22 lbs.	0.9
11N4236MB		771		11N4236MB2P		1072		½	42	36⅞	—	—	25 lbs.	1.0
11N4836MB		937		11N4836MB2P		1366		½	48	36⅞	—	—	29 lbs.	1.2
11N5436MB		939		11N5436MB2P		1374		½	54	36⅞	—	—	32 lbs.	1.3
11N6036MB		949		11N6036MB2P		1386		½	60	36⅞	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H MARKER BOARD INSERTS

HPL				PORCELAIN										
11N2437MB	\$	639		11N2437MB2P	\$	963		½	24	37	—	—	14 lbs.	0.6
11N3037MB		641		11N3037MB2P		965		½	30	37	—	—	18 lbs.	0.8
11N3637MB		718		11N3637MB2P		1069		½	36	37	—	—	22 lbs.	0.9
11N4237MB		771		11N4237MB2P		1072		½	42	37	—	—	25 lbs.	1.0
11N4837MB		937		11N4837MB2P		1366		½	48	37	—	—	29 lbs.	1.2
11N5437MB		939		11N5437MB2P		1374		½	54	37	—	—	32 lbs.	1.3
11N6037MB		949		11N6037MB2P		1386		½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

- See pages 435-436 for all options available in Exhibit

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
MARKER BOARD INSERTS (CONTINUED)									
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
48"H MARKER BOARD INSERTS									
HPL					PORCELAIN				
11N2448MB	\$ 746	11N2448MB2P	\$ 1110	½	24	48%	—	—	16 lbs. 1.3
11N3048MB	747	11N3048MB2P	1112	½	30	48%	—	—	20 lbs. 1.7
11N3648MB	833	11N3648MB2P	1234	½	36	48%	—	—	24 lbs. 2.0
11N4248MB	904	11N4248MB2P	1329	½	42	48%	—	—	27 lbs. 2.3
11N4848MB	1095	11N4848MB2P	1582	½	48	48%	—	—	31 lbs. 2.7
11N5448MB	1100	11N5448MB2P	1830	½	54	48%	—	—	34 lbs. 3.0
11N6048MB	1109	11N6048MB2P	1972	½	60	48%	—	—	38 lbs. 3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS									
49"H MARKER BOARD INSERTS									
HPL					PORCELAIN				
11N2449MB	\$ 746	11N2449MB2P	\$ 1110	½	24	48⅓ ₁₆	—	—	16 lbs. 1.3
11N3049MB	747	11N3049MB2P	1112	½	30	48⅓ ₁₆	—	—	20 lbs. 1.7
11N3649MB	833	11N3649MB2P	1234	½	36	48⅓ ₁₆	—	—	24 lbs. 2.0
11N4249MB	904	11N4249MB2P	1329	½	42	48⅓ ₁₆	—	—	27 lbs. 2.3
11N4849MB	1095	11N4849MB2P	1582	½	48	48⅓ ₁₆	—	—	31 lbs. 2.7
11N5449MB	1100	11N5449MB2P	1830	½	54	48⅓ ₁₆	—	—	34 lbs. 3.0
11N6049MB	1109	11N6049MB2P	1972	½	60	48⅓ ₁₆	—	—	38 lbs. 3.3
• HPL marker board inserts can be field scribed • Additional trim channels should be specified separately if additional inserts are created • Porcelain marker board inserts are magnetic • Porcelain marker board inserts are double sided • Specify model number only • 2 trim channels included with each marker board insert in white to match board • Marker board inserts available in white only									

EXHIBIT

PRODUCT SPECIFICATIONS


- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

- Model Number
- Paint Color

SAMPLE MODEL NUMBER:

- 11N2434SW 462
- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	SLAT WALL INSERTS								
	34"H FULL SLAT								
	11N2434SW	\$ 1598	1/2	24	34 1/2	—	—	45 lbs.	1.2
	11N3034SW	1607	1/2	30	34 1/2	—	—	57 lbs.	1.4
	11N3634SW	1838	1/2	36	34 1/2	—	—	69 lbs.	1.7
	11N4234SW	1839	1/2	42	34 1/2	—	—	79 lbs.	2.0
	11N4834SW	2039	1/2	48	34 1/2	—	—	91 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H FULL SLAT

11N2436SW	\$ 1621	1/2	24	36 1/2	—	—	48 lbs.	1.2
11N3036SW	1630	1/2	30	36 1/2	—	—	60 lbs.	1.4
11N3636SW	1858	1/2	36	36 1/2	—	—	72 lbs.	1.7
11N4236SW	1860	1/2	42	36 1/2	—	—	82 lbs.	2.0
11N4836SW	2070	1/2	48	36 1/2	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H FULL SLAT

11N2437SW	\$ 1621	1/2	24	37	—	—	48 lbs.	1.2
11N3037SW	1630	1/2	30	37	—	—	60 lbs.	1.4
11N3637SW	1858	1/2	36	37	—	—	72 lbs.	1.7
11N4237SW	1860	1/2	42	37	—	—	82 lbs.	2.0
11N4837SW	2070	1/2	48	37	—	—	94 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS

48"H FULL SLAT

11N2448SW	\$ 1912	1/2	24	48 3/4	—	—	63 lbs.	1.6
11N3048SW	1922	1/2	30	48 3/4	—	—	80 lbs.	1.9
11N3648SW	2196	1/2	36	48 3/4	—	—	97 lbs.	2.0
11N4248SW	2198	1/2	42	48 3/4	—	—	111 lbs.	2.2
11N4848SW	2442	1/2	48	48 3/4	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 484-487

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H						
SLAT WALL INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H FULL SLAT									
	11N2449SW	\$ 1912	½	24	48 ¹³ / ₁₆	—	—	63 lbs.	1.6	
	11N3049SW	1922	½	30	48 ¹³ / ₁₆	—	—	80 lbs.	1.9	
	11N3649SW	2196	½	36	48 ¹³ / ₁₆	—	—	97 lbs.	2.0	
	11N4249SW	2198	½	42	48 ¹³ / ₁₆	—	—	111 lbs.	2.2	
	11N4849SW	2442	½	48	48 ¹³ / ₁₆	—	—	128 lbs.	2.5	
• 2 trim channels included with each slat wall insert in corresponding color to match slat • Slat wall insert requires the use of trim channels and mounting bracket included with the model • Slat wall should only be used with National certified work tools and monitor arms; reference pages 484-487										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

- Model Number
- Textile Grade
- Textile Color
- Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBFA A 8600 501

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
					D	W	H	A	KW		
SLAT WALL INSERTS COMBO SLAT/TACK 	23"H SLAT WITH 11"H TACK										
	TEXTILE TRIM	PAINTED TRIM		GRADE AA	GRADE A	GRADE B/COM					
	11N2434SWTBFA	11N2434SWTBPA	Railroad	\$ 1431	\$ 1448	\$ 1481	½	24	34½	—	32 lbs. 1.2
	11N3034SWTBFA	11N3034SWTBPA	Railroad	1430	1451	1492	½	30	34½	—	41 lbs. 1.4
	11N3634SWTBFA	11N3634SWTBPA	Railroad	1632	1657	1704	½	36	34½	—	50 lbs. 1.7
	11N4234SWTBFA	11N4234SWTBPA	Railroad	1628	1657	1712	½	42	34½	—	59 lbs. 2.0
	11N4834SWTBFA	11N4834SWTBPA	Railroad	1810	1843	1905	½	48	34½	—	68 lbs. 2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS											
23"H SLAT WITH 13"H TACK				GRADE AA	GRADE A	GRADE B/COM					
	TEXTILE TRIM	PAINTED TRIM									
	11N2436SWTBFA	11N2436SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	36½	—	35 lbs. 1.2
	11N3036SWTBFA	11N3036SWTBPA	Railroad	1455	1476	1517	½	30	36½	—	44 lbs. 1.4
	11N3636SWTBFA	11N3636SWTBPA	Railroad	1655	1680	1727	½	36	36½	—	53 lbs. 1.7
	11N4236SWTBFA	11N4236SWTBPA	Railroad	1656	1685	1740	½	42	36½	—	62 lbs. 2.0
	11N4836SWTBFA	11N4836SWTBPA	Railroad	1835	1868	1930	½	48	36½	—	71 lbs. 2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS											
23"H SLAT WITH 14"H TACK				GRADE AA	GRADE A	GRADE B/COM					
	TEXTILE TRIM	PAINTED TRIM									
	11N2437SWTBFA	11N2437SWTBPA	Railroad	\$ 1452	\$ 1469	\$ 1502	½	24	37	—	35 lbs. 1.2
	11N3037SWTBFA	11N3037SWTBPA	Railroad	1455	1476	1517	½	30	37	—	44 lbs. 1.4
	11N3637SWTBFA	11N3637SWTBPA	Railroad	1655	1680	1727	½	36	37	—	53 lbs. 1.7
	11N4237SWTBFA	11N4237SWTBPA	Railroad	1656	1685	1740	½	42	37	—	62 lbs. 2.0
	11N4837SWTBFA	11N4837SWTBPA	Railroad	1835	1868	1930	½	48	37	—	71 lbs. 2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK				GRADE AA	GRADE A	GRADE B/COM					
	TEXTILE TRIM	PAINTED TRIM									
	11N2448SWTBFA	11N2448SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48½	—	45 lbs. 1.4
	11N3048SWTBFA	11N3048SWTBPA	Railroad	1719	1740	1781	½	30	48½	—	58 lbs. 1.7
	11N3648SWTBFA	11N3648SWTBPA	Railroad	1958	1983	2030	½	36	48½	—	71 lbs. 2.1
	11N4248SWTBFA	11N4248SWTBPA	Railroad	1957	1986	2041	½	42	48½	—	83 lbs. 2.5
	11N4848SWTBFA	11N4848SWTBPA	Railroad	2173	2206	2268	½	48	48½	—	96 lbs. 2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 484-487
- Slat section must be located on the lower portion of the insert
- Textile will be railroded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade
3. Textile Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBFA A 8600 501

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION						LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
							D	W	H	A	KW		
SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	23"H SLAT WITH 26"H TACK			GRADE	GRADE	GRADE							
	TEXTILE TRIM	PAINTED TRIM		AA	A	B/COM							
	11N2449SWTBFA	11N2449SWTBPA	Railroad	\$ 1716	\$ 1733	\$ 1766	½	24	48⅜	—	—	45 lbs.	1.4
	11N3049SWTBFA	11N3049SWTBPA	Railroad	1719	1740	1781	½	30	48⅜	—	—	58 lbs.	1.7
	11N3649SWTBFA	11N3649SWTBPA	Railroad	1958	1983	2030	½	36	48⅜	—	—	71 lbs.	2.1
	11N4249SWTBFA	11N4249SWTBPA	Railroad	1957	1986	2041	½	42	48⅜	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2173	2206	2268	½	48	48⅜	—	—	96 lbs.	2.9	

- 2 trim channels included with each combo slat wall insert, customer can choose either textile or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 484-487
- Slat section must be located on the lower portion of the insert
- Textile will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	34"H ORGANIZER SHELF INSERTS			D	W	H	A	KW		
	11N3634SH1W	Wood	\$ 2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1
	11N3634SH1LW	Laminate Shelves, Wood Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1
	11N3634SH1L	Laminate	1838	10½	35⅞	34⅞	—	—	47 lbs.	3.1
	11N3634SH1WL	Wood Shelves, Laminate Wall	2659	10½	35⅞	34⅞	—	—	47 lbs.	3.1
	11N4234SH1W	Wood	\$ 2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH1LW	Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH1L	Laminate	1839	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH1WL	Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4834SH1W	Wood	\$ 2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH1LW	Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH1L	Laminate	2039	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH1WL	Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N5434SH1W	Wood	\$ 3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH1LW	Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH1L	Laminate	2243	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH1WL	Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N6034SH1W	Wood	\$ 3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH1LW	Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH1L	Laminate	2469	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH1WL	Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH2W Wood	\$ 2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2LW Laminate Shelves, Wood Wall	2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2L Laminate	1838	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634SH2WL Wood Shelves, Laminate Wall	2659	10½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N4234SH2W Wood	\$ 2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2LW Laminate Shelves, Wood Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2L Laminate	1839	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4234SH2WL Wood Shelves, Laminate Wall	2660	10½	41⅞	34⅞	—	—	53 lbs.	3.3
	11N4834SH2W Wood	\$ 2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2LW Laminate Shelves, Wood Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2L Laminate	2039	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N4834SH2WL Wood Shelves, Laminate Wall	2958	10½	47⅞	34⅞	—	—	58 lbs.	3.5
	11N5434SH2W Wood	\$ 3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2LW Laminate Shelves, Wood Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2L Laminate	2243	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434SH2WL Wood Shelves, Laminate Wall	3256	10½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N6034SH2W Wood	\$ 3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2LW Laminate Shelves, Wood Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2L Laminate	2469	10½	59⅞	34⅞	—	—	71 lbs.	3.9
	11N6034SH2WL Wood Shelves, Laminate Wall	3581	10½	59⅞	34⅞	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W MH
11N3634SH3LW 462 CW
11N3634SH3L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH3W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH3WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH3W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH3WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH3W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH3WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH3W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH3WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH3W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH3WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH4W Wood	\$ 2315	10½	35⅝	34⅝	—	—	49 lbs.	3.3
	11N3634SH4LW Laminate Shelves, Wood Wall	2315	10½	35⅝	34⅝	—	—	49 lbs.	3.3
	11N3634SH4L Laminate	1595	10½	35⅝	34⅝	—	—	49 lbs.	3.3
	11N3634SH4WL Wood Shelves, Laminate Wall	2315	10½	35⅝	34⅝	—	—	49 lbs.	3.3
	11N4234SH4W Wood	\$ 2318	10½	41⅞	34⅝	—	—	57 lbs.	3.8
	11N4234SH4LW Laminate Shelves, Wood Wall	2318	10½	41⅞	34⅝	—	—	57 lbs.	3.8
	11N4234SH4L Laminate	1598	10½	41⅞	34⅝	—	—	57 lbs.	3.8
	11N4234SH4WL Wood Shelves, Laminate Wall	2318	10½	41⅞	34⅝	—	—	57 lbs.	3.8
	11N4834SH4W Wood	\$ 2573	10½	47⅞	34⅝	—	—	65 lbs.	4.3
	11N4834SH4LW Laminate Shelves, Wood Wall	2573	10½	47⅞	34⅝	—	—	65 lbs.	4.3
	11N4834SH4L Laminate	1776	10½	47⅞	34⅝	—	—	65 lbs.	4.3
	11N4834SH4WL Wood Shelves, Laminate Wall	2573	10½	47⅞	34⅝	—	—	65 lbs.	4.3
	11N5434SH4W Wood	\$ 2834	10½	53⅞	34⅝	—	—	73 lbs.	4.8
	11N5434SH4LW Laminate Shelves, Wood Wall	2834	10½	53⅞	34⅝	—	—	73 lbs.	4.8
	11N5434SH4L Laminate	1953	10½	53⅞	34⅝	—	—	73 lbs.	4.8
	11N5434SH4WL Wood Shelves, Laminate Wall	2834	10½	53⅞	34⅝	—	—	73 lbs.	4.8
	11N6034SH4W Wood	\$ 3116	10½	59⅞	34⅝	—	—	81 lbs.	5.3
	11N6034SH4LW Laminate Shelves, Wood Wall	3116	10½	59⅞	34⅝	—	—	81 lbs.	5.3
	11N6034SH4L Laminate	2149	10½	59⅞	34⅝	—	—	81 lbs.	5.3
	11N6034SH4WL Wood Shelves, Laminate Wall	3116	10½	59⅞	34⅝	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W MH
11N3634SH6LW 462 CW
11N3634SH6L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED)	34"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3634SH6W Wood	\$ 2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6LW Laminate Shelves, Wood Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6L Laminate	1561	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N3634SH6WL Wood Shelves, Laminate Wall	2264	10½	35⅞	34⅞	—	—	41 lbs.	3.3
	11N4234SH6W Wood	\$ 2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6LW Laminate Shelves, Wood Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6L Laminate	1563	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4234SH6WL Wood Shelves, Laminate Wall	2265	10½	41⅞	34⅞	—	—	48 lbs.	3.8
	11N4834SH6W Wood	\$ 2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6LW Laminate Shelves, Wood Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6L Laminate	1735	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N4834SH6WL Wood Shelves, Laminate Wall	2515	10½	47⅞	34⅞	—	—	54 lbs.	4.3
	11N5434SH6W Wood	\$ 2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6LW Laminate Shelves, Wood Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6L Laminate	1911	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N5434SH6WL Wood Shelves, Laminate Wall	2766	10½	53⅞	34⅞	—	—	59 lbs.	4.8
	11N6034SH6W Wood	\$ 3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6LW Laminate Shelves, Wood Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6L Laminate	2102	10½	59⅞	34⅞	—	—	66 lbs.	5.3
	11N6034SH6WL Wood Shelves, Laminate Wall	3044	10½	59⅞	34⅞	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH2W MH
11N3636SH2LW 462 CW
11N3636SH2L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH2W	Wood	\$ 2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2LW	Laminate Shelves, Wood Wall	2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2L	Laminate	1858	10½	35½	36½	—	—	51 lbs.	3.4
	11N3636SH2WL	Wood Shelves, Laminate Wall	2699	10½	35½	36½	—	—	51 lbs.	3.4
	11N4236SH2W	Wood	\$ 2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2LW	Laminate Shelves, Wood Wall	2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2L	Laminate	1860	10½	41½	36½	—	—	57 lbs.	3.6
	11N4236SH2WL	Wood Shelves, Laminate Wall	2703	10½	41½	36½	—	—	57 lbs.	3.6
	11N4836SH2W	Wood	\$ 3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2LW	Laminate Shelves, Wood Wall	3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2L	Laminate	2070	10½	47½	36½	—	—	62 lbs.	3.9
	11N4836SH2WL	Wood Shelves, Laminate Wall	3002	10½	47½	36½	—	—	62 lbs.	3.9
	11N5436SH2W	Wood	\$ 3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2LW	Laminate Shelves, Wood Wall	3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2L	Laminate	2277	10½	53½	36½	—	—	68 lbs.	4.1
	11N5436SH2WL	Wood Shelves, Laminate Wall	3301	10½	53½	36½	—	—	68 lbs.	4.1
	11N6036SH2W	Wood	\$ 3633	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2LW	Laminate Shelves, Wood Wall	3633	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2L	Laminate	2505	10½	59½	36½	—	—	74 lbs.	4.3
	11N6036SH2WL	Wood Shelves, Laminate Wall	3633	10½	59½	36½	—	—	74 lbs.	4.3



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS												
	36"H ORGANIZER SHELF INSERTS (CONTINUED)												
	11N3636SH3W	Wood	\$	2292	10½	35⅞	36⅞	—	—			43 lbs.	3.5
	11N3636SH3LW	Laminate Shelves, Wood Wall		2292	10½	35⅞	36⅞	—	—			43 lbs.	3.5
	11N3636SH3L	Laminate		1581	10½	35⅞	36⅞	—	—			43 lbs.	3.5
	11N3636SH3WL	Wood Shelves, Laminate Wall		2292	10½	35⅞	36⅞	—	—			43 lbs.	3.5
	11N4236SH3W	Wood	\$	2297	10½	41⅞	36⅞	—	—			49 lbs.	4.1
	11N4236SH3LW	Laminate Shelves, Wood Wall		2297	10½	41⅞	36⅞	—	—			49 lbs.	4.1
	11N4236SH3L	Laminate		1584	10½	41⅞	36⅞	—	—			49 lbs.	4.1
	11N4236SH3WL	Wood Shelves, Laminate Wall		2297	10½	41⅞	36⅞	—	—			49 lbs.	4.1
	11N4836SH3W	Wood	\$	2551	10½	47⅞	36⅞	—	—			56 lbs.	4.6
	11N4836SH3LW	Laminate Shelves, Wood Wall		2551	10½	47⅞	36⅞	—	—			56 lbs.	4.6
	11N4836SH3L	Laminate		1759	10½	47⅞	36⅞	—	—			56 lbs.	4.6
	11N4836SH3WL	Wood Shelves, Laminate Wall		2551	10½	47⅞	36⅞	—	—			56 lbs.	4.6
	11N5436SH3W	Wood	\$	2808	10½	53⅞	36⅞	—	—			63 lbs.	5.1
	11N5436SH3LW	Laminate Shelves, Wood Wall		2808	10½	53⅞	36⅞	—	—			63 lbs.	5.1
	11N5436SH3L	Laminate		1936	10½	53⅞	36⅞	—	—			63 lbs.	5.1
	11N5436SH3WL	Wood Shelves, Laminate Wall		2808	10½	53⅞	36⅞	—	—			63 lbs.	5.1
	11N6036SH3W	Wood	\$	3086	10½	59⅞	36⅞	—	—			69 lbs.	5.6
	11N6036SH3LW	Laminate Shelves, Wood Wall		3086	10½	59⅞	36⅞	—	—			69 lbs.	5.6
	11N6036SH3L	Laminate		2130	10½	59⅞	36⅞	—	—			69 lbs.	5.6
	11N6036SH3WL	Wood Shelves, Laminate Wall		3086	10½	59⅞	36⅞	—	—			69 lbs.	5.6

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3636SH4W MH
11N3636SH4LW 462 CW
11N3636SH4L 405 478

- See pages 435-436 for all options available in Exhibit



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH4W	Wood	\$ 2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4LW	Laminate Shelves, Wood Wall	2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4L	Laminate	1619	10½	35½	36½	—	—	51 lbs.	3.5
	11N3636SH4WL	Wood Shelves, Laminate Wall	2345	10½	35½	36½	—	—	51 lbs.	3.5
	11N4236SH4W	Wood	\$ 2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4LW	Laminate Shelves, Wood Wall	2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4L	Laminate	1622	10½	41½	36½	—	—	59 lbs.	4.1
	11N4236SH4WL	Wood Shelves, Laminate Wall	2351	10½	41½	36½	—	—	59 lbs.	4.1
	11N4836SH4W	Wood	\$ 2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4LW	Laminate Shelves, Wood Wall	2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4L	Laminate	1801	10½	47½	36½	—	—	68 lbs.	4.6
	11N4836SH4WL	Wood Shelves, Laminate Wall	2612	10½	47½	36½	—	—	68 lbs.	4.6
	11N5436SH4W	Wood	\$ 2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4LW	Laminate Shelves, Wood Wall	2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4L	Laminate	1984	10½	53½	36½	—	—	76 lbs.	5.1
	11N5436SH4WL	Wood Shelves, Laminate Wall	2874	10½	53½	36½	—	—	76 lbs.	5.1
	11N6036SH4W	Wood	\$ 3161	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4LW	Laminate Shelves, Wood Wall	3161	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4L	Laminate	2179	10½	59½	36½	—	—	85 lbs.	5.6
	11N6036SH4WL	Wood Shelves, Laminate Wall	3161	10½	59½	36½	—	—	85 lbs.	5.6



- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS												
	36"H ORGANIZER SHELF INSERTS (CONTINUED)												
	11N3636SH6W	Wood	\$ 2292	10½	35½	36	—	—				43 lbs.	3.5
	11N3636SH6LW	Laminate Shelves, Wood Wall	2292	10½	35½	36	—	—				43 lbs.	3.5
	11N3636SH6L	Laminate	1581	10½	35½	36	—	—				43 lbs.	3.5
	11N3636SH6WL	Wood Shelves, Laminate Wall	2292	10½	35½	36	—	—				49 lbs.	3.5
	11N4236SH6W	Wood	\$ 2297	10½	41½	36	—	—				49 lbs.	4.1
	11N4236SH6LW	Laminate Shelves, Wood Wall	2297	10½	41½	36	—	—				49 lbs.	4.1
	11N4236SH6L	Laminate	1584	10½	41½	36	—	—				49 lbs.	4.1
	11N4236SH6WL	Wood Shelves, Laminate Wall	2297	10½	41½	36	—	—				49 lbs.	4.1
	11N4836SH6W	Wood	\$ 2551	10½	47½	36	—	—				56 lbs.	4.6
	11N4836SH6LW	Laminate Shelves, Wood Wall	2551	10½	47½	36	—	—				56 lbs.	4.6
	11N4836SH6L	Laminate	1759	10½	47½	36	—	—				56 lbs.	4.6
	11N4836SH6WL	Wood Shelves, Laminate Wall	2551	10½	47½	36	—	—				56 lbs.	4.6
	11N5436SH6W	Wood	\$ 2808	10½	53	36	—	—				63 lbs.	5.1
	11N5436SH6LW	Laminate Shelves, Wood Wall	2808	10½	53	36	—	—				63 lbs.	5.1
	11N5436SH6L	Laminate	1936	10½	53	36	—	—				63 lbs.	5.1
	11N5436SH6WL	Wood Shelves, Laminate Wall	2808	10½	53	36	—	—				63 lbs.	5.1
	11N6036SH6W	Wood	\$ 3086	10½	59½	36	—	—				69 lbs.	5.6
	11N6036SH6LW	Laminate Shelves, Wood Wall	3086	10½	59½	36	—	—				69 lbs.	5.6
	11N6036SH6L	Laminate	2130	10½	59½	36	—	—				69 lbs.	5.6
	11N6036SH6WL	Wood Shelves, Laminate Wall	3086	10½	59½	36	—	—				69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3637SH1W MH
11N3637SH1LW 462 CW
11N3637SH1L 405 478

- See pages 435-436 for all options available in Exhibit



ORGANIZER SHELF INSERTS (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS										
	11N3637SH1W Wood	\$ 2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1LW Laminate Shelves, Wood Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1L Laminate	1858	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N3637SH1WL Wood Shelves, Laminate Wall	2699	10½	35⅞	37	—	—	51 lbs.	3.4	
	11N4237SH1W Wood	\$ 2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1LW Laminate Shelves, Wood Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1L Laminate	1860	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4237SH1WL Wood Shelves, Laminate Wall	2703	10½	41⅞	37	—	—	57 lbs.	3.6	
	11N4837SH1W Wood	\$ 3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1LW Laminate Shelves, Wood Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1L Laminate	2070	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N4837SH1WL Wood Shelves, Laminate Wall	3002	10½	47⅞	37	—	—	62 lbs.	3.9	
	11N5437SH1W Wood	\$ 3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1LW Laminate Shelves, Wood Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1L Laminate	2277	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N5437SH1WL Wood Shelves, Laminate Wall	3301	10½	53⅞	37	—	—	68 lbs.	4.1	
	11N6037SH1W Wood	\$ 3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1LW Laminate Shelves, Wood Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1L Laminate	2505	10½	59⅞	37	—	—	74 lbs.	4.3	
	11N6037SH1WL Wood Shelves, Laminate Wall	3633	10½	59⅞	37	—	—	74 lbs.	4.3	



- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:



1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH2W MH
11N3637SH2LW 462 CW
11N3637SH2L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3637SH2W	Wood	\$	2699	10½	35⅞	37	—	—	51 lbs.	3.4
	11N3637SH2LW	Laminate Shelves, Wood Wall		2699	10½	35⅞	37	—	—	51 lbs.	3.4
	11N3637SH2L	Laminate		1858	10½	35⅞	37	—	—	51 lbs.	3.4
	11N3637SH2WL	Wood Shelves, Laminate Wall		2699	10½	35⅞	37	—	—	51 lbs.	3.4
	11N4237SH2W	Wood	\$	2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH2LW	Laminate Shelves, Wood Wall		2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH2L	Laminate		1860	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4237SH2WL	Wood Shelves, Laminate Wall		2703	10½	41⅞	37	—	—	57 lbs.	3.6
	11N4837SH2W	Wood	\$	3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH2LW	Laminate Shelves, Wood Wall		3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH2L	Laminate		2070	10½	47⅞	37	—	—	62 lbs.	3.9
	11N4837SH2WL	Wood Shelves, Laminate Wall		3002	10½	47⅞	37	—	—	62 lbs.	3.9
	11N5437SH2W	Wood	\$	3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH2LW	Laminate Shelves, Wood Wall		3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH2L	Laminate		2277	10½	53⅞	37	—	—	68 lbs.	4.1
	11N5437SH2WL	Wood Shelves, Laminate Wall		3301	10½	53⅞	37	—	—	68 lbs.	4.1
	11N6037SH2W	Wood	\$	3633	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH2LW	Laminate Shelves, Wood Wall		3633	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH2L	Laminate		2505	10½	59⅞	37	—	—	74 lbs.	4.3
	11N6037SH2WL	Wood Shelves, Laminate Wall		3633	10½	59⅞	37	—	—	74 lbs.	4.3
	• Some assembly required • "SH2" shelves are a mirrored version of the "SH1" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W MH
11N3637SH3LW 462 CW
11N3637SH3L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH3W	Wood	\$ 2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3LW	Laminate Shelves, Wood Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3L	Laminate	1581	10½	35⅞	37	—	—	43 lbs.	3.6
	11N3637SH3WL	Wood Shelves, Laminate Wall	2292	10½	35⅞	37	—	—	43 lbs.	3.6
	11N4237SH3W	Wood	\$ 2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3LW	Laminate Shelves, Wood Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3L	Laminate	1584	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH3WL	Wood Shelves, Laminate Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4837SH3W	Wood	\$ 2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3LW	Laminate Shelves, Wood Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3L	Laminate	1759	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH3WL	Wood Shelves, Laminate Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N5437SH3W	Wood	\$ 2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3LW	Laminate Shelves, Wood Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3L	Laminate	1936	10½	53⅞	37	—	—	63 lbs.	5.1
	11N5437SH3WL	Wood Shelves, Laminate Wall	2808	10½	53⅞	37	—	—	63 lbs.	5.1
	11N6037SH3W	Wood	\$ 3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3LW	Laminate Shelves, Wood Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3L	Laminate	2130	10½	59⅞	37	—	—	70 lbs.	5.7
	11N6037SH3WL	Wood Shelves, Laminate Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
 11N3637SH4LW 462 CW
 11N3637SH4L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3637SH4W Wood	\$ 2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4LW Laminate Shelves, Wood Wall	2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4L Laminate	1619	10½	35⅞	37	—	—	51 lbs.	3.6
	11N3637SH4WL Wood Shelves, Laminate Wall	2345	10½	35⅞	37	—	—	51 lbs.	3.6
	11N4237SH4W Wood	\$ 2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4LW Laminate Shelves, Wood Wall	2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4L Laminate	1622	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4237SH4WL Wood Shelves, Laminate Wall	2351	10½	41⅞	37	—	—	60 lbs.	4.1
	11N4837SH4W Wood	\$ 2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4LW Laminate Shelves, Wood Wall	2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4L Laminate	1801	10½	47⅞	37	—	—	68 lbs.	4.6
	11N4837SH4WL Wood Shelves, Laminate Wall	2612	10½	47⅞	37	—	—	68 lbs.	4.6
	11N5437SH4W Wood	\$ 2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4LW Laminate Shelves, Wood Wall	2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4L Laminate	1984	10½	53⅞	37	—	—	77 lbs.	5.1
	11N5437SH4WL Wood Shelves, Laminate Wall	2874	10½	53⅞	37	—	—	77 lbs.	5.1
	11N6037SH4W Wood	\$ 3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4LW Laminate Shelves, Wood Wall	3161	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4L Laminate	2179	10½	59⅞	37	—	—	85 lbs.	5.7
	11N6037SH4WL Wood Shelves, Laminate Wall	3161	10½	59⅞	37	—	—	85 lbs.	5.7
	- Some assembly required "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves - The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves - Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves - Each horizontal shelf has a 50 lb. maximum limit								



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3637SH6W	Wood	\$ 2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6LW	Laminate Shelves, Wood Wall	2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6L	Laminate	1581	10½	35⅝	37	—	—	43 lbs.	3.6
	11N3637SH6WL	Wood Shelves, Laminate Wall	2292	10½	35⅝	37	—	—	43 lbs.	3.6
	11N4237SH6W	Wood	\$ 2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH6LW	Laminate Shelves, Wood Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH6L	Laminate	1584	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4237SH6WL	Wood Shelves, Laminate Wall	2297	10½	41⅞	37	—	—	50 lbs.	4.1
	11N4837SH6W	Wood	\$ 2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH6LW	Laminate Shelves, Wood Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH6L	Laminate	1759	10½	47⅞	37	—	—	56 lbs.	4.6
	11N4837SH6WL	Wood Shelves, Laminate Wall	2551	10½	47⅞	37	—	—	56 lbs.	4.6
11N5437SH6W	Wood	\$ 2808	10½	53%	37	—	—	63 lbs.	5.1	
11N5437SH6LW	Laminate Shelves, Wood Wall	2808	10½	53%	37	—	—	63 lbs.	5.1	
11N5437SH6L	Laminate	1936	10½	53%	37	—	—	63 lbs.	5.1	
11N5437SH6WL	Wood Shelves, Laminate Wall	2808	10½	53%	37	—	—	63 lbs.	5.1	
11N6037SH6W	Wood	\$ 3086	10½	59⅞	37	—	—	70 lbs.	5.7	
11N6037SH6LW	Laminate Shelves, Wood Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7	
11N6037SH6L	Laminate	2130	10½	59⅞	37	—	—	70 lbs.	5.7	
11N6037SH6WL	Wood Shelves, Laminate Wall	3086	10½	59⅞	37	—	—	70 lbs.	5.7	



- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS										
	11N3648SH1W	Wood	\$	3186	10½	35½	48¾	—	—	69 lbs.	5.0
	11N3648SH1LW	Laminate Shelves, Wood Wall		3186	10½	35½	48¾	—	—	69 lbs.	5.0
	11N3648SH1L	Laminate		2196	10½	35½	48¾	—	—	69 lbs.	5.0
	11N3648SH1WL	Wood Shelves, Laminate Wall		3186	10½	35½	48¾	—	—	69 lbs.	5.0
	11N4248SH1W	Wood	\$	3191	10½	41½	48¾	—	—	77 lbs.	5.2
	11N4248SH1LW	Laminate Shelves, Wood Wall		3191	10½	41½	48¾	—	—	77 lbs.	5.2
	11N4248SH1L	Laminate		2198	10½	41½	48¾	—	—	77 lbs.	5.2
	11N4248SH1WL	Wood Shelves, Laminate Wall		3191	10½	41½	48¾	—	—	77 lbs.	5.2
	11N4848SH1W	Wood	\$	3542	10½	47½	48¾	—	—	85 lbs.	5.5
	11N4848SH1LW	Laminate Shelves, Wood Wall		3542	10½	47½	48¾	—	—	85 lbs.	5.5
	11N4848SH1L	Laminate		2442	10½	47½	48¾	—	—	85 lbs.	5.5
	11N4848SH1WL	Wood Shelves, Laminate Wall		3542	10½	47½	48¾	—	—	85 lbs.	5.5
	11N5448SH1W	Wood	\$	3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1LW	Laminate Shelves, Wood Wall		3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1L	Laminate		2687	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1WL	Wood Shelves, Laminate Wall		3900	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N6048SH1W	Wood	\$	4285	10½	59½	48¾	—	—	101 lbs.	6.1
	11N6048SH1LW	Laminate Shelves, Wood Wall		4285	10½	59½	48¾	—	—	101 lbs.	6.1
	11N6048SH1L	Laminate		2955	10½	59½	48¾	—	—	101 lbs.	6.1
	11N6048SH1WL	Wood Shelves, Laminate Wall		4285	10½	59½	48¾	—	—	101 lbs.	6.1
• Some assembly required • 48" and 49" high shelf inserts have 5 shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											





EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W MH
11N3648SH2LW 462 CW
11N3648SH2L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH2W	Wood	\$ 3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2LW	Laminate Shelves, Wood Wall	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2L	Laminate	2196	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648SH2WL	Wood Shelves, Laminate Wall	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4248SH2W	Wood	\$ 3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2LW	Laminate Shelves, Wood Wall	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2L	Laminate	2198	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248SH2WL	Wood Shelves, Laminate Wall	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4848SH2W	Wood	\$ 3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2LW	Laminate Shelves, Wood Wall	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2L	Laminate	2442	10½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4848SH2WL	Wood Shelves, Laminate Wall	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
11N5448SH2W	Wood	\$ 3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2LW	Laminate Shelves, Wood Wall	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2L	Laminate	2687	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448SH2WL	Wood Shelves, Laminate Wall	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6048SH2W	Wood	\$ 4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2LW	Laminate Shelves, Wood Wall	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2L	Laminate	2955	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048SH2WL	Wood Shelves, Laminate Wall	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

- See pages 435-436 for all options available in Exhibit



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)								
11N3648SH3W Wood	\$ 2707	10½	35⅞	48¾	—	—	53 lbs.	4.5
11N3648SH3LW Laminate Shelves, Wood Wall	2707	10½	35⅞	48¾	—	—	53 lbs.	4.5
11N3648SH3L Laminate	1864	10½	35⅞	48¾	—	—	53 lbs.	4.5
11N3648SH3WL Wood Shelves, Laminate Wall	2707	10½	35⅞	48¾	—	—	53 lbs.	4.5
11N4248SH3W Wood	\$ 2710	10½	41⅞	48¾	—	—	61 lbs.	5.2
11N4248SH3LW Laminate Shelves, Wood Wall	2710	10½	41⅞	48¾	—	—	61 lbs.	5.2
11N4248SH3L Laminate	1869	10½	41⅞	48¾	—	—	61 lbs.	5.2
11N4248SH3WL Wood Shelves, Laminate Wall	2710	10½	41⅞	48¾	—	—	61 lbs.	5.2
11N4848SH3W Wood	\$ 3011	10½	47⅞	48¾	—	—	69 lbs.	5.9
11N4848SH3LW Laminate Shelves, Wood Wall	3011	10½	47⅞	48¾	—	—	69 lbs.	5.9
11N4848SH3L Laminate	2075	10½	47⅞	48¾	—	—	69 lbs.	5.9
11N4848SH3WL Wood Shelves, Laminate Wall	3011	10½	47⅞	48¾	—	—	69 lbs.	5.9
11N5448SH3W Wood	\$ 3316	10½	53¾	48¾	—	—	77 lbs.	6.5
11N5448SH3LW Laminate Shelves, Wood Wall	3316	10½	53¾	48¾	—	—	77 lbs.	6.5
11N5448SH3L Laminate	2284	10½	53¾	48¾	—	—	77 lbs.	6.5
11N5448SH3WL Wood Shelves, Laminate Wall	3316	10½	53¾	48¾	—	—	77 lbs.	6.5
11N6048SH3W Wood	\$ 3641	10½	59⅞	48¾	—	—	86 lbs.	7.2
11N6048SH3LW Laminate Shelves, Wood Wall	3641	10½	59⅞	48¾	—	—	86 lbs.	7.2
11N6048SH3L Laminate	2513	10½	59⅞	48¾	—	—	86 lbs.	7.2
11N6048SH3WL Wood Shelves, Laminate Wall	3641	10½	59⅞	48¾	—	—	86 lbs.	7.2
 • Some assembly required • "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit								

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:


11N3648SH4W MH
11N3648SH4LW 462 CW
11N3648SH4L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH4W	Wood	\$ 2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4L	Laminate	1912	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH4WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N4248SH4W	Wood	\$ 2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4L	Laminate	1914	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH4WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4848SH4W	Wood	\$ 3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4L	Laminate	2126	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH4WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N5448SH4W	Wood	\$ 3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4L	Laminate	2337	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH4WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N6048SH4W	Wood	\$ 3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4L	Laminate	2572	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH4WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH5W	Wood	\$	2869	10½	35½	48¾	—	—	69 lbs.	4.5
	11N3648SH5LW	Laminate Shelves, Wood Wall		2869	10½	35½	48¾	—	—	69 lbs.	4.5
	11N3648SH5L	Laminate		1975	10½	35½	48¾	—	—	69 lbs.	4.5
	11N3648SH5WL	Wood Shelves, Laminate Wall		2869	10½	35½	48¾	—	—	69 lbs.	4.5
	11N4248SH5W	Wood	\$	2874	10½	41½	48¾	—	—	81 lbs.	5.2
	11N4248SH5LW	Laminate Shelves, Wood Wall		2874	10½	41½	48¾	—	—	81 lbs.	5.2
	11N4248SH5L	Laminate		1978	10½	41½	48¾	—	—	81 lbs.	5.2
	11N4248SH5WL	Wood Shelves, Laminate Wall		2874	10½	41½	48¾	—	—	81 lbs.	5.2

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Laminate Shelf Color
- Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

- Model Number
- Shelf Height (SH6 models only)
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W B MH
11N3648SH6LW A 462 CW
11N3648SH6L B 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH6W	Wood	\$	2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6LW	Laminate Shelves, Wood Wall		2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6L	Laminate		1864	10½	35½	48½	—	—	53 lbs.	4.5
	11N3648SH6WL	Wood Shelves, Laminate Wall		2707	10½	35½	48½	—	—	53 lbs.	4.5
	11N4248SH6W	Wood	\$	2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6LW	Laminate Shelves, Wood Wall		2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6L	Laminate		1869	10½	41½	48½	—	—	61 lbs.	5.2
	11N4248SH6WL	Wood Shelves, Laminate Wall		2710	10½	41½	48½	—	—	61 lbs.	5.2
	11N4848SH6W	Wood	\$	3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6LW	Laminate Shelves, Wood Wall		3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6L	Laminate		2075	10½	47½	48½	—	—	69 lbs.	5.9
	11N4848SH6WL	Wood Shelves, Laminate Wall		3011	10½	47½	48½	—	—	69 lbs.	5.9
	11N5448SH6W	Wood	\$	3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH6LW	Laminate Shelves, Wood Wall		3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH6L	Laminate		2284	10½	53½	48½	—	—	77 lbs.	6.5
	11N5448SH6WL	Wood Shelves, Laminate Wall		3316	10½	53½	48½	—	—	77 lbs.	6.5
	11N6048SH6W	Wood	\$	3641	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH6LW	Laminate Shelves, Wood Wall		3641	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH6L	Laminate		2513	10½	59½	48½	—	—	86 lbs.	7.2
	11N6048SH6WL	Wood Shelves, Laminate Wall		3641	10½	59½	48½	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH7W	Wood	\$	2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7LW	Laminate Shelves, Wood Wall		2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7L	Laminate		1912	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N3648SH7WL	Wood Shelves, Laminate Wall		2771	10½	35⅞	48⅞	—	—	60 lbs.	4.5
	11N4248SH7W	Wood	\$	2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7LW	Laminate Shelves, Wood Wall		2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7L	Laminate		1914	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4248SH7WL	Wood Shelves, Laminate Wall		2776	10½	41⅞	48⅞	—	—	71 lbs.	5.2
	11N4848SH7W	Wood	\$	3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7LW	Laminate Shelves, Wood Wall		3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7L	Laminate		2126	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N4848SH7WL	Wood Shelves, Laminate Wall		3082	10½	47⅞	48⅞	—	—	81 lbs.	5.9
	11N5448SH7W	Wood	\$	3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7LW	Laminate Shelves, Wood Wall		3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7L	Laminate		2337	10½	53⅞	48⅞	—	—	90 lbs.	6.5
	11N5448SH7WL	Wood Shelves, Laminate Wall		3391	10½	53⅞	48⅞	—	—	90 lbs.	6.5
											
	11N6048SH7W	Wood	\$	3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7LW	Laminate Shelves, Wood Wall		3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7L	Laminate		2572	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	11N6048SH7WL	Wood Shelves, Laminate Wall		3730	10½	59⅞	48⅞	—	—	100 lbs.	7.2
	• Some assembly required • "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:

- Model Number
- Wood Shelf Finish
- Laminate Wall Color


SAMPLE MODEL NUMBERS:

11N3649SH1W MH
11N3649SH1LW 462 CW
11N3649SH1L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS								
	11N3649SH1W Wood	\$ 3186	10½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N3649SH1LW Laminate Shelves, Wood Wall	3186	10½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N3649SH1L Laminate	2196	10½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N3649SH1WL Wood Shelves, Laminate Wall	3186	10½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N4249SH1W Wood	\$ 3191	10½	41⅞	48⅜	—	—	77 lbs.	5.2
	11N4249SH1LW Laminate Shelves, Wood Wall	3191	10½	41⅞	48⅜	—	—	77 lbs.	5.2
	11N4249SH1L Laminate	2198	10½	41⅞	48⅜	—	—	77 lbs.	5.2
	11N4249SH1WL Wood Shelves, Laminate Wall	3191	10½	41⅞	48⅜	—	—	77 lbs.	5.2
	11N4849SH1W Wood	\$ 3542	10½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N4849SH1LW Laminate Shelves, Wood Wall	3542	10½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N4849SH1L Laminate	2442	10½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N4849SH1WL Wood Shelves, Laminate Wall	3542	10½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N5449SH1W Wood	\$ 3900	10½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N5449SH1LW Laminate Shelves, Wood Wall	3900	10½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N5449SH1L Laminate	2687	10½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N5449SH1WL Wood Shelves, Laminate Wall	3900	10½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N6049SH1W Wood	\$ 4285	10½	59⅞	48⅜	—	—	101 lbs.	6.1
	11N6049SH1LW Laminate Shelves, Wood Wall	4285	10½	59⅞	48⅜	—	—	101 lbs.	6.1
	11N6049SH1L Laminate	2955	10½	59⅞	48⅜	—	—	101 lbs.	6.1
	11N6049SH1WL Wood Shelves, Laminate Wall	4285	10½	59⅞	48⅜	—	—	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH2W	Wood	\$	3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2LW	Laminate Shelves, Wood Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2L	Laminate		2196	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649SH2WL	Wood Shelves, Laminate Wall		3186	10½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4249SH2W	Wood	\$	3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249SH2LW	Laminate Shelves, Wood Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249SH2L	Laminate		2198	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249SH2WL	Wood Shelves, Laminate Wall		3191	10½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4849SH2W	Wood	\$	3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall		3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N4849SH2L	Laminate		2442	10½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N4849SH2WL	Wood Shelves, Laminate Wall		3542	10½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N5449SH2W	Wood	\$	3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5449SH2LW	Laminate Shelves, Wood Wall		3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5449SH2L	Laminate		2687	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5449SH2WL	Wood Shelves, Laminate Wall		3900	10½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6049SH2W	Wood	\$	4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6049SH2LW	Laminate Shelves, Wood Wall		4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6049SH2L	Laminate		2955	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6049SH2WL	Wood Shelves, Laminate Wall		4285	10½	59⅞	48⅞	—	—	101 lbs.	6.1	
• Some assembly required • "SH2" shelves are a mirrored version of the "SH1" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit											



EXHIBIT

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

1. Model Number
2. Finish

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

11N3649SH3W	MH	
11N3649SH3LW	462	CW
11N3649SH3L	405	478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH3W	Wood	\$ 2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3LW	Laminate Shelves, Wood Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3L	Laminate	1864	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N3649SH3WL	Wood Shelves, Laminate Wall	2707	10½	35⅞	48⅜	—	—	53 lbs.	4.6
	11N4249SH3W	Wood	\$ 2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3LW	Laminate Shelves, Wood Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3L	Laminate	1869	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4249SH3WL	Wood Shelves, Laminate Wall	2710	10½	41⅞	48⅜	—	—	61 lbs.	5.2
	11N4849SH3W	Wood	\$ 3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3LW	Laminate Shelves, Wood Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3L	Laminate	2075	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N4849SH3WL	Wood Shelves, Laminate Wall	3011	10½	47⅞	48⅜	—	—	69 lbs.	5.9
	11N5449SH3W	Wood	\$ 3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3L	Laminate	2284	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N5449SH3WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6
	11N6049SH3W	Wood	\$ 3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3LW	Laminate Shelves, Wood Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3L	Laminate	2513	10½	59⅞	48⅜	—	—	86 lbs.	7.2
	11N6049SH3WL	Wood Shelves, Laminate Wall	3641	10½	59⅞	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH4W	Wood	\$ 2771	10½	35½	48½	—	—	61 lbs.	4.6
	11N3649SH4LW	Laminate Shelves, Wood Wall	2771	10½	35½	48½	—	—	61 lbs.	4.6
	11N3649SH4L	Laminate	1912	10½	35½	48½	—	—	61 lbs.	4.6
	11N3649SH4WL	Wood Shelves, Laminate Wall	2771	10½	35½	48½	—	—	61 lbs.	4.6
	11N4249SH4W	Wood	\$ 2776	10½	41½	48½	—	—	71 lbs.	5.2
	11N4249SH4LW	Laminate Shelves, Wood Wall	2776	10½	41½	48½	—	—	71 lbs.	5.2
	11N4249SH4L	Laminate	1914	10½	41½	48½	—	—	71 lbs.	5.2
	11N4249SH4WL	Wood Shelves, Laminate Wall	2776	10½	41½	48½	—	—	71 lbs.	5.2
	11N4849SH4W	Wood	\$ 3082	10½	47½	48½	—	—	81 lbs.	5.9
	11N4849SH4LW	Laminate Shelves, Wood Wall	3082	10½	47½	48½	—	—	81 lbs.	5.9
	11N4849SH4L	Laminate	2126	10½	47½	48½	—	—	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	3082	10½	47½	48½	—	—	81 lbs.	5.9	
11N5449SH4W	Wood	\$ 3391	10½	53½	48½	—	—	91 lbs.	6.6	
11N5449SH4LW	Laminate Shelves, Wood Wall	3391	10½	53½	48½	—	—	91 lbs.	6.6	
11N5449SH4L	Laminate	2337	10½	53½	48½	—	—	91 lbs.	6.6	
11N5449SH4WL	Wood Shelves, Laminate Wall	3391	10½	53½	48½	—	—	91 lbs.	6.6	
11N6049SH4W	Wood	\$ 3730	10½	59½	48½	—	—	100 lbs.	7.2	
11N6049SH4LW	Laminate Shelves, Wood Wall	3730	10½	59½	48½	—	—	100 lbs.	7.2	
11N6049SH4L	Laminate	2572	10½	59½	48½	—	—	100 lbs.	7.2	
11N6049SH4WL	Wood Shelves, Laminate Wall	3730	10½	59½	48½	—	—	100 lbs.	7.2	
• Some assembly required • "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										



EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W MH
11N3649SH5LW 462 CW
11N3649SH5L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS										
	49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH5W	Wood	\$	2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5LW	Laminate Shelves, Wood Wall		2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5L	Laminate		1975	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N3649SH5WL	Wood Shelves, Laminate Wall		2869	10½	35⅞	48⅜	—	—	69 lbs.	4.6
	11N4249SH5W	Wood	\$	2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5LW	Laminate Shelves, Wood Wall		2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5L	Laminate		1978	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4249SH5WL	Wood Shelves, Laminate Wall		2874	10½	41⅞	48⅜	—	—	81 lbs.	5.2
	11N4849SH5W	Wood	\$	3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5LW	Laminate Shelves, Wood Wall		3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5L	Laminate		2197	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N4849SH5WL	Wood Shelves, Laminate Wall		3188	10½	47⅞	48⅜	—	—	93 lbs.	5.9
	11N5449SH5W	Wood	\$	3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5LW	Laminate Shelves, Wood Wall		3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5L	Laminate		2416	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N5449SH5WL	Wood Shelves, Laminate Wall		3508	10½	53⅞	48⅜	—	—	104 lbs.	6.6
	11N6049SH5W	Wood	\$	3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5LW	Laminate Shelves, Wood Wall		3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5L	Laminate		2659	10½	59⅞	48⅜	—	—	116 lbs.	7.2
	11N6049SH5WL	Wood Shelves, Laminate Wall		3856	10½	59⅞	48⅜	—	—	116 lbs.	7.2



- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color



TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ORGANIZER SHELF INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	49"H ORGANIZER SHELF INSERTS (CONTINUED)												
	11N3649SH6W	Wood	\$ 2707	10½	35⅜	48⅜	—	—	53 lbs.	4.6			
	11N3649SH6LW	Laminate Shelves, Wood Wall	2707	10½	35⅜	48⅜	—	—	53 lbs.	4.6			
	11N3649SH6L	Laminate	1864	10½	35⅜	48⅜	—	—	53 lbs.	4.6			
	11N3649SH6WL	Wood Shelves, Laminate Wall	2707	10½	35⅜	48⅜	—	—	53 lbs.	4.6			
	11N4249SH6W	Wood	\$ 2710	10½	41⅜	48⅜	—	—	61 lbs.	5.2			
	11N4249SH6LW	Laminate Shelves, Wood Wall	2710	10½	41⅜	48⅜	—	—	61 lbs.	5.2			
	11N4249SH6L	Laminate	1869	10½	41⅜	48⅜	—	—	61 lbs.	5.2			
	11N4249SH6WL	Wood Shelves, Laminate Wall	2710	10½	41⅜	48⅜	—	—	61 lbs.	5.2			
	11N4849SH6W	Wood	\$ 3011	10½	47⅜	48⅜	—	—	69 lbs.	5.9			
	11N4849SH6LW	Laminate Shelves, Wood Wall	3011	10½	47⅜	48⅜	—	—	69 lbs.	5.9			
	11N4849SH6L	Laminate	2075	10½	47⅜	48⅜	—	—	69 lbs.	5.9			
	11N4849SH6WL	Wood Shelves, Laminate Wall	3011	10½	47⅜	48⅜	—	—	69 lbs.	5.9			
	11N5449SH6W	Wood	\$ 3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6			
	11N5449SH6LW	Laminate Shelves, Wood Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6			
	11N5449SH6L	Laminate	2284	10½	53⅞	48⅜	—	—	78 lbs.	6.6			
	11N5449SH6WL	Wood Shelves, Laminate Wall	3316	10½	53⅞	48⅜	—	—	78 lbs.	6.6			
	11N6049SH6W	Wood	\$ 3641	10½	59⅜	48⅜	—	—	86 lbs.	7.2			
	11N6049SH6LW	Laminate Shelves, Wood Wall	3641	10½	59⅜	48⅜	—	—	86 lbs.	7.2			
	11N6049SH6L	Laminate	2513	10½	59⅜	48⅜	—	—	86 lbs.	7.2			
	11N6049SH6WL	Wood Shelves, Laminate Wall	3641	10½	59⅜	48⅜	—	—	86 lbs.	7.2			
• Some assembly required • "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit													

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

- Model Number
- Finish

TO ORDER LW UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

- Model Number
- Laminate Shelf Color
- Laminate Wall Color


TO ORDER WL UNITS, SPECIFY:


- Model Number
- Wood Shelf Finish
- Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH7W MH
11N3649SH7LW 462 CW
11N3649SH7L 405 478

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ORGANIZER SHELF INSERTS (CONTINUED) 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH7W	Wood	\$ 2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7LW	Laminate Shelves, Wood Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7L	Laminate	1912	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N3649SH7WL	Wood Shelves, Laminate Wall	2771	10½	35⅞	48⅜	—	—	61 lbs.	4.6
	11N4249SH7W	Wood	\$ 2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7LW	Laminate Shelves, Wood Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7L	Laminate	1914	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4249SH7WL	Wood Shelves, Laminate Wall	2776	10½	41⅞	48⅜	—	—	71 lbs.	5.2
	11N4849SH7W	Wood	\$ 3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7LW	Laminate Shelves, Wood Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7L	Laminate	2126	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N4849SH7WL	Wood Shelves, Laminate Wall	3082	10½	47⅞	48⅜	—	—	81 lbs.	5.9
	11N5449SH7W	Wood	\$ 3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7LW	Laminate Shelves, Wood Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7L	Laminate	2337	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N5449SH7WL	Wood Shelves, Laminate Wall	3391	10½	53⅞	48⅜	—	—	91 lbs.	6.6
	11N6049SH7W	Wood	\$ 3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7LW	Laminate Shelves, Wood Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7L	Laminate	2572	10½	59⅞	48⅜	—	—	100 lbs.	7.2
	11N6049SH7WL	Wood Shelves, Laminate Wall	3730	10½	59⅞	48⅜	—	—	100 lbs.	7.2



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit





TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
LAMINATE INSERT 	11N3634WINL	\$ 497	10½	35½	34½	—	—		41 lbs.	3.3
	11N3636WINL	541	10½	35½	36½	—	—		43 lbs.	3.5
	11N3637WINL	541	10½	35½	37	—	—		43 lbs.	3.6
	11N3648WINL	633	10½	35½	48½	—	—		53 lbs.	4.5
	11N3649WINL	633	10½	35½	48½	—	—		53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX 	NAC1205WGV1 Steel	\$ 121	3½	11½	4¾	—	—		1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX 	NAC1210WGV2 Steel	\$ 165	3½	11½	9½	—	—		1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX 	NAC1219WGV4 Steel	\$ 236	3½	11½	19	—	—		1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER 	NAC0407USD1	\$ 818	4¾	6	11	—	—		2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color (Veneer/Laminate insert only)
- Textile Grade (Textile insert only)
- Textile Color (Textile insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

- See pages 435-436 for all options available in Exhibit

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	34"H TV MOUNT EXHIBIT INSERTS									
	11N3634TVW	Wood	\$ 2829	½	35 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	47 lbs.	3.1
	11N3634TVL	Laminate	2026	½	35 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	47 lbs.	3.1
										
	11N4234TVW	Wood	\$ 2833	½	41 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	53 lbs.	3.3
	11N4234TVL	Laminate	2027	½	41 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	53 lbs.	3.3
(only 60" models)										
	11N4834TVW	Wood	\$ 3117	½	47 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	58 lbs.	3.5
	11N4834TVL	Laminate	2225	½	47 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	58 lbs.	3.5
	11N5434TVW	Wood	\$ 3403	½	53 ⁷ / ₈	34 ¹ / ₈	—	—	64 lbs.	3.5
	11N5434TVL	Laminate	2426	½	53 ⁷ / ₈	34 ¹ / ₈	—	—	64 lbs.	3.5
	11N6034TVW	Wood	\$ 3720	½	59 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	71 lbs.	3.9
	11N6034TVL	Laminate	2643	½	59 ¹⁵ / ₁₆	34 ¹ / ₈	—	—	71 lbs.	3.9

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS

11N3636TVW Wood	\$ 2863	½	35 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	51 lbs.	3.4
11N3636TVL Laminate	2051	½	35 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	51 lbs.	3.4
11N4236TVW Wood	\$ 2870	½	41 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	57 lbs.	3.6
11N4236TVL Laminate	2055	½	41 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	57 lbs.	3.6
11N4836TVW Wood	\$ 3159	½	47 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	62 lbs.	3.9
11N4836TVL Laminate	2255	½	47 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	62 lbs.	3.9
11N5436TVW Wood	\$ 3448	½	53 ⁷ / ₈	36 ⁷ / ₈	—	—	68 lbs.	4.1
11N5436TVL Laminate	2456	½	53 ⁷ / ₈	36 ⁷ / ₈	—	—	68 lbs.	4.1
11N6036TVW Wood	\$ 3771	½	59 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	74 lbs.	4.3
11N6036TVL Laminate	2677	½	59 ¹⁵ / ₁₆	36 ⁷ / ₈	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information



TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
TV MOUNT EXHIBIT INSERTS (CONTINUED)   (only 60" models)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
	11N3637TVW	Wood	\$ 2863	½	35⅞	37	—	—	51 lbs.	3.4
	11N3637TVL	Laminate	2051	½	35⅞	37	—	—	51 lbs.	3.4
	11N4237TVW	Wood	\$ 2870	½	41⅞	37	—	—	57 lbs.	3.6
	11N4237TVL	Laminate	2055	½	41⅞	37	—	—	57 lbs.	3.6
	11N4837TVW	Wood	\$ 3159	½	47⅞	37	—	—	62 lbs.	3.9
	11N4837TVL	Laminate	2255	½	47⅞	37	—	—	62 lbs.	3.9
	11N5437TVW	Wood	\$ 3448	½	53⅞	37	—	—	68 lbs.	4.1
	11N5437TVL	Laminate	2456	½	53⅞	37	—	—	68 lbs.	4.1
	11N6037TVW	Wood	\$ 3771	½	59⅞	37	—	—	74 lbs.	4.3
	11N6037TVL	Laminate	2677	½	59⅞	37	—	—	74 lbs.	4.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
	11N3648TVW	Wood	\$ 3337	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3648TVL	Laminate	2378	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4248TVW	Wood	\$ 3341	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4248TVL	Laminate	2380	½	41⅞	48⅞	—	—	77 lbs.	5.2
11N4848TVW	Wood	\$ 3685	½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N4848TVL	Laminate	2617	½	47⅞	48⅞	—	—	85 lbs.	5.5	
11N5448TVW	Wood	\$ 4029	½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N5448TVL	Laminate	2852	½	53⅞	48⅞	—	—	93 lbs.	5.8	
11N6048TVW	Wood	\$ 4406	½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6048TVL	Laminate	3115	½	59⅞	48⅞	—	—	101 lbs.	6.1	
• TV mount included; some assembly required; VESA mounting compliant • Maximum TV weight is 120 lbs. • Optional single or dual TV mount on 60" inserts										

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

- Model Number
- TV Mount (60W only)
- Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

- See pages 435-436 for all options available in Exhibit



	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
TV MOUNT EXHIBIT INSERTS (CONTINUED)   (only 60" models)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H TV MOUNT EXHIBIT INSERTS									
	11N3649TVW	Wood	\$ 3337	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	2378	½	35⅞	48⅞	—	—	69 lbs.	5.0
	11N4249TVW	Wood	\$ 3341	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	2380	½	41⅞	48⅞	—	—	77 lbs.	5.2
	11N4849TVW	Wood	\$ 3685	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	2617	½	47⅞	48⅞	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$ 4029	½	53⅞	48⅞	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	2852	½	53⅞	48⅞	—	—	93 lbs.	5.8
11N6049TVW	Wood	\$ 4406	½	59⅞	48⅞	—	—	101 lbs.	6.1	
11N6049TVL	Laminate	3115	½	59⅞	48⅞	—	—	101 lbs.	6.1	
• TV mount included; some assembly required; VESA mounting compliant • Maximum TV weight is 120 lbs. • Optional single or dual TV mount on 60" inserts										

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER



11N0615WMVW Wood	\$ 489	1½	5⅞	15⅞	—	—	8 lbs.	0.6
11N0615WMVL Laminate	327	1½	5⅞	15⅞	—	—	8 lbs.	0.6
- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables - When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager								

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

- Model Number
- Paint Color
- Textile Grade
- Textile Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
	FOR USE WITH 34"H INSERTS								
	11N37ETP	Powder Coated	\$ 108	1 1/16"	1 1/2"	37 7/8"	—	—	1 lbs. 0.2
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS								
	11N39ETP	Powder Coated	\$ 113	1 1/16"	1 1/2"	39 7/16"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS								
	11N40ETP	Powder Coated	\$ 113	1 1/16"	1 1/2"	39 7/8"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS								
	11N51ETP	Powder Coated	\$ 129	1 1/16"	1 1/2"	51 1/4"	—	—	1 lbs. 0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS								
	11N52ETP	Powder Coated	\$ 129	1 1/16"	1 1/2"	51 11/16"	—	—	1 lbs. 0.4
	- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed - Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail								

VERTICAL CABLE MANAGER



			GRADE AA	GRADE A	GRADE B/ COM							
	11N20WMV	Black Plastic	\$	42		1	1	20	—	—	1 lbs. 0.5	
	11N20WMVFA	Textile, Railroad	\$	52	\$ 58	\$ 69	1	1	20	—	—	1 lbs. 0.5
	- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached - Textile will be railroaded											
				GRADE AA	GRADE A	GRADE B/ COM						
	11N31WMV	Black Plastic	\$	55		1	1	31	—	—	2 lbs. 0.6	
	11N31WMVFA	Textile, Railroad	\$	64	\$ 70	\$ 81	1	1	31	—	—	2 lbs. 0.6
	- For use with 48" or 49" inserts when a single height cabinet is attached - Textile will be railroaded											

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Textile Grade
4. Textile Color

SAMPLE MODEL NUMBERS:

- 11N34TCF B 25413
11N01ETP 501
- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SINGLE END CAP	11N01ETP	\$ 49	½	1½	1½	—	—	1 lbs.	0.3
 • Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail • End caps are sold individually • End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) • Exhibit end caps can also be used behind overheads or when used with a worksurface									

TEXTILE WRAPPED TRIM CHANNELS



34"H TRIM CHANNELS

		GRADE AA		GRADE A		GRADE B/ COM								
11N34TCFA	Textile, Railroad	\$	61	\$	67	\$	78	½	¾	34½	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Textile, Railroad	\$ 63	\$ 69	\$ 80	½	¾	36½	—	—	1 lbs.	0.3
-----------	-------------------	-------	-------	-------	---	---	-----	---	---	--------	-----

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Textile, Railroad	\$ 63	\$ 69	\$ 80	½	¾	37	—	—	1 lbs.	0.3
-----------	-------------------	-------	-------	-------	---	---	----	---	---	--------	-----

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Textile, Railroad	\$ 71	\$ 77	\$ 88	½	¾	48½	—	—	1 lbs.	0.3
-----------	-------------------	-------	-------	-------	---	---	-----	---	---	--------	-----

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Textile, Railroad	\$ 71	\$ 77	\$ 88	½	¾	48½	—	—	1 lbs.	0.3
-----------	-------------------	-------	-------	-------	---	---	-----	---	---	--------	-----

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Textile will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

- 11N34TCP 462
11NCPFSL MC
- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	PAINTED TRIM CHANNELS								
	34"H TRIM CHANNELS								
	11N34TCP Powder Coated	\$ 55	½	¾	34½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	36"H TRIM CHANNELS								
	11N36TCP Powder Coated	\$ 60	½	¾	36½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS								
	37"H TRIM CHANNELS								
	11N37TCP Powder Coated	\$ 60	½	¾	37	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
	48"H TRIM CHANNELS								
	11N48TCP Powder Coated	\$ 70	½	¾	48½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS								
	49"H TRIM CHANNELS								
	11N49TCP Powder Coated	\$ 70	½	¾	49½	—	—	1 lbs.	0.3
	• Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503) • 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered								

WORKSURFACE MOUNTING BRACKET



11NBRS Single Bracket	\$ 21	2	3	½	—	—	1 lbs.	0.3
• For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail • Standard in anodized aluminum • Specify model number only								

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT



11NCPFSW Wood	\$ 72	1	3	27¼	—	—	3 lbs.	1.0
11NCPFSL Laminate	37	1	3	27¼	—	—	3 lbs.	1.0
• For use with Exhibit mounted overheads when an insert is not used behind the overhead • Must be field scribed for 18" and 13" high overhead models • Specify solid/woodgrain/Gallery laminate or wood finish								

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts





TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462
• See pages 435-436 for all options available in Exhibit

METAL
WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
SHELF 	NAC0924SHM	Powder Coated	\$ 147	9%	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	165	9%	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	182	9%	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	206	9%	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	222	9%	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	\$ 132	11%	17	2¼	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	\$ 182	1%	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	\$ 112	1%	15%	7¼	—	—	4 lbs.	1.1
SLANT SORTER 	NAC1212SSM	Polished Aluminum Dividers	\$ 132	11¼	12	7¼	—	—	4 lbs.	1.1
MARKER HOLDER 	NACMRHM		\$ 128	2½ ₁₆	6½ ₁₆	4	—	—	1 lbs.	0.1
BINDER SHELF 	NAC0905SHBM		\$ 81	9%	5	8¾	—	—	3 lbs.	0.5

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

- 1. Model Number


SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 435-436 for all options available in Exhibit

METAL
WORK TOOLS

PENCIL TRAY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
NAC0510PTB	\$ 99	5	10	1	—	—	1 lbs.	0.1

- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- NACCP
- See pages 435-436 for all options available in Exhibit

PLASTIC
WORK TOOLS


PENCIL CUP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
NACCP	Black Plastic	\$ 55	½	4	4	—	—	1 lbs.	0.4
NACCP C	Clear Plastic	55	½	4	4	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.


LEGAL PAPER TRAY



NAC1115SPT	Black Plastic	\$ 81	10½	15	2	—	—	1 lbs.	0.1
NAC1115SPT C	Clear Plastic	81	10½	15	2	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

ACCESSORY TRAY



NAC1010AT	Black Plastic	\$ 72	10	9½	2	—	—	1 lbs.	0.2
NAC1010AT C	Clear Plastic	72	10	9½	2	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

SLANT SORTER



NACSS	Black Plastic	\$ 85	12½	7	7½	—	—	1 lbs.	0.2
NACSS C	Clear Plastic	85	12½	7	7½	—	—	1 lbs.	0.2

- Holds folders, papers, etc.

PRODUCT SPECIFICATIONS

- For use with Exhibit slat wall inserts


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

- NACMAPSMB
- See pages 435-436 for all options available in Exhibit

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB Black	\$ 823	29½	2½	13⅞	—	—	12 lbs.	2.7
	NACMA1SFS Silver	823	29½	2½	13⅞	—	—	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements— Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements— Grommet Mount	N/A (slat wall mount only)

OCCASIONAL TABLES

Arrowood	490
Barrington	491
Collette	492
Confide	496
Eloquence	497
Epic	498
Escalade	499
Farrah	500
Footings	501
Fringe	502
Grin	504
Hobsen	505
Mariben	506
Marnia	509
Myriad	513
Reno	518
Roosevelt	520
Swift	521
Tag	523
Tarver	524
Tessera	525
Universal	526
Weli	532
Wixler	533

ARROWOOD OCCASIONAL TABLES







Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

31N2040MGLW HN

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
ARROWOOD MAGAZINE TABLE PANEL LEGS 	31N2040MGLW	HPL Top	\$ 1095	19 $\frac{3}{4}$	39 $\frac{1}{2}$	16	$\frac{1}{4}$	—	67 lbs.	12.2
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD END TABLE PANEL LEGS 	31N2424ENLW	HPL Top	\$ 996	23 $\frac{3}{4}$	23 $\frac{1}{2}$	19	$\frac{1}{4}$	—	63 lbs.	11.0
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD MAGAZINE TABLE TURNED LEGS 	Q31N2040MGPLW	HPL Top	\$ 1586	19 $\frac{25}{32}$	39 $\frac{25}{32}$	17 $\frac{7}{16}$	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top	1586	19 $\frac{25}{32}$	39 $\frac{25}{32}$	17 $\frac{7}{16}$	—	—	42 lbs.	3.0
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD END TABLE TURNED LEGS 	Q31N2424ENPLW	HPL Top	\$ 1484	23 $\frac{25}{32}$	23 $\frac{25}{32}$	20 $\frac{7}{16}$	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top	1484	23 $\frac{25}{32}$	23 $\frac{25}{32}$	20 $\frac{7}{16}$	—	—	33 lbs.	2.2
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									

BARRINGTON OCCASIONAL TABLES






Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

50N2040MGW DW
50N2040MGQW MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BARRINGTON MAGAZINE TABLE 	Q50N2040MGW Wood Top	\$ 1529	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{3}{16}$	—	—	42 lbs.	3.0
	50N2040MGW Wood Top	1529	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{3}{16}$	—	—	42 lbs.	3.0
	50N2040MGLW HPL Top	1326	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{3}{16}$	—	—	42 lbs.	3.0
	• Some assembly required • HPL top tables have veneer legs/bases • Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List								
BARRINGTON END TABLE 	Q50N2424ENW Wood Top	\$ 1345	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{3}{16}$	—	—	38 lbs.	2.8
	50N2424ENW Wood Top	1345	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{3}{16}$	—	—	38 lbs.	2.8
	50N2424ENLW HPL Top	1180	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{3}{16}$	—	—	38 lbs.	2.8
	• Some assembly required • HPL top tables have veneer legs/bases • Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List								
BARRINGTON QUEEN ANNE MAGAZINE TABLE 	50N2040MGQW Wood Top	\$ 2108	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{3}{16}$	—	—	36 lbs.	3.0
	• Some assembly required • Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List								
BARRINGTON QUEEN ANNE END TABLE 	50N2424ENQW Wood Top	\$ 1986	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{3}{16}$	—	—	32 lbs.	3.3
	• Some assembly required • Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List								

COLLETTE OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Textile Grade / Cover Number
5. Thread Color (when applicable)
6. Leg Color
7. Grommet
8. Glides

SAMPLE MODEL NUMBER:

N84T36ENL

COLLETTE END TABLE SQUARE LEG



Grommets

MODEL NO./DESCRIPTION

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENL	Laminate Top, Square Leg	\$	1401	1448	1470	1504	1541	1606	1692	2098	2228

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1480	1530	1567	1608	1652	1699	1738	1786	1834	1883

	K	L	M	N	O	P	Q	R	S	T
\$	1957	2111	2206	2255	2305	2354	2403	2451	2501	2549

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENS	Solid Surface Top, Grade A, Square Leg	\$	3376	3423	3445	3479	3516	3581	3667	4073	4203

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3455	3505	3542	3583	3627	3674	3713	3761	3809	3858

	K	L	M	N	O	P	Q	R	S	T
\$	3932	4086	4181	4230	4280	4329	4378	4426	4476	4524

DIMENSIONS

Width	35¼
Depth	35¼
Height	11½

Weight	94
Weight - Solid Surface	125
Cubic Ft.	17.3

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- All grommet cutout options are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Textile Grade / Cover Number
5. Thread Color (when applicable)
6. Leg Color
7. Grommet
8. Glides

SAMPLE MODEL NUMBER:

N84T60MGL

COLLETTE MAGAZINE TABLE SQUARE LEG



Grommets

MODEL NO./DESCRIPTION

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGL	Laminate Top, Square Leg	\$	2586	2654	2687	2736	2791	2886	3012	3604	3794

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2702	2774	2829	2888	2953	3021	3078	3148	3219	3291
	K	L	M	N	O	P	Q	R	S	T
\$	3399	3623	3762	3834	3907	3979	4051	4121	4193	4264

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGS	Solid Surface Top, Grade A, Square Leg	\$	6179	6247	6280	6329	6384	6479	6605	7197	7387

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	6295	6367	6422	6481	6546	6614	6671	6741	6812	6884
	K	L	M	N	O	P	Q	R	S	T
\$	6992	7216	7355	7427	7500	7572	7644	7714	7786	7857

DIMENSIONS

Width 60
Depth 35¼
Height 11½

Weight 151
Weight - Solid Surface 202
Cubic Ft. 26.0

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:


- 1. Model Number
- 2. Laminate (when applicable)
- 3. Solid Surface Grade/Color (when applicable)
- 4. Textile Grade / Cover Number
- 5. Leg Color
- 6. Grommet
- 7. Glides

SAMPLE MODEL NUMBER:

N84T36ENUL

MODEL NO./DESCRIPTION

COLLETTE END TABLE
U-LEG



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENUL	Laminate Top, U-Leg	\$	1689	1736	1758	1792	1829	1894	1980	2386	2516

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1768	1818	1855	1896	1940	1987	2026	2074	2122	2171
	K	L	M	N	O	P	Q	R	S	T
\$	2245	2399	2494	2543	2593	2642	2691	2739	2789	2837

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENUS	Solid Surface Top, Grade A, U-Leg	\$	3736	3783	3805	3839	3876	3941	4027	4433	4563

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3815	3865	3902	3943	3987	4034	4073	4121	4169	4218
	K	L	M	N	O	P	Q	R	S	T
\$	4292	4446	4541	4590	4640	4689	4738	4786	4836	4884

DIMENSIONS

Width	35¼	Weight	94
Depth	35¼	Weight - Solid Surface	125
Height	11½	Cubic Ft.	17.3

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- All grommet cutout options are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:


1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Textile Grade / Cover Number
5. Leg Color
6. Grommet
7. Glides

SAMPLE MODEL NUMBER:

N84T60MGUL

MODEL NO./DESCRIPTION

COLLETTE MAGAZINE TABLE U-LEG



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGUL	Laminate Top, U-Leg	\$	2945	3013	3046	3095	3150	3245	3371	3963	4153

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	3061	3133	3188	3247	3312	3380	3437	3507	3578	3650
	K	L	M	N	O	P	Q	R	S	T
\$	3758	3982	4121	4193	4266	4338	4410	4480	4552	4623

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGUS	Solid Surface Top, Grade A, U-Leg	\$	6536	6604	6637	6686	6741	6836	6962	7554	7744

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	6652	6724	6779	6838	6903	6971	7028	7098	7169	7241
	K	L	M	N	O	P	Q	R	S	T
\$	7349	7573	7712	7784	7857	7929	8001	8071	8143	8214

DIMENSIONS

Width 60
Depth 35¼
Height 11½

Weight 151
Weight - Solid Surface 202
Cubic Ft. 26.0

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

CONFIDE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number

2. Finish/Laminate Color

3. Metal Color

SAMPLE MODEL NUMBER:

N78SNW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CONFIDE END TABLE	N78SNW	Wood	\$ 1607	21¼	22	16⅞	—	—	15 lbs.	6.8
	N78SNL	Laminate	1607	21¼	22	16⅞	—	—	15 lbs.	6.8

- Soft glide option available for a \$42 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering in the Seating Price List

CONFIDE MAGAZINE TABLE	N78SMW	Wood	\$ 2499	21¼	44	16⅞	—	—	24 lbs.	14.2
	N78SML	Laminate	2499	21¼	44	16⅞	—	—	24 lbs.	14.2

- Soft glide option available for a \$42 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering in the Seating Price List

ELOQUENCE OCCASIONAL TABLES


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Finish/Laminate Color

SAMPLE MODEL NUMBER:


85N2024EN CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ELOQUENCE END TABLE	85N2024EN	Wood Top	\$ 1301	24 ⁷ / ₁₆	21 ¹ / ₃₂	20 ¹ / ₈	—	—	19 lbs.	1.4
	85N2024ENLW	Laminate Top	1301	24 ⁷ / ₁₆	21 ¹ / ₃₂	20 ¹ / ₈	—	—	19 lbs.	1.4



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering in the Seating Price List

ELOQUENCE MAGAZINE TABLE	85N2040MG Wood Top	\$ 1495	19 ² / ₃₂	39 ⁷ / ₈	18 ³ / ₃₂	—	—	—	26 lbs.	2.2
	85N2040MGLW Laminate Top	1495	19 ² / ₃₂	39 ⁷ / ₈	18 ³ / ₃₂	—	—	—	26 lbs.	2.2



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering in the Seating Price List

EPIC OCCASIONAL TABLES



TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N2424ENW X X 462 MC



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC END TABLE	25N2424ENW Wood	\$ 2273	24	24	18 3/4	—	—	55 lbs.	12.6
	25N2424ENL Laminate	1971	24	24	18 3/4	—	—	55 lbs.	12.6



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List



EPIC MAGAZINE TABLE	25N2448MGW Wood	\$ 2434	24	48	14 3/4	—	—	77 lbs.	19.1
	25N2448MGL Laminate	2143	24	48	14 3/4	—	—	77 lbs.	19.1



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List

EPIC COFFEE TABLE	25N3636MGW Wood	\$ 2534	36	36	14 11/16	—	—	65 lbs.	15.0
	25N3636MGL Laminate	2243	36	36	14 11/16	—	—	65 lbs.	15.0



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List

ESCALADE OCCASIONAL TABLES




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

ECN2040MGW MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ESCALADE MAGAZINE TABLE 	QECN2040MGW	\$ 2190	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18	—	—	70 lbs.	4.3
	ECN2040MGW	2190	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18	—	—	70 lbs.	4.3
• Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List									
ESCALADE END TABLE 	QECN2424ENW	\$ 2055	23 $\frac{1}{2}$	23 $\frac{1}{2}$	24	—	—	40 lbs.	3.9
	ECN2424ENW	2055	23 $\frac{1}{2}$	23 $\frac{1}{2}$	24	—	—	40 lbs.	3.9
• Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List									
ESCALADE CONSOLE TABLE 	ECN1948CSW	\$ 2447	18 $\frac{5}{8}$	48	28 $\frac{1}{2}$	—	—	85 lbs.	4.9
	• Rim detail on 3 sides of unit • Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List								

FARRAH OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Frame Color (when applicable)
5. Glides (when applicable)

SAMPLE MODEL NUMBERS:

N71T2525ENL CW 462 STD
N71T2525ENS C 7302 462 STD


FARRAH END TABLE



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED CUBIC	
		GRADE A	GRADE C	D	W	H	A	KW	WEIGHT	FEET
N71T2525ENL	Laminate	\$ 2061		25	25	14	—	—	64 lbs.	10.4
N71T2525ENDLW	Laminate - Exposed Plywood Rim	2300		25	25	14	—	—	64 lbs.	10.4
N71T2525ENW	Veneer	2458		25	25	14	—	—	64 lbs.	10.4
N71T2525ENDW	Veneer - Exposed Plywood Rim	2696		25	25	14	—	—	64 lbs.	10.4
N71T2525ENS	Solid Surface	3447	3829	25	25	14	—	—	71 lbs.	10.4

• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List


FARRAH MAGAZINE TABLE



		GRADE A	GRADE C							
N71T2552MGL	Laminate	\$ 2696		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGDLW	Laminate - Exposed Plywood Rim	2932		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGW	Veneer	3092		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGDW	Veneer - Exposed Plywood Rim	3330		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGS	Solid Surface	4596	5383	51½	24½	14	—	—	126 lbs.	19.7

• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List

FARRAH GANGING CENTER TABLE



		GRADE A	GRADE C							
N71TCL	Laminate	\$ 633		25	25	14	—	—	24.5 lbs.	1.5
N71TCDLW	Laminate - Exposed Plywood Rim	714		25	25	14	—	—	24.5 lbs.	1.5
N71TCW	Veneer	1032		25	25	14	—	—	24.5 lbs.	1.5
N71TCDW	Veneer - Exposed Plywood Rim	1110		25	25	14	—	—	24.5 lbs.	1.5
N71TCS	Solid Surface	1900	2282	25	25	14	—	—	31.5 lbs.	1.5

• 2 metal attachment brackets and hardware included
• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List



FOOTINGS OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV245015YBKP 265 265

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
FOOTINGS X BASE OCCASIONAL HEIGHT 	CBV2115XBP	\$ 565	20 $\frac{9}{16}$	20 $\frac{9}{16}$	14 $\frac{1}{16}$	—	—	26 lbs.	4.2
	CBV2715XBP	638	27 $\frac{1}{4}$	27 $\frac{1}{4}$	14 $\frac{1}{16}$	—	—	28 lbs.	6.3
	CBV3215XBP	711	31 $\frac{1}{16}$	31 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	28 lbs.	7.9
	• 1$\frac{1}{2}$" diameter glide • Reference Footings for detailed product information, finishes and entire Footings offering starting on page 176								
FOOTINGS X BASE END TABLE HEIGHT 	CBV2119XBP	\$ 605	20 $\frac{9}{16}$	20 $\frac{9}{16}$	18	—	—	28 lbs.	5.1
	CBV2719XBP	645	27 $\frac{1}{4}$	27 $\frac{1}{4}$	18	—	—	29 lbs.	7.8
	• Reference Footings for detailed product information, finishes and entire Footings offering starting on page 176								
FOOTINGS Y BASES WITH RAIL OCCASIONAL HEIGHT 	CBV183115YBKP	\$ 891	30 $\frac{3}{16}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.1
	CBV183515YBKP	929	34 $\frac{7}{16}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.2
	CBV243815YBKP	970	38 $\frac{5}{16}$	24	14 $\frac{1}{16}$	—	—	51 lbs.	9.8
	CBV244415YBKP	1009	44 $\frac{1}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8
	CBV245015YBKP	1051	50 $\frac{3}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8
	• 1$\frac{1}{2}$" diameter glide • Reference Footings for detailed product information, finishes and entire Footings offering starting on page 176								

FRINGE OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

SAMPLE MODEL NUMBER:

N93TEN2724W


FRINGE END TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
USED WHEN ALIGNING WITH 24" WIDTH									
N93TEN2724W	Wood, Metal Legs - 24"	\$ 2052	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724WW	Wood, Wood Legs - 24"	2233	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724L	Laminate, Metal Legs - 24"	1866	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724LW	Laminate, Wood Legs - 24"	2046	26½	23½	19½	—	—	55 lbs.	13.5
USED WHEN ALIGNING WITH 27" WIDTH									
N93TEN2727W	Wood, Metal Legs - 27"	\$ 2160	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727WW	Wood, Wood Legs - 27"	2350	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727L	Laminate, Metal Legs - 27"	1965	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727LW	Laminate, Wood Legs - 27"	2153	26½	26½	19½	—	—	61 lbs.	13.5

- Power grommet is sold separately; reference pages 557, 562, and 568 for pricing and details (Braided cords are not available)
- Power grommet cutout is always center
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List


FRINGE QUARTER TABLE



N93TQRW	Wood, Metal Legs	\$ 2742	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRWW	Wood, Wood Legs	2984	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRL	Laminate, Metal Legs	2494	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRLW	Laminate, Wood Legs	2735	26½	26½	19½	—	—	40 lbs.	10.7

- Power grommet is sold separately; reference pages 557, 562, and 568 for pricing and details (Braided cords are not available)
- No side grommet option
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

FRINGE HALF ROUND TABLE



N93THRW	Wood, Metal Legs	\$ 3414	26½	53	19½	—	—	77 lbs.	20.5
N93THRWW	Wood, Wood Legs	3714	26½	53	19½	—	—	77 lbs.	20.5
N93THRL	Laminate, Metal Legs	3103	26½	53	19½	—	—	77 lbs.	20.5
N93THRLW	Laminate, Wood Legs	3403	26½	53	19½	—	—	77 lbs.	20.5

- Power grommet is sold separately; reference pages 557, 562, and 568 for pricing and details (Braided cords are not available)
- No side grommet option
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List


FRINGE OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

SAMPLE MODEL NUMBER:

N93TMIBW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
	N93TMIBW	Ganging Wood, Metal Legs	\$ 2498	26½	23½	40	—	—	97 lbs.	7.4
	N93TMIBWW	Ganging Wood, Wood Legs	2681	26½	23½	40	—	—	97 lbs.	7.4
	N93TMIBL	Ganging Laminate, Metal Legs	2236	26½	23½	40	—	—	97 lbs.	7.4
	N93TMIBLW	Ganging Laminate, Wood Legs	2418	26½	23½	40	—	—	97 lbs.	7.4
• Power grommet is sold separately; reference pages 557, 562, and 568 for pricing and details (Braided cords are not available) • Power grommet cutout is always center • Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List										

	N93THIBW	Ganging Wood, Metal Legs	\$ 2574	26½	23½	53	—	—	109 lbs.	7.7
	N93THIBWW	Ganging Wood, Wood Legs	2756	26½	23½	53	—	—	109 lbs.	7.7
	N93THIBL	Ganging Laminate, Metal Legs	2311	26½	23½	53	—	—	109 lbs.	7.7
	N93THIBLW	Ganging Laminate, Wood Legs	2494	26½	23½	53	—	—	109 lbs.	7.7
• Power grommet is sold separately; reference pages 557, 562, and 568 for pricing and details (Braided cords are not available) • Power grommet cutout is always center • Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List										

GRIN OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T3013RD4L
N49T3013RD4LK


ROUND TOP OCCASIONAL HEIGHT TABLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
30" ROUND	1 3/8" TOP THICKNESS	DI	H					
N49T3013RD4LK	HPL - Knife Rim	\$ 2084	30	—	13	—	—	42.6 lbs. 3.1
N49T3013RD4L	HPL - Softened Rim	1737	30	—	13	—	—	47.9 lbs. 3.1
N49T3013RD4LL	TFL - Softened Rim	1564	30	—	13	—	—	47.9 lbs. 3.1
41" ROUND								
N49T4113RD4LK	HPL - Knife Rim	\$ 3059	41	—	13	—	—	67.0 lbs. 4.4
N49T4113RD4L	HPL - Softened Rim	2549	41	—	13	—	—	75.7 lbs. 4.4
N49T4113RD4LL	TFL - Softened Rim	2295	41	—	13	—	—	75.7 lbs. 4.4

• Reference Grin for detailed product information, finishes and entire Grin offering starting on page 214


SQUARE TOP OCCASIONAL HEIGHT TABLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
32" SQUARE	1 3/8" TOP THICKNESS							
N49T323213SSQ4LK	HPL - Knife Rim	\$ 2331	32	32	13	—	—	53.9 lbs. 3.3
N49T323213SSQ4L	HPL - Softened Rim	1943	32	32	13	—	—	61.1 lbs. 3.3
N49T323213SSQ4LL	TFL - Softened Rim	1749	32	32	13	—	—	61.1 lbs. 3.3
40" SQUARE								
N49T404013SSQ4LK	HPL - Knife Rim	\$ 3059	40	40	13	—	—	75.6 lbs. 4.3
N49T404013SSQ4L	HPL - Softened Rim	2549	40	40	13	—	—	85.7 lbs. 4.3
N49T404013SSQ4LL	TFL - Softened Rim	2295	40	40	13	—	—	85.7 lbs. 4.3

• Reference Grin for detailed product information, finishes and entire Grin offering starting on page 214

RECTANGLE TOP OCCASIONAL HEIGHT TABLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
24" X 40" RECTANGLE	1 3/8" TOP THICKNESS							
N49T244013SRT4LK	HPL - Knife Rim	\$ 2200	24	40	13	—	—	53.0 lbs. 3.3
N49T244013SRT4L	HPL - Softened Rim	1833	24	40	13	—	—	60.0 lbs. 3.3
N49T244013SRT4LL	TFL - Softened Rim	1650	24	40	13	—	—	60.0 lbs. 3.3
24 X 48" RECTANGLE								
N49T244813SRT4LK	HPL - Knife Rim	\$ 2342	24	48	13	—	—	60.6 lbs. 3.7
N49T244813SRT4L	HPL - Softened Rim	1952	24	48	13	—	—	68.7 lbs. 3.7
N49T244813SRT4LL	TFL - Softened Rim	1757	24	48	13	—	—	68.7 lbs. 3.7
32 X 48" RECTANGLE								
N49T324813SRT4LK	HPL - Knife Rim	\$ 2492	32	48	13	—	—	73.7 lbs. 4.3
N49T324813SRT4L	HPL - Softened Rim	2076	32	48	13	—	—	83.6 lbs. 4.3
N49T324813SRT4LL	TFL - Softened Rim	1868	32	48	13	—	—	83.6 lbs. 4.3

• Reference Grin for detailed product information, finishes and entire Grin offering starting on page 214

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (if applicable)
3. Solid Surface Grade (if applicable)
4. Solid Surface Color (if applicable)
5. Wood Finish

SAMPLE MODEL NUMBER:

N58T18ENRDL

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW		
 Laminate/Veneer	N58T18ENRDL Round, Laminate		\$ 2050			17½	—	23	—	—	22 lbs.	8.0
	N58T18ENRDW Round, Wood		2404			17½	—	23	—	—	22 lbs.	8.0
	N58T18ENRDG Round, Glass		2541			17½	—	22¾	—	—	21 lbs.	7.7
	N58T18ENRDS Round, Solid Surface		3975	4056	4169	17½	—	23	—	—	26 lbs.	8.0
 Glass						• Ships assembled • The veneer tops on wood models will always match the frame finish • Laminate and veneer models feature a softened 3mm rim profile • Solid surface models feature a reversed half-bullnose rim profile, see the Seating Price List • Glass surfaces are ¾" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive • Reference Hobsen for detailed product information, finishes and entire Hobsen offering in the Seating Price List						

HOBSEN MAGAZINE TABLE

			GRADE A GRADE B GRADE C									
						D	W	H	A	KW		
 Laminate/Veneer	N58T2745MGOL Oval, Laminate		\$ 2463			27	45	14¾	—	—	61 lbs.	18.0
	N58T2745MGOW Oval, Wood		2795			27	45	14¾	—	—	61 lbs.	18.0
	N58T2745MGOG Oval, Glass		3258			27	45	13½	—	—	65 lbs.	17.1
	N58T2745MGOS Oval, Solid Surface		5584	5895	6323	27	45	14¾	—	—	77 lbs.	18.0
 Glass						• Ships assembled • The veneer tops on wood models will always match the frame finish • Laminate and veneer models feature a softened 3mm rim profile • Solid surface models feature a reversed half-bullnose rim profile, see the Seating Price List • Glass surfaces are ¾" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive • Reference Hobsen for detailed product information, finishes and entire Hobsen offering in the Seating Price List						

MARIBEN PULL-UP TABLES


PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 3/4" thick TFL (Thermally fused laminate), and feature a softened 2mm PVC rim
- Grain direction runs left-to-right

BASE

- Assembled base ships separately from laminate top for in-field installation
- The crescent-shaped base plate is 3/16" thick powder coated steel
- The fixed height base features powder coated steel tube assembled to crescent-shaped base with machine screws
- The adjustable height base is steel tube with an internal pneumatic cylinder, controlled by a discrete undersurface release mechanism
- The column diameter for both fixed and adjustable height is 1 1/2"
- The overall height of the fixed base is 27" high while the adjustable height base features 10" of adjustment from 18 1/2" to 30 1/2"
- Low profile nylon glides protect the floor from damage
- The metal base can be specified in contrasting paint colors, see options page for available colors and locations



TFL LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

METAL PAINT COLORS

FIXED HEIGHT COLUMN

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT (+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

ADJUSTABLE HEIGHT
COLUMN PAINT

462	Cinder
405	Designer White
501	Platinum Metallic

CRESCENT BASE PLATE

STANDARD PAINT


437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT (+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

CONTRASTING PAINT
LOCATIONS

MARIBEN PULL-UP TABLES

PRODUCT SPECIFICATIONS

- The color offering is different between height adjustable and fixed models for the column

TO ORDER, SPECIFY:

- Model Number
- Laminate Group
- Laminate Color
- Column Paint Color
- Crescent Base Paint Color

SAMPLE MODEL NUMBERS:

- 44N20PURDFLLP STD 405 462 462
- See page 507 for all options available in Pull-Up Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FIXED HEIGHT PULL-UP TABLE	FIXED HEIGHT								
	44N20PURDFLLP Round, Laminate	\$ 981	20	20	26½	—	—	36.5 lbs.	4.9
	44N1822PURTFLLP Soft Rectangle, Laminate	981	17½	22	26½	—	—	37.5 lbs.	4.9
	44N1822PUSDFLLP Soft D, Laminate	981	17½	22	26½	—	—	36.5 lbs.	4.9

- Base and Top ship in separate cartons for assembly



Round



Rectangle



Soft D

ADJUSTABLE HEIGHT PULL-UP TABLE

ADJUSTABLE HEIGHT

44N20PURDALLP Round, Laminate	\$ 1488	20	20	18"-30"	—	—	34 lbs.	3.7
44N1822PURTALLP Soft Rectangle, Laminate	1488	17½	22	18"-30"	—	—	35 lbs.	3.7
44N1822PUSDALLP Soft D, Laminate	1488	17½	22	18"-30"	—	—	34 lbs.	3.7

- Base and Top ship in separate cartons for assembly



Round



Rectangle



Soft D

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1" HPL (high pressure laminate)
- Veneer surfaces are 1" thick
- Solid surface is 1" thick
- Back painted glass surfaces (round tops only) have a 1" thick top including the glass and white substrate
- Grain direction runs parallel to the metal frame on square and rectangle models

RIM PROFILES

- Veneer models have a matching 3mm veneer edge band
- Laminate models have a matching 3mm vinyl edge band
- Back painted glass has a MDF core with 3D Laminate edge
- Solid surface worksurface have a matching 3mm radius edge

UPHOLSTERED TOPS

- ¾" high grade polyurethane foam covers a ¾" solid base panel

LEGS

- 2 metal base styles; the round tables will have an "X" base for the 30" and 40" models and a "Y" base for the 16" and 24" diameter models, the square and rectangles will have an open style base

MARNIA OCCASIONAL TABLES

TOP WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
EW	Clear Walnut*
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

LEG PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

RIM PROFILE



PRODUCT SPECIFICATIONS

- Wood, Laminate, Glass, and Solid Surface worksurface available on round tops. See page 510 for options
- Upholstered top available for 16" round table only
- Legs are metal. See page 510 for color options
- Round tops are shipped KD

TO ORDER, SPECIFY:

1. Model Number
2. Wood Finish/Laminate Color
3. Solid Surface Grade/Color
4. Leg Paint Color

SAMPLE MODEL NUMBERS:

89N2422TRDW PB 463
89N2422TRDS C 7305 463

- See page 510 for all options available in Occasional Tables

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
	ROUND TABLE	16" ROUND		GRADE A	GRADE B	GRADE C	DI	H				
	89N1616TRDL	Laminate	\$ 1704				16	—	16	—	—	2.7
	89N1616TRDG	White Back Painted Glass	2107				16	—	16	—	—	2.7
	89N1616TRDS	Solid Surface	2343	2410	2501	16	—	16	—	—	2.7	
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
	89N1616TRDF	Textile	\$ 2079	2104	2116	2134	2155	2190	2236	2454	2524	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2122	2148	2169	2190	2214	2239	2260	2286	2312	2339
	K	L	M	N	O	P	Q	R	S	T
\$	2379	2461	2512	2539	2566	2592	2619	2645	2671	2697

DIMENSIONS

Diameter 16
Height 16½" Cubic Ft. 2.7

- Veneer top is not an option on 16" round tops
- Refer to the Surface Materials Reference Guide for available seating textile options
- Ships KD in 2 cartons

ROUND TABLE



24" ROUND		GRADE A	GRADE B	GRADE C	DI		H		
89N2422TRDW	Wood	\$ 2614			24	—	22	—	6.0
89N2422TRDL	Laminate	2011			24	—	22	—	6.0
89N2422TRDG	White Back Painted Glass	2886			24	—	22	—	6.0
89N2422TRDS	Solid Surface	3137	3285	3489	24	—	22	—	6.0
30" ROUND									
89N3016TRDW	Wood	\$ 2866			30½	—	16	—	5.7
89N3016TRDL	Laminate	2390			30½	—	16	—	5.7
89N3016TRDG	White Back Painted Glass	3679			30½	—	16	—	5.7
89N3016TRDS	Solid Surface	3872	4103	4422	30½	—	16	—	5.7
40" ROUND									
89N4016TRDW	Wood	\$ 3770			40	—	16	—	12.6
89N4016TRDL	Laminate	3143			40	—	16	—	12.6
89N4016TRDG	White Back Painted Glass	5267			40	—	16	—	12.6
89N4016TRDS	Solid Surface	5430	5841	6407	40	—	16	—	12.6

- Ships KD in 2 cartons

MARNIA OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, Laminate, and Solid Surface available on square tops. See page 510 for options
- Legs are metal. See page 510 for color options
- Square and Rectangular tops shipped assembled
- Wood and Laminate tops have 3mm edge

TO ORDER, SPECIFY:

1. Model Number
2. Wood Finish/Laminate Color
3. Solid Surface Grade/Color
4. Leg Paint Color

SAMPLE MODEL NUMBERS:

89N242422TSQW PB 463
89N182722TRTW PB 463

- See page 510 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
						D	W	H	A	KW		
SQUARE TABLE  	24" SQUARE		GRADE A	GRADE B	GRADE C							
	89N242422TSQW	Wood	\$ 2981			24	24	22	—	—		12.7
	89N242422TSQL	Laminate	2292			24	24	22	—	—		12.7
	89N242422TSQS	Solid Surface	3578	3726	3930	24	24	22	—	—		12.7
	30" SQUARE											
	89N303016TSQW	Wood	\$ 2909			30%	30%	16	—	—		14.2
	89N303016TSQL	Laminate	2328			30%	30%	16	—	—		14.2
	89N303016TSQS	Solid Surface	3926	4157	4476	30%	30%	16	—	—		14.2
	40" SQUARE											
	89N404016TSQW	Wood	\$ 3429			40	40	16	—	—		23.4
	89N404016TSQL	Laminate	2856			40	40	16	—	—		23.4
	89N404016TSQS	Solid Surface	5141	5552	6118	40	40	16	—	—		23.4

- Tops have cutouts to accept base. On laminate models, cutout will always be painted black. On Veneer models, cutout will match finish specified

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
						D	W	H	A	KW		
RECTANGLE TABLE  	18" x 27" RECTANGLE		GRADE A	GRADE B	GRADE C							
	89N182722TRTW	Wood	\$ 2786			18	27	22	—	—		11.1
	89N182722TRTL	Laminate	2142			18	27	22	—	—		11.1
	89N182722TRTS	Solid Surface	3343	3469	3642	18	27	22	—	—		11.1
	20" x 42" RECTANGLE											
	89N204216TRTW	Wood	\$ 2863			20	42	16	—	—		13.6
	89N204216TRTL	Laminate	2290			20	42	16	—	—		13.6
	89N204216TRTS	Solid Surface	3866	4081	4376	20	42	16	—	—		13.6

- Tops have cutouts to accept base. On laminate models, cutout will always be painted black. On Veneer models, cutout will match finish specified

BOX AND FLOATING TOP SIZES


End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"
Console Table 18" x 50"

CUBE SIZES

End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"

CYLINDER SIZES

End Table 24" Diameter
Coffee Table 36" Diameter



GLASS TOP KITS AVAILABLE FOR

Box styles
Cube styles
Cylinder styles

WOOD FINISHES

MC Amber Cherry
AC Autumn Cherry
IM Brighton Maple
CL Caramel Maple
CW Cordovan Walnut
HN Honey Maple
DW Judicial Walnut
MH Mocha Cherry
NM Natural Maple
TF Truffle Cherry

LAMINATES

WOODGRAIN LAMINATE

793 Acorn	MW Midtown
AD Almond	MH Mocha
MC Amber	YO Monterey
AC2 Autumn 2	NM Natural
BZ Brazilwood	PC Porcini
IM Brighton	PT Portico
CO Canyon	PB Portobello
CL Caramel	792 Sable
CI Chai	SC Sedona
CC Cordoba	SK Skyline
CW Cordovan	TW Tribeca
DF Driftwood	TF Truffle
HN2 Honey 2	NW Tuscan
TM Huntington	UW Urban
DW Judicial	WL Willow
KN Kona	

SOLID LAMINATE

462 Cinder
492 Cinder Linear
440 Cloud
457 Dapple
405 Designer White
491 Designer White Linear
450 Fog
488 Frosty White
461 Graphite
478 Platinum Grey
425 Shadow
460 Storm
419 Wallaby

PATTERN LAMINATE

818 Crisp Linen
821 Elemental Concrete
819 Flex Gauze
822 Smoke Quarstone
814 White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust
Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

METAL COLORS

462 Cinder
423 Concrete
405 Designer White
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

GLASS OPTION

3 Clear

SURFACE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 1 Touch Pivoting Power Grommet
CUT-G17C Cutout only for G17 1 Touch Pivoting Power Grommet
CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

SIDE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

MYRIAD OCCASIONAL TABLES







TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

91NB2424ENW X X 501 MH

- See page 513 for all options available in Occasional Tables

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
 End Table	WOOD									
	91NB2424ENW	End Table	\$ 2185	24	24	20½	—	—	55 lbs.	12.6
	91NB1850CSW	Console Table	2975	18	50	31½	—	—	75 lbs.	20.2
	91NB2448MGW	Magazine Table	2337	24	48	16½	—	—	77 lbs.	19.1
	91NB3636MGW	Coffee Table	2433	36	36	16½	—	—	65 lbs.	15.0
 Optional Surface and Side Grommet Locations	LAMINATE									
	91NB2424ENL	End Table	\$ 1828	24	24	20½	—	—	55 lbs.	12.6
	91NB1850CSL	Console Table	2627	18	50	31½	—	—	75 lbs.	20.2
	91NB2448MGL	Magazine Table	1987	24	48	16½	—	—	77 lbs.	19.1
	91NB3636MGL	Coffee Table	2076	36	36	16½	—	—	65 lbs.	15.0
• Optional glass and solid surface kits available; reference page 530 • Features an aluminum base in 3 color options • Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list) • Optional side grommet cutout available in G23 cutout (+\$41 list) • Grommet option not available on console table • Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details • Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513										
 Console Table										
										
										
										

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Cubes Only)
4. Finish/Laminate Color


SAMPLE MODEL NUMBERS:

91NA2424CYW X NM
91NA2424CUW X X MH


• See page 513 for all options available in Occasional Tables

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
MYRIAD CYLINDER			D	W	H	A	KW			
	WOOD		DI	H						
	91NA2424CYW	End Table	\$ 1590	24	—	20½	—	—	35 lbs.	11.0
	91NA3636MGYW	Coffee Table	2142	36½	—	16½	—	—	55 lbs.	18.6
	LAMINATE									
	91NA2424CYL	End Table	\$ 982	24	—	20½	—	—	35 lbs.	11.0
	91NA3636MGYL	Coffee Table	1467	36½	—	16½	—	—	55 lbs.	18.6
	• Optional glass and solid surface kits available; reference page 530 • Optional surface center grommet cutout available in G12, G17, and G23 cutout (+\$41 list) • Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details • Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513									





MYRIAD CUBE



End Table



Optional Surface and Side Grommet Locations



WOOD				D	W	H	A	KW	
91NA2424CUW	End Table	\$	1590	24	24	20½	—	—	33 lbs. 11.1
91NA2448MGTW	Magazine Table		2009	24	48	16½	—	—	66 lbs. 17.2
91NA3636MGUW	Coffee Table		2009	36	36	16½	—	—	55 lbs. 18.9
LAMINATE									
91NA2424CUL	End Table	\$	982	24	24	20½	—	—	33 lbs. 11.1
91NA2448MGTL	Magazine Table		1354	24	48	16½	—	—	66 lbs. 17.2
91NA3636MGUL	Coffee Table		1354	36	36	16½	—	—	55 lbs. 18.9
• Optional glass and solid surface kits available; reference page 530 • Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list) • Optional side grommet cutout available in G23 cutout (+\$41 list) • Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details • Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513									

MYRIAD OCCASIONAL TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Glass
3. Metal Color


SAMPLE MODEL NUMBER:

91NC2424ENG 3 462


- See page 513 for all options available in Occasional Tables

MYRIAD FLOATING TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
 End Table	GLASS TOPS								
	91NC2424ENG End Table	\$ 2599	24	24	20½	—	—	30 lbs.	2.2
	91NC1850CSG Console Table	3364	18	50	28½	—	—	53 lbs.	5.2
	91NC2448MGG Magazine Table	3021	24	48	16½	—	—	57 lbs.	5.5
	91NC3636MGG Coffee Table	3021	36	36	16½	—	—	50 lbs.	3.5


- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base
- Glass is ¾" thick
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513



Console Table



Magazine Table



Coffee Table





TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

SAMPLE MODEL NUMBER:

91NC2424ENW MH 501

- See page 513 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW		
 End Table	VENEER TOPS								
	91NC2424ENW	End Table	\$ 2143	24	24	20½	—	30 lbs.	2.2
	91NC1850CSW	Console Table	2712	18	50	28½	—	53 lbs.	5.2
	91NC2448MGW	Magazine Table	2433	24	48	16½	—	57 lbs.	5.5
	91NC3636MGW	Coffee Table	2433	36	36	16½	—	50 lbs.	3.5
 Console Table	LAMINATE TOPS								
	91NC2424ENL	End Table	\$ 1784	24	24	20½	—	30 lbs.	2.2
	91NC1850CSL	Console Table	2362	18	50	28½	—	53 lbs.	5.2
	91NC2448MGL	Magazine Table	2076	24	48	16½	—	57 lbs.	5.5
	91NC3636MGL	Coffee Table	2076	36	36	16½	—	50 lbs.	3.5
 Magazine Table	• Floating top style with laminate tops are available in a CSL; reference the Surface Materials Reference Guide for details • Features an aluminum base in 4 color options • Grommet not available on floating top styles • Floating top is ¾" thick • Veneer tables feature matte/satin sheen • Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513								
 Coffee Table									



RENO OCCASIONAL TABLES

TO ORDER, SPECIFY:


1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T24ENW X 462 MH

RENO END TABLE	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
 Optional Surface Grommet Location	ROUND			DI		H				
	N32T24ENW	Wood	\$ 1983	24	—	20 ¹⁵ / ₁₆	—	—	35 lbs.	11.0
	N32T24ENL	Laminate	1669	24	—	20 ¹⁵ / ₁₆	—	—	35 lbs.	11.0
• Side grommet not available on round models • Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)										
 Optional Surface and Side Grommet Locations	SQUARE			D	W	H	A	KW		
	N32T2424ENW	Wood	\$ 1983	24	24	20 ¹⁵ / ₁₆	—	—	55 lbs.	12.6
	N32T2424ENL	Laminate	1669	24	24	20 ¹⁵ / ₁₆	—	—	55 lbs.	12.6
• Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list) • Optional side grommet cutout on square table available in G23 cutout (+\$41 list) • Some assembly required; feet are field installed • Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details • Optional glass and solid surface kits available; reference page 530 • Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List										

RENO MAGAZINE TABLE



N32T2448MGW	Wood	\$ 2125	24	48	16 ¹⁵ / ₁₆	—	77	19.1 lbs.
N32T2448MGL	Laminate	1821	24	48	16 ¹⁵ / ₁₆	—	77	19.1 lbs.





- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Surface Grommet
- 3. Side Grommet (Square Only)
- 4. Paint
- 5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T36MGW X 462 MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
  Optional Surface Grommet Location	ROUND			D	W	H	A	KW		
				DI		H				
	N32T36MGW	Wood	\$ 2211	36 ¹ / ₁₆	—	16 ¹ / ₁₆	—	—	55 lbs.	18.6
	N32T36MGL	Laminate	1908	36 ¹ / ₁₆	—	16 ¹ / ₁₆	—	—	55 lbs.	18.6
	• Side grommet not available on round models • Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)									
  Optional Surface and Side Grommet Locations	SQUARE			D	W	H	A	KW		
	N32T3636MGW	Wood	\$ 2211	36	36	16 ¹ / ₁₆	—	—	65 lbs.	15.0
	N32T3636MGL	Laminate	1908	36	36	16 ¹ / ₁₆	—	—	65 lbs.	15.0
	• Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list) • Optional side grommet cutout available in G23 cutout (+\$41 list)									
	• Some assembly required; feet are field installed • Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details • Optional glass and solid surface kits available; reference page 530 • Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List									

ROOSEVELT OCCASIONAL TABLES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:


51N2040MGW MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ROOSEVELT MAGAZINE TABLE	51N2040MGW Wood Top	\$ 1522	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	Q51N2040MGLW Laminate Top	1309	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0
	51N2040MGLW Laminate Top	1309	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18 $\frac{5}{16}$	—	—	42 lbs.	3.0



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering in the Casegoods Book 1 Price List

ROOSEVELT END TABLE	51N2424ENW Wood Top	\$ 1309	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	Q51N2424ENLW Laminate Top	1165	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8
	51N2424ENLW Laminate Top	1165	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{5}{16}$	—	—	38 lbs.	2.8



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering in the Casegoods Book 1 Price List

SWIFT OCCASIONAL TABLES

TO ORDER, SPECIFY:



1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95PPW X X CL 497
N95PPL X X MC 501

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		


SWIFT SMALL END TABLE



Optional Surface and Side Grommet Locations

- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List


SWIFT COFFEE TABLE



N95RRW	Wood	\$ 2833	36	36	13¾	—	—	70 lbs.	16.8
N95RRL	Laminate	2704	36	36	13¾	—	—	70 lbs.	16.8

- Power grommet option not available
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT CONSOLE TABLE



N95SSW	Wood	\$ 3027	18	50	33½	—	—	74.2 lbs.	26.4
N95SSL	Laminate	2895	18	50	33½	—	—	74.2 lbs.	26.4

- Power grommet option not available
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT OCCASIONAL TABLES

TO ORDER, SPECIFY:



1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95KKW X X CW 462
N95KKL X X 462 501

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				

SWIFT 30° TABLE





Optional Surface and Side Grommet Locations

N95KKW	Wood	\$ 2169	30¼	25	16½	—	—	40 lbs.	12.6
N95KKL	Laminate	2036	30¼	25	16½	—	—	40 lbs.	12.6

- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT 45° TABLE





Optional Surface and Side Grommet Locations

N95LLW	Wood	\$ 2347	32¼	31½	16½	—	—	45.2 lbs.	16.3
N95LLL	Laminate	2213	32¼	31½	16½	—	—	45.2 lbs.	16.3

- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT 90° TABLE



Optional Surface and Side Grommet Locations

N95NNW	Wood	\$ 2436	28	28	16½	—	—	47.8 lbs.	13.1
N95NNL	Laminate	2304	28	28	16½	—	—	47.8 lbs.	13.1

- Power grommet sold separately; reference pages 557-558, 562-565, and 568 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$41 list)
- Optional side grommet cutout available in G23 cutout (+\$41 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List




TAG OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Frame Color

SAMPLE MODEL NUMBER:

N60SGW MC 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
TAG END TABLE 	N60SGW Wood Top	\$ 824	18	20	17 $\frac{3}{4}$	—	—	—	15 lbs.	6.1
	N60SGL Laminate Top	693	18	20	17 $\frac{3}{4}$	—	—	—	15 lbs.	6.1
• Platinum Metallic option available for a \$55 list upcharge • Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List										
TAG CORNER TABLE 	N60SHW Wood Top	\$ 1162	28	28	17 $\frac{3}{4}$	—	—	—	24 lbs.	11.5
	N60SHL Laminate Top	1032	28	28	17 $\frac{3}{4}$	—	—	—	24 lbs.	11.5
• Platinum Metallic option available for a \$55 list upcharge • Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List										
TAG MAGAZINE TABLE 	N60SKW Wood Top	\$ 1126	19 $\frac{1}{2}$	39 $\frac{1}{2}$	16	—	—	—	24 lbs.	10.7
	N60SKL Laminate Top	997	19 $\frac{1}{2}$	39 $\frac{1}{2}$	16	—	—	—	24 lbs.	10.7
• Platinum Metallic option available for a \$55 list upcharge • Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List										

TARVER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Legs made of metal and solid wood
- End and Magazine Tables ship assembled

TO ORDER, SPECIFY:

1. Model Number
2. Top Finish/Laminate
3. Base Finish
4. Paint

SAMPLE MODEL NUMBERS:

90N2421ENL 478 461 462
90N2448MGW PBRO 405 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
TARVER END TABLE TRESTLE BASE	90N2421ENW	Wood	\$ 2600	24	24	22½	—	—	60 lbs.	12.8
	90N2421ENL	Laminate	2462	24	24	22½	—	—	60 lbs.	12.8



- No grommet cutouts available
- 1½" thick tops
- Reference Tarver for detailed product information, finishes and entire Tarver offering starting on page 142

TARVER MAGAZINE TABLE TRESTLE BASE	90N2448MGW	Wood	\$ 3325	24	48½	16¾	—	—	83 lbs.	18.8
	90N2448MGL	Laminate	3186	24	48½	16¾	—	—	83 lbs.	18.8



- No grommet cutouts available
- 1½" thick tops
- Reference Tarver for detailed product information, finishes and entire Tarver offering starting on page 142






TESSERA OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N24ENRDW 501 MH
59N24ENRDLW 501 MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
TESSERA END TABLE  	ROUND									
	59N24ENRDW Wood	\$ 2382	24	24	23 3/4	—	—		83 lbs.	14.2
	59N24ENRDLW Laminate	2029	24	24	23 3/4	—	—		83 lbs.	14.2
	SQUARE									
	59N2424ENSQW Wood	\$ 2546	24	24	23 3/4	—	—		55 lbs.	14.2
	59N2424ENSQW Laminate	2190	24	24	23 3/4	—	—		55 lbs.	14.2
	• No grommet cutouts available • 1 3/8" thick top • Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List									
TESSERA COFFEE TABLE  	ROUND									
	59N36MGRDW Wood	\$ 2772	36 1/2	36 1/2	16 1/4	—	—		55 lbs.	21.6
	59N36MGRDLW Laminate	2415	36 1/2	36 1/2	16 1/4	—	—		55 lbs.	21.6
	SQUARE									
	59N3636MGSQW Wood	\$ 2932	36 1/2	36 1/2	16 1/4	—	—		65 lbs.	21.6
	59N3636MGSQW Laminate	2578	36 1/2	36 1/2	16 1/4	—	—		65 lbs.	21.6
	• No grommet cutouts available • 1 3/8" thick top • Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List									
TESSERA MAGAZINE TABLE 	59N2448MGW Wood	\$ 2772	24	48	16 1/4	—	—		77 lbs.	19.7
	59N2448MGLW Laminate	2415	24	48	16 1/4	—	—		77 lbs.	19.7
	• No grommet cutouts available • 1 3/8" thick top • Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List									


UNIVERSAL OCCASIONAL TABLES

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

RIM PROFILE



COLUMN PAINT COLOR

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE PAINT COLOR

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

WOOD FINISH

793	Acorn
AD	Almond
MC	Amber
AC	Autumn
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
CC	Cordoba
CW	Cordovan
405	Designer White
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

WOODGRAIN LAMINATE

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


UNIVERSAL OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

10N3636RDBPG

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNIVERSAL GLASS TOP  	ROUND		DI	H					
	10N3636RDBPG White Back Painted Glass	\$ 3042	36⅞	—	1½	—	—	65 lbs.	4.7
	10N2424RDBPG White Back Painted Glass	2227	23⅞	—	1½	—	—	31 lbs.	1.9
	SOFT SQUARE		D	W	H	A	KW		
	10N3636SQBPG White Back Painted Glass	\$ 3042	35⅞	35⅞	1½	—	—	69 lbs.	4.7
	10N2424SQBPG White Back Painted Glass	2227	23⅞	23⅞	1½	—	—	28 lbs.	1.9

- 24" top for use with 22" disc or soft square base on pages 528-530
- 36" top for use with 27" disc or soft square base on pages 528-530
- 1½" thickness includes the glass and substrate
- Features writable surface
- Footings Bases cannot be used with the Universal glass tops due to the size of the mounting brackets

UNIVERSAL SOLID SURFACE TOP  	ROUND	GRADE A	GRADE B	GRADE C	DI	H			
	10N36RDS Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	—	1½	—	59 lbs. 2.7
	10N24RDS Solid Surface	2375	2523	2727	24	—	1½	—	26 lbs. 1.3
	SOFT SQUARE	GRADE A	GRADE B	GRADE C	D	W	H	A	KW
	10N3636SSQS Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	36	1½	—	79 lbs. 2.7
	10N2424SSQS Solid Surface	2375	2523	2727	24	24	1½	—	38 lbs. 1.3

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases
- 24" top for use with 22" disc or soft square base on pages 528-530
- 36" top for use with 27" disc or soft square base on pages 528-530

UNIVERSAL OCCASIONAL TABLES







Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Base Paint Color

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DISC BASE OCCASIONAL TABLE HEIGHT 	CBV2715DRNBP	\$ 1077	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	814	3	22	16	—	—	43 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8"								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT 	CBV2715DSQBP	\$ 1254	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	988	3	22	16	—	—	50 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8"								
DISC BASE WORKSURFACE HEIGHT 	CBV2728DRNBP	\$ 1146	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	858	3	22	27 ³ / ₁₆	—	—	56 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8"								
SOFT SQUARE BASE WORKSURFACE HEIGHT 	CBV2728DSQBP	\$ 1326	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	CBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8"								





UNIVERSAL OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Base Paint Color

SAMPLE MODEL NUMBER:

CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	\$ 1238	3	27 ³ / ₁₆	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1194	3	22	35	—	—	58 lbs.	3.4
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- ¹/₈"								
SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	\$ 1415	3	27 ³ / ₁₆	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1369	3	22	35	—	—	65 lbs.	3.4
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- ¹/₈"								
DISC BASE BAR HEIGHT	CBV2740DRNBP	\$ 1326	3	27 ³ / ₁₆	40 ³ / ₄	—	—	76 lbs.	3.8
	CBV2240DRNBP	1279	3	22	40 ³ / ₄	—	—	59 lbs.	3.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- ¹/₈"								
SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	\$ 1500	3	27 ³ / ₁₆	40 ³ / ₄	—	—	87 lbs.	3.8
	CBV2240DSQBP	1455	3	22	40 ³ / ₄	—	—	66 lbs.	3.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- ¹/₈"								



UNIVERSAL OCCASIONAL TABLES

TO ORDER, SPECIFY:




1. Model Number
2. Solid Surface Grade
3. Solid Surface Color

SAMPLE MODEL NUMBER:

10N2424SQSK A 7101

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	SQUARE/RECTANGULAR		GRADE A	GRADE B	GRADE C	D	W	H	A	KW		
UNIVERSAL SOLID SURFACE KITS	10N2424SQSK	End Table Kit	\$ 1727	\$ 1875	\$ 2079	24	24	¾	—	—	25 lbs.	1.05
	10N2448RTSK	Magazine Table Kit	2544	2840	3248	24	48	¾	—	—	47 lbs.	2.0
	10N3636SQSK	Coffee Table Kit	2544	2877	3336	36	36	¾	—	—	52 lbs.	2.2
	10N1850RTSK	Console Table Kit	2544	2775	3094	18	50	¾	—	—	38 lbs.	1.6
	SOFT SQUARE											
	10N2424SSQSK	End Table Kit	\$ 1701	\$ 1849	\$ 2053	24	24	¾	—	—	25 lbs.	1.1
	10N3636SSQSK	Coffee Table Kit	2636	2969	3428	36	36	¾	—	—	52 lbs.	2.2
	ROUND											
	10N2424RDSK	End Table Kit	\$ 1701	\$ 1849	\$ 2053	24	—	¾	—	—	23 lbs.	1.1
	10N3636RDSK	Coffee Table Kit	2636	2969	3428	36	—	¾	—	—	49 lbs.	2.2
	• For use on box, cylinder, soft square and cube styles on pages 498, 514-515 • When pairing a solid surface kit with another occasional table, the solid surface top may be sized smaller than the occasional table											

UNIVERSAL GLASS KITS

	SQUARE/RECTANGULAR					D	W	H	A	KW		
	10N2424SQGK	End Table Kit			\$ 946	24	24	¾	—	—	55 lbs.	12.6
	10N2448RTGK	Magazine Table Kit			1326	24	48	¾	—	—	77 lbs.	19.1
	10N3636SQGK	Coffee Table Kit			1326	36	36	¾	—	—	75 lbs.	20.2
	10N1850RTGK	Console Table Kit			1326	18	50	¾	—	—	65 lbs.	15.0
	SOFT SQUARE											
	10N2424SSQGK	End Table Kit			\$ 1326	24	—	24	—	—	22 lbs.	1.0
	10N3636SSQGK	Coffee Table Kit			1987	24	—	36	—	—	49 lbs.	2.1
	ROUND											
	10N2424RDGK	End Table Kit			\$ 1326	24	—	¾	—	—	18 lbs.	1.0
	10N3636RDGK	Coffee Table Kit			1987	36	—	¾	—	—	37 lbs.	2.1
	• For use on box, cylinder, soft square and cube styles on pages 498, 514-515 • Specify model number only • Glass is clear with beveled rim • Glass comes with stanchions for easy attachment to table • Square kits feature square stanchions and soft square/round kits feature round stanchions											

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint

SAMPLE MODEL NUMBER:

10N1622RTPUW 419 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					


PERSONAL PULL-UP TABLE



10N1622RTPUW	Wood	\$ 1514	13¾	22	28½	—	—	—	32 lbs.	9.25
10N1622RTPUL	Laminate	1514	13¾	22	28½	—	—	—	32 lbs.	9.25

- 50 lb. weight limit
- Specify metal finish (462) Cinder, (423) Concrete, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Veneer species is maple

PERSONAL PULL-UP TABLE



White Marble



Black Marble

10N1120RTPU2SS	White Marble	\$ 1067	11	20	25	—	—	—	30 lbs.	5.00
10N1620RTPU2SB	Black Marble	1067	16	20	25	—	—	—	30 lbs.	6.95

- White Marble model has a Platinum Metallic base; Black Marble model has a Cinder base
- 10N1620RTPU2SB top material is Porcelain with pattern Nero Marquina
- 10N1120RTPU2SS top material is Natural Marble species of Bianco Crown Marble
- Specify model number only

WELI OCCASIONAL TABLES

TO ORDER, SPECIFY:


1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

SAMPLE MODEL NUMBER:

N60SGW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
						D	W	H	A	KW		
WELI OVAL TABLE			GRADE A	GRADE B	GRADE C							
	N81T2448MGOL	24 x 48, Laminate	\$ 2499			48	24	16¼	—	—	24 lbs.	6.5
	N81T2448MGOS	24 x 48, Solid Surface	3978	4274	4682	48	24	16¼	—	—	34 lbs.	6.5

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

WELI FREESTANDING TABLE			GRADE A	GRADE B	GRADE C							
	N81T2424ENL	24 x 24, Laminate	\$ 1702			25%	24½	16%	—	—	24 lbs.	3.6
	N81T2424ENS	24 x 24, Solid Surface	2959	3114	3329	25%	24½	16%	—	—	34 lbs.	3.6

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

WELI 90 DEGREE ROUNDED CORNER FREESTANDING TABLE			GRADE A	GRADE B	GRADE C							
	N81T3636CNL	Laminate	\$ 2499			38%	38%	16¼	—	—	35 lbs.	7.4
	N81T3636CNS	Solid Surface	3978	4341	4840	38%	38%	16¼	—	—	49 lbs.	7.4

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1" HPL (high pressure laminate)
- Veneer surfaces are 1" thick
- Solid surface is 1" thick
- Back painted glass surfaces have a 1" thick top including the glass and white substrate
- Veneer and Laminate models also available with standard core with a 3mm vinyl rim which is 1" thick
- Grain direction runs left-to-right

RIM PROFILES

- An exposed plywood core for veneer will have color matched on the rim and will be a reversed half-bullnose.
- An exposed plywood core for laminate will have a clear coat on the rim and will be a reversed half-bullnose
- Back painted glass has a MDF core with 3D Laminate edge. It will be a reversed half-bullnose and will be white
- Solid surface does not have a plywood core but will have a reversed half-bullnose and will be the same color as the solid surface
- Veneer and laminate models are available with a 3mm rim option with a standard core. Veneer will have a softened wood rim, while laminate will have a softened vinyl rim

UPHOLSTERED TOPS

- 1½" high grade polyurethane foam covers a ½" solid base

LEGS

- All Wixler legs are solid wood

WIXLER OCCASIONAL TABLES

TOP FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
EW	Clear Walnut*
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris


GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


*Acorn is the laminate complement to Clear Walnut finish

• CSL is available on HPL surfaces

RIM PROFILE OPTIONS



Softened Vinyl (V)
(laminate tops only)



Reversed Half-Bullnose

VINYL SOFTENED RIM

793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

WOOD LEG FINISHES

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC	Autumn	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN	Honey	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

BASE LEGS PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

RIM PROFILE



• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA4216TRDW CW 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW		
ROUND TOP 	42" ROUND					DI		H				
	88NA4216TRDW	Wood	\$ 2894			42	—	16	—	—	61 lbs.	10.7
	88NA4216TRDLW	Laminate	2894			42	—	16	—	—	61 lbs.	10.7
	88NA4216TRDGW	White Back Painted Glass	5591			42	—	16	—	—	109 lbs.	10.7
	88NA4216TRDSW	Solid Surface	5801	6254	6879	42	—	16	—	—	86 lbs.	10.7
	88NA4216TRDVW	Wood 3mm Rim	2390			42	—	16	—	—	61 lbs.	10.7
	88NA4216TRDVLW	Laminate 3mm Rim	2028			42	—	16	—	—	61 lbs.	10.7
	88NA4218TRDW	Wood	\$ 2932			42	—	18	—	—	62 lbs.	10.7
	88NA4218TRDLW	Laminate	2932			42	—	18	—	—	62 lbs.	10.7
	88NA4218TRDGW	White Back Painted Glass	5627			42	—	18	—	—	110 lbs.	10.7
	88NA4218TRDSW	Solid Surface	5839	6292	6917	42	—	18	—	—	87 lbs.	10.7
	88NA4218TRDVW	Wood 3mm Rim	2426			42	—	18	—	—	62 lbs.	10.7
	88NA4218TRDVLW	Laminate 3mm Rim	2066			42	—	18	—	—	62 lbs.	10.7
	36" ROUND											
	88NA3616TRDW	Wood	\$ 2769			36	—	16	—	—	47 lbs.	8.2
	88NA3616TRDLW	Laminate	2769			36	—	16	—	—	47 lbs.	8.2
	88NA3616TRDGW	White Back Painted Glass	4864			36	—	16	—	—	83 lbs.	8.2
	88NA3616TRDSW	Solid Surface	5271	5604	6063	36	—	16	—	—	66 lbs.	8.2
	88NA3616TRDVW	Wood 3mm Rim	2238			36	—	16	—	—	47 lbs.	8.2
	88NA3616TRDVLW	Laminate 3mm Rim	1877			36	—	16	—	—	47 lbs.	8.2
	88NA3618TRDW	Wood	\$ 2809			36	—	18	—	—	49 lbs.	8.2
	88NA3618TRDLW	Laminate	2809			36	—	18	—	—	49 lbs.	8.2
	88NA3618TRDGW	White Back Painted Glass	4901			36	—	18	—	—	84 lbs.	8.2
	88NA3618TRDSW	Solid Surface	5309	5642	6101	36	—	18	—	—	67 lbs.	8.2
	88NA3618TRDVW	Wood 3mm Rim	2276			36	—	18	—	—	49 lbs.	8.2
	88NA3618TRDVLW	Laminate 3mm Rim	1916			36	—	18	—	—	49 lbs.	8.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA2416TRDW CW 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS			CARTONED WEIGHT	CUBIC FEET	
ROUND TOP (CONTINUED) 	24" ROUND		GRADE A	GRADE B	GRADE C	DI	H	A	KW			
	88NA2416TRDW	Wood	\$ 2582			24	—	16	—	—	25 lbs.	4.2
	88NA2416TRDLW	Laminate	2582			24	—	16	—	—	25 lbs.	4.2
	88NA2416TRDGW	White Back Painted Glass	3770			24	—	16	—	—	41 lbs.	4.2
	88NA2416TRDSW	Solid Surface	4481	4629	4833	24	—	16	—	—	33 lbs.	4.2
	88NA2416TRDVW	Wood 3mm Rim	2088			24	—	16	—	—	25 lbs.	4.2
	88NA2416TRDVLW	Laminate 3mm Rim	1727			24	—	16	—	—	25 lbs.	4.2
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
	88NA2417TRDFW	Textile	\$ 2655	2687	2703	2726	2752	2797	2857	3137	3227	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2710	2744	2770	2798	2829	2861	2888	2921	2955	2989
	K	L	M	N	O	P	Q	R	S	T
\$	3040	3146	3212	3246	3281	3315	3349	3382	3416	3450

DIMENSIONS

Diameter	24	Weight	25
Height	17	Cubic Ft.	4.2

88NA2418TRDW	Wood	\$ 2618				24	—	18	—	—	26 lbs.	4.2
88NA2418TRDLW	Laminate	2618				24	—	18	—	—	26 lbs.	4.2
88NA2418TRDGLW	White Back Painted Glass	3809				24	—	18	—	—	42 lbs.	4.2
88NA2418TRDSW	Solid Surface	4518	4666	4870		24	—	18	—	—	35 lbs.	4.2
88NA2418TRDVW	Wood 3mm Rim	2125				24	—	18	—	—	26 lbs.	4.2
88NA2418TRDVLW	Laminate 3mm Rim	1765				24	—	18	—	—	26 lbs.	4.2
Grade		1	2/COM	3/COL	4	5	6	7	L7	L8		
88NA2419TRDFW	Textile	\$ 2694	2726	2742	2765	2791	2836	2896	3176	3266		

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2749	2783	2809	2837	2868	2900	2927	2960	2994	3028
	K	L	M	N	O	P	Q	R	S	T
\$	3079	3185	3251	3285	3320	3354	3388	3421	3455	3489

DIMENSIONS

Diameter	24	Weight	26
Height	19	Cubic Ft.	4.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA2420TRDW CW 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H				
ROUND TOP (CONTINUED) 	24" ROUND					DI		H				
	88NA2420TRDW	Wood	\$ 2655			24	—	20	—	—	28 lbs.	4.2
	88NA2420TRDLW	Laminate	2655			24	—	20	—	—	28 lbs.	4.2
	88NA2420TRDGW	White Back Painted Glass	3846			24	—	20	—	—	43 lbs.	4.2
	88NA2420TRDSW	Solid Surface	4556	4704	4908	24	—	20	—	—	36 lbs.	4.2
	88NA2420TRDVW	Wood 3mm Rim	2164			24	—	20	—	—	28 lbs.	4.2
	88NA2420TRDVLW	Laminate 3mm Rim	1804			24	—	20	—	—	28 lbs.	4.2
	88NA2422TRDW	Wood	\$ 2694			24	—	22	—	—	29 lbs.	4.2
	88NA2422TRDLW	Laminate	2694			24	—	22	—	—	29 lbs.	4.2
	88NA2422TRDGW	White Back Painted Glass	3883			24	—	22	—	—	45 lbs.	4.2
	88NA2422TRDSW	Solid Surface	4593	4741	4945	24	—	22	—	—	37 lbs.	4.2
	88NA2422TRDVW	Wood 3mm Rim	2201			24	—	22	—	—	29 lbs.	4.2
	88NA2422TRDVLW	Laminate 3mm Rim	1840			24	—	22	—	—	29 lbs.	4.2
	18" ROUND											
	88NA1816TRDW	Wood	\$ 2456			18	—	16	—	—	19 lbs.	3.1
	88NA1816TRDLW	Laminate	2456			18	—	16	—	—	19 lbs.	3.1
	88NA1816TRDGW	White Back Painted Glass	3044			18	—	16	—	—	28 lbs.	3.1
	88NA1816TRDSW	Solid Surface	3948	4029	4142	18	—	16	—	—	24 lbs.	3.1
	88NA1816TRDVW	Wood 3mm Rim	1936			18	—	16	—	—	19 lbs.	3.1
	88NA1816TRDVLW	Laminate 3mm Rim	1577			18	—	16	—	—	19 lbs.	3.1
	Grade		1	2/COM	3/COL	4	5	6	7	L7	L8	
	88NA1817TRDFW	Textile	\$ 2531	2556	2568	2586	2607	2642	2688	2906	2976	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2574	2600	2621	2642	2666	2691	2712	2738	2764	2791
	K	L	M	N	O	P	Q	R	S	T
\$	2831	2913	2964	2991	3018	3044	3071	3097	3123	3149

DIMENSIONS

Diameter	18	Weight	19
Height	17	Cubic Ft.	3.1

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA1818TRDW CW 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS			CARTONED WEIGHT	CUBIC FEET	
ROUND TOP (CONTINUED) 	18" ROUND		GRADE A	GRADE B	GRADE C	DI	H	A	KW			
	88NA1818TRDW	Wood	\$ 2494			18	—	18	—	—	21 lbs.	3.1
	88NA1818TRDLW	Laminate	2494			18	—	18	—	—	21 lbs.	3.1
	88NA1818TRDGW	White Back Painted Glass	3082			18	—	18	—	—	29 lbs.	3.1
	88NA1818TRDSW	Solid Surface	3986	4067	4180	18	—	18	—	—	25 lbs.	3.1
	88NA1818TRDVW	Wood 3mm Rim	1975			18	—	18	—	—	21 lbs.	3.1
	88NA1818TRDVLW	Laminate 3mm Rim	1615			18	—	18	—	—	21 lbs.	3.1
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
	88NA1819TRDFW	Textile	\$ 2568	2593	2605	2623	2644	2679	2725	2943	3013	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2611	2637	2658	2679	2703	2728	2749	2775	2801	2828
	K	L	M	N	O	P	Q	R	S	T
\$	2868	2950	3001	3028	3055	3081	3108	3134	3160	3186

DIMENSIONS

Diameter	18	Weight	21
Height	19	Cubic Ft.	3.1

88NA1820TRDW	Wood	\$ 2531				18	—	20	—	—	23 lbs.	3.4
88NA1820TRDLW	Laminate	2531				18	—	20	—	—	23 lbs.	3.4
88NA1820TRDGW	White Back Painted Glass	3119				18	—	20	—	—	32 lbs.	3.4
88NA1820TRDSW	Solid Surface	4022	4103	4216		18	—	20	—	—	28 lbs.	3.4
88NA1820TRDVW	Wood 3mm Rim	2013				18	—	20	—	—	23 lbs.	3.4
88NA1820TRDVLW	Laminate 3mm Rim	1652				18	—	20	—	—	23 lbs.	3.4
88NA1822TRDW	Wood	\$ 2568				18	—	22	—	—	25 lbs.	3.7
88NA1822TRDLW	Laminate	2568				18	—	22	—	—	25 lbs.	3.7
88NA1822TRDGW	White Back Painted Glass	3156				18	—	22	—	—	34 lbs.	3.7
88NA1822TRDSW	Solid Surface	4060	4141	4254		18	—	22	—	—	30 lbs.	3.7
88NA1822TRDVW	Wood 3mm Rim	2051				18	—	22	—	—	25 lbs.	3.7
88NA1822TRDVLW	Laminate 3mm Rim	1690				18	—	22	—	—	25 lbs.	3.7

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA424216TSQLW SM 503

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW		
	42" SQUARE											
	88NA424216TSQW	Wood	\$ 2894			42	42	16	—	—	72 lbs.	10.7
	88NA424216TSQLW	Laminate	2894			42	42	16	—	—	72 lbs.	10.7
	88NA424216TSQGW	White Back Painted Glass	5591			42	42	16	—	—	133 lbs.	10.7
	88NA424216TSQSW	Solid Surface	5801	6254	6879	42	42	16	—	—	104 lbs.	10.7
	88NA424216TSQVW	Wood 3mm Rim	2390			42	42	16	—	—	72 lbs.	10.7
	88NA424216TSQVLW	Laminate 3mm Rim	2028			42	42	16	—	—	72 lbs.	10.7
	88NA424218TSQW	Wood	\$ 2932			42	42	18	—	—	73 lbs.	10.7
	88NA424218TSQLW	Laminate	2932			42	42	18	—	—	73 lbs.	10.7
	88NA424218TSQGW	White Back Painted Glass	5627			42	42	18	—	—	134 lbs.	10.7
	88NA424218TSQSW	Solid Surface	5839	6292	6917	42	42	18	—	—	105 lbs.	10.7
	88NA424218TSQVW	Wood 3mm Rim	2426			42	42	18	—	—	73 lbs.	10.7
	88NA424218TSQVLW	Laminate 3mm Rim	2066			42	42	18	—	—	73 lbs.	10.7
	36" SQUARE											
	88NA363616TSQW	Wood	\$ 2769			36	36	16	—	—	55 lbs.	8.2
	88NA363616TSQLW	Laminate	2769			36	36	16	—	—	55 lbs.	8.2
	88NA363616TSQGW	White Back Painted Glass	4864			36	36	16	—	—	100 lbs.	8.2
	88NA363616TSQSW	Solid Surface	5271	5604	6063	36	36	16	—	—	79 lbs.	8.2
	88NA363616TSQVW	Wood 3mm Rim	2238			36	36	16	—	—	55 lbs.	8.2
	88NA363616TSQVLW	Laminate 3mm Rim	1877			36	36	16	—	—	55 lbs.	8.2
	88NA363618TSQW	Wood	\$ 2809			36	36	18	—	—	57 lbs.	8.2
	88NA363618TSQLW	Laminate	2809			36	36	18	—	—	57 lbs.	8.2
	88NA363618TSQGW	White Back Painted Glass	4901			36	36	18	—	—	102 lbs.	8.2
	88NA363618TSQSW	Solid Surface	5309	5642	6101	36	36	18	—	—	80 lbs.	8.2
	88NA363618TSQVW	Wood 3mm Rim	2276			36	36	18	—	—	57 lbs.	8.2
	88NA363618TSQVLW	Laminate 3mm Rim	1916			36	36	18	—	—	57 lbs.	8.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA242416TSQLW SM 503

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS			CARTONED WEIGHT	CUBIC FEET	
SOFT SQUARE TOP (CONTINUED) 	24" SQUARE		GRADE A	GRADE B	GRADE C	D	W	H	A	KW		
	88NA242416TSQW	Wood	\$ 2582			24	24	16	—	—	29 lbs.	4.2
	88NA242416TSQLW	Laminate	2582			24	24	16	—	—	29 lbs.	4.2
	88NA242416TSQGW	White Back Painted Glass	3770			24	24	16	—	—	49 lbs.	4.2
	88NA242416TSQSW	Solid Surface	4481	4629	4833	24	24	16	—	—	39 lbs.	4.2
	88NA242416TSQVW	Wood 3mm Rim	2088			24	24	16	—	—	29 lbs.	4.2
	88NA242416TSQVLW	Laminate 3mm Rim	1727			24	24	16	—	—	29 lbs.	4.2
		Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
	88NA242417TSQFW	Textile	\$ 2655	2687	2703	2726	2752	2797	2857	3137	3227	

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2710	2744	2770	2798	2829	2861	2888	2921	2955	2989
	K	L	M	N	O	P	Q	R	S	T
\$	3040	3146	3212	3246	3281	3315	3349	3382	3416	3450

DIMENSIONS

Depth	24	Weight	29
Width	24	Cubic Ft.	4.2
Height	17		

88NA242418TSQW	Wood	\$	2618				24	24	18	—	—	30 lbs.	4.2
88NA242418TSQLW	Laminate		2618				24	24	18	—	—	30 lbs.	4.2
88NA242418TSQGW	White Back Painted Glass		3809				24	24	18	—	—	40 lbs.	4.2
88NA242418TSQSW	Solid Surface		4518	4666	4870		24	24	18	—	—	40 lbs.	4.2
88NA242418TSQVW	Wood 3mm Rim		2125				24	24	18	—	—	30 lbs.	4.2
88NA242418TSQVLW	Laminate 3mm Rim		1765				24	24	18	—	—	30 lbs.	4.2
Grade			1	2/COM	3/COL	4	5	6	7	L7	L8		
88NA242419TSQFW	Textile	\$	2694	2726	2742	2765	2791	2836	2896	3176	3266		

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2749	2783	2809	2837	2868	2900	2927	2960	2994	3028
	K	L	M	N	O	P	Q	R	S	T
\$	3079	3185	3251	3285	3320	3354	3388	3421	3455	3489

DIMENSIONS

Depth	24	Weight	30
Width	24	Cubic Ft.	4.2
Height	19		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA242420TSQSW A 7201 501

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		GRADE A	GRADE B	GRADE C	D	W	H				
SOFT SQUARE TOP (CONTINUED) 	24" SQUARE										
	88NA242420TSQW	Wood	\$ 2655		24	24	20	—	—	31 lbs.	4.2
	88NA242420TSQLW	Laminate	2655		24	24	20	—	—	31 lbs.	4.2
	88NA242420TSQGW	White Back Painted Glass	3846		24	24	20	—	—	51 lbs.	4.2
	88NA242420TSQSW	Solid Surface	4556	4704	4908	24	24	20	—	42 lbs.	4.2
	88NA242420TSQVW	Wood 3mm Rim	2164		24	24	20	—	—	31 lbs.	4.2
	88NA242420TSQVLW	Laminate 3mm Rim	1804		24	24	20	—	—	31 lbs.	4.2
	88NA242422TSQW	Wood	\$ 2694		24	24	22	—	—	33 lbs.	4.2
	88NA242422TSQLW	Laminate	2694		24	24	22	—	—	33 lbs.	4.2
	88NA242422TSQGW	White Back Painted Glass	3883		24	24	22	—	—	53 lbs.	4.2
	88NA242422TSQSW	Solid Surface	4593	4741	4945	24	24	22	—	43 lbs.	4.2
	18" SQUARE										
	88NA181816TSQW	Wood	\$ 2456		18	18	16	—	—	21 lbs.	3.1
	88NA181816TSQLW	Laminate	2456		18	18	16	—	—	21 lbs.	3.1
	88NA181816TSQGW	White Back Painted Glass	3044		18	18	16	—	—	33 lbs.	3.1
	88NA181816TSQSW	Solid Surface	3948	4029	4142	18	18	16	—	27 lbs.	3.1
	88NA181816TSQVW	Wood 3mm Rim	1936		18	18	16	—	—	21 lbs.	3.1
	88NA181816TSQVLW	Laminate 3mm Rim	1577		18	18	16	—	—	21 lbs.	3.1
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8	
	88NA181817TSQFW	Textile	\$ 2531	2556	2568	2586	2607	2642	2688	2906	2976

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2574	2600	2621	2642	2666	2691	2712	2738	2764	2791
	K	L	M	N	O	P	Q	R	S	T
\$	2831	2913	2964	2991	3018	3044	3071	3097	3123	3149

DIMENSIONS

Depth	18	Weight	21
Width	18	Cubic Ft.	3.1
Height	17		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA181820TSQSW A 7201 501

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
SOFT SQUARE TOP (CONTINUED) 	18" SQUARE									
	88NA181818TSQW Wood	\$	2494							
	88NA181818TSQLW Laminate		2494							
	88NA181818TSQGW White Back Painted Glass		3082							
	88NA181818TSQSW Solid Surface		3986							
	88NA181818TSQVW Wood 3mm Rim		1975							
	88NA181818TSQVLW Laminate 3mm Rim		1615							
	Grade		1	2/COM	3/COL	4	5	6	7	L7 L8
	88NA181819TSQFW Textile	\$	2568	2593	2605	2623	2644	2679	2725	2943 3013

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2611	2637	2658	2679	2703	2728	2749	2775	2801	2828
	K	L	M	N	O	P	Q	R	S	T
\$	2868	2950	3001	3028	3055	3081	3108	3134	3160	3186

DIMENSIONS

Depth	18	Weight	23
Width	18	Cubic Ft.	3.1
Height	19		

88NA181820TSQW Wood	\$	2531								
88NA181820TSQLW Laminate		2531								
88NA181820TSQGW White Back Painted Glass		3119								
88NA181820TSQSW Solid Surface		4022	4103	4216						
88NA181820TSQVW Wood 3mm Rim		2013								
88NA181820TSQVLW Laminate 3mm Rim		1652								
88NA181822TSQW Wood	\$	2568								
88NA181822TSQLW Laminate		2568								
88NA181822TSQGW White Back Painted Glass		3156								
88NA181822TSQSW Solid Surface		4060	4141	4254						
88NA181822TSQVW Wood 3mm Rim		2051								
88NA181822TSQVLW Laminate 3mm Rim		1690								

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail


TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA306016TRTVW PB 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC	
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	WEIGHT	FEET
SOFT RECTANGLE TOP 	30" X 60"											
	88NA306016TRTW	Wood	\$ 3097			30	60	16	—	—	74 lbs.	11.0
	88NA306016TRLW	Laminate	3097			30	60	16	—	—	74 lbs.	11.0
	88NA306016TRTGW	White Back Painted Glass	5158			30	60	16	—	—	136 lbs.	11.0
	88NA306016TRTSW	Solid Surface	5675	6119	6731	30	60	16	—	—	106 lbs.	11.0
	88NA306016TRTVW	Wood 3mm Rim	2530			30	60	16	—	—	74 lbs.	11.0
	88NA306016TRTVLW	Laminate 3mm Rim	2169			30	60	16	—	—	74 lbs.	11.0
	88NA306018TRTW	Wood	\$ 3136			30	60	18	—	—	75 lbs.	11.0
	88NA306018TRLW	Laminate	3136			30	60	18	—	—	75 lbs.	11.0
	88NA306018TRTGW	White Back Painted Glass	5197			30	60	18	—	—	138 lbs.	11.0
	88NA306018TRTSW	Solid Surface	5712	6156	6768	30	60	18	—	—	108 lbs.	11.0
	88NA306018TRTVW	Wood 3mm Rim	2567			30	60	18	—	—	75 lbs.	11.0
	88NA306018TRTVLW	Laminate 3mm Rim	2205			30	60	18	—	—	75 lbs.	11.0
	24" X 48"											
	88NA244816TRTW	Wood	\$ 2791			24	48	16	—	—	50 lbs.	7.4
	88NA244816TRLW	Laminate	2791			24	48	16	—	—	50 lbs.	7.4
	88NA244816TRTGW	White Back Painted Glass	4431			24	48	16	—	—	90 lbs.	7.4
	88NA244816TRTSW	Solid Surface	5144	5436	5839	24	48	16	—	—	71 lbs.	7.4
	88NA244816TRTVW	Wood 3mm Rim	2223			24	48	16	—	—	50 lbs.	7.4
	88NA244816TRTVLW	Laminate 3mm Rim	1861			24	48	16	—	—	50 lbs.	7.4
	88NA244818TRTW	Wood	\$ 2829			24	48	18	—	—	51 lbs.	7.4
	88NA244818TRLW	Laminate	2829			24	48	18	—	—	51 lbs.	7.4
	88NA244818TRTGW	White Back Painted Glass	4468			24	48	18	—	—	92 lbs.	7.4
	88NA244818TRTSW	Solid Surface	5181	5473	5876	24	48	18	—	—	72 lbs.	7.4
	88NA244818TRTVW	Wood 3mm Rim	2261			24	48	18	—	—	51 lbs.	7.4
	88NA244818TRTVLW	Laminate 3mm Rim	1899			24	48	18	—	—	51 lbs.	7.4

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail


TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA183618TRTVW PB 463

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC	
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	WEIGHT	FEET
SOFT RECTANGLE TOP (CONTINUED) 	18" X 36"											
	88NA183616TRTW	Wood	\$ 2486			18	36	16	—	—	32 lbs.	4.6
	88NA183616TRLW	Laminate	2486			18	36	16	—	—	32 lbs.	4.6
	88NA183616TRTGW	White Back Painted Glass	3703			18	36	16	—	—	54 lbs.	4.6
	88NA183616TRTSW	Solid Surface	4608	4771	4995	18	36	16	—	—	43 lbs.	4.6
	88NA183616TRTVW	Wood 3mm Rim	2112			18	36	16	—	—	32 lbs.	4.6
	88NA183616TRTVLW	Laminate 3mm Rim	1749			18	36	16	—	—	32 lbs.	4.6
	88NA183618TRTW	Wood	\$ 2525			18	36	18	—	—	33 lbs.	4.6
	88NA183618TRLW	Laminate	2525			18	36	18	—	—	33 lbs.	4.6
	88NA183618TRTGW	White Back Painted Glass	3740			18	36	18	—	—	55 lbs.	4.6
	88NA183618TRTSW	Solid Surface	4646	4809	5033	18	36	18	—	—	45 lbs.	4.6
	88NA183618TRTVW	Wood 3mm Rim	2148			18	36	18	—	—	33 lbs.	4.6
	88NA183618TRTVLW	Laminate 3mm Rim	1786			18	36	18	—	—	33 lbs.	4.6
	88NA183620TRTW	Wood	\$ 2563			18	36	20	—	—	35 lbs.	5.1
	88NA183620TRLW	Laminate	2563			18	36	20	—	—	35 lbs.	5.1
	88NA183620TRTGW	White Back Painted Glass	3778			18	36	20	—	—	58 lbs.	5.1
	88NA183620TRTSW	Solid Surface	4684	4847	5071	18	36	20	—	—	47 lbs.	5.1
	88NA183620TRTVW	Wood 3mm Rim	2185			18	36	20	—	—	35 lbs.	5.1
	88NA183620TRTVLW	Laminate 3mm Rim	1823			18	36	20	—	—	35 lbs.	5.1
	88NA183622TRTW	Wood	\$ 2599			18	36	22	—	—	37 lbs.	5.4
	88NA183622TRLW	Laminate	2599			18	36	22	—	—	37 lbs.	5.4
	88NA183622TRTGW	White Back Painted Glass	3815			18	36	22	—	—	59 lbs.	5.4
	88NA183622TRTSW	Solid Surface	4723	4886	5110	18	36	22	—	—	48 lbs.	5.4
	88NA183622TRTVW	Wood 3mm Rim	2223			18	36	22	—	—	37 lbs.	5.4
	88NA183622TRTVLW	Laminate 3mm Rim	1861			18	36	22	—	—	37 lbs.	5.4

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA182416TRTLW 488 402

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION	LIST PRICE				DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		GRADE A	GRADE B	GRADE C		D	W	H					
SOFT RECTANGLE TOP (CONTINUED)	18" X 24"												
	88NA182416TRTW Wood	\$ 2290				18	24	16	—	—		22 lbs.	3.3
	88NA182416TRTLW Laminate	2290				18	24	16	—	—		22 lbs.	3.3
	88NA182416TRTGW White Back Painted Glass	3508				18	24	16	—	—		37 lbs.	3.3
	88NA182416TRTSW Solid Surface	4414	4521	4669		18	24	16	—	—		30 lbs.	3.3
	88NA182416TRTVW Wood 3mm Rim	1998				18	24	16	—	—		22 lbs.	3.3
	88NA182416TRTVLW Laminate 3mm Rim	1636				18	24	16	—	—		22 lbs.	3.3
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8			
	88NA182417TRTFW Textile	\$ 2365	2390	2402	2420	2441	2476	2522	2740	2810			

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2408	2434	2455	2476	2500	2525	2546	2572	2598	2625
	K	L	M	N	O	P	Q	R	S	T
\$	2665	2747	2798	2825	2852	2878	2905	2931	2957	2983

DIMENSIONS

Depth	18	Weight	22
Width	24	Cubic Ft.	3.3
Height	17		

88NA182418TRTW Laminate	\$ 2328				18	24	18	—	—		24 lbs.	3.3
88NA182418TRTLW Laminate	2328				18	24	18	—	—		24 lbs.	3.3
88NA182418TRTGW White Back Painted Glass	3545				18	24	18	—	—		39 lbs.	3.3
88NA182418TRTSW Solid Surface	4452	4559	4707		18	24	18	—	—		32 lbs.	3.3
88NA182418TRTVW Wood 3mm Rim	2035				18	24	18	—	—		24 lbs.	3.3
88NA182418TRTVLW Laminate 3mm Rim	1673				18	24	18	—	—		24 lbs.	3.3
Grade	1	2/COM	3/COL	4	5	6	7	L7	L8			
88NA182419TRTFW Textile	\$ 2441	2466	2478	2496	2517	2552	2598	2816	2886			

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2484	2510	2531	2552	2576	2601	2622	2648	2674	2701
	K	L	M	N	O	P	Q	R	S	T
\$	2741	2823	2874	2901	2928	2954	2981	3007	3033	3059

DIMENSIONS

Depth	18	Weight	24
Width	24	Cubic Ft.	3.3
Height	19		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail


TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA182420RTLW 488 402

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS					CARTONED CUBIC	
			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	WEIGHT	FEET
SOFT RECTANGLE TOP (CONTINUED) 	18" X 24"											
	88NA182420TRTW	Wood	\$ 2365			18	24	20	—	—	28 lbs.	3.6
	88NA182420RTLW	Laminate	2365			18	24	20	—	—	28 lbs.	3.6
	88NA182420TRTGW	White Back Painted Glass	3583			18	24	20	—	—	43 lbs.	3.6
	88NA182420TRTSW	Solid Surface	4490	4597	4745	18	24	20	—	—	36 lbs.	3.6
	88NA182420TRTVW	Wood 3mm Rim	2072			18	24	20	—	—	28 lbs.	3.6
	88NA182420TRTVLW	Laminate 3mm Rim	1710			18	24	20	—	—	28 lbs.	3.6
	88NA182422TRTW	Wood	\$ 2403			18	24	22	—	—	27 lbs.	3.9
	88NA182422RTLW	Laminate	2403			18	24	22	—	—	27 lbs.	3.9
	88NA182422TRTGW	White Back Painted Glass	3620			18	24	22	—	—	42 lbs.	3.9
	88NA182422TRTSW	Solid Surface	4528	4635	4783	18	24	22	—	—	35 lbs.	3.9
	88NA182422TRTVW	Wood 3mm Rim	2112			18	24	22	—	—	27 lbs.	3.9
	88NA182422TRTVLW	Laminate 3mm Rim	1749			18	24	22	—	—	27 lbs.	3.9
• Ships as one unit (KD) • All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail												

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available.
See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA304816TTRLW 488 402

- See page 534 for all options available in Occasional Tables

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET				
			D	W	H	A	KW						
SOFT TRIANGLE TOP 	30" X 48"		GRADE A	GRADE B	GRADE C								
	88NA304816TTRW	Wood	\$ 2680				30	48	16	—	—	45 lbs.	15.0
	88NA304816TTRLW	Laminate	2680				30	48	16	—	—	45 lbs.	15.0
	88NA304816TTRGW	White Back Painted Glass	4730				30	48	16	—	—	78 lbs.	15.0
	88NA304816TTRSW	Solid Surface	5323	5682	6177		30	48	16	—	—	62 lbs.	15.0
	88NA304816TTRVW	Wood 3mm Rim	2113				30	48	16	—	—	45 lbs.	15.0
	88NA304816TTRVLW	Laminate 3mm Rim	1750				30	48	16	—	—	45 lbs.	15.0
	88NA304818TTRW	Wood	\$ 2718				30	48	18	—	—	46 lbs.	9.0
	88NA304818TTRLW	Laminate	2718				30	48	18	—	—	46 lbs.	9.0
	88NA304818TTRGW	White Back Painted Glass	4767				30	48	18	—	—	79 lbs.	9.0
	88NA304818TTRSW	Solid Surface	5360	5719	6214		30	48	18	—	—	63 lbs.	9.0
	88NA304818TTRVW	Wood 3mm Rim	2150				30	48	18	—	—	46 lbs.	9.0
	88NA304818TTRVLW	Laminate 3mm Rim	1787				30	48	18	—	—	46 lbs.	9.0
	24" X 36"												
	88NA243616TTRW	Wood	\$ 2385				24	36	16	—	—	31 lbs.	5.8
	88NA243616TTRLW	Laminate	2385				24	36	16	—	—	31 lbs.	5.8
	88NA243616TTRGW	White Back Painted Glass	3981				24	36	16	—	—	52 lbs.	5.8
	88NA243616TTRSW	Solid Surface	4726	4941	5236		24	36	16	—	—	42 lbs.	5.8
	88NA243616TTRVW	Wood 3mm Rim	1967				24	36	16	—	—	31 lbs.	5.8
	88NA243616TTRVLW	Laminate 3mm Rim	1607				24	36	16	—	—	31 lbs.	5.8
	88NA243618TTRW	Wood	\$ 2423				24	36	18	—	—	32 lbs.	11.0
	88NA243618TTRLW	Laminate	2423				24	36	18	—	—	32 lbs.	11.0
	88NA243618TTRGW	White Back Painted Glass	4018				24	36	18	—	—	53 lbs.	11.0
	88NA243618TTRSW	Solid Surface	4765	4980	5275		24	36	18	—	—	43 lbs.	11.0
	88NA243618TTRVW	Wood 3mm Rim	2005				24	36	18	—	—	32 lbs.	11.0
	88NA243618TTRVLW	Laminate 3mm Rim	1644				24	36	18	—	—	32 lbs.	11.0
	• Ships as one unit (KD) • All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail												

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. Refer to the Surface Materials Reference Guide for available seating textile options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA284816TPRLW 488 402

- See page 534 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PEAR TOP 	28" X 48"								
	88NA284816TPRW Wood	\$ 2756	28	48	16	—	—	47 lbs.	8.5
	88NA284816TPRLW Laminate	2756	28	48	16	—	—	47 lbs.	8.5
	88NA284816TPRGW White Back Painted Glass	4804	28	48	16	—	—	83 lbs.	8.5
	88NA284816TPRSW Solid Surface	5397	28	48	16	—	—	66 lbs.	8.5
	88NA284816TPRVW Wood 3mm Rim	2188	28	48	16	—	—	47 lbs.	8.5
	88NA284816TPRVLW Laminate 3mm Rim	1825	28	48	16	—	—	47 lbs.	8.5
	88NA284818TPRW Wood	\$ 2793	28	48	18	—	—	48 lbs.	8.5
	88NA284818TPRLW Laminate	2793	28	48	18	—	—	48 lbs.	8.5
	88NA284818TPRGW White Back Painted Glass	4843	28	48	18	—	—	84 lbs.	8.5
	88NA284818TPRSW Solid Surface	5435	28	48	18	—	—	67 lbs.	8.5
	88NA284818TPRVW Wood 3mm Rim	2225	28	48	18	—	—	48 lbs.	8.5
	88NA284818TPRVLW Laminate 3mm Rim	1863	28	48	18	—	—	48 lbs.	8.5
	24" X 36"								
	88NA243616TPRW Wood	\$ 2460	24	36	16	—	—	32 lbs.	5.8
	88NA243616TPRLW Laminate	2460	24	36	16	—	—	32 lbs.	5.8
	88NA243616TPRGW White Back Painted Glass	4057	24	36	16	—	—	54 lbs.	5.8
	88NA243616TPRSW Solid Surface	4801	24	36	16	—	—	44 lbs.	5.8
	88NA243616TPRVW Wood 3mm Rim	1892	24	36	16	—	—	32 lbs.	5.8
	88NA243616TPRVLW Laminate 3mm Rim	1590	24	36	16	—	—	32 lbs.	5.8
	88NA243618TPRW Wood	\$ 2498	24	36	18	—	—	33 lbs.	5.8
	88NA243618TPRLW Laminate	2498	24	36	18	—	—	33 lbs.	5.8
	88NA243618TPRGW White Back Painted Glass	4094	24	36	18	—	—	55 lbs.	5.8
	88NA243618TPRSW Solid Surface	4839	24	36	18	—	—	45 lbs.	5.8
	88NA243618TPRVW Wood 3mm Rim	1929	24	36	18	—	—	33 lbs.	5.8
	88NA243618TPRVLW Laminate 3mm Rim	1627	24	36	18	—	—	33 lbs.	5.8

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

ACCESSORIES

Product Specifications	550
Product Options	553
Product Pages	554

ACCESSORIES

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

PIVOTING POWER GROMMET (MHO-B) (G12B, G12C)

- Field installable
- Silver, black, or white powder coat
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

INTERLINK IQ PIVOTING POWER GROMMET (MHO-B)(G12B, G12C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with training tables
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G12 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of ¾"-1¼"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

INTERLINK IQ DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- 1 touch door remains open during use
- Maximum of 4 units because G15 is double sided (F8)
- Two G15 units connected together will span 77½" from center of grommet 1 to center of grommet 2.
- Two G15 units connected together with 1 60" jumper will span 135½" from center of grommet 1 to center of grommet 2.
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G15B Interlink has SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB-A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

TRANSITIONAL JUMPER

- Jumper used to connect an older IQ version and new IQ system (as of November 2019)

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature 6 power receptacles with 2 108" power cords and molded plugs rated at 12 amps 120 volts, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature 6 power receptacles with 1 72" long hardwire conduit covered pigtail cable on 1 end which carries 2 20 amp 120 volt circuits to power 2 sides of the Power/Data Oasis, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack. Not Chicago Code
- Hardwire/Chicago Code available
- Standard units have cords that are 9 ft. long rated at 15 amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 amps 120 volts and molded plug
- Cannot be field scribed for cutout
- UL Listed
- For more specification information: www.electri-cable.com

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¼"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48¾" conduit and 24" power cord with 20 amp molded plug
- 72¾" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60¾" metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black, silver, or white powder coat
- Contains 1 electrical outlet and 2 USB-A ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1½"
- UL approved
- Tamper resistant
- Spill-proof

POWER TOWER

- Available in gloss black or silver with black faceplates, or gloss white with white faceplates
- Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided
- 108" 15 amp power cord included
- Circuit breaker located in the bottom of the tower for overload protection
- 6 rubber feet prevent sliding and provide ¾" floor clearance
- Tri-core design allows for 360° power access
- 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

MOIRÉ POWER CENTER (G10A, G10B)

- Installs into round G10 (3" dia.) worksurface grommet
- Adjusts to worksurfaces thickness of 1⅞"-1⅝"
- Available in light grey, black, or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- (G10A) 2 power outlets and 2 USB-A dual ports
- (G10B) 4 power outlets

DEAN POWER CENTER

- Mounts to the edge of a worksurface with no table cut outs or installation required
- Adjusts to worksurface thickness up to 2¼"
- Molded plastic faceplate with an anodized aluminum housing
- Available in light grey, black, and white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- Available with 2 power
- Available with 1 power, 1 dual USB-A dual port
- Available with 3 power
- Available with 2 power, 1 USB-A + C combo, 2 power, and 1 USB-A dual port

BURELÉ POWER CENTER

- Mounts to the edge of a worksurface with no table cut outs or installation required
- Adjusts to worksurfaces from ¼"-2¾"
- Available in light grey, black or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- Available with 2 power, 1 dual USB-A port, 1 USB-C port
- Available with 4 power

HITCH

- Freestanding, portable charging center
- Available in black or white
- 20w power supply
- Battery: 3.6v, 11.6ah (amp hours), 41.76 wh (watt hours)
- Dead to full charge time is 4½ hours
- 6' charging cord is 5 volts at 4 amps
- Cannot charge devices while unit is being charged
- Display light indicates full charge
- UL Listed
- Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground

4-TRAC

- Used as a power distribution in conjunction with our electrical grommet options
- 4 wires, 2 circuits, 20 amps each (circuit 1 and 2 only)
- 13 duplex receptacles per circuit (26) 15 amp duplex
- UL Listed as a manufactured wiring system
- Ease of install and reconfigure options
- Field installable

GARCIA

- Mounts to the undersurface of a worksurface
- Available in Black, White, and Fog
- Includes a 72" cord
- Available with 1 USB-A, 1 USB-C
- UL Listed

ACCESSORIES

TULLY

- Features a long tail that bends and wraps around cushions for stability; tucks in between the cushions and arms of chairs
- Available in Black, White, and Fog
- Includes a 120" cord
- Available with 1 Power, 1 USB-A, 1 USB-C
- Tamper Resistant
- UL Listed

TRIPPEL

- Set on surface
- Available in Black, White, and Fog
- Includes a 108" cord
- Available with 2 power, 2 USB-A
- Features Qi Wireless Charging which will work with the following:
 - Apple iPhone 8, 8 Plus, X
 - Samsung Galaxy S9, S9+, Note 5, Note 8, S8, S8+, S7, S7 Active, S7 Edge, S6, S6 Edge
 - Lg V30, G6 (US version only), G4 (optional), G3 (optional)
 - Microsoft Lumia 1520, 1020, 930, 929, 928, 920
 - Google Nexus 4, 5, 6, 7 (2013)
 - BlackBerry Pov Z30
- UL Listed

WILLOW

- Set on surface
- Available in Beech with a Teal cord, Walnut with a Black cord, or Black with a Black cord
- Includes a 108" cord
- Available with 1 power, 1 USB-A
- Tamper resistant
- UL listed

POWER STRIP

- Available in Black
- Includes a 120" cord
- Available with 6 power
- UL Listed

HEARTH

- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS

- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO


- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between ½" (12.7mm) – 2¹³/₁₆" (71mm).
- UL Listed

TACK BOARD VERTICAL TEXTILE OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded privacy/modesty screen.



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com



ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

15NTVMAS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FLAT PANEL WALL MOUNT KIT 	15NTVMAS Black	\$ 499	15¾-47¼		15¾-31¼		—	25 lbs.	2.0
	- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel - Must mount onto an architectural wall - Black powder coat - VESA mounting compliant								
PERSONAL MARKER BOARD 	NAC1214MBL Laminate	\$ 202	¾	12	14	—	—	lbs.	
	- High gloss, white laminate marker board - Marker board and hooks sold separately - Hooks to attach to bottom of worksurface to hang marker boards								
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	¾	½	1¾	—	—	lbs.	
	Hooks to attach to bottom of worksurface to hang marker boards								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	1¾	3¼	2½	—	—	lbs.	
	- Hooks to attach to bottom of worksurface to hang marker boards - Cannot be used on knife rim tops								







Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC18TLDBPUS

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELEMENT LED DESKTOP LIGHT 	NAC18TLDBPUS Task Light w/Desktop Base, Plug/USB, Silver	\$ 1401	14	—	14	—	—	3 lbs.	0.7
	• Available in silver • MCX LED freestanding light • Working height 18" and maximum reach 28" • 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation • 1 120VAC 3 prong receptacle electrical outlet • 7 levels of light adjustment • 2 USB charging ports providing 1 amp 5VDC of power								
PIPER LINEAR LED DESKTOP LIGHT 	NAC18TLDBUH Task Light w/Desktop Base, USB, White	\$ 784	11½	7½	18¼	—	—	10 lbs.	1.2
	• Available in white • LED freestanding light • 3 color temps, dimming • 1 USB charging port that provides 5 volts and 1 amp of charging power • 4'11" white cord plus a 3' cord extender • UL Listed								
REVO DESKTOP LIGHT 	NAC1406TLDB1S Silver	\$ 735			14¾	—	—	8.31 lbs.	1.82
	NAC1406TLDB1B Black	735			14¾	—	—	8.31 lbs.	1.82
	NAC1406TLDB1W White	735			14¾	—	—	8.31 lbs.	1.82
	• 108" power cord • ETL Listed								
VOYAGE DESKTOP LIGHT 	NAC1408TLDB1S Silver	\$ 735			14¾	—	—	8.31 lbs.	1.82
	NAC1408TLDB1B Black	735			14¾	—	—	8.31 lbs.	1.82
	NAC1408TLDB1W White	735			14¾	—	—	8.31 lbs.	1.82
	• 108" power cord • ETL Listed								
CONVENIENCE OUTLET 	NAC0902EL5C Black	\$ 305	13	22	1¾	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL Listed								
POWER TOWER 	NAC25ELPTB Black	\$ 3170	16¾	16¾	25½	—	—	68 lbs.	6.5
	NAC25ELPTH White	3170	16¾	16¾	25½	—	—	68 lbs.	6.5
	NAC25ELPTS Silver	3170	16¾	16¾	25½	—	—	68 lbs.	6.5
	• Available in gloss black or silver with black faceplates, or gloss white with white faceplates • Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided • 108" 15 amp power cord included • Circuit breaker located in the bottom of the tower for overload protection • 6 rubber feet prevent sliding and provide ¾" floor clearance • Tri-core design allows for 360° power access • 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired								

ACCESSORIES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG10EL


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ROUND GROMMET (G10)	NACG10EL Electrical Grommet	\$ 642	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10 Grommet	104	4¼	4¼	1¾	—	—	1 lbs.	0.12



NACG10EL




NACG10

**MOIRÉ,
G10 POWER/USB GROMMET**


98KG40AELPGBK	Black	\$ 600	—	—	—	—	—	1.7 lbs.	0.24
98KG40AELPGWH	White	600	—	—	—	—	—	1.7 lbs.	0.24
98KG40AELPGLG	Light Grey	600	—	—	—	—	—	1.7 lbs.	0.24

- 2 power, 2 dual USB A/C, 2.0 amps
- Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord
- Fits in G10 grommet hole diameter 3"
- Adjust to thickness from 1¾" - 1⅞"
- UL Listed

**MOIRÉ,
G10 POWER GROMMET**


NACG10BELPGB	Black	\$ 384	—	—	—	—	—	1.7 lbs.	0.24
NACG10BELPGW	White	384	—	—	—	—	—	1.7 lbs.	0.24
NACG10BELPGG	Light Grey	384	—	—	—	—	—	1.7 lbs.	0.24

- 4 power
- Black, 6 ft, 15 amp plugged cord with built in circuit breaker
- Black cord on black and light grey, white cord on white
- Fits in G10 grommet hole diameter 3"
- Adjust to thickness from 1¾" - 1⅞"
- UL Listed

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG12BELPGB

**PIVOTING POWER GROMMET
(MHO-B) (G12B)**

NACG12BELPGB

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACG12BELPGB Black	\$ 893	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELPGS Silver	893	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELPGW White	893	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELPG1B Braided Cord, Black	\$ 965	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELPG1S Braided Cord, Silver	965	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELPG1W Braided Cord, White	965	4%	8%	1½	—	—	2 lbs.	0.2
NACG12BELHCB Hardwire, Black	\$ 893	4%	8%	1½	—	—	3 lbs.	0.2
NACG12BELHCS Hardwire, Silver	893	4%	8%	1½	—	—	3 lbs.	0.2
NACG12BELHCW Hardwire, White	893	4%	8%	1½	—	—	3 lbs.	0.2

- 2 power outlets and 2 USB-A + C ports
- Units are powder coated

**PIVOTING POWER GROMMET
(MHO-B) (G12C)**

NACG12CELPGB

NACG12CELPGB Black	\$ 618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPGS Silver	618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPGW White	618	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPG1B Braided Cord, Black	\$ 691	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPG1S Braided Cord, Silver	691	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELPG1W Braided Cord, White	691	4%	8%	1½	—	—	2 lbs.	0.2
NACG12CELHCB Hardwire, Black	\$ 618	4%	8%	1½	—	—	3 lbs.	0.2
NACG12CELHCS Hardwire, Silver	618	4%	8%	1½	—	—	3 lbs.	0.2
NACG12CELHCW Hardwire, White	618	4%	8%	1½	—	—	3 lbs.	0.2

- 4 power outlets with 72" circuit breaker cord
- Units are powder coated

ACCESSORIES

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:


NACG12BELPD2IQKB

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
INTERLINK IQ SYSTEM (G12B)	FULL SET OF 8 UNITS							
NACG12BELPD2IQKB Set of 8, Black	\$ 8019	4%	8¼	1½	—	—	25 lbs.	4.0
NACG12BELPD2IQKS Set of 8, Silver	8019	4%	8¼	1½	—	—	25 lbs.	4.0
NACG12BELPD2IQKW Set of 8, White	8019	4%	8¼	1½	—	—	25 lbs.	4.0

- Full sets include 8 grommets and smart box with starter plug



NACG12BELPD2IQKS



NACG12BELPD2IQB

INTERLINK GROMMETS


NACG12BELPD2IQB Interlink Grommet, Black	\$ 874	4%	8¼	1½	—	—	3 lbs.	3.0
NACG12BELPD2IQS Interlink Grommet, Silver	874	4%	8¼	1½	—	—	3 lbs.	3.0
NACG12BELPD2IQW Interlink Grommet, White	874	4%	8¼	1½	—	—	3 lbs.	3.0

- Each power grommet includes 2 power outlets and 2 charging USB-A + C ports
- Non-sequential "Daisy chain" solution for flip/nest training tables
- When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet
- When Interlink solution is ordered, use table ganging brackets
- Specify model number only
- Interlink cord with plug is 120" in length
- Length of cord from coupler to unit on all units is 14"
- Length from coupler to coupler is 60"
- Units are powder coated
- Must order smart box with plug separately


INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15


- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 566-567



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG15BELPGB

1 TOUCH DOUBLE PIVOTING
POWER GROMMET (M2X-B)
(G15B)



NACG15BELPGB

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
NACG15BELPGB	Black	\$ 2152	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPGS	Silver	2152	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPGW	White	2152	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELHCB	Black/Hardwire	\$ 2152	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELHCS	Silver/Hardwire	2152	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELHCW	White/Hardwire	2152	8	9¾	1½	—	—	5 lbs.	0.4

- See pages 550-552 for detailed specifications
- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- Units include 2 72" long cords (1 for each side)

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG15BELPD2IQKB

	MODEL NO./DESCRIPTION		PRICE	D	W	H	A	KW	WEIGHT	FEET
	FULL SET OF 4 UNITS									
	NACG15BELPD2IQKB	Set of 4, Black	\$ 8066	8	9¾	1½	—	—	20 lbs.	3.2
	NACG15BELPD2IQKS	Set of 4, Silver	8066	8	9¾	1½	—	—	20 lbs.	3.2
	NACG15BELPD2IQKW	Set of 4, White	8066	8	9¾	1½	—	—	20 lbs.	3.2

- Full sets include 4 grommets and smart box with starter plug

INTERLINK GROMMETS


NACG15BELPD2IQB Interlink Grommet, Black	\$ 1930	8	9¼	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQS Interlink Grommet, Silver	1930	8	9¼	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQW Interlink Grommet, White	1930	8	9¼	1½	—	—	5 lbs.	0.4

- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- 1 touch door remains open during use
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Must order smart box with plug separately


INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15


- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 566-567



NACG15BELPD2IQKS




SIDE 1




SIDE 2


NACG15BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:


NACG162ELB

POWER/DATA OASIS (G162)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACG162ELB Black	\$ 3532	9	15	4	—	—	8 lbs.	1.2
NACG162ELS Silver	3532	9	15	4	—	—	8 lbs.	1.2
NACG162ELHB Black/Hardwire/Modular Connect	\$ 4121	9	15	4	—	—	8 lbs.	1.2
NACG162ELHS Silver/Hardwire/Modular Connect	4121	9	15	4	—	—	8 lbs.	1.2
NACG162ELHCB Black/Hardwire	\$ 4121	9	15	4	—	—	8 lbs.	1.2
NACG162ELHCS Silver/Hardwire	4121	9	15	4	—	—	8 lbs.	1.2

- See pages 550-552 for detailed specifications
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Units are powder coated
- Modular connect does not meet city code

HARDWIRE POWER/DATA OASIS
DAISY CHAIN KITS (G16)

SILVER POWDER COAT	BLACK POWDER COAT							
NACG162ELHS120LR	NACG162ELHB120LR	\$ 8408	9	15	4	—	—	41 lbs. 5.4
NACG162ELHS144LR	NACG162ELHB144LR	8408	9	15	4	—	—	42 lbs. 5.4
NACG162ELHS168LR	NACG162ELHB168LR	8408	9	15	4	—	—	42 lbs. 5.4
NACG162ELHS168A	NACG162ELHB168A	13074	9	15	4	—	—	50 lbs. 6.7
NACG162ELHS168CE	NACG162ELHB168CE	8408	9	15	4	—	—	41 lbs. 5.4
NACG162ELHS192LR	NACG162ELHB192LR	8408	9	15	4	—	—	43 lbs. 5.4
NACG162ELHS192A	NACG162ELHB192A	13074	9	15	4	—	—	50 lbs. 6.7
NACG162ELHS192CE	NACG162ELHB192CE	8408	9	15	4	—	—	41 lbs. 5.4
NACG162ELHS216LR	NACG162ELHB216LR	8408	9	15	4	—	—	43 lbs. 5.4
NACG162ELHS216A	NACG162ELHB216A	13074	9	15	4	—	—	50 lbs. 6.7
NACG162ELHS216CE	NACG162ELHB216CE	8408	9	15	4	—	—	41 lbs. 5.4
NACG162ELHS240LR	NACG162ELHB240LR	8408	9	15	4	—	—	43 lbs. 5.4
NACG162ELHS240A	NACG162ELHB240A	13074	9	15	4	—	—	50 lbs. 6.7
NACG162ELHS240CE	NACG162ELHB240CE	8408	9	15	4	—	—	41 lbs. 5.4

- Example Model: NACG162ELHS**120LR** (**120** - designates size of table top; **LR** - designates grommet locations); see pages 14-15 for details
- G16 Grommet CUTOUTS must be specified in the conference top in which the Power/Data Oasis units will be installed
- Kits include jumper cables and hardwire starter cable required to daisy chain the Power/Data Oasis units
- "LR" models include 2 Oasis units, "A" models include 3 Oasis units and "CE" models include 2 Oasis units
- Units are powder coated

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

1 TOUCH PIVOTING
POWER GROMMET (G17A)


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NACG17AELPGB Black	\$ 472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPGS Silver	472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPGW White	472	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPG1B Braided Cord, Black	\$ 546	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPG1S Braided Cord, Silver	546	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPG1W Braided Cord, White	546	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCB Hardwire, Black	\$ 497	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCS Hardwire, Silver	497	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELHCW Hardwire, White	497	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See pages 550-552 for details

1 TOUCH PIVOTING
POWER GROMMET (G17B)

NACG17BELPGB Black	\$ 485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPGS Silver	485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPGW White	485	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPG1B Braided Cord, Black	\$ 557	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPG1S Braided Cord, Silver	557	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPG1W Braided Cord, White	557	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCB Hardwire, Black	\$ 585	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCS Hardwire, Silver	585	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELHCW Hardwire, White	585	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See pages 550-552 for details

1 TOUCH PIVOTING
POWER GROMMET (G17C)

NACG17CELPGB Black	\$ 466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPGS Silver	466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPGW White	466	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPG1B Braided Cord, Black	\$ 540	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPG1S Braided Cord, Silver	540	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPG1W Braided Cord, White	540	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCB Hardwire, Black	\$ 491	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCS Hardwire, Silver	491	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELHCW Hardwire, White	491	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See pages 550-552 for details


TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NACG17AELPD2IQKB


INTERLINK IQ SYSTEM (G17A)




NACG17AELPD2IQKS




NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET

FULL SET OF 8 UNITS

NACG17AELPD2IQKB	Set of 8, Black	\$ 3976
NACG17AELPD2IQKS	Set of 8, Silver	3976
NACG17AELPD2IQKW	Set of 8, White	3976

4¼	5¼	2½	—	—	19 lbs.	1.55
4¼	5¼	2½	—	—	19 lbs.	1.55
4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17AELPD2IQB	Interlink Grommet, Black	\$ 484
NACG17AELPD2IQS	Interlink Grommet, Silver	484
NACG17AELPD2IQW	Interlink Grommet, White	484

4¼	5¼	2½	—	—	3 lbs.	0.15
4¼	5¼	2½	—	—	3 lbs.	0.15
4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733
NACEL2IQ60J	Interlink IQ Jumper-60"	163
NACEL2IQ60TJ	Transitional Jumper	171

—	120	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 566-567






ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPD2IQKB

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
 NACG17BELPD2IQKS	FULL SET OF 8 UNITS								
	NACG17BELPD2IQKB Set of 8, Black	\$ 5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKS Set of 8, Silver	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	NACG17BELPD2IQKW Set of 8, White	5284	4¼	5¼	2½	—	—	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug								
 NACG17BELPD2IQB	INTERLINK GROMMETS								
	NACG17BELPD2IQB Interlink Grommet, Black	\$ 676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQS Interlink Grommet, Silver	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPD2IQW Interlink Grommet, White	676	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Must order smart box with plug separately								
 NACEL2IQBB	INTERLINK IQ SMART BOX AND JUMPER								
	NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	—	120	—	—	—	3 lbs.	0.15
	NACEL2IQ60J Interlink IQ Jumper-60"	163	—	60	—	—	—	3 lbs.	0.15
	NACEL2IQ60TJ Transitional Jumper	171	—	60	—	—	—	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 566-567								
 NACEL2IQ60J									
 NACEL2IQ60TJ									


TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NACG17CELPD2IQKB


INTERLINK IQ SYSTEM (G17C)




NACG17CELPD2IQKS




NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET

FULL SET OF 8 UNITS

NACG17CELPD2IQKB	Set of 8, Black	\$ 3763
NACG17CELPD2IQKS	Set of 8, Silver	3763
NACG17CELPD2IQKW	Set of 8, White	3763

4¼	5¼	2½	—	—	19 lbs.	1.55
4¼	5¼	2½	—	—	19 lbs.	1.55
4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17CELPD2IQB	Interlink Grommet, Black	\$ 456
NACG17CELPD2IQS	Interlink Grommet, Silver	456
NACG17CELPD2IQW	Interlink Grommet, White	456

4¼	5¼	2½	—	—	3 lbs.	0.15
4¼	5¼	2½	—	—	3 lbs.	0.15
4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately


INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733
NACEL2IQ60J	Interlink IQ Jumper-60"	163
NACEL2IQ60TJ	Transitional Jumper	171


—	120	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15
—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 566-567


Configuration of IQ System for 72" WaveWorks Training Tables - Max of 6 IQ Units per run




Configuration of IQ System for 66" WaveWorks Training Tables - Max of 6 IQ Units per run




Configuration of IQ System for 60" WaveWorks Training Tables - Max of 8 IQ Units per run




Item	Qty
Smart Box	1
Grommet	8




Item	Qty
Smart Box	1
Grommet	7




Item	Qty
Smart Box	1
Grommet	6




Item	Qty
Smart Box	1
Grommet	5



Item	Qty
Smart Box	1
Grommet	4



Item	Qty
Smart Box	1
Grommet	3



Item	Qty
Smart Box	1
Grommet	2


ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBER:

NACG23ELB


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	POWER GROMMET (G23)								
	NACG23ELB Black	\$ 683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS Silver	683	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB Black/Hardwire	\$ 761	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS Silver/Hardwire	761	2½	4½	3¼	—	—	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	\$ 777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	777	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	\$ 777	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	777	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	\$ 816	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	816	2½	4½	3¼	—	—	2.3 lbs.	0.4


- 60" jumper included with each daisy link add-on unit
- Units are powder coated

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	\$ 284	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	432				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	509				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated

NODE POWER GROMMET (G33)



98KG33AELPGBK	Black	\$ 435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGSV	Silver	435	4	4	3½	—	—	1 lbs.	0.2
98KG33AELPGWH	White	435	4	4	3½	—	—	1 lbs.	0.2


- For use with Maneuver gear, shield, and 120° tables when CUT-G33 option is specified
- 1 power and 1 dual USB A/C


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC07ELPG4BUAB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BURELÉ, POWER, CLAMP MOUNT 	NAC07ELPG4BUAB	Black	\$ 454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	454				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	454				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 4 power outlets • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • UL Listed									

BURELÉ, POWER/USB, CLAMP MOUNT 	98K07ELPG4BUBBK	Black	\$ 762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBWH	White	762				—	—	1.25 lbs.	0.24
	98K07ELPG4BUBLG	Light Grey	762				—	—	1.25 lbs.	0.24
	• Clamp mount unit • 2 power, 1 dual USB A/C, 2.0 amp, 1 single USB-C -18 Watt • Black, 6 ft 15 amp plugged power cord • UL Listed									


ACCESSORIES


TO ORDER, SPECIFY:


1. Model Number


SAMPLE MODEL NUMBER:


NAC04ELPG2DEAB


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DEAN, 2 PORT, POWER, CLAMP MOUNT 	NAC04ELPG2DEAB Black	\$ 408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAW White	408				—	—	1.95 lbs.	0.24
	NAC04ELPG2DEAG Light Grey	408				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power • Black, 6 ft, 15 amp plugged power cord • UL Listed								

DEAN, 2 PORT, POWER/USB, CLAMP MOUNT 	98K04ELPG2DEBBK Black	\$ 422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBWH White	422				—	—	1.95 lbs.	0.24
	98K04ELPG2DEBLG Light Grey	422				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 1 power, 1 dual USB A/C 2.0 amp • Black, 6 ft, 15 amp plugged power cord • UL Listed								

DEAN, 3 PORT, POWER, CLAMP MOUNT 	NAC06ELPG3DEAB Black	\$ 416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAW White	416				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEAG Light Grey	416				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 3 power • Black, 6 ft, 15 amp plugged power cord • UL Listed								

DEAN, 3 PORT, POWER/USB, CLAMP MOUNT 	NAC06ELPG3DEBB Black	\$ 554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBW White	554				—	—	1.95 lbs.	0.24
	NAC06ELPG3DEBG Light Grey	554				—	—	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90° • Black, 6 ft, 15 amp plugged power cord • UL Listed								

HITCH, BATTERY-POWERED 	98K04ELPG4HTABK Black	\$ 732				—	—	1.7 lbs.	0.24
	98K04ELPG4HTAWH White	732				—	—	1.7 lbs.	0.24
	• Freestanding and portable • 2 USB-A and 1 USB-C • 1 LED battery indicator light • Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps • The unit is not UL Listed • The power pack is UL Listed • 11.6 amp hours, 20 watt power supply • Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground								


UNDERSURFACE POWER/DATA 	98K03ELPG2MTBBK	\$ 392	3	3	1½	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 power outlet and 1 dual USB A/C port • Mounts under surface • 72" power cord included								


TO ORDER, SPECIFY:


1. Model Number


SAMPLE MODEL NUMBER:


NAC03ELPG2GABW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
GARCIA 	NAC03ELPG2GABW	White	\$ 434	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	434	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	434	4	2¾	1½	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A+C									

TULLY 	NAC06ELPG3TUAW	White	\$ 637	2¼	5%	12%	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	637	2¼	5%	12%	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	637	2¼	5%	12%	—	—	3.05 lbs.	0.40
	• 120" braided cord • Includes 2 USB-A, 1 USB-C and Power									

WILLOW 	98K04ELPG2WLAWA	Walnut with black braided cord	\$ 453	4	3¾	2¼	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABK	Black with black braided cord	453	4	3¾	2¼	—	—	2.18 lbs.	0.17
	98K04ELPG2WLABE	Beech with Teal braided cord	453	4	3¾	2¼	—	—	2.18 lbs.	0.17
	• 108" cord • Includes 1 Power, 1 dual USB A/C port • Tamper resistant									

TRIPPEL 	98K08ELPG3TRAWH	White	\$ 449	3¾	7%	3¾	—	—	2 lbs.	0.13
	98K08ELPG3TRABK	Black	449	3¾	7%	3¾	—	—	2 lbs.	0.13
	98K08ELPG3TRALG	Fog	449	3¾	7%	3¾	—	—	2 lbs.	0.13
	• Set on surface unit • Included 2 power and 1 dual USB A/C • Tamper resistant • Features Qi wireless charging									

POWER STRIP 	NAC0902EL6PS	Black	\$ 106	1¾	9½	1¾	—	—	lbs.	
	• 120" Cord • Includes 6 power									





ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05ELPG2HRAC


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HEARTH 	NAC05ELPG2HRAC	\$ 677	5 $\frac{3}{8}$	3 $\frac{1}{4}$	5 $\frac{3}{8}$	—	—	3 lbs.	0.31
	- Includes 1 power, 1 Dual USB-A 108" power cord - Handmolded concrete body with a wood base detail - Features a solid brass braided cord - UL Listed								
SIDEKICK 	NAC29ELPG2SKAG Heather Gray Felt	\$ 529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC Camel Felt	529	2 $\frac{3}{8}$	15	29 $\frac{1}{2}$	—	—	2 lbs.	0.59
	- Felt sofa arm overlay - Includes 1 power, 1 Dual USB-A, and felt pocket - Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk 108" power cord - UL Listed								
APPARATUS 	NAC05ELPG2APAB Black	\$ 400	3 $\frac{3}{8}$	4 $\frac{13}{16}$	2	—	—	lbs.	
	NAC05ELPG2APAW White	400	3 $\frac{3}{8}$	4 $\frac{13}{16}$	2	—	—	lbs.	
	- Includes 1 power, 1 Dual USB-A 108" power cord - Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware - ETL and UL Listed								
ASHLEY DUO 	98K06ELPG3ADABK Black	\$ 469	3 $\frac{3}{8}$	5 $\frac{1}{2}$	1 $\frac{13}{16}$	—	—	lbs.	
	98K06ELPG3ADAWH White	469	3 $\frac{3}{8}$	5 $\frac{1}{2}$	1 $\frac{13}{16}$	—	—	lbs.	
	- Includes 2 power, 1 dual USB A/C port 72" power cord - Must have at least 5$\frac{1}{2}$" of clearance under surface at point of application to be able to mount - Clamp mount; Unit will fit on worksurface thicknesses $\frac{1}{2}$"-2$\frac{13}{16}$" - UL Listed								

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC120ELE4P

	MODEL NO./DESCRIPTION		LIST PRICE	
4- TRAC POWER ENTRY 	NAC120ELE4P	Plugged	\$ 408	
	NAC120ELE4H	Hardwire	274	
	NAC72ELE4NH	NYC Hardwire	501	



4- TRAC KIT	NACEL4KTC1	48"-60" Tables	\$ 276	
	NACEL4KTC2	72"-84" Tables	301	
	NACEL4KTC3	96"-108" Tables	408	
	NACEL4KTC4	120" Tables	501	
	NACEL4KTC5	144" Tables	639	
	NACEL4KTC6	168" Tables	654	
	NACEL4KTC7	192" Tables	686	
	NACEL4KTC8	216" Tables	715	
	NACEL4KTC9	240" Tables	870	

• See page 574 for details



4-TRAC ELECTRICAL




TABLE LENGTH	A DUPLEX	B DUPLEX	C DUPLEX	D DUPLEX
48"	n/a	16 $\frac{3}{16}$	31 $\frac{1}{16}$	n/a
60"	n/a	22 $\frac{3}{16}$	37 $\frac{1}{16}$	n/a
72"	n/a	24 $\frac{3}{16}$	47 $\frac{1}{16}$	n/a
84"	n/a	30 $\frac{3}{8}$	53 $\frac{1}{16}$	n/a
96"	30 $\frac{1}{16}$	36 $\frac{3}{8}$	59 $\frac{3}{4}$	n/a
108"	36 $\frac{1}{16}$	42 $\frac{3}{8}$	65 $\frac{3}{4}$	n/a
120"	38 $\frac{3}{16}$	44 $\frac{3}{8}$	75 $\frac{7}{16}$	n/a
144"	38 $\frac{3}{16}$	44 $\frac{3}{8}$	99 $\frac{7}{16}$	105 $\frac{1}{2}$
168"	44 $\frac{1}{4}$	50 $\frac{3}{16}$	117 $\frac{3}{8}$	123 $\frac{3}{16}$
192"	50 $\frac{1}{4}$	56 $\frac{3}{16}$	135 $\frac{3}{8}$	141 $\frac{1}{16}$
216"	50 $\frac{3}{16}$	56 $\frac{1}{4}$	159 $\frac{9}{16}$	165 $\frac{3}{8}$
240"	14 $\frac{5}{8}$	68 $\frac{1}{4}$	171 $\frac{1}{16}$	224 $\frac{1}{16}$

*Dimensions are in inches
See page 573 for pricing

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0318WMV

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
VERTICAL WIRE MANAGER 	NAC0318WMV	Cinder	\$ 279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	279	—	3	18	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Clamps to leg; no hardware required									
MESH WIRE MANAGER 	NAC0318WMM	Black	\$ 137	—	3	17½	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Wraps around leg and is secured with Velcro®									
VERTICAL WIRE MANAGER 	NAC30WMV		\$ 312	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables									
HORIZONTAL WIRE MANAGER 	NAC17WMH	Black Plastic	\$ 76	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH	Black Plastic	88	2½	24	4¼	—	—	3 lbs.	0.5
	• Attaches below worksurface; can be installed horizontally or vertically • Used to conceal power in-feed and data cables									

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Leather Color

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WIRE MANAGEMENT LEATHER STRAP		DI		H				
NAC06WMSTF	\$ 88	1¼		6			5 lbs.	0.5
- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo - Sold in a quantity of 1								



WIRE MANAGEMENT LEATHER SLEEVE







NAC28WMSLF	For Worksurface Height	\$ 208		28
NAC34WMSLF	For Counter Height	222		34
NAC40WMSLF	For Bar Height	237		40
- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo - Sold in quantity of 1				

TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBER:

10N1867FDSHL PB PB
NAC1205WGV1

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
FREESTANDING KIOSK 	10N1867FDSHL	Laminate	\$ 1423	13 ¹ / ₁₆	17 ¹ / ₁₆	66 ³ / ₈	—	—	73 lbs.	19.7
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX 	NAC1205WGV1	Steel	\$ 121	3 ¹ / ₁₆	11 ¹ / ₁₆	4 ³ / ₈	—	—	1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX 	NAC1210WGV2	Steel	\$ 165	3 ¹ / ₁₆	11 ¹ / ₁₆	9 ¹ / ₂	—	—	1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX 	NAC1219WGV4	Steel	\$ 236	3 ¹ / ₁₆	11 ¹ / ₁₆	19	—	—	1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER 	NAC0407USD1		\$ 818	4 ³ / ₈	6	11	—	—	2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personnel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

ACCESSORIES

PRODUCTION SPECIFICATIONS

- Screen extends 4" below worksurface



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

NAC7240PVCBP

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
POLYCARBONATE EDGE MOUNT SURFACE SCREEN 	¼" POLYCARBONATE THICKNESS								
	40" HIGH					ABOVE WORKSURFACE H			
	NAC7240PVCBP	\$ 520	72	40	34				
	NAC6640PVCBP	510	66	40	34				
	NAC6040PVCBP	497	60	40	34				
	NAC5440PVCBP	488	54	40	34				
	NAC4840PVCBP	476	48	40	34				
	NAC4240PVCBP	466	42	40	34				
	NAC3640PVCBP	433	36	40	34				
	NAC3040PVCBP	323	30	40	34				
	30" HIGH								
	NAC7230PVCBP	\$ 442	72	30	24				
	NAC6630PVCBP	435	66	30	24				
	NAC6030PVCBP	426	60	30	24				
	NAC5430PVCBP	417	54	30	24				
	NAC4830PVCBP	408	48	30	24				
	NAC4230PVCBP	400	42	30	24				
	NAC3630PVCBP	367	36	30	24				
	NAC3030PVCBP	284	30	30	24				
	NAC2730PVCBP	280	27	30	24				
	24" HIGH								
	NAC7224PVCBP	\$ 398	72	24	18				
	NAC6624PVCBP	391	66	24	18				
	NAC6024PVCBP	382	60	24	18				
	NAC5424PVCBP	376	54	24	18				
	NAC4824PVCBP	366	48	24	18				
	NAC4224PVCBP	359	42	24	18				
	NAC3624PVCBP	271	36	24	18				
	NAC3024PVCBP	262	30	24	18				
	NAC2724PVCBP	259	27	24	18				

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 4" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1½" – 1⅞" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

PRODUCTION SPECIFICATIONS

- Screen extends 12" below worksurface



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

NAC7244PVMCBP

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
POLYCARBONATE EDGE MOUNT SURFACE SCREEN/MODESTY 	¼" POLYCARBONATE THICKNESS								
	44" HIGH								
	NAC7244PVMCBP	\$ 1214		72	44	30			
	NAC6644PVMCBP	1212		66	44	30			
	NAC6044PVMCBP	843		60	44	30			
	NAC5444PVMCBP	842		54	44	30			
	NAC4844PVMCBP	731		48	44	30			
	NAC4244PVMCBP	726		42	44	30			
	NAC3644PVMCBP	703		36	44	30			
	NAC3044PVMCBP	524		30	44	30			
	38" HIGH								
	NAC7238PVMCBP	\$ 1207		72	38	24			
	NAC6638PVMCBP	1204		66	38	24			
	NAC6038PVMCBP	833		60	38	24			
	NAC5438PVMCBP	831		54	38	24			
	NAC4838PVMCBP	722		48	38	24			
	NAC4238PVMCBP	718		42	38	24			
	NAC3638PVMCBP	695		36	38	24			
	NAC3038PVMCBP	519		30	38	24			
	NAC2738PVMCBP	514		27	38	24			
	32" HIGH								
	NAC7232PVMCBP	\$ 496		72	32	18			
	NAC6632PVMCBP	494		66	32	18			
	NAC6032PVMCBP	469		60	32	18			
	NAC5432PVMCBP	468		54	32	18			
	NAC4832PVMCBP	464		48	32	18			
	NAC4232PVMCBP	460		42	32	18			
	NAC3632PVMCBP	339		36	32	18			
	NAC3032PVMCBP	332		30	32	18			
	NAC2732PVMCBP	330		27	32	18			
	24" HIGH								
	NAC2432PVMCBP	296		24	32	18			
	NAC2132PVMCBP	295		21	32	18			

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 12" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1½" – 1⅝" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES

PRODUCTION SPECIFICATIONS

- Screen extends 4" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7224PVCP A 8600 423

- See page 435 for textiles

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS								
			D	W	H	A	KW		CARTONED WEIGHT	CUBIC FEET	
EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, RESIN 	¼" RESIN THICKNESS 40" HIGH	GRADE 1	ABOVE WORKSURFACE H								
	NAC7240PVCP	\$ 1303	72	40	34						
	NAC6640PVCP	1289	66	40	34						
	NAC6040PVCP	1123	60	40	34						
	NAC5440PVCP	1109	54	40	34						
	NAC4840PVCP	1068	48	40	34						
	NAC4240PVCP	1057	42	40	34						
	NAC3640PVCP	739	36	40	34						
	NAC3040PVCP	649	30	40	34						
	NAC2740PVCP	642	27	40	34						
	NAC2440PVCP	557	24	40	34						
	NAC2140PVCP	550	21	40	34						
	30" HIGH		72	30	24						
	NAC7230PVCP	\$ 1012	66	30	24						
	NAC6630PVCP	1007	60	30	24						
	NAC6030PVCP	884	54	30	24						
	NAC5430PVCP	874	48	30	24						
	NAC4830PVCP	782	42	30	24						
	NAC4230PVCP	773	36	30	24						
	NAC3630PVCP	591	30	30	24						
	NAC3030PVCP	553	27	30	24						
	NAC2730PVCP	547	24	30	24						
	NAC2430PVCP	457	21	30	24						
	NAC2130PVCP	452									
	24" HIGH		¾	71⅓	24	—	—		24 lbs.	4.7	
	NAC7224PVCP	\$ 684	¾	65⅓	24	—	—		22 lbs.	4.3	
	NAC6624PVCP	681	¾	59⅓	24	—	—		19 lbs.	4.0	
	NAC6024PVCP	499	¾	53⅓	24	—	—		17 lbs.	3.6	
	NAC5424PVCP	488	¾	47⅞	24	—	—		16 lbs.	3.3	
	NAC4824PVCP	428	¾	41⅞	24	—	—		14 lbs.	2.9	
	NAC4224PVCP	454	¾	35⅞	24	—	—		12 lbs.	2.5	
	NAC3624PVCP	349	¾	29⅓	24	—	—		10 lbs.	2.2	
	NAC3024PVCP	329	¾	27	24	—	—		9 lbs.	2.0	
	NAC2724PVCP	324	¾	23⅓	24	—	—		8 lbs.	1.8	
	NAC2424PVCP	296	¾	21	24	—	—		7 lbs.	1.6	
	NAC2124PVCP	293									

- Screen extends 4" below the surface
- Specify resin grade and color: Grade 1 Clear (1377) and Frosted (1677)
- Dual-sided resin screen has radiused corners and is ¼" thick
- Overall thickness with brackets is 1³/₈"
- Fits on 1³/₈"-1¹³/₁₆" worksurface thicknesses
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1³/₈" and 1¹³/₁₆" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen

PRODUCTION SPECIFICATIONS

- Screen extends 4" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBERS:

NAC7224PVCTP 1 1677 462

- See page 435 for textiles

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
EDGE MOUNTED PRIVACY SCREEN TAPERED, RESIN 		GRADE 1							
	NAC7224PVCTP	\$ 1187	3/16	71 13/16	24	—	—	24 lbs.	4.7
	NAC6624PVCTP	1130	3/16	65 13/16	24	—	—	22 lbs.	4.3
	NAC6024PVCTP	1071	3/16	59 13/16	24	—	—	19 lbs.	4.0
	NAC5424PVCTP	1012	3/16	53 13/16	24	—	—	17 lbs.	3.6
	NAC4824PVCTP	958	3/16	47 7/8	24	—	—	16 lbs.	3.3
	NAC4224PVCTP	897	3/16	41 7/8	24	—	—	14 lbs.	2.9
	NAC3624PVCTP	837	3/16	35 7/8	24	—	—	12 lbs.	2.5
	NAC3024PVCTP	777	3/16	29 13/16	24	—	—	10 lbs.	2.2
	NAC2724PVCTP	748	3/16	27	24	—	—	9 lbs.	2.0
	NAC2424PVCTP	717	3/16	23 13/16	24	—	—	8 lbs.	1.8
	NAC2124PVCTP	689	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 1/2"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 1/2" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

ACCESSORIES

PRODUCTION SPECIFICATIONS

- Screen extends 12" below worksurface


TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMCP 1 1677 462

- See page 435 for textiles

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	¼" RESIN THICKNESS 44" HIGH	GRADE 1	ABOVE WORKSURFACE H							
	NAC7244PVMCP	\$ 1717	72	44	30					
	NAC6644PVMCP	1711	66	44	30					
	NAC6044PVMCP	1450	60	44	30					
	NAC5444PVMCP	1448	54	44	30					
	NAC4844PVMCP	1031	48	44	30					
	NAC4244PVMCP	1024	42	44	30					
	NAC3644PVMCP	950	36	44	30					
	NAC3044PVMCP	747	30	44	30					
	NAC2744PVMCP	744	27	44	30					
	NAC2444PVMCP	616	24	44	30					
	NAC2144PVMCP	613	21	44	30					
	38" HIGH									
	NAC7238PVMCP	\$ 1232	72	38	24					
	NAC6638PVMCP	1226	66	38	24					
	NAC6038PVMCP	1045	60	38	24					
	NAC5438PVMCP	1043	54	38	24					
	NAC4838PVMCP	1012	48	38	24					
	NAC4238PVMCP	1007	42	38	24					
	NAC3638PVMCP	703	36	38	24					
	NAC3038PVMCP	622	30	38	24					
	NAC2738PVMCP	618	27	38	24					
	NAC2438PVMCP	539	24	38	24					
	NAC2138PVMCP	537	21	38	24					
	32" HIGH									
	NAC7232PVMCP	\$ 1201	¾	72	32	—	—	46 lbs.	6.0	
	NAC6632PVMCP	1198	¾	66	32	—	—	34 lbs.	5.5	
	NAC6032PVMCP	818	¾	60	32	—	—	32 lbs.	5.1	
	NAC5432PVMCP	814	¾	54	32	—	—	30 lbs.	4.6	
	NAC4832PVMCP	783	¾	48	32	—	—	28 lbs.	4.1	
	NAC4232PVMCP	714	¾	42	32	—	—	26 lbs.	3.7	
	NAC3632PVMCP	683	¾	36	32	—	—	24 lbs.	3.2	
	NAC3032PVMCP	518	¾	30	32	—	—	22 lbs.	2.8	
	NAC2732PVMCP	501	¾	27	32	—	—	22 lbs.	2.5	
	NAC2432PVMCP	466	¾	24	32	—	—	20 lbs.	2.3	
	NAC2132PVMCP	452	¾	21	32	—	—	18 lbs.	2.1	

- Screen extends 12" below the surface
- Specify resin grade and color: Grade 1 Clear (1377) and Frosted (1677)
- Dual-sided resin screen has radiused corners and is ¼ thick
- Overall thickness with brackets is 1½
- Fits on 1½"-1¾" worksurface thicknesses
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1½" and 1¾" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

PRODUCTION SPECIFICATIONS

- Screen extends 4" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBERS:

NAC7224PVC2PFA A 8600 423

- See page 435 for textiles

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			CARTONED CUBIC	
	1" TEXTILE SCREEN THICKNESS	GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW
EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, TEXTILE	40" HIGH								
	NAC7240PVC2PFA	\$ 1637	\$ 1735	\$ 1922	72	40	34		
	NAC6640PVC2PFA	1550	1640	1811	66	40	34		
	NAC6040PVC2PFA	1444	1527	1685	60	40	34		
	NAC5440PVC2PFA	1346	1421	1564	54	40	34		
	NAC4840PVC2PFA	1242	1309	1436	48	40	34		
	NAC4240PVC2PFA	1170	1230	1344	42	40	34		
	NAC3640PVC2PFA	1076	1128	1227	36	40	34		
	NAC3040PVC2PFA	977	1021	1104	30	40	34		
	NAC2740PVC2PFA	929	969	1046	27	40	34		
	NAC2440PVC2PFA	846	883	953	24	40	34		
	NAC2140PVC2PFA	812	844	906	21	40	34		
	30" HIGH								
	NAC7230PVC2PFA	\$ 1385	\$ 1483	\$ 1670	72	30	24		
	NAC6630PVC2PFA	1303	1393	1564	66	30	24		
	NAC6030PVC2PFA	1221	1304	1462	60	30	24		
	NAC5430PVC2PFA	1136	1211	1354	54	30	24		
	NAC4830PVC2PFA	1054	1121	1248	48	30	24		
	NAC4230PVC2PFA	971	1031	1145	42	30	24		
	NAC3630PVC2PFA	887	939	1038	36	30	24		
	NAC3030PVC2PFA	806	850	933	30	30	24		
	NAC2730PVC2PFA	761	801	878	27	30	24		
	NAC2430PVC2PFA	654	691	761	24	30	24		
	NAC2130PVC2PFA	626	658	720	21	30	24		
	24" HIGH								
	NAC7224PVC2PFA	\$ 1129	\$ 1181	\$ 1280	1 $\frac{1}{8}$ "	71 $\frac{3}{8}$ "	24	—	—
	NAC6624PVC2PFA	1074	1120	1208	1 $\frac{1}{8}$ "	65 $\frac{1}{8}$ "	24	—	—
	NAC6024PVC2PFA	1014	1060	1148	1 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	24	—	—
	NAC5424PVC2PFA	951	991	1068	1 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	24	—	—
	NAC4824PVC2PFA	891	926	992	1 $\frac{1}{8}$ "	47 $\frac{7}{8}$ "	24	—	—
	NAC4224PVC2PFA	832	867	933	1 $\frac{1}{8}$ "	41 $\frac{1}{8}$ "	24	—	—
	NAC3624PVC2PFA	749	778	833	1 $\frac{1}{8}$ "	35 $\frac{5}{8}$ "	24	—	—
	NAC3024PVC2PFA	694	717	761	1 $\frac{1}{8}$ "	29 $\frac{1}{8}$ "	24	—	—
	NAC2724PVC2PFA	659	682	726	1 $\frac{1}{8}$ "	27	24	—	—
	NAC2424PVC2PFA	621	644	688	1 $\frac{1}{8}$ "	23 $\frac{1}{8}$ "	24	—	—
	NAC2124PVC2PFA	590	607	640	1 $\frac{1}{8}$ "	21	24	—	—

- Screen extends 4" below the surface
- Privacy screens are 1 $\frac{1}{8}$ " thick dual sided textile
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack textile grade and color
- Textile will be railroded
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- For use on 1 $\frac{1}{8}$ " and 1 $\frac{1}{2}$ " surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES

PRODUCTION SPECIFICATIONS

- Screen extends 4" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

- NAC7240PVCPP
- See page 435 for textiles

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PET EDGE MOUNT SCREEN 	½" PET THICKNESS 40" HIGH								ABOVE WORKSURFACE H
	NAC7240PVCPP	\$ 1657		72	40	34			
	NAC6640PVCPP	1589		66	40	34			
	NAC6040PVCPP	1558		60	40	34			
	NAC5440PVCPP	1310		54	40	34			
	NAC4840PVCPP	1185		48	40	34			
	NAC4240PVCPP	1083		42	40	34			
	NAC3640PVCPP	1072		36	40	34			
	NAC3040PVCPP	808		30	40	34			
	NAC2740PVCPP	653		27	40	34			
	NAC2440PVCPP	584		24	40	34			
	NAC2140PVCPP	505		21	40	34			
	30" HIGH								
	NAC7230PVCPP	\$ 1640		72	30	24			
	NAC6630PVCPP	1574		66	30	24			
	NAC6030PVCPP	1544		60	30	24			
	NAC5430PVCPP	1291		54	30	24			
	NAC4830PVCPP	994		48	30	24			
	NAC4230PVCPP	849		42	30	24			
	NAC3630PVCPP	808		36	30	24			
	NAC3030PVCPP	781		30	30	24			
	NAC2730PVCPP	555		27	30	24			
	24" HIGH								
	NAC7224PVCPP	\$ 901		72	24	18			
	NAC6624PVCPP	868		66	24	18			
	NAC6024PVCPP	845		60	24	18			
	NAC5424PVCPP	746		54	24	18			
	NAC4824PVCPP	676		48	24	18			
	NAC4224PVCPP	608		42	24	18			
	NAC3624PVCPP	509		36	24	18			
	NAC3024PVCPP	469		30	24	18			
	NAC2724PVCPP	405		27	24	18			
	24" HIGH								
	NAC2424PVCPP	384		24	24	18			
	NAC2124PVCPP	353		21	24	18			

- Screen extends 4" below worksurface
- PET Screen with radiused corners
- Fits on 1½" – 1¾" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

PRODUCTION SPECIFICATIONS

- Screen extends 12" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7244PVMCPP

- See page 435 for textiles

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
PET EDGE MOUNT SURFACE SCREEN/MODESTY SCREEN	½" PET THICKNESS								
	44" HIGH								
	NAC7244PVMCPP	\$ 1657		72	44	30			
	NAC6644PVMCPP	1595		66	44	30			
	NAC6044PVMCPP	1571		60	44	30			
	NAC5444PVMCPP	1324		54	44	30			
	NAC4844PVMCPP	1191		48	44	30			
	NAC4244PVMCPP	1097		42	44	30			
	NAC3644PVMCPP	1087		36	44	30			
	NAC3044PVMCPP	812		30	44	30			
	NAC2744PVMCPP	666		27	44	30			
	NAC2444PVMCPP	589		24	44	30			
	NAC2144PVMCPP	514		21	44	30			
	38" HIGH								
	NAC7238PVMCPP	\$ 1652		72	38	24			
	NAC6638PVMCPP	1587		66	38	24			
	NAC6038PVMCPP	1555		60	38	24			
	NAC5438PVMCPP	1305		54	38	24			
	NAC4838PVMCPP	1180		48	38	24			
	NAC4238PVMCPP	1072		42	38	24			
	NAC3638PVMCPP	1056		36	38	24			
	NAC3038PVMCPP	797		30	38	24			
	NAC2738PVMCPP	629		27	38	24			
	NAC2438PVMCPP	576		24	38	24			
	NAC2138PVMCPP	496		21	38	24			
	32" HIGH								
	NAC7232PVMCPP	\$ 1645		72	32	18			
	NAC6632PVMCPP	1578		66	32	18			
	NAC6032PVMCPP	1552		60	32	18			
	NAC5432PVMCPP	1296		54	32	18			
	NAC4832PVMCPP	1017		48	32	18			
	NAC4232PVMCPP	870		42	32	18			
	NAC3632PVMCPP	823		36	32	18			
	NAC3032PVMCPP	792		30	32	18			
	NAC2732PVMCPP	565		27	32	18			
	NAC2432PVMCPP	434		24	32	18			
	NAC2132PVMCPP	433		21	32	18			

- Screen extends 12" below worksurface
- PET Screen with radiused corners
- Fits on 1½" - 1⅞" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

ACCESSORIES

PRODUCTION SPECIFICATIONS

- Screen extends 12" below worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Textile Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMC2PFA A 8600 423

- See page 435 for textiles

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1" TEXTILE SCREEN THICKNESS	GRADE AA	GRADE A	GRADE B/COM		D	W	H				
EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, TEXTILE	44" HIGH								ABOVE WORKSURFACE H			
	NAC7244PVMC2PFA	\$ 1546	\$ 1644	\$ 1831		72	44	30				
	NAC6644PVMC2PFA	1458	1548	1719		66	44	30				
	NAC6044PVMC2PFA	1351	1434	1592		60	44	30				
	NAC5444PVMC2PFA	1261	1336	1479		54	44	30				
	NAC4844PVMC2PFA	1169	1236	1363		48	44	30				
	NAC4244PVMC2PFA	1085	1145	1259		42	44	30				
	NAC3644PVMC2PFA	991	1043	1142		36	44	30				
	NAC3044PVMC2PFA	903	947	1030		30	44	30				
	NAC2744PVMC2PFA	852	892	969		27	44	30				
	38" HIGH											
	NAC7238PVMC2PFA	\$ 1485	\$ 1583	\$ 1770		72	38	24				
	NAC6638PVMC2PFA	1394	1484	1655		66	38	24				
	NAC6038PVMC2PFA	1289	1372	1530		60	38	24				
	NAC5438PVMC2PFA	1206	1281	1424		54	38	24				
	NAC4838PVMC2PFA	1115	1182	1309		48	38	24				
	NAC4238PVMC2PFA	1033	1093	1207		42	38	24				
	NAC3638PVMC2PFA	948	1000	1099		36	38	24				
	NAC3038PVMC2PFA	858	902	985		30	38	24				
	NAC2738PVMC2PFA	813	853	930		27	38	24				
	32" HIGH											
	NAC7232PVMC2PFA	\$ 1556	\$ 1654	\$ 1841	1 $\frac{1}{16}$	72	32	—	—		46 lbs.	6.0
	NAC6632PVMC2PFA	1462	1554	1730	1 $\frac{1}{16}$	66	32	—	—		34 lbs.	5.5
	NAC6032PVMC2PFA	1358	1441	1599	1 $\frac{1}{16}$	60	32	—	—		32 lbs.	5.1
	NAC5432PVMC2PFA	1270	1345	1488	1 $\frac{1}{16}$	54	32	—	—		30 lbs.	4.6
	NAC4832PVMC2PFA	1172	1241	1373	1 $\frac{1}{16}$	48	32	—	—		28 lbs.	4.1
	NAC4232PVMC2PFA	1086	1146	1260	1 $\frac{1}{16}$	42	32	—	—		26 lbs.	3.7
	NAC3632PVMC2PFA	973	1025	1124	1 $\frac{1}{16}$	36	32	—	—		24 lbs.	3.2
	NAC3032PVMC2PFA	884	930	1018	1 $\frac{1}{16}$	30	32	—	—		22 lbs.	2.8
	NAC2732PVMC2PFA	838	878	955	1 $\frac{1}{16}$	27	32	—	—		22 lbs.	2.5
	NAC2432PVMC2PFA	735	775	852	1 $\frac{1}{16}$	24	32	—	—		20 lbs.	2.3
	NAC2132PVMC2PFA	705	740	806	1 $\frac{1}{16}$	21	32	—	—		18 lbs.	2.1

- Screen extends 12" below the surface
- Privacy screens are 1 $\frac{1}{16}$ " thick dual sided textile
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack textile grade and color
- Textile will be railroded
- Specify metal color for holders: Cinder (462), Concrete (423), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- For use on 1 $\frac{1}{16}$ " and 1 $\frac{1}{8}$ " surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Will require attachment to surface with fasteners – 2 people recommended for installation



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

SAMPLE MODEL NUMBERS:

NAC6012MPA 1 1677 462
NACGBT2

- See page 435 for textiles


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN	GRADE 1							
NAC6012MPA	\$ 929	⅜	59⅛	12⅝	—	—	5 lbs.	3.9
NAC5412MPA	835	⅜	53⅛	12⅝	—	—	5 lbs.	3.8
NAC4812MPA	741	⅜	47⅛	12⅝	—	—	4 lbs.	3.7
NAC4212MPA	650	⅜	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPA	556	⅜	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPA	466	⅜	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPA	372	⅜	23⅜	12⅝	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided ⅜" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL
⅓ HEIGHT
RESIN


	GRADE 1							
NAC6012MPTA	\$ 929	⅜	59⅛	12⅝	—	—	5 lbs.	3.9
NAC5412MPTA	835	⅜	53⅛	12⅝	—	—	5 lbs.	3.8
NAC4812MPTA	741	⅜	47⅛	12⅝	—	—	4 lbs.	3.7
NAC4212MPTA	650	⅜	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPTA	556	⅜	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPTA	466	⅜	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPTA	372	⅜	23⅜	12⅝	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided ⅜" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

RECTANGULAR MODESTY PANEL
⅓ HEIGHT
METAL


NAC6012MP2M	\$ 929	⅜	59⅛	12⅝	—	—	10 lbs.	3.9
NAC5412MP2M	835	⅜	53⅛	12⅝	—	—	10 lbs.	3.8
NAC4812MP2M	741	⅜	47⅛	12⅝	—	—	8 lbs.	3.7
NAC4212MP2M	650	⅜	41¾	12⅝	—	—	8 lbs.	3.7
NAC3612MP2M	556	⅜	35¾	12⅝	—	—	8 lbs.	3.7
NAC3012MP2M	466	⅜	29¾	12⅝	—	—	6 lbs.	3.6
NAC2412MP2M	372	⅜	23⅜	12⅝	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

GANGING BRACKET

NACGBT2	Table Ganging Bracket Kit	\$ 121	—	—	—	—	—	1 lbs.	0.1
---------	---------------------------	--------	---	---	---	---	---	--------	-----

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)						
MODEL	RAILROADED	NON DIRECTIONAL	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL
	Contact customer service 800-482-1717 for ydg requirements	OR SOLID	4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	SQUARE FEET
If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required						
88NA2417TRDFW		0.90	1.00	1.40	1.50	17
88NA2419TRDFW						
88NA1817TRDFW		0.80	0.90	1.30	1.40	15
88NA1819TRDFW						
88NA242417TSQFW		0.90	1.00	1.40	1.50	17
88NA242419TSQFW						
88NA181817TSQFW		0.80	0.90	1.30	1.40	15
88NA181819TSQFW						
88NA182417TRTFW		0.80	0.90	1.30	1.40	15
88NA182419TRTFW						
89N1616TRDF		0.60	0.70	1.00	2.00	10

COM YARDAGE

COM YARDAGE REQUIREMENTS (54" OR 66" WIDTH – CUT UP THE ROLL)

For railroaded models, contact customer service 800-482-1717 for ydg requirements

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50

TACKABLE	YARDAGE
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3634TVF	1.25
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3636TVF	1.25
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3637TVF	1.25
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3648TVF	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N3649TVF	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4234TVF	1.25
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50

COM YARDAGE REQUIREMENTS

TACKABLE

YARDAGE

11N4236TVF	1.25
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4237TVF	1.25
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4248TVF	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30
11N4249TBA	1.50
11N4249TVF	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4834TVF	1.25
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4836TVF	1.25
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4837TVF	1.25
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4848TVF	1.50
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N4849TVF	1.50
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5434TVF	N/A
11N5436TBA	2.00
11N5436TVF	N/A

TACKABLE

YARDAGE

11N5437TBA	2.00
11N5437TVF	N/A
11N5448TBA	2.00
11N5448TVF	N/A
11N5449TBA	2.00
11N5449TVF	N/A
11N6034TBA	2.00
11N6034TVF	N/A
11N6036TBA	2.00
11N6036TVF	N/A
11N6037TBA	2.00
11N6037TVF	N/A
11N6048TBA	2.00
11N6048TVF	N/A
11N6049TBA	2.00
11N6049TVF	N/A
NAC2124PVC2PF	N/A
NAC2124PVC2PFA	0.75
NAC2132PVMC2PF	N/A
NAC2132PVMC2PFA	1.50
NAC2424PVC2PF	N/A
NAC2424PVC2PFA	1.00
NAC2432PVMC2PF	N/A
NAC2432PVMC2PFA	1.75
NAC2724PVC2PF	N/A
NAC2724PVC2PFA	1.00
NAC2732PVMC2PF	N/A
NAC2732PVMC2PFA	1.75
NAC3024PVC2PF	N/A
NAC3024PVC2PFA	1.00
NAC3032PVMC2PF	N/A
NAC3032PVMC2PFA	2.00
NAC3624PVC2PF	N/A
NAC3624PVC2PFA	1.25
NAC3632PVMC2PF	N/A
NAC3632PVMC2PFA	2.25
NAC4224PVC2PF	N/A
NAC4224PVC2PFA	1.50
NAC4232PVMC2PF	N/A
NAC4232PVMC2PFA	2.60
NAC4824PVC2PF	N/A
NAC4824PVC2PFA	1.50
NAC4832PVMC2PF	N/A
NAC4832PVMC2PFA	3.00
NAC5424PVC2PF	N/A
NAC5424PVC2PFA	1.75
NAC5432PVMC2PF	N/A
NAC5432PVMC2PFA	3.25
NAC6024PVC2PF	N/A
NAC6024PVC2PFA	2.00
NAC6032PVMC2PF	N/A
NAC6032PVMC2PFA	3.60
NAC6624PVC2PFA	2.00
NAC6632PVMC2PFA	4.00
NAC7224PVC2PFA	2.25
NAC7232PVMC2PFA	4.25
NAC2132PVMC2PFA	1.50

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00

TACKABLE	YARDAGE
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPF	1.50
71N5118PVBPF	2.00
71N5718PVBPF	2.00
71N6318PVBPF	2.00
71N6918PVBPF	2.50
71N4623PVC PF	1.50
71N5223PVC PF	2.00
71N5823PVC PF	2.00
71N6423PVC PF	2.00
71N7023PVC PF	2.50
71N3824PVBPF	1.50
71N4424PVBPF	1.50
71N5024PVBPF	2.00
71N5624PVBPF	2.00
71N6224PVBPF	2.00

COM YARDAGE

REVISION SUMMARY

03.18.24

GLOBAL

G12A Pivoting Power Grommet (MHO-B) has been discontinued and removed from the price list

G12A Interlink IQ System has been discontinued and removed from the price list

G15A 1 Touch Double Pivoting Power Grommet (M2X-B) has been discontinued and removed from the price list

G15A Interlink IQ System M2x-B0 has been discontinued and removed from the price list

ACCESSORIES

Garcia, models NAC03ELPG2GAAB, NAC03ELPG2GAAG, NAC03ELPG2GAA, have been discontinued and removed from the price list

Hitch model NAC04ELPG4HTAG has been discontinued and removed from the price list

02.19.24

GLOBAL

Electrical models have been updated

ESCALADE

This series has been added back into the price list and is available to order

TRAINING TABLES

Manual crank height adjust tables (CBV models) have been discontinued

UNIVERSAL

Lecterns and Multi-functional cart writing surfaces and trim are now Designer White. Silver is no longer available

12.15.23

ARROWOOD

Telephone and printer stands are being discontinued as of 12.31.23 and have been removed from this price list

BARRINGTON

Telephone and printer stands are being discontinued as of 12.31.23 and have been removed from this price list

CONFERENCE TABLES

Escalade base detail options have been discontinued

ESCALADE

This series is being discontinued as of 12.31.23 and has been removed from this price list

EXHIBIT

Basket, Meander, and Universal vertical textiles are being discontinued as of 12.31.23

FOOTINGS

Mobile X-base model, CBV2728XBMP, has been discontinued

Table top and base guide has been updated for 30" surfaces

MIO

Epicenter Media wall options have been discontinued

ROOSEVELT

Telephone and printer stands are being discontinued as of 12.31.23 and have been removed from this price list

UNIVERSAL

Visual boards are being discontinued as of 12.31.23 and have been removed from this price list

ACCESSORIES

RETURN TO WORK price list, which includes screens and accessories, has been disbanded and incorporated in the Accessories section

10.23.23

WAVEWORKS

Pricing corrections have been made on select WaveWorks conference top and storage models

08.28.23

GLOBAL

Pricing has been updated throughout the price list; pricing date is 10.02.23

Grade AA Panel Fabric Lea has been added

05.22.23

GLOBAL

Paint material pages for all series have been updated to reflect the Harmonized and Gallery paint offerings

COLLABORATIVE TABLES

MIO TV Mount load capacity is 100 lbs.

STORAGE COMPONENTS AND ACCESSORIES

Universal LECTERNS surface and multi-functional cart top surface are Silver Metallic Pearl 3D Laminate

OCCASIONAL TABLES

Mariben Pull-Up Tables have been added

ACCESSORIES

Axil M Blue Tooth Speaker power/data center models NAC08ELPG3AXB, NAC08ELPG3AXS, NAC08ELPG3AXW have been discontinued

03.13.23

GLOBAL

Midtown designator is MW

GENERAL INFORMATION

The Intellectual Property information has been removed from the General Information and is now accessible through a link in the Table of Contents

TRAINING TABLES METAL BASES

The basic folding leg, model CBV2128TF has been discontinued

02.06.23

GLOBAL

The following model is no longer available and has been removed from the price list:

- NAC0403WM Undersurface Wire Manager

SURFACE MATERIALS

Changes made to Surface Materials sections due to Harmonization of Laminate, Wood and Vertical Textiles where applicable

Seating textiles Echo, Orbit, Connect Four colorways Clementine and Coffee Bean, Input colorways Pine, Mint, and Flame, Strand colorway Fudge have been discontinued

ACCESSORIES

The following models are no longer available and have been removed from the price list:

- NAC29ELPG4VEAB Vesta Set-On Floor, Battery-Powered Black/Dark Grey and NAC29ELPG4VEAW Vesta Set-On Floor, Battery-Powered White/Light Grey

COM YARDAGE REQUIREMENTS

Added COM information for Tackboards; if repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required.

11.18.22

COLLABORATIVE TABLES AND ACCESSORIES

The following bullet was added to Double Hook NAC03HKD:

- Cannot be used on knife rim tops

10.31.22

GLOBAL

NAC0403WM Undersurface Wire Manager depth has been updated to 5¼

COLLABORATIVE TABLES

Grin Collaborative Tables have been added

STORAGE COMPONENTS AND ACCESSORIES

Personal Pull-Up Tables with marble top: 50 lb weight limit bullet was removed

OCCASIONAL TABLES

Grin Occasional Tables have been added

Personal Pull-Up Tables with marble top: 50 lb weight limit bullet was removed

REVISION SUMMARY

10.03.22

GLOBAL

Pricing has been updated throughout the price list

The following models are no longer available and have been removed from the price list:

- NACPH Black Plastic Phone Holder
- NACPHC Clear Plastic Phone Holder
- NACBS Black Plastic Binder Shelf
- 10N3372MBFCHB Cinder Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHS Platinum Metallic Universal Mobile Marker Board Flip Chart Holder
- 10N3372MBFCHN Satin Nickel Metallic Universal Mobile Marker Board Flip Chart Holder

08.15.22

GLOBAL

Price list will no longer include an Index

GENERAL INFORMATION

The following pages have been removed from the General Information and are now accessible through a link in the Table of Contents:

- Terms & Conditions
- Warranty
- Sustainability
- ANSI/BIFMA Testing
- Asset Tag Locations

The following Echo Grade 4 colors are no longer available:

- 41101 Natural
- 41104 Lichen
- 41105 Jute
- 41106 Seaport
- 41107 Limestone

EXHIBIT AND ACCESSORIES

Dune (Grade A) 8606 Pebble is no longer available as a tack board textile option

OCCASIONAL TABLES

Occasional Tables have been added from the following series:

- Collette
- Fringe
- Tarver
- Welj

07.15.22

EXHIBIT AND ACCESSORIES

Repetition (Grade A) 3715 Almond is no longer available as a tack board textile option

04.15.22

GENERAL INFORMATION

Panel textile COM flammability bullets updated



NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546

TOLL FREE 800.482.1717

WEB KIMBALLINTERNATIONAL.COM

NPL422