






CONFERENCE TABLES SPECIFICATION GUIDE

Top Size by Seating Capacity	2
Table Top Shapes and Sizes	3
Number of Pieces Per Table Top	7
Material Thickness/Top Shape	9
Material Type/Rim Profile	11
Table Base Guide	12
Table Base Placement Guide	61
Grommet Locations and Requirements	69
Revision Summary	95






TOP SIZE BY SEATING CAPACITY

TOP SIZE	SEATING CAPACITY								
	4	6	8	10	12	14	16	18	20
24" x 24"	●								
24" x 48"	●								
30" x 30"	●								
30" x 60"	●	●							
30" x 72"		●							
36" x 36"	●								
36" x 60"		●							
36" x 72"		●							
36" x 84"		●							
36" x 96"			●						
42" x 42"	●								
42" x 72"		●							
42" x 84"		●							
42" x 96"			●						
48" x 48"	●								
48" x 72"		●							
48" x 84"		●							
48" x 96"			●						
48" x 120"				●					
48" x 144"				●					
48" x 168"					●				
48" x 192"						●			
48" x 216"							●		
48" x 240"								●	
54" x 54"	●								
54" x 120"				●					
54" x 144"				●					
54" x 168"					●				
54" x 192"						●			
54" x 216"							●		
54" x 240"								●	
60" x 60"		●							
60" x 144"					●				
60" x 168"						●			
60" x 192"							●		
60" x 216"								●	
60" x 240"									●
72" x 72"		●							
96" x 96"				●					






CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 SOFT SQUARE	 RECTANGLE/ RECTANGULAR	 SOFT RECTANGLE/ SOFT RECTANGULAR
ARROWOOD MODIFIED SIZING AVAILABLE ON RECTANGLE		30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"		36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"	
BARRINGTON MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
DOCK MEETING	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	24" x 48" 30" x 60" 30" x 72" 36" x 60" 36" x 72" 36" x 84" 36" x 96" 42" x 72" 42" x 84" 42" x 96" 48" x 72" 48" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	24" x 48" 30" x 60" 30" x 72" 36" x 60" 36" x 72" 36" x 84" 36" x 96" 42" x 72" 42" x 84" 42" x 96" 48" x 72" 48" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
EPIC MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	






CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 SOFT SQUARE	 RECTANGLE/ RECTANGULAR	 SOFT RECTANGLE/ SOFT RECTANGULAR
FOOTINGS	24" 30" 36" 42" 48" 54" 60"		24" X 24" 30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"		24" X 48" 30" X 60" 30" X 72" 36" X 60" 36" X 72" 36" X 84" 36" X 96" 42" X 72" 42" X 84" 42" X 96" 48" X 72" 48" X 84" 48" X 96" 48" X 120"
UNIVERSAL	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
WAVEWORKS MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK	30" 36" 42" 48" 54" 60" 72" 96"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	

CONFERENCE TABLE TOP SHAPES AND SIZES

SHAPES										
SERIES										
	ARC RECTANGLE/ ARC RECTANGULAR		BOAT		RACETRACK		ELLIPSE/OVAL		TAPERED	
ARROWOOD										
MODIFIED SIZING AVAILABLE ON RECTANGLE										
BARRINGTON			36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"							
MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT										
DOCK MEETING	30" x 60" 30" x 72" 36" x 60" 36" x 72" 36" x 84" 36" x 96" 42" x 84" 42" x 96" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192"	48" x 216" 54" x 120" 54" x 144" 54" x 168" 54" x 192" 54" x 216" 54" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 54" x 120"	54" x 144" 54" x 168" 54" x 192" 54" x 216" 54" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	30" x 60" 30" x 72" 36" x 72" 36" x 84" 36" x 96" 42" x 84" 42" x 96" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216"	48" x 240" 54" x 120" 54" x 144" 54" x 168" 54" x 192" 54" x 216" 54" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	24" x 48" 30" x 60" 36" x 72" 42" x 84" 48" x 96"	36" x 72" 42" x 84" 48" x 96" 48" x 120"		
EPIC			36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"					
MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK										

CONFERENCE TABLE TOP SHAPES AND SIZES






SERIES	SHAPES				
	 ARC RECTANGLE/ ARC RECTANGULAR	 BOAT	 RACETRACK	 ELLIPSE/OVAL	 TAPERED
FOOTINGS	24" X 48" 30" X 60" 30" X 72" 36" X 60" 36" X 72" 36" X 84" 36" X 96" 42" X 72" 42" X 84" 42" X 96" 48" X 72" 48" X 84" 48" X 96" 48" X 120"	24" X 48" 30" X 60" 30" X 72" 36" X 60" 36" X 72" 36" X 84" 36" X 96" 42" X 72" 42" X 84" 42" X 96" 48" X 72" 48" X 84" 48" X 96" 48" X 120"		24" X 48" 30" X 60" 36" X 72" 42" X 84" 48" X 96"	36" X 72" 42" X 84" 48" X 96" 48" X 120"
UNIVERSAL		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		
WAVEWORKS MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK		36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		

NUMBER OF PIECES PER TABLE TOP

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

- 120" wide tops for Footings will be in one piece
- 120" wide tops for Dock Meeting are available in one or two piece tops






TOP SIZES	TOP SHAPES				
	 ROUND	 SQUARE	 SOFT SQUARE	 RECTANGLE/ RECTANGULAR	 SOFT RECTANGLE/ SOFT RECTANGULAR
24" X 24"	1	1	1	N/A	N/A
30" x 30"	1	1	1	N/A	N/A
36" x 36"	1	1	1	N/A	N/A
42" x 42"	1	1	1	N/A	N/A
48" x 48"	1	1	1	N/A	N/A
54" x 54"	1	1	1	N/A	N/A
60" x 60"	1	1	1	N/A	N/A
24" x 48"	N/A	N/A	N/A	1	1
30" x 60"	N/A	N/A	N/A	1	1
30" x 72"	N/A	N/A	N/A	1	1
36" x 60"	N/A	N/A	N/A	1	1
36" x 72"	N/A	N/A	N/A	1	1
36" x 84"	N/A	N/A	N/A	1	1
36" x 96"	N/A	N/A	N/A	1	1
42" x 72"	N/A	N/A	N/A	1	1
42" x 84"	N/A	N/A	N/A	1	1
42" x 96"	N/A	N/A	N/A	1	1
48" x 72"	N/A	N/A	N/A	1	1
48" x 84"	N/A	N/A	N/A	1	1
48" x 96"	N/A	N/A	N/A	1	1
48" x 120"	N/A	N/A	N/A	1 or 2	1 or 2
48" x 144"	N/A	N/A	N/A	2	2
48" x 168"	N/A	N/A	N/A	2	2
48" x 192"	N/A	N/A	N/A	2	2
48" x 216"	N/A	N/A	N/A	3	3
48" x 240"	N/A	N/A	N/A	3	3
54" x 120"	N/A	N/A	N/A	2	2
54" x 144"	N/A	N/A	N/A	2	2
54" x 168"	N/A	N/A	N/A	2	2
54" x 192"	N/A	N/A	N/A	2	2
54" x 216"	N/A	N/A	N/A	2	2
54" x 240"	N/A	N/A	N/A	3	3
60" x 144"	N/A	N/A	N/A	2	2
60" x 168"	N/A	N/A	N/A	2	2
60" x 192"	N/A	N/A	N/A	2	2
60" x 216"	N/A	N/A	N/A	3	3
60" x 240"	N/A	N/A	N/A	3	3

NUMBER OF PIECES PER TABLE TOP











Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

- 120" wide tops for Footings will be in one piece
- 120" wide tops for Dock Meeting are available in one or two piece tops







TOP SIZES	TOP SHAPES				
	 ARC RECTANGLE/ ARC RECTANGULAR	 BOAT	 RACETRACK	 ELLIPSE/OVAL	 TAPERED
24" X 48"	N/A	N/A	N/A	1	N/A
30" x 60"	1	N/A	1	1	N/A
30" x 72"	1	N/A	1	N/A	N/A
36" x 60"	N/A	N/A	N/A	N/A	N/A
36" x 72"	1	1	1	1	1
36" x 84"	1	N/A	1	N/A	N/A
36" x 96"	1	N/A	1	N/A	N/A
42" x 84"	1	1	1	1	1
42" x 96"	1	N/A	1	N/A	N/A
48" x 96"	1	1	1	1	1
48" x 120"	1 or 2	1 or 2	1 or 2	N/A	1 or 2
48" x 144"	2	2	2	N/A	N/A
48" x 168"	2	2	2	N/A	N/A
48" x 192"	2	2	2	N/A	N/A
48" x 216"	3	3	3	N/A	N/A
48" x 240"	N/A	3	3	N/A	N/A
54" x 120"	2	2	2	N/A	N/A
54" x 144"	2	2	2	N/A	N/A
54" x 168"	2	2	2	N/A	N/A
54" x 192"	2	2	2	N/A	N/A
54" x 216"	2	2	2	N/A	N/A
54" x 240"	3	3	3	N/A	N/A
60" x 144"	2	2	2	N/A	N/A
60" x 168"	2	2	2	N/A	N/A
60" x 192"	2	2	2	N/A	N/A
60" x 216"	3	3	3	N/A	N/A
60" x 240"	3	3	3	N/A	N/A

MATERIAL THICKNESS/TOP SHAPE

TOP SHAPE	1 3/4"				
	TFL	3D Laminate	Laminate	Laminate/Wood	Wood
 ROUND	Dock Meeting Footings	Dock Meeting	Dock Meeting Epic Footings Universal Waveworks	Barrington Dock Meeting Waveworks	Barrington Dock Meeting Epic Footings Universal Waveworks
 SQUARE	Dock Meeting	Dock Meeting	Arrowood Dock Meeting Epic Universal Waveworks	Arrowood Barrington Dock Meeting Waveworks	Arrowood Barrington Dock Meeting Epic Universal Waveworks
 SOFT SQUARE	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings
 RECTANGLE/ RECTANGULAR	Dock Meeting	Dock Meeting	Dock Meeting	Dock Meeting	Dock Meeting
 SOFT RECTANGLE/ SOFT RECTANGULAR	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings
 ARC RECTANGLE/ ARC RECTANGULAR	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings
 BOAT	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings
 RACETRACK	Dock Meeting	Dock Meeting	Dock Meeting	Dock Meeting	Dock Meeting
 OVAL/ELLIPSE	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings
 TAPERED	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings	Dock Meeting	Dock Meeting Footings

Continued on next page

MATERIAL THICKNESS/TOP SHAPE

TOP SHAPE	1⅞"			1½"
	Laminate	Laminate/Wood	Wood	Solid Surface
 ROUND	Epic Universal Waveworks	Universal Waveworks	Epic Universal Waveworks	Universal
 SQUARE	Arrowood Epic Universal Waveworks	Arrowood Universal Waveworks	Epic Universal Waveworks	
 SOFT SQUARE				Universal
 RECTANGLE/ RECTANGULAR	Epic Universal Waveworks	Arrowood Barrington Universal Waveworks	Arrowood Barrington Epic Universal Waveworks	
 BOAT	Epic Universal Waveworks	Barrington Universal Waveworks	Barrington Epic Universal Waveworks	
 RACETRACK	Epic Universal Waveworks	Universal Waveworks	Epic Universal Waveworks	

MATERIAL TYPE/RIM PROFILE













































RIM PROFILE	TFL	HPL	3D LAMINATE	WOOD	LAMINATE/ WOOD	SOLID SURFACE
Softened Vinyl 	Dock Meeting Footings	Dock Meeting Epic Footings Waveworks				
Softened Wood 				Dock Meeting Epic Footings Universal Waveworks	Dock Meeting Universal Waveworks	
Self 		Dock Meeting		Universal	Universal	
Flat 		Universal				
Bullnose 				Universal	Universal	
Knife 		Epic Footings		Epic Footings		
Knife Wood 				Dock Meeting	Dock Meeting	
Sloped 			Dock Meeting			
Solid Surface 						Universal
Radius 				Universal	Universal	
Reed 				Universal Waveworks	Universal Waveworks	
Reed Vinyl 		Waveworks				
Cove 				Waveworks	Waveworks	
Zip 				Waveworks	Waveworks	
Concave 				Waveworks	Waveworks	
Step 				Waveworks	Waveworks	
Mitered   				Arrowood	Arrowood	
				Barrington	Barrington	

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES				
<div>24", 24" x 24"</div> <div></div> <div>Bases at right applicable to 24" round, square, or soft square tables</div>	<u>OCCASIONAL</u>				
					
	Metal, Footings, X-Base CBV2115XBP (Qty. 1)	Metal, Dock, Blade X-Base 74K2015CFX (Qty. 1)	Metal, Dock, Disc Base 74K2215RDBP (Qty. 1)	Metal, Round Disc Base CBV2215DRNBP (Qty. 1)	Metal, Square Disc Base CBV2215DSQBP (Qty. 1)
	<u>END TABLE</u>				
					
	Metal, Footings, X-Base CBV2119XBP (Qty. 1)	Metal, Dock, Blade X-Base 74K2019CFX (Qty. 1)			
	<u>WORKSURFACE</u>				
					
	Metal, Footings, X-Base CBV2128XBP (Qty. 1)	Metal, Column Leg CBV0228COBP (Qty. 4)	Metal, Dock, Blade X-Base 74K2028CFX (Qty. 1)	Metal, Column Leg, Mobile CBV0228COBMP (Qty. 4)	Metal, Dock, Disc Base 74K2228RDBP (Qty. 1)
					
	Metal, Round Disc Base CBV2228DRNBP (Qty. 1)	Metal, Square Disc Base CBV2228DSQBP (Qty. 1)			
	<u>COUNTER</u>				
					
	Metal, Footings, X-Base CBV2135XBP (Qty. 1)	Metal, Dock, Blade X-Base 74K2035CFX (Qty. 1)	Metal, Dock, Disc Base 74K2235RDBP (Qty. 1)	Metal, Round Disc Base CBV2235DRNBP (Qty. 1)	Metal, Square Disc Base CBV2235DSQBP (Qty. 1)
	<u>BAR</u>				
					
	Metal, Dock, Blade X-Base 74K2041CFX (Qty. 1)	Metal, Footings, X-Base CBV2141XBP (Qty. 1)	Metal, Dock, Disc Base 74K2241RDBP (Qty. 1)	Metal, Round Disc Base CBV2240DRNBP (Qty. 1)	Metal, Square Disc Base CBV2240DSQBP (Qty. 1)

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.







































TOPS	BASES
<p>24" x 48"</p>      <p>Bases at right applicable to 24" x 48" rectangular, soft rectangle, soft rectangular, arc rectangle, boat, oval, and ellipse tables</p>	<p><u>OCCASIONAL</u></p>  <p>Metal, Footings, Y-Base CBV183115YBKP (oval) CBV183515YBKP (soft rectangle, arc rectangle, boat) (Qty. 1)</p>  <p>Metal, Dock, Y-Base 74K223715CFYL (rectangular or soft rectangular) 74K162815CFYL (ellipse) (Qty. 1)</p> <p><u>WORKSURFACE</u></p>  <p>Metal, Footings, Y-Base CBV243828YBKP (soft rectangle, arc rectangle, boat) (Qty. 1)</p>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES				
<div>30", 30" x 30"</div> <div></div> <div>Bases at right applicable to 30" round, square, or soft square tables</div>	<u>OCCASIONAL</u>				
					
	Metal, Footings, X-Base CBV2715XBP (Qty. 1)	Metal, Dock, X-Base 74K2615CFX (Qty. 1)	Metal, Dock, Disc Base 74K2215RDBP (Qty. 1)	Metal, Round Disc Base CBV2215DRNBP (Qty. 1)	Metal, Square Disc Base CBV2215DSQBP (Qty. 1)
	<u>END TABLE</u>				
					
	Metal, Footings, X-Base CBV2719XBP (Qty. 1)	Metal, Dock, X-Base 74K2619CFX (Qty. 1)			
	<u>WORKSURFACE</u>				
					
	Metal, Column Leg CBV0228COBP (Qty. 4)	Metal, Footings, X-Base CBV2728XBP (Qty. 1)	Metal, Column Leg, Mobile CBV0228COBMP (Qty. 4)	Metal, Dock, X-Base 74K2628CFX (Qty. 1)	Metal, Footings, X-Base CBV32828XBP (Qty. 1) For use with square tops only
					
	Metal, Dock, Disc Base 74K2228RDBP (Qty. 1)	Metal, Round Disc Base CBV2228DRNBP (Qty. 1)	Metal, Footings, X-Base CBV3228XBMP (Qty. 1)	Metal, Dock, X-Base, Mobile 74K2628CFXM (Qty. 1)	Metal, Square Disc Base CBV2228DSQBP (Qty. 1)
	<u>COUNTER</u>				
					
	Metal, Dock, X-Base 74K2635CFX (Qty. 1)	Metal, Footings, X-Base CBV2735XBP (Qty. 1)	Metal, Dock, Disc Base 74K2235RDBP (Qty. 1)	Metal, Round Disc Base CBV2235DRNBP (Qty. 1)	Metal, Square Disc Base CBV2235DSQBP (Qty. 1)
	<u>BAR</u>				
					
	Metal, Dock, X-Base 74K2641CFX (Qty. 1)	Metal, Dock, Disc Base 74K2241RDBP (Qty. 1)	Metal, Footings, X-Base CBV2741XBP (Qty. 1)	Metal, Round Disc Base CBV2240DRNBP (Qty. 1)	Metal, Square Disc Base CBV2240DSQBP (Qty. 1)

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops





























































TOPS	BASES		
<p>30" x 60"</p>      <p>Bases at right applicable to 30" x 60" rectangular, soft rectangular, arc rectangular, racetrack, oval and ellipse tables</p>	OCCASIONAL		
			
	Metal, Dock, Y-Base 74K164015CFYL (Ellipse only) (Qty. 1) Required 75K42WSSR; specify 2	Metal, Footings, Y-Base CBV243815YBKP (oval) CBV244415YBKP (soft rectangle, arc rectangle, boat) (Qty. 1)	Metal, Dock, Disc Base 74K2215RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2)
	WORKSURFACE		
			
	Metal, Dock, T-Base, Static Metal, Dock, T-Base, Mobile 75K2628CFTL (rectangular, soft rectangular, arc rectangular, or racetrack) 75K2628CFTM (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. Set of 2) Required 75K42WSSR; specify 2		Metal, Footings, Y-Base CBV243828YBKP (oval) CBV244428YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1)
			
	Metal, Dock, Y-Base 74K224328CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) 74K164028CFYL (ellipse) (Qty. 1) Required 75K42WSSR; specify 2		Metal, Dock, Disc Base 74K2228RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2)
	COUNTER		
			
	Metal, Footings, Y-Base CBV243835YBKP (oval) CBV244435YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1)	Metal, Dock, Y-Base 74K224335CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2235RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2)
	BAR		
			
	Metal, Footings, Y-Base CBV243841YBKP (oval) CBV244441YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1)	Metal, Dock, Y-Base 74K224341CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2241RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

TOPS	BASES
30" x 72"      Bases at right applicable to 30" x 72" rectangular, soft rectangular, arc rectangular, racetrack, and ellipse tables	<div> OCCASIONAL  Metal, Footings, Y-Base CBV245015YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1) </div> <div>  Metal, Dock, Y-Base 74K225515CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2 </div> <div> WORKSURFACE  Metal, Dock, T-Base, Static Metal, Dock, T-Base, Mobile 75K2628CFTL (rectangular, soft rectangular, arc rectangular, or racetrack) 75K2628CFTLM (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. Set of 2) Required 75K42WSSR; specify 2 </div> <div>  Metal, Footings, Y-Base CBV245028YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1) </div> <div>  Metal, Dock, Y-Base 74K225528CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2 </div> <div>  Metal, Dock, Disc Base 74K2228RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2) </div> <div> COUNTER  Metal, Footings, Y-Base CBV245035YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1) </div> <div>  Metal, Dock, Y-Base 74K225535CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2 </div> <div>  Metal, Dock, Disc Base 74K2235RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2) </div> <div> BAR  Metal, Footings, Y-Base CBV245041YBKP (soft rectangle, arc rectangle, or boat) (Qty. 1) </div> <div>  Metal, Dock, Y-Base 74K225541CFYL (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 1) Required 75K42WSSR; specify 2 </div> <div>  Metal, Dock, Disc Base 74K2241RDBP (rectangular, soft rectangular, arc rectangular, or racetrack) (Qty. 2) </div>





















The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES			
36", 36" x 36"  Bases at right applicable to 36" round, square, or soft square tables	<u>OCCASIONAL</u>			
	 Metal, Footings, X-Base CBV3215XBP (Qty. 1)	 Metal, Dock, Disc Base 74K2215RDBP (round) 74K2715RDBP (square or soft square) (Qty. 1)	 Metal, Dock, X-Base 74K3215CFX (Qty. 1)	 Metal, Round Disc Base CBV2215DRNBP (Qty. 1) For use with round tops only
	 Metal, Square Disc Base CBV2215DSQBP (Qty. 1)	 Metal, Round Disc Base CBV2715DRNBP (Qty. 1)	 Metal, Square Disc Base CBV2715DSQBP (Qty. 1)	
	<u>WORKSURFACE</u>			
	 Metal, 4-Prong Base CBV2828P4BP (Qty. 1)	 Metal, Column Leg CBV0228COBP (Qty. 4)	 Metal, Wood Capped BW-4 (Qty. 1)	 Metal, Column Leg, Mobile CBV0228COBMP (Qty. 4)
	 Metal, Footings, X-Base CBV3228XBP (Qty. 1)	 Metal, Dock, Disc Base 74K2228RDBP (round) 74K2728RDBP (square or soft square) (Qty. 1)	 Metal, Dock, X-Base 74K3228CFX (Qty. 1)	 Metal, Round Disc Base CBV2228DRNBP (Qty. 1) Not for use with 36" soft square solid surface tops
	 Metal, Footings, X-Base CBV3228XBMP (Qty. 1)	 Metal, Dock, X-Base, Mobile 74K3228CFXM (Qty. 1)	 Laminate, Cylinder Base BP-16 (Qty. 1) For use with round tops only	 Metal, Square Disc Base CBV2228DSQBP (Qty. 1)
	 Laminate, Square Base 10N1628SQBXL (Qty. 1)	 Metal, Round Disc Base CBV2728DRNBP (Qty. 1)	 Laminate, Epic, Square Base 25N1628SQBXL (Qty. 1)	 Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 1) Required 74K1COUNTERWEIGHT; specify 4

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES			
36", 36" x 36" (CONTINUED)    <p>Bases at right applicable to 36" round, square, or soft square tables</p>	WORKSURFACE (CONTINUED)			
	 <p>Metal, Square Disc Base CBV2728DSQBP (Qty. 1)</p>	 <p>Laminate, Square Base with Wire Access 10N1628SQBL (Qty. 1)</p>	 <p>Wood, Softened Square Base BW-1616 (Qty. 1)</p>	 <p>Laminate, Epic, Square Base with Wire Access 25N1628SQBL (Qty. 1)</p>
	 <p>Wood, Cylinder Base BW-16 (Qty. 1) For use with round tops only</p>	  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 1) Required 74K1COUNTERWEIGHT; specify 4</p>	 <p>Wood, Basic Square Base 10N1628SQBXW (Qty. 1)</p>	 <p>Wood, Barrington, Square Base 10N1628SQBXW (Qty. 1)</p>
	 <p>Laminate, Cylinder Base 10N1628CYBL (Qty. 1) For use with round tops only</p>	 <p>Wood, Epic, Square Base 25N1628SQBXW (Qty. 1)</p>	 <p>Wood, Basic Square Base with Wire Access 10N1628SQBW (Qty. 1)</p>	 <p>Wood, Barrington, Square Base with Wire Access 10N1628SQBW (Qty. 1)</p>
	 <p>Wood, Epic, Square Base with Wire Access 25N1628SQBW (Qty. 1)</p>	 <p>Wood or Painted, Tapered Base 10N1827TPBW 10N1827TPBP (Qty. 1)</p>	 <p>Wood, Cylinder Base with Wire Access 10N1628CYBW (Qty. 1) For use with round tops only</p>	 <p>Metal, Adjustable Height Base, Mobile CBV3226XBAB CBV3226XBAS CBV3226XBAN (Qty. 1)</p>

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.

































TOPS	BASES			
36", 36" x 36" (CONTINUED)  <p>Bases at right applicable to 36" round, square, or soft square tables</p>	COUNTER			
				
	Metal, Dock, X-Base 74K3235CFX (Qty. 1)	Metal, Dock, Disc Base 74K2235RDBP (round) 74K2735RDBP (square or soft square) (Qty. 2)	Metal, Footings, X-Base CBV3235XBP (Qty. 1)	Metal, Round Disc Base CBV2235DRNBP (Qty. 1) For use with round tops only
				
	Metal, Round Disc Base CBV2735DRNBP (Qty. 1)	Metal, Square Disc Base CBV2235DSQBP (Qty. 1)	Metal, Square Disc Base CBV2735DSQBP (Qty. 1)	
	BAR			
				
	Metal, Dock, X-Base 74K3241CFX (Qty. 1)	Metal, Dock, Disc Base 74K2241RDBP (round) 74K2741RDBP (square or soft square) (Qty. 1)	Metal, Footings, X-Base CBV3241XBP (Qty. 1)	Metal, Round Disc Base CBV2240DRNBP (Qty. 1) For use with round tops only
				
	Metal, Round Disc Base CBV2740DRNBP (Qty. 1)	Metal, Square Disc Base CBV2240DSQBP (Qty. 1)	Metal, Square Disc Base CBV2740DSQBP (Qty. 1)	

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

















TOPS	BASES				
<div>36" x 60"</div> <div></div> <div></div> <div></div> <div></div> <div>Bases at right applicable to 36" x 60" rectangular, soft rectangular, soft rectangle, arc rectangle, and boat tables</div>	<div>OCCASIONAL</div> <div></div> <div>Metal, Footings, Y-Base CBV244415YBKP (Qty. 1)</div>	<div></div> <div>Metal, Dock, Disc Base 74K2215RDBP (Qty. 2)</div>			
	<div>WORKSURFACE</div> <div></div> <div>Metal, Footings, Y-Base CBV244428YBKP (Qty. 1)</div>	<div></div> <div>Metal, Dock, T-Base, Static Metal, Dock, T-Base, Mobile 75K2628CFTL 75K2628CFTM (Qty. Set of 2) Required 75K42WSSR; specify 2</div>	<div></div> <div>Metal, Dock, Disc Base 74K2228RDBP (Qty. 2)</div>	<div></div> <div>Metal, Dock, Y-Base 74K274628CFYL (Qty. 1) Required 75K42WSSR; specify 2</div>	
	<div>COUNTER</div> <div></div> <div>Metal, Footings, Y-Base CBV244435YBKP (Qty. 1)</div>	<div></div> <div>Metal, Dock, Y-Base 74K274635CFYL (Qty. 1) Required 75K42WSSR; specify 2</div>	<div></div> <div>Metal, Dock, Disc Base 74K2235RDBP (Qty. 2)</div>		
	<div>BAR</div> <div></div> <div>Metal, Footings, Y-Base CBV244441YBKP (Qty. 1)</div>	<div></div> <div>Metal, Dock, Y-Base 74K274641CFYL (Qty. 1) Required 75K42WSSR; specify 2</div>	<div></div> <div>Metal, Dock, Disc Base 74K2241RDBP (Qty. 2)</div>		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops

*Counterweights are required as indicated (in red)

























TOPS	BASES
<p>36" x 72"</p>      <p>Bases at right applicable to 36" x 72" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	<p>OCCASIONAL</p>  <p>Metal, Footings, Y-Base CBV245015YBKP (Qty. 1)</p>
	<p>WORKSURFACE</p>  <p>Laminate, Thin Panel Base BP-2427S (Qty. 2)</p>
	 <p>Metal, 2-Prong Base CBV2928P2BP (Qty. 2)</p>
	 <p>Metal, Dock, T-Base, Static Metal, Dock, T-Base, Mobile 75K2628CFTL 75K2628CFTM (Qty. Set of 2) Required 75K42WSSR; specify 2</p>
	 <p>Metal, Footings, Y-Base CBV245028YBKP (Qty. 1)</p>
	 <p>Laminate, Curved Panel Base BP-2427C (Qty. 2)</p>
 <p>Metal, Dock, Y-Base 74K275828CFYL (Qty. 1) Required 75K42WSSR; specify 2</p>	 <p>Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2</p>
	 <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 2</p>
	 <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K1828R 74K1828RR (Qty. 2) Required 75K42WSSR; specify 2</p>
	 <p>Laminate, Cylinder Base BP-16 (Qty. 2) Very limited kneespace with 36" x 72" conference top</p>

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

*Counterweights are required as indicated (in red)

TOPS	BASES			
36" x 72" (CONTINUED)	WORKSURFACE (CONTINUED)			
		Laminate, Basic Square Base 10N1628SQBXL (Qty. 2) Very limited kneespace with 36" x 72" conference top		Laminate, Epic, Square Base 25N1628SQBXL (Qty. 2) Very limited kneespace with 36" x 72" conference top
				Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 2
		Laminate, Basic Square Base with Wire Access 10N1628SQBL (Qty. 2) Very limited kneespace with 36" x 72" conference top		Wood, Softened Square Base BW-1616 (Qty. 2) Very limited kneespace with 36" x 72" conference top
				Laminate, Epic, Thick Panel Base with Wire Access 25N1828PNL (Qty. 2)
				Laminate, Epic, Square Base with Wire Access 25N1628SQBL (Qty. 2) Very limited kneespace with 36" x 72" conference top
Bases at right applicable to 36" x 72" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables		Wood, Cylinder Base BW-16 (Qty. 2) Very limited kneespace with 36" x 72" conference top		Laminate, Basic Thick Panel Kit 10N72PNKL 10N84PNKL (Qty. 1)
				Wood, Basic Square Base 10N1628SQBXW (Qty. 2) Very limited kneespace with 36" x 72" conference top
				Wood, Barrington, Square Base 10N1628SQBXW (Qty. 2) Very limited kneespace with 36" x 72" conference top
		Laminate, Cylinder Base with Wire Access 10N1628CYBL (Qty. 2) Very limited kneespace with 36" x 72" conference top		Laminate, Epic, Thick Panel Base Kit 25N72PNKL 25N84PNKL (Qty. 1)
				Wood, Epic, Square Base 25N1628SQBXW (Qty. 2) Very limited kneespace with 36" x 72" conference top
				Wood, Queen Anne Base TBW-4 (Qty. 2)
		Wood, Basic Thick Panel Base with Wire Access 10N1828PNW (Qty. 2)		Wood, Barrington, Thick Panel Base with Wire Access 10N1828PNW (Qty. 2)
				Wood, Basic Square Base with Wire Access 10N1628SQBW (Qty. 2) Very limited kneespace with 36" x 72" conference top
				Wood, Barrington, Square Base with Wire Access 10N1628SQBW (Qty. 2) Very limited kneespace with 36" x 72" conference top

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops



























TOPS	BASES			
36" x 72" (CONTINUED)	WORKSURFACE (CONTINUED)			
				
	Wood, Basic Thick Panel Base Kit 10N72PNKW 10N84PNKW (Qty. 1)	Wood, Barrington, Thick Panel Base Kit 10N72PNKW 10N84PNKW (Qty. 1)	Wood, Epic, Square Base with Wire Access 25N1628SQBW (Qty. 2) Very limited kneespace with 36" x 72" conference top	Wood, Epic, Thick Panel Base with Wire Access 25N1828PNW (Qty. 2)
				
	Wood, Epic, Thick Panel Base Kit 25N72PNKW 25N84PNKW (Qty. 1)	Wood, Cylinder Base with Wire Access 10N1628CYBW (Qty. 2) Very limited kneespace with 36" x 72" conference top		
				
Bases at right applicable to 36" x 72" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables	COUNTER			
				
	Metal, Footings, Y-Base CBV245035YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275835CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2235RDBP (Qty. 2)	
	BAR			
				
	Metal, Footings, Y-Base CBV245041YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275841CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2241RDBP (Qty. 2)	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K184241B 74K184241BR (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 $\frac{3}{16}$ " thick tops

TOPS	BASES
<p>36" x 72"</p>   <p>Bases at right applicable to 36" x 72" ellipse, oval, and tapered tables</p>	<div> <p><u>OCCASIONAL</u></p>  <p>Metal, Footings, Y-Base CBV245015YBKP (Qty. 1)</p>  <p>Metal, Dock, Y-Base 74K225515CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div> <p><u>WORKSURFACE</u></p>  <p>Metal, Footings, Y-Base CBV245028YBKP (Qty. 1)</p>  <p>Metal, Dock, Y-Base 74K225528CFYL (ellipse) 74K275628CFYL (tapered) (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div> <p><u>COUNTER</u></p>  <p>Metal, Footings, Y-Base CBV245035YBKP (Qty. 1)</p> </div> <div> <p><u>BAR</u></p>  <p>Metal, Footings, Y-Base CBV245041YBKP (Qty. 1)</p> </div>

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops

*Counterweights are required as indicated (in red)



























































TOPS	BASES
36" x 84"     <p>Bases at right applicable to 36" x 84" rectangular, soft rectangular, arc rectangular, and racetrack tables</p>	<p>WORKSURFACE</p> <div>  Metal, Footings, Y-Base CBV245628YBKP (Qty. 1) </div> <div>  Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2 </div> <div>  Metal, Dock, Disc Base 74K2228RDBP (Qty. 2) </div> <div>  Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2 </div> <div>  Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K1828R 74K1828RR (Qty. 2) Required 75K42WSSR; specify 2 </div> <div>  Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4 </div> <div>  Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4 </div> <p>COUNTER</p> <div>  Metal, Footings, Y-Base CBV245635YBKP (Qty. 1) </div> <div>  Metal, Dock, Disc Base 74K2235RDBP (Qty. 2) </div> <p>BAR</p> <div>  Metal, Footings, Y-Base CBV245641YBKP (Qty. 1) </div> <div>  Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2 </div> <div>  Metal, Dock, Disc Base 74K2241RDBP (Qty. 2) </div> <div>  Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K184241B 74K184241BR (Qty. 1) </div>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops
 *Counterweights are required as indicated (in red)

TOPS	BASES
36" x 96"     Bases at right applicable to 36" x 96" rectangular, soft rectangular, arc rectangular, and racetrack tables	<div> WORKSURFACE </div> <div>  <p>Metal, Footings, Y-Base CBV246228YBKP (Qty. 1)</p> </div> <div>  <p>Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2228RDBP (Qty. 2)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base 74K1828R 74K1828RR (Qty. 2) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4</p> </div> <div>  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4</p> </div> <div> COUNTER </div> <div>  <p>Metal, Footings, Y-Base CBV246235YBKP (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2235RDBP (Qty. 2)</p> </div> <div> BAR </div> <div>  <p>Metal, Footings, Y-Base CBV246241YBKP (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2241RDBP (Qty. 2)</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K185441B 74K185441BR (Qty. 1) Required 75K42WSSR; specify 2</p> </div>

















The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES			
42", 42" x 42"  Bases at right applicable to 42" round, square, or soft square tables	OCCASIONAL			
	 Metal, Footings, X-Base CBV3215XBP (Qty. 1)	 Metal, Dock, X-Base 74K3215CFX (Qty. 1)	 Metal, Dock, Disc Base 74K2715RDBP (Qty. 1) For use with round tops only	
	WORKSURFACE			
	 Metal, 4-Prong Base CBV2828P4BP (Qty. 1)	 Metal, Column Leg CBV0228COBP (Qty. 4)	 Metal, 4-Prong Base CBV3428P4BP (Qty. 1)	 Metal, Wood Capped BW-4 (Qty. 1)
	 Metal, Column Leg, Mobile CBV0228COBMP (Qty. 4)	 Metal, Footings, X-Base CBV3228XBP CBV4028XBP (Qty. 1)	 Metal, Dock, X-Base 74K3228CFX (Qty. 1)	 Metal, Footings, X-Base CBV3228XBMP CBV4028XBMP (Qty. 1)
	 Metal, Dock, X-Base, Mobile 74K3228CFXM (Qty. 1)	 Metal, Dock, Disc Base 74K2728RDBP (Qty. 1) For use with round tops only	 Metal, Footings, X-Base CBV4028XBP (Qty. 1)	 Metal, Footings, X-Base, Mobile CBV4028XBMP (Qty. 1)
	 Laminate, Basic Square Base 10N1828SQBXL (Qty. 1)	 Laminate, Cylinder Base BP-18 (Qty. 1) For use with round tops only	 Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 1) Required 74K1COUNTERWEIGHT; specify 4	 Laminate, Epic, Square Base 25N1828SQBXL (Qty. 1)
	 Wood, Softened Square Base BW-1616 (Qty. 1)	 Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 1) For use with round tops only Required 74K1COUNTERWEIGHT; specify 4	 Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 1)	 Wood, Basic Square Base 10N1828SQBXW (Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES			
42", 42" x 42" (CONTINUED)  <p>Bases at right applicable to 42" round, square, or soft square tables</p>	WORKSURFACE (CONTINUED)			
	 <p>Wood, Cylinder Base BW-18 (Qty. 1) For use with round tops only</p>	 <p>Wood, Barrington, Square Base 10N1828SQBXW (Qty. 1)</p>	 <p>Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 1)</p>	 <p>Wood, Queen Anne Base TBW-4 (Qty. 1)</p>
	 <p>Wood, Epic, Square Base 25N1828SQBXW (Qty. 1)</p>	 <p>Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 1) For use with round tops only</p>	 <p>Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 1)</p>	 <p>Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 1)</p>
	 <p>Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 1)</p>	 <p>Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 1) For use with round tops only</p>	 <p>Wood or Painted, Tapered Base 10N2427TPBW, 10N2427TPBP (Qty. 1)</p>	
	COUNTER			
	 <p>Metal, Dock, X-Base 74K3235CFX (Qty. 1)</p>	 <p>Metal, Footings, X-Base CBV3235XBP (Qty. 1)</p>		
	BAR			
	 <p>Metal, Dock, X-Base 74K3241CFX (Qty. 1)</p>	 <p>Metal, Footings, X-Base CBV3241XBP (Qty. 1)</p>		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops

*Counterweights are required as indicated (in red)












































TOPS	BASES			
42" x 72"     <p>Bases at right applicable to 42" x 72" rectangular, soft rectangular, arc rectangle, and boat tables</p>	WORKSURFACE			
				
	Metal, Footings, Y-Base CBV285228YBKP (Qty. 1)	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2	Metal, Dock, Y-Base 74K275828CFYL (Qty. 1) Required 75K42WSSR; specify 2	Laminate or Wood, Dock, Plain End Caps Rectangular Base 74K1828R 74K1828RR (Qty. 2) Required 75K42WSSR; specify 2
				
	Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4		
			Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4	
	COUNTER			
				
	Metal, Footings, Y-Base CBV285235YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275835CFYL (Qty. 1) Required 75K42WSSR; specify 2		Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)
	BAR			
				
	Metal, Footings, Y-Base CBV285241YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275841CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K184241B 74K184241BR (Qty. 1)

























TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops
 *Counterweights are required as indicated (in red)

TOPS	BASES			
42" x 84"     	WORKSURFACE			
				
	Laminate, Thin Panel Base BP-2427S (Qty. 2)	Metal, 2-Prong Base CBV2928P2BP (Qty. 2)	Metal, Footings, Y-Base CBV285828YBKP (Qty. 1)	Laminate, Curved Panel Base BP-2427C (Qty. 2)
				
	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) <i>Required 75K42WSSR; specify 2</i>	Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)	Wood, Thin Panel Base BW-2427S (Qty. 2)	Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) <i>Required 75K42WSSR; specify 2</i>
Bases at right applicable to 42" x 84" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables				
	Laminate or Wood, Dock, Cylinder Base 74K1828CY (Qty. 2) <i>Required 74K1COUNTERWEIGHT; specify 6</i>	Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CYA (Qty. 2) <i>Required 74K1COUNTERWEIGHT; specify 6</i>	Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K1828R 74K1828RR (Qty. 2) <i>Required 75K42WSSR; specify 2</i>	
				
	Wood, Cylinder Base BP-16 (Qty. 2)	Wood, Basic Square Base 10N1628SQBXL (Qty. 2)	Wood, Epic, Square Base 25N1628SQBXL (Qty. 2)	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) <i>Required 74K1COUNTERWEIGHT; specify 6</i>
				
	Wood, Basic Thick Panel Base with Wire Access 10N1828PNL (Qty. 2)	Wood, Basic Square Base with Wire Access 10N1628SQBL (Qty. 2)	Wood, Softened Square BW-1616 (Qty. 2)	Laminate, Epic, Thick Panel Base with Wire Access 25N1828PNL (Qty. 2)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.












TOPS	BASES			
42" x 84" (CONTINUED)	WORKSURFACE (CONTINUED)			
	 Laminate, Epic, Square Base with Wire Access 25N1628SQBL (Qty. 2)	 Wood, Cylinder Base BW-16 (Qty. 2)	 Laminate, Basic Thick Panel Kit 10N72PNKL 10N84PNKL (Qty. 1)	 Wood, Basic Square Base 10N1628SQBXW (Qty. 2)
	 Wood, Barrington, Square Base 10N1628SQBXW (Qty. 2)	 Laminate, Cylinder Base with Wire Access 10N1628CYBL (Qty. 2)	 Laminate, Epic, Thick Panel Base Kit 25N72PNKL 25N84PNKL (Qty. 1)	 Wood, Epic, Square Base 25N1628SQBXW (Qty. 2)
	 Wood, Queen Anne Base TBW-4 (Qty. 2)	 Wood, Basic Thick Panel Base with Wire Access 10N1828PNW (Qty. 2)	 Wood, Barrington, Thick Panel Base with Wire Access 10N1828PNW (Qty. 2)	 Wood, Basic Square Base with Wire Access 10N1628SQBW (Qty. 2)
	 Wood, Barrington, Square Base with Wire Access 10N1628SQBW (Qty. 2)	 Wood, Basic Thick Panel Base Kit 10N72PNKW 10N84PNKW (Qty. 1)	 Wood, Barrington, Thick Panel Base Kit 10N72PNKW 10N84PNKW (Qty. 1)	 Wood, Epic, Square Base with Wire Access 25N1628SQBW (Qty. 2)
	 Wood, Epic, Thick Panel Base with Wire Access 25N1828PNW (Qty. 2)	 Wood, Epic, Thick Panel Base Kit 25N72PNKW 25N84PNKW (Qty. 1)	 Wood, Cylinder Base with Wire Access 10N1628CYBW (Qty. 2)	

Bases at right applicable to 42" x 84" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

TOPS	BASES	
42" x 84" (CONTINUED)     	<p>COUNTER</p>  <p>Metal, Footings, Y-Base CBV285835YBKP (Qty. 1)</p> <p>BAR</p>  <p>Metal, Footings, Y-Base CBV285841YBKP (Qty. 1)</p>  <p>Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)</p>	
<p>Bases at right applicable to 42" x 84" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	 <p>Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)</p>  <p>Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2</p>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K184241B 74K184241BR (Qty. 1)</p>	

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops












































TOPS	BASES
<div>42" x 84"</div> <div></div> <div>Bases at right applicable to 42" x 84" ellipse, oval, and tapered tables</div>	<div>WORKSURFACE</div> <div></div> <div>Metal, Footings, Y-Base CBV285828YBKP (Qty. 1)</div> <div></div> <div>Metal, Dock, Y-Base 74K275228CFYL (ellipse) 74K275928CFYL (tapered) (Qty. 1) Required 75K42WSSR; specify 2</div> <div>COUNTER</div> <div></div> <div>Metal, Footings, Y-Base CBV285835YBKP (Qty. 1)</div> <div>BAR</div> <div></div> <div>Metal, Footings, Y-Base CBV285841YBKP (Qty. 1)</div>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops
 *Counterweights are required as indicated (in red)

TOPS	BASES
42" x 96"     	<p>WORKSURFACE</p> <div>  <p>Metal, Footings, Y-Base CBV286428YBKP (Qty. 1)</p> </div> <div>  <p>Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 2) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 6</p> </div> <div>   <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 6</p> </div> <p>Bases at right applicable to 42" x 96" rectangular, soft rectangular, arc rectangle, racetrack, and boat tables</p> <p>COUNTER</p> <div>  <p>Metal, Footings, Y-Base CBV286435YBKP (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)</p> </div> <p>BAR</p> <div>  <p>Metal, Footings, Y-Base CBV286441YBKP (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div>  <p>Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K185441B 74K185441BR (Qty. 1)</p> </div>






















The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES			
48", 48" x 48"  Bases at right applicable to 48" round, square, or soft square tables	<u>OCCASIONAL</u>			
	 Metal, Dock, X-Base 74K3215CFX (Qty. 1)	 Metal, Dock, Disc Base 74K2715RDBP (Qty. 1) For use with round tops only		
	<u>WORKSURFACE</u>			
	 Metal, Column Leg CBV0228COBP (Qty. 4)	 Metal, 4-Prong Base CBV3428P4BP (Qty. 1)	 Metal, Wood Capped BW-4 (Qty. 1)	 Metal, Column Leg, Mobile CBV0228COBMP (Qty. 4)
	 Metal, Dock, X-Base, Mobile 74K3228CFX (Qty. 1)	 Metal, Dock, Disc Base 74K2728RDBP (Qty. 1) For use with round tops only	 Metal, Footings, X-Base CBV4028XBP (Qty. 1)	 Metal, Footings, X-Base, Mobile CBV4028XBMP (Qty. 1)
	 Laminate, Cylinder Base BP-18 (Qty. 1) For use with round tops only	 Laminate, Basic Square Base 10N1828SQBXL (Qty. 1)	 Laminate, Epic, Square Base 25N1828SQBXL (Qty. 1)	 Laminate or Wood, Dock, Square Base 74K2428SQA (Qty. 1) Required 74K1COUNTERWEIGHT; specify 3
	 Wood, Softened Square BW-1616 (Qty. 1)	 Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 1)	 Wood, Basic Square Base 10N1828SQBXW (Qty. 1)	 Wood, Barrington, Square Base 10N1828SQBXW (Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES			
<div>48", 48" x 48" (CONTINUED)</div> <div></div> <div>Bases at right applicable to 48" round, square, or soft square tables</div>	WORKSURFACE (CONTINUED)			
	<div></div> <div>Wood, Cylinder Base BW-18 (Qty. 1) For use with round tops only</div>	<div></div> <div>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 1) For use with round tops only Required 74K1COUNTERWEIGHT; specify 3</div>	<div></div> <div>Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 1)</div>	<div></div> <div>Wood, Queen Anne Base TBW-4 (Qty. 1) For use with round tops only Not for use with 48" solid surface tops</div>
	<div></div> <div>Wood, Epic Square Base 25N1828SQBXW (Qty. 1)</div>	<div></div> <div>Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 1) For use with round tops only</div>	<div></div> <div>Metal, Dock, Blade Quad Base 74K3728CFQX (Qty. 1) For use with square and soft square tops only</div>	<div></div> <div>Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 1)</div>
	<div></div> <div>Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 1)</div>	<div></div> <div>Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 1)</div>	<div></div> <div>Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 1) For use with round tops only</div>	<div></div> <div>Wood or Painted, Tapered Base 10N2427TPBW, 10N2427TPBP (Qty. 1)</div>
	COUNTER			
<div></div> <div>Metal, Footings, X-Base CBV4035XBP (Qty. 1)</div>	<div></div> <div>Metal, Dock, Blade Quad Base 74K3735CFQX (Qty. 1) For use with square and soft square tops only</div>			
BAR				
<div></div> <div>Metal, Dock, X-Base 74K3241CFX (Qty. 1)</div>	<div></div> <div>Metal, Footings, X-Base CBV4041XBP (Qty. 1)</div>	<div></div> <div>Metal, Dock, Blade Quad Base 74K3741CFQX (Qty. 1) For use with square and soft square tops only</div>		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops
*Counterweights are required as indicated (in red)







































TOPS	BASES			
<p>48" x 72"</p>     <p>Bases at right applicable to 48" x 72" rectangular, soft rectangular, soft rectangle, arc rectangle, and boat tables</p>	WORKSURFACE			
				
	Metal, Footings, Y-Base CBV285228YBKP (Qty. 1)	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2	Metal, Dock, Y-Base 74K275828CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)
				
	Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 2) Required 75K42WSSR; specify 2	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 4	
	COUNTER			
				
	Metal, Footings, Y-Base CBV285235YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275835CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)	
	BAR			
				
	Metal, Footings, Y-Base CBV285241YBKP (Qty. 1)	Metal, Dock, Y-Base 74K275841CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K244241B 74K244241BR (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops
 *Counterweights are required as indicated (in red)



























TOPS	BASES			
<div>48" x 84"</div> <div></div> <div></div> <div></div> <div></div> <div>Bases at right applicable to 48" x 84" rectangular, soft rectangular, soft rectangle, arc rectangle, and boat tables</div>	<div><div></div><div>Metal, Footings, Y-Base CBV285828YBKP (Qty. 1)</div></div> <div><div></div><div>Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2</div></div> <div><div></div><div>Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2</div></div> <div><div></div><div>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 8</div></div> <div><div></div><div>Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)</div></div> <div><div></div><div>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 2) Required 75K42WSSR; specify 2</div></div> <div><div></div><div>Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 8</div></div>	<div><div></div><div>Metal, Footings, Y-Base CBV285835YBKP (Qty. 1)</div></div> <div><div></div><div>Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)</div></div>	<div><div></div><div>Metal, Footings, Y-Base CBV285841YBKP (Qty. 1)</div></div> <div><div></div><div>Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2</div></div> <div><div></div><div>Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)</div></div> <div><div></div><div>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K244241B 74K244241BR (Qty. 1)</div></div>	
	<div>WORKSURFACE</div>	<div>COUNTER</div>	<div>BAR</div>	

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops
























*Counterweights are required as indicated (in red)

TOPS	BASES			
48" x 96"      <p>Bases at right applicable to 48" x 96" rectangle, soft rectangular, arc rectangle, racetrack, or boat tables</p>	WORKSURFACE			
				
	Laminate, Thin Panel Base BP-2427S (Qty. 2)	Laminate, Curved Panel Base BP-2427C (Qty. 2)	Metal, 2-Prong Base CBV2928P2BP (Qty. 3)	Metal, Footings, Y-Base CBV286428YBKP (Qty. 1)
				
	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 2) Required 75K42WSSR; specify 2	Wood, Thin Panel Base BW-2427S (Qty. 2)	Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2	Metal, Dock, Disc Base 74K2728RDBP (Qty. 2)
				
	Laminate or Wood, Dock, Plain End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 2) Required 75K42WSSR; specify 2	Laminate, Basic Square Base 10N1828SQBXL (Qty. 2)	Laminate, Cylinder Base BP-18 (Qty. 2)	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 8
			 	
	Laminate, Epic, Square Base 25N1828SQBXL (Qty. 2)	Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 2)	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 2) Required 74K1COUNTERWEIGHT; specify 8	Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 2)
				
	Laminate, Thick Panel Base Kit 10N96PNKL (Qty. 1)	Wood, Basic Square Base 10N1828SQBXW (Qty. 2)	Wood, Barrington, Square Base 10N1828SQBXW (Qty. 2)	Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 2)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops

TOPS	BASES			
48" x 96" (CONTINUED)	WORKSURFACE (CONTINUED)			
				
	Wood, Cylinder Base BW-18 (Qty. 2)	Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 2)	Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 2)	Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 2)
				
	Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 2)	Wood, Queen Anne Base TBW-4 (Qty. 2)	Wood, Epic, Square Base 25N1828SQBXW (Qty. 2)	Laminate, Epic, Thick Panel Base Kit 25N96PNKL (Qty. 1)
				
	Wood, Basic Thick Panel Base Kit 10N96PNKW (Qty. 1)	Wood, Barrington, Thick Panel Base Kit 10N96PNKW (Qty. 1)	Wood, Basic Thick Panel Base with Wire Access 10N2428PNW (Qty. 2)	Wood, Barrington, Thick Panel Base with Wire Access 10N2428PNW (Qty. 2)
				
	Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 2)	Wood, Epic, Thick Panel Base Kit 25N96PNKW (Qty. 1)	Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 2)	Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 2)
	COUNTER			
				
	Metal, Footings, Y-Base CBV286435YBKP (Qty. 1)	Metal, Dock, Disc Base 74K2735RDBP (Qty. 2)		

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops















TOPS	BASES			
48" x 96" (CONTINUED)      Bases at right applicable to 48" x 96" rectangle, soft rectangular, arc rectangle, racetrack, or boat tables	<u>BAR</u>  Metal, Footings, Y-Base CBV286441YBKP (Qty. 1)	 Metal, Dock, Y-Base 74K276441CFYL (Qty. 1) Required 75K42WSSR; specify 2	 Metal, Dock, Disc Base 74K2741RDBP (Qty. 2)	 Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K245441B 74K245441BR (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops























TOPS	BASES
<p>48" x 96"</p>  <p>Bases at right applicable to 48" x 96" ellipse, oval, and tapered tables</p>	<div> <p>WORKSURFACE</p>  <p>Metal, Footings, Y-Base CBV286428YBKP (Qty. 1)</p>  <p>Metal, Dock, Y-Base 74K276428CFYL (Qty. 1) Required 75K42WSSR; specify 2</p> </div> <div> <p>COUNTER</p>  <p>Metal, Footings, Y-Base CBV286435YBKP (Qty. 1)</p> </div> <div> <p>BAR</p>  <p>Metal, Footings, Y-Base CBV286441YBKP (Qty. 1)</p> </div>

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops


























*Counterweights are required as indicated (in red)

TOPS	BASES			
<p>48" x 120" 48" x 144"</p>      <p>Bases at right applicable to 48" x 120" or 48" x 144" rectangle, soft rectangular, arc rectangle, racetrack, or boat tables</p>	WORKSURFACE			
				
	Laminate, Thin Panel Base BP-2427S (Qty. 3)	Metal, 2-Prong Base CBV2928P2BP (Qty. 3)	Metal, Footings, Y-Base CBV2810028YBKP (48" x 120") (Qty. 1)	Laminate, Curved Panel Base BP-2427C (Qty. 3)
				
	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 3) Required 75K42WSSR; specify 4	Wood, Thin Panel Base BW-2427S (Qty. 3)	Metal, Dock, Y-Base 74K279828CFYL (48" x 120") 74K2711028CFYL (48" x 144") (Qty. 1) Required 75K42WSSR; specify 4	Laminate or Wood, Dock, Plain End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 3) Required 75K42WSSR; specify 4
				
	Laminate, Cylinder Base BP-18 (Qty. 3)	Laminate, Basic Square Base 10N1828SQBXL (Qty. 3)	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 3) Required 74K1COUNTERWEIGHT; specify 9	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base 74K247828B (48" x 120") 74K247828BR (48" x 120") 74K2410228B (48" x 144") 74K2410228BR (48" x 144") (Qty. 1)
				 
	Laminate, Epic, Square Base 25N1828SQBXL (Qty. 3)	Laminate, Basic Thick Panel Base Kit 10N120PNKL 10N144PNKL (Qty. 1)	Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 3)	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 3) Required 74K1COUNTERWEIGHT; specify 9

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES			
48" x 120" 48" x 144" (CONTINUED)      <p>Bases at right applicable to 48" x 120" or 48" x 144" rectangle, soft rectangular, arc rectangle, racetrack, or boat tables</p>	WORKSURFACE (CONTINUED)			
				
	Laminate, Epic, Thick Panel Base Kit 25N120PNKL 25N144PNKL (Qty. 1)	Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 3)	Wood, Basic Square Base 10N1828SQBXW (Qty. 3)	Wood, Barrington, Square Base 10N1828SQBXW (Qty. 3)
				
	Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 3)	Wood, Cylinder Base BW-18 (Qty. 3)	Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 3)	Wood, Queen Anne Base TBW-4 (Qty. 3)
				
	Wood, Epic, Square Base 25N1828SQBXW (Qty. 3)	Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 3)	Wood, Basic Thick Panel Base Kit 10N120PNKW 10N144PNKW (Qty. 1)	Wood, Barrington, Thick Panel Base Kit 10N120PNKW 10N144PNKW (Qty. 1)
				
	Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 3)	Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 3)	Wood, Basic Thick Panel Base Kit 10N2428PNW (Qty. 3)	Wood, Barrington, Thick Panel Base Kit 10N2428PNW (Qty. 3)
				
	Wood, Epic, Thick Panel Base Kit 25N120PNKW 25N144PNKW (Qty. 1)	Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 3)	Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 3)	Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.
















TOPS	BASES
<div>48" x 120" 48" x 144" (CONTINUED)</div> <div></div> <div>Bases at right applicable to 48" x 120" or 48" x 144" rectangle, soft rectangular, arc rectangle, racetrack, or boat tables</div>	<div>BAR</div> <div></div> <div>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K247841B (48" x 120"), 74K247841BR (48" x 120") 74K2410241B (48" x 144"), 74K2410241BR (48" x 144") (Qty. 1)</div>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops
 *Counterweights are required as indicated (in red)























TOPS	BASES
48" x 120"  Bases at right applicable to 48" x 120" tapered tables	<div> WORKSURFACE </div> <div>  <p>Metal, Footings, Y-Base CBV2810028YBKP (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K279828CFYL (Qty. 1) <i>Required 75K42WSSR; specify 4</i></p> </div> <div>  <p>Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 3) <i>Required 75K42WSSR; specify 4</i></p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 3) <i>Required 75K42WSSR; specify 4</i></p> </div> <div>  <p>Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 3) <i>Required 74K1COUNTERWEIGHT; specify 9</i></p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K247828B 74K247828BR (Qty. 1)</p> </div> <div>  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 3) <i>Required 74K1COUNTERWEIGHT; specify 9</i></p> </div> <div> BAR </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K247841B 74K247841BR (Qty. 1)</p> </div>

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops
























*Counterweights are required as indicated (in red)

TOPS	BASES			
48" x 168" 48" x 192"      <p>Bases at right applicable to 48" x 168" or 48" x 192" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE			
				
	Laminate, Thin Panel Base BP-2427S (Qty. 4)	Metal, 2-Prong Base CBV2928P2BP (Qty. 4)	Laminate, Curved Panel Base BP-2427C (Qty. 4)	Laminate or Wood, Dock, Panel Base 74K2428PN (Qty. 4) <i>Required 75K42WSSR; specify 6</i>
				
	Wood, Thin Panel Base BW-2427S (Qty. 4)	Metal, Dock, Y-Base 74K2713628CFYL (48" x 168") 74K2716028CFYL (48" x 192") (Qty. 1) <i>Required 75K42WSSR; specify 6</i>	Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 3) <i>Required 74K1COUNTERWEIGHT; specify 6</i>	Laminate or Wood, Dock, Plain End Caps Rectangular Base 74K2428R 74K2428RR (Qty. 4) <i>Required 75K42WSSR; specify 6</i>
			 	
	Laminate, Cylinder Base BP-18 (Qty. 4)	Laminate, Basic Square Base 10N1828SQBXL (Qty. 4)	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 3) <i>Required 74K1COUNTERWEIGHT; specify 6</i>	Laminate, Epic, Square Base 25N1828SQBXL (Qty. 4)
				
	Laminate, Basic Thick Panel Base Kit 10N168PNKL 10N192PNKL (Qty. 1)	Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 4)	Laminate, Epic, Thick Panel Base Kit 25N168PNKL 25N192PNKL (Qty. 1)	Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 4)


























Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES			
48" x 168" 48" x 192" (CONTINUED)      <p>Bases at right applicable to 48" x 168" or 48" x 192" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE (CONTINUED)			
				
	Wood, Basic Square Base 10N1828SQBXW (Qty. 4)	Wood, Barrington, Square Base 10N1828SQBXW (Qty. 4)	Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 4)	Wood, Cylinder Base BW-18 (Qty. 4)
				
	Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 4)	Wood, Queen Anne Base TBW-4 (Qty. 4)	Wood, Epic, Square Base 25N1828SQBXW (Qty. 4)	Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 4)
				
	Wood, Basic Thick Panel Base Kit 10N168PNKW 10N192PNKW (Qty. 1)	Wood, Basic Thick Panel Base Kit 10N168PNKW 10N192PNKW (Qty. 1)	Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 4)	Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 4)
				
	Wood, Basic Thick Panel Base with Wire Access 10N2428PNW (Qty. 4)	Wood, Barrington, Thick Panel Base with Wire Access 10N2428PNW (Qty. 4)	Wood, Epic, Thick Panel Base Kit 25N168PNKW 25N192PNKW (Qty. 1)	Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 4)
				
	Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 4)	Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 4)		



















The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops
*Counterweights are required as indicated (in red)

TOPS	BASES			
<p>48" x 216" 48" x 240"</p>      <p>Bases at right applicable to 48" x 216" or 48" x 240" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE			
		Laminate, Thin Panel Base BP-2427S (Qty. 5)		Metal, 2-Prong Base CBV2928P2BP (Qty. 5)
		Laminate, Curved Panel Base BP-2427C (Qty. 5)		Wood, Thin Panel Base BW-2427S (Qty. 5)
		Metal, Dock, Y-Base 74K2718428CFYL (48" x 216") 74K2720828CFYL (48" x 240") (Qty. 1) <i>Required 75K42WSSR; specify 8</i>		Laminate, Cylinder Base BP-18 (Qty. 4)
		Laminate, Basic Square Base 10N1828SQBXL (Qty. 4)		Laminate or Wood, Dock, Square Base 74K1828SQA (Qty. 4) <i>Required 74K1COUNTERWEIGHT; specify 8</i>
		Laminate, Epic, Square Base 25N1828SQBXL (Qty. 4)		Laminate, Thick Panel Base Kit 10N216PNKL 10N240PNKL (Qty. 1)
		Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 4)		Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K1828CY 74K1828CYA (Qty. 4) <i>Required 74K1COUNTERWEIGHT; specify 8</i>
		Laminate, Basic Square Base with Wire Access 10N1828SQBL (Qty. 4)		Laminate, Epic, Thick Panel Base Kit 25N216PNKL 25N240PNKL (Qty. 1)
		Wood, Basic Square Base 10N1828SQBXW (Qty. 4)		Wood, Barrington, Square Base 10N1828SQBXW (Qty. 4)
		Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 4)		Wood, Cylinder Base BW-18 (Qty. 4)
		Laminate, Epic, Square Base with Wire Access 25N1828SQBL (Qty. 4)		Wood, Queen Anne Base TBW-4 (Qty. 4)

Continued on next page























TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES			
48" x 216" 48" x 240" (CONTINUED)     	WORKSURFACE (CONTINUED)			
	 <p>Wood, Epic, Square Base 25N1828SQBXW (Qty. 4)</p>	 <p>Laminate, Cylinder Base with Wire Access 10N1828CYBL (Qty. 4)</p>	 <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K2417428B (48" x 216") 74K2417428BR (48" x 216") 74K2419828B (48" x 240") 74K2419828BR (48" x 240") (Qty. 1)</p>	 <p>Wood, Basic Thick Panel Base Kit 10N216PNKW 10N240PNKW (Qty. 1)</p>
	 <p>Wood, Barrington, Thick Panel Base Kit 10N216PNKW 10N240PNKW (Qty. 1)</p>	 <p>Wood, Basic Square Base with Wire Access 10N1828SQBW (Qty. 4)</p>	 <p>Wood, Barrington, Square Base with Wire Access 10N1828SQBW (Qty. 4)</p>	 <p>Wood, Basic Thick Panel Base with Wire Access 10N2428PNW (Qty. 4)</p>
	 <p>Wood, Barrington, Thick Panel Base with Wire Access 10N2428PNW (Qty. 4)</p>	 <p>Wood, Epic, Thick Panel Base Kit 25N216PNKW 25N240PNKW (Qty. 1)</p>	 <p>Wood, Epic, Square Base with Wire Access 25N1828SQBW (Qty. 4)</p>	 <p>Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 4)</p>
	 <p>Wood, Cylinder Base with Wire Access 10N1828CYBW (Qty. 4)</p>			

Bases at right applicable to 48" x 216" or 48" x 240" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables












The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Counterweights are required as indicated (in red)

TOPS	BASES
54", 54" x 54" 60", 60" x 60"  <p>Bases at right applicable to 54" or 60" round, square, or soft square tables</p>	<p>WORKSURFACE</p> <div>  <p>Metal, X-Base with Wire Management CBV4728XB, CBV4728XS, CBV4728XN (Qty. 1)</p> </div> <div>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty. 1) Required 74K1COUNTERWEIGHT; specify 3</p> </div> <div>  <p>Laminate, Basic Square Base 10N2428SQBXL (Qty. 1)</p> </div> <div>  <p>Laminate, Cylinder Base BP-24 (Qty. 1) For use with round tops only</p> </div> <div>  <p>Metal, Footings, Quad X Base CBV3028QXBP (54" round) CBV3528QXBP (60" round) CBV3528QXBP (square/soft square, 60" round) (Qty. 1)</p> </div> <div>  <p>Laminate, Epic, Square Base 25N2428SQBXL (Qty. 1)</p> </div> <div>   <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 1) For use with round tops only Required 74K1COUNTERWEIGHT; specify 3</p> </div> <div>  <p>Wood, Cylinder Base BW-24 (Qty. 1) For use with round tops only</p> </div> <div>  <p>Wood, Basic Square Base 10N2428SQBXW (Qty. 1)</p> </div> <div>  <p>Wood, Barrington, Square Base 10N2428SQBXW (Qty. 1)</p> </div> <div>  <p>Wood, Epic, Square Base 25N2428SQBXW (Qty. 1)</p> </div> <div>  <p>Laminate, Basic Square Base with Wire Access 10N2428SQBL (Qty. 1)</p> </div> <div>  <p>Metal, Dock, Blade Quad Base 74K3328CFQX (54" round) 74K3728CFQX (square/soft square, 60" round) (Qty. 1)</p> </div> <div>  <p>Laminate, Epic, Square Base with Wire Access 25N2428SQBL (Qty. 1)</p> </div> <div>  <p>Wood, Basic Square Base with Wire Access 10N2428SQBW (Qty. 1)</p> </div> <div>  <p>Wood, Barrington, Square Base with Wire Access 10N2428SQBW (Qty. 1)</p> </div> <div>  <p>Wood, Epic, Square Base with Wire Access 25N2428SQBW (Qty. 1)</p> </div> <div>  <p>Laminate, Basic Cylinder Base with Wire Access 10N2428CYBL (Qty. 1) For use with round tops only</p> </div> <div>  <p>Wood, Basic Cylinder Base with Wire Access 10N2428CYBW (Qty. 1) For use with round tops only</p> </div> <div>  <p>Wood or Painted, Tapered Base 10N2427TPBW, 10N2427TPBP (Qty. 1) (54" only)</p> </div>

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

TOPS	BASES		
54", 54" x 54" 60", 60" x 60" (CONTINUED)  <p>Bases at right applicable to 54" or 60" round, square, or soft square tables</p>	COUNTER  <p>Metal, Footings, Quad X Base CBV3035QXBP (54" round) CBV3535QXBP (60" round) CBV3535QXBP (square/soft square, 60" round) (Qty. 1)</p>  <p>Metal, Dock, Blade Quad Base 74K3335CFQX (54" round) 74K3735CFQX (square/soft square, 60" round) (Qty. 1)</p>		
	BAR  <p>Metal, Footings, Quad X Base CBV3041QXBP (54" round) CBV3541QXBP (60" round) CBV3541QXBP (square/soft square, 60" round) (Qty. 1)</p>  <p>Metal, Dock, Blade Quad Base 74K3341CFQX (54" round) 74K3741CFQX (square/soft square, 60" round) (Qty. 1)</p>		
54" x 120"  <p>Bases at right applicable to 54" x 120" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</p>	WORKSURFACE  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R 74K3028RR (Qty. 3) Required 75K42WSSR; specify 4</p>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty. 3)</p>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K307828B 74K307828BR (Qty. 1)</p>  <p>Metal, Dock, Y-Base 74K428828CFYL (Qty. 1) Required 75K42WSSR; specify 4</p>  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3)</p>		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1½" thick tops
























TOPS	BASES
54" x 144"  <p>Bases at right applicable to 54" x 144" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</p>	<p>WORKSURFACE</p> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R 74K3028RR (Qty. 3) Required 75K42WSSR; specify 4</p> </div> <div>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty.3)</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K3010228B 74K3010228BR (Qty. 1)</p> </div> <div>  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K4211228CFYL (Qty. 1) Required 75K42WSSR; specify 4</p> </div>
54" x 168"  <p>Bases at right applicable to 54" x 168" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</p>	<p>WORKSURFACE</p> <div>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty.3)</p> </div> <div>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R 74K3028RR (Qty. 4) Required 75K42WSSR; specify 6</p> </div> <div>  <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3)</p> </div> <div>  <p>Metal, Dock, Y-Base 74K4213628CFYL (Qty. 1) Required 75K42WSSR; specify 6</p> </div>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
 Bases are separated by height and ascending order by list price.
 *Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

TOPS	BASES
54" x 192"  <p>Bases at right applicable to 54" x 192" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</p>	<p>WORKSURFACE</p>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty.3)</p>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R 74K3028RR (Qty. 4) <i>Required 75K42WSSR; specify 6</i></p>   <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3)</p>  <p>Metal, Dock, Y-Base 74K4216028CFYL (Qty. 1) <i>Required 75K42WSSR; specify 6</i></p>
54" x 216"  <p>Bases at right applicable to 54" x 216" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</p>	<p>WORKSURFACE</p>  <p>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty.4)</p>   <p>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 4)</p>  <p>Metal, Dock, Y-Base 74K4218428CFYL (Qty. 1) <i>Required 75K42WSSR; specify 8</i></p>  <p>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K3017428B 74K3017428BR (Qty. 1)</p>

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1½" thick tops



























TOPS	BASES	
<div>54" x 240"</div> <div></div> <div>Bases at right applicable to 54" x 240" rectangular, soft rectangular, arc rectangular, boat, and racetrack tables</div>	<div><u>WORKSURFACE</u></div> <div></div> <div>Laminate or Wood, Dock, Square Base 74K2428SQA (Qty. 4)</div>	<div></div> <div>Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 4)</div>
	<div></div> <div>Metal, Dock, Y-Base 74K4220828CFYL (Qty. 1) Required 75K42WSSR; specify 8</div>	<div></div> <div>Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K3019828B 74K3019828BR (Qty. 1)</div>

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.
*Undersurface supports are required (in red) ONLY on 1 3/8" thick tops

TOPS	BASES			
60" x 144"      <p>Bases at right applicable to 60" x 144" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE			
				
	Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R 74K3028RR (Qty. 3) <i>Required 75K42WSSR; specify 4</i>	Laminate or Wood, Dock, Square Base 74K2428SQA (Qty.3)	Laminate, Cylinder Base BP-24 (Qty. 3)	Laminate, Basic Square Base 10N2428SQBXL (Qty. 3)
				
	Laminate, Epic, Square Base 25N2428SQBXL (Qty. 3)	Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 3)	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Beam Base 74K3010228B 74K3010228BR (Qty. 1)	Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 3)
				
	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3)	Wood, Cylinder Base BW-24 (Qty. 3)	Wood, Basic Square Base 10N2428SQBXW (Qty. 3)	Wood, Barrington, Square Base 10N2428SQBXW (Qty. 3)
				
	Metal, Dock, Y-Base 74K4211228CFYL (Qty. 1) <i>Required 75K42WSSR; specify 4</i>	Wood, Epic, Square Base 25N2428SQBXW (Qty. 3)	Wood, Basic Thick Panel Base Kit 10N60144PNKL (Qty. 1)	Laminate, Basic Square Base with Wire Access 10N2428SQBL (Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.
Bases are separated by height and ascending order by list price.








































TOPS	BASES			
60" x 144" (CONTINUED)	WORKSURFACE (CONTINUED)			
				
	Wood, Basic Thick Panel Base 10N2428PNW (Qty. 3)	Wood, Barrington, Thick Panel Base 10N2428PNW (Qty. 3)	Laminate, Epic, Thick Panel Base Kit 25N60144PNKL (Qty. 1)	Laminate, Epic, Square Base with Wire Access 25N2428SQBL (Qty. 3)
				
	Wood, Basic Square Base with Wire Access 10N2428SQBW (Qty. 3)	Wood, Barrington, Square Base with Wire Access 10N2428SQBW (Qty. 3)	Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 3)	Laminate, Basic Cylinder Base with Wire Access 10N2428CYBL (Qty. 3)
				
Bases at right applicable to 60" x 144" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables	Wood, Epic, Square Base with Wire Access 25N2428SQBW (Qty. 3)	Wood, Basic Thick Panel Base Kit 10N60144PNKW (Qty. 1)	Wood, Barrington, Thick Panel Base Kit 10N60144PNKW (Qty. 1)	Wood, Basic Cylinder Base with Wire Access 10N2428CYBW (Qty. 3)
				
	Wood, Epic, Thick Panel Base Kit 25N60144PNKW (Qty. 1)			

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

Bases are separated by height and ascending order by list price.

*Undersurface supports are required (in red) ONLY on 1 $\frac{3}{16}$ " thick tops

TOPS	BASES			
<p>60" x 168" 60" x 192" 60" x 216" 60" x 240"</p>      <p>Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE			
				
	Laminate or Wood, Dock, Square Base 74K2428SQA (Qty. 3: 60" x 168"; 60" x 192") (Qty. 4: 60" x 216"; 60" x 240")	Laminate or Wood, Dock, Plain End Caps Rectangular Base Laminate or Wood, Dock, Aluminum Radius End Caps Rectangular Base 74K3028R (60" x 168"; 60" x 192") 74K3028RR (60" x 168"; 60" x 192") (Qty. 4) Required 75K42WSSR; specify 6	Laminate, Cylinder Base BP-24 (Qty. 4)	Laminate, Basic Square Base 10N2428SQBXL (Qty. 4)
				
	Laminate or Wood, Dock, Cylinder Base Laminate or Wood, Dock, Cylinder Base with Wire Access 74K2428CY 74K2428CYA (Qty. 3: 60" x 168"; 60" x 192") (Qty. 4: 60" x 216"; 60" x 240")	Laminate, Epic, Square Base 25N2428SQBXL (Qty. 4)	Laminate, Basic Thick Panel Base with Wire Access 10N2428PNL (Qty. 4)	Metal, Dock, Y-Base 74K4213628CFYL (60" x 168") 74K4216028CFYL (60" x 192") 74K4218428CFYL (60" x 216") 74K4220828CFYL (60" x 240") (Qty. 1) Required 75K42WSSR; specify 6 (168" & 192"); specify 8 (216" & 240")
				
	Laminate, Epic, Thick Panel Base with Wire Access 25N2428PNL (Qty. 4)	Wood, Cylinder Base BW-24 (Qty. 4)	Wood, Basic Square Base 10N2428SQBXW (Qty. 4)	Wood, Barrington, Square Base 10N2428SQBXW (Qty. 4)
				
	Laminate, Basic Thick Panel Base Kit 10N60168PNKL 10N60192PNKL 10N60216PNKL 10N60240PNKL (Qty. 1)	Wood, Epic, Square Base 25N2428SQBXW (Qty. 4)	Laminate, Basic Square Base with Wire Access 10N2428SQBL (Qty. 4)	Laminate, Epic, Thick Panel Base Kit 25N60168PNKL 25N60192PNKL 25N60216PNKL 25N60240PNKL (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.






















TOPS	BASES			
<p>60" x 168" 60" x 192" 60" x 216" 60" x 240" (CONTINUED)</p>      <p>Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, soft rectangular, arc rectangular, boat, or racetrack tables</p>	WORKSURFACE (CONTINUED)			
				
	Wood, Basic Thick Panel Base 10N2428PNW (Qty. 4)	Wood, Barrington, Thick Panel Base 10N2428PNW (Qty. 4)	Laminate, Epic, Square Base with Wire Access 25N2428SQBL (Qty. 4)	Wood, Basic Square Base with Wire Access 10N2428SQBW (Qty. 4)
				
	Wood, Barrington, Square Base with Wire Access 10N2428SQBW (Qty. 4)	Wood, Epic, Thick Panel Base with Wire Access 25N2428PNW (Qty. 4)	Laminate or Wood, Dock, Plain End Caps Rectangular Beam Base 74K3017428B (60" x 216") 74K3017428BR (60" x 216") 74K3019828B (60" x 240") 74K3019828BR (60" x 240") (Qty. 1)	
				Laminate, Basic Cylinder Base with Wire Access 10N2428CYBL (Qty. 4)
				
	Wood, Epic, Square Base with Wire Access 25N2428SQBW (Qty. 4)	Wood, Basic Thick Panel Base Kit 10N60168PNKW 10N60192PNKW 10N60216PNKW 10N60240PNKW (Qty. 1)	Wood, Barrington, Thick Panel Base Kit 10N60168PNKW 10N60192PNKW 10N60216PNKW 10N60240PNKW (Qty. 1)	Wood, Epic, Thick Panel Base Kit 25N60168PNKW 25N60192PNKW 25N60216PNKW 25N60240PNKW (Qty. 1)
				
	Wood, Basic Cylinder Base with Wire Access 10N2428CYBW (Qty. 4)			

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page. Bases are separated by height and ascending order by list price.

TOPS	BASES	
<div>72"</div> <div>96"</div> <div>  </div> <div> Bases at right applicable to 72" or 96" round tables </div>	<div> <div>WORKSURFACE</div> <div>  </div> <div> Wood or Painted, Tapered Base 10N3627TPBW, 10N3627TPBP (Qty. 1) For use with 72" or 60" round tops </div> </div>	<div> <div></div> <div>  </div> <div> Wood or Painted, Tapered Base 10N6027TPBW, 10N6027TPBP (Qty. 1) For use with 96" round tops only </div> </div>

NATIONAL SQUARE, ROUND, QUEEN ANNE, THICK PANEL BASES AND KITS

- All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	SQUARE AND ROUND BASES		QUEEN ANNE, THICK PANEL BASES, AND KITS		FIGURES (NOT TO SCALE)
	C	A	B	A	B	
240	81	30	9	28	7	
234	78	29 $\frac{1}{4}$	9 $\frac{3}{4}$	27 $\frac{1}{4}$	7 $\frac{3}{4}$	
228	75	28 $\frac{1}{2}$	10 $\frac{1}{2}$	26 $\frac{1}{2}$	8 $\frac{1}{2}$	
222	72	27 $\frac{3}{4}$	11 $\frac{1}{4}$	25 $\frac{3}{4}$	9 $\frac{1}{4}$	
216	69	27	12	25	10	
210	66	26 $\frac{1}{4}$	12 $\frac{3}{4}$	24 $\frac{1}{4}$	10 $\frac{3}{4}$	
204	63	25 $\frac{1}{2}$	13 $\frac{1}{2}$	23 $\frac{1}{2}$	11 $\frac{1}{2}$	
198	60	24 $\frac{3}{4}$	14 $\frac{1}{4}$	22 $\frac{3}{4}$	12 $\frac{1}{4}$	
192	96	24	24	22	26	
186	93	23 $\frac{3}{4}$	23 $\frac{3}{4}$	21 $\frac{3}{4}$	25 $\frac{1}{4}$	
180	90	22 $\frac{1}{2}$	22 $\frac{1}{2}$	20 $\frac{1}{2}$	24 $\frac{1}{2}$	
174	87	21 $\frac{3}{4}$	21 $\frac{3}{4}$	19 $\frac{3}{4}$	23 $\frac{3}{4}$	
168	84	21	21	19	23	
162	81	20 $\frac{3}{4}$	20 $\frac{3}{4}$	18 $\frac{3}{4}$	22 $\frac{3}{4}$	
156	78	19 $\frac{1}{2}$	19 $\frac{1}{2}$	17 $\frac{1}{2}$	21 $\frac{1}{2}$	
150	75	18 $\frac{3}{4}$	18 $\frac{3}{4}$	16 $\frac{3}{4}$	20 $\frac{3}{4}$	
144	72	24	centered	22	centered	
138	69	23	centered	21	centered	
132	66	22	centered	20	centered	
126	63	21	centered	19	centered	
120	60	20	centered	18	centered	
114	57	19	centered	17	centered	
108	54	18	centered	16	centered	
102	51	17	centered	15	centered	
96	N/A	24	N/A	22	N/A	
90	N/A	22 $\frac{1}{2}$	N/A	20 $\frac{1}{2}$	N/A	
84	N/A	21	N/A	19	N/A	
78	N/A	19 $\frac{1}{2}$	N/A	17 $\frac{1}{2}$	N/A	
72	N/A	18	N/A	16	N/A	
66	N/A	16 $\frac{1}{2}$	N/A	14 $\frac{1}{2}$	N/A	

TABLE BASE PLACEMENT GUIDE


NATIONAL THIN, CURVED AND METAL BASES

• All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	THIN PANELS, CURVED PANELS, AND METAL BASES			FIGURES (NOT TO SCALE)
	C	NUMBER OF BASES	A	B	
240	81	5	24	72	
234	78	5	24	72	
228	75	5	24	72	
222	72	5	24	72	
216	69	5	24	66	
210	66	5	24	66	
204	63	5	24	66	
198	60	5	24	66	
192	96	4	24	72	
186	93	4	24	70	
180	90	4	24	68	
174	87	4	24	66	
168	84	4	24	64	
162	81	4	24	62	
156	78	4	24	60	
150	75	4	24	58	
144	72	3	24	centered	
138	69	3	24	centered	
132	66	3	24	centered	
126	63	3	24	centered	
120	60	3	24	centered	
114	57	3	24	centered	
108	54	3	24	centered	
102	51	3	24	centered	
96 (2 prong)	48	3	24	N/A	
90 (2 prong)	45	3	24	N/A	
96	N/A	2	24	N/A	
90	N/A	2	24	N/A	
84	N/A	2	18	N/A	
78	N/A	2	18	N/A	
72	N/A	2	18	N/A	
66	N/A	2	18	N/A	

KIMBALL DISC BASES

DETAILS



Disc bases are available in four heights:

- Occasional height (16" H) for reception areas
- Worksurface height (28" H) for sit-down meeting areas and cafeterias
- Standing counter height (36" H) for teaming and standing laptop use
- Standing height (42" H) for cafeterias and general meeting

Bases are metal and are available in three finishes; column and disc can be specified in contrasting colors.

Disc base column is 3" in diameter. Assembly required to attach the disc and column in the field. Black plastic glides are standard on disc bases. Glide floats base ¼" above the floor with ⅛" adjustability.


Disc bases can be used singularly to support round, square, and soft square tops from 24" to 48". They can be used in sets of 2 to support rectangular and other shaped tops.

CONNECTIONS

All disc bases mount to the underside of tops with a fixed steel plate. Attachment hardware is standard.

CLEARANCE DIMENSIONS:

Clearance dimensions listed apply to all top shapes unless indicated otherwise.




	60" W Top		72" W Top		84" W Top		96" W Top	
	A	B	A	B	A	B	A	B
Disc Base Clearances								
30" D top	13"	26"	16"	32"				
36" D top	13"	26"	16"	32"	22"	32"		
42" D top			16"	32"	22"	32"	22"	44"
48" D top					22"	32"	22"	44"

KEY

- A** Distance from edge of column to the edge of the top
- B** Distance between columns

KIMBALL BLADE BASES

Clearance dimensions listed apply to all top shapes unless indicated otherwise.



	48" W Top A B	60" W Top A B	72" W Top A B	84" W Top A B	96" W Top A B	120" W Top A B	144" W Top A B	168" W Top A B	192" W Top A B	216" W Top A B	240" W Top A B
Y Base Clearances											
24" D top	12" 21⅝"										
30" D top		15" 27⅞"	15" 39⅞"								
36" D top		15" 27⅞"	15" 39⅞"	18" 45⅞"	24" 45⅞"						
42" D top			15" 39⅞"	18" 45⅞"	24" 45⅞"						
48" D top			15" 39⅞"	18" 45⅞"	24" 45⅞"	24" 39⅞"	18" 45⅞"	26" 37⅞"	24" 45⅞"	24" 39⅞"	24" 45⅞"
54" D top						24" 39⅞"	24" 45⅞"	24" 37⅞"	24" 45⅞"	24" 39⅞"	24" 45⅞"
60" D top						24" 39⅞"	24" 45⅞"	24" 37⅞"	24" 45⅞"	24" 39⅞"	24" 45⅞"

KEY


A Distance from center of column to the edge of the top

B Distance between columns

KIMBALL RECTANGULAR BASES

CLEARANCE DIMENSIONS FOR RECTANGULAR BASES:

Clearance dimensions listed apply to all top shapes unless indicated otherwise. Individual rectangular base is 6" D.



	All Widths C	72" W Top		84" W Top		96" W Top		120" W Top		144" W Top		168" W Top		192" W Top	
		A	B	A	B	A	B	A	B	A	B	A	B	A	B
36" D top	8"	15"	30"	21"	30"	21"	42"								
42" D top	11"	15"	30"	21"	30"	21"	42"								
48" D top	11"	15"	30"	21"	30"	21"	42"	21"	30"	21"	42"	21"	34"	21"	42"
54" D top	11"							21"	30"	21"	42"	21"	34"	21"	42"
60" D top	14"									21"	42"	21"	34"	21"	42"

KEY



- A** Distance from edge of base to the edge of the top
- B** Distance between bases

TABLE BASE PLACEMENT GUIDE

KIMBALL RECTANGULAR BEAM BASES

CLEARANCE DIMENSIONS FOR RECTANGULAR BEAM BASES:

Clearance dimensions listed apply to all top shapes unless indicated otherwise. Individual rectangular base is 6" D.



	All Sizes C	72" W Top		84" W Top		96" W Top		120" W Top		144" W Top		216" W Top			240" W Top		
		A	B	A	B	A	B	A	B	A	B	A	B	D	A	B	D
36" D top	8"	14"	32"	20"	32"	21"	42"										
42" D top	11"	14"	32"	20"	32"	21"	42"										
48" D top	11"	14"	32"	20"	32"	21"	42"	21"	66"	21"	90"	21"	34½"	57¾"	21"	58½"	57¾"
54" D top	11"							21"	66"	21"	90"	21"	34½"	57¾"	21"	58½"	57¾"
60" D top	14"									21"	90"	21"	34½"	57¾"	21"	58½"	57¾"


KEY

- A** Distance from edge of base to the edge of the top
- B** Distance between bases

KIMBALL PANEL BASES

CLEARANCE DIMENSIONS FOR PANEL BASES:

Clearance dimensions listed apply to all top shapes unless indicated otherwise. Individual rectangular base is 6" D.



	All Widths C	72" W Top		84" W Top		96" W Top		120" W Top		144" W Top		168" W Top		192" W Top	
		A	B	A	B	A	B	A	B	A	B	A	B	A	B
36" D top	6"	14"	42"	17"	46"	23"	46"								
42" D top	9"	14"	42"	17"	46"	23"	46"								
48" D top	12"	14"	42"	17"	46"	23"	46"	23"	34"	23"	46"	23"	38"	23"	46"

KEY


- A Distance from edge of base to the edge of the top
- B Distance between bases

TABLE BASE PLACEMENT GUIDE

KIMBALL SQUARE AND CYLINDER BASES

SQUARE AND CYLINDER BASE CLEARANCE DIMENSIONS:

Clearance dimensions listed apply to all top shapes unless indicated otherwise. Cylinder bases are not applicable for square or soft square shapes.

















	Base W	36" W Top		42" W Top		48" W Top		54" W Top		60" W Top		72" W Top			84" W Top			96" W Top		
		A	C	A	C	A	C	A	C	A	C	A	B	C	A	B	C	A	B	C
36" D top	18"	9"	9"									9"	18"	9"	15"	18"	9"	15"	30"	9"
42" D top	18"			12"	12"							9"	18"	12"	15"	18"	12"	15"	30"	12"
48" D top	18"											9"	18"	15"	15"	18"	15"	15"	30"	15"
	24"					12"	12"													
54" D top	24"							15"	15"											
60" D top	24"									18"	18"									











	Base W	120" W Top			144" W Top			168" W Top			192" W Top			216" W Top				240" W Top			
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	D	A	B	C	D
48" D top	18"	15"	18"	15"	15"	30"	15"	15"	42"	15"	15"	54"	15"	15"	45¼"	15"	22½"	15"	45¼"	15"	46½"
54" D top	24"	12"	12"	15"	12"	24"	15"	12"	36"	15"	12"	48"	15"	12"	39¾"	15"	16½"	12"	39¾"	15"	40½"
60" D top	24"				12"	24"	18"	12"	36"	18"	12"	48"	18"	12"	39¾"	18"	16½"	12"	39¾"	18"	40½"

KEY









- A/C** Distance from edge of base to the edge of the top
- B/D** Distance between bases

GROMMET/CUTOUT SPECIFICATION QUICK REFERENCE GUIDE

SPECIFICATION	CORD MANAGEMENT (NO POWER)	POWER/USB					
Amps		15					
Cord Length		6'		9'	10'	10'	12'
Grommet	G1 	G10 	C7 	G23 	C6 	G17 	C8 
		Round Moire Power Center	E2X Power/Data Center	Power Daisy Link	Node	Gleinbeigh Pivoting Interlink IQ	Vault Turnbox
Cutout							
Arrowood		•					
Barrington		•					
Dock Meeting	•		•		•		•
Epic		•					
Footings		•		•		•	
Universal		•					
Waveworks		•					

SPECIFICATION	POWER/DATA/USB		POWER/DATA/USB/HDMI/VGA		
Amps			15		12-20
Cord Length	10'	12'	6'	6' or 10'	6' to 9'
Grommet	C4 	C9 	G15 	C2 	G16 
	Mho Retractable Units	Vault Turnbox	Interlink IQ/Double Pivoting M2X-B	M2X Retractable Units	Power/Data Oasis
Cutout					
Arrowood			•		•
Barrington			•		•
Dock Meeting	•	•		•	
Epic			•		•
Footings					
Universal			•		•
Waveworks			•		•


GROMMET LOCATIONS QUICK REFERENCE GUIDE

	GROMMET LOCATIONS							
								
C2	●	●	●	●	●	●		
C4	●	●	●	●	●	●		
C6	●	●	●	●	●	●		
C7	●	●	●	●	●	●		
C8	●	●	●	●	●	●		
C9	●	●	●	●	●	●		
G1	●	●	●	●	●	●		
G10		●		●	●		●	●
G15		●		●	●		●	●
G16		●		●	●		●	●
G17		●		●			●	
G23		●		●			●	

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- NACG10EL Round Electrical Grommet



- Must be ordered separately

- G10 Round Grommet




± 4¼" ±

TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	36"-60"					72"					84"					96"					120" 2 PIECE TOP				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER	36"	18"	—	—	—	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—	120"	—	60"	—	—
	42"	21"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	48"	24"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	54"	27"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	60"	30"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
G10E END	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	16"	—	—	—	84"	19"	—	—	—	96"	22"	—	—	—	120"	18"	—	—	—
G10LR LEFT, RIGHT	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	16"	—	—	56"	84"	19"	—	—	65"	96"	22"	—	—	74"	120"	18"	—	—	102"
G10A ALL	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	16"	36"	—	56"	84"	19"	42"	—	65"	96"	22"	48"	—	74"	120"	18"	60"	—	102"
G10CE CENTER, END	N/A					72"	A	B	C	D	84"	A	B	C	D	96"	A	B	C	D	120"	A	B	C	D
						72"	16"	36"	—	—	84"	19"	42"	—	—	96"	22"	48"	—	—	120"	18"	60"	—	—

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 61-62 for Base Placement Guide



• NACG10EL Round Electrical Grommet



• Must be ordered separately

• G10 Round Grommet



└ 4 1/4" ┘

***60" wide tops will be 29 1/2" to the center of the side dimension**


TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER																									
	144"	—	72"	—	—	168"	—	61"	107"	—	192"	—	70"	122"	—	216"	—	79"	137"	—	240"	—	88"	152"	—
G10E END																									
	144"	22"	—	—	—	168"	19"	—	—	—	192"	22 1/4"	—	122"	—	216"	25 1/4"	—	—	—	240"	28 1/4"	—	—	—
G10LR LEFT, RIGHT																									
	144"	22"	—	—	122"	168"	19"	—	—	149"	192"	22 1/4"	—	—	169 3/4"	216"	25 1/4"	—	—	190 3/4"	240"	28 1/4"	—	—	211 1/4"
G10A ALL																									
	144"	22"	72"	—	122"	168"	19"	61"	107"	149"	192"	22 1/4"	70"	122"	169 3/4"	216"	25 1/4"	79"	137"	190 3/4"	240"	28 1/4"	88"	152"	211 1/4"
G10CE CENTER, END																									
	144"	22"	72"	—	—	168"	19"	61"	107"	—	192"	22 1/4"	70"	122"	—	216"	25 1/4"	79"	137"	—	240"	28 1/4"	88"	152"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**




- G10 Round Grommet



± 4¼" ±

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER															
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	—	84"	19"	—	—	—	96"	22"	—	—	—
	66"	14½"	—	—	—	78"	17½"	—	—	—	90"	20½"	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	56"	84"	19"	—	—	65"	96"	22"	—	—	74"
	66"	14½"	—	—	51½"	78"	17½"	—	—	60½"	90"	20½"	—	—	69½"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	56"	84"	19"	42"	—	65"	96"	22"	48"	—	74"
	66"	14½"	33"	—	51½"	78"	17½"	39"	—	60½"	90"	20½"	45"	—	69½"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	—	84"	19"	42"	—	—	96"	22"	48"	—	—
	66"	14½"	33"	—	—	78"	17½"	39"	—	—	90"	20½"	45"	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**




- G10 Round Grommet



± 4¼"

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)															
	120"					144"					168"					
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D	
	120"	—	60"	—	—	144"	—	72"	—	—	168"	—	61"	107"	—	
	114"	—	57"	—	—	138"	—	69"	—	—	162"	—	58¾"	103¾"	—	
	108"	—	54"	—	—	132"	—	66"	—	—	156"	—	56½"	99½"	—	
	102"	—	51"	—	—	126"	—	63"	—	—	150"	—	54¼"	95¼"	—	
G10E END		A	B	C	D		A	B	C	D		A	B	C	D	
	120"	18"	—	—	—	144"	22"	—	—	—	168"	19"	—	—	—	
	114"	17"	—	—	—	138"	21"	—	—	—	162"	18¼"	—	—	—	
	108"	16"	—	—	—	132"	20"	—	—	—	156"	17½"	—	—	—	
	102"	15"	—	—	—	126"	19"	—	—	—	150"	16¾"	—	—	—	
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D	
	120"	18"	—	—	102"	144"	22"	—	—	122"	168"	19"	—	—	149"	
	114"	17"	—	—	97"	138"	21"	—	—	117"	162"	18¼"	—	—	143¾"	
	108"	16"	—	—	92"	132"	20"	—	—	112"	156"	17½"	—	—	138½"	
	102"	15"	—	—	87"	126"	19"	—	—	107"	150"	16¾"	—	—	133¾"	
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D	
	120"	18"	60"	—	102"	144"	22"	72"	—	122"	168"	19"	61"	107"	149"	
	114"	17"	57"	—	97"	138"	21"	69"	—	117"	162"	18¼"	58¾"	103¾"	143¾"	
	108"	16"	54"	—	92"	132"	20"	66"	—	112"	156"	17½"	56½"	99½"	138½"	
	102"	15"	51"	—	87"	126"	19"	63"	—	107"	150"	16¾"	54¼"	95¼"	133¾"	
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D	
	120"	18"	60"	—	—	144"	22"	72"	—	—	168"	19"	61"	107"	—	
	114"	17"	57"	—	—	138"	21"	69"	—	—	162"	18¼"	58¾"	103¾"	—	
	108"	16"	54"	—	—	132"	20"	66"	—	—	156"	17½"	56½"	99½"	—	
	102"	15"	51"	—	—	126"	19"	63"	—	—	150"	16¾"	54¼"	95¼"	—	

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**




- G10 Round Grommet



± 4¼"

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet




- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	—	70"	122"	—	216"	—	79"	137"	—	240"	—	88"	152"	—
	186"	—	67¾"	118¾"	—	210"	—	76¾"	133¾"	—	234"	—	85¾"	148¾"	—
	180"	—	65½"	114½"	—	204"	—	74½"	129½"	—	228"	—	83½"	144½"	—
	174"	—	63¾"	110¾"	—	198"	—	72¾"	125¾"	—	222"	—	81¾"	140¾"	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	—	122"	—	216"	25¼"	—	—	—	240"	28¼"	—	—	—
	186"	21½"	—	118¾"	—	210"	24½	—	—	—	234"	27½"	—	—	—
	180"	20¾"	—	114½"	—	204"	23¾"	—	—	—	228"	26¾"	—	—	—
	174"	19¾"	—	110¾"	—	198"	23"	—	—	—	222"	26"	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	—	—	169¾"	216"	25¼"	—	—	190¾"	240"	28¼"	—	—	211¾"
	186"	21½"	—	—	164½"	210"	24½	—	—	185½"	234"	27½"	—	—	206½"
	180"	20¾"	—	—	159¾"	204"	23¾"	—	—	180¾"	228"	26¾"	—	—	201¼"
	174"	19¾"	—	—	154¾"	198"	23"	—	—	175"	222"	26"	—	—	196"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
	186"	21½"	67¾"	118¾"	164½"	210"	24½	76¾"	133¾	185½"	234"	27½"	85¾"	148¾"	206½"
	180"	20¾"	65½"	114½"	159¾"	204"	23¾"	74½"	129½"	180¾"	228"	26¾"	83½"	144½"	201¼"
	174"	19¾"	63¾"	110¾"	154¾"	198"	23"	72¾"	125¾"	175"	222"	26"	81¾"	140¾"	196"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	—	216"	25¼"	79"	137"	—	240"	28¼"	88"	152"	—
	186"	21½"	67¾"	118¾"	—	210"	24½	76¾"	133¾	—	234"	27½"	85¾"	148¾"	—
	180"	20¾"	65½"	114½"	—	204"	23¾"	74½"	129½"	—	228"	26¾"	83½"	144½"	—
	174"	19¾"	63¾"	110¾"	—	198"	23"	72¾"	125¾"	—	222"	26"	81¾"	140¾"	—

GROMMET LOCATIONS - FOOTINGS

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)




- G10 Round Grommet




GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)														
	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 ¹ / ₁₆ "	—	—	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	50 ¹ / ₁₆ "	68 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ⁷ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 0-0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Undersurface cable managers are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 61-62 for Base Placement Guide




• NACG15AEL Double Pivoting Power Grommet



• Must be ordered separately

• CUT-G15 option




***60" wide tops will be 29 3/4" to the center of the side dimension**

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	36"-60"					72"					84"					96"					120" 2 PIECE TOP				
CUT-G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	36"	18"	—	—	—	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—	120"	—	60"	—	—
	42"	21"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	48"	24"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	54"	27"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	60"	30"	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
CUT-G15E END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	18"	—	—	—	84"	21"	—	—	—	96"	24"	—	—	—	120"	20"	—	—	—
CUT-G15LR LEFT, RIGHT	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	18"	—	—	54"	84"	21"	—	—	63"	96"	24"	—	—	72"	120"	20"	—	—	100"
CUT-G15A ALL	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	100"
CUT-G15CE CENTER, END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	—

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 0-0
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Undersurface cable managers are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 61-62 for Base Placement Guide




• NACG15AEL Double Pivoting Power Grommet



• Must be ordered separately

• CUT-G15 option



***60" wide tops will be 29 3/4" to the center of the side dimension**


TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
CUT-G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	—	72"	—	—	168"	—	63"	105"	—	192"	—	72"	120"	—	216"	—	81"	135"	—	240"	—	90"	150"	—
CUT-G15E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¾"	—	—	—	168"	21¼"	—	—	—	192"	24¾"	—	—	—	216"	27¾"	—	—	—	240"	30¾"	—	—	—
CUT-G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¾"	—	—	119¾"	168"	21¼"	—	—	146¾"	192"	24¾"	—	—	167¾"	216"	27¾"	—	—	188¾"	240"	30¾"	—	—	209¾"
CUT-G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¾"	72"	—	119¾"	168"	21¼"	63"	105"	146¾"	192"	24¾"	72"	120"	167¾"	216"	27¾"	81"	135"	188¾"	240"	30¾"	90"	150"	209¾"
CUT-G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¾"	72"	—	—	168"	21¼"	63"	105"	—	192"	24¾"	72"	120"	—	216"	27¾"	81"	135"	—	240"	30¾"	90"	150"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 0-0
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- CUT-G15 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER															
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	—	84"	21"	—	—	—	96"	24"	—	—	—
	66"	16½"	—	—	—	78"	19½"	—	—	—	90"	22½"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	54"	84"	21"	—	—	63"	96"	24"	—	—	72"
	66"	16½"	—	—	49½"	78"	19½"	—	—	58½"	90"	22½"	—	—	67½"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 0-0
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	—	60"	—	—	144"	—	72"	—	—	168"	—	63"	105"	—
	114"	—	57"	—	—	138"	—	69"	—	—	162"	—	60¾"	101¼"	—
	108"	—	54"	—	—	132"	—	66"	—	—	156"	—	58½"	97½"	—
	102"	—	51"	—	—	126"	—	63"	—	—	150"	—	56¼"	93¾"	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	—	—	—	144"	24¼"	—	—	—	168"	21¼"	—	—	—
	114"	19"	—	—	—	138"	23"	—	—	—	162"	20½"	—	—	—
	108"	18"	—	—	—	132"	22"	—	—	—	156"	19¾"	—	—	—
	102"	17"	—	—	—	126"	21"	—	—	—	150"	19"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	—	—	100"	144"	24¼"	—	—	119¾"	168"	21¼"	—	—	146¾"
	114"	19"	—	—	95"	138"	23"	—	—	115"	162"	20½"	—	—	141½"
	108"	18"	—	—	90"	132"	22"	—	—	110"	156"	19¾"	—	—	136¼"
	102"	17"	—	—	85"	126"	21"	—	—	105"	150"	19"	—	—	131"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	—	100"	144"	24¼"	72"	—	119¾"	168"	21¼"	63"	105"	146¾"
	114"	19"	57"	—	95"	138"	23"	69"	—	115"	162"	20½"	60¾"	101¼"	141½"
	108"	18"	54"	—	90"	132"	22"	66"	—	110"	156"	19¾"	58½"	97½"	136¼"
	102"	17"	51"	—	85"	126"	21"	63"	—	105"	150"	19"	56¼"	93¾"	131"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	—	—	144"	24¼"	72"	—	—	168"	21¼"	63"	105"	—
	114"	19"	57"	—	—	138"	23"	69"	—	—	162"	20½"	60¾"	101¼"	—
	108"	18"	54"	—	—	132"	22"	66"	—	—	156"	19¾"	58½"	97½"	—
	102"	17"	51"	—	—	126"	21"	63"	—	—	150"	19"	56¼"	93¾"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 0-0
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	192"	—	72"	120"	—	216"	—	81"	135"	—	240"	—	90"	150"	—
	186"	—	69¾"	116¼"	—	210"	—	78¾"	131¼"	—	234"	—	87¾"	146¼"	—
	180"	—	67½"	112½"	—	204"	—	76½"	127½"	—	228"	—	85½"	142½"	—
	174"	—	65¼"	108¾"	—	198"	—	74¼"	123¾"	—	222"	—	83¾"	138¾"	—
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	—	—	—	216"	27¼"	—	—	—	240"	30¼"	—	—	—
	186"	23½"	—	—	—	210"	26½"	—	—	—	234"	29½"	—	—	—
	180"	22¾"	—	—	—	204"	25¾"	—	—	—	228"	28¾"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	—	—	167¾"	216"	27¼"	—	—	188¾"	240"	30¼"	—	—	209¾"
	186"	23½"	—	—	162½"	210"	26½"	—	—	183½"	234"	29½"	—	—	204½"
	180"	22¾"	—	—	157¼"	204"	25¾"	—	—	178¾"	228"	28¾"	—	—	199¾"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
	186"	23½"	69¾"	116¼"	162½"	210"	26½"	78¾"	131¼"	183½"	234"	29½"	87¾"	146¼"	204½"
	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¾"	228"	28¾"	85½"	142½"	199¾"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—


POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Undersurface cable managers are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29 1/2" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately

- CUT-G16 option





TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	72"				84"				96"				120" 2 PIECE TOP				144" 2 PIECE TOP			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
CUT-G16C CENTER																				
	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—	120"	—	—	—	144"	—	—	—
CUT-G16E END																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	—	144"	48"	—	—
CUT-G16LR LEFT, RIGHT																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	80"	144"	48"	—	96"
CUT-G16A ALL																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—
CUT-G16CE CENTER, END																				
	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Undersurface cable managers are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately

- CUT-G16 option





TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	168" 2 PIECE TOP				192" 2 PIECE TOP				216" 3 PIECE TOP				240" 3 PIECE TOP			
		A	B	C		A	B	C		A	B	C		A	B	C
CUT-G16C CENTER																
	168"	—	84"	—	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
CUT-G16E END																
	168"	42"	—	—	192"	48½"	—	—	216"	54¼"	—	—	240"	60¼"	—	—
CUT-G16LR LEFT, RIGHT																
	168"	42"	—	126"	192"	48½"	—	143¾"	216"	54¼"	—	161¾"	240"	60¼"	—	179¾"
CUT-G16A ALL																
	168"	42"	84"	126"	192"	48½"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
CUT-G16CE CENTER, END																
	168"	42"	84"	—	192"	48½"	96"	—	216"	54¼"	108"	—	240"	60¼"	120"	—


GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



• CUT-G16 option



GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	72"				84"				96"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—
	66"	—	33"	—	78"	—	39"	—	90"	—	45"	—
G16E END		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16A ALL		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"			
		A	B	C		A	B	C		A	B	C
G16C CENTER	120"	—	—	—	144"	—	—	—	168"	—	84"	—
	114"	—	—	—	138"	—	—	—	162"	—	81"	—
	108"	—	—	—	132"	—	—	—	156"	—	78"	—
	102"	—	—	—	126"	—	—	—	150"	—	75"	—
		A	B	C		A	B	C		A	B	C
G16E END	120"	40"	—	—	144"	48"	—	—	168"	42"	—	—
	114"	38"	—	—	138"	46"	—	—	162"	40½"	—	—
	108"	36"	—	—	132"	44"	—	—	156"	39"	—	—
	102"	34"	—	—	126"	42"	—	—	150"	37½"	—	—
		A	B	C		A	B	C		A	B	C
G16LR LEFT, RIGHT	120"	40"	—	80"	144"	48"	—	96"	168"	42"	—	126"
	114"	38"	—	76"	138"	46"	—	92"	162"	40½"	—	121½"
	108"	36"	—	72"	132"	44"	—	88"	156"	39"	—	117"
	102"	34"	—	68"	126"	42"	—	84"	150"	37½"	—	112½"
		A	B	C		A	B	C		A	B	C
G16A ALL	120"	—	—	—	144"	—	—	—	168"	42"	84"	126"
	114"	—	—	—	138"	—	—	—	162"	40½"	81"	121½"
	108"	—	—	—	132"	—	—	—	156"	39"	78"	117"
	102"	—	—	—	126"	—	—	—	150"	37½"	75"	112½"
		A	B	C		A	B	C		A	B	C
G16CE CENTER, END	120"	—	—	—	144"	—	—	—	168"	42"	84"	—
	114"	—	—	—	138"	—	—	—	162"	40½"	81"	—
	108"	—	—	—	132"	—	—	—	156"	39"	78"	—
	102"	—	—	—	126"	—	—	—	150"	37½"	75"	—
		A	B	C		A	B	C		A	B	C

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 61-62 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



- CUT-G16 option





TABLE LENGTH (IN)


GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	192"				216"				240"			
		A	B	C		A	B	C		A	B	C
G16C CENTER	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
	186"	—	93"	—	210"	—	105"	—	234"	—	117"	—
	180"	—	90"	—	204"	—	102"	—	228"	—	114"	—
	174"	—	87"	—	198"	—	99"	—	222"	—	111"	—
G16E END		A	B	C		A	B	C		A	B	C
	192"	48¼"	—	—	216"	54¼"	—	—	240"	60¼"	—	—
	186"	46½"	—	—	210"	52¾"	—	—	234"	58¾"	—	—
	180"	45"	—	—	204"	51¼"	—	—	228"	57¼"	—	—
	174"	43½"	—	—	198"	49¾"	—	—	222"	55¾"	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	192"	48¼"	—	143¾"	216"	54¼"	—	161¾"	240"	60¼"	—	179¾"
	186"	46½"	—	139½"	210"	52¾"	—	157¼"	234"	58¾"	—	175¼"
	180"	45"	—	135"	204"	51¼"	—	152¾"	228"	57¼"	—	170¾"
	174"	43½"	—	130½"	198"	49¾"	—	148¾"	222"	55¾"	—	166¾"
G16A ALL		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
	186"	46½"	93"	139½"	210"	52¾"	105"	157¼"	234"	58¾"	117"	175¼"
	180"	45"	90"	135"	204"	51¼"	102"	152¾"	228"	57¼"	114"	170¾"
	174"	43½"	87"	130½"	198"	49¾"	99"	148¾"	222"	55¾"	111"	166¾"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	—	216"	54¼"	108"	—	240"	60¼"	120"	—
	186"	46½"	93"	—	210"	52¾"	105"	—	234"	58¾"	117"	—
	180"	45"	93"	—	204"	51¼"	102"	—	228"	57¼"	114"	—
	174"	43½"	87"	—	198"	49¾"	99"	—	222"	55¾"	111"	—

GROMMET LOCATIONS - FOOTINGS


- All grommets are centered on the table top depth
- For 60", 72", 84" 96" and 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G17 option



- 1 Touch Pivoting Power/Data Grommet




- Must be ordered separately

TABLE LENGTH (IN)


GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	48"	—	24"	N/A	—	60"	—	26"	34"	—	72"	—	32"	39 ¹ / ₁₆ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	84"	—	38"	45 ¹ / ₁₆ "	—	96"	—	44"	51 ¹ / ₁₆ "	—	120"	—	50 ¹ / ₁₆ "	68 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ⁷ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—

GROMMET LOCATIONS - FOOTINGS


- All grommets are centered on the table top depth
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G23 option



- Power Grommet




- Must be ordered separately

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)														
	48"					60"					72"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	—	60"	24"	—	—	—	72"	26 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	—	—	N/A	60"	24"	—	—	36"	72"	26 ¹ / ₁₆ "	—	—	45"
		—	—	—	—		—	—	—	—		—	—	—	—
	84"					96"					120"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	—	41 ¹ / ₁₆ "	—	—	96"	—	47 ¹ / ₁₆ "	—	—	120"	—	49 ³ / ₁₆ "	70 ⁷ / ₈ "	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	—	96"	32 ¹ / ₁₆ "	—	—	—	120"	29 ¹ / ₁₆ "	—	—	—
		—	—	—	—		—	—	—	—		—	—	—	—
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 ¹ / ₁₆ "	—	—	54"	96"	32 ¹ / ₁₆ "	—	—	62 ¹ / ₁₆ "	120"	29 ¹ / ₁₆ "	—	—	89 ¹ / ₈ "
		—	—	—	—		—	—	—	—		—	—	—	—

DISC BASES


GROMMET AND CUT-OUT LOCATIONS:

24"-48" Dia. Round Tops
24"-36" W Square,
Soft Square Tops




Grommets are not applicable


60" W
One-Piece Tops




CENTER (C)



72" W
One-Piece Tops




CENTER (C)



84" W
One-Piece Tops




CENTER (C)



96" W
One-Piece Tops



CENTER (C)



KEY


- Grommet Location
- Cut-Out Location

GROMMET LOCATIONS - DOCK MEETING


BLADE BASES

GROMMET AND CUT-OUT LOCATIONS:


48" Square, Soft Square
54"-60" Round, Square,
Soft Square







48"-96" W
One-Piece Tops







120" W One- or Two-Piece Tops
144" W Two-Piece Tops



168" W or 192" W Two-Piece Tops



216" W or 240" W Three-Piece Tops




KEY

- Grommet Location
- Cut-Out Location


RECTANGULAR BASES

GROMMET AND CUT-OUT LOCATIONS:

72" One-Piece Tops
84" One-Piece Tops




CENTER (C)




LEFT & RIGHT (LR)


96" One-Piece Tops



CENTER (C)




LEFT & RIGHT (LR)




LEFT, CENTER & RIGHT (LCR)


120" W One- or Two-Piece Tops
144" W Two-Piece Tops




CENTER (C)



LEFT & RIGHT (LR)




LEFT, CENTER, & RIGHT (LCR)




INSIDE LEFT & RIGHT (ILR)


168" W Two-Piece Tops
192" W Two-Piece Tops



CENTER (C)



LEFT & RIGHT (LR)



INSIDE LEFT & RIGHT (ILR)

KEY


- Grommet Location
- Cut-Out Location

GROMMET LOCATIONS - DOCK MEETING




RECTANGULAR BEAM BASES

GROMMET AND CUT-OUT LOCATIONS:

72"-96" One-Piece Tops







120" W One- or Two-Piece Tops 144" W Two-Piece Tops







* 60"D available for 144"W only.

216" W Three-Piece Tops



240" W Three-Piece Tops




KEY

- Grommet Location
- Cut-Out Location


PANEL BASES

GROMMET AND CUT-OUT LOCATIONS:


72" One-Piece Tops
84" One-Piece Tops
96" One-Piece Tops



120" W One- or Two-Piece Tops
144" W Two-Piece Tops



168" W Two-Piece Tops
192" W Two-Piece Tops



KEY


- Grommet Location
- Cut-Out Location

GROMMET LOCATIONS - DOCK MEETING


SQUARE AND CYLINDER BASES

GROMMET AND CUT-OUT LOCATIONS:


36"-60" W Round, Square, and Soft Square Tops




96" One-Piece Tops



120" W One- or Two-Piece Tops
144"-192" W Two-Piece Tops



216" W Three-Piece Tops
240" W Three-Piece Tops



KEY

●

Grommet Location

□

Cut-Out Location

03.18.24

NUMBER OF PIECES PER TABLE TOP

Updated Number of Pieces Per Table Top Matrix

02.19.24

TABLE BASE GUIDE

Dock X base counter model, 74K3235CFX, is not for use with 48" x 48" tops

Dock Y base standing counter model, 74K276435CFYL, for 84" and 96"W surfaces has been discontinued