

CONFERENCE TABLE BASES

Product Specifications	126
Options	127
Wood/Laminate Bases	128
Metal Bases	137

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 26-45

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		


SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby


GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BASE DETAIL OPTIONS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

TAPERED BASE PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

EPIC BASE DETAIL



FOOT COLORS (EPIC ONLY)

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS


462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
265	Polished
503	Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

- Ellipse shaped wire management cutout optional

CUL	Cutouts, Upper & Lower
CU	Cutout, Upper
X	No Cutout

\$41 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-16 CW

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
CYLINDER BASE (NO WIRE ACCESS) 	WOOD		DI		H					
	BW-16	16" Diameter	\$ 1722	16	—	27¾	—	—	145 lbs.	5.3
	QBW-18	18" Diameter	1921	18	—	27¾	—	—	160 lbs.	5.3
	BW-18	18" Diameter	1921	18	—	27¾	—	—	160 lbs.	5.3
	BW-24	24" Diameter	1987	24	—	27¾	—	—	180 lbs.	7.2
	LAMINATE									
	BP-16	16" Diameter	\$ 1026	16	—	27¾	—	—	145 lbs.	5.3
	QBP-18	18" Diameter	1276	18	—	27¾	—	—	160 lbs.	5.3
	BP-18	18" Diameter	1276	18	—	27¾	—	—	160 lbs.	5.3
	BP-24	24" Diameter	1474	24	—	27¾	—	—	180 lbs.	7.2
• Do not specify base detail • Bases are weighted for stabilization • Reference pages 26-45 for table base guide • Adjustable glides standard										

CYLINDER BASE WITH WIRE ACCESS  Basic (P1)	WOOD									
	10N1628CYBW	16" Diameter	\$ 2834	16	—	27¾	—	—	145 lbs.	6.3
	10N1828CYBW	18" Diameter	3068	18	—	27¾	—	—	150 lbs.	5.3
	10N2428CYBW	24" Diameter	3306	24	—	27¾	—	—	180 lbs.	7.2
	LAMINATE									
	10N1628CYBL	16" Diameter	\$ 1987	16	—	27¾	—	—	145 lbs.	6.3
	10N1828CYBL	18" Diameter	2221	18	—	27¾	—	—	150 lbs.	5.3
	10N2428CYBL	24" Diameter	2928	24	—	27¾	—	—	180 lbs.	7.2
	• Only the Basic (P1) option is available • Bases are weighted for stabilization • Reference pages 26-45 for table base guide • Base has wire access with access to floor mounted electrical • Adjustable glides standard • 6" diameter opening									

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N6027TPBW AD
10N6027TPBP 423
BW-1616 DW

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
TAPERED BASES WITH WIRE ACCESS 	10N6027TPBW Wood	\$ 7164	60	27½	—	—	lbs.	
	10N6027TPBP Painted	4903	60	27½	—	—	lbs.	
	• To support a 96" round top • Features a 12" taper • 2 pc. base (assembly required) • Can be used with a G10 or G15 grommet							
	10N3627TPBW Wood	\$ 6892	36⅞	27¾	—	—	lbs.	
	10N3627TPBP Painted	4633	36⅞	27¾	—	—	lbs.	
	• To support a 72" or 60" round top • Features a 10" taper • Can be used with a G10 or G15 grommet							
	10N2427TPBW Wood	\$ 6758	24½	27¾	—	—	lbs.	
	10N2427TPBP Painted	4496	24½	27¾	—	—	lbs.	
	• To support a 54", 48", or 42" round or square top • Features a 9" taper • Can be used with a G10 or G15 grommet							
	10N1827TPBW Wood	\$ 6623	18½	27¾	—	—	lbs.	
TAPERED BASES NO WIRE ACCESS 	10N1827TPBP Painted	4362	18½	27¾	—	—	lbs.	
	• To support a 36" round or square top • Does NOT have a wire access door • Features an 8" taper							
SOFTENED SQUARE BASE (NO WIRE ACCESS) 	BW-1616 Wood	\$ 1565	16	16	27½	—	140 lbs.	5.3
	• Do not specify base detail • Base is weighted for stabilization • Reference pages 26-45 for table base guide • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available							

CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-2427S CW

- See page 127 for all options available in Conference Table Bases

MODEL NO./DESCRIPTION				LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET			
SQUARE BASE WITH WIRE ACCESS  Basic (P1)  Barrington (P2) (wood only)  Escalade (P3) (wood only)				WOOD										
				10N1628SQBW	16" Square	\$	2172	16	16	28	—	—	145 lbs.	5.3
				10N1828SQBW	18" Square		2406	18	18	28	—	—	150 lbs.	6.3
				10N2428SQBW	24" Square		2645	24	24	28	—	—	180 lbs.	7.2
				LAMINATE										
				10N1628SQBL	16" Square	\$	1511	16	16	28	—	—	145 lbs.	5.3
				10N1828SQBL	18" Square		1840	18	18	28	—	—	150 lbs.	6.3
				10N2428SQBL	24" Square		2267	24	24	28	—	—	180 lbs.	7.2
				• 16" and 18" bases are weighted for stabilization • Reference pages 26-45 for table base guide • Base has wire access with access to floor mounted electrical • Adjustable glides standard • 6" diameter opening										
WOOD QUEEN ANNE BASE 				TBW-4	Wood	\$	2102	—	38	27½	—	—	35 lbs.	25.0
				• Available in Cordovan, Judicial, Midtown, Mocha, Tribeca, Truffle, Urban • Do not specify base detail • Reference pages 26-45 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square tops										
THIN PANEL BASE 				QBW-2427S	Wood	\$	858	2	24	27½	—	—	37 lbs.	1.7
				BW-2427S	Wood		858	2	24	27½	—	—	37 lbs.	1.7
				QBP-2427S	Laminate		352	1½	24	27½	—	—	37 lbs.	1.7
				BP-2427S	Laminate		352	1½	24	27½	—	—	37 lbs.	1.7
				• Do not specify base detail • Reference pages 26-45 for table base guide • Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout • Laminate base comes with additional angle bracket for installation										
CURVED PANEL BASE 				BP-2427C	Laminate	\$	587	2	22½	27½	—	—	39 lbs.	2.9
				• Do not specify base detail • Reference pages 26-45 for table base guide										

CONFERENCE TABLE BASES


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Base Detail
- 3. Foot Color (Epic only)
- 4. Finish (wood only)
- 5. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

- 10N1828PNW P2 DW
- 10N1828PNL P1 MC
- See page 127 for all options available in Conference Table Bases


EPIC
THICK PANEL BASE
WITH WIRE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A			KW
WOOD									
25N1828PNW	18"	\$ 2412	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNW	24"	2723	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
25N1828PNL	18"	\$ 1643	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNL	24"	1900	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 26-45 for table base guide


THICK PANEL BASE
WITH WIRE ACCESS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

WOOD									
10N1828PNW	18"	\$ 2172	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNW	24"	2458	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
10N1828PNL	18"	\$ 1463	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNL	24"	1701	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 26-45 for table base guide

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

- See page 127 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WOOD									
25N72PNKW	For 72" Top	\$ 5175	18	47	27¼	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top	5281	18	53	27¼	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top	5385	18	59	27¼	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top	7649	18	91	27¼	—	69¼	170 lbs.	6.2
25N144PNKW	For 144" Top	7857	18	107	27¼	—	85¼	175 lbs.	6.2
25N168PNKW	For 168" Top	10058	18	136¼	27¼	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top	10269	18	154¼	27¼	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top	10475	18	172¼	27¼	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top	10687	18	190¼	27¼	—	162½	210 lbs.	8.2
LAMINATE									
25N72PNKL	For 72" Top	\$ 4020	18	47	27¼	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top	4123	18	53	27¼	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top	4232	18	59	27¼	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top	5499	18	91	27¼	—	69¼	170 lbs.	6.2
25N144PNKL	For 144" Top	5712	18	107	27¼	—	85¼	175 lbs.	6.2
25N168PNKL	For 168" Top	7194	18	136¼	27¼	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top	7409	18	154¼	27¼	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top	7615	18	172¼	27¼	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top	7828	18	190¼	27¼	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES



TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)  Basic (P1)	WOOD								
	10N72PNKW For 72" Top	\$ 4668	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKW For 84" Top	4761	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKW For 96" Top	4855	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKW For 120" Top	6893	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKW For 144" Top	7085	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKW For 168" Top	9071	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKW For 192" Top	9257	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKW For 216" Top	9447	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKW For 240" Top	9635	18	190¾	27¾	—	162½	210 lbs.	8.2
 Barrington (P2) (wood only)	LAMINATE								
	10N72PNKL For 72" Top	\$ 3590	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKL For 84" Top	3687	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKL For 96" Top	3776	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKL For 120" Top	4911	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKL For 144" Top	5101	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKL For 168" Top	6423	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKL For 192" Top	6613	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKL For 216" Top	6802	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKL For 240" Top	6989	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N60144PNKW FR462 AC

- See page 127 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WOOD									
25N60144PNKW	For 144" Top	\$ 10213	24	107	27¼	—	85¼	181 lbs.	6.5
25N60168PNKW	For 168" Top	13075	24	136¼	27¼	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	13347	24	154¼	27¼	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	13620	24	172¼	27¼	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	13894	24	190¼	27¼	—	162½	243 lbs.	8.3
LAMINATE									
25N60144PNKL	For 144" Top	\$ 7427	24	107	27¼	—	85¼	181 lbs.	6.5
25N60168PNKL	For 168" Top	9353	24	136¼	27¼	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	9631	24	154¼	27¼	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	9900	24	172¼	27¼	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	10176	24	190¼	27¼	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES




TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N60144PNKL P1 AC

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW		
 Basic (P1)	WOOD								
	10N60144PNKW	For 144" Top	\$ 9208	24	107	27¾	—	85¾	181 lbs. 6.5
	10N60168PNKW	For 168" Top	11791	24	136¾	27¾	—	108½	198 lbs. 6.5
	10N60192PNKW	For 192" Top	12036	24	154¾	27¾	—	126½	218 lbs. 7.9
	10N60216PNKW	For 216" Top	12279	24	172¾	27¾	—	144½	223 lbs. 7.9
	10N60240PNKW	For 240" Top	12526	24	190¾	27¾	—	162½	243 lbs. 8.3
 Barrington (P2) (wood only)	LAMINATE								
	10N60144PNKL	For 144" Top	\$ 6631	24	107	27¾	—	85¾	181 lbs. 6.5
	10N60168PNKL	For 168" Top	8351	24	136¾	27¾	—	108½	198 lbs. 6.5
	10N60192PNKL	For 192" Top	8595	24	154¾	27¾	—	126½	218 lbs. 7.9
	10N60216PNKL	For 216" Top	8842	24	172¾	27¾	—	144½	223 lbs. 7.9
	10N60240PNKL	For 240" Top	9086	24	190¾	27¾	—	162½	243 lbs. 8.3
 Escalade (P3) (wood only)	• Base kit includes amount of bases required to support conference top and horizontal supports • Horizontal support rails will match finish/laminate of panel bases • 144" base kits will have 3 panel bases • 168", 192", 216" and 240" base kits will have 4 panel bases • Some assembly required • Adjustable glides standard • Bases have wire access for access to floor mounted electrical • Reference pages 26-45 for table base guide • Modified width is available; refer to the chart on page 9 for conference top sizing • When using with a modified sized top, specify base kit with modified width to match modified top width								

CONFERENCE TABLE BASES





TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2-PRONG BASE 	CBV2928P2BP	\$ 397	—	29	28	—	—	22 lbs.	1.5
	• Reference pages 26-45 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint								
COLUMN LEG STATIC			DI		H				
	CBV0228COBP	\$ 157	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	• Adjustable glide standard • Reference pages 26-45 for table base guide • Optional upper and lower (CUL) base column wire management								
COLUMN LEG MOBILE									
	CBV0228COBMP	\$ 188	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Reference pages 26-45 for table base guide • Optional upper and lower (CUL) base column wire management								
4-PRONG BASE			D	W	H	A	KW		
	CBV2828P4BP	\$ 510	—	28	28	—	—	32 lbs.	1.4
	CBV3428P4BP	664	—	34	28	—	—	32 lbs.	2.5
	• Reference pages 26-45 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint • Not recommended to be placed directly over a grommet cutout								
WOOD CAPPED BASE									
	BW-4	\$ 674	—	32 $\frac{1}{2}$	27 $\frac{1}{2}$	—	—	21 lbs.	3.0
	• Specify wood finish after model number • Reference pages 26-45 for table base guide • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available • Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT									
	CBV4028XBP	\$ 1092	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBP	817	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBP	693	—	27 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	• Adjustable glides standard • Some assembly required • Reference pages 26-45 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors • Not recommended to be placed directly over a grommet cutout								

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
CBV3241XBP X 462 462

• See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
X BASE WORKSURFACE HEIGHT, MOBILE	CBV4028XBMP	\$ 1138	—	38 ¹ / ₁₆	27 ³ / ₄	—	—	36 lbs.	12.0
	CBV3228XBMP	876	—	31 ¹ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT



			DI	W	H				
	CBV4728XB Cinder	\$ 1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
	CBV4728XS Platinum Metallic	1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
	CBV4728XN Satin Nickel Metallic	1257	4	47	27 ³ / ₄	—	—	55 lbs.	15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet


X BASE COUNTER HEIGHT



	CBV3235XBP	\$ 1137	2 ¹ / ₂	32	33 ¹ / ₁₆	—	—	32 lbs.	12.0
	CBV2735XBP	969	2 ¹ / ₂	27 ³ / ₁₆	33 ¹ / ₁₆	—	—	32 lbs.	12.0

- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE BAR HEIGHT



	CBV3241XBP	\$ 1250	2 ¹ / ₂	32	40 ¹ / ₁₆	—	—	33 lbs.	14.0
	CBV2741XBP	1063	2 ¹ / ₂	27 ³ / ₁₆	40 ¹ / ₁₆	—	—	33 lbs.	14.0

- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

ADJUSTABLE HEIGHT BASE MOBILE



	CBV3226XBAB Cinder	\$ 2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
	CBV3226XBAS Platinum Metallic	2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
	CBV3226XBAN Satin Nickel Metallic	2834	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0

- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 26-45 for table base guide
- Not recommended to be placed directly over a grommet cutout



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

- See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT 	CBV2715DRNBP	\$ 1077	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	814	3	22	16	—	—	43 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT 	CBV2715DSQBP	\$ 1254	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	988	3	22	16	—	—	50 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
DISC BASE WORKSURFACE HEIGHT 	CBV2728DRNBP	\$ 1146	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	858	3	22	27 ³ / ₁₆	—	—	56 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								
SOFT SQUARE BASE WORKSURFACE HEIGHT 	CBV2728DSQBP	\$ 1326	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	CBV2228DSQBP	1034	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503) • Not recommended to be placed directly over a grommet cutout								

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:





1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

• See page 127 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	\$ 1238	3	27 $\frac{3}{16}$	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1194	3	22	35	—	—	58 lbs.	3.4
SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	\$ 1415	3	27 $\frac{3}{16}$	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1369	3	22	35	—	—	65 lbs.	3.4
DISC BASE BAR HEIGHT	CBV2740DRNBP	\$ 1326	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	76 lbs.	3.8
	CBV2240DRNBP	1279	3	22	40 $\frac{3}{4}$	—	—	59 lbs.	3.8
SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	\$ 1500	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	87 lbs.	3.8
	CBV2240DSQBP	1455	3	22	40 $\frac{3}{4}$	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Not recommended to be placed directly over a grommet cutout

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Not recommended to be placed directly over a grommet cutout

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Not recommended to be placed directly over a grommet cutout

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Not recommended to be placed directly over a grommet cutout