

CONFERENCE TABLE TOPS

Arrowood™	50
Barrington®	56
Epic®	64
Escalade®	87
Universal	95
WaveWorks®	112

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 1¾" or 1½" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1¾" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

ARROWOOD SHAPES AND SIZES



SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
NM	Natural Maple
TF	Truffle Cherry

RIM PROFILE



21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

793	Acorn	DW	Judicial
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
IM	Brighton	PB	Portobello
CL	Caramel	792	Sable
CW	Cordovan	TF	Truffle
HN2	Honey 2		

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list for each grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

- 31NN3636SQW G10C NM
31NN3636SQLW G10C MC
- See page 51 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		1 1/2" TOP THICKNESS		D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE									
	31NN3030SQW	Wood	\$ 1460	30	30	1 1/2	—	—	33 lbs.	2.0
	31NN3030SQLW	Laminate/Wood	1460	30	30	1 1/2	—	—	33 lbs.	2.0
	36" SQUARE									
	31NN3636SQW	Wood	\$ 1719	36	36	1 1/2	—	—	45 lbs.	2.4
	31NN3636SQLW	Laminate/Wood	1719	36	36	1 1/2	—	—	45 lbs.	2.4
	42" SQUARE									
	31NN4242SQW	Wood	\$ 1926	42	42	1 1/2	—	—	61 lbs.	3.2
	31NN4242SQLW	Laminate/Wood	1926	42	42	1 1/2	—	—	61 lbs.	3.2
	48" SQUARE									
	31NN4848SQW	Wood	\$ 2143	48	48	1 1/2	—	—	79 lbs.	4.2
	31NN4848SQLW	Laminate/Wood	2143	48	48	1 1/2	—	—	79 lbs.	4.2
	54" SQUARE									
	31NN5454SQW	Wood	\$ 2518	54	54	1 1/2	—	—	121 lbs.	6.9
	31NN5454SQLW	Laminate/Wood	2518	54	54	1 1/2	—	—	121 lbs.	6.9
	60" SQUARE									
	31NN6060SQW	Wood	\$ 2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3
	31NN6060SQLW	Laminate/Wood	2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

- 31N3030SQW G10C NM
31N3030SQLW G10C MC
- See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARROWOOD SQUARE TOP 	30" SQUARE									
	1 1/2" TOP THICKNESS									
	31N3030SQW	Wood	\$ 1301	30	30	1 1/2	—	—	33 lbs.	2.0
	31N3030SQLW	Laminate/Wood	1301	30	30	1 1/2	—	—	33 lbs.	2.0
	21N3030SQL	Laminate	674	30	30	1 1/2	—	—	33 lbs.	2.0
	36" SQUARE									
	31N3636SQW	Wood	\$ 1531	36	36	1 1/2	—	—	42 lbs.	2.4
	31N3636SQLW	Laminate/Wood	1531	36	36	1 1/2	—	—	42 lbs.	2.4
	21N3636SQL	Laminate	790	36	36	1 1/2	—	—	42 lbs.	2.4
	42" SQUARE									
	31N4242SQW	Wood	\$ 1740	42	42	1 1/2	—	—	58 lbs.	3.2
	31N4242SQLW	Laminate/Wood	1740	42	42	1 1/2	—	—	58 lbs.	3.2
	21N4242SQL	Laminate	1133	42	42	1 1/2	—	—	58 lbs.	3.2
	48" SQUARE									
	31N4848SQW	Wood	\$ 1957	48	48	1 1/2	—	—	76 lbs.	4.2
	31N4848SQLW	Laminate/Wood	1957	48	48	1 1/2	—	—	76 lbs.	4.2
	21N4848SQL	Laminate	1555	48	48	1 1/2	—	—	76 lbs.	4.2

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X MH
31NN48216RTLW X X X CW

- See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ARROWOOD RECTANGLE TOP	36" x 72"	1$\frac{1}{2}$" TOP THICKNESS							
	31NN3672RTW Wood	\$ 2724	36	72	1 $\frac{1}{2}$	—	—	136 lbs.	6.3
	31NN3672RTLW Laminate/Wood	2724	36	72	1 $\frac{1}{2}$	—	—	136 lbs.	6.3
	42" x 84"								
	31NN4284RTW Wood	\$ 3219	42	84	1 $\frac{1}{2}$	—	—	180 lbs.	8.3
	31NN4284RTLW Laminate/Wood	3219	42	84	1 $\frac{1}{2}$	—	—	180 lbs.	8.3
	48" x 96"								
	31NN4896RTW Wood	\$ 3707	48	96	1 $\frac{1}{2}$	—	—	233 lbs.	10.5
	31NN4896RTLW Laminate/Wood	3707	48	96	1 $\frac{1}{2}$	—	—	233 lbs.	10.5
	48" x 120"								
	31NN48120RTW Wood	\$ 5059	48	120	1 $\frac{1}{2}$	—	—	279 lbs.	10.6
	31NN48120RTLW Laminate/Wood	5059	48	120	1 $\frac{1}{2}$	—	—	279 lbs.	10.6
	48" x 144"								
	31NN48144RTW Wood	\$ 6270	48	144	1 $\frac{1}{2}$	—	—	332 lbs.	12.5
	31NN48144RTLW Laminate/Wood	6270	48	144	1 $\frac{1}{2}$	—	—	332 lbs.	12.5
	48" x 168"								
	31NN48168RTW Wood	\$ 7216	48	168	1 $\frac{1}{2}$	—	—	385 lbs.	14.3
	31NN48168RTLW Laminate/Wood	7216	48	168	1 $\frac{1}{2}$	—	—	385 lbs.	14.3
	48" x 192"								
	31NN48192RTW Wood	\$ 8160	48	192	1 $\frac{1}{2}$	—	—	438 lbs.	16.2
	31NN48192RTLW Laminate/Wood	8160	48	192	1 $\frac{1}{2}$	—	—	438 lbs.	16.2
	48" x 216"								
	31NN48216RTW Wood	\$ 9104	48	216	1 $\frac{1}{2}$	—	—	524 lbs.	20.0
	31NN48216RTLW Laminate/Wood	9104	48	216	1 $\frac{1}{2}$	—	—	524 lbs.	20.0
	48" x 240"								
	31NN48240RTW Wood	\$ 10053	48	240	1 $\frac{1}{2}$	—	—	571 lbs.	22.0
	31NN48240RTLW Laminate/Wood	10053	48	240	1 $\frac{1}{2}$	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN60144RTW CUT-G15LR X X MH
31NN60144RTLW X X X CW

• See page 51 for all options available in Arrowood

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
ARROWOOD RECTANGLE TOP (CONTINUED) 	60" x 144"											
	1 1/4" TOP THICKNESS											
	31NN60144RTW	Wood	\$ 8146	58 3/8	144	1 1/4	—	—			412 lbs.	18.0
	31NN60144RTLW	Laminate/Wood	8146	58 3/8	144	1 1/4	—	—			412 lbs.	18.0
	60" x 168"											
	31NN60168RTW	Wood	\$ 9380	58 3/8	168	1 1/4	—	—			480 lbs.	22.5
	31NN60168RTLW	Laminate/Wood	9380	58 3/8	168	1 1/4	—	—			480 lbs.	22.5
	60" x 192"											
	31NN60192RTW	Wood	\$ 10611	58 3/8	192	1 1/4	—	—			539 lbs.	29.0
	31NN60192RTLW	Laminate/Wood	10611	58 3/8	192	1 1/4	—	—			539 lbs.	29.0
	60" x 216"											
	31NN60216RTW	Wood	\$ 11835	58 3/8	216	1 1/4	—	—			647 lbs.	31.0
	31NN60216RTLW	Laminate/Wood	11835	58 3/8	216	1 1/4	—	—			647 lbs.	31.0
	60" x 240"											
	31NN60240RTW	Wood	\$ 13062	58 3/8	240	1 1/4	—	—			706 lbs.	34.0
	31NN60240RTLW	Laminate/Wood	13062	58 3/8	240	1 1/4	—	—			706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1½" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

BARRINGTON SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"




BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

CW	Cordovan Walnut
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Walnut
TW	Tribeca Walnut
TF	Truffle Walnut
UW	Urban Walnut

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center	
CUT-G15E	End	
CUT-G15LR	Left, Right	
CUT-G15A	All	
CUT-G15CE	Center, End	




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center	
CUT-G16E	End	
CUT-G16LR	Left, Right	
CUT-G16A	All	
CUT-G16CE	Center, End	



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELHS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELHS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN36RDW X DW
• See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON ROUND TOP	30" ROUND	1 1/8" TOP THICKNESS		DI		H				
	50NN30RDW	Wood	\$ 1924	30	—	1 1/8	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1924	36	—	1 1/8	—	—	33 lbs.	2.0
	36" ROUND									
	50NN36RDW	Wood	\$ 2266	36	—	1 1/8	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	2266	36	—	1 1/8	—	—	45 lbs.	2.4
	42" ROUND									
	50NN42RDW	Wood	\$ 2476	42	—	1 1/8	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	2476	42	—	1 1/8	—	—	61 lbs.	3.2
	48" ROUND									
	50NN48RDW	Wood	\$ 3061	48	—	1 1/8	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	3061	48	—	1 1/8	—	—	79 lbs.	4.2
	54" ROUND									
	50NN54RDW	Wood	\$ 3732	54	—	1 1/8	—	—	121 lbs.	6.9
	50NN54RDLW	Laminate/Wood	3732	54	—	1 1/8	—	—	121 lbs.	6.9
	60" ROUND									
	50NN60RDW	Wood	\$ 4114	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	50NN60RDLW	Laminate/Wood	4114	58 1/2	—	1 1/8	—	—	150 lbs.	8.3



CONFERENCE TABLE TOPS

BARRINGTON

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN3636SQW X MH

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
BARRINGTON SQUARE TOP	30" SQUARE	1$\frac{1}{2}$" TOP THICKNESS										
	50NN3030SQW	Wood	\$ 1924	30	30	1 $\frac{1}{2}$	—	—			33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1924	30	30	1 $\frac{1}{2}$	—	—			33 lbs.	2.0
	36" SQUARE											
	50NN3636SQW	Wood	\$ 2266	36	36	1 $\frac{1}{2}$	—	—			45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	2266	36	36	1 $\frac{1}{2}$	—	—			45 lbs.	2.4
	42" SQUARE											
	50NN4242SQW	Wood	\$ 2476	42	42	1 $\frac{1}{2}$	—	—			61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	2476	42	42	1 $\frac{1}{2}$	—	—			61 lbs.	3.2
	48" SQUARE											
	50NN4848SQW	Wood	\$ 3061	48	48	1 $\frac{1}{2}$	—	—			79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	3061	48	48	1 $\frac{1}{2}$	—	—			79 lbs.	4.2
	54" SQUARE											
	50NN5454SQW	Wood	\$ 3732	54	54	1 $\frac{1}{2}$	—	—			121 lbs.	6.9
	50NN5454SQLW	Laminate/Wood	3732	54	54	1 $\frac{1}{2}$	—	—			121 lbs.	6.9
	60" SQUARE											
	50NN6060SQW	Wood	\$ 4114	58 $\frac{3}{4}$	58 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—			150 lbs.	8.3
	50NN6060SQLW	Laminate/Wood	4114	58 $\frac{3}{4}$	58 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—			150 lbs.	8.3



BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X DW
50NN48216RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON RECTANGLE TOP	36" x 72"	1 1/8" TOP THICKNESS								
	50NN3672RTW	Wood	\$ 3538	36	72	1 1/8	—	—	136 lbs.	6.3
	50NN3672RTLW	Laminate/Wood	3538	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284RTW	Wood	\$ 4174	42	84	1 1/8	—	—	180 lbs.	8.3
	50NN4284RTLW	Laminate/Wood	4174	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896RTW	Wood	\$ 4806	47 1/8	96	1 1/8	—	—	233 lbs.	10.5
	50NN4896RTLW	Laminate/Wood	4806	47 1/8	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120RTW	Wood	\$ 6563	47 1/8	120	1 1/8	—	—	279 lbs.	10.6
	50NN48120RTLW	Laminate/Wood	6563	47 1/8	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144RTW	Wood	\$ 8133	47 1/8	144	1 1/8	—	—	332 lbs.	12.5
	50NN48144RTLW	Laminate/Wood	8133	47 1/8	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168RTW	Wood	\$ 9361	47 1/8	168	1 1/8	—	—	385 lbs.	14.3
	50NN48168RTLW	Laminate/Wood	9361	47 1/8	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192RTW	Wood	\$ 10583	47 1/8	192	1 1/8	—	—	438 lbs.	16.2
	50NN48192RTLW	Laminate/Wood	10583	47 1/8	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216RTW	Wood	\$ 11805	47 1/8	216	1 1/8	—	—	524 lbs.	20.0
	50NN48216RTLW	Laminate/Wood	11805	47 1/8	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240RTW	Wood	\$ 13034	47 1/8	240	1 1/8	—	—	571 lbs.	22.0
	50NN48240RTLW	Laminate/Wood	13034	47 1/8	240	1 1/8	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144RTW CUT-G15A X X DW
50NN60144RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BARRINGTON RECTANGLE TOP (CONTINUED) 	60" x 144"									
	1 1/8" TOP THICKNESS									
	50NN60144RTW	Wood	\$ 10568	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	50NN60144RTLW	Laminate/Wood	10568	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168RTW	Wood	\$ 12167	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	50NN60168RTLW	Laminate/Wood	12167	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192RTW	Wood	\$ 13756	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	50NN60192RTLW	Laminate/Wood	13756	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216RTW	Wood	\$ 15352	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	50NN60216RTLW	Laminate/Wood	15352	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240RTW	Wood	\$ 16945	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	50NN60240RTLW	Laminate/Wood	16945	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X CW
50NN48216BTLW G10A X X CW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON BOAT TOP	36" x 72"	1 1/8" TOP THICKNESS								
	50NN3672BTW	Wood	\$ 3817	36	72	1 1/8	—	—	136 lbs.	6.3
	50NN3672BTLW	Laminate/Wood	3817	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284BTW	Wood	\$ 4449	42	84	1 1/8	—	—	180 lbs.	8.3
	50NN4284BTLW	Laminate/Wood	4449	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896BTW	Wood	\$ 5077	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
	50NN4896BTLW	Laminate/Wood	5077	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120BTW	Wood	\$ 7131	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
	50NN48120BTLW	Laminate/Wood	7131	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144BTW	Wood	\$ 8682	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
	50NN48144BTLW	Laminate/Wood	8682	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168BTW	Wood	\$ 9898	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
	50NN48168BTLW	Laminate/Wood	9898	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192BTW	Wood	\$ 11114	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
	50NN48192BTLW	Laminate/Wood	11114	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216BTW	Wood	\$ 12323	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
	50NN48216BTLW	Laminate/Wood	12323	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240BTW	Wood	\$ 13535	47 1/4	240	1 1/8	—	—	571 lbs.	22.0
	50NN48240BTLW	Laminate/Wood	13535	47 1/4	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144BTW G10A X X CW
50NN60144BTLW G10A X X CW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON BOAT TOP (CONTINUED) 	60" x 144"									
	1 1/8" TOP THICKNESS									
	50NN60144BTW	Wood	\$ 11285	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	50NN60144BTLW	Laminate/Wood	11285	58 3/8	143 3/8	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168BTW	Wood	\$ 12870	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	50NN60168BTLW	Laminate/Wood	12870	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192BTW	Wood	\$ 14449	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	50NN60192BTLW	Laminate/Wood	14449	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216BTW	Wood	\$ 16020	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	50NN60216BTLW	Laminate/Wood	16020	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240BTW	Wood	\$ 17594	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	50NN60240BTLW	Laminate/Wood	17594	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1¾" or 1%" HPL (high pressure laminate), and feature a 3mm vinyl or wood rim, or a knife rim profile with a 3mm vinyl or wood rim on the vertical edge
- Veneer surfaces are 1¾" and feature a 3mm wood rim or knife rim profile with a wood rim on the vertical edge
- Knife rim surfaces available on all sides
- Refer to page 65 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

EPIC SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"




RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE*

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris
*Not available on occasional tables	

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES

VINYL RIM


793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

WOOD RIM


AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL RIM


Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Softened Vinyl (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN36RDW F X MC
25NN36RDL V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM 	30" ROUND									
	1 1/8" TOP THICKNESS									
	25NN30RDW	Wood	\$ 1910	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	25NN30RDL	Laminate	1123	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	36" ROUND									
	25NN36RDW	Wood	\$ 2245	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	25NN36RDL	Laminate	1319	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	42" ROUND									
	25NN42RDW	Wood	\$ 2723	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	25NN42RDL	Laminate	1808	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	48" ROUND									
	25NN48RDW	Wood	\$ 3323	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	25NN48RDL	Laminate	2413	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	54" ROUND									
	25NN54RDW	Wood	\$ 3698	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	25NN54RDL	Laminate	2787	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	60" ROUND									
	25NN60RDW	Wood	\$ 4070	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3
	25NN60RDL	Laminate	3165	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N30RDW F X MC
25N30RDL V461 X 461
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM 	30" ROUND			1 3/16" TOP THICKNESS						
	25N30RDW	Wood	\$ 1748	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	25N30RDL	Laminate	963	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDW	Wood	\$ 2055	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	25N36RDL	Laminate	1132	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDW	Wood	\$ 2537	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	25N42RDL	Laminate	1617	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDW	Wood	\$ 3134	48 1/16	—	1 3/16	—	—	79 lbs.	4.2
	25N48RDL	Laminate	2222	48 1/16	—	1 3/16	—	—	79 lbs.	4.2

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN36RDWK F X MC
25NN36RDLK V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC ROUND TOP KNIFE RIM 	30" ROUND									
	1 1/8" TOP THICKNESS									
	25NN30RDWK	Wood	\$ 2478	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	25NN30RDLK	Laminate	1458	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	36" ROUND									
	25NN36RDWK	Wood	\$ 2915	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	25NN36RDLK	Laminate	1717	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	42" ROUND									
	25NN42RDWK	Wood	\$ 3540	42 1/16	—	1 1/8	—	—	61 lbs.	3.2
	25NN42RDLK	Laminate	2346	42 1/16	—	1 1/8	—	—	61 lbs.	3.2
	48" ROUND									
	25NN48RDWK	Wood	\$ 4317	48 1/16	—	1 1/8	—	—	79 lbs.	4.2
	25NN48RDLK	Laminate	3134	48 1/16	—	1 1/8	—	—	79 lbs.	4.2
	54" ROUND									
	25NN54RDWK	Wood	\$ 4808	54 1/16	—	1 1/8	—	—	121 lbs.	6.9
	25NN54RDLK	Laminate	3626	54 1/16	—	1 1/8	—	—	121 lbs.	6.9
	60" ROUND									
	25NN60RDWK	Wood	\$ 5290	60 1/16	—	1 1/8	—	—	150 lbs.	8.3
	25NN60RDLK	Laminate	4116	60 1/16	—	1 1/8	—	—	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Lamine Top Color

SAMPLE MODEL NUMBERS:

25N36RDWK F X MC
25N36RDLK V461 X 461
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
EPIC ROUND TOP KNIFE RIM 	30" ROUND		1 3/16" TOP THICKNESS							
	25N30RDWK	Wood	\$ 2272	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	25N30RDLK	Laminate	1250	30 1/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDWK	Wood	\$ 2673	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	25N36RDLK	Laminate	1473	36 1/16	—	1 3/16	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDWK	Wood	\$ 3297	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	25N42RDLK	Laminate	2104	42 1/16	—	1 3/16	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDWK	Wood	\$ 4077	48 1/16	—	1 3/16	—	—	79 lbs.	4.2
	25N48RDLK	Laminate	2891	48 1/16	—	1 3/16	—	—	79 lbs.	4.2

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQW F G10C TF
25NN3636SQL V405 G10C 405

- See page 65 for all options available in Epic

EPIC SQUARE TOP
SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE		1 1/8" TOP THICKNESS	D	W	H						
25NN3030SQW	Wood	\$ 1910	30 1/16	30 1/16	1 1/8	—	—			33 lbs.	2.0
25NN3030SQL	Laminate	1123	30 1/16	30 1/16	1 1/8	—	—			33 lbs.	2.0
36" SQUARE											
25NN3636SQW	Wood	\$ 2245	36 1/16	36 1/16	1 1/8	—	—			45 lbs.	3.0
25NN3636SQL	Laminate	1319	36 1/16	36 1/16	1 1/8	—	—			45 lbs.	3.0
42" SQUARE											
25NN4242SQW	Wood	\$ 2723	42 1/16	42 1/16	1 1/8	—	—			59 lbs.	3.8
25NN4242SQL	Laminate	1808	42 1/16	42 1/16	1 1/8	—	—			59 lbs.	3.8
48" SQUARE											
25NN4848SQW	Wood	\$ 3323	48 1/16	48 1/16	1 1/8	—	—			76 lbs.	4.5
25NN4848SQL	Laminate	2413	48 1/16	48 1/16	1 1/8	—	—			76 lbs.	4.5
54" SQUARE											
25NN5454SQW	Wood	\$ 3698	54 1/16	54 1/16	1 1/8	—	—			121 lbs.	6.9
25NN5454SQL	Laminate	2787	54 1/16	54 1/16	1 1/8	—	—			121 lbs.	6.9
60" SQUARE											
25NN6060SQW	Wood	\$ 4070	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3
25NN6060SQL	Laminate	3165	58 3/8	58 3/8	1 1/8	—	—			150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQW F G10C TF
25N3030SQL V405 G10C 405
• See page 65 for all options available in Epic

EPIC SQUARE TOP SOFTENED RIM 	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	30" SQUARE		1⅜" TOP THICKNESS							
	25N3030SQW	Wood	\$ 1748	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	25N3030SQL	Laminate	963	30⅞	30⅞	1⅜	—	—	33 lbs.	2.0
	36" SQUARE									
	25N3636SQW	Wood	\$ 2055	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	25N3636SQL	Laminate	1132	36⅞	36⅞	1⅜	—	—	45 lbs.	3.0
	42" SQUARE									
	25N4242SQW	Wood	\$ 2537	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8
	25N4242SQL	Laminate	1617	42⅞	42⅞	1⅜	—	—	59 lbs.	3.8
	48" SQUARE									
25N4848SQW	Wood	\$ 3134	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	
25N4848SQL	Laminate	2222	48⅞	48⅞	1⅜	—	—	76 lbs.	4.5	

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQWK F G10C TF
25NN3636SQLK V405 G10C 405

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC SQUARE TOP KNIFE RIM 	30" SQUARE									
	1 1/8" TOP THICKNESS									
	25NN3030SQWK	Wood	\$ 2478	30 1/16"	30 1/16"	1 1/8"	—	—	33 lbs.	2.0
	25NN3030SQLK	Laminate	1458	30 1/16"	30 1/16"	1 1/8"	—	—	33 lbs.	2.0
	36" SQUARE									
	25NN3636SQWK	Wood	\$ 2915	36 1/16"	36 1/16"	1 1/8"	—	—	45 lbs.	3.0
	25NN3636SQLK	Laminate	1717	36 1/16"	36 1/16"	1 1/8"	—	—	45 lbs.	3.0
	42" SQUARE									
	25NN4242SQWK	Wood	\$ 3540	42 1/16"	42 1/16"	1 1/8"	—	—	59 lbs.	3.8
	25NN4242SQLK	Laminate	2346	42 1/16"	42 1/16"	1 1/8"	—	—	59 lbs.	3.8
	48" SQUARE									
	25NN4848SQWK	Wood	\$ 4317	48 1/16"	48 1/16"	1 1/8"	—	—	76 lbs.	4.5
	25NN4848SQLK	Laminate	3134	48 1/16"	48 1/16"	1 1/8"	—	—	76 lbs.	4.5
	54" SQUARE									
	25NN5454SQWK	Wood	\$ 4808	54 1/16"	54 1/16"	1 1/8"	—	—	121 lbs.	6.9
	25NN5454SQLK	Laminate	3626	54 1/16"	54 1/16"	1 1/8"	—	—	121 lbs.	6.9
	60" SQUARE									
	25NN6060SQWK	Wood	\$ 5290	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3
	25NN6060SQLK	Laminate	4116	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQWK F G10C TF
25N3030SQLK V405 G10C 405
• See page 65 for all options available in Epic

EPIC SQUARE TOP KNIFE RIM 	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1⅜" TOP THICKNESS		D	W	H	A	KW		
	25N3030SQWK	Wood	\$ 2272	30⅞	30⅞	1⅞	—	—	33 lbs.	2.0
	25N3030SQLK	Laminate	1250	30⅞	30⅞	1⅞	—	—	33 lbs.	2.0
	36" SQUARE									
	25N3636SQWK	Wood	\$ 2673	36⅞	36⅞	1⅞	—	—	45 lbs.	3.0
	25N3636SQLK	Laminate	1473	36⅞	36⅞	1⅞	—	—	45 lbs.	3.0
	42" SQUARE									
	25N4242SQWK	Wood	\$ 3297	42⅞	42⅞	1⅞	—	—	59 lbs.	3.8
	25N4242SQLK	Laminate	2104	42⅞	42⅞	1⅞	—	—	59 lbs.	3.8
	48" SQUARE									
	25N4848SQWK	Wood	\$ 4077	48⅞	48⅞	1⅞	—	—	76 lbs.	4.5
25N4848SQLK	Laminate	2891	48⅞	48⅞	1⅞	—	—	76 lbs.	4.5	

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3672RTW F G10LR X X CW
 25NN3672RTL V480 G10LR 480
 • See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RECTANGLE TOP SOFTENED RIM 	36" x 72"		1¹¹/₁₆" TOP THICKNESS							
	25NN3672RTW	Wood	\$ 3501	36	72	1 ¹¹ / ₁₆	—	—	136 lbs.	6.3
	25NN3672RTL	Laminate	2591	36	72	1 ¹¹ / ₁₆	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RTW	Wood	\$ 4128	42	84	1 ¹¹ / ₁₆	—	—	180 lbs.	8.3
	25NN4284RTL	Laminate	3224	42	84	1 ¹¹ / ₁₆	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RTW	Wood	\$ 4757	48	96	1 ¹¹ / ₁₆	—	—	233 lbs.	10.5
	25NN4896RTL	Laminate	3865	48	96	1 ¹¹ / ₁₆	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RTW	Wood	\$ 6498	48	120	1 ¹¹ / ₁₆	—	—	279 lbs.	10.6
	25NN48120RTL	Laminate	5616	48	120	1 ¹¹ / ₁₆	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RTW	Wood	\$ 8047	48	144	1 ¹¹ / ₁₆	—	—	332 lbs.	12.5
	25NN48144RTL	Laminate	7183	48	144	1 ¹¹ / ₁₆	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RTW	Wood	\$ 9268	48	168	1 ¹¹ / ₁₆	—	—	385 lbs.	14.3
	25NN48168RTL	Laminate	8411	48	168	1 ¹¹ / ₁₆	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RTW	Wood	\$ 10477	48	192	1 ¹¹ / ₁₆	—	—	438 lbs.	16.2
	25NN48192RTL	Laminate	9637	48	192	1 ¹¹ / ₁₆	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X CW
25NN48216RTL V480 G10LR 480

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED) 	48" x 216"	1¹/₈" TOP THICKNESS								
	25NN48216RTW	Wood	\$ 11691	48	216	1 ¹ / ₈	—	—	524 lbs.	20.0
	25NN48216RTL	Laminate	10863	48	216	1 ¹ / ₈	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RTW	Wood	\$ 12903	48	240	1 ¹ / ₈	—	—	571 lbs.	22.0
	25NN48240RTL	Laminate	12096	48	240	1 ¹ / ₈	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RTW	Wood	\$ 10466	58 ³ / ₈	144	1 ¹ / ₈	—	—	412 lbs.	18.0
	25NN60144RTL	Laminate	9340	58 ³ / ₈	144	1 ¹ / ₈	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RTW	Wood	\$ 12047	58 ³ / ₈	168	1 ¹ / ₈	—	—	480 lbs.	22.5
	25NN60168RTL	Laminate	10938	58 ³ / ₈	168	1 ¹ / ₈	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RTW	Wood	\$ 13621	58 ³ / ₈	192	1 ¹ / ₈	—	—	539 lbs.	29.0
	25NN60192RTL	Laminate	12527	58 ³ / ₈	192	1 ¹ / ₈	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RTW	Wood	\$ 15201	58 ³ / ₈	216	1 ¹ / ₈	—	—	647 lbs.	31.0
	25NN60216RTL	Laminate	14127	58 ³ / ₈	216	1 ¹ / ₈	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RTW	Wood	\$ 16775	58 ³ / ₈	240	1 ¹ / ₈	—	—	706 lbs.	34.0
	25NN60240RTL	Laminate	15727	58 ³ / ₈	240	1 ¹ / ₈	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RTWK K G10LR X CL
 25NN3672RTLK K425 G10LR X 425
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RECTANGLE TOP KNIFE RIM 	36" x 72"									
	1 1/8" TOP THICKNESS									
	25NN3672RTWK	Wood	\$ 4553	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RTLK	Laminate	3368	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RTWK	Wood	\$ 5368	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RTLK	Laminate	4191	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RTWK	Wood	\$ 6184	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RTLK	Laminate	5018	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RTWK	Wood	\$ 8447	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RTLK	Laminate	7304	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RTWK	Wood	\$ 10462	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RTLK	Laminate	9338	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RTWK	Wood	\$ 12045	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RTLK	Laminate	10934	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RTWK	Wood	\$ 13623	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RTLK	Laminate	12530	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTWK K G10LR X CL
25NN48216RTLK K425 G10LR X 425
• See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RECTANGLE TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216RTWK	Wood	\$ 15201	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RTLK	Laminate	14127	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RTWK	Wood	\$ 16775	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RTLK	Laminate	15727	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RTWK	Wood	\$ 13603	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RTLK	Laminate	12140	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RTWK	Wood	\$ 15660	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RTLK	Laminate	14218	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RTWK	Wood	\$ 17707	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RTLK	Laminate	16285	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RTWK	Wood	\$ 19758	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RTLK	Laminate	18363	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RTWK	Wood	\$ 21809	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RTLK	Laminate	20444	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672BTW F G10LR X CW
25NN3672BTL V480 G10LR 480
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP SOFTENED RIM 	36" x 72"									
	1 1/8" TOP THICKNESS									
	25NN3672BTW	Wood	\$ 3778	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672BTL	Laminate	2884	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTW	Wood	\$ 4402	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284BTL	Laminate	3510	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTW	Wood	\$ 5022	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896BTL	Laminate	4141	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTW	Wood	\$ 7059	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120BTL	Laminate	6192	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTW	Wood	\$ 8593	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144BTL	Laminate	7747	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTW	Wood	\$ 9799	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168BTL	Laminate	8962	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTW	Wood	\$ 11003	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192BTL	Laminate	10173	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTW F G10LR X X CW
25NN48216BTL V480 G10LR 480

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP SOFTENED RIM (CONTINUED) 	48" x 216"									
	1 1/8" TOP THICKNESS									
	25NN48216BTW	Wood	\$ 12201	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216BTL	Laminate	11370	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240BTW	Wood	\$ 13402	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240BTL	Laminate	12597	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144BTW	Wood	\$ 11173	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144BTL	Laminate	10064	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168BTW	Wood	\$ 12739	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168BTL	Laminate	11649	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192BTW	Wood	\$ 14304	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192BTL	Laminate	13227	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216BTW	Wood	\$ 15863	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216BTL	Laminate	14782	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240BTW	Wood	\$ 17423	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240BTL	Laminate	16378	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTWK K G10LA X X AC
 25NN3672BTLK K461 G10LA X X 461
 • See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM 	36" x 72"									
	1 1/8" TOP THICKNESS									
	25NN3672BTWK	Wood	\$ 4911	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672BTLK	Laminate	3750	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTWK	Wood	\$ 5721	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284BTLK	Laminate	4563	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTWK	Wood	\$ 6529	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896BTLK	Laminate	5383	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTWK	Wood	\$ 9180	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120BTLK	Laminate	8054	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTWK	Wood	\$ 11173	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144BTLK	Laminate	10065	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTWK	Wood	\$ 12743	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168BTLK	Laminate	11649	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTWK	Wood	\$ 14304	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192BTLK	Laminate	13227	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10LA X X AC
25NN48216BTLK K461 G10LA X X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216BTWK	Wood	\$ 15863	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216BTLK	Laminate	14782	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240BTWK	Wood	\$ 17423	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240BTLK	Laminate	16381	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144BTWK	Wood	\$ 14523	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144BTLK	Laminate	13083	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168BTWK	Wood	\$ 16564	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168BTLK	Laminate	15147	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192BTWK	Wood	\$ 18593	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192BTLK	Laminate	17192	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216BTWK	Wood	\$ 20619	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216BTLK	Laminate	19218	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240BTWK	Wood	\$ 22650	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240BTLK	Laminate	21291	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RCWK K G10A X CW
 25NN3672RCLK K425 G10A X CW
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
	36" x 72"		1 1/4" TOP THICKNESS		D	W	H					
EPIC RACETRACK TOP KNIFE RIM	25NN3672RCWK	Wood	\$	4963	36	72	1 1/4	—	—		136 lbs.	6.3
	25NN3672RCLK	Laminate		3781	36	72	1 1/4	—	—		136 lbs.	6.3
	42" x 84"											
	25NN4284RCWK	Wood	\$	5778	42	84	1 1/4	—	—		180 lbs.	8.3
	25NN4284RCLK	Laminate		4608	42	84	1 1/4	—	—		180 lbs.	8.3
	48" x 96"											
	25NN4896RCWK	Wood	\$	6598	48	96	1 1/4	—	—		233 lbs.	10.5
	25NN4896RCLK	Laminate		5435	48	96	1 1/4	—	—		233 lbs.	10.5
	48" x 120"											
	25NN48120RCWK	Wood	\$	9270	48	120	1 1/4	—	—		279 lbs.	10.6
	25NN48120RCLK	Laminate		8133	48	120	1 1/4	—	—		279 lbs.	10.6
	48" x 144"											
	25NN48144RCWK	Wood	\$	11287	48	144	1 1/4	—	—		332 lbs.	12.5
	25NN48144RCLK	Laminate		10170	48	144	1 1/4	—	—		332 lbs.	12.5
	48" x 168"											
	25NN48168RCWK	Wood	\$	12871	48	168	1 1/4	—	—		385 lbs.	14.3
	25NN48168RCLK	Laminate		11766	48	168	1 1/4	—	—		385 lbs.	14.3
	48" x 192"											
	25NN48192RCWK	Wood	\$	14450	48	192	1 1/4	—	—		438 lbs.	16.2
	25NN48192RCLK	Laminate		13361	48	192	1 1/4	—	—		438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminite models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminite Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCWK K G10A X X CW
25NN48216RCLK K425 G10A X X CW

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC RACETRACK TOP KNIFE RIM (CONTINUED) 	48" x 216"	1 1/8" TOP THICKNESS								
	25NN48216RCWK	Wood	\$ 16024	48	216	1 1/8	—	—	524 lbs.	20.0
	25NN48216RCLK	Laminate	14931	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	25NN48240RCWK	Wood	\$ 17597	48	240	1 1/8	—	—	571 lbs.	22.0
	25NN48240RCLK	Laminate	16544	48	240	1 1/8	—	—	571 lbs.	22.0
	60" x 144"									
	25NN60144RCWK	Wood	\$ 14672	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	25NN60144RCLK	Laminate	13217	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	25NN60168RCWK	Wood	\$ 16731	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	25NN60168RCLK	Laminate	15299	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	25NN60192RCWK	Wood	\$ 18779	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	25NN60192RCLK	Laminate	17368	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	25NN60216RCWK	Wood	\$ 20830	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	25NN60216RCLK	Laminate	19411	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	25NN60240RCWK	Wood	\$ 22878	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	25NN60240RCLK	Laminate	21506	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⁵/₁₆" slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish

ESCALADE SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter




SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN42RDW G10C DW

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
	30" ROUND		1 1/4" TOP THICKNESS		DI		H				
	ECN30RDW	Wood	\$	2165	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
	36" ROUND										
	ECN36RDW	Wood	\$	2550	36 1/16	—	1 1/16	—	—	45 lbs.	2.4
	42" ROUND										
	ECN42RDW	Wood	\$	2873	42 1/16	—	1 1/16	—	—	74 lbs.	4.0
	48" ROUND										
	ECN48RDW	Wood	\$	3529	48 3/16	—	1 1/16	—	—	94 lbs.	5.1

ESCALADE SQUARE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN3636SQW X MH
• See page 88 for all options available in Escalade

ESCALADE SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		1 1/2" TOP THICKNESS		D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE									
	ECN3030SQW	Wood	\$ 2165	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	36" SQUARE									
	ECN3636SQW	Wood	\$ 2550	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	2.4
	42" SQUARE									
	ECN4242SQW	Wood	\$ 2873	42 1/16	42 1/16	1 1/16	—	—	61 lbs.	3.2
	48" SQUARE									
	ECN4848SQW	Wood	\$ 3529	48 1/16	48 1/16	1 1/16	—	—	79 lbs.	4.2
	54" SQUARE									
	ECN5454SQW	Wood	\$ 3903	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	60" SQUARE									
	ECN6060SQW	Wood	\$ 4272	60 1/16	60 1/16	1 1/16	—	—	150 lbs.	8.3

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672RTW X X MH

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
ESCALADE RECTANGLE TOP 	36" x 72"	1 1/16" TOP THICKNESS										
	ECN3672RTW	Wood	\$ 4366	35 3/4	71 1/16	1 1/16	—	—			136 lbs.	6.3
	42" x 84"											
	ECN4284RTW	Wood	\$ 4894	42 1/16	84 3/16	1 1/16	—	—			180 lbs.	8.3
	48" x 96"											
	ECN4896RTW	Wood	\$ 5420	47 3/4	95 3/8	1 1/16	—	—			233 lbs.	10.5
	48" x 120"											
	ECN48120RTW	Wood	\$ 7438	47 3/4	119 3/4	1 1/16	—	—			279 lbs.	10.6
	48" x 144"											
	ECN48144RTW	Wood	\$ 9236	47 3/4	143 3/8	1 1/16	—	—			332 lbs.	12.5
	48" x 168"											
	ECN48168RTW	Wood	\$ 11403	47 3/4	167 3/4	1 1/16	—	—			385 lbs.	14.4
	48" x 192"											
	ECN48192RTW	Wood	\$ 12918	47 3/4	191 3/4	1 1/16	—	—			438 lbs.	16.3
	48" x 216"											
	ECN48216RTW	Wood	\$ 14428	47 3/4	216	1 1/16	—	—			524 lbs.	20.0
	48" x 240"											
	ECN48240RTW	Wood	\$ 15942	47 3/4	240	1 1/16	—	—			571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 9 for available sizes)
4. Modified Width
(see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144RTW CUT-G15A X X CL
• See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ESCALADE RECTANGLE TOP (CONTINUED) 	60" x 144"	1 1/8" TOP THICKNESS								
	ECN60144RTW	Wood	\$ 12005	58 3/8	143 1/2	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	ECN60168RTW	Wood	\$ 14824	58 3/8	167 1/4	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	ECN60192RTW	Wood	\$ 16792	58 3/8	191 1/4	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	ECN60216RTW	Wood	\$ 18758	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	ECN60240RTW	Wood	\$ 20726	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672BTW X X MH

- See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
	36" x 72"		1 1/8" TOP THICKNESS		D	W	H					
ESCALADE BOAT TOP 	ECN3672BTW	Wood	\$	4672	36	72	1 1/8	—	—		136 lbs.	6.3
	42" x 84"											
	ECN4284BTW	Wood	\$	5237	42	84	1 1/8	—	—		180 lbs.	8.3
	48" x 96"											
	ECN4896BTW	Wood	\$	5799	48	96	1 1/8	—	—		233 lbs.	10.5
	48" x 120"											
	ECN48120BTW	Wood	\$	7960	48	120	1 1/8	—	—		279 lbs.	10.6
	48" x 144"											
	ECN48144BTW	Wood	\$	9884	48	144	1 1/8	—	—		332 lbs.	12.5
	48" x 168"											
	ECN48168BTW	Wood	\$	12201	48	168	1 1/8	—	—		385 lbs.	14.3
	48" x 192"											
	ECN48192BTW	Wood	\$	13817	48	192	1 1/8	—	—		438 lbs.	16.2
	48" x 216"											
	ECN48216BTW	Wood	\$	15439	48	216	1 1/8	—	—		524 lbs.	20.0
	48" x 240"											
	ECN48240BTW	Wood	\$	17061	48	240	1 1/8	—	—		571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144BTW CUT-G15A X X NM
• See page 88 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ESCALADE BOAT TOP (CONTINUED) 	60" x 144"	1 1/8" TOP THICKNESS								
	ECN60144BTW	Wood	\$ 12847	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	ECN60168BTW	Wood	\$ 15861	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	ECN60192BTW	Wood	\$ 17966	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	ECN60216BTW	Wood	\$ 20071	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	ECN60240BTW	Wood	\$ 22175	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
• Depth dimension reflects widest distance across middle of top • Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top • Modified depth and width are available; refer to the chart on page 9 for conference top sizing										

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS

- 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature wood rim with 5 profile options
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) that feature wood rim with 5 profile options

SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " solid surface
- Knife rim profile
- Grommet cutouts not available

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:

1. Model Number
2. Grommet
3. Laminate


TO ORDER CCW TOPS, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate Top Color/Wood Top Finish
5. Rim Finish (laminate/wood models)


TO ORDER SOLID SURFACE TOPS, SPECIFY:

1. Model Number
2. Solid Surface Color

UNIVERSAL SHAPES AND SIZES



ROUND
24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter




SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



SOFT SQUARE
(solid surface only)
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CP RIM PROFILE



Flat (E)

CCW TOP OPTIONS

WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

MC	Amber
AC2	Autumn 2
IM	Brighton
CL	Caramel
CC	Cordoba
CW	Cordovan
HN2	Honey 2
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
NM	Natural
SC	Sedona
TW	Tribeca
TF	Truffle
UW	Urban

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

WOOD RIM

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

CCW RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)

Self (J)
(all wood models only)

SOLID SURFACE TOP OPTIONS

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

SOLID SURFACE RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW36RD2W D G10C NM
CCW60RD2LW F G10C 805 CL
CP-54E G10C 461

- See pages 97-98 for all options available in Universal

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" ROUND	1 1/8" TOP THICKNESS		DI	W	H	A	KW		
	CCW30RD2W	Wood-J Rim	\$ 980	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2W	Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CP-30E	Laminate-E Rim	563	30	—	1 1/8	—	—	33 lbs.	2.0
36" ROUND										
	CCW36RD2W	Wood-J Rim	\$ 1152	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2W	Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CP-36E	Laminate-E Rim	662	36	—	1 1/8	—	—	56 lbs.	3.1
42" ROUND										
	QCCW42RD2W	Wood-J Rim	\$ 1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-J Rim	1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	QCP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
	CP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
48" ROUND										
	CCW48RD2W	Wood-J Rim	\$ 1778	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2W	Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CP-48E	Laminate-E Rim	869	48	—	1 1/8	—	—	79 lbs.	4.2
54" ROUND										
	CCW54RD2W	Wood-J Rim	\$ 2160	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2W	Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CP-54E	Laminate-E Rim	1250	54	—	1 1/8	—	—	121 lbs.	6.9
60" ROUND										
	CCW60RD2W	Wood-J Rim	\$ 2536	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2W	Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CP-60E	Laminate-E Rim	1627	58 1/2	—	1 1/8	—	—	150 lbs.	8.3

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CP-WS30E G10C 461

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
UNIVERSAL ROUND TOP 	30" ROUND 1 3/8" TOP THICKNESS			DI	H					
	CCW30WSRNW	Wood-J Rim	\$ 900	30	—	1 3/8	—	—	33 lbs.	2.0
	CP-WS30E	Laminate-E Rim	480	30	—	1 3/8	—	—	33 lbs.	2.0
	36" ROUND									
	CCW36WSRNW	Wood-J Rim	\$ 1058	36	—	1 3/8	—	—	42 lbs.	2.4
	CP-WS36E	Laminate-E Rim	567	36	—	1 3/8	—	—	42 lbs.	2.4
	42" ROUND									
	CCW42WSRNW	Wood-J Rim	\$ 1307	42	—	1 3/8	—	—	58 lbs.	3.2
	CP-WS42E	Laminate-E Rim	665	42	—	1 3/8	—	—	58 lbs.	3.2
	48" ROUND									
	CCW48WSRNW	Wood-J Rim	\$ 1688	48	—	1 3/8	—	—	76 lbs.	4.2
	CP-WS48E	Laminate-E Rim	778	48	—	1 3/8	—	—	76 lbs.	4.2

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
UNIVERSAL SOLID SURFACE ROUND TOP 	24" ROUND 1 1/2" TOP THICKNESS									
	10N24RDS	Solid Surface	\$ 2375	24	—	1 1/2	—	—	26 lbs.	1.3
	30" ROUND									
	10N30RDS	Solid Surface	\$ 3034	30	—	1 1/2	—	—	41 lbs.	1.9
	36" ROUND									
	10N36RDS	Solid Surface	\$ 3781	36	—	1 1/2	—	—	59 lbs.	2.7
	42" ROUND									
	10N42RDS	Solid Surface	\$ 4615	42	—	1 1/2	—	—	80 lbs.	3.5
	48" ROUND									
	10N48RDS	Solid Surface	\$ 5572	48	—	1 1/2	—	—	105 lbs.	4.5
	54" ROUND									
	10N54RDS	Solid Surface	\$ 6571	54	—	1 1/2	—	—	133 lbs.	5.7
	60" ROUND									
	10N60RDS	Solid Surface	\$ 7662	58 1/2	—	1 1/2	—	—	165 lbs.	6.9

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW5454SQW A X CW
CCW5454SQLW M X 461 CL
CP-SQ54E G10C 461

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
UNIVERSAL SQUARE TOP 	30" SQUARE	1 1/8" TOP THICKNESS								
	CCW3030SQW	Wood-J Rim	\$ 980	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQW	Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CP-SQ30E	Laminate-E Rim	563	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636SQW	Wood-J Rim	\$ 1152	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQW	Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CP-SQ36E	Laminate-E Rim	662	36	36	1 1/8	—	—	45 lbs.	2.4
	42" SQUARE									
	CCW4242SQW	Wood-J Rim	\$ 1401	42	42	1 1/8	—	—	61 lbs.	3.2
	CCW4242SQW	Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2
	CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2
	CP-SQ42E	Laminate-E Rim	760	42	42	1 1/8	—	—	61 lbs.	3.2
	48" SQUARE									
	CCW4848SQW	Wood-J Rim	\$ 1778	48	48	1 1/8	—	—	79 lbs.	4.2
	CCW4848SQW	Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2
	CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2
	CP-SQ48E	Laminate-E Rim	869	48	48	1 1/8	—	—	79 lbs.	4.2
	54" SQUARE									
	CCW5454SQW	Wood-J Rim	\$ 2160	54	54	1 1/8	—	—	121 lbs.	6.9
	CCW5454SQW	Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9
	CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9
	CP-SQ54E	Laminate-E Rim	1250	54	54	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE									
	CCW6060SQW	Wood-J Rim	\$ 2536	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CCW6060SQW	Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	CP-SQ60E	Laminate-E Rim	1627	58 3/8	58 3/8	1 1/8	—	—	121 lbs.	6.9

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)


SAMPLE MODEL NUMBER:

CP-WSSQ30E G10C 461

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	UNIVERSAL SQUARE TOP									
	30" SQUARE									
	1 1/4" TOP THICKNESS									
	CCW3030WSSQW	Wood-J Rim	\$ 900	30	30	1 1/4	—	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	480	30	30	1 1/4	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636WSSQW	Wood-J Rim	\$ 1058	36	36	1 1/4	—	—	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	567	36	36	1 1/4	—	—	42 lbs.	2.4
	42" SQUARE									
	CCW4242WSSQW	Wood-J Rim	\$ 1307	42	42	1 1/4	—	—	58 lbs.	3.2
	CP-WSSQ42E	Laminate-E Rim	665	42	42	1 1/4	—	—	58 lbs.	3.2
	48" SQUARE									
	CCW4848WSSQW	Wood-J Rim	\$ 1688	48	48	1 1/4	—	—	76 lbs.	4.2
	CP-WSSQ48E	Laminate-E Rim	778	48	48	1 1/4	—	—	76 lbs.	4.2

UNIVERSAL SOLID SURFACE SOFT SQUARE TOP

	24" SOFT SQUARE									
	1 1/2" TOP THICKNESS									
			GRADE A	GRADE B	GRADE C					
	10N2424SSQS	Solid Surface	\$ 2375	\$ 2523	\$ 2727	24	24	1 1/2	—	38 lbs. 1.3
	30" SOFT SQUARE									
	10N3030SSQS	Solid Surface	\$ 3034	\$ 3265	\$ 3584	30	30	1 1/2	—	57 lbs. 1.9
	36" SOFT SQUARE									
	10N3636SSQS	Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	36	1 1/2	—	79 lbs. 2.7
	42" SOFT SQUARE									
	10N4242SSQS	Solid Surface	\$ 4615	\$ 5068	\$ 5693	42	42	1 1/2	—	105 lbs. 3.5
	48" SOFT SQUARE									
	10N4848SSQS	Solid Surface	\$ 5572	\$ 6164	\$ 6980	48	48	1 1/2	—	135 lbs. 4.5
	54" SOFT SQUARE									
	10N5454SSQS	Solid Surface	\$ 6571	\$ 7320	\$ 8353	54	54	1 1/2	—	169 lbs. 5.6
	60" SOFT SQUARE									
	10N6060SSQS	Solid Surface	\$ 7662	\$ 8587	\$ 9862	58 1/2	58 1/2	1 1/2	—	206 lbs. 6.9

- Grommet cutout not available on Corian solid surface tops
- Not intended for use with adjustable height bases

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144RT2W J CUT-G15LR DW
CCW48144RT2LW M CUT-G15CE CW CW
• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
UNIVERSAL RECTANGLE TOP 	36" x 72"	1½" TOP THICKNESS									
	CCW3672RT2W	Wood-J Rim	\$	2367	36	72	1½	—	—	136 lbs.	6.3
	CCW3672RT2W	Wood-A,M,D,F Rim		3267	36	72	1½	—	—	136 lbs.	6.3
	CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim		3267	36	72	1½	—	—	136 lbs.	6.3
	CP-S72E	Laminate-E Rim		919	36	72	1½	—	—	136 lbs.	6.3
	42" x 84"										
	CCW4284RT2W	Wood-J Rim	\$	2820	42	84	1½	—	—	180 lbs.	8.3
	CCW4284RT2W	Wood-A,M,D,F Rim		3890	42	84	1½	—	—	180 lbs.	8.3
	CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim		3890	42	84	1½	—	—	180 lbs.	8.3
	CP-S84E	Laminate-E Rim		1042	42	84	1½	—	—	180 lbs.	8.3
	48" x 96"										
	CCW4896RT2W	Wood-J Rim	\$	3271	48	96	1½	—	—	233 lbs.	10.5
	CCW4896RT2W	Wood-A,M,D,F Rim		4519	48	96	1½	—	—	233 lbs.	10.5
	CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim		4519	48	96	1½	—	—	233 lbs.	10.5
	CP-S96E	Laminate-E Rim		1165	48	96	1½	—	—	233 lbs.	10.5
	48" x 120"										
	CCW48120RT2W	Wood-J Rim	\$	4521	48	120	1½	—	—	279 lbs.	10.6
	CCW48120RT2W	Wood-A,M,D,F Rim		6239	48	120	1½	—	—	279 lbs.	10.6
	CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim		6239	48	120	1½	—	—	279 lbs.	10.6
	CP-S120E	Laminate-E Rim		1671	48	120	1½	—	—	279 lbs.	10.6
	48" x 144"										
	CCW48144RT2W	Wood-J Rim	\$	5639	48	144	1½	—	—	332 lbs.	12.5
	CCW48144RT2W	Wood-A,M,D,F Rim		7777	48	144	1½	—	—	332 lbs.	12.5
	CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim		7777	48	144	1½	—	—	332 lbs.	12.5
	CP-S144E	Laminate-E Rim		2007	48	144	1½	—	—	332 lbs.	12.5

CONFERENCE TABLE TOPS

UNIVERSAL

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RT2W J CUT-G15LR DW
 CCW48168RT2LW M CUT-G15CE CW CW
 • See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL RECTANGLE TOP (CONTINUED) 	48" x 168"		1 1/8" TOP THICKNESS							
	CCW48168RT2W	Wood-J Rim	\$ 6467	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2W	Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
	CP-S168E	Laminate-E Rim	2672	48	168	1 1/8	—	—	385 lbs.	14.4
	48" x 192"									
	CCW48192RT2W	Wood-J Rim	\$ 7329	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2W	Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
	CP-S192E	Laminate-E Rim	3333	48	192	1 1/8	—	—	438 lbs.	16.3
	48" x 216"									
	CCW48216RT2W	Wood-J Rim	\$ 8370	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2W	Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-S216E	Laminate-E Rim	3993	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240RT2W	Wood-J Rim	\$ 9410	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RT2W	Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-S240E	Laminate-E Rim	4659	48	240	1 1/8	—	—	571 lbs.	22.0

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60216RT2W F CUT-G16A DW
CCW60216RT2LW F CUT-G16A 802 MH

• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H						
UNIVERSAL RECTANGLE TOP (CONTINUED) 	60" x 144"											
	1 1/8" TOP THICKNESS											
	CCW60144RT2W	Wood-J Rim	\$ 7890	58 1/2"	144	1 1/8"	—	—			412 lbs.	18.0
	CCW60144RT2W	Wood-A,M,D,F Rim	10380	58 1/2"	144	1 1/8"	—	—			412 lbs.	18.0
	CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	10380	58 1/2"	144	1 1/8"	—	—			412 lbs.	18.0
	CP-S60144E	Laminate-E Rim	2612	58 1/2"	144	1 1/8"	—	—			412 lbs.	18.0
	60" x 168"											
	CCW60168RT2W	Wood-J Rim	\$ 9054	58 1/2"	168	1 1/8"	—	—			480 lbs.	22.5
	CCW60168RT2W	Wood-A,M,D,F Rim	11978	58 1/2"	168	1 1/8"	—	—			480 lbs.	22.5
	CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	11978	58 1/2"	168	1 1/8"	—	—			480 lbs.	22.5
	CP-S60168E	Laminate-E Rim	3474	58 1/2"	168	1 1/8"	—	—			480 lbs.	22.5
	60" x 192"											
	CCW60192RT2W	Wood-J Rim	\$ 10265	58 1/2"	192	1 1/8"	—	—			539 lbs.	29.0
	CCW60192RT2W	Wood-A,M,D,F Rim	13566	58 1/2"	192	1 1/8"	—	—			539 lbs.	29.0
	CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	13566	58 1/2"	192	1 1/8"	—	—			539 lbs.	29.0
	CP-S60192E	Laminate-E Rim	4335	58 1/2"	192	1 1/8"	—	—			539 lbs.	29.0
	60" x 216"											
	CCW60216RT2W	Wood-J Rim	\$ 11718	58 1/2"	216	1 1/8"	—	—			647 lbs.	31.0
	CCW60216RT2W	Wood-A,M,D,F Rim	15160	58 1/2"	216	1 1/8"	—	—			647 lbs.	31.0
	CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	15160	58 1/2"	216	1 1/8"	—	—			647 lbs.	31.0
	CP-S60216E	Laminate-E Rim	5192	58 1/2"	216	1 1/8"	—	—			647 lbs.	31.0
	60" x 240"											
	CCW60240RT2W	Wood-J Rim	\$ 13176	58 1/2"	240	1 1/8"	—	—			706 lbs.	34.0
	CCW60240RT2W	Wood-A,M,D,F Rim	16749	58 1/2"	240	1 1/8"	—	—			706 lbs.	34.0
	CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	16749	58 1/2"	240	1 1/8"	—	—			706 lbs.	34.0
	CP-S60240E	Laminate-E Rim	6049	58 1/2"	240	1 1/8"	—	—			706 lbs.	34.0

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A HN
CCW48144BTLW A X HN HN

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL BOAT TOP 	36" x 72"		1 1/4" TOP THICKNESS							
	CCW3672BTW	Wood-J Rim	\$ 2568	36	72	1 1/4	—	—	136 lbs.	6.3
	CCW3672BTW	Wood-A,M,D,F Rim	3547	36	72	1 1/4	—	—	136 lbs.	6.3
	CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	3547	36	72	1 1/4	—	—	136 lbs.	6.3
	CP-B72E	Laminate-E Rim	976	36	72	1 1/4	—	—	130 lbs.	6.3
	42" x 84"									
	CCW4284BTW	Wood-J Rim	\$ 3017	42	84	1 1/4	—	—	180 lbs.	8.3
	CCW4284BTW	Wood-A,M,D,F Rim	4165	42	84	1 1/4	—	—	180 lbs.	8.3
	CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	4165	42	84	1 1/4	—	—	180 lbs.	8.3
	CP-B84E	Laminate-E Rim	1106	42	84	1 1/4	—	—	180 lbs.	8.3
	48" x 96"									
	CCW4896BTW	Wood-J Rim	\$ 3464	48	96	1 1/4	—	—	233 lbs.	10.5
	CCW4896BTW	Wood-A,M,D,F Rim	4781	48	96	1 1/4	—	—	233 lbs.	10.5
	CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	4781	48	96	1 1/4	—	—	233 lbs.	10.5
	CP-B96E	Laminate-E Rim	1238	48	96	1 1/4	—	—	233 lbs.	10.5
	48" x 120"									
CCW48120BTW	Wood-J Rim	\$ 4925	48	120	1 1/4	—	—	279 lbs.	10.6	
CCW48120BTW	Wood-A,M,D,F Rim	6802	48	120	1 1/4	—	—	279 lbs.	10.6	
CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	6802	48	120	1 1/4	—	—	279 lbs.	10.6	
CP-B120E	Laminate-E Rim	1784	48	120	1 1/4	—	—	279 lbs.	10.6	
48" x 144"										
CCW48144BTW	Wood-J Rim	\$ 6027	48	144	1 1/4	—	—	332 lbs.	12.5	
CCW48144BTW	Wood-A,M,D,F Rim	8321	48	144	1 1/4	—	—	332 lbs.	12.5	
CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	8321	48	144	1 1/4	—	—	332 lbs.	12.5	
CP-B144E	Laminate-E Rim	2165	48	144	1 1/4	—	—	332 lbs.	12.5	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168BTW J G10A HN
CCW48168BTLW A X HN HN

• See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
UNIVERSAL BOAT TOP (CONTINUED) 	48" x 168"		1 1/8" TOP THICKNESS							
	CCW48168BTW	Wood-J Rim	\$ 6846	48	168	1 1/8	—	—	385 lbs.	14.3
	CCW48168BTW	Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
	CCW48168BTLW	Laminate/Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
	CP-B168E	Laminate-E Rim	2828	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	CCW48192BTW	Wood-J Rim	\$ 7709	48	192	1 1/8	—	—	438 lbs.	16.2
	CCW48192BTW	Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
	CCW48192BTLW	Laminate/Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
	CP-B192E	Laminate-E Rim	3488	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CCW48216BTW	Wood-J Rim	\$ 8736	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216BTW	Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216BTLW	Laminate/Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-B216E	Laminate-E Rim	4151	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240BTW	Wood-J Rim	\$ 9765	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240BTW	Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240BTLW	Laminate/Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-B240E	Laminate-E Rim	4810	48	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60216BTW D X CL
CCW60216BTLW D X 425 MH

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
UNIVERSAL BOAT TOP (CONTINUED) 	60" x 144"	1 1/8" TOP THICKNESS								
	CCW60144BTW	Wood-J Rim	\$ 8434	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144BTW	Wood-A,M,D,F Rim	11093	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144BTLW	Laminate/Wood-A,M,D,F Rim	11093	58%	144	1 1/8	—	—	412 lbs.	18.0
	CP-B60144E	Laminate-E Rim	2816	58%	144	1 1/8	—	—	412 lbs.	18.0
	60" x 168"									
	CCW60168BTW	Wood-J Rim	\$ 9585	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168BTW	Wood-A,M,D,F Rim	12680	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168BTLW	Laminate/Wood-A,M,D,F Rim	12680	58%	168	1 1/8	—	—	480 lbs.	22.5
	CP-B60168E	Laminate-E Rim	3675	58%	168	1 1/8	—	—	480 lbs.	22.5
	60" x 192"									
	CCW60192BTW	Wood-J Rim	\$ 10793	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192BTW	Wood-A,M,D,F Rim	14255	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192BTLW	Laminate/Wood-A,M,D,F Rim	14255	58%	192	1 1/8	—	—	539 lbs.	29.0
	CP-B60192E	Laminate-E Rim	4534	58%	192	1 1/8	—	—	539 lbs.	29.0
	60" x 216"									
	CCW60216BTW	Wood-J Rim	\$ 12230	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216BTW	Wood-A,M,D,F Rim	15829	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216BTLW	Laminate/Wood-A,M,D,F Rim	15829	58%	216	1 1/8	—	—	647 lbs.	31.0
	CP-B60216E	Laminate-E Rim	5394	58%	216	1 1/8	—	—	647 lbs.	31.0
	60" x 240"									
	CCW60240BTW	Wood-J Rim	\$ 13671	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240BTW	Wood-A,M,D,F Rim	17407	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240BTLW	Laminate/Wood-A,M,D,F Rim	17407	58%	240	1 1/8	—	—	706 lbs.	34.0
	CP-B60240E	Laminate-E Rim	6252	58%	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR DW
CCW3672RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
UNIVERSAL RACETRACK TOP 	36" x 72"	1 1/8" TOP THICKNESS								
	CCW3672RC2W	Wood-J Rim	\$ 2595	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2W	Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-R72E	Laminate-E Rim	1026	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	CCW4284RC2W	Wood-J Rim	\$ 3049	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2W	Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-R84E	Laminate-E Rim	1171	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	QCCW4896RC2W	Wood-J Rim	\$ 3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-J Rim	3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	QCP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	213 lbs.	10.5
	48" x 120"									
	CCW48120RC2W	Wood-J Rim	\$ 4973	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RC2W	Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-R120E	Laminate-E Rim	1916	48	120	1 1/8	—	—	258 lbs.	10.6
	48" x 144"									
	CCW48144RC2W	Wood-J Rim	\$ 6087	48	144	1 1/8	—	—	311 lbs.	12.5
	CCW48144RC2W	Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5
	CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5
	CP-R144E	Laminate-E Rim	2314	48	144	1 1/8	—	—	311 lbs.	12.5

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RC2W F G10LR DW
CCW48168RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	48" x 168" 1 1/8" TOP THICKNESS									
	CCW48168RC2W	Wood-J Rim	\$ 6917	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2W	Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2LW	Laminate/Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
	CP-R168E	Laminate-E Rim	2975	48	168	1 1/8	—	—	365 lbs.	14.3
	48" x 192"									
	CCW48192RC2W	Wood-J Rim	\$ 7785	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2W	Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2LW	Laminate/Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
	CP-R192E	Laminate-E Rim	3638	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CCW48216RC2W	Wood-J Rim	\$ 8825	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2W	Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2LW	Laminate/Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-R216E	Laminate-E Rim	4298	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CCW48240RC2W	Wood-J Rim	\$ 9863	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2W	Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2LW	Laminate/Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-R240E	Laminate-E Rim	4959	48	240	1 1/8	—	—	571 lbs.	22.0

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A AC
 CCW60240RC2LW A CUT-G16A 405 CW

• See pages 97-98 for all options available in Universal



	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS							CARTONED WEIGHT	CUBIC FEET
UNIVERSAL RACETRACK TOP (CONTINUED)	60" x 144"		1 1/8" TOP THICKNESS									
	CCW60144RC2W	Wood-J Rim	\$ 8517	58%	144	1 1/8	—	—			412 lbs.	18.0
	CCW60144RC2W	Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—			412 lbs.	18.0
	CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—			412 lbs.	18.0
	CP-R60144E	Laminate-E Rim	3010	58%	144	1 1/8	—	—			412 lbs.	18.0
	60" x 168"											
CCW60168RC2W	Wood-J Rim	\$ 9683	58%	168	1 1/8	—	—			480 lbs.	22.5	
CCW60168RC2W	Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—			480 lbs.	22.5	
CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—			480 lbs.	22.5	
CP-R60168E	Laminate-E Rim	3872	58%	168	1 1/8	—	—			480 lbs.	22.5	
	60" x 192"											
CCW60192RC2W	Wood-J Rim	\$ 10898	58%	192	1 1/8	—	—			539 lbs.	29.0	
CCW60192RC2W	Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—			539 lbs.	29.0	
CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—			539 lbs.	29.0	
CP-R60192E	Laminate-E Rim	4730	58%	192	1 1/8	—	—			539 lbs.	29.0	
	60" x 216"											
CCW60216RC2W	Wood-J Rim	\$ 12353	58%	216	1 1/8	—	—			647 lbs.	31.0	
CCW60216RC2W	Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—			647 lbs.	31.0	
CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—			647 lbs.	31.0	
CP-R60216E	Laminate-E Rim	5588	58%	216	1 1/8	—	—			647 lbs.	31.0	
	60" x 240"											
CCW60240RC2W	Wood-J Rim	\$ 13807	58%	240	1 1/8	—	—			706 lbs.	34.0	
CCW60240RC2W	Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—			706 lbs.	34.0	
CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—			706 lbs.	34.0	
CP-R60240E	Laminate-E Rim	6450	58%	240	1 1/8	—	—			706 lbs.	34.0	



WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1¾" and feature a 3mm wood rim profile
- Laminate surfaces are 1¾" or 1½" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm vinyl rim
- Laminate/wood models are 1¾" or 1½" HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6 " increments. See component section for specific models
- See page 9 for modified size options


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

WAVEWORKS SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter
- 72" Diameter
- 96" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End




- Reference pages 12-13 for cutout locations of CUT-G15


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN30RDW R X MH
WWN30RDL V MH G10C MH
WWN30RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
WAVEWORKS ROUND TOP 	30" ROUND		1 1/8" TOP THICKNESS	DI	H						
	WWN30RDW	Wood	\$ 1781	30 1/16	—	1 1/8	—	—	33 lbs.	2.0	
	WWN30RDLW	Laminate/Wood	1781	30 1/16	—	1 1/8	—	—	33 lbs.	2.0	
	WWN30RDL	Laminate	1048	30 1/16	—	1 1/8	—	—	33 lbs.	2.0	
	36" ROUND										
	WWN36RDW	Wood	\$ 2094	36 1/16	—	1 1/8	—	—	40 lbs.	2.4	
	WWN36RDLW	Laminate/Wood	2094	36 1/16	—	1 1/8	—	—	40 lbs.	2.4	
	WWN36RDL	Laminate	1234	36 1/16	—	1 1/8	—	—	40 lbs.	2.4	
	42" ROUND										
	WWN42RDW	Wood	\$ 2542	42 1/16	—	1 1/8	—	—	54 lbs.	3.2	
WWN42RDLW	Laminate/Wood	2542	42 1/16	—	1 1/8	—	—	54 lbs.	3.2		
WWN42RDL	Laminate	1688	42 1/16	—	1 1/8	—	—	54 lbs.	3.2		
48" ROUND											
WWN48RDW	Wood	\$ 3101	48 1/16	—	1 1/8	—	—	79 lbs.	4.2		
WWN48RDLW	Laminate/Wood	3101	48 1/16	—	1 1/8	—	—	79 lbs.	4.2		
WWN48RDL	Laminate	2251	48 1/16	—	1 1/8	—	—	79 lbs.	4.2		
54" ROUND											
WWN54RDW	Wood	\$ 3452	54 1/16	—	1 1/8	—	—	121 lbs.	6.9		
WWN54RDLW	Laminate/Wood	3452	54 1/16	—	1 1/8	—	—	121 lbs.	6.9		
WWN54RDL	Laminate	2602	54 1/16	—	1 1/8	—	—	121 lbs.	6.9		
60" ROUND											
WWN60RDW	Wood	\$ 3801	58 3/8	—	1 1/8	—	—	150 lbs.	8.3		
WWN60RDLW	Laminate/Wood	3801	58 3/8	—	1 1/8	—	—	150 lbs.	8.3		
WWN60RDL	Laminate	2955	58 3/8	—	1 1/8	—	—	150 lbs.	8.3		
72" ROUND											
WWN72RDW	Wood	\$ 4533	71 1/16	—	1 1/8	—	—	lbs.			
WWN72RDLW	Laminate/Wood	4533	71 1/16	—	1 1/8	—	—	lbs.			
WWN72RDL	Laminate	3686	71 1/16	—	1 1/8	—	—	lbs.			
96" ROUND											
WWN96RDW	Wood	\$ 5924	95 3/8	—	1 1/8	—	—	lbs.			
WWN96RDLW	Laminate/Wood	5924	95 3/8	—	1 1/8	—	—	lbs.			
WWN96RDL	Laminate	5095	95 3/8	—	1 1/8	—	—	lbs.			

- Zip profile does not run out on round tops
- 72" and 96" tops will be in 2 pieces

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Lamine Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW48RDW R X MH
WW48RDL V MH G10C MH
WW48RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW			
WAVEWORKS ROUND TOP 	30" ROUND		1 3/16" TOP THICKNESS		DI		H				
	WW30RDW	Wood	\$	1680	30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30RDLW	Laminate/Wood		1680	30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	WW30RDL	Laminate		898	30 3/16	—	1 3/16	—	—	33 lbs.	2.0
	36" ROUND										
	WW36RDW	Wood	\$	1917	36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	WW36RDLW	Laminate/Wood		1917	36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	WW36RDL	Laminate		1056	36 3/16	—	1 3/16	—	—	42 lbs.	3.0
	42" ROUND										
	WW42RDW	Wood	\$	2369	42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	WW42RDLW	Laminate/Wood		2369	42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	WW42RDL	Laminate		1510	42 3/16	—	1 3/16	—	—	58 lbs.	3.8
	48" ROUND										
	WW48RDW	Wood	\$	2925	48 3/16	—	1 3/16	—	—	76 lbs.	4.5
	WW48RDLW	Laminate/Wood		2925	48 3/16	—	1 3/16	—	—	76 lbs.	4.5
WW48RDL	Laminate		2075	48 3/16	—	1 3/16	—	—	76 lbs.	4.5	

- Zip profile does not run out on round tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3030SQW F X MH
WWN3030SQL V 480 X MH
WWN3030SQLW F G10C 805 MH

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS SQUARE TOP 	30" SQUARE									
	1 1/16" TOP THICKNESS									
	WWN3030SQW	Wood	\$ 1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQLW	Laminate/Wood	1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQL	Laminate	1048	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	36" SQUARE									
	WWN3636SQW	Wood	\$ 2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQLW	Laminate/Wood	2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQL	Laminate	1234	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	42" SQUARE									
	WWN4242SQW	Wood	\$ 2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQLW	Laminate/Wood	2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQL	Laminate	1688	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	48" SQUARE									
	WWN4848SQW	Wood	\$ 3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQLW	Laminate/Wood	3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQL	Laminate	2251	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	54" SQUARE									
	WWN5454SQW	Wood	\$ 3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQLW	Laminate/Wood	3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQL	Laminate	2602	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	60" SQUARE									
	WWN6060SQW	Wood	\$ 3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQLW	Laminate/Wood	3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQL	Laminate	2955	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW4848SQW F X MH
WW4848SQL V 480 X MH
WW4848SQLW F G10C 805 MH

• See pages 113-114 for all options available in Waveworks

WAVEWORKS SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1 3/16" TOP THICKNESS		D	W	H	A	KW		
	WW3030SQW	Wood	\$ 1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
	WW3030SQLW	Laminate/Wood	1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
	WW3030SQL	Laminate	898	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
36" SQUARE										
	WW3636SQW	Wood	\$ 1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
	WW3636SQLW	Laminate/Wood	1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
	WW3636SQL	Laminate	1056	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
42" SQUARE										
	WW4242SQW	Wood	\$ 2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
	WW4242SQLW	Laminate/Wood	2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
	WW4242SQL	Laminate	1510	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
48" SQUARE										
	WW4848SQW	Wood	\$ 2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
	WW4848SQLW	Laminate/Wood	2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
	WW4848SQL	Laminate	2075	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RT2W P CUT-G16C X NM
WWN3672RT2LW P X X 480 NM
WWN3672RT2L V 462 X G10LR HN2

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
WAVEWORKS RECTANGLE TOP 	36" X 72"	1½" TOP THICKNESS									
	WWN3672RT2W	Wood	\$ 3268	36	72	1½	—	—	136 lbs.	6.3	
	WWN3672RT2LW	Laminate/Wood	3268	36	72	1½	—	—	136 lbs.	6.3	
	WWN3672RT2L	Laminate	2418	36	72	1½	—	—	136 lbs.	6.3	
	42" X 84"										
	WWN4284RT2W	Wood	\$ 3855	42	84	1½	—	—	180 lbs.	8.3	
	WWN4284RT2LW	Laminate/Wood	3855	42	84	1½	—	—	180 lbs.	8.3	
	WWN4284RT2L	Laminate	3008	42	84	1½	—	—	180 lbs.	8.3	
	48" X 96"										
	WWN4896RT2W	Wood	\$ 4440	48	96	1½	—	—	233 lbs.	10.5	
WWN4896RT2LW	Laminate/Wood	4440	48	96	1½	—	—	233 lbs.	10.5		
WWN4896RT2L	Laminate	3606	48	96	1½	—	—	233 lbs.	10.5		
48" X 120"											
WWN48120RT2W	Wood	\$ 6067	48	120	1½	—	—	279 lbs.	10.6		
WWN48120RT2LW	Laminate/Wood	6067	48	120	1½	—	—	279 lbs.	10.6		
WWN48120RT2L	Laminate	5243	48	120	1½	—	—	279 lbs.	10.6		
48" X 144"											
WWN48144RT2W	Wood	\$ 7513	48	144	1½	—	—	332 lbs.	12.5		
WWN48144RT2LW	Laminate/Wood	7513	48	144	1½	—	—	332 lbs.	12.5		
WWN48144RT2L	Laminate	6707	48	144	1½	—	—	332 lbs.	12.5		
48" X 168"											
WWN48168RT2W	Wood	\$ 8652	48	168	1½	—	—	385 lbs.	14.3		
WWN48168RT2LW	Laminate/Wood	8652	48	168	1½	—	—	385 lbs.	14.3		
WWN48168RT2L	Laminate	7851	48	168	1½	—	—	385 lbs.	14.3		
48" X 192"											
WWN48192RT2W	Wood	\$ 9781	48	192	1½	—	—	438 lbs.	16.2		
WWN48192RT2LW	Laminate/Wood	9781	48	192	1½	—	—	438 lbs.	16.2		
WWN48192RT2L	Laminate	8997	48	192	1½	—	—	438 lbs.	16.2		

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS

WAVEWORKS

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RT2W P CUT-G16C X X NM
WWN48216RT2LW P X X X 480 NM
WWN48216RT2L V 462 X X G10LR HN2

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
WAVEWORKS RECTANGLE TOP (CONTINUED) 	48" X 216"	1½" TOP THICKNESS								
	WWN48216RT2W	Wood	\$ 10912	48	216	1½	—	—	524 lbs.	20.0
	WWN48216RT2LW	Laminate/Wood	10912	48	216	1½	—	—	524 lbs.	20.0
	WWN48216RT2L	Laminate	10142	48	216	1½	—	—	524 lbs.	20.0
	48" X 240"									
	WWN48240RT2W	Wood	\$ 12046	48	240	1½	—	—	571 lbs.	22.0
	WWN48240RT2LW	Laminate/Wood	12046	48	240	1½	—	—	571 lbs.	22.0
	WWN48240RT2L	Laminate	11293	48	240	1½	—	—	571 lbs.	22.0
	60" X 144"									
	WWN60144RT2W	Wood	\$ 9770	58½	144	1½	—	—	412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	9770	58½	144	1½	—	—	412 lbs.	18.0	
WWN60144RT2L	Laminate	8718	58½	144	1½	—	—	412 lbs.	18.0	
60" X 168"										
WWN60168RT2W	Wood	\$ 11247	58½	168	1½	—	—	480 lbs.	22.5	
WWN60168RT2LW	Laminate/Wood	11247	58½	168	1½	—	—	480 lbs.	22.5	
WWN60168RT2L	Laminate	10209	58½	168	1½	—	—	480 lbs.	22.5	
60" X 192"										
WWN60192RT2W	Wood	\$ 12715	58½	192	1½	—	—	539 lbs.	29.0	
WWN60192RT2LW	Laminate/Wood	12715	58½	192	1½	—	—	539 lbs.	29.0	
WWN60192RT2L	Laminate	11694	58½	192	1½	—	—	539 lbs.	29.0	
60" X 216"										
WWN60216RT2W	Wood	\$ 14190	58½	216	1½	—	—	647 lbs.	31.0	
WWN60216RT2LW	Laminate/Wood	14190	58½	216	1½	—	—	647 lbs.	31.0	
WWN60216RT2L	Laminate	13189	58½	216	1½	—	—	647 lbs.	31.0	
60" X 240"										
WWN60240RT2W	Wood	\$ 15660	58½	240	1½	—	—	706 lbs.	34.0	
WWN60240RT2LW	Laminate/Wood	15660	58½	240	1½	—	—	706 lbs.	34.0	
WWN60240RT2L	Laminate	14682	58½	240	1½	—	—	706 lbs.	34.0	

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672BTW P CUT-G16C X NM
WWN3672BTLW P X X 480 NM
WWN3672BTL V 480 X X CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS BOAT TOP 	36" X 72"	1 1/4" TOP THICKNESS								
	WWN3672BTW	Wood	\$ 3527	36	72	1 1/4	—	—	136 lbs.	6.3
	WWN3672BTLW	Laminate/Wood	3527	36	72	1 1/4	—	—	136 lbs.	6.3
	WWN3672BTL	Laminate	2692	36	72	1 1/4	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284BTW	Wood	\$ 4109	42	84	1 1/4	—	—	180 lbs.	8.3
	WWN4284BTLW	Laminate/Wood	4109	42	84	1 1/4	—	—	180 lbs.	8.3
	WWN4284BTL	Laminate	3277	42	84	1 1/4	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896BTW	Wood	\$ 4688	48	96	1 1/4	—	—	233 lbs.	10.5
	WWN4896BTLW	Laminate/Wood	4688	48	96	1 1/4	—	—	233 lbs.	10.5
	WWN4896BTL	Laminate	3865	48	96	1 1/4	—	—	233 lbs.	10.5
	48" X 120"									
	WWN48120BTW	Wood	\$ 6591	48	120	1 1/4	—	—	279 lbs.	10.6
	WWN48120BTLW	Laminate/Wood	6591	48	120	1 1/4	—	—	279 lbs.	10.6
	WWN48120BTL	Laminate	5781	48	120	1 1/4	—	—	279 lbs.	10.6
	48" X 144"									
	WWN48144BTW	Wood	\$ 8023	48	144	1 1/4	—	—	332 lbs.	12.5
	WWN48144BTLW	Laminate/Wood	8023	48	144	1 1/4	—	—	332 lbs.	12.5
	WWN48144BTL	Laminate	7231	48	144	1 1/4	—	—	332 lbs.	12.5
	48" X 168"									
	WWN48168BTW	Wood	\$ 9147	48	168	1 1/4	—	—	385 lbs.	14.3
	WWN48168BTLW	Laminate/Wood	9147	48	168	1 1/4	—	—	385 lbs.	14.3
	WWN48168BTL	Laminate	8366	48	168	1 1/4	—	—	385 lbs.	14.3
	48" X 192"									
	WWN48192BTW	Wood	\$ 10272	48	192	1 1/4	—	—	438 lbs.	16.2
	WWN48192BTLW	Laminate/Wood	10272	48	192	1 1/4	—	—	438 lbs.	16.2
	WWN48192BTL	Laminate	9498	48	192	1 1/4	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Lamine Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216BTW P CUT-G16C X X NM
WWN48216BTLW P X X X 480 NM
WWN48216BTL V 480 X X X CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
	48" X 216"	1 1/2" TOP THICKNESS	D	W	H	A	KW				
WAVEWORKS BOAT TOP (CONTINUED) 	WWN48216BTW	Wood	\$	11389	48	216	1 1/2	—	—	524 lbs.	20.0
	WWN48216BTLW	Laminate/Wood		11389	48	216	1 1/2	—	—	524 lbs.	20.0
	WWN48216BTL	Laminate		10613	48	216	1 1/2	—	—	524 lbs.	20.0
	48" X 240"										
	WWN48240BTW	Wood	\$	12513	48	240	1 1/2	—	—	571 lbs.	22.0
	WWN48240BTLW	Laminate/Wood		12513	48	240	1 1/2	—	—	571 lbs.	22.0
	WWN48240BTL	Laminate		11761	48	240	1 1/2	—	—	571 lbs.	22.0
	60" X 144"										
	WWN60144BTW	Wood	\$	10432	58%	144	1 1/2	—	—	412 lbs.	18.0
	WWN60144BTLW	Laminate/Wood		10432	58%	144	1 1/2	—	—	412 lbs.	18.0
WWN60144BTL	Laminate		9395	58%	144	1 1/2	—	—	412 lbs.	18.0	
60" X 168"											
WWN60168BTW	Wood	\$	11893	58%	168	1 1/2	—	—	480 lbs.	22.5	
WWN60168BTLW	Laminate/Wood		11893	58%	168	1 1/2	—	—	480 lbs.	22.5	
WWN60168BTL	Laminate		10874	58%	168	1 1/2	—	—	480 lbs.	22.5	
60" X 192"											
WWN60192BTW	Wood	\$	13354	58%	192	1 1/2	—	—	539 lbs.	29.0	
WWN60192BTLW	Laminate/Wood		13354	58%	192	1 1/2	—	—	539 lbs.	29.0	
WWN60192BTL	Laminate		12348	58%	192	1 1/2	—	—	539 lbs.	29.0	
60" X 216"											
WWN60216BTW	Wood	\$	14810	58%	216	1 1/2	—	—	647 lbs.	31.0	
WWN60216BTLW	Laminate/Wood		14810	58%	216	1 1/2	—	—	647 lbs.	31.0	
WWN60216BTL	Laminate		13798	58%	216	1 1/2	—	—	647 lbs.	31.0	
60" X 240"											
WWN60240BTW	Wood	\$	16266	58%	240	1 1/2	—	—	706 lbs.	34.0	
WWN60240BTLW	Laminate/Wood		16266	58%	240	1 1/2	—	—	706 lbs.	34.0	
WWN60240BTL	Laminate		15289	58%	240	1 1/2	—	—	706 lbs.	34.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X NM
WWN3672RC2LW P X X 480 NM
WWN3672RC2L N CW X G10C CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS RACETRACK TOP 	36" X 72"	1 1/8" TOP THICKNESS								
	WWN3672RC2W	Wood	\$ 3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2L	Laminate	2716	36	72	1 1/8	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284RC2W	Wood	\$ 4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2L	Laminate	3311	42	84	1 1/8	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896RC2W	Wood	\$ 4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2LW	Laminate/Wood	4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2L	Laminate	3903	48	96	1 1/8	—	—	233 lbs.	10.5
	48" X 120"									
	WWN48120RC2W	Wood	\$ 6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2LW	Laminate/Wood	6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2L	Laminate	5840	48	120	1 1/8	—	—	279 lbs.	10.6
	48" X 144"									
	WWN48144RC2W	Wood	\$ 8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2LW	Laminate/Wood	8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2L	Laminate	7301	48	144	1 1/8	—	—	332 lbs.	12.5
	48" X 168"									
	WWN48168RC2W	Wood	\$ 9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2LW	Laminate/Wood	9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2L	Laminate	8450	48	168	1 1/8	—	—	385 lbs.	14.3
	48" X 192"									
	WWN48192RC2W	Wood	\$ 10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2LW	Laminate/Wood	10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2L	Laminate	9594	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RC2W P CUT-G16C X X NM
 WWN48216RC2LW P X X X 480 NM
 WWN48216RC2L N CW X X G10C CW

- See pages 113-114 for all options available in Waveworks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS RACETRACK TOP (CONTINUED) 	48" X 216"									
	1 1/8" TOP THICKNESS									
	WWN48216RC2W	Wood	\$ 11507	48	216	1 1/8	—	—	524 lbs.	20.0
	WWN48216RC2LW	Laminate/Wood	11507	48	216	1 1/8	—	—	524 lbs.	20.0
	WWN48216RC2L	Laminate	10720	48	216	1 1/8	—	—	524 lbs.	20.0
	48" X 240"									
	WWN48240RC2W	Wood	\$ 12638	48	240	1 1/8	—	—	571 lbs.	22.0
	WWN48240RC2LW	Laminate/Wood	12638	48	240	1 1/8	—	—	571 lbs.	22.0
	WWN48240RC2L	Laminate	11879	48	240	1 1/8	—	—	571 lbs.	22.0
	60" X 144"									
	WWN60144RC2W	Wood	\$ 10536	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	WWN60144RC2LW	Laminate/Wood	10536	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	WWN60144RC2L	Laminate	9491	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
	60" X 168"									
	WWN60168RC2W	Wood	\$ 12015	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	WWN60168RC2LW	Laminate/Wood	12015	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	WWN60168RC2L	Laminate	10984	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
	60" X 192"									
	WWN60192RC2W	Wood	\$ 13489	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	WWN60192RC2LW	Laminate/Wood	13489	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	WWN60192RC2L	Laminate	12471	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
	60" X 216"									
	WWN60216RC2W	Wood	\$ 14956	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	WWN60216RC2LW	Laminate/Wood	14956	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	WWN60216RC2L	Laminate	13938	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
	60" X 240"									
	WWN60240RC2W	Wood	\$ 16426	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	WWN60240RC2LW	Laminate/Wood	16426	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
	WWN60240RC2L	Laminate	15444	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops