

TRAINING TABLES

Fold™	350
Maneuver®	353
WaveWorks® Flip/Nest Tables	369
WaveWorks® Worksurfaces	375
Metal Bases	389
"L" Adjustable Height Bases	399
"L" Worksurfaces	401

FOLD NESTING TABLES

FOLD NESTING TABLES PRODUCT SPECIFICATIONS

TOP SIZES

- Concave Top – 29½" width x 21½" depth
- Rectangular Top – 59" width x 21½" depth

TOPS


- Laminate surfaces are 1¼" thick HPL (high pressure laminate)
- Laminate surfaces feature a 3 mm vinyl or T-mold rim

GROMMET OPTION

- Optional G1 grommet

FLIP/NEST FUNCTIONALITY

- Flip mechanism allows top to flip vertically for nesting capabilities
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommet and standard modesty panel is attached



TRAINING TABLES

FOLD NESTING

LAMINATE TOPS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
404	Frosty White Marker*
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

*Only available on T-mold rim models

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

RIM PROFILE OPTIONS

VINYL SOFTENED RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow



Softened Vinyl (V)

GROMMET

Fold Nesting Tables are available with a G1C grommet to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

- G1C Grommet, Center (+\$41 list)
- X No Grommet

FOLD NESTING TABLES


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color (vinyl models only)
3. Grommet
4. Laminate
5. Paint

SAMPLE MODEL NUMBERS:

61N2430CCFMVL V405 X 405 1
 61N2430CCFMYL X 405 1
 61N2460RTFMVL V405 X 405 1

- See page 351 for all options available in Fold Nesting Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
CONCAVE TABLE VINYL RIM 	61N2430CCFMVL Laminate	\$ 1175	23%	29½	29%	—	—	43 lbs.	4.2
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Not recommended to be ganged								
CONCAVE TABLE T-MOLD RIM 	61N2430CCFMYL Laminate	\$ 1175	23%	29½	29%	—	—	43 lbs.	4.2
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Features T-mold rim in Graphite color • Not recommended to be ganged • Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue								
RECTANGULAR TABLE VINYL RIM 	61N2460RTFMVL Laminate	\$ 1573	24%	59	29%	—	—	66 lbs.	7.0
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Vinyl rim and T-mold rim tops can not be ganged together • Tables must be unganged when putting tables in the flip position								
RECTANGULAR TABLE T-MOLD RIM 	61N2460RTFMYL Laminate	\$ 1573	24%	59	29%	—	—	66 lbs.	7.0
	• Some assembly required • Features modesty panel in Graphite color • Locking casters standard on user side • Not recommended for use with edge mount or clamp mount monitor arms • Features T-mold rim in Graphite color • Vinyl rim and T-mold rim tops can not be ganged together • Tables must be unganged when putting tables in the flip position • Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue								
GANGING BRACKET 	61NGB1 2 per package	\$ 83	2	6½	¾	—	—	2 lbs.	0.5
	• Featured in Graphite color • Only to be used with 24" x 60" rectangular tables								

MANEUVER FACILITATOR DESK SPECIFICATIONS

WORKSURFACES

- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{2}$ " TFL (thermally fused laminate)
- Laminate surfaces feature a 3mm vinyl rim
- Grain direction runs left-to-right

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Back panels are fully finished

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

BASE

- Powder coated base available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Wire management cutout in base column is standard

MANEUVER TABLES SPECIFICATIONS

TOPS

- Laminate (HPL) worksurfaces feature a 3mm softened vinyl rim

BASE

- Powder coated legs available in (462) Cinder or (501) Platinum Metallic for C-legs and (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic for column legs

POWER/DATA ELECTRICAL SPECIFICATIONS

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included
- Reference page 368

PIVOTING POWER GROMMET (MHO-B) (G12B, G12C)

- Field installable
- Silver, black, or white powder coat
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{4}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{8}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60 $\frac{3}{8}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER


- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black, silver, or white powder coat
- Contains 1 electrical outlet and 2 USB-A ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1 $\frac{1}{2}$ "
- UL approved
- Tamper resistant
- Spill-proof

MANEUVER - CONFIGURATION OPTIONS

RIM PROFILE OPTIONS



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

PULL OPTIONS



Nantucket (6)

6MB	Cinder
6CC	Concrete
6IR	Iron
6PL	Platinum Metallic
6SN	Satin Nickel Metallic

(Boring Pattern 128mm)



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic

(Boring Pattern 128mm)




Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic

(Boring Pattern 128mm)

GROMMET OPTIONS - FACILITATOR DESK


If no grommet is desired, specify an X (No Grommet)




- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet (+\$41 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet (+\$41 list)
- CUT-G23C Cutout for G23 Power Grommet (+\$41 list)
- For G12, G17, or hardwire solution, reference pages 557-558 and 562-565

NOTE: Interlink IQ units are available in the Accessories section


CUT-G12C



CUT-G17C



CUT-G23C



GROMMET OPTION - TABLES


If no grommet is desired, specify an X (No Grommet)



- CUT-G33C Cutout for G33 Node Power Grommet (+\$41 list)
- For G33, reference page 568

END PANEL GROMMET


If no grommet is desired, specify an X (No Grommet)



Round Grommet, Black Plastic

\$41 list for each grommet

GE1L	Left
GE1R	Right
X	No Grommet



- When a grommet is selected there will always be a top and bottom grommet
- The grommet cutouts are always located in the kneespace area

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option.
Must order specific lock cores separately (\$29 list each).
See the Casegoods Book 2 Price List for Key Specific model numbers.

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	488	Frosty White
492	Cinder Linear	461	Graphite
440	Cloud	478	Platinum Grey
457	Dapple	425	Shadow
405	Designer White	460	Storm
491	Designer White Linear	419	Wallaby
450	Fog		

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

• CSL available on HPL worksurfaces

LAMINATE DRAWER/DOOR FRONT & CHASSIS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE


462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE


Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


NATIONAL OFFICE FURNITURE—TABLES




(4) 29N60120TDEG1L




(1) 29N60120TDEG1L
(3) 29N3060TRT1L



(4) 29N3648TFG2L




(1) 29N3648TFG2L
(2) 29N3348THDS2L




(2) 29N3648TFG1L
(2) 29N3060TRT1L


MANEUVER - THOUGHT STARTERS




(3) 29N2448TTZ1L




(6) 29N2448TTZ1L



(2) 29N2460TRT1L
(3) 29N2448TTZ1L



(4) 29N3630TKT2L



(3) 29N3630TKT2L
(3) 29N3060TRT2L

TRAINING TABLES

MANEUVER

PRODUCT SPECIFICATIONS

- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Locking (if applicable)
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Laminate Chassis Color
10. Paint Color

SAMPLE MODEL NUMBER:

29N2460DTLM1L V418 6SN CUT-G17C GE1R KRS 418 405 418 405

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT	RIGHT				D	W	H	A	KW		
 Left shown	29N2460DTLM1L	29N2460DTRM1L	HPL	\$	2945	24	60	29½	—	—		20.3
	29N2460DTLM1LL	29N2460DTRM1LL	TFL		2563	24	60	29½	—	—		20.3
	29N2472DTLM1L	29N2472DTRM1L	HPL	\$	3156	24	72	29½	—	—		20.8
	29N2472DTLM1LL	29N2472DTRM1LL	TFL		2744	24	72	29½	—	—		20.8
	29N3060DTLM1L	29N3060DTRM1L	HPL	\$	3156	30½	60	29½	—	—		24.5
	29N3060DTLM1LL	29N3060DTRM1LL	TFL		2744	30½	60	29½	—	—		24.5
	29N3072DTLM1L	29N3072DTRM1L	HPL	\$	3277	30½	72	29½	—	—		25.1
	29N3072DTLM1LL	29N3072DTRM1LL	TFL		2849	30½	72	29½	—	—		25.1
	• Lectern sold separately											
 Left shown	29N2460DTLMHL	29N2460DTRMHL	HPL	\$	2945	24	60	29½				20.3
	29N2460DTLMHLL	29N2460DTRMHLL	TFL		2563	24	60	29½				20.3
	29N2472DTLMHL	29N2472DTRMHL	HPL	\$	3156	24	72	29½				20.8
	29N2472DTLMHLL	29N2472DTRMHLL	TFL		2744	24	72	29½				20.8
	29N3060DTLMHL	29N3060DTRMHL	HPL	\$	3156	30½	60	29½				24.5
	29N3060DTLMHLL	29N3060DTRMHLL	TFL		2744	30½	60	29½				24.5
	29N3072DTLMHL	29N3072DTRMHL	HPL	\$	3277	30½	72	29½				25.1
	29N3072DTLMHLL	29N3072DTRMHLL	TFL		2849	30½	72	29½				25.1
	• Lectern sold separately											
	• 1 adjustable height shelf behind the door											

MANEUVER

PRODUCT SPECIFICATIONS



- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Laminate Top Color
7. Laminate Door/Drawer Color
8. Laminate Chassis Color
9. Paint Color

SAMPLE MODEL NUMBERS:

- 29N2460DTLMOL V418 CUT-G17C GE1R 418 418 405
29N1818LCL 501 TF
- See pages 354-356 for all options available in Maneuver


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
 Right shown without lectern	LEFT	RIGHT									
	29N2460DTLMOL	29N2460DTRMOL	HPL	\$	2720	24	60	29%	—	—	19.9
	29N2460DTLMOLL	29N2460DTRMOLL	TFL		2364	24	60	29%	—	—	19.9
	29N2472DTLMOL	29N2472DTRMOL	HPL	\$	2840	24	72	29%	—	—	20.4
	29N2472DTLMOLL	29N2472DTRMOLL	TFL		2470	24	72	29%	—	—	20.4
	29N3060DTLMOL	29N3060DTRMOL	HPL	\$	2840	30%	60	29%	—	—	24.2
	29N3060DTLMOLL	29N3060DTRMOLL	TFL		2470	30%	60	29%	—	—	24.2
	29N3072DTLMOL	29N3072DTRMOL	HPL	\$	2962	30%	72	29%	—	—	24.8
	29N3072DTLMOLL	29N3072DTRMOLL	TFL		2575	30%	72	29%	—	—	24.8

• Lectern sold separately


LECTERN

29N1818LCL	\$ 806	18	18	13¾	—	—	21 lbs.	6.0
29N2418LCL	970	23¾	18	13¾	—	—	23 lbs.	7.5


- Pencil ledge available in 6 paint colors: (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Specify paint color and laminate color only
- 18" lectern for use with 24" deep desk and 24" lectern for use with 30" deep desk




Right shown without lectern



Left shown with lectern



Approach view



User view

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases





TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBER:

29N36TRD2L VCW 462

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
 Static	STATIC BASE		DI	H					
	29N36TRD2L	HPL	\$ 1037	36 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N48TRD2L	HPL	1280	48 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N60TRD2L	HPL	1521	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	MOBILE BASE								
 Mobile	29N36TRD2ML	HPL	\$ 1108	36 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N48TRD2ML	HPL	1349	48 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
	29N60TRD2ML	HPL	1593	58 $\frac{1}{16}$	—	29 $\frac{7}{8}$	—	—	3.3
• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
 Static	STATIC BASE		D	W	H	A	KW		
	29N3636TSQ2L	HPL	\$ 1037	36 $\frac{1}{16}$	36 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N4848TSQ2L	HPL	1280	48 $\frac{1}{16}$	48 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N6060TSQ2L	HPL	1521	58 $\frac{1}{16}$	58 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	MOBILE BASE								
 Mobile	29N3636TSQ2ML	HPL	\$ 1108	36 $\frac{1}{16}$	36 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N4848TSQ2ML	HPL	1349	48 $\frac{1}{16}$	48 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
	29N6060TSQ2ML	HPL	1593	58 $\frac{1}{16}$	58 $\frac{1}{16}$	29 $\frac{7}{8}$	—	—	3.3
• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									

MANEUVER

PRODUCT SPECIFICATIONS



- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60TGR2L VCW CW 462
• See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
KITE TABLE  Static  Mobile	STATIC BASE									
	29N3630TKT2L	HPL	\$ 1579	29 ⁷ / ₁₆	36 ¹ / ₁₆	29 ⁵ / ₈	—	—	3.3	
	MOBILE BASE									
	29N3630TKT2ML	HPL	\$ 1651	29 ⁷ / ₁₆	36 ¹ / ₁₆	29 ⁵ / ₈	—	—	3.3	
		• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
GEAR TABLE  Static  Mobile	STATIC BASE		DI H							
	29N60TGR2L	HPL	\$ 2376	58 ⁷ / ₁₆	—	29 ⁵ / ₈	—	—	4.5	
	MOBILE BASE									
	29N60TGR2ML	HPL	\$ 2482	58 ⁷ / ₁₆	—	29 ⁵ / ₈	—	—	4.5	
		• Can accommodate 6 users • 6 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Specify center grommet option								

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:

- Model Number
- Rim Profile/Color
- Grommet
- Laminate Top Color
- Paint Color

SAMPLE MODEL NUMBER:

29N60TSD1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SHIELD TABLE  Static  Mobile	STATIC BASE		DI		H				
	29N60TSD1L HPL	\$ 2269	58 $\frac{1}{16}$	—	29 $\frac{1}{8}$	—	—		9.9
	MOBILE BASE								
	29N60TSD1ML HPL	\$ 2334	58 $\frac{1}{16}$	—	29 $\frac{1}{8}$	—	—		9.9
	- Can accommodate 6 users 3 bases/top - Adjustable glides standard on static bases - Dual wheel locking casters standard on mobile bases - Some assembly required - Specify center grommet option								
SHIELD TABLE  Static  Mobile	STATIC BASE								
	29N60TSD2L HPL	\$ 2057	58 $\frac{1}{16}$	—	29 $\frac{1}{8}$	—	—		9.9
	MOBILE BASE								
	29N60TSD2ML HPL	\$ 2193	58 $\frac{1}{16}$	—	29 $\frac{1}{8}$	—	—		9.9
	- Can accommodate 6 users 3 bases/top - Adjustable glides standard on static bases - Dual wheel locking casters standard on mobile bases - Some assembly required - Specify center grommet option								

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60120TDEG1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TRAINING TABLES 120° TABLE  Static  Mobile	STATIC BASE		DI		H				
	29N60120TDEG1L HPL	\$ 2269	58½	—	29½	—	—		9.9
	MOBILE BASE								
	29N60120TDEG1ML HPL	\$ 2334	58½	—	29½	—	—		9.9
MANEUVER 120° TABLE  Static  Mobile	STATIC BASE								
	29N60120TDEG2L HPL	\$ 2478	58½	—	29½	—	—		9.9
	MOBILE BASE								
	29N60120TDEG2ML HPL	\$ 2676	58½	—	29½	—	—		9.9

- Can accommodate 6 users
- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

- Can accommodate 6 users
- 6 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N3348THDS1L VCW CW 462
29N3648TFG2L VCW CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HALF ELLIPSE TABLE									
	STATIC BASE								
	29N3348THDS1L HPL	\$ 1423	33	48 ³ / ₁₆	29 ¹ / ₈	—	—		6.9
Static									
	MOBILE BASE								
	29N3348THDS1ML HPL	\$ 1491	33	48 ³ / ₁₆	29 ¹ / ₈	—	—		6.9
Mobile	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
HALF ELLIPSE TABLE									
	STATIC BASE								
	29N3348THDS2L HPL	\$ 1573	33	48 ³ / ₁₆	29 ¹ / ₈	—	—		6.9
Static									
	MOBILE BASE								
	29N3348THDS2ML HPL	\$ 1637	33	48 ³ / ₁₆	29 ¹ / ₈	—	—		6.9
Mobile	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
FLAG TABLE									
	STATIC BASE								
	29N3648TFG1L HPL	\$ 1298	36 ³ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—		8.5
Static									
	MOBILE BASE								
	29N3648TFG1ML HPL	\$ 1380	36 ³ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—		8.5
Mobile	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
FLAG TABLE									
	STATIC BASE								
	29N3648TFG2L HPL	\$ 1382	36 ³ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—		8.5
Static									
	MOBILE BASE								
	29N3648TFG2ML HPL	\$ 1461	36 ³ / ₁₆	48 ³ / ₁₆	29 ¹ / ₈	—	—		8.5
Mobile	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

- Model Number
- Rim Profile/Color
- Laminate Top Color
- Paint Color

SAMPLE MODEL NUMBER:

29N3060TKB1L VCW CW

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
TRAPEZOID TABLE			STATIC BASE							
	Static	29N2448TTZ1L	HPL	\$ 1080	24	48⅜	29⅞	—	—	6.9
MOBILE BASE										
	Mobile	29N2448TTZ1ML	HPL	\$ 1143	24	48⅜	29⅞	—	—	6.9
		• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
TRAPEZOID TABLE			STATIC BASE							
	Static	29N2448TTZ2L	HPL	\$ 1229	24	48⅜	29⅞	—	—	6.9
MOBILE BASE										
	Mobile	29N2448TTZ2ML	HPL	\$ 1292	24	48⅜	29⅞	—	—	6.9
		• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
KIDNEY BEAN TABLE			STATIC BASE							
	Static	29N3060TKB1L	HPL	\$ 1345	30⅜	60	29⅞	—	—	6.9
MOBILE BASE										
	Mobile	29N3060TKB1ML	HPL	\$ 1410	30⅜	60	29⅞	—	—	6.9
		• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
KIDNEY BEAN TABLE			STATIC BASE							
	Static	29N3060TKB2L	HPL	\$ 1496	30⅜	60	29⅞	—	—	6.9
MOBILE BASE										
	Mobile	29N3060TKB2ML	HPL	\$ 1558	30⅜	60	29⅞	—	—	6.9
		• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases



TO ORDER, SPECIFY:



1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N2448TRT1L VCW CW
29N2448TRT2L VCL CL 501

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
Static 	STATIC BASE									
	29N2448TRT1L	HPL	\$ 971	24	48 ³ / ₁₆	29 ⁷ / ₈	—	—		6.9
	29N2460TRT1L	HPL	1046	24	60	29 ⁷ / ₈	—	—		6.9
	29N2472TRT1L	HPL	1123	24	71 ¹ / ₁₆	29 ⁷ / ₈	—	—		6.9
	29N3048TRT1L	HPL	\$ 1107	30 ³ / ₁₆	48 ³ / ₁₆	29 ⁷ / ₈	—	—		8.5
	29N3060TRT1L	HPL	1182	30 ³ / ₁₆	60	29 ⁷ / ₈	—	—		8.5
	29N3072TRT1L	HPL	1258	30 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₈	—	—		8.5
Mobile 	MOBILE BASE									
	29N2448TRT1ML	HPL	\$ 1034	24	48 ³ / ₁₆	29 ⁷ / ₈	—	—		6.9
	29N2460TRT1ML	HPL	1111	24	60	29 ⁷ / ₈	—	—		6.9
	29N2472TRT1ML	HPL	1186	24	71 ¹ / ₁₆	29 ⁷ / ₈	—	—		6.9
	29N3048TRT1ML	HPL	\$ 1189	30 ³ / ₁₆	48 ³ / ₁₆	29 ⁷ / ₈	—	—		8.5
	29N3060TRT1ML	HPL	1263	30 ³ / ₁₆	60	29 ⁷ / ₈	—	—		8.5
	29N3072TRT1ML	HPL	1340	30 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₈	—	—		8.5
• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option										

RECTANGLE TABLE  Static  Mobile	STATIC BASE								
	29N2448TRT2L	HPL	\$ 1121	24	48 ¹ / ₁₆	29 ⁷ / ₈	—	—	6.9
	29N2460TRT2L	HPL	1152	24	60	29 ⁷ / ₈	—	—	6.9
	29N2472TRT2L	HPL	1271	24	71 ¹ / ₁₆	29 ⁷ / ₈	—	—	6.9
	29N3048TRT2L	HPL	\$ 1192	30 ³ / ₁₆	48 ¹ / ₁₆	29 ⁷ / ₈	—	—	8.5
	29N3060TRT2L	HPL	1268	30 ³ / ₁₆	60	29 ⁷ / ₈	—	—	8.5
	29N3072TRT2L	HPL	1343	30 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₈	—	—	8.5
	MOBILE BASE								
	29N2448TRT2ML	HPL	\$ 1182	24	48 ¹ / ₁₆	29 ⁷ / ₈	—	—	6.9
	29N2460TRT2ML	HPL	1218	24	60	29 ⁷ / ₈	—	—	6.9
	29N2472TRT2ML	HPL	1335	24	71 ¹ / ₁₆	29 ⁷ / ₈	—	—	6.9
	29N3048TRT2ML	HPL	\$ 1256	30 ³ / ₁₆	48 ¹ / ₁₆	29 ⁷ / ₈	—	—	8.5
	29N3060TRT2ML	HPL	1333	30 ³ / ₁₆	60	29 ⁷ / ₈	—	—	8.5
	29N3072TRT2ML	HPL	1407	30 ³ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₈	—	—	8.5
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

MANEUVER

PRODUCT SPECIFICATIONS



- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Resin/Grade Color (if applicable)
3. Metal Color (if applicable)

SAMPLE MODEL NUMBER:

- 98K03ELPG2MTBBK
- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TRAINING TABLES MANEUVER  RECTANGULAR MODESTY PANEL 1/2 HEIGHT RESIN		GRADE 1							
	NAC4212MPA	\$ 650	3/16	41 3/4	12 3/8	—	—	4 lbs.	3.7
	NAC3012MPA	466	3/16	29 3/4	12 3/8	—	—	3 lbs.	3.6
 RECTANGULAR MODESTY PANEL 1/2 HEIGHT METAL									
	NAC4212MP2M	\$ 650	3/16	41 3/4	12 3/8	—	—	8 lbs.	3.7
	NAC3012MP2M	466	3/16	29 3/4	12 3/8	—	—	6 lbs.	3.6
 UNDERSURFACE POWER/DATA									
	98K03ELPG2MTBBK	\$ 392	3	3	1 1/2	—	—	2 lbs.	0.3

WAVEWORKS FLIP/NEST TRAINING TABLE SPECIFICATIONS

SIZES

- 18" deep in widths of 48", 60", 72"
- 24" deep in widths of 48", 60", 72"
- 30" deep in widths of 48", 60", 72"

TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim profile
- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm vinyl rim

MODESTY PANEL OPTION RESIN OR METAL

- $\frac{1}{8}$ " thick resin with a white printed film pattern
- Steel stiffener rail flexes to insert into corresponding holes on the table frame
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel

GROMMET/POWER DATA OPTIONS

- Round black nylon grommet (G1C) available for an upcharge
- CUT-G12C or CUT-G17C optional cutouts available for an upcharge
- G12 or G17 1 touch pivoting power grommet available; see pages 557-558 and 562-565
- When CUT-G12C or CUT-G17C is ordered with flip/nest table, 2 undersurface cable managers are installed on underside of surface
- Hardwire solution available for field installation on the 1 touch pivoting power grommet, see page 557
- Wire managers available, see page 575 for accessories

FLIP/NEST FUNCTIONALITY

- Release lever allows top to flip vertical for nesting capabilities
- Bases are angled at 20° to allow tables to nest
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommets and/or modesty panels are attached
- Depth of base is 22 $\frac{1}{16}$ " for 18" and 24" tables and 28 $\frac{3}{16}$ " for 30" tables
- 18" deep training tables will have a 6" gap between the tables when configuring from the approach side due to the base size
- When nesting the tables, the first table is 16" from the wall. Each additional table adds 6 $\frac{1}{2}$ " to the depth
Example: 18 x 72 flip nest = 72" width x (16" + (6 $\frac{1}{2}$ "*9)) = 75" depth for 10 tables

WAVEWORKS FLIP/NEST TRAINING TABLES

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
440	Cloud	461	Graphite
457	Dapple	478	Platinum Grey
405	Designer White	425	Shadow
491	Designer White Linear	460	Storm
		419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

RIM PROFILES

GALLERY VINYL SOFTENED RIM

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

TABLE LEG COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

RESIN COLORS

Grade 1	
1677	Frosted



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

GROMMET AND CUTOUT OPTIONS

WaveWorks Flip/Nest Training Tables are available with a G1C grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

- G1C Round Grommet, Black (+\$41 list)
- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet when used with Interlink System (+\$41 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet when used with Interlink System (+\$41 list)


• For G12, G17, or hardwire solution, reference pages 557-558 and 562-565

NOTE: Interlink IQ units are available in the Accessories section


• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

CUT-G12C



CUT-G17C



WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (lamine models)
4. Grommet
5. Finish/Laminate
6. Paint Color (for legs)

SAMPLE MODEL NUMBERS:

WW1848RTFMW R X CL 501
WW1848RTFML V 62 CUT-G12C 462 501

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD TOP—18" DEPTH								
WW1848RTFMW	\$ 2232	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMW	2347	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMW	2451	18	72	29½	—	—	93 lbs.	6.9
WOOD TOP—24" DEPTH								
WW2448RTFMW	\$ 2402	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMW	2520	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMW	2624	24	72	29½	—	—	96 lbs.	6.9
WOOD TOP—30" DEPTH								
WW3048RTFMW	\$ 2600	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMW	2721	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMW	2823	30	72	29½	—	—	98 lbs.	7.1
LAMINATE TOP—18" DEPTH								
WW1848RTFML	\$ 1749	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFML	2025	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFML	2078	18	72	29½	—	—	93 lbs.	6.9
LAMINATE TOP—24" DEPTH								
WW2448RTFML	\$ 1926	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFML	2200	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFML	2253	24	72	29½	—	—	96 lbs.	6.9
LAMINATE TOP—30" DEPTH								
WW3048RTFML	\$ 2126	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFML	2402	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFML	2454	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22½" for 18" and 24" deep training tables
- Depth of base is 28½" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Rim
- 3. Vinyl Rim Color
- 4. Grommet
- 5. Finish/Laminate
- 6. Paint Color (for legs)

SAMPLE MODEL NUMBER:

WW1848RTFMLL V 62 CUT-G12C 462 501

• See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES
(CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
TFL TOP—18" DEPTH								
WW1848RTFMLL	\$ 1401	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMLL	1620	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMLL	1663	18	72	29½	—	—	93 lbs.	6.9
TFL TOP—24" DEPTH								
WW2448RTFMLL	\$ 1540	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMLL	1760	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMLL	1802	24	72	29½	—	—	96 lbs.	6.9
TFL TOP—30" DEPTH								
WW3048RTFMLL	\$ 1698	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMLL	1923	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMLL	1966	30	72	29½	—	—	98 lbs.	7.1
• Some assembly required • Locking casters standard on user side • Depth of base is 22½" for 18" and 24" deep training tables • Depth of base is 28½" for 30" deep training tables • Not recommended for use with edge or clamp mount monitor arms								

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers

TO ORDER, SPECIFY:

- Model Number

SAMPLE MODEL NUMBER:

WW4011MPA9

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MODESTY PANEL ½ HEIGHT 	WW4011MPA9 For 48" Table	\$ 642	⅝	40	11	—	—	3 lbs.	3.6
	WW5211MPA9 For 60" Table	817	⅝	52	11	—	—	4 lbs.	3.8
	WW6411MPA9 For 72" Table	987	⅝	64	11	—	—	5 lbs.	3.9
	- Can only be used with flip/nest training tables - Specify model number only ⅝" thick resin with a white printed film pattern - Modesty is attached to a powder coated steel stiffener rail for rigidity - Modesty spans from leg-to-leg - Not recommended for use with 30" deep flip/nest training tables								

RECTANGULAR MODESTY PANEL ½ HEIGHT RESIN



		GRADE 1						
			D	W	H	A	KW	
NAC6012MPA	\$ 929	⅝	59⅞	12⅝	—	—	5 lbs.	3.9
NAC5412MPA	835	⅝	53⅞	12⅝	—	—	5 lbs.	3.8
NAC4812MPA	741	⅝	47⅞	12⅝	—	—	4 lbs.	3.7
NAC4212MPA	650	⅝	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPA	556	⅝	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPA	466	⅝	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPA	372	⅝	23⅞	12⅝	—	—	3 lbs.	3.6
- Specify resin grade and color: Grade 1 Frosted (1677) - Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables - Double sided ⅝" resin - Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty								

TAPERED MODESTY PANEL ½ HEIGHT RESIN



		GRADE 1						
			D	W	H	A	KW	
NAC6012MPTA	\$ 929	⅝	59⅞	12⅝	—	—	5 lbs.	3.9
NAC5412MPTA	835	⅝	53⅞	12⅝	—	—	5 lbs.	3.8
NAC4812MPTA	741	⅝	47⅞	12⅝	—	—	4 lbs.	3.7
NAC4212MPTA	650	⅝	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPTA	556	⅝	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPTA	466	⅝	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPTA	372	⅝	23⅞	12⅝	—	—	3 lbs.	3.6
- Specify resin grade and color: Grade 1 Frosted (1677) - Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables - Double sided ⅝" resin - Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty								

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


- Model Number

SAMPLE MODEL NUMBERS:

NAC6012MP2M E 501
NACGBT2

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR MODESTY PANEL ½ HEIGHT METAL	NAC6012MP2M	\$ 929	½	59½	12½	—	—	10 lbs.	3.9
	NAC5412MP2M	835	½	53½	12½	—	—	10 lbs.	3.8
	NAC4812MP2M	741	½	47½	12½	—	—	8 lbs.	3.7
	NAC4212MP2M	650	½	41¾	12½	—	—	8 lbs.	3.7
	NAC3612MP2M	556	½	35¾	12½	—	—	8 lbs.	3.7
	NAC3012MP2M	466	½	29¾	12½	—	—	6 lbs.	3.6
	NAC2412MP2M	372	½	23½	12½	—	—	6 lbs.	3.6




- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

GANGING BRACKET	NACGBT2	Table Ganging Bracket Kit	\$ 121	—	—	—	—	—	1 lbs.	0.1



- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

LEVELING GANGING BRACKET	NAC18LGB	Table Ganging Bracket Kit	\$ 111	—	—	—	—	—	1 lbs.	0.03
	NAC24LGB	Table Ganging Bracket Kit	148	—	—	—	—	—	2 lbs.	0.03



- NAC18LGB to be used with 18" deep flip/nest table surfaces
- NAC24LGB to be used with 24" and 30" deep flip/nest table surfaces
- For use when completely level surfaces are desired
- Tables feature threaded inserts for ganging brackets
- 1 model to be ordered per flip/nest training table

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"-72"
- 24" deep in widths of 30"-72"
- 30" deep in widths of 48"-72"

TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim
- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm vinyl rim or a wood rim with 6 rim profile options

GROMMET OPTIONS

- Cutout option for (G17) 1 Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in 4 colors
- Wire managers available, see page 575 for accessories

BASES

- Reference page 389 for base matrix requirements
- See pages 393-397 for base options available

WAVEWORKS TRAINING WORKSURFACE SPECIFICATION

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

*Not available on laminate/wood models

• CSL available on laminate worksurfaces

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

RIM PROFILE OPTIONS

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2

TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center





Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

- Reference the Casagoods Book 2 Price List for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 562 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section


WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)

Specify locations and color option
Comes attached to worksurface
\$52 list for each location

Locations:

D1B	Back	\$52 list
D1L	Left	\$52 list
D1R	Right	\$52 list
D1LR	Left & Right	\$104 list
D1BL	Back & Left	\$104 list
D1BR	Back & Right	\$104 list



Colors:

403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

Sample Option Selections:

D1B425	Wire Manager on Back in Shadow, \$52 list
D1BL403	Wire Manager on Back and Left in Chamois, \$104 list

- For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
- For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1848WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WWN1848WSSDLW	M	F	X	D1B440	X	X	MH MH
WWN1848WSSDL	M	V440	X	D1L440	X	45	440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH	1$\frac{1}{2}$" TOP THICKNESS								
	WWN1872WSSDW Wood	\$ 1145	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1872WSSDLW Laminate/Wood	1145	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1872WSSDL Laminate	723	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	57 lbs.	2.3
	WWN1866WSSDW Wood	\$ 1111	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1866WSSDLW Laminate/Wood	1111	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1866WSSDL Laminate	684	18 $\frac{3}{8}$	66	1 $\frac{1}{2}$	—	—	52 lbs.	2.2
	WWN1860WSSDW Wood	\$ 1081	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1860WSSDLW Laminate/Wood	1081	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1860WSSDL Laminate	657	18 $\frac{3}{8}$	60	1 $\frac{1}{2}$	—	—	48 lbs.	2.0
	WWN1854WSSDW Wood	\$ 1057	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1854WSSDLW Laminate/Wood	1057	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1854WSSDL Laminate	601	18 $\frac{3}{8}$	54	1 $\frac{1}{2}$	—	—	43 lbs.	1.8
	WWN1848WSSDW Wood	\$ 1038	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1848WSSDLW Laminate/Wood	1038	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1848WSSDL Laminate	558	18 $\frac{3}{8}$	48 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	38 lbs.	1.6
	WWN1842WSSDW Wood	\$ 1000	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1842WSSDLW Laminate/Wood	1000	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1842WSSDL Laminate	520	18 $\frac{3}{8}$	42 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
	WWN1836WSSDW Wood	\$ 971	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1836WSSDLW Laminate/Wood	971	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1836WSSDL Laminate	488	18 $\frac{3}{8}$	36 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
	WWN1830WSSDW Wood	\$ 947	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1
	WWN1830WSSDLW Laminate/Wood	947	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1
	WWN1830WSSDL Laminate	455	18 $\frac{3}{8}$	30 $\frac{3}{4}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WW1872WSSDW M F X D1BL403 X 45 $\frac{1}{2}$ MH
 WW1872WSSDLW M F X D1B440 X X MH MH
 WW1872WSSDL M V440 X D1L440 X 45 440
- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)	1$\frac{3}{8}$" TOP THICKNESS								
	WW1872WSSDW Wood	\$ 976	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLW Laminate/Wood	976	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDL Laminate	556	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1872WSSDLL TFL	446	18 $\frac{3}{8}$	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	57 lbs.	2.3
	WW1866WSSDW Wood	\$ 937	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLW Laminate/Wood	937	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDL Laminate	515	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1866WSSDLL TFL	413	18 $\frac{3}{8}$	66	1 $\frac{3}{8}$	—	—	52 lbs.	2.2
	WW1860WSSDW Wood	\$ 910	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLW Laminate/Wood	910	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDL Laminate	490	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1860WSSDLL TFL	393	18 $\frac{3}{8}$	60	1 $\frac{3}{8}$	—	—	48 lbs.	2.0
	WW1854WSSDW Wood	\$ 888	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDLW Laminate/Wood	888	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDL Laminate	433	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1854WSSDLL TFL	347	18 $\frac{3}{8}$	54	1 $\frac{3}{8}$	—	—	43 lbs.	1.8
	WW1848WSSDW Wood	\$ 869	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDLW Laminate/Wood	869	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDL Laminate	391	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6
	WW1848WSSDLL TFL	312	18 $\frac{3}{8}$	48 $\frac{3}{8}$	1 $\frac{3}{8}$	—	—	38 lbs.	1.6

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- | | | | | | | | |
|--------------|---|------|---|---------|---|------------------|-------|
| WW1842WSSDW | M | F | X | D1BL403 | X | 39 $\frac{3}{8}$ | MH |
| WW1842WSSDLW | M | F | X | D1B440 | X | X | MH MH |
| WW1842WSSDL | M | V440 | X | D1L440 | X | 39 | 440 |
- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED) B L R	1 ³ / ₁₆ " TOP THICKNESS (CONTINUED)									
	WW1842WSSDW	Wood	\$ 828	18 ¹ / ₈	42 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	1.5
	WW1842WSSDLW	Laminate/Wood	828	18 ¹ / ₈	42 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	1.5
	WW1842WSSDL	Laminate	353	18 ¹ / ₈	42 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	1.5
	WW1842WSSDLL	TFL	284	18 ¹ / ₈	42 ¹ / ₁₆	1 ³ / ₁₆	—	—	34 lbs.	1.5
	WW1836WSSDW	Wood	\$ 799	18 ¹ / ₈	36 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	1.3
	WW1836WSSDLW	Laminate/Wood	799	18 ¹ / ₈	36 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	1.3
	WW1836WSSDL	Laminate	321	18 ¹ / ₈	36 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	1.3
	WW1836WSSDLL	TFL	256	18 ¹ / ₈	36 ¹ / ₁₆	1 ³ / ₁₆	—	—	29 lbs.	1.3
	WW1830WSSDW	Wood	\$ 778	18 ¹ / ₈	30 ¹ / ₁₆	1 ³ / ₁₆	—	—	24 lbs.	1.1
	WW1830WSSDLW	Laminate/Wood	778	18 ¹ / ₈	30 ¹ / ₁₆	1 ³ / ₁₆	—	—	24 lbs.	1.1
	WW1830WSSDL	Laminate	289	18 ¹ / ₈	30 ¹ / ₁₆	1 ³ / ₁₆	—	—	24 lbs.	1.1
	WW1830WSSDLL	TFL	233	18 ¹ / ₈	30 ¹ / ₁₆	1 ³ / ₁₆	—	—	24 lbs.	1.1

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- | | | | | | | | |
|---------------|---|------|---|---------|---|------------------|-----|
| WWN2472WSSDW | M | F | X | D1BL403 | X | 39 $\frac{3}{8}$ | MH |
| WWN2472WSSDLW | M | F | X | D1B440 | X | X | MH |
| WWN2472WSSDL | M | V440 | X | D1L440 | X | 39 | 440 |
- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
RECTANGULAR WORKSURFACE 24" DEPTH	1$\frac{1}{8}$" TOP THICKNESS								
	WWN2472WSSDW Wood	\$ 1231	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDLW Laminate/Wood	1231	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2472WSSDL Laminate	778	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	85 lbs.	3.2
	WWN2466WSSDW Wood	\$ 1195	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDLW Laminate/Wood	1195	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2466WSSDL Laminate	734	24	66	1 $\frac{1}{8}$	—	—	81 lbs.	3.0
	WWN2460WSSDW Wood	\$ 1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDLW Laminate/Wood	1163	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2460WSSDL Laminate	707	24	60	1 $\frac{1}{8}$	—	—	76 lbs.	2.8
	WWN2454WSSDW Wood	\$ 1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDLW Laminate/Wood	1139	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2454WSSDL Laminate	647	24	54	1 $\frac{1}{8}$	—	—	74 lbs.	2.5
	WWN2448WSSDW Wood	\$ 1117	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDLW Laminate/Wood	1117	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2448WSSDL Laminate	601	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	67 lbs.	2.3
	WWN2442WSSDW Wood	\$ 1077	24	42 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDLW Laminate/Wood	1077	24	42 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2442WSSDL Laminate	559	24	42 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	65 lbs.	2.0
	WWN2436WSSDW Wood	\$ 1041	24	36 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDLW Laminate/Wood	1041	24	36 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2436WSSDL Laminate	525	24	36 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	63 lbs.	1.8
	WWN2430WSSDW Wood	\$ 1021	24	30 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDLW Laminate/Wood	1021	24	30 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5
	WWN2430WSSDL Laminate	490	24	30 $\frac{3}{8}$	1 $\frac{1}{8}$	—	—	61 lbs.	1.5

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575



WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2448WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WW2448WSSDLW	M	F	X	D1B440	X	X	MH MH
WW2448WSSDL	M	V440	X	D1L440	X	45	440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A		
	1$\frac{1}{8}$" TOP THICKNESS							
	QWW2472WSSDW Wood	\$ 1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDW Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDLW Laminate/Wood	1046	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDL Laminate	600	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2472WSSDLL TFL	480	24	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	85 lbs.	3.2
	WW2466WSSDW Wood	\$ 1007	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDLW Laminate/Wood	1007	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDL Laminate	556	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2466WSSDLL TFL	446	24	66	1 $\frac{1}{8}$	—	81 lbs.	3.0
	WW2460WSSDW Wood	\$ 979	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDLW Laminate/Wood	979	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDL Laminate	526	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2460WSSDLL TFL	421	24	60	1 $\frac{1}{8}$	—	76 lbs.	2.8
	WW2454WSSDW Wood	\$ 954	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDLW Laminate/Wood	954	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDL Laminate	465	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2454WSSDLL TFL	373	24	54	1 $\frac{1}{8}$	—	74 lbs.	2.5
	WW2448WSSDW Wood	\$ 933	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDLW Laminate/Wood	933	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDL Laminate	422	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3
	WW2448WSSDLL TFL	339	24	48 $\frac{3}{8}$	1 $\frac{1}{8}$	—	67 lbs.	2.3

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- Worksurfaces up to 72" wide can be used for table desking applications
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- | | | | | | | | |
|--------------|---|------|---|---------|---|------------------|-------|
| WW2442WSSDW | M | F | X | D1BL403 | X | 45 $\frac{1}{2}$ | MH |
| WW2442WSSDLW | M | F | X | D1B440 | X | X | MH MH |
| WW2442WSSDL | M | V440 | X | D1L440 | X | 45 | 440 |
- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)											
1 3/8" TOP THICKNESS (CONTINUED)											
	WW2442WSSDW	Wood	\$	892	24	42 1/16	1 3/8	—	—	65 lbs.	2.0
	WW2442WSSDLW	Laminate/Wood		892	24	42 1/16	1 3/8	—	—	65 lbs.	2.0
	WW2442WSSDL	Laminate		380	24	42 1/16	1 3/8	—	—	65 lbs.	2.0
	WW2442WSSDLL	TFL		303	24	42 1/16	1 3/8	—	—	65 lbs.	2.0
	WW2436WSSDW	Wood	\$	858	24	36 1/16	1 3/8	—	—	63 lbs.	1.8
	WW2436WSSDLW	Laminate/Wood		858	24	36 1/16	1 3/8	—	—	63 lbs.	1.8
	WW2436WSSDL	Laminate		347	24	36 1/16	1 3/8	—	—	63 lbs.	1.8
	WW2436WSSDLL	TFL		276	24	36 1/16	1 3/8	—	—	63 lbs.	1.8
	WW2430WSSDW	Wood	\$	834	24	30 1/16	1 3/8	—	—	61 lbs.	1.5
	WW2430WSSDLW	Laminate/Wood		834	24	30 1/16	1 3/8	—	—	61 lbs.	1.5
	WW2430WSSDL	Laminate		311	24	30 1/16	1 3/8	—	—	61 lbs.	1.5
	WW2430WSSDLL	TFL		248	24	30 1/16	1 3/8	—	—	61 lbs.	1.5
• Reference page 389 for base requirements • Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List • Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge • When ordering a worksurface with a size modification, specify desired depth and/or width • For use with 23" deep component pedestals • To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398 • Worksurfaces up to 72" wide can be used for table desking applications • For wire managers, see page 575											

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Caseloads Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1½" worksurface spans should not exceed 48"; unsupported 1¾" worksurface spans should not exceed 60"; see the Caseloads Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3048WSSDW	M	F	X	D1BL403	X	45½	MH	
WWN3048WSSDLW	M	F	X	D1B440	X	X	MH	MH
WWN3048WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 30" DEPTH 	1¾" TOP THICKNESS								
	WWN3072WSSDW Wood	\$ 1355	30½	71½	1¾	—	—	95 lbs.	4.0
	WWN3072WSSDLW Laminate/Wood	1355	30½	71½	1¾	—	—	95 lbs.	4.0
	WWN3072WSSDL Laminate	895	30½	71½	1¾	—	—	95 lbs.	4.0
	WWN3066WSSDW Wood	\$ 1313	30½	66	1¾	—	—	88 lbs.	3.7
	WWN3066WSSDLW Laminate/Wood	1313	30½	66	1¾	—	—	88 lbs.	3.7
	WWN3066WSSDL Laminate	835	30½	66	1¾	—	—	88 lbs.	3.7
	WWN3060WSSDW Wood	\$ 1285	30½	60	1¾	—	—	81 lbs.	3.3
	WWN3060WSSDLW Laminate/Wood	1285	30½	60	1¾	—	—	81 lbs.	3.3
	WWN3060WSSDL Laminate	778	30½	60	1¾	—	—	81 lbs.	3.3
	WWN3054WSSDW Wood	\$ 1264	30½	54	1¾	—	—	74 lbs.	3.0
	WWN3054WSSDLW Laminate/Wood	1264	30½	54	1¾	—	—	74 lbs.	3.0
	WWN3054WSSDL Laminate	728	30½	54	1¾	—	—	74 lbs.	3.0
	WWN3048WSSDW Wood	\$ 1241	30½	48	1¾	—	—	67 lbs.	2.7
	WWN3048WSSDLW Laminate/Wood	1241	30½	48	1¾	—	—	67 lbs.	2.7
	WWN3048WSSDL Laminate	681	30½	48	1¾	—	—	67 lbs.	2.7

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3072WSSDW	M	F	X	D1BL403	X	45 $\frac{1}{2}$	MH
WW3072WSSDLW	M	F	X	D1B440	X	X	MH MH
WW3072WSSDL	M	V440	X	D1L440	X	45	440

• See pages 376-377 for all options available in WaveWorks Training Worksurfaces

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)			1 ^{3⁄16} " TOP THICKNESS								
	QWW3072WSSDW	Wood	\$	1173	30 ^{3⁄16}	71 ^{1⁄16}	1 ^{3⁄16}	—	—	95 lbs.	4.0
	WW3072WSSDW	Wood		1173	30 ^{3⁄16}	71 ^{1⁄16}	1 ^{3⁄16}	—	—	95 lbs.	4.0
	WW3072WSSDLW	Laminate/Wood		1173	30 ^{3⁄16}	71 ^{1⁄16}	1 ^{3⁄16}	—	—	95 lbs.	4.0
	WW3072WSSDL	Laminate		717	30 ^{3⁄16}	71 ^{1⁄16}	1 ^{3⁄16}	—	—	95 lbs.	4.0
	WW3072WSSDLL	TFL		574	30 ^{3⁄16}	71 ^{1⁄16}	1 ^{1⁄8}	—	—	95 lbs.	4.0
	WW3066WSSDW	Wood	\$	1130	30 ^{3⁄16}	66	1 ^{3⁄16}	—	—	88 lbs.	3.7
	WW3066WSSDLW	Laminate/Wood		1130	30 ^{3⁄16}	66	1 ^{3⁄16}	—	—	88 lbs.	3.7
	WW3066WSSDL	Laminate		658	30 ^{3⁄16}	66	1 ^{3⁄16}	—	—	88 lbs.	3.7
	WW3066WSSDLL	TFL		526	30 ^{3⁄16}	66	1 ^{1⁄8}	—	—	88 lbs.	3.7
WW3060WSSDW	Wood	\$	1104	30 ^{3⁄16}	60	1 ^{3⁄16}	—	—	81 lbs.	3.3	
WW3060WSSDLW	Laminate/Wood		1104	30 ^{3⁄16}	60	1 ^{3⁄16}	—	—	81 lbs.	3.3	
WW3060WSSDL	Laminate		600	30 ^{3⁄16}	60	1 ^{3⁄16}	—	—	81 lbs.	3.3	
WW3060WSSDLL	TFL		480	30 ^{3⁄16}	60	1 ^{1⁄8}	—	—	81 lbs.	3.3	
WW3054WSSDW	Wood	\$	1079	30 ^{3⁄16}	54	1 ^{3⁄16}	—	—	74 lbs.	3.0	
WW3054WSSDLW	Laminate/Wood		1079	30 ^{3⁄16}	54	1 ^{3⁄16}	—	—	74 lbs.	3.0	
WW3054WSSDL	Laminate		551	30 ^{3⁄16}	54	1 ^{3⁄16}	—	—	74 lbs.	3.0	
WW3054WSSDLL	TFL		441	30 ^{3⁄16}	54	1 ^{1⁄8}	—	—	74 lbs.	3.0	
WW3048WSSDW	Wood	\$	1056	30 ^{3⁄16}	48	1 ^{3⁄16}	—	—	67 lbs.	2.7	
WW3048WSSDLW	Laminate/Wood		1056	30 ^{3⁄16}	48	1 ^{3⁄16}	—	—	67 lbs.	2.7	
WW3048WSSDL	Laminate		503	30 ^{3⁄16}	48	1 ^{3⁄16}	—	—	67 lbs.	2.7	
WW3048WSSDLL	TFL		402	30 ^{3⁄16}	48	1 ^{1⁄8}	—	—	67 lbs.	2.7	

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 398
- For wire managers, see page 575

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{16}$ " worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-587 for accessories
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW M F X X 23 $\frac{1}{2}$ MH
 WWN60WSHRDLW M F X D1L440 X 440 MH
 WWN60WSHRDL M V440 X X X 440

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HALF ROUND WORKSURFACE 	1$\frac{1}{16}$" TOP THICKNESS								
	WWN60WSHRDW Wood	\$ 1207	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WWN60WSHRDLW Laminate/Wood	1207	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WWN60WSHRDL Laminate	767	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	1$\frac{3}{16}$" TOP THICKNESS								
	WWN48WSHRDW Wood	\$ 1036	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN48WSHRDLW Laminate/Wood	1036	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN48WSHRDL Laminate	668	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	1$\frac{1}{16}$" TOP THICKNESS								
	WW60WSHRDW Wood	\$ 1027	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WW60WSHRDLW Laminate/Wood	1027	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WW60WSHRDL Laminate	587	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	WW60WSHRDLL TFL	471	30	60	1 $\frac{1}{16}$	—	—	69 lbs.	2.8
	1$\frac{3}{16}$" TOP THICKNESS								
	WW48WSHRDW Wood	\$ 853	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WW48WSHRDLW Laminate/Wood	853	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WW48WSHRDL Laminate	490	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WW48WSHRDLL TFL	393	24	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Modified width and depth not available on this shape
- For wire managers, see page 575

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)

TO ORDER, SPECIFY:


- Model Number
- Rim
- Vinyl Rim Color (laminated models)
- Laminated Top Color/Veneer Top Finish
- Veneer Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R HN
WWN2424WSQRLW R 405 HN
WWN2424WSQRL V405 405

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QUARTER ROUND
WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/2" TOP THICKNESS			D	W	H				
WWN2424WSQRW	Wood	\$ 1021	24	24	1 1/2	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminated/Wood	1021	24	24	1 1/2	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminated	657	24	24	1 1/2	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	\$ 1189	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminated/Wood	1189	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminated	754	30 1/2	30 1/2	1 1/2	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	\$ 1667	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminated/Wood	1667	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminated	1113	30 1/2	24	1 1/2	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WWN2430WSQRW	Wood	\$ 1667	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminated/Wood	1667	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminated	1113	24	30 1/2	1 1/2	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
• Rim profile on radius edge of worksurface									
• Grommet option not available									
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base									

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)


TO ORDER, SPECIFY:

- Model Number
- Rim
- Vinyl Rim Color (laminate models)
- Laminate Top Color/Veneer Top Finish
- Veneer Rim Finish (combo models)












SAMPLE MODEL NUMBERS:

WW2424WSQRW R HN
WW2424WSQRLW R 405 HN
WW2424WSQRL V405 405

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
QUARTER ROUND WORKSURFACE (CONTINUED) 	1 3/16" TOP THICKNESS										
	WW2424WSQRW	Wood	\$	834	24	24	1 3/16	—	—	25 lbs.	1.1
	WW2424WSQRLW	Laminate/Wood		834	24	24	1 3/16	—	—	25 lbs.	1.1
	WW2424WSQRL	Laminate		477	24	24	1 3/16	—	—	25 lbs.	1.1
	WW2424WSQRL	TFL		382	24	24	1 3/16	—	—	25 lbs.	1.1
	• Utilize with 24" deep worksurfaces										
	WW3030WSQRW	Wood	\$	1003	30 3/16	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW3030WSQRLW	Laminate/Wood		1003	30 3/16	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW3030WSQRL	Laminate		575	30 3/16	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW3030WSQRL	TFL		459	30 3/16	30 3/16	1 3/16	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurfaces										
	WW3024WSQRW	Wood	\$	1528	30 3/16	24	1 3/16	—	—	33 lbs.	2.0
	WW3024WSQRLW	Laminate/Wood		1528	30 3/16	24	1 3/16	—	—	33 lbs.	2.0
	WW3024WSQRL	Laminate		960	30 3/16	24	1 3/16	—	—	33 lbs.	2.0
	WW3024WSQRL	TFL		768	30 3/16	24	1 3/16	—	—	33 lbs.	2.0
	• Utilize with 30" deep worksurface on left and 24" deep worksurface on right										
	WW2430WSQRW	Wood	\$	1528	24	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW2430WSQRLW	Laminate/Wood		1528	24	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW2430WSQRL	Laminate		960	24	30 3/16	1 3/16	—	—	33 lbs.	2.0
	WW2430WSQRL	TFL		768	24	30 3/16	1 3/16	—	—	33 lbs.	2.0
	• Utilize with 24" deep worksurface on left and 30" deep worksurface on right										
• Rim profile on radius edge of worksurface											
• Grommet option not available											
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base											

BASE REQUIREMENTS

	18" D  48" - 72"	24" D  48" - 72"	30" D  48" - 72"	24" D  60" - 72"	24" & 30" D  48" & 60"
 3" Square Support Base  3" or 4" Round Support Base	(4)	(4)	(4)	(4)	(3)
 Static Column  Mobile Column	(4) (N/A) for mobile column	(4)	(4)	(4)	(3) 48" (N/A) for mobile column
 Adjustable Height Column Pin Leg  Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(4)	(N/A)
   21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(2)	(N/A)
   27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	(2)	(N/A)	(N/A)
 21" Static T  21" Mobile T (Sold 2 per box)	(N/A)	(2)	(N/A)	(2)	(N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)

TRAINING TABLES

METAL BASES

METAL BASES

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1½" thick top is 48" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended. Reference page 398 for undersurface support rail.

RECTANGULAR TOPS
RECOMMENDED SPAN BETWEEN LEGS
FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1½" TOP	
	C-LEG / T-LEG	COLUMN LEG
72"	48"	48"
66"	48"	48"
60"	42"	48"
54"	36"	46"
48"	30"	40"
42"	24"	34"

TRAINING TABLES

METAL BASES

PRODUCT SPECIFICATIONS





• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Paint Color (if applicable)
- 4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
4" SUPPORT BASE ROUND			DI	H					
	NAC0428SFRNB Metal	\$ 294	4	—	27¾	—	—	10 lbs.	1.0
	NAC2804SFBW Wood	793	4	—	27¾	—	—	6 lbs.	1.0
	• Adjustable glide standard • Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Metal base, optional upper and lower (CUL) wire management cutout • Wood base, specify finish: Amber (MC), Autumn (AC), Brighton (IM), Caramel (CL), Cordoba (CC), Cordovan (CW), Honey (HN), Huntington (TM), Judicial (DW), Midtown (Mw), Mocha (MH), Natural (NM), Sedona (SC), Tribeca (TW), Truffle (TF), Urban (UW)								
3" SUPPORT BASE ROUND	NAC0328SFRNB	\$ 224	3	—	27¾	—	—	8 lbs.	0.8
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
3" SUPPORT BASE ROUND COUNTER HEIGHT	NAC0334SFRNB	\$ 339	3	—	34⅞	—	—	10 lbs.	1.0
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
3" SUPPORT BASE ROUND BAR HEIGHT	NAC0340SFRNB	\$ 384	3	—	40%	—	—	11 lbs.	1.1
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements





TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBER:

NAC0334SFSQB CUL 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	3" SUPPORT BASE SQUARE								
	NAC0328SFSQB	\$ 224	3	3	27¾	—	—	8 lbs.	0.8
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	3" SUPPORT BASE SQUARE COUNTER HEIGHT								
	NAC0334SFSQB	\$ 339	3	—	34½	—	—	10 lbs.	1.0
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	3" SUPPORT BASE SQUARE BAR HEIGHT								
	NAC0340SFSQB	\$ 384	3	—	40¾	—	—	11 lbs.	1.1
	• Adjustable glide standard • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
	2" SUPPORT BASE SQUARE								
	NAC0228SFSQB	\$ 184	2	2	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Not intended for use with U- and P-shaped desks with modesty • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

PRODUCT SPECIFICATIONS





• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Column Paint Color
- 4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV0228COBP CUL 501 462
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COLUMN LEG STATIC 	CBV0228COBP	\$ 157	2	—	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
COLUMN LEG MOBILE 	CBV0228COBMP	\$ 188	2	—	27¾	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG STATIC 	CBV0228COA2BP	\$ 313	1½	—	24¾-33¾	—	—	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG MOBILE 	CBV0228COA2BMP	\$ 345	1½	—	26¾-35¾	—	—	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

METAL BASES

PRODUCT SPECIFICATIONS




• Reference page 389 for base requirements

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Wire Management Cutout (if applicable)
- 3. Column Paint Color
- 4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2728CL2BP CUL 501 501
• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
C-LEG BASE STATIC 	CBV2728CL2BP	\$ 876	2½	26⅞	27¾	—	—	30 lbs.	7.2
	CBV2128CL2BP	785	2½	20½	27¾	—	—	26 lbs.	2.8
• Adjustable glides standard • Some assembly required • Sold 2 per box • Grommets should be field installed on surfaces utilizing a C-leg • Optional upper and lower (CUL) wire management cutout • Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
C-LEG BASE MOBILE 	CBV2728CL2BMP	\$ 916	2½	26⅞	27¾	—	—	30 lbs.	7.2
	CBV2128CL2BMP	824	2½	20½	27¾	—	—	26 lbs.	2.8
• Dual wheel locking casters • Some assembly required • Sold 2 per box • Grommets should be field installed on surfaces utilizing a C-leg • Optional upper and lower (CUL) wire management cutout • Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
BASIC C-LEG BASE STATIC 	CBV2728CL1 Black	\$ 391	2	26⅞	27¾	—	—	10 lbs.	3.8
	CBV2728CL1S Platinum Metallic	391	2	26⅞	27¾	—	—	10 lbs.	3.8
	CBV2128CL1 Black	\$ 359	2	20½	27¾	—	—	9 lbs.	3.0
	CBV2128CL1S Platinum Metallic	359	2	20½	27¾	—	—	9 lbs.	3.0
• Adjustable glides standard • Grommets should be field installed on surfaces utilizing a C Leg • Sold 1 per box									

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements





TO ORDER, SPECIFY:

- Model Number
- Wire Management Cutout (if applicable)
- Column Paint Color (if applicable)
- Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BASIC C-LEG BASE MOBILE 	CBV2728CLM1	Black	\$ 421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2728CLM1S	Platinum Metallic	421	2	26 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	\$ 382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	CBV2128CLM1S	Platinum Metallic	382	2	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	9 lbs.	3.0
	- Dual wheel locking casters - Grommets should be field installed on surfaces utilizing a C Leg - Sold 1 per box									
ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT 	CBV2628CLA2B	Cinder	\$ 1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2628CLA2S	Platinum Metallic	1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2628CLA2N	Satin Nickel Metallic	1326	2 $\frac{1}{4}$	26 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	7.2
	CBV2128CLA2B	Cinder	\$ 1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	CBV2128CLA2S	Platinum Metallic	1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	CBV2128CLA2N	Satin Nickel Metallic	1236	2 $\frac{1}{4}$	21 $\frac{3}{4}$	24 $\frac{3}{4}$ -33 $\frac{3}{4}$	—	—	11 lbs.	2.8
	- Sold 2 per box - Ships fully assembled - Grommets should be field installed on surfaces utilizing a C-leg									
T-LEG BASE STATIC 	CBV2128TL2BP		\$ 785	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
	- Adjustable glides standard - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									
T-LEG BASE MOBILE 	CBV2128TL2BMP		\$ 824	2 $\frac{1}{2}$	20 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	28 lbs.	5.6
	- Dual wheel locking casters - Some assembly required - Sold 2 per box - Optional upper and lower (CUL) wire management cutout - Optional column and foot paint colors available in (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic									

METAL BASES

PRODUCT SPECIFICATIONS



- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

- CBV2128T1
- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
	BASIC T-LEG BASE STATIC									
	CBV2128T1	Black	\$ 359	2	20½	27¼	—	—	10 lbs.	3.0
	CBV2128T1S	Platinum Metallic	359	2	20½	27¼	—	—	10 lbs.	3.0
	• Adjustable glides standard • Sold 1 per box									
	BASIC T-LEG BASE MOBILE									
	CBV2128TM1	Black	\$ 382	2	20½	27¼	—	—	10 lbs.	3.0
	CBV2128TM1S	Platinum Metallic	382	2	20½	27¼	—	—	10 lbs.	3.0
	• Dual wheel locking casters • Sold 1 per box									

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABEB

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED CUBIC WEIGHT FEET	
				D	W	H	A			
ELECTRIC ADJUSTABLE HEIGHT BASE	CBV3072ABEB	Cinder	\$ 3076	29	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3072ABES	Platinum Metallic	3076	29	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3072ABEN	Satin Nickel Metallic	3076	29	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3066ABEB	Cinder	\$ 3067	29	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3066ABES	Platinum Metallic	3067	29	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3066ABEN	Satin Nickel Metallic	3067	29	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	67 lbs.	2.3
	CBV3060ABEB	Cinder	\$ 3059	29	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV3060ABES	Platinum Metallic	3059	29	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV3060ABEN	Satin Nickel Metallic	3059	29	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV3048ABEB	Cinder	\$ 2977	29	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV3048ABES	Platinum Metallic	2977	29	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV3048ABEN	Satin Nickel Metallic	2977	29	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2472ABEB	Cinder	\$ 2910	23	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2472ABES	Platinum Metallic	2910	23	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2472ABEN	Satin Nickel Metallic	2910	23	62 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2466ABEB	Cinder	\$ 2902	23	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2466ABES	Platinum Metallic	2902	23	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2466ABEN	Satin Nickel Metallic	2902	23	56 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	65 lbs.	2.1
	CBV2460ABEB	Cinder	\$ 2894	23	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1
	CBV2460ABES	Platinum Metallic	2894	23	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1
	CBV2460ABEN	Satin Nickel Metallic	2894	23	50 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1
	CBV2448ABEB	Cinder	\$ 2813	23	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1
	CBV2448ABES	Platinum Metallic	2813	23	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1
	CBV2448ABEN	Satin Nickel Metallic	2813	23	38 $\frac{1}{2}$	25 $\frac{3}{16}$ -44 $\frac{1}{16}$	—	—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV3072ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- 1 touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

METAL BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number


SAMPLE MODEL NUMBERS:

NAC0248SUR
NAC5408MPM

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNDERSURFACE SUPPORT RAIL (WORKSURFACE) 	QNAC0248SUR	\$ 274	2 3/4	48	1	—	—	5 lbs.	0.5
	NAC0248SUR	274	2 3/4	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR	235	2 3/4	36	1	—	—	3 lbs.	0.3
	NAC0236SUR	235	2 3/4	36	1	—	—	3 lbs.	0.3
	• Specify model number only • Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 3/4" worksurface and greater than 60" on a 1 3/4" worksurface • Specify the 36" model to be used up to 66" worksurfaces • Specify the 48" model to be used up to 72" worksurfaces • Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces • Rails are bulk packed per order. The pack may contain both sizes of rails								
MESH WIRE MANAGER 	NAC0318WMM Black	\$ 137	—	3	17 1/2	—	—	2 lbs.	0.1
	• Applicable to all 2 1/2" diameter C, T and X bases • Wraps around leg and is secured with Velcro®								
VERTICAL WIRE MANAGER 	NAC0318WMV Cinder	\$ 279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS Platinum Metallic	279	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMMVN Satin Nickel Metallic	279	—	3	18	—	—	2 lbs.	0.1
	• Applicable to all 2 1/2" diameter C, T and X bases • Clamps to leg; no hardware required								
MESH MODESTY PANEL 	NAC5408MPM	\$ 375	1/4	54	8	—	—	5 lbs.	0.7
	NAC4808MPM	331	1/4	48	8	—	—	4 lbs.	0.6
	NAC4208MPM	295	1/4	42	8	—	—	4 lbs.	0.5
	• Specify base model only • Used only for privacy, not support • Offers horizontal cable management • Textile is a black mesh material								

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)		RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72		24 x 36
							38 x 72 (K2)		26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72		24 x 36
							38 x 72 (K2)		26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72		24 x 36
							38 x 72 (K2)		26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72		24 x 30
							38 x 72 (K2)		26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72		24 x 30
							38 x 72 (K2)		26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72		24 x 30
							38 x 72 (K2)		26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66		24 x 36
							38 x 66 (K2)		26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66		24 x 36
							38 x 66 (K2)		26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66		24 x 36
							38 x 66 (K2)		26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66		24 x 30
							38 x 66 (K2)		26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66		24 x 30
							38 x 66 (K2)		26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66		24 x 30
							38 x 66 (K2)		26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60		24 x 36
							38 x 60 (K2)		26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60		24 x 36
							38 x 60 (K2)		26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60		24 x 36
							38 x 60 (K2)		26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60		24 x 30
							38 x 60 (K2)		26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60		24 x 30
							38 x 60 (K2)		26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60		24 x 30
							38 x 60 (K2)		26 x 30 (K1)


"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV7272ALBEB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT 	CBV7272ALBEB	Cinder	\$ 4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7272ALBES	Platinum Metallic	4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7272ALBEN	Satin Nickel Metallic	4594	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBEB	Cinder	\$ 4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBES	Platinum Metallic	4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV7266ALBEN	Satin Nickel Metallic	4481	23	62½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBEB	Cinder	\$ 4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBES	Platinum Metallic	4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6666ALBEN	Satin Nickel Metallic	4367	23	56½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBEB	Cinder	\$ 4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBES	Platinum Metallic	4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6072ALBEN	Satin Nickel Metallic	4367	23	50½	25⅞-44⅞	—	—	87 lbs.	3.1
	CBV6066ALBEB	Cinder	\$ 4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8
	CBV6066ALBES	Platinum Metallic	4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8
	CBV6066ALBEN	Satin Nickel Metallic	4248	23	50½	25⅞-44⅞	—	—	80 lbs.	2.8


- Rated for a maximum of 300 lbs.
- Reference the matrix on page 399 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

WAVEWORKS PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a 3mm vinyl rim or 6 veneer rim options
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim profile

RIM PROFILE OPTIONS



*Not recommended with Canyon, Driftwood, Monterey and Tuscan

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WOOD FINISHES

AD	Almond Straight Grain	DF	Driftwood Straight Grain	PB	Portobello Straight Grain
MC	Amber Cherry	HN	Honey Maple	792	Sable Straight Grain
AC	Autumn Cherry	TM	Huntington Maple	SC	Sedona Cherry
IM	Brighton Maple	DW	Judicial Walnut	TW	Tribeca Walnut
CO	Canyon Straight Grain	MW	Midtown Walnut	TF	Truffle Cherry
CL	Caramel Maple	MH	Mocha Cherry	NW	Tuscan Straight Grain
CC	Cordoba Cherry	YO	Monterey Straight Grain	UW	Urban Walnut
CW	Cordovan Walnut	NM	Natural Maple		

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler
M = 0	Connecting Worksurface Flat Brackets
E = 2	Connecting Worksurface Flat Brackets
F = 4	Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

*Not available on laminate/wood models

• CSL available on HPL worksurfaces


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

• Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com


• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

EPIC PRODUCT SPECIFICATIONS


WORKSURFACE

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate), and feature a 3mm vinyl or wood rim or a knife rim profile
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning


RIM PROFILE OPTIONS



Softened Vinyl (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

WORKSURFACE SHEEN OPTIONS

N	Matte/Satin
R	Gloss

SOFTENED VINYL RIM

793	Acorn
AD	Almond
MC	Amber
AC	Autumn
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

"L" CONFIGURATION EPIC WORKSURFACES

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1	– 5% upcharge
G1001	Citadel
G1011	Pepperdust
Grade 2	– 6% upcharge
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet


G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center




• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 562 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 562 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 562 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets

E = 2 Connecting Worksurface Flat Brackets

F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Caseloads Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2 E F X D1B403 MH
 WWN3672WSCEDLLW2 E F X D1R440 MH MH
 WWN3672WSCEDLL2 E V440 X D1L440 440

- See pages 401-402 for all options available in "L" Configuration Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
EXTENDED CORNER WORKSURFACE  Left shown	1 1/16" TOP THICKNESS LEFT	RIGHT										
	WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	\$	1968	35 3/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood		1968	35 3/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate		1671	35 3/16	72	1 1/16	—	—	79 lbs.	3.9
	WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	\$	1911	35 3/16	66	1 1/16	—	—	72 lbs.	3.6
	WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood		1911	35 3/16	66	1 1/16	—	—	72 lbs.	3.6
	WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate		1592	35 3/16	66	1 1/16	—	—	72 lbs.	3.6
	WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	\$	1795	35 3/16	60	1 1/16	—	—	65 lbs.	3.3
	WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood		1795	35 3/16	60	1 1/16	—	—	65 lbs.	3.3
	WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate		1520	35 3/16	60	1 1/16	—	—	65 lbs.	3.3
	1 1/16" TOP THICKNESS LEFT	RIGHT										
	WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	\$	1784	35 3/16	72	1 3/16	—	—	79 lbs.	3.9
	WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood		1784	35 3/16	72	1 3/16	—	—	79 lbs.	3.9
	WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate		1487	35 3/16	72	1 3/16	—	—	79 lbs.	3.9
	WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL		1190	35 3/16	72	1 3/8	—	—	79 lbs.	3.9
	WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	\$	1723	35 3/16	66	1 3/16	—	—	72 lbs.	3.6
	WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood		1723	35 3/16	66	1 3/16	—	—	72 lbs.	3.6
	WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate		1414	35 3/16	66	1 3/16	—	—	72 lbs.	3.6
	WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL		1131	35 3/16	66	1 3/8	—	—	72 lbs.	3.6
	WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	\$	1608	35 3/16	60	1 3/16	—	—	65 lbs.	3.3
	WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood		1608	35 3/16	60	1 3/16	—	—	65 lbs.	3.3
	WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate		1342	35 3/16	60	1 3/16	—	—	65 lbs.	3.3
	WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL		1074	35 3/16	60	1 3/8	—	—	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Caseloads Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 398
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For wire managers, see page 575

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. Vinyl Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25N3672WSCERW2 E V G1A X MC
25N3872WSCERW2K2 E V G1A X MC
- See pages 403-404 for all options available in "L" Configuration Worksurfaces

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER WORKSURFACE	SOFTENED RIM										
	LEFT	RIGHT									
 Left shown	25N3672WSCELW2	25N3672WSCERW2	Wood	\$ 1912	35 ¹ / ₈	72	1 ¹ / ₈	—	—	79 lbs.	3.9
	25N3672WSCCELL2	25N3672WSCERL2	Laminate	1593	35 ¹ / ₈	72	1 ¹ / ₈	—	—	79 lbs.	3.9
	25N3666WSCELW2	25N3666WSCERW2	Wood	\$ 1845	35 ¹ / ₈	66	1 ¹ / ₈	—	—	72 lbs.	3.6
	25N3666WSCCELL2	25N3666WSCERL2	Laminate	1514	35 ¹ / ₈	66	1 ¹ / ₈	—	—	72 lbs.	3.6
	25N3660WSCELW2	25N3660WSCERW2	Wood	\$ 1721	35 ¹ / ₈	60	1 ¹ / ₈	—	—	65 lbs.	3.3
	25N3660WSCCELL2	25N3660WSCERL2	Laminate	1437	35 ¹ / ₈	60	1 ¹ / ₈	—	—	65 lbs.	3.3
	KNIFE RIM										
	LEFT	RIGHT									
	25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	\$ 2485	36 ¹ / ₈	71 ¹ / ₈	1 ¹ / ₈	—	—	79 lbs.	3.9
	25N3672WSCCELL2K1	25N3672WSCERL2K1	Laminate	2473	36 ¹ / ₈	71 ¹ / ₈	1 ¹ / ₈	—	—	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	\$ 2400	36 ¹ / ₈	66	1 ¹ / ₈	—	—	72 lbs.	3.6	
25N3666WSCCELL2K1	25N3666WSCERL2K1	Laminate	2346	36 ¹ / ₈	66	1 ¹ / ₈	—	—	72 lbs.	3.6	
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	\$ 2235	36 ¹ / ₈	60	1 ¹ / ₈	—	—	65 lbs.	3.3	
25N3660WSCCELL2K1	25N3660WSCERL2K1	Laminate	2229	36 ¹ / ₈	60	1 ¹ / ₈	—	—	65 lbs.	3.3	
25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	\$ 2485	37 ¹ / ₂	71 ¹ / ₈	1 ¹ / ₈	—	—	79 lbs.	3.9	
25N3872WSCCELL2K2	25N3872WSCERL2K2	Laminate	2473	37 ¹ / ₂	71 ¹ / ₈	1 ¹ / ₈	—	—	79 lbs.	3.9	
25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	\$ 2400	37 ¹ / ₂	66	1 ¹ / ₈	—	—	72 lbs.	3.6	
25N3866WSCCELL2K2	25N3866WSCERL2K2	Laminate	2346	37 ¹ / ₂	66	1 ¹ / ₈	—	—	72 lbs.	3.6	
25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	\$ 2235	37 ¹ / ₂	60	1 ¹ / ₈	—	—	65 lbs.	3.3	
25N3860WSCCELL2K2	25N3860WSCERL2K2	Laminate	2229	37 ¹ / ₂	60	1 ¹ / ₈	—	—	65 lbs.	3.3	

- Wire Manager available on left side, back or right side; see page 404 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 398
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For wire managers, see page 575

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Caseloads Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

- WWN2436WSSVDW M F X D1BL403 X 55½ MH
 WWN2436WSSVDLW M F X D1B440 X X MH MH
 WWN2436WSSVDL M V440 X D1L440 X 55 440
- See pages 401-402 for all options available in "L" Configuration Worksurfaces

</

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Casegoods Book 2 Price List for grommet locations; and page 402 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. Vinyl Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

25N2436WSSVW M F X D1BL403 X 55½ MH
25N2436WSSVL M V440 X D1L440 X 55 440

• See pages 403-404 for all options available in "L" Configuration Worksurfaces

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECTANGULAR WORKSURFACE 24" DEPTH Grain direction runs front-to-back	SOFTENED RIM										
	25N2436WSSVW	Wood	\$	920	24	36½	1¾	—	—	33 lbs.	1.8
	25N2436WSSVL	Laminate		372	24	36½	1¾	—	—	33 lbs.	1.8
	25N2430WSSVW	Wood	\$	894	24	30½	1¾	—	—	28 lbs.	1.5
	25N2430WSSVL	Laminate		332	24	30½	1¾	—	—	28 lbs.	1.5
	KNIFE RIM										
	25N2636WSSVWK1	Wood	\$	1197	25½	36½	1¾	—	—	33 lbs.	1.8
	25N2636WSSVLK1	Laminate		576	25½	36½	1¾	—	—	33 lbs.	1.8
25N2630WSSVWK1	Wood	\$	1162	25½	30½	1¾	—	—	28 lbs.	1.5	
25N2630WSSVLK1	Laminate		513	25½	30½	1¾	—	—	28 lbs.	1.5	
• Grain direction runs front-to-back • Intended to be used when building an L configuration utilizing components • For wire managers, see page 575											