
FILES

Product Pages

338



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

- Model Number
- 21N2436LFF2L KRB HN2

۷.	Locking
3.	Laminate

		LIST	DI	MENSIO	NS			CARTONED	CUBIC
	MODEL NO./DESCRIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
ARROWOOD LAMINATE	Q21N2436LFF2L	\$ 1449	23¾	35¾	29½	-	-	184 lbs.	17.7
LATERAL FILE 2 DRAWER	21N2436LFF2L	1449	23¾	35¾	29½	-	-	184 lbs.	17.7

- - Front-to-back filing is standard with lateral files; 4 rods per drawer are included
 Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

 - Unit features a semi-finished back

21N2436LFF4L

· Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 5

ARROWOOD LAMINATE **LATERAL FILE 3 DRAWER**



35¾

291 lbs.

40.2

21N2436LFF3L \$ 2361 23¾ 441/2 210 lbs. 30.0

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on

ARROWOOD LAMINATE LATERAL FILE **4 DRAWER**




- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
 Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 5

\$ 3276

210 lbs.

30.0



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

- 1. Model Number
- 2. Locking 3. Finish

31N2136LFF2W KRB DW

	MODEL NO./DESCI	RIPTION		LIST PRICE	DI D	MENSIO W	NS H	Α	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD VENEER	Q31N2136LFF2W	Wood Top	\$	2264	21	35½	29½	-	-	193 lbs.	15.6
LATERAL FILE 2 DRAWER	31N2136LFF2W	Wood Top		2264	21	35½	29½	_	-	193 lbs.	15.6
	31N2136LFF2LW	HPL Top		2176	21	35½	29½	-	-	201 lbs.	15.6
·	 Random lock core (is standard with lateral files; KRB, KRS) and specified lock d Veneer for detailed product	core (KS2B, KS2S)) available		wood Ven	eer offer	ing start	ting on pa	ge 19	
ARROWOOD VENEER	31N2136LFF3W	Wood Top	\$	2936	21	361/16	43%	_	-	210 lbs.	30.0

ARROWOOD VENEER LATERAL FILE 3 DRAWER



HPL Top

31N2136LFF3LW

Front-to-back filing is standard with lateral files; 4 rods per drawer are included
 Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 19

ARROWOOD VENEER LATERAL FILE **4 DRAWER**



31N2136LFF4W Wood Top \$ 3697 21 361/16 575/16 291 lbs. 40.2 31N2136LFF4LW HPL Top 3649 291 lbs. 21 361/16 575/16 40.2

2861


21

361/16

43%

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- · Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 19

2 DRAWER



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB MH

- 1. Model Number
- 2. Pull Option
- 3. Locking
- 4. Finish

		LIST	LIST DIMENSIONS						CUBIC
MODEL NO./DESCR	RIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
Q50N2137LFF2W	Wood Top	\$ 2953	21	371/4	29½	-	-	158 lbs.	15.6
50N2137LFF2W	Wood Top	2953	21	371/4	29½	-	-	158 lbs.	15.6
50N2137LFF2LW	HPL Top	2953	21	371/4	291/2	_	_	123 lbs.	15.6

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- · Random lock core (KRB) and specified lock core (KS2B) available
- · Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON LATERAL FILE 3 DRAWER

BARRINGTON LATERAL FILE



50N2137LFF3W 3951 Wood Top \$ 211/16 371/4 4311/16 190 lbs. 24.0 50N2137LFF3LW HPL Top 3951 211/16 190 lbs. 24.0 371/4 4311/16

\$ 4950


21

371/4

55%

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- · Random lock core (KRB) and specified lock core (KS1B) available
- · Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

BARRINGTON LATERAL FILE 4 DRAWER



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back

50N2137LFF4W


· Random lock core (KRB) and specified lock core (KS1B) available

Wood Top

Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 41

236 lbs.

29.4



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBERS:

ECN2238LFF3W 79SN KRB DW

- 1. Model Number
- 2. Pull Option
- 3. Locking
- 4. Finish

	LIST	LIST DIMENSIONS					CARTONED CUBIC		
MODEL NO./DESCRIPTION	PRICE	D	W	Н	Α	KW	WEIGHT	FEET	
QECN2238LFF2W	\$ 3642	221/4	38¾6	29½	-	-	155 lbs.	17.8	
ECN2238LFF2W	3642	221/4	38¾16	29½	-	_	155 lbs.	17.8	

- - Front-to-back filing is standard with lateral files; 4 rods per drawer are included · Lateral file has an unfinished back
 - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 - Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63

ESCALADE LATERAL FILE

ESCALADE LATERAL FILE

2 DRAWER



ECN2238LFF4W

\$

Ś 5527 221/4

221/4

383/16

54½

 $41^{15}/_{16}$

265 lbs.

32.9

210 lbs. 30.0






· Front-to-back filing is standard with lateral files; 4 rods per drawer are included

- · Lateral file has an unfinished back
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63

ESCALADE LATERAL FILE 4 DRAWER



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 63



TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

- 1. Model Numb
- Pull Option
- 3. Locking
- 4. Finish

ber	51N2137LFF2W	82AB	KRB	C۷

	CARTONED CUBIC
A KW	WEIGHT FEET
	158 lbs. 15.6
	123 lbs. 15.6
	123 lbs. 15.6
_	

- **R00**3 2 DR
- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available
- · Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

ROOSEVELT LATERAL FILE 3 DRAWER



51N2137LFF3W Wood Top \$ 3868 211/16 371/4 4311/16 190 lbs. 24.0 51N2137LFF3LW 190 lbs. Laminate Top 3770 211/16 371/4 4311/16 24.0

4785

21

371/4

55%

- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- · Random lock core (KRB) and specified lock core (KS1B) available
- · Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

ROOSEVELT LATERAL FILE 4 DRAWER



- · Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available


Wood Top

51N2137LFF4W

· Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 131

29.4

236 lbs



WAVEWORKS METAL LATERAL FILE

TO ORDER, SPECIFY:

SAMPLE MODEL NUMBER:

WW1842LFF2M 5 KRB 462

- 1. Model Number
- 2. Pull
- 3. Locking
- 4. Paint
- · See Casegoods Book 2 for all options available in WaveWorks Metal

			LIST DIMENSIONS					CARTONED		
MODEL NO./DESC	RIPTION	-	PRICE	D	W	Н	Α	KW	WEIGHT	FEET
WW1842LFF2M	2 Drawer	\$	1544	18	42	271/4	_	-	121 lbs.	16.4
QWW1836LFF2M	2 Drawer		1430	18	36	271/4	-	-	113 lbs.	14.2
WW1836LFF2M	2 Drawer		1430	18	36	271/4	_	-	113 lbs.	14.2
WW1830LFF2M	2 Drawer		1311	18	30	271/4	-	-	100 lbs.	12.0
WW36CW2M	Counterweight		217	11/8	231/4	11%	-	-	37 lbs.	0.1
· Counterweight mu	st be used unless ganging multiple late	eral file u	nits							
WW1842LFF3M	3 Drawer	\$	1910	18	42	39¾16	_	_	164 lbs.	23.0
WW1836LFF3M	3 Drawer		1755	18	36	39¾6	_	-	146 lbs.	19.9
WW1830LFF3M	3 Drawer		1542	18	30	39¾6	-	_	128 lbs.	16.8
WW36CW2M	Counterweight		217	11/8	231/4	11%	_	-	37 lbs.	0.1
QWW1836LFF4M	4 Drawer		2147	18	36	51%	-	-	169 lbs.	25.6
WW1842LFF4M		\$	2423	 18	42	51%			191 lbs.	29.5
QWW1836LFF4M	4 Drawer		2147	18	36	51%				25.6
	4 Drawer		2147	18	36	51%	_		169 lbs.	25.6
WW1836LFF4M WW1830LFF4M	4 Drawer		1901	18	30	511/8	-	-	148 lbs.	21.7
WW1830LFF4M WW36CW2M	4 Drawer	eral file u	1901	18	30	511/8	-	-	148 lbs.	21.7
WW1830LFF4M WW36CW2M Counterweight mu	4 Drawer Counterweight	eral file u	1901	18	30	511/8	-	-	148 lbs.	21.7
WW1830LFF4M WW36CW2M Counterweight mu WW1842LFF5M	4 Drawer Counterweight est be used unless ganging multiple late		1901 217 nits	18	30 23%	51%	_	-	148 lbs. 37 lbs.	21.7
ww1830LFF4M ww36CW2M Counterweight mu ww1842LFF5M ww1836LFF5M	4 Drawer Counterweight st be used unless ganging multiple late 5 Drawer		1901 217 Inits	18 11/8	30 231/4	511/8 111/8 641/2	-	-	148 lbs. 37 lbs. 212 lbs.	21.7 0.1 36.8
WW1830LFF4M WW36CW2M	4 Drawer Counterweight ast be used unless ganging multiple late 5 Drawer 5 Drawer		1901 217 Inits 3067 2801	18 11/8 18 18	30 23¼ 42 36	511/8 111/8 641/2 641/2	- - -	- - -	148 lbs. 37 lbs. 212 lbs. 187 lbs.	21.7 0.1 36.8 31.9
WW1830LFF4M WW36CW2M Counterweight mu WW1842LFF5M WW1836LFF5M WW1830LFF5M WW36CW2M	4 Drawer Counterweight Ist be used unless ganging multiple late 5 Drawer 5 Drawer 5 Drawer	\$	1901 217 Inits 3067 2801 2556 217	18 11/8 18 18	30 23¼ 42 36 30	51½ 11½ 64½ 64½ 64½	- - - -	- - - -	148 lbs. 37 lbs. 212 lbs. 187 lbs. 162 lbs.	21.7 0.1 36.8 31.9 26.9
WW1830LFF4M WW36CW2M Counterweight mu WW1842LFF5M WW1836LFF5M WW1830LFF5M WW36CW2M	4 Drawer Counterweight st be used unless ganging multiple late 5 Drawer 5 Drawer 5 Drawer Counterweight	\$	1901 217 Inits 3067 2801 2556 217	18 11/8 18 18	30 23¼ 42 36 30	51½ 11½ 64½ 64½ 64½	- - - -	- - - -	148 lbs. 37 lbs. 212 lbs. 187 lbs. 162 lbs.	21.7 0.1 36.8 31.9 26.9
WW1830LFF4M WW36CW2M Counterweight mu WW1842LFF5M WW1836LFF5M WW1830LFF5M WW36CW2M Counterweight mu WW1842LFF5DM	4 Drawer Counterweight St be used unless ganging multiple late 5 Drawer 5 Drawer 5 Drawer Counterweight St be used unless ganging multiple late	\$ eral file u	1901 217 inits 3067 2801 2556 217	18 11/6 18 18 18 11/6	30 23¼ 42 36 30 23¼	51½ 11½ 64½ 64½ 64½ 11½	- - - -	- - - - -	148 lbs. 37 lbs. 212 lbs. 187 lbs. 162 lbs. 37 lbs.	21.7 0.1 36.8 31.9 26.9 0.1
WW1830LFF4M WW36CW2M Counterweight mu WW1842LFF5M WW1836LFF5M WW1830LFF5M WW36CW2M Counterweight mu	4 Drawer Counterweight 1st be used unless ganging multiple late 5 Drawer 5 Drawer 5 Drawer Counterweight 1st be used unless ganging multiple late 5 Drawer with Recessed Door	\$ eral file u	1901 217 inits 3067 2801 2556 217 inits	18 1½ 18 18 18 1½	30 23¼ 42 36 30 23¼	51½ 11½ 64½ 64½ 11½	- - - - -	- - - - -	148 lbs. 37 lbs. 212 lbs. 187 lbs. 162 lbs. 37 lbs.	21.7 0.1 36.8 31.9 26.9 0.1



 $\boldsymbol{\cdot}$ Counterweight must be used unless ganging multiple lateral file units

- Drawer fronts are picture framed
 File drawers accommodate side-to-side letter/legal filing
- · Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware in Casegoods Book 2
- · Counterweight must be ordered separately; specify model only
- Knockouts are standard to allow for ganging side-by-side
- · File cannot be moved loaded
- Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes
- · Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Pulls must be field installed for freestanding lateral files
- · Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering in Casegoods Book 2